10 Linux Commands:

```
root@9667551033cf:/# find ~/linux-lab -type f -name '*.tmp' -print
/root/linux-lab/temp1.tmp
/root/linux-lab/temp2.tmp
root@9667551033cf:/# find ~/linux-lab -type f -name '*.tmp' -delete
root@9667551033cf:/# find ~/linux-lab -type f -name '*.tmp' -print
root@9667551033cf:/# sed -n '1,5p' ~/linux-lab/app.log
INFO Application started
ERROR Database connection failed
WARNING High memory usage
ERROR File not found
INFO Application stopped
root@9667551033cf:/# sed 's/ERROR/ISSUE/' ~/linux-lab/app.log
INFO Application started
ISSUE Database connection failed
WARNING High memory usage
ISSUE File not found
INFO Application stopped
ISSUE Network timeout
INFO Restart successful
root@9667551033cf:/# sed 's/ERROR/ISSUE/g' ~/linux-lab/app.log
INFO Application started
ISSUE Database connection failed
WARNING High memory usage
ISSUE File not found
INFO Application stopped
ISSUE Network timeout
INFO Restart successful
root@9667551033cf:/# awk '{print $1}' ~/linux-lab/app.log
INFO
ERROR
WARNING
ERROR
INFO
ERROR
INFO
root@9667551033cf:/# awk '{print $NF}' ~/linux-lab/app.log
started
failed
usage
found
stopped
timeout
successful
root@9667551033cf:/# awk '/ERROR/ {print}' ~/linux-lab/app.log
ERROR Database connection failed
ERROR File not found
ERROR Network timeout
root@9667551033cf:/# grep -n 'ERROR' ~/linux-lab/app.log
2:ERROR Database connection failed
4:ERROR File not found
6:ERROR Network timeout
root@9667551033cf:/#
```

`find ~/linux-lab -type f -name '*.tmp' -print` – Finds and displays all `.tmp` files in the practice directory without deleting them.
`find ~/linux-lab -type f -name '*.tmp' -delete` – Deletes matching `.tmp` files from the practice directory.
`sed -n '1,5p' ~/linux-lab/app.log` – Displays lines 1 to 5 from the log file.
`sed 's/ERROR/ISSUE/' ~/linux-lab/app.log` – Replaces the first occurrence of `ERROR` with `ISSUE` on each line in the output.
`sed 's/ERROR/ISSUE/g' ~/linux-lab/app.log` – Replaces all occurrences of `ERROR` with `ISSUE` on each line in the output.
`awk '{print $1}' ~/linux-lab/app.log` – Prints the first whitespace-separated field from every line.
`awk '{print $NF}' ~/linux-lab/app.log` – Prints the last whitespace-separated field from every line.
`awk '/ERROR/ {print}' ~/linux-lab/app.log` – Displays all log lines containing the word `ERROR`.
`grep -n 'ERROR' ~/linux-lab/app.log` – Searches for `ERROR` and displays matching lines with their line numbers.