```
/Users/jagusriram — root@ed7f0352fed1: / — docker run -it ubuntu:22.04 bash    ~/downloads/Devops-Training — root@9667551033cf: / — -zsh
```

```
root@ed7f0352fed1:/# cut -d: -f1 /etc/passwd
root
daemon
bin
sys
sync
games
man
lp
mail
news
uucp
proxy
www-data
backup
list
irc
gnats
nobody
_apt
syslog
messagebus
systemd-network
systemd-resolve
systemd-timesync
root@ed7f0352fed1:/# sort /etc/passwd
_apt:x:100:65534::/nonexistent:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
games:x:5:60:games:/usr/games:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
messagebus:x:102:103::/nonexistent:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
root:x:0:0:root:/root:/bin/bash
sync:x:4:65534:sync:/bin:/bin/sync
sys:x:3:3:sys:/dev:/usr/sbin/nologin
syslog:x:101:102::/home/syslog:/usr/sbin/nologin
systemd-network:x:103:105:systemd Network Management,,,:/run/systemd:/usr/sbin/nologin
systemd-resolve:x:104:106:systemd Resolver,,,:/run/systemd:/usr/sbin/nologin
systemd-timesync:x:105:107:systemd Time Synchronization,,,:/run/systemd:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
root@ed7f0352fed1:/#
root@ed7f0352fed1:/# printf "apple\nbanana\napple\napple\n" | sort | uniq
apple
banana
root@ed7f0352fed1:/# echo "hello linux" | tr 'a-z' 'A-Z'
HELLO LINUX
root@ed7f0352fed1:/# wc -l /etc/passwd
24 /etc/passwd
```


```
/Users/jagusriram — root@ed7f0352fed1: / — docker run -it ubuntu:22.04 bash    ~/downloads/Devops-Training — root@9667551033cf: / — -zsh
```

```
games:x:5:60:games:/usr/games:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
messagebus:x:102:103::/nonexistent:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
root:x:0:0:root:/root:/bin/bash
sync:x:4:65534:sync:/bin:/bin/sync
sys:x:3:3:sys:/dev:/usr/sbin/nologin
syslog:x:101:102::/home/syslog:/usr/sbin/nologin
systemd-network:x:103:105:systemd Network Management,,,:/run/systemd:/usr/sbin/nologin
systemd-resolve:x:104:106:systemd Resolver,,,:/run/systemd:/usr/sbin/nologin
systemd-timesync:x:105:107:systemd Time Synchronization,,,:/run/systemd:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
root@ed7f0352fed1:/#
root@ed7f0352fed1:/# printf "apple\nbanana\napple\napple\n" | sort | uniq
apple
banana
root@ed7f0352fed1:/# echo "hello linux" | tr 'a-z' 'A-Z'
HELLO LINUX
root@ed7f0352fed1:/# wc -l /etc/passwd
24 /etc/passwd
root@ed7f0352fed1:/# echo "Linux practice" | tee /tmp/linux-notes.txt
Linux practice
root@ed7f0352fed1:/# basename /var/log/syslog
syslog
root@ed7f0352fed1:/# dirname /var/log/syslog
/var/log
root@ed7f0352fed1:/# readlink /proc/self/exe
/usr/bin/readlink
root@ed7f0352fed1:/# seq 1 20
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
root@ed7f0352fed1:/#
```

`cut` – Extracts specific columns or fields from text.
`sort` – Sorts lines alphabetically or numerically.
`uniq` – Removes consecutive duplicate lines.
`tr` – Translates or replaces characters in text.
`wc` – Counts lines, words, and characters.
`tee` – Displays output and saves it to a file simultaneously.
`basename` – Extracts the filename from a given path.
`dirname` – Extracts the directory portion of a path.
`readlink` – Displays the target of a symbolic link.
`seq` – Generates a sequence of numbers.