

# L2-7 Chapter 5

# Is Modularity a Design Principle, or a Governance Choice?

Yaowei Huang

# 1. From Module Validity to Organizational Justification

Throughout the preceding four chapters, we have progressively established a framework for understanding modular organization within laboratory systems. Rather than beginning with a predetermined modular design approach, our investigation has consistently treated the laboratory as a long-term engineering system, examining why modularity emerges, how a Module becomes valid, and what forms of change it can accommodate.

Chapter 1 challenged the assumption that modularity should be a predefined design objective. As laboratory requirements and operational conditions continue to evolve, modularity may emerge as an organizational response to uncertainty rather than a universally applicable design goal.

Chapter 2 defined the Module as an Engineering Capability Cluster characterized by Relative Independence and Stable Interfaces. A Module is therefore not necessarily the starting point of engineering organization, but a possible outcome of how engineering capabilities and their dependencies are structured.

Chapter 3 introduced Capability Reference and Effective Range, establishing a basis for evaluating Adaptability against identifiable engineering conditions rather than treating it as an abstract form of flexibility.

Chapter 4 further examined Capability Upper Limit and System Boundary, distinguishing changes that remain within an existing Module's organizational identity from those that may require its capabilities, boundaries, or relationships to be reconsidered.

Together, these chapters established a continuous line of reasoning: why modularity emerges, how a Module becomes valid, what it can accommodate, and where its limitations arise.

Yet one fundamental question remains.

Suppose a modular organization satisfies all these conditions. Its engineering capabilities are relatively independent, its interfaces remain stable, and its adaptability and system boundaries are clearly defined.

Does this necessarily make modularity an appropriate organizational choice for the laboratory's long-term development?

Not necessarily.

Module Validity and Organizational Justification are two distinct judgments.

The former determines whether a Module has a reasonable engineering and organizational foundation. The latter considers whether adopting or maintaining that organization serves the broader and evolving requirements of the Laboratory System.



A valid Module may facilitate localized adjustments without necessarily improving overall system performance. Likewise, stable organizational boundaries do not automatically justify their indefinite preservation.

This distinction does not undermine the preceding theoretical framework. Rather, it identifies the point at which engineering validity must be considered alongside broader governance responsibilities.

Laboratory requirements, technologies, and operational conditions cannot be fully anticipated during initial planning. Consequently, no single organizational model can be assumed to remain universally appropriate. The objective is not to establish an ideal modular structure, but to understand under what conditions modularity provides meaningful organizational value.

This requires examining the system-level consequences of modular organization, particularly in relation to the Continuity, Consistency, and Completeness established in L2-6, *The Negotiated Order of Laboratory Systems*. These attributes provide a broader perspective for considering how localized engineering decisions influence the laboratory's long-term Operational Order.

Our purpose is therefore not to prescribe how extensively modularity should be applied, nor to establish a fixed balance between modular and integrated organization. Instead, we seek to extend the engineering judgments developed in the preceding chapters toward a more comprehensive understanding of organizational justification.

This leads to the central question of Chapter 5:

When modularity is technically and organizationally valid, what further justification is required for it to become an appropriate choice for the long-term organization of the Laboratory System?

# 2. The Long-Term Consequences of Modular Organization



Modularity organizes engineering capabilities and their dependencies into relatively independent Engineering Capability Clusters with defined boundaries. This arrangement can reduce the impact of localized changes while providing a clearer foundation for maintenance, adaptation, and future development.

However, establishing organizational independence does not eliminate the dependencies that exist within the broader Laboratory System.

Laboratory operations rely on interconnected engineering conditions, including ventilation, environmental control, risk management, workflows, and maintenance requirements. These relationships do not necessarily follow the same boundaries as individual Modules. Even when each Module operates within its Effective Range, the system must continue to coordinate engineering dependencies that extend beyond those boundaries.

For example, an equipment upgrade may remain entirely within a Module's defined capabilities while still affecting shared ventilation systems, pressure relationships, or adjacent operational areas. Although modularity may simplify the local adjustment, its broader consequences still require system-level coordination.

The ability to manage localized changes does not automatically guarantee an improvement in overall operational order.

In L2-6, *The Negotiated Order of Laboratory Systems*, we examined how laboratories maintain their Operational Order through the ongoing negotiation of Continuity, Consistency, and Completeness. These attributes describe the system's ability to manage operational interruptions, maintain a shared basis for judgment, and sustain coexistence among legitimate engineering and operational requirements.

Returning to modularity, we can recognize that clearly defined Module boundaries cannot independently preserve these conditions.

A Module may remain technically valid while operational assumptions gradually diverge from the system's Shared Reference Framework. Similarly, individual Modules may continue to satisfy their respective engineering requirements even as evolving workflows, risk conditions, or maintenance demands require their relationships to be reconsidered.

In such cases, the issue does not necessarily arise from a failure of Module Validity, nor does it imply that a Module has exceeded its Capability Upper Limit or System Boundary.

Rather, individual Modules may remain valid even when the organizational relationships required by the Laboratory System have changed.

er what conditions its advantages justify that organizational choice.

Increasing modular independence alone cannot resolve this distinction. Greater independence may reduce certain operational interferences while introducing additional coordination requirements. Stable Interfaces may improve predictability without guaranteeing long-term alignment in system-level judgment.

Nevertheless, these limitations do not establish the superiority of integrated organization. Engineering dependencies do not disappear when modular boundaries are removed; different organizational approaches simply manage those dependencies through different arrangements.

Modular and integrated forms of organization may therefore coexist within the same Laboratory System, provided their respective roles respond to actual engineering and operational requirements.

As established in L2-6, the long-term objective of laboratory organization is not to preserve a permanent Ideal Order, but to sustain an Operational Order capable of adapting to changing conditions.

This perspective does not prescribe an ideal organizational model. Instead, it provides a broader basis for evaluating whether modularity continues to contribute meaningfully to the system as a whole.

A modular organization may remain technically valid without necessarily remaining the most appropriate choice for the laboratory's long-term operational requirements.

The question, therefore, is no longer simply what modularity can achieve, but why it should be adopted and und



## 3. Does Technical Capacity Define the System Boundary?

The Capability Upper Limit provides an engineering basis for identifying a limit to Module Adaptability, but it also raises another question.
If a Module has not yet reached this upper limit, does that mean it should continue to absorb new changes?
From a purely engineering perspective, this inference may still appear reasonable. As long as exhaust capacity remains available, electrical systems can still be expanded, control systems can continue to be adjusted, and utility interfaces have not reached the point where further modification is no longer possible, a new Process Demand may still be technically supportable. If the Capability Cluster has not yet been exhausted, continuing to use these capabilities may still appear to fall within a reasonable range of Adaptability.
However, the Capability Upper Limit ultimately answers only a question of capacity.
It determines how much more change the existing Capability Cluster can accommodate, but it does not determine whether those changes should still be accommodated by the same Module.
The distinction between the two is often difficult to see in any single change. Adding one Engineering Capability may require only a local adjustment; adding a second may still be achievable within the existing system. Considered individually, each decision may respond to a clear demand and have a technically feasible solution. Yet as these changes accumulate, the internal composition of the Capability Cluster also begins to change. Capabilities originally organized around a common set of engineering conditions begin to acquire new dependencies, previously stable interfaces require repeated adjustment, and the relationships among different Engineering Capabilities may gradually become more complex.
At this point, even if the system still retains the technical capacity for further expansion, another question begins to emerge:

Do these Capabilities still constitute the same Cluster with a coherent organizational meaning?

# 3. Long–Term Governance Beyond Modular Validity

Modularity offers distinct engineering advantages when applied under appropriate conditions. By organizing relatively independent Engineering Capability Clusters, it can reduce the impact of localized changes, simplify maintenance and equipment replacement, and provide greater flexibility in responding to future requirements.

These advantages are particularly valuable when laboratory needs remain uncertain, but certain engineering capabilities can maintain relatively stable interfaces. Under such conditions, changes may be accommodated within individual Modules without requiring extensive reorganization of the entire Laboratory System.

However, these advantages are conditional rather than universal.

Modularity is most effective when engineering capabilities possess sufficient Relative Independence, their dependencies can be managed through Stable Interfaces, and anticipated changes remain reasonably aligned with their Capability Reference and Effective Range.

When engineering functions are highly interdependent, or when changes primarily affect relationships between Modules rather than capabilities within them, additional organizational boundaries may introduce coordination requirements without providing equivalent benefits.

The value of modularity therefore depends not on the extent of modularization, but on how appropriately its organizational boundaries correspond to actual engineering relationships.

This leads to the first fundamental governance question:

What problems is modularity intended to solve?

Modularity may be introduced to reduce disruption during equipment replacement, improve the adaptability of specific engineering capabilities, clarify organizational responsibilities, or accommodate uncertain future requirements.

Each objective implies different engineering conditions and organizational expectations. Without a clearly defined purpose, modularity risks becoming a predetermined design preference rather than a response to actual system needs.

Yet identifying a valid purpose does not, by itself, establish that modularity is the most appropriate solution.

A second question must therefore follow:

What problems can modularity solve better?

This question shifts the discussion from technical capability to Comparative Justification.

.

For example, modular organization may provide advantages when future equipment replacement can be accommodated within relatively independent engineering units. However, where operational requirements depend on highly coordinated systems, integrated engineering arrangements, shared infrastructure, or centralized operational management may offer more effective solutions.

Neither approach is inherently superior. Their relative advantages depend on the nature of engineering dependencies, expected changes, operational requirements, and the coordination responsibilities they introduce.

Furthermore, modular and integrated organization need not be mutually exclusive. A laboratory may benefit from modularizing selected engineering capabilities while maintaining integrated arrangements for systems that require continuous coordination.

Such an approach should not be interpreted as a universally preferred hybrid model. Rather, it recognizes that different engineering relationships may justify different forms of organization.

These considerations must also extend beyond initial design decisions.

A modular arrangement may provide immediate advantages in construction, standardization, or localized adaptation while introducing additional interface management and coordination requirements over time. Conversely, an integrated arrangement may simplify certain system relationships while making future localized modifications more complex.

Consequently, Long-Term Governance Planning must consider not only whether an organizational approach is technically feasible, but also whether its anticipated advantages remain meaningful in relation to its continuing responsibilities and limitations.

This judgment begins during initial planning but cannot be permanently settled at that stage. As laboratory requirements, technologies, and operational relationships evolve, the assumptions supporting an organizational choice may require reconsideration.

A Module may remain technically valid even when maintaining its original boundaries no longer provides the same organizational advantages. Equally, preserving established modular boundaries may remain entirely appropriate when they continue to support effective operation and adaptation.

Reconsidering an organizational arrangement therefore does not necessarily indicate that its original design was unsuccessful.

Instead, it reflects the conditional nature of organizational justification.

Modularity should be evaluated not by how extensively it is applied, but by how effectively its organizational advantages respond to the conditions it is intended to address.

The purpose of governance is neither to maximize modularity nor to favor integrated organization by default. It is to establish where modularity offers meaningful advantages, recognize the boundaries of those advantages, and determine whether they provide sufficient justification for its adoption and continued use within the Laboratory System

# 4. Modularity as a Governance Choice

For laboratory governance, modularity should not be treated merely as a design preference, but as an organizational decision with consequences extending throughout the laboratory's life cycle.

From initial planning and construction to operation, maintenance, technological adaptation, and eventual reconfiguration, a Laboratory System must respond to changing requirements and engineering conditions. An organizational approach that provides advantages during one stage may not necessarily deliver the same value throughout its operational life.

Modularity can offer significant benefits by allowing certain engineering capabilities to be maintained, replaced, or adapted without extensive disruption to the broader system. However, these advantages must be considered alongside the continuing responsibilities associated with interfaces, shared infrastructure, coordination, and future modifications.

Short-term engineering efficiency and long-term governance value are related, but they are not interchangeable.

Initial construction costs, implementation schedules, and technical simplicity represent legitimate project constraints. Equally, future adaptability, operational continuity, maintenance requirements, and organizational responsibilities must be considered when evaluating the long-term consequences of a design decision.

Neither short-term efficiency nor anticipated future benefits should automatically outweigh the other. Their relative importance depends on the laboratory's actual requirements, expected changes, and the conditions under which those benefits can realistically be achieved.

From a governance perspective, the objective is therefore not to maximize modular independence, but to determine which engineering capabilities benefit from modular organization and which relationships are better maintained through integrated coordination.

Where engineering capabilities possess sufficient Relative Independence, predictable dependencies, and manageable interfaces, modularity may provide substantial advantages. Where system performance depends on continuous interaction among tightly coupled functions, integrated organization may offer a more appropriate solution.

These choices should be made according to engineering requirements rather than a predetermined preference for either organizational form.

Importantly, such decisions must remain open to reconsideration.

A Module that was appropriately established during initial planning may continue to provide value for decades. Alternatively, evolving technologies, operational requirements, or system dependencies may eventually justify adjustments to its boundaries or organizational relationships.

Neither outcome necessarily indicates success or failure in the original design. What matters is whether the organization continues to serve the Laboratory System under the conditions in which it operates.

This distinction also introduces a broader governance responsibility. Clearly defined engineering boundaries must be supported by appropriate decision-making responsibilities, particularly when changes affect shared infrastructure or extend across multiple Modules.

Maintaining Stable Interfaces alone cannot resolve every conflict between localized engineering decisions and system-level requirements. Effective governance must also preserve the ability to coordinate those decisions within a common Shared Reference Framework.

In this sense, organizational boundaries should remain subject to the purposes they were established to serve.

A laboratory should neither preserve modularity simply because it already exists nor abandon it merely because its operating conditions have changed. Both maintaining and reorganizing established Modules can represent reasonable governance decisions when supported by sufficient engineering and operational justification.

This brings us back to the central question of this chapter:

Is Modularity a Design Principle, or a Governance Choice?

The two are not necessarily mutually exclusive.


Modularity can become a meaningful Design Principle when its application is supported by a justified Governance Choice. However, it should not be elevated into a universal organizational requirement independent of the laboratory's actual needs.

Governance justification must establish the purpose of modularity before modularity becomes a guiding principle of engineering design.

The broader objective is not to preserve a particular organizational structure indefinitely, but to ensure that engineering capabilities and their relationships continue to support the laboratory's evolving operational requirements.

Yet establishing the justification for an organizational choice does not complete the responsibility of governance.

coherent and adaptable Operational Order under changing conditions.



The assumptions, boundaries, and engineering relationships established during initial planning must continue to be examined throughout operation, maintenance, technological renewal, and future reconfiguration.

This leads us beyond the question of whether modularity should be adopted toward a broader challenge:

How should laboratory governance organize, maintain, and reconsider engineering capabilities under long-term uncertainty while preserving the system's ability to operate, adapt, and evolve?

This question will form the foundation of Chapter 6 — Governing Modularity Across the Laboratory Life Cycle, the final chapter of L2-7.

There, we will bring together the engineering principles and organizational judgments developed throughout the preceding chapters to examine how modularity and other organizational approaches can be evaluated, implemented, and reconsidered across the laboratory life cycle.

Ultimately, the objective is not the continued existence of modularity itself, but the sustained ability of the Laboratory System to maintain a

**Summary:** Closing Remarks — Toward the Final Chapter

Throughout L2-7, our investigation has progressed from the emergence of modularity to the definition of Modules, their adaptability, engineering boundaries, and ultimately, their organizational justification.

This progression has not led us toward a universally ideal modular structure. Instead, it has established that modularity is neither an obligatory design objective nor an organizational choice justified by engineering validity alone.

Modularity can become a meaningful Design Principle, but its adoption must first be justified as a Governance Choice.

Yet establishing this justification is only the beginning of a broader governance responsibility.

Laboratories continue to evolve long after their initial design and construction. Engineering capabilities, organizational boundaries, and system dependencies must respond to changing operational requirements, technological developments, and long-term uncertainty.

This brings us to the final question of L2-7:

How should laboratory governance organize, maintain, and reconsider engineering capabilities throughout the laboratory life cycle, ensuring that the Laboratory System can continue to operate, adapt, and evolve?

In Chapter 6 — Governing Modularity Across the Laboratory Life Cycle, the final chapter of L2-7, we will bring together the engineering principles and organizational judgments developed throughout this series. Our focus will shift from justifying organizational choices to understanding how those choices can be implemented, sustained, and reconsidered across the laboratory's entire life cycle.

**Ultimately, the purpose of laboratory governance is not to preserve modularity itself, but to ensure that the organization of engineering capabilities continues to support the Laboratory System's long-term Operational Order.**

Yaowei Huang
20261012