

L2-7 Chapter 4

Is the Limit of Module Adaptability
Technical or Organizational?

Yaowei Huang



Laboratory Planner: Have you reviewed the new equipment list?

Engineer: Yes. We'll need some additional exhaust capacity, and the electrical system will need some adjustment as well. Nothing major.

Laboratory Planner: Still going into this Module?

Engineer: It should be fine. There's still some capacity in the main services, and we can add more control points.

Laboratory Planner: I think we said the same thing during the last renovation.

Engineer: And it worked last time.

Laboratory Planner: I know.

Engineer: What is it?

Laboratory Planner: Nothing. I was just looking through the original design documents.

Engineer: And?

Laboratory Planner: I almost didn't recognize it as the same module.

1. Does Expanding Capability Mean That Adaptability Can Continue to Expand?

Chapter 3 established the relationship between Capability Reference and Module Adaptability. Process Demand itself is not the long-term reference for a Module. Only when specific process requirements are translated into identifiable, measurable, and adjustable Engineering Capabilities can they enter the organizational logic of the Module. Capabilities across different engineering disciplines then form a Capability Cluster, and the Capability Reference is used to determine whether new demands still fall within the Module's Effective Range. Module Adaptability therefore no longer depends on any single fixed Process. When experimental activities, equipment configurations, or operational requirements change, as long as the new Engineering Demand can still be absorbed by the existing Capability Cluster, the Module can continue to support the new Process without changing its fundamental organizational structure. Change has occurred, but the Module remains valid. This is the Adaptability established in Chapter 3.

However, when this logic is carried one step further, a new question emerges. The Capability Cluster itself is not entirely static. Engineering Capabilities within a laboratory can be adjusted. Reserved capacity within the system can be utilized, engineering services can be redistributed, interfaces can be added or reconfigured, and control logic can be modified in response to new operational requirements. In some cases, demands that have already approached the edge of the Effective Range can even be brought back within it by adding new Engineering Capabilities.

This means that the Effective Range does not necessarily remain fixed. As the Capability Cluster expands, the Process Demands it can support may expand as well. Demands that previously fell outside the range may become supportable once new Capability is added. From this perspective, Module Adaptability appears capable of expanding along with the growth of Engineering Capability.

This inference is not unreasonable.

If the value of a Module lies in avoiding the need to redefine space and systems every time the Process changes, then making full use of existing reserve, adjusting existing Capability, or adding new Capability under reasonable conditions is itself an expression of Adaptability. A Module that does not allow its own Capability to change would, in fact, have difficulty responding to the uncertainty inherent in long-term operation. The issue, therefore, is not whether Capability can change.

The issue is that, without further constraints, almost every new Process Demand could be explained through the same sequence:

Process Demand changes;

the existing Capability becomes insufficient;

Capability is added or adjusted;

the Effective Range expands accordingly;

and the new demand is once again brought within the Module.

When the next change occurs, the same process can be repeated.

The Effective Range established in Chapter 3 as a means of determining whether change can be absorbed by the Module therefore faces a new problem: if the Capability Cluster that defines this Range can itself continue to change, where exactly is the boundary of that Range?

This is not a rejection of Capability-based Modularity. On the contrary, it is a question that must be answered if this logic is to remain meaningful.

Adaptability must allow change; otherwise, it loses its meaning. But if any change beyond the existing range can simply be brought back within it by continuing to add Capability, then Adaptability likewise loses any boundary by which it can be judged.

The question, therefore, can no longer remain simply:

Can the new Process Demand be supported by Engineering Capability?

It must also ask:

How far can Engineering Capability itself be expanded?

This constitutes the first level in defining the boundary of Module Adaptability—the Capability Upper Limit.

2. Where Is the Upper Limit of Engineering Capability?

If Module Adaptability can expand as the Capability Cluster expands, the first question that must be answered is whether Engineering Capability can in fact continue to expand indefinitely.

Clearly, it cannot.

Every Engineering Capability depends on a physical engineering system for its realization. Exhaust capability depends on ductwork, fans, shafts, and makeup air systems; electrical capability depends on distribution capacity, circuits, and upstream power supply; temperature, humidity, pressure differential, and environmental control depend on the corresponding HVAC and control systems; process gases, water supply and drainage, and other utilities are likewise constrained by pipe sizes, routing, equipment capacity, and upstream infrastructure. Capability may serve as the organizational object of a Module, but it does not exist independently of the physical systems that support it.

Every Capability therefore has its own engineering constraints.


These constraints do not always appear suddenly at a single, clearly defined numerical threshold. In many cases, the system can still continue to operate, but obtaining the next increment of Capability begins to require changes over a wider scope. A local adjustment may require larger equipment; equipment modifications may in turn require changes to mains or shafts; changes that could previously be contained within the Module may begin to require additional capacity from upstream systems; and expansion within one discipline may gradually trigger consequential adjustments in others. Capability expansion, therefore, is not a simple additive process that can be repeated indefinitely.

At the initial stage, new demands may be accommodated primarily through existing reserve. Later, the system may need to redistribute available capacity or modify local equipment and interfaces. As demands continue to increase, adjustments begin to extend beyond the Module itself and gradually reach engineering systems shared by multiple Modules. At some point, further increasing the Capability of one Module can no longer be achieved by modifying that Module alone; the upstream infrastructure supporting it must also be changed.

What appears at this point is not an upper limit on Process Demand itself.

The new Process may still be achievable. The issue is that the existing Capability Cluster can no longer absorb the change under its original engineering conditions.

This distinction is important.



The Capability Upper Limit does not mean that a particular experimental activity has become technically “impossible,” nor does it mean that the laboratory system as a whole can no longer support it. It describes a more specific boundary: under the existing Capability Cluster and the engineering conditions on which it depends, the Module has reached the upper limit of its ability to accommodate change. Meeting further demands would require engineering resources beyond the original scope or a reorganization of its relationship with upstream systems.

The Capability Upper Limit, therefore, is not a single value shared across engineering disciplines.

As Chapter 3 established, different Engineering Disciplines do not share a common scale through which their capabilities can be directly converted or compared. Airflow, electrical capacity, drainage, process gas, pressure control, and environmental monitoring each follow different engineering logics and assess adequacy, reserve, tolerance, and risk in different ways. The purpose of the Capability Reference has never been to compress these capabilities into a single aggregate value, but to make them identifiable, assessable, and governable within the same Capability Cluster. Likewise, the Capability Upper Limit must emerge along these different engineering logics.

A Module may still have ample electrical reserve while having no further capacity for exhaust expansion. It may have sufficient HVAC capacity but be constrained by drainage, process gas, control architecture, or maintenance access. Whether its Effective Range can continue to expand is often determined not by all capabilities being exhausted simultaneously, but by a critical Capability—or by the relationships among several Capabilities—that can no longer be maintained within the existing structure.

Chapter 3’s Effective Range therefore acquires its first explicit external constraint.

It cannot continue to expand simply because new Process Demands arise, nor can it extend indefinitely through the continual addition of Capability. The engineering systems on which the Capability Cluster depends have finite capacity, reserve, interfaces, and infrastructure. The extent to which a Module can absorb change through its existing engineering systems is therefore also finite.

This is the **Capability Upper Limit**.

Yet this still answers only one question:

How much more change can this Module accommodate?

It does not answer another:

As long as this upper limit has not been reached, should every change that can still be technically accommodated continue to be included within the same Module?

These two questions appear closely related, but they are not the same.

The distinction between them is where the Capability Upper Limit and the System Boundary begin to separate.



3. Does Technical Capacity Define the System Boundary?

The Capability Upper Limit provides an engineering basis for identifying a limit to Module Adaptability, but it also raises another question.

If a Module has not yet reached this upper limit, does that mean it should continue to absorb new changes?

From a purely engineering perspective, this inference may still appear reasonable. As long as exhaust capacity remains available, electrical systems can still be expanded, control systems can continue to be adjusted, and utility interfaces have not reached the point where further modification is no longer possible, a new Process Demand may still be technically supportable. If the Capability Cluster has not yet been exhausted, continuing to use these capabilities may still appear to fall within a reasonable range of Adaptability.

However, the Capability Upper Limit ultimately answers only a question of capacity.

It determines how much more change the existing Capability Cluster can accommodate, but it does not determine whether those changes should still be accommodated by the same Module.


The distinction between the two is often difficult to see in any single change. Adding one Engineering Capability may require only a local adjustment; adding a second may still be achievable within the existing system.

Considered individually, each decision may respond to a clear demand and have a technically feasible solution. Yet as these changes accumulate, the internal composition of the Capability Cluster also begins to change.

Capabilities originally organized around a common set of engineering conditions begin to acquire new dependencies, previously stable interfaces require repeated adjustment, and the relationships among different Engineering Capabilities may gradually become more complex.

At this point, even if the system still retains the technical capacity for further expansion, another question begins to emerge:

Do these Capabilities still constitute the same Cluster with a coherent organizational meaning?




This is a question that the Capability Upper Limit alone cannot answer. Chapter 2 defined the Module as an organizational unit formed around a Capability Cluster. A Capability Cluster becomes a Module not because it contains as many Engineering Capabilities as possible, but because those Capabilities can be planned, constructed, operated, maintained, and modified as a relatively coherent whole. Internally, they may be highly interdependent; externally, the Cluster can function as a relatively independent engineering object in relation to the larger laboratory system. A Module, therefore, has never been merely a container for Capability. It occupies a particular organizational role within the larger laboratory system. This role does not necessarily correspond to a single fixed Process, nor does it require equipment, layout, or use to remain unchanged. Otherwise, the Adaptability established in Chapters 2 and 3 would simply revert to a fixed-function logic. But this does not mean that a Module can accommodate any Engineering Capability. A Module exists as a Module precisely because its Capability Cluster occupies a position within the overall system that can be identified, managed, and connected to other parts through relatively stable relationships. This position can be understood as the Module's **niche** within the laboratory system.

Here, niche does not mean a fixed functional label, nor does it prescribe in advance what a Module is allowed to do. It describes the Module's relative position within the larger system: which interrelated Capabilities it organizes, how it interfaces with other systems, and which changes can be absorbed primarily within itself without requiring the surrounding systems to be repeatedly reorganized.

A Module's niche can therefore accommodate change, but it cannot lose its organizational meaning through that change.

When a new Capability is added, if it can still be absorbed within the organizational logic of the existing Capability Cluster, if the original interfaces remain clear, and if the change can still be largely contained within the Module, then the Module's role has not disappeared simply because the Process has changed. In this case, the expansion of Capability can still be understood as Adaptability.

But another condition is equally possible.



A new Capability may still be technically feasible to add, yet begin to require different interface relationships. Adjustments that were once local may begin to depend continuously on coordination with other systems. To support increasingly different demands, the internal relationships of the Capability Cluster may need to be repeatedly reorganized. The previously stable relationships between the Module and adjacent Modules, shared infrastructure, and upstream systems may also begin to be redefined with each successive change.

In this situation, the problem is not that the engineer can no longer add Capability.

The problem is that continuing to add Capability is no longer changing only what the Module can do; it is beginning to change what the Module is within the larger system.

This is where the System Boundary begins to separate from the Capability Upper Limit.

The Capability Upper Limit asks how much change an existing Capability Cluster can still accommodate. The System Boundary asks to what extent those changes can still be understood as internal changes within the same Module.

The System Boundary, therefore, does not necessarily appear where Capability is exhausted.

It may appear earlier.

A Module may still have available reserve, may still be capable of adding new Engineering Capability, and may still be technically able to support the next Process Demand. But if such expansion has begun to weaken the organizational coherence of the original Capability Cluster, requiring the Module's relationship with the larger laboratory system to be repeatedly reinterpreted, then the question of whether the change is technically achievable is no longer sufficient to determine whether it still belongs to Adaptability.

Module Adaptability, therefore, cannot be bounded by technical capacity alone.


Technical capacity determines whether a change remains feasible. The System Boundary further determines whether that change still constitutes the evolution of the same organizational unit.

The former establishes the upper limit of Capability.

The latter begins to define the boundary of the Module.

The final question for Chapter 4, then, is how these two boundaries relate to one another:

when technical feasibility and organizational coherence no longer point toward the same answer, how should the true limit of Module Adaptability be understood?



4. What Defines the Boundary of Module Adaptability?

If the Capability Upper Limit and the System Boundary do not coincide, then the question posed in the title of this chapter—“Technical or Organizational?”—cannot be understood as a simple either-or choice. Technical limits are real.

Every Engineering Capability must be supported by physical engineering systems, and these systems have finite capacity, reserve, interfaces, and upstream support. When a new Process Demand can no longer be absorbed by the existing Capability Cluster, and further expansion of Capability requires going beyond the existing engineering conditions, the Module has reached its Capability Upper Limit. In this sense, Module Adaptability is necessarily constrained by technical conditions.

But technical conditions can tell us only whether change can continue. They cannot, by themselves, determine where that change should stop.

A general patient room in a hospital provides a clear example of this distinction.

A general patient room is not a space that must remain at a single technical state. As clinical demands change, its Engineering Capabilities can also be enhanced. Electrical and emergency power capacity can be increased, medical gas services can be expanded, monitoring and communication interfaces can be added, and ventilation and environmental control conditions can be improved. As long as the corresponding infrastructure can support them, many of these changes remain technically feasible.

If Engineering Capability alone were used as the basis for judgment, then as these capabilities increased, the intensity of care that the room could support would also continue to increase.

But such expansion clearly cannot be interpreted indefinitely as simply “greater Adaptability” of the general patient room.

As the intensity of care continues to increase, the changes begin to involve more than additional electrical capacity, greater medical gas capacity, or tighter environmental control. Equipment density, continuous monitoring, staff response, patient visibility, clinical support, and interface relationships with other hospital systems all begin to change. Different Engineering Capabilities are no longer simply higher parameters within the original Cluster; they begin to form new relationships around a different operational requirement.

Eventually, the question is no longer:



Can a general patient room technically be modified to support critical care?

With sufficient engineering resources, the answer may still be yes.

The real question is:

After these changes have occurred, are we still merely expanding the Effective Range of the general patient room as a Module?

If the answer were always yes, then an ICU could only be understood as a further extension of the general patient room along a continuum of Capability. The distinction between the two would be reduced to differences in capability levels, with no meaningful organizational distinction between them.

But hospitals are not organized in this way.

General patient rooms and ICUs both support patient care and share many fundamental Engineering Capabilities, yet this does not make them part of a single, indefinitely continuous Module. As care intensity, support conditions, and system relationships change, the role performed by the original Capability Cluster also changes. New combinations of Capability begin to form different interfaces and operational dependencies and occupy a different position within the hospital system as a whole.

This is where the Module's niche begins to matter.

Niche does not mean assigning a fixed Process to a Module, nor does it mean using a room name to predetermine what the Module is allowed to do. It describes the relative role of a Capability Cluster within the larger system: which changes can be absorbed primarily within the Cluster itself, which interfaces should remain relatively stable, and why the Cluster continues to have meaning as an independent organizational unit.

A general patient room can therefore change, and it should be allowed to change.

It can support different equipment, different care requirements, and a certain degree of growth in Engineering Capability. These changes do not automatically undermine its Identity as a Module. Indeed, if every change in Capability created a new Module, Adaptability itself would cease to exist. Conversely, if every change in the Capability Cluster were always interpreted as an extension of the original Module, regardless of how far that Cluster had changed, the Module would likewise lose its boundary.



This is what the Effective Range must ultimately express.

The Effective Range cannot simply represent the entire technical space extending from the current Capability to the Capability Upper Limit. It should describe the range within which a Capability Cluster can effectively absorb change while the existing Module continues to maintain its organizational coherence and system role.

A Module may therefore approach or cross its System Boundary before reaching its Capability Upper Limit.

Engineering reserve may still remain, and new demands may still be technically feasible. Yet the Capability Cluster formed in accommodating those demands may already be beginning to assume a different system role. Continuing to expand the original Module is not technically “impossible”; rather, such expansion can no longer appropriately be understood as adaptation of the original Module.

This explains why neither the Capability Upper Limit nor the System Boundary alone can define Module Adaptability.

If only the Capability Upper Limit were considered, the Module could continue to absorb new Capability until its engineering resources were actually exhausted. Adaptability would eventually collapse into the maximum modification capacity of the engineering system as a whole.

If only the System Boundary were considered, without allowing the Capability Cluster to adjust within it, the Module would once again become a fixed organizational unit, unable to respond to the Process change discussed in Chapter 3.


True Adaptability exists between the two.

The Capability Upper Limit determines how far change can proceed from an engineering perspective; the System Boundary determines how much of that change can still remain change within the same Module.

The former provides the technical constraint; the latter preserves organizational coherence. Only through the interaction of both does the Effective Range become a meaningful range.

Boundary, therefore, is not a failure of Adaptability.

On the contrary, only when a Boundary exists can we distinguish between adaptation and redefinition.



A Module that cannot change its Capability is rigid. But a Module that can become anything through the continual addition of Capability, modification of interfaces, and reorganization of system relationships likewise loses its meaning as a Module.

Module Adaptability should therefore not be understood in terms of how many different states a Module can ultimately be transformed into. Rather, it should be understood as:

the extent of Process change that a Module can absorb while maintaining its organizational identity and system role.

The question posed at the beginning of this chapter can now be answered.

The limit of Module Adaptability is indeed constrained by Technical Capability, but it is not defined by Technical Capability alone. Engineering Capability determines how much potential for change remains within a Module, while the Organizational Boundary determines how far those possibilities can extend while still belonging to the same Module.

The true boundary of Module Adaptability is not simply the point at which a Module can no longer change, but the point beyond which further change can no longer appropriately be understood as change within the same Module.

Summary: The Boundary Is Not the Answer, but Another Constraint

At this point, we have still not attempted to define the final form of an “ideal Module.”

In fact, since Chapter 1, the approach of this discussion has not been to reject one existing definition and replace it with another. Instead, each step has simply brought another unavoidable condition of a laboratory system back into the problem.

Time and uncertainty mean that a Module cannot depend on a permanently stable future state.

Continuous Process change means that a Module cannot be defined by any single fixed Process.

Engineering Capability provides a more stable organizational basis for accommodating such change, while the Capability Reference and Effective Range further make Adaptability an engineering relationship that can be evaluated.

Chapter 4 adds another constraint: Engineering Capability can change and expand, but such expansion is neither unlimited nor, simply because it remains technically feasible, can it continue to be interpreted as Adaptability within the same Module. The Capability Upper Limit constrains how much change a Module can accommodate, while the System Boundary further requires that those changes remain within a Module that retains a coherent organizational identity.


These constraints do not directly tell us **what a Module should be**.

What they do is progressively reduce **what a Module can be**.

This distinction matters.

If the definition of a Module is derived from a predetermined set of design principles, the result remains only one among many possible configurations. But as more constraints arising from real laboratory systems are considered simultaneously, some organizational approaches that initially appear reasonable can no longer remain valid, and the range of remaining possibilities becomes progressively narrower.

The System Boundary, therefore, is not the end of this line of reasoning. It only narrows the solution space further.



The next question should not immediately become, “What kind of ideal Module should we design?” Instead, we should continue to ask:

When lifecycle, Engineering Capability, Effective Range, System Boundary, and the relationship between the Module and the larger laboratory system are considered together, what other real-world constraints must be introduced?

Only by continuing to introduce these unavoidable conditions can we progressively distinguish between Module configurations that are merely technically feasible, those that can remain valid under limited conditions, and those that can remain coherent, governable, and systemically meaningful through long-term change.

In other words, the discussion that follows is not intended to select an ideal Module from among many possibilities.

It is intended to continue narrowing those possibilities until the Module that remains is shaped less by the designer’s preference and increasingly emerges as the result of these real-world constraints acting together.

Yaowei Huang