

new_procedure - Routine

proc1 - Routine

Name:

The name of the routine is parsed automatically from the DDL statement. The DDL is parsed automatically while you type.

DDL:

1

2

3

4

5

6

7

8

CREATE DEFINER='root'@'localhost' PROCEDURE

BEGIN

declare name varchar(20);

declare str varchar(20);

set name='jaanu';

set str=concat('hello',name);

select str;

END

Apply

Revert

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Routine

Output

Action Output

Shot on vivo Z1Pro
Vivo AI camera

Message
Changes applied

Duration / Fets

Local instance MySQL 8.0.30

Edit View Query Database Server Tools Scripting Help

SQLAdditions

Jump to

Automatic context help disabled. Use the toolbar manually get help for the current caret position or toggle automatic help.

proc1 new_procedure - Routine proc1 - Routine

Limit to 1000 rows

```
1 • call proc1();
```

Result Grid

str
hellojaanu

Filter Rows:

Export:

Wrap Cell Content:

Result Grid

Form Editor

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration
1	05:01:27	Apply changes to proc1	Changes applied	

Shot on vivo Z1Pro
Vivo AI camera