

# Moduel2 RMarkdown Document 1

*Johnson W. Ahiadorme*

*6/7/2019*

## This is a level One Header

### R Markdown

#### This is a level Three Header

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

Here is the link to GOOGLE

This word is in **bold** and this is also in **bold**. This is in *italics* an this as well is in *italics*.

We seek to compile this report using `rmarkdown`.

```
mean(2,3,4,5,6)
```

```
5+8
```

Here is an example of a non-numbered list:

- Water
  - ice drop
  - voltic
- Breakfast
  - food
    - \* eggs
    - \* toast
    - \* bacon
  - drink
    - \* apple juice
- Lunch
  - taco
- Dinner
  - baked chicken
  - broccoli
  - rice

Here is an example of a numbered list:

1. Water
  - a. Ice Drop
  - b. Voltic
    - i. Sachet
    - ii. Bottle
2. Breakfast
  - a. food
    - i. eggs
    - ii. toast
    - iii. bacon
  - b. drink
    - i. apple juice

3. Lunch
  - a. taco
4. Dinner
  - a. baked chicken
  - b. broccoli
  - c. rice

Here is an example of a blockquote:

This is a block quote. This paragraph has two lines.

1. This is a list inside a block quote.
2. Second item.

This is one them.

1. Control
2. Treatment

Here is an example of a nested blockquote:

This is a block quote. This paragraph has two lines.

This text is nested

Take a look at this code

Beautiful

What about indenting

It looks like this.

Good

2+5


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
## 1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##   Mean  :15.4    Mean   : 42.98
## 3rd Qu.:19.0    3rd Qu.: 56.00
##   Max.  :25.0    Max.    :120.00
```

## Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.