SPIDERFOOT OSINT REPORT

Target: stillwearbd.com

Tool: SpiderFoot v4.0.0 | Scan: stillwearbd-passive-osint

Prepared: 29 October 2026

1. Executive Summary

SpiderFoot v4.0.0 was used for automated Open-Source Intelligence (OSINT) reconnaissance against stillwearbd.com. The available screenshots show a graph connecting the target with hostnames, an IP address, DNS/hosting-related entities, and possible third-party service relationships. The available screenshot showed the scan as RUNNING; completion is not confirmed by the supplied material. The screenshots also do not provide a complete exportable list of findings.

No confirmed vulnerability can be concluded from the available SpiderFoot screenshots or domain enumeration results alone. Findings are treated as preliminary asset observations requiring validation, not confirmed weaknesses.

2. Scope and Method

Target	stillwearbd.com
Tool / version	SpiderFoot v4.0.0
Scan name	stillwearbd-passive-osint
Approach	Automated OSINT; reviewed screenshots and previously shared scan-log details
Views reviewed	Graph view, scan status, partial log information
Status evidence	Screenshot showed RUNNING; completion is not confirmed

3. Observed Assets and Relationships

The items below were visible in the SpiderFoot graph and/or appeared in previously shared theHarvester/DNS results. They are preliminary observations; the table does not imply that SpiderFoot independently confirmed every item.

Asset / entity	Observed relationship or context	Evidence status
stillwearbd.com	Primary target domain	Target supplied for scan
www.stillwearbd.com	Website hostname visible in graph / earlier discovery	Observed; validate DNS
31.97.227.102	IP address visible in SpiderFoot graph/log context	Observed; validate current DNS association
img.mail.stillwearbd.com	Email/image-related hostname; listed in theHarvester Hackertarget output	Previously discovered; validate DNS
r.mail.stillwearbd.com	Email tracking-related hostname; listed in theHarvester Hackertarget output	Previously discovered; validate DNS
server.stillwearbd.com	Previously associated with track.pixelfly.io in DNS checks	Reported earlier; validate current CNAME
server2.stillwearbd.com	Graph indicates a relationship with in.stape.io / stape.io; listed by theHarvester	Observed; validate current DNS
dns-parking.com	DNS/nameserver-related entity visible in graph	Relationship needs event/source verification
Hostinger-related records	Hosting/DNS-related entities visible in graph	Provider association; not a vulnerability

4. Graph Interpretation

- The red central node represents the scan target in the displayed graph.
- Connected nodes represent entities SpiderFoot associated with the target through collected events or data sources.
- Visible relationships include hostnames, IP/network information, DNS/hosting-related entities, and third-party service domains.
- A graph edge alone does not prove ownership, a direct dependency, or a vulnerability. Verify each important relationship in Browse using its event type and source.

5. Scan Limitations and Errors

- The available screenshot showed the scan status as RUNNING; a completed scan state is not evidenced.
- The previously shared log indicated missing API keys or credentials for some modules, including FullHunt, EmailCrawlr, and SecurityTrails.
- Some public-source modules returned errors or no results; the available log context mentioned a CommonCrawl source/index issue.
- Graph labels overlap, so not all entities can be read reliably from the screenshot.
- No complete SpiderFoot JSON/CSV export was supplied to verify counts, event types, source URLs, or timestamps.

6. Security Assessment

The available material supports preliminary asset discovery only. It does not establish a confirmed vulnerability, exposed sensitive data, or a demonstrated security impact. Third-party service associations and discovered IP addresses should be treated as informational until independently validated.

Assessment item	Current conclusion	Confidence
Asset discovery	Several domain-related entities were observed	Moderate for visible items
Third-party relationships	Some service associations are indicated	Preliminary; validate DNS/source event
Confirmed vulnerabilities	None established by supplied evidence	Evidence insufficient to confirm
Completeness	Scan completion/export not confirmed	High

7. Recommended Next Steps


1. Confirm that the SpiderFoot scan status is FINISHED. If it remains RUNNING, review the Log tab for stalled or failing modules.
2. Export the completed scan in JSON or CSV, if available, and preserve the original export as evidence.
3. Use Browse to record each finding's event type, source, timestamp, and associated hostname/IP.
4. Deduplicate SpiderFoot findings against existing theHarvester results and retain a source column for each asset.
5. Validate important DNS relationships using public DNS evidence before describing them as current.
6. Perform active testing only on systems for which explicit authorization exists; do not label an asset vulnerable without reproducible evidence.
7. Keep API keys private and configure only integrations needed for the assessment.


8. Conclusion


SpiderFoot provided a visual overview of publicly discoverable entities associated with stillwearbd.com, including hostnames, IP/network information, and possible third-party service relationships. The available scan artifacts are incomplete and include source/API limitations. Results should be reported as preliminary OSINT observations rather than confirmed vulnerabilities. A completed scan export and event-level review are required for a definitive inventory and evidence-backed security assessment.


Appendix A. Evidence Basis


This report was drafted from the user's SpiderFoot v4.0.0 screenshots and previously shared scan-log details, plus earlier theHarvester/DNS observations in the conversation. No new network scan was performed while preparing this report. Exact counts and timestamps are omitted where the supplied evidence did not support them.








kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
1 2 3 4
23:53
kali@kali: ~/osint/stillwearbd
Session Actions Edit View Help
-D DELIMITER Delimiter to use for CSV output. Default is ,.
-f Filter out other event types that weren't requested with -t.
-F type1,type2,... Show only a set of event types, comma-separated.
-x STRICT MODE. Will only enable modules that can directly consume your target, and if -t was specified only those events will be consumed by modules. This overrides -t and -m options.
-q Disable logging. This will also hide errors!
-V, --version Display the version of SpiderFoot and exit.
-max-threads MAX_THREADS Max number of modules to run concurrently.
(kali㉿kali)-[~/osint/stillwearbd]
$ spiderfoot -V
SpiderFoot 4.0.0: Open Source Intelligence Automation.
(kali㉿kali)-[~/osint/stillwearbd]
$ spiderfoot -l 127.0.0.1:5001
2026-10-28 23:51:35,469 [INFO] sf : Starting web server at 127.0.0.1:5001 ...
Use SpiderFoot by starting your web browser of choice and browse to http://127.0.0.1:5001/
2026-10-28 23:51:35,487 [WARNING] sf :
Warning: passwd file contains no passwords. Authentication disabled.
Please consider adding authentication to protect this instance!
Refer to https://www.spiderfoot.net/documentation/#security.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
9:53 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
SpiderFoot v4.0.0
http://127.0.0.1:5001
spiderfoot
Scans
Filter: None
stillwearbd-passive-osint
stillwearbd.com
RUNNING
Scans 1 - 3 / 3 (3)
passive
RUNNING
Summary
Correlations
Browse
Graph
Scan Settings
Log
autodiscover.stillwearbd.com



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
60%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
Summary
Correlations
Browse
Graph
Scan Settings
Log
Scan Status
Data Types
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:10 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
60%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
stillwearbd-passive-osint
RUNNING
Summary
Correlations
Browse
Graph
Scan Settings
Log
Data Element
Source Data Element
Source Module
Identified
mx1.hostinger.com
mx2.hostinger.com
ns1.dns-parking.com
ns2.dns-parking.com
stillwearbd.com
sfp_dnsraw
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:10 AM
10/29/2026


\



kali-linux-2026.2-vmware-amd64 - VMware Workstation
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
www.stillwearbd.com
stillwearbd.com
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
server2.stillwearbd.com
ns2.dns-parking.com
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
Data Element
Source Data Element
Source Module
Identified
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
stillwearbd.com
104.21.18.48
server2.stillwearbd.com
track.pixelfly.io
ns2.dns-parking.com
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
60%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
stillwearbd-passive-osint
RUNNING
Summary Correlations Browse Graph Scan Settings Log
2606:4700:3031::6815:1230
mx1.hostinger.com
www.stillwearbd.com
img.mail.stillwearbd.com
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:14 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
60%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
stillwearbd-passive-osint
RUNNING
Summary Correlations Browse Graph Scan Settings Log
United States
2600:1901:0:f11b::
stillwearbd.com
18.48
2606:4700:3037::ac43:b464
server2.stillwearbd.com
ns2.dns-parking.com
mx2.hostinger.com
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:15 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
60%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
stillwearbd-passive-osint
RUNNING
Summary
Correlations
Browse
Graph
Scan Settings
Log
Search...
Browse / Internet Name
Data Element
Source Data Element
Source Module
Identified
img.mail.stillwearbd.com
stillwearbd.com
sfp_crt
Want more OSINT automation capabilities? Check out SpiderFoot HX.
rect input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:15 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
60%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
Browse / SSL Certificate - Raw Data
Data Element
Source Data Element
Source Module
Identified
Certificate:
Data:
Version: 3 (0x2)
Serial Number:
Signature Algorithm: sha256WithRSAEncryption
Issuer: C=US, O=Let's Encrypt, CN=R11
Validity
Not Before: Jul 29 05:10:08 2025 GMT
Not After : Oct 27 05:10:07 2025 GMT
Subject: CN=stillwearbd.com
Subject Public Key Info:
Public Key Algorithm: rsaEncryption
Public-Key: (4096 bit)
Modulus:
stillwearbd.com
sfp_crt
2026-10-29 00:15:09
Certificate:
Data:
Version: 3 (0x2)
Serial Number:
stillwearbd.com
sfp_crt
2026-10-29 00:11:32
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:16 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
60%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
New Scan
Scans
Settings
Light Mode
About
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:16 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
60%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
New Scan
Scans
Settings
Light Mode
About
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:17 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
60%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:17 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
60%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:17 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
60%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:18 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
60%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
spiderfoot New Scan Scans Settings
Light Mode About
stillwearbd-passive-osint RUNNING
Summary Correlations Browse Graph Scan Settings Log
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:19 AM
10/29/2026



2026.2-vmware-amd64 - VMware Workstation
Metasploitable2-Linux
kali-linux-2026.2-vmware...
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
stillwearbd-passive-osint
RUNNING
Summary Correlations Browse Graph Scan Settings Log
stillwearbd.com
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:20 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
stillwearbd-passive-osint
RUNNING
Summary Correlations Browse Graph Scan Settings Log
server.stillwearbd.com
www.stillwearbd.com
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:21 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
50%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
stillwearbd-passive-osint
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:23 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
50%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:23 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
50%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:24 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
50%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:24 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
50%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
o direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:25 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
50%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:25 AM
10/29/2026



File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
50%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:25 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
kali-linux-2026.2-vmware...
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
50%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
stillwearbd-passive-osint
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:27 AM
10/29/2026



spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
50%
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
stillwearbd-passive-osint
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:27 AM
10/29/2026



kali-linux-2026.2-vmware-amd64 - VMware Workstation
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
Summary
Correlations
Browse
Graph
Scan Settings
Log
Data Element
Source Data Element
Source Module
Identified
Want more OSINT automation capabilities? Check out SpiderFoot HX.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
Summary
Correlations
Browse
Graph
Scan Settings
Log
Want more OSINT automation capabilities? Check out SpiderFoot HX.



kali-linux-2026.2-vmware-amd64 - VMware Workstation
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
Summary
Correlations
Browse
Graph
Scan Settings
Log
watchsports.world
itswebfleet.com
2606:4700:3031::/48
vaceruvoji.pro
bupianni.com
2606:4700:3031::6815:1230
ruguojiaobushangfangzudehua.com.cn
temeculalawfirm.com
combatzonepblv.com
bnjzkj.com
contentsafe.co
2606:4700:3037::ac43:b464
thiwky.info
disabilitycould.fit
Want more OSINT automation capabilities? Check out SpiderFoot HX.


kali-linux-2026.2-vmware-amd64 - VMware Workstation
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
Summary
Correlations
Browse
Graph
Scan Settings
Log
HOSTINGER operations, UAB
stillwearbd.com
United States
hostinger.com
mx1.hostinger.com
mx2.hostinger.com
dns-parking.com
ns2.dns-parking.com
2400:cb00:2049:1::a29f:18c9
2400:cb00:2049:1::a29f:192a
server2.stillwearbd.com
34.131.102.20
Want more OSINT automation capabilities? Check out SpiderFoot HX.
direct input to this VM, move the mouse pointer inside or press Ctrl+G.


spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
2606:4700:3031::/48
readmanwha.com
brandignite-media.com
szczytnexoris-official.com
watchsports.world
win-791.online
2606:4700:3037::ac43:b464
www.conferences.com.sg
13227mccreight.info
vacervuvoji.pro
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


spiderfoot
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
Tele 2
+37064503378
www.stillwearbd.com
HOSTINGER operations, UAB
United States
hostinger.com
162.159.24.201
dns-parking.com
ns2.dns-parking.com
in.stape.io
stape.io
2400:cb00:2049:1::a29f:192a
Want more OSINT automation capabilities? Check out SpiderFoot HX.
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


kali-linux-2026.2-vmware-amd64 - VMware Workstation
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
Summary
Correlations
Browse
Graph
Scan Settings
Log
Time
Component
Type
Event
2026-10-29 00:19:44
sfp_blocklistde
DEBUG
Checking maliciousness of 104.21.18.48 (IP_ADDRESS) with blocklist.de
2026-10-29 00:19:42
sfp_blocklistde
DEBUG
Received event, IP_ADDRESS, from sfp_dnsresolve
2026-10-29 00:19:36
sfp_torexits
DEBUG
Received event, IPV6_ADDRESS, from sfp_dnsresolve
2026-10-29 00:19:36
sfp_spamhaus
ERROR
Spamhaus denied query via public/open resolver
2026-10-29 00:19:36
sfp_spamhaus
DEBUG
172.246.243.65 found in Spamhaus Zen DNS
2026-10-29 00:19:35
sfp_s3bucket
STATUS
Spawning thread to check bucket: https://stillwearbdcombucket.s3.eu-central-1.amazonaws.com
2026-10-29 00:19:34
sfp_s3bucket
STATUS
Spawning thread to check bucket: https://
Join the SpiderFoot community Discord!
t input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:36 AM
10/29/2026


kali-linux-2026.2-vmware-amd64 - VMware Workstation
spiderfoot
SpiderFoot v4.0.0
http://127.0.0.1:5002/scaninfo?id=775DDEB2
stillwearbd-passive-osint
RUNNING
United States
HOSTINGER operations, UAB
www.stillwearbd.com
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
Search
10:28 AM
10/29/2026