1.	How do you apply command to check node version?	
	nodejs –v	
	nodejs	
	node –v	
	node –version	
2.	The logic and data required to support the template are provided by its	
	Model	
	Component	
	Templates Templates	
	[©] Module	
3.	Which command is used to create angular app?	
	Angular new appName	
	Ng create appName	
	Ng new appName	
	Ng create new appName	
4.	The command to build angular application for production is	
	Ng serve	
	Ng new	

	Ng build
	Ng create
5.	Which of the following is a filter in Angular Js
	Currency
	O Date
	^C Uppercase
	C All of the above
6.	Which keyboard command is used to terminate any angular process
	Ctrl+c
	Ctrl+p
	© Ctrl+z
	Ctrl+d
7.	Which decorator is used to provide the configuration information through the properties?
	© @Component
	© @NgModule
	© @RootModule
	° All

8. Which file is acts as placeholder for basic angular app?

	0	main.ts
	О	app.module.ts
	0	index.html
	О	app.template.html
9.	An	gular works on what page?
	0	Round trip application
	О	Single page application
	С	both
	С	none
10	.Wl	nat do you mean by NPM ?
	0	Node Package Manager
	0	Node Packet Manager
	0	Node Project Manager
	0	Node Package Machine
1.	Wł	nich of the following is correct about TypeScript?
	С	Angular is based on TypeScript
	0	This is a superset of JavaScript
	0	TypeScript is maintained by Microsoft

	0	All
2.	An	gular configuration file name is:
	0	Package.json
	0	Composer.json
	0	Angular.json
	0	Config.json
3.	Wh	at is the main purpose of RESTful web services?
	0	To perform CRUD operation on HTTP Request
	0	To perform CRUD operation without HTTP Request
	0	To perform web request other than CRUD operation
	0	To perform CRUD operation with TCP/IP Request
4.	Wh	ich of the following command is correct for installing angular-cli?
	0	npm install -g @angular/cli
	0	npm install -global @angular/cli
	0	npm install -g angular/cli
	0	npm installglobal angular/cli
5.	The	e decorator provides configuration information through its:
	0	properties
	0	objects

	0	class
	0	method
6.	wh	ich models represent just data passed from the component to the template?
	0	View models
	0	Domain models
	0	Service models
	0	None
7.	Ty	peScript file extension is
	0	js
	0	es
	0	ts
	0	tts
8.	The	e style of development that Angular supports is derived through the use of pattern
	0	pattern
	0	Model-View-Controller
	0	User-Logic-Model
	0	Model-Template-Controller
9.	Wh	ich ng command performs the production build process?
	0	Ng start

	0	Ng lint
	0	Ng build
	0	Ng test
		ich keyword is used to identify data or types that you want to use elsewhere he application?
	0	Import
	0	Export
	0	New
	0	Add
11.	Wh	ich command starts the Angular development tools:
	0	Ng new
	0	Ng serve
	0	Ng run
	0	Ng start
12.	ngN	Model directive is used for-
	0	One-way binding
	0	Two-way binding
	0	Refer element in the template
	0	All
13.	Wh	ich of the following directive allows us to use form?

	0	ng-include
	0	ng-form
	0	ng-bind
	0	ng-attach
14	.Wh	at does CSS stands for?
	0	Cascading Style Sheet
	0	Cascading Sheet of Style
	0	Cascading Style Sheets
	0	None
15	.Wh	ich directive can be used to set multiple style properties?
	0	ngClass
	0	ngStyle
	0	Both A and B
	0	None
16	. Ту	peScript is a superset of JavaScript
	0	True
	0	False
17		ich of the following typescript feature is used to reduce the common aScript errors?
	0	Export

	Import
	Both A and B
	None
18.	In angular, controllers are called
	^C Module
	component
	c servic
	° model
19.	Each TypeScript file in the project acts as
	C Model
	© Module
	Compoment
	© Both B and C
20.	The angular-cli setup for the project created a template file called in the src/app folder.
	C App.model.ts
	app.component.html
	app.component.js
	app.component.css

21. Which of the following model passes data from component to template?
C Root model
C View model
O Domain model
° _{All}
1. why creating view data is important in angular?
• to simplify templates and their interactions with the component
 to create relationship between models and app systems.
• to generate correct way to connect angular app.
• to connect angular with database.
2. In angular, Default root module name is
• module.ts
• app.module.ts
• module.js
• app.module.js
3. TypeScript is a language
Open Source
• Closed
• Free
All of the above
4. Which keyword is used to identify data or types that you want to use elsewhere in the application?
• Import
• Export
• New
• Add
5. Which of the following typescript feature is used to reduce the common JavaScript errors?

- Export
- Import
- Both A and B
- None
- 6. Which type of web application requires a lot of bandwidth?
 - One-page
 - Single-page
 - Multiple-page
 - Round-trip