

Annotated Study Book for Study Design: B7981027

Study Design Version: 5.0

Protocol: B7981027

Sponsor Drug Name: CaPS

B7981027

Generated by Central Designer™

February 24, 2026 4:27PM

B7981027: INFORM SCREENING (SCREEN) [D_INFSCR001]		
InForm Screening [D_INFSCR01001]		
1.	InForm Initials <i>[hidden]</i> [InForm Initials]	[D_SCRINIT_001] A3★
2.*	Birth Year: [Birth Year]	[D_SCRDOB_001] (YYYY) Req  (2013-2021)
Key: [*] = Item is required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_INFSCR001		
Data Variable RefName	RD Column Name	Column Data Type
D_SCRINIT_001	D_SCRINIT_001	VARCHAR2
	D_SCRINIT_001_ND	VARCHAR2
D_SCRDOB_001	D_SCRDOB_001_DTS	VARCHAR2
	D_SCRDOB_001_ND	VARCHAR2

B7981027: INFORM ENROLLMENT (ENROLL) [D_INFENR001]		
InForm Enrollment [D_INFENR01001]		
1.*	Subject Identifier: [Subject Identifier]	[D_DSUBJID_001] 1001 <= N4 <= 9999
2.	Subject ID: <i>[read-only]</i> [Subject ID]	[D_SUBJID_001] N8
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_INFENR001		
Data Variable RefName	RD Column Name	Column Data Type
D_DSUBJID_001	D_DSUBJID_001	NUMBER
	D_DSUBJID_001_ND	VARCHAR2
D_SUBJID_001	D_SUBJID_001	NUMBER
	D_SUBJID_001_ND	VARCHAR2

B7981027: DATE OF VISIT (DOV) [SV001]		
Date of Visit [SV01001]		
1.* ✓	Date of Visit: [Date of Visit]	[SVSTDTC_001] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2028)
2.*	Contact Mode: [Contact Mode]	[X_SVCNTMOD_001] [A:1] ☐ IN PERSON, ONSITE [A:2] ☐ IN PERSON, OFFSITE [A:3] ☐ REMOTE AUDIO VIDEO
3.	Erroneous Visit: [Visit Error]	[D_SVERROR_001] [A:1] ☐ ERRONEOUS VISIT
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_SV001		
Data Variable RefName	RD Column Name	Column Data Type
SVSTDTC_001	SVSTDTC_001	DATE
	SVSTDTC_001_DTS	VARCHAR2
	SVSTDTC_001_ND	VARCHAR2
X_SVCNTMOD_001	X_SVCNTMOD_001_C	VARCHAR2
	X_SVCNTMOD_001	VARCHAR2
	X_SVCNTMOD_001_ND	VARCHAR2
D_SVERROR_001	D_SVERROR_001_C	VARCHAR2
	D_SVERROR_001	VARCHAR2
	D_SVERROR_001_ND	VARCHAR2

Study Object Descriptions: DEMOGRAPHY		
Type	RefName	Description
Form	DM001	DM001 - Demography
Item	BRTHDTC_001	A subject's date of birth (with or without the time of birth). The complete Date of Birth is made from the temporal components of Birth Year, Birth Month, Birth Day and Birth Time. Mapped from InForm Screening.

Item	SEX_001	The assemblage of physical properties or qualities by which male is distinguished from female; the physical difference between male and female.
Item	ETHNIC_001	A social group characterized by a distinctive social and cultural tradition.
Item	RACE_001	An arbitrary classification based on physical characteristics; a group of persons related by common descent or heredity (U.S. Center for Disease Control).

RDE Analytics: RD_DM001		
Data Variable RefName	RD Column Name	Column Data Type
D_DSUBJID1_001	D_DSUBJID1_001	NUMBER
	D_DSUBJID1_001_ND	VARCHAR2
D_SUBJID_001	D_SUBJID_001	NUMBER
	D_SUBJID_001_ND	VARCHAR2
BRTHDTC_001	BRTHDTC_001_DTS	VARCHAR2
	BRTHDTC_001_ND	VARCHAR2
SEX_001	SEX_001_C	VARCHAR2
	SEX_001	VARCHAR2
	SEX_001_ND	VARCHAR2
ETHNIC_001	ETHNIC_001_C	VARCHAR2
	ETHNIC_001	VARCHAR2
	ETHNIC_001_ND	VARCHAR2
RACE_001	RACE_001_ND	VARCHAR2
RACE_001 - BLACK OR AFRICAN AMERICAN	*RACE_001_CLIRACEBLACKORAFRICANAMERICAN_C	VARCHAR2
	*RACE_001_CLIRACEBLACKORAFRICANAMERICAN	VARCHAR2
RACE_001 - AMERICAN INDIAN OR ALASKA NATIVE	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE_C	VARCHAR2
	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE	VARCHAR2
RACE_001 - ASIAN	RACE_001_CLIRACEASIAN_C	VARCHAR2
	RACE_001_CLIRACEASIAN	VARCHAR2
RACE_001 - NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER_C	VARCHAR2
	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER	VARCHAR2
RACE_001 - WHITE	RACE_001_CLIRACEWHITE_C	VARCHAR2
	RACE_001_CLIRACEWHITE	VARCHAR2
RACE_001 - NOT REPORTED	*RACE_001_CLIRACENOTREPORTED_C	VARCHAR2
	*RACE_001_CLIRACENOTREPORTED	VARCHAR2
RACE_001 - UNKNOWN	RACE_001_CLIRACEUNKNOWN_C	VARCHAR2
	RACE_001_CLIRACEUNKNOWN	VARCHAR2
X_DMPYN_001	X_DMPYN_001_C	VARCHAR2
	X_DMPYN_001	VARCHAR2
	X_DMPYN_001_ND	VARCHAR2
X_DMPYN_001 - X_DMPFSTDY_001	X_DMPFSTDY_001	VARCHAR2
X_DMPYN_001 - X_DMPFSITE_001	X_DMPFSITE_001	VARCHAR2
X_DMPYN_001 - X_DMPFSUBJ_001	X_DMPFSUBJ_001	VARCHAR2
X_DMRYN_001	X_DMRYN_001_C	VARCHAR2
	X_DMRYN_001	VARCHAR2
	X_DMRYN_001_ND	VARCHAR2
X_DMRYN_001 - X_DMRSITE_001	X_DMRSITE_001	VARCHAR2
X_DMRYN_001 - X_DMRSUBJ_001	X_DMRSUBJ_001	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

Study Object Descriptions: INFORMED CONSENT - MAIN		
Type	RefName	Description
Item	DS2STDC_001	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001		
Data Variable RefName	RD Column Name	Column Data Type
SUPPDS_DSCSOBT_001	SUPPDS_DSCSOBT_001_C	VARCHAR2
	SUPPDS_DSCSOBT_001	VARCHAR2
	SUPPDS_DSCSOBT_001_ND	VARCHAR2
SUPPDS_DSCSOBT_001 - DSSTDTC_001	DSSTDTC_001	DATE
	DSSTDTC_001_DTS	VARCHAR2

Study Object Descriptions: INFORMED CONSENT - OPTIONAL RETAINED RESEARCH SAMPLES		
Type	RefName	Description
Item	DS2STDC_001_10	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

file:///C:/Users/sp52/AppData/Local/Apps/2.0/GM7WCH3V.KHQ/J6O9BJCE.A8A/orac..90.0_919f856034ae8f10_0007.0000_... 2/24/2026

Codelist Values Tables: Trigger Form						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
R_TRIGRESP1_CL_001	String		PROTOCOL AMENDMENT 3 - 10APR2025	3	cliTRIGRESP_Protocol_Amendment3_10APR2025	R_TRIGRESP1_001
			PROTOCOL AMENDMENT 4 - 7OCT2025	4	cliTRIGRESP_Protocol_Amendment4_7OCT2025	

Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP1_001	R_TRIGRESP1_001_C	VARCHAR2
	R_TRIGRESP1_001	VARCHAR2
	R_TRIGRESP1_001_ND	VARCHAR2
R_TRIGRESP2_001	R_TRIGRESP2_001_C	VARCHAR2
	R_TRIGRESP2_001	VARCHAR2
	R_TRIGRESP2_001_ND	VARCHAR2
R_TRIGRESP11_001	R_TRIGRESP11_001_C	VARCHAR2
	R_TRIGRESP11_001	VARCHAR2
	R_TRIGRESP11_001_ND	VARCHAR2

B7981027: INCLUSION/EXCLUSION CRITERIA (INCL EXCL) [IE002]		
Inclusion Criterion Identifier		Inclusion Criterion Description
1. ✓		
Inclusion Criteria Not Met Entry [IE01002]		
1.1* ✓	Identifier of the Inclusion Criterion the subject did not meet: [Inclusion Criterion Identifier]	[IESPID_002] [IESPID_CL_002] ▼
1.2	Description of the Inclusion Criterion the subject did not meet: <i>[read-only]</i> [Inclusion Criterion Description]	[IETEST_002] [IETEST_CL_002] ▼
Exclusion Criterion Identifier		Exclusion Criterion Description
2. ✓		
Exclusion Criteria Met Entry [IE02002]		
2.1* ✓	Identifier of the Exclusion Criterion the subject met: [Exclusion Criterion Identifier]	[IESPID1_002] [IESPID1_CL_002] ▼
2.2	Description of the Exclusion Criterion the subject met: <i>[read-only]</i> [Exclusion Criterion Description]	[IETEST1_002] [IETEST1_CL_002] ▼
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
IESPID_CL_002	String		1	1	cliIESPID_1	IESPID_002
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
IETEST_CL_002	String		6 to <12 years old at the time of the screening visit. Refer to Appendix 4 for reproductive criteria for male (Section 10.4.1) and female (Section 10.4.2) participants.	3_1	cliIETEST_Inclusion_Description_1_A3	IETEST_002
			A diagnosis of AA (including AT and AU) with at least 50% scalp hair loss due to AA at both screening and baseline visits, without evidence of terminal hair regrowth within the previous 12 months.	3_2	cliIETEST_Inclusion_Description_2_A3	
			For study participants in the EU/UK only: History of clinical response failure to AA treatment (such as topical, off-label pharmacologic, or hairpiece prosthetics)	3_3	cliIETEST_Inclusion_Description_3_A3	
			Documented evidence of having received varicella vaccination (2 doses), OR evidence of prior exposure to VZV based on serological testing (ie, a positive VZV IgG Ab result) at screening.	3_4	cliIETEST_Inclusion_Description_4_A3	
			For sites in EU member countries (Czech Republic, France, Italy, Poland, Spain): Minimum body weight of >=17 kg at the time of the screening visit.	4_5	cliIETEST_Inclusion_Description_5_A4	
IESPID1_CL_002	String		1	1	cliIESPID_1	IESPID1_002
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
			11	11	cliIESPID_11	
			12	12	cliIESPID_12	

			13	cliIESPID_13	
			14	cliIESPID_14	
			15	cliIESPID_15	
IETEST1_CL_002	String		Other (non-AA) types of alopecia, including any known congenital cause of AA.	3_1 cliIETEST_Exclusion_Description_1_A3	IETEST1_002
			Pre-existing hearing loss is excluded. If hearing loss is due to wax build up/acute middle ear disease, participants can be re-screened when wax/infection has cleared, and retest shows normal hearing.	3_2 cliIETEST_Exclusion_Description_2_A3	
			Any present or history of malignancies, history of any lymphoproliferative disorder, lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease.	3_3 cliIETEST_Exclusion_Description_3_A3	
			Active autoimmune disorder (other than AA)	3_4 cliIETEST_Exclusion_Description_4_A3	
			Known immunodeficiency disorder.	3_5 cliIETEST_Exclusion_Description_5_A3	
			Any medical/psychiatric condition or laboratory abnormality that may increase risk of study participation or in investigator's judgment make participation inappropriate. Refer to protocol for details.	3_6 cliIETEST_Exclusion_Description_6_A3	
			Trisomy 21	3_7 cliIETEST_Exclusion_Description_7_A3	
			Current use of any prohibited concomitant medication(s) or history of discontinuation of treatment with a JAK inhibitor due to a treatment related adverse event. Refer to Section 6.9.	3_8 cliIETEST_Exclusion_Description_8_A3	
			Previous administration of an investigational product within 30 days or 5 half-lives preceding the first dose of study intervention used in this study or as determined by the local requirement.	3_9 cliIETEST_Exclusion_Description_9_A3	
			Renal dysfunction as defined using an eCrCl normalized to BSA (units of mL/min/1.73 m ²): confirmed eCrCl <60 mL/min/1.73 m ² based on Modified Schwartz equation. Refer to protocol for details.	3_10 cliIETEST_Exclusion_Description_10_A3	
			Infections: tuberculosis, any infection requiring hospitalization, HIV, hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm and others. Refer to protocol for details.	3_11 cliIETEST_Exclusion_Description_11_A3	
			Significant trauma or major surgery within 1 month of the first dose of study intervention.	3_12 cliIETEST_Exclusion_Description_12_A3	
			Within 6 weeks of first dose of study intervention: vaccination with live attenuated replication-competent vaccine. Detailed vaccination information is provided in Section 6.9.3.	3_13 cliIETEST_Exclusion_Description_13_A3	
			Investigator site staff directly involved in the study and their family members, site staff supervised by the investigator, and sponsor employees involved in the study and their family members.	3_14 cliIETEST_Exclusion_Description_14_A3	
			Hypersensitivity to the active substance(s) or to any of the excipients of the investigational product.	4_15 cliIETEST_Exclusion_Description_15_A4	

RDE Analytics: RD_IE002		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE002_IE01002		
IESPID_002	IESPID_002_C	VARCHAR2
	IESPID_002	VARCHAR2
	IESPID_002_ND	VARCHAR2
IETEST_002	IETEST_002_C	VARCHAR2
	IETEST_002	VARCHAR2
	IETEST_002_ND	VARCHAR2
RD_IE002_IE02002		
IESPID1_002	IESPID1_002_C	VARCHAR2
	IESPID1_002	VARCHAR2
	IESPID1_002_ND	VARCHAR2
IETEST1_002	IETEST1_002_C	VARCHAR2
	IETEST1_002	VARCHAR2
	IETEST1_002_ND	VARCHAR2

B7981027: PRIMARY DIAGNOSIS - SEVERE AA (PRIM DIAG) [MH001_2]		
Primary Diagnosis [MH02001_2]		
1.	Primary Diagnosis: [read-only] [Primary Diagnosis]	[MHTERM1_001_2] A100*
2.	Medical History Event Pre-Specified: [read-only] [Medical History Event Pre-Specified]	[MHPRESP_001_2] [A:Y] ☐ YES
3.	Does the subject have/has the subject had Severe Alopecia Areata: [read-only] [Specific condition/procedure response]	[MHOCCUR_001_2] [A:Y] ☐ YES
4.* ✓	Date of Diagnosis: [Start Date]	[MHSTDTC_001_2] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (2013-2028)
5.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM3_001_2] A200*
6.	Lowest Level Term [hidden] [Lowest Level Term]	[MHLT_001_2] A100*
7.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[MHLTCD_001_2] A8*
8.	Dictionary Derived Term [hidden] [Dictionary Derived Term]	[MHDECOD_001_2] A100*
9.	Preferred Term Code [hidden] [Preferred Term Code]	[MHPTCD_001_2] A8*
10.	High Level Term [hidden] [High Level Term]	[MHHLT_001_2] A100*
11.	High Level Term Code [hidden] [High Level Term Code]	[MHHLTCD_001_2] A8*
12.	High Level Group Term [hidden] [High Level Group Term]	[MHHLGT_001_2] A100*
13.	High Level Group Term Code [hidden] [High Level Group Term Code]	[MHHLGTCD_001_2] A8*
14.	Primary System Organ Class [hidden] [Primary System Organ Class]	[MHSOC_001_2] A100*
15.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[MHSOCCD_001_2] A8*
Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only		

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PRIMARY DIAGNOSIS - SEVERE AA		
Type	RefName	Description
Form	MH001_2	MEDICAL HISTORY
Item	MHTERM1_001_2	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	MHOCCUR_001_2	A response to a pre-printed term used to indicate whether or not the medical condition has occurred.
Item	MHSTDTC_001_2	Start Date of medical history event
Item	D_COMPTERM3_001_2	Hidden Item needed for clear coding rule.
Item	MHLLT_001_2	Lowest Level Term
Item	MHLLTCD_001_2	Lowest Level term
Item	MHDECOD_001_2	Dictionary Derived Term
Item	MHPTCD_001_2	Preferred Term Code
Item	MHHLT_001_2	High Level Term
Item	MHHLTCD_001_2	High Level Term Code
Item	MHHLGT_001_2	High Level Group Term
Item	MHHLGTC_001_2	High Level Group Term Code
Item	MHSOC_001_2	Primary System Organ Class
Item	MHSOCCD_001_2	Primary System Organ Class Code

Coding Summary: PRIMARY DIAGNOSIS - SEVERE AA		
Verbatim RefName: D_COMPTERM3_001_2		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC_001_2	SOC	Term
MHSOCCD_001_2	SOC	Code
MHHLGT_001_2	HLGT	Term
MHHLGTC_001_2	HLGT	Code
MHHLT_001_2	HLT	Term
MHHLTCD_001_2	HLT	Code
MHDECOD_001_2	PT	Term
MHPTCD_001_2	PT	Code
MHLLT_001_2	LLT	Term
MHLLTCD_001_2	LLT	Code

RDE Analytics: RD_MH001_2		
Data Variable RefName	RD Column Name	Column Data Type
MHTERM1_001_2	MHTERM1_001_2	VARCHAR2
	MHTERM1_001_2_ND	VARCHAR2
MHPRESP_001_2	MHPRESP_001_2_C	VARCHAR2
	MHPRESP_001_2	VARCHAR2
	MHPRESP_001_2_ND	VARCHAR2
MHOCCUR_001_2	MHOCCUR_001_2_C	VARCHAR2
	MHOCCUR_001_2	VARCHAR2
	MHOCCUR_001_2_ND	VARCHAR2
MHSTDTC_001_2	MHSTDTC_001_2	DATE
	MHSTDTC_001_2_DTS	VARCHAR2

	MHSTDTC_001_2_DTR	VARCHAR2
	MHSTDTC_001_2_ND	VARCHAR2
D_COMPTERM3_001_2	D_COMPTERM3_001_2	VARCHAR2
	D_COMPTERM3_001_2_ND	VARCHAR2
MHLLT_001_2	MHLLT_001_2	VARCHAR2
	MHLLT_001_2_ND	VARCHAR2
MHLLTCD_001_2	MHLLTCD_001_2	VARCHAR2
	MHLLTCD_001_2_ND	VARCHAR2
MHDECOD_001_2	MHDECOD_001_2	VARCHAR2
	MHDECOD_001_2_ND	VARCHAR2
MHPTCD_001_2	MHPTCD_001_2	VARCHAR2
	MHPTCD_001_2_ND	VARCHAR2
MHHLT_001_2	MHHLT_001_2	VARCHAR2
	MHHLT_001_2_ND	VARCHAR2
MHHLTCD_001_2	MHHLTCD_001_2	VARCHAR2
	MHHLTCD_001_2_ND	VARCHAR2
MHHLGT_001_2	MHHLGT_001_2	VARCHAR2
	MHHLGT_001_2_ND	VARCHAR2
MHHLGTC_001_2	MHHLGTC_001_2	VARCHAR2
	MHHLGTC_001_2_ND	VARCHAR2
MHSOC_001_2	MHSOC_001_2	VARCHAR2
	MHSOC_001_2_ND	VARCHAR2
MHSOCCD_001_2	MHSOCCD_001_2	VARCHAR2
	MHSOCCD_001_2_ND	VARCHAR2

B7981027: MEDICAL HISTORY (MEDHX) [MH001]				
	Line/MH Number	Medical History Term	Start Date	Ongoing
1. ✓				
Medical History Details Entry [MH02001]				
1.1 🔑	Line/MH Number: <i>[read-only]</i> [Line/MH Number]	[MHSPID_001] N8		
1.2* ✓	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: [Medical History Term]	[MHTERM_001] A100★		
1.3*	Start Date: [Start Date]	[MHSTDT_001] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (2013-2028)		
1.4*	Ongoing: [Ongoing]	[X_MHONGO_001] [A:Y] ☐ YES [A:N] ☒ [MHENDTC_CMP_001] v NO [MHENDTC_001] (DD/MM/YYYY) End Date: Req/Unk v / Req/Unk v / Req v (2013-2028)		
1.5	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM3_001] A200★		
1.6	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[MHLLT_001] A100★		
1.7	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[MHLLTCD_001] A8★		
1.8	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[MHDECOD_001] A100★		
1.9	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[MHPTCD_001] A8★		
1.10	High Level Term <i>[hidden]</i> [High Level Term]	[MHHLT_001] A100★		
1.11	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[MHHLTCD_001] A8★		
1.12	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[MHHLGT_001] A100★		
1.13	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[MHHLGTCD_001] A8★		
1.14	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[MHSOC_001] A100★		
1.15	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[MHSOCCD_001] A8★		
Key: [*] = Item is required [✓] = Source verification required [v] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.				

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: MEDICAL HISTORY		
Type	RefName	Description
Form	MH001	GENERAL MEDICAL HISTORY
Item	MHSPID_001	A sponsor defined identifier which can be used for pre-printed numbers on the CRF. Populated as a sequential number
Item	MHTERM_001	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	MHSTDTC_001	Start Date of medical history event
Item	X_MHONGO_001	Indicates medical history event is ongoing when no end date is provided.
Item	MHENDTC_001	End Date of medical history event
Item	D_COMPTERM3_001	Hidden Item needed for clear coding rule.
Item	MHLLT_001	Lowest Level Term
Item	MHLLTCD_001	Lowest Level term
Item	MHDECOD_001	Dictionary Derived Term
Item	MHPTCD_001	Preferred Term Code
Item	MHHLT_001	High Level Term
Item	MHHLTCD_001	High Level Term Code
Item	MHHLGT_001	High Level Group Term
Item	MHHLGTC_001	High Level Group Term Code
Item	MHSOC_001	Primary System Organ Class
Item	MHSOCCD_001	Primary System Organ Class Code

Keys (navigation)/Uniqueness: MEDICAL HISTORY

Item	Unique	Order #
MH02001 (Repeating section)		
MHSPID_001	Individual	1

Coding Summary: MEDICAL HISTORY

Verbatim RefName: D_COMPTERM3_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC_001	SOC	Term
MHSOCCD_001	SOC	Code
MHHLGT_001	HLGT	Term
MHHLGTC_001	HLGT	Code
MHHLT_001	HLT	Term
MHHLTCD_001	HLT	Code
MHDECOD_001	PT	Term
MHPTCD_001	PT	Code
MHLLT_001	LLT	Term
MHLLTCD_001	LLT	Code

RDE Analytics: RD_MH001

Data Variable RefName	RD Column Name	Column Data Type
RD_MH001_MH02001		
MHSPID_001	MHSPID_001	NUMBER
	MHSPID_001_ND	VARCHAR2

MHTERM_001	MHTERM_001	VARCHAR2
	MHTERM_001_ND	VARCHAR2
MHSTDTC_001	MHSTDTC_001	DATE
	MHSTDTC_001_DTS	VARCHAR2
	MHSTDTC_001_DTR	VARCHAR2
	MHSTDTC_001_ND	VARCHAR2
X_MHONGO_001	X_MHONGO_001_C	VARCHAR2
	X_MHONGO_001	VARCHAR2
	X_MHONGO_001_ND	VARCHAR2
X_MHONGO_001 - MHENDTC_001	MHENDTC_001	DATE
	MHENDTC_001_DTS	VARCHAR2
	MHENDTC_001_DTR	VARCHAR2
D_COMPTERM3_001	D_COMPTERM3_001	VARCHAR2
	D_COMPTERM3_001_ND	VARCHAR2
MHLLT_001	MHLLT_001	VARCHAR2
	MHLLT_001_ND	VARCHAR2
MHLLTCD_001	MHLLTCD_001	VARCHAR2
	MHLLTCD_001_ND	VARCHAR2
MHDECOD_001	MHDECOD_001	VARCHAR2
	MHDECOD_001_ND	VARCHAR2
MHPTCD_001	MHPTCD_001	VARCHAR2
	MHPTCD_001_ND	VARCHAR2
MHHLT_001	MHHLT_001	VARCHAR2
	MHHLT_001_ND	VARCHAR2
MHHLTCD_001	MHHLTCD_001	VARCHAR2
	MHHLTCD_001_ND	VARCHAR2
MHHLGT_001	MHHLGT_001	VARCHAR2
	MHHLGT_001_ND	VARCHAR2
MHHLGTCD_001	MHHLGTCD_001	VARCHAR2
	MHHLGTCD_001_ND	VARCHAR2
MHSOC_001	MHSOC_001	VARCHAR2
	MHSOC_001_ND	VARCHAR2
MHSOCCD_001	MHSOCCD_001	VARCHAR2
	MHSOCCD_001_ND	VARCHAR2

B7981027: PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY - MENARCHE (MENARCHE) [MH001_3]										
Pre-specified Significant Medical History Details [MH02001_3]										
# ✓	Line/MH Number	Medical History Term	Medical History Event Pre-Specified	Specific condition/procedure response*	Start Date	Comparison Term	Lowest Level Term	Lowest Level Term Code	Dictionary Derived Term	Preferred Term Co
1.a		MENARCHE								
Pre-specified Significant Medical History Details Entry [MH02001_3]										
1.1	Line/MH Number: [read-only] [Line/MH Number]			[MHSPID_001_3] N8						
1.2	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: [read-only] [Medical History Term]			[MHTERM2_001_3] [A:2] ☐ MENARCHE						
1.3	Medical History Event Pre-Specified: [read-only] [Medical History Event Pre-Specified]			[MHPRESP_001_3] [A:Y] ☐ YES						
1.4* ✓	Does the subject have/has the subject had Menarche: [Specific condition/procedure response]			[MHOCCUR_001_3] [A:Y] ☐ YES [A:N] ☐ NO						
1.5 ✓	Start Date: [Start Date]			[MHSTDTC_001_3] (DD/MM/YYYY) Req/Unk ☐ / Req/Unk ☐ / Req ☐ (2013-2028)						
1.6	Comparison Term [hidden] [Comparison Term]			[D_COMPTERM3_001_3] A200*						
1.7	Lowest Level Term [hidden] [Lowest Level Term]			[MHLLT_001_3] A100*						
1.8	Lowest Level Term Code [hidden] [Lowest Level Term Code]			[MHLLTCD_001_3] A8*						
1.9	Dictionary Derived Term [hidden] [Dictionary Derived Term]			[MHDECOD_001_3] A100*						
1.10	Preferred Term Code [hidden] [Preferred Term Code]			[MHPTCD_001_3] A8*						
1.11	High Level Term [hidden] [High Level Term]			[MHHLT_001_3] A100*						
1.12	High Level Term Code [hidden] [High Level Term Code]			[MHHLTCD_001_3] A8*						
1.13	High Level Group Term [hidden] [High Level Group Term]			[MHHLGT_001_3] A100*						
1.14	High Level Group Term Code [hidden] [High Level Group Term Code]			[MHHLGTC_001_3] A8*						
1.15	Primary System Organ Class [hidden] [Primary System Organ Class]			[MHSOC_001_3] A100*						
1.16	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]			[MHSOCCD_001_3] A8*						
Key: [*] = Item is required [✓] = Source verification required ☐ = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.										

Coding Summary: PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY - MENARCHE

Verbatim RefName: D_COMPTERM3_001_3 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC_001_3	SOC	Term
MHSOCCD_001_3	SOC	Code
MHHLGT_001_3	HLGT	Term
MHHLGTC_001_3	HLGT	Code
MHHLT_001_3	HLT	Term
MHHLTCD_001_3	HLT	Code
MHDECOD_001_3	PT	Term
MHPTCD_001_3	PT	Code
MHLLT_001_3	LLT	Term
MHLLTCD_001_3	LLT	Code

RDE Analytics: RD_MH001_3		
Data Variable RefName	RD Column Name	Column Data Type
RD_MH001_3_MH02001_3		
MHSPID_001_3	MHSPID_001_3	NUMBER
	MHSPID_001_3_ND	VARCHAR2
MHTERM2_001_3	MHTERM2_001_3_C	VARCHAR2
	MHTERM2_001_3	VARCHAR2
	MHTERM2_001_3_ND	VARCHAR2
MHPRESP_001_3	MHPRESP_001_3_C	VARCHAR2
	MHPRESP_001_3	VARCHAR2
	MHPRESP_001_3_ND	VARCHAR2
MHOCCUR_001_3	MHOCCUR_001_3_C	VARCHAR2
	MHOCCUR_001_3	VARCHAR2
	MHOCCUR_001_3_ND	VARCHAR2
MHSTDTC_001_3	MHSTDTC_001_3	DATE
	MHSTDTC_001_3_DTS	VARCHAR2
	MHSTDTC_001_3_DTR	VARCHAR2
	MHSTDTC_001_3_ND	VARCHAR2
D_COMPTERM3_001_3	D_COMPTERM3_001_3	VARCHAR2
	D_COMPTERM3_001_3_ND	VARCHAR2
MHLLT_001_3	MHLLT_001_3	VARCHAR2
	MHLLT_001_3_ND	VARCHAR2
MHLLTCD_001_3	MHLLTCD_001_3	VARCHAR2
	MHLLTCD_001_3_ND	VARCHAR2
MHDECOD_001_3	MHDECOD_001_3	VARCHAR2
	MHDECOD_001_3_ND	VARCHAR2
MHPTCD_001_3	MHPTCD_001_3	VARCHAR2
	MHPTCD_001_3_ND	VARCHAR2
MHHLT_001_3	MHHLT_001_3	VARCHAR2
	MHHLT_001_3_ND	VARCHAR2
MHHLTCD_001_3	MHHLTCD_001_3	VARCHAR2
	MHHLTCD_001_3_ND	VARCHAR2
MHHLGT_001_3	MHHLGT_001_3	VARCHAR2

	MHHLGT_001_3_ND	VARCHAR2
MHHLGTCD_001_3	MHHLGTCD_001_3	VARCHAR2
	MHHLGTCD_001_3_ND	VARCHAR2
MHSOC_001_3	MHSOC_001_3	VARCHAR2
	MHSOC_001_3_ND	VARCHAR2
MHSOCCD_001_3	MHSOCCD_001_3	VARCHAR2
	MHSOCCD_001_3_ND	VARCHAR2

Study Object Descriptions: LAB URINALYSIS - PREGNANCY		
Type	RefName	Description
Item	LBCAT_001_5	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSCAT_001_5	Used to define a sub-category of related laboratory records (e.g. Electrolytes, Liver Function).
Item	LBDTCT_001_5	Date of specimen collection.
Item	LBSPEC_001_5	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBTEST_001_5	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	D_LBORRES_001_5	Result of the measurement or finding as originally received or collected.
Item	LBSTAT_001_5	Used to indicate test was not done.
Item	LBSPID_001_5	Sponsor-defined reference number. This is the Pfizer PXCODE.

file:///C:/Users/sp52/AppData/Local/Apps/2.0/GM7WCH3V.KHQ/J6O9BJCE.A8A/orac..90.0 919f856034ae8f10 0007.0000 ... 2/24/2026

LBDTC_001_5	LBDTC_001_5	DATE
	LBDTC_001_5_DTS	VARCHAR2
	LBDTC_001_5_ND	VARCHAR2
LBSPEC_001_5	LBSPEC_001_5_C	VARCHAR2
	LBSPEC_001_5	VARCHAR2
	LBSPEC_001_5_ND	VARCHAR2
RD_LB001_5_LB03001_5		
LBTEST_001_5	LBTEST_001_5_C	VARCHAR2
	LBTEST_001_5	VARCHAR2
	LBTEST_001_5_ND	VARCHAR2
D_LBORRES_001_5	D_LBORRES_001_5_C	VARCHAR2
	D_LBORRES_001_5	VARCHAR2
	D_LBORRES_001_5_ND	VARCHAR2
LBORRES_001_5	LBORRES_001_5	VARCHAR2
	LBORRES_001_5_ND	VARCHAR2
LBSTAT_001_5	LBSTAT_001_5_C	VARCHAR2
	LBSTAT_001_5	VARCHAR2
	LBSTAT_001_5_ND	VARCHAR2
LBSPID_001_5	LBSPID_001_5	NUMBER
	LBSPID_001_5_ND	VARCHAR2

Study Object Descriptions: VITAL SIGNS		
Type	RefName	Description
Form	VS001	VS001 - Vital Signs - Wide Format
Item	VSDTC_001	The date the measurement was performed.
Item	VSORRES_WEIGHT_001	Weight
Item	VSORRESU_WEIGHT_001	Weight Unit
Item	VSORRES_HEIGHT_001	Height
Item	VSORRESU_HEIGHT_001	Height Unit
Item	VSSPID_001	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_SYSBP_001	Systolic Blood Pressure collected in mmHg
Item	VSORRES_DIABP_001	Diastolic Blood Pressure in mmHg
Item	VSORRES_PULSE_001	Pulse Rate in beats/minute.

file:///C:/Users/sp52/AppData/Local/Apps/2.0/GM7WCH3V.KHQ/J6O9BJCE.A8A/orac..90.0 919f856034ae8f10 0007.0000 ... 2/24/2026

	VSCAT_001	VARCHAR2
	VSCAT_001_ND	VARCHAR2
VSDTC_001	VSDTC_001	DATE
	VSDTC_001_DTS	VARCHAR2
	VSDTC_001_ND	VARCHAR2
VSORRES_WEIGHT_001	VSORRES_WEIGHT_001	FLOAT
	VSORRES_WEIGHT_001_ND	VARCHAR2
VSORRESU_WEIGHT_001	VSORRESU_WEIGHT_001_C	VARCHAR2
	VSORRESU_WEIGHT_001	VARCHAR2
	VSORRESU_WEIGHT_001_ND	VARCHAR2
VSORRES_HEIGHT_001	VSORRES_HEIGHT_001	FLOAT
	VSORRES_HEIGHT_001_ND	VARCHAR2
VSORRESU_HEIGHT_001	VSORRESU_HEIGHT_001_C	VARCHAR2
	VSORRESU_HEIGHT_001	VARCHAR2
	VSORRESU_HEIGHT_001_ND	VARCHAR2
RD_VS001_VS02001		
VSSPID_001	VSSPID_001_C	VARCHAR2
	VSSPID_001	VARCHAR2
	VSSPID_001_ND	VARCHAR2
VSORRES_SYSBP_001	VSORRES_SYSBP_001	NUMBER
	VSORRES_SYSBP_001_ND	VARCHAR2
VSORRES_DIABP_001	VSORRES_DIABP_001	NUMBER
	VSORRES_DIABP_001_ND	VARCHAR2
VSORRES_PULSE_001	VSORRES_PULSE_001	NUMBER
	VSORRES_PULSE_001_ND	VARCHAR2

RDE Analytics: RD_AUAUD001		
Data Variable RefName	RD Column Name	Column Data Type
AUDTC_001	AUDTC_001	DATE
	AUDTC_001_DTS	VARCHAR2
	AUDTC_001_ND	VARCHAR2
CO_AUDCOM_001	CO_AUDCOM_001	VARCHAR2
	CO_AUDCOM_001_ND	VARCHAR2
RD_AUAUD001_AUAUD02001		
AULAT_001	AULAT_001_C	VARCHAR2
	AULAT_001	VARCHAR2
	AULAT_001_ND	VARCHAR2
AULOC_001	AULOC_001_C	VARCHAR2
	AULOC_001	VARCHAR2
	AULOC_001_ND	VARCHAR2
AUORRES_INTP_001	AUORRES_INTP_001_C	VARCHAR2
	AUORRES_INTP_001	VARCHAR2
	AUORRES_INTP_001_ND	VARCHAR2
AUORRES_INTP_001 - AUCLSIG_001	AUCLSIG_001_C	VARCHAR2
	AUCLSIG_001	VARCHAR2

Study Object Descriptions: LOCALLY READ ECGs		
Type	RefName	Description
Form	EG001	EG001 - LOCALLY READ ECGs
Item	EGDTC_001	Date of ECG.
Item	EGORRES_INTPT_001	ECG Interpretation - Normal, Abnormal, Not Evaluable.
Item	EGCLSIG_001	Whether ECG results were clinically significant. Need a rule as EGCLSIG is completed only if EGNABN = "ABNORMAL" or "INDETERMINATE"
Item	CO_EGCOM_001	Comments on Significant ECG Findings
Item	EGTEST_001	Name of ECG Measurement, test or examination. Long name for EGTESTCD.

Item	EGORRES_001	Result of the measurement or finding as originally received or collected.
Item	EGORRESU_001	Original units in which the data were collected.

RDE Analytics: RD_EG001		
Data Variable RefName	RD Column Name	Column Data Type
EGDTC_001	EGDTC_001	DATE
	EGDTC_001_DTS	VARCHAR2
	EGDTC_001_ND	VARCHAR2
EGORRES_INTP_001	EGORRES_INTP_001_C	VARCHAR2
	EGORRES_INTP_001	VARCHAR2
	EGORRES_INTP_001_ND	VARCHAR2
EGORRES_INTP_001 - EGCLSIG_001	EGCLSIG_001_C	VARCHAR2
	EGCLSIG_001	VARCHAR2
EGORRES_INTP_001 - CO_EGCOM_001	CO_EGCOM_001	VARCHAR2
RD_EG001_EG02001		
EGTEST_001	EGTEST_001_C	VARCHAR2
	EGTEST_001	VARCHAR2
	EGTEST_001_ND	VARCHAR2
EGORRES_001	EGORRES_001	VARCHAR2
	EGORRES_001_ND	VARCHAR2
EGORRESU_001	EGORRESU_001_C	VARCHAR2
	EGORRESU_001	VARCHAR2
	EGORRESU_001_ND	VARCHAR2

B7981027: TUBERCULOSIS TESTING (TCR) [SRTCR002]				
Tuberculosis Testing [SRTCR01002]				
#	Testing Method: *	Not Done: *	Date of Test:	Result:
1.a	PPD SKIN TEST			
1.b	QUANTIFERON TB GOLD			
1.c	QUANTIFERON TB GOLD IN-TUBE			
1.d	T-SPOT			
Tuberculosis Testing Entry [SRTCR01002]				
1.1 *	Testing Method: [Testing Method:]	[Y_SRMETHOD_002] [A:1] ☐ PPD SKIN TEST [A:2] ☐ QUANTIFERON TB GOLD [A:4] ☐ QUANTIFERON TB GOLD IN-TUBE [A:5] ☐ T-SPOT		
1.2 *	Not Done: [Not Done:]	[X_SRSTAT_002] [A:1] ☐ NOT DONE [A:2] ☐ DONE		
1.3	Date of Test: [Date of Test:]	[Y_SRDTC_002] (DD/MM/YYYY) Req / Req / Req (2025-2028)		
1.4	Result: [Result:]	[Y_SRRORRES_002] [A:1] ☐ POSITIVE [A:2] ☐ NEGATIVE [A:3] ☐ INDETERMINATE		
Tuberculosis Testing [SRTCR02002]				
2.	If PPD Skin Test was done, enter the date of read: [Date of Read for PPD Skin Test]	[SUPPSR_TSTDTC_002] (DD/MM/YYYY) Req / Req / Req (2025-2028)		
3.	If PPD Skin Test was done, enter induration: [Induration]	[SRORRES_IDRLDIAM_002] xx.xx		
Key: [*] = Item is required ☐ = Fixed item				
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.				

RDE Analytics: RD_SRTCR002		
Data Variable RefName	RD Column Name	Column Data Type
SUPPSR_TSTDTC_002	SUPPSR_TSTDTC_002	DATE
	SUPPSR_TSTDTC_002_DTS	VARCHAR2
	SUPPSR_TSTDTC_002_ND	VARCHAR2
SRORRES_IDRLDIAM_002	SRORRES_IDRLDIAM_002	FLOAT
	SRORRES_IDRLDIAM_002_ND	VARCHAR2
RD_SRTCR002_SRTCR01002		
Y_SRMETHOD_002	Y_SRMETHOD_002_C	VARCHAR2
	Y_SRMETHOD_002	VARCHAR2
	Y_SRMETHOD_002_ND	VARCHAR2
X_SRSTAT_002	X_SRSTAT_002_C	VARCHAR2
	X_SRSTAT_002	VARCHAR2
	X_SRSTAT_002_ND	VARCHAR2
Y_SRDTC_002	Y_SRDTC_002	DATE
	Y_SRDTC_002_DTS	VARCHAR2
	Y_SRDTC_002_ND	VARCHAR2
Y_SRRORRES_002	Y_SRRORRES_002_C	VARCHAR2

	Y_SRRRES_002	VARCHAR2
	Y_SRRRES_002_ND	VARCHAR2

B7981027: LAB URINALYSIS (LOCAL URIN) [LB001_2]						
LAB URINALYSIS [LB01001_2]						
1.* ✓	Collection Date: [Collection Date]	[LBDTC_001_2] (DD/MM/YYYY) Req / Req / Req (2025-2028)				
2.	Laboratory Name and Address: [Vendor Name]	[LBNAM_001_2] A200*				
3. ✓	Lab ID: [Lab ID]	[SUPPLB_LBUID_001_2] A50*				
4.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_2] [A:40] ☐ URINE				
5.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_2] [A:3] ☐ URINALYSIS				
LAB RESULT [LB03001_2]						
#	Test	Result	Clinically Significant	Not Done:	Sponsor-Defined Identifier	LNMT
6.a	pH_PX77					
6.b	Glucose_PX79					
6.c	Protein_PX78					
6.d	Hemoglobin_PX87					
6.e	Ketones_PX86					
6.f	Nitrite_PX639					
6.g	Leukocyte Esterase_PX438					
6.h	Urobilinogen_PX118					
6.i	Bilirubin_PX115					
LAB RESULT Entry [LB03001_2]						
6.1 	Test: [Test]	[LBTEST_001_2] [LBTEST_CL_001_2]				
6.2 ✓	Result: [Result]	[LBORRES_001_2] A30*				
6.3 ✓	Clinically Significant? [Clinically Significant]	[LBCLSIG_001_2] [A:Y] ☐ [SUPPLB_LBCOM_CMP_001_2] ☐ YES [CO_LBCOM_001_2] Comment on Significant Finding: A200* [A:N] ☐ NO				
6.4 ✓	Not Done: [Not Done:]	[LBSTAT_001_2] [A:1] ☐ NOT DONE				
6.5	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_2] N8				
6.6	LNMT <i>[read-only]</i> [LNMT]	[X_LNMTFLAG_CMP_001_2] [LBORNRL0_001_2] Low A20* [LBORNRI_001_2] High A20*				

		[LBORRESU_001_2] Unit A20★ [X_LNMTFLAG_001_2] Flag A20★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LAB URINALYSIS		
Type	RefName	Description
Item	LBDTC_001_2	Date of specimen collection.
Item	LBSPEC_001_2	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBCAT_001_2	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBTEST_001_2	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBORRES_001_2	Result of the measurement or finding as originally received or collected.
Item	LBCLSIG_001_2	Whether lab test result(s) were clinically significant.
Item	CO_LBCOM_001_2	Investigator comment on lab test results of clinical significance.
Item	LBSTAT_001_2	Used to indicate test was not done.
Item	LBSPID_001_2	Sponsor-defined reference number. This is the Pfizer PXC CODE.
Item	LBORNRO_001_2	LNMT field
Item	LBORNRI_001_2	LNMT field
Item	LBORRESU_001_2	LNMT field
Item	X_LNMTFLAG_001_2	LNMT field

Codelist Values Tables: LAB URINALYSIS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_2	String		pH_PX77	77	cliLBTEST_pH_PX77	LBTEST_001_2
			Glucose_PX79	79	cliLBTEST_Glucose_PX79	
			Protein_PX78	78	cliLBTEST_Protein_PX78	
			Hemoglobin_PX87	87	cliLBTEST_Hemoglobin_PX87	
			Ketones_PX86	86	cliLBTEST_Ketones_PX86	
			Nitrite_PX639	639	cliLBTEST_Nitrite_PX639	
			Leukocyte Esterase_PX438	438	cliLBTEST_Leukocyte_Esterase_PX438	
			Urobilinogen_PX118	118	cliLBTEST_Urobilinogen_PX118	
			Bilirubin_PX115	115	cliLBTEST_Bilirubin_PX115	

RDE Analytics: RD_LB001_2			
Data Variable RefName		RD Column Name	Column Data Type
LBDTC_001_2		LBDTC_001_2	DATE
		LBDTC_001_2_DTS	VARCHAR2
		LBDTC_001_2_ND	VARCHAR2
LBNAM_001_2		LBNAM_001_2	VARCHAR2
		LBNAM_001_2_ND	VARCHAR2
SUPPLB_LBUID_001_2		SUPPLB_LBUID_001_2	VARCHAR2
		SUPPLB_LBUID_001_2_ND	VARCHAR2
LBSPEC_001_2		LBSPEC_001_2_C	VARCHAR2

	LBSPEC_001_2	VARCHAR2
	LBSPEC_001_2_ND	VARCHAR2
LBCAT_001_2	LBCAT_001_2_C	VARCHAR2
	LBCAT_001_2	VARCHAR2
	LBCAT_001_2_ND	VARCHAR2
RD_LB001_2_LB03001_2		
LBTEST_001_2	LBTEST_001_2_C	VARCHAR2
	LBTEST_001_2	VARCHAR2
	LBTEST_001_2_ND	VARCHAR2
LBORRES_001_2	LBORRES_001_2	VARCHAR2
	LBORRES_001_2_ND	VARCHAR2
LBCLSIG_001_2	LBCLSIG_001_2_C	VARCHAR2
	LBCLSIG_001_2	VARCHAR2
	LBCLSIG_001_2_ND	VARCHAR2
LBCLSIG_001_2 - CO_LBCOM_001_2	CO_LBCOM_001_2	VARCHAR2
LBSTAT_001_2	LBSTAT_001_2_C	VARCHAR2
	LBSTAT_001_2	VARCHAR2
	LBSTAT_001_2_ND	VARCHAR2
LBSPID_001_2	LBSPID_001_2	NUMBER
	LBSPID_001_2_ND	VARCHAR2
X_LNMTFLAG_CMP_001_2	X_LNMTFLAG_CMP_001_2_ND	VARCHAR2
X_LNMTFLAG_CMP_001_2 - LBORNRLO_001_2	LBORNRLO_001_2	VARCHAR2
X_LNMTFLAG_CMP_001_2 - LBORNRHI_001_2	LBORNRHI_001_2	VARCHAR2
X_LNMTFLAG_CMP_001_2 - LBORRESU_001_2	LBORRESU_001_2	VARCHAR2
X_LNMTFLAG_CMP_001_2 - X_LNMTFLAG_001_2	X_LNMTFLAG_001_2	VARCHAR2

B7981027: DISPOSITION - SCREENING (DISP SCR) [DS001_4]		
Disposition - Screening [DS01001_4]		
1.* ✓	Date of Completion/Discontinuation/Death: [Date]	[DSSTDTC_001_4] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2028)
2.	Phase of Disposition: <i>[read-only]</i> [Disposition Phase]	[SUPPDS_DSPHASE_001_4] [A:3] ☒ SCREENING
3.* ✓	Status: [Status]	[DSDECOD_001_4] [DSDECOD_CL_001_4] ☐
4.	Specify Status: [Specify Status]	[DSTERM_001_4] A100★
Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: DISPOSITION - SCREENING		
Type	RefName	Description
Item	DSSTDTC_001_4	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_4	Specify Status

Codelist Values Tables: DISPOSITION - SCREENING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_4	String		ADVERSE EVENT	1	cliINCOMPLT_ADVERSE_EVENT	DSDECOD_001_4
			COMPLETED	2	cliINCOMPLT_COMPLETED	
			DEATH	3	cliINCOMPLT_DEATH	
			OTHER	7	cliINCOMPLT_OTHER	
			PREGNANCY	9	cliINCOMPLT_PREGNANCY	
			SCREEN FAILURE	13	cliINCOMPLT_SCREEN_FAILURE	
			STUDY TERMINATED BY SPONSOR	14	cliINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			WITHDRAWAL BY PARENT/GUARDIAN	19	cliINCOMPLT_WITHDRAWAL_BY_PARENT_GUARDIAN	

RDE Analytics: RD_DS001_4		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_4	DSSTDTC_001_4	DATE
	DSSTDTC_001_4_DTS	VARCHAR2
	DSSTDTC_001_4_ND	VARCHAR2
SUPPDS_DSPHASE_001_4	SUPPDS_DSPHASE_001_4_C	VARCHAR2
	SUPPDS_DSPHASE_001_4	VARCHAR2
	SUPPDS_DSPHASE_001_4_ND	VARCHAR2
DSDECOD_001_4	DSDECOD_001_4_C	VARCHAR2
	DSDECOD_001_4	VARCHAR2
	DSDECOD_001_4_ND	VARCHAR2
DSTERM_001_4	DSTERM_001_4	VARCHAR2
	DSTERM_001_4_ND	VARCHAR2

B7981027: RANDOMIZATION (RAND) [DS001_3]		
Randomization [DS01001_3]		
1.* ✓	Date of Randomization: [Date]	[DSSTDTC_001_3] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2028)
2.* ✓	Randomization Number: [Reference ID]	[DSREFID_001_3] A20★
Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: RANDOMIZATION		
Type	RefName	Description
Item	DSSTDTC_001_3	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_3			
Data Variable	RefName	RD Column Name	Column Data Type
DSSTDTC_001_3		DSSTDTC_001_3	DATE
		DSSTDTC_001_3_DTS	VARCHAR2
		DSSTDTC_001_3_ND	VARCHAR2
DSREFID_001_3		DSREFID_001_3	VARCHAR2
		DSREFID_001_3_ND	VARCHAR2

RDE Analytics: RD_LB001_11		
Data Variable RefName	RD Column Name	Column Data Type
RD_LB001_11_LB01001_11		
LBCAT_001_11	LBCAT_001_11_C	VARCHAR2
	LBCAT_001_11	VARCHAR2
	LBCAT_001_11_ND	VARCHAR2
LBSPEC_001_11	LBSPEC_001_11_C	VARCHAR2
	LBSPEC_001_11	VARCHAR2
	LBSPEC_001_11_ND	VARCHAR2
LBSPID_001_11	LBSPID_001_11_C	NUMBER
	LBSPID_001_11	VARCHAR2
	LBSPID_001_11_ND	VARCHAR2
R_LBTEST_001_11	R_LBTEST_001_11_C	VARCHAR2
	R_LBTEST_001_11	VARCHAR2
	R_LBTEST_001_11_ND	VARCHAR2
LBREFID_001_11	LBREFID_001_11_C	VARCHAR2
	LBREFID_001_11	VARCHAR2
	LBREFID_001_11_ND	VARCHAR2
X_LBSTAT_001_11	X_LBSTAT_001_11_C	VARCHAR2

	X_LBSTAT_001_11	VARCHAR2
	X_LBSTAT_001_11_ND	VARCHAR2
LBDTC_001_11	LBDTC_001_11	DATE
	LBDTC_001_11_DTS	VARCHAR2
	LBDTC_001_11_ND	VARCHAR2
CO_LBINVCOM_001_11	CO_LBINVCOM_001_11	VARCHAR2
	CO_LBINVCOM_001_11_ND	VARCHAR2

B7981027: RETAINED RESEARCH SAMPLE TRACKING (BANKBIOS) [R_OMIC003]					
Sample Tracking [R_OMIC01003]					
#	Category of Assessment	Specimen Type	Sample Name	Assessment Performed*	Sample Date
1.a	RETAINED RESEARCH SAMPLE TRACKING	BLOOD	PREP D1.5		
Sample Tracking Entry [R_OMIC01003]					
1.1 	Category of Assessment: <i>[read-only]</i> [Category of Assessment]	[R_OMICCAT_003] [A:7]  RETAINED RESEARCH SAMPLE TRACKING			
1.2 	Specimen Type: <i>[read-only]</i> [Specimen Type]	[R_OMICSPEC_003] [A:7]  BLOOD			
1.3 	Sample Name: <i>[read-only]</i> [Sample Name]	[R_OMICPRP_003] [A:12]  PREP D1.5			
1.4*	Was the Assessment Performed? [Assessment Performed]	[R_OMICPERF_003] [A:Y]  YES [A:N]  NO			
1.5	Sample Collection Date: [Sample Date]	[R_OMICDTC_003] (DD/MM/YYYY) Req  / Req  / Req  (2025-2028)			
Key: [*] = Item is required  = Fixed item					
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.					

RDE Analytics: RD_R_OMIC003		
Data Variable RefName	RD Column Name	Column Data Type
RD_R_OMIC003_R_OMIC01003		
R_OMICCAT_003	R_OMICCAT_003_C	VARCHAR2
	R_OMICCAT_003	VARCHAR2
	R_OMICCAT_003_ND	VARCHAR2
R_OMICSPEC_003	R_OMICSPEC_003_C	VARCHAR2
	R_OMICSPEC_003	VARCHAR2
	R_OMICSPEC_003_ND	VARCHAR2
R_OMICPRP_003	R_OMICPRP_003_C	VARCHAR2
	R_OMICPRP_003	VARCHAR2
	R_OMICPRP_003_ND	VARCHAR2
R_OMICPERF_003	R_OMICPERF_003_C	VARCHAR2
	R_OMICPERF_003	VARCHAR2
	R_OMICPERF_003_ND	VARCHAR2
R_OMICDTC_003	R_OMICDTC_003	DATE
	R_OMICDTC_003_DTS	VARCHAR2
	R_OMICDTC_003_ND	VARCHAR2

Codelist Values Tables: WECHSLER INTELLIGENCE SCALE FOR CHILDREN - 5TH EDITION						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
FTTEST_CL_010	String		Block Design (BD)	1	cliWISCA_Block_Design_BD	FTTEST_010
			Similarities (SI)	2	cliWISCA_Similarities_SI	
			Matrix Reasoning (MR)	3	cliWISCA_Matrix_Reasoning_MR	
			Digit Span (DS)	4	cliWISCA_Digit_Span_DS	
			Coding (CD)	5	cliWISCA_Coding_CD	
			Vocabulary (VC)	6	cliWISCA_Vocabulary_VC	
			Figure Weights (FW)	7	cliWISCA_Figure_Weights_FW	

			Visual Puzzles (VP)	8	cliWISCA_Visual_Puzzles_VP	
			Picture Span (PS)	9	cliWISCA_Picture_Span_PS	
			Symbol Search (SS)	10	cliWISCA_Symbol_Search_SS	
FTTEST1_CL_010	String		Verbal Comprehension Index (VCI)	1	cliWISCB_Verbal_Comprehension_Index_VCI	FTTEST1_010
			Visual Spatial Index (VSI)	2	cliWISCB_Visual_Spatial_Index_VSI	
			Fluid Reasoning Index (FRI)	3	cliWISCB_Fluid_Reasoning_Index_FRI	
			Working Memory Index (WMI)	4	cliWISCB_Working_Memory_Index_WMI	
			Processing Speed Index (PSI)	5	cliWISCB_Processing_Speed_Index_PSI	
			Full Scale IQ	6	cliWISCB_Full_Scale_IQ	

RDE Analytics: RD_FTWISC010		
Data Variable RefName	RD Column Name	Column Data Type
FTDTC_010	FTDTC_010	DATE
	FTDTC_010_DTS	VARCHAR2
	FTDTC_010_ND	VARCHAR2
RD_FTWISC010_FTWISC2010		
FTTEST_010	FTTEST_010_C	VARCHAR2
	FTTEST_010	VARCHAR2
	FTTEST_010_ND	VARCHAR2
FTORRES_010	FTORRES_010	VARCHAR2
	FTORRES_010_ND	VARCHAR2
RD_FTWISC010_FTWISC3010		
FTTEST1_010	FTTEST1_010_C	VARCHAR2
	FTTEST1_010	VARCHAR2
	FTTEST1_010_ND	VARCHAR2
FTORRES1_010	FTORRES1_010	VARCHAR2
	FTORRES1_010_ND	VARCHAR2

Study Object Descriptions: VITAL SIGNS		
Type	RefName	Description
Form	VS001_1	VS001 - Vital Signs - Wide Format
Item	VSDTC_001_1	The date the measurement was performed.
Item	VSSPID_001_1	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_SYSBP_001_1	Systolic Blood Pressure collected in mmHg
Item	VSORRES_DIABP_001_1	Diastolic Blood Pressure in mmHg
Item	VSORRES_PULSE_001_1	Pulse Rate in beats/minute.

file:///C:/Users/sp52/AppData/Local/Apps/2.0/GM7WCH3V.KHQ/J6O9BJCE.A8A/orac..90.0 919f856034ae8f10 0007.0000 ... 2/24/2026

VSORRES_PULSE_001_1	VSORRES_PULSE_001_1	NUMBER
	VSORRES_PULSE_001_1_ND	VARCHAR2

B7981027: PHARMACOKINETICS (PK) [PC003]

PHARMACOKINETICS [PC01003]

# ✓	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Reference Timepoint:	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	RITLECITINIB	BLOOD		1 H	DOSING			
1.b	RITLECITINIB	BLOOD		3 H	DOSING			

PHARMACOKINETICS Entry [PC01003]

1.1 Fixed	Analyte: <i>[read-only]</i> [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003] [A:3] ☐ RITLECITINIB						
1.2 Fixed	Body Fluid / Matrix: <i>[read-only]</i> [Body Fluid / Matrix]	[PCSPEC_003] [A:7] ☐ BLOOD						
1.3* ✓	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003] [A:1] ☐ NOT DONE [A:2] ☐ DONE						
1.4 Fixed	Time Post Dose: <i>[read-only]</i> [Time Post Dose]	[PCTPT_003] [A:17] ☐ 1 H [A:24] ☐ 3 H						
1.5 Fixed	Reference Timepoint: <i>[read-only]</i> [Reference Timepoint:]	[PCTPTREF_003] [A:11] ☐ DOSING						
1.6	Unique Sample ID: <i>[read-only]</i> [Unique Sample ID]	[PCSPID_003] [A:1] ☐ 1 [A:2] ☐ 2 [A:3] ☐ 3 [A:4] ☐ 4						
1.7 ✓	Date and Time: [Date and Time]	[PCDTC_003] (DD/MM/YYYY hh:mm) Req v / Req v / Req v (2025-2028) Req v : Req v 24-hour clock						
1.8	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003] A200★						

Key: [*] = Item is required [✓] = Source verification required ☐ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS		
Type	RefName	Description
Form	PC003	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003		
Data Variable RefName	RD Column Name	Column Data Type
RD_PC003_PC01003		
SUPPPC_PKTERM_003	SUPPPC_PKTERM_003_C	VARCHAR2
	SUPPPC_PKTERM_003	VARCHAR2
	SUPPPC_PKTERM_003_ND	VARCHAR2
PCSPEC_003	PCSPEC_003_C	VARCHAR2
	PCSPEC_003	VARCHAR2
	PCSPEC_003_ND	VARCHAR2
X_PCSTAT_003	X_PCSTAT_003_C	VARCHAR2
	X_PCSTAT_003	VARCHAR2

	X_PCSTAT_003_ND	VARCHAR2
PCTPT_003	PCTPT_003_C	VARCHAR2
	PCTPT_003	VARCHAR2
	PCTPT_003_ND	VARCHAR2
PCTPTREF_003	PCTPTREF_003_C	VARCHAR2
	PCTPTREF_003	VARCHAR2
	PCTPTREF_003_ND	VARCHAR2
PCSPID_003	PCSPID_003_C	VARCHAR2
	PCSPID_003	VARCHAR2
	PCSPID_003_ND	VARCHAR2
PCDTC_003	PCDTC_003	DATE
	PCDTC_003_DTS	VARCHAR2
	PCDTC_003_ND	VARCHAR2
CO_PKCOMC_003	CO_PKCOMC_003	VARCHAR2
	CO_PKCOMC_003_ND	VARCHAR2

Study Object Descriptions: PHARMACOKINETICS		
Type	RefName	Description
Form	PC003_1	PHARMACOKINETICS (POINT)

file:///C:/Users/sp52/AppData/Local/Apps/2.0/GM7WCH3V.KHQ/J6O9BJCE.A8A/orac..90.0 919f856034ae8f10 0007.0000 ... 2/24/2026

	X_PCSTAT_003_1_ND	VARCHAR2
PCTPT_003_1	PCTPT_003_1_C	VARCHAR2
	PCTPT_003_1	VARCHAR2
	PCTPT_003_1_ND	VARCHAR2
PCTPTREF_003_1	PCTPTREF_003_1_C	VARCHAR2
	PCTPTREF_003_1	VARCHAR2
	PCTPTREF_003_1_ND	VARCHAR2
PCSPID_003_1	PCSPID_003_1_C	VARCHAR2
	PCSPID_003_1	VARCHAR2
	PCSPID_003_1_ND	VARCHAR2
PCDTC_003_1	PCDTC_003_1	DATE
	PCDTC_003_1_DTS	VARCHAR2
	PCDTC_003_1_ND	VARCHAR2
CO_PKCOMC_003_1	CO_PKCOMC_003_1	VARCHAR2
	CO_PKCOMC_003_1_ND	VARCHAR2

Study Object Descriptions: PK DOSING		
Type	RefName	Description
Form	EC001_5	PK DOSING
Section	EC01001_5	PK DOSING

```
file:///C:/Users/sp52/AppData/Local/Apps/2.0/GM7WCH3V.KHQ/J6O9BJCE.A8A/orac..90.0 919f856034ae8f10 0007.0000 ... 2/24/2026
```

	ECTPTREF_001_5	VARCHAR2
	ECTPTREF_001_5_ND	VARCHAR2
ECSTDTC_001_5	ECSTDTC_001_5	DATE
	ECSTDTC_001_5_DTS	VARCHAR2
	ECSTDTC_001_5_ND	VARCHAR2
X_ECDOSE_001_5	X_ECDOSE_001_5	FLOAT
	X_ECDOSE_001_5_ND	VARCHAR2
ECDOSU_001_5	ECDOSU_001_5_C	VARCHAR2
	ECDOSU_001_5	VARCHAR2
	ECDOSU_001_5_ND	VARCHAR2
ECDOSFRQ_001_5	ECDOSFRQ_001_5_C	VARCHAR2
	ECDOSFRQ_001_5	VARCHAR2
	ECDOSFRQ_001_5_ND	VARCHAR2
SUPPEC_ECCAPS_001_5	SUPPEC_ECCAPS_001_5_C	VARCHAR2
	SUPPEC_ECCAPS_001_5	VARCHAR2
	SUPPEC_ECCAPS_001_5_ND	VARCHAR2
SUPPEC_ECCAPS_001_5 - SUPPEC_ECFOOD_001_5	SUPPEC_ECFOOD_001_5_C	VARCHAR2
	SUPPEC_ECFOOD_001_5	VARCHAR2

Study Object Descriptions: PK DOSING - DOSING TIME		
Type	RefName	Description
Form	EC001_5_1	PK DOSING
Section	EC01001_5_1	PK DOSING

file:///C:/Users/sp52/AppData/Local/Apps/2.0/GM7WCH3V.KHQ/J6O9BJCE.A8A/orac..90.0 919f856034ae8f10 0007.0000 ... 2/24/2026

ECDOSU_001_5_1	ECDOSU_001_5_1_C	VARCHAR2
	ECDOSU_001_5_1	VARCHAR2
	ECDOSU_001_5_1_ND	VARCHAR2
ECDOSFRQ_001_5_1	ECDOSFRQ_001_5_1_C	VARCHAR2
	ECDOSFRQ_001_5_1	VARCHAR2
	ECDOSFRQ_001_5_1_ND	VARCHAR2

RDE Analytics: RD_AUAUD001_1		
Data Variable RefName	RD Column Name	Column Data Type
AUDTC_001_1	AUDTC_001_1	DATE
	AUDTC_001_1_DTS	VARCHAR2
	AUDTC_001_1_ND	VARCHAR2
CO_AUDCOM_001_1	CO_AUDCOM_001_1	VARCHAR2
	CO_AUDCOM_001_1_ND	VARCHAR2
*RD_AUAUD001_1_AUAUD02001_1		
AULAT_001_1	AULAT_001_1_C	VARCHAR2
	AULAT_001_1	VARCHAR2
	AULAT_001_1_ND	VARCHAR2
AULOC_001_1	AULOC_001_1_C	VARCHAR2
	AULOC_001_1	VARCHAR2
	AULOC_001_1_ND	VARCHAR2
AUORRES_INT_P_001_1	AUORRES_INT_P_001_1_C	VARCHAR2
	AUORRES_INT_P_001_1	VARCHAR2
	AUORRES_INT_P_001_1_ND	VARCHAR2
SUPPAU_AUCHGB_001_1	SUPPAU_AUCHGB_001_1_C	VARCHAR2
	SUPPAU_AUCHGB_001_1	VARCHAR2

	SUPPAU_AUCHGB_001_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981027: TREATMENT - 50MG/PLACEBO (50MG/PBO) - Repeating Form [EC001_4]																			
#	Treatment Name	Formulation	Route	Start Date	End Date	Planned Dose	Planned Dose Unit	Planned Dose Frequency	Reason for Missed Dose	Reason for Changed Dose	Actual Dose	Unit	Frequency	Were Any Doses Missed	AE Identifier	AE Identifier	AE Identifier	AE Identifier	AE Identifier
1																			
Study Treatment [EC01001_4]																			
1.	Treatment Name: [read-only] [Treatment Name]	[ECTRT_001_4] A100 *																	
2.	Formulation: [read-only] [Formulation]	[ECDOSFRM_001_4] [A:11] ☒ CAPSULE																	
3.	Route: [read-only] [Route]	[ECROUTE_001_4] [A:84] ☒ ORAL																	
4.* ✓	Start Date: [Start Date]	[ECSTDTC_001_4] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2025-2028)																	
5.* ✓	End Date: [End Date]	[ECENDTC_001_4] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2025-2028)																	
6.	Planned Dose: [read-only] [Planned Dose]	[X_ECPDOSE_001_4] xxxxxx.																	
7.	Planned Dose Unit: [read-only] [Planned Dose Unit]	[X_ECPDOSEU_001_4] [A:56] ☒ CAPSULE																	
8.	Planned Dose Frequency: [read-only] [Planned Dose Frequency]	[X_ECPDFRQ_001_4] [A:49] ☒ QD																	
9. ✓	Reason for Missed Dose: [Reason for Missed Dose]	[ECREASOC_001_4] [A:1] ☒ ADVERSE EVENT [A:999] ☒ [X_MISDOSO_CMP_001_4] ☐ OTHER [X_MISDOSO_001_4] If Other, please specify: A200 *																	
10. ✓	Reason for Changed Dose: [Reason for Changed Dose]	[SUPPEC_ECREASCH_001_4] [A:1] ☒ ADVERSE EVENT [A:999] ☒ [SUPPEC_ECREACHO_CMP_001_4] ☐ OTHER [SUPPEC_ECREACHO_001_4] If Other, Specify: A200 *																	
11.* ✓	Actual Dose: [Actual Dose]	[X_ECDOSE_001_4] xxxxxx.																	
12.	Unit: [read-only] [Unit]	[ECDOSU_001_4] [A:56] ☒ CAPSULE																	
13.	Frequency: [read-only] [Frequency]	[ECDOSFRQ_001_4] [A:49] ☒ QD																	
14.* ✓	Were any doses missed on unknown dates? [Were Any Doses Missed]	[SUPPEC_ECMDOSE_001_4] [A:N] ☒ NO [A:Y] ☒ [SUPPEC_ECNMDOS_CMP_001_4] ☐ YES [SUPPEC_ECNMDOS_001_4]																	

		Number of missed doses: x.
15. ✓	AE Identifier: [AE Identifier]	[R_SUPPEC_ECAENO1_001_4] A20★
16. ✓	AE Identifier: [AE Identifier]	[R_SUPPEC_ECAENO2_001_4] A20★
17. ✓	AE Identifier: [AE Identifier]	[R_SUPPEC_ECAENO3_001_4] A20★
18. ✓	AE Identifier: [AE Identifier]	[R_SUPPEC_ECAENO4_001_4] A20★
19. ✓	AE Identifier: [AE Identifier]	[R_SUPPEC_ECAENO5_001_4] A20★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

RDE Analytics: RD_EC001_4		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_4	ECTRT_001_4	VARCHAR2
	ECTRT_001_4_ND	VARCHAR2
ECDOSFRM_001_4	ECDOSFRM_001_4_C	VARCHAR2
	ECDOSFRM_001_4	VARCHAR2
	ECDOSFRM_001_4_ND	VARCHAR2
ECROUTE_001_4	ECROUTE_001_4_C	VARCHAR2
	ECROUTE_001_4	VARCHAR2
	ECROUTE_001_4_ND	VARCHAR2
ECSTDTC_001_4	ECSTDTC_001_4	DATE
	ECSTDTC_001_4_DTS	VARCHAR2
	ECSTDTC_001_4_ND	VARCHAR2
ECENDTC_001_4	ECENDTC_001_4	DATE
	ECENDTC_001_4_DTS	VARCHAR2
	ECENDTC_001_4_ND	VARCHAR2
X_ECPDOSE_001_4	X_ECPDOSE_001_4	FLOAT
	X_ECPDOSE_001_4_ND	VARCHAR2
X_ECPDOSEU_001_4	X_ECPDOSEU_001_4_C	VARCHAR2
	X_ECPDOSEU_001_4	VARCHAR2
	X_ECPDOSEU_001_4_ND	VARCHAR2
X_ECPDFRQ_001_4	X_ECPDFRQ_001_4_C	VARCHAR2
	X_ECPDFRQ_001_4	VARCHAR2
	X_ECPDFRQ_001_4_ND	VARCHAR2
ECREASOC_001_4	ECREASOC_001_4_C	VARCHAR2
	ECREASOC_001_4	VARCHAR2
	ECREASOC_001_4_ND	VARCHAR2
ECREASOC_001_4 - X_MISDOSO_001_4	X_MISDOSO_001_4	VARCHAR2
SUPPEC_ECREASCH_001_4	SUPPEC_ECREASCH_001_4_C	VARCHAR2
	SUPPEC_ECREASCH_001_4	VARCHAR2
	SUPPEC_ECREASCH_001_4_ND	VARCHAR2
SUPPEC_ECREASCH_001_4 - SUPPEC_ECREACHO_001_4	SUPPEC_ECREACHO_001_4	VARCHAR2

X_ECDOSE_001_4	X_ECDOSE_001_4	FLOAT
	X_ECDOSE_001_4_ND	VARCHAR2
ECDOSU_001_4	ECDOSU_001_4_C	VARCHAR2
	ECDOSU_001_4	VARCHAR2
	ECDOSU_001_4_ND	VARCHAR2
ECDOSFRQ_001_4	ECDOSFRQ_001_4_C	VARCHAR2
	ECDOSFRQ_001_4	VARCHAR2
	ECDOSFRQ_001_4_ND	VARCHAR2
SUPPEC_ECMDOSE_001_4	SUPPEC_ECMDOSE_001_4_C	VARCHAR2
	SUPPEC_ECMDOSE_001_4	VARCHAR2
	SUPPEC_ECMDOSE_001_4_ND	VARCHAR2
SUPPEC_ECMDOSE_001_4 - SUPPEC_ECNMDOS_001_4	SUPPEC_ECNMDOS_001_4	FLOAT
R_SUPPEC_ECAENO1_001_4	R_SUPPEC_ECAENO1_001_4	VARCHAR2
	R_SUPPEC_ECAENO1_001_4_ND	VARCHAR2
R_SUPPEC_ECAENO2_001_4	R_SUPPEC_ECAENO2_001_4	VARCHAR2
	R_SUPPEC_ECAENO2_001_4_ND	VARCHAR2
R_SUPPEC_ECAENO3_001_4	R_SUPPEC_ECAENO3_001_4	VARCHAR2
	R_SUPPEC_ECAENO3_001_4_ND	VARCHAR2
R_SUPPEC_ECAENO4_001_4	R_SUPPEC_ECAENO4_001_4	VARCHAR2
	R_SUPPEC_ECAENO4_001_4_ND	VARCHAR2
R_SUPPEC_ECAENO5_001_4	R_SUPPEC_ECAENO5_001_4	VARCHAR2
	R_SUPPEC_ECAENO5_001_4_ND	VARCHAR2

B7981027: TREATMENT - 30MG/PLACEBO (30MG/PBO) - Repeating Form [EC001_4_1]																			
#	Treatment Name	Formulation	Route	Start Date	End Date	Planned Dose	Planned Dose Unit	Planned Dose Frequency	Reason for Missed Dose	Reason for Changed Dose	Actual Dose	Unit	Frequency	Were Any Doses Missed	AE Identifier	AE Identifier	AE Identifier	AE Identifier	AE Identifier
1																			
Study Treatment [EC01001_4_1]																			
1.	Treatment Name: [read-only] [Treatment Name]	[ECTRT_001_4_1] A100★																	
2.	Formulation: [read-only] [Formulation]	[ECDOSFRM_001_4_1] [A:11] ☐ CAPSULE																	
3.	Route: [read-only] [Route]	[ECROUTE_001_4_1] [A:84] ☐ ORAL																	
4.* ✓	Start Date: [Start Date]	[ECSTDTC_001_4_1] (DD/MM/YYYY) Req / Req / Req (2025-2028)																	
5.* ✓	End Date: [End Date]	[ECENDTC_001_4_1] (DD/MM/YYYY) Req / Req / Req (2025-2028)																	
6.	Planned Dose: [read-only] [Planned Dose]	[X_ECPDOSE_001_4_1] xxxxxx.																	
7.	Planned Dose Unit: [read-only] [Planned Dose Unit]	[X_ECPDOSEU_001_4_1] [A:56] ☐ CAPSULE																	
8.	Planned Dose Frequency: [read-only] [Planned Dose Frequency]	[X_ECPDFRQ_001_4_1] [A:49] ☐ QD																	
9. ✓	Reason for Missed Dose: [Reason for Missed Dose]	[ECREASOC_001_4_1] [A:1] ☐ ADVERSE EVENT [A:999] ☐ [X_MISDOSO_CMP_001_4_1] ☐ OTHER [X_MISDOSO_001_4_1] If Other, please specify: A200★																	
10. ✓	Reason for Changed Dose: [Reason for Changed Dose]	[SUPPEC_ECREASCH_001_4_1] [A:1] ☐ ADVERSE EVENT [A:999] ☐ [SUPPEC_ECREACHO_CMP_001_4_1] ☐ OTHER [SUPPEC_ECREACHO_001_4_1] If Other, Specify: A200★																	
11.* ✓	Actual Dose: [Actual Dose]	[X_ECDOSE_001_4_1] xxxxxx.																	
12.	Unit: [read-only] [Unit]	[ECDOSU_001_4_1] [A:56] ☐ CAPSULE																	
13.	Frequency: [read-only] [Frequency]	[ECDOSFRQ_001_4_1] [A:49] ☐ QD																	
14.* ✓	Were any doses missed on unknown dates? [Were Any Doses Missed]	[SUPPEC_ECMDOSE_001_4_1] [A:N] ☐ NO [A:Y] ☐ [SUPPEC_ECNMDOS_CMP_001_4_1] ☐ YES [SUPPEC_ECNMDOS_001_4_1]																	

		Number of missed doses: x.
15. ✓	AE Identifier: [AE Identifier]	[R_SUPPEC_ECAENO1_001_4_1] A20★
16. ✓	AE Identifier: [AE Identifier]	[R_SUPPEC_ECAENO2_001_4_1] A20★
17. ✓	AE Identifier: [AE Identifier]	[R_SUPPEC_ECAENO3_001_4_1] A20★
18. ✓	AE Identifier: [AE Identifier]	[R_SUPPEC_ECAENO4_001_4_1] A20★
19. ✓	AE Identifier: [AE Identifier]	[R_SUPPEC_ECAENOS_001_4_1] A20★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

RDE Analytics: RD_EC001_4_1		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_4_1	ECTRT_001_4_1	VARCHAR2
	ECTRT_001_4_1_ND	VARCHAR2
ECDOSFRM_001_4_1	ECDOSFRM_001_4_1_C	VARCHAR2
	ECDOSFRM_001_4_1	VARCHAR2
	ECDOSFRM_001_4_1_ND	VARCHAR2
ECROUTE_001_4_1	ECROUTE_001_4_1_C	VARCHAR2
	ECROUTE_001_4_1	VARCHAR2
	ECROUTE_001_4_1_ND	VARCHAR2
ECSTDTC_001_4_1	ECSTDTC_001_4_1	DATE
	ECSTDTC_001_4_1_DTS	VARCHAR2
	ECSTDTC_001_4_1_ND	VARCHAR2
ECENDTC_001_4_1	ECENDTC_001_4_1	DATE
	ECENDTC_001_4_1_DTS	VARCHAR2
	ECENDTC_001_4_1_ND	VARCHAR2
X_ECPDOSE_001_4_1	X_ECPDOSE_001_4_1	FLOAT
	X_ECPDOSE_001_4_1_ND	VARCHAR2
X_ECPDOSEU_001_4_1	X_ECPDOSEU_001_4_1_C	VARCHAR2
	X_ECPDOSEU_001_4_1	VARCHAR2
	X_ECPDOSEU_001_4_1_ND	VARCHAR2
X_ECPDFRQ_001_4_1	X_ECPDFRQ_001_4_1_C	VARCHAR2
	X_ECPDFRQ_001_4_1	VARCHAR2
	X_ECPDFRQ_001_4_1_ND	VARCHAR2
ECREASOC_001_4_1	ECREASOC_001_4_1_C	VARCHAR2
	ECREASOC_001_4_1	VARCHAR2
	ECREASOC_001_4_1_ND	VARCHAR2
ECREASOC_001_4_1 - X_MISDOSO_001_4_1	X_MISDOSO_001_4_1	VARCHAR2
SUPPEC_ECREASCH_001_4_1	SUPPEC_ECREASCH_001_4_1_C	VARCHAR2
	SUPPEC_ECREASCH_001_4_1	VARCHAR2
	SUPPEC_ECREASCH_001_4_1_ND	VARCHAR2
SUPPEC_ECREASCH_001_4_1 - SUPPEC_ECREACHO_001_4_1	SUPPEC_ECREACHO_001_4_1	VARCHAR2

X_ECDOSE_001_4_1	X_ECDOSE_001_4_1	FLOAT
	X_ECDOSE_001_4_1_ND	VARCHAR2
ECDOSU_001_4_1	ECDOSU_001_4_1_C	VARCHAR2
	ECDOSU_001_4_1	VARCHAR2
	ECDOSU_001_4_1_ND	VARCHAR2
ECDOSFRQ_001_4_1	ECDOSFRQ_001_4_1_C	VARCHAR2
	ECDOSFRQ_001_4_1	VARCHAR2
	ECDOSFRQ_001_4_1_ND	VARCHAR2
SUPPEC_ECMDOSE_001_4_1	SUPPEC_ECMDOSE_001_4_1_C	VARCHAR2
	SUPPEC_ECMDOSE_001_4_1	VARCHAR2
	SUPPEC_ECMDOSE_001_4_1_ND	VARCHAR2
SUPPEC_ECMDOSE_001_4_1 - SUPPEC_ECNMDOS_001_4_1	SUPPEC_ECNMDOS_001_4_1	FLOAT
R_SUPPEC_ECAENO1_001_4_1	R_SUPPEC_ECAENO1_001_4_1	VARCHAR2
	R_SUPPEC_ECAENO1_001_4_1_ND	VARCHAR2
R_SUPPEC_ECAENO2_001_4_1	R_SUPPEC_ECAENO2_001_4_1	VARCHAR2
	R_SUPPEC_ECAENO2_001_4_1_ND	VARCHAR2
R_SUPPEC_ECAENO3_001_4_1	R_SUPPEC_ECAENO3_001_4_1	VARCHAR2
	R_SUPPEC_ECAENO3_001_4_1_ND	VARCHAR2
R_SUPPEC_ECAENO4_001_4_1	R_SUPPEC_ECAENO4_001_4_1	VARCHAR2
	R_SUPPEC_ECAENO4_001_4_1_ND	VARCHAR2
R_SUPPEC_ECAENO5_001_4_1	R_SUPPEC_ECAENO5_001_4_1	VARCHAR2
	R_SUPPEC_ECAENO5_001_4_1_ND	VARCHAR2

B7981027: ADVERSE EVENT REPORT (AE) - Repeating Form [AE001]															
#	Category	AE Identifier	Adjudication Event ID	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Severity	Serious	Is AE a Result of a Medication Error	Relationship to Study Treatment	Action Taken with Study Treatment	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation
1															
Adverse Event Report [AE01001]															
1.* ✓	Category: [Category]	[AECAT_001] [A:1] ☐ ADVERSE EVENT [A:32] ☐ UNEXPLAINED SKIN RASH													
2.	AE ID: [read-only] [AE Identifier]	[AESPID_001] A20 ★													
3.	PAC / Adjudication Event ID: [Adjudication Event ID]	[SUPPAE_AEPACID_001] A100 ★													
4.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]	[AETERM_001] A100 ★													
5.* ✓ 	Start Date: [Start Date]	[AESTDTC_001] (DD/MM/YYYY) Req / Req / Req (2025-2028)													
6.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]	[X_AEONGO_001] [A:Y] ☐ YES [A:N] ☐ [AEENDTC_CMP_001] ☐ NO [AEENDTC_001] (DD/MM/YYYY) End Date: Req / Req / Req (2025-2028)													
7.* ✓	Severity: [Severity]	[AESEV_001] [A:1] ☐ MILD [A:2] ☐ MODERATE [A:3] ☐ SEVERE													
8.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[AESER_001] [A:Y] ☐ [AESCONG_CMP_001] ☐ YES [AESCONG_001] Is this serious event associated with congenital anomaly or birth defect? [A:Y] ☐ YES [A:N] ☐ NO [AESDTH_001] Did this serious event result in death? [A:Y] ☐ YES [A:N] ☐ NO [AESHOSP_001] Did this serious event require or prolong hospitalization? [A:Y] ☐ YES [A:N] ☐ NO [AESDISAB_001] Did this serious event result in persistent or significant disability/incapacity? [A:Y] ☐ YES [A:N] ☐ NO [AESLIFE_001] Is this serious event life threatening? [A:Y] ☐ YES [A:N] ☐ NO [AESMIE_001] Other medically important serious event													

		[A:Y] ☐ YES [A:N] ☐ NO [A:N] ☐ NO
9.* ✓	Is this adverse event the result of a study Medication Error? If Yes, record the type of medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	[SUPPAE_AEMERES_001] [A:Y] ☐ YES [A:N] ☐ NO
10.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001] [A:1] ☐ [SUPPAE_AERELNST_CMP_001] ☐ NOT RELATED [AERELNST_001] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:4] ☐ DISEASE UNDER STUDY [A:3] ☐ [SUPPAE_AERELT_CMP_001] ☐ OTHER [SUPPAE_AERELTXT_001] If Other, specify: A80★ [A:2] ☐ RELATED
11.* ✓	Latest Action Taken with Study Treatment: [Action Taken with Study Treatment]	[AEACN_001] [A:2] ☐ DOSE NOT CHANGED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
12.* ✓	Was a Concomitant Medication given? If yes, record on the Concomitant Medications page [Concomitant Medication Given]	[SUPPAE_AECMGIV_001] [A:Y] ☐ YES [A:N] ☐ NO
13.*	Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001] [A:Y] ☐ YES [A:N] ☐ NO
14.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
15.* ✓	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001] [A:Y] ☐ YES [A:N] ☐ NO
16.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001] A200★

17.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[AELLT_001] A100★
18.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[AELLTCD_001] A8★
19.	Dictionary-Derived Term <i>[hidden]</i> [Dictionary-Derived Term]	[AEDECOD_001] A100★
20.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[AEPTCD_001] A8★
21.	High Level Term <i>[hidden]</i> [High Level Term]	[AEHLT_001] A100★
22.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[AEHLTCD_001] A8★
23.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[AEHLGT_001] A100★
24.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[AEHLGTC_001] A8★
25.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001] A100★
26.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001] A8★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: ADVERSE EVENT REPORT		
Type	RefName	Description
Form	AE001	AE001 - Standard AE Page
Item	AECAT_001	Used to define a category of adverse event variables.
Item	AESPID_001	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	SUPPAE_AEPACID_001	Adjudication Event ID
Item	AETERM_001	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001	Date when the adverse event started.
Item	X_AEONGO_001	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001	Date when the adverse event resolved.
Item	AESEV_001	Description of the severity of the adverse event.
Item	AESER_001	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	SUPPAE_AEMERES_001	Is this adverse event the result of a study/background medication error
Item	AEREL_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELTXT_001	Event Due to Other Specify

Item	AEACN_001	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AECMGIV_001	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001	Non-Drug Treatment Given
Item	AEOUT_001	Description of the subject’s status associated with an event.
Item	SUPPAE_AESUBJDC_001	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	D_COMPTERM2_001	Hidden Item needed for clear coding rule.
Item	AELLT_001	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT

Item	Unique	Order #
AE001 (Repeating form)		
AE01001		
AESTDTC_001	None	1

Coding Summary: ADVERSE EVENT REPORT

Verbatim RefName: D_COMPTERM2_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001	SOC	Term
AESOCCD_001	SOC	Code
AEHLGT_001	HLGT	Term
AEHLGTCD_001	HLGT	Code
AEHLT_001	HLT	Term
AEHLTCD_001	HLT	Code
AEDECOD_001	PT	Term
AEPTCD_001	PT	Code
AELLT_001	LLT	Term
AELLTCD_001	LLT	Code

RDE Analytics: RD_AE001

Data Variable RefName	RD Column Name	Column Data Type
AECAT_001	AECAT_001_C	VARCHAR2
	AECAT_001	VARCHAR2
	AECAT_001_ND	VARCHAR2
AESPID_001	AESPID_001	VARCHAR2
	AESPID_001_ND	VARCHAR2
SUPPAE_AEPACID_001	SUPPAE_AEPACID_001	VARCHAR2

	SUPPAE_AEPACID_001_ND	VARCHAR2
AETERM_001	AETERM_001	VARCHAR2
	AETERM_001_ND	VARCHAR2
AESTDTC_001	AESTDTC_001	DATE
	AESTDTC_001_DTS	VARCHAR2
	AESTDTC_001_ND	VARCHAR2
X_AEONGO_001	X_AEONGO_001_C	VARCHAR2
	X_AEONGO_001	VARCHAR2
	X_AEONGO_001_ND	VARCHAR2
X_AEONGO_001 - AEENDTC_001	AEENDTC_001	DATE
	AEENDTC_001_DTS	VARCHAR2
AESEV_001	AESEV_001_C	VARCHAR2
	AESEV_001	VARCHAR2
	AESEV_001_ND	VARCHAR2
AESER_001	AESER_001_C	VARCHAR2
	AESER_001	VARCHAR2
	AESER_001_ND	VARCHAR2
AESER_001 - AESCONG_001	AESCONG_001_C	VARCHAR2
	AESCONG_001	VARCHAR2
AESER_001 - AESDTH_001	AESDTH_001_C	VARCHAR2
	AESDTH_001	VARCHAR2
AESER_001 - AESHOSP_001	AESHOSP_001_C	VARCHAR2
	AESHOSP_001	VARCHAR2
AESER_001 - AESDISAB_001	AESDISAB_001_C	VARCHAR2
	AESDISAB_001	VARCHAR2
AESER_001 - AESLIFE_001	AESLIFE_001_C	VARCHAR2
	AESLIFE_001	VARCHAR2
AESER_001 - AESMIE_001	AESMIE_001_C	VARCHAR2
	AESMIE_001	VARCHAR2
SUPPAE_AEMERES_001	SUPPAE_AEMERES_001_C	VARCHAR2
	SUPPAE_AEMERES_001	VARCHAR2
	SUPPAE_AEMERES_001_ND	VARCHAR2
AEREL_001	AEREL_001_C	VARCHAR2
	AEREL_001	VARCHAR2
	AEREL_001_ND	VARCHAR2
AEREL_001 - AERELNST_001	AERELNST_001_C	VARCHAR2
	AERELNST_001	VARCHAR2
AEREL_001 - SUPPAE_AERELTXT_001	SUPPAE_AERELTXT_001	VARCHAR2
AEACN_001	AEACN_001_C	VARCHAR2
	AEACN_001	VARCHAR2
	AEACN_001_ND	VARCHAR2
SUPPAE_AECMGIV_001	SUPPAE_AECMGIV_001_C	VARCHAR2
	SUPPAE_AECMGIV_001	VARCHAR2
	SUPPAE_AECMGIV_001_ND	VARCHAR2
SUPPAE_AENDGIV_001	SUPPAE_AENDGIV_001_C	VARCHAR2
	SUPPAE_AENDGIV_001	VARCHAR2
	SUPPAE_AENDGIV_001_ND	VARCHAR2

AEOUT_001	AEOUT_001_C	VARCHAR2
	AEOUT_001	VARCHAR2
	AEOUT_001_ND	VARCHAR2
SUPPAE_AESUBJDC_001	SUPPAE_AESUBJDC_001_C	VARCHAR2
	SUPPAE_AESUBJDC_001	VARCHAR2
	SUPPAE_AESUBJDC_001_ND	VARCHAR2
D_COMPTERM2_001	D_COMPTERM2_001	VARCHAR2
	D_COMPTERM2_001_ND	VARCHAR2
AELLT_001	AELLT_001	VARCHAR2
	AELLT_001_ND	VARCHAR2
AELLTCD_001	AELLTCD_001	VARCHAR2
	AELLTCD_001_ND	VARCHAR2
AEDECOD_001	AEDECOD_001	VARCHAR2
	AEDECOD_001_ND	VARCHAR2
AEPTCD_001	AEPTCD_001	VARCHAR2
	AEPTCD_001_ND	VARCHAR2
AEHLT_001	AEHLT_001	VARCHAR2
	AEHLT_001_ND	VARCHAR2
AEHLTCD_001	AEHLTCD_001	VARCHAR2
	AEHLTCD_001_ND	VARCHAR2
AEHLGT_001	AEHLGT_001	VARCHAR2
	AEHLGT_001_ND	VARCHAR2
AEHLGTCD_001	AEHLGTCD_001	VARCHAR2
	AEHLGTCD_001_ND	VARCHAR2
AESOC_001	AESOC_001	VARCHAR2
	AESOC_001_ND	VARCHAR2
AESOCCD_001	AESOCCD_001	VARCHAR2
	AESOCCD_001_ND	VARCHAR2

B7981027: MEDICATION ERROR (MED ERROR) - Repeating Form [AE001_1]										
#	Category	Medication Error	Incorrect package ID	Start Date	End Date	Study Medication Errors Action	Concomitant Medication Given	Non-Drug Treatment Given	Subject (Parent/Caregiver)	Medication Error Associated With AE
1										
Medication Error Report [AE01001_1]										
1.		Category: [read-only] [Category]	[AECAT_001_1] [A:21] ☒ MEDICATION ERROR							
2.* ✓		Medication Error: (If possible specify diagnosis, not individual symptoms) (Type of medication error) [Medication Error]	[AETERM_001_1] A100*							
3.		If this is a dispensing error, record the incorrect package ID that was dispensed/administered to the subject: [Incorrect package ID]	[SUPPAE_AEIPKGID_001_1] A20*							
4.* ✓		Start Date: [Start Date]	[AESTDTC_001_1] (DD/MM/YYYY) Req / Req / Req (2025-2028)							
5.* ✓		End Date: [End Date]	[AEENDTC_001_1] (DD/MM/YYYY) Req / Req / Req (2025-2028)							
6.* ✓		Latest Action Taken with Study Treatment: [Study Medication Errors Action]	[SUPPAE_AEMEACN_001_1] [A:1] ☐ NO ACTION TAKEN [A:2] ☐ DOSE CORRECTED [A:3] ☐ TEMPORARILY STOPPED [A:4] ☐ PERMANENTLY DISCONTINUED							
7.* ✓		Was a Concomitant Medication given? If yes, record on the Concomitant Medications page. [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_1] [A:Y] ☐ YES [A:N] ☐ NO							
8.* ✓		Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page. [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_1] [A:Y] ☐ YES [A:N] ☐ NO							
9.*		Was the subject (parent/caregiver as applicable) retrained? [Subject (Parent/Caregiver)]	[SUPPAE_AERETR_001_1] [A:Y] ☐ YES [A:N] ☐ NO							
10.* ✓		Was this medication error associated with any adverse events? [Medication Error Associated With AE]	[SUPPAE_AEMEFL_001_1] [A:Y] ☐ [SUPPAE_AEMEFL_CMP_001_1] ☐ YES [R_SUPPAE_AEAEN01_001_1] AE ID: A20* [R_SUPPAE_AEAEN02_001_1] AE ID: A20* [R_SUPPAE_AEAEN03_001_1] AE ID: A20* [R_SUPPAE_AEAEN04_001_1] AE ID:							

		A20★ [R_SUPPAE_AEAEN05_001_1] AE ID: A20★ [A:N] ☒ NO
11.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001_1] A200★
12.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001_1] A100★
13.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001_1] A8★
14.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001_1] A100★
15.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001_1] A8★
16.	High Level Term [hidden] [High Level Term]	[AEHLT_001_1] A100★
17.	High Level Term Code [hidden] [High Level Term Code]	[AEHLTCD_001_1] A8★
18.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001_1] A100★
19.	High Level Group Term Code [hidden] [High Level Group Term Code]	[AEHLGTCD_001_1] A8★
20.	Primary System Organ Class [hidden] [Primary System Organ Class]	[AESOC_001_1] A100★
21.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[AESOCCD_001_1] A8★
Key: [*] = Item is required [✓] = Source verification required [□] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: MEDICATION ERROR

Type	RefName	Description
Form	AE001_1	AE001 - Standard AE Page
Item	AECAT_001_1	Used to define a category of adverse event variables.
Item	AETERM_001_1	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	SUPPAE_AEIPKGID_001_1	Incorrect Package ID
Item	AESTDTC_001_1	Date when the adverse event started.
Item	AEENDTC_001_1	Date when the adverse event resolved.

Item	SUPPAE_AEMEACN_001_1	Changes made to the study treatment in response to the medication error adverse event.
Item	SUPPAE_AECMGIV_001_1	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_1	Non-Drug Treatment Given
Item	SUPPAE_AERETRN_001_1	Subject (Parent/Caregiver as applicable) retrained
Item	SUPPAE_AEMEFL_001_1	Was this medication error associated with any adverse events
Item	D_COMPTERM2_001_1	Hidden Item needed for clear coding rule.
Item	AELLT_001_1	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_1	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_1	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_1	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_1	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_1	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_1	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_1	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_1	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_1	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: MEDICATION ERROR		
Item	Unique	Order #
AE001_1 (Repeating form)		
AE01001_1		
AESTDTC_001_1	None	1

Coding Summary: MEDICATION ERROR		
Verbatim RefName: D_COMPTERM2_001_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_1	SOC	Term
AESOCCD_001_1	SOC	Code
AEHLGT_001_1	HLGT	Term
AEHLGTCD_001_1	HLGT	Code
AEHLT_001_1	HLT	Term
AEHLTCD_001_1	HLT	Code
AEDECOD_001_1	PT	Term
AEPTCD_001_1	PT	Code
AELLT_001_1	LLT	Term
AELLTCD_001_1	LLT	Code

RDE Analytics: RD_AE001_1		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_1	AECAT_001_1_C	VARCHAR2
	AECAT_001_1	VARCHAR2
	AECAT_001_1_ND	VARCHAR2
AETERM_001_1	AETERM_001_1	VARCHAR2
	AETERM_001_1_ND	VARCHAR2
SUPPAE_AEIPKGID_001_1	SUPPAE_AEIPKGID_001_1	VARCHAR2

	SUPPAE_AEIPKGID_001_1_ND	VARCHAR2
AESTDTC_001_1	AESTDTC_001_1	DATE
	AESTDTC_001_1_DTS	VARCHAR2
	AESTDTC_001_1_ND	VARCHAR2
AEENDTC_001_1	AEENDTC_001_1	DATE
	AEENDTC_001_1_DTS	VARCHAR2
	AEENDTC_001_1_ND	VARCHAR2
SUPPAE_AEMEACN_001_1	SUPPAE_AEMEACN_001_1_C	VARCHAR2
	SUPPAE_AEMEACN_001_1	VARCHAR2
	SUPPAE_AEMEACN_001_1_ND	VARCHAR2
SUPPAE_AECMGIV_001_1	SUPPAE_AECMGIV_001_1_C	VARCHAR2
	SUPPAE_AECMGIV_001_1	VARCHAR2
	SUPPAE_AECMGIV_001_1_ND	VARCHAR2
SUPPAE_AENDGIV_001_1	SUPPAE_AENDGIV_001_1_C	VARCHAR2
	SUPPAE_AENDGIV_001_1	VARCHAR2
	SUPPAE_AENDGIV_001_1_ND	VARCHAR2
SUPPAE_AERETRN_001_1	SUPPAE_AERETRN_001_1_C	VARCHAR2
	SUPPAE_AERETRN_001_1	VARCHAR2
	SUPPAE_AERETRN_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1	SUPPAE_AEMEFL_001_1_C	VARCHAR2
	SUPPAE_AEMEFL_001_1	VARCHAR2
	SUPPAE_AEMEFL_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO1_001_1	R_SUPPAE_AEAENO1_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO2_001_1	R_SUPPAE_AEAENO2_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO3_001_1	R_SUPPAE_AEAENO3_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO4_001_1	R_SUPPAE_AEAENO4_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO5_001_1	R_SUPPAE_AEAENO5_001_1	VARCHAR2
D_COMPTERM2_001_1	D_COMPTERM2_001_1	VARCHAR2
	D_COMPTERM2_001_1_ND	VARCHAR2
AELLT_001_1	AELLT_001_1	VARCHAR2
	AELLT_001_1_ND	VARCHAR2
AELLTCD_001_1	AELLTCD_001_1	VARCHAR2
	AELLTCD_001_1_ND	VARCHAR2
AEDECOD_001_1	AEDECOD_001_1	VARCHAR2
	AEDECOD_001_1_ND	VARCHAR2
AEPTCD_001_1	AEPTCD_001_1	VARCHAR2
	AEPTCD_001_1_ND	VARCHAR2
AEHLT_001_1	AEHLT_001_1	VARCHAR2
	AEHLT_001_1_ND	VARCHAR2
AEHLTCD_001_1	AEHLTCD_001_1	VARCHAR2
	AEHLTCD_001_1_ND	VARCHAR2
AEHLGT_001_1	AEHLGT_001_1	VARCHAR2
	AEHLGT_001_1_ND	VARCHAR2
AEHLGTC_001_1	AEHLGTC_001_1	VARCHAR2
	AEHLGTC_001_1_ND	VARCHAR2
AESOC_001_1	AESOC_001_1	VARCHAR2
	AESOC_001_1_ND	VARCHAR2

AESOCCD_001_1	AESOCCD_001_1	VARCHAR2
	AESOCCD_001_1_ND	VARCHAR2

#	Sponsor-Defined Identifier	Category for Medication	Name of Medication	Medication to Treat Adverse Event	Reason for Administration	Dose Description	Dose Unit	Dose Frequency	Route	Start Date	Ongoing
1											
B7981027: CONCOMITANT/PRIOR MEDICATIONS (CONMED) - Repeating Form [CM001]											
Concomitant Treatment [CM01001]											
1.	What is the medication identifier? <i>[read-only]</i> <i>[Sponsor-Defined Identifier]</i>			[CMSPID_001] A20★							
2.	Category: <i>[read-only]</i> <i>[Category for Medication]</i>			[CMCAT_001] A:1 ☐ GENERAL CONCOMITANT MEDICATIONS							
3.* ✓	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). <i>[Name of Medication]</i>			[CMTRT_001] A100★							
4.* ✓	Was this medication given to treat an Adverse Event? <i>[Medication to Treat Adverse Event]</i>			[SUPPCM_CMAER_001] A:Y ☐ [SUPPCM_CMAENO1_CMP_001] ☐ YES [R_SUPPCM_CMAENO1_001] AE Identifier: A20★ [R_SUPPCM_CMAENO2_001] AE Identifier: A20★ [R_SUPPCM_CMAENO3_001] AE Identifier: A20★ [R_SUPPCM_CMAENO4_001] AE Identifier: A20★ [R_SUPPCM_CMAENO5_001] AE Identifier: A20★ A:N ☐ NO							
5.	Reason for Administration: <i>[Reason for Administration]</i>			[CMINDC_001] A128★							
6.*	Dose: <i>[Dose Description]</i>			[X_CMDSTXT_001] A25★							
7.*	Dose Unit: <i>[Dose Unit]</i>			[CMDOSU_001] [CMDOSU_CL_001] ▼							
8.*	Dose Frequency: <i>[Dose Frequency]</i>			[CMDOSFRQ_001] [CMDOSFRQ_CL_001] ▼							
9.*	Route: <i>[Route]</i>			[CMROUTE_001] [CMROUTE_CL_001] ▼							
10.*	Start Date: <i>[Start Date]</i>			[CMSTDTC_001] (DD/MM/YYYY) Req/Unk ▼ / Req/Unk ▼ / Req ▼ (2025-2028)							
11.*	Ongoing? <i>[Ongoing]</i>			[X_CMONGO_001] A:Y ☐ YES A:N ☐ [X_CMENDTC_CMP_001] ☐ NO [CMENDTC_001] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req/Unk ▼ / Req ▼ (2025-2028)							
12.	Comparison Term <i>[hidden]</i> <i>[Comparison Term]</i>			[D_COMPTERM1_001] A200★							

13.	Standardized Medication Name - Dictionary derived <i>[hidden]</i> [Standardized Medication Name]	[CMDECOD_001] A300★
14.	Standardized Medication Code - Dictionary derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPCM_CMCODE_001] A11★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: CONCOMITANT/PRIOR MEDICATIONS

Type	RefName	Description
Item	CMSPID_001	A sponsor-defined reference number.
Item	CMTRT_001	Name of Medication
Item	SUPPCM_CMAER_001	Medication to treat Adverse Event
Item	X_CMDSTXT_001	The dose of medication per administration in character format
Item	CMDOSU_001	The unit associated with the medication taken
Item	CMDOSFRQ_001	How often the medication was taken
Item	CMROUTE_001	The route of administration of the medication
Item	CMSTDTC_001	Date the medication was first taken
Item	X_CMONGO_001	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001	Date the subject stopped taking the medication
Item	D_COMPTERM1_001	Hidden Item needed for clear coding rule.
Item	CMDECOD_001	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001	Standardized Medication Code - Dictionary derived

Codelist Values Tables: CONCOMITANT/PRIOR MEDICATIONS

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CMDOSU_CL_001	String		DAYS	3	cliUNIT_DAYS	CMDOSU_001
			HOURS	4	cliUNIT_HOURS	
			%	5	cliUNIT_perc	
			mg	8	cliUNIT_mg	
			mL	9	cliUNIT_mL	
			g/L	41	cliUNIT_g_L	
			ug	43	cliUNIT_ug	
			g	45	cliUNIT_g	
			AMPULE	49	cliUNIT_AMPULE	
			BOLUS	52	cliUNIT_BOLUS	
			BOTTLE	53	cliUNIT_BOTTLE	
			CAPSULE	56	cliUNIT_CAPSULE	
			INHALATION	67	cliUNIT_INHALATION	
			L	71	cliUNIT_L	
			LOZENGE	72	cliUNIT_LOZENGE	
			mEq	77	cliUNIT_mEq	
			mmol	78	cliUNIT_mmol	
			PATCH	85	cliUNIT_PATCH	

%(w/v)	87	cliUNIT_perc_w_v
%(w/w)	88	cliUNIT_perc_w_w
SPRAY	93	cliUNIT_SPRAY
STRIP	94	cliUNIT_STRIP
SYRINGE	96	cliUNIT_SYRINGE
Tbsp	97	cliUNIT_Tbsp
TABLET	98	cliUNIT_TABLET
tsp	100	cliUNIT_tsp
TUBE	103	cliUNIT_TUBE
VIAL	104	cliUNIT_VIAL
%(v/v)	108	cliUNIT_perc_v_v
IU	109	cliUNIT_IU
mmol/L	119	cliUNIT_mmol_L
mg/L	126	cliUNIT_mg_L
mL/min	127	cliUNIT_mL_min
g/dL	128	cliUNIT_g_dL
tuberculin unit	132	cliUNIT_tuberculin_unit
mL/h	133	cliUNIT_mL_h
mg/dL	137	cliUNIT_mg_dL
g/m2	143	cliUNIT_g_m2
IU/L	154	cliUNIT_IU_L
IU/mL	155	cliUNIT_IU_mL
IU/kg	156	cliUNIT_IU_kg
IU/mg	157	cliUNIT_IU_mg
L/min	158	cliUNIT_L_min
mg/day	162	cliUNIT_mg_day
mg/kg	163	cliUNIT_mg_kg
mg/m2	164	cliUNIT_mg_m2
mEq/L	172	cliUNIT_mEq_L
mEq/kg	173	cliUNIT_mEq_kg
g/kg	204	cliUNIT_g_kg
tuberculin unit/mL	225	cliUNIT_tuberculin_unit_mL
ug/day	289	cliUNIT_ug_day
mg/kg/min	290	cliUNIT_mg_kg_min
FINGERTIP UNIT	295	cliUNIT_FINGERTIP_UNIT
SACHET	296	cliUNIT_SACHET
mg/kg/h	297	cliUNIT_mg_kg_h
U/L	300	cliUNIT_U_L
U/mL	301	cliUNIT_U_mL
U/g	302	cliUNIT_U_g
U/mg	303	cliUNIT_U_mg
U/kg	304	cliUNIT_U_kg
/day	305	cliUNIT_day
/h	306	cliUNIT_h
g/day	327	cliUNIT_g_day
g/kg/day	330	cliUNIT_g_kg_day
g/m2/day	331	cliUNIT_g_m2_day

	345	cliUNIT_mg_kg_day
mg/min	349	cliUNIT_mg_min
mL/day	358	cliUNIT_mL_day
mL/kg	363	cliUNIT_mL_kg
mL/kg/day	364	cliUNIT_mL_kg_day
mL/kg/h	365	cliUNIT_mL_kg_h
mL/kg/min	366	cliUNIT_mL_kg_min
U	380	cliUNIT_U
U/kg/day	385	cliUNIT_U_kg_day
U/kg/h	386	cliUNIT_U_kg_h
U/kg/min	387	cliUNIT_U_kg_min
mIU/L	406	cliUNIT_mIU_L
mL/min/1.73m2	438	cliUNIT_mL_min_1D73m2
mU/L	439	cliUNIT_mU_L
APPLICATION	441	cliUNIT_APPLICATION
/mL	450	cliUNIT_permL
/dL	451	cliUNIT_perdL
/L	452	cliUNIT_perL
Antibody Unit	500	cliUNIT_Antibody_Unit
NEEDLE GAUGE	515	cliUNIT_NEEDLE_GAUGE
mg/mL/min	518	cliUNIT_mg_mL_min
mJoule/cm2	529	cliUNIT_mJoule_cm2
v/v	539	cliUNIT_v_v
/kg	559	cliUNIT_perkg
IU/dL	563	cliUNIT_IU_dL
L/day	606	cliUNIT_L_day
IU/day	607	cliUNIT_IU_day
No Unit	611	cliUNIT_No_Unit
mg/dose	614	cliUNIT_mg_dose
mg/kg/dose	615	cliUNIT_mg_kg_dose
mL/dose	616	cliUNIT_mL_dose
ug/dose	619	cliUNIT_ug_dose
uIU/dL	620	cliUNIT_uIU_dL
uIU/L	621	cliUNIT_uIU_L
uL/dose	623	cliUNIT_uL_dose
mg/mL	653	cliUNIT_mg_mL
ug/mL	654	cliUNIT_ug_mL
g/mL	674	cliUNIT_g_mL
DROP	689	cliUNIT_DROP
HOURS/WEEK	710	cliUNIT_HOURS_WEEK
hr/day	713	cliUNIT_hr_day
ug/tsp	717	cliUNIT_ug_tsp
mg/tsp	718	cliUNIT_mg_tsp
g/tsp	719	cliUNIT_g_tsp
ug/tbsp	720	cliUNIT_ug_tbsp
mg/tbsp	721	cliUNIT_mg_tbsp
g/tbsp	722	cliUNIT_g_tbsp

			723	cliUNIT_ug_drop	
		mg/drop	724	cliUNIT_mg_drop	
		g/drop	725	cliUNIT_g_drop	
		ug/FINGER TIP	726	cliUNIT_ug_FINGER_TIP	
		mg/FINGER TIP	727	cliUNIT_mg_FINGER_TIP	
		g/FINGER TIP	728	cliUNIT_g_FINGER_TIP	
		ug/spray	729	cliUNIT_ug_spray	
		mg/spray	730	cliUNIT_mg_spray	
		g/spray	731	cliUNIT_g_spray	
		g/hr	732	cliUNIT_g_hr	
		BID	3	cliFREQ_BID	
		PRN	6	cliFREQ_PRN	
		Q12H	9	cliFREQ_Q12H	
CMDOSFRQ_CL_001	String	Q16H	13	cliFREQ_Q16H	CMDOSFRQ_001
		QH	17	cliFREQ_QH	
		Q24H	22	cliFREQ_Q24H	
		Q2H	23	cliFREQ_Q2H	
		Q4H	25	cliFREQ_Q4H	
		Q6H	27	cliFREQ_Q6H	
		Q8H	29	cliFREQ_Q8H	
		QOD	31	cliFREQ_QOD	
		TID	32	cliFREQ_TID	
		3 TIMES PER WEEK	33	cliFREQ_3_TIMES_PER_WEEK	
		EVERY 4 WEEKS	34	cliFREQ_EVERY_4_WEEKS	
		QID	35	cliFREQ_QID	
		4 TIMES PER WEEK	36	cliFREQ_4_TIMES_PER_WEEK	
		Q3D	37	cliFREQ_Q3D	
		Q4D	38	cliFREQ_Q4D	
		EVERY 3 WEEKS	39	cliFREQ_EVERY_3_WEEKS	
		ONCE	43	cliFREQ_ONCE	
		EVERY WEEK	44	cliFREQ_EVERY_WEEK	
		Q5D	45	cliFREQ_Q5D	
		EVERY 2 WEEKS	46	cliFREQ_EVERY_2_WEEKS	
		INTERMITTENT	48	cliFREQ_INTERMITTENT	
		QD	49	cliFREQ_QD	
		OCCASIONAL	50	cliFREQ_OCCASIONAL	
		1 TIME PER WEEK	52	cliFREQ_1_TIME_PER_WEEK	
		5 TIMES PER DAY	58	cliFREQ_5_TIMES_PER_DAY	
		5 TIMES PER WEEK	60	cliFREQ_5_TIMES_PER_WEEK	
		6 TIMES PER DAY	62	cliFREQ_6_TIMES_PER_DAY	
		6 TIMES PER WEEK	64	cliFREQ_6_TIMES_PER_WEEK	
		7 TIMES PER WEEK	66	cliFREQ_7_TIMES_PER_WEEK	
		Q6M	71	cliFREQ_Q6M	
		AC	73	cliFREQ_AC	
		QAM	74	cliFREQ_QAM	
		EVERY AFTERNOON	77	cliFREQ_EVERY_AFTERNOON	
		EVERY EVENING	78	cliFREQ_EVERY_EVENING	

CMROUTE_CL_001	String	EVERY OTHER DAY	79	cliFREQ_EVERY_OTHER_DAY	CMROUTE_001
		QN	80	cliFREQ_QN	
		QM	5	cliFREQ_QM	
		2 TIMES PER WEEK	4	cliFREQ_2_TIMES_PER_WEEK	
		BUCCAL	2	cliROUTE_BUCCAL	
		CUTANEOUS	4	cliROUTE_CUTANEOUS	
		ENTERAL	10	cliROUTE_ENTERAL	
		INFILTRATION	15	cliROUTE_INFILTRATION	
		INTRADERMAL	35	cliROUTE_INTRADERMAL	
		INTRALESIONAL	45	cliROUTE_INTRALESIONAL	
		INTRAMUSCULAR	50	cliROUTE_INTRAMUSCULAR	
		INTRAVASCULAR	69	cliROUTE_INTRAVASCULAR	
		INTRAVENOUS	70	cliROUTE_INTRAVENOUS	
		INTRAVENOUS BOLUS	71	cliROUTE_INTRAVENOUS_BOLUS	
		INTRAVENOUS DRIP	72	cliROUTE_INTRAVENOUS_DRIP	
		NOT APPLICABLE	81	cliROUTE_NOT_APPLICABLE	
		ORAL	84	cliROUTE_ORAL	
		PARENTERAL	86	cliROUTE_PARENTERAL	
		PERCUTANEOUS	87	cliROUTE_PERCUTANEOUS	
		RESPIRATORY (INHALATION)	93	cliROUTE_RESPIRATORY_INHALATION	
		SUBCUTANEOUS	98	cliROUTE_SUBCUTANEOUS	
		TOPICAL	101	cliROUTE_TOPICAL	
		TRANSDERMAL	102	cliROUTE_TRANSDERMAL	
		UNKNOWN	108	cliROUTE_UNKNOWN	
		OTHER	130	cliROUTE_OTHER	

Coding Summary: CONCOMITANT/PRIOR MEDICATIONS			
Verbatim RefName: D_COMPTERM1_001			
Dictionary: Pfizer WHODD Verbatim Type:			
Coding Item RefName	Level	Level Type	
CMDECOD_001	PT	Term	
SUPPCM_CMCODE_001	PT	Code	

RDE Analytics: RD_CM001		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001	CMSPID_001	VARCHAR2
	CMSPID_001_ND	VARCHAR2
CMCAT_001	CMCAT_001_C	VARCHAR2
	CMCAT_001	VARCHAR2
	CMCAT_001_ND	VARCHAR2
CMTRT_001	CMTRT_001	VARCHAR2
	CMTRT_001_ND	VARCHAR2
SUPPCM_CMAER_001	SUPPCM_CMAER_001_C	VARCHAR2
	SUPPCM_CMAER_001	VARCHAR2
	SUPPCM_CMAER_001_ND	VARCHAR2
SUPPCM_CMAER_001 - R_SUPPCM_CMAENO1_001	R_SUPPCM_CMAENO1_001	VARCHAR2
SUPPCM_CMAER_001 - R_SUPPCM_CMAENO2_001	R_SUPPCM_CMAENO2_001	VARCHAR2

SUPPCM_CMAER_001 - R_SUPPCM_CMAENO3_001	R_SUPPCM_CMAENO3_001	VARCHAR2
SUPPCM_CMAER_001 - R_SUPPCM_CMAENO4_001	R_SUPPCM_CMAENO4_001	VARCHAR2
SUPPCM_CMAER_001 - R_SUPPCM_CMAENO5_001	R_SUPPCM_CMAENO5_001	VARCHAR2
CMINDC_001	CMINDC_001	VARCHAR2
	CMINDC_001_ND	VARCHAR2
X_CMDSTXT_001	X_CMDSTXT_001	VARCHAR2
	X_CMDSTXT_001_ND	VARCHAR2
CMDOSU_001	CMDOSU_001_C	VARCHAR2
	CMDOSU_001	VARCHAR2
	CMDOSU_001_ND	VARCHAR2
CMDOSFRQ_001	CMDOSFRQ_001_C	VARCHAR2
	CMDOSFRQ_001	VARCHAR2
	CMDOSFRQ_001_ND	VARCHAR2
CMROUTE_001	CMROUTE_001_C	VARCHAR2
	CMROUTE_001	VARCHAR2
	CMROUTE_001_ND	VARCHAR2
CMSTDTC_001	CMSTDTC_001	DATE
	CMSTDTC_001_DTS	VARCHAR2
	CMSTDTC_001_DTR	VARCHAR2
	CMSTDTC_001_ND	VARCHAR2
X_CMONGO_001	X_CMONGO_001_C	VARCHAR2
	X_CMONGO_001	VARCHAR2
	X_CMONGO_001_ND	VARCHAR2
X_CMONGO_001 - CMENDTC_001	CMENDTC_001	DATE
	CMENDTC_001_DTS	VARCHAR2
	CMENDTC_001_DTR	VARCHAR2
D_COMPTERM1_001	D_COMPTERM1_001	VARCHAR2
	D_COMPTERM1_001_ND	VARCHAR2
CMDECOD_001	CMDECOD_001	VARCHAR2
	CMDECOD_001_ND	VARCHAR2
SUPPCM_CMCODE_001	SUPPCM_CMCODE_001	VARCHAR2
	SUPPCM_CMCODE_001_ND	VARCHAR2

B7981027: CONCOMITANT/PRIOR MEDICATIONS - PRIMARY DIAGNOSIS (CONMED AA) - Repeating Form [CM001_3]									
#	Sponsor-Defined Identifier	Category for Medication	Name of Medication	Dose Description	Dose Unit	Dose Frequency	Route	Start Date	Ongoing
1									
Concomitant Treatment [CM01001_3]									
1.	What is the medication identifier? <i>[read-only]</i> [Sponsor-Defined Identifier]	[CMSPID_001_3] A20★							
2.	Category: <i>[read-only]</i> [Category for Medication]	[CMCAT_001_3] [A:10] ☒ PRIMARY DIAGNOSIS							
3.* ✓	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). [Name of Medication]	[CMTRT_001_3] A100★							
4.*	Dose: [Dose Description]	[X_CMDSTXT_001_3] A25★							
5.*	Dose Unit: [Dose Unit]	[CMDOSU_001_3] [CMDOSU_CL_001_3] ▼							
6.*	Dose Frequency: [Dose Frequency]	[CMDOSFRQ_001_3] [CMDOSFRQ_CL_001_3] ▼							
7.*	Route: [Route]	[CMROUTE_001_3] [CMROUTE_CL_001_3] ▼							
8.*	Start Date: [Start Date]	[CMSTDTC_001_3] (DD/MM/YYYY) Req/Unk ▼ / Req/Unk ▼ / Req ▼ (2013-2028)							
9.*	Ongoing? [Ongoing]	[X_CMONGO_001_3] [A:Y] ☐ YES [A:N] ☒ [X_CMENDTC_CMP_001_3] ☐ NO [CMENDTC_001_3] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req/Unk ▼ / Req ▼ (2013-2028)							
10.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM1_001_3] A200★							
11.	Standardized Medication Name - Dictionary derived <i>[hidden]</i> [Standardized Medication Name]	[CMDECOD_001_3] A300★							
12.	Standardized Medication Code - Dictionary derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPCM_CMCODE_001_3] A11★							
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.									

Study Object Descriptions: CONCOMITANT/PRIOR MEDICATIONS - PRIMARY DIAGNOSIS		
Type	RefName	Description
Item	CMSPID_001_3	A sponsor-defined reference number.
Item	CMTRT_001_3	Name of Medication
Item	X_CMDSTXT_001_3	The dose of medication per administration in character format
Item	CMDOSU_001_3	The unit associated with the medication taken

Item	CMDOSFRQ_001_3	How often the medication was taken
Item	CMROUTE_001_3	The route of administration of the medication
Item	CMSTDTC_001_3	Date the medication was first taken
Item	X_CMONGO_001_3	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001_3	Date the subject stopped taking the medication
Item	D_COMPTerm1_001_3	Hidden Item needed for clear coding rule.
Item	CMDECOD_001_3	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCode_001_3	Standardized Medication Code - Dictionary derived

Codelist Values Tables: CONCOMITANT/PRIOR MEDICATIONS - PRIMARY DIAGNOSIS

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CMDOSU_CL_001_3	String		DAYS	3	cliUNIT_DAYS	CMDOSU_001_3
			HOURS	4	cliUNIT_HOURS	
			%	5	cliUNIT_perc	
			mg	8	cliUNIT_mg	
			mL	9	cliUNIT_mL	
			g/L	41	cliUNIT_g_L	
			ug	43	cliUNIT_ug	
			g	45	cliUNIT_g	
			AMPULE	49	cliUNIT_AMPULE	
			BOLUS	52	cliUNIT_BOLUS	
			BOTTLE	53	cliUNIT_BOTTLE	
			CAPSULE	56	cliUNIT_CAPSULE	
			INHALATION	67	cliUNIT_INHALATION	
			L	71	cliUNIT_L	
			LOZENGE	72	cliUNIT_LOZENGE	
			mEq	77	cliUNIT_mEq	
			mmol	78	cliUNIT_mmol	
			PATCH	85	cliUNIT_PATCH	
			%(w/v)	87	cliUNIT_perc_w_v	
			%(w/w)	88	cliUNIT_perc_w_w	
			SPRAY	93	cliUNIT_SPRAY	
			STRIP	94	cliUNIT_STRIP	
			SYRINGE	96	cliUNIT_SYRINGE	
			Tbsp	97	cliUNIT_Tbsp	
			TABLET	98	cliUNIT_TABLET	
			tsp	100	cliUNIT_tsp	
			TUBE	103	cliUNIT_TUBE	
			VIAL	104	cliUNIT_VIAL	
			%(v/v)	108	cliUNIT_perc_v_v	
			IU	109	cliUNIT_IU	
			mmol/L	119	cliUNIT_mmol_L	
			mg/L	126	cliUNIT_mg_L	
			mL/min	127	cliUNIT_mL_min	
			g/dL	128	cliUNIT_g_dL	
			tuberculin unit	132	cliUNIT_tuberculin_unit	
			mL/h	133	cliUNIT_mL_h	

mg/dL	137	cliUNIT_mg_dL
g/m2	143	cliUNIT_g_m2
IU/L	154	cliUNIT_IU_L
IU/mL	155	cliUNIT_IU_mL
IU/kg	156	cliUNIT_IU_kg
IU/mg	157	cliUNIT_IU_mg
L/min	158	cliUNIT_L_min
mg/day	162	cliUNIT_mg_day
mg/kg	163	cliUNIT_mg_kg
mg/m2	164	cliUNIT_mg_m2
mEq/L	172	cliUNIT_mEq_L
mEq/kg	173	cliUNIT_mEq_kg
g/kg	204	cliUNIT_g_kg
tuberculin unit/mL	225	cliUNIT_tuberculin_unit_mL
ug/day	289	cliUNIT_ug_day
mg/kg/min	290	cliUNIT_mg_kg_min
FINGERTIP UNIT	295	cliUNIT_FINGERTIP_UNIT
SACHET	296	cliUNIT_SACHET
mg/kg/h	297	cliUNIT_mg_kg_h
U/L	300	cliUNIT_U_L
U/mL	301	cliUNIT_U_mL
U/g	302	cliUNIT_U_g
U/mg	303	cliUNIT_U_mg
U/kg	304	cliUNIT_U_kg
/day	305	cliUNIT_day
/h	306	cliUNIT_h
g/day	327	cliUNIT_g_day
g/kg/day	330	cliUNIT_g_kg_day
g/m2/day	331	cliUNIT_g_m2_day
mg/kg/day	345	cliUNIT_mg_kg_day
mg/min	349	cliUNIT_mg_min
mL/day	358	cliUNIT_mL_day
mL/kg	363	cliUNIT_mL_kg
mL/kg/day	364	cliUNIT_mL_kg_day
mL/kg/h	365	cliUNIT_mL_kg_h
mL/kg/min	366	cliUNIT_mL_kg_min
U	380	cliUNIT_U
U/kg/day	385	cliUNIT_U_kg_day
U/kg/h	386	cliUNIT_U_kg_h
U/kg/min	387	cliUNIT_U_kg_min
mIU/L	406	cliUNIT_mIU_L
mL/min/1.73m2	438	cliUNIT_mL_min_1D73m2
mU/L	439	cliUNIT_mU_L
APPLICATION	441	cliUNIT_APPLICATION
/mL	450	cliUNIT_permL
/dL	451	cliUNIT_perdL
/L	452	cliUNIT_perL

			500	cliUNIT_Antibody_Unit	
		NEEDLE GAUGE	515	cliUNIT_NEEDLE_GAUGE	
		mg/mL/min	518	cliUNIT_mg_mL_min	
		mJoule/cm2	529	cliUNIT_mJoule_cm2	
		v/v	539	cliUNIT_v_v	
		/kg	559	cliUNIT_perkg	
		IU/dL	563	cliUNIT_IU_dL	
		L/day	606	cliUNIT_L_day	
		IU/day	607	cliUNIT_IU_day	
		No Unit	611	cliUNIT_No_Unit	
		mg/dose	614	cliUNIT_mg_dose	
		mg/kg/dose	615	cliUNIT_mg_kg_dose	
		mL/dose	616	cliUNIT_mL_dose	
		ug/dose	619	cliUNIT_ug_dose	
		uIU/dL	620	cliUNIT_uIU_dL	
		uIU/L	621	cliUNIT_uIU_L	
		uL/dose	623	cliUNIT_uL_dose	
		mg/mL	653	cliUNIT_mg_mL	
		ug/mL	654	cliUNIT_ug_mL	
		g/mL	674	cliUNIT_g_mL	
		DROP	689	cliUNIT_DROP	
		HOURS/WEEK	710	cliUNIT_HOURS_WEEK	
		hr/day	713	cliUNIT_hr_day	
		ug/tsp	717	cliUNIT_ug_tsp	
		mg/tsp	718	cliUNIT_mg_tsp	
		g/tsp	719	cliUNIT_g_tsp	
		ug/tbsp	720	cliUNIT_ug_tbsp	
		mg/tbsp	721	cliUNIT_mg_tbsp	
		g/tbsp	722	cliUNIT_g_tbsp	
		ug/drop	723	cliUNIT_ug_drop	
		mg/drop	724	cliUNIT_mg_drop	
		g/drop	725	cliUNIT_g_drop	
		ug/FINGER TIP	726	cliUNIT_ug_FINGER_TIP	
		mg/FINGER TIP	727	cliUNIT_mg_FINGER_TIP	
		g/FINGER TIP	728	cliUNIT_g_FINGER_TIP	
		ug/spray	729	cliUNIT_ug_spray	
		mg/spray	730	cliUNIT_mg_spray	
		g/spray	731	cliUNIT_g_spray	
		g/hr	732	cliUNIT_g_hr	
CMDOSFRQ_CL_001_3	String	BID	3	cliFREQ_BID	CMDOSFRQ_001_3
		PRN	6	cliFREQ_PRN	
		Q12H	9	cliFREQ_Q12H	
		Q16H	13	cliFREQ_Q16H	
		QH	17	cliFREQ_QH	
		Q24H	22	cliFREQ_Q24H	
		Q2H	23	cliFREQ_Q2H	
		Q4H	25	cliFREQ_Q4H	

			Q6H	27	cliFREQ_Q6H	
			Q8H	29	cliFREQ_Q8H	
			QOD	31	cliFREQ_QOD	
			TID	32	cliFREQ_TID	
			3 TIMES PER WEEK	33	cliFREQ_3_TIMES_PER_WEEK	
			EVERY 4 WEEKS	34	cliFREQ_EVERY_4_WEEKS	
			QID	35	cliFREQ_QID	
			4 TIMES PER WEEK	36	cliFREQ_4_TIMES_PER_WEEK	
			Q3D	37	cliFREQ_Q3D	
			Q4D	38	cliFREQ_Q4D	
			EVERY 3 WEEKS	39	cliFREQ_EVERY_3_WEEKS	
			ONCE	43	cliFREQ_ONCE	
			EVERY WEEK	44	cliFREQ_EVERY_WEEK	
			Q5D	45	cliFREQ_Q5D	
			EVERY 2 WEEKS	46	cliFREQ_EVERY_2_WEEKS	
			INTERMITTENT	48	cliFREQ_INTERMITTENT	
			QD	49	cliFREQ_QD	
			OCCASIONAL	50	cliFREQ_OCCASIONAL	
			1 TIME PER WEEK	52	cliFREQ_1_TIME_PER_WEEK	
			5 TIMES PER DAY	58	cliFREQ_5_TIMES_PER_DAY	
			5 TIMES PER WEEK	60	cliFREQ_5_TIMES_PER_WEEK	
			6 TIMES PER DAY	62	cliFREQ_6_TIMES_PER_DAY	
			6 TIMES PER WEEK	64	cliFREQ_6_TIMES_PER_WEEK	
			7 TIMES PER WEEK	66	cliFREQ_7_TIMES_PER_WEEK	
			Q6M	71	cliFREQ_Q6M	
			AC	73	cliFREQ_AC	
			QAM	74	cliFREQ_QAM	
			EVERY AFTERNOON	77	cliFREQ_EVERY_AFTERNOON	
			EVERY EVENING	78	cliFREQ_EVERY_EVENING	
			EVERY OTHER DAY	79	cliFREQ_EVERY_OTHER_DAY	
			QN	80	cliFREQ_QN	
			QM	5	cliFREQ_QM	
			2 TIMES PER WEEK	4	cliFREQ_2_TIMES_PER_WEEK	
CMROUTE_CL_001_3	String		BUCCAL	2	cliROUTE_BUCCAL	CMROUTE_001_3
			CUTANEOUS	4	cliROUTE_CUTANEOUS	
			ENTERAL	10	cliROUTE_ENTERAL	
			INFILTRATION	15	cliROUTE_INFILTRATION	
			INTRADERMAL	35	cliROUTE_INTRADERMAL	
			INTRALESIONAL	45	cliROUTE_INTRALESIONAL	
			INTRAMUSCULAR	50	cliROUTE_INTRAMUSCULAR	
			INTRAVASCULAR	69	cliROUTE_INTRAVASCULAR	
			INTRAVENOUS	70	cliROUTE_INTRAVENOUS	
			INTRAVENOUS BOLUS	71	cliROUTE_INTRAVENOUS_BOLUS	
			INTRAVENOUS DRIP	72	cliROUTE_INTRAVENOUS_DRIP	
			NOT APPLICABLE	81	cliROUTE_NOT_APPLICABLE	
			ORAL	84	cliROUTE_ORAL	
			PARENTERAL	86	cliROUTE_PARENTERAL	

			PERCUTANEOUS	87	cliROUTE_PERCUTANEOUS
			RESPIRATORY (INHALATION)	93	cliROUTE_RESPIRATORY_INHALATION
			SUBCUTANEOUS	98	cliROUTE_SUBCUTANEOUS
			TOPICAL	101	cliROUTE_TOPICAL
			TRANSDERMAL	102	cliROUTE_TRANSDERMAL
			UNKNOWN	108	cliROUTE_UNKNOWN
			OTHER	130	cliROUTE_OTHER

Coding Summary: CONCOMITANT/PRIOR MEDICATIONS - PRIMARY DIAGNOSIS		
Verbatim RefName: D_COMPTERM1_001_3		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
CMDECOD_001_3	PT	Term
SUPPCM_CMCODE_001_3	PT	Code

RDE Analytics: RD_CM001_3		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001_3	CMSPID_001_3	VARCHAR2
	CMSPID_001_3_ND	VARCHAR2
CMCAT_001_3	CMCAT_001_3_C	VARCHAR2
	CMCAT_001_3	VARCHAR2
	CMCAT_001_3_ND	VARCHAR2
CMTRT_001_3	CMTRT_001_3	VARCHAR2
	CMTRT_001_3_ND	VARCHAR2
X_CMDSTXT_001_3	X_CMDSTXT_001_3	VARCHAR2
	X_CMDSTXT_001_3_ND	VARCHAR2
CMDOSU_001_3	CMDOSU_001_3_C	VARCHAR2
	CMDOSU_001_3	VARCHAR2
	CMDOSU_001_3_ND	VARCHAR2
CMDOSFRQ_001_3	CMDOSFRQ_001_3_C	VARCHAR2
	CMDOSFRQ_001_3	VARCHAR2
	CMDOSFRQ_001_3_ND	VARCHAR2
CMROUTE_001_3	CMROUTE_001_3_C	VARCHAR2
	CMROUTE_001_3	VARCHAR2
	CMROUTE_001_3_ND	VARCHAR2
CMSTDTC_001_3	CMSTDTC_001_3	DATE
	CMSTDTC_001_3_DTS	VARCHAR2
	CMSTDTC_001_3_DTR	VARCHAR2
	CMSTDTC_001_3_ND	VARCHAR2
X_CMONGO_001_3	X_CMONGO_001_3_C	VARCHAR2
	X_CMONGO_001_3	VARCHAR2
	X_CMONGO_001_3_ND	VARCHAR2
X_CMONGO_001_3 - CMENDTC_001_3	CMENDTC_001_3	DATE
	CMENDTC_001_3_DTS	VARCHAR2
	CMENDTC_001_3_DTR	VARCHAR2
D_COMPTERM1_001_3	D_COMPTERM1_001_3	VARCHAR2
	D_COMPTERM1_001_3_ND	VARCHAR2

CMDECOD_001_3	CMDECOD_001_3	VARCHAR2
	CMDECOD_001_3_ND	VARCHAR2
SUPPCM_CMCODE_001_3	SUPPCM_CMCODE_001_3	VARCHAR2
	SUPPCM_CMCODE_001_3_ND	VARCHAR2

B7981027: NON-DRUG TREATMENTS (NONDRG TX) - Repeating Form [PR001]						
#	Treatment Identifier	Treatment	Non-Drug Treatment to Treat Adverse Event	Primary Reason for Treatment Given	Start Date	Ongoing
1						
Non-Drug Treatments [PR01001]						
1.	What is the treatment Identifier? <i>[read-only]</i> [Treatment Identifier]		[PRSPID_001] A20 ★			
2.* ✓	Treatment: [Treatment]		[PRTRT_001] A100 ★			
3.* ✓	Was this Non-Drug Treatment given to treat an Adverse Event [Non-Drug Treatment to Treat Adverse Event]		[SUPPPR_PRAER_001] [A:Y] ☒ [SUPPPR_PRAEID1_CMP_001] ☐ YES [R_SUPPPR_PRAEID1_001] AE Identifier: A20 ★ [R_SUPPPR_PRAEID2_001] AE Identifier: A20 ★ [R_SUPPPR_PRAEID3_001] AE Identifier: A20 ★ [R_SUPPPR_PRAEID4_001] AE Identifier: A20 ★ [R_SUPPPR_PRAEID5_001] AE Identifier: A20 ★ [A:N] ☐ NO			
4. ✓	Primary Reason for Treatment Given: [Primary Reason for Treatment Given]		[SUPPPR_PRRAS_001] [A:4] ☒ [X_SUPPPR_PRRAS_CMP_001] ☐ OTHER [X_SUPPPR_PRRAS_001] Other, specify: A80 ★			
5.* 📅	Start Date: [Start Date]		[PRSTDTC_001] (DD/MM/YYYY) Req/Unk ▼ / Req/Unk ▼ / Req ▼ (2025-2028)			
6.*	Ongoing? [Ongoing]		[X_PRONGO_001] [A:Y] ☐ YES [A:N] ☒ [PRENDTC_CMP_001] ☐ NO [PRENDTC_001] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req/Unk ▼ / Req ▼ (2025-2028)			
7.	Comparison Term <i>[hidden]</i> [Comparison Term]		[D_COMPTERM5_001] A200 ★			
8.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]		[SUPPPR_PRLLT_001] A100 ★			
9.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]		[SUPPPR_PRLLTCD_001] A8 ★			
10.	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]		[PRDECOD_001] A100 ★			

11.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPPR_PRPTCD_001] A8★
12.	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001] A100★
13.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPPR_PRHLTCD_001] A8★
14.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001] A100★
15.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTC_001] A8★
16.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001] A100★
17.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001] A8★
Key: [*] = Item is required [▼] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: NON-DRUG TREATMENTS		
Type	RefName	Description
Form	PR001	PR001 - NON-DRUG TREATMENTS
Item	PRTRT_001	Verbatim name of the treatment.
Item	PRSTDTC_001	Date the treatment was started
Item	X_PRONGO_001	Indicates the treatment is ongoing when no End Date is provided
Item	PRENDTC_001	Date the treatment was stopped.
Item	D_COMPTERM5_001	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLTCD_001	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTC_001	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001	Dictionary-derived code for the primary System Organ Class.

Keys (navigation)/Uniqueness: NON-DRUG TREATMENTS		
Item	Unique	Order #
PR001 (Repeating form)		
PR01001		
PRSTDTC_001	None	1

Coding Summary: NON-DRUG TREATMENTS	
Verbatim RefName: D_COMPTERM5_001	
Dictionary: Pfizer MedDRA Verbatim Type:	

Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001	SOC	Term
SUPPPR_PRSOCCD_001	SOC	Code
SUPPPR_PRHLGT_001	HLGT	Term
SUPPPR_PRHLGTCD_001	HLGT	Code
SUPPPR_PRHLT_001	HLT	Term
SUPPPR_PRHLTCD_001	HLT	Code
PRDECOD_001	PT	Term
SUPPPR_PRPTCD_001	PT	Code
SUPPPR_PRLLT_001	LLT	Term
SUPPPR_PRLLTCD_001	LLT	Code

RDE Analytics: RD_PR001		
Data Variable RefName	RD Column Name	Column Data Type
PRSPID_001	PRSPID_001	VARCHAR2
	PRSPID_001_ND	VARCHAR2
PRTRT_001	PRTRT_001	VARCHAR2
	PRTRT_001_ND	VARCHAR2
SUPPPR_PRAER_001	SUPPPR_PRAER_001_C	VARCHAR2
	SUPPPR_PRAER_001	VARCHAR2
	SUPPPR_PRAER_001_ND	VARCHAR2
SUPPPR_PRAER_001 - R_SUPPPR_PRAEID1_001	R_SUPPPR_PRAEID1_001	VARCHAR2
SUPPPR_PRAER_001 - R_SUPPPR_PRAEID2_001	R_SUPPPR_PRAEID2_001	VARCHAR2
SUPPPR_PRAER_001 - R_SUPPPR_PRAEID3_001	R_SUPPPR_PRAEID3_001	VARCHAR2
SUPPPR_PRAER_001 - R_SUPPPR_PRAEID4_001	R_SUPPPR_PRAEID4_001	VARCHAR2
SUPPPR_PRAER_001 - R_SUPPPR_PRAEID5_001	R_SUPPPR_PRAEID5_001	VARCHAR2
SUPPPR_PRREAS_001	SUPPPR_PRREAS_001_C	VARCHAR2
	SUPPPR_PRREAS_001	VARCHAR2
	SUPPPR_PRREAS_001_ND	VARCHAR2
SUPPPR_PRREAS_001 - X_SUPPPR_PRREAS_001	X_SUPPPR_PRREAS_001	VARCHAR2
PRSTDTC_001	PRSTDTC_001	DATE
	PRSTDTC_001_DTS	VARCHAR2
	PRSTDTC_001_DTR	VARCHAR2
	PRSTDTC_001_ND	VARCHAR2
X_PRONGO_001	X_PRONGO_001_C	VARCHAR2
	X_PRONGO_001	VARCHAR2
	X_PRONGO_001_ND	VARCHAR2
X_PRONGO_001 - PRENDTC_001	PRENDTC_001	DATE
	PRENDTC_001_DTS	VARCHAR2
	PRENDTC_001_DTR	VARCHAR2
D_COMPTERM5_001	D_COMPTERM5_001	VARCHAR2
	D_COMPTERM5_001_ND	VARCHAR2
SUPPPR_PRLLT_001	SUPPPR_PRLLT_001	VARCHAR2
	SUPPPR_PRLLT_001_ND	VARCHAR2
SUPPPR_PRLLTCD_001	SUPPPR_PRLLTCD_001	VARCHAR2
	SUPPPR_PRLLTCD_001_ND	VARCHAR2
PRDECOD_001	PRDECOD_001	VARCHAR2

	PRDECOD_001_ND	VARCHAR2
SUPPPR_PRPTCD_001	SUPPPR_PRPTCD_001	VARCHAR2
	SUPPPR_PRPTCD_001_ND	VARCHAR2
SUPPPR_PRHLT_001	SUPPPR_PRHLT_001	VARCHAR2
	SUPPPR_PRHLT_001_ND	VARCHAR2
SUPPPR_PRHLTCD_001	SUPPPR_PRHLTCD_001	VARCHAR2
	SUPPPR_PRHLTCD_001_ND	VARCHAR2
SUPPPR_PRHLGT_001	SUPPPR_PRHLGT_001	VARCHAR2
	SUPPPR_PRHLGT_001_ND	VARCHAR2
SUPPPR_PRHLGTC_001	SUPPPR_PRHLGTC_001	VARCHAR2
	SUPPPR_PRHLGTC_001_ND	VARCHAR2
SUPPPR_PRSOC_001	SUPPPR_PRSOC_001	VARCHAR2
	SUPPPR_PRSOC_001_ND	VARCHAR2
SUPPPR_PRSOCCD_001	SUPPPR_PRSOCCD_001	VARCHAR2
	SUPPPR_PRSOCCD_001_ND	VARCHAR2

B7981027: NON-DRUG TREATMENTS - PRIMARY DIAGNOSIS (NONDRG AA) - Repeating Form [PR001_4]				
#	Treatment Identifier	Treatment	Start Date	Ongoing
1				
Non-Drug Treatments [PR01001_4]				
1.	What is the treatment Identifier? <i>[read-only]</i> [Treatment Identifier]	[PRSPID_001_4] A20 *		
2.* ✓	Treatment: [Treatment]	[PRTRT_001_4] A100 *		
3.* 📅	Start Date: [Start Date]	[PRSTDTC_001_4] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (2013-2028)		
4.*	Ongoing? [Ongoing]	[X_PRONGO_001_4] [A:Y] ☐ YES [A:N] ☐ [PRENDTC_CMP_001_4] v NO [PRENDTC_001_4] (DD/MM/YYYY) End Date: Req/Unk v / Req/Unk v / Req v (2013-2028)		
5.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM5_001_4] A200 *		
6.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[SUPPPR_PRLLT_001_4] A100 *		
7.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[SUPPPR_PRLTCD_001_4] A8 *		
8.	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[PRDECOD_001_4] A100 *		
9.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPPR_PRPTCD_001_4] A8 *		
10.	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001_4] A100 *		
11.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPPR_PRHLTCD_001_4] A8 *		
12.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001_4] A100 *		
13.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTC_001_4] A8 *		
14.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001_4] A100 *		
15.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_4] A8 *		
Key: [*] = Item is required [✓] = Source verification required [v] = Item is collapsible 📅 = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.				

Study Object Descriptions: NON-DRUG TREATMENTS - PRIMARY DIAGNOSIS

Type	RefName	Description
Form	PR001_4	PR001 - NON-DRUG TREATMENTS
Item	PRTRT_001_4	Verbatim name of the treatment.
Item	PRSTDTC_001_4	Date the treatment was started
Item	X_PRONGO_001_4	Indicates the treatment is ongoing when no End Date is provided
Item	PRENDTC_001_4	Date the treatment was stopped.
Item	D_COMPTERM5_001_4	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001_4	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLLTCD_001_4	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001_4	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001_4	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001_4	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001_4	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001_4	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTCD_001_4	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001_4	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001_4	Dictionary-derived code for the primary System Organ Class.

Keys (navigation)/Uniqueness: NON-DRUG TREATMENTS - PRIMARY DIAGNOSIS		
Item	Unique	Order #
PR001_4 (Repeating form)		
PR01001_4		
PRSTDTC_001_4	None	1

Coding Summary: NON-DRUG TREATMENTS - PRIMARY DIAGNOSIS		
Verbatim RefName: D_COMPTERM5_001_4		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001_4	SOC	Term
SUPPPR_PRSOCCD_001_4	SOC	Code
SUPPPR_PRHLGT_001_4	HLGT	Term
SUPPPR_PRHLGTCD_001_4	HLGT	Code
SUPPPR_PRHLT_001_4	HLT	Term
SUPPPR_PRHLTCD_001_4	HLT	Code
PRDECOD_001_4	PT	Term
SUPPPR_PRPTCD_001_4	PT	Code
SUPPPR_PRLLT_001_4	LLT	Term
SUPPPR_PRLLTCD_001_4	LLT	Code

RDE Analytics: RD_PR001_4		
Data Variable RefName	RD Column Name	Column Data Type
PRSPID_001_4	PRSPID_001_4	VARCHAR2
	PRSPID_001_4_ND	VARCHAR2
PRTRT_001_4	PRTRT_001_4	VARCHAR2
	PRTRT_001_4_ND	VARCHAR2
PRSTDTC_001_4	PRSTDTC_001_4	DATE
	PRSTDTC_001_4_DTS	VARCHAR2

	PRSTDTC_001_4_DTR	VARCHAR2
	PRSTDTC_001_4_ND	VARCHAR2
X_PRONGO_001_4	X_PRONGO_001_4_C	VARCHAR2
	X_PRONGO_001_4	VARCHAR2
	X_PRONGO_001_4_ND	VARCHAR2
X_PRONGO_001_4 - PRENDTC_001_4	PRENDTC_001_4	DATE
	PRENDTC_001_4_DTS	VARCHAR2
	PRENDTC_001_4_DTR	VARCHAR2
D_COMPTERM5_001_4	D_COMPTERM5_001_4	VARCHAR2
	D_COMPTERM5_001_4_ND	VARCHAR2
SUPPPR_PRLLT_001_4	SUPPPR_PRLLT_001_4	VARCHAR2
	SUPPPR_PRLLT_001_4_ND	VARCHAR2
SUPPPR_PRLLTCD_001_4	SUPPPR_PRLLTCD_001_4	VARCHAR2
	SUPPPR_PRLLTCD_001_4_ND	VARCHAR2
PRDECOD_001_4	PRDECOD_001_4	VARCHAR2
	PRDECOD_001_4_ND	VARCHAR2
SUPPPR_PRPTCD_001_4	SUPPPR_PRPTCD_001_4	VARCHAR2
	SUPPPR_PRPTCD_001_4_ND	VARCHAR2
SUPPPR_PRHLT_001_4	SUPPPR_PRHLT_001_4	VARCHAR2
	SUPPPR_PRHLT_001_4_ND	VARCHAR2
SUPPPR_PRHLTCD_001_4	SUPPPR_PRHLTCD_001_4	VARCHAR2
	SUPPPR_PRHLTCD_001_4_ND	VARCHAR2
SUPPPR_PRHLGT_001_4	SUPPPR_PRHLGT_001_4	VARCHAR2
	SUPPPR_PRHLGT_001_4_ND	VARCHAR2
SUPPPR_PRHLGTC_001_4	SUPPPR_PRHLGTC_001_4	VARCHAR2
	SUPPPR_PRHLGTC_001_4_ND	VARCHAR2
SUPPPR_PRSOC_001_4	SUPPPR_PRSOC_001_4	VARCHAR2
	SUPPPR_PRSOC_001_4_ND	VARCHAR2
SUPPPR_PRSOCCD_001_4	SUPPPR_PRSOCCD_001_4	VARCHAR2
	SUPPPR_PRSOCCD_001_4_ND	VARCHAR2

B7981027: RASH ASSESSMENT - REPEATING (RASH RPT) - Repeating Form [FARSH007_1]												
#	AE ID From AE Form	Where Did the Rash First Appear	Where is the Rash Located	Rash Description	Severity of Pruritus for Rash	If Discontinuous, What is Lesion Size	Lesion Size Unit	Lesion Swab Test Performed	Was Treatment Given	Rash Been Stable, Worse or Better	Any Associated Systemic Symptoms	Involvement of Oral Mucosa/Conjunctivae
1												
Rash Assessment [FARSH01007_1]												
1.*	Adverse Event ID from Adverse Event form: [AE ID From AE Form]			[SUPPCE_RSHAEID_007_1] A20*								
2.*	Where did the rash first appear? [Where Did the Rash First Appear]			[FAORRES_FIRSTAPP_007_1] A80*								
3.*	Where is the rash located? [Where is the Rash Located]			[SUPPCE_RSHLOC_007_1] A80*								
4.*	How would you describe the rash: [Rash Description]			[FAORRES_DESCRP_007_1] [A:1] ☐ URTICARIAL [A:2] ☐ VASCULITIC [A:3] ☐ MACULOPAPULAR [A:4] ☐ LICHENOID [A:5] ☐ UNKNOWN [A:999] ☐ [X_FAORRES_DESCRP_OTH_CMP_007_1] ☐ OTHER [X_FAORRES_DESCRP_OTH_007_1] Please specify: A80*								
5.*	Severity of pruritus for rash: [Severity of Pruritus for Rash]			[FAORRES_SEV_PRURITUS_007_1] N2								
6.	If the rash is discontinuous, what is the lesion size? [If Discontinuous, What is Lesion Size]			[FAORRES_SIZE_007_1] N3								
7.	Unit: [Lesion Size Unit]			[FAORRESU_SIZE_007_1] [A:6] ☐ mm [A:111] ☐ cm								
8.*	Lesion Swab Test Performed: [Lesion Swab Test Performed]			[PROCCUR_SWAB_007_1] [A:Y] ☐ [PRSTDTC_SWAB_CMP_007_1] ☐ YES [PRSTDTC_SWAB_007_1] (DD/MM/YYYY) Please provide the swab collection date: Req / Req / Req (2025-2028) [A:N] ☐ NO								
9.*	Was treatment (topical or systemic) given? [Was Treatment Given]			[FAORRES_TRT_007_1] [A:N] ☐ NO [A:Y] ☐ YES								
10.*	In the past week has the rash been stable, getting worse or getting better? [Rash Been Stable, Worse or Better]			[FAORRES_STATUS_007_1] [A:1] ☐ STABLE [A:2] ☐ WORSE [A:3] ☐ BETTER [A:4] ☐ NOT APPLICABLE								
11.*	Are there any associated systemic symptoms? [Any Associated Systemic Symptoms]			[FAORRES_ASSYMP_007_1] [A:N] ☐ NO [A:Y] ☐ [SUPPPFACE_RSHSYMD_CMP_007_1] ☐ YES [SUPPPFACE_RSHSYMD_007_1] Please give details: A200*								

12.*	Is there involvement of the oral mucosa or conjunctivae? [Involvement of Oral Mucosa/Conjunctivae]	[FAORRES_ORACOMIN_007_1] [A:N] ☐ NO [A:Y] ☒ [SUPPFACE_RSHORAD_CMP_007_1] ☐ YES [SUPPFACE_RSHORAD_007_1] Please give details: A200*
Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: RASH ASSESSMENT - REPEATING		
Type	RefName	Description
Form	FARSH007_1	RASH ASSESSMENT

RDE Analytics: RD_FARSH007_1		
Data Variable RefName	RD Column Name	Column Data Type
SUPPCE_RSHAEID_007_1	SUPPCE_RSHAEID_007_1	VARCHAR2
	SUPPCE_RSHAEID_007_1_ND	VARCHAR2
FAORRES_FIRSTAPP_007_1	FAORRES_FIRSTAPP_007_1	VARCHAR2
	FAORRES_FIRSTAPP_007_1_ND	VARCHAR2
SUPPCE_RSHLOC_007_1	SUPPCE_RSHLOC_007_1	VARCHAR2
	SUPPCE_RSHLOC_007_1_ND	VARCHAR2
FAORRES_DESCRP_007_1	FAORRES_DESCRP_007_1_C	VARCHAR2
	FAORRES_DESCRP_007_1	VARCHAR2
	FAORRES_DESCRP_007_1_ND	VARCHAR2
FAORRES_DESCRP_007_1 - X_FAORRES_DESCRP_OTH_007_1	*X_FAORRES_DESCRP_OTH_007_1	VARCHAR2
FAORRES_SEV_PRURITUS_007_1	*FAORRES_SEV_PRURITUS_007_1	NUMBER
	*FAORRES_SEV_PRURITUS_007_1_ND	VARCHAR2
FAORRES_SIZE_007_1	FAORRES_SIZE_007_1	NUMBER
	FAORRES_SIZE_007_1_ND	VARCHAR2
FAORRESU_SIZE_007_1	FAORRESU_SIZE_007_1_C	VARCHAR2
	FAORRESU_SIZE_007_1	VARCHAR2
	FAORRESU_SIZE_007_1_ND	VARCHAR2
PROCCUR_SWAB_007_1	PROCCUR_SWAB_007_1_C	VARCHAR2
	PROCCUR_SWAB_007_1	VARCHAR2
	PROCCUR_SWAB_007_1_ND	VARCHAR2
PROCCUR_SWAB_007_1 - PRSTDTC_SWAB_007_1	PRSTDTC_SWAB_007_1	DATE
	PRSTDTC_SWAB_007_1_DTS	VARCHAR2
FAORRES_TRT_007_1	FAORRES_TRT_007_1_C	VARCHAR2
	FAORRES_TRT_007_1	VARCHAR2
	FAORRES_TRT_007_1_ND	VARCHAR2
FAORRES_STATUS_007_1	FAORRES_STATUS_007_1_C	VARCHAR2
	FAORRES_STATUS_007_1	VARCHAR2
	FAORRES_STATUS_007_1_ND	VARCHAR2
FAORRES_ASSYMP_007_1	FAORRES_ASSYMP_007_1_C	VARCHAR2
	FAORRES_ASSYMP_007_1	VARCHAR2

	FAORRES_ASSYMP_007_1_ND	VARCHAR2
FAORRES_ASSYMP_007_1 - SUPPFACE_RSHSYMD_007_1	SUPPFACE_RSHSYMD_007_1	VARCHAR2
FAORRES_ORACOMIN_007_1	FAORRES_ORACOMIN_007_1_C	VARCHAR2
	FAORRES_ORACOMIN_007_1	VARCHAR2
	FAORRES_ORACOMIN_007_1_ND	VARCHAR2
FAORRES_ORACOMIN_007_1 - SUPPFACE_RSHORAD_007_1	SUPPFACE_RSHORAD_007_1	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
MBORRES_MCORGIDN_CL_004	String		ASPERGILLUS	1	cliMICROORG_ASPERGILLUS	MBORRES_MCORGIDN_004
			STREPTOCOCCUS AGALACTIAE	3	cliMICROORG_STREPTOCOCCUS_AGALACTIAE	
			CANDIDA	4	cliMICROORG_CANDIDA	
			BACTEROIDES	6	cliMICROORG_BACTEROIDES	
			BACTEROIDES FRAGILIS	7	cliMICROORG_BACTEROIDES_FRAGILIS	
			BURKHOLDERIA CEPACIA	13	cliMICROORG_BURKHOLDERIA_CEPACIA	
			CITROBACTER FREUNDII COMPLEX	14	cliMICROORG_CITROBACTER_FREUNDII_COMPLEX	
			CITROBACTER KOSERI	15	cliMICROORG_CITROBACTER_KOSERI	
			CLOSTRIDIUM PERFRINGENS	17	cliMICROORG_CLOSTRIDIUM_PERFRINGENS	
			ENTEROCOCCUS FAECALIS	24	cliMICROORG_ENTEROCOCCUS_FAECALIS	
			ENTEROCOCCUS FAECIUM	25	cliMICROORG_ENTEROCOCCUS_FAECIUM	
			ESCHERICHIA COLI	26	cliMICROORG_ESCHERICHIA_COLI	
			HAEMOPHILUS INFLUENZAE	27	cliMICROORG_HAEMOPHILUS_INFLUENZAE	
			HAEMOPHILUS PARAINFLUENZAE	28	cliMICROORG_HAEMOPHILUS_PARAINFLUENZAE	
			KLEBSIELLA PNEUMONIAE	31	cliMICROORG_KLEBSIELLA_PNEUMONIAE	
			PSEUDOMONAS AERUGINOSA	43	cliMICROORG_PSEUDOMONAS_AERUGINOSA	
			SERRATIA MARCESCENS	45	cliMICROORG_SERRATIA_MARCESCENS	
			STAPHYLOCOCCUS AUREUS	46	cliMICROORG_STAPHYLOCOCCUS_AUREUS	
			NOROVIRUS	54	cliMICROORG_NOROVIRUS	
			SALMONELLA	57	cliMICROORG_SALMONELLA	
SHIGELLA	59	cliMICROORG_SHIGELLA				

ASPERGILLUS NIGER	63	diMICROORG_ASPERGILLUS_NIGER
CANDIDA ALBICANS	65	diMICROORG_CANDIDA_ALBICANS
CORYNEBACTERIUM	69	diMICROORG_CORYNEBACTERIUM
KLEBSIELLA	72	diMICROORG_KLEBSIELLA
METHICILLIN RESISTANT STAPHYLOCOCCUS AUREUS	74	diMICROORG_METHICILLIN_RESISTANT_STAPHYLOCOCCUS_AUREUS
METHICILLIN SUSCEPTIBLE STAPHYLOCOCCUS AUREUS	75	diMICROORG_METHICILLIN_SUSCEPTIB_STAPHYLOCOCCUS_AUREUS
MYCOBACTERIUM TUBERCULOSIS	77	diMICROORG_MYCOBACTERIUM_TUBERCULOSIS
PNEUMOCYSTIS JIROVECI	78	diMICROORG_PNEUMOCYSTIS_JIROVECI
PSEUDOMONAS	79	diMICROORG_PSEUDOMONAS
STAPHYLOCOCCUS	81	diMICROORG_STAPHYLOCOCCUS
STREPTOCOCCUS	85	diMICROORG_STREPTOCOCCUS
STREPTOCOCCUS PYOGENES	87	diMICROORG_STREPTOCOCCUS_PYOGENES
YEAST	89	diMICROORG_YEAST
CORONAVIRIDAE	91	diMICROORG_CORONAVIRIDAE
ENTEROVIRUS	92	diMICROORG_ENTEROVIRUS
HUMAN RESPIRATORY SYNCYTIAL VIRUS	98	diMICROORG_HUMAN_RESPIRATORY_SYNCYTIAL_VIRUS
INFLUENZA A VIRUS	99	diMICROORG_INFLUENZA_A_VIRUS
INFLUENZA B VIRUS	100	diMICROORG_INFLUENZA_B_VIRUS
ADENOVIRIDAE	104	diMICROORG_ADENOVIRIDAE
MYCOPLASMA PNEUMONIAE	107	diMICROORG_MYCOPLASMA_PNEUMONIAE
SEVERE ACUTE RESPIRATORY SYNDROME CORONAVIRUS 2	108	diMICROORG_SEVERE_ACUTE_RESPIRATORY_SYNDROME_CORONA_2
BORRELIA BURGDORFERI	115	diMICROORG_BORRELIA_BURGDORFERI
HUMAN HERPESVIRUS 1	117	diMICROORG_HUMAN_HERPESVIRUS_1
HUMAN HERPESVIRUS 2	118	diMICROORG_HUMAN_HERPESVIRUS_2
HUMAN HERPESVIRUS 3	119	diMICROORG_HUMAN_HERPESVIRUS_3
SIMPLEXVIRUS	120	diMICROORG_SIMPLEXVIRUS
CRYPTOCOCCUS NEOFORMANS	126	diMICROORG_CRYPTOCOCCUS_NEOFORMANS
PROTEUS	136	diMICROORG_PROTEUS
TOXOPLASMA GONDII	138	diMICROORG_TOXOPLASMA_GONDII
BURKHOLDERIA	160	diMICROORG_BURKHOLDERIA
ENTEROBACTER	184	diMICROORG_ENTEROBACTER
HAEMOPHILUS	204	diMICROORG_HAEMOPHILUS
NEISSERIA	215	diMICROORG_NEISSERIA
FUSOBACTERIUM	287	diMICROORG_FUSOBACTERIUM
ACTINOMYCES	289	diMICROORG_ACTINOMYCES
NOCARDIA	290	diMICROORG_NOCARDIA
AEROMONAS	294	diMICROORG_AEROMONAS
ENTEROHEMORRHAGIC E. COLI	306	diMICROORG_ENTEROHEMORRHAGIC_E_COLI
ASPERGILLUS FUMIGATUS	347	diMICROORG_ASPERGILLUS_FUMIGATUS
MUCOR SPP	348	diMICROORG_MUCOR_SPP
RHIZOPUS SPP	349	diMICROORG_RHIZOPUS_SPP
RHIZOMUCOR SPP	351	diMICROORG_RHIZOMUCORSPP
ANAEROBIC GRAM-NEGATIVE BACILLUS	353	diMICROORG_ANAEROBIC_GRAM_NEGATIVE_BACILLUS
ANAEROBIC GRAM-POSITIVE BACILLUS	354	diMICROORG_ANAEROBIC_GRAM_POSITIVE_BACILLUS
VIBRIO VULNIFICUS	555	diMICROORG_VIBRIO_VULNIFICUS
CANDIDA AURIS	729	diMICROORG_CANDIDA_AURIS
CLOSTRIDIUM	789	diMICROORG_CLOSTRIDIUM

				999	diMICROORG_OTHER	
MBMETHOD_CL_004	String		ACID FAST STAIN	1	diMETHOD_ACID_FAST_STAIN	MBMETHOD_004
			ACRIDINE ORANGE STAIN	2	diMETHOD_ACRIDINE_ORANGE_STAIN	
			GRAM STAIN	27	diMETHOD_GRAM_STAIN	
			MICROBIAL CULTURE	90	diMETHOD_MICROBIAL_CULTURE	
			MICROBIAL CULTURE, SOLID	92	diMETHOD_MICROBIAL_CULTURE_SOLID	
			PHYSICAL EXAMINATION	105	diMETHOD_PHYSICAL_EXAMINATION	
			OTHER	999	diMETHOD_OTHER	

RDE Analytics: RD_MBMC004		
Data Variable RefName	RD Column Name	Column Data Type
Y_MBDTC_004	Y_MBDTC_004	DATE
	Y_MBDTC_004_DTS	VARCHAR2
	Y_MBDTC_004_ND	VARCHAR2
SUPPMB_MBCLMETH_004	SUPPMB_MBCLMETH_004_C	VARCHAR2
	SUPPMB_MBCLMETH_004	VARCHAR2
	SUPPMB_MBCLMETH_004_ND	VARCHAR2
X_MBORRES_MCORGIN_ISO_004	*X_MBORRES_MCORGIN_ISO_004_C	VARCHAR2
	*X_MBORRES_MCORGIN_ISO_004	VARCHAR2
	*X_MBORRES_MCORGIN_ISO_004_ND	VARCHAR2
RD_MBMC004_MBMC02004		
MBORRES_MCORGIN_004	MBORRES_MCORGIN_004_C	VARCHAR2
	MBORRES_MCORGIN_004	VARCHAR2
	MBORRES_MCORGIN_004_ND	VARCHAR2
X_MBORRES_MCORGIN_OTH_004	*X_MBORRES_MCORGIN_OTH_004	VARCHAR2
	*X_MBORRES_MCORGIN_OTH_004_ND	VARCHAR2
MBMETHOD_004	MBMETHOD_004_C	VARCHAR2
	MBMETHOD_004	VARCHAR2
	MBMETHOD_004_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981027: UNPLANNED VISIT (UNPL) [D_UPA001]		
Unplanned Assessments [D_UPA01001]		
1.* ✓	Assessments [Assessments]	[D_UNPLASS_001] [A:1] ☐ LOCAL LABORATORY DATA - URINALYSIS [A:2] ☐ LOCAL LABORATORY DATA - CHEMISTRY [A:3] ☐ LOCAL LABORATORY DATA - HEMATOLOGY [A:4] ☐ LAB URINALYSIS - PREGNANCY [A:5] ☐ VITAL SIGNS [A:6] ☐ LOCAL ECG [A:8] ☐ HBV DNA [A:9] ☐ AUDIOMETRIC ASSESSMENT - HEARING TEST [A:10] ☐ TUBERCULOSIS TESTING [A:12] ☐ RECONSENT [A:13] ☐ PHARMACODYNAMICS LAB SAMPLE - IP-10 [A:14] ☐ RETAINED RESEARCH SAMPLE TRACKING
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_UPA001		
Data Variable RefName	RD Column Name	Column Data Type
D_UNPLASS_001	D_UNPLASS_001_ND	VARCHAR2
D_UNPLASS_001 - LOCAL LABORATORY DATA - URINALYSIS	*D_UNPLASS_001_CLIUNPLASSLOCALLABORATORYDATAURINALYSIS_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLOCALLABORATORYDATAURINALYSIS	VARCHAR2
D_UNPLASS_001 - LOCAL LABORATORY DATA - CHEMISTRY	*D_UNPLASS_001_CLIUNPLASSLOCALLABORATORYDATAHEMISTRY_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLOCALLABORATORYDATAHEMISTRY	VARCHAR2
D_UNPLASS_001 - LOCAL LABORATORY DATA - HEMATOLOGY	*D_UNPLASS_001_CLIUNPLASSLOCALLABORATORYDATAHEMATOLOGY_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLOCALLABORATORYDATAHEMATOLOGY	VARCHAR2
D_UNPLASS_001 - LAB URINALYSIS - PREGNANCY	*D_UNPLASS_001_CLIUNPLASSLABURINALYSISPREGNANCY_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLABURINALYSISPREGNANCY	VARCHAR2
D_UNPLASS_001 - VITAL SIGNS	*D_UNPLASS_001_CLIUNPLASSVITALSIGNS_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSVITALSIGNS	VARCHAR2
D_UNPLASS_001 - LOCAL ECG	*D_UNPLASS_001_CLIUNPLASSLOCALECG_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLOCALECG	VARCHAR2
D_UNPLASS_001 - HBV DNA	*D_UNPLASS_001_CLIUNPLASSHBVDNA_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSHBVDNA	VARCHAR2
D_UNPLASS_001 - AUDIOMETRIC ASSESSMENT - HEARING TEST	*D_UNPLASS_001_CLIUNPLASSAUDIOMETRICASSESSMENTHEARINGTEST_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSAUDIOMETRICASSESSMENTHEARINGTEST	VARCHAR2
D_UNPLASS_001 - TUBERCULOSIS TESTING	*D_UNPLASS_001_CLIUNPLASSTUBERCULOSISTESTING_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSTUBERCULOSISTESTING	VARCHAR2
D_UNPLASS_001 - RECONSENT	*D_UNPLASS_001_CLIUNPLASSRECONSENT_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSRECONSENT	VARCHAR2
D_UNPLASS_001 - PHARMACODYNAMICS LAB SAMPLE - IP-10	*D_UNPLASS_001_CLIUNPLASSPHARMACODYNAMICSLABSAMPLEIP10_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPHARMACODYNAMICSLABSAMPLEIP10	VARCHAR2
D_UNPLASS_001 - RETAINED RESEARCH SAMPLE TRACKING	*D_UNPLASS_001_CLIUNPLASSRETAINEDRESEARCHSAMPLETRACKING_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSRETAINEDRESEARCHSAMPLETRACKING	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981027: LAB URINALYSIS (LAB URIN) - Repeating Form [LB001_7]						
#	Category for Lab Test	Vendor Name	Lab ID	Specimen Type	Collection Date	LAB RESULT
1						
LAB URINALYSIS [LB01001_7]						
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_7] [A:3] ☒ URINALYSIS				
2.*	Laboratory Name and Address: [Vendor Name]	[LBNAM_001_7] A200★				
3.* ✓	Lab ID: [Lab ID]	[SUPPLB_LBUID_001_7] A50★				
4.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_7] [A:40] ☒ URINE				
5.* ✓	Collection Date: [Collection Date]	[LBDTC_001_7] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2025-2028)				
LAB RESULT [LB03001_7]						
# ✓	Sponsor-Defined Identifier	Test	Result	Clinically Significant	Not Done:	LNMT
6.a		pH_PX77				
6.b		Glucose_PX79				
6.c		Protein_PX78				
6.d		Hemoglobin_PX87				
6.e		Ketones_PX86				
6.f		Nitrite_PX639				
6.g		Leukocyte Esterase_PX438				
6.h		Urobilinogen_PX118				
6.i		Bilirubin_PX115				
LAB RESULT Entry [LB03001_7]						
6.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_7] N8				
6.2 ☐	Test: <i>[read-only]</i> [Test]	[LBTEST_001_7] [LBTEST_CL_001_7] ☒				
6.3 ✓	Result: [Result]	[LBORRES_001_7] A30★				
6.4 ✓	Clinically Significant? [Clinically Significant]	[LBCLSIG_001_7] [A:Y] ☒ [CO_LBCOM_CMP_001_7] ☐ YES [CO_LBCOM_001_7] Comment on Significant Finding: A200★ [A:N] ☒ NO				
6.5 ✓	Not Done: [Not Done:]	[LBSTAT_001_7] [A:1] ☒ NOT DONE				
6.6	LNMT <i>[read-only]</i> [LNMT]	[X_LNMTFLAG_CMP_001_7] [LBORNRHI_001_7] High A20★				

		[LBORNRO_001_7] Low A20★ [LBORRESU_001_7] Unit A20★ [X_LNMTFLAG_001_7] Flag A20★
Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LAB URINALYSIS		
Type	RefName	Description
Item	LBCAT_001_7	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSPEC_001_7	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_7	Date of specimen collection.
Item	LBSPID_001_7	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_7	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBCLSIG_001_7	Whether lab test result(s) were clinically significant.
Item	CO_LBCOM_001_7	Investigator comment on lab test results of clinical significance.
Item	LBSTAT_001_7	Used to indicate test was not done.
Item	LBORNRHI_001_7	LNMT field
Item	LBORNRO_001_7	LNMT field
Item	LBORRESU_001_7	LNMT field
Item	X_LNMTFLAG_001_7	LNMT field

Codelist Values Tables: LAB URINALYSIS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_7	String		pH_PX77	77	cliLBTEST_pH_PX77	LBTEST_001_7
			Glucose_PX79	79	cliLBTEST_Glucose_PX79	
			Protein_PX78	78	cliLBTEST_Protein_PX78	
			Hemoglobin_PX87	87	cliLBTEST_Hemoglobin_PX87	
			Ketones_PX86	86	cliLBTEST_Ketones_PX86	
			Nitrite_PX639	639	cliLBTEST_Nitrite_PX639	
			Leukocyte Esterase_PX438	438	cliLBTEST_Leukocyte_Esterase_PX438	
			Urobilinogen_PX118	118	cliLBTEST_Urobilinogen_PX118	
			Bilirubin_PX115	115	cliLBTEST_Bilirubin_PX115	

RDE Analytics: RD_LB001_7		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_7	LBCAT_001_7_C	VARCHAR2
	LBCAT_001_7	VARCHAR2
	LBCAT_001_7_ND	VARCHAR2
LBNAM_001_7	LBNAM_001_7	VARCHAR2
	LBNAM_001_7_ND	VARCHAR2
SUPPLB_LBUID_001_7	SUPPLB_LBUID_001_7	VARCHAR2
	SUPPLB_LBUID_001_7_ND	VARCHAR2

LBSPEC_001_7	LBSPEC_001_7_C	VARCHAR2
	LBSPEC_001_7	VARCHAR2
	LBSPEC_001_7_ND	VARCHAR2
LBDTC_001_7	LBDTC_001_7	DATE
	LBDTC_001_7_DTS	VARCHAR2
	LBDTC_001_7_ND	VARCHAR2
RD_LB001_7_LB03001_7		
LBSPID_001_7	LBSPID_001_7	NUMBER
	LBSPID_001_7_ND	VARCHAR2
LBTEST_001_7	LBTEST_001_7_C	VARCHAR2
	LBTEST_001_7	VARCHAR2
	LBTEST_001_7_ND	VARCHAR2
LBORRES_001_7	LBORRES_001_7	VARCHAR2
	LBORRES_001_7_ND	VARCHAR2
LBCLSIG_001_7	LBCLSIG_001_7_C	VARCHAR2
	LBCLSIG_001_7	VARCHAR2
	LBCLSIG_001_7_ND	VARCHAR2
LBCLSIG_001_7 - CO_LBCOM_001_7	CO_LBCOM_001_7	VARCHAR2
LBSTAT_001_7	LBSTAT_001_7_C	VARCHAR2
	LBSTAT_001_7	VARCHAR2
	LBSTAT_001_7_ND	VARCHAR2
X_LNMTFLAG_CMP_001_7	X_LNMTFLAG_CMP_001_7_ND	VARCHAR2
X_LNMTFLAG_CMP_001_7 - LBORNRHI_001_7	LBORNRHI_001_7	VARCHAR2
X_LNMTFLAG_CMP_001_7 - LBORNRL0_001_7	LBORNRL0_001_7	VARCHAR2
X_LNMTFLAG_CMP_001_7 - LBORRESU_001_7	LBORRESU_001_7	VARCHAR2
X_LNMTFLAG_CMP_001_7 - X_LNMTFLAG_001_7	X_LNMTFLAG_001_7	VARCHAR2

B7981027: LAB CHEMISTRY (LAB CHEM) - Repeating Form [LB001_8]								
#	Category for Lab Test	Vendor Name	Lab ID	Specimen Type	Collection Date	Fasting Status	LAB RESULT	
1								
LAB CHEMISTRY [LB01001_8]								
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_8] [A:2] ☐ CLINICAL CHEMISTRY						
2.*	Laboratory Name and Address: [Vendor Name]	[LBNAM_001_8] A200 *						
3.* ✓	Lab ID: [Lab ID]	[SUPPLB_LBUID_001_8] A50 *						
4.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_8] [A:33] ☐ SERUM						
5.* ✓	Collection Date: [Collection Date]	[LBDTC_001_8] (DD/MM/YYYY) Req / Req / Req (2025-2028)						
6.*	Fasting? [Fasting Status]	[LBFAST_001_8] [A:Y] ☐ YES [A:N] ☐ NO						
LAB RESULT [LB03001_8]								
# ✓	Sponsor-Defined Identifier	Test			Result	Clinically Significant	Not Done:	LNMT
7.a		Urea Nitrogen_PX47						
7.b		Urea_PX46						
7.c		Creatinine_PX48						
7.d		Glucose_PX68						
7.e		Calcium_PX58						
7.f		Sodium_PX54						
7.g		Potassium_PX55						
7.h		Aspartate Aminotransferase_PX28						
7.i		Alanine Aminotransferase_PX30						
7.j		Bilirubin_PX21						
7.k		Direct Bilirubin_PX22						
7.l		Indirect Bilirubin_PX23						
7.m		Alkaline Phosphatase_PX35						
7.n		Creatine Kinase_PX29						
LAB RESULT Entry [LB03001_8]								
7.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_8] N8						
7.2 ☐	Test: <i>[read-only]</i> [Test]	[LBTEST_001_8] [LBTEST_CL_001_8]						
7.3 ✓	Result: [Result]	[LBORRES_001_8] A30 *						
7.4 ✓	Clinically Significant? [Clinically Significant]	[LBCLSIG_001_8] [A:Y] ☐ [CO_LBCOM_CMP_001_8] ☐ YES [CO_LBCOM_001_8] Comment on Significant Finding: A200 *						

		[A:N] ☐ NO
7.5	Not Done: [Not Done:]	[LBSTAT_001_8] [A:1] ☐ NOT DONE
7.6	LNMT [read-only] [LNMT]	[X_LNMTFLAG_CMP_001_8] [LBORNRL0_001_8] Low A20★ [LBORNRHI_001_8] High A20★ [LBORRESU_001_8] Unit A20★ [X_LNMTFLAG_001_8] Flag A20★

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: LAB CHEMISTRY		
Type	RefName	Description
Item	LBCAT_001_8	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSPEC_001_8	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_8	Date of specimen collection.
Item	LBFAST_001_8	Indicator used to identify fasting status.
Item	LBSPID_001_8	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_8	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBCLSIG_001_8	Whether lab test result(s) were clinically significant.
Item	CO_LBCOM_001_8	Investigator comment on lab test results of clinical significance.
Item	LBSTAT_001_8	Used to indicate test was not done.
Item	LBORNRL0_001_8	LNMT field
Item	LBORNRHI_001_8	LNMT field
Item	LBORRESU_001_8	LNMT field
Item	X_LNMTFLAG_001_8	LNMT field

Codelist Values Tables: LAB CHEMISTRY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_8	String		Urea Nitrogen_PX47	47	cliLBTEST_Urea_Nitrogen_PX47	LBTEST_001_8
			Urea_PX46	46	cliLBTEST_Urea_PX46	
			Creatinine_PX48	48	cliLBTEST_Creatinine_PX48	
			Glucose_PX68	68	cliLBTEST_Glucose_PX68	
			Calcium_PX58	58	cliLBTEST_Calcium_PX58	
			Sodium_PX54	54	cliLBTEST_Sodium_PX54	
			Potassium_PX55	55	cliLBTEST_Potassium_PX55	
			Aspartate Aminotransferase_PX28	28	cliLBTEST_Aspartate_Aminotransferase_PX28	
			Alanine Aminotransferase_PX30	30	cliLBTEST_Alanine_Aminotransferase_PX30	
			Bilirubin_PX21	21	cliLBTEST_Bilirubin_PX21	
			Direct Bilirubin_PX22	22	cliLBTEST_Direct_Bilirubin_PX22	

		Indirect Bilirubin_PX23	23	cliLBTEST_Indirect_Bilirubin_PX23	
		Alkaline Phosphatase_PX35	35	cliLBTEST_Alkaline_Phosphatase_PX35	
		Creatine Kinase_PX29	29	cliLBTEST_Creatine_Kinase_PX29	

RDE Analytics: RD_LB001_8		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_8	LBCAT_001_8_C	VARCHAR2
	LBCAT_001_8	VARCHAR2
	LBCAT_001_8_ND	VARCHAR2
LBNAM_001_8	LBNAM_001_8	VARCHAR2
	LBNAM_001_8_ND	VARCHAR2
SUPPLB_LBUID_001_8	SUPPLB_LBUID_001_8	VARCHAR2
	SUPPLB_LBUID_001_8_ND	VARCHAR2
LBSPEC_001_8	LBSPEC_001_8_C	VARCHAR2
	LBSPEC_001_8	VARCHAR2
	LBSPEC_001_8_ND	VARCHAR2
LBDTC_001_8	LBDTC_001_8	DATE
	LBDTC_001_8_DTS	VARCHAR2
	LBDTC_001_8_ND	VARCHAR2
LBFAST_001_8	LBFAST_001_8_C	VARCHAR2
	LBFAST_001_8	VARCHAR2
	LBFAST_001_8_ND	VARCHAR2
RD_LB001_8_LB03001_8		
LBSPID_001_8	LBSPID_001_8	NUMBER
	LBSPID_001_8_ND	VARCHAR2
LBTEST_001_8	LBTEST_001_8_C	VARCHAR2
	LBTEST_001_8	VARCHAR2
	LBTEST_001_8_ND	VARCHAR2
LBORRES_001_8	LBORRES_001_8	VARCHAR2
	LBORRES_001_8_ND	VARCHAR2
LBCLSIG_001_8	LBCLSIG_001_8_C	VARCHAR2
	LBCLSIG_001_8	VARCHAR2
	LBCLSIG_001_8_ND	VARCHAR2
LBCLSIG_001_8 - CO_LBCOM_001_8	CO_LBCOM_001_8	VARCHAR2
LBSTAT_001_8	LBSTAT_001_8_C	VARCHAR2
	LBSTAT_001_8	VARCHAR2
	LBSTAT_001_8_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8	X_LNMTFLAG_CMP_001_8_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8 - LBORNRL0_001_8	LBORNRL0_001_8	VARCHAR2
X_LNMTFLAG_CMP_001_8 - LBORNRI_001_8	LBORNRI_001_8	VARCHAR2
X_LNMTFLAG_CMP_001_8 - LBORRESU_001_8	LBORRESU_001_8	VARCHAR2
X_LNMTFLAG_CMP_001_8 - X_LNMTFLAG_001_8	X_LNMTFLAG_001_8	VARCHAR2

B7981027: LABORATORY DATA - HEMATOLOGY (LAB HEM) - Repeating Form [LB001_9]						
#	Category for Lab Test	Vendor Name	Lab ID	Specimen Type	Collection Date	LAB RESULT
1						
LABORATORY DATA - HEMATOLOGY [LB01001_9]						
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_9] [A:1] ☒ HEMATOLOGY				
2.*	Laboratory Name and Address: [Vendor Name]	[LBNAM_001_9] A200 *				
3.* ✓	Lab ID: [Lab ID]	[SUPPLB_LBUID_001_9] A50 *				
4.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_9] [A:7] ☒ BLOOD				
5.* ✓	Collection Date: [Collection Date]	[LBDTC_001_9] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2025-2028)				
LAB RESULT [LB03001_9]						
# ✓	Sponsor-Defined Identifier	Test	Result	Clinically Significant	Not Done:	LNMT
6.a		Hemoglobin_PX1				
6.b		Hematocrit_PX2				
6.c		Erythrocytes_PX3				
6.d		Platelets_PX5				
6.e		Leukocytes_PX7				
6.f		Neutrophils_PX608				
6.g		Eosinophils_PX609				
6.h		Monocytes_PX612				
6.i		Basophils_PX610				
6.j		Lymphocytes_PX611				
6.k		Reticulocytes_PX877				
LAB RESULT Entry [LB03001_9]						
6.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_9] N8				
6.2 ☐	Test: <i>[read-only]</i> [Test]	[LBTEST_001_9] [LBTEST_CL_001_9] ☒				
6.3 ✓	Result: [Result]	[LBORRES_001_9] A30 *				
6.4 ✓	Clinically Significant? [Clinically Significant]	[LBCLSIG_001_9] [A:Y] ☒ [CO_LBCOM_CMP_001_9] ☐ YES [CO_LBCOM_001_9] Comment on Significant Finding: A200 * [A:N] ☒ NO				
6.5 ✓	Not Done: [Not Done:]	[LBSTAT_001_9] [A:1] ☒ NOT DONE				
6.6	LNMT <i>[read-only]</i> [LNMT]	[X_LNMTFLAG_CMP_001_9] [LBORNRI_001_9]				

		High A20★ [LBORNRO_001_9] Low A20★ [LBORRESU_001_9] Unit A20★ [X_LNMTFLAG_001_9] Flag A20★
Key: [*] = Item is required [▼] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LABORATORY DATA - HEMATOLOGY		
Type	RefName	Description
Item	LBCAT_001_9	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSPEC_001_9	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDBC_001_9	Date of specimen collection.
Item	LBSPID_001_9	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_9	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBCLSIG_001_9	Whether lab test result(s) were clinically significant.
Item	CO_LBCOM_001_9	Investigator comment on lab test results of clinical significance.
Item	LBSTAT_001_9	Used to indicate test was not done.
Item	LBORNRI_001_9	LNMT field
Item	LBORNRO_001_9	LNMT field
Item	LBORRESU_001_9	LNMT field
Item	X_LNMTFLAG_001_9	LNMT field

Codelist Values Tables: LABORATORY DATA - HEMATOLOGY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_9	String		Hemoglobin_PX1	1	cliLBTEST_Hemoglobin_PX1	LBTEST_001_9
			Hematocrit_PX2	2	cliLBTEST_Hematocrit_PX2	
			Erythrocytes_PX3	3	cliLBTEST_Erythrocytes_PX3	
			Platelets_PX5	5	cliLBTEST_Platelets_PX5	
			Leukocytes_PX7	7	cliLBTEST_Leukocytes_PX7	
			Neutrophils_PX608	608	cliLBTEST_Neutrophils_PX608	
			Eosinophils_PX609	609	cliLBTEST_Eosinophils_PX609	
			Monocytes_PX612	612	cliLBTEST_Monocytes_PX612	
			Basophils_PX610	610	cliLBTEST_Basophils_PX610	
			Lymphocytes_PX611	611	cliLBTEST_Lymphocytes_PX611	
			Reticulocytes_PX877	877	cliLBTEST_Reticulocytes_PX877	

RDE Analytics: RD_LB001_9		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_9	LBCAT_001_9_C	VARCHAR2
	LBCAT_001_9	VARCHAR2
	LBCAT_001_9_ND	VARCHAR2

LBNAM_001_9	LBNAM_001_9	VARCHAR2
	LBNAM_001_9_ND	VARCHAR2
SUPPLB_LBUID_001_9	SUPPLB_LBUID_001_9	VARCHAR2
	SUPPLB_LBUID_001_9_ND	VARCHAR2
LBSPEC_001_9	LBSPEC_001_9_C	VARCHAR2
	LBSPEC_001_9	VARCHAR2
	LBSPEC_001_9_ND	VARCHAR2
LBDTC_001_9	LBDTC_001_9	DATE
	LBDTC_001_9_DTS	VARCHAR2
	LBDTC_001_9_ND	VARCHAR2
RD_LB001_9_LB03001_9		
LBSPID_001_9	LBSPID_001_9	NUMBER
	LBSPID_001_9_ND	VARCHAR2
LBTEST_001_9	LBTEST_001_9_C	VARCHAR2
	LBTEST_001_9	VARCHAR2
	LBTEST_001_9_ND	VARCHAR2
LBORRES_001_9	LBORRES_001_9	VARCHAR2
	LBORRES_001_9_ND	VARCHAR2
LBCLSIG_001_9	LBCLSIG_001_9_C	VARCHAR2
	LBCLSIG_001_9	VARCHAR2
	LBCLSIG_001_9_ND	VARCHAR2
LBCLSIG_001_9 - CO_LBCOM_001_9	CO_LBCOM_001_9	VARCHAR2
LBSTAT_001_9	LBSTAT_001_9_C	VARCHAR2
	LBSTAT_001_9	VARCHAR2
	LBSTAT_001_9_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9	X_LNMTFLAG_CMP_001_9_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9 - LBORNRHI_001_9	LBORNRHI_001_9	VARCHAR2
X_LNMTFLAG_CMP_001_9 - LBORNRLO_001_9	LBORNRLO_001_9	VARCHAR2
X_LNMTFLAG_CMP_001_9 - LBORRESU_001_9	LBORRESU_001_9	VARCHAR2
X_LNMTFLAG_CMP_001_9 - X_LNMTFLAG_001_9	X_LNMTFLAG_001_9	VARCHAR2

Study Object Descriptions: VITAL SIGNS - REPEATING		
Type	RefName	Description
Form	VS001_2	VS001 - Vital Signs - Wide Format
Item	VSDTC_001_2	The date the measurement was performed.
Item	VSORRES_WEIGHT_001_2	Weight
Item	VSORRESU_WEIGHT_001_2	Weight Unit
Item	VSORRES_HEIGHT_001_2	Height
Item	VSORRESU_HEIGHT_001_2	Height Unit
Item	VSSPID_001_2	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_SYSBP_001_2	Systolic Blood Pressure collected in mmHg
Item	VSORRES_DIABP_001_2	Diastolic Blood Pressure in mmHg
Item	VSORRES_PULSE_001_2	Pulse Rate in beats/minute.

Data Variable RefName	RD Column Name	Column Data Type
VSCAT_001_2	VSCAT_001_2_C	VARCHAR2
	VSCAT_001_2	VARCHAR2
	VSCAT_001_2_ND	VARCHAR2
VSDTC_001_2	VSDTC_001_2	DATE
	VSDTC_001_2_DTS	VARCHAR2
	VSDTC_001_2_ND	VARCHAR2
VSORRES_WEIGHT_001_2	VSORRES_WEIGHT_001_2	FLOAT
	VSORRES_WEIGHT_001_2_ND	VARCHAR2
VSORRESU_WEIGHT_001_2	VSORRESU_WEIGHT_001_2_C	VARCHAR2
	VSORRESU_WEIGHT_001_2	VARCHAR2
	VSORRESU_WEIGHT_001_2_ND	VARCHAR2
VSORRES_HEIGHT_001_2	VSORRES_HEIGHT_001_2	FLOAT
	VSORRES_HEIGHT_001_2_ND	VARCHAR2
VSORRESU_HEIGHT_001_2	VSORRESU_HEIGHT_001_2_C	VARCHAR2
	VSORRESU_HEIGHT_001_2	VARCHAR2
	VSORRESU_HEIGHT_001_2_ND	VARCHAR2
RD_VS001_2_VS02001_2		
VSSPID_001_2	VSSPID_001_2_C	VARCHAR2
	VSSPID_001_2	VARCHAR2
	VSSPID_001_2_ND	VARCHAR2
VSORRES_SYSBP_001_2	VSORRES_SYSBP_001_2	NUMBER
	VSORRES_SYSBP_001_2_ND	VARCHAR2
VSORRES_DIABP_001_2	VSORRES_DIABP_001_2	NUMBER
	VSORRES_DIABP_001_2_ND	VARCHAR2
VSORRES_PULSE_001_2	VSORRES_PULSE_001_2	NUMBER
	VSORRES_PULSE_001_2_ND	VARCHAR2

Study Object Descriptions: LOCALLY READ ECGs REPEATING		
Type	RefName	Description
Form	EG001_3	EG001 - LOCALLY READ ECGs
Item	EGDTC_001_3	Date of ECG.
Item	EGORRES_INTP_001_3	ECG Interpretation - Normal, Abnormal, Not Evaluable.
Item	EGCLSIG_001_3	Whether ECG results were clinically significant. Need a rule as EGCLSIG is completed only if EGNABN = "ABNORMAL" or "INDETERMINATE"

Item	CO_EGCOM_001_3	Comments on Significant ECG Findings
Item	EGTEST_001_3	Name of ECG Measurement, test or examination. Long name for EGTESTCD.
Item	EGORRES_001_3	Result of the measurement or finding as originally received or collected.
Item	EGORRESU_001_3	Original units in which the data were collected.

RDE Analytics: RD_EG001_3		
Data Variable RefName	RD Column Name	Column Data Type
EGDTC_001_3	EGDTC_001_3	DATE
	EGDTC_001_3_DTS	VARCHAR2
	EGDTC_001_3_ND	VARCHAR2
EGORRES_INTP_001_3	EGORRES_INTP_001_3_C	VARCHAR2
	EGORRES_INTP_001_3	VARCHAR2
	EGORRES_INTP_001_3_ND	VARCHAR2
EGORRES_INTP_001_3 - EGCLSIG_001_3	EGCLSIG_001_3_C	VARCHAR2
	EGCLSIG_001_3	VARCHAR2
EGORRES_INTP_001_3 - CO_EGCOM_001_3	CO_EGCOM_001_3	VARCHAR2
RD_EG001_3_EG02001_3		
EGTEST_001_3	EGTEST_001_3_C	VARCHAR2
	EGTEST_001_3	VARCHAR2
	EGTEST_001_3_ND	VARCHAR2
EGORRES_001_3	EGORRES_001_3	VARCHAR2
	EGORRES_001_3_ND	VARCHAR2
EGORRESU_001_3	EGORRESU_001_3_C	VARCHAR2
	EGORRESU_001_3	VARCHAR2
	EGORRESU_001_3_ND	VARCHAR2

B7981027: MICROBIOLOGY CULTURE - HBV DNA (HBV DNA) - Repeating Form [MBMC005]			
#	Date of Specimen Collection	Method of Test	MICROBIOLOGY CULTURE - II
1			
MICROBIOLOGY CULTURE - I [MBMC01005]			
1.*	Date of Specimen Collection: [Date of Specimen Collection]	[MBDTC_005] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2028)	
2.	Method of Test: <i>[read-only]</i> [Method of Test]	[MBMETHOD_005] [A:96] ☐ POLYMERASE CHAIN REACTION	
MICROBIOLOGY CULTURE - II [MBMC02005]			
#	Test Name	Test Result*	
3.a	Hepatitis B Virus DNA		
MICROBIOLOGY CULTURE - II Entry [MBMC02005]			
3.1	HBV DNA: <i>[read-only]</i> ☐ [Test Name]	[MBTEST_005] [A:131] ☐ Hepatitis B Virus DNA	
3.2*	HBV DNA Test Result: [Test Result]	[MBORRES_005] [A:1] ☐ DETECTED [A:2] ☐ NOT DETECTED [A:3] ☐ INDETERMINATE	
Key: [*] = Item is required ☐ = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer.			

RDE Analytics: RD_MBMC005		
Data Variable RefName	RD Column Name	Column Data Type
MBDTC_005	MBDTC_005	DATE
	MBDTC_005_DTS	VARCHAR2
	MBDTC_005_ND	VARCHAR2
MBMETHOD_005	MBMETHOD_005_C	VARCHAR2
	MBMETHOD_005	VARCHAR2
	MBMETHOD_005_ND	VARCHAR2
RD_MBMC005_MBMC02005		
MBTEST_005	MBTEST_005_C	VARCHAR2
	MBTEST_005	VARCHAR2
	MBTEST_005_ND	VARCHAR2
MBORRES_005	MBORRES_005_C	VARCHAR2
	MBORRES_005	VARCHAR2
	MBORRES_005_ND	VARCHAR2

RDE Analytics: RD_SRTCR002_1		
Data Variable RefName	RD Column Name	Column Data Type
CO_TCRCOM_002_1	CO_TCRCOM_002_1	VARCHAR2
	CO_TCRCOM_002_1_ND	VARCHAR2
SUPPSR_TSTDTC_002_1	SUPPSR_TSTDTC_002_1	DATE
	SUPPSR_TSTDTC_002_1_DTS	VARCHAR2
	SUPPSR_TSTDTC_002_1_ND	VARCHAR2
SRORRES_IDRLDIAM_002_1	SRORRES_IDRLDIAM_002_1	FLOAT
	SRORRES_IDRLDIAM_002_1_ND	VARCHAR2
*RD_SRTCR002_1_SRTCR01002_1		
Y_SRMETHOD_002_1	Y_SRMETHOD_002_1_C	VARCHAR2
	Y_SRMETHOD_002_1	VARCHAR2

	Y_SRMETHOD_002_1_ND	VARCHAR2
X_SRSTAT_002_1	X_SRSTAT_002_1_C	VARCHAR2
	X_SRSTAT_002_1	VARCHAR2
	X_SRSTAT_002_1_ND	VARCHAR2
Y_SRDTC_002_1	Y_SRDTC_002_1	DATE
	Y_SRDTC_002_1_DTS	VARCHAR2
	Y_SRDTC_002_1_ND	VARCHAR2
Y_SRRORRES_002_1	Y_SRRORRES_002_1_C	VARCHAR2
	Y_SRRORRES_002_1	VARCHAR2
	Y_SRRORRES_002_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

RDE Analytics: RD_LB001_11_1		
Data Variable RefName	RD Column Name	Column Data Type
*RD_LB001_11_1_LB01001_11_1		
LBCAT_001_11_1	LBCAT_001_11_1_C	VARCHAR2
	LBCAT_001_11_1	VARCHAR2
	LBCAT_001_11_1_ND	VARCHAR2
LBSPEC_001_11_1	LBSPEC_001_11_1_C	VARCHAR2
	LBSPEC_001_11_1	VARCHAR2
	LBSPEC_001_11_1_ND	VARCHAR2
LBSPID_001_11_1	LBSPID_001_11_1_C	NUMBER
	LBSPID_001_11_1	VARCHAR2
	LBSPID_001_11_1_ND	VARCHAR2
R_LBTEST_001_11_1	R_LBTEST_001_11_1_C	VARCHAR2
	R_LBTEST_001_11_1	VARCHAR2
	R_LBTEST_001_11_1_ND	VARCHAR2
LBREFID_001_11_1	LBREFID_001_11_1_C	VARCHAR2
	LBREFID_001_11_1	VARCHAR2
	LBREFID_001_11_1_ND	VARCHAR2

X_LBSTAT_001_11_1	X_LBSTAT_001_11_1_C	VARCHAR2
	X_LBSTAT_001_11_1	VARCHAR2
	X_LBSTAT_001_11_1_ND	VARCHAR2
LBDTC_001_11_1	LBDTC_001_11_1	DATE
	LBDTC_001_11_1_DTS	VARCHAR2
	LBDTC_001_11_1_ND	VARCHAR2
CO_LBINVCOM_001_11_1	CO_LBINVCOM_001_11_1	VARCHAR2
	CO_LBINVCOM_001_11_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

Study Object Descriptions: INFORMED CONSENT - RE-CONSENT		
Type	RefName	Description
Item	DSSTDTC_001_12	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_12		
Data Variable RefName	RD Column Name	Column Data Type
SUPPDS_DSCSOBT_001_12	SUPPDS_DSCSOBT_001_12_C	VARCHAR2
	SUPPDS_DSCSOBT_001_12	VARCHAR2
	SUPPDS_DSCSOBT_001_12_ND	VARCHAR2
SUPPDS_DSCSOBT_001_12 - DSSTDTC_001_12	DSSTDTC_001_12	DATE
	DSSTDTC_001_12_DTS	VARCHAR2

B7981027: DISPOSITION - TREATMENT (DISP TRT) [DS001_5]		
Disposition - Treatment [DS01001_5]		
1.* ✓	Date of Completion/Discontinuation/Death: [Date]	[DSSTDTC_001_5] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2028)
2.	Phase of Disposition: <i>[read-only]</i> [Disposition Phase]	[SUPPDS_DSPHASE_001_5] [A:17] ☐ DOUBLE-BLIND TREATMENT
3.* ✓	Status: [Status]	[DSDECOD_001_5] [DSDECOD_CL_001_5] ☐
4.	Specify Status: [Specify Status]	[DSTERM_001_5] A100★
Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: DISPOSITION - TREATMENT		
Type	RefName	Description
Item	DSSTDTC_001_5	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5	Specify Status

Codelist Values Tables: DISPOSITION - TREATMENT						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5	String		ADVERSE EVENT	1	cliINCOMPLT_ADVERSE_EVENT	DSDECOD_001_5
			COMPLETED	2	cliINCOMPLT_COMPLETED	
			DEATH	3	cliINCOMPLT_DEATH	
			LACK OF EFFICACY	4	cliINCOMPLT_LACK_OF_EFFICACY	
			LOST TO FOLLOW-UP	5	cliINCOMPLT_LOSTTOFOLLOWUP	
			NON-COMPLIANCE WITH STUDY DRUG	6	cliINCOMPLT_NONCOMPLIANCE_WITH_STUDY_DRUG	
			OTHER	7	cliINCOMPLT_OTHER	
			PREGNANCY	9	cliINCOMPLT_PREGNANCY	
			PROTOCOL DEVIATION	11	cliINCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cliINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			PHYSICIAN DECISION	8	cliINCOMPLT_PHYSICIAN_DECISION	
			WITHDRAWAL BY SUBJECT	16	cliINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			WITHDRAWAL BY PARENT/GUARDIAN	19	cliINCOMPLT_WITHDRAWAL_BY_PARENT_GUARDIAN	
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	17	cliINCOMPLT_MEDIC_ERROR_WITHOUT_ASSOCIATED_ADVERSE	
			NO LONGER MEETS ELIGIBILITY CRITERIA	18	cliINCOMPLT_NO_LONGER_MEETS_ELIGIBILITY_CRITERIA	

RDE Analytics: RD_DS001_5		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_5	DSSTDTC_001_5	DATE
	DSSTDTC_001_5_DTS	VARCHAR2
	DSSTDTC_001_5_ND	VARCHAR2
SUPPDS_DSPHASE_001_5	SUPPDS_DSPHASE_001_5_C	VARCHAR2
	SUPPDS_DSPHASE_001_5	VARCHAR2
	SUPPDS_DSPHASE_001_5_ND	VARCHAR2
DSDECOD_001_5	DSDECOD_001_5_C	VARCHAR2
	DSDECOD_001_5	VARCHAR2

	DSDECOD_001_5_ND	VARCHAR2
DSTERM_001_5	DSTERM_001_5	VARCHAR2
	DSTERM_001_5_ND	VARCHAR2

Study Object Descriptions: DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Item	DSTDTC_001_6	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_6	Specify Status
Item	SUPPDS_DSNEXT_001_6	Next Phase of Study

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_6	String		ADVERSE EVENT	1	clINCOMPLT_ADVERSE_EVENT	DSDECOD_001_6
			COMPLETED	2	clINCOMPLT_COMPLETED	
			DEATH	3	clINCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	clINCOMPLT_LOSTTOFOLLOWUP	
			OTHER	7	clINCOMPLT_OTHER	
			PROTOCOL DEVIATION	11	clINCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	clINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	clINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			WITHDRAWAL BY PARENT/GUARDIAN	19	clINCOMPLT_WITHDRAWAL_BY_PARENT_GUARDIAN	

RDE Analytics: RD_DS001_6		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_6	DSSTDTC_001_6	DATE
	DSSTDTC_001_6_DTS	VARCHAR2
	DSSTDTC_001_6_ND	VARCHAR2
SUPPDS_DSPHASE_001_6	SUPPDS_DSPHASE_001_6_C	VARCHAR2
	SUPPDS_DSPHASE_001_6	VARCHAR2
	SUPPDS_DSPHASE_001_6_ND	VARCHAR2
DSDECOD_001_6	DSDECOD_001_6_C	VARCHAR2

	DSDECOD_001_6	VARCHAR2
	DSDECOD_001_6_ND	VARCHAR2
DSTERM_001_6	DSTERM_001_6	VARCHAR2
	DSTERM_001_6_ND	VARCHAR2
SUPPDS_DSCONT_001_6	SUPPDS_DSCONT_001_6_C	VARCHAR2
	SUPPDS_DSCONT_001_6	VARCHAR2
	SUPPDS_DSCONT_001_6_ND	VARCHAR2
SUPPDS_DSCONT_001_6 - SUPPDS_DSNEXT_001_6	SUPPDS_DSNEXT_001_6_C	VARCHAR2
	SUPPDS_DSNEXT_001_6	VARCHAR2

B7981027: WITHDRAWAL OF CONSENT (WOC) [DS001_7]		
Withdrawal Of Consent [DS01001_7]		
1.* ✓	Date of Withdrawal of Consent: [Date]	[DSSTDTC_001_7] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2028)
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: WITHDRAWAL OF CONSENT		
Type	RefName	Description
Item	DSSTDTC_001_7	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_7			
Data Variable	RefName	RD Column Name	Column Data Type
DSSTDTC_001_7		DSSTDTC_001_7	DATE
		DSSTDTC_001_7_DTS	VARCHAR2
		DSSTDTC_001_7_ND	VARCHAR2

B7981027: WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE (WOC RRS) [DS001_7_1]		
Withdrawal Of Consent [DS01001_7_1]		
1.* ✓	Date of Withdrawal of Consent: [Date]	[DSSTDTC_001_7_1] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2028)
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE		
Type	RefName	Description
Item	DSSTDTC_001_7_1	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_7_1			
Data Variable	RefName	RD Column Name	Column Data Type
DSSTDTC_001_7_1		DSSTDTC_001_7_1	DATE
		DSSTDTC_001_7_1_DTS	VARCHAR2
		DSSTDTC_001_7_1_ND	VARCHAR2

Study Object Descriptions: TREATMENT UNBLINDED		
Type	RefName	Description
Item	DSSTDTC_001_8	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation)

RDE Analytics: RD_DS001_8		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_8	DSSTDTC_001_8	DATE
	DSSTDTC_001_8_DTS	VARCHAR2
	DSSTDTC_001_8_ND	VARCHAR2
X_DSTERM_DSUNBL_001_8	X_DSTERM_DSUNBL_001_8_C	VARCHAR2
	X_DSTERM_DSUNBL_001_8	VARCHAR2
	X_DSTERM_DSUNBL_001_8_ND	VARCHAR2
X_DSTERM_DSUNBL_001_8 - X_DSTERM_DSUNBLO_001_8	X_DSTERM_DSUNBLO_001_8	VARCHAR2
SUPPDS_DSPHASE_001_8	SUPPDS_DSPHASE_001_8_C	VARCHAR2
	SUPPDS_DSPHASE_001_8	VARCHAR2
	SUPPDS_DSPHASE_001_8_ND	VARCHAR2

Study Object Descriptions: DEATH DETAILS

Type	RefName	Description
Form	DD002	DEATH DETAILS CODED

Coding Summary: DEATH DETAILS			
Verbatim RefName: DDORRES_002 Dictionary: Pfizer MedDRA Verbatim Type:			
Coding Item	RefName	Level	Level Type
SUPPDD_DDSOC_002		SOC	Term
SUPPDD_DDSOCCD_002		SOC	Code
SUPPDD_DDHLGT_002		HLGT	Term
SUPPDD_DDHLGTCD_002		HLGT	Code
SUPPDD_DDHLT_002		HLT	Term
SUPPDD_DDHLTCD_002		HLT	Code
SUPPDD_DDDECOD_002		PT	Term
SUPPDD_DDPTCD_002		PT	Code
SUPPDD_DDLLT_002		LLT	Term
SUPPDD_DDLLTCD_002		LLT	Code

RDE Analytics: RD_DD002		
Data Variable	RefName	RD Column Name Column Data Type
DDDTC_002		DDDTC_002 DATE
		DDDTC_002_DTS VARCHAR2
		DDDTC_002_ND VARCHAR2
R_DDDTHDTC_002		R_DDDTHDTC_002 DATE
		R_DDDTHDTC_002_DTS VARCHAR2
		R_DDDTHDTC_002_ND VARCHAR2
RD_DD002_DD02002		
DDTEST_002		DDTEST_002_C VARCHAR2
		DDTEST_002 VARCHAR2
		DDTEST_002_ND VARCHAR2
DDORRES_002		DDORRES_002 VARCHAR2
		DDORRES_002_ND VARCHAR2
D_COMPTERM6_002		D_COMPTERM6_002 VARCHAR2
		D_COMPTERM6_002_ND VARCHAR2
SUPPDD_DDLLT_002		SUPPDD_DDLLT_002 VARCHAR2
		SUPPDD_DDLLT_002_ND VARCHAR2
SUPPDD_DDLLTCD_002		SUPPDD_DDLLTCD_002 VARCHAR2
		SUPPDD_DDLLTCD_002_ND VARCHAR2
SUPPDD_DDDECOD_002		SUPPDD_DDDECOD_002 VARCHAR2
		SUPPDD_DDDECOD_002_ND VARCHAR2
SUPPDD_DDPTCD_002		SUPPDD_DDPTCD_002 VARCHAR2
		SUPPDD_DDPTCD_002_ND VARCHAR2
SUPPDD_DDHLT_002		SUPPDD_DDHLT_002 VARCHAR2
		SUPPDD_DDHLT_002_ND VARCHAR2
SUPPDD_DDHLTCD_002		SUPPDD_DDHLTCD_002 VARCHAR2
		SUPPDD_DDHLTCD_002_ND VARCHAR2
SUPPDD_DDHLGT_002		SUPPDD_DDHLGT_002 VARCHAR2

	SUPPDD_DDHLGT_002_ND	VARCHAR2
SUPPDD_DDHLGTCD_002	SUPPDD_DDHLGTCD_002	VARCHAR2
	SUPPDD_DDHLGTCD_002_ND	VARCHAR2
SUPPDD_DDSDOC_002	SUPPDD_DDSDOC_002	VARCHAR2
	SUPPDD_DDSDOC_002_ND	VARCHAR2
SUPPDD_DDSDOCCD_002	SUPPDD_DDSDOCCD_002	VARCHAR2
	SUPPDD_DDSDOCCD_002_ND	VARCHAR2

B7981027: SUBJECT STATUS (SUB STATU) [X_DS_SLOPD001]			
Subject Status [X_DS_SLOPD01001]			
1.	Subject Status <i>[read-only]</i> [Subject Status]	[X_DS_STAT_001] [X_DS_STAT_CL_001] 	
2.	Subject Status Date <i>[read-only]</i> [Status Date]	[X_DS_DAT_001] (DD/MM/YYYY) Req  / Req  / Req  (2025-2028)	
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.			

Study Object Descriptions: SUBJECT STATUS		
Type	RefName	Description
Form	X_DS_SLOPD001	DS_SLOPD - Subject Status

Codelist Values Tables: SUBJECT STATUS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
X_DS_STAT_CL_001	String		SCREENED	1	cliDS_STAT_SCREENED	X_DS_STAT_001
			SCREEN FAIL	2	cliDS_STAT_SCREEN_FAIL	
			ENROLLED/RANDOMIZED	3	cliDS_STAT_ENROLLED_RANDOMIZED	
			DISCONTINUED	4	cliDS_STAT_DISCONTINUED	
			COMPLETED	5	cliDS_STAT_COMPLETED	
			FOLLOW-UP	6	cliDS_STAT_FOLLOW_UP	

RDE Analytics: RD_X_DS_SLOPD001		
Data Variable RefName	RD Column Name	Column Data Type
X_DS_STAT_001	X_DS_STAT_001_C	VARCHAR2
	X_DS_STAT_001	VARCHAR2
	X_DS_STAT_001_ND	VARCHAR2
X_DS_DAT_001	X_DS_DAT_001	DATE
	X_DS_DAT_001_DTS	VARCHAR2
	X_DS_DAT_001_ND	VARCHAR2

B7981027: CASEBOOK SIGNATURE FORM (INVSIG) [D_IS001]		
Casebook Signature Form [D_IS01001]		
1.*	Casebook Signature [Casebook Signature]	[D_INVSIG_001] [A:1]  Click Here to Enable
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_IS001		
Data Variable RefName	RD Column Name	Column Data Type
D_INVSIG_001	D_INVSIG_001_C	VARCHAR2
	D_INVSIG_001	VARCHAR2
	D_INVSIG_001_ND	VARCHAR2

InForm Special Properties For Study Design: B7981027			
InForm Special Property	Property Type	Data Object RefName	Data Object Path RefName
Screening	Visit	SYSSCR	SYSSCR
Enrollment	Visit	SYSENR	SYSENR
Screening	Form	D_INFSCR001	SYSSCR.D_INFSCR001
Enrollment	Form	D_INFENR001	SYSENR.D_INFENR001
Patient Identification	Form	DM001	SCR.DM001
Study Completion	Form	Unassigned	Unassigned
Reg Docs	Form	Unassigned	Unassigned
Visit Report	Form	Unassigned	Unassigned
Visit Approval	Form	Unassigned	Unassigned
Initials (Screening)	Item	D_SCRINIT_001	SYSSCR.D_INFSCR001.D_INFSCR01001.D_SCRINIT_001
DOB (Screening)	Item	D_SCRDOB_001	SYSSCR.D_INFSCR001.D_INFSCR01001.D_SCRDOB_001
Screening date (Screening)	Item	Unassigned	Unassigned
Patient No. (Enrollment)	Item	D_SUBJID_001	SCR.DM001.DM01001.D_SUBJID_001 SYSENR.D_INFENR001.D_INFENR01001.D_SUBJID_001
Initials (Patient Identification)	Item	Unassigned	Unassigned
Completion status (Study Completion)	Item	Unassigned	Unassigned
Drop out reason (Study Completion)	Item	Unassigned	Unassigned
DOV (Date of Visit)	Item	SVSTDTC_001	WEEK8.SV001.SV01001.SVSTDTC_001 WEEK12.SV001.SV01001.SVSTDTC_001 WEEK4.SV001.SV01001.SVSTDTC_001 WEEK2.SV001.SV01001.SVSTDTC_001 DAY1.SV001.SV01001.SVSTDTC_001 WEEK16.SV001.SV01001.SVSTDTC_001 UNPL.SV001.SV01001.SVSTDTC_001 END_OF_TRT.SV001.SV01001.SVSTDTC_001 SCR.SV001.SV01001.SVSTDTC_001 WEEK20.SV001.SV01001.SVSTDTC_001 WEEK24.SV001.SV01001.SVSTDTC_001 WEEK18.SV001.SV01001.SVSTDTC_001 FOLLOW_UP.SV001.SV01001.SVSTDTC_001
Randomization field (Randomization)	Item	Unassigned	Unassigned

Personal/Protected Health Information Table: B7981027		
Item RefName	Section RefName	Form RefName
No items have been defined as "Personal/Protected Health Information".		
Please note: emails sent from the trial server by the InForm application are not encrypted. If you are subject to HIPAA requirements, you should identify and block all Personal/Protected Health Information items that may be included in email notifications.		

Unit Conversions For Study Design: B7981027

No unit conversion data.

Review States for Study: B7981027

No Review States have been defined.

In-place Revisions Summary Table: B7981027					
Deployment Instance: B7981027_LIVE					
Data Object RefName	Type	Actual Change Path	Description	Study Version	Path
AECAT_001	Item	AE001.AE01001.AECAT_001	Added item required for AECAT_001	B7981027 2.0.0 B7981027 3.0.0 B7981027 4.0.0	AE001.AE01001.AECAT_001 AE001.AE01001.AECAT_001 AE001.AE01001.AECAT_001
CMDOSFRQ_001	Item	CM001.CM01001.CMDOSFRQ_001	Add "QM", "2 TIMES PER WEEK" to CMDOSFRQ_CL_001	B7981027 2.0.0 B7981027 3.0.0 B7981027 4.0.0	CM001.CM01001.CMDOSFRQ_001 CM001.CM01001.CMDOSFRQ_001 CM001.CM01001.CMDOSFRQ_001
CMDOSFRQ_001_3	Item	CM001_3.CM01001_3.CMDOSFRQ_001_3	Add "QM", "2 TIMES PER WEEK" to CMDOSFRQ_CL_001_3	B7981027 2.0.0 B7981027 3.0.0 B7981027 4.0.0	CM001_3.CM01001_3.CMDOSFRQ_001_3 CM001_3.CM01001_3.CMDOSFRQ_001_3 CM001_3.CM01001_3.CMDOSFRQ_001_3
DS01001_6	Section	DS001_6.DS01001_6	add 2 items(SUPPDS_DSCONT_001_6 and SUPPDS_DSNEXT_001_6) to DS001_6	B7981027 2.0.0 B7981027 3.0.0 B7981027 4.0.0	DS001_6.DS01001_6.* DS001_6.DS01001_6.* DS001_6.DS01001_6.*
EC01001_4	Section	EC001_4.EC01001_4	Added item required true for SUPPEC_ECMDOSE_001_4, SUPPEC_ECNMDOS_001_4	B7981027 2.0.0 B7981027 3.0.0 B7981027 4.0.0	EC001_4.EC01001_4.* EC001_4.EC01001_4.* EC001_4.EC01001_4.*
EC01001_4_1	Section	EC001_4_1.EC01001_4_1	added item required true for SUPPEC_ECMDOSE_001_4_1 SUPPEC_ECNMDOS_001_4_1	B7981027 2.0.0 B7981027 3.0.0 B7981027 4.0.0	EC001_4_1.EC01001_4_1.* EC001_4_1.EC01001_4_1.* EC001_4_1.EC01001_4_1.*
LB03001_7	Section	LB001_7.LB03001_7	Added item required true for CO_LBCOM_001_7	B7981027 2.0.0	LB001_7.LB03001_7.*
				B7981027 3.0.0	LB001_7.LB03001_7.*
				B7981027 4.0.0	LB001_7.LB03001_7.*
MBMC02005	Section	MBMC005.MBMC02005	Added item required true for MBORRES_005	B7981027 2.0.0	MBMC005.MBMC02005.*
				B7981027 3.0.0	MBMC005.MBMC02005.*
				B7981027 4.0.0	MBMC005.MBMC02005.*
MH02001	Section	MH001.MH02001	Added item required true for MHSTDT_001, X_MHONGO_001, MHENDTC_001	B7981027 2.0.0 B7981027 3.0.0 B7981027 4.0.0	MH001.MH02001.* MH001.MH02001.* MH001.MH02001.*
R_TRIGRESP1_001	Item	R_TRIG001.R_TRIG01001.R_TRIGRESP1_001	Trigger form: correct typo to updated 'Amendmant' from 'Amendment' for existing codelist values of protocol version.	B7981027 2.0.0 B7981027 3.0.0 B7981027 4.0.0	R_TRIG001.R_TRIG01001.R_TRIGRESP1_001 R_TRIG001.R_TRIG01001.R_TRIGRESP1_001 R_TRIG001.R_TRIG01001.R_TRIGRESP1_001

Custom Events for Study Design: B7981027

No custom events have been defined.