

Annotated Study Book for Study Design: B7981032

Study Design Version: 8.0

Protocol: B7981032

Sponsor Drug Name: PF-06651600

Pfizer Prototype

Generated by Central Designer TM

February 14, 2024 11:06PM

B7981032: INFORM SCREENING (INFSRC) [INFSCR]		
InForm Screening [sctINFSCR_01]		
1.	InForm Initials <i>[hidden]</i> [InForm Initials]	[SCRINIT] A3
2.*	Birth Year: [Birth Year]	[SCRDOB] (YYYY) Req (1920-2011)
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: INFORM SCREENING

Type	RefName	Description
Form	INFSCR	InForm Screening
Item	SCRINIT	Initials to be populated by dashes
Item	SCRDOB	Birth Date (DD-MMM-YYYY)

RDE Analytics: RD_INFSCR			
Data Variable	RefName	RD Column Name	Column Data Type
SCRINIT		SCRINIT	VARCHAR2
		SCRINIT_ND	VARCHAR2
SCRDOB		SCRDOB_DTS	VARCHAR2
		SCRDOB_ND	VARCHAR2

B7981032: INFORM ENROLLMENT (INFENR) [INFENR]		
InForm Enrollment [sctINFENR_01]		
1.*	Subject ID [Subject ID]	[SUBJID] N8
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: INFORM ENROLLMENT

Type	RefName	Description
Form	INFENR	InForm Enrollment
Item	SUBJID	Subject numbers are 8 numeric digits, using the site number as the first 4 digits and a serial number beginning at 1001 for the last 4 digits.

RDE Analytics: RD_INFENR		
Data Variable RefName	RD Column Name	Column Data Type
SUBJID	SUBJID	NUMBER
	SUBJID_ND	VARCHAR2

B7981032: DATE OF VISIT (DOV) [DOV]		
1.*	Date of Visit [Date of Visit]	[DOVDAT] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2019-2027)
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: DATE OF VISIT		
Type	RefName	Description
Item	DOVDAT	Date of Visit

RDE Analytics: RD_DOV		
Data Variable RefName	RD Column Name	Column Data Type
DOVDAT	DOVDAT	DATE
	DOVDAT_DTS	VARCHAR2
	DOVDAT_ND	VARCHAR2

Study Object Descriptions: DEMOGRAPHY		
Type	RefName	Description
Form	DM301	DM301 - Demography
Item	SUBJID	Subject numbers are 8 numeric digits, using the site number as the first 4 digits and a serial number beginning at 1001 for the last 4 digits.
Item	BRTHDAT	A subject's date of birth (with or without the time of birth). The complete Date of Birth is made from the temporal components of Birth Year, Birth Month, Birth Day and Birth Time. Mapped from InForm Screening.
Item	SEX	The assemblage of physical properties or qualities by which male is distinguished from female; the physical difference between male and female.
Item	ETHNIC	A social group characterized by a distinctive social and cultural tradition.
Item	RACE	An arbitrary classification based on physical characteristics; a group of persons related by common descent or heredity (U.S. Center for Disease Control).

file:///C:/Users/Nsharma/AppData/Local/Apps/2.0/3H0KP69G.CJ8/2DJKZ8XV.BQV/orac..90.0 919f856034ae8f10 0007.000... 2/14/2024

RACE - ASIAN	RACE_CLIRACE3_C	VARCHAR2
	RACE_CLIRACE3	VARCHAR2
RACE - NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	RACE_CLIRACE4_C	VARCHAR2
	RACE_CLIRACE4	VARCHAR2
RACE - WHITE	RACE_CLIRACE5_C	VARCHAR2
	RACE_CLIRACE5	VARCHAR2
RACE - NOT REPORTED	RACE_CLIRACE6_C	VARCHAR2
	RACE_CLIRACE6	VARCHAR2

Study Object Descriptions: INFORMED CONSENT		
Type	RefName	Description
Form	DS201	DS201 - Informed Consent
Item	DSCSOBT	From CT05-GSOP 01-Oct-2013: "The subject and/or subject's legal representative must sign an ICD before commencing any study-related procedures unless a waiver of informed consent has been granted by an Institutional Review Board/Independent Ethics Committee (IRB/IEC)."
Item	DSSTDAT	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS201		
Data Variable RefName	RD Column Name	Column Data Type
DSCSOBT	DSCSOBT_C	VARCHAR2
	DSCSOBT	VARCHAR2
	DSCSOBT_ND	VARCHAR2
DSCSOBT - DSSTDAT	DSSTDAT	DATE
	DSSTDAT_DTS	VARCHAR2

Study Object Descriptions: ADDITIONAL CONSENT		
Type	RefName	Description
Form	DS003	DS003 - Additional consent
Item	DSRCTYP	Re-consent Type(s)
Item	DSCSOBT_1	From CT05-GSOP 01-Oct-2013: "The subject and/or subject's legal representative must sign an ICD before commencing any study-related procedures unless a waiver of informed consent has been granted by an Institutional Review Board/Independent Ethics Committee (IRB/IEC)."
Item	cmpDSSTDAT_2	If DSCSOBT is answered YES, user is prompted with Date
Item	DSSTDAT_2	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS003		
Data Variable RefName	RD Column Name	Column Data Type
DSRCTYP	DSRCTYP_C	VARCHAR2
	DSRCTYP	VARCHAR2
	DSRCTYP_ND	VARCHAR2
DSCSOBT_1	DSCSOBT_1_C	VARCHAR2
	DSCSOBT_1	VARCHAR2
	DSCSOBT_1_ND	VARCHAR2
DSCSOBT_1 - DSSTDAT_2	DSSTDAT_2	DATE
	DSSTDAT_2_DTS	VARCHAR2

B7981032: PREVIOUS STUDY PARTICIPATION (PREVIOUS STUDY PARTICIPATION) [DM002]		
1.*	Previous Study Identifier: [Previous Study Identifier]	[DMPSTUDY] A20
2.*	Previous Site Identifier: [Previous Site Identifier]	[DMPSITE] A20
3.*	Previous Subject Identifier: [Previous Subject Identifier]	[DMPSUBJ] A20
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: PREVIOUS STUDY PARTICIPATION		
Type	RefName	Description
Form	DM002	DM002 - Previous Study Participation
Item	DMPSTUDY	Previous Study Identifier. Format = ccccccc, e.g. B1570100
Item	DMPSITE	Previous Site Identifier. Format = nnnn, e.g. 2010.
Item	DMPSUBJ	Previous Subject Identifier. Format = nnnnnnnn, e.g. 20101001.

RDE Analytics: RD_DM002			
Data Variable	RefName	RD Column Name	Column Data Type
DMPSTUDY		DMPSTUDY	VARCHAR2
		DMPSTUDY_ND	VARCHAR2
DMPSITE		DMPSITE	VARCHAR2
		DMPSITE_ND	VARCHAR2
DMPSUBJ		DMPSUBJ	VARCHAR2
		DMPSUBJ_ND	VARCHAR2

B7981032: PARTICIPANT CLASSIFICATION (PART CLAS) [SC1001]	
Participant Classification [sctSC1001_01]	
1.* ✓ Which Group Does This Subject Belong to? [Subject Group]	[SC1GRP] [A:1] ☐ A: DE NOVO [A:2] ☐ B: >30 DAYS BETWEEN FIRST VISIT OF B7981032 AND LAST DOSE IN THE PRIOR STUDY [A:3] ☐ C: >14 DAYS TO <=30 DAYS BETWEEN FIRST VISIT OF B7981032 AND LAST DOSE IN THE PRIOR STUDY [A:4] ☐ D: <=14 DAYS BETWEEN FIRST VISIT OF B7981032 AND LAST DOSE IN THE PRIOR STUDY
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.	

RDE Analytics: RD_SC1001		
Data Variable RefName	RD Column Name	Column Data Type
SC1GRP	SC1GRP_C	VARCHAR2
	SC1GRP	VARCHAR2
	SC1GRP_ND	VARCHAR2

B7981032: PROTOCOL VERSION (PROTOCOL VERSION) [INFPV]		
1.*	Protocol Version: [Protocol Version]	[INFPRTVER] [cliINFPRTVER] 
2.*	After completing screening procedures, will the subject continue to participate in the study? [After completing screening procedures, will the subject continue to participate in the study?]	[INFDYN] [A:Y] ☐ YES [A:N] ☐ NO
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: PROTOCOL VERSION		
Type	RefName	Description
Form	INFPV	Protocol Version

Codelist Values Tables: PROTOCOL VERSION						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliINFPRTVER	String		Initial Protocol <03-APR-2019>	1	cliINFPRTVER_1	INFPRTVER
			Amendment 1 <15-OCT-2019>	2	cliINFPRTVER_2	
			Amendment 2 <05-FEB-2020>	3	cliINFPRTVER_3	
			Amendment 3	4	cliINFPRTVER_4	
			Amendment 4	5	cliINFPRTVER_5	
			Amendment 5 <23 APR 2021>	6	cliINFPRTVER_6	

RDE Analytics: RD_INFPV		
Data Variable RefName	RD Column Name	Column Data Type
INFPRTVER	INFPRTVER_C	VARCHAR2
	INFPRTVER	VARCHAR2
	INFPRTVER_ND	VARCHAR2
INFDYN	INFDYN_C	VARCHAR2
	INFDYN	VARCHAR2
	INFDYN_ND	VARCHAR2

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A2 A) [IE001_11]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_10]			
#	Inclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
1.a	1	All subjects: Clinical diagnosis of AA, >=25% hair loss. De novo subjects: no evidence of terminal hair regrowth within 6 months, current episode of hair loss due to AA <=10 years	IN01A02
1.b	2	Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	IN04A01
1.c	3	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.d	4	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.e	5	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.f	6	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.g	7	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
Inclusion Criteria Entry [sctIE001_01_10]			
1.1	Inclusion Number: [Inclusion Number]		[IESPID_20] [clIESPID_20] ▼
1.2	Criterion Description: [Criterion Description]		[IETEST_20] [clIETEST_20] ▼
1.3*	Criterion met? [Criterion met?]		[IEORRES_20] [A:Y] ☐ YES [A:N] ☐ [cmpIEDESC_20] ☐ NO [IEDESC_20] Describe details if relevant A200
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_20] [clIETESTCD_21] ▼
Exclusion Criteria [sctIE001_02_10]			
#	Exclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	EX11A00
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00
2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	EX15A00

2.n	14	Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing		EX16A02
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1		EX17A02
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)		EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)		EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy		EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval		EX21A02
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22		EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX23A01
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.w	23	Received any of the study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25		EX25A02
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00

Exclusion Criteria Entry [sctIE001_02_10]

2.1	Exclusion Number: [Exclusion Number]	[IESPID_21] [clIESPID_21]
2.2	Criterion Description: [Criterion Description]	[IETEST_21] [clIETEST_21]
2.3*	Criterion met? [Criterion met?]	[IEORRES_21] [A:Y] ☐ [cmpIEDESC_21] ☐ YES [IEDESC_21] Describe details if relevant A200 [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_21] [clIETESTCD_22]

Key: [*] = Item is required [] = Item is collapsible [] = Fixed item
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_11	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_20	Criterion Description
Item	IEORRES_20	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_20	Describe details of criterion not met if relevant
Item	IETESTCD_20	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_21	Criterion Description
Item	IEORRES_21	Response to whether Inclusion/Exclusion Criterion was met .

Item	IEDESC_21	Describe details of criterion not met if relevant
Item	IETESTCD_21	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
ciIESPID_20	String		1	1	ciIESPID_1	IESPID_20
			2	2	ciIESPID_2	
			3	3	ciIESPID_3	
			4	4	ciIESPID_4	
			5	5	ciIESPID_5	
			6	6	ciIESPID_6	
			7	7	ciIESPID_7	
ciIETEST_20	String		Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	ciIETEST_5	IETEST_20
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	ciIETEST_6	
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	ciIETEST_7	
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	ciIETEST_8	
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	ciIETEST_9	
			Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	44	ciIETEST_44	
ciIETESTCD_21	String		All subjects: Clinical diagnosis of AA, >=25% hair loss. De novo subjects: no evidence of terminal hair regrowth within 6 months, current episode of hair loss due to AA <=10 years	49	ciIETEST_49	IETESTCD_20
			IN05A00	5	ciIETESTCD_5	
			IN06A00	6	ciIETESTCD_6	
			IN07A00	7	ciIETESTCD_7	
			IN08A00	8	ciIETESTCD_8	
			IN09A00	9	ciIETESTCD_9	
ciIESPID_21	String		IN04A01	12	ciIETESTCD_12	IESPID_21
			IN01A02	13	ciIETESTCD_13	
			1	1	ciIESPID_1	
			2	2	ciIESPID_2	
			3	3	ciIESPID_3	
			4	4	ciIESPID_4	
			5	5	ciIESPID_5	
			6	6	ciIESPID_6	
			7	7	ciIESPID_7	
			8	8	ciIESPID_8	
			9	9	ciIESPID_9	
			10	10	ciIESPID_10	
			11	11	ciIESPID_11	
			12	12	ciIESPID_12	
			13	13	ciIESPID_13	
			14	14	ciIESPID_14	
			15	15	ciIESPID_15	
			16	16	ciIESPID_16	
			17	17	ciIESPID_17	

			18	18	cliIESPID_18	
			19	19	cliIESPID_19	
			20	20	cliIESPID_20	
			21	21	cliIESPID_21	
			22	22	cliIESPID_22	
			23	23	cliIESPID_23	
			24	24	cliIESPID_24	
			25	25	cliIESPID_25	
			26	26	cliIESPID_26	
			27	27	cliIESPID_27	
			28	28	cliIESPID_28	
			29	29	cliIESPID_29	
cliIETEST_21	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13	IETEST_21
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20	
			History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	21	cliIETEST_21	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
			Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	
			Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	47	cliIETEST_47	
			Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing	51	cliIETEST_51	

			Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1	52	cliIETEST_52	
			ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval	53	cliIETEST_53	
			Received any of the study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25	54	cliIETEST_54	
cliIETESTCD_22	String		EX03A00	33	cliIETESTCD_33	IETESTCD_21
			EX04A00	34	cliIETESTCD_34	
			EX05A00	35	cliIETESTCD_35	
			EX06A00	36	cliIETESTCD_36	
			EX07A00	37	cliIETESTCD_37	
			EX08A00	38	cliIETESTCD_38	
			EX09A00	39	cliIETESTCD_39	
			EX10A00	40	cliIETESTCD_40	
			EX11A00	41	cliIETESTCD_41	
			EX12A00	42	cliIETESTCD_42	
			EX13A00	43	cliIETESTCD_43	
			EX14A00	44	cliIETESTCD_44	
			EX15A00	45	cliIETESTCD_45	
			EX18A00	48	cliIETESTCD_48	
			EX19A00	49	cliIETESTCD_49	
			EX20A00	50	cliIETESTCD_50	
			EX22A00	52	cliIETESTCD_52	
			EX24A00	54	cliIETESTCD_54	
			EX26A00	56	cliIETESTCD_56	
			EX27A00	57	cliIETESTCD_57	
			EX28A00	58	cliIETESTCD_58	
			EX29A00	59	cliIETESTCD_59	
			EX30A00	60	cliIETESTCD_60	
			EX31A00	100	cliIETESTCD_100	
			EX23A01	63	cliIETESTCD_63	
			EX16A02	89	cliIETESTCD_89	
			EX17A02	90	cliIETESTCD_90	
			EX21A02	94	cliIETESTCD_94	
			EX25A02	103	cliIETESTCD_103	

RDE Analytics: RD_IE001_11		
Data Variable RefName	RD Column Name	Column Data Type
*RD_IE001_11_SCTIE001_01_10		
IESPID_20	IESPID_20_C	VARCHAR2
	IESPID_20	VARCHAR2
	IESPID_20_ND	VARCHAR2
IETEST_20	IETEST_20_C	VARCHAR2
	IETEST_20	VARCHAR2
	IETEST_20_ND	VARCHAR2
IEORRES_20	IEORRES_20_C	VARCHAR2
	IEORRES_20	VARCHAR2
	IEORRES_20_ND	VARCHAR2
IEORRES_20 - IEDESC_20	IEDESC_20	VARCHAR2

IETESTCD_20	IETESTCD_20_C	VARCHAR2
	IETESTCD_20	VARCHAR2
	IETESTCD_20_ND	VARCHAR2
*RD_IE001_11_SCTIE001_02_10		
IESPID_21	IESPID_21_C	VARCHAR2
	IESPID_21	VARCHAR2
	IESPID_21_ND	VARCHAR2
IETEST_21	IETEST_21_C	VARCHAR2
	IETEST_21	VARCHAR2
	IETEST_21_ND	VARCHAR2
IEORRES_21	IEORRES_21_C	VARCHAR2
	IEORRES_21	VARCHAR2
	IEORRES_21_ND	VARCHAR2
IEORRES_21 - IEDESC_21	IEDESC_21	VARCHAR2
IETESTCD_21	IETESTCD_21_C	VARCHAR2
	IETESTCD_21	VARCHAR2
	IETESTCD_21_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A2 B 15) [IE001_12]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_11]			
#	Inclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
1.a	1	All subjects: Clinical diagnosis of AA, >=25% hair loss. De novo subjects: no evidence of terminal hair regrowth within 6 months, current episode of hair loss due to AA <=10 years	IN01A02
1.b	2	Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	IN03A00
1.c	3	Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	IN04A01
1.d	4	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.e	5	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.f	6	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.g	7	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.h	8	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
Inclusion Criteria Entry [sctIE001_01_11]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_22] [clIESPID_22] ▼	
1.2	Criterion Description: [Criterion Description]	[IETEST_22] [clIETEST_22] ▼	
1.3*	Criterion met? [Criterion met?]	[IEORRES_22] [A:Y] ☐ YES [A:N] ☒ [cmpIEDESC_22] ☐ NO [IEDESC_22] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_22] [clIETESTCD_23] ▼	
Exclusion Criteria [sctIE001_02_11]			
#	Exclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	EX11A00
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00

2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	EX15A00
2.n	14	Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing	EX16A02
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1	EX17A02
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval	EX21A02
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	EX23A01
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study	EX24A00
2.w	23	Received any of the study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25	EX25A02
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	EX27A00
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1	EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	EX31A00
Exclusion Criteria Entry [sctIE001_02_11]			
2.1	Exclusion Number: [Exclusion Number]	[IESPID_23] [clIESPID_23]	
2.2	Criterion Description: [Criterion Description]	[IETEST_23] [clIETEST_23]	
2.3*	Criterion met? [Criterion met?]	[IEORRES_23] [A:Y] YES [IEDESC_23] Describe details if relevant A200 [A:N] NO	
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_23] [clIETESTCD_24]	
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.			

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_12	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_22	Criterion Description
Item	IEORRES_22	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_22	Describe details of criterion not met if relevant
Item	IETESTCD_22	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_23	Criterion Description

Item	IEORRES_23	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_23	Describe details of criterion not met if relevant
Item	IETESTCD_23	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
ciIESPID_22	String		1	1	ciIESPID_1	IESPID_22	
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
ciIETEST_22	String		Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	3	ciIETEST_3	IETEST_22	
			Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	ciIETEST_5		
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	ciIETEST_6		
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	ciIETEST_7		
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	ciIETEST_8		
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	ciIETEST_9		
			Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	44	ciIETEST_44		
ciIETESTCD_23	String		All subjects: Clinical diagnosis of AA, >=25% hair loss. De novo subjects: no evidence of terminal hair regrowth within 6 months, current episode of hair loss due to AA <=10 years	49	ciIETEST_49	IETESTCD_22	
			IN03A00	3	ciIETESTCD_3		
			IN05A00	5	ciIETESTCD_5		
			IN06A00	6	ciIETESTCD_6		
			IN07A00	7	ciIETESTCD_7		
			IN08A00	8	ciIETESTCD_8		
			IN09A00	9	ciIETESTCD_9		
			IN04A01	12	ciIETESTCD_12		
ciIESPID_23	String		IN01A02	13	ciIETESTCD_13	IESPID_23	
			1	1	ciIESPID_1		
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
			9	9	ciIESPID_9		
			10	10	ciIESPID_10		
			11	11	ciIESPID_11		
			12	12	ciIESPID_12		
			13	13	ciIESPID_13		

			14		cliIESPID_14	
			15		cliIESPID_15	
			16		cliIESPID_16	
			17		cliIESPID_17	
			18		cliIESPID_18	
			19		cliIESPID_19	
			20		cliIESPID_20	
			21		cliIESPID_21	
			22		cliIESPID_22	
			23		cliIESPID_23	
			24		cliIESPID_24	
			25		cliIESPID_25	
			26		cliIESPID_26	
			27		cliIESPID_27	
			28		cliIESPID_28	
			29		cliIESPID_29	
cliIETEST_23	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13	IETEST_23
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20	
			History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	21	cliIETEST_21	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
			Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	

		Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	47	cliIETEST_47	
		Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing	51	cliIETEST_51	
		Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1	52	cliIETEST_52	
		ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval	53	cliIETEST_53	
		Received any of the study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25	54	cliIETEST_54	
cliIETESTCD_24	String	EX03A00	33	cliIETESTCD_33	IETESTCD_23
		EX04A00	34	cliIETESTCD_34	
		EX05A00	35	cliIETESTCD_35	
		EX06A00	36	cliIETESTCD_36	
		EX07A00	37	cliIETESTCD_37	
		EX08A00	38	cliIETESTCD_38	
		EX09A00	39	cliIETESTCD_39	
		EX10A00	40	cliIETESTCD_40	
		EX11A00	41	cliIETESTCD_41	
		EX12A00	42	cliIETESTCD_42	
		EX13A00	43	cliIETESTCD_43	
		EX14A00	44	cliIETESTCD_44	
		EX15A00	45	cliIETESTCD_45	
		EX18A00	48	cliIETESTCD_48	
		EX19A00	49	cliIETESTCD_49	
		EX20A00	50	cliIETESTCD_50	
		EX22A00	52	cliIETESTCD_52	
		EX24A00	54	cliIETESTCD_54	
		EX26A00	56	cliIETESTCD_56	
		EX27A00	57	cliIETESTCD_57	
		EX28A00	58	cliIETESTCD_58	
		EX29A00	59	cliIETESTCD_59	
		EX30A00	60	cliIETESTCD_60	
		EX31A00	100	cliIETESTCD_100	
		EX23A01	63	cliIETESTCD_63	
		EX16A02	89	cliIETESTCD_89	
		EX17A02	90	cliIETESTCD_90	
		EX21A02	94	cliIETESTCD_94	
		EX25A02	103	cliIETESTCD_103	

RDE Analytics: RD_IE001_12		
Data Variable RefName	RD Column Name	Column Data Type
*RD_IE001_12_SCTIE001_01_11		
IESPID_22	IESPID_22_C	VARCHAR2
	IESPID_22	VARCHAR2
	IESPID_22_ND	VARCHAR2
IETEST_22	IETEST_22_C	VARCHAR2
	IETEST_22	VARCHAR2
	IETEST_22_ND	VARCHAR2

IEORRES_22	IEORRES_22_C	VARCHAR2
	IEORRES_22	VARCHAR2
	IEORRES_22_ND	VARCHAR2
IEORRES_22 - IEDESC_22	IEDESC_22	VARCHAR2
IETESTCD_22	IETESTCD_22_C	VARCHAR2
	IETESTCD_22	VARCHAR2
	IETESTCD_22_ND	VARCHAR2
*RD_IE001_12_SCTIE001_02_11		
IESPID_23	IESPID_23_C	VARCHAR2
	IESPID_23	VARCHAR2
	IESPID_23_ND	VARCHAR2
IETEST_23	IETEST_23_C	VARCHAR2
	IETEST_23	VARCHAR2
	IETEST_23_ND	VARCHAR2
IEORRES_23	IEORRES_23_C	VARCHAR2
	IEORRES_23	VARCHAR2
	IEORRES_23_ND	VARCHAR2
IEORRES_23 - IEDESC_23	IEDESC_23	VARCHAR2
IETESTCD_23	IETESTCD_23_C	VARCHAR2
	IETESTCD_23	VARCHAR2
	IETESTCD_23_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A2 B 05) [IE001_13]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_12]			
#	Inclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
1.a	1	All subjects: Clinical diagnosis of AA, >=25% hair loss. De novo subjects: no evidence of terminal hair regrowth within 6 months, current episode of hair loss due to AA <=10 years	IN01A02
1.b	2	Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >12 weeks prior to the Study B7981032 Day 1 visit	IN02A01
1.c	3	Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	IN04A01
1.d	4	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.e	5	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.f	6	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.g	7	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.h	8	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
Inclusion Criteria Entry [sctIE001_01_12]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_24] [clIESPID_24] ▼	
1.2	Criterion Description: [Criterion Description]	[IETEST_24] [clIETEST_24] ▼	
1.3*	Criterion met? [Criterion met?]	[IEORRES_24] [A:Y] ☐ YES [A:N] ☒ [cmpIEDESC_24] ☐ NO [IEDESC_24] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_24] [clIETESTCD_25] ▼	
Exclusion Criteria [sctIE001_02_12]			
#	Exclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	EX11A00
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00

2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor		EX15A00
2.n	14	Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing		EX16A02
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1		EX17A02
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)		EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)		EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy		EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval		EX21A02
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22		EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX23A01
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.w	23	Received any of the study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25		EX25A02
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00
Exclusion Criteria Entry [sctIE001_02_12]				
2.1	Exclusion Number: [Exclusion Number]		[IESPID_25] [clIESPID_25]	
2.2	Criterion Description: [Criterion Description]		[IETEST_25] [clIETEST_25]	
2.3*	Criterion met? [Criterion met?]		[IEORRES_25] [A:Y] YES [IEDESC_25] Describe details if relevant A200 [A:N] NO	
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_25] [clIETESTCD_26]	
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.				

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_13	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_24	Criterion Description
Item	IEORRES_24	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_24	Describe details of criterion not met if relevant
Item	IETESTCD_24	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_25	Criterion Description

Item	IEORRES_25	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_25	Describe details of criterion not met if relevant
Item	IETESTCD_25	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
ciIESPID_24	String		1	1	ciIESPID_1	IESPID_24	
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
ciIETEST_24	String		Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	ciIETEST_5	IETEST_24	
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	ciIETEST_6		
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	ciIETEST_7		
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	ciIETEST_8		
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	ciIETEST_9		
			Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >12 weeks prior to the Study B7981032 Day 1 visit	43	ciIETEST_43		
			Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	44	ciIETEST_44		
ciIETESTCD_25	String		All subjects: Clinical diagnosis of AA, >=25% hair loss. De novo subjects: no evidence of terminal hair regrowth within 6 months, current episode of hair loss due to AA <=10 years	49	ciIETEST_49	IETESTCD_24	
			IN05A00	5	ciIETESTCD_5		
			IN06A00	6	ciIETESTCD_6		
			IN07A00	7	ciIETESTCD_7		
			IN08A00	8	ciIETESTCD_8		
			IN09A00	9	ciIETESTCD_9		
			IN02A01	11	ciIETESTCD_11		
ciIESPID_25	String		IN04A01	12	ciIETESTCD_12	IESPID_25	
			IN01A02	13	ciIETESTCD_13		
			1	1	ciIESPID_1		
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
			9	9	ciIESPID_9		
			10	10	ciIESPID_10		
			11	11	ciIESPID_11		
			12	12	ciIESPID_12		
			13	13	ciIESPID_13		

			14		cliIESPID_14	
			15		cliIESPID_15	
			16		cliIESPID_16	
			17		cliIESPID_17	
			18		cliIESPID_18	
			19		cliIESPID_19	
			20		cliIESPID_20	
			21		cliIESPID_21	
			22		cliIESPID_22	
			23		cliIESPID_23	
			24		cliIESPID_24	
			25		cliIESPID_25	
			26		cliIESPID_26	
			27		cliIESPID_27	
			28		cliIESPID_28	
			29		cliIESPID_29	
cliIETEST_25	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13	IETEST_25
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20	
			History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	21	cliIETEST_21	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
			Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	

		Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	47	cliIETEST_47	
		Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing	51	cliIETEST_51	
		Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1	52	cliIETEST_52	
		ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval	53	cliIETEST_53	
		Received any of the study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25	54	cliIETEST_54	
cliIETESTCD_26	String	EX03A00	33	cliIETESTCD_33	IETESTCD_25
		EX04A00	34	cliIETESTCD_34	
		EX05A00	35	cliIETESTCD_35	
		EX06A00	36	cliIETESTCD_36	
		EX07A00	37	cliIETESTCD_37	
		EX08A00	38	cliIETESTCD_38	
		EX09A00	39	cliIETESTCD_39	
		EX10A00	40	cliIETESTCD_40	
		EX11A00	41	cliIETESTCD_41	
		EX12A00	42	cliIETESTCD_42	
		EX13A00	43	cliIETESTCD_43	
		EX14A00	44	cliIETESTCD_44	
		EX15A00	45	cliIETESTCD_45	
		EX18A00	48	cliIETESTCD_48	
		EX19A00	49	cliIETESTCD_49	
		EX20A00	50	cliIETESTCD_50	
		EX22A00	52	cliIETESTCD_52	
		EX24A00	54	cliIETESTCD_54	
		EX26A00	56	cliIETESTCD_56	
		EX27A00	57	cliIETESTCD_57	
		EX28A00	58	cliIETESTCD_58	
		EX29A00	59	cliIETESTCD_59	
		EX30A00	60	cliIETESTCD_60	
		EX31A00	100	cliIETESTCD_100	
		EX23A01	63	cliIETESTCD_63	
		EX16A02	89	cliIETESTCD_89	
		EX17A02	90	cliIETESTCD_90	
		EX21A02	94	cliIETESTCD_94	
		EX25A02	103	cliIETESTCD_103	

RDE Analytics: RD_IE001_13		
Data Variable RefName	RD Column Name	Column Data Type
*RD_IE001_13_SCTIE001_01_12		
IESPID_24	IESPID_24_C	VARCHAR2
	IESPID_24	VARCHAR2
	IESPID_24_ND	VARCHAR2
IETEST_24	IETEST_24_C	VARCHAR2
	IETEST_24	VARCHAR2
	IETEST_24_ND	VARCHAR2

IEORRES_24	IEORRES_24_C	VARCHAR2
	IEORRES_24	VARCHAR2
	IEORRES_24_ND	VARCHAR2
IEORRES_24 - IEDESC_24	IEDESC_24	VARCHAR2
IETESTCD_24	IETESTCD_24_C	VARCHAR2
	IETESTCD_24	VARCHAR2
	IETESTCD_24_ND	VARCHAR2
*RD_IE001_13_SCTIE001_02_12		
IESPID_25	IESPID_25_C	VARCHAR2
	IESPID_25	VARCHAR2
	IESPID_25_ND	VARCHAR2
IETEST_25	IETEST_25_C	VARCHAR2
	IETEST_25	VARCHAR2
	IETEST_25_ND	VARCHAR2
IEORRES_25	IEORRES_25_C	VARCHAR2
	IEORRES_25	VARCHAR2
	IEORRES_25_ND	VARCHAR2
IEORRES_25 - IEDESC_25	IEDESC_25	VARCHAR2
IETESTCD_25	IETESTCD_25_C	VARCHAR2
	IETESTCD_25	VARCHAR2
	IETESTCD_25_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: INCLUSION/EXCLUSION CRITERIA (IE_FAP_A) [IE001_1]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01]			
#	Inclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
1.a	1	All subjects: Clinical diagnosis of AA, >=25% hair loss. De novo subjects: Hamilton-Norwood Grade < IV, no evidence of terminal hair regrowth within 6 months, current episode of hair loss <=10 years	IN01A00
1.b	2	Subjects >=12 years at time of informed consent. Adolescent subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. Otherwise, only subjects >=18 years will be enrolled	IN04A00
1.c	3	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.d	4	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.e	5	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.f	6	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.g	7	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
Inclusion Criteria Entry [sctIE001_01]			
1.1	Inclusion Number: [Inclusion Number]		[IESPID] [clIESPID] ▼
1.2	Criterion Description: [Criterion Description]		[IETEST] [clIETEST] ▼
1.3*	Criterion met? [Criterion met?]		[IEORRES] [A:Y] ☐ YES [A:N] ☐ [cmpIEDESC] ☐ NO [IEDESC] Describe details if relevant A200
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD] [clIETESTCD_1] ▼
Exclusion Criteria [sctIE001_02]			
#	Exclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	EX11A00
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00
2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	EX15A00

2.n	14	Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR Evidence of prior exposure to varicella zoster virus based on serological testing		EX16A00
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or superficial skin infection within 1 week prior to Day 1		EX17A00
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)		EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)		EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy		EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of diseases or use of concomitant medications that prolong the QT interval		EX21A00
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22		EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events		EX23A00
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.w	23	Received any study specified prohibited treatments within the timeframes outlined in protocol exclusion criterion 25		EX25A00
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00
Exclusion Criteria Entry [sctIE001_02]				
2.1	Exclusion Number: [Exclusion Number]		[IESPID_1] [clIESPID_1]	
2.2	Criterion Description: [Criterion Description]		[IETEST_1] [clIETEST_1]	
2.3*	Criterion met? [Criterion met?]		[IEORRES_1] [A:Y] YES [IEDESC_1] Describe details if relevant A200 [A:N] NO	
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_1] [clIETESTCD_2]	
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.				

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_1	IE001 - Inclusion/Exclusion Criteria
Item	IETEST	Criterion Description
Item	IEORRES	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC	Describe details of criterion not met if relevant
Item	IETESTCD	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_1	Criterion Description
Item	IEORRES_1	Response to whether Inclusion/Exclusion Criterion was met .

Item	IEDESC_1	Describe details of criterion not met if relevant
Item	IETESTCD_1	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliESPID	String		1	1	cliIESTPID_1	IESPID
			2	2	cliIESTPID_2	
			3	3	cliIESTPID_3	
			4	4	cliIESTPID_4	
			5	5	cliIESTPID_5	
			6	6	cliIESTPID_6	
			7	7	cliIESTPID_7	
cliIESTEST	String		All subjects: Clinical diagnosis of AA, >=25% hair loss. De novo subjects: Hamilton-Norwood Grade < IV, no evidence of terminal hair regrowth within 6 months, current episode of hair loss <=10 years	1	cliIESTEST_1	IESTEST
			Subjects >=12 years at time of informed consent. Adolescent subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. Otherwise, only subjects >=18 years will be enrolled	4	cliIESTEST_4	
			Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	cliIESTEST_5	
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	cliIESTEST_6	
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	cliIESTEST_7	
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	cliIESTEST_8	
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	cliIESTEST_9	
cliIESTESTCD_1	String		IN01A00	1	cliIESTESTCD_1	IESTESTCD
			IN04A00	4	cliIESTESTCD_4	
			IN05A00	5	cliIESTESTCD_5	
			IN06A00	6	cliIESTESTCD_6	
			IN07A00	7	cliIESTESTCD_7	
			IN08A00	8	cliIESTESTCD_8	
cliIESTPID_1	String		IN09A00	9	cliIESTESTCD_9	IESPID_1
			1	1	cliIESTPID_1	
			2	2	cliIESTPID_2	
			3	3	cliIESTPID_3	
			4	4	cliIESTPID_4	
			5	5	cliIESTPID_5	
			6	6	cliIESTPID_6	
			7	7	cliIESTPID_7	
			8	8	cliIESTPID_8	
			9	9	cliIESTPID_9	
			10	10	cliIESTPID_10	
			11	11	cliIESTPID_11	
			12	12	cliIESTPID_12	
			13	13	cliIESTPID_13	
			14	14	cliIESTPID_14	
			15	15	cliIESTPID_15	
			16	16	cliIESTPID_16	
			17	17	cliIESTPID_17	

			18	18	cliIESPID_18	
			19	19	cliIESPID_19	
			20	20	cliIESPID_20	
			21	21	cliIESPID_21	
			22	22	cliIESPID_22	
			23	23	cliIESPID_23	
			24	24	cliIESPID_24	
			25	25	cliIESPID_25	
			26	26	cliIESPID_26	
			27	27	cliIESPID_27	
			28	28	cliIESPID_28	
			29	29	cliIESPID_29	
cliIETEST_1	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13	IETEST_1
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20	
			History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	21	cliIETEST_21	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25	
			Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR Evidence of prior exposure to varicella zoster virus based on serological testing	26	cliIETEST_26	
			Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or superficial skin infection within 1 week prior to Day 1	27	cliIETEST_27	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30	
			ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of diseases or use of concomitant medications that prolong the QT interval	31	cliIETEST_31	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32	
			Discontinuation from Study B7931005 or B7981015 for safety-related events	33	cliIETEST_33	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	
			Received any study specified prohibited treatments within the timeframes outlined in protocol exclusion criterion 25	35	cliIETEST_35	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	

		Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
		Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
		Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	
cliIETESTCD_2	String	EX03A00	33	cliIETESTCD_33	IETESTCD_1
		EX04A00	34	cliIETESTCD_34	
		EX05A00	35	cliIETESTCD_35	
		EX06A00	36	cliIETESTCD_36	
		EX07A00	37	cliIETESTCD_37	
		EX08A00	38	cliIETESTCD_38	
		EX09A00	39	cliIETESTCD_39	
		EX10A00	40	cliIETESTCD_40	
		EX11A00	41	cliIETESTCD_41	
		EX12A00	42	cliIETESTCD_42	
		EX13A00	43	cliIETESTCD_43	
		EX14A00	44	cliIETESTCD_44	
		EX15A00	45	cliIETESTCD_45	
		EX16A00	46	cliIETESTCD_46	
		EX17A00	47	cliIETESTCD_47	
		EX18A00	48	cliIETESTCD_48	
		EX19A00	49	cliIETESTCD_49	
		EX20A00	50	cliIETESTCD_50	
		EX21A00	51	cliIETESTCD_51	
		EX22A00	52	cliIETESTCD_52	
		EX23A00	53	cliIETESTCD_53	
		EX24A00	54	cliIETESTCD_54	
		EX25A00	55	cliIETESTCD_55	
		EX26A00	56	cliIETESTCD_56	
		EX27A00	57	cliIETESTCD_57	
		EX28A00	58	cliIETESTCD_58	
		EX29A00	59	cliIETESTCD_59	
		EX30A00	60	cliIETESTCD_60	
		EX31A00	100	cliIETESTCD_100	

RDE Analytics: RD_IE001_1		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE001_1_SCTIE001_01		
IESPID	IESPID_C	VARCHAR2
	IESPID	VARCHAR2
	IESPID_ND	VARCHAR2
IETEST	IETEST_C	VARCHAR2
	IETEST	VARCHAR2
	IETEST_ND	VARCHAR2
IEORRES	IEORRES_C	VARCHAR2
	IEORRES	VARCHAR2
	IEORRES_ND	VARCHAR2
IEORRES - IEDESC	IEDESC	VARCHAR2
IETESTCD	IETESTCD_C	VARCHAR2

	IETESTCD	VARCHAR2
	IETESTCD_ND	VARCHAR2
RD_IE001_1_SCTIE001_02		
IESPID_1	IESPID_1_C	VARCHAR2
	IESPID_1	VARCHAR2
	IESPID_1_ND	VARCHAR2
IETEST_1	IETEST_1_C	VARCHAR2
	IETEST_1	VARCHAR2
	IETEST_1_ND	VARCHAR2
IEORRES_1	IEORRES_1_C	VARCHAR2
	IEORRES_1	VARCHAR2
	IEORRES_1_ND	VARCHAR2
IEORRES_1 - IEDESC_1	IEDESC_1	VARCHAR2
IETESTCD_1	IETESTCD_1_C	VARCHAR2
	IETESTCD_1	VARCHAR2
	IETESTCD_1_ND	VARCHAR2

B7981032: INCLUSION/EXCLUSION CRITERIA (IE_FAP_A/B_1015) [IE001_2]				
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).				
sctIE001_01_1 [sctIE001_01_1]				
#	Inclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
1.a	1	All subjects: Clinical diagnosis of AA, >=25% hair loss. De novo subjects: Hamilton-Norwood Grade < IV, no evidence of terminal hair regrowth within 6 months, current episode of hair loss <= 10 years		IN01A00
1.b	2	Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention		IN03A00
1.c	3	Subjects >=12 years at time of informed consent. Adolescent subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. Otherwise, only subjects >=18 years will be enrolled		IN04A00
1.d	4	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential		IN05A00
1.e	5	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study		IN06A00
1.f	6	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures		IN07A00
1.g	7	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study		IN08A00
1.h	8	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study		IN09A00
sctIE001_01_1 Entry [sctIE001_01_1]				
1.1	Inclusion Number: [Inclusion Number]		[IESPID_2] [cIESPID_2] ▼	
1.2	Criterion Description: [Criterion Description]		[IETEST_2] [cIETEST_2] ▼	
1.3*	Criterion met? [Criterion met?]		[IEORRES_2] [A:Y] ☐ YES [A:N] ☒ [cmpIEDESC_2] ☐ NO [IEDESC_2] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_2] [cIETESTCD_3] ▼	
sctIE001_02_1 [sctIE001_02_1]				
#	Exclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)		EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)		EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)		EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive		EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation		EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ		EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease		EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster		EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1		EX11A00
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency		EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening		EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention		EX14A00

2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor		EX15A00
2.n	14	Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR Evidence of prior exposure to varicella zoster virus based on serological testing		EX16A00
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or superficial skin infection within 1 week prior to Day 1		EX17A00
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)		EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)		EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy		EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of diseases or use of concomitant medications that prolong the QT interval		EX21A00
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22		EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events		EX23A00
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.w	23	Received any study specified prohibited treatments within the timeframes outlined in protocol exclusion criterion 25		EX25A00
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00
sctIE001_02_1 Entry [sctIE001_02_1]				
2.1	Exclusion Number: [Exclusion Number]		[IESPID_3] [clIESPID_3]	
2.2	Criterion Description: [Criterion Description]		[IETEST_3] [clIETEST_3]	
2.3*	Criterion met? [Criterion met?]		[IEORRES_3] [A:Y] YES [IEDESC_3] Describe details if relevant A200 [A:N] NO	
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_3] [clIETESTCD_4]	
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.				

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_2	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_2	Criterion Description
Item	IEORRES_2	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_2	Describe details of criterion not met if relevant
Item	IETESTCD_2	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_3	Criterion Description

Item	IEORRES_3	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_3	Describe details of criterion not met if relevant
Item	IETESTCD_3	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
ciIESPID_2	String		1	1	ciIESPID_1	IESPID_2	
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
ciIETEST_2	String		All subjects: Clinical diagnosis of AA, >=25% hair loss. De novo subjects: Hamilton-Norwood Grade < IV, no evidence of terminal hair regrowth within 6 months, current episode of hair loss <=10 years	1	ciIETEST_1	IETEST_2	
			Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	3	ciIETEST_3		
			Subjects >=12 years at time of informed consent. Adolescent subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. Otherwise, only subjects >=18 years will be enrolled	4	ciIETEST_4		
			Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	ciIETEST_5		
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	ciIETEST_6		
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	ciIETEST_7		
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	ciIETEST_8		
ciIETESTCD_3	String		Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	ciIETEST_9	IETESTCD_2	
			IN01A00	1	ciIETESTCD_1		
			IN03A00	3	ciIETESTCD_3		
			IN04A00	4	ciIETESTCD_4		
			IN05A00	5	ciIETESTCD_5		
			IN06A00	6	ciIETESTCD_6		
			IN07A00	7	ciIETESTCD_7		
			IN08A00	8	ciIETESTCD_8		
ciIESPID_3	String		IN09A00	9	ciIETESTCD_9	IESPID_3	
			1	1	ciIESPID_1		
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
			9	9	ciIESPID_9		
			10	10	ciIESPID_10		
			11	11	ciIESPID_11		
			12	12	ciIESPID_12		
			13	13	ciIESPID_13		

			14		cliIESPID_14	
			15		cliIESPID_15	
			16		cliIESPID_16	
			17		cliIESPID_17	
			18		cliIESPID_18	
			19		cliIESPID_19	
			20		cliIESPID_20	
			21		cliIESPID_21	
			22		cliIESPID_22	
			23		cliIESPID_23	
			24		cliIESPID_24	
			25		cliIESPID_25	
			26		cliIESPID_26	
			27		cliIESPID_27	
			28		cliIESPID_28	
			29		cliIESPID_29	
cliIETEST_3	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13	IETEST_3
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20	
			History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	21	cliIETEST_21	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25	
			Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR Evidence of prior exposure to varicella zoster virus based on serological testing	26	cliIETEST_26	
			Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or superficial skin infection within 1 week prior to Day 1	27	cliIETEST_27	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30	
			ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of diseases or use of concomitant medications that prolong the QT interval	31	cliIETEST_31	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32	
			Discontinuation from Study B7931005 or B7981015 for safety-related events	33	cliIETEST_33	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	
			Received any study specified prohibited treatments within the timeframes outlined in protocol exclusion criterion 25	35	cliIETEST_35	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received	36	cliIETEST_36	

		within the timeframes outlined in protocol exclusion criterion 26			
		Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
		Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
		Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
		Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
		Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	
cliIETESTCD_4	String	EX03A00	33	cliIETESTCD_33	IETESTCD_3
		EX04A00	34	cliIETESTCD_34	
		EX05A00	35	cliIETESTCD_35	
		EX06A00	36	cliIETESTCD_36	
		EX07A00	37	cliIETESTCD_37	
		EX08A00	38	cliIETESTCD_38	
		EX09A00	39	cliIETESTCD_39	
		EX10A00	40	cliIETESTCD_40	
		EX11A00	41	cliIETESTCD_41	
		EX12A00	42	cliIETESTCD_42	
		EX13A00	43	cliIETESTCD_43	
		EX14A00	44	cliIETESTCD_44	
		EX15A00	45	cliIETESTCD_45	
		EX16A00	46	cliIETESTCD_46	
		EX17A00	47	cliIETESTCD_47	
		EX18A00	48	cliIETESTCD_48	
		EX19A00	49	cliIETESTCD_49	
		EX20A00	50	cliIETESTCD_50	
		EX21A00	51	cliIETESTCD_51	
		EX22A00	52	cliIETESTCD_52	
		EX23A00	53	cliIETESTCD_53	
		EX24A00	54	cliIETESTCD_54	
		EX25A00	55	cliIETESTCD_55	
		EX26A00	56	cliIETESTCD_56	
		EX27A00	57	cliIETESTCD_57	
		EX28A00	58	cliIETESTCD_58	
		EX29A00	59	cliIETESTCD_59	
		EX30A00	60	cliIETESTCD_60	
		EX31A00	100	cliIETESTCD_100	

RDE Analytics: RD_IE001_2		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE001_2_SCTIE001_01_1		
IESPID_2	IESPID_2_C	VARCHAR2
	IESPID_2	VARCHAR2
	IESPID_2_ND	VARCHAR2
IETEST_2	IETEST_2_C	VARCHAR2
	IETEST_2	VARCHAR2
	IETEST_2_ND	VARCHAR2
IEORRES_2	IEORRES_2_C	VARCHAR2

	IEORRES_2	VARCHAR2
	IEORRES_2_ND	VARCHAR2
IEORRES_2 - IEDESC_2	IEDESC_2	VARCHAR2
IETESTCD_2	IETESTCD_2_C	VARCHAR2
	IETESTCD_2	VARCHAR2
	IETESTCD_2_ND	VARCHAR2
RD_IE001_2_SCTIE001_02_1		
IESPID_3	IESPID_3_C	VARCHAR2
	IESPID_3	VARCHAR2
	IESPID_3_ND	VARCHAR2
IETEST_3	IETEST_3_C	VARCHAR2
	IETEST_3	VARCHAR2
	IETEST_3_ND	VARCHAR2
IEORRES_3	IEORRES_3_C	VARCHAR2
	IEORRES_3	VARCHAR2
	IEORRES_3_ND	VARCHAR2
IEORRES_3 - IEDESC_3	IEDESC_3	VARCHAR2
IETESTCD_3	IETESTCD_3_C	VARCHAR2
	IETESTCD_3	VARCHAR2
	IETESTCD_3_ND	VARCHAR2

B7981032: INCLUSION/EXCLUSION CRITERIA (IE_FAP_A/B_1005) [IE001_3]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
sctIE001_01_2 [sctIE001_01_2]			
#	Inclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
1.a	1	All subjects: Clinical diagnosis of AA, >=25% hair loss. De novo subjects: Hamilton-Norwood Grade < IV, no evidence of terminal hair regrowth within 6 months, current episode of hair loss <=10 years	IN01A00
1.b	2	Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >=12 weeks prior to the Study B7981032 Day 1 visit	IN02A00
1.c	3	Subjects >=12 years at time of informed consent. Adolescent subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. Otherwise, only subjects >=18 years will be enrolled	IN04A00
1.d	4	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.e	5	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.f	6	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.g	7	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.h	8	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
sctIE001_01_2 Entry [sctIE001_01_2]			
1.1	Inclusion Number: [Inclusion Number]		[IESPID_4] [cIESPID_4] ▼
1.2	Criterion Description: [Criterion Description]		[IETEST_4] [cIETEST_4] ▼
1.3*	Criterion met? [Criterion met?]		[IEORRES_4] [A:Y] ☐ YES [A:N] ☒ [cmpIEDESC_4] ☐ NO [IEDESC_4] Describe details if relevant A200
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_4] [cIETESTCD_5] ▼
sctIE001_02_2 [sctIE001_02_2]			
#	Exclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	EX11A00
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00

2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor		EX15A00
2.n	14	Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR Evidence of prior exposure to varicella zoster virus based on serological testing		EX16A00
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or superficial skin infection within 1 week prior to Day 1		EX17A00
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)		EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)		EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy		EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of diseases or use of concomitant medications that prolong the QT interval		EX21A00
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22		EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events		EX23A00
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.w	23	Received any study specified prohibited treatments within the timeframes outlined in protocol exclusion criterion 25		EX25A00
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00
sctIE001_02_2 Entry [sctIE001_02_2]				
2.1	Exclusion Number: [Exclusion Number]		[IESPID_5] [clIESPID_5]	
2.2	Criterion Description: [Criterion Description]		[IETEST_5] [clIETEST_5]	
2.3*	Criterion met? [Criterion met?]		[IEORRES_5] [A:Y] YES [IEDESC_5] Describe details if relevant A200 [A:N] NO	
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_5] [clIETESTCD_6]	
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.				

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_3	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_4	Criterion Description
Item	IEORRES_4	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_4	Describe details of criterion not met if relevant
Item	IETESTCD_4	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_5	Criterion Description

Item	IEORRES_5	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_5	Describe details of criterion not met if relevant
Item	IETESTCD_5	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
ciIESPID_4	String		1	1	ciIESPID_1	IESPID_4	
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
ciIETEST_4	String		All subjects: Clinical diagnosis of AA, >=25% hair loss. De novo subjects: Hamilton-Norwood Grade < IV, no evidence of terminal hair regrowth within 6 months, current episode of hair loss <=10 years	1	ciIETEST_1	IETEST_4	
			Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >=12 weeks prior to the Study B7981032 Day 1 visit	2	ciIETEST_2		
			Subjects >=12 years at time of informed consent. Adolescent subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. Otherwise, only subjects >=18 years will be enrolled	4	ciIETEST_4		
			Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	ciIETEST_5		
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	ciIETEST_6		
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	ciIETEST_7		
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	ciIETEST_8		
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	ciIETEST_9		
ciIETESTCD_5	String		IN01A00	1	ciIETESTCD_1	IETESTCD_4	
			IN02A00	2	ciIETESTCD_2		
			IN04A00	4	ciIETESTCD_4		
			IN05A00	5	ciIETESTCD_5		
			IN06A00	6	ciIETESTCD_6		
			IN07A00	7	ciIETESTCD_7		
			IN08A00	8	ciIETESTCD_8		
			IN09A00	9	ciIETESTCD_9		
ciIESPID_5	String		1	1	ciIESPID_1	IESPID_5	
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
			9	9	ciIESPID_9		
			10	10	ciIESPID_10		
			11	11	ciIESPID_11		
			12	12	ciIESPID_12		
			13	13	ciIESPID_13		

		14	14	cliIESPID_14	
		15	15	cliIESPID_15	
		16	16	cliIESPID_16	
		17	17	cliIESPID_17	
		18	18	cliIESPID_18	
		19	19	cliIESPID_19	
		20	20	cliIESPID_20	
		21	21	cliIESPID_21	
		22	22	cliIESPID_22	
		23	23	cliIESPID_23	
		24	24	cliIESPID_24	
		25	25	cliIESPID_25	
		26	26	cliIESPID_26	
		27	27	cliIESPID_27	
		28	28	cliIESPID_28	
		29	29	cliIESPID_29	
cliIETEST_5	String	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13	IETEST_5
		Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14	
		Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15	
		Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16	
		Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17	
		Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18	
		History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19	
		History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20	
		History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	21	cliIETEST_21	
		Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22	
		Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23	
		Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24	
		Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25	
		Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR Evidence of prior exposure to varicella zoster virus based on serological testing	26	cliIETEST_26	
		Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or superficial skin infection within 1 week prior to Day 1	27	cliIETEST_27	
		Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28	
		Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29	
		Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30	
		ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of diseases or use of concomitant medications that prolong the QT interval	31	cliIETEST_31	
		ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32	
		Discontinuation from Study B7931005 or B7981015 for safety-related events	33	cliIETEST_33	
		Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	
		Received any study specified prohibited treatments within the timeframes outlined in protocol exclusion criterion 25	35	cliIETEST_35	
		Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received	36	cliIETEST_36	

		within the timeframes outlined in protocol exclusion criterion 26			
		Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
		Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
		Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
		Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
		Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	
cliIETESTCD_6	String	EX03A00	33	cliIETESTCD_33	IETESTCD_5
		EX04A00	34	cliIETESTCD_34	
		EX05A00	35	cliIETESTCD_35	
		EX06A00	36	cliIETESTCD_36	
		EX07A00	37	cliIETESTCD_37	
		EX08A00	38	cliIETESTCD_38	
		EX09A00	39	cliIETESTCD_39	
		EX10A00	40	cliIETESTCD_40	
		EX11A00	41	cliIETESTCD_41	
		EX12A00	42	cliIETESTCD_42	
		EX13A00	43	cliIETESTCD_43	
		EX14A00	44	cliIETESTCD_44	
		EX15A00	45	cliIETESTCD_45	
		EX16A00	46	cliIETESTCD_46	
		EX17A00	47	cliIETESTCD_47	
		EX18A00	48	cliIETESTCD_48	
		EX19A00	49	cliIETESTCD_49	
		EX20A00	50	cliIETESTCD_50	
		EX21A00	51	cliIETESTCD_51	
		EX22A00	52	cliIETESTCD_52	
		EX23A00	53	cliIETESTCD_53	
		EX24A00	54	cliIETESTCD_54	
		EX25A00	55	cliIETESTCD_55	
		EX26A00	56	cliIETESTCD_56	
		EX27A00	57	cliIETESTCD_57	
		EX28A00	58	cliIETESTCD_58	
		EX29A00	59	cliIETESTCD_59	
		EX30A00	60	cliIETESTCD_60	
		EX31A00	100	cliIETESTCD_100	

RDE Analytics: RD_IE001_3		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE001_3_SCTIE001_01_2		
IESPID_4	IESPID_4_C	VARCHAR2
	IESPID_4	VARCHAR2
	IESPID_4_ND	VARCHAR2
IETEST_4	IETEST_4_C	VARCHAR2
	IETEST_4	VARCHAR2
	IETEST_4_ND	VARCHAR2
IEORRES_4	IEORRES_4_C	VARCHAR2

	IEORRES_4	VARCHAR2
	IEORRES_4_ND	VARCHAR2
IEORRES_4 - IEDESC_4	IEDESC_4	VARCHAR2
IETESTCD_4	IETESTCD_4_C	VARCHAR2
	IETESTCD_4	VARCHAR2
	IETESTCD_4_ND	VARCHAR2
RD_IE001_3_SCTIE001_02_2		
IESPID_5	IESPID_5_C	VARCHAR2
	IESPID_5	VARCHAR2
	IESPID_5_ND	VARCHAR2
IETEST_5	IETEST_5_C	VARCHAR2
	IETEST_5	VARCHAR2
	IETEST_5_ND	VARCHAR2
IEORRES_5	IEORRES_5_C	VARCHAR2
	IEORRES_5	VARCHAR2
	IEORRES_5_ND	VARCHAR2
IEORRES_5 - IEDESC_5	IEDESC_5	VARCHAR2
IETESTCD_5	IETESTCD_5_C	VARCHAR2
	IETESTCD_5	VARCHAR2
	IETESTCD_5_ND	VARCHAR2

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A1 A) [IE001_6]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_5]			
#	Inclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
1.a	1	Clinical diagnosis of AA, >=25% hair loss. De novo: Hamilton-Norwood Grade < IV for male, no evidence of terminal hair regrowth within 6 months, current episode of hair loss due to AA <=10 years	IN01A01
1.b	2	Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	IN04A01
1.c	3	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.d	4	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.e	5	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.f	6	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.g	7	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
Inclusion Criteria Entry [sctIE001_01_5]			
1.1	Inclusion Number: [Inclusion Number]		[IESPID_10] [cIESPID_10] ▼
1.2	Criterion Description: [Criterion Description]		[IETEST_10] [cIETEST_10] ▼
1.3*	Criterion met? [Criterion met?]		[IEORRES_10] [A:Y] ☐ YES [A:N] ☐ [cmpIEDESC_10] ☐ NO [IEDESC_10] Describe details if relevant A200
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_10] [cIETESTCD_11] ▼
Exclusion Criteria [sctIE001_02_5]			
#	Exclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	EX11A00
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00
2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	EX15A00

2.n	14	Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR Evidence of prior exposure to varicella zoster virus based on serological testing		EX16A00
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or superficial skin infection within 1 week prior to Day 1		EX17A00
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)		EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)		EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy		EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of diseases or use of concomitant medications that prolong the QT interval		EX21A00
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22		EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX23A01
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.w	23	Received any study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25		EX25A01
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00

Exclusion Criteria Entry [sctIE001_02_5]

2.1	Exclusion Number: [Exclusion Number]	[IESPID_11] [clIESPID_11] ▼
2.2	Criterion Description: [Criterion Description]	[IETEST_11] [clIETEST_11] ▼
2.3*	Criterion met? [Criterion met?]	[IEORRES_11] [A:Y] ☐ [cmpIEDESC_11] ☐ YES [IEDESC_11] Describe details if relevant A200 [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_11] [clIETESTCD_12] ▼

Key: [*] = Item is required [] = Item is collapsible [] = Fixed item
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_6	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_10	Criterion Description
Item	IEORRES_10	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_10	Describe details of criterion not met if relevant
Item	IETESTCD_10	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_11	Criterion Description
Item	IEORRES_11	Response to whether Inclusion/Exclusion Criterion was met .

Item	IEDESC_11	Describe details of criterion not met if relevant
Item	IETESTCD_11	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
ciIESPID_10	String		1	1	ciIIESPID_1	IESPID_10
			2	2	ciIIESPID_2	
			3	3	ciIIESPID_3	
			4	4	ciIIESPID_4	
			5	5	ciIIESPID_5	
			6	6	ciIIESPID_6	
			7	7	ciIIESPID_7	
ciIETEST_10	String		Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	ciIETEST_5	IETEST_10
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	ciIETEST_6	
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	ciIETEST_7	
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	ciIETEST_8	
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	ciIETEST_9	
			Clinical diagnosis of AA, >=25% hair loss. De novo: Hamilton-Norwood Grade < IV for male, no evidence of terminal hair regrowth within 6 months, current episode of hair loss due to AA <=10 years	42	ciIETEST_42	
ciIETESTCD_11	String		Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	44	ciIETEST_44	IETESTCD_10
			IN05A00	5	ciIETESTCD_5	
			IN06A00	6	ciIETESTCD_6	
			IN07A00	7	ciIETESTCD_7	
			IN08A00	8	ciIETESTCD_8	
			IN09A00	9	ciIETESTCD_9	
ciIESPID_11	String		IN01A01	10	ciIETESTCD_10	IESPID_11
			IN04A01	12	ciIETESTCD_12	
			1	1	ciIIESPID_1	
			2	2	ciIIESPID_2	
			3	3	ciIIESPID_3	
			4	4	ciIIESPID_4	
			5	5	ciIIESPID_5	
			6	6	ciIIESPID_6	
			7	7	ciIIESPID_7	
			8	8	ciIIESPID_8	
			9	9	ciIIESPID_9	
			10	10	ciIIESPID_10	
			11	11	ciIIESPID_11	
			12	12	ciIIESPID_12	
			13	13	ciIIESPID_13	
			14	14	ciIIESPID_14	
			15	15	ciIIESPID_15	
			16	16	ciIIESPID_16	
			17	17	ciIIESPID_17	

			18	18	cliIESPID_18	
			19	19	cliIESPID_19	
			20	20	cliIESPID_20	
			21	21	cliIESPID_21	
			22	22	cliIESPID_22	
			23	23	cliIESPID_23	
			24	24	cliIESPID_24	
			25	25	cliIESPID_25	
			26	26	cliIESPID_26	
			27	27	cliIESPID_27	
			28	28	cliIESPID_28	
			29	29	cliIESPID_29	
cliIETEST_11	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13	IETEST_11
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20	
			History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	21	cliIETEST_21	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25	
			Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR Evidence of prior exposure to varicella zoster virus based on serological testing	26	cliIETEST_26	
			Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or superficial skin infection within 1 week prior to Day 1	27	cliIETEST_27	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30	
			ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of diseases or use of concomitant medications that prolong the QT interval	31	cliIETEST_31	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	

		Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	
		Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	47	cliIETEST_47	
		Received any study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25	48	cliIETEST_48	
cliIETESTCD_12	String	EX03A00	33	cliIETESTCD_33	IETESTCD_11
		EX04A00	34	cliIETESTCD_34	
		EX05A00	35	cliIETESTCD_35	
		EX06A00	36	cliIETESTCD_36	
		EX07A00	37	cliIETESTCD_37	
		EX08A00	38	cliIETESTCD_38	
		EX09A00	39	cliIETESTCD_39	
		EX10A00	40	cliIETESTCD_40	
		EX11A00	41	cliIETESTCD_41	
		EX12A00	42	cliIETESTCD_42	
		EX13A00	43	cliIETESTCD_43	
		EX14A00	44	cliIETESTCD_44	
		EX15A00	45	cliIETESTCD_45	
		EX16A00	46	cliIETESTCD_46	
		EX17A00	47	cliIETESTCD_47	
		EX18A00	48	cliIETESTCD_48	
		EX19A00	49	cliIETESTCD_49	
		EX20A00	50	cliIETESTCD_50	
		EX21A00	51	cliIETESTCD_51	
		EX22A00	52	cliIETESTCD_52	
		EX24A00	54	cliIETESTCD_54	
		EX26A00	56	cliIETESTCD_56	
		EX27A00	57	cliIETESTCD_57	
		EX28A00	58	cliIETESTCD_58	
		EX29A00	59	cliIETESTCD_59	
		EX30A00	60	cliIETESTCD_60	
		EX31A00	100	cliIETESTCD_100	
		EX23A01	63	cliIETESTCD_63	
		EX25A01	64	cliIETESTCD_64	

RDE Analytics: RD_IE001_6		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE001_6_SCTIE001_01_5		
IESPID_10	IESPID_10_C	VARCHAR2
	IESPID_10	VARCHAR2
	IESPID_10_ND	VARCHAR2
IETEST_10	IETEST_10_C	VARCHAR2
	IETEST_10	VARCHAR2
	IETEST_10_ND	VARCHAR2
IEORRES_10	IEORRES_10_C	VARCHAR2
	IEORRES_10	VARCHAR2
	IEORRES_10_ND	VARCHAR2
IEORRES_10 - IEDESC_10	IEDESC_10	VARCHAR2

IETESTCD_10	IETESTCD_10_C	VARCHAR2
	IETESTCD_10	VARCHAR2
	IETESTCD_10_ND	VARCHAR2
RD_IE001_6_SCTIE001_02_5		
IESPID_11	IESPID_11_C	VARCHAR2
	IESPID_11	VARCHAR2
	IESPID_11_ND	VARCHAR2
IETEST_11	IETEST_11_C	VARCHAR2
	IETEST_11	VARCHAR2
	IETEST_11_ND	VARCHAR2
IEORRES_11	IEORRES_11_C	VARCHAR2
	IEORRES_11	VARCHAR2
	IEORRES_11_ND	VARCHAR2
IEORRES_11 - IEDESC_11	IEDESC_11	VARCHAR2
IETESTCD_11	IETESTCD_11_C	VARCHAR2
	IETESTCD_11	VARCHAR2
	IETESTCD_11_ND	VARCHAR2

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A1 B 15) [IE001_7]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_6]			
#	Inclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
1.a	1	Clinical diagnosis of AA, >=25% hair loss. De novo: Hamilton-Norwood Grade < IV for male, no evidence of terminal hair regrowth within 6 months, current episode of hair loss due to AA <=10 years	IN01A01
1.b	2	Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	IN03A00
1.c	3	Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	IN04A01
1.d	4	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.e	5	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.f	6	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.g	7	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.h	8	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
Inclusion Criteria Entry [sctIE001_01_6]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_12] [clIESPID_12] ▼	
1.2	Criterion Description: [Criterion Description]	[IETEST_12] [clIETEST_12] ▼	
1.3*	Criterion met? [Criterion met?]	[IEORRES_12] [A:Y] ☐ YES [A:N] ☒ [cmpIEDESC_12] ☐ NO [IEDESC_12] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_12] [clIETESTCD_13] ▼	
Exclusion Criteria [sctIE001_02_6]			
#	Exclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	EX11A00
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00

2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor		EX15A00
2.n	14	Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR Evidence of prior exposure to varicella zoster virus based on serological testing		EX16A00
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or superficial skin infection within 1 week prior to Day 1		EX17A00
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)		EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)		EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy		EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of diseases or use of concomitant medications that prolong the QT interval		EX21A00
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22		EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX23A01
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.w	23	Received any study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25		EX25A01
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00
Exclusion Criteria Entry [sctIE001_02_6]				
2.1	Exclusion Number: [Exclusion Number]		[IESPID_13] [clIESPID_13]	
2.2	Criterion Description: [Criterion Description]		[IETEST_13] [clIETEST_13]	
2.3*	Criterion met? [Criterion met?]		[IEORRES_13] [A:Y] YES [IEDESC_13] Describe details if relevant A200 [A:N] NO	
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_13] [clIETESTCD_14]	
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.				

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_7	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_12	Criterion Description
Item	IEORRES_12	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_12	Describe details of criterion not met if relevant
Item	IETESTCD_12	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_13	Criterion Description

Item	IEORRES_13	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_13	Describe details of criterion not met if relevant
Item	IETESTCD_13	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
ciIESPID_12	String		1	1	ciIESPID_1	IESPID_12	
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
ciIETEST_12	String		Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	3	ciIETEST_3	IETEST_12	
			Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	ciIETEST_5		
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	ciIETEST_6		
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	ciIETEST_7		
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	ciIETEST_8		
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	ciIETEST_9		
			Clinical diagnosis of AA, >=25% hair loss. De novo: Hamilton-Norwood Grade < IV for male, no evidence of terminal hair regrowth within 6 months, current episode of hair loss due to AA <=10 years	42	ciIETEST_42		
ciIETESTCD_13	String		Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	44	ciIETEST_44	IETESTCD_12	
			IN03A00	3	ciIETESTCD_3		
			IN05A00	5	ciIETESTCD_5		
			IN06A00	6	ciIETESTCD_6		
			IN07A00	7	ciIETESTCD_7		
			IN08A00	8	ciIETESTCD_8		
			IN09A00	9	ciIETESTCD_9		
			IN01A01	10	ciIETESTCD_10		
ciIESPID_13	String		IN04A01	12	ciIETESTCD_12	IESPID_13	
			1	1	ciIESPID_1		
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
			9	9	ciIESPID_9		
			10	10	ciIESPID_10		
			11	11	ciIESPID_11		
			12	12	ciIESPID_12		
			13	13	ciIESPID_13		

			14		cliIESPID_14	
			15		cliIESPID_15	
			16		cliIESPID_16	
			17		cliIESPID_17	
			18		cliIESPID_18	
			19		cliIESPID_19	
			20		cliIESPID_20	
			21		cliIESPID_21	
			22		cliIESPID_22	
			23		cliIESPID_23	
			24		cliIESPID_24	
			25		cliIESPID_25	
			26		cliIESPID_26	
			27		cliIESPID_27	
			28		cliIESPID_28	
			29		cliIESPID_29	
cliIETEST_13	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13	IETEST_13
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20	
			History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	21	cliIETEST_21	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25	
			Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR Evidence of prior exposure to varicella zoster virus based on serological testing	26	cliIETEST_26	
			Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or superficial skin infection within 1 week prior to Day 1	27	cliIETEST_27	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30	
			ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of diseases or use of concomitant medications that prolong the QT interval	31	cliIETEST_31	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK	37	cliIETEST_37	

		inhibitors) or within 5 half-lives prior to study participation			
		Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
		Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
		Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
		Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	
		Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	47	cliIETEST_47	
		Received any study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25	48	cliIETEST_48	
cliIETESTCD_14	String	EX03A00	33	cliIETESTCD_33	IETESTCD_13
		EX04A00	34	cliIETESTCD_34	
		EX05A00	35	cliIETESTCD_35	
		EX06A00	36	cliIETESTCD_36	
		EX07A00	37	cliIETESTCD_37	
		EX08A00	38	cliIETESTCD_38	
		EX09A00	39	cliIETESTCD_39	
		EX10A00	40	cliIETESTCD_40	
		EX11A00	41	cliIETESTCD_41	
		EX12A00	42	cliIETESTCD_42	
		EX13A00	43	cliIETESTCD_43	
		EX14A00	44	cliIETESTCD_44	
		EX15A00	45	cliIETESTCD_45	
		EX16A00	46	cliIETESTCD_46	
		EX17A00	47	cliIETESTCD_47	
		EX18A00	48	cliIETESTCD_48	
		EX19A00	49	cliIETESTCD_49	
		EX20A00	50	cliIETESTCD_50	
		EX21A00	51	cliIETESTCD_51	
		EX22A00	52	cliIETESTCD_52	
		EX24A00	54	cliIETESTCD_54	
		EX26A00	56	cliIETESTCD_56	
		EX27A00	57	cliIETESTCD_57	
		EX28A00	58	cliIETESTCD_58	
		EX29A00	59	cliIETESTCD_59	
		EX30A00	60	cliIETESTCD_60	
		EX31A00	100	cliIETESTCD_100	
		EX23A01	63	cliIETESTCD_63	
		EX25A01	64	cliIETESTCD_64	

RDE Analytics: RD_IE001_7		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE001_7_SCTIE001_01_6		
IESPID_12	IESPID_12_C	VARCHAR2
	IESPID_12	VARCHAR2
	IESPID_12_ND	VARCHAR2
IETEST_12	IETEST_12_C	VARCHAR2
	IETEST_12	VARCHAR2
	IETEST_12_ND	VARCHAR2

IEORRES_12	IEORRES_12_C	VARCHAR2
	IEORRES_12	VARCHAR2
	IEORRES_12_ND	VARCHAR2
IEORRES_12 - IEDESC_12	IEDESC_12	VARCHAR2
IETESTCD_12	IETESTCD_12_C	VARCHAR2
	IETESTCD_12	VARCHAR2
	IETESTCD_12_ND	VARCHAR2
RD_IE001_7_SCTIE001_02_6		
IESPID_13	IESPID_13_C	VARCHAR2
	IESPID_13	VARCHAR2
	IESPID_13_ND	VARCHAR2
IETEST_13	IETEST_13_C	VARCHAR2
	IETEST_13	VARCHAR2
	IETEST_13_ND	VARCHAR2
IEORRES_13	IEORRES_13_C	VARCHAR2
	IEORRES_13	VARCHAR2
	IEORRES_13_ND	VARCHAR2
IEORRES_13 - IEDESC_13	IEDESC_13	VARCHAR2
IETESTCD_13	IETESTCD_13_C	VARCHAR2
	IETESTCD_13	VARCHAR2
	IETESTCD_13_ND	VARCHAR2

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A1 B 05) [IE001_8]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
IE001_01_7 [sctIE001_01_7]			
#	Inclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
1.a	1	Clinical diagnosis of AA, >=25% hair loss. De novo: Hamilton-Norwood Grade < IV for male, no evidence of terminal hair regrowth within 6 months, current episode of hair loss due to AA <=10 years	IN01A01
1.b	2	Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >12 weeks prior to the Study B7981032 Day 1 visit	IN02A01
1.c	3	Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	IN04A01
1.d	4	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.e	5	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.f	6	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.g	7	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.h	8	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
IE001_01_7 Entry [sctIE001_01_7]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_14] [clIESPID_14] ▼	
1.2	Criterion Description: [Criterion Description]	[IETEST_14] [clIETEST_14] ▼	
1.3*	Criterion met? [Criterion met?]	[IEORRES_14] [A:Y] ☐ YES [A:N] ☒ [cmpIEDESC_14] ☐ NO [IEDESC_14] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_14] [clIETESTCD_15] ▼	
IE001_02_7 [sctIE001_02_7]			
#	Exclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	EX11A00
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00

2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor		EX15A00
2.n	14	Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR Evidence of prior exposure to varicella zoster virus based on serological testing		EX16A00
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or superficial skin infection within 1 week prior to Day 1		EX17A00
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)		EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)		EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy		EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of diseases or use of concomitant medications that prolong the QT interval		EX21A00
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22		EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX23A01
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.w	23	Received any study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25		EX25A01
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00
IE001_02_7 Entry [sctIE001_02_7]				
2.1	Exclusion Number: [Exclusion Number]		[IESPID_15] [clIESPID_15]	
2.2	Criterion Description: [Criterion Description]		[IETEST_15] [clIETEST_15]	
2.3*	Criterion met? [Criterion met?]		[IEORRES_15] [A:Y] YES [IEDESC_15] Describe details if relevant A200 [A:N] NO	
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_15] [clIETESTCD_16]	
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.				

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_8	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_14	Criterion Description
Item	IEORRES_14	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_14	Describe details of criterion not met if relevant
Item	IETESTCD_14	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_15	Criterion Description

Item	IEORRES_15	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_15	Describe details of criterion not met if relevant
Item	IETESTCD_15	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
ciIESPID_14	String		1	1	ciIESPID_1	IESPID_14	
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
ciIETEST_14	String		Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	ciIETEST_5	IETEST_14	
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	ciIETEST_6		
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	ciIETEST_7		
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	ciIETEST_8		
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	ciIETEST_9		
			Clinical diagnosis of AA, >=25% hair loss. De novo: Hamilton-Norwood Grade < IV for male, no evidence of terminal hair regrowth within 6 months, current episode of hair loss due to AA <=10 years	42	ciIETEST_42		
			Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >12 weeks prior to the Study B7981032 Day 1 visit	43	ciIETEST_43		
ciIETESTCD_15	String		Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	44	ciIETEST_44	IETESTCD_14	
			IN05A00	5	ciIETESTCD_5		
			IN06A00	6	ciIETESTCD_6		
			IN07A00	7	ciIETESTCD_7		
			IN08A00	8	ciIETESTCD_8		
			IN09A00	9	ciIETESTCD_9		
			IN01A01	10	ciIETESTCD_10		
ciIESPID_15	String		IN02A01	11	ciIETESTCD_11	IESPID_15	
			IN04A01	12	ciIETESTCD_12		
			1	1	ciIESPID_1		
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
			9	9	ciIESPID_9		
			10	10	ciIESPID_10		
			11	11	ciIESPID_11		
			12	12	ciIESPID_12		
			13	13	ciIESPID_13		

			14		cliIESPID_14	
			15		cliIESPID_15	
			16		cliIESPID_16	
			17		cliIESPID_17	
			18		cliIESPID_18	
			19		cliIESPID_19	
			20		cliIESPID_20	
			21		cliIESPID_21	
			22		cliIESPID_22	
			23		cliIESPID_23	
			24		cliIESPID_24	
			25		cliIESPID_25	
			26		cliIESPID_26	
			27		cliIESPID_27	
			28		cliIESPID_28	
			29		cliIESPID_29	
cliIETEST_15	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13	IETEST_15
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20	
			History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1	21	cliIETEST_21	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25	
			Adolescents 12 to <18 years old without one of the following: Evidence of having received the varicella vaccine OR Evidence of prior exposure to varicella zoster virus based on serological testing	26	cliIETEST_26	
			Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or superficial skin infection within 1 week prior to Day 1	27	cliIETEST_27	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30	
			ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of diseases or use of concomitant medications that prolong the QT interval	31	cliIETEST_31	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK	37	cliIETEST_37	

		inhibitors) or within 5 half-lives prior to study participation			
		Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
		Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
		Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
		Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	
		Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	47	cliIETEST_47	
		Received any study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25	48	cliIETEST_48	
cliIETESTCD_16	String	EX03A00	33	cliIETESTCD_33	IETESTCD_15
		EX04A00	34	cliIETESTCD_34	
		EX05A00	35	cliIETESTCD_35	
		EX06A00	36	cliIETESTCD_36	
		EX07A00	37	cliIETESTCD_37	
		EX08A00	38	cliIETESTCD_38	
		EX09A00	39	cliIETESTCD_39	
		EX10A00	40	cliIETESTCD_40	
		EX11A00	41	cliIETESTCD_41	
		EX12A00	42	cliIETESTCD_42	
		EX13A00	43	cliIETESTCD_43	
		EX14A00	44	cliIETESTCD_44	
		EX15A00	45	cliIETESTCD_45	
		EX16A00	46	cliIETESTCD_46	
		EX17A00	47	cliIETESTCD_47	
		EX18A00	48	cliIETESTCD_48	
		EX19A00	49	cliIETESTCD_49	
		EX20A00	50	cliIETESTCD_50	
		EX21A00	51	cliIETESTCD_51	
		EX22A00	52	cliIETESTCD_52	
		EX24A00	54	cliIETESTCD_54	
		EX26A00	56	cliIETESTCD_56	
		EX27A00	57	cliIETESTCD_57	
		EX28A00	58	cliIETESTCD_58	
		EX29A00	59	cliIETESTCD_59	
		EX30A00	60	cliIETESTCD_60	
		EX31A00	100	cliIETESTCD_100	
		EX23A01	63	cliIETESTCD_63	
		EX25A01	64	cliIETESTCD_64	

RDE Analytics: RD_IE001_8		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE001_8_SCTIE001_01_7		
IESPID_14	IESPID_14_C	VARCHAR2
	IESPID_14	VARCHAR2
	IESPID_14_ND	VARCHAR2
IETEST_14	IETEST_14_C	VARCHAR2
	IETEST_14	VARCHAR2
	IETEST_14_ND	VARCHAR2

IEORRES_14	IEORRES_14_C	VARCHAR2
	IEORRES_14	VARCHAR2
	IEORRES_14_ND	VARCHAR2
IEORRES_14 - IEDESC_14	IEDESC_14	VARCHAR2
IETESTCD_14	IETESTCD_14_C	VARCHAR2
	IETESTCD_14	VARCHAR2
	IETESTCD_14_ND	VARCHAR2
RD_IE001_8_SCTIE001_02_7		
IESPID_15	IESPID_15_C	VARCHAR2
	IESPID_15	VARCHAR2
	IESPID_15_ND	VARCHAR2
IETEST_15	IETEST_15_C	VARCHAR2
	IETEST_15	VARCHAR2
	IETEST_15_ND	VARCHAR2
IEORRES_15	IEORRES_15_C	VARCHAR2
	IEORRES_15	VARCHAR2
	IEORRES_15_ND	VARCHAR2
IEORRES_15 - IEDESC_15	IEDESC_15	VARCHAR2
IETESTCD_15	IETESTCD_15_C	VARCHAR2
	IETESTCD_15	VARCHAR2
	IETESTCD_15_ND	VARCHAR2

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A4 A) [IE001_16]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_16]			
#	Inclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
1.a	1	All: clinical diagnosis of AA. Scalp hair loss >=25% (adults) >= 50% (adolescents). De novo subjects: no evidence of terminal hair regrowth within 6 months, episode of hair loss due to AA <=10 years	IN01A04
1.b	2	Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	IN04A04
1.c	3	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.d	4	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.e	5	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.f	6	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.g	7	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
Inclusion Criteria Entry [sctIE001_01_16]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_31] [clIESPID_31] ▼	
1.2	Criterion Description: [Criterion Description]	[IETEST_31] [clIETEST_31] ▼	
1.3*	Criterion met? [Criterion met?]	[IEORRES_31] [A:Y] ☐ YES [A:N] ☐ [cmpIEDESC_31] ☐ NO [IEDESC_31] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_31] [clIETESTCD_31] ▼	
Exclusion Criteria [sctIE001_02_16]			
#	Exclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1 visit	EX11A04
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00
2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	EX15A00

2.n	14	Adolescents 12 to <18 years of age without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing		EX16A04
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1		EX17A02
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)		EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)		EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy		EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval		EX21A02
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22		EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX23A01
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.w	23	Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol exclusion criterion 25		EX25A04
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00

Exclusion Criteria Entry [sctIE001_02_16]

2.1	Exclusion Number: [Exclusion Number]	[IESPID_32] [clIESPID_32]
2.2	Criterion Description: [Criterion Description]	[IETEST_32] [clIETEST_32]
2.3*	Criterion met? [Criterion met?]	[IEORRES_32] [A:Y] ☐ YES [IEDESC_32] Describe details if relevant A200 [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_32] [clIETESTCD_32]

Key: [*] = Item is required [] = Item is collapsible [] = Fixed item
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_16	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_31	Criterion Description
Item	IEORRES_31	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_31	Describe details of criterion not met if relevant
Item	IETESTCD_31	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_32	Criterion Description
Item	IEORRES_32	Response to whether Inclusion/Exclusion Criterion was met .

Item	IEDESC_32	Describe details of criterion not met if relevant
Item	IETESTCD_32	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliIESPID_31	String		1	1	cliIESPID_1	IESPID_31
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
cliIETEST_31	String		Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	cliIETEST_5	IETEST_31
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	cliIETEST_6	
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	cliIETEST_7	
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	cliIETEST_8	
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	cliIETEST_9	
			All: clinical diagnosis of AA. Scalp hair loss >=25% (adults) >= 50% (adolescents). De novo subjects: no evidence of terminal hair regrowth within 6 months, episode of hair loss due to AA <=10 years	71	cliIETEST_71	
cliIETESTCD_31	String		Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	72	cliIETEST_72	IETESTCD_31
			IN05A00	5	cliIETESTCD_5	
			IN06A00	6	cliIETESTCD_6	
			IN07A00	7	cliIETESTCD_7	
			IN08A00	8	cliIETESTCD_8	
			IN09A00	9	cliIETESTCD_9	
cliIESPID_32	String		IN01A04	312	cliIETESTCD_312	IESPID_32
			IN04A04	15	cliIETESTCD_15	
			1	1	cliIESPID_1	
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
			11	11	cliIESPID_11	
			12	12	cliIESPID_12	
			13	13	cliIESPID_13	
			14	14	cliIESPID_14	
			15	15	cliIESPID_15	
			16	16	cliIESPID_16	
			17	17	cliIESPID_17	

			18	18	cliIESPID_18	
			19	19	cliIESPID_19	
			20	20	cliIESPID_20	
			21	21	cliIESPID_21	
			22	22	cliIESPID_22	
			23	23	cliIESPID_23	
			24	24	cliIESPID_24	
			25	25	cliIESPID_25	
			26	26	cliIESPID_26	
			27	27	cliIESPID_27	
			28	28	cliIESPID_28	
			29	29	cliIESPID_29	
cliIETEST_32	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13	IETEST_32
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
			Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	
			Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	47	cliIETEST_47	
			Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1	52	cliIETEST_52	
			ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval	53	cliIETEST_53	

		History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1 visit	75	cliIETEST_75	
		Adolescents 12 to <18 years of age without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing	76	cliIETEST_76	
		Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol exclusion criterion 25	77	cliIETEST_77	
cliIETESTCD_32	String	EX03A00	33	cliIETESTCD_33	IETESTCD_32
		EX04A00	34	cliIETESTCD_34	
		EX05A00	35	cliIETESTCD_35	
		EX06A00	36	cliIETESTCD_36	
		EX07A00	37	cliIETESTCD_37	
		EX08A00	38	cliIETESTCD_38	
		EX09A00	39	cliIETESTCD_39	
		EX10A00	40	cliIETESTCD_40	
		EX12A00	42	cliIETESTCD_42	
		EX13A00	43	cliIETESTCD_43	
		EX14A00	44	cliIETESTCD_44	
		EX15A00	45	cliIETESTCD_45	
		EX18A00	48	cliIETESTCD_48	
		EX19A00	49	cliIETESTCD_49	
		EX20A00	50	cliIETESTCD_50	
		EX22A00	52	cliIETESTCD_52	
		EX24A00	54	cliIETESTCD_54	
		EX26A00	56	cliIETESTCD_56	
		EX27A00	57	cliIETESTCD_57	
		EX28A00	58	cliIETESTCD_58	
		EX29A00	59	cliIETESTCD_59	
		EX30A00	60	cliIETESTCD_60	
		EX31A00	100	cliIETESTCD_100	
		EX23A01	63	cliIETESTCD_63	
		EX17A02	90	cliIETESTCD_90	
		EX21A02	94	cliIETESTCD_94	
		EX11A04	276	cliIETESTCD_276	
		EX16A04	280	cliIETESTCD_280	
		EX25A04	282	cliIETESTCD_282	

RDE Analytics: RD_IE001_16		
Data Variable RefName	RD Column Name	Column Data Type
*RD_IE001_16_SCTIE001_01_16		
IESPID_31	IESPID_31_C	VARCHAR2
	IESPID_31	VARCHAR2
	IESPID_31_ND	VARCHAR2
IETEST_31	IETEST_31_C	VARCHAR2
	IETEST_31	VARCHAR2
	IETEST_31_ND	VARCHAR2
IEORRES_31	IEORRES_31_C	VARCHAR2
	IEORRES_31	VARCHAR2
	IEORRES_31_ND	VARCHAR2
IEORRES_31 - IEDESC_31	IEDESC_31	VARCHAR2

IETESTCD_31	IETESTCD_31_C	VARCHAR2
	IETESTCD_31	VARCHAR2
	IETESTCD_31_ND	VARCHAR2
*RD_IE001_16_SCTIE001_02_16		
IESPID_32	IESPID_32_C	VARCHAR2
	IESPID_32	VARCHAR2
	IESPID_32_ND	VARCHAR2
IETEST_32	IETEST_32_C	VARCHAR2
	IETEST_32	VARCHAR2
	IETEST_32_ND	VARCHAR2
IEORRES_32	IEORRES_32_C	VARCHAR2
	IEORRES_32	VARCHAR2
	IEORRES_32_ND	VARCHAR2
IEORRES_32 - IEDESC_32	IEDESC_32	VARCHAR2
IETESTCD_32	IETESTCD_32_C	VARCHAR2
	IETESTCD_32	VARCHAR2
	IETESTCD_32_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A4 B 15) [IE001_17]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_17]			
#	Inclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
1.a	1	All: clinical diagnosis of AA. Scalp hair loss >=25% (adults) >= 50% (adolescents). De novo subjects: no evidence of terminal hair regrowth within 6 months, episode of hair loss due to AA <=10 years	IN01A04
1.b	2	Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	IN03A00
1.c	3	Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	IN04A04
1.d	4	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.e	5	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.f	6	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.g	7	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.h	8	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
Inclusion Criteria Entry [sctIE001_01_17]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_33] [clIESPID_33] ▼	
1.2	Criterion Description: [Criterion Description]	[IETEST_33] [clIETEST_33] ▼	
1.3*	Criterion met? [Criterion met?]	[IEORRES_33] [A:Y] ☐ YES [A:N] ☒ [cmpIEDESC_33] ☐ NO [IEDESC_33] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_33] [clIETESTCD_33] ▼	
Exclusion Criteria [sctIE001_02_17]			
#	Exclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1 visit	EX11A04
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00

2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor		EX15A00
2.n	14	Adolescents 12 to <18 years of age without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing		EX16A04
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1		EX17A02
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)		EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)		EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy		EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval		EX21A02
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22		EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX23A01
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.w	23	Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol exclusion criterion 25		EX25A04
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00
Exclusion Criteria Entry [sctIE001_02_17]				
2.1	Exclusion Number: [Exclusion Number]		[IESPID_34] [clIESPID_34]	
2.2	Criterion Description: [Criterion Description]		[IETEST_34] [clIETEST_34]	
2.3*	Criterion met? [Criterion met?]		[IEORRES_34] [A:Y] YES [IEDESC_34] Describe details if relevant A200 [A:N] NO	
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_34] [clIETESTCD_34]	
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.				

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_17	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_33	Criterion Description
Item	IEORRES_33	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_33	Describe details of criterion not met if relevant
Item	IETESTCD_33	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_34	Criterion Description

Item	IEORRES_34	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_34	Describe details of criterion not met if relevant
Item	IETESTCD_34	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
cliESPID_33	String		1	1	cliESPID_1	IESPID_33	
			2	2	cliESPID_2		
			3	3	cliESPID_3		
			4	4	cliESPID_4		
			5	5	cliESPID_5		
			6	6	cliESPID_6		
			7	7	cliESPID_7		
			8	8	cliESPID_8		
cliIETEST_33	String		Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	3	cliIETEST_3_1	IETEST_33	
			Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	cliIETEST_5_1		
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	cliIETEST_6_1		
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	cliIETEST_7_1		
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	cliIETEST_8_1		
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	cliIETEST_9_1		
			All: clinical diagnosis of AA. Scalp hair loss >=25% (adults) >= 50% (adolescents). De novo subjects: no evidence of terminal hair regrowth within 6 months, episode of hair loss due to AA <=10 years	71	cliIETEST_71		
cliIETESTCD_33	String		Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	72	cliIETEST_72	IETESTCD_33	
			IN03A00	3	cliIETESTCD_3_1		
			IN05A00	5	cliIETESTCD_5_1		
			IN06A00	6	cliIETESTCD_6_1		
			IN07A00	7	cliIETESTCD_7_1		
			IN08A00	8	cliIETESTCD_8_1		
			IN09A00	9	cliIETESTCD_9_1		
cliESPID_34	String		IN01A04	312	cliIETESTCD_312	IESPID_34	
			IN04A04	15	cliIETESTCD_15		
			1	1	cliESPID_1		
			2	2	cliESPID_2		
			3	3	cliESPID_3		
			4	4	cliESPID_4		
			5	5	cliESPID_5		
			6	6	cliESPID_6		
			7	7	cliESPID_7		
			8	8	cliESPID_8		
			9	9	cliESPID_9		
			10	10	cliESPID_10		
			11	11	cliESPID_11		
			12	12	cliESPID_12		
			13	13	cliESPID_13		

			14	cliIESPID_14		
			15	cliIESPID_15		
			16	cliIESPID_16		
			17	cliIESPID_17		
			18	cliIESPID_18		
			19	cliIESPID_19		
			20	cliIESPID_20		
			21	cliIESPID_21		
			22	cliIESPID_22		
			23	cliIESPID_23		
			24	cliIESPID_24		
			25	cliIESPID_25		
			26	cliIESPID_26		
			27	cliIESPID_27		
			28	cliIESPID_28		
			29	cliIESPID_29		
cliIETEST_34	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13_1	IETEST_34
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14_1	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15_1	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16_1	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17_1	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18_1	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19_1	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20_1	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22_1	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23_1	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24_1	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25_1	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28_1	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29_1	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30_1	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32_1	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34_1	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36_1	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37_1	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38_1	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39_1	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40_1	
			Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41_1	
			Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	47	cliIETEST_47_1	

		Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1	52	cliIETEST_52_1	
		ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval	53	cliIETEST_53_1	
		History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1 visit	75	cliIETEST_75	
		Adolescents 12 to <18 years of age without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing	76	cliIETEST_76	
		Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol exclusion criterion 25	77	cliIETEST_77	
cliIETESTCD_34	String	EX03A00	33	cliIETESTCD_33_1	IETESTCD_34
		EX04A00	34	cliIETESTCD_34_1	
		EX05A00	35	cliIETESTCD_35_1	
		EX06A00	36	cliIETESTCD_36_1	
		EX07A00	37	cliIETESTCD_37_1	
		EX08A00	38	cliIETESTCD_38_1	
		EX09A00	39	cliIETESTCD_39_1	
		EX10A00	40	cliIETESTCD_40_1	
		EX12A00	42	cliIETESTCD_42_1	
		EX13A00	43	cliIETESTCD_43_1	
		EX14A00	44	cliIETESTCD_44_1	
		EX15A00	45	cliIETESTCD_45_1	
		EX18A00	48	cliIETESTCD_48_1	
		EX19A00	49	cliIETESTCD_49_1	
		EX20A00	50	cliIETESTCD_50_1	
		EX22A00	52	cliIETESTCD_52_1	
		EX24A00	54	cliIETESTCD_54_1	
		EX26A00	56	cliIETESTCD_56_1	
		EX27A00	57	cliIETESTCD_57_1	
		EX28A00	58	cliIETESTCD_58_1	
		EX29A00	59	cliIETESTCD_59_1	
		EX30A00	60	cliIETESTCD_60_1	
		EX31A00	100	cliIETESTCD_100_1	
		EX23A01	63	cliIETESTCD_63_1	
		EX17A02	90	cliIETESTCD_90_1	
		EX21A02	94	cliIETESTCD_94_1	
		EX11A04	276	cliIETESTCD_276	
		EX16A04	280	cliIETESTCD_280	
		EX25A04	282	cliIETESTCD_282	

RDE Analytics: RD_IE001_17		
Data Variable RefName	RD Column Name	Column Data Type
*RD_IE001_17_SCTIE001_01_17		
IESPID_33	IESPID_33_C	VARCHAR2
	IESPID_33	VARCHAR2
	IESPID_33_ND	VARCHAR2
IETEST_33	IETEST_33_C	VARCHAR2
	IETEST_33	VARCHAR2
	IETEST_33_ND	VARCHAR2

IEORRES_33	IEORRES_33_C	VARCHAR2
	IEORRES_33	VARCHAR2
	IEORRES_33_ND	VARCHAR2
IEORRES_33 - IEDESC_33	IEDESC_33	VARCHAR2
IETESTCD_33	IETESTCD_33_C	VARCHAR2
	IETESTCD_33	VARCHAR2
	IETESTCD_33_ND	VARCHAR2
*RD_IE001_17_SCTIE001_02_17		
IESPID_34	IESPID_34_C	VARCHAR2
	IESPID_34	VARCHAR2
	IESPID_34_ND	VARCHAR2
IETEST_34	IETEST_34_C	VARCHAR2
	IETEST_34	VARCHAR2
	IETEST_34_ND	VARCHAR2
IEORRES_34	IEORRES_34_C	VARCHAR2
	IEORRES_34	VARCHAR2
	IEORRES_34_ND	VARCHAR2
IEORRES_34 - IEDESC_34	IEDESC_34	VARCHAR2
IETESTCD_34	IETESTCD_34_C	VARCHAR2
	IETESTCD_34	VARCHAR2
	IETESTCD_34_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A4 B 05) [IE001_18]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_18]			
#	Inclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
1.a	1	All: clinical diagnosis of AA. Scalp hair loss >=25% (adults) >= 50% (adolescents). De novo subjects: no evidence of terminal hair regrowth within 6 months, episode of hair loss due to AA <=10 years	IN01A04
1.b	2	Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >12 weeks prior to the Study B7981032 Day 1 visit	IN02A01
1.c	3	Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	IN04A04
1.d	4	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.e	5	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.f	6	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.g	7	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.h	8	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
Inclusion Criteria Entry [sctIE001_01_18]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_35] [clIESPID_35] ▼	
1.2	Criterion Description: [Criterion Description]	[IETEST_35] [clIETEST_35] ▼	
1.3*	Criterion met? [Criterion met?]	[IEORRES_35] [A:Y] ☐ YES [A:N] ☒ [cmpIEDESC_35] ☐ NO [IEDESC_35] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_35] [clIETESTCD_35] ▼	
Exclusion Criteria [sctIE001_02_18]			
#	Exclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1 visit	EX11A04
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00

2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor		EX15A00
2.n	14	Adolescents 12 to <18 years of age without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing		EX16A04
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1		EX17A02
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)		EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)		EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy		EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval		EX21A02
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22		EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX23A01
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.w	23	Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol exclusion criterion 25		EX25A04
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00
Exclusion Criteria Entry [sctIE001_02_18]				
2.1	Exclusion Number: [Exclusion Number]		[IESPID_36] [clIESPID_36]	
2.2	Criterion Description: [Criterion Description]		[IETEST_36] [clIETEST_36]	
2.3*	Criterion met? [Criterion met?]		[IEORRES_36] [A:Y] YES [IEDESC_36] Describe details if relevant A200 [A:N] NO	
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_36] [clIETESTCD_36]	
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.				

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_18	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_35	Criterion Description
Item	IEORRES_35	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_35	Describe details of criterion not met if relevant
Item	IETESTCD_35	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_36	Criterion Description

Item	IEORRES_36	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_36	Describe details of criterion not met if relevant
Item	IETESTCD_36	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
cliESPID_35	String		1	1	cliESPID_1	IESPID_35	
			2	2	cliESPID_2		
			3	3	cliESPID_3		
			4	4	cliESPID_4		
			5	5	cliESPID_5		
			6	6	cliESPID_6		
			7	7	cliESPID_7		
			8	8	cliESPID_8		
cliIETEST_35	String		Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	cliIETEST_5_2	IETEST_35	
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	cliIETEST_6_2		
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	cliIETEST_7_2		
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	cliIETEST_8_2		
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	cliIETEST_9_2		
			Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >12 weeks prior to the Study B7981032 Day 1 visit	43	cliIETEST_43_2		
			All: clinical diagnosis of AA. Scalp hair loss >=25% (adults) >= 50% (adolescents). De novo subjects: no evidence of terminal hair regrowth within 6 months, episode of hair loss due to AA <=10 years	71	cliIETEST_71		
cliIETESTCD_35	String		Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	72	cliIETEST_72	IETESTCD_35	
			IN05A00	5	cliIETESTCD_5_2		
			IN06A00	6	cliIETESTCD_6_2		
			IN07A00	7	cliIETESTCD_7_2		
			IN08A00	8	cliIETESTCD_8_2		
			IN09A00	9	cliIETESTCD_9_2		
			IN02A01	11	cliIETESTCD_11_2		
cliESPID_36	String		IN01A04	312	cliIETESTCD_312	IESPID_36	
			IN04A04	15	cliIETESTCD_15		
			1	1	cliESPID_1		
			2	2	cliESPID_2		
			3	3	cliESPID_3		
			4	4	cliESPID_4		
			5	5	cliESPID_5		
			6	6	cliESPID_6		
			7	7	cliESPID_7		
			8	8	cliESPID_8		
			9	9	cliESPID_9		
			10	10	cliESPID_10		
			11	11	cliESPID_11		
			12	12	cliESPID_12		
			13	13	cliESPID_13		

			14	cliIESPID_14		
			15	cliIESPID_15		
			16	cliIESPID_16		
			17	cliIESPID_17		
			18	cliIESPID_18		
			19	cliIESPID_19		
			20	cliIESPID_20		
			21	cliIESPID_21		
			22	cliIESPID_22		
			23	cliIESPID_23		
			24	cliIESPID_24		
			25	cliIESPID_25		
			26	cliIESPID_26		
			27	cliIESPID_27		
			28	cliIESPID_28		
			29	cliIESPID_29		
cliIETEST_36	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13_2	IETEST_36
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14_2	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15_2	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16_2	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17_2	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18_2	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19_2	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20_2	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22_2	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23_2	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24_2	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25_2	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28_2	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29_2	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30_2	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32_2	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34_2	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36_2	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37_2	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38_2	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39_2	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40_2	
			Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41_2	
			Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	47	cliIETEST_47_2	

		Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1 ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1 visit Adolescents 12 to <18 years of age without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol exclusion criterion 25	52	cliIETEST_52_2	
			53	cliIETEST_53_2	
			75	cliIETEST_75	
			76	cliIETEST_76	
			77	cliIETEST_77	
cliIETESTCD_36	String	EX04A00 EX05A00 EX06A00 EX07A00 EX08A00 EX09A00 EX10A00 EX12A00 EX13A00 EX14A00 EX15A00 EX18A00 EX19A00 EX20A00 EX22A00 EX24A00 EX26A00 EX27A00 EX28A00 EX29A00 EX30A00 EX31A00 EX23A01 EX17A02 EX21A02 EX03A00 EX11A04 EX16A04 EX25A04	34	cliIETESTCD_34_2	IETESTCD_36
			35	cliIETESTCD_35_2	
			36	cliIETESTCD_36_2	
			37	cliIETESTCD_37_2	
			38	cliIETESTCD_38_2	
			39	cliIETESTCD_39_2	
			40	cliIETESTCD_40_2	
			42	cliIETESTCD_42_2	
			43	cliIETESTCD_43_2	
			44	cliIETESTCD_44_2	
			45	cliIETESTCD_45_2	
			48	cliIETESTCD_48_2	
			49	cliIETESTCD_49_2	
			50	cliIETESTCD_50_2	
			52	cliIETESTCD_52_2	
			54	cliIETESTCD_54_2	
			56	cliIETESTCD_56_2	
			57	cliIETESTCD_57_2	
			58	cliIETESTCD_58_2	
			59	cliIETESTCD_59_2	
			60	cliIETESTCD_60_2	
			100	cliIETESTCD_100_2	
			63	cliIETESTCD_63_2	
			90	cliIETESTCD_90_2	
			94	cliIETESTCD_94_2	
			33	cliIETESTCD_33_2	
			276	cliIETESTCD_276	
			280	cliIETESTCD_280	
			282	cliIETESTCD_282	

RDE Analytics: RD_IE001_18		
Data Variable RefName	RD Column Name	Column Data Type
*RD_IE001_18_SCTIE001_01_18		
IESPID_35	IESPID_35_C	VARCHAR2
	IESPID_35	VARCHAR2
	IESPID_35_ND	VARCHAR2
IETEST_35	IETEST_35_C	VARCHAR2
	IETEST_35	VARCHAR2
	IETEST_35_ND	VARCHAR2

IEORRES_35	IEORRES_35_C	VARCHAR2
	IEORRES_35	VARCHAR2
	IEORRES_35_ND	VARCHAR2
IEORRES_35 - IEDESC_35	IEDESC_35	VARCHAR2
IETESTCD_35	IETESTCD_35_C	VARCHAR2
	IETESTCD_35	VARCHAR2
	IETESTCD_35_ND	VARCHAR2
*RD_IE001_18_SCTIE001_02_18		
IESPID_36	IESPID_36_C	VARCHAR2
	IESPID_36	VARCHAR2
	IESPID_36_ND	VARCHAR2
IETEST_36	IETEST_36_C	VARCHAR2
	IETEST_36	VARCHAR2
	IETEST_36_ND	VARCHAR2
IEORRES_36	IEORRES_36_C	VARCHAR2
	IEORRES_36	VARCHAR2
	IEORRES_36_ND	VARCHAR2
IEORRES_36 - IEDESC_36	IEDESC_36	VARCHAR2
IETESTCD_36	IETESTCD_36_C	VARCHAR2
	IETESTCD_36	VARCHAR2
	IETESTCD_36_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A5 A) [IE001_21]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_21]			
#	Inclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
1.a	1	All: clinical diagnosis of AA. Scalp hair loss >=25% (adults) >= 50% (adolescents). De novo subjects: no evidence of terminal hair regrowth within 6 months, episode of hair loss due to AA <=10 years	IN01A04
1.b	2	Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	IN04A04
1.c	3	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.d	4	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.e	5	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.f	6	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.g	7	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
Inclusion Criteria Entry [sctIE001_01_21]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_41] [clIESPID_41] ▼	
1.2	Criterion Description: [Criterion Description]	[IETEST_41] [clIETEST_41] ▼	
1.3*	Criterion met? [Criterion met?]	[IEORRES_41] [A:Y] ☐ YES [A:N] ☐ [cmpIEDESC_41] ☐ NO [IEDESC_41] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_41] [clIETESTCD_41] ▼	
Exclusion Criteria [sctIE001_02_21]			
#	Exclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1 visit	EX11A04
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00
2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	EX15A00

2.n	14	Adolescents 12 to <18 years of age without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing	EX16A04
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1	EX17A02
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP	EX21A05
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	EX23A01
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study	EX24A00
2.w	23	Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol amendment 5 exclusion criterion 25	EX25A05
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational products (eg, drugs or vaccines) within 8 weeks (12 weeks for JAK inhibitors) or 5 half-lives prior to study entry	EX27A05
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1	EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	EX31A00

Exclusion Criteria Entry [sctIE001_02_21]

2.1	Exclusion Number: [Exclusion Number]	[IESPID_42] [clIESPID_42]
2.2	Criterion Description: [Criterion Description]	[IETEST_42] [clIETEST_42]
2.3*	Criterion met? [Criterion met?]	[IEORRES_42] [A:Y] ☐ [cmpIEDESC_42] ☐ YES [IEDESC_42] Describe details if relevant A200 [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_42] [clIETESTCD_42]

Key: [*] = Item is required [] = Item is collapsible [] = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA

Type	RefName	Description
Form	IE001_21	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_41	Criterion Description
Item	IEORRES_41	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_41	Describe details of criterion not met if relevant
Item	IETESTCD_41	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_42	Criterion Description
Item	IEORRES_42	Response to whether Inclusion/Exclusion Criterion was met .

Item	IEDESC_42	Describe details of criterion not met if relevant
Item	IETESTCD_42	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliIESPID_41	String		1	1	cliIESPID_1	IESPID_41
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
cliIETEST_41	String		Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	cliIETEST_5	IETEST_41
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	cliIETEST_6	
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	cliIETEST_7	
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	cliIETEST_8	
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	cliIETEST_9	
			All: clinical diagnosis of AA. Scalp hair loss >=25% (adults) >= 50% (adolescents). De novo subjects: no evidence of terminal hair regrowth within 6 months, episode of hair loss due to AA <=10 years	71	cliIETEST_71	
cliIETESTCD_41	String		Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	72	cliIETEST_72	IETESTCD_41
			IN05A00	5	cliIETESTCD_5	
			IN06A00	6	cliIETESTCD_6	
			IN07A00	7	cliIETESTCD_7	
			IN08A00	8	cliIETESTCD_8	
			IN09A00	9	cliIETESTCD_9	
cliIESPID_42	String		IN01A04	312	cliIETESTCD_312	IESPID_42
			IN04A04	15	cliIETESTCD_15	
			1	1	cliIESPID_1	
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
			11	11	cliIESPID_11	
			12	12	cliIESPID_12	
			13	13	cliIESPID_13	
			14	14	cliIESPID_14	
			15	15	cliIESPID_15	
			16	16	cliIESPID_16	
			17	17	cliIESPID_17	

			18	18	cliIESPID_18	
			19	19	cliIESPID_19	
			20	20	cliIESPID_20	
			21	21	cliIESPID_21	
			22	22	cliIESPID_22	
			23	23	cliIESPID_23	
			24	24	cliIESPID_24	
			25	25	cliIESPID_25	
			26	26	cliIESPID_26	
			27	27	cliIESPID_27	
			28	28	cliIESPID_28	
			29	29	cliIESPID_29	
cliIETEST_42	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13	IETEST_42
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
			Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	
			Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	47	cliIETEST_47	
			Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1	52	cliIETEST_52	
			ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval	53	cliIETEST_53	

		History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1 visit	75	cliIETEST_75	
		Adolescents 12 to <18 years of age without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing	76	cliIETEST_76	
		Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol exclusion criterion 25	77	cliIETEST_77	
		ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP	79	cliIETEST_79	
		Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol amendment 5 exclusion criterion 25	80	cliIETEST_80	
		Participation in studies other than B7931005 or B7981015 involving investigational products (eg, drugs or vaccines) within 8 weeks (12 weeks for JAK inhibitors) or 5 half-lives prior to study entry	81	cliIETEST_81	
cliIETESTCD_42	String	EX03A00	33	cliIETESTCD_33	IETESTCD_42
		EX04A00	34	cliIETESTCD_34	
		EX05A00	35	cliIETESTCD_35	
		EX06A00	36	cliIETESTCD_36	
		EX07A00	37	cliIETESTCD_37	
		EX08A00	38	cliIETESTCD_38	
		EX09A00	39	cliIETESTCD_39	
		EX10A00	40	cliIETESTCD_40	
		EX12A00	42	cliIETESTCD_42	
		EX13A00	43	cliIETESTCD_43	
		EX14A00	44	cliIETESTCD_44	
		EX15A00	45	cliIETESTCD_45	
		EX18A00	48	cliIETESTCD_48	
		EX19A00	49	cliIETESTCD_49	
		EX20A00	50	cliIETESTCD_50	
		EX22A00	52	cliIETESTCD_52	
		EX24A00	54	cliIETESTCD_54	
		EX26A00	56	cliIETESTCD_56	
		EX27A00	57	cliIETESTCD_57	
		EX28A00	58	cliIETESTCD_58	
		EX29A00	59	cliIETESTCD_59	
		EX30A00	60	cliIETESTCD_60	
		EX31A00	100	cliIETESTCD_100	
		EX23A01	63	cliIETESTCD_63	
		EX17A02	90	cliIETESTCD_90	
		EX11A04	276	cliIETESTCD_276	
		EX16A04	280	cliIETESTCD_280	
		EX25A04	282	cliIETESTCD_282	
		EX21A05	170	cliIETESTCD_170	
		EX25A05	301	cliIETESTCD_301	
		EX27A05	458	cliIETESTCD_458	

RDE Analytics: RD_IE001_21		
Data Variable RefName	RD Column Name	Column Data Type
*RD_IE001_21_SCTIE001_01_21		
IESPID_41	IESPID_41_C	VARCHAR2
	IESPID_41	VARCHAR2
	IESPID_41_ND	VARCHAR2

IETEST_41	IETEST_41_C	VARCHAR2
	IETEST_41	VARCHAR2
	IETEST_41_ND	VARCHAR2
IEORRES_41	IEORRES_41_C	VARCHAR2
	IEORRES_41	VARCHAR2
	IEORRES_41_ND	VARCHAR2
IEORRES_41 - IEDESC_41	IEDESC_41	VARCHAR2
IETESTCD_41	IETESTCD_41_C	VARCHAR2
	IETESTCD_41	VARCHAR2
	IETESTCD_41_ND	VARCHAR2
*RD_IE001_21_SCTIE001_02_21		
IESPID_42	IESPID_42_C	VARCHAR2
	IESPID_42	VARCHAR2
	IESPID_42_ND	VARCHAR2
IETEST_42	IETEST_42_C	VARCHAR2
	IETEST_42	VARCHAR2
	IETEST_42_ND	VARCHAR2
IEORRES_42	IEORRES_42_C	VARCHAR2
	IEORRES_42	VARCHAR2
	IEORRES_42_ND	VARCHAR2
IEORRES_42 - IEDESC_42	IEDESC_42	VARCHAR2
IETESTCD_42	IETESTCD_42_C	VARCHAR2
	IETESTCD_42	VARCHAR2
	IETESTCD_42_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A5 B 15) [IE001_22]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_22]			
#	Inclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
1.a	1	All: clinical diagnosis of AA. Scalp hair loss >=25% (adults) >= 50% (adolescents). De novo subjects: no evidence of terminal hair regrowth within 6 months, episode of hair loss due to AA <=10 years	IN01A04
1.b	2	Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	IN03A00
1.c	3	Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	IN04A04
1.d	4	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.e	5	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.f	6	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.g	7	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.h	8	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
Inclusion Criteria Entry [sctIE001_01_22]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_43] [clIESPID_43] ▼	
1.2	Criterion Description: [Criterion Description]	[IETEST_43] [clIETEST_43] ▼	
1.3*	Criterion met? [Criterion met?]	[IEORRES_43] [A:Y] ☐ YES [A:N] ☒ [cmpIEDESC_43] ☐ NO [IEDESC_43] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_43] [clIETESTCD_43] ▼	
Exclusion Criteria [sctIE001_02_22]			
#	Exclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1 visit	EX11A04
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00

2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor		EX15A00
2.n	14	Adolescents 12 to <18 years of age without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing		EX16A04
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1		EX17A02
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)		EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)		EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy		EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP		EX21A05
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22		EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX23A01
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.w	23	Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol amendment 5 exclusion criterion 25		EX25A05
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational products (eg, drugs or vaccines) within 8 weeks (12 weeks for JAK inhibitors) or 5 half-lives prior to study entry		EX27A05
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00
Exclusion Criteria Entry [sctIE001_02_22]				
2.1	Exclusion Number: [Exclusion Number]		[IESPID_44] [clIESPID_44]	
2.2	Criterion Description: [Criterion Description]		[IETEST_44] [clIETEST_44]	
2.3*	Criterion met? [Criterion met?]		[IEORRES_44] [A:Y] YES [IEDESC_44] Describe details if relevant A200 [A:N] NO	
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_44] [clIETESTCD_44]	
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.				

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_22	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_43	Criterion Description
Item	IEORRES_43	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_43	Describe details of criterion not met if relevant
Item	IETESTCD_43	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_44	Criterion Description

Item	IEORRES_44	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_44	Describe details of criterion not met if relevant
Item	IETESTCD_44	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
cliESPID_43	String		1	1	cliESPID_1	IESPID_43	
			2	2	cliESPID_2		
			3	3	cliESPID_3		
			4	4	cliESPID_4		
			5	5	cliESPID_5		
			6	6	cliESPID_6		
			7	7	cliESPID_7		
			8	8	cliESPID_8		
cliIETEST_43	String		Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	3	cliIETEST_3_1	IETEST_43	
			Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	cliIETEST_5_1		
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	cliIETEST_6_1		
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	cliIETEST_7_1		
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	cliIETEST_8_1		
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	cliIETEST_9_1		
			All: clinical diagnosis of AA. Scalp hair loss >=25% (adults) >= 50% (adolescents). De novo subjects: no evidence of terminal hair regrowth within 6 months, episode of hair loss due to AA <=10 years	71	cliIETEST_71		
cliIETESTCD_43	String		Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	72	cliIETEST_72	IETESTCD_43	
			IN03A00	3	cliIETESTCD_3_1		
			IN05A00	5	cliIETESTCD_5_1		
			IN06A00	6	cliIETESTCD_6_1		
			IN07A00	7	cliIETESTCD_7_1		
			IN08A00	8	cliIETESTCD_8_1		
			IN09A00	9	cliIETESTCD_9_1		
cliESPID_44	String		IN01A04	312	cliIETESTCD_312	IESPID_44	
			IN04A04	15	cliIETESTCD_15		
			1	1	cliESPID_1		
			2	2	cliESPID_2		
			3	3	cliESPID_3		
			4	4	cliESPID_4		
			5	5	cliESPID_5		
			6	6	cliESPID_6		
			7	7	cliESPID_7		
			8	8	cliESPID_8		
			9	9	cliESPID_9		
			10	10	cliESPID_10		
			11	11	cliESPID_11		
			12	12	cliESPID_12		
			13	13	cliESPID_13		

			14	14	cliIESPID_14	
			15	15	cliIESPID_15	
			16	16	cliIESPID_16	
			17	17	cliIESPID_17	
			18	18	cliIESPID_18	
			19	19	cliIESPID_19	
			20	20	cliIESPID_20	
			21	21	cliIESPID_21	
			22	22	cliIESPID_22	
			23	23	cliIESPID_23	
			24	24	cliIESPID_24	
			25	25	cliIESPID_25	
			26	26	cliIESPID_26	
			27	27	cliIESPID_27	
			28	28	cliIESPID_28	
			29	29	cliIESPID_29	
cliIETEST_44	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIETEST_13_1	IETEST_44
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIETEST_14_1	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIETEST_15_1	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIETEST_16_1	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIETEST_17_1	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIETEST_18_1	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIETEST_19_1	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIETEST_20_1	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIETEST_22_1	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIETEST_23_1	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIETEST_24_1	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIETEST_25_1	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIETEST_28_1	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIETEST_29_1	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIETEST_30_1	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIETEST_32_1	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34_1	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36_1	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37_1	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38_1	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39_1	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40_1	
			Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41_1	
			Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	47	cliIETEST_47_1	

		Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1	52	cliIETEST_52_1	
		ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval	53	cliIETEST_53_1	
		History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1 visit	75	cliIETEST_75	
		Adolescents 12 to <18 years of age without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing	76	cliIETEST_76	
		Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol exclusion criterion 25	77	cliIETEST_77	
		ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP	79	cliIETEST_79	
		Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol amendment 5 exclusion criterion 25	80	cliIETEST_80	
		Participation in studies other than B7931005 or B7981015 involving investigational products (eg, drugs or vaccines) within 8 weeks (12 weeks for JAK inhibitors) or 5 half-lives prior to study entry	81	cliIETEST_81	
cliIETESTCD_44	String	EX03A00	33	cliIETESTCD_33_1	IETESTCD_44
		EX04A00	34	cliIETESTCD_34_1	
		EX05A00	35	cliIETESTCD_35_1	
		EX06A00	36	cliIETESTCD_36_1	
		EX07A00	37	cliIETESTCD_37_1	
		EX08A00	38	cliIETESTCD_38_1	
		EX09A00	39	cliIETESTCD_39_1	
		EX10A00	40	cliIETESTCD_40_1	
		EX12A00	42	cliIETESTCD_42_1	
		EX13A00	43	cliIETESTCD_43_1	
		EX14A00	44	cliIETESTCD_44_1	
		EX15A00	45	cliIETESTCD_45_1	
		EX18A00	48	cliIETESTCD_48_1	
		EX19A00	49	cliIETESTCD_49_1	
		EX20A00	50	cliIETESTCD_50_1	
		EX22A00	52	cliIETESTCD_52_1	
		EX24A00	54	cliIETESTCD_54_1	
		EX26A00	56	cliIETESTCD_56_1	
		EX27A00	57	cliIETESTCD_57_1	
		EX28A00	58	cliIETESTCD_58_1	
		EX29A00	59	cliIETESTCD_59_1	
		EX30A00	60	cliIETESTCD_60_1	
		EX31A00	100	cliIETESTCD_100_1	
		EX23A01	63	cliIETESTCD_63_1	
		EX17A02	90	cliIETESTCD_90_1	
		EX21A02	94	cliIETESTCD_94_1	
		EX11A04	276	cliIETESTCD_276	
		EX16A04	280	cliIETESTCD_280	
		EX25A04	282	cliIETESTCD_282	
		EX21A05	170	cliIETESTCD_170	
		EX25A05	301	cliIETESTCD_301	
		EX27A05	458	cliIETESTCD_458	

RDE Analytics: RD_IE001_22		
Data Variable RefName	RD Column Name	Column Data Type

*RD_IE001_22_SCTIE001_01_22		
IESPID_43	IESPID_43_C	VARCHAR2
	IESPID_43	VARCHAR2
	IESPID_43_ND	VARCHAR2
IETEST_43	IETEST_43_C	VARCHAR2
	IETEST_43	VARCHAR2
	IETEST_43_ND	VARCHAR2
IEORRES_43	IEORRES_43_C	VARCHAR2
	IEORRES_43	VARCHAR2
	IEORRES_43_ND	VARCHAR2
IEORRES_43 - IEDESC_43	IEDESC_43	VARCHAR2
IETESTCD_43	IETESTCD_43_C	VARCHAR2
	IETESTCD_43	VARCHAR2
	IETESTCD_43_ND	VARCHAR2
*RD_IE001_22_SCTIE001_02_22		
IESPID_44	IESPID_44_C	VARCHAR2
	IESPID_44	VARCHAR2
	IESPID_44_ND	VARCHAR2
IETEST_44	IETEST_44_C	VARCHAR2
	IETEST_44	VARCHAR2
	IETEST_44_ND	VARCHAR2
IEORRES_44	IEORRES_44_C	VARCHAR2
	IEORRES_44	VARCHAR2
	IEORRES_44_ND	VARCHAR2
IEORRES_44 - IEDESC_44	IEDESC_44	VARCHAR2
IETESTCD_44	IETESTCD_44_C	VARCHAR2
	IETESTCD_44	VARCHAR2
	IETESTCD_44_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A5 B 05) [IE001_23]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_23]			
#	Inclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
1.a	1	All: clinical diagnosis of AA. Scalp hair loss >=25% (adults) >= 50% (adolescents). De novo subjects: no evidence of terminal hair regrowth within 6 months, episode of hair loss due to AA <=10 years	IN01A04
1.b	2	Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >12 weeks prior to the Study B7981032 Day 1 visit	IN02A01
1.c	3	Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	IN04A04
1.d	4	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.e	5	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.f	6	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.g	7	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.h	8	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
Inclusion Criteria Entry [sctIE001_01_23]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_45] [clIESPID_45] ▼	
1.2	Criterion Description: [Criterion Description]	[IETEST_45] [clIETEST_45] ▼	
1.3*	Criterion met? [Criterion met?]	[IEORRES_45] [A:Y] ☐ YES [A:N] ☒ [cmpIEDESC_45] ☐ NO [IEDESC_45] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_45] [clIETESTCD_45] ▼	
Exclusion Criteria [sctIE001_02_23]			
#	Exclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
2.a	1	Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	EX03A00
2.b	2	Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	EX04A00
2.c	3	Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	EX05A00
2.d	4	Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	EX06A00
2.e	5	Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	EX07A00
2.f	6	Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	EX08A00
2.g	7	History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	EX09A00
2.h	8	History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	EX10A00
2.i	9	History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1 visit	EX11A04
2.j	10	Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	EX12A00
2.k	11	Positive serology for human immunodeficiency virus (HIV) at screening	EX13A00
2.l	12	Significant trauma or major surgery within 1 month of the first dose of study intervention	EX14A00

2.m	13	Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor		EX15A00
2.n	14	Adolescents 12 to <18 years of age without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing		EX16A04
2.o	15	Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1		EX17A02
2.p	16	Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)		EX18A00
2.q	17	Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)		EX19A00
2.r	18	Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy		EX20A00
2.s	19	ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP		EX21A05
2.t	20	ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22		EX22A00
2.u	21	Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX23A01
2.v	22	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.w	23	Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol amendment 5 exclusion criterion 25		EX25A05
2.x	24	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.y	25	Participation in studies other than B7931005 or B7981015 involving investigational products (eg, drugs or vaccines) within 8 weeks (12 weeks for JAK inhibitors) or 5 half-lives prior to study entry		EX27A05
2.z	26	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.aa	27	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.ab	28	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.ac	29	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00

Exclusion Criteria Entry [sctIE001_02_23]

2.1	Exclusion Number: [Exclusion Number]	[IESPID_46] [clIESPID_46]
2.2	Criterion Description: [Criterion Description]	[IETEST_46] [clIETEST_46]
2.3*	Criterion met? [Criterion met?]	[IEORRES_46] [A:Y] YES [IEDESC_46] Describe details if relevant A200 [A:N] NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_46] [clIETESTCD_46]

Key: [*] = Item is required [] = Item is collapsible [] = Fixed item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_23	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_45	Criterion Description
Item	IEORRES_45	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_45	Describe details of criterion not met if relevant
Item	IETESTCD_45	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_46	Criterion Description

Item	IEORRES_46	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_46	Describe details of criterion not met if relevant
Item	IETESTCD_46	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
ciIESPID_45	String		1	1	ciIESPID_1	IESPID_45	
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
ciIETEST_45	String		Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	ciIETEST_5_2	IETEST_45	
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	ciIETEST_6_2		
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	ciIETEST_7_2		
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	ciIETEST_8_2		
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	ciIETEST_9_2		
			Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >12 weeks prior to the Study B7981032 Day 1 visit	43	ciIETEST_43_2		
			All: clinical diagnosis of AA. Scalp hair loss >=25% (adults) >= 50% (adolescents). De novo subjects: no evidence of terminal hair regrowth within 6 months, episode of hair loss due to AA <=10 years	71	ciIETEST_71		
ciIETESTCD_45	String		Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	72	ciIETEST_72	IETESTCD_45	
			IN05A00	5	ciIETESTCD_5_2		
			IN06A00	6	ciIETESTCD_6_2		
			IN07A00	7	ciIETESTCD_7_2		
			IN08A00	8	ciIETESTCD_8_2		
			IN09A00	9	ciIETESTCD_9_2		
			IN02A01	11	ciIETESTCD_11_2		
ciIESPID_46	String		IN01A04	312	ciIETESTCD_312	IESPID_46	
			IN04A04	15	ciIETESTCD_15		
			1	1	ciIESPID_1		
			2	2	ciIESPID_2		
			3	3	ciIESPID_3		
			4	4	ciIESPID_4		
			5	5	ciIESPID_5		
			6	6	ciIESPID_6		
			7	7	ciIESPID_7		
			8	8	ciIESPID_8		
			9	9	ciIESPID_9		
			10	10	ciIESPID_10		
			11	11	ciIESPID_11		
			12	12	ciIESPID_12		
			13	13	ciIESPID_13		

			14	cliIESPID_14		
			15	cliIESPID_15		
			16	cliIESPID_16		
			17	cliIESPID_17		
			18	cliIESPID_18		
			19	cliIESPID_19		
			20	cliIESPID_20		
			21	cliIESPID_21		
			22	cliIESPID_22		
			23	cliIESPID_23		
			24	cliIESPID_24		
			25	cliIESPID_25		
			26	cliIESPID_26		
			27	cliIESPID_27		
			28	cliIESPID_28		
			29	cliIESPID_29		
cliIESTEST_46	String		Other scalp disease that may impact AA assessment (eg, scalp psoriasis, dermatitis, etc)	13	cliIESTEST_13_2	IESTEST_46
			Active systemic diseases that may cause hair loss (eg, lupus erythematosus, thyroiditis, systemic sclerosis, lichen planus, etc)	14	cliIESTEST_14_2	
			Any psychiatric condition including recent or active suicidal ideation or behavior (see protocol exclusion criterion 5 for details)	15	cliIESTEST_15_2	
			Have hearing loss with progression over the previous 5 years, or sudden hearing loss, or middle or inner ear disease, or other auditory condition that is considered acute, fluctuating or progressive	16	cliIESTEST_16_2	
			Current or recent history of clinically significant severe, progressive or uncontrolled medical or psychiatric conditions or laboratory abnormality that may increase the risk with study participation	17	cliIESTEST_17_2	
			Any present malignancies or history of malignancies with the exception of adequately treated or excised non-metastatic basal cell or squamous cell cancer of the skin or cervical carcinoma in situ	18	cliIESTEST_18_2	
			History of lymphoproliferative disorder such as EBV related lymphoproliferative disorder, history of any lymphoma, leukemia, or signs and symptoms suggestive of current lymphatic or lymphoid disease	19	cliIESTEST_19_2	
			History (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent (more than one episode of) localized, dermatomal herpes zoster	20	cliIESTEST_20_2	
			Known immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency	22	cliIESTEST_22_2	
			Positive serology for human immunodeficiency virus (HIV) at screening	23	cliIESTEST_23_2	
			Significant trauma or major surgery within 1 month of the first dose of study intervention	24	cliIESTEST_24_2	
			Considered in imminent need for surgery. Subjects with elective surgery scheduled can only be enrolled in Study B7981032 with the approval of the sponsor	25	cliIESTEST_25_2	
			Infection with hepatitis B or hepatitis C viruses according to protocol-specific testing algorithm(s) (see protocol exclusion criteria 18)	28	cliIESTEST_28_2	
			Have evidence of untreated or inadequately treated active or latent Mycobacterium tuberculosis infection (see protocol exclusion criterion 19 for details)	29	cliIESTEST_29_2	
			Abnormal findings on the screening chest radiographs including, but not limited to, presence of active tuberculosis, infection, cardiomyopathy, or malignancy	30	cliIESTEST_30_2	
			ANY of the abnormalities in clinical laboratory tests at screening as described in protocol exclusion criterion 22	32	cliIESTEST_32_2	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIESTEST_34_2	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIESTEST_36_2	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIESTEST_37_2	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIESTEST_38_2	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIESTEST_39_2	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIESTEST_40_2	
			Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIESTEST_41_2	
			Discontinuation from Study B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	47	cliIESTEST_47_2	

		Infection requiring oral antibiotics, antivirals, antiparasitics, antiprotozoals, or antifungals within 4 weeks prior to Day 1 or any active infection within 1 week prior to Day 1	52	cliIETEST_52_2	
		ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP or use of concomitant medications that prolong the QT interval	53	cliIETEST_53_2	
		History of systemic infection requiring hospitalization, parenteral antimicrobial therapy, or as otherwise judged clinically significant by the investigator within 6 months prior to Day 1 visit	75	cliIETEST_75	
		Adolescents 12 to <18 years of age without one of the following: Evidence of having received the varicella vaccine OR evidence of prior exposure to VZV based on serological testing	76	cliIETEST_76	
		Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol exclusion criterion 25	77	cliIETEST_77	
		ANY of the following: clinically significant findings on ECG including prolonged QTcF>450msec, Long QT Syndrome, or history of TdP	79	cliIETEST_79	
		Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol amendment 5 exclusion criterion 25	80	cliIETEST_80	
		Participation in studies other than B7931005 or B7981015 involving investigational products (eg, drugs or vaccines) within 8 weeks (12 weeks for JAK inhibitors) or 5 half-lives prior to study entry	81	cliIETEST_81	
cliIETESTCD_46	String	EX04A00	34	cliIETESTCD_34_2	IETESTCD_46
		EX05A00	35	cliIETESTCD_35_2	
		EX06A00	36	cliIETESTCD_36_2	
		EX07A00	37	cliIETESTCD_37_2	
		EX08A00	38	cliIETESTCD_38_2	
		EX09A00	39	cliIETESTCD_39_2	
		EX10A00	40	cliIETESTCD_40_2	
		EX12A00	42	cliIETESTCD_42_2	
		EX13A00	43	cliIETESTCD_43_2	
		EX14A00	44	cliIETESTCD_44_2	
		EX15A00	45	cliIETESTCD_45_2	
		EX18A00	48	cliIETESTCD_48_2	
		EX19A00	49	cliIETESTCD_49_2	
		EX20A00	50	cliIETESTCD_50_2	
		EX22A00	52	cliIETESTCD_52_2	
		EX24A00	54	cliIETESTCD_54_2	
		EX26A00	56	cliIETESTCD_56_2	
		EX27A00	57	cliIETESTCD_57_2	
		EX28A00	58	cliIETESTCD_58_2	
		EX29A00	59	cliIETESTCD_59_2	
		EX30A00	60	cliIETESTCD_60_2	
		EX31A00	100	cliIETESTCD_100_2	
		EX23A01	63	cliIETESTCD_63_2	
		EX17A02	90	cliIETESTCD_90_2	
		EX21A02	94	cliIETESTCD_94_2	
		EX03A00	33	cliIETESTCD_33_2	
		EX11A04	276	cliIETESTCD_276	
		EX16A04	280	cliIETESTCD_280	
		EX25A04	282	cliIETESTCD_282	
		EX21A05	170	cliIETESTCD_170	
		EX25A05	301	cliIETESTCD_301	
		EX27A05	458	cliIETESTCD_458	

RDE Analytics: RD_IE001_23

Data Variable RefName	RD Column Name	Column Data Type
-----------------------	----------------	------------------

*RD_IE001_23_SCTIE001_01_23		
IESPID_45	IESPID_45_C	VARCHAR2
	IESPID_45	VARCHAR2
	IESPID_45_ND	VARCHAR2
IETEST_45	IETEST_45_C	VARCHAR2
	IETEST_45	VARCHAR2
	IETEST_45_ND	VARCHAR2
IEORRES_45	IEORRES_45_C	VARCHAR2
	IEORRES_45	VARCHAR2
	IEORRES_45_ND	VARCHAR2
IEORRES_45 - IEDESC_45	IEDESC_45	VARCHAR2
IETESTCD_45	IETESTCD_45_C	VARCHAR2
	IETESTCD_45	VARCHAR2
	IETESTCD_45_ND	VARCHAR2
*RD_IE001_23_SCTIE001_02_23		
IESPID_46	IESPID_46_C	VARCHAR2
	IESPID_46	VARCHAR2
	IESPID_46_ND	VARCHAR2
IETEST_46	IETEST_46_C	VARCHAR2
	IETEST_46	VARCHAR2
	IETEST_46_ND	VARCHAR2
IEORRES_46	IEORRES_46_C	VARCHAR2
	IEORRES_46	VARCHAR2
	IEORRES_46_ND	VARCHAR2
IEORRES_46 - IEDESC_46	IEDESC_46	VARCHAR2
IETESTCD_46	IETESTCD_46_C	VARCHAR2
	IETESTCD_46	VARCHAR2
	IETESTCD_46_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: PRIMARY DIAGNOSIS (PRIMDIAG) [MH203]		
1.	Primary Diagnosis: <i>[read-only]</i> [Primary Diagnosis:]	[MHTERM_1] A100
2.*	Date of Onset of Current Episode: [Date of Onset of Current Episode]	[MHCEDAT] (DD/MM/YYYY) Req/Unk ☐ / Req/Unk ☐ / Req ☐ (1920-2023)
3.*	Date of Diagnosis: [Date of Diagnosis]	[MHSTDAT_1] (DD/MM/YYYY) Req/Unk ☐ / Req/Unk ☐ / Req ☐ (1920-2023)
4.	Comparison Term <i>[read-only]</i> [Comparison Term]	[COMPTERM_7] A255
5.	Lowest Level Term <i>[read-only]</i> [Lowest Level Term]	[MHLLT_1] A100
6.	Lowest Level Term Code <i>[read-only]</i> [Lowest Level Term Code]	[MHLLTCD_2] A8
7.	Dictionary Derived Term <i>[read-only]</i> [Dictionary Derived Term]	[MHDECOD_1] A100
8.	Preferred Term Code <i>[read-only]</i> [Preferred Term Code]	[MHPTCD_2] A8
9.	High Level Term <i>[read-only]</i> [High Level Term]	[MHHLT_1] A100
10.	High Level Term Code <i>[read-only]</i> [High Level Term Code]	[MHHLTCD_2] A8
11.	High Level Group Term <i>[read-only]</i> [High Level Group Term]	[MHHLGT_1] A100
12.	High Level Group Term Code <i>[read-only]</i> [High Level Group Term Code]	[MHHLGTCD_2] A8
13.	Primary System Organ Class <i>[read-only]</i> [Primary System Organ Class]	[MHSOC_1] A100
14.	Primary System Organ Class Code <i>[read-only]</i> [Primary System Organ Class Code]	[MHSOCCD_2] A8
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: PRIMARY DIAGNOSIS		
Type	RefName	Description
Form	MH203	MH203 - Primary Diagnosis
Item	MHTERM_1	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	MHCEDAT	Date of Onset of Current Episode
Item	MHSTDAT_1	Start Date of medical history event
Item	COMPTERM_7	Hidden Item needed for clear coding rule.
Item	MHLLT_1	Lowest Level Term

Item	MHLLTCD_2	Lowest Level term
Item	MHDECOD_1	Dictionary Derived Term
Item	MHPTCD_2	Preferred Term Code
Item	MHHLT_1	High Level Term
Item	MHHLTCD_2	High Level Term Code
Item	MHHLGT_1	High Level Group Term
Item	MHHLGTCDC_2	High Level Group Term Code
Item	MHSOC_1	Primary System Organ Class
Item	MHSOCCD_2	Primary System Organ Class Code

Coding Summary: PRIMARY DIAGNOSIS		
Verbatim RefName: MHTERM_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC_1	SOC	Term
MHSOCCD_2	SOC	Code
MHHLGT_1	HLGT	Term
MHHLGTCDC_2	HLGT	Code
MHHLT_1	HLT	Term
MHHLTCD_2	HLT	Code
MHDECOD_1	PT	Term
MHPTCD_2	PT	Code
MHLLT_1	LLT	Term
MHLLTCD_2	LLT	Code

RDE Analytics: RD_MH203		
Data Variable RefName	RD Column Name	Column Data Type
MHTERM_1	MHTERM_1	VARCHAR2
	MHTERM_1_ND	VARCHAR2
MHCEDAT	MHCEDAT	DATE
	MHCEDAT_DTS	VARCHAR2
	MHCEDAT_DTR	VARCHAR2
	MHCEDAT_ND	VARCHAR2
MHSTDAT_1	MHSTDAT_1	DATE
	MHSTDAT_1_DTS	VARCHAR2
	MHSTDAT_1_DTR	VARCHAR2
	MHSTDAT_1_ND	VARCHAR2
COMPTERM_7	COMPTERM_7	VARCHAR2
	COMPTERM_7_ND	VARCHAR2
MHLLT_1	MHLLT_1	VARCHAR2
	MHLLT_1_ND	VARCHAR2
MHLLTCD_2	MHLLTCD_2	VARCHAR2
	MHLLTCD_2_ND	VARCHAR2
MHDECOD_1	MHDECOD_1	VARCHAR2
	MHDECOD_1_ND	VARCHAR2
MHPTCD_2	MHPTCD_2	VARCHAR2
	MHPTCD_2_ND	VARCHAR2

MHHLT_1	MHHLT_1	VARCHAR2
	MHHLT_1_ND	VARCHAR2
MHHLTCD_2	MHHLTCD_2	VARCHAR2
	MHHLTCD_2_ND	VARCHAR2
MHHLGT_1	MHHLGT_1	VARCHAR2
	MHHLGT_1_ND	VARCHAR2
MHHLGTCD_2	MHHLGTCD_2	VARCHAR2
	MHHLGTCD_2_ND	VARCHAR2
MHSOC_1	MHSOC_1	VARCHAR2
	MHSOC_1_ND	VARCHAR2
MHSOCCD_2	MHSOCCD_2	VARCHAR2
	MHSOCCD_2_ND	VARCHAR2

Study Object Descriptions: ALOPECIA AREATA HISTORY		
Type	RefName	Description
Form	AHX001	ALOPECIA AREATA HISTORY

Codelist Values Tables: ALOPECIA AREATA HISTORY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
clAHXA	String		ALOPECIA AREATA TOTALIS	2	clAHXA_2	AHXCETP
			ALOPECIA AREATA UNIVERSALIS	3	clAHXA_3	
			OTHER ALOPECIA AREATA	4	clAHXA_4	

RDE Analytics: RD_AHX001		
Data Variable RefName	RD Column Name	Column Data Type
AHXCETP	AHXCETP_C	VARCHAR2
	AHXCETP	VARCHAR2
	AHXCETP_ND	VARCHAR2
AHXACPH	AHXACPH_C	VARCHAR2
	AHXACPH	VARCHAR2
	AHXACPH_ND	VARCHAR2
AHXPATT	AHXPATT_C	VARCHAR2
	AHXPATT	VARCHAR2
	AHXPATT_ND	VARCHAR2

AHXWAX	AHXWAX_C	VARCHAR2
	AHXWAX	VARCHAR2
	AHXWAX_ND	VARCHAR2
cmpAHXHL	CMPAHXHL_ND	VARCHAR2
cmpAHXHL - AHXHLYR	AHXHLYR	NUMBER
cmpAHXHL - AHXHLMN	AHXHLMN	NUMBER
AHXTOTL	AHXTOTL_C	VARCHAR2
	AHXTOTL	VARCHAR2
	AHXTOTL_ND	VARCHAR2
AHXTOTL - AHXATDU	AHXATDU_C	VARCHAR2
	AHXATDU	VARCHAR2
AHXPEPN	AHXPEPN	NUMBER
	AHXPEPN_ND	VARCHAR2

B7981032: GENERAL MEDICAL HISTORY (GENERAL MEDH) [MH002]															
	Line/MH Number	Medical History Term	Start Date	Ongoing	Comparison Term	Lowest Level Term	Lowest Level Term Code	Dictionary Derived Term	Preferred Term Code	High Level Term	High Level Term Code	High Level Group Term	High Level Group Term Code	Primary System Organ Class	Primary System Organ Class Code
1.															
1.1	Line/MH Number: <i>[read-only]</i> [Line/MH Number]								[MHSPID] N8						
1.2*	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: [Medical History Term]								[MHTERM] A100						
1.3*	Start Date: [Start Date]								[MHSTDAT_3] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1920-2027)						
1.4*	Ongoing: [Ongoing]								[MHONGO_1] [A:Y] ☐ YES [A:N] ☐ [cmpMHENDAT] v NO [MHENDAT] (DD/MM/YYYY) End Date: Req/Unk v / Req/Unk v / Req v (1920-2027)						
1.5	Comparison Term <i>[read-only]</i> [Comparison Term]								[COMPTERM_9] A255						
1.6	Lowest Level Term <i>[read-only]</i> [Lowest Level Term]								[MHLLT] A100						
1.7	Lowest Level Term Code <i>[read-only]</i> [Lowest Level Term Code]								[MHLLTCD] A8						
1.8	Dictionary Derived Term <i>[read-only]</i> [Dictionary Derived Term]								[MHDECOD] A100						
1.9	Preferred Term Code <i>[read-only]</i> [Preferred Term Code]								[MHPTCD] A8						
1.10	High Level Term <i>[read-only]</i> [High Level Term]								[MHHLT] A100						
1.11	High Level Term Code <i>[read-only]</i> [High Level Term Code]								[MHHLTCD] A8						
1.12	High Level Group Term <i>[read-only]</i> [High Level Group Term]								[MHHLGT] A100						
1.13	High Level Group Term Code <i>[read-only]</i> [High Level Group Term Code]								[MHHLGTCD] A8						
1.14	Primary System Organ Class <i>[read-only]</i> [Primary System Organ Class]								[MHSOC] A100						
1.15	Primary System Organ Class Code <i>[read-only]</i> [Primary System Organ Class Code]								[MHSOCCD] A8						
Key: [*] = Item is required [v] = Item is collapsible Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.															

Study Object Descriptions: GENERAL MEDICAL HISTORY		
Type	RefName	Description
Form	MH002	MH002 - General Medical History
Item	MHSPID	A sponsor defined identifier which can be used for pre-printed numbers on the CRF. Populated as a sequential number
Item	MHTERM	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	MHENDAT	End Date of medical history event
Item	COMPTERM_9	Hidden Item needed for clear coding rule.
Item	MHLLT	Lowest Level Term
Item	MHLLTCD	Lowest Level term
Item	MHDECOD	Dictionary Derived Term
Item	MHPTCD	Preferred Term Code
Item	MHHLT	High Level Term
Item	MHHLTCD	High Level Term Code
Item	MHHLGT	High Level Group Term
Item	MHHLGTCD	High Level Group Term Code
Item	MHSOC	Primary System Organ Class
Item	MHSOCCD	Primary System Organ Class Code

Coding Summary: GENERAL MEDICAL HISTORY		
Verbatim RefName: MHTERM		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC	SOC	Term
MHSOCCD	SOC	Code
MHHLGT	HLGT	Term
MHHLGTCD	HLGT	Code
MHHLT	HLT	Term
MHHLTCD	HLT	Code
MHDECOD	PT	Term
MHPTCD	PT	Code
MHLLT	LLT	Term
MHLLTCD	LLT	Code

RDE Analytics: RD_MH002		
Data Variable RefName	RD Column Name	Column Data Type
RD_MH002_SCTMH002_02		
MHSPID	MHSPID	NUMBER
	MHSPID_ND	VARCHAR2
MHTERM	MHTERM	VARCHAR2
	MHTERM_ND	VARCHAR2
MHSTDAT_3	MHSTDAT_3	DATE
	MHSTDAT_3_DTS	VARCHAR2
	MHSTDAT_3_DTR	VARCHAR2
	MHSTDAT_3_ND	VARCHAR2
MHONGO_1	MHONGO_1_C	VARCHAR2
	MHONGO_1	VARCHAR2
	MHONGO_1_ND	VARCHAR2

MHONGO_1 - MHENDAT	MHENDAT	DATE
	MHENDAT_DTS	VARCHAR2
	MHENDAT_DTR	VARCHAR2
COMPTERM_9	COMPTERM_9	VARCHAR2
	COMPTERM_9_ND	VARCHAR2
MHLLT	MHLLT	VARCHAR2
	MHLLT_ND	VARCHAR2
MHLLTCD	MHLLTCD	VARCHAR2
	MHLLTCD_ND	VARCHAR2
MHDECOD	MHDECOD	VARCHAR2
	MHDECOD_ND	VARCHAR2
MHPTCD	MHPTCD	VARCHAR2
	MHPTCD_ND	VARCHAR2
MHHLT	MHHLT	VARCHAR2
	MHHLT_ND	VARCHAR2
MHHLTCD	MHHLTCD	VARCHAR2
	MHHLTCD_ND	VARCHAR2
MHHLGT	MHHLGT	VARCHAR2
	MHHLGT_ND	VARCHAR2
MHHLGTC	MHHLGTC	VARCHAR2
	MHHLGTC_ND	VARCHAR2
MHSOC	MHSOC	VARCHAR2
	MHSOC_ND	VARCHAR2
MHSOCCD	MHSOCCD	VARCHAR2
	MHSOCCD_ND	VARCHAR2

Study Object Descriptions: SUBSTANCE USE		
Type	RefName	Description
Form	SU001	SU001 - Substance Use - Details
Item	SUCAT	Used to define a category of related records (e.g., TOBACCO, ALCOHOL).
Item	SUNCF	Substance Use Occurrence.
Item	SUTRT	Type of Substance
Item	SUDOSU	Units for SUDOSTXT (e.g., PACKS, OUNCES).
Item	SUDOSFRQ	Usually expressed as the number of uses consumed per a specific interval (e.g., PER DAY, PER WEEK, OCCASIONAL).
Item	SUSTDAT	Date substance use started.
Item	SUENDAT	Date substance use ended.

file:///C:/Users/Nsharma/AppData/Local/Apps/2.0/3H0KP69G.CJ8/2DJKZ8XV.BQV/orac..90.0 919f856034ae8f10 0007.000... 2/14/2024

			PIPE	5	cliSUTRT_5	
			SNUFF TOBACCO	6	cliSUTRT_6	
			E-CIGARETTES	10	cliSUTRT_10	
cliUNIT_15	String		mg	8	cliUNIT_8	SUDOSU
			oz	81	cliUNIT_81	
			PACK	431	cliUNIT_431	
			CIGAR	524	cliUNIT_524	
			CIGARETTE	525	cliUNIT_525	
			PIPE	533	cliUNIT_533	
			mL	9	cliUNIT_9	

RDE Analytics: RD_SU001		
Data Variable RefName	RD Column Name	Column Data Type
RD_SU001_SCTSU001_01		
SUCAT	SUCAT_C	VARCHAR2
	SUCAT	VARCHAR2
	SUCAT_ND	VARCHAR2
SUNCF	SUNCF_C	VARCHAR2
	SUNCF	VARCHAR2
	SUNCF_ND	VARCHAR2
SUTRT	SUTRT_C	VARCHAR2
	SUTRT	VARCHAR2
	SUTRT_ND	VARCHAR2
SUDSTXT	SUDSTXT	FLOAT
	SUDSTXT_ND	VARCHAR2
SUDOSU	SUDOSU_C	VARCHAR2
	SUDOSU	VARCHAR2
	SUDOSU_ND	VARCHAR2
SUDOSFRQ	SUDOSFRQ_C	VARCHAR2
	SUDOSFRQ	VARCHAR2
	SUDOSFRQ_ND	VARCHAR2
SUSTDAT	SUSTDAT	DATE
	SUSTDAT_DTS	VARCHAR2
	SUSTDAT_DTR	VARCHAR2
	SUSTDAT_ND	VARCHAR2
SUENDAT	SUENDAT	DATE
	SUENDAT_DTS	VARCHAR2
	SUENDAT_DTR	VARCHAR2
	SUENDAT_ND	VARCHAR2

Study Object Descriptions: SUBSTANCE USE		
Type	RefName	Description
Form	SU001_1	SU001 - Substance Use - Details
Item	SUCAT_1	Used to define a category of related records (e.g., TOBACCO, ALCOHOL).
Item	SUNCF_1	Substance Use Occurrence.
Item	SUTRT_2	Type of Substance
Item	SUDOSU_1	Units for SUDOSTXT (e.g., PACKS, OUNCES).
Item	SUDOSFRQ_1	Usually expressed as the number of uses consumed per a specific interval (e.g., PER DAY, PER WEEK, OCCASIONAL).
Item	SUSTDAT_1	Date substance use started.
Item	SUENDAT_1	Date substance use ended.

RDE Analytics: RD_SU001_1		
Data Variable RefName	RD Column Name	Column Data Type
RD_SU001_1_SCTSU001_01_1		
SUCAT_1	SUCAT_1_C	VARCHAR2
	SUCAT_1	VARCHAR2
	SUCAT_1_ND	VARCHAR2

SUNCF_1	SUNCF_1_C	VARCHAR2
	SUNCF_1	VARCHAR2
	SUNCF_1_ND	VARCHAR2
SUTRT_2	SUTRT_2_C	VARCHAR2
	SUTRT_2	VARCHAR2
	SUTRT_2_ND	VARCHAR2
SUDSTXT_1	SUDSTXT_1	FLOAT
	SUDSTXT_1_ND	VARCHAR2
SUDOSU_1	SUDOSU_1_C	VARCHAR2
	SUDOSU_1	VARCHAR2
	SUDOSU_1_ND	VARCHAR2
SUDOSFRQ_1	SUDOSFRQ_1_C	VARCHAR2
	SUDOSFRQ_1	VARCHAR2
	SUDOSFRQ_1_ND	VARCHAR2
SUSTDAT_1	SUSTDAT_1	DATE
	SUSTDAT_1_DTS	VARCHAR2
	SUSTDAT_1_DTR	VARCHAR2
	SUSTDAT_1_ND	VARCHAR2
SUENDAT_1	SUENDAT_1	DATE
	SUENDAT_1_DTS	VARCHAR2
	SUENDAT_1_DTR	VARCHAR2
	SUENDAT_1_ND	VARCHAR2

Study Object Descriptions: PHYSICAL EXAMINATION		
Type	RefName	Description
Form	PE001_2	PE001 - Physical Examination
Item	PETEST_2	Name of the Body System
Item	PERES_2	Overall assessment of examined body system
Item	PEDESC_2	Text description of any abnormal finding

file:///C:/Users/Nsharma/AppData/Local/Apps/2.0/3H0KP69G.CJ8/2DJKZ8XV.BQV/orac..90.0 919f856034ae8f10 0007.000... 2/14/2024

			LUNGS	10	cliPETEST_10	
			HEART	11	cliPETEST_11	
			BREASTS	12	cliPETEST_12	
			ABDOMEN	13	cliPETEST_13	
			GENITOURINARY	14	cliPETEST_14	
			BACK	17	cliPETEST_17	
			EXTREMITIES	19	cliPETEST_19	
			NEUROLOGICAL	21	cliPETEST_21	
			SKIN	22	cliPETEST_22	
			LYMPH NODES	23	cliPETEST_23	
			MOUTH	24	cliPETEST_24	
			THROAT	25	cliPETEST_25	

RDE Analytics: RD_PE001_2		
Data Variable RefName	RD Column Name	Column Data Type
RD_PE001_2_SCTPE001_02_2		
PETEST_2	PETEST_2_C	VARCHAR2
	PETEST_2	VARCHAR2
	PETEST_2_ND	VARCHAR2
PERES_2	PERES_2_C	VARCHAR2
	PERES_2	VARCHAR2
	PERES_2_ND	VARCHAR2
PERES_2 - PEDESC_2	PEDESC_2	VARCHAR2

Study Object Descriptions: VITAL SIGNS		
Type	RefName	Description
Form	VS302	VS302 - Vital Signs - Wide Format
Item	VSDAT	The date the measurement was performed.
Item	WEIGHT	Weight
Item	WEIGHTU	Weight Unit
Item	HEIGHT	Height
Item	HEIGHTU	Height Unit
Item	VSSPID_2	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	TEMP	Temperature
Item	TEMPU	Temperature Unit

Item	TEMPSRC	Temperature Route
Item	SYSBP	Systolic Blood Pressure collected in mmHg
Item	DIABP	Diastolic Blood Pressure in mmHg
Item	PULSE	Pulse Rate in beats/minute.
Item	RESP	Respiratory Rate in respirations/minute.

RDE Analytics: RD_VS302		
Data Variable RefName	RD Column Name	Column Data Type
VSDAT	VSDAT	DATE
	VSDAT_DTS	VARCHAR2
	VSDAT_ND	VARCHAR2
WEIGHT	WEIGHT	FLOAT
	WEIGHT_ND	VARCHAR2
WEIGHTU	WEIGHTU_C	VARCHAR2
	WEIGHTU	VARCHAR2
	WEIGHTU_ND	VARCHAR2
HEIGHT	HEIGHT	FLOAT
	HEIGHT_ND	VARCHAR2
HEIGHTU	HEIGHTU_C	VARCHAR2
	HEIGHTU	VARCHAR2
	HEIGHTU_ND	VARCHAR2
RD_VS302_SCTVS302_02		
VSSPID_2	VSSPID_2	VARCHAR2
	VSSPID_2_ND	VARCHAR2
TEMP	TEMP	FLOAT
	TEMP_ND	VARCHAR2
TEMPU	TEMPU_C	VARCHAR2
	TEMPU	VARCHAR2
	TEMPU_ND	VARCHAR2
TEMPSRC	TEMPSRC_C	VARCHAR2
	TEMPSRC	VARCHAR2
	TEMPSRC_ND	VARCHAR2
SYSBP	SYSBP	NUMBER
	SYSBP_ND	VARCHAR2
DIABP	DIABP	NUMBER
	DIABP_ND	VARCHAR2
PULSE	PULSE	NUMBER
	PULSE_ND	VARCHAR2
RESP	RESP	NUMBER
	RESP_ND	VARCHAR2

Study Object Descriptions: LOCALLY READ ECGs		
Type	RefName	Description
Form	EG002_1	EG002 - Locally Read ECGs
Item	EGDAT_1	Date of ECG.
Item	EGNABN_1	ECG Interpretation - Normal, Abnormal, Not Evaluable.
Item	EGCLSIG_1	Whether ECG results were clinically significant. Need a rule as EGCLSIG is completed only if EGNABN = "ABNORMAL" or "INDETERMINATE"
Item	EGCOM_1	Comments on Significant ECG Findings
Item	EGTEST_1	Name of ECG Measurement, test or examination. Long name for EGTESTCD.
Item	EGORRES_1	Result of the measurement or finding as originally received or collected.
Item	EGORRESU_1	Original units in which the data were collected.

file:///C:/Users/Nsharma/AppData/Local/Apps/2.0/3H0KP69G.CJ8/2DJKZ8XV.BQV/orac..90.0 919f856034ae8f10 0007.000... 2/14/2024

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cIEGTEST_1	String		PR INTERVAL, AGGREGATE	76	cliEGTEST_76	EGTEST_1
			QRS DURATION, AGGREGATE	82	cliEGTEST_82	
			QT INTERVAL, AGGREGATE	86	cliEGTEST_86	
			QTCF INTERVAL, AGGREGATE	89	cliEGTEST_89	
			RR INTERVAL, AGGREGATE	94	cliEGTEST_94	
			ECG MEAN HEART RATE	128	cliEGTEST_128	

RDE Analytics: RD_EG002_1		
Data Variable RefName	RD Column Name	Column Data Type
EGDAT_1	EGDAT_1	DATE
	EGDAT_1_DTS	VARCHAR2
	EGDAT_1_ND	VARCHAR2
EGNABN_1	EGNABN_1_C	VARCHAR2
	EGNABN_1	VARCHAR2
	EGNABN_1_ND	VARCHAR2
EGNABN_1 - EGCLSIG_1	EGCLSIG_1_C	VARCHAR2
	EGCLSIG_1	VARCHAR2
EGNABN_1 - EGCOM_1	EGCOM_1	VARCHAR2
RD_EG002_1_SCTEG002_02		
EGTEST_1	EGTEST_1_C	VARCHAR2
	EGTEST_1	VARCHAR2
	EGTEST_1_ND	VARCHAR2
EGORRES_1	EGORRES_1	VARCHAR2
	EGORRES_1_ND	VARCHAR2
EGORRESU_1	EGORRESU_1_C	VARCHAR2
	EGORRESU_1	VARCHAR2
	EGORRESU_1_ND	VARCHAR2

Study Object Descriptions: TUBERCULOSIS TESTING		
Type	RefName	Description
Form	TCR001	TUBERCULOSIS CHALLENGE AND REACTION

Codelist Values Tables: TUBERCULOSIS TESTING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cITCRA	String		PPD SKIN TEST	1	cliTCRA_1	TCRMETH
			CHEST X-RAY	3	cliTCRA_3	
			QUANTIFERON TB GOLD IN-TUBE	4	cliTCRA_4	
			T-SPOT	5	cliTCRA_5	
			CT SCAN	6	cliTCRA_6	
			MRI	7	cliTCRA_7	

RDE Analytics: RD_TCR001		
Data Variable RefName	RD Column Name	Column Data Type
TCRPERF	TCRPERF_C	VARCHAR2
	TCRPERF	VARCHAR2
	TCRPERF_ND	VARCHAR2
TCRCOM	TCRCOM	VARCHAR2
	TCRCOM_ND	VARCHAR2
TCRRDDAT	TCRRDDAT	DATE

	TCRRDDAT_DTS	VARCHAR2
	TCRRDDAT_ND	VARCHAR2
TCRIND	TCRIND	FLOAT
	TCRIND_ND	VARCHAR2
RD_TCR001_SCTTCR001_02		
TCRMETH	TCRMETH_C	VARCHAR2
	TCRMETH	VARCHAR2
	TCRMETH_ND	VARCHAR2
TCRORRES	TCRORRES_C	VARCHAR2
	TCRORRES	VARCHAR2
	TCRORRES_ND	VARCHAR2
TCRSTAT	TCRSTAT_C	VARCHAR2
	TCRSTAT	VARCHAR2
	TCRSTAT_ND	VARCHAR2
TCRDAT	TCRDAT	DATE
	TCRDAT_DTS	VARCHAR2
	TCRDAT_ND	VARCHAR2

Study Object Descriptions: AUDIOMETRIC ASSESSMENT - HEARING TEST		
Type	RefName	Description
Form	AUD001_1	AUDIOMETRIC ASSESSMENT - HEARING TEST

RDE Analytics: RD_AUD001_1		
Data Variable RefName	RD Column Name	Column Data Type
AUDDAT_1	AUDDAT_1	DATE
	AUDDAT_1_DTS	VARCHAR2
	AUDDAT_1_ND	VARCHAR2
AUDCOM_1	AUDCOM_1	VARCHAR2
	AUDCOM_1_ND	VARCHAR2
*RD_AUD001_1_SCTAUD001_02_1		
AUDLAT_1	AUDLAT_1_C	VARCHAR2
	AUDLAT_1	VARCHAR2
	AUDLAT_1_ND	VARCHAR2
AUDLOC_1	AUDLOC_1_C	VARCHAR2
	AUDLOC_1	VARCHAR2
	AUDLOC_1_ND	VARCHAR2
AUDHSTA_1	AUDHSTA_1_C	VARCHAR2
	AUDHSTA_1	VARCHAR2
	AUDHSTA_1_ND	VARCHAR2
AUDHSTA_1 - AUDCLSG_1	AUDCLSG_1_C	VARCHAR2

	AUDCLSG_1	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

Study Object Descriptions: CENTRAL LAB SAMPLE COLLECTION		
Type	RefName	Description
Form	LB001_2	LB001 - Central Processing (Results Transmitted Electronically)
Item	LBDAT_6	Date of specimen collection.
Item	LBFAST_1	Indicator used to identify fasting status.
Item	LBCAT_6	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBCATYN_1	Lab Panel specimen collected

file:///C:/Users/Nsharma/AppData/Local/Apps/2.0/3H0KP69G.CJ8/2DJKZ8XV.BQV/orac..90.0 919f856034ae8f10 0007.000... 2/14/2024

Study Object Descriptions: LAB PREGNANCY URINE		
Type	RefName	Description
Item	LBCAT_3	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).. Default To HEMATOLOGY
Item	LBSCAT	Used to define a sub-category of related laboratory records (e.g. Electrolytes, Liver Function).
Item	LBSPEC_3	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBNAM_3	The name or identifier of the laboratory that performed the test.
Item	LBUID_3	Field needed for LNMT integration
Item	LBDAT_3	Date of specimen collection.
Item	LBSPID_3	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_3	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBORRES_3	Result of the measurement or finding as originally received or collected.
Item	LBSTAT_3	Used to indicate test was not done.

RDE Analytics: RD_LB002_PREG_U		
Data Variable RefName	RD Column Name	Column Data Type

LBCAT_3	LBCAT_3_C	VARCHAR2
	LBCAT_3	VARCHAR2
	LBCAT_3_ND	VARCHAR2
LBSCAT	LBSCAT_C	VARCHAR2
	LBSCAT	VARCHAR2
	LBSCAT_ND	VARCHAR2
LBSPEC_3	LBSPEC_3_C	VARCHAR2
	LBSPEC_3	VARCHAR2
	LBSPEC_3_ND	VARCHAR2
LBNAM_3	LBNAM_3	VARCHAR2
	LBNAM_3_ND	VARCHAR2
LBNAMD_3	LBNAMD_3	VARCHAR2
	LBNAMD_3_ND	VARCHAR2
LBUID_3	LBUID_3	VARCHAR2
	LBUID_3_ND	VARCHAR2
LBDAT_3	LBDAT_3	DATE
	LBDAT_3_DTS	VARCHAR2
	LBDAT_3_ND	VARCHAR2
*RD_LB002_PREG_U_SCTLB002_12		
LBSPID_3	LBSPID_3	NUMBER
	LBSPID_3_ND	VARCHAR2
LBTEST_3	LBTEST_3_C	VARCHAR2
	LBTEST_3	VARCHAR2
	LBTEST_3_ND	VARCHAR2
LBORRES_3	LBORRES_3	VARCHAR2
	LBORRES_3_ND	VARCHAR2
LBSTAT_3	LBSTAT_3_C	VARCHAR2
	LBSTAT_3	VARCHAR2
	LBSTAT_3_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: SEVERITY OF ALOPECIA TOOL_OVERALL (SALT_OVERALL) [SALT001]		
1.* ✓	Date of assessment: [Date of Assessment]	[SALTDAT] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2019-2027)
2.* ✓	Quadrant score - Percent of Top: [Quadrant Score - Percent of Top]	[SALTQTP] N3
3.* ✓	Quadrant score - Percent of Back: [Quadrant Score - Percent of Back]	[SALTQBK] N3
4.* ✓	Quadrant score - Percent of Left Side: [Quadrant Score - Percent of Left Side]	[SALTQLS] N3
5.* ✓	Quadrant score - Percent of Right Side: [Quadrant Score - Percent of Right Side]	[SALTQRS] N3
6.	Derived Total SALT Score: <i>[read-only]</i> [Derived Total SALT Score]	[SALTTSD] xxxx.
7.* ✓	Rater ID: [Rater ID]	[SALTRID] A3
8. ✓	Comments: [Comments/Findings/Details]	[SALTCOM] A200
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: SEVERITY OF ALOPECIA TOOL_OVERALL		
Type	RefName	Description
Form	SALT001	SEVERITY OF ALOPECIA TOOL

RDE Analytics: RD_SALT001		
Data Variable RefName	RD Column Name	Column Data Type
SALTDAT	SALTDAT	DATE
	SALTDAT_DTS	VARCHAR2
	SALTDAT_ND	VARCHAR2
SALTQTP	SALTQTP	NUMBER
	SALTQTP_ND	VARCHAR2
SALTQBK	SALTQBK	NUMBER
	SALTQBK_ND	VARCHAR2
SALTQLS	SALTQLS	NUMBER
	SALTQLS_ND	VARCHAR2
SALTQRS	SALTQRS	NUMBER
	SALTQRS_ND	VARCHAR2
SALTTSD	SALTTSD	FLOAT
	SALTTSD_ND	VARCHAR2
SALTRID	SALTRID	VARCHAR2
	SALTRID_ND	VARCHAR2
SALTCOM	SALTCOM	VARCHAR2
	SALTCOM_ND	VARCHAR2

Study Object Descriptions: SEVERITY OF ALOPECIA TOOL_AGA		
Type	RefName	Description
Form	SALT001_1	SEVERITY OF ALOPECIA TOOL

file:///C:/Users/Nsharma/AppData/Local/Apps/2.0/3H0KP69G.CJ8/2DJKZ8XV.BQV/orac..90.0 919f856034ae8f10 0007.000... 2/14/2024

	SALTRID_1_ND	VARCHAR2
SALTCOM_1	SALTCOM_1	VARCHAR2
	SALTCOM_1_ND	VARCHAR2

B7981032: HAMILTON PATTERNED LOSS OF HAIR (HAMILTON-NORWOOD SCALE FOR ANDROGENETIC ALOPECIA) [HPLH001]		
1.*	Norwood-Hamilton Male Pattern Baldness Type: [Norwood-Hamilton Pattern Type]	[HPLHNOR] [A:1] ☐ TYPE I [A:2] ☐ TYPE II [A:3] ☐ TYPE IIA [A:4] ☐ TYPE III [A:5] ☐ TYPE IIIA [A:6] ☐ TYPE III VERTEX [A:7] ☐ TYPE IV [A:8] ☐ TYPE IVA [A:9] ☐ TYPE V [A:10] ☐ TYPE VA [A:11] ☐ TYPE VI [A:12] ☐ TYPE VII
2.*	Rater ID: [Rater ID]	[HPLHRID] A5
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: HAMILTON PATTERNED LOSS OF HAIR

Type	RefName	Description
Form	HPLH001	HAMILTON PATTERNED LOSS OF HAIR

RDE Analytics: RD_HPLH001			
Data Variable	RefName	RD Column Name	Column Data Type
HPLHNOR		HPLHNOR_C	VARCHAR2
		HPLHNOR	VARCHAR2
		HPLHNOR_ND	VARCHAR2
HPLHRID		HPLHRID	VARCHAR2
		HPLHRID_ND	VARCHAR2

Study Object Descriptions: EYEBROW ASSESSMENT		
Type	RefName	Description
Form	EBA001	EBA001 - EYEBROW ASSESSMENT

RDE Analytics: RD_EBA001		
Data Variable RefName	RD Column Name	Column Data Type
EBADAT	EBADAT	DATE
	EBADAT_DTS	VARCHAR2
	EBADAT_ND	VARCHAR2
EBACOND	EBACOND_C	VARCHAR2
	EBACOND	VARCHAR2
	EBACOND_ND	VARCHAR2
EBARID	EBARID	VARCHAR2
	EBARID_ND	VARCHAR2
EBACOM	EBACOM	VARCHAR2
	EBACOM_ND	VARCHAR2

Study Object Descriptions: EYELASH ASSESSMENT		
Type	RefName	Description
Form	ELA001	ELA001 - EYELASH ASSESSMENT

RDE Analytics: RD_ELA001		
Data Variable RefName	RD Column Name	Column Data Type
ELADAT	ELADAT	DATE
	ELADAT_DTS	VARCHAR2
	ELADAT_ND	VARCHAR2
ELACOND	ELACOND_C	VARCHAR2
	ELACOND	VARCHAR2
	ELACOND_ND	VARCHAR2
ELARID	ELARID	VARCHAR2
	ELARID_ND	VARCHAR2
ELACOM	ELACOM	VARCHAR2
	ELACOM_ND	VARCHAR2

Study Object Descriptions: DERMATOLOGY ALOPECIA AREATA PHOTOGRAPHY		
Type	RefName	Description
Form	DLP001	DERMATOLOGY LESION PHOTOGRAPHY

RDE Analytics: RD_DLP001		
Data Variable RefName	RD Column Name	Column Data Type
DLPCAT	DLPCAT_C	VARCHAR2
	DLPCAT	VARCHAR2
	DLPCAT_ND	VARCHAR2
DLPTRT	DLPTRT	VARCHAR2
	DLPTRT_ND	VARCHAR2
DLPPERF	DLPPERF_C	VARCHAR2
	DLPPERF	VARCHAR2
	DLPPERF_ND	VARCHAR2
DLPDAT	DLPDAT	DATE
	DLPDAT_DTS	VARCHAR2
	DLPDAT_ND	VARCHAR2
DLPLLOC	DLPLLOC_ND	VARCHAR2
DLPLOC - SCALP	DLPLOC_CLILOC505_C	VARCHAR2
	DLPLOC_CLILOC505	VARCHAR2
DLPLOC - EYELASH	DLPLOC_CLILOC332_C	VARCHAR2
	DLPLOC_CLILOC332	VARCHAR2
DLPLOC - EYEBROW	DLPLOC_CLILOC838_C	VARCHAR2
	DLPLOC_CLILOC838	VARCHAR2
DLPLOC - FINGERNAIL	DLPLOC_CLILOC187_C	VARCHAR2
	DLPLOC_CLILOC187	VARCHAR2

DLPCOM	DLPCOM	VARCHAR2
	DLPCOM_ND	VARCHAR2

Study Object Descriptions: CLINICAL GLOBAL IMPRESSION - ALOPECIA AREATA		
Type	RefName	Description
Form	CGIA001	CLINICAL GLOBAL IMPRESSION - ALOPECIA AREATA

RDE Analytics: RD_CGIA001		
Data Variable RefName	RD Column Name	Column Data Type
CGIADIS	CGIADIS_C	VARCHAR2
	CGIADIS	VARCHAR2
	CGIADIS_ND	VARCHAR2
CGIAPERF	CGIAPERF_C	VARCHAR2
	CGIAPERF	VARCHAR2
	CGIAPERF_ND	VARCHAR2
CGIADAT	CGIADAT	DATE
	CGIADAT_DTS	VARCHAR2
	CGIADAT_ND	VARCHAR2
CGIAEVIT	CGIAEVIT_C	VARCHAR2
	CGIAEVIT	VARCHAR2
	CGIAEVIT_ND	VARCHAR2
CGIASHL	CGIASHL_C	VARCHAR2
	CGIASHL	VARCHAR2
	CGIASHL_ND	VARCHAR2
CGIARID	CGIARID	VARCHAR2
	CGIARID_ND	VARCHAR2

B7981032: COLUMBIA SUICIDE-SEVERITY RATING SCALE - BASELINE/SCREENING (B/S_IDEATION_C-SSRS) [CSS302a]	
1. CSS Category <i>[hidden]</i> [CSS Category]	[CSSCAT] [A:1] ☐ C-SSRS BASELINE/SCREENING VERSION
2. Source of Collection <i>[read-only]</i> [Source of Collection]	[CSSCOLL] [A:1] ☐ LIFETIME
3.* Was the assessment performed? ✓ [Was Assessment Performed]	[CSSPERF] [A:Y] ☐ YES [A:N] ☐ NO
4. Recall Period for Ideation <i>[read-only]</i> [Recall Period for Ideation]	[CSSIREC] [A:3] ☐ PAST 1 YEAR
5. Wish To Be Dead - Lifetime ✓ [Wish To Be Dead - Lifetime]	[CSSDEDL] [A:Y] ☐ YES [A:N] ☐ NO
6. Wish To Be Dead - Recall ✓ [Wish To Be Dead - Recall]	[CSSDEDR] [A:Y] ☐ YES [A:N] ☐ NO
7. Wish To Be Dead Detail ✓ [Wish To Be Dead Detail]	[CSSDEDD] A200
8. Non-Specific Thoughts - Lifetime ✓ [Non-Specific Thoughts - Lifetime]	[CSSTHGL] [A:Y] ☐ YES [A:N] ☐ NO
9. Non-Specific Thoughts - Recall ✓ [Non-Specific Thoughts - Recall]	[CSSTHGR] [A:Y] ☐ YES [A:N] ☐ NO
10. Non-Specific Thoughts Detail ✓ [Non-Specific Thoughts Detail]	[CSSTHGD] A200
11. Without Intent to Act - Lifetime ✓ [Without Intent to Act - Lifetime]	[CSSIAML] [A:Y] ☐ YES [A:N] ☐ NO
12. Without Intent to Act - Recall ✓ [Without Intent to Act - Recall]	[CSSIAMR] [A:Y] ☐ YES [A:N] ☐ NO
13. Without Intent To Act Detail ✓ [Without Intent To Act Detail]	[CSSIAMD] A200
14. Some Intent to Act - Lifetime ✓ [Some Intent to Act - Lifetime]	[CSSISIL] [A:Y] ☐ YES [A:N] ☐ NO
15. Some Intent to Act - Recall ✓ [Some Intent to Act - Recall]	[CSSISIR] [A:Y] ☐ YES [A:N] ☐ NO
16. Some Intent To Act Detail ✓ [Some Intent To Act Detail]	[CSSISD] A200

17.	Specific Plan and Intent - Lifetime ✓ [Specific Plan and Intent - Lifetime]	[CSSISPL] [A:Y] ☐ YES [A:N] ☐ NO
18.	Specific Plan and Intent - Recall ✓ [Specific Plan and Intent - Recall]	[CSSISPR] [A:Y] ☐ YES [A:N] ☐ NO
19.	Specific Plan And Intent Detail ✓ [Specific Plan And Intent Detail]	[CSSISPD] A200

Key: [*] = Item is required [✓] = Source verification required
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: COLUMBIA SUICIDE-SEVERITY RATING SCALE - BASELINE/SCREENING

Type	RefName	Description
Form	CSS302a	COLUMBIA SUICIDE-SEVERITY RATING SCALE - BASELINE/SCREENING

RDE Analytics: RD_CSS302A		
Data Variable	RefName	RD Column Name Column Data Type
CSSCAT		CSSCAT_C VARCHAR2
		CSSCAT VARCHAR2
		CSSCAT_ND VARCHAR2
CSSCOLL		CSSCOLL_C VARCHAR2
		CSSCOLL VARCHAR2
		CSSCOLL_ND VARCHAR2
CSSPERF		CSSPERF_C VARCHAR2
		CSSPERF VARCHAR2
		CSSPERF_ND VARCHAR2
CSSIREC		CSSIREC_C VARCHAR2
		CSSIREC VARCHAR2
		CSSIREC_ND VARCHAR2
CSSDEDL		CSSDEDL_C VARCHAR2
		CSSDEDL VARCHAR2
		CSSDEDL_ND VARCHAR2
CSSDEDR		CSSDEDR_C VARCHAR2
		CSSDEDR VARCHAR2
		CSSDEDR_ND VARCHAR2
CSSDEDD		CSSDEDD VARCHAR2
		CSSDEDD_ND VARCHAR2
CSSTHGL		CSSTHGL_C VARCHAR2
		CSSTHGL VARCHAR2
		CSSTHGL_ND VARCHAR2
CSSTHGR		CSSTHGR_C VARCHAR2
		CSSTHGR VARCHAR2
		CSSTHGR_ND VARCHAR2
CSSTHGD		CSSTHGD VARCHAR2
		CSSTHGD_ND VARCHAR2
CSSIAML		CSSIAML_C VARCHAR2

	CSSIAML	VARCHAR2
	CSSIAML_ND	VARCHAR2
CSSIAMR	CSSIAMR_C	VARCHAR2
	CSSIAMR	VARCHAR2
	CSSIAMR_ND	VARCHAR2
CSSIAMD	CSSIAMD	VARCHAR2
	CSSIAMD_ND	VARCHAR2
CSSISIL	CSSISIL_C	VARCHAR2
	CSSISIL	VARCHAR2
	CSSISIL_ND	VARCHAR2
CSSISIR	CSSISIR_C	VARCHAR2
	CSSISIR	VARCHAR2
	CSSISIR_ND	VARCHAR2
CSSISD	CSSISD	VARCHAR2
	CSSISD_ND	VARCHAR2
CSSISPL	CSSISPL_C	VARCHAR2
	CSSISPL	VARCHAR2
	CSSISPL_ND	VARCHAR2
CSSISPR	CSSISPR_C	VARCHAR2
	CSSISPR	VARCHAR2
	CSSISPR_ND	VARCHAR2
CSSISPD	CSSISPD	VARCHAR2
	CSSISPD_ND	VARCHAR2

B7981032: COLUMBIA SUICIDE-SEVERITY RATING SCALE - BASELINE/SCREENING (B/S_INTENSITY OF IDEATION_C-SSRS) [CSS302b]		
1. ✓	Most Severe Ideation - Lifetime [Most Severe Ideation - Lifetime]	[CSSMIL] [A:1] ☐ WISH TO BE DEAD [A:2] ☐ NON-SPECIFIC ACTIVE SUICIDAL THOUGHTS [A:3] ☐ ACTIVE SUICIDAL IDEATION WITH ANY METHODS (NOT PLAN) WITHOUT INTENT TO ACT [A:4] ☐ ACTIVE SUICIDAL IDEATION WITH SOME INTENT TO ACT, WITHOUT SPECIFIC PLAN [A:5] ☐ ACTIVE SUICIDAL IDEATION WITH SPECIFIC PLAN AND INTENT
2. ✓	Most Sev Ideation Details-Lifetime [Most Sev Ideation Details-Lifetime]	[CSSMILD] A200
3. ✓	Most Severe Ideation - Recall [Most Severe Ideation - Recall]	[CSSMIR] [A:1] ☐ WISH TO BE DEAD [A:2] ☐ NON-SPECIFIC ACTIVE SUICIDAL THOUGHTS [A:3] ☐ ACTIVE SUICIDAL IDEATION WITH ANY METHODS (NOT PLAN) WITHOUT INTENT TO ACT [A:4] ☐ ACTIVE SUICIDAL IDEATION WITH SOME INTENT TO ACT, WITHOUT SPECIFIC PLAN [A:5] ☐ ACTIVE SUICIDAL IDEATION WITH SPECIFIC PLAN AND INTENT
4. ✓	Most Sev Ideation Details-Recall [Most Sev Ideation Details-Recall]	[CSSMIRD] A200
5. ✓	Most Severe Frequency - Lifetime [Most Severe Frequency - Lifetime]	[CSSSFQL] [A:1] ☐ LESS THAN ONCE A WEEK [A:2] ☐ ONCE A WEEK [A:3] ☐ 2-5 TIMES A WEEK [A:4] ☐ DAILY OR ALMOST DAILY [A:5] ☐ MANY TIMES EACH DAY
6. ✓	Most Severe Frequency - Recall [Most Severe Frequency - Recall]	[CSSSFQR] [A:1] ☐ LESS THAN ONCE A WEEK [A:2] ☐ ONCE A WEEK [A:3] ☐ 2-5 TIMES A WEEK [A:4] ☐ DAILY OR ALMOST DAILY [A:5] ☐ MANY TIMES EACH DAY
7. ✓	Most Severe Duration - Lifetime [Most Severe Duration - Lifetime]	[CSSSDRL] [A:1] ☐ FLEETING - FEW SECONDS OR MINUTES [A:2] ☐ LESS THAN 1 HOUR/SOME OF THE TIME [A:3] ☐ 1 - 4 HOURS/A LOT OF TIME [A:4] ☐ 4 - 8 HOURS/MOST OF DAY [A:5] ☐ MORE THAN 8 HOURS/PERSISTENT OR CONTINUOUS
8. ✓	Most Severe Duration - Recall [Most Severe Duration - Recall]	[CSSSDRR] [A:1] ☐ FLEETING - FEW SECONDS OR MINUTES [A:2] ☐ LESS THAN 1 HOUR/SOME OF THE TIME [A:3] ☐ 1 - 4 HOURS/A LOT OF TIME [A:4] ☐ 4 - 8 HOURS/MOST OF DAY [A:5] ☐ MORE THAN 8 HOURS/PERSISTENT OR CONTINUOUS
9. ✓	Most Sev Controllability - Lifetime [Most Sev Controllability - Lifetime]	[CSSSCNL] [ciCSSF] v
10. ✓	Most Sev Controllability - Recall [Most Sev Controllability - Recall]	[CSSSCNR] [ciCSSF_1] v
11. ✓	Most Severe Deterrents - Lifetime [Most Severe Deterrents - Lifetime]	[CSSDTRL] [ciCSSJ] v
12. ✓	Most Severe Deterrents - Recall [Most Severe Deterrents - Recall]	[CSSDTRR] [ciCSSJ_1]

13. ✓	Most Severe Reasons - Lifetime [Most Severe Reasons - Lifetime]	[CSSSRIL] [cliCSSH]	
14. ✓	Most Severe Reasons - Recall [Most Severe Reasons - Recall]	[CSSSRIR] [cliCSSH_1]	
Key: [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.			

Study Object Descriptions: COLUMBIA SUICIDE-SEVERITY RATING SCALE - BASELINE/SCREENING

Type	RefName	Description
Form	CSS302b	COLUMBIA SUICIDE-SEVERITY RATING SCALE - BASELINE/SCREENING

Codelist Values Tables: COLUMBIA SUICIDE-SEVERITY RATING SCALE - BASELINE/SCREENING

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliCSSF	String		DOES NOT ATTEMPT TO CONTROL THOUGHTS	0	cliCSSF_0	CSSSCNL
			EASILY ABLE TO CONTROL THOUGHTS	1	cliCSSF_1	
			CAN CONTROL THOUGHTS WITH LITTLE DIFFICULTY	2	cliCSSF_2	
			CAN CONTROL THOUGHTS WITH SOME DIFFICULTY	3	cliCSSF_3	
			CAN CONTROL THOUGHTS WITH A LOT OF DIFFICULTY	4	cliCSSF_4	
			UNABLE TO CONTROL THOUGHTS	5	cliCSSF_5	
cliCSSF_1	String		DOES NOT ATTEMPT TO CONTROL THOUGHTS	0	cliCSSF_0	CSSSCNR
			EASILY ABLE TO CONTROL THOUGHTS	1	cliCSSF_1	
			CAN CONTROL THOUGHTS WITH LITTLE DIFFICULTY	2	cliCSSF_2	
			CAN CONTROL THOUGHTS WITH SOME DIFFICULTY	3	cliCSSF_3	
			CAN CONTROL THOUGHTS WITH A LOT OF DIFFICULTY	4	cliCSSF_4	
			UNABLE TO CONTROL THOUGHTS	5	cliCSSF_5	
cliCSSJ	String		DOES NOT APPLY	0	cliCSSJ_0	CSSDTRL
			DETERRENTS DEFINITELY STOPPED YOU FROM ATTEMPTING SUICIDE	1	cliCSSJ_1	
			DETERRENTS PROBABLY STOPPED YOU	2	cliCSSJ_2	
			UNCERTAIN THAT DETERRENTS STOPPED YOU	3	cliCSSJ_3	
			DETERRENTS MOST LIKELY DID NOT STOP YOU	4	cliCSSJ_4	
			DETERRENTS DEFINITELY DID NOT STOP YOU	5	cliCSSJ_5	
cliCSSJ_1	String		DOES NOT APPLY	0	cliCSSJ_0	CSSDTRR
			DETERRENTS DEFINITELY STOPPED YOU FROM ATTEMPTING SUICIDE	1	cliCSSJ_1	
			DETERRENTS PROBABLY STOPPED YOU	2	cliCSSJ_2	
			UNCERTAIN THAT DETERRENTS STOPPED YOU	3	cliCSSJ_3	
			DETERRENTS MOST LIKELY DID NOT STOP YOU	4	cliCSSJ_4	
			DETERRENTS DEFINITELY DID NOT STOP YOU	5	cliCSSJ_5	
cliCSSH	String		DOES NOT APPLY	0	cliCSSH_0	CSSSRIL
			COMPLETELY TO GET ATTENTION, REVENGE OR A REACTION FROM OTHERS	1	cliCSSH_1	
			MOSTLY TO GET ATTENTION, REVENGE OR A REACTION FROM OTHERS	2	cliCSSH_2	
			EQUALLY TO GET ATTENTION, REVENGE OR A REACTION FROM OTHERS AND TO END/STOP PAIN	3	cliCSSH_3	
			MOSTLY TO END OR STOP THE PAIN (YOU COULDN'T GO ON LIVING WITH THE PAIN OR HOW YOU WERE FEELING)	4	cliCSSH_4	
			COMPLETELY TO END OR STOP THE PAIN (YOU COULDN'T GO ON LIVING WITH THE PAIN OR HOW YOU WERE FEELING)	5	cliCSSH_5	
cliCSSH_1	String		DOES NOT APPLY	0	cliCSSH_0	CSSSRIR
			COMPLETELY TO GET ATTENTION, REVENGE OR A REACTION FROM OTHERS	1	cliCSSH_1	
			MOSTLY TO GET ATTENTION, REVENGE OR A REACTION FROM OTHERS	2	cliCSSH_2	

		EQUALLY TO GET ATTENTION, REVENGE OR A REACTION FROM OTHERS AND TO END/STOP PAIN	3	cliCSSH_3
		MOSTLY TO END OR STOP THE PAIN (YOU COULDN'T GO ON LIVING WITH THE PAIN OR HOW YOU WERE FEELING)	4	cliCSSH_4
		COMPLETELY TO END OR STOP THE PAIN (YOU COULDN'T GO ON LIVING WITH THE PAIN OR HOW YOU WERE FEELING)	5	cliCSSH_5

RDE Analytics: RD_CSS302B		
Data Variable RefName	RD Column Name	Column Data Type
CSSMIL	CSSMIL_C	VARCHAR2
	CSSMIL	VARCHAR2
	CSSMIL_ND	VARCHAR2
CSSMILD	CSSMILD	VARCHAR2
	CSSMILD_ND	VARCHAR2
CSSMIR	CSSMIR_C	VARCHAR2
	CSSMIR	VARCHAR2
	CSSMIR_ND	VARCHAR2
CSSMIRD	CSSMIRD	VARCHAR2
	CSSMIRD_ND	VARCHAR2
CSSSFQL	CSSSFQL_C	VARCHAR2
	CSSSFQL	VARCHAR2
	CSSSFQL_ND	VARCHAR2
CSSSFQR	CSSSFQR_C	VARCHAR2
	CSSSFQR	VARCHAR2
	CSSSFQR_ND	VARCHAR2
CSSSDRL	CSSSDRL_C	VARCHAR2
	CSSSDRL	VARCHAR2
	CSSSDRL_ND	VARCHAR2
CSSSDRR	CSSSDRR_C	VARCHAR2
	CSSSDRR	VARCHAR2
	CSSSDRR_ND	VARCHAR2
CSSSCNL	CSSSCNL_C	VARCHAR2
	CSSSCNL	VARCHAR2
	CSSSCNL_ND	VARCHAR2
CSSSCNR	CSSSCNR_C	VARCHAR2
	CSSSCNR	VARCHAR2
	CSSSCNR_ND	VARCHAR2
CSSDTRL	CSSDTRL_C	VARCHAR2
	CSSDTRL	VARCHAR2
	CSSDTRL_ND	VARCHAR2
CSSDTRR	CSSDTRR_C	VARCHAR2
	CSSDTRR	VARCHAR2
	CSSDTRR_ND	VARCHAR2
CSSSRIL	CSSSRIL_C	VARCHAR2
	CSSSRIL	VARCHAR2
	CSSSRIL_ND	VARCHAR2
CSSSRIR	CSSSRIR_C	VARCHAR2
	CSSSRIR	VARCHAR2
	CSSSRIR_ND	VARCHAR2

B7981032: COLUMBIA SUICIDE-SEVERITY RATING SCALE - BASELINE/SCREENING (B/S_BEHAVIOR_C-SSRS) [CSS302c]		
1.	Recall Period for Behavior <i>[read-only]</i> [Recall Period for Behavior]	[CSSBREC] [A:5] ☐ PAST 5 YEARS
2.* ✓	Actual Attempt - Lifetime [Actual Attempt - Lifetime]	[CSSACL] [A:Y] ☐ YES [A:N] ☐ NO
3.* ✓	Actual Attempt - Recall [Actual Attempt - Recall]	[CSSACR] [A:Y] ☐ YES [A:N] ☐ NO
4. ✓	Total Number of Attempts - Lifetime [Total Number of Attempts - Lifetime]	[CSSACTL] N2
5. ✓	Total Number of Attempts - Recall [Total Number of Attempts - Recall]	[CSSACTR] N2
6. ✓	Actual Attempt Detail [Actual Attempt Detail]	[CSSACTD] A200
7.* ✓	Non-Suic Injur Behavior - Lifetime [Non-Suic Injur Behavior - Lifetime]	[CSSNSIL] [A:Y] ☐ YES [A:N] ☐ NO
8.* ✓	Non-Suic Injur Behavior - Recall [Non-Suic Injur Behavior - Recall]	[CSSNSIR] [A:Y] ☐ YES [A:N] ☐ NO
9.* ✓	Interrupted Attempt - Lifetime [Interrupted Attempt - Lifetime]	[CSSINL] [A:Y] ☐ YES [A:N] ☐ NO
10.* ✓	Interrupted Attempt - Recall [Interrupted Attempt - Recall]	[CSSINR] [A:Y] ☐ YES [A:N] ☐ NO
11. ✓	Total Number Interrupt - Lifetime [Total Number Interrupt - Lifetime]	[CSSINTL] N2
12. ✓	Total Number Interrupt - Recall [Total Number Interrupt - Recall]	[CSSINTR] N2
13. ✓	Interrupted Attempt Detail [Interrupted Attempt Detail]	[CSSINTD] A200
14.* ✓	Aborted Attempt - Lifetime [Aborted Attempt - Lifetime]	[CSSABL] [A:Y] ☐ YES [A:N] ☐ NO
15.* ✓	Aborted Attempt - Recall [Aborted Attempt - Recall]	[CSSABR] [A:Y] ☐ YES [A:N] ☐ NO
16. ✓	Total Number of Aborted - Lifetime [Total Number of Aborted - Lifetime]	[CSSABTL] N2
17. ✓	Total Number of Aborted - Recall [Total Number of Aborted - Recall]	[CSSABTR] N2
18. ✓	Aborted Attempt Detail [Aborted Attempt Detail]	[CSSABOD] A200

19.* ✓	Prep Acts or Behaviors - Lifetime [Prep Acts or Behaviors - Lifetime]	[CSSPRPL] [A:Y] ☐ YES [A:N] ☐ NO
20.* ✓	Prep Acts or Behaviors - Recall [Prep Acts or Behaviors - Recall]	[CSSPRPR] [A:Y] ☐ YES [A:N] ☐ NO
21. ✓	Preparatory Acts or Behavior Detail [Preparatory Acts or Behavior Detail]	[CSSPRPD] A200
22.* ✓	Suic Behavior Present - Lifetime [Suic Behavior Present - Lifetime]	[CSSSUIL] [A:Y] ☐ YES [A:N] ☐ NO
23.* ✓	Suic Behavior Present - Recall [Suic Behavior Present - Recall]	[CSSSUIR] [A:Y] ☐ YES [A:N] ☐ NO
24. ✓	Most Recent Attempt Date [Most Recent Attempt Date]	[CSSRADT] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1920-2023)
25. ✓	Recent Attempt - Actual Lethality [Recent Attempt - Actual Lethality]	[CSSRAL] [cliCSSA_1] v
26. ✓	Recent Attempt - Potential Lethality [Recent Attempt - Potential Lethality]	[CSSRPL] [A:0] ☐ BEHAVIOR NOT LIKELY TO RESULT IN INJURY [A:1] ☐ BEHAVIOR LIKELY TO RESULT IN INJURY BUT NOT LIKELY TO CAUSE DEATH [A:2] ☐ BEHAVIOR LIKELY TO RESULT IN DEATH DESPITE AVAILABLE MEDICAL CARE
27. ✓	Worst/Most Lethal Attempt Date [Worst/Most Lethal Attempt Date]	[CSSWADT] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1920-2023)
28. ✓	Worst Attempt - Actual Lethality [Worst Attempt - Actual Lethality]	[CSSWAL] [cliCSSA_2] v
29. ✓	Worst Attempt - Potential Lethality [Worst Attempt - Potential Lethality]	[CSSWPL] [A:0] ☐ BEHAVIOR NOT LIKELY TO RESULT IN INJURY [A:1] ☐ BEHAVIOR LIKELY TO RESULT IN INJURY BUT NOT LIKELY TO CAUSE DEATH [A:2] ☐ BEHAVIOR LIKELY TO RESULT IN DEATH DESPITE AVAILABLE MEDICAL CARE
30. ✓	First Actual Attempt Date [First Actual Attempt Date]	[CSSFADT] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1920-2023)
31. ✓	First Attempt - Actual Lethality [First Attempt - Actual Lethality]	[CSSFAL] [cliCSSA_3] v
32. ✓	First Attempt - Potential Lethality [First Attempt - Potential Lethality]	[CSSFPL] [A:0] ☐ BEHAVIOR NOT LIKELY TO RESULT IN INJURY [A:1] ☐ BEHAVIOR LIKELY TO RESULT IN INJURY BUT NOT LIKELY TO CAUSE DEATH [A:2] ☐ BEHAVIOR LIKELY TO RESULT IN DEATH DESPITE AVAILABLE MEDICAL CARE
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: COLUMBIA SUICIDE-SEVERITY RATING SCALE - BASELINE/SCREENING		
Type	RefName	Description
Form	CSS302c	COLUMBIA SUICIDE-SEVERITY RATING SCALE - BASELINE/SCREENING

Codelist Values Tables: COLUMBIA SUICIDE-SEVERITY RATING SCALE - BASELINE/SCREENING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliCSSA_1	String		NO PHYSICAL DAMAGE OR VERY MINOR PHYSICAL DAMAGE	0	cliCSSA_0	CSSRAL
			MINOR PHYSICAL DAMAGE	1	cliCSSA_1	

			MODERATE PHYSICAL DAMAGE; MEDICAL ATTENTION NEEDED	2	cliCSSA_2	
			MODERATELY SEVERE PHYSICAL DAMAGE; MEDICAL HOSPITALIZATION AND LIKELY INTENSIVE CARE REQUIRED	3	cliCSSA_3	
			SEVERE PHYSICAL DAMAGE; MEDICAL HOSPITALIZATION WITH INTENSIVE CARE REQUIRED	4	cliCSSA_4	
			DEATH	5	cliCSSA_5	
cliCSSA_2	String		NO PHYSICAL DAMAGE OR VERY MINOR PHYSICAL DAMAGE	0	cliCSSA_0	CSSWAL
			MINOR PHYSICAL DAMAGE	1	cliCSSA_1	
			MODERATELY SEVERE PHYSICAL DAMAGE; MEDICAL HOSPITALIZATION AND LIKELY INTENSIVE CARE REQUIRED	3	cliCSSA_3	
			MODERATE PHYSICAL DAMAGE; MEDICAL ATTENTION NEEDED	2	cliCSSA_2	
			SEVERE PHYSICAL DAMAGE; MEDICAL HOSPITALIZATION WITH INTENSIVE CARE REQUIRED	4	cliCSSA_4	
			DEATH	5	cliCSSA_5	
cliCSSA_3	String		NO PHYSICAL DAMAGE OR VERY MINOR PHYSICAL DAMAGE	0	cliCSSA_0	CSSFAL
			MINOR PHYSICAL DAMAGE	1	cliCSSA_1	
			MODERATELY SEVERE PHYSICAL DAMAGE; MEDICAL HOSPITALIZATION AND LIKELY INTENSIVE CARE REQUIRED	3	cliCSSA_3	
			MODERATE PHYSICAL DAMAGE; MEDICAL ATTENTION NEEDED	2	cliCSSA_2	
			SEVERE PHYSICAL DAMAGE; MEDICAL HOSPITALIZATION WITH INTENSIVE CARE REQUIRED	4	cliCSSA_4	
			DEATH	5	cliCSSA_5	

RDE Analytics: RD_CSS302C		
Data Variable RefName	RD Column Name	Column Data Type
CSSBREC	CSSBREC_C	VARCHAR2
	CSSBREC	VARCHAR2
	CSSBREC_ND	VARCHAR2
CSSACL	CSSACL_C	VARCHAR2
	CSSACL	VARCHAR2
	CSSACL_ND	VARCHAR2
CSSACR	CSSACR_C	VARCHAR2
	CSSACR	VARCHAR2
	CSSACR_ND	VARCHAR2
CSSACTL	CSSACTL	NUMBER
	CSSACTL_ND	VARCHAR2
CSSACTR	CSSACTR	NUMBER
	CSSACTR_ND	VARCHAR2
CSSACTD	CSSACTD	VARCHAR2
	CSSACTD_ND	VARCHAR2
CSSNSIL	CSSNSIL_C	VARCHAR2
	CSSNSIL	VARCHAR2
	CSSNSIL_ND	VARCHAR2
CSSNSIR	CSSNSIR_C	VARCHAR2
	CSSNSIR	VARCHAR2
	CSSNSIR_ND	VARCHAR2
CSSINL	CSSINL_C	VARCHAR2
	CSSINL	VARCHAR2
	CSSINL_ND	VARCHAR2
CSSINR	CSSINR_C	VARCHAR2
	CSSINR	VARCHAR2
	CSSINR_ND	VARCHAR2
CSSINTL	CSSINTL	NUMBER

	CSSINTL_ND	VARCHAR2
CSSINTR	CSSINTR	NUMBER
	CSSINTR_ND	VARCHAR2
CSSINTD	CSSINTD	VARCHAR2
	CSSINTD_ND	VARCHAR2
CSSABL	CSSABL_C	VARCHAR2
	CSSABL	VARCHAR2
	CSSABL_ND	VARCHAR2
CSSABR	CSSABR_C	VARCHAR2
	CSSABR	VARCHAR2
	CSSABR_ND	VARCHAR2
CSSABTL	CSSABTL	NUMBER
	CSSABTL_ND	VARCHAR2
CSSABTR	CSSABTR	NUMBER
	CSSABTR_ND	VARCHAR2
CSSABOD	CSSABOD	VARCHAR2
	CSSABOD_ND	VARCHAR2
CSSPRPL	CSSPRPL_C	VARCHAR2
	CSSPRPL	VARCHAR2
	CSSPRPL_ND	VARCHAR2
CSSPRPR	CSSPRPR_C	VARCHAR2
	CSSPRPR	VARCHAR2
	CSSPRPR_ND	VARCHAR2
CSSPRPD	CSSPRPD	VARCHAR2
	CSSPRPD_ND	VARCHAR2
CSSSUIL	CSSSUIL_C	VARCHAR2
	CSSSUIL	VARCHAR2
	CSSSUIL_ND	VARCHAR2
CSSSUIR	CSSSUIR_C	VARCHAR2
	CSSSUIR	VARCHAR2
	CSSSUIR_ND	VARCHAR2
CSSRADT	CSSRADT	DATE
	CSSRADT_DTS	VARCHAR2
	CSSRADT_DTR	VARCHAR2
	CSSRADT_ND	VARCHAR2
CSSRAL	CSSRAL_C	VARCHAR2
	CSSRAL	VARCHAR2
	CSSRAL_ND	VARCHAR2
CSSRPL	CSSRPL_C	VARCHAR2
	CSSRPL	VARCHAR2
	CSSRPL_ND	VARCHAR2
CSSWADT	CSSWADT	DATE
	CSSWADT_DTS	VARCHAR2
	CSSWADT_DTR	VARCHAR2
	CSSWADT_ND	VARCHAR2
CSSWAL	CSSWAL_C	VARCHAR2
	CSSWAL	VARCHAR2

	CSSWAL_ND	VARCHAR2
CSSWPL	CSSWPL_C	VARCHAR2
	CSSWPL	VARCHAR2
	CSSWPL_ND	VARCHAR2
CSSFADT	CSSFADT	DATE
	CSSFADT_DTS	VARCHAR2
	CSSFADT_DTR	VARCHAR2
	CSSFADT_ND	VARCHAR2
CSSFAL	CSSFAL_C	VARCHAR2
	CSSFAL	VARCHAR2
	CSSFAL_ND	VARCHAR2
CSSFPL	CSSFPL_C	VARCHAR2
	CSSFPL	VARCHAR2
	CSSFPL_ND	VARCHAR2

B7981032: PATIENT HEALTH QUESTIONNAIRE - PHQ-8 (PHQ-8) [PHQ103]		
1.	Category: <i>[read-only]</i> [Patient Health Questionnaire Category]	[PHQCAT] [A:2] ☐ PATIENT HEALTH QUESTIONNAIRE - 8
2.	Evaluator: <i>[read-only]</i> [Evaluator]	[PHQEVAL] [A:11] ☐ STUDY SUBJECT
3.	Evaluation Interval: <i>[read-only]</i> [Evaluation Interval]	[PHQEVINT] A10
4.*	Was the assessment performed? [Was Assessment Performed]	[PHQPERF] [A:Y] ☐ YES [A:N] ☐ [cmpPHQPERF] ☐ NO [PHQNDR] Not Done Reason [A:1] ☐ SUBJECT IS PHYSICALLY OR MENTALLY UNABLE TO COMPLETE THE ASSESSMENT [A:2] ☐ SUBJECT WAS ABLE TO COMPLETE THE ASSESSMENT BUT REFUSED [A:3] ☐ SUBJECT MISSED VISIT [A:4] ☐ SUBJECT LOST TO FOLLOW-UP [A:5] ☐ SUBJECT WITHDREW CONSENT [A:6] ☐ [cmpPHQNDR] ☐ OTHER [PHQNDRD] Not Done Reason, Other Details A80
5.	Date of assessment: [Date of Assessment]	[PHQDAT] (DD/MM/YYYY) Req / Req / Req (2019-2027)
6.	Language Version of Instrument [Language Version of Instrument]	[PHQLANG] [c1LANGUA_21]
7.	Method of Administration [Method of Administration]	[PHQQA] [A:1] ☐ SELF [A:2] ☐ ASSISTED
8.	Little Interest/Pleasure In Things [Little Interest/Pleasure In Things]	[PHQDO] [A:0] ☐ NOT AT ALL [A:1] ☐ SEVERAL DAYS [A:2] ☐ MORE THAN HALF THE DAYS [A:3] ☐ NEARLY EVERY DAY
9.	Feeling Down/Depressed/Hopeless [Feeling Down/Depressed/Hopeless]	[PHQDEP] [A:0] ☐ NOT AT ALL [A:1] ☐ SEVERAL DAYS [A:2] ☐ MORE THAN HALF THE DAYS [A:3] ☐ NEARLY EVERY DAY
10.	Trouble Falling/Staying Asleep [Trouble Falling/Staying Asleep]	[PHQSLP] [A:0] ☐ NOT AT ALL [A:1] ☐ SEVERAL DAYS [A:2] ☐ MORE THAN HALF THE DAYS [A:3] ☐ NEARLY EVERY DAY
11.	Feeling Tired, Having Little Energy [Feeling Tired, Having Little Energy]	[PHQTIR] [A:0] ☐ NOT AT ALL [A:1] ☐ SEVERAL DAYS [A:2] ☐ MORE THAN HALF THE DAYS [A:3] ☐ NEARLY EVERY DAY
12.	Poor Appetite or Overeating [Poor Appetite or Overeating]	[PHQAPP] [A:0] ☐ NOT AT ALL [A:1] ☐ SEVERAL DAYS [A:2] ☐ MORE THAN HALF THE DAYS [A:3] ☐ NEARLY EVERY DAY

13.	Feeling Bad About Yourself [Feeling Bad About Yourself]	[PHQFBAD] [A:0] NOT AT ALL [A:1] SEVERAL DAYS [A:2] MORE THAN HALF THE DAYS [A:3] NEARLY EVERY DAY
14.	Trouble Concentrating on Things [Trouble Concentrating on Things]	[PHQCONC] [A:0] NOT AT ALL [A:1] SEVERAL DAYS [A:2] MORE THAN HALF THE DAYS [A:3] NEARLY EVERY DAY
15.	Moving or Speaking So Slowly [Moving or Speaking So Slowly]	[PHQMOVE] [A:0] NOT AT ALL [A:1] SEVERAL DAYS [A:2] MORE THAN HALF THE DAYS [A:3] NEARLY EVERY DAY
16.	Total Score (Derived) [read-only] [Total Score (Derived)]	[PHQTOTD] N2
Key: [*] = Item is required [] = Item is collapsible Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: PATIENT HEALTH QUESTIONNAIRE - PHQ-8		
Type	RefName	Description
Form	PHQ103	PATIENT HEALTH QUESTIONNAIRE - PHQ-8

Codelist Values Tables: PATIENT HEALTH QUESTIONNAIRE - PHQ-8						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliLANGUA_21	String		CHINESE FOR TAIWAN	24	cliLANGUA_24	PHQLANG
			CZECH	27	cliLANGUA_27	
			ENGLISH FOR AUSTRALIA	31	cliLANGUA_31	
			ENGLISH FOR CANADA	32	cliLANGUA_32	
			ENGLISH FOR UK	43	cliLANGUA_43	
			ENGLISH FOR USA	44	cliLANGUA_44	
			FRENCH FOR CANADA	49	cliLANGUA_49	
			GERMAN	52	cliLANGUA_52	
			HUNGARIAN	61	cliLANGUA_61	
			JAPANESE	66	cliLANGUA_66	
			KOREAN	73	cliLANGUA_73	
			POLISH	88	cliLANGUA_88	
			RUSSIAN	93	cliLANGUA_93	
			SPANISH	107	cliLANGUA_107	
			SPANISH FOR ARGENTINA	108	cliLANGUA_108	
			SPANISH FOR CHILE	110	cliLANGUA_110	
			SPANISH FOR COLOMBIA	111	cliLANGUA_111	
			SPANISH FOR MEXICO	117	cliLANGUA_117	
			SPANISH FOR USA	122	cliLANGUA_122	
			SIMPLIFIED CHINESE	165	cliLANGUA_165	

RDE Analytics: RD_PHQ103

Data Variable RefName	RD Column Name	Column Data Type
PHQCAT	PHQCAT_C	VARCHAR2
	PHQCAT	VARCHAR2
	PHQCAT_ND	VARCHAR2
PHQEVAL	PHQEVAL_C	VARCHAR2
	PHQEVAL	VARCHAR2
	PHQEVAL_ND	VARCHAR2
PHQEVINT	PHQEVINT	VARCHAR2
	PHQEVINT_ND	VARCHAR2
PHQPERF	PHQPERF_C	VARCHAR2
	PHQPERF	VARCHAR2
	PHQPERF_ND	VARCHAR2
PHQPERF - PHQNDR	PHQNDR_C	VARCHAR2
	PHQNDR	VARCHAR2
PHQPERF - PHQNDRD	PHQNDRD	VARCHAR2
PHQDAT	PHQDAT	DATE
	PHQDAT_DTS	VARCHAR2
	PHQDAT_ND	VARCHAR2
PHQLANG	PHQLANG_C	VARCHAR2
	PHQLANG	VARCHAR2
	PHQLANG_ND	VARCHAR2
PHQQA	PHQQA_C	VARCHAR2
	PHQQA	VARCHAR2
	PHQQA_ND	VARCHAR2
PHQDO	PHQDO_C	VARCHAR2
	PHQDO	VARCHAR2
	PHQDO_ND	VARCHAR2
PHQDEP	PHQDEP_C	VARCHAR2
	PHQDEP	VARCHAR2
	PHQDEP_ND	VARCHAR2
PHQSLP	PHQSLP_C	VARCHAR2
	PHQSLP	VARCHAR2
	PHQSLP_ND	VARCHAR2
PHQTIR	PHQTIR_C	VARCHAR2
	PHQTIR	VARCHAR2
	PHQTIR_ND	VARCHAR2
PHQAPP	PHQAPP_C	VARCHAR2
	PHQAPP	VARCHAR2
	PHQAPP_ND	VARCHAR2
PHQFBAD	PHQFBAD_C	VARCHAR2
	PHQFBAD	VARCHAR2
	PHQFBAD_ND	VARCHAR2
PHQCONC	PHQCONC_C	VARCHAR2
	PHQCONC	VARCHAR2
	PHQCONC_ND	VARCHAR2
PHQMOVE	PHQMOVE_C	VARCHAR2
	PHQMOVE	VARCHAR2

	PHQMOVE_ND	VARCHAR2
PHQTOTD	PHQTOTD	NUMBER
	PHQTOTD_ND	VARCHAR2

B7981032: MENSES LOG (PREMENARCHAL CHECK) [GYN001]		
1.*	Date of Assessment: [Date of Assessment]	[GYNDAT] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2019-2027)
2.*	If female, what is the subject's hormonal status? [Hormonal Status]	[GYNHORM] [A:1] ☐ PREMENARCHAL [A:2] ☐ MENARCHAL [A:3] ☐ POSTMENOPAUSAL
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: MENSES LOG

Type	RefName	Description
Form	GYN001	MENSES LOG

RDE Analytics: RD_GYN001			
Data Variable	RefName	RD Column Name	Column Data Type
GYNDAT		GYNDAT	DATE
		GYNDAT_DTS	VARCHAR2
		GYNDAT_ND	VARCHAR2
GYNHORM		GYNHORM_C	VARCHAR2
		GYNHORM	VARCHAR2
		GYNHORM_ND	VARCHAR2

B7981032: INCLUSION/EXCLUSION CRITERIA (IE_FAP_C/D_1015) [IE001_4]				
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).				
sctIE001_01_3 [sctIE001_01_3]				
#	Inclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
1.a	1	Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention		IN03A00
1.b	2	Subjects >=12 years at time of informed consent. Adolescent subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. Otherwise, only subjects >=18 years will be enrolled		IN04A00
1.c	3	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential		IN05A00
1.d	4	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study		IN06A00
1.e	5	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures		IN07A00
1.f	6	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study		IN08A00
1.g	7	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study		IN09A00
sctIE001_01_3 Entry [sctIE001_01_3]				
1.1	Inclusion Number: [Inclusion Number]	[IESPID_6] [clIESPID_6] ▼		
1.2	Criterion Description: [Criterion Description]	[IETEST_6] [clIETEST_6] ▼		
1.3*	Criterion met? [Criterion met?]	[IEORRES_6] [A:Y] ☐ YES [A:N] ☐ NO [cmpIEDESC_6] ☐ [IEDESC_6] Describe details if relevant A200		
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_6] [clIETESTCD_7] ▼		
sctIE001_02_3 [sctIE001_02_3]				
#	Exclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
2.a	1	During Study B7931005 or B7981015 or in the period between the index study and Study B7981032, presence of events meeting the discontinuation criteria		EX01A00
2.b	2	Discontinuation from B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events or lack of efficacy must be discussed with the sponsor		EX02A00
2.c	3	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.d	4	Received any study specified prohibited treatments within the timeframes outlined in protocol exclusion criterion 25		EX25A00
2.e	5	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.f	6	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.g	7	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.h	8	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.i	9	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.j	10	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00
sctIE001_02_3 Entry [sctIE001_02_3]				
2.1	Exclusion Number: [Exclusion Number]	[IESPID_7] [clIESPID_7] ▼		
2.2	Criterion Description: [Criterion Description]	[IETEST_7]		

		[cliIESTEST_7]
2.3*	Criterion met? [Criterion met?]	[IEORRES_7] [A:Y] ☐ [cmpIEDESC_7] YES [IEDESC_7] Describe details if relevant A200 [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_7] [cliIETESTCD_8]

Key: [*] = Item is required = Item is collapsible = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_4	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_6	Criterion Description
Item	IEORRES_6	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_6	Describe details of criterion not met if relevant
Item	IETESTCD_6	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_7	Criterion Description
Item	IEORRES_7	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_7	Describe details of criterion not met if relevant
Item	IETESTCD_7	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliIESPID_6	String		1	1	cliIESPID_1	IESPID_6
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
cliIETEST_6	String		Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	3	cliIETEST_3	IETEST_6
			Subjects >=12 years at time of informed consent. Adolescent subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. Otherwise, only subjects >=18 years will be enrolled	4	cliIETEST_4	
			Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	cliIETEST_5	
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	cliIETEST_6	
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	cliIETEST_7	
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	cliIETEST_8	
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	cliIETEST_9	
cliIETESTCD_7	String		IN03A00	3	cliIETESTCD_3	IETESTCD_6
			IN04A00	4	cliIETESTCD_4	

			IN05A00	5	cliIETESTCD_5	
			IN06A00	6	cliIETESTCD_6	
			IN07A00	7	cliIETESTCD_7	
			IN08A00	8	cliIETESTCD_8	
			IN09A00	9	cliIETESTCD_9	
cliIESPID_7	String		1	1	cliIESPID_1	IESPID_7
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
cliIETEST_7	String		During Study B7931005 or B7981015 or in the period between the index study and Study B7981032, presence of events meeting the discontinuation criteria	11	cliIETEST_11	IETEST_7
			Discontinuation from B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events or lack of efficacy must be discussed with the sponsor	12	cliIETEST_12	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	
			Received any study specified prohibited treatments within the timeframes outlined in protocol exclusion criterion 25	35	cliIETEST_35	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
cliIETESTCD_8	String		Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	IETESTCD_7
			EX01A00	31	cliIETESTCD_31	
			EX02A00	32	cliIETESTCD_32	
			EX24A00	54	cliIETESTCD_54	
			EX25A00	55	cliIETESTCD_55	
			EX26A00	56	cliIETESTCD_56	
			EX27A00	57	cliIETESTCD_57	
			EX28A00	58	cliIETESTCD_58	
			EX29A00	59	cliIETESTCD_59	
			EX30A00	60	cliIETESTCD_60	
			EX31A00	100	cliIETESTCD_100	

RDE Analytics: RD_IE001_4		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE001_4_SCTIE001_01_3		
IESPID_6	IESPID_6_C	VARCHAR2
	IESPID_6	VARCHAR2
	IESPID_6_ND	VARCHAR2
IETEST_6	IETEST_6_C	VARCHAR2
	IETEST_6	VARCHAR2

	IETEST_6_ND	VARCHAR2
IEORRES_6	IEORRES_6_C	VARCHAR2
	IEORRES_6	VARCHAR2
	IEORRES_6_ND	VARCHAR2
IEORRES_6 - IEDESC_6	IEDESC_6	VARCHAR2
IETESTCD_6	IETESTCD_6_C	VARCHAR2
	IETESTCD_6	VARCHAR2
	IETESTCD_6_ND	VARCHAR2
RD_IE001_4_SCTIE001_02_3		
IESPID_7	IESPID_7_C	VARCHAR2
	IESPID_7	VARCHAR2
	IESPID_7_ND	VARCHAR2
IETEST_7	IETEST_7_C	VARCHAR2
	IETEST_7	VARCHAR2
	IETEST_7_ND	VARCHAR2
IEORRES_7	IEORRES_7_C	VARCHAR2
	IEORRES_7	VARCHAR2
	IEORRES_7_ND	VARCHAR2
IEORRES_7 - IEDESC_7	IEDESC_7	VARCHAR2
IETESTCD_7	IETESTCD_7_C	VARCHAR2
	IETESTCD_7	VARCHAR2
	IETESTCD_7_ND	VARCHAR2

B7981032: INCLUSION/EXCLUSION CRITERIA (IE_FAP_C/D_1005) [IE001_5]				
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).				
sctIE001_01_4 [sctIE001_01_4]				
#	Inclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
1.a	1	Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >=12 weeks prior to the Study B7981032 Day 1 visit		IN02A00
1.b	2	Subjects >=12 years at time of informed consent. Adolescent subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. Otherwise, only subjects >=18 years will be enrolled		IN04A00
1.c	3	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential		IN05A00
1.d	4	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study		IN06A00
1.e	5	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures		IN07A00
1.f	6	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study		IN08A00
1.g	7	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study		IN09A00
sctIE001_01_4 Entry [sctIE001_01_4]				
1.1	Inclusion Number: [Inclusion Number]		[IESPID_8] [cIESPID_8] ▼	
1.2	Criterion Description: [Criterion Description]		[IETEST_8] [cIETEST_8] ▼	
1.3*	Criterion met? [Criterion met?]		[IEORRES_8] [A:Y] ☐ YES [A:N] ☐ [cmpIEDESC_8] ☐ NO [IEDESC_8] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_8] [cIETESTCD_9] ▼	
sctIE001_02_4 [sctIE001_02_4]				
#	Exclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
2.a	1	During Study B7931005 or B7981015 or in the period between the index study and Study B7981032, presence of events meeting the discontinuation criteria		EX01A00
2.b	2	Discontinuation from B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events or lack of efficacy must be discussed with the sponsor		EX02A00
2.c	3	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.d	4	Received any study specified prohibited treatments within the timeframes outlined in protocol exclusion criterion 25		EX25A00
2.e	5	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.f	6	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.g	7	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.h	8	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.i	9	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.j	10	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX31A00
sctIE001_02_4 Entry [sctIE001_02_4]				
2.1	Exclusion Number: [Exclusion Number]		[IESPID_9] [cIESPID_9] ▼	
2.2	Criterion Description: [Criterion Description]		[IETEST_9]	

		[ciIETEST_9]
2.3*	Criterion met? [Criterion met?]	[IEORRES_9] [A:Y] ☐ [cmpIEDESC_9] ☐ YES [IEDESC_9] Describe details if relevant A200 [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_9] [ciIETESTCD_10]
Key: [*] = Item is required ☐ = Item is collapsible = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_5	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_8	Criterion Description
Item	IEORRES_8	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_8	Describe details of criterion not met if relevant
Item	IETESTCD_8	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_9	Criterion Description
Item	IEORRES_9	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_9	Describe details of criterion not met if relevant
Item	IETESTCD_9	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
ciIESPID_8	String		1	1	ciIESPID_1	IESPID_8
			2	2	ciIESPID_2	
			3	3	ciIESPID_3	
			4	4	ciIESPID_4	
			5	5	ciIESPID_5	
			6	6	ciIESPID_6	
			7	7	ciIESPID_7	
ciIETEST_8	String		Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >=12 weeks prior to the Study B7981032 Day 1 visit	2	ciIETEST_2	IETEST_8
			Subjects >=12 years at time of informed consent. Adolescent subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. Otherwise, only subjects >=18 years will be enrolled	4	ciIETEST_4	
			Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	ciIETEST_5	
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	ciIETEST_6	
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	ciIETEST_7	
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	ciIETEST_8	
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	ciIETEST_9	
ciIETESTCD_9	String		IN02A00	2	ciIETESTCD_2	IETESTCD_8

			IN04A00	4	cliIETESTCD_4	
			IN05A00	5	cliIETESTCD_5	
			IN06A00	6	cliIETESTCD_6	
			IN07A00	7	cliIETESTCD_7	
			IN08A00	8	cliIETESTCD_8	
			IN09A00	9	cliIETESTCD_9	
cliIESPID_9	String		1	1	cliIESPID_1	IESPID_9
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
cliIETEST_9	String		During Study B7931005 or B7981015 or in the period between the index study and Study B7981032, presence of events meeting the discontinuation criteria	11	cliIETEST_11	IETEST_9
			Discontinuation from B7931005 or B7981015 for safety-related events. Discontinuation for reasons other than safety-related events or lack of efficacy must be discussed with the sponsor	12	cliIETEST_12	
			Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	
			Received any study specified prohibited treatments within the timeframes outlined in protocol exclusion criterion 25	35	cliIETEST_35	
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
cliIETESTCD_10	String		Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	IETESTCD_9
			EX01A00	31	cliIETESTCD_31	
			EX02A00	32	cliIETESTCD_32	
			EX24A00	54	cliIETESTCD_54	
			EX25A00	55	cliIETESTCD_55	
			EX26A00	56	cliIETESTCD_56	
			EX27A00	57	cliIETESTCD_57	
			EX28A00	58	cliIETESTCD_58	
			EX29A00	59	cliIETESTCD_59	
			EX30A00	60	cliIETESTCD_60	
			EX31A00	100	cliIETESTCD_100	

RDE Analytics: RD_IE001_5		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE001_5_SCTIE001_01_4		
IESPID_8	IESPID_8_C	VARCHAR2
	IESPID_8	VARCHAR2
	IESPID_8_ND	VARCHAR2
IETEST_8	IETEST_8_C	VARCHAR2

	IETEST_8	VARCHAR2
	IETEST_8_ND	VARCHAR2
IEORRES_8	IEORRES_8_C	VARCHAR2
	IEORRES_8	VARCHAR2
	IEORRES_8_ND	VARCHAR2
IEORRES_8 - IEDESC_8	IEDESC_8	VARCHAR2
IETESTCD_8	IETESTCD_8_C	VARCHAR2
	IETESTCD_8	VARCHAR2
	IETESTCD_8_ND	VARCHAR2
RD_IE001_5_SCTIE001_02_4		
IESPID_9	IESPID_9_C	VARCHAR2
	IESPID_9	VARCHAR2
	IESPID_9_ND	VARCHAR2
IETEST_9	IETEST_9_C	VARCHAR2
	IETEST_9	VARCHAR2
	IETEST_9_ND	VARCHAR2
IEORRES_9	IEORRES_9_C	VARCHAR2
	IEORRES_9	VARCHAR2
	IEORRES_9_ND	VARCHAR2
IEORRES_9 - IEDESC_9	IEDESC_9	VARCHAR2
IETESTCD_9	IETESTCD_9_C	VARCHAR2
	IETESTCD_9	VARCHAR2
	IETESTCD_9_ND	VARCHAR2

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A1 CD 15) [IE001_9]				
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).				
Inclusion Criteria [sctIE001_01_8]				
#	Inclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
1.a	1	Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention		IN03A00
1.b	2	Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU		IN04A01
1.c	3	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential		IN05A00
1.d	4	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study		IN06A00
1.e	5	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures		IN07A00
1.f	6	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study		IN08A00
1.g	7	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study		IN09A00
Inclusion Criteria Entry [sctIE001_01_8]				
1.1	Inclusion Number: [Inclusion Number]	[IESPID_16] [clIESPID_16]		
1.2	Criterion Description: [Criterion Description]	[IETEST_16] [clIETEST_16]		
1.3*	Criterion met? [Criterion met?]	[IEORRES_16] [A:Y] ☐ YES [A:N] ☐ NO [IEDESC_16] Describe details if relevant A200		
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_16] [clIETESTCD_17]		
Exclusion Criteria [sctIE001_02_8]				
#	Exclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
2.a	1	During Study B7981015 or in the period between the index study and Study B7981032, presence of events meeting the discontinuation criteria		EX01A01
2.b	2	Discontinuation from B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX02A01
2.c	3	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.d	4	Received any study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25		EX25A01
2.e	5	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.f	6	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.g	7	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.h	8	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.i	9	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.j	10	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00
Exclusion Criteria Entry [sctIE001_02_8]				
2.1	Exclusion Number: [Exclusion Number]	[IESPID_17] [clIESPID_17]		
2.2	Criterion Description: [Criterion Description]	[IETEST_17] [clIETEST_17]		

2.3*	Criterion met? [Criterion met?]	[IEORRES_17] [A:Y] ☐ [cmpIEDESC_17] ☐ YES [IEDESC_17] Describe details if relevant A200 [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_17] [cliIETESTCD_18] v

Key: [*] = Item is required [] = Item is collapsible [] = Fixed item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_9	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_16	Criterion Description
Item	IEORRES_16	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_16	Describe details of criterion not met if relevant
Item	IETESTCD_16	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_17	Criterion Description
Item	IEORRES_17	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_17	Describe details of criterion not met if relevant
Item	IETESTCD_17	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist	RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliIESPID_16	String		1		1	cliIESPID_1	IESPID_16
			2		2	cliIESPID_2	
			3		3	cliIESPID_3	
			4		4	cliIESPID_4	
			5		5	cliIESPID_5	
			6		6	cliIESPID_6	
			7		7	cliIESPID_7	
cliIETEST_16	String		3	Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	3	cliIETEST_3	IETEST_16
			5	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	cliIETEST_5	
			6	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	cliIETEST_6	
			7	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	cliIETEST_7	
			8	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	cliIETEST_8	
			9	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	cliIETEST_9	
cliIETESTCD_17	String		44	Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	44	cliIETEST_44	IETESTCD_16
			IN03A00		3	cliIETESTCD_3	
			IN05A00		5	cliIETESTCD_5	
			IN06A00		6	cliIETESTCD_6	

			IN07A00	7	cliIETESTCD_7	
			IN08A00	8	cliIETESTCD_8	
			IN09A00	9	cliIETESTCD_9	
			IN04A01	12	cliIETESTCD_12	
cliIESPID_17	String		1	1	cliIESPID_1	IESPID_17
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
cliIETEST_17	String		Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	IETEST_17
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
			Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	
			During Study B7981015 or in the period between the index study and Study B7981032, presence of events meeting the discontinuation criteria	45	cliIETEST_45	
			Discontinuation from B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	46	cliIETEST_46	
cliIETESTCD_18	String		Received any study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25	48	cliIETEST_48	IETESTCD_17
			EX24A00	54	cliIETESTCD_54	
			EX26A00	56	cliIETESTCD_56	
			EX27A00	57	cliIETESTCD_57	
			EX28A00	58	cliIETESTCD_58	
			EX29A00	59	cliIETESTCD_59	
			EX30A00	60	cliIETESTCD_60	
			EX31A00	100	cliIETESTCD_100	
			EX01A01	61	cliIETESTCD_61	
			EX02A01	62	cliIETESTCD_62	
			EX25A01	64	cliIETESTCD_64	

RDE Analytics: RD_IE001_9		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE001_9_SCTIE001_01_8		
IESPID_16	IESPID_16_C	VARCHAR2
	IESPID_16	VARCHAR2
	IESPID_16_ND	VARCHAR2
IETEST_16	IETEST_16_C	VARCHAR2
	IETEST_16	VARCHAR2
	IETEST_16_ND	VARCHAR2

IEORRES_16	IEORRES_16_C	VARCHAR2
	IEORRES_16	VARCHAR2
	IEORRES_16_ND	VARCHAR2
IEORRES_16 - IEDESC_16	IEDESC_16	VARCHAR2
IETESTCD_16	IETESTCD_16_C	VARCHAR2
	IETESTCD_16	VARCHAR2
	IETESTCD_16_ND	VARCHAR2
RD_IE001_9_SCTIE001_02_8		
IESPID_17	IESPID_17_C	VARCHAR2
	IESPID_17	VARCHAR2
	IESPID_17_ND	VARCHAR2
IETEST_17	IETEST_17_C	VARCHAR2
	IETEST_17	VARCHAR2
	IETEST_17_ND	VARCHAR2
IEORRES_17	IEORRES_17_C	VARCHAR2
	IEORRES_17	VARCHAR2
	IEORRES_17_ND	VARCHAR2
IEORRES_17 - IEDESC_17	IEDESC_17	VARCHAR2
IETESTCD_17	IETESTCD_17_C	VARCHAR2
	IETESTCD_17	VARCHAR2
	IETESTCD_17_ND	VARCHAR2

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A1 CD 05) [IE001_10]				
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).				
IE001_01_9 [sctIE001_01_9]				
#	Inclusion Number	Criterion Description	Criterion met? *	Criterion ID: (For Pfizer use only)
1.a	1	Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >12 weeks prior to the Study B7981032 Day 1 visit		IN02A01
1.b	2	Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU		IN04A01
1.c	3	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential		IN05A00
1.d	4	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study		IN06A00
1.e	5	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures		IN07A00
1.f	6	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study		IN08A00
1.g	7	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study		IN09A00
IE001_01_9 Entry [sctIE001_01_9]				
1.1	Inclusion Number: [Inclusion Number]		[IESPID_18] [cIESPID_18]	
1.2	Criterion Description: [Criterion Description]		[IETEST_18] [cIETEST_18]	
1.3*	Criterion met? [Criterion met?]		[IEORRES_18] [A:Y] ☐ YES [A:N] ☐ NO [IEDESC_18] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_18] [cIETESTCD_19]	
IE001_02_9 [sctIE001_02_9]				
#	Exclusion Number	Criterion Description	Criterion met? *	Criterion ID: (For Pfizer use only)
2.a	1	During Study B7981015 or in the period between the index study and Study B7981032, presence of events meeting the discontinuation criteria		EX01A01
2.b	2	Discontinuation from B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX02A01
2.c	3	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.d	4	Received any study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25		EX25A01
2.e	5	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.f	6	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.g	7	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.h	8	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.i	9	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.j	10	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX31A00
IE001_02_9 Entry [sctIE001_02_9]				
2.1	Exclusion Number: [Exclusion Number]		[IESPID_19] [cIESPID_19]	
2.2	Criterion Description: [Criterion Description]		[IETEST_19] [cIETEST_19]	

2.3*	Criterion met? [Criterion met?]	[IEORRES_19] [A:Y] ☐ [cmpIEDESC_19] ☐ YES [IEDESC_19] Describe details if relevant A200 [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_19] [cliIETESTCD_20] v

Key: [*] = Item is required [] = Item is collapsible [] = Fixed item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_10	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_18	Criterion Description
Item	IEORRES_18	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_18	Describe details of criterion not met if relevant
Item	IETESTCD_18	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_19	Criterion Description
Item	IEORRES_19	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_19	Describe details of criterion not met if relevant
Item	IETESTCD_19	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist	RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliIESPID_18	String		1		1	cliIESPID_1	IESPID_18
			2		2	cliIESPID_2	
			3		3	cliIESPID_3	
			4		4	cliIESPID_4	
			5		5	cliIESPID_5	
			6		6	cliIESPID_6	
			7		7	cliIESPID_7	
cliIETEST_18	String		Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential		5	cliIETEST_5	IETEST_18
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study		6	cliIETEST_6	
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures		7	cliIETEST_7	
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study		8	cliIETEST_8	
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study		9	cliIETEST_9	
			Subjects enrolling from Study B7931005: Taken the last dose of PF-06700841 in Study B7931005 >12 weeks prior to the Study B7981032 Day 1 visit		43	cliIETEST_43	
cliIETESTCD_19	String		Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU		44	cliIETEST_44	IETESTCD_18
			IN05A00		5	cliIETESTCD_5	
			IN06A00		6	cliIETESTCD_6	

			IN07A00	7	cliIETESTCD_7	
			IN08A00	8	cliIETESTCD_8	
			IN09A00	9	cliIETESTCD_9	
			IN02A01	11	cliIETESTCD_11	
			IN04A01	12	cliIETESTCD_12	
cliIESPID_19	String		1	1	cliIESPID_1	IESPID_19
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
cliIETEST_19	String		Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	IETEST_19
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
			Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	
			During Study B7981015 or in the period between the index study and Study B7981032, presence of events meeting the discontinuation criteria	45	cliIETEST_45	
			Discontinuation from B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	46	cliIETEST_46	
cliIETESTCD_20	String		Received any study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25	48	cliIETEST_48	IETESTCD_19
			EX24A00	54	cliIETESTCD_54	
			EX26A00	56	cliIETESTCD_56	
			EX27A00	57	cliIETESTCD_57	
			EX28A00	58	cliIETESTCD_58	
			EX29A00	59	cliIETESTCD_59	
			EX30A00	60	cliIETESTCD_60	
			EX31A00	100	cliIETESTCD_100	
			EX01A01	61	cliIETESTCD_61	
			EX02A01	62	cliIETESTCD_62	
			EX25A01	64	cliIETESTCD_64	

RDE Analytics: RD_IE001_10		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE001_10_SCTIE001_01_9		
IESPID_18	IESPID_18_C	VARCHAR2
	IESPID_18	VARCHAR2
	IESPID_18_ND	VARCHAR2
IETEST_18	IETEST_18_C	VARCHAR2
	IETEST_18	VARCHAR2

	IETEST_18_ND	VARCHAR2
IEORRES_18	IEORRES_18_C	VARCHAR2
	IEORRES_18	VARCHAR2
	IEORRES_18_ND	VARCHAR2
IEORRES_18 - IEDESC_18	IEDESC_18	VARCHAR2
IETESTCD_18	IETESTCD_18_C	VARCHAR2
	IETESTCD_18	VARCHAR2
	IETESTCD_18_ND	VARCHAR2
RD_IE001_10_SCTIE001_02_9		
IESPID_19	IESPID_19_C	VARCHAR2
	IESPID_19	VARCHAR2
	IESPID_19_ND	VARCHAR2
IETEST_19	IETEST_19_C	VARCHAR2
	IETEST_19	VARCHAR2
	IETEST_19_ND	VARCHAR2
IEORRES_19	IEORRES_19_C	VARCHAR2
	IEORRES_19	VARCHAR2
	IEORRES_19_ND	VARCHAR2
IEORRES_19 - IEDESC_19	IEDESC_19	VARCHAR2
IETESTCD_19	IETESTCD_19_C	VARCHAR2
	IETESTCD_19	VARCHAR2
	IETESTCD_19_ND	VARCHAR2

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A4 CD 15) [IE001_19]				
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).				
Inclusion Criteria [sctIE001_01_19]				
#	Inclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
1.a	1	Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention		IN03A00
1.b	2	Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU		IN04A04
1.c	3	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential		IN05A00
1.d	4	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study		IN06A00
1.e	5	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures		IN07A00
1.f	6	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study		IN08A00
1.g	7	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study		IN09A00
Inclusion Criteria Entry [sctIE001_01_19]				
1.1	Inclusion Number: [Inclusion Number]		[IESPID_37] [clIESPID_37] ▼	
1.2	Criterion Description: [Criterion Description]		[IETEST_37] [clIETEST_37] ▼	
1.3*	Criterion met? [Criterion met?]		[IEORRES_37] [A:Y] ☐ YES [A:N] ☐ [cmpIEDESC_37] ☐ NO [IEDESC_37] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]		[IETESTCD_37] [clIETESTCD_37] ▼	
Exclusion Criteria [sctIE001_02_19]				
#	Exclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
2.a	1	During Study B7981015 or in the period between the index study and Study B7981032, presence of safety events meeting discontinuation criteria in Appendix 8		EX01A04
2.b	2	Discontinuation from B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX02A01
2.c	3	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.d	4	Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol exclusion criterion 25		EX25A04
2.e	5	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.f	6	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation		EX27A00
2.g	7	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.h	8	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.i	9	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.j	10	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00
Exclusion Criteria Entry [sctIE001_02_19]				
2.1	Exclusion Number: [Exclusion Number]		[IESPID_38] [clIESPID_38] ▼	
2.2	Criterion Description: [Criterion Description]		[IETEST_38] [clIETEST_38] ▼	

2.3*	Criterion met? [Criterion met?]	[IEORRES_38] [A:Y] ☐ [cmpIEDESC_38] ☐ YES [IEDESC_38] Describe details if relevant A200 [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_38] [cliIETESTCD_38] v

Key: [*] = Item is required [] = Item is collapsible [] = Fixed item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_19	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_37	Criterion Description
Item	IEORRES_37	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_37	Describe details of criterion not met if relevant
Item	IETESTCD_37	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_38	Criterion Description
Item	IEORRES_38	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_38	Describe details of criterion not met if relevant
Item	IETESTCD_38	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
cliIESPID_37	String		1	1	cliIESPID_1	IESPID_37	
			2	2	cliIESPID_2		
			3	3	cliIESPID_3		
			4	4	cliIESPID_4		
			5	5	cliIESPID_5		
			6	6	cliIESPID_6		
			7	7	cliIESPID_7		
cliIETEST_37	String		Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	3	cliIETEST_3_2	IETEST_37	
			Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	cliIETEST_5_3		
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	cliIETEST_6_3		
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	cliIETEST_7_3		
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	cliIETEST_8_3		
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	cliIETEST_9_3		
			Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	72	cliIETEST_72		
cliIETESTCD_37	String		IN03A00	3	cliIETESTCD_3_2	IETESTCD_37	
			IN05A00	5	cliIETESTCD_5_3		
			IN06A00	6	cliIETESTCD_6_3		

			IN07A00	7	cliIETESTCD_7_3	
			IN08A00	8	cliIETESTCD_8_3	
			IN09A00	9	cliIETESTCD_9_3	
			IN04A04	15	cliIETESTCD_15	
cliIESPID_38	String		1	1	cliIESPID_1	IESPID_38
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
cliIETEST_38	String		Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34_3	IETEST_38
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36_3	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37_3	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38_3	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39_3	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40_3	
			Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41_3	
			Discontinuation from B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	46	cliIETEST_46_3	
			During Study B7981015 or in the period between the index study and Study B7981032, presence of safety events meeting discontinuation criteria in Appendix 8	74	cliIETEST_74	
cliIETESTCD_38	String		Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol exclusion criterion 25	77	cliIETEST_77	IETESTCD_38
			EX24A00	54	cliIETESTCD_54_3	
			EX26A00	56	cliIETESTCD_56_3	
			EX27A00	57	cliIETESTCD_57_3	
			EX28A00	58	cliIETESTCD_58_3	
			EX29A00	59	cliIETESTCD_59_3	
			EX30A00	60	cliIETESTCD_60_3	
			EX31A00	100	cliIETESTCD_100_3	
			EX02A01	62	cliIETESTCD_62_3	
			EX01A04	336	cliIETESTCD_336	
			EX25A04	282	cliIETESTCD_282	

RDE Analytics: RD_IE001_19		
Data Variable RefName	RD Column Name	Column Data Type
*RD_IE001_19_SCTIE001_01_19		
IESPID_37	IESPID_37_C	VARCHAR2
	IESPID_37	VARCHAR2
	IESPID_37_ND	VARCHAR2
IETEST_37	IETEST_37_C	VARCHAR2
	IETEST_37	VARCHAR2
	IETEST_37_ND	VARCHAR2

IEORRES_37	IEORRES_37_C	VARCHAR2
	IEORRES_37	VARCHAR2
	IEORRES_37_ND	VARCHAR2
IEORRES_37 - IEDESC_37	IEDESC_37	VARCHAR2
IETESTCD_37	IETESTCD_37_C	VARCHAR2
	IETESTCD_37	VARCHAR2
	IETESTCD_37_ND	VARCHAR2
*RD_IE001_19_SCTIE001_02_19		
IESPID_38	IESPID_38_C	VARCHAR2
	IESPID_38	VARCHAR2
	IESPID_38_ND	VARCHAR2
IETEST_38	IETEST_38_C	VARCHAR2
	IETEST_38	VARCHAR2
	IETEST_38_ND	VARCHAR2
IEORRES_38	IEORRES_38_C	VARCHAR2
	IEORRES_38	VARCHAR2
	IEORRES_38_ND	VARCHAR2
IEORRES_38 - IEDESC_38	IEDESC_38	VARCHAR2
IETESTCD_38	IETESTCD_38_C	VARCHAR2
	IETESTCD_38	VARCHAR2
	IETESTCD_38_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A5 CD 15) [IE001_24]				
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).				
Inclusion Criteria [sctIE001_01_24]				
#	Inclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
1.a	1	Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention		IN03A00
1.b	2	Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU		IN04A04
1.c	3	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential		IN05A00
1.d	4	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study		IN06A00
1.e	5	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures		IN07A00
1.f	6	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study		IN08A00
1.g	7	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study		IN09A00
Inclusion Criteria Entry [sctIE001_01_24]				
1.1	Inclusion Number: [Inclusion Number]	[IESPID_47] [clIESPID_47] ▼		
1.2	Criterion Description: [Criterion Description]	[IETEST_47] [clIETEST_47] ▼		
1.3*	Criterion met? [Criterion met?]	[IEORRES_47] [A:Y] ☐ YES [A:N] ☐ [cmpIEDESC_47] ☐ NO [IEDESC_47] Describe details if relevant A200		
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_47] [clIETESTCD_47] ▼		
Exclusion Criteria [sctIE001_02_24]				
#	Exclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
2.a	1	During Study B7981015 or in the period between the index study and Study B7981032, presence of safety events meeting discontinuation criteria in Appendix 8		EX01A04
2.b	2	Discontinuation from B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor		EX02A01
2.c	3	Anticipated treatment with prohibited concomitant medication(s) during the course of the study		EX24A00
2.d	4	Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol amendment 5 exclusion criterion 25		EX25A05
2.e	5	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26		EX26A00
2.f	6	Participation in studies other than B7931005 or B7981015 involving investigational products (eg, drugs or vaccines) within 8 weeks (12 weeks for JAK inhibitors) or 5 half-lives prior to study entry		EX27A05
2.g	7	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study		EX28A00
2.h	8	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator		EX29A00
2.i	9	Have an active history of alcohol or substance abuse within 1 year prior to Day 1		EX30A00
2.j	10	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1		EX31A00
Exclusion Criteria Entry [sctIE001_02_24]				
2.1	Exclusion Number: [Exclusion Number]	[IESPID_48] [clIESPID_48] ▼		
2.2	Criterion Description: [Criterion Description]	[IETEST_48] [clIETEST_48] ▼		

2.3*	Criterion met? [Criterion met?]	[IEORRES_48] [A:Y] ☐ [cmpIEDESC_48] ☐ YES [IEDESC_48] Describe details if relevant A200 [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_48] [ciIETESTCD_48] v

Key: [*] = Item is required [] = Item is collapsible [] = Fixed item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_24	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_47	Criterion Description
Item	IEORRES_47	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_47	Describe details of criterion not met if relevant
Item	IETESTCD_47	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_48	Criterion Description
Item	IEORRES_48	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_48	Describe details of criterion not met if relevant
Item	IETESTCD_48	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
cliESPID_47	String		1	1	cliESPID_1	IESPID_47	
			2	2	cliESPID_2		
			3	3	cliESPID_3		
			4	4	cliESPID_4		
			5	5	cliESPID_5		
			6	6	cliESPID_6		
			7	7	cliESPID_7		
cliIETEST_47	String		Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	3	cliIETEST_3_2	IETEST_47	
			Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	cliIETEST_5_3		
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	cliIETEST_6_3		
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	cliIETEST_7_3		
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	cliIETEST_8_3		
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	cliIETEST_9_3		
			Subjects >=12 years (>= 18 years in the UK) at time of informed consent. Subjects <18 years if permitted by sponsor/competent authority/IRB/EC. De novo subjects 18-74 years in VHP countries in EU	72	cliIETEST_72		
cliIETESTCD_47	String		IN03A00	3	cliIETESTCD_3_2	IETESTCD_47	
			IN05A00	5	cliIETESTCD_5_3		
			IN06A00	6	cliIETESTCD_6_3		

		IN07A00	7	cliIETESTCD_7_3	
		IN08A00	8	cliIETESTCD_8_3	
		IN09A00	9	cliIETESTCD_9_3	
		IN04A04	15	cliIETESTCD_15	
cliIESPID_48	String	1	1	cliIESPID_1	IESPID_48
		2	2	cliIESPID_2	
		3	3	cliIESPID_3	
		4	4	cliIESPID_4	
		5	5	cliIESPID_5	
		6	6	cliIESPID_6	
		7	7	cliIESPID_7	
		8	8	cliIESPID_8	
		9	9	cliIESPID_9	
		10	10	cliIESPID_10	
cliIETEST_48	String	Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34_3	IETEST_48
		Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36_3	
		Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37_3	
		Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38_3	
		Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39_3	
		Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40_3	
		Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41_3	
		Discontinuation from B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	46	cliIETEST_46_3	
		During Study B7981015 or in the period between the index study and Study B7981032, presence of safety events meeting discontinuation criteria in Appendix 8	74	cliIETEST_74	
		Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol exclusion criterion 25	77	cliIETEST_77	
cliIETESTCD_48	String	Received any of the study-specified prohibited treatments within the timeframes as outlined in the protocol amendment 5 exclusion criterion 25	80	cliIETEST_80	IETESTCD_48
		Participation in studies other than B7931005 or B7981015 involving investigational products (eg, drugs or vaccines) within 8 weeks (12 weeks for JAK inhibitors) or 5 half-lives prior to study entry	81	cliIETEST_81	
		EX24A00	54	cliIETESTCD_54_3	
		EX26A00	56	cliIETESTCD_56_3	
		EX27A00	57	cliIETESTCD_57_3	
		EX28A00	58	cliIETESTCD_58_3	
		EX29A00	59	cliIETESTCD_59_3	
		EX30A00	60	cliIETESTCD_60_3	
		EX31A00	100	cliIETESTCD_100_3	
		EX02A01	62	cliIETESTCD_62_3	
		EX01A04	336	cliIETESTCD_336	
		EX25A04	282	cliIETESTCD_282	
		EX25A05	301	cliIETESTCD_301	
		EX27A05	458	cliIETESTCD_458	

RDE Analytics: RD_IE001_24

Data Variable RefName	RD Column Name	Column Data Type
*RD_IE001_24_SCTIE001_01_24		
IESPID_47	IESPID_47_C	VARCHAR2

	IESPID_47	VARCHAR2
	IESPID_47_ND	VARCHAR2
IETEST_47	IETEST_47_C	VARCHAR2
	IETEST_47	VARCHAR2
	IETEST_47_ND	VARCHAR2
IEORRES_47	IEORRES_47_C	VARCHAR2
	IEORRES_47	VARCHAR2
	IEORRES_47_ND	VARCHAR2
IEORRES_47 - IEDESC_47	IEDESC_47	VARCHAR2
IETESTCD_47	IETESTCD_47_C	VARCHAR2
	IETESTCD_47	VARCHAR2
	IETESTCD_47_ND	VARCHAR2
*RD_IE001_24_SCTIE001_02_24		
IESPID_48	IESPID_48_C	VARCHAR2
	IESPID_48	VARCHAR2
	IESPID_48_ND	VARCHAR2
IETEST_48	IETEST_48_C	VARCHAR2
	IETEST_48	VARCHAR2
	IETEST_48_ND	VARCHAR2
IEORRES_48	IEORRES_48_C	VARCHAR2
	IEORRES_48	VARCHAR2
	IEORRES_48_ND	VARCHAR2
IEORRES_48 - IEDESC_48	IEDESC_48	VARCHAR2
IETESTCD_48	IETESTCD_48_C	VARCHAR2
	IETESTCD_48	VARCHAR2
	IETESTCD_48_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

Study Object Descriptions: PHYSICAL EXAMINATION		
Type	RefName	Description
Form	PE001	PE001 - Physical Examination
Item	PETEST	Name of the Body System
Item	PERES	Overall assesment of examined body system
Item	PEDESC	Text description of any abnormal finding

RDE Analytics: RD_PE001		
Data Variable RefName	RD Column Name	Column Data Type
RD_PE001_SCTPE001_O2		
PETEST	PETEST_C	VARCHAR2
	PETEST	VARCHAR2
	PETEST_ND	VARCHAR2
PERES	PERES_C	VARCHAR2
	PERES	VARCHAR2
	PERES_ND	VARCHAR2
PERES - PEDESC	PEDESC	VARCHAR2

Study Object Descriptions: VITAL SIGNS		
Type	RefName	Description
Form	VS302_1	VS302 - Vital Signs - Wide Format
Item	VSDAT_1	The date the measurement was performed.
Item	VSSPID_3	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	TEMP_1	Temperature
Item	TEMPU_1	Temperature Unit
Item	TEMPSRC_1	Temperature Route
Item	SYSBP_1	Systolic Blood Pressure collected in mmHg
Item	DIABP_1	Diastolic Blood Pressure in mmHg
Item	PULSE_1	Pulse Rate in beats/minute.
Item	RESP_1	Respiratory Rate in respirations/minute.

file:///C:/Users/Nsharma/AppData/Local/Apps/2.0/3H0KP69G.CJ8/2DJKZ8XV.BQV/orac..90.0 919f856034ae8f10 0007.000... 2/14/2024

	VSSPID_3_ND	VARCHAR2
TEMP_1	TEMP_1	FLOAT
	TEMP_1_ND	VARCHAR2
TEMPU_1	TEMPU_1_C	VARCHAR2
	TEMPU_1	VARCHAR2
	TEMPU_1_ND	VARCHAR2
TEMPSRC_1	TEMPSRC_1_C	VARCHAR2
	TEMPSRC_1	VARCHAR2
	TEMPSRC_1_ND	VARCHAR2
SYSBP_1	SYSBP_1	NUMBER
	SYSBP_1_ND	VARCHAR2
DIABP_1	DIABP_1	NUMBER
	DIABP_1_ND	VARCHAR2
PULSE_1	PULSE_1	NUMBER
	PULSE_1_ND	VARCHAR2
RESP_1	RESP_1	NUMBER
	RESP_1_ND	VARCHAR2

B7981032: TANNER STAGES OF SEXUAL DEVELOPMENT (TANNER STAGE ASSESSMENT) [TAN001]		
1.*	Pubic Hair: [Pubic Hair]	[TANPUB] [A:1] ☐ STAGE 1 [A:2] ☐ STAGE 2 [A:3] ☐ STAGE 3 [A:4] ☐ STAGE 4 [A:5] ☐ STAGE 5 [A:6] ☐ NOT DONE
2.*	Breast (female): [Breast (female)]	[TANBRST] [A:1] ☐ STAGE 1 [A:2] ☐ STAGE 2 [A:3] ☐ STAGE 3 [A:4] ☐ STAGE 4 [A:5] ☐ STAGE 5 [A:6] ☐ NOT DONE [A:7] ☐ NOT APPLICABLE
3.*	Genitalia (male): [Genitalia (male)]	[TANGEN] [A:1] ☐ STAGE 1 [A:2] ☐ STAGE 2 [A:3] ☐ STAGE 3 [A:4] ☐ STAGE 4 [A:5] ☐ STAGE 5 [A:6] ☐ NOT DONE [A:7] ☐ NOT APPLICABLE
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: TANNER STAGES OF SEXUAL DEVELOPMENT		
Type	RefName	Description
Form	TAN001	TANNER STAGES OF SEXUAL DEVELOPMENT

RDE Analytics: RD_TAN001		
Data Variable RefName	RD Column Name	Column Data Type
TANPUB	TANPUB_C	VARCHAR2
	TANPUB	VARCHAR2
	TANPUB_ND	VARCHAR2
TANBRST	TANBRST_C	VARCHAR2
	TANBRST	VARCHAR2
	TANBRST_ND	VARCHAR2
TANGEN	TANGEN_C	VARCHAR2
	TANGEN	VARCHAR2
	TANGEN_ND	VARCHAR2

Study Object Descriptions: CENTRAL LAB SAMPLE COLLECTION		
Type	RefName	Description
Form	LB001_1	LB001 - Central Processing (Results Transmitted Electronically)
Item	LBDAT	Date of specimen collection.
Item	LBFAST	Indicator used to identify fasting status.
Item	LBCAT	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBCATYN	Lab Panel specimen collected

file:///C:/Users/Nsharma/AppData/Local/Apps/2.0/3H0KP69G.CJ8/2DJKZ8XV.BQV/orac..90.0 919f856034ae8f10 0007.000... 2/14/2024

B7981032: DERMATOLOGY FINGERNAIL ASSESSMENT FOR ALOPECIA AREATA (FINGERNAIL ASSESSMENT) [DLA001]		
1.	Disease: <i>[read-only]</i> [Disease]	[DLADIS] [cliDLAA]
2.*	Date of Assessment: [Date of Assessment]	[DLADAT] (DD/MM/YYYY) Req / Req / Req (2019-2027)
3.	Anatomical Location: <i>[read-only]</i> [Location]	[DLALOC] [cliLOC_9]
4.*	Number Assessed: [Number Assessed]	[DLAANUM] N2
5.*	Number Affected: [Number Affected]	[DLALNUM] N2
6.*	Rater ID: [Rater ID]	[DLARID] A5
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: DERMATOLOGY FINGERNAIL ASSESSMENT FOR ALOPECIA AREATA		
Type	RefName	Description
Form	DLA001	DERMATOLOGY LESION ASSESSMENT

Codelist Values Tables: DERMATOLOGY FINGERNAIL ASSESSMENT FOR ALOPECIA AREATA						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliDLAA	String		ALOPECIA AREATA	2	cliDLAA_2	DLADIS
cliLOC_9	String		FINGERNAIL	187	cliLOC_187	DLALOC

RDE Analytics: RD_DLA001		
Data Variable RefName	RD Column Name	Column Data Type
DLADIS	DLADIS_C	VARCHAR2
	DLADIS	VARCHAR2
	DLADIS_ND	VARCHAR2
DLADAT	DLADAT	DATE
	DLADAT_DTS	VARCHAR2
	DLADAT_ND	VARCHAR2
DLALOC	DLALOC_C	VARCHAR2
	DLALOC	VARCHAR2
	DLALOC_ND	VARCHAR2
DLAANUM	DLAANUM	NUMBER
	DLAANUM_ND	VARCHAR2
DLALNUM	DLALNUM	NUMBER
	DLALNUM_ND	VARCHAR2
DLARID	DLARID	VARCHAR2
	DLARID_ND	VARCHAR2

B7981032: COLUMBIA SUICIDE-SEVERITY RATING SCALE - SINCE LAST VISIT (SLV_IDEATION_CSSR) [CSS303a]		
1.	Source of CSS Collection <i>[read-only]</i> [Source of CSS Collection]	[CSSCOLL_1] [A:5] ☐ SINCE LAST VISIT
2.* ✓	Wish To Be Dead - Since Last [Wish To Be Dead - Since Last]	[CSSDEDS] [A:Y] ☐ YES [A:N] ☐ NO
3. ✓	Wish To Be Dead Detail [Wish To Be Dead Detail]	[CSSDEDD_1] A200
4.* ✓	Non-Specific Thoughts - Since Last [Non-Specific Thoughts - Since Last]	[CSSTHGS] [A:Y] ☐ YES [A:N] ☐ NO
5. ✓	Non-Specific Thoughts Detail [Non-Specific Thoughts Detail]	[CSSTHGD_1] A200
6. ✓	Without Intent to Act - Since Last [Without Intent to Act - Since Last]	[CSSIAMS] [A:Y] ☐ YES [A:N] ☐ NO
7. ✓	Without Intent To Act Detail [Without Intent To Act Detail]	[CSSIAMD_1] A200
8. ✓	Some Intent to Act - Since Last [Some Intent to Act - Since Last]	[CSSISIS] [A:Y] ☐ YES [A:N] ☐ NO
9. ✓	Some Intent To Act Detail [Some Intent To Act Detail]	[CSSISD_1] A200
10. ✓	Specific Plan and Intent - Since Last [Specific Plan and Intent - Since Last]	[CSSISPS] [A:Y] ☐ YES [A:N] ☐ NO
11. ✓	Specific Plan And Intent Detail [Specific Plan And Intent Detail]	[CSSISPD_1] A200
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: COLUMBIA SUICIDE-SEVERITY RATING SCALE - SINCE LAST VISIT		
Type	RefName	Description
Form	CSS303a	COLUMBIA SUICIDE-SEVERITY RATING SCALE - SINCE LAST VISIT

RDE Analytics: RD_CSS303A		
Data Variable	RefName	RD Column Name
CSSCOLL_1	CSSCOLL_1_C	VARCHAR2
	CSSCOLL_1	VARCHAR2

	CSSCOLL_1_ND	VARCHAR2
CSSDEDS	CSSDEDS_C	VARCHAR2
	CSSDEDS	VARCHAR2
	CSSDEDS_ND	VARCHAR2
CSSDEDD_1	CSSDEDD_1	VARCHAR2
	CSSDEDD_1_ND	VARCHAR2
CSSTHGS	CSSTHGS_C	VARCHAR2
	CSSTHGS	VARCHAR2
	CSSTHGS_ND	VARCHAR2
CSSTHGD_1	CSSTHGD_1	VARCHAR2
	CSSTHGD_1_ND	VARCHAR2
CSSIAMS	CSSIAMS_C	VARCHAR2
	CSSIAMS	VARCHAR2
	CSSIAMS_ND	VARCHAR2
CSSIAMD_1	CSSIAMD_1	VARCHAR2
	CSSIAMD_1_ND	VARCHAR2
CSSISIS	CSSISIS_C	VARCHAR2
	CSSISIS	VARCHAR2
	CSSISIS_ND	VARCHAR2
CSSISD_1	CSSISD_1	VARCHAR2
	CSSISD_1_ND	VARCHAR2
CSSISPS	CSSISPS_C	VARCHAR2
	CSSISPS	VARCHAR2
	CSSISPS_ND	VARCHAR2
CSSISPD_1	CSSISPD_1	VARCHAR2
	CSSISPD_1_ND	VARCHAR2

B7981032: COLUMBIA SUICIDE-SEVERITY RATING SCALE - SINCE LAST VISIT (SLV_INTENSITY OF IDEATION_CSSR) [CSS303b]		
1.* ✓	Most Severe Ideation - Since Last [Most Severe Ideation - Since Last]	[CSSMIS] [A:1] ☐ WISH TO BE DEAD [A:2] ☐ NON-SPECIFIC ACTIVE SUICIDAL THOUGHTS [A:3] ☐ ACTIVE SUICIDAL IDEATION WITH ANY METHODS (NOT PLAN) WITHOUT INTENT TO ACT [A:4] ☐ ACTIVE SUICIDAL IDEATION WITH SOME INTENT TO ACT, WITHOUT SPECIFIC PLAN [A:5] ☐ ACTIVE SUICIDAL IDEATION WITH SPECIFIC PLAN AND INTENT
2. ✓	Most Sev Ideation Details-Since Last [Most Sev Ideation Details-Since Last]	[CSSMISD] A200
3.* ✓	Most Severe Frequency - Since Last [Most Severe Frequency - Since Last]	[CSSSFQS] [A:1] ☐ LESS THAN ONCE A WEEK [A:2] ☐ ONCE A WEEK [A:3] ☐ 2-5 TIMES A WEEK [A:4] ☐ DAILY OR ALMOST DAILY [A:5] ☐ MANY TIMES EACH DAY
4.* ✓	Most Severe Duration - Since Last [Most Severe Duration - Since Last]	[CSSSDRS] [A:1] ☐ FLEETING - FEW SECONDS OR MINUTES [A:2] ☐ LESS THAN 1 HOUR/SOME OF THE TIME [A:3] ☐ 1 - 4 HOURS/A LOT OF TIME [A:4] ☐ 4 - 8 HOURS/MOST OF DAY [A:5] ☐ MORE THAN 8 HOURS/PERSISTENT OR CONTINUOUS
5.* ✓	Most Sev Controllability - Since Last [Most Sev Controllability - Since Last]	[CSSSCNS] [cliCSSF_2] v
6.* ✓	Most Severe Deterrents - Since Last [Most Severe Deterrents - Since Last]	[CSSDTRS] [cliCSSJ_2] v
7.* ✓	Most Severe Reasons - Since Last [Most Severe Reasons - Since Last]	[CSSSRIS] [cliCSSH_2] v
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: COLUMBIA SUICIDE-SEVERITY RATING SCALE - SINCE LAST VISIT		
Type	RefName	Description
Form	CSS303b	COLUMBIA SUICIDE-SEVERITY RATING SCALE - SINCE LAST VISIT

Codelist Values Tables: COLUMBIA SUICIDE-SEVERITY RATING SCALE - SINCE LAST VISIT							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
cliCSSF_2	String		DOES NOT ATTEMPT TO CONTROL THOUGHTS	0	cliCSSF_0	CSSSCNS	
			EASILY ABLE TO CONTROL THOUGHTS	1	cliCSSF_1		
			CAN CONTROL THOUGHTS WITH LITTLE DIFFICULTY	2	cliCSSF_2		
			CAN CONTROL THOUGHTS WITH SOME DIFFICULTY	3	cliCSSF_3		
			CAN CONTROL THOUGHTS WITH A LOT OF DIFFICULTY	4	cliCSSF_4		
			UNABLE TO CONTROL THOUGHTS	5	cliCSSF_5		
cliCSSJ_2	String		DOES NOT APPLY	0	cliCSSJ_0	CSSDTRS	
			DETERRENTS DEFINITELY STOPPED YOU FROM ATTEMPTING SUICIDE	1	cliCSSJ_1		
			DETERRENTS PROBABLY STOPPED YOU	2	cliCSSJ_2		
			UNCERTAIN THAT DETERRENTS STOPPED YOU	3	cliCSSJ_3		
			DETERRENTS MOST LIKELY DID NOT STOP YOU	4	cliCSSJ_4		
			DETERRENTS DEFINITELY DID NOT STOP YOU	5	cliCSSJ_5		

cliCSSH_2	String		DOES NOT APPLY	0	cliCSSH_0	CSSSRIS
			COMPLETELY TO GET ATTENTION, REVENGE OR A REACTION FROM OTHERS	1	cliCSSH_1	
			MOSTLY TO GET ATTENTION, REVENGE OR A REACTION FROM OTHERS	2	cliCSSH_2	
			EQUALLY TO GET ATTENTION, REVENGE OR A REACTION FROM OTHERS AND TO END/STOP PAIN	3	cliCSSH_3	
			MOSTLY TO END OR STOP THE PAIN (YOU COULDN'T GO ON LIVING WITH THE PAIN OR HOW YOU WERE FEELING)	4	cliCSSH_4	
			COMPLETELY TO END OR STOP THE PAIN (YOU COULDN'T GO ON LIVING WITH THE PAIN OR HOW YOU WERE FEELING)	5	cliCSSH_5	

RDE Analytics: RD_CSS303B		
Data Variable RefName	RD Column Name	Column Data Type
CSSMIS	CSSMIS_C	VARCHAR2
	CSSMIS	VARCHAR2
	CSSMIS_ND	VARCHAR2
CSSMISD	CSSMISD	VARCHAR2
	CSSMISD_ND	VARCHAR2
CSSSFQS	CSSSFQS_C	VARCHAR2
	CSSSFQS	VARCHAR2
	CSSSFQS_ND	VARCHAR2
CSSSDRS	CSSSDRS_C	VARCHAR2
	CSSSDRS	VARCHAR2
	CSSSDRS_ND	VARCHAR2
CSSSCNS	CSSSCNS_C	VARCHAR2
	CSSSCNS	VARCHAR2
	CSSSCNS_ND	VARCHAR2
CSSDTRS	CSSDTRS_C	VARCHAR2
	CSSDTRS	VARCHAR2
	CSSDTRS_ND	VARCHAR2
CSSSRIS	CSSSRIS_C	VARCHAR2
	CSSSRIS	VARCHAR2
	CSSSRIS_ND	VARCHAR2

B7981032: COLUMBIA SUICIDE-SEVERITY RATING SCALE - SINCE LAST VISIT (SLV_BEHAVIOR_CSSR) [CSS303c]		
1.* ✓	Actual Attempt - Since Last [Actual Attempt - Since Last]	[CSSACS] [A:Y] ☐ YES [A:N] ☐ NO
2. ✓	Total Number of Attempts-Since Last [Total Number of Attempts-Since Last]	[CSSACTS] N2
3. ✓	Actual Attempt Detail [Actual Attempt Detail]	[CSSACTD_1] A200
4.* ✓	Non-Suic Injur Behavior - Since Last [Non-Suic Injur Behavior - Since Last]	[CSSNSIS] [A:Y] ☐ YES [A:N] ☐ NO
5.* ✓	Interrupted Attempt - Since Last [Interrupted Attempt - Since Last]	[CSSINS] [A:Y] ☐ YES [A:N] ☐ NO
6. ✓	Total Number Interrupt - Since Last [Total Number Interrupt - Since Last]	[CSSINTS] N2
7. ✓	Interrupted Attempt Detail [Interrupted Attempt Detail]	[CSSINTD_1] A200
8.* ✓	Aborted Attempt - Since Last [Aborted Attempt - Since Last]	[CSSABS] [A:Y] ☐ YES [A:N] ☐ NO
9. ✓	Total Number of Aborted - Since Last [Total Number of Aborted - Since Last]	[CSSABTS] N2
10. ✓	Aborted Attempt Detail [Aborted Attempt Detail]	[CSSABOD_1] A200
11.* ✓	Prep Acts or Behaviors - Since Last [Prep Acts or Behaviors - Since Last]	[CSSPRPS] [A:Y] ☐ YES [A:N] ☐ NO
12. ✓	Preparatory Acts or Behavior Detail [Preparatory Acts or Behavior Detail]	[CSSPRPD_1] A200
13.* ✓	Suic Behavior Present - Since Last [Suic Behavior Present - Since Last]	[CSSSUIS] [A:Y] ☐ YES [A:N] ☐ NO
14.* ✓	Completed Suicide [Completed Suicide]	[CSSCOMP] [A:Y] ☐ YES [A:N] ☐ NO
15. ✓	Worst/Most Lethal Attempt Date [Worst/Most Lethal Attempt Date]	[CSSWADT_1] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1980-2027)
16. ✓	Worst Attempt - Actual Lethality [Worst Attempt - Actual Lethality]	[CSSWAL_1] [clCSSA] v
17. ✓	Worst Attempt - Potential Lethality [Worst Attempt - Potential Lethality]	[CSSWPL_1] [A:0] ☐ BEHAVIOR NOT LIKELY TO RESULT IN INJURY

Study Object Descriptions: COLUMBIA SUICIDE-SEVERITY RATING SCALE - SINCE LAST VISIT		
Type	RefName	Description
Form	CSS303c	COLUMBIA SUICIDE-SEVERITY RATING SCALE - SINCE LAST VISIT

RDE Analytics: RD_CSS303C		
Data Variable RefName	RD Column Name	Column Data Type
CSSACS	CSSACS_C	VARCHAR2
	CSSACS	VARCHAR2
	CSSACS_ND	VARCHAR2
CSSACTS	CSSACTS	NUMBER
	CSSACTS_ND	VARCHAR2
CSSACTD_1	CSSACTD_1	VARCHAR2
	CSSACTD_1_ND	VARCHAR2
CSSNSIS	CSSNSIS_C	VARCHAR2
	CSSNSIS	VARCHAR2
	CSSNSIS_ND	VARCHAR2
CSSINS	CSSINS_C	VARCHAR2
	CSSINS	VARCHAR2
	CSSINS_ND	VARCHAR2
CSSINTS	CSSINTS	NUMBER
	CSSINTS_ND	VARCHAR2
CSSINTD_1	CSSINTD_1	VARCHAR2
	CSSINTD_1_ND	VARCHAR2
CSSABS	CSSABS_C	VARCHAR2
	CSSABS	VARCHAR2
	CSSABS_ND	VARCHAR2
CSSABTS	CSSABTS	NUMBER
	CSSABTS_ND	VARCHAR2
CSSABOD_1	CSSABOD_1	VARCHAR2
	CSSABOD_1_ND	VARCHAR2
CSSPRPS	CSSPRPS_C	VARCHAR2
	CSSPRPS	VARCHAR2
	CSSPRPS_ND	VARCHAR2

CSSPRPD_1	CSSPRPD_1	VARCHAR2
	CSSPRPD_1_ND	VARCHAR2
CSSSUIS	CSSSUIS_C	VARCHAR2
	CSSSUIS	VARCHAR2
	CSSSUIS_ND	VARCHAR2
CSSCOMP	CSSCOMP_C	VARCHAR2
	CSSCOMP	VARCHAR2
	CSSCOMP_ND	VARCHAR2
CSSWADT_1	CSSWADT_1	DATE
	CSSWADT_1_DTS	VARCHAR2
	CSSWADT_1_DTR	VARCHAR2
	CSSWADT_1_ND	VARCHAR2
CSSWAL_1	CSSWAL_1_C	VARCHAR2
	CSSWAL_1	VARCHAR2
	CSSWAL_1_ND	VARCHAR2
CSSWPL_1	CSSWPL_1_C	VARCHAR2
	CSSWPL_1	VARCHAR2
	CSSWPL_1_ND	VARCHAR2

B7981032: ALOPECIA AREATA PATIENT PRIORITY OUTCOMES (ALOPECIA AREATA PATIENT PRIORITY OUTCOMES) [APO001]	
1.* ✓	Was the assessment performed? [Was Assessment Performed] [A:Y] ☐ YES [A:N] ☐ [cmpAPONDR] ☐ NO [APONDR] Not Done Reason: [A:1] ☐ SUBJECT IS PHYSICALLY OR MENTALLY UNABLE TO COMPLETE THE ASSESSMENT [A:2] ☐ SUBJECT WAS ABLE TO COMPLETE THE ASSESSMENT BUT REFUSED [A:3] ☐ SUBJECT MISSED VISIT [A:4] ☐ SUBJECT LOST TO FOLLOW-UP [A:5] ☐ SUBJECT WITHDREW CONSENT [A:6] ☐ [cmpAPONDRD] ☐ OTHER [APONDRD] Not Done Reason, Other Specify: A80
2. ✓	Date of Assessment: [Date of Assessment] [APODAT] (DD/MM/YYYY) Req / Req / Req (2019-2027)
3. ✓	Language of Administration: [Language of Administration] [APOLANG] [cilANGUA_23]
4. ✓	Method of Administration: [Method of Administration] [APOQA] [A:1] ☐ SELF [A:2] ☐ ASSISTED
5. ✓	How would you describe the current amount of hair loss you have on your scalp: [Current Hair Loss on Scalp] [APOSALP] [A:1] ☐ NO HAIR LOSS [A:2] ☐ A LITTLE HAIR LOSS [A:3] ☐ MODERATE HAIR LOSS [A:4] ☐ A GREAT DEAL OF HAIR LOSS [A:5] ☐ COMPLETE (DO NOT HAVE ANY HAIR ON MY SCALP)
6. ✓	How would you describe the current amount of hair loss you have on your eyebrows: [Current Hair Loss on Eyebrows] [APOBROW] [A:1] ☐ NO HAIR LOSS [A:2] ☐ A LITTLE HAIR LOSS [A:3] ☐ MODERATE HAIR LOSS [A:4] ☐ A GREAT DEAL OF HAIR LOSS [A:5] ☐ COMPLETE (DO NOT HAVE ANY EYEBROW HAIR)
7. ✓	How would you describe the current amount of hair loss you have of your eyelashes: [Current Hair Loss on Eyelashes] [APOLASH] [A:1] ☐ NO HAIR LOSS [A:2] ☐ A LITTLE HAIR LOSS [A:3] ☐ MODERATE HAIR LOSS [A:4] ☐ A GREAT DEAL OF HAIR LOSS [A:5] ☐ COMPLETE (DO NOT HAVE ANY EYELASHES)
8. ✓	How would you describe the current amount of hair loss you have on your body: [Current Hair Loss on Body] [APOBODY] [A:1] ☐ NO HAIR LOSS [A:2] ☐ A LITTLE HAIR LOSS [A:3] ☐ MODERATE HAIR LOSS [A:4] ☐ A GREAT DEAL OF HAIR LOSS [A:5] ☐ COMPLETE (DO NOT HAVE ANY BODY HAIR)
9. ✓	Over the past week, how often did you feel self-conscious about your hair loss: [Self-Conscious About Hair Loss Past Week] [APOSELFC] [A:1] ☐ NEVER [A:2] ☐ RARELY [A:3] ☐ SOMETIMES [A:4] ☐ OFTEN [A:5] ☐ ALWAYS
10.	Over the past week, how often did you feel embarrassed about your hair loss: [APOEMBAR]

☒	[Embarrassed About Hair Loss Past Week]	[A:1] ☐ NEVER [A:2] ☐ RARELY [A:3] ☐ SOMETIMES [A:4] ☐ OFTEN [A:5] ☐ ALWAYS
11. ☒	Over the past week, how often did you feel sad about your hair loss: [Sad About Hair Loss Past Week]	[APOSAD] [A:1] ☐ NEVER [A:2] ☐ RARELY [A:3] ☐ SOMETIMES [A:4] ☐ OFTEN [A:5] ☐ ALWAYS
12. ☒	Over the past week, how often did you feel frustrated about your hair loss: [Frustrated About Hair Loss Past Week]	[APOFRUS] [A:1] ☐ NEVER [A:2] ☐ RARELY [A:3] ☐ SOMETIMES [A:4] ☐ OFTEN [A:5] ☐ ALWAYS
13. ☒	Over the past week, how much did you limit your participation in outdoor activities because of your hair loss: [Limit Outdoor Activities Past Week]	[APOOUT] [A:1] ☐ NOT AT ALL [A:2] ☐ A LITTLE [A:3] ☐ MODERATELY [A:4] ☐ A GREAT DEAL [A:5] ☐ COMPLETELY (DID NOT DO ANY OUTDOOR ACTIVITIES BECAUSE OF HAIR LOSS)
14. ☒	Over the past week, how much did you limit your exercise or other physical activity because of your hair loss: [Limit Physical Activity Past Week]	[APOPHYS] [A:1] ☐ NOT AT ALL [A:2] ☐ A LITTLE [A:3] ☐ MODERATELY [A:4] ☐ A GREAT DEAL [A:5] ☐ COMPLETELY (DID NOT DO ANY PHYSICAL ACTIVITIES BECAUSE OF HAIR LOSS)
15. ☒	Over the past week, how much did you limit your interactions with others because of your hair loss: [Limit Interactions with Others Past Week]	[APOINTRA] [A:1] ☐ NOT AT ALL [A:2] ☐ A LITTLE [A:3] ☐ MODERATELY [A:4] ☐ A GREAT DEAL [A:5] ☐ COMPLETELY (DID NOT INTERACT WITH OTHERS AT ALL BECAUSE OF HAIR LOSS)
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Codelist Values Tables: ALOPECIA AREATA PATIENT PRIORITY OUTCOMES						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliLANGUA_23	String		CHINESE FOR TAIWAN	24	cliLANGUA_24	APOLANG
			CZECH	27	cliLANGUA_27	
			ENGLISH FOR AUSTRALIA	31	cliLANGUA_31	
			ENGLISH FOR CANADA	32	cliLANGUA_32	
			ENGLISH FOR UK	43	cliLANGUA_43	
			ENGLISH FOR USA	44	cliLANGUA_44	
			FRENCH FOR CANADA	49	cliLANGUA_49	
			GERMAN	52	cliLANGUA_52	
			HUNGARIAN	61	cliLANGUA_61	
			JAPANESE	66	cliLANGUA_66	
			KOREAN	73	cliLANGUA_73	
			POLISH	88	cliLANGUA_88	

			RUSSIAN	93	cliLANGUA_93
			SPANISH	107	cliLANGUA_107
			SPANISH FOR ARGENTINA	108	cliLANGUA_108
			SPANISH FOR CHILE	110	cliLANGUA_110
			SPANISH FOR COLOMBIA	111	cliLANGUA_111
			SPANISH FOR MEXICO	117	cliLANGUA_117
			SPANISH FOR USA	122	cliLANGUA_122
			SIMPLIFIED CHINESE	165	cliLANGUA_165

RDE Analytics: RD_APO001		
Data Variable RefName	RD Column Name	Column Data Type
AOPERF	AOPERF_C	VARCHAR2
	AOPERF	VARCHAR2
	AOPERF_ND	VARCHAR2
AOPERF - APONDR	APONDR_C	VARCHAR2
	APONDR	VARCHAR2
AOPERF - APONDRD	APONDRD	VARCHAR2
APODAT	APODAT	DATE
	APODAT_DTS	VARCHAR2
	APODAT_ND	VARCHAR2
APOLANG	APOLANG_C	VARCHAR2
	APOLANG	VARCHAR2
	APOLANG_ND	VARCHAR2
APOQA	APOQA_C	VARCHAR2
	APOQA	VARCHAR2
	APOQA_ND	VARCHAR2
APOSALP	APOSALP_C	VARCHAR2
	APOSALP	VARCHAR2
	APOSALP_ND	VARCHAR2
APOBROW	APOBROW_C	VARCHAR2
	APOBROW	VARCHAR2
	APOBROW_ND	VARCHAR2
APOLASH	APOLASH_C	VARCHAR2
	APOLASH	VARCHAR2
	APOLASH_ND	VARCHAR2
APOBODY	APOBODY_C	VARCHAR2
	APOBODY	VARCHAR2
	APOBODY_ND	VARCHAR2
APOSELFC	APOSELFC_C	VARCHAR2
	APOSELFC	VARCHAR2
	APOSELFC_ND	VARCHAR2
APOEMBAR	APOEMBAR_C	VARCHAR2
	APOEMBAR	VARCHAR2
	APOEMBAR_ND	VARCHAR2
APOSAD	APOSAD_C	VARCHAR2
	APOSAD	VARCHAR2
	APOSAD_ND	VARCHAR2

APOFRUS	APOFRUS_C	VARCHAR2
	APOFRUS	VARCHAR2
	APOFRUS_ND	VARCHAR2
APOOUT	APOOUT_C	VARCHAR2
	APOOUT	VARCHAR2
	APOOUT_ND	VARCHAR2
AOPHYS	AOPHYS_C	VARCHAR2
	AOPHYS	VARCHAR2
	AOPHYS_ND	VARCHAR2
APOINTRA	APOINTRA_C	VARCHAR2
	APOINTRA	VARCHAR2
	APOINTRA_ND	VARCHAR2

B7981032: HOSPITAL ANXIETY AND DEPRESSION SCALE (HOSPITAL ANXIETY AND DEPRESSION SCALE) [HAD004]	
1.* Was the Assessment Performed [Was the Assessment Performed]	[HADPERF] [A:Y] ☐ YES [A:N] ☐ [cmpHADPERF] ☐ NO [HADREASN] Not Done Reason [A:1] ☐ SUBJECT IS PHYSICALLY OR MENTALLY UNABLE TO COMPLETE THE ASSESSMENT [A:2] ☐ SUBJECT WAS ABLE TO COMPLETE THE ASSESSMENT BUT REFUSED [A:3] ☐ SUBJECT MISSED VISIT [A:4] ☐ SUBJECT LOST TO FOLLOW-UP [A:5] ☐ SUBJECT WITHDREW CONSENT [A:6] ☐ [cmpHADREASN] ☐ OTHER [HADNDRD] Not Done Reason, Other Specify A80
2. Date of assessment: [Date of Assessment]	[HADDAT] (DD/MM/YYYY) Req / Req / Req (2019-2027)
3. Language: [Language Version of Instrument]	[HADLANG] [cilANGUA_24]
4. Method of Administration [Method of Administration]	[HADQA] [A:1] ☐ SELF [A:2] ☐ ASSISTED
5. I feel tense or "wound up": [Feel Tense or Wound Up]	[HADUTEN] [A:3] ☐ MOST OF THE TIME [A:2] ☐ A LOT OF THE TIME [A:1] ☐ FROM TIME TO TIME, OCCASIONALLY [A:0] ☐ NEVER
6. I enjoy the things I used to enjoy: [Enjoy the Things Used to Enjoy]	[HADUENJ] [A:0] ☐ DEFINITELY [A:1] ☐ NOT QUITE SO MUCH [A:2] ☐ ONLY A LITTLE [A:3] ☐ HARDLY AT ALL
7. I get a sort of frightened feeling as if something awful is about to happen: [Get a Sort of Frightened Feeling]	[HADUAWF] [A:3] ☐ VERY DEFINITELY AND FAIRLY BADLY [A:2] ☐ YES, BUT NOT TOO BADLY [A:1] ☐ SOMETIMES, BUT IT DOESN'T WORRY ME [A:0] ☐ NEVER
8. I can laugh and see the funny side of things: [Can Laugh and See Funny Side]	[HADULAU] [A:0] ☐ AS MUCH AS I ALWAYS COULD [A:1] ☐ NOT QUITE SO MUCH NOW [A:2] ☐ DEFINITELY NOT SO MUCH NOW [A:3] ☐ NEVER
9. Worrying thoughts go through my mind: [Worrying Thoughts Go Through Mind]	[HADUWOR] [A:3] ☐ A GREAT DEAL OF THE TIME [A:2] ☐ A LOT OF THE TIME [A:1] ☐ NOT TOO OFTEN [A:0] ☐ ALMOST NEVER
10. I feel cheerful: [Feel Cheerful]	[HADCHE] [A:3] ☐ NEVER [A:2] ☐ NOT OFTEN [A:1] ☐ SOMETIMES [A:0] ☐ MOST OF THE TIME
11. I can sit at ease and feel relaxed:	[HADURLX]

	[Sit at Ease and Feel Relaxed]	[A:0] ☐ ALWAYS [A:1] ☐ USUALLY [A:2] ☐ NOT OFTEN [A:3] ☐ NEVER
12.	I feel as if I am slowed down: [Feel Slowed Down]	[HADUSLW] [A:3] ☐ NEARLY ALL THE TIME [A:2] ☐ VERY OFTEN [A:1] ☐ SOMETIMES [A:0] ☐ NEVER
13.	I get a sort of anxious feeling like "butterflies" in the stomach: [Frightened Feeling Like Butterflies]	[HADUBUT] [A:0] ☐ NEVER [A:1] ☐ OCCASIONALLY [A:2] ☐ OFTEN [A:3] ☐ VERY OFTEN
14.	I have lost interest in my appearance: [Lost Interest in Appearance]	[HADUAPP] [A:3] ☐ DEFINITELY [A:2] ☐ OFTEN I DON'T TAKE AS MUCH CARE AS I SHOULD [A:1] ☐ SOMETIMES I DON'T TAKE AS MUCH CARE AS I SHOULD [A:0] ☐ I TAKE JUST AS MUCH CARE AS EVER
15.	I feel restless as if I have to be on the move: [Feel Restless]	[HADURLS] [A:3] ☐ DEFINITELY [A:2] ☐ QUITE A LOT [A:1] ☐ NOT VERY MUCH [A:0] ☐ NEVER
16.	I look forward with enjoyment to things: [Look Forward with Enjoyment]	[HADUFWD] [A:0] ☐ AS MUCH AS I EVER HAVE [A:1] ☐ SOMEWHAT LESS THAN I USED TO [A:2] ☐ MUCH LESS THAN I USED TO [A:3] ☐ RARELY
17.	I get sudden feelings of panic: [Sudden Feelings of Panic]	[HADUPAN] [A:3] ☐ VERY OFTEN [A:2] ☐ OFTEN [A:1] ☐ NOT VERY OFTEN [A:0] ☐ NEVER
18.	I can enjoy a good book, radio or television program: [Enjoy Good Book Radio TV]	[HADUTV] [A:0] ☐ OFTEN [A:1] ☐ SOMETIMES [A:2] ☐ NOT OFTEN [A:3] ☐ VERY SELDOM
Key: [*] = Item is required [] = Item is collapsible Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: HOSPITAL ANXIETY AND DEPRESSION SCALE		
Type	RefName	Description
Form	HAD004	HOSPITAL ANXIETY AND DEPRESSION SCALE

Codelist Values Tables: HOSPITAL ANXIETY AND DEPRESSION SCALE						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
ciiLANGUA_24	String		CHINESE FOR TAIWAN	24	ciiLANGUA_24	HADLANG
			CZECH	27	ciiLANGUA_27	
			ENGLISH FOR AUSTRALIA	31	ciiLANGUA_31	
			ENGLISH FOR CANADA	32	ciiLANGUA_32	

		ENGLISH FOR UK	43	cliLANGUA_43
		ENGLISH FOR USA	44	cliLANGUA_44
		FRENCH FOR CANADA	49	cliLANGUA_49
		GERMAN	52	cliLANGUA_52
		HUNGARIAN	61	cliLANGUA_61
		JAPANESE	66	cliLANGUA_66
		KOREAN	73	cliLANGUA_73
		POLISH	88	cliLANGUA_88
		RUSSIAN	93	cliLANGUA_93
		SPANISH	107	cliLANGUA_107
		SPANISH FOR ARGENTINA	108	cliLANGUA_108
		SPANISH FOR CHILE	110	cliLANGUA_110
		SPANISH FOR COLOMBIA	111	cliLANGUA_111
		SPANISH FOR MEXICO	117	cliLANGUA_117
		SPANISH FOR USA	122	cliLANGUA_122
		SIMPLIFIED CHINESE	165	cliLANGUA_165

RDE Analytics: RD_HAD004		
Data Variable RefName	RD Column Name	Column Data Type
HADPERF	HADPERF_C	VARCHAR2
	HADPERF	VARCHAR2
	HADPERF_ND	VARCHAR2
HADPERF - HADREASN	HADREASN_C	VARCHAR2
	HADREASN	VARCHAR2
HADPERF - HADNDRD	HADNDRD	VARCHAR2
HADDAT	HADDAT	DATE
	HADDAT_DTS	VARCHAR2
	HADDAT_ND	VARCHAR2
HADLANG	HADLANG_C	VARCHAR2
	HADLANG	VARCHAR2
	HADLANG_ND	VARCHAR2
HADQA	HADQA_C	VARCHAR2
	HADQA	VARCHAR2
	HADQA_ND	VARCHAR2
HADUTEN	HADUTEN_C	VARCHAR2
	HADUTEN	VARCHAR2
	HADUTEN_ND	VARCHAR2
HADUENJ	HADUENJ_C	VARCHAR2
	HADUENJ	VARCHAR2
	HADUENJ_ND	VARCHAR2
HADUAWF	HADUAWF_C	VARCHAR2
	HADUAWF	VARCHAR2
	HADUAWF_ND	VARCHAR2
HADULAU	HADULAU_C	VARCHAR2
	HADULAU	VARCHAR2
	HADULAU_ND	VARCHAR2
HADUWOR	HADUWOR_C	VARCHAR2

	HADUWOR	VARCHAR2
	HADUWOR_ND	VARCHAR2
HADCHE	HADCHE_C	VARCHAR2
	HADCHE	VARCHAR2
	HADCHE_ND	VARCHAR2
HADURLX	HADURLX_C	VARCHAR2
	HADURLX	VARCHAR2
	HADURLX_ND	VARCHAR2
HADUSLW	HADUSLW_C	VARCHAR2
	HADUSLW	VARCHAR2
	HADUSLW_ND	VARCHAR2
HADUBUT	HADUBUT_C	VARCHAR2
	HADUBUT	VARCHAR2
	HADUBUT_ND	VARCHAR2
HADUAPP	HADUAPP_C	VARCHAR2
	HADUAPP	VARCHAR2
	HADUAPP_ND	VARCHAR2
HADURLS	HADURLS_C	VARCHAR2
	HADURLS	VARCHAR2
	HADURLS_ND	VARCHAR2
HADUFWD	HADUFWD_C	VARCHAR2
	HADUFWD	VARCHAR2
	HADUFWD_ND	VARCHAR2
HADUPAN	HADUPAN_C	VARCHAR2
	HADUPAN	VARCHAR2
	HADUPAN_ND	VARCHAR2
HADUTV	HADUTV_C	VARCHAR2
	HADUTV	VARCHAR2
	HADUTV_ND	VARCHAR2

B7981032: HOSPITAL ANXIETY AND DEPRESSION SCALE (HOSPITAL ANXIETY AND DEPRESSION SCALE) [HAD004_1]		
1.* ✓	Was the Assessment Performed [Was the Assessment Performed]	[HADPERF_1] [A:Y] ☐ YES [A:N] ☐ [cmpHADPERF_1] ☐ NO [HADREASN_1] Not Done Reason [A:1] ☐ SUBJECT IS PHYSICALLY OR MENTALLY UNABLE TO COMPLETE THE ASSESSMENT [A:2] ☐ SUBJECT WAS ABLE TO COMPLETE THE ASSESSMENT BUT REFUSED [A:3] ☐ SUBJECT MISSED VISIT [A:4] ☐ SUBJECT LOST TO FOLLOW-UP [A:5] ☐ SUBJECT WITHDREW CONSENT [A:6] ☐ [cmpHADREASN_1] ☐ OTHER [HADNDRD_1] Not Done Reason, Other Specify A80
2. ✓	Date of assessment: [Date of Assessment]	[HADDAT_1] (DD/MM/YYYY) Req / Req / Req (2019-2027)
3. ✓	Language: [Language Version of Instrument]	[HADLANG_1] [cilANGUA_30]
4. ✓	Method of Administration [Method of Administration]	[HADQA_1] [A:1] ☐ SELF [A:2] ☐ ASSISTED
5. ✓	I feel tense or "wound up": [Feel Tense or Wound Up]	[HADUTEN_1] [A:3] ☐ MOST OF THE TIME [A:2] ☐ A LOT OF THE TIME [A:1] ☐ FROM TIME TO TIME, OCCASIONALLY [A:0] ☐ NEVER
6. ✓	I enjoy the things I used to enjoy: [Enjoy the Things Used to Enjoy]	[HADUENJ_1] [A:0] ☐ DEFINITELY [A:1] ☐ NOT QUITE SO MUCH [A:2] ☐ ONLY A LITTLE [A:3] ☐ HARDLY AT ALL
7. ✓	I get a sort of frightened feeling as if something awful is about to happen: [Get a Sort of Frightened Feeling]	[HADUAWF_1] [A:3] ☐ VERY DEFINITELY AND FAIRLY BADLY [A:2] ☐ YES, BUT NOT TOO BADLY [A:1] ☐ SOMETIMES, BUT IT DOESN'T WORRY ME [A:0] ☐ NEVER
8. ✓	I can laugh and see the funny side of things: [Can Laugh and See Funny Side]	[HADULAU_1] [A:0] ☐ AS MUCH AS I ALWAYS COULD [A:1] ☐ NOT QUITE SO MUCH NOW [A:2] ☐ DEFINITELY NOT SO MUCH NOW [A:3] ☐ NEVER
9. ✓	Worrying thoughts go through my mind: [Worrying Thoughts Go Through Mind]	[HADUWOR_1] [A:3] ☐ A GREAT DEAL OF THE TIME [A:2] ☐ A LOT OF THE TIME [A:1] ☐ NOT TOO OFTEN [A:0] ☐ ALMOST NEVER
10. ✓	I feel cheerful: [Feel Cheerful]	[HADCHE_1] [A:3] ☐ NEVER [A:2] ☐ NOT OFTEN [A:1] ☐ SOMETIMES [A:0] ☐ MOST OF THE TIME
11.	I can sit at ease and feel relaxed:	[HADURLX_1]

☒	[Sit at Ease and Feel Relaxed]	[A:0] ☐ ALWAYS [A:1] ☐ USUALLY [A:2] ☐ NOT OFTEN [A:3] ☐ NEVER
12. ☒	I feel as if I am slowed down: [Feel Slowed Down]	[HADUSLW_1] [A:3] ☐ NEARLY ALL THE TIME [A:2] ☐ VERY OFTEN [A:1] ☐ SOMETIMES [A:0] ☐ NEVER
13. ☒	I get a sort of anxious feeling like "butterflies" in the stomach: [Frightened Feeling Like Butterflies]	[HADUBUT_1] [A:0] ☐ NEVER [A:1] ☐ OCCASIONALLY [A:2] ☐ OFTEN [A:3] ☐ VERY OFTEN
14. ☒	I have lost interest in my appearance: [Lost Interest in Appearance]	[HADUAPP_1] [A:3] ☐ DEFINITELY [A:2] ☐ OFTEN I DON'T TAKE AS MUCH CARE AS I SHOULD [A:1] ☐ SOMETIMES I DON'T TAKE AS MUCH CARE AS I SHOULD [A:0] ☐ I TAKE JUST AS MUCH CARE AS EVER
15. ☒	I feel restless as if I have to be on the move: [Feel Restless]	[HADURLS_1] [A:3] ☐ DEFINITELY [A:2] ☐ QUITE A LOT [A:1] ☐ NOT VERY MUCH [A:0] ☐ NEVER
16. ☒	I look forward with enjoyment to things: [Look Forward with Enjoyment]	[HADUFWD_1] [A:0] ☐ AS MUCH AS I EVER HAVE [A:1] ☐ SOMEWHAT LESS THAN I USED TO [A:2] ☐ MUCH LESS THAN I USED TO [A:3] ☐ RARELY
17. ☒	I get sudden feelings of panic: [Sudden Feelings of Panic]	[HADUPAN_1] [A:3] ☐ VERY OFTEN [A:2] ☐ OFTEN [A:1] ☐ NOT VERY OFTEN [A:0] ☐ NEVER
18. ☒	I can enjoy a good book, radio or television program: [Enjoy Good Book Radio TV]	[HADUTV_1] [A:0] ☐ OFTEN [A:1] ☐ SOMETIMES [A:2] ☐ NOT OFTEN [A:3] ☐ VERY SELDOM
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: HOSPITAL ANXIETY AND DEPRESSION SCALE		
Type	RefName	Description
Form	HAD004_1	HOSPITAL ANXIETY AND DEPRESSION SCALE

Codelist Values Tables: HOSPITAL ANXIETY AND DEPRESSION SCALE						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
clLANGUA_30	String		CHINESE FOR TAIWAN	24	cliLANGUA_24	HADLANG_1
			CZECH	27	cliLANGUA_27	
			ENGLISH FOR AUSTRALIA	31	cliLANGUA_31	
			ENGLISH FOR CANADA	32	cliLANGUA_32	

			ENGLISH FOR UK	43	cliLANGUA_43
			ENGLISH FOR USA	44	cliLANGUA_44
			FRENCH FOR CANADA	49	cliLANGUA_49
			GERMAN	52	cliLANGUA_52
			HUNGARIAN	61	cliLANGUA_61
			JAPANESE	66	cliLANGUA_66
			KOREAN	73	cliLANGUA_73
			POLISH	88	cliLANGUA_88
			RUSSIAN	93	cliLANGUA_93
			SPANISH	107	cliLANGUA_107
			SPANISH FOR ARGENTINA	108	cliLANGUA_108
			SPANISH FOR CHILE	110	cliLANGUA_110
			SPANISH FOR COLOMBIA	111	cliLANGUA_111
			SPANISH FOR MEXICO	117	cliLANGUA_117
			SPANISH FOR USA	122	cliLANGUA_122
			SIMPLIFIED CHINESE	165	cliLANGUA_165

RDE Analytics: RD_HAD004_1		
Data Variable RefName	RD Column Name	Column Data Type
HADPERF_1	HADPERF_1_C	VARCHAR2
	HADPERF_1	VARCHAR2
	HADPERF_1_ND	VARCHAR2
HADPERF_1 - HADREASN_1	HADREASN_1_C	VARCHAR2
	HADREASN_1	VARCHAR2
HADPERF_1 - HADNDRD_1	HADNDRD_1	VARCHAR2
HADDAT_1	HADDAT_1	DATE
	HADDAT_1_DTS	VARCHAR2
	HADDAT_1_ND	VARCHAR2
HADLANG_1	HADLANG_1_C	VARCHAR2
	HADLANG_1	VARCHAR2
	HADLANG_1_ND	VARCHAR2
HADQA_1	HADQA_1_C	VARCHAR2
	HADQA_1	VARCHAR2
	HADQA_1_ND	VARCHAR2
HADUTEN_1	HADUTEN_1_C	VARCHAR2
	HADUTEN_1	VARCHAR2
	HADUTEN_1_ND	VARCHAR2
HADUENJ_1	HADUENJ_1_C	VARCHAR2
	HADUENJ_1	VARCHAR2
	HADUENJ_1_ND	VARCHAR2
HADUAWF_1	HADUAWF_1_C	VARCHAR2
	HADUAWF_1	VARCHAR2
	HADUAWF_1_ND	VARCHAR2
HADULAU_1	HADULAU_1_C	VARCHAR2
	HADULAU_1	VARCHAR2
	HADULAU_1_ND	VARCHAR2
HADUWOR_1	HADUWOR_1_C	VARCHAR2

	HADUWOR_1	VARCHAR2
	HADUWOR_1_ND	VARCHAR2
HADCHE_1	HADCHE_1_C	VARCHAR2
	HADCHE_1	VARCHAR2
	HADCHE_1_ND	VARCHAR2
HADURLX_1	HADURLX_1_C	VARCHAR2
	HADURLX_1	VARCHAR2
	HADURLX_1_ND	VARCHAR2
HADUSLW_1	HADUSLW_1_C	VARCHAR2
	HADUSLW_1	VARCHAR2
	HADUSLW_1_ND	VARCHAR2
HADUBUT_1	HADUBUT_1_C	VARCHAR2
	HADUBUT_1	VARCHAR2
	HADUBUT_1_ND	VARCHAR2
HADUAPP_1	HADUAPP_1_C	VARCHAR2
	HADUAPP_1	VARCHAR2
	HADUAPP_1_ND	VARCHAR2
HADURLS_1	HADURLS_1_C	VARCHAR2
	HADURLS_1	VARCHAR2
	HADURLS_1_ND	VARCHAR2
HADUFWD_1	HADUFWD_1_C	VARCHAR2
	HADUFWD_1	VARCHAR2
	HADUFWD_1_ND	VARCHAR2
HADUPAN_1	HADUPAN_1_C	VARCHAR2
	HADUPAN_1	VARCHAR2
	HADUPAN_1_ND	VARCHAR2
HADUTV_1	HADUTV_1_C	VARCHAR2
	HADUTV_1	VARCHAR2
	HADUTV_1_ND	VARCHAR2

B7981032: SF-36v2 HEALTH SURVEY QUESTIONNAIRE - ACUTE (SF36V2 ACUTE) [SF2002]	
1.*	Was the Assessment Performed: [Was the Assessment Performed] [A:Y] ☐ YES [A:N] ☐ [cmpSF2PERF] ☐ NO [SF2REASN] Not Done Reason [A:1] ☐ SUBJECT IS PHYSICALLY OR MENTALLY UNABLE TO COMPLETE THE ASSESSMENT [A:2] ☐ SUBJECT WAS ABLE TO COMPLETE THE ASSESSMENT BUT REFUSED [A:3] ☐ SUBJECT MISSED VISIT [A:4] ☐ SUBJECT LOST TO FOLLOW-UP [A:5] ☐ SUBJECT WITHDREW CONSENT [A:6] ☐ [cmpSF2REASN] ☐ OTHER [SF2NDRD] Not Done Reason, Other Specify A80
2.	Date of Assessment: [Date of Assessment] [SF2DAT] (DD/MM/YYYY) Req / Req / Req (2019-2027)
3.	Language Administered: [Language Version of Instrument] [SF2LANG] [c1LANGUA_28]
4.	Method of Administration: [Method of Administration] [SFQA] [A:1] ☐ SELF [A:2] ☐ ASSISTED
5.	Source of SF-36 Collection: <i>[read-only]</i> [Source of SF-36 Collection] [SF2COLL] [A:2] ☐ ACUTE
6.	In general, would you say your health is: [In General Health Is] [SF2HLHG] [A:1] ☐ EXCELLENT [A:2] ☐ VERY GOOD [A:3] ☐ GOOD [A:4] ☐ FAIR [A:5] ☐ POOR
7.	Compared to one week ago, how would you rate your health in general now? [Rate Health In General Now] [SF2HLH] [A:1] ☐ MUCH BETTER NOW THAN ONE WEEK AGO [A:2] ☐ SOMEWHAT BETTER NOW THAN ONE WEEK AGO [A:3] ☐ ABOUT THE SAME AS ONE WEEK AGO [A:4] ☐ SOMEWHAT WORSE NOW THAN ONE WEEK AGO [A:5] ☐ MUCH WORSE NOW THAN ONE WEEK AGO
Does your health now limit you in these activities? If so, how much?	
8.	Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports: [Health Limit Vigorous Activities] [SF2VACT] [A:1] ☐ YES, LIMITED A LOT [A:2] ☐ YES, LIMITED A LITTLE [A:3] ☐ NO, NOT LIMITED AT ALL
9.	Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf: [Health Limit Moderate Activities] [SF2MACT] [A:1] ☐ YES, LIMITED A LOT [A:2] ☐ YES, LIMITED A LITTLE [A:3] ☐ NO, NOT LIMITED AT ALL
10.	Lifting or carrying groceries: [Health Limit Lifting Or Carrying] [SF2LIFT] [A:1] ☐ YES, LIMITED A LOT [A:2] ☐ YES, LIMITED A LITTLE [A:3] ☐ NO, NOT LIMITED AT ALL
11.	Climbing several flights of stairs: [Health Limit Climbing Several Flights] [SF2CLSV] [A:1] ☐ YES, LIMITED A LOT [A:2] ☐ YES, LIMITED A LITTLE [A:3] ☐ NO, NOT LIMITED AT ALL

		☐	
12.	Climbing one flight of stairs: [Health Limit Climbing One Flight]	[SF2CLO] [A:1] ☐ YES, LIMITED A LOT [A:2] ☐ YES, LIMITED A LITTLE [A:3] ☐ NO, NOT LIMITED AT ALL	
13.	Bending, kneeling, or stooping: [Health Limit Bending, Kneeling, Stooping]	[SF2BEND] [A:1] ☐ YES, LIMITED A LOT [A:2] ☐ YES, LIMITED A LITTLE [A:3] ☐ NO, NOT LIMITED AT ALL	
14.	Walking more than a mile: [Health Limit Walking More Than A Mile]	[SF2WKML] [A:1] ☐ YES, LIMITED A LOT [A:2] ☐ YES, LIMITED A LITTLE [A:3] ☐ NO, NOT LIMITED AT ALL	
15.	Walking several hundred yards: [Health Limit Walk Several Hundred Yards]	[SF2WKS8] [A:1] ☐ YES, LIMITED A LOT [A:2] ☐ YES, LIMITED A LITTLE [A:3] ☐ NO, NOT LIMITED AT ALL	
16.	Walking one hundred yards: [Health Limit Walking One Hundred Yards]	[SF2WKOB] [A:1] ☐ YES, LIMITED A LOT [A:2] ☐ YES, LIMITED A LITTLE [A:3] ☐ NO, NOT LIMITED AT ALL	
17.	Bathing or dressing yourself: [Health Limit Bathing Or Dressing]	[SF2BATH] [A:1] ☐ YES, LIMITED A LOT [A:2] ☐ YES, LIMITED A LITTLE [A:3] ☐ NO, NOT LIMITED AT ALL	
18.	Cut down on the amount of time you spent on work or other activities: [Physical Health Cut Down Time Work]	[SF2PHCW] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME	
19.	Accomplished less than you would like: [Physical Health Accomplished Less]	[SF2PHAL] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME	
20.	Were limited in the kind of work or other activities: [Physical Health Limited In Work]	[SF2PHLW] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME	
21.	Had difficulty performing the work or other activities (for example, it took extra effort): [Physical Health Difficulty Perform Work]	[SF2PHDW] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME	
22.	Cut down on the amount of time you spent on work or other activities: [Emotional Problem Cut Down Time Work]	[SF2EPCW] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME	

23.	Accomplished less than you would like: [Emotional Problem Accomplished Less]	[SF2EPAL] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME
24.	Did work or other activities less carefully than usual: [Emotional Problem Not Work As Carefully]	[SF2EPWC] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME
25.	During the past week, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups? [Extent Health/Emotion Interfered]	[SF2EXTI] [A:1] ☐ NOT AT ALL [A:2] ☐ SLIGHTLY [A:3] ☐ MODERATELY [A:4] ☐ QUITE A BIT [A:5] ☐ EXTREMELY
26.	How much bodily pain have you had during the past week? [Bodily Pain]	[SF2BDP] [A:1] ☐ NONE [A:2] ☐ VERY MILD [A:3] ☐ MILD [A:4] ☐ MODERATE [A:5] ☐ SEVERE [A:6] ☐ VERY SEVERE
27.	During the past week, how much did pain interfere with your normal work (including both work outside the home and housework)? [Pain Interfere Normal Work]	[SF2PNI] [A:1] ☐ NOT AT ALL [A:2] ☐ A LITTLE BIT [A:3] ☐ MODERATELY [A:4] ☐ QUITE A BIT [A:5] ☐ EXTREMELY
For each question, please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week...		
28.	Did you feel full of life? [Feel Full Of Life]	[SF2LIFE] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME
29.	Have you been very nervous? [Been Very Nervous]	[SF2NERV] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME
30.	Have you felt so down in the dumps that nothing could cheer you up? [Felt So Down In The Dumps]	[SF2DOW] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME
31.	Have you felt calm and peaceful? [Felt Calm And Peaceful]	[SF2CALM] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME

32.	Did you have a lot of energy? [Had A Lot Of Energy]	[SF2ERGY] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME
33.	Have you felt downhearted and depressed? [Felt Downhearted Depressed]	[SF2LOW] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME
34.	Did you feel worn out? [Feel Worn Out]	[SF2WOR] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME
35.	Have you been happy? [Been A Happy Person]	[SF2HAPY] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME
36.	Did you feel tired? [Feel Tired]	[SF2TIRE] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME
37.	During the past week, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)? [Time Health/Emotion Interfered]	[SF2TMI] [A:1] ☐ ALL OF THE TIME [A:2] ☐ MOST OF THE TIME [A:3] ☐ SOME OF THE TIME [A:4] ☐ A LITTLE OF THE TIME [A:5] ☐ NONE OF THE TIME
38.	I seem to get sick a little easier than other people: [Get Sick A Little Easier]	[SF2ILL] [A:1] ☐ DEFINITELY TRUE [A:2] ☐ MOSTLY TRUE [A:3] ☐ DON'T KNOW [A:4] ☐ MOSTLY FALSE [A:5] ☐ DEFINITELY FALSE
39.	I am as healthy as anybody I know: [As Healthy As Anybody]	[SF2HLHY] [A:1] ☐ DEFINITELY TRUE [A:2] ☐ MOSTLY TRUE [A:3] ☐ DON'T KNOW [A:4] ☐ MOSTLY FALSE [A:5] ☐ DEFINITELY FALSE
40.	I expect my health to get worse: [Expect Health To Get Worse]	[SF2WORS] [A:1] ☐ DEFINITELY TRUE [A:2] ☐ MOSTLY TRUE [A:3] ☐ DON'T KNOW [A:4] ☐ MOSTLY FALSE [A:5] ☐ DEFINITELY FALSE
41.	My health is excellent: [Health Is Excellent]	[SF2HLHE] [A:1] ☐ DEFINITELY TRUE

[A:2] ☐ MOSTLY TRUE
[A:3] ☐ DON'T KNOW
[A:4] ☐ MOSTLY FALSE
[A:5] ☐ DEFINITELY FALSE

Type	RefName	Description
Form	SF2002	SF-36v2 HEALTH SURVEY QUESTIONNAIRE - ACUTE

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliLANGUAGE_28	String		CHINESE FOR TAIWAN	24	cliLANGUAGE_24	SF2LANG
			CZECH	27	cliLANGUAGE_27	
			ENGLISH FOR AUSTRALIA	31	cliLANGUAGE_31	
			ENGLISH FOR CANADA	32	cliLANGUAGE_32	
			ENGLISH FOR UK	43	cliLANGUAGE_43	
			ENGLISH FOR USA	44	cliLANGUAGE_44	
			FRENCH FOR CANADA	49	cliLANGUAGE_49	
			GERMAN	52	cliLANGUAGE_52	
			HUNGARIAN	61	cliLANGUAGE_61	
			JAPANESE	66	cliLANGUAGE_66	
			KOREAN	73	cliLANGUAGE_73	
			POLISH	88	cliLANGUAGE_88	
			RUSSIAN	93	cliLANGUAGE_93	
			SPANISH	107	cliLANGUAGE_107	
			SPANISH FOR ARGENTINA	108	cliLANGUAGE_108	
			SPANISH FOR CHILE	110	cliLANGUAGE_110	
			SPANISH FOR COLOMBIA	111	cliLANGUAGE_111	
			SPANISH FOR MEXICO	117	cliLANGUAGE_117	
			SPANISH FOR USA	122	cliLANGUAGE_122	
			SIMPLIFIED CHINESE	165	cliLANGUAGE_165	

Data Variable RefName	RD Column Name	Column Data Type
SF2PERF	SF2PERF_C	VARCHAR2
	SF2PERF	VARCHAR2
	SF2PERF_ND	VARCHAR2
SF2PERF - SF2REASN	SF2REASN_C	VARCHAR2
	SF2REASN	VARCHAR2
SF2PERF - SF2NDRD	SF2NDRD	VARCHAR2
SF2DAT	SF2DAT	DATE
	SF2DAT_DTS	VARCHAR2
	SF2DAT_ND	VARCHAR2
SF2LANG	SF2LANG_C	VARCHAR2
	SF2LANG	VARCHAR2

	SF2LANG_ND	VARCHAR2
SFQA	SFQA_C	VARCHAR2
	SFQA	VARCHAR2
	SFQA_ND	VARCHAR2
SF2COLL	SF2COLL_C	VARCHAR2
	SF2COLL	VARCHAR2
	SF2COLL_ND	VARCHAR2
SF2HLHG	SF2HLHG_C	VARCHAR2
	SF2HLHG	VARCHAR2
	SF2HLHG_ND	VARCHAR2
SF2HLH	SF2HLH_C	VARCHAR2
	SF2HLH	VARCHAR2
	SF2HLH_ND	VARCHAR2
SF2VACT	SF2VACT_C	VARCHAR2
	SF2VACT	VARCHAR2
	SF2VACT_ND	VARCHAR2
SF2MACT	SF2MACT_C	VARCHAR2
	SF2MACT	VARCHAR2
	SF2MACT_ND	VARCHAR2
SF2LIFT	SF2LIFT_C	VARCHAR2
	SF2LIFT	VARCHAR2
	SF2LIFT_ND	VARCHAR2
SF2CLSV	SF2CLSV_C	VARCHAR2
	SF2CLSV	VARCHAR2
	SF2CLSV_ND	VARCHAR2
SF2CLO	SF2CLO_C	VARCHAR2
	SF2CLO	VARCHAR2
	SF2CLO_ND	VARCHAR2
SF2BEND	SF2BEND_C	VARCHAR2
	SF2BEND	VARCHAR2
	SF2BEND_ND	VARCHAR2
SF2WKML	SF2WKML_C	VARCHAR2
	SF2WKML	VARCHAR2
	SF2WKML_ND	VARCHAR2
SF2WKS	SF2WKS_C	VARCHAR2
	SF2WKS	VARCHAR2
	SF2WKS_ND	VARCHAR2
SF2WKOB	SF2WKOB_C	VARCHAR2
	SF2WKOB	VARCHAR2
	SF2WKOB_ND	VARCHAR2
SF2BATH	SF2BATH_C	VARCHAR2
	SF2BATH	VARCHAR2
	SF2BATH_ND	VARCHAR2
SF2PHCW	SF2PHCW_C	VARCHAR2
	SF2PHCW	VARCHAR2
	SF2PHCW_ND	VARCHAR2
SF2PHAL	SF2PHAL_C	VARCHAR2

	SF2PHAL	VARCHAR2
	SF2PHAL_ND	VARCHAR2
SF2PHLW	SF2PHLW_C	VARCHAR2
	SF2PHLW	VARCHAR2
	SF2PHLW_ND	VARCHAR2
SF2PHDW	SF2PHDW_C	VARCHAR2
	SF2PHDW	VARCHAR2
	SF2PHDW_ND	VARCHAR2
SF2EPCW	SF2EPCW_C	VARCHAR2
	SF2EPCW	VARCHAR2
	SF2EPCW_ND	VARCHAR2
SF2EPAL	SF2EPAL_C	VARCHAR2
	SF2EPAL	VARCHAR2
	SF2EPAL_ND	VARCHAR2
SF2EPWC	SF2EPWC_C	VARCHAR2
	SF2EPWC	VARCHAR2
	SF2EPWC_ND	VARCHAR2
SF2EXTI	SF2EXTI_C	VARCHAR2
	SF2EXTI	VARCHAR2
	SF2EXTI_ND	VARCHAR2
SF2BDP	SF2BDP_C	VARCHAR2
	SF2BDP	VARCHAR2
	SF2BDP_ND	VARCHAR2
SF2PNI	SF2PNI_C	VARCHAR2
	SF2PNI	VARCHAR2
	SF2PNI_ND	VARCHAR2
SF2LIFE	SF2LIFE_C	VARCHAR2
	SF2LIFE	VARCHAR2
	SF2LIFE_ND	VARCHAR2
SF2NERV	SF2NERV_C	VARCHAR2
	SF2NERV	VARCHAR2
	SF2NERV_ND	VARCHAR2
SF2DOW	SF2DOW_C	VARCHAR2
	SF2DOW	VARCHAR2
	SF2DOW_ND	VARCHAR2
SF2CALM	SF2CALM_C	VARCHAR2
	SF2CALM	VARCHAR2
	SF2CALM_ND	VARCHAR2
SF2ERGY	SF2ERGY_C	VARCHAR2
	SF2ERGY	VARCHAR2
	SF2ERGY_ND	VARCHAR2
SF2LOW	SF2LOW_C	VARCHAR2
	SF2LOW	VARCHAR2
	SF2LOW_ND	VARCHAR2
SF2WOR	SF2WOR_C	VARCHAR2
	SF2WOR	VARCHAR2
	SF2WOR_ND	VARCHAR2

SF2HAPY	SF2HAPY_C	VARCHAR2
	SF2HAPY	VARCHAR2
	SF2HAPY_ND	VARCHAR2
SF2TIRE	SF2TIRE_C	VARCHAR2
	SF2TIRE	VARCHAR2
	SF2TIRE_ND	VARCHAR2
SF2TMI	SF2TMI_C	VARCHAR2
	SF2TMI	VARCHAR2
	SF2TMI_ND	VARCHAR2
SF2ILL	SF2ILL_C	VARCHAR2
	SF2ILL	VARCHAR2
	SF2ILL_ND	VARCHAR2
SF2HLHY	SF2HLHY_C	VARCHAR2
	SF2HLHY	VARCHAR2
	SF2HLHY_ND	VARCHAR2
SF2WORS	SF2WORS_C	VARCHAR2
	SF2WORS	VARCHAR2
	SF2WORS_ND	VARCHAR2
SF2HLHE	SF2HLHE_C	VARCHAR2
	SF2HLHE	VARCHAR2
	SF2HLHE_ND	VARCHAR2

B7981032: EQ-5D-5L HEALTH QUESTIONNAIRE - SUBJECT VERSION (EQ-5D-5L) [E5D105]	
1.*	Was the assessment performed? [Was the Assessment Performed] [A:Y] ☐ YES [A:N] ☐ [cmpE5DPERF] ☐ NO [E5DREASN] If Not Done, specify the primary reason: [A:1] ☐ SUBJECT IS PHYSICALLY OR MENTALLY UNABLE TO COMPLETE THE ASSESSMENT [A:2] ☐ SUBJECT WAS ABLE TO COMPLETE THE ASSESSMENT BUT REFUSED [A:3] ☐ SUBJECT MISSED VISIT [A:4] ☐ SUBJECT LOST TO FOLLOW-UP [A:5] ☐ SUBJECT WITHDREW CONSENT [A:6] ☐ [cmpE5DREASN] ☐ OTHER [E5DNDRD] If other, specify: A80
2.	Date of Assessment: [Date of Assessment] [E5DDAT] (DD/MM/YYYY) Req / Req / Req (2019-2027)
3.	Language Administered: [Language Version of Instrument] [E5DLANG] [c1LANGUA_25]
4.	Method of Administration: [Method of Administration] [E5DQA] [A:1] ☐ SELF [A:2] ☐ ASSISTED
Under each heading, please check the ONE box that best describes your health TODAY.	
5.	Mobility: [5L Mobility] [E5D5MOB] [A:1] ☐ I HAVE NO PROBLEMS WALKING [A:2] ☐ I HAVE SLIGHT PROBLEMS WALKING [A:3] ☐ I HAVE MODERATE PROBLEMS WALKING [A:4] ☐ I HAVE SEVERE PROBLEMS WALKING [A:5] ☐ I AM UNABLE TO WALK
6.	Self-Care: [5L Self-Care] [E5D5SEL] [A:1] ☐ I HAVE NO PROBLEMS WASHING OR DRESSING MYSELF [A:2] ☐ I HAVE SLIGHT PROBLEMS WASHING OR DRESSING MYSELF [A:3] ☐ I HAVE MODERATE PROBLEMS WASHING OR DRESSING MYSELF [A:4] ☐ I HAVE SEVERE PROBLEMS WASHING OR DRESSING MYSELF [A:5] ☐ I AM UNABLE TO WASH OR DRESS MYSELF
7.	Usual Activities (e.g. work, study, housework, family or leisure activities): [5L Usual Activities] [E5D5ACT] [A:1] ☐ I HAVE NO PROBLEMS DOING MY USUAL ACTIVITIES [A:2] ☐ I HAVE SLIGHT PROBLEMS DOING MY USUAL ACTIVITIES [A:3] ☐ I HAVE MODERATE PROBLEMS DOING MY USUAL ACTIVITIES [A:4] ☐ I HAVE SEVERE PROBLEMS DOING MY USUAL ACTIVITIES [A:5] ☐ I AM UNABLE TO DO MY USUAL ACTIVITIES
8.	Pain/Discomfort: [5L Pain/Discomfort] [E5D5DIS] [A:1] ☐ I HAVE NO PAIN OR DISCOMFORT [A:2] ☐ I HAVE SLIGHT PAIN OR DISCOMFORT [A:3] ☐ I HAVE MODERATE PAIN OR DISCOMFORT [A:4] ☐ I HAVE SEVERE PAIN OR DISCOMFORT [A:5] ☐ I HAVE EXTREME PAIN OR DISCOMFORT
9.	Anxiety/Depression: [5L Anxiety/Depression] [E5D5ANX] [A:1] ☐ I AM NOT ANXIOUS OR DEPRESSED [A:2] ☐ I AM SLIGHTLY ANXIOUS OR DEPRESSED [A:3] ☐ I AM MODERATELY ANXIOUS OR DEPRESSED [A:4] ☐ I AM SEVERELY ANXIOUS OR DEPRESSED [A:5] ☐ I AM EXTREMELY ANXIOUS OR DEPRESSED

100 means the best health you can imagine.
0 means the worst health you can imagine.

10. Indicate how your health is TODAY:
[Health State]

[E5DVAS]
N3

Key: [*] = Item is required [☐] = Item is collapsible
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: EQ-5D-5L HEALTH QUESTIONNAIRE - SUBJECT VERSION		
Type	RefName	Description
Form	E5D105	EQ-5D-5L HEALTH QUESTIONNAIRE - SUBJECT VERSION

Codelist Values Tables: EQ-5D-5L HEALTH QUESTIONNAIRE - SUBJECT VERSION						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliLANGUA_25	String		CHINESE FOR TAIWAN	24	cliLANGUA_24	E5DLANG
			CZECH	27	cliLANGUA_27	
			ENGLISH FOR AUSTRALIA	31	cliLANGUA_31	
			ENGLISH FOR CANADA	32	cliLANGUA_32	
			ENGLISH FOR UK	43	cliLANGUA_43	
			ENGLISH FOR USA	44	cliLANGUA_44	
			FRENCH FOR CANADA	49	cliLANGUA_49	
			GERMAN	52	cliLANGUA_52	
			HUNGARIAN	61	cliLANGUA_61	
			JAPANESE	66	cliLANGUA_66	
			KOREAN	73	cliLANGUA_73	
			POLISH	88	cliLANGUA_88	
			RUSSIAN	93	cliLANGUA_93	
			SPANISH	107	cliLANGUA_107	
			SPANISH FOR ARGENTINA	108	cliLANGUA_108	
			SPANISH FOR CHILE	110	cliLANGUA_110	
			SPANISH FOR COLOMBIA	111	cliLANGUA_111	
			SPANISH FOR MEXICO	117	cliLANGUA_117	
			SPANISH FOR USA	122	cliLANGUA_122	
			SIMPLIFIED CHINESE	165	cliLANGUA_165	

RDE Analytics: RD_E5D105		
Data Variable RefName	RD Column Name	Column Data Type
E5DPERF	E5DPERF_C	VARCHAR2
	E5DPERF	VARCHAR2
	E5DPERF_ND	VARCHAR2
E5DPERF - E5DREASN	E5DREASN_C	VARCHAR2
	E5DREASN	VARCHAR2
E5DPERF - E5DNDRD	E5DNDRD	VARCHAR2
E5DDAT	E5DDAT	DATE
	E5DDAT_DTS	VARCHAR2
	E5DDAT_ND	VARCHAR2
E5DLANG	E5DLANG_C	VARCHAR2
	E5DLANG	VARCHAR2

	E5DLANG_ND	VARCHAR2
E5DQA	E5DQA_C	VARCHAR2
	E5DQA	VARCHAR2
	E5DQA_ND	VARCHAR2
E5D5MOB	E5D5MOB_C	VARCHAR2
	E5D5MOB	VARCHAR2
	E5D5MOB_ND	VARCHAR2
E5D5SEL	E5D5SEL_C	VARCHAR2
	E5D5SEL	VARCHAR2
	E5D5SEL_ND	VARCHAR2
E5D5ACT	E5D5ACT_C	VARCHAR2
	E5D5ACT	VARCHAR2
	E5D5ACT_ND	VARCHAR2
E5D5DIS	E5D5DIS_C	VARCHAR2
	E5D5DIS	VARCHAR2
	E5D5DIS_ND	VARCHAR2
E5D5ANX	E5D5ANX_C	VARCHAR2
	E5D5ANX	VARCHAR2
	E5D5ANX_ND	VARCHAR2
E5DVAS	E5DVAS	NUMBER
	E5DVAS_ND	VARCHAR2

B7981032: EQ-5D-Y HEALTH QUESTIONNAIRE - SUBJECT VERSION (EQ-5D-Y) [E5D108]	
1.*	Was the assessment performed? [Was the Assessment Performed] [A:Y] ☐ YES [A:N] ☐ [cmpE5DPERF_1] ☐ NO [E5DREASN_1] If Not Done, specify the primary reason: [A:1] ☐ SUBJECT IS PHYSICALLY OR MENTALLY UNABLE TO COMPLETE THE ASSESSMENT [A:2] ☐ SUBJECT WAS ABLE TO COMPLETE THE ASSESSMENT BUT REFUSED [A:3] ☐ SUBJECT MISSED VISIT [A:4] ☐ SUBJECT LOST TO FOLLOW-UP [A:5] ☐ SUBJECT WITHDREW CONSENT [A:6] ☐ [cmpE5DREASN_1] ☐ OTHER [E5DNRD_1] If other, specify: A80
2.	Date of assessment: [Date of Assessment] [E5DDAT_1] (DD/MM/YYYY) Req / Req / Req (2019-2027)
3.	Language Administered: [Language Version of Instrument] [E5DLANG_2] [c1LANGUA_26]
4.	Method of Administration: [Method of Administration] [E5DQA_1] [A:1] ☐ SELF [A:2] ☐ ASSISTED
Please check the ONE box that best describes your health TODAY.	
5.	Mobility (Walking around): [5Y Mobility] [E5DYMOb] [A:1] ☐ I HAVE NO PROBLEMS WALKING AROUND [A:2] ☐ I HAVE SOME PROBLEMS WALKING AROUND [A:3] ☐ I HAVE A LOT OF PROBLEMS WALKING AROUND
6.	Taking care of myself: [5Y Self-Care] [E5DYSel] [A:1] ☐ I HAVE NO PROBLEMS TAKING A BATH OR SHOWER BY MYSELF OR GETTING DRESSED BY MYSELF [A:2] ☐ I HAVE SOME PROBLEMS TAKING A BATH OR SHOWER BY MYSELF OR GETTING DRESSED BY MYSELF [A:3] ☐ I HAVE A LOT OF PROBLEMS TAKING A BATH OR SHOWER BY MYSELF OR GETTING DRESSED BY MYSELF
7.	Doing usual activities (for example, going to school, hobbies, sports, playing, doing things with family or friends): [5Y Usual Activities] [E5DYACT] [A:1] ☐ I HAVE NO PROBLEMS DOING MY USUAL ACTIVITIES [A:2] ☐ I HAVE SOME PROBLEMS DOING MY USUAL ACTIVITIES [A:3] ☐ I HAVE A LOT OF PROBLEMS DOING MY USUAL ACTIVITIES
8.	Having pain or discomfort: [5Y Pain/Discomfort] [E5DYDis] [A:1] ☐ I HAVE NO PAIN OR DISCOMFORT [A:2] ☐ I HAVE SOME PAIN OR DISCOMFORT [A:3] ☐ I HAVE A LOT OF PAIN OR DISCOMFORT
9.	Feeling worried, sad, or unhappy: [5Y Anxiety/Depression] [E5DYANX] [A:1] ☐ I AM NOT WORRIED, SAD, OR UNHAPPY [A:2] ☐ I AM A LITTLE WORRIED, SAD, OR UNHAPPY [A:3] ☐ I AM VERY WORRIED, SAD, OR UNHAPPY
100 means the best health you can imagine. 0 means the worst health you can imagine.	
10.	How good is your health TODAY: [Health State] [E5DYVAS] N3
Key: [*] = Item is required [☐] = Item is collapsible Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.	

Study Object Descriptions: EQ-5D-Y HEALTH QUESTIONNAIRE - SUBJECT VERSION

Type	RefName	Description
Form	E5D108	EQ-5D-Y HEALTH QUESTIONNAIRE - SUBJECT VERSION

Codelist Values Tables: EQ-5D-Y HEALTH QUESTIONNAIRE - SUBJECT VERSION						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
ciiLANGUA_26	String		CHINESE FOR TAIWAN	24	ciiLANGUA_24	E5DLANG_2
			CZECH	27	ciiLANGUA_27	
			ENGLISH FOR AUSTRALIA	31	ciiLANGUA_31	
			ENGLISH FOR CANADA	32	ciiLANGUA_32	
			ENGLISH FOR UK	43	ciiLANGUA_43	
			ENGLISH FOR USA	44	ciiLANGUA_44	
			FRENCH FOR CANADA	49	ciiLANGUA_49	
			GERMAN	52	ciiLANGUA_52	
			HUNGARIAN	61	ciiLANGUA_61	
			JAPANESE	66	ciiLANGUA_66	
			KOREAN	73	ciiLANGUA_73	
			POLISH	88	ciiLANGUA_88	
			RUSSIAN	93	ciiLANGUA_93	
			SPANISH	107	ciiLANGUA_107	
			SPANISH FOR ARGENTINA	108	ciiLANGUA_108	
			SPANISH FOR CHILE	110	ciiLANGUA_110	
			SPANISH FOR COLOMBIA	111	ciiLANGUA_111	
			SPANISH FOR MEXICO	117	ciiLANGUA_117	
			SPANISH FOR USA	122	ciiLANGUA_122	
			SIMPLIFIED CHINESE	165	ciiLANGUA_165	

RDE Analytics: RD_E5D108		
Data Variable RefName	RD Column Name	Column Data Type
E5DPERF_1	E5DPERF_1_C	VARCHAR2
	E5DPERF_1	VARCHAR2
	E5DPERF_1_ND	VARCHAR2
E5DPERF_1 - E5DREASN_1	E5DREASN_1_C	VARCHAR2
	E5DREASN_1	VARCHAR2
E5DPERF_1 - E5DNDRD_1	E5DNDRD_1	VARCHAR2
E5DDAT_1	E5DDAT_1	DATE
	E5DDAT_1_DTS	VARCHAR2
	E5DDAT_1_ND	VARCHAR2
E5DLANG_2	E5DLANG_2_C	VARCHAR2
	E5DLANG_2	VARCHAR2
	E5DLANG_2_ND	VARCHAR2
E5DQA_1	E5DQA_1_C	VARCHAR2
	E5DQA_1	VARCHAR2
	E5DQA_1_ND	VARCHAR2
E5DYMOB	E5DYMOB_C	VARCHAR2
	E5DYMOB	VARCHAR2
	E5DYMOB_ND	VARCHAR2
E5DYSEL	E5DYSEL_C	VARCHAR2

	E5DYSEL	VARCHAR2
	E5DYSEL_ND	VARCHAR2
E5DYACT	E5DYACT_C	VARCHAR2
	E5DYACT	VARCHAR2
	E5DYACT_ND	VARCHAR2
E5DYDIS	E5DYDIS_C	VARCHAR2
	E5DYDIS	VARCHAR2
	E5DYDIS_ND	VARCHAR2
E5DYANX	E5DYANX_C	VARCHAR2
	E5DYANX	VARCHAR2
	E5DYANX_ND	VARCHAR2
E5DYVAS	E5DYVAS	NUMBER
	E5DYVAS_ND	VARCHAR2

B7981032: ALOPECIA AREATA RESOURCE UTILIZATION (ALOPECIA AREATA RESOURCE UTILIZATION) [AARU001]					
1.*	Was the assessment performed? [Was Assessment Performed]	[AARUPERF] [A:Y] ☐ YES [A:N] ☐ [cmpAARUPERF] ☐ NO [AARUNDR] If Not Done, specify the primary reason: [A:1] ☐ SUBJECT IS PHYSICALLY OR MENTALLY UNABLE TO COMPLETE THE ASSESSMENT [A:2] ☐ SUBJECT WAS ABLE TO COMPLETE THE ASSESSMENT BUT REFUSED [A:3] ☐ SUBJECT MISSED VISIT [A:4] ☐ SUBJECT LOST TO FOLLOW-UP [A:5] ☐ SUBJECT WITHDREW CONSENT [A:6] ☐ [cmpAARUNDR] ☐ OTHER [AARUNDD] If other, specify: A80			
2.	Date of assessment: [Date of Assessment]	[AARUDAT] (DD/MM/YYYY) Req / Req / Req (2019-2027)			
3.	Language Administered: [Language Version of Instrument]	[AARULANG] [clLANGUA_29]			
4.	Method of Administration: [Method of Administration]	[AARUQA] [A:1] ☐ SELF [A:2] ☐ ASSISTED			
5.	Evaluation Interval: [read-only] [Evaluation Interval]	[EVINTTX] [clEVINTTX]			
6.	Have you seen any doctors or any other healthcare professionals in the PAST 3 MONTHS? Please include any telemedicine (eg, remote visits via telephone, internet or other means) visits. [Had Any Doctor/Healthcare Visits]	[AARUVIST] [A:Y] ☐ YES [A:N] ☐ NO			
#	Doctor or other health professional:	Total Number of in-person visits for any reason:	Total Number of in-person visits related to Alopecia Areata:	Total Number of remote visits for any reason:	Total Number of remote
7.a	DERMATOLOGIST				
7.b	PRIMARY CARE PROVIDER / FAMILY DOCTOR / GENERAL PRACTITIONER				
7.c	INTERNAL MEDICINE SPECIALIST				
7.d	PSYCHIATRIST				
7.e	PSYCHOLOGIST				
7.f	MENTAL HEALTH THERAPIST, COUNSELOR				
7.g	ALLERGIST / ALLERGOLOGIST				
7.h	IMMUNOLOGIST				
7.i	SURGEON				
7.j	GYNECOLOGIST				
7.k	CARDIOLOGIST				
7.l	GASTROENTEROLOGIST				
7.m	ENDOCRINOLOGIST				
7.n	RHEUMATOLOGIST				
7.o	CHIROPRACTOR				
7.p	NURSE PRACTITIONER				
7.q	PHYSICIAN ASSISTANT				
7.r	PHYSICAL OR OCCUPATIONAL THERAPIST				
7.s	EMERGENCY DEPARTMENT				
7.1	Type of Doctor/Healthcare Professional	[AARUDTYP]			

	 [Doctor or other health professional:]	[cIAARUA] 										
7.2	Total Number In Person Visits - Any Reas [Total Number of in-person visits for any reason:]	[AARUIPN] N2										
7.3	Total Number In Person Visits - Alopecia [Total Number of in-person visits related to Alopecia Areata:]	[AARUIPAN] N2										
7.4	Total Number Remote Visits - Any Reas [Total Number of remote visits for any reason:]	[AARURN] N2										
7.5	Total Number Remote Visits - Alopecia [Total Number of remote visits related to Alopecia Areata]	[AARURAN] N2										
8.	<table><thead><tr><th>Doctor/Health Professional Other Specify</th><th>Total Number In Person Visits - Any Reas</th><th>Total Number In Person Visits - Alopecia</th><th>Total Number Remote Visits - Any Reas</th><th>Total Number Remote Visits - Alopecia</th></tr></thead><tbody><tr><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>	Doctor/Health Professional Other Specify	Total Number In Person Visits - Any Reas	Total Number In Person Visits - Alopecia	Total Number Remote Visits - Any Reas	Total Number Remote Visits - Alopecia						
Doctor/Health Professional Other Specify	Total Number In Person Visits - Any Reas	Total Number In Person Visits - Alopecia	Total Number Remote Visits - Any Reas	Total Number Remote Visits - Alopecia								
For each, record the number of in-person visits and remote visits (related to Alopecia Areata) the subject had.												
8.1*	Other Healthcare Professionals (Specify): [Doctor/Health Professional Other Specify]	[AARUDTYO] A80										
8.2*	Total Number of in-person visits for any reason: [Total Number In Person Visits - Any Reas]	[AARUIPN_1] N2										
8.3*	Total Number of in-person visits related to Alopecia Areata: [Total Number In Person Visits - Alopecia]	[AARUIPAN_1] N2										
8.4*	Total Number of remote visits for any reason: [Total Number Remote Visits - Any Reas]	[AARURN_1] N2										
8.5*	Total Number of remote visits related to Alopecia Areata [Total Number Remote Visits - Alopecia]	[AARURAN_1] N2										
9.	Do you currently use any hair prostheses (e.g. wigs, hairpieces, and extensions) or hair camouflaging agents (e.g. hair fibers, powder cakes, lotions, sprays, hair crayons, and scalp tattooing)? [Use Any Hair Prostheses/Hair Camouflage]	[AARUHP] [A:Y] ☐ YES [A:N] ☐ NO										
#	Hair prostheses/cover-up/camouflage method	Number of days per week:										
10.a	HAIR PROSTHESES											
10.b	MICROBLADING											
10.c	MAKEUP											
10.d	COVERINGS											
10.e	ARTIFICIAL EYEBROWS											
10.f	ARTIFICIAL EYELASHES											
10.g	HAIR FIBERS											
10.1	Hair Prostheses/Camouflage Type  [Hair prostheses/cover-up/camouflage method]	[AARUHTYP] [cIAARUB] 										
10.2	Days/Week Used Prostheses/Camouflage [Number of days per week:]	[AARUHPNW] N1										
	Hair Prostheses/Camouflage Other Specify	Days/Week Used Prostheses/Camouflage										
11.												
11.1*	Other (specify): [Hair Prostheses/Camouflage Other Specify]	[AARUHTYO] A80										
11.2*	Number of days per week: [Days/Week Used Prostheses/Camouflage]	[AARUHPNW_1] N1										
12.	Are you currently seeking employment? [Are You Currently Seeking Employment]	[AARUSEMP] [A:Y] ☐ YES [A:N] ☐ [cmpAARUSEMP]  NO [AARUEAAR]										

		Is this related to your Alopecia Areata? [A:Y] ☐ YES [A:N] ☐ NO
13.	Has your Alopecia Areata prevented you from seeking employment or pursuing an employment opportunity at any time in the past 3 months? [Alopecia Prevent You From Seeking Employ]	[AARUPREV] [A:Y] ☐ [cmpAARUPREV] ☐ YES [AARUPRVN] How many times/opportunities: N2 [A:N] ☐ NO
Key: [*] = Item is required [☐] = Item is collapsible [☐] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: ALOPECIA AREATA RESOURCE UTILIZATION		
Type	RefName	Description
Form	AARU001	AARU001 - ALOPECIA AREATA RESOURCE UTILIZATION

Codelist Values Tables: ALOPECIA AREATA RESOURCE UTILIZATION						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliLANGUA_29	String		CHINESE FOR TAIWAN	24	cliLANGUA_24	AARULANG
			CZECH	27	cliLANGUA_27	
			ENGLISH FOR AUSTRALIA	31	cliLANGUA_31	
			ENGLISH FOR CANADA	32	cliLANGUA_32	
			ENGLISH FOR UK	43	cliLANGUA_43	
			ENGLISH FOR USA	44	cliLANGUA_44	
			FRENCH FOR CANADA	49	cliLANGUA_49	
			GERMAN	52	cliLANGUA_52	
			HUNGARIAN	61	cliLANGUA_61	
			JAPANESE	66	cliLANGUA_66	
			KOREAN	73	cliLANGUA_73	
			POLISH	88	cliLANGUA_88	
			RUSSIAN	93	cliLANGUA_93	
			SPANISH	107	cliLANGUA_107	
			SPANISH FOR ARGENTINA	108	cliLANGUA_108	
			SPANISH FOR CHILE	110	cliLANGUA_110	
			SPANISH FOR COLOMBIA	111	cliLANGUA_111	
			SPANISH FOR MEXICO	117	cliLANGUA_117	
			SPANISH FOR USA	122	cliLANGUA_122	
			SIMPLIFIED CHINESE	165	cliLANGUA_165	
cliEVINTTX	String		-P3M	5	cliEVINTTX_5	EVINTTX
cliAARUA	String		DERMATOLOGIST	1	cliAARUA_1	AARUDTYP
			PRIMARY CARE PROVIDER / FAMILY DOCTOR / GENERAL PRACTITIONER	2	cliAARUA_2	
			INTERNAL MEDICINE SPECIALIST	3	cliAARUA_3	
			PSYCHIATRIST	4	cliAARUA_4	
			PSYCHOLOGIST	5	cliAARUA_5	
			MENTAL HEALTH THERAPIST, COUNSELOR	6	cliAARUA_6	
			ALLERGIST / ALLERGOLOGIST	7	cliAARUA_7	
			IMMUNOLOGIST	8	cliAARUA_8	

			SURGEON	9	cliAARUA_9	
			GYNECOLOGIST	10	cliAARUA_10	
			CARDIOLOGIST	11	cliAARUA_11	
			GASTROENTEROLOGIST	12	cliAARUA_12	
			ENDOCRINOLOGIST	13	cliAARUA_13	
			RHEUMATOLOGIST	14	cliAARUA_14	
			CHIROPRACTOR	15	cliAARUA_15	
			NURSE PRACTITIONER	16	cliAARUA_16	
			PHYSICIAN ASSISTANT	17	cliAARUA_17	
			PHYSICAL OR OCCUPATIONAL THERAPIST	18	cliAARUA_18	
cliAARUB	String		EMERGENCY DEPARTMENT	19	cliAARUA_19	AARUHTYP
			HAIR PROSTHESES	1	cliAARUB_1	
			MICROBLADING	2	cliAARUB_2	
			MAKEUP	3	cliAARUB_3	
			COVERINGS	4	cliAARUB_4	
			ARTIFICIAL EYEBROWS	5	cliAARUB_5	
			ARTIFICIAL EYELASHES	6	cliAARUB_6	
			HAIR FIBERS	7	cliAARUB_7	

RDE Analytics: RD_AARU001		
Data Variable RefName	RD Column Name	Column Data Type
AARUPERF	AARUPERF_C	VARCHAR2
	AARUPERF	VARCHAR2
	AARUPERF_ND	VARCHAR2
AARUPERF - AARUNDR	AARUNDR_C	VARCHAR2
	AARUNDR	VARCHAR2
AARUPERF - AARUNDD	AARUNDD	VARCHAR2
AARUDAT	AARUDAT	DATE
	AARUDAT_DTS	VARCHAR2
	AARUDAT_ND	VARCHAR2
AARULANG	AARULANG_C	VARCHAR2
	AARULANG	VARCHAR2
	AARULANG_ND	VARCHAR2
AARUQA	AARUQA_C	VARCHAR2
	AARUQA	VARCHAR2
	AARUQA_ND	VARCHAR2
EVINTTX	EVINTTX_C	VARCHAR2
	EVINTTX	VARCHAR2
	EVINTTX_ND	VARCHAR2
AARUVIST	AARUVIST_C	VARCHAR2
	AARUVIST	VARCHAR2
	AARUVIST_ND	VARCHAR2
AARUUHP	AARUUHP_C	VARCHAR2
	AARUUHP	VARCHAR2
	AARUUHP_ND	VARCHAR2
AARUSEMP	AARUSEMP_C	VARCHAR2
	AARUSEMP	VARCHAR2

	AARUSEMP_ND	VARCHAR2
AARUSEMP - AARUEAAR	AARUEAAR_C	VARCHAR2
	AARUEAAR	VARCHAR2
AARUPREV	AARUPREV_C	VARCHAR2
	AARUPREV	VARCHAR2
	AARUPREV_ND	VARCHAR2
AARUPREV - AARUPRVN	AARUPRVN	NUMBER
RD_AARU001_SCTAARU001_02		
AARUDTYP	AARUDTYP_C	VARCHAR2
	AARUDTYP	VARCHAR2
	AARUDTYP_ND	VARCHAR2
AARUIPN	AARUIPN	NUMBER
	AARUIPN_ND	VARCHAR2
AARUIPAN	AARUIPAN	NUMBER
	AARUIPAN_ND	VARCHAR2
AARURN	AARURN	NUMBER
	AARURN_ND	VARCHAR2
AARURAN	AARURAN	NUMBER
	AARURAN_ND	VARCHAR2
RD_AARU001_SCTAARU001_03		
AARUDTYO	AARUDTYO	VARCHAR2
	AARUDTYO_ND	VARCHAR2
AARUIPN_1	AARUIPN_1	NUMBER
	AARUIPN_1_ND	VARCHAR2
AARUIPAN_1	AARUIPAN_1	NUMBER
	AARUIPAN_1_ND	VARCHAR2
AARURN_1	AARURN_1	NUMBER
	AARURN_1_ND	VARCHAR2
AARURAN_1	AARURAN_1	NUMBER
	AARURAN_1_ND	VARCHAR2
RD_AARU001_SCTAARU001_05		
AARUHTYP	AARUHTYP_C	VARCHAR2
	AARUHTYP	VARCHAR2
	AARUHTYP_ND	VARCHAR2
AARUHPNW	AARUHPNW	NUMBER
	AARUHPNW_ND	VARCHAR2
RD_AARU001_SCTAARU001_06		
AARUHTYO	AARUHTYO	VARCHAR2
	AARUHTYO_ND	VARCHAR2
AARUHPNW_1	AARUHPNW_1	NUMBER
	AARUHPNW_1_ND	VARCHAR2

B7981032: WORK PRODUCTIVITY AND ACTIVITY IMPAIRMENT QUESTIONNAIRE (WORK PRODUCTIVITY AND ACTIVITY IMPAIRMENT QUESTIONNAIRE) [WPI101]		
1.*	Was the assessment performed? [Was the Assessment Performed]	[WPIPERF] [A:Y] ☐ YES [A:N] ☐ [cmpWPIPERF] ☐ NO [WPIREASN] If NOT DONE, specify the primary reason below: [A:1] ☐ SUBJECT IS PHYSICALLY OR MENTALLY UNABLE TO COMPLETE THE ASSESSMENT [A:2] ☐ SUBJECT WAS ABLE TO COMPLETE THE ASSESSMENT BUT REFUSED [A:3] ☐ SUBJECT MISSED VISIT [A:4] ☐ SUBJECT LOST TO FOLLOW-UP [A:5] ☐ SUBJECT WITHDREW CONSENT [A:6] ☐ [cmpWPIREASN] ☐ OTHER [WPINDRD] If other, specify: A80
2.	Date of assessment: [Date of Assessment]	[WPIDAT] (DD/MM/YYYY) Req / Req / Req (2019-2027)
3.	Language Administered: [Language Version of Instrument]	[WPILANG] [clLANGUA_27]
4.	Disease: <i>[read-only]</i> [Disease]	[WPIDIS] [A:13] ☐ ALOPECIA AREATA
5.	Method of Administration: [Method of Administration]	[WPIQA] [A:1] ☐ SELF [A:2] ☐ ASSISTED
6.	Are you currently employed (working for pay)? [Currently Employed]	[WPIEMP] [A:Y] ☐ [cmpWPIEMP] ☐ YES [WPIMISP] During the past seven days, how many hours did you miss from work because of problems associated with your alopecia areata? Include hours you missed on sick days, times you went in late, left early, etc., because of your alopecia areata. Do not include time you missed to participate in this study. xxxx. [WPIMISO] During the past seven days, how many hours did you miss from work because of any other reason, such as vacation, holidays, time off to participate in this study? xxxx. [WPIWRKD] During the past seven days, how many hours did you actually work? xxxx. [WPIPROD] During the past seven days, how much did your alopecia areata affect your productivity while you were working? N2 [A:N] ☐ NO
7.	During the past seven days, how much did your alopecia areata affect your ability to do your regular daily activities, other than work at a job? [Problem Affect Daily Activities]	[WPIACT] N2
Key: [*] = Item is required ☐ = Item is collapsible Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: WORK PRODUCTIVITY AND ACTIVITY IMPAIRMENT QUESTIONNAIRE		
Type	RefName	Description
Form	WPI101	WORK PRODUCTIVITY AND ACTIVITY IMPAIRMENT QUESTIONNAIRE

Codelist Values Tables: WORK PRODUCTIVITY AND ACTIVITY IMPAIRMENT QUESTIONNAIRE						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
ciiLANGUA_27	String		CHINESE FOR TAIWAN	24	ciiLANGUA_24	WPILANG
			CZECH	27	ciiLANGUA_27	
			ENGLISH FOR AUSTRALIA	31	ciiLANGUA_31	
			ENGLISH FOR CANADA	32	ciiLANGUA_32	
			ENGLISH FOR UK	43	ciiLANGUA_43	
			ENGLISH FOR USA	44	ciiLANGUA_44	
			FRENCH FOR CANADA	49	ciiLANGUA_49	
			GERMAN	52	ciiLANGUA_52	
			HUNGARIAN	61	ciiLANGUA_61	
			JAPANESE	66	ciiLANGUA_66	
			KOREAN	73	ciiLANGUA_73	
			POLISH	88	ciiLANGUA_88	
			RUSSIAN	93	ciiLANGUA_93	
			SPANISH	107	ciiLANGUA_107	
			SPANISH FOR ARGENTINA	108	ciiLANGUA_108	
			SPANISH FOR CHILE	110	ciiLANGUA_110	
			SPANISH FOR COLOMBIA	111	ciiLANGUA_111	
			SPANISH FOR MEXICO	117	ciiLANGUA_117	
			SPANISH FOR USA	122	ciiLANGUA_122	
			SIMPLIFIED CHINESE	165	ciiLANGUA_165	

RDE Analytics: RD_WPI101		
Data Variable RefName	RD Column Name	Column Data Type
WPIPERF	WPIPERF_C	VARCHAR2
	WPIPERF	VARCHAR2
	WPIPERF_ND	VARCHAR2
WPIPERF - WPIREASN	WPIREASN_C	VARCHAR2
	WPIREASN	VARCHAR2
WPIPERF - WPINDRD	WPINDRD	VARCHAR2
WPIDAT	WPIDAT	DATE
	WPIDAT_DTS	VARCHAR2
	WPIDAT_ND	VARCHAR2
WPILANG	WPILANG_C	VARCHAR2
	WPILANG	VARCHAR2
	WPILANG_ND	VARCHAR2
WPIDIS	WPIDIS_C	VARCHAR2
	WPIDIS	VARCHAR2
	WPIDIS_ND	VARCHAR2
WPIQA	WPIQA_C	VARCHAR2
	WPIQA	VARCHAR2
	WPIQA_ND	VARCHAR2
WPIEMP	WPIEMP_C	VARCHAR2
	WPIEMP	VARCHAR2
	WPIEMP_ND	VARCHAR2

WPIEMP - WPIMISP	WPIMISP	FLOAT
WPIEMP - WPIMISO	WPIMISO	FLOAT
WPIEMP - WPIWRKD	WPIWRKD	FLOAT
WPIEMP - WPIPROD	WPIPROD	NUMBER
WPIACT	WPIACT	NUMBER
	WPIACT_ND	VARCHAR2

B7981032: RANDOMIZATION (RAND) [DS005]		
1.*	Randomization Date: [Randomization Date:]	[DSSTDAT_4] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2019-2027)
2.*	Randomization Number: [Reference ID]	[DSREFID_1] A20
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: RANDOMIZATION		
Type	RefName	Description
Form	DS005	DS005 - Randomization
Item	DSSTDAT_4	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSREFID_1	Internal or external identifier.

RDE Analytics: RD_DS005			
Data Variable	RefName	RD Column Name	Column Data Type
DSSTDAT_4		DSSTDAT_4	DATE
		DSSTDAT_4_DTS	VARCHAR2
		DSSTDAT_4_ND	VARCHAR2
DSREFID_1		DSREFID_1	VARCHAR2
		DSREFID_1_ND	VARCHAR2

Study Object Descriptions: DETAILS OF MOST RECENT DOSE		
Type	RefName	Description
Form	DRGR13	DETAILS OF MOST RECENT DOSE

Data Variable RefName	RD Column Name	Column Data Type
PCTPTREF	PCTPTREF_C	VARCHAR2
	PCTPTREF	VARCHAR2
	PCTPTREF_ND	VARCHAR2
DRGNAME	DRGNAME	VARCHAR2
	DRGNAME_ND	VARCHAR2
DRGDATE	DRGDATE	DATE
	DRGDATE_DTS	VARCHAR2
	DRGDATE_ND	VARCHAR2
DOSETIM	DOSETIM	DATE
	DOSETIM_TMS	VARCHAR2
	DOSETIM_ND	VARCHAR2
DOSTPRC	DOSTPRC_C	VARCHAR2
	DOSTPRC	VARCHAR2
	DOSTPRC_ND	VARCHAR2
DOSTXT	DOSTXT	VARCHAR2
	DOSTXT_ND	VARCHAR2

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A2 CD 15) [IE001_14]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_13]			
#	Inclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
1.a	1	Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	IN03A00
1.b	2	Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	IN04A01
1.c	3	Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	IN05A00
1.d	4	Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	IN06A00
1.e	5	Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	IN07A00
1.f	6	If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	IN08A00
1.g	7	Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	IN09A00
Inclusion Criteria Entry [sctIE001_01_13]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_26] [clIESPID_26] ▼	
1.2	Criterion Description: [Criterion Description]	[IETEST_26] [clIETEST_26] ▼	
1.3*	Criterion met? [Criterion met?]	[IEORRES_26] [A:Y] ☐ YES [A:N] ☐ [cmpIEDESC_26] ☐ NO [IEDESC_26] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_26] [clIETESTCD_27] ▼	
Exclusion Criteria [sctIE001_02_13]			
#	Exclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
2.a	1	During Study B7981015 or in the period between the index study and Study B7981032, presence of events meeting the discontinuation criteria other than worsening of AA	EX01A02
2.b	2	Discontinuation from B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	EX02A01
2.c	3	Anticipated treatment with prohibited concomitant medication(s) during the course of the study	EX24A00
2.d	4	Received any of the study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25	EX25A02
2.e	5	Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	EX26A00
2.f	6	Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	EX27A00
2.g	7	Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	EX28A00
2.h	8	Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	EX29A00
2.i	9	Have an active history of alcohol or substance abuse within 1 year prior to Day 1	EX30A00
2.j	10	Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	EX31A00
Exclusion Criteria Entry [sctIE001_02_13]			
2.1	Exclusion Number: [Exclusion Number]	[IESPID_27] [clIESPID_27] ▼	
2.2	Criterion Description: [Criterion Description]	[IETEST_27]	

		[ciIETEST_27]
2.3*	Criterion met? [Criterion met?]	[IEORRES_27] [A:Y] ☐ [cmpIEDESC_27]  YES [IEDESC_27] Describe details if relevant A200 [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only)  [Criterion ID: (For Pfizer use only)]	[IETESTCD_27] [ciIETESTCD_28]

Key: [*] = Item is required  = Item is collapsible  = Fixed item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_14	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_26	Criterion Description
Item	IEORRES_26	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_26	Describe details of criterion not met if relevant
Item	IETESTCD_26	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_27	Criterion Description
Item	IEORRES_27	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_27	Describe details of criterion not met if relevant
Item	IETESTCD_27	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
ciIESPID_26	String		1	1	ciIESPID_1	IESPID_26
			2	2	ciIESPID_2	
			3	3	ciIESPID_3	
			4	4	ciIESPID_4	
			5	5	ciIESPID_5	
			6	6	ciIESPID_6	
			7	7	ciIESPID_7	
ciIETEST_26	String		Subjects enrolling from Study B7981015: Completed >=34 weeks of study intervention	3	ciIETEST_3	IETEST_26
			Females that are not pregnant or breastfeeding, and 1 of the following conditions applies: is using a protocol-defined "highly effective" contraceptive method OR is without of child-bearing potential	5	ciIETEST_5	
			Evidence of a personally signed and dated informed consent indicating that the subject or a legally acceptable representative/parent/guardian has been informed of all pertinent aspects of the study	6	ciIETEST_6	
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures	7	ciIETEST_7	
			If receiving concomitant medications for any reason other than AA, subjects should be on a stable regimen. Subject must be willing to stay on a stable regimen during the duration of the study	8	ciIETEST_8	
			Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study	9	ciIETEST_9	
ciIETESTCD_27	String		Subjects >=12 years at time of informed consent. Subjects <18 years will be enrolled if permitted by sponsor/competent authority/IRB/EC. De novo subjects aged 18-74 years in VHP countries in EU	44	ciIETEST_44	IETESTCD_26
			IN03A00	3	ciIETESTCD_3	
			IN05A00	5	ciIETESTCD_5	

			IN06A00	6	cliIETESTCD_6	
			IN07A00	7	cliIETESTCD_7	
			IN08A00	8	cliIETESTCD_8	
			IN09A00	9	cliIETESTCD_9	
			IN04A01	12	cliIETESTCD_12	
cliIESPID_27	String		1	1	cliIESPID_1	IESPID_27
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
cliIETEST_27	String		Anticipated treatment with prohibited concomitant medication(s) during the course of the study	34	cliIETEST_34	IETEST_27
			Treatments for androgenetic alopecia not held stable for >=6 months prior to Day 1 (subjects with androgenetic alopecia) or received within the timeframes outlined in protocol exclusion criterion 26	36	cliIETEST_36	
			Participation in studies other than B7931005 or B7981015 involving investigational drug(s) within 8 weeks (12 weeks for JAK inhibitors) or within 5 half-lives prior to study participation	37	cliIETEST_37	
			Investigator site staff members and their family members, otherwise supervised by the investigator, or Pfizer employees, including their family members, directly involved in the conduct of the study	38	cliIETEST_38	
			Subjects with shaved heads must not enter the study until hair has grown back and is considered stable by the investigator	39	cliIETEST_39	
			Have an active history of alcohol or substance abuse within 1 year prior to Day 1	40	cliIETEST_40	
			Donation of blood in excess of 500 mL within 8 weeks prior to Day 1	41	cliIETEST_41	
			Discontinuation from B7981015 for safety-related events. Discontinuation for reasons other than safety-related events must be discussed with the sponsor	46	cliIETEST_46	
			During Study B7981015 or in the period between the index study and Study B7981032, presence of events meeting the discontinuation criteria other than worsening of AA	50	cliIETEST_50	
cliIETESTCD_28	String		Received any of the study-specified prohibited treatments within the timeframes as outlined in protocol exclusion criterion 25	54	cliIETEST_54	IETESTCD_27
			EX24A00	54	cliIETESTCD_54	
			EX26A00	56	cliIETESTCD_56	
			EX27A00	57	cliIETESTCD_57	
			EX28A00	58	cliIETESTCD_58	
			EX29A00	59	cliIETESTCD_59	
			EX30A00	60	cliIETESTCD_60	
			EX31A00	100	cliIETESTCD_100	
			EX02A01	62	cliIETESTCD_62	
			EX01A02	74	cliIETESTCD_74	
			EX25A02	103	cliIETESTCD_103	

RDE Analytics: RD_IE001_14		
Data Variable RefName	RD Column Name	Column Data Type
*RD_IE001_14_SCTIE001_01_13		
IESPID_26	IESPID_26_C	VARCHAR2
	IESPID_26	VARCHAR2
	IESPID_26_ND	VARCHAR2
IETEST_26	IETEST_26_C	VARCHAR2
	IETEST_26	VARCHAR2

	IETEST_26_ND	VARCHAR2
IEORRES_26	IEORRES_26_C	VARCHAR2
	IEORRES_26	VARCHAR2
	IEORRES_26_ND	VARCHAR2
IEORRES_26 - IEDESC_26	IEDESC_26	VARCHAR2
IETESTCD_26	IETESTCD_26_C	VARCHAR2
	IETESTCD_26	VARCHAR2
	IETESTCD_26_ND	VARCHAR2
*RD_IE001_14_SCTIE001_02_13		
IESPID_27	IESPID_27_C	VARCHAR2
	IESPID_27	VARCHAR2
	IESPID_27_ND	VARCHAR2
IETEST_27	IETEST_27_C	VARCHAR2
	IETEST_27	VARCHAR2
	IETEST_27_ND	VARCHAR2
IEORRES_27	IEORRES_27_C	VARCHAR2
	IEORRES_27	VARCHAR2
	IEORRES_27_ND	VARCHAR2
IEORRES_27 - IEDESC_27	IEDESC_27	VARCHAR2
IETESTCD_27	IETESTCD_27_C	VARCHAR2
	IETESTCD_27	VARCHAR2
	IETESTCD_27_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: Behavior Rating Inventory of Executive Function 2 (BRIEF2) [BE2001]		
[sctBE2001_01]		
1.* ✓	Evaluator: [Evaluator]	[BE2EVAL] [A:1] ☐ CAREGIVER [A:3] ☐ PARENT
2.* ✓	Date of assessment: [Date of Assessment]	[BE2DAT] (DD/MM/YYYY) Req / Req / Req (2019-2027)
3.* ✓	Language: [Language Version of Instrument]	[BE2LANG] [clANGUA_31]
4.* ✓	Is fidgety: [Is Fidgety]	[BE2FIDGT] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
5.* ✓	Resists or has trouble accepting a different way to solve a problem with schoolwork, friends, tasks, etc.: [Resists Accepting Different Solution]	[BE2RESOL] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
6.* ✓	When given three things to do, remembers only the first or last: [Only Remembers First and Last To Do]	[BE2REMTD] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
7.* ✓	Is unaware of how his/her behavior affects or bothers others: [Unaware How Behavior Affects Others]	[BE2UNBEH] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
8.* ✓	Work is sloppy: [Work is Sloppy]	[BE2WKSLO] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
9.* ✓	Has explosive, angry outbursts: [Has Angry Outbursts]	[BE2ANOUT] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
10.* ✓	Does not plan ahead for school assignments: [Does not plan ahead for school assignments:]	[BE2PLNAH] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
11.* ✓	Cannot find things in room or school desk: [Cannot Find Things in Room/Desk]	[BE2FIND] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
12.* ✓	Is not a self-starter: [Not a Self-starter]	[BE2SSTRT] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
13.* ✓	Does not think before doing (is impulsive): [Is Impulsive]	[BE2IMPUL] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
14.* ✓	Has trouble getting used to new situations (classes, groups, friends, etc.): [Trouble Getting Used to New Situations]	[BE2NWSIT] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN

15.* ✓	Has a short attention span: [Has Short Attention Span]	[BE2ASPN] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
16.* ✓	Has poor understanding of own strengths and weaknesses: [Poor Understanding Strengths/Weaknesses]	[BE2STRWK] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
17.* ✓	Has outbursts for little reason: [Outbursts for Little Reason]	[BE2OUTNR] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
18.* ✓	Gets caught up in details and misses the big picture: [Caught Up in Details]	[BE2DETL5] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
19.* ✓	Gets out of control more than friends: [Out of Control More Than Friends]	[BE2CNTRL] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
20.* ✓	Gets stuck on one topic or activity: [Gets Stuck on One Topic/Activity]	[BE2ONEAC] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
21.* ✓	Forgets his/her name: [Forgets Name]	[BE2FNAME] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
22.* ✓	Has trouble with chores or tasks that have more than one step: [Trouble Tasks More Than One Step]	[BE2TRSTP] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
23.* ✓	Does not realize that certain actions bother others: [Not Realize Actions Bothers Others]	[BE2ACTNS] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
24.* ✓	Written work is poorly organized: [Written Work Poorly Organized]	[BE2WRORG] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
25.* ✓	Small events trigger big reactions: [Small Events Trigger Big Reactions]	[BE2REACT] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
26.* ✓	Has good ideas but does not get job done (lacks follow-through): [Good Ideas Doesn't Get Job Done]	[BE2GIDJB] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
27.* ✓	Talks at the wrong time: [Talks at Wrong Time]	[BE2TALK] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
28.* ✓	Has trouble finishing tasks (chores, homework, etc.): [Trouble Finishing Tasks]	[BE2FN5H] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES

		[A:3] ☐ OFTEN
29.* ✓	Does not notice when his/her behavior causes negative reactions: [Not Notice Negative Reactions]	[BE2NTCRC] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
30.* ✓	Reacts more strongly to situations than other children: [Reacts More Strongly Than Others]	[BE2STRCT] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
31.* ✓	Has trouble remembering things, even for a few minutes: [Has trouble remembering things, even for a few minutes:]	[BE2TRREM] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
32.* ✓	Makes careless errors: [Makes Careless Errors]	[BE2CRLSS] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
33.* ✓	Gets out of seat at the wrong times: [Gets Out of Seat at Wrong Time]	[BE2SEAT] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
34.* ✓	Becomes upset with new situations: [Becomes Upset with New Situations]	[BE2NEWST] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
35.* ✓	Has trouble concentrating on tasks, schoolwork, etc: [Trouble Concentrating on Tasks]	[BE2CONCN] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
36.* ✓	Has poor handwriting: [Poor Handwriting]	[BE2HNDWR] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
37.* ✓	Mood changes frequently: [Mood Changes Frequently]	[BE2MOOD] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
38.* ✓	Has good ideas but cannot get them on paper: [Can't Get Good Ideas on Paper]	[BE2PAPER] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
39.* ✓	Has trouble counting to three: [Trouble Counting to Three]	[BE2TRCNT] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
40.* ✓	Leaves messes that others have to clean up: [Leaves Messes That Others Clean Up]	[BE2MESS] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
41.* ✓	Needs to be told to begin a task even when willing: [Need to be Told to Begin Task]	[BE2BEGIN] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
42.*	Acts too wild or "out of control":	[BE2WILD]

✓	[Acts too Wild/Out of Control]	[A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
43.* ✓	Thinks too much about the same topic: [Thinks too Much About Same Topic]	[BE2TOPIC] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
44.* ✓	Forgets what he/she was doing: [Forgets What Was Doing]	[BE2FORGT] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
45.* ✓	Does not check work for mistakes: [Does Not Check Work for Mistakes]	[BE2CHWRK] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
46.* ✓	Angry or tearful outbursts are intense but end suddenly: [Intense Outbursts that End Suddenly]	[BE2OUTEN] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
47.* ✓	Becomes overwhelmed by large assignments: [Overwhelmed by Large Assignments]	[BE2LRGAS] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
48.* ✓	Loses lunch box, lunch money, permission slips, homework, etc.: [Loses School Items]	[BE2LOSES] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
49.* ✓	Needs help from an adult to stay on task: [Needs Adult Help to Stay on Task]	[BE2HLPAT] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
50.* ✓	Forgets to hand in homework, even when completed: [Forgets to Hand in Homework]	[BE2FHMWK] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
51.* ✓	Has trouble putting the brakes on his/her actions: [Trouble Putting Brakes on Actions]	[BE2BRKS] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
52.* ✓	Resists change of routine, foods, places, etc.: [Resists Change]	[BE2RSCHG] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
53.* ✓	Has trouble getting started on homework or tasks: [Trouble Getting Started on Tasks]	[BE2TRSTR] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
54.* ✓	Mood is easily influenced by the situation: [Mood Easily Influenced by Situation]	[BE2MDINF] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
55.* ✓	Underestimates time needed to finish tasks: [Underestimates Time to Finish Tasks]	[BE2UNTMF] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN

56.* ✓	Does not bring home homework, assignment sheets, materials, etc.: [Does Not Bring Home Homework]	[BE2NHWRK] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
57.* ✓	Cannot find the front door of home: [Cannot Find Front Door of Home]	[BE2FRDOO] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
58.* ✓	Does not take initiative: [Does Not Take Initiative]	[BE2INIT] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
59.* ✓	Becomes upset too easily: [Becomes Upset Too Easily]	[BE2UPSET] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
60.* ✓	Starts assignments or tasks at the last minute: [Starts Tasks at Last Minute]	[BE2STTSK] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
61.* ✓	Has trouble moving from one activity to another: [Trouble Moving One Activity to Another]	[BE2MVACT] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
62.* ✓	Has trouble carrying out the actions needed to reach goals (saving money for special item, studying to get a good grade, etc.): [Trouble Carrying Out Action to Reach Goal]	[BE2GOAL] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
63.* ✓	Is disturbed by change of teacher or class: [Disturbed by Change of Teacher/Class]	[BE2CHTEA] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
64.* ✓	Has trouble organizing activities with friends: [Trouble Organizing Activity with Friends]	[BE2ORGAC] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
65.* ✓	Becomes too silly: [Becomes Too Silly]	[BE2SILLY] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
66.* ✓	Leaves a trail of belongings wherever he/she goes: [Leave Trail of Belongings]	[BE2BELNG] [A:1] ☐ NEVER [A:2] ☐ SOMETIMES [A:3] ☐ OFTEN
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Codelist Values Tables: Behavior Rating Inventory of Executive Function 2						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliLANGUA_31	String		CHINESE FOR TAIWAN	24	cliLANGUA_24_1	BE2LANG
			RUSSIAN	93	cliLANGUA_93_1	
			SPANISH FOR USA	122	cliLANGUA_122_1	

			SPANISH FOR LATIN AMERICA	145	cliLANGUA_145	
			SIMPLIFIED CHINESE	165	cliLANGUA_165_1	
			ENGLISH FOR USA	44	cliLANGUA_44	

RDE Analytics: RD_BE2001		
Data Variable RefName	RD Column Name	Column Data Type
BE2EVAL	BE2EVAL_C	VARCHAR2
	BE2EVAL	VARCHAR2
	BE2EVAL_ND	VARCHAR2
BE2DAT	BE2DAT	DATE
	BE2DAT_DTS	VARCHAR2
	BE2DAT_ND	VARCHAR2
BE2LANG	BE2LANG_C	VARCHAR2
	BE2LANG	VARCHAR2
	BE2LANG_ND	VARCHAR2
BE2FIDGT	BE2FIDGT_C	VARCHAR2
	BE2FIDGT	VARCHAR2
	BE2FIDGT_ND	VARCHAR2
BE2RESOL	BE2RESOL_C	VARCHAR2
	BE2RESOL	VARCHAR2
	BE2RESOL_ND	VARCHAR2
BE2REMTD	BE2REMTD_C	VARCHAR2
	BE2REMTD	VARCHAR2
	BE2REMTD_ND	VARCHAR2
BE2UNBEH	BE2UNBEH_C	VARCHAR2
	BE2UNBEH	VARCHAR2
	BE2UNBEH_ND	VARCHAR2
BE2WKSLO	BE2WKSLO_C	VARCHAR2
	BE2WKSLO	VARCHAR2
	BE2WKSLO_ND	VARCHAR2
BE2ANOUT	BE2ANOUT_C	VARCHAR2
	BE2ANOUT	VARCHAR2
	BE2ANOUT_ND	VARCHAR2
BE2PLNAH	BE2PLNAH_C	VARCHAR2
	BE2PLNAH	VARCHAR2
	BE2PLNAH_ND	VARCHAR2
BE2FIND	BE2FIND_C	VARCHAR2
	BE2FIND	VARCHAR2
	BE2FIND_ND	VARCHAR2
BE2SSTRT	BE2SSTRT_C	VARCHAR2
	BE2SSTRT	VARCHAR2
	BE2SSTRT_ND	VARCHAR2
BE2IMPUL	BE2IMPUL_C	VARCHAR2
	BE2IMPUL	VARCHAR2
	BE2IMPUL_ND	VARCHAR2
BE2NWSIT	BE2NWSIT_C	VARCHAR2
	BE2NWSIT	VARCHAR2

	BE2NWSIT_ND	VARCHAR2
BE2ASPA	BE2ASPA_C	VARCHAR2
	BE2ASPA	VARCHAR2
	BE2ASPA_ND	VARCHAR2
BE2STRWK	BE2STRWK_C	VARCHAR2
	BE2STRWK	VARCHAR2
	BE2STRWK_ND	VARCHAR2
BE2OUTNR	BE2OUTNR_C	VARCHAR2
	BE2OUTNR	VARCHAR2
	BE2OUTNR_ND	VARCHAR2
BE2DETL	BE2DETL_C	VARCHAR2
	BE2DETL	VARCHAR2
	BE2DETL_ND	VARCHAR2
BE2CNTRL	BE2CNTRL_C	VARCHAR2
	BE2CNTRL	VARCHAR2
	BE2CNTRL_ND	VARCHAR2
BE2ONEAC	BE2ONEAC_C	VARCHAR2
	BE2ONEAC	VARCHAR2
	BE2ONEAC_ND	VARCHAR2
BE2FNAME	BE2FNAME_C	VARCHAR2
	BE2FNAME	VARCHAR2
	BE2FNAME_ND	VARCHAR2
BE2TRSTP	BE2TRSTP_C	VARCHAR2
	BE2TRSTP	VARCHAR2
	BE2TRSTP_ND	VARCHAR2
BE2ACTNS	BE2ACTNS_C	VARCHAR2
	BE2ACTNS	VARCHAR2
	BE2ACTNS_ND	VARCHAR2
BE2WRORG	BE2WRORG_C	VARCHAR2
	BE2WRORG	VARCHAR2
	BE2WRORG_ND	VARCHAR2
BE2REACT	BE2REACT_C	VARCHAR2
	BE2REACT	VARCHAR2
	BE2REACT_ND	VARCHAR2
BE2GIDJB	BE2GIDJB_C	VARCHAR2
	BE2GIDJB	VARCHAR2
	BE2GIDJB_ND	VARCHAR2
BE2TALK	BE2TALK_C	VARCHAR2
	BE2TALK	VARCHAR2
	BE2TALK_ND	VARCHAR2
BE2FN	BE2FN_C	VARCHAR2
	BE2FN	VARCHAR2
	BE2FN_ND	VARCHAR2
BE2NTCRC	BE2NTCRC_C	VARCHAR2
	BE2NTCRC	VARCHAR2
	BE2NTCRC_ND	VARCHAR2
BE2STRCT	BE2STRCT_C	VARCHAR2

	BE2STRCT	VARCHAR2
	BE2STRCT_ND	VARCHAR2
BE2TRREM	BE2TRREM_C	VARCHAR2
	BE2TRREM	VARCHAR2
	BE2TRREM_ND	VARCHAR2
BE2CRLSS	BE2CRLSS_C	VARCHAR2
	BE2CRLSS	VARCHAR2
	BE2CRLSS_ND	VARCHAR2
BE2SEAT	BE2SEAT_C	VARCHAR2
	BE2SEAT	VARCHAR2
	BE2SEAT_ND	VARCHAR2
BE2NEWST	BE2NEWST_C	VARCHAR2
	BE2NEWST	VARCHAR2
	BE2NEWST_ND	VARCHAR2
BE2CONCN	BE2CONCN_C	VARCHAR2
	BE2CONCN	VARCHAR2
	BE2CONCN_ND	VARCHAR2
BE2HNDWR	BE2HNDWR_C	VARCHAR2
	BE2HNDWR	VARCHAR2
	BE2HNDWR_ND	VARCHAR2
BE2MOOD	BE2MOOD_C	VARCHAR2
	BE2MOOD	VARCHAR2
	BE2MOOD_ND	VARCHAR2
BE2PAPER	BE2PAPER_C	VARCHAR2
	BE2PAPER	VARCHAR2
	BE2PAPER_ND	VARCHAR2
BE2TRCNT	BE2TRCNT_C	VARCHAR2
	BE2TRCNT	VARCHAR2
	BE2TRCNT_ND	VARCHAR2
BE2MESS	BE2MESS_C	VARCHAR2
	BE2MESS	VARCHAR2
	BE2MESS_ND	VARCHAR2
BE2BEGIN	BE2BEGIN_C	VARCHAR2
	BE2BEGIN	VARCHAR2
	BE2BEGIN_ND	VARCHAR2
BE2WILD	BE2WILD_C	VARCHAR2
	BE2WILD	VARCHAR2
	BE2WILD_ND	VARCHAR2
BE2TOPIC	BE2TOPIC_C	VARCHAR2
	BE2TOPIC	VARCHAR2
	BE2TOPIC_ND	VARCHAR2
BE2FORGT	BE2FORGT_C	VARCHAR2
	BE2FORGT	VARCHAR2
	BE2FORGT_ND	VARCHAR2
BE2CHWRK	BE2CHWRK_C	VARCHAR2
	BE2CHWRK	VARCHAR2
	BE2CHWRK_ND	VARCHAR2

BE2OUTEN	BE2OUTEN_C	VARCHAR2
	BE2OUTEN	VARCHAR2
	BE2OUTEN_ND	VARCHAR2
BE2LRGAS	BE2LRGAS_C	VARCHAR2
	BE2LRGAS	VARCHAR2
	BE2LRGAS_ND	VARCHAR2
BE2LOSES	BE2LOSES_C	VARCHAR2
	BE2LOSES	VARCHAR2
	BE2LOSES_ND	VARCHAR2
BE2HLP TA	BE2HLP TA_C	VARCHAR2
	BE2HLP TA	VARCHAR2
	BE2HLP TA_ND	VARCHAR2
BE2FHMWK	BE2FHMWK_C	VARCHAR2
	BE2FHMWK	VARCHAR2
	BE2FHMWK_ND	VARCHAR2
BE2BRKS	BE2BRKS_C	VARCHAR2
	BE2BRKS	VARCHAR2
	BE2BRKS_ND	VARCHAR2
BE2RSCHG	BE2RSCHG_C	VARCHAR2
	BE2RSCHG	VARCHAR2
	BE2RSCHG_ND	VARCHAR2
BE2TRSTR	BE2TRSTR_C	VARCHAR2
	BE2TRSTR	VARCHAR2
	BE2TRSTR_ND	VARCHAR2
BE2MDINF	BE2MDINF_C	VARCHAR2
	BE2MDINF	VARCHAR2
	BE2MDINF_ND	VARCHAR2
BE2UNTMF	BE2UNTMF_C	VARCHAR2
	BE2UNTMF	VARCHAR2
	BE2UNTMF_ND	VARCHAR2
BE2NHWRK	BE2NHWRK_C	VARCHAR2
	BE2NHWRK	VARCHAR2
	BE2NHWRK_ND	VARCHAR2
BE2FRDOO	BE2FRDOO_C	VARCHAR2
	BE2FRDOO	VARCHAR2
	BE2FRDOO_ND	VARCHAR2
BE2INIT	BE2INIT_C	VARCHAR2
	BE2INIT	VARCHAR2
	BE2INIT_ND	VARCHAR2
BE2UPSET	BE2UPSET_C	VARCHAR2
	BE2UPSET	VARCHAR2
	BE2UPSET_ND	VARCHAR2
BE2STTSK	BE2STTSK_C	VARCHAR2
	BE2STTSK	VARCHAR2
	BE2STTSK_ND	VARCHAR2
BE2MVACT	BE2MVACT_C	VARCHAR2
	BE2MVACT	VARCHAR2

	BE2MVACT_ND	VARCHAR2
BE2GOAL	BE2GOAL_C	VARCHAR2
	BE2GOAL	VARCHAR2
	BE2GOAL_ND	VARCHAR2
BE2CHTEA	BE2CHTEA_C	VARCHAR2
	BE2CHTEA	VARCHAR2
	BE2CHTEA_ND	VARCHAR2
BE2ORGAC	BE2ORGAC_C	VARCHAR2
	BE2ORGAC	VARCHAR2
	BE2ORGAC_ND	VARCHAR2
BE2SILLY	BE2SILLY_C	VARCHAR2
	BE2SILLY	VARCHAR2
	BE2SILLY_ND	VARCHAR2
BE2BELNG	BE2BELNG_C	VARCHAR2
	BE2BELNG	VARCHAR2
	BE2BELNG_ND	VARCHAR2

B7981032: CENTRAL LAB SAMPLE COLLECTION (CENTRAL LAB_3) [LB001_3]		
1.* ✓	Collection Date: [Date of Specimen Collection]	[LBDAT_7] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2019-2027)
2.* ✓	Fasting? : [Fasting Status]	[LBFAST_2] [A:Y] ☐ YES [A:N] ☐ NO
# ✓	Category for Lab Test	Lab Panel Collected*
3.a	HEMATOLOGY	
3.b	CLINICAL CHEMISTRY	
3.1 	Lab Panel: [Category for Lab Test]	[LBCAT_7] [A:1] ☐ HEMATOLOGY [A:2] ☐ CLINICAL CHEMISTRY
3.2* ✓	Was the lab panel collected?: [Lab Panel Collected]	[LBCATYN_2] [A:Y] ☐ YES [A:N] ☐ NO
Key: [*] = Item is required [✓] = Source verification required = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: CENTRAL LAB SAMPLE COLLECTION		
Type	RefName	Description
Form	LB001_3	LB001 - Central Processing (Results Transmitted Electronically)
Item	LBDAT_7	Date of specimen collection.
Item	LBFAST_2	Indicator used to identify fasting status.
Item	LBCAT_7	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBCATYN_2	Lab Panel specimen collected

RDE Analytics: RD_LB001_3		
Data Variable	RefName	RD Column Name
LBDAT_7		Column Data Type
LBFAST_2		
RD_LB001_3_SCTLB001_02_2		
LBCAT_7		
LBCATYN_2		

B7981032: ORAL (STUDY TREATMENT) [EC201]												
1.	Treatment Name <i>[read-only]</i> [Treatment Name]						[ECTRT] A100					
2.*	Formulation: [Formulation:]						[ECDOSFRM] [A:146] ☐ TABLET					
3.*	Route: [Route:]						[ECROUTE] [A:84] ☐ ORAL					
4.	Comparison Term <i>[read-only]</i> [Comparison Term]						[COMPTERM_8] A255					
5.	Standardized Medication Name - Dictionary Derived. <i>[read-only]</i> [Standardized Medication Name]						[ECDECOD] A100					
6.	Standardized Medication Code - Dictionary Derived <i>[read-only]</i> [Standardized Medication Code]						[ECCD] A11					
	Start Date:	End Date:	Planned Dose	Planned Dose Unit	Planned Dose Frequency	Reason for Changed/Missed Dose	Actual Dose:	Unit:	Frequency:	Were Any Doses Missed	AE Identifier:	Were any extra doses taken on unknown dates
7.*												
7.1*	Start Date: [Start Date:]						[ECSTDAT] (DD/MM/YYYY) Req v / Req v / Req v (2019-2027)					
7.2*	End Date: [End Date:]						[ECENDAT] (DD/MM/YYYY) Req v / Req v / Req v (2019-2027)					
7.3*	Planned Dose: [Planned Dose]						[ECPDOSE] xxxxxx.					
7.4*	Planned Dose Unit: [Planned Dose Unit]						[ECPDOSEU] [A:98] ☐ TABLET					
7.5*	Planned Dose Frequency: [Planned Dose Frequency]						[ECPDFRQ] [A:49] ☐ QD					
7.6	Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]						[MISDOST] [A:1] ☐ ADVERSE EVENT [A:999] ☐ [cmpMISDOSO] v OTHER [MISDOSO] If Other, please specify: A200					
7.7*	Actual Dose: [Actual Dose:]						[ECDOSE] xxxxxx.					
7.8*	Unit: [Unit:]						[ECDOSU] [A:98] ☐ TABLET					
7.9*	Frequency: [Frequency:]						[ECDOSFRQ] [A:49] ☐ QD					
7.10*	Were any doses missed on unknown dates? [Were Any Doses Missed]						[ECMDOSE] [A:Y] ☐ [cmpECNMDOS] v YES [ECNMDOS] Number of missed doses: 					

		x. [A:N] ☐ NO
7.11 ✓	AE Identifier: [AE Identifier:]	[ECAENO] A100
7.12* ✓	Were any extra doses taken on unknown dates? [Were any extra doses taken on unknown dates]	[ECEDOS] [A:Y] ☐ [cmpECEDOS] YES [ECNEDOS] Number of extra doses: x. [A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ORAL

Type	RefName	Description
Form	EC201	EC201 - Oral -
Item	ECTRT	Name of the study treatment or intervention given per single administration or during the 'constant dosing interval' for the observation.
Item	ECDOSFRM	Dose formulation. Examples: TABLET, LOTION.
Item	ECROUTE	This may be collected if it cannot be derived or if there are multiple options. It may also be pre-printed on the CRF or derived from the protocol.
Item	COMPTERM_8	Hidden Item needed for clear coding rule.
Item	ECDECOD	Standardized Medication Name - Dictionary Derived.
Item	ECCD	Standardized Medication Code - Dictionary Derived
Item	ECSTDAT	Date when constant dosing interval of the study treatment started or single administration occurred.
Item	ECENDAT	The time when administration of the treatment indicated by EXTRT and EXDOSE ended.
Item	ECPDOSE	Intended dose per administration. It is important that this field be used in conjunction with "Actual Dose" or "Total Dose" (ECDOSE or ECDOSTOT) since this field is only intended to capture the planned dose rather than the dose the subject actually received. This field may be used when it is necessary to capture the intended dose after any and all dose adjustments as described in the protocol for a subject.
Item	ECPDOSEU	Units for Planned Dose. It is important that this field be used in conjunction with "Dose" or "Total Dose" and "Dose Units" since this field captures the unit of the intended dose rather than the dose the subject actually received.
Item	ECPDFRQ	Frequency of the planned dose
Item	MISDOST	Reason for Changed/Missed Dose
Item	cmpMISDOSO	Other Reason for Changed/Missed Dose
Item	MISDOSO	Other Reason for Changed/Missed Dose
Item	ECDOSE	Amount of study treatment administered or given, collected in numeric form. Example: 200.
Item	ECDOSU	Unit of dose or amount taken per constant dosing interval recorded.
Item	ECDOSFRQ	Number of doses given per a specific interval.
Item	ECMDOSE	Were Any Doses Missed
Item	cmpECNMDOS	Number of Missed Doses
Item	ECNMDOS	Number of Missed Doses
Item	ECAENO	Associated Adverse Event Identifier.

Coding Summary: ORAL		
Verbatim RefName: ECTRT Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
ECDECOD	PT	Term
ECCD	PT	Code

RDE Analytics: RD_EC201

Data Variable RefName	RD Column Name	Column Data Type
ECTRT	ECTRT	VARCHAR2
	ECTRT_ND	VARCHAR2
ECDOSFRM	ECDOSFRM_C	VARCHAR2
	ECDOSFRM	VARCHAR2
	ECDOSFRM_ND	VARCHAR2
ECROUTE	ECROUTE_C	VARCHAR2
	ECROUTE	VARCHAR2
	ECROUTE_ND	VARCHAR2
COMPTERM_8	COMPTERM_8	VARCHAR2
	COMPTERM_8_ND	VARCHAR2
ECDECOD	ECDECOD	VARCHAR2
	ECDECOD_ND	VARCHAR2
ECCD	ECCD	VARCHAR2
	ECCD_ND	VARCHAR2
RD_EC201_SCTEC201_02		
ECSTDAT	ECSTDAT	DATE
	ECSTDAT_DTS	VARCHAR2
	ECSTDAT_ND	VARCHAR2
ECENDAT	ECENDAT	DATE
	ECENDAT_DTS	VARCHAR2
	ECENDAT_ND	VARCHAR2
ECPDOSE	ECPDOSE	FLOAT
	ECPDOSE_ND	VARCHAR2
ECPDOSEU	ECPDOSEU_C	VARCHAR2
	ECPDOSEU	VARCHAR2
	ECPDOSEU_ND	VARCHAR2
ECPDFRQ	ECPDFRQ_C	VARCHAR2
	ECPDFRQ	VARCHAR2
	ECPDFRQ_ND	VARCHAR2
MISDOST	MISDOST_C	VARCHAR2
	MISDOST	VARCHAR2
	MISDOST_ND	VARCHAR2
MISDOST - MISDOSO	MISDOSO	VARCHAR2
ECDOSE	ECDOSE	FLOAT
	ECDOSE_ND	VARCHAR2
ECDOSU	ECDOSU_C	VARCHAR2
	ECDOSU	VARCHAR2
	ECDOSU_ND	VARCHAR2
ECDOSFRQ	ECDOSFRQ_C	VARCHAR2
	ECDOSFRQ	VARCHAR2
	ECDOSFRQ_ND	VARCHAR2
ECMDOSE	ECMDOSE_C	VARCHAR2
	ECMDOSE	VARCHAR2
	ECMDOSE_ND	VARCHAR2
ECMDOSE - ECNMDOS	ECNMDOS	FLOAT
ECAENO	ECAENO	VARCHAR2

	ECAENO_ND	VARCHAR2
ECEDOS	ECEDOS_C	VARCHAR2
	ECEDOS	VARCHAR2
	ECEDOS_ND	VARCHAR2
ECEDOS - ECNEDOS	ECNEDOS	FLOAT

Study Object Descriptions: PATIENT GLOBAL IMPRESSION		
Type	RefName	Description
Form	PGIC004	PATIENT GLOBAL IMPRESSION

file:///C:/Users/Nsharma/AppData/Local/Apps/2.0/3H0KP69G.CJ8/2DJKZ8XV.BQV/orac..90.0 919f856034ae8f10 0007.000... 2/14/2024

		POLISH	88	cliLANGUA_88	
		RUSSIAN	93	cliLANGUA_93	
		SPANISH	107	cliLANGUA_107	
		SPANISH FOR ARGENTINA	108	cliLANGUA_108	
		SPANISH FOR CHILE	110	cliLANGUA_110	
		SPANISH FOR COLOMBIA	111	cliLANGUA_111	
		SPANISH FOR MEXICO	117	cliLANGUA_117	
		SPANISH FOR USA	122	cliLANGUA_122	
		SIMPLIFIED CHINESE	165	cliLANGUA_165	
cliPGICF	String	GREATLY IMPROVED	1	cliPGICF_1	PGICIMP2
		MODERATELY IMPROVED	2	cliPGICF_2	
		SLIGHTLY IMPROVED	3	cliPGICF_3	
		NOT CHANGED	4	cliPGICF_4	
		SLIGHTLY WORSENERD	5	cliPGICF_5	
		MODERATELY WORSENERD	6	cliPGICF_6	
		GREATLY WORSENERD	7	cliPGICF_7	

RDE Analytics: RD_PGIC004		
Data Variable RefName	RD Column Name	Column Data Type
PGICDIS	PGICDIS_C	VARCHAR2
	PGICDIS	VARCHAR2
	PGICDIS_ND	VARCHAR2
PGICREC	PGICREC_C	VARCHAR2
	PGICREC	VARCHAR2
	PGICREC_ND	VARCHAR2
PGICPERF	PGICPERF_C	VARCHAR2
	PGICPERF	VARCHAR2
	PGICPERF_ND	VARCHAR2
PGICPERF - PGICNDR	PGICNDR_C	VARCHAR2
	PGICNDR	VARCHAR2
PGICPERF - PGICNDRD	PGICNDRD	VARCHAR2
PGICLANG	PGICLANG_C	VARCHAR2
	PGICLANG	VARCHAR2
	PGICLANG_ND	VARCHAR2
PGICQADM	PGICQADM_C	VARCHAR2
	PGICQADM	VARCHAR2
	PGICQADM_ND	VARCHAR2
PGICDAT	PGICDAT	DATE
	PGICDAT_DTS	VARCHAR2
	PGICDAT_ND	VARCHAR2
PGICIMP2	PGICIMP2_C	VARCHAR2
	PGICIMP2	VARCHAR2
	PGICIMP2_ND	VARCHAR2

CodeList RefName	CodeList Data Type	Subset	Label	Code	CodeList Item RefName	Data Variable RefName
cliLANGUAGE_22	String		CHINESE FOR TAIWAN	24	cliLANGUAGE_24	PSATLANG
			CZECH	27	cliLANGUAGE_27	
			ENGLISH FOR AUSTRALIA	31	cliLANGUAGE_31	
			ENGLISH FOR CANADA	32	cliLANGUAGE_32	
			ENGLISH FOR UK	43	cliLANGUAGE_43	
			ENGLISH FOR USA	44	cliLANGUAGE_44	
			FRENCH FOR CANADA	49	cliLANGUAGE_49	
			GERMAN	52	cliLANGUAGE_52	
			HUNGARIAN	61	cliLANGUAGE_61	
			JAPANESE	66	cliLANGUAGE_66	
			KOREAN	73	cliLANGUAGE_73	
			POLISH	88	cliLANGUAGE_88	
			RUSSIAN	93	cliLANGUAGE_93	
			SPANISH	107	cliLANGUAGE_107	
			SPANISH FOR ARGENTINA	108	cliLANGUAGE_108	

			SPANISH FOR CHILE	110	cliLANGUA_110	
			SPANISH FOR COLOMBIA	111	cliLANGUA_111	
			SPANISH FOR MEXICO	117	cliLANGUA_117	
			SPANISH FOR USA	122	cliLANGUA_122	
			SIMPLIFIED CHINESE	165	cliLANGUA_165	
cliPSATA_1_1	String		VERY SATISFIED	1	cliPSATA_1	PSATAMNT
			MODERATELY SATISFIED	2	cliPSATA_2	
			SLIGHTLY SATISFIED	3	cliPSATA_3	
			NEITHER SATISFIED OR DISSATISFIED	4	cliPSATA_4	
			SLIGHTLY DISSATISFIED	5	cliPSATA_5	
			MODERATELY DISSATISFIED	6	cliPSATA_6	
			VERY DISSATISFIED	7	cliPSATA_7	
cliPSATA_4	String		VERY SATISFIED	1	cliPSATA_1	PSATQUAL
			MODERATELY SATISFIED	2	cliPSATA_2	
			SLIGHTLY SATISFIED	3	cliPSATA_3	
			NEITHER SATISFIED OR DISSATISFIED	4	cliPSATA_4	
			SLIGHTLY DISSATISFIED	5	cliPSATA_5	
			MODERATELY DISSATISFIED	6	cliPSATA_6	
			VERY DISSATISFIED	7	cliPSATA_7	
cliPSATA_5	String		VERY SATISFIED	1	cliPSATA_1	PSATOALL
			MODERATELY SATISFIED	2	cliPSATA_2	
			SLIGHTLY SATISFIED	3	cliPSATA_3	
			NEITHER SATISFIED OR DISSATISFIED	4	cliPSATA_4	
			SLIGHTLY DISSATISFIED	5	cliPSATA_5	
			MODERATELY DISSATISFIED	6	cliPSATA_6	
			VERY DISSATISFIED	7	cliPSATA_7	

RDE Analytics: RD_PSAT001		
Data Variable RefName	RD Column Name	Column Data Type
PSATPERF	PSATPERF_C	VARCHAR2
	PSATPERF	VARCHAR2
	PSATPERF_ND	VARCHAR2
PSATPERF - PSATNDR	PSATNDR_C	VARCHAR2
	PSATNDR	VARCHAR2
PSATPERF - PSATNDRD	PSATNDRD	VARCHAR2
PSATDAT	PSATDAT	DATE
	PSATDAT_DTS	VARCHAR2
	PSATDAT_ND	VARCHAR2
PSATLANG	PSATLANG_C	VARCHAR2
	PSATLANG	VARCHAR2
	PSATLANG_ND	VARCHAR2
PSATQA	PSATQA_C	VARCHAR2
	PSATQA	VARCHAR2
	PSATQA_ND	VARCHAR2
PSATAMNT	PSATAMNT_C	VARCHAR2
	PSATAMNT	VARCHAR2
	PSATAMNT_ND	VARCHAR2

PSATQUAL	PSATQUAL_C	VARCHAR2
	PSATQUAL	VARCHAR2
	PSATQUAL_ND	VARCHAR2
PSATOALL	PSATOALL_C	VARCHAR2
	PSATOALL	VARCHAR2
	PSATOALL_ND	VARCHAR2

Study Object Descriptions: DETAILS OF MOST RECENT DOSE		
Type	RefName	Description
Form	DRGR13_1	DETAILS OF MOST RECENT DOSE

RDE Analytics: RD_DRGR13_1		
Data Variable RefName	RD Column Name	Column Data Type
PCTPTREF_1	PCTPTREF_1_C	VARCHAR2
	PCTPTREF_1	VARCHAR2
	PCTPTREF_1_ND	VARCHAR2
DRGNAME_1	DRGNAME_1	VARCHAR2
	DRGNAME_1_ND	VARCHAR2
DRGDATE_1	DRGDATE_1	DATE
	DRGDATE_1_DTS	VARCHAR2
	DRGDATE_1_ND	VARCHAR2
DOSETIM_1	DOSETIM_1	DATE
	DOSETIM_1_TMS	VARCHAR2
	DOSETIM_1_ND	VARCHAR2

RDE Analytics: RD_DRGR13_2		
Data Variable RefName	RD Column Name	Column Data Type
PCTPTREF_2	PCTPTREF_2_C	VARCHAR2
	PCTPTREF_2	VARCHAR2
	PCTPTREF_2_ND	VARCHAR2
DRGNAME_2	DRGNAME_2	VARCHAR2
	DRGNAME_2_ND	VARCHAR2
DRGDATE_2	DRGDATE_2	DATE
	DRGDATE_2_DTS	VARCHAR2
	DRGDATE_2_ND	VARCHAR2
DOSETIM_2	DOSETIM_2	DATE
	DOSETIM_2_TMS	VARCHAR2
	DOSETIM_2_ND	VARCHAR2

Study Object Descriptions: TELEPHONE CONTACT		
Type	RefName	Description
Form	TPC001	TELEPHONE CONTACT

Data Variable RefName	RD Column Name	Column Data Type
TPCTEL	TPCTEL_C	VARCHAR2
	TPCTEL	VARCHAR2
	TPCTEL_ND	VARCHAR2
TPCDAT	TPCDAT	DATE
	TPCDAT_DTS	VARCHAR2
	TPCDAT_ND	VARCHAR2
TPCCOM	TPCCOM	VARCHAR2
	TPCCOM_ND	VARCHAR2

B7981032: LAB PREGNANCY URINE (PREGNANCY_HOME PREGNANCY) [LB002_PREG_3]

1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_5] [A:3] ☐ URINALYSIS		
2.	Lab Sub-Panel: <i>[read-only]</i> [Subcategory for Lab Test]	[LBSCAT_5] [A:17] ☐ PREGNANCY		
3.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_5] [A:3] ☐ URINE		
4.	Laboratory Name and Address: <i>[read-only]</i> [Vendor Name]	[LBNAM_5] A200		
5.	Laboratory Name and Address (Derived) <i>[read-only]</i> [Vendor Name (DERIVED)]	[LBNAMD_5] A200		
6.	Lab ID <i>[hidden]</i> [Lab ID]	[LBUID_5] A50		
7.* ✓	Collection Date: [Date of Specimen Collection]	[LBDAT_5] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2019-2027)		
# ✓	Sponsor-Defined Identifier	Test:	Result:	Not Done:
8.a		Choriogonadotropin Beta_PX113		
8.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_5] N8		
8.2 	Test: <i>[read-only]</i> [Test:]	[LBTEST_5] [A:113] ☐ Choriogonadotropin Beta_PX113		
8.3 ✓	Result: [Result:]	[LBORRES_5] A30		
8.4 ✓	Not Done: [Not Done:]	[LBSTAT_5] [A:1] ☐ NOT DONE		
Key: [*] = Item is required [✓] = Source verification required  = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer.				

Study Object Descriptions: LAB PREGNANCY URINE		
Type	RefName	Description
Item	LBCAT_5	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).. Default To HEMATOLOGY
Item	LBSCAT_5	Used to define a sub-category of related laboratory records (e.g. Electrolytes, Liver Function).
Item	LBSPEC_5	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBNAM_5	The name or identifier of the laboratory that performed the test.
Item	LBUID_5	Field needed for LNMT integration
Item	LBDAT_5	Date of specimen collection.
Item	LBSPID_5	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_5	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBORRES_5	Result of the measurement or finding as originally received or collected.
Item	LBSTAT_5	Used to indicate test was not done.

RDE Analytics: RD_LB002_PREG_3		
Data Variable	RefName	RD Column Name
		Column Data Type

LBCAT_5	LBCAT_5_C	VARCHAR2
	LBCAT_5	VARCHAR2
	LBCAT_5_ND	VARCHAR2
LBSCAT_5	LBSCAT_5_C	VARCHAR2
	LBSCAT_5	VARCHAR2
	LBSCAT_5_ND	VARCHAR2
LBSPEC_5	LBSPEC_5_C	VARCHAR2
	LBSPEC_5	VARCHAR2
	LBSPEC_5_ND	VARCHAR2
LBNAM_5	LBNAM_5	VARCHAR2
	LBNAM_5_ND	VARCHAR2
LBNAMD_5	LBNAMD_5	VARCHAR2
	LBNAMD_5_ND	VARCHAR2
LBUID_5	LBUID_5	VARCHAR2
	LBUID_5_ND	VARCHAR2
LBDAT_5	LBDAT_5	DATE
	LBDAT_5_DTS	VARCHAR2
	LBDAT_5_ND	VARCHAR2
*RD_LB002_PREG_3_SCTLB002_16		
LBSPID_5	LBSPID_5	NUMBER
	LBSPID_5_ND	VARCHAR2
LBTEST_5	LBTEST_5_C	VARCHAR2
	LBTEST_5	VARCHAR2
	LBTEST_5_ND	VARCHAR2
LBORRES_5	LBORRES_5	VARCHAR2
	LBORRES_5_ND	VARCHAR2
LBSTAT_5	LBSTAT_5_C	VARCHAR2
	LBSTAT_5	VARCHAR2
	LBSTAT_5_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

Study Object Descriptions: PHYSICAL EXAMINATION		
Type	RefName	Description
Form	PE001_1	PE001 - Physical Examination
Item	PETEST_1	Name of the Body System
Item	PERES_1	Overall assesment of examined body system
Item	PEDESC_1	Text description of any abnormal finding

file:///C:/Users/Nsharma/AppData/Local/Apps/2.0/3H0KP69G.CJ8/2DJKZ8XV.BQV/orac..90.0 919f856034ae8f10 0007.000... 2/14/2024

			LUNGS	10	cliPETEST_10	
			HEART	11	cliPETEST_11	
			BREASTS	12	cliPETEST_12	
			ABDOMEN	13	cliPETEST_13	
			GENITOURINARY	14	cliPETEST_14	
			BACK	17	cliPETEST_17	
			EXTREMITIES	19	cliPETEST_19	
			NEUROLOGICAL	21	cliPETEST_21	
			SKIN	22	cliPETEST_22	
			LYMPH NODES	23	cliPETEST_23	
			MOUTH	24	cliPETEST_24	
			THROAT	25	cliPETEST_25	

RDE Analytics: RD_PE001_1		
Data Variable RefName	RD Column Name	Column Data Type
RD_PE001_1_SCTPE001_02_1		
PETEST_1	PETEST_1_C	VARCHAR2
	PETEST_1	VARCHAR2
	PETEST_1_ND	VARCHAR2
PERES_1	PERES_1_C	VARCHAR2
	PERES_1	VARCHAR2
	PERES_1_ND	VARCHAR2
PERES_1 - PEDESC_1	PEDESC_1	VARCHAR2

B7981032: AUDIOMETRIC ASSESSMENT - HEARING TEST (HEARING EVALUATION) [AUD001]				
1.* Date of assessment: [Date of Assessment]		[AUDDAT] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2019-2027)		
#	Body Side	Anatomical Location	Hearing Status*	If this is a clinically significant change from baseline, is it?
2.a	LEFT	EAR		
2.b	RIGHT	EAR		
2.1	Body Side: [read-only] [Body Side]		[AUDLAT] [A:5] ☐ LEFT [A:6] ☐ RIGHT	
2.2	Anatomical Location [read-only] [Anatomical Location]		[AUDLOC] [A:42] ☐ EAR	
2.3*	Hearing Status [Hearing Status]		[AUDHSTA] [A:3] ☐ NORMAL [A:1] ☐ ABNORMAL	
2.4	Change from Baseline [If this is a clinically significant change from baseline, is it?]		[AUDCHGB] [A:1] ☐ IMPROVED [A:3] ☐ WORSENERD	
3.	Comments: [Comments:]		[AUDCOM] A200	
Key: [*] = Item is required = Fixed Item Note: Source verification critical settings made in InForm will override any settings made in Central Designer.				

Study Object Descriptions: AUDIOMETRIC ASSESSMENT - HEARING TEST		
Type	RefName	Description
Form	AUD001	AUDIOMETRIC ASSESSMENT - HEARING TEST

RDE Analytics: RD_AUD001		
Data Variable RefName	RD Column Name	Column Data Type
AUDDAT	AUDDAT	DATE
	AUDDAT_DTS	VARCHAR2
	AUDDAT_ND	VARCHAR2
AUDCOM	AUDCOM	VARCHAR2
	AUDCOM_ND	VARCHAR2
	RD_AUD001_SCTAUD001_02	
AUDLAT	AUDLAT_C	VARCHAR2
	AUDLAT	VARCHAR2
	AUDLAT_ND	VARCHAR2
AUDLOC	AUDLOC_C	VARCHAR2
	AUDLOC	VARCHAR2
	AUDLOC_ND	VARCHAR2
AUDHSTA	AUDHSTA_C	VARCHAR2
	AUDHSTA	VARCHAR2
	AUDHSTA_ND	VARCHAR2
AUDCHGB	AUDCHGB_C	VARCHAR2
	AUDCHGB	VARCHAR2
	AUDCHGB_ND	VARCHAR2

Study Object Descriptions: CENTRAL LAB SAMPLE COLLECTION		
Type	RefName	Description
Form	LB001_5	LB001 - Central Processing (Results Transmitted Electronically)
Item	LBDAT_9	Date of specimen collection.
Item	LBFAST_4	Indicator used to identify fasting status.
Item	LBCAT_9	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBCATYN_4	Lab Panel specimen collected

file:///C:/Users/Nsharma/AppData/Local/Apps/2.0/3H0KP69G.CJ8/2DJKZ8XV.BQV/orac..90.0 919f856034ae8f10 0007.000... 2/14/2024

B7981032: ORAL (STUDY TREATMENT) [EC201_1]													
1.	Treatment Name <i>[read-only]</i> [Treatment Name]						[ECTRT_3] A100						
2.*	Formulation: [Formulation:]						[ECDOSFRM_3] [A:11] ☐ CAPSULE						
3.*	Route: [Route:]						[ECROUTE_3] [A:84] ☐ ORAL						
4.	Comparison Term <i>[read-only]</i> [Comparison Term]						[COMPTERM_8_1] A255						
5.	Standardized Medication Name - Dictionary Derived. <i>[read-only]</i> [Standardized Medication Name]						[ECDECOD_3] A100						
6.	Standardized Medication Code - Dictionary Derived <i>[read-only]</i> [Standardized Medication Code]						[ECCD_3] A11						
7.	Start Date:	End Date:	Planned Dose	Planned Dose Unit	Planned Dose Frequency	Reason for Changed/Missed Dose	Actual Dose:	Unit:	Frequency:	Were Any Doses Missed	AE Identifier:	Were any extra doses taken on unknown dates	
7.1*	Start Date: [Start Date:]						[ECSTDAT_3] (DD/MM/YYYY) Req v / Req v / Req v (2019-2027)						
7.2*	End Date: [End Date:]						[ECENDAT_1] (DD/MM/YYYY) Req v / Req v / Req v (2019-2027)						
7.3*	Planned Dose: [Planned Dose]						[ECPDOSE_1] xxxxxx.						
7.4*	Planned Dose Unit: [Planned Dose Unit]						[ECPDOSEU_1] [A:56] ☐ CAPSULE						
7.5*	Planned Dose Frequency: [Planned Dose Frequency]						[ECPDFRQ_1] [A:49] ☐ QD						
7.6	Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]						[MISDOST_1] [A:1] ☐ ADVERSE EVENT [A:999] ☐ [cmpMISDOSO_1] v OTHER [MISDOSO_1] If Other, please specify: A200						
7.7*	Actual Dose: [Actual Dose:]						[ECDOSE_1] xxxxxx.						
7.8*	Unit: [Unit:]						[ECDOSU_1] [A:56] ☐ CAPSULE						
7.9*	Frequency: [Frequency:]						[ECDOSFRQ_1] [A:49] ☐ QD						
7.10*	Were any doses missed on unknown dates? [Were Any Doses Missed]						[ECMDOSE_1] [A:Y] ☐ [cmpECNMDOS_1] v YES [ECNMDOS_1] Number of missed doses: 						

		x. [A:N] ☐ NO
7.11 ✓	AE Identifier: [AE Identifier:]	[ECAENO_3] A100
7.12* ✓	Were any extra doses taken on unknown dates? [Were any extra doses taken on unknown dates]	[ECEDOS_1] [A:Y] ☐ [cmpECEDOS_1] YES [ECNEDOS_1] Number of extra doses: x. [A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ORAL

Type	RefName	Description
Form	EC201_1	EC201 - Oral -
Item	ECTRT_3	Name of the study treatment or intervention given per single administration or during the 'constant dosing interval' for the observation.
Item	ECDOSFRM_3	Dose formulation. Examples: TABLET, LOTION.
Item	ECROUTE_3	This may be collected if it cannot be derived or if there are multiple options. It may also be pre-printed on the CRF or derived from the protocol.
Item	COMPTERM_8_1	Hidden Item needed for clear coding rule.
Item	ECDECOD_3	Standardized Medication Name - Dictionary Derived.
Item	ECCD_3	Standardized Medication Code - Dictionary Derived
Item	ECSTDAT_3	Date when constant dosing interval of the study treatment started or single administration occurred.
Item	ECENDAT_1	The time when administration of the treatment indicated by EXTRT and EXDOSE ended.
Item	ECPDOSE_1	Intended dose per administration. It is important that this field be used in conjunction with "Actual Dose" or "Total Dose" (ECDOSE or ECDOSTOT) since this field is only intended to capture the planned dose rather than the dose the subject actually received. This field may be used when it is necessary to capture the intended dose after any and all dose adjustments as described in the protocol for a subject.
Item	ECPDOSEU_1	Units for Planned Dose. It is important that this field be used in conjunction with "Dose" or "Total Dose" and "Dose Units" since this field captures the unit of the intended dose rather than the dose the subject actually received.
Item	ECPDFRQ_1	Frequency of the planned dose
Item	MISDOST_1	Reason for Changed/Missed Dose
Item	cmpMISDOSO_1	Other Reason for Changed/Missed Dose
Item	MISDOSO_1	Other Reason for Changed/Missed Dose
Item	ECDOSE_1	Amount of study treatment administered or given, collected in numeric form. Example: 200.
Item	ECDOSU_1	Unit of dose or amount taken per constant dosing interval recorded.
Item	ECDOSFRQ_1	Number of doses given per a specific interval.
Item	ECMDOSE_1	Were Any Doses Missed
Item	cmpECNMDOS_1	Number of Missed Doses
Item	ECNMDOS_1	Number of Missed Doses
Item	ECAENO_3	Associated Adverse Event Identifier.

Coding Summary: ORAL		
Verbatim RefName: ECTRT_3		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
ECDECOD_3	PT	Term
ECCD_3	PT	Code

RDE Analytics: RD_EC201_1		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_3	ECTRT_3	VARCHAR2
	ECTRT_3_ND	VARCHAR2
ECDOSFRM_3	ECDOSFRM_3_C	VARCHAR2
	ECDOSFRM_3	VARCHAR2
	ECDOSFRM_3_ND	VARCHAR2
ECROUTE_3	ECROUTE_3_C	VARCHAR2
	ECROUTE_3	VARCHAR2
	ECROUTE_3_ND	VARCHAR2
COMPTerm_8_1	COMPTerm_8_1	VARCHAR2
	COMPTerm_8_1_ND	VARCHAR2
ECDECOD_3	ECDECOD_3	VARCHAR2
	ECDECOD_3_ND	VARCHAR2
ECCD_3	ECCD_3	VARCHAR2
	ECCD_3_ND	VARCHAR2
RD_EC201_1_SCTEC201_02_1		
ECSTDAT_3	ECSTDAT_3	DATE
	ECSTDAT_3_DTS	VARCHAR2
	ECSTDAT_3_ND	VARCHAR2
ECENDAT_1	ECENDAT_1	DATE
	ECENDAT_1_DTS	VARCHAR2
	ECENDAT_1_ND	VARCHAR2
ECPDOSE_1	ECPDOSE_1	FLOAT
	ECPDOSE_1_ND	VARCHAR2
ECPDOSEU_1	ECPDOSEU_1_C	VARCHAR2
	ECPDOSEU_1	VARCHAR2
	ECPDOSEU_1_ND	VARCHAR2
ECPDFRQ_1	ECPDFRQ_1_C	VARCHAR2
	ECPDFRQ_1	VARCHAR2
	ECPDFRQ_1_ND	VARCHAR2
MISDOST_1	MISDOST_1_C	VARCHAR2
	MISDOST_1	VARCHAR2
	MISDOST_1_ND	VARCHAR2
MISDOST_1 - MISDOSO_1	MISDOSO_1	VARCHAR2
ECDOSE_1	ECDOSE_1	FLOAT
	ECDOSE_1_ND	VARCHAR2
ECDOSU_1	ECDOSU_1_C	VARCHAR2
	ECDOSU_1	VARCHAR2
	ECDOSU_1_ND	VARCHAR2
ECDOSFRQ_1	ECDOSFRQ_1_C	VARCHAR2
	ECDOSFRQ_1	VARCHAR2
	ECDOSFRQ_1_ND	VARCHAR2
ECMDOSE_1	ECMDOSE_1_C	VARCHAR2
	ECMDOSE_1	VARCHAR2
	ECMDOSE_1_ND	VARCHAR2
ECMDOSE_1 - ECNMDOS_1	ECNMDOS_1	FLOAT

ECAENO_3	ECAENO_3	VARCHAR2
	ECAENO_3_ND	VARCHAR2
ECEDOS_1	ECEDOS_1_C	VARCHAR2
	ECEDOS_1	VARCHAR2
	ECEDOS_1_ND	VARCHAR2
ECEDOS_1 - ECNEDOS_1	ECNEDOS_1	FLOAT

Study Object Descriptions: DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Form	DS006_3	Disposition form used for Follow-up
Item	DSSTAT_5	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSDECOD_3	Describes whether a subject completed the study or a portion of a study (epoch) or the reason they did not complete. DSDECOD is the Standardized Disposition Term.
Item	DSTERM	A free text field that captures how a subject completed the study or a portion of a study (epoch) or the reason they did not complete. (Or if used with a DECOD list), free text description of the subject's 'Other' status.

Codelist Values Tables: DISPOSITION - FOLLOW-UP						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliNCOMPLT_3	String		ADVERSE EVENT	1	cliNCOMPLT_1	DSDECOD_3
			COMPLETED	2	cliNCOMPLT_2	
			DEATH	3	cliNCOMPLT_3	
			LACK OF EFFICACY	4	cliNCOMPLT_4	
			LOST TO FOLLOW-UP	5	cliNCOMPLT_5	
			NON-COMPLIANCE WITH STUDY DRUG	6	cliNCOMPLT_6	
			OTHER	7	cliNCOMPLT_7	
			PHYSICIAN DECISION	8	cliNCOMPLT_8	
			PREGNANCY	9	cliNCOMPLT_9	
			PROTOCOL DEVIATION	11	cliNCOMPLT_11	
			SCREEN FAILURE	13	cliNCOMPLT_13	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_14	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_16	
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	17	cliNCOMPLT_17	
NO LONGER MEETS ELIGIBILITY CRITERIA	18	cliNCOMPLT_18				

RDE Analytics: RD_DS006_3		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDAT_5	DSSTDAT_5	DATE
	DSSTDAT_5_DTS	VARCHAR2
	DSSTDAT_5_ND	VARCHAR2
DSPHASE_6	DSPHASE_6_C	VARCHAR2
	DSPHASE_6	VARCHAR2
	DSPHASE_6_ND	VARCHAR2

DSDECOD_3	DSDECOD_3_C	VARCHAR2
	DSDECOD_3	VARCHAR2
	DSDECOD_3_ND	VARCHAR2
DSTERM	DSTERM	VARCHAR2
	DSTERM_ND	VARCHAR2

Study Object Descriptions: DISPOSITION - TREATMENT PF-06651600		
Type	RefName	Description
Form	DS006_2A	DS006 - Disposition -Treatment - For Pfizer treatment or Primary treatment
Item	DSSTAT_8	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSDECOD_5	Describes whether a subject completed the study or a portion of a study (epoch) or the reason they did not complete. DSDECOD is the Standardized Disposition Term.
Item	DSTERM_2	A free text field that captures how a subject completed the study or a portion of a study (epoch) or the reason they did not complete. (Or if used with a DECOD list), free text description of the subject's 'Other' status.

Codelist Values Tables: DISPOSITION - TREATMENT PF-06651600						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliNCOMPLT_5	String		ADVERSE EVENT	1	cliNCOMPLT_1	DSDECOD_5
			COMPLETED	2	cliNCOMPLT_2	
			DEATH	3	cliNCOMPLT_3	
			LACK OF EFFICACY	4	cliNCOMPLT_4	
			LOST TO FOLLOW-UP	5	cliNCOMPLT_5	
			NON-COMPLIANCE WITH STUDY DRUG	6	cliNCOMPLT_6	
			OTHER	7	cliNCOMPLT_7	
			PHYSICIAN DECISION	8	cliNCOMPLT_8	
			PREGNANCY	9	cliNCOMPLT_9	
			PROTOCOL DEVIATION	11	cliNCOMPLT_11	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_14	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_16	
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	17	cliNCOMPLT_17	
NO LONGER MEETS ELIGIBILITY CRITERIA	18	cliNCOMPLT_18				

RDE Analytics: RD_DS006_2A		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDAT_8	DSSTDAT_8	DATE
	DSSTDAT_8_DTS	VARCHAR2
	DSSTDAT_8_ND	VARCHAR2
DSPHASE_8	DSPHASE_8_C	VARCHAR2
	DSPHASE_8	VARCHAR2
	DSPHASE_8_ND	VARCHAR2
DSDECOD_5	DSDECOD_5_C	VARCHAR2
	DSDECOD_5	VARCHAR2

	DSDECOD_5_ND	VARCHAR2
DSTERM_2	DSTERM_2	VARCHAR2
	DSTERM_2_ND	VARCHAR2

Study Object Descriptions: DISPOSITION - TREATMENT PF-06651600 - Treatment Period 1		
Type	RefName	Description
Form	DS006_2A_1	DS006 - Disposition -Treatment - For Pfizer treatment or Primary treatment
Item	DSSTAT_8_1	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSDECOD_5_1	Describes whether a subject completed the study or a portion of a study (epoch) or the reason they did not complete. DSDECOD is the Standardized Disposition Term.
Item	DSTERM_2_1	A free text field that captures how a subject completed the study or a portion of a study (epoch) or the reason they did not complete. (Or if used with a DECOD list), free text description of the subject's 'Other' status.
Item	DSCONT_1	Plan for subject continuation to the next phase of the study or another study at the time of completion of the CRF.
Item	DSNEXT_1	Next Phase of Study

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
clinCOMPLT_5_1	String		ADVERSE EVENT	1	clinCOMPLT_1	DSDECOD_5_1
			COMPLETED	2	clinCOMPLT_2	
			DEATH	3	clinCOMPLT_3	
			LACK OF EFFICACY	4	clinCOMPLT_4	
			LOST TO FOLLOW-UP	5	clinCOMPLT_5	
			NON-COMPLIANCE WITH STUDY DRUG	6	clinCOMPLT_6	
			OTHER	7	clinCOMPLT_7	
			PHYSICIAN DECISION	8	clinCOMPLT_8	
			PREGNANCY	9	clinCOMPLT_9	
			PROTOCOL DEVIATION	11	clinCOMPLT_11	
			STUDY TERMINATED BY SPONSOR	14	clinCOMPLT_14	
			WITHDRAWAL BY SUBJECT	16	clinCOMPLT_16	
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	17	clinCOMPLT_17	
			NO LONGER MEETS ELIGIBILITY CRITERIA	18	clinCOMPLT_18	
APPROVED DRUG AVAILABLE FOR INDICATION	28	clinCOMPLT_28				

RDE Analytics: RD_DS006_2A_1		

Data Variable RefName	RD Column Name	Column Data Type
DSSTDAT_8_1	DSSTDAT_8_1	DATE
	DSSTDAT_8_1_DTS	VARCHAR2
	DSSTDAT_8_1_ND	VARCHAR2
DSPHASE_8_1	DSPHASE_8_1_C	VARCHAR2
	DSPHASE_8_1	VARCHAR2
	DSPHASE_8_1_ND	VARCHAR2
DSDECOD_5_1	DSDECOD_5_1_C	VARCHAR2
	DSDECOD_5_1	VARCHAR2
	DSDECOD_5_1_ND	VARCHAR2
DSTERM_2_1	DSTERM_2_1	VARCHAR2
	DSTERM_2_1_ND	VARCHAR2
DSCONT_1	DSCONT_1_C	VARCHAR2
	DSCONT_1	VARCHAR2
	DSCONT_1_ND	VARCHAR2
DSCONT_1 - DSNEXT_1	DSNEXT_1_C	VARCHAR2
	DSNEXT_1	VARCHAR2

Study Object Descriptions: DISPOSITION - TREATMENT PF-06651600 - Treatment Period 2		
Type	RefName	Description
Form	DS006_2A_2	DS006 - Disposition -Treatment - For Pfizer treatment or Primary treatment
Item	DSSTAT_8_2	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSDECOD_5_2	Describes whether a subject completed the study or a portion of a study (epoch) or the reason they did not complete. DSDECOD is the Standardized Disposition Term.
Item	DSTERM_2_2	A free text field that captures how a subject completed the study or a portion of a study (epoch) or the reason they did not complete. (Or if used with a DECOD list), free text description of the subject's 'Other' status.

RDE Analytics: RD_DS006_2A_2		
Data Variable RefName	RD Column Name	Column Data Type
DSSTAT_8_2	DSSTAT_8_2	DATE
	DSSTAT_8_2_DTS	VARCHAR2
	DSSTAT_8_2_ND	VARCHAR2
DSPHASE_8_2	DSPHASE_8_2_C	VARCHAR2
	DSPHASE_8_2	VARCHAR2
	DSPHASE_8_2_ND	VARCHAR2
DSDECOD_5_2	DSDECOD_5_2_C	VARCHAR2

	DSDECOD_5_2	VARCHAR2
	DSDECOD_5_2_ND	VARCHAR2
	DSTERM_2_2	VARCHAR2
	DSTERM_2_2_ND	VARCHAR2

Study Object Descriptions: DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Form	DS006_3_4	Disposition form used for Follow-up
Item	DSDAT_11	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSDECOD_8	Describes whether a subject completed the study or a portion of a study (epoch) or the reason they did not complete. DSDECOD is the Standardized Disposition Term.
Item	DSTERM_5	A free text field that captures how a subject completed the study or a portion of a study (epoch) or the reason they did not complete. (Or if used with a DECOD list), free text description of the subject's 'Other' status.
Item	DSCONT	Plan for subject continuation to the next phase of the study or another study at the time of completion of the CRF.
Item	DSNEXT	Next Phase of Study

Codelist Values Tables: DISPOSITION - FOLLOW-UP						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliNCOMPLT_8	String		ADVERSE EVENT	1	cliNCOMPLT_1	DSDECOD_8
			COMPLETED	2	cliNCOMPLT_2	
			DEATH	3	cliNCOMPLT_3	
			LOST TO FOLLOW-UP	5	cliNCOMPLT_5	
			OTHER	7	cliNCOMPLT_7	
			PHYSICIAN DECISION	8	cliNCOMPLT_8	
			PREGNANCY	9	cliNCOMPLT_9	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_14	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_16	

RDE Analytics: RD_DS006_3_4		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDAT_11	DSSTDAT_11	DATE
	DSSTDAT_11_DTS	VARCHAR2
	DSSTDAT_11_ND	VARCHAR2
DSPHASE_11	DSPHASE_11_C	VARCHAR2

	DSPHASE_11	VARCHAR2
	DSPHASE_11_ND	VARCHAR2
DSDECOD_8	DSDECOD_8_C	VARCHAR2
	DSDECOD_8	VARCHAR2
	DSDECOD_8_ND	VARCHAR2
DSTERM_5	DSTERM_5	VARCHAR2
	DSTERM_5_ND	VARCHAR2
DSCONT	DSCONT_C	VARCHAR2
	DSCONT	VARCHAR2
	DSCONT_ND	VARCHAR2
DSCONT - DSNEXT	DSNEXT_C	VARCHAR2
	DSNEXT	VARCHAR2

Study Object Descriptions: DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Form	DS006_3_2	Disposition form used for Follow-up
Item	DSSTAT_9	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSDECOD_6	Describes whether a subject completed the study or a portion of a study (epoch) or the reason they did not complete. DSDECOD is the Standardized Disposition Term.
Item	DSTERM_3	A free text field that captures how a subject completed the study or a portion of a study (epoch) or the reason they did not complete. (Or if used with a DECOD list), free text description of the subject's 'Other' status.

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliNCOMPLT_6	String		ADVERSE EVENT	1	cliNCOMPLT_1	DSDECOD_6
			COMPLETED	2	cliNCOMPLT_2	
			DEATH	3	cliNCOMPLT_3	
			LOST TO FOLLOW-UP	5	cliNCOMPLT_5	
			OTHER	7	cliNCOMPLT_7	
			PHYSICIAN DECISION	8	cliNCOMPLT_8	
			PREGNANCY	9	cliNCOMPLT_9	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_14	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_16	

RDE Analytics: RD_DS006_3_2		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDAT_9	DSSTDAT_9	DATE
	DSSTDAT_9_DTS	VARCHAR2
	DSSTDAT_9_ND	VARCHAR2
DSPHASE_9	DSPHASE_9_C	VARCHAR2
	DSPHASE_9	VARCHAR2
	DSPHASE_9_ND	VARCHAR2
DSDECOD_6	DSDECOD_6_C	VARCHAR2
	DSDECOD_6	VARCHAR2
	DSDECOD_6_ND	VARCHAR2
DSTERM_3	DSTERM_3	VARCHAR2
	DSTERM_3_ND	VARCHAR2

Study Object Descriptions: DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Form	DS006_3_3	Disposition form used for Follow-up
Item	DSSTAT_10	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSDECOD_7	Describes whether a subject completed the study or a portion of a study (epoch) or the reason they did not complete. DSDECOD is the Standardized Disposition Term.
Item	DSTERM_4	A free text field that captures how a subject completed the study or a portion of a study (epoch) or the reason they did not complete. (Or if used with a DECOD list), free text description of the subject's 'Other' status.

Codelist Values Tables: DISPOSITION - FOLLOW-UP						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
ciINCOMPLT_7	String		ADVERSE EVENT	1	ciINCOMPLT_1	DSDECOD_7
			COMPLETED	2	ciINCOMPLT_2	
			DEATH	3	ciINCOMPLT_3	
			LOST TO FOLLOW-UP	5	ciINCOMPLT_5	
			OTHER	7	ciINCOMPLT_7	
			PHYSICIAN DECISION	8	ciINCOMPLT_8	
			PREGNANCY	9	ciINCOMPLT_9	
			STUDY TERMINATED BY SPONSOR	14	ciINCOMPLT_14	
			WITHDRAWAL BY SUBJECT	16	ciINCOMPLT_16	
			APPROVED DRUG AVAILABLE FOR INDICATION	28	ciINCOMPLT_28	

RDE Analytics: RD_DS006_3_3		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDAT_10	DSSTDAT_10	DATE
	DSSTDAT_10_DTS	VARCHAR2
	DSSTDAT_10_ND	VARCHAR2
DSPHASE_10	DSPHASE_10_C	VARCHAR2
	DSPHASE_10	VARCHAR2
	DSPHASE_10_ND	VARCHAR2
DSDECOD_7	DSDECOD_7_C	VARCHAR2
	DSDECOD_7	VARCHAR2
	DSDECOD_7_ND	VARCHAR2
DSTERM_4	DSTERM_4	VARCHAR2
	DSTERM_4_ND	VARCHAR2

B7981032: WITHDRAWAL OF ALL FURTHER CONTACT AND COLLECTION OF DATA (WITHDRAWAL OF CONSENT) [DS007]		
1.*	Withdrawal of Consent Date: [Withdrawal of Consent Date:]	[DSSTDAT_6] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2019-2027)
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: WITHDRAWAL OF ALL FURTHER CONTACT AND COLLECTION OF DATA		
Type	RefName	Description
Form	DS007	DS007 - Withdrawal of Consent
Item	DSSTDAT_6	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS007		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDAT_6	DSSTDAT_6	DATE
	DSSTDAT_6_DTS	VARCHAR2
	DSSTDAT_6_ND	VARCHAR2

B7981032: ORAL (STUDY TREATMENT) [EC201_2]													
1.	Treatment Name <i>[read-only]</i> [Treatment Name]						[ECTRT_4] A100						
2.* ✓	Formulation: [Formulation:]						[ECDOSFRM_4] [A:11] ☐ CAPSULE [A:146] ☐ TABLET						
3.* ✓	Route: [Route:]						[ECROUTE_4] [A:84] ☐ ORAL						
4.	Comparison Term <i>[read-only]</i> [Comparison Term]						[COMPTERM_8_2] A255						
5.	Standardized Medication Name - Dictionary Derived. <i>[read-only]</i> [Standardized Medication Name]						[ECDECOD_4] A100						
6.	Standardized Medication Code - Dictionary Derived <i>[read-only]</i> [Standardized Medication Code]						[ECCD_4] A11						
	Start Date:	End Date:	Planned Dose	Planned Dose Unit	Planned Dose Frequency	Reason for Changed/Missed Dose	Actual Dose:	Unit:	Frequency:	Were Any Doses Missed	AE Identifier:	Were any extra doses taken on unknown dates	
7. ✓													
7.1* ✓	Start Date: [Start Date:]						[ECSTDAT_4] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2019-2027)						
7.2* ✓	End Date: [End Date:]						[ECENDAT_2] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2019-2027)						
7.3* ✓	Planned Dose: [Planned Dose]						[ECPDOSE_2] xxxxxx.						
7.4* ✓	Planned Dose Unit: [Planned Dose Unit]						[ECPDOSEU_2] [A:56] ☐ CAPSULE [A:98] ☐ TABLET						
7.5* ✓	Planned Dose Frequency: [Planned Dose Frequency]						[ECPDFRQ_2] [A:49] ☐ QD						
7.6 ✓	Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]						[MISDOST_2] [A:1] ☐ ADVERSE EVENT [A:999] ☐ [cmpMISDOSO_2] ☐ OTHER [MISDOSO_2] If Other, please specify: A200						
7.7* ✓	Actual Dose: [Actual Dose:]						[ECDOSE_2] xxxxxx.						
7.8* ✓	Unit: [Unit:]						[ECDOSU_2] [A:56] ☐ CAPSULE [A:98] ☐ TABLET						
7.9* ✓	Frequency: [Frequency:]						[ECDOSFRQ_2] [A:49] ☐ QD						
7.10* ✓	Were any doses missed on unknown dates? [Were Any Doses Missed]						[ECMDOSE_2] [A:Y] [cmpECNMDOS_2] ☐						

✓		YES [ECNMDOS_2] Number of missed doses: x. [A:N] NO
7.11 ✓	AE Identifier: [AE Identifier:]	[ECAENO_4] A100
7.12* ✓	Were any extra doses taken on unknown dates? [Were any extra doses taken on unknown dates]	[ECEDOS_2] [A:Y] [cmpECEDOS_2] YES [ECNEDOS_2] Number of extra doses: x. [A:N] NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ORAL		
Type	RefName	Description
Form	EC201_2	EC201 - Oral -
Item	ECTRT_4	Name of the study treatment or intervention given per single administration or during the 'constant dosing interval' for the observation.
Item	ECDOSFRM_4	Dose formulation. Examples: TABLET, LOTION.
Item	ECROUTE_4	This may be collected if it cannot be derived or if there are multiple options. It may also be pre-printed on the CRF or derived from the protocol.
Item	COMPTERM_8_2	Hidden Item needed for clear coding rule.
Item	ECDECOD_4	Standardized Medication Name - Dictionary Derived.
Item	ECCD_4	Standardized Medication Code - Dictionary Derived
Item	ECSTDAT_4	Date when constant dosing interval of the study treatment started or single administration occurred.
Item	ECENDAT_2	The time when administration of the treatment indicated by EXTRT and EXDOSE ended.
Item	ECPDOSE_2	Intended dose per administration. It is important that this field be used in conjunction with "Actual Dose" or "Total Dose" (ECDOSE or ECDOSTOT) since this field is only intended to capture the planned dose rather than the dose the subject actually received. This field may be used when it is necessary to capture the intended dose after any and all dose adjustments as described in the protocol for a subject.
Item	ECPDOSEU_2	Units for Planned Dose. It is important that this field be used in conjunction with "Dose" or "Total Dose" and "Dose Units" since this field captures the unit of the intended dose rather than the dose the subject actually received.
Item	ECPDFRQ_2	Frequency of the planned dose
Item	MISDOST_2	Reason for Changed/Missed Dose
Item	cmpMISDOSQ_2	Other Reason for Changed/Missed Dose
Item	MISDOSQ_2	Other Reason for Changed/Missed Dose
Item	ECDOSE_2	Amount of study treatment administered or given, collected in numeric form. Example: 200.
Item	ECDOSU_2	Unit of dose or amount taken per constant dosing interval recorded.
Item	ECDOSFRQ_2	Number of doses given per a specific interval.
Item	ECMDOSE_2	Were Any Doses Missed
Item	cmpECNMDOS_2	Number of Missed Doses
Item	ECNMDOS_2	Number of Missed Doses
Item	ECAENO_4	Associated Adverse Event Identifier.

Coding Summary: ORAL			
Verbatim RefName: ECTRT_4			
Dictionary: Pfizer WHODD Verbatim Type:			
Coding Item	RefName	Level	Level Type
ECDECOD_4		PT	Term

ECCD_4	PT	Code
--------	----	------

RDE Analytics: RD_EC201_2		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_4	ECTRT_4	VARCHAR2
	ECTRT_4_ND	VARCHAR2
ECDOSFRM_4	ECDOSFRM_4_C	VARCHAR2
	ECDOSFRM_4	VARCHAR2
	ECDOSFRM_4_ND	VARCHAR2
ECROUTE_4	ECROUTE_4_C	VARCHAR2
	ECROUTE_4	VARCHAR2
	ECROUTE_4_ND	VARCHAR2
COMPTERM_8_2	COMPTERM_8_2	VARCHAR2
	COMPTERM_8_2_ND	VARCHAR2
ECDECOD_4	ECDECOD_4	VARCHAR2
	ECDECOD_4_ND	VARCHAR2
ECCD_4	ECCD_4	VARCHAR2
	ECCD_4_ND	VARCHAR2
RD_EC201_2_SCTEC201_02_2		
ECSTDAT_4	ECSTDAT_4	DATE
	ECSTDAT_4_DTS	VARCHAR2
	ECSTDAT_4_ND	VARCHAR2
ECENDAT_2	ECENDAT_2	DATE
	ECENDAT_2_DTS	VARCHAR2
	ECENDAT_2_ND	VARCHAR2
ECPDOSE_2	ECPDOSE_2	FLOAT
	ECPDOSE_2_ND	VARCHAR2
ECPDOSEU_2	ECPDOSEU_2_C	VARCHAR2
	ECPDOSEU_2	VARCHAR2
	ECPDOSEU_2_ND	VARCHAR2
ECPDFRQ_2	ECPDFRQ_2_C	VARCHAR2
	ECPDFRQ_2	VARCHAR2
	ECPDFRQ_2_ND	VARCHAR2
MISDOST_2	MISDOST_2_C	VARCHAR2
	MISDOST_2	VARCHAR2
	MISDOST_2_ND	VARCHAR2
MISDOST_2 - MISDOSO_2	MISDOSO_2	VARCHAR2
ECDOSE_2	ECDOSE_2	FLOAT
	ECDOSE_2_ND	VARCHAR2
ECDOSU_2	ECDOSU_2_C	VARCHAR2
	ECDOSU_2	VARCHAR2
	ECDOSU_2_ND	VARCHAR2
ECDOSFRQ_2	ECDOSFRQ_2_C	VARCHAR2
	ECDOSFRQ_2	VARCHAR2
	ECDOSFRQ_2_ND	VARCHAR2
ECMDOSE_2	ECMDOSE_2_C	VARCHAR2
	ECMDOSE_2	VARCHAR2

	ECMDOSE_2_ND	VARCHAR2
ECMDOSE_2 - ECNMDOS_2	ECNMDOS_2	FLOAT
ECAENO_4	ECAENO_4	VARCHAR2
	ECAENO_4_ND	VARCHAR2
ECEDOS_2	ECEDOS_2_C	VARCHAR2
	ECEDOS_2	VARCHAR2
	ECEDOS_2_ND	VARCHAR2
ECEDOS_2 - ECNEDOS_2	ECNEDOS_2	FLOAT

B7981032: PROTOCOL VERSION (PROTOCOL VERSION) [INFPV_1]		
1.* ✓	Protocol Version: [Protocol Version]	[INFPRTVER_1] [cliINFPRTVER_1] 
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: PROTOCOL VERSION		
Type	RefName	Description
Form	INFPV_1	Protocol Version

Codelist Values Tables: PROTOCOL VERSION						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliINFPRTVER_1	String		Amendment 2 <05-FEB-2020>	3	cliINFPRTVER_3	INFPRTVER_1
			Amendment 3 <28-APR-2020>	7	cliINFPRTVER_7	
			Amendment 4 <31-AUG-2020>	8	cliINFPRTVER_8	
			Amendment 5 <23 APR 2021>	6	cliINFPRTVER_6	
			Amendment 6 <28 MAR 2022>	9	cliINFPRTVER_9	

RDE Analytics: RD_INFPV_1			
Data Variable RefName	RD Column Name	Column Data Type	
INFPRTVER_1	INFPRTVER_1_C	VARCHAR2	
	INFPRTVER_1	VARCHAR2	
	INFPRTVER_1_ND	VARCHAR2	

B7981032: INCLUSION/EXCLUSION CRITERIA (IE SUB) [IE001_15]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_14]			
#	Inclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
1.a	1	Male or female participants in B7981032 (Phase 3 open label study) who are >=18 to <=55 years of age at the time of consent for this sub-study	IN10A02
1.b	2	Participants who have received PF-06651600 50 mg QD for >=6 months in Study B7981032	IN11A02
1.c	3	In the preceding time in B7981032, participant is compliant with receiving study intervention described in Section 6.4	IN12A02
1.d	4	Must have had prior tetanus vaccination >=5 years before Day 1 of the sub-study	IN13A02
1.e	5	Evidence of personally signed and dated informed consent document indicating participant has been informed of all pertinent aspects of sub-study. A separate informed consent for sub-study is required	IN14A02
1.f	6	Participants who are willing and able to comply with scheduled procedures for this sub-study	IN15A02
Inclusion Criteria Entry [sctIE001_01_14]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_28] [cIESPID_28]	
1.2	Criterion Description: [Criterion Description]	[IETEST_28] [cIETEST_28]	
1.3*	Criterion met? [Criterion met?]	[IEORRES_28] [A:Y] ☐ YES [A:N] ☐ [cmpIEDESC_28] ☐ NO [IEDESC_28] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_28] [cIETESTCD_29]	
Exclusion Criteria [sctIE001_02_14]			
#	Exclusion Number	Criterion Description	Criterion met?* Criterion ID: (For Pfizer use only)
2.a	1	Prior history of meningococcal ACWY vaccination or history of meningococcal disease	EX32A02
2.b	2	History of any severe AE associated with any vaccination	EX33A02
2.c	3	Hypersensitivity to any component of the Tdap or meningococcal ACWY vaccines	EX34A02
2.d	4	Safety concerns at time of vaccination, including anyone with unresolved laboratory abnormalities meeting monitoring criteria	EX35A02
2.e	5	History of Guillain-Barre syndrome or brachial neuritis	EX36A02
2.f	6	History of Arthus-type hypersensitivity reactions after previous dose of tetanus vaccines	EX37A02
2.g	7	Any condition that would make participant unsuitable for receiving either vaccination based upon product information	EX38A02
2.h	8	Presence of any unstable neurological conditions or history of seizures	EX39A02
2.i	9	Current febrile illness or other acute illness within 48 hours or receipt of antibiotic therapy for other acute illness within 72 hours before sub-study vaccine administration	EX40A02
2.j	10	Any other medical or psychiatric condition that may increase risk associated with sub-study participation or vaccine administration or that may interfere with the interpretation of sub-study results	EX41A02
Exclusion Criteria Entry [sctIE001_02_14]			
2.1	Exclusion Number: [Exclusion Number]	[IESPID_29] [cIESPID_29]	
2.2	Criterion Description: [Criterion Description]	[IETEST_29] [cIETEST_29]	
2.3*	Criterion met? [Criterion met?]	[IEORRES_29] [A:Y] ☐ [cmpIEDESC_29] ☐ YES [IEDESC_29] Describe details if relevant	

		A200
		[A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_29] [ciIETESTCD_30]
Key: [*] = Item is required [] = Item is collapsible = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_15	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_28	Criterion Description
Item	IEORRES_28	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_28	Describe details of criterion not met if relevant
Item	IETESTCD_28	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_29	Criterion Description
Item	IEORRES_29	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_29	Describe details of criterion not met if relevant
Item	IETESTCD_29	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
ciIESPID_28	String		1	1	ciIESPID_1	IESPID_28
			2	2	ciIESPID_2	
			3	3	ciIESPID_3	
			4	4	ciIESPID_4	
			5	5	ciIESPID_5	
			6	6	ciIESPID_6	
ciIETEST_28	String		Male or female participants in B7981032 (Phase 3 open label study) who are >=18 to <=55 years of age at the time of consent for this sub-study	55	ciIETEST_55	IETEST_28
			Participants who have received PF-06651600 50 mg QD for >=6 months in Study B7981032	56	ciIETEST_56	
			In the preceding time in B7981032, participant is compliant with receiving study intervention described in Section 6.4	57	ciIETEST_57	
			Must have had prior tetanus vaccination >=5 years before Day 1 of the sub-study	58	ciIETEST_58	
			Evidence of personally signed and dated informed consent document indicating participant has been informed of all pertinent aspects of sub-study. A separate informed consent for sub-study is required	59	ciIETEST_59	
			Participants who are willing and able to comply with scheduled procedures for this sub-study	60	ciIETEST_60	
ciIETESTCD_29	String		IN10A02	71	ciIETESTCD_71	IETESTCD_28
			IN11A02	72	ciIETESTCD_72	
			IN12A02	73	ciIETESTCD_73	
			IN13A02	311	ciIETESTCD_311	
			IN14A02	151	ciIETESTCD_151	
			IN15A02	102	ciIETESTCD_102	
ciIESPID_29	String		1	1	ciIESPID_1	IESPID_29
			2	2	ciIESPID_2	
			3	3	ciIESPID_3	
			4	4	ciIESPID_4	

			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
cliIETEST_29	String		Prior history of meningococcal ACWY vaccination or history of meningococcal disease	61	cliIETEST_61	IETEST_29
			History of any severe AE associated with any vaccination	62	cliIETEST_62	
			Hypersensitivity to any component of the Tdap or meningococcal ACWY vaccines	63	cliIETEST_63	
			Safety concerns at time of vaccination, including anyone with unresolved laboratory abnormalities meeting monitoring criteria	64	cliIETEST_64	
			History of Guillain-Barre syndrome or brachial neuritis	65	cliIETEST_65	
			History of Arthus-type hypersensitivity reactions after previous dose of tetanus vaccines	66	cliIETEST_66	
			Any condition that would make participant unsuitable for receiving either vaccination based upon product information	67	cliIETEST_67	
			Presence of any unstable neurological conditions or history of seizures	68	cliIETEST_68	
			Current febrile illness or other acute illness within 48 hours or receipt of antibiotic therapy for other acute illness within 72 hours before sub-study vaccine administration	69	cliIETEST_69	
			Any other medical or psychiatric condition that may increase risk associated with sub-study participation or vaccine administration or that may interfere with the interpretation of sub-study results	70	cliIETEST_70	
cliIETESTCD_30	String		EX32A02	75	cliIETESTCD_75	IETESTCD_29
			EX33A02	179	cliIETESTCD_179	
			EX34A02	76	cliIETESTCD_76	
			EX35A02	77	cliIETESTCD_77	
			EX36A02	78	cliIETESTCD_78	
			EX37A02	79	cliIETESTCD_79	
			EX38A02	80	cliIETESTCD_80	
			EX39A02	81	cliIETESTCD_81	
			EX40A02	82	cliIETESTCD_82	
			EX41A02	83	cliIETESTCD_83	

RDE Analytics: RD_IE001_15		
Data Variable RefName	RD Column Name	Column Data Type
*RD_IE001_15_SCTIE001_01_14		
IESPID_28	IESPID_28_C	VARCHAR2
	IESPID_28	VARCHAR2
	IESPID_28_ND	VARCHAR2
IETEST_28	IETEST_28_C	VARCHAR2
	IETEST_28	VARCHAR2
	IETEST_28_ND	VARCHAR2
IEORRES_28	IEORRES_28_C	VARCHAR2
	IEORRES_28	VARCHAR2
	IEORRES_28_ND	VARCHAR2
IEORRES_28 - IEDESC_28	IEDESC_28	VARCHAR2
IETESTCD_28	IETESTCD_28_C	VARCHAR2
	IETESTCD_28	VARCHAR2
	IETESTCD_28_ND	VARCHAR2
*RD_IE001_15_SCTIE001_02_14		
IESPID_29	IESPID_29_C	VARCHAR2
	IESPID_29	VARCHAR2

	IESPID_29_ND	VARCHAR2
IETEST_29	IETEST_29_C	VARCHAR2
	IETEST_29	VARCHAR2
	IETEST_29_ND	VARCHAR2
IEORRES_29	IEORRES_29_C	VARCHAR2
	IEORRES_29	VARCHAR2
	IEORRES_29_ND	VARCHAR2
IEORRES_29 - IEDESC_29	IEDESC_29	VARCHAR2
IETESTCD_29	IETESTCD_29_C	VARCHAR2
	IETESTCD_29	VARCHAR2
	IETESTCD_29_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: INCLUSION/EXCLUSION CRITERIA (IE A4 SUB) [IE001_20]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_20]			
#	Inclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
1.a	1	Male or female participants in B7981032 (Phase 3 open label study) who are >=18 to <=55 years of age at the time of consent for this sub-study	IN10A02
1.b	2	Participants who have received PF-06651600 50 mg QD for >=6 months in Study B7981032	IN11A02
1.c	3	In the preceding time in B7981032, participant is compliant with receiving study intervention and has not missed any dose of study drug for at least 7 consecutive days prior to Day 1 of this sub-study	IN12A04
1.d	4	Must have had prior tetanus vaccination >=5 years before Day 1 of the sub-study	IN13A02
1.e	5	Evidence of personally signed and dated informed consent document indicating participant has been informed of all pertinent aspects of sub-study. A separate informed consent for sub-study is required	IN14A02
1.f	6	Participants who are willing and able to comply with scheduled procedures for this sub-study	IN15A02
Inclusion Criteria Entry [sctIE001_01_20]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_39] [cIESPID_39] ▼	
1.2	Criterion Description: [Criterion Description]	[IETEST_39] [cIETEST_39] ▼	
1.3*	Criterion met? [Criterion met?]	[IEORRES_39] [A:Y] ☐ YES [A:N] ☐ NO [IEDESC_39] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_39] [cIETESTCD_39] ▼	
Exclusion Criteria [sctIE001_02_20]			
#	Exclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
2.a	1	Prior history of meningococcal ACWY vaccination or history of meningococcal disease	EX32A02
2.b	2	History of any severe AE associated with any vaccination	EX33A02
2.c	3	Hypersensitivity to any component of the Tdap or meningococcal ACWY vaccines	EX34A02
2.d	4	Safety concerns at time of vaccination, including anyone with unresolved laboratory abnormalities meeting monitoring criteria	EX35A02
2.e	5	History of Guillain-Barre syndrome or brachial neuritis	EX36A02
2.f	6	History of Arthus-type hypersensitivity reactions after previous dose of tetanus vaccines	EX37A02
2.g	7	Any condition that would make participant unsuitable for receiving either vaccination based upon product information	EX38A02
2.h	8	Presence of any unstable neurological conditions or history of seizures	EX39A02
2.i	9	Current febrile illness or other acute illness within 48 hours or receipt of antibiotic therapy for other acute illness within 72 hours before sub-study vaccine administration	EX40A02
2.j	10	Any other medical or psychiatric condition that may increase risk associated with sub-study participation or vaccine administration or that may interfere with the interpretation of sub-study results	EX41A02
Exclusion Criteria Entry [sctIE001_02_20]			
2.1	Exclusion Number: [Exclusion Number]	[IESPID_40] [cIESPID_40] ▼	
2.2	Criterion Description: [Criterion Description]	[IETEST_40] [cIETEST_40] ▼	
2.3*	Criterion met? [Criterion met?]	[IEORRES_40] [A:Y] ☐ YES [A:N] ☐ NO [IEDESC_40]	

		Describe details if relevant A200 [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_40] [cliIETESTCD_40]
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_20	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_39	Criterion Description
Item	IEORRES_39	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_39	Describe details of criterion not met if relevant
Item	IETESTCD_39	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_40	Criterion Description
Item	IEORRES_40	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_40	Describe details of criterion not met if relevant
Item	IETESTCD_40	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliIESPID_39	String		1	1	cliIESPID_1	IESPID_39
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
cliIETEST_39	String		Male or female participants in B7981032 (Phase 3 open label study) who are >=18 to <=55 years of age at the time of consent for this sub-study	55	cliIETEST_55_1	IETEST_39
			Participants who have received PF-06651600 50 mg QD for >=6 months in Study B7981032	56	cliIETEST_56_1	
			Must have had prior tetanus vaccination >=5 years before Day 1 of the sub-study	58	cliIETEST_58_1	
			Evidence of personally signed and dated informed consent document indicating participant has been informed of all pertinent aspects of sub-study. A separate informed consent for sub-study is required	59	cliIETEST_59_1	
			Participants who are willing and able to comply with scheduled procedures for this sub-study	60	cliIETEST_60_1	
cliIETESTCD_39	String		In the preceding time in B7981032, participant is compliant with receiving study intervention and has not missed any dose of study drug for at least 7 consecutive days prior to Day 1 of this sub-study	73	cliIETEST_73	IETESTCD_39
			IN10A02	71	cliIETESTCD_71_1	
			IN11A02	72	cliIETESTCD_72_1	
			IN13A02	311	cliIETESTCD_311_1	
			IN14A02	151	cliIETESTCD_151_1	
			IN15A02	102	cliIETESTCD_102_1	
cliIESPID_40	String		IN12A04	354	cliIETESTCD_354	IESPID_40
			1	1	cliIESPID_1	
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	

			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
cliIETEST_40	String		Prior history of meningococcal ACWY vaccination or history of meningococcal disease	61	cliIETEST_61_1	IETEST_40
			History of any severe AE associated with any vaccination	62	cliIETEST_62_1	
			Hypersensitivity to any component of the Tdap or meningococcal ACWY vaccines	63	cliIETEST_63_1	
			Safety concerns at time of vaccination, including anyone with unresolved laboratory abnormalities meeting monitoring criteria	64	cliIETEST_64_1	
			History of Guillain-Barre syndrome or brachial neuritis	65	cliIETEST_65_1	
			History of Arthus-type hypersensitivity reactions after previous dose of tetanus vaccines	66	cliIETEST_66_1	
			Any condition that would make participant unsuitable for receiving either vaccination based upon product information	67	cliIETEST_67_1	
			Presence of any unstable neurological conditions or history of seizures	68	cliIETEST_68_1	
			Current febrile illness or other acute illness within 48 hours or receipt of antibiotic therapy for other acute illness within 72 hours before sub-study vaccine administration	69	cliIETEST_69_1	
			Any other medical or psychiatric condition that may increase risk associated with sub-study participation or vaccine administration or that may interfere with the interpretation of sub-study results	70	cliIETEST_70_1	
cliIETESTCD_40	String		EX32A02	75	cliIETESTCD_75_1	IETESTCD_40
			EX33A02	179	cliIETESTCD_179_1	
			EX34A02	76	cliIETESTCD_76_1	
			EX35A02	77	cliIETESTCD_77_1	
			EX36A02	78	cliIETESTCD_78_1	
			EX37A02	79	cliIETESTCD_79_1	
			EX38A02	80	cliIETESTCD_80_1	
			EX39A02	81	cliIETESTCD_81_1	
			EX40A02	82	cliIETESTCD_82_1	
			EX41A02	83	cliIETESTCD_83_1	

RDE Analytics: RD_IE001_20		
Data Variable RefName	RD Column Name	Column Data Type
*RD_IE001_20_SCTIE001_01_20		
IESPID_39	IESPID_39_C	VARCHAR2
	IESPID_39	VARCHAR2
	IESPID_39_ND	VARCHAR2
IETEST_39	IETEST_39_C	VARCHAR2
	IETEST_39	VARCHAR2
	IETEST_39_ND	VARCHAR2
IEORRES_39	IEORRES_39_C	VARCHAR2
	IEORRES_39	VARCHAR2
	IEORRES_39_ND	VARCHAR2
IEORRES_39 - IEDESC_39	IEDESC_39	VARCHAR2
IETESTCD_39	IETESTCD_39_C	VARCHAR2
	IETESTCD_39	VARCHAR2
	IETESTCD_39_ND	VARCHAR2
*RD_IE001_20_SCTIE001_02_20		
IESPID_40	IESPID_40_C	VARCHAR2

	IESPID_40	VARCHAR2
	IESPID_40_ND	VARCHAR2
IETEST_40	IETEST_40_C	VARCHAR2
	IETEST_40	VARCHAR2
	IETEST_40_ND	VARCHAR2
IEORRES_40	IEORRES_40_C	VARCHAR2
	IEORRES_40	VARCHAR2
	IEORRES_40_ND	VARCHAR2
IEORRES_40 - IEDESC_40	IEDESC_40	VARCHAR2
IETESTCD_40	IETESTCD_40_C	VARCHAR2
	IETESTCD_40	VARCHAR2
	IETESTCD_40_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: INCLUSION/EXCLUSION CRITERIA (1E A5 SUB) [IE001_25]			
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).			
Inclusion Criteria [sctIE001_01_25]			
#	Inclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
1.a	1	Participants are: >=18 to <=55 years, if receiving both vaccines or only meningococcal ACWY vaccine; >=18 to <=64 years , if receiving only Tdap vaccine at the time of consent for sub study	IN10A05
1.b	2	Participants who have received PF-06651600 50 mg QD for >=6 months in Study B7981032 as described in protocol amendment 5 inclusion criteria 2	IN11A05
1.c	3	In the preceding time in B7981032, participant is compliant with receiving study intervention and has not missed any dose of study drug for at least 7 consecutive days prior to Day 1 of this sub-study	IN12A04
1.d	4	Evidence of personally signed and dated informed consent document indicating participant has been informed of all pertinent aspects of sub-study. A separate informed consent for sub-study is required	IN14A02
1.e	5	Participants who are willing and able to comply with scheduled procedures for this sub-study	IN15A02
1.f	6	Must have had prior tetanus vaccination >=5 years before Day 1 of the sub-study	IN13A02
Inclusion Criteria Entry [sctIE001_01_25]			
1.1	Inclusion Number: [Inclusion Number]	[IESPID_49] [clIESPID_49]	
1.2	Criterion Description: [Criterion Description]	[IETEST_49] [clIETEST_49]	
1.3*	Criterion met? [Criterion met?]	[IEORRES_49] [A:Y] ☐ YES [A:N] ☐ [cmpIEDESC_49] ☐ NO [IEDESC_49] Describe details if relevant A200	
1.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_49] [clIETESTCD_49]	
Exclusion Criteria [sctIE001_02_25]			
#	Exclusion Number	Criterion Description	Criterion met? * Criterion ID: (For Pfizer use only)
2.a	1	History of any severe AE associated with any vaccination	EX33A02
2.b	2	Safety concerns at time of vaccination, including anyone with unresolved laboratory abnormalities meeting monitoring criteria	EX35A02
2.c	3	History of Guillain-Barre syndrome or brachial neuritis	EX36A02
2.d	4	Presence of any unstable neurological conditions or history of seizures	EX39A02
2.e	5	Current febrile illness or other acute illness within 48 hours or receipt of antibiotic for acute illness within 72 hours before sub-study vaccine administration (details in Excl. criterion # 5)	EX40A05
2.f	6	Any other medical or psychiatric condition that may increase risk associated with sub-study participation or vaccine administration or that may interfere with the interpretation of sub-study results	EX41A02
2.g	7	Hypersensitivity to any component of the Tdap vaccine	EX42A05
2.h	8	History of Arthus-type hypersensitivity reactions after previous dose of tetanus vaccines	EX37A02
2.i	9	Any condition that would make participant unsuitable for receiving the Tdap vaccine based upon product information	EX43A05
2.j	10	Prior history of meningococcal ACWY vaccination or history of meningococcal disease	EX32A02
2.k	11	Hypersensitivity to any component of the meningococcal ACWY vaccine	EX44A05
2.l	12	Any condition that would make participant unsuitable for receiving meningococcal ACWY vaccine based upon product information	EX45A05
Exclusion Criteria Entry [sctIE001_02_25]			
2.1	Exclusion Number: [Exclusion Number]	[IESPID_50] [clIESPID_50]	
2.2	Criterion Description: [Criterion Description]	[IETEST_50] [clIETEST_50]	

2.3*	Criterion met? [Criterion met?]	[IEORRES_50] [A:Y] ☐ [cmpIEDESC_50] ☐ YES [IEDESC_50] Describe details if relevant A200 [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [Criterion ID: (For Pfizer use only)]	[IETESTCD_50] [cliIETESTCD_50] v

Key: [*] = Item is required [] = Item is collapsible [] = Fixed item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001_25	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_49	Criterion Description
Item	IEORRES_49	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_49	Describe details of criterion not met if relevant
Item	IETESTCD_49	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST_50	Criterion Description
Item	IEORRES_50	Response to whether Inclusion/Exclusion Criterion was met .
Item	IEDESC_50	Describe details of criterion not met if relevant
Item	IETESTCD_50	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
cliESPID_49	String		1	1	cliIESPID_1	IESPID_49	
			2	2	cliIESPID_2		
			3	3	cliIESPID_3		
			4	4	cliIESPID_4		
			5	5	cliIESPID_5		
			6	6	cliIESPID_6		
cliIETEST_49	String		Must have had prior tetanus vaccination >=5 years before Day 1 of the sub-study	58	cliIETEST_58_1	IETEST_49	
			Evidence of personally signed and dated informed consent document indicating participant has been informed of all pertinent aspects of sub-study. A separate informed consent for sub-study is required	59	cliIETEST_59_1		
			Participants who are willing and able to comply with scheduled procedures for this sub-study	60	cliIETEST_60_1		
			In the preceding time in B7981032, participant is compliant with receiving study intervention and has not missed any dose of study drug for at least 7 consecutive days prior to Day 1 of this sub-study	73	cliIETEST_73		
			Participants are: >=18 to <=55 years, if receiving both vaccines or only meningococcal ACWY vaccine; >=18 to <=64 years , if receiving only Tdap vaccine at the time of consent for sub study	77	cliIETEST_77_1		
			Participants who have received PF-06651600 50 mg QD for >=6 months in Study B7981032 as described in protocol amendment 5 inclusion criteria 2	78	cliIETEST_78		
cliIETESTCD_49	String		IN13A02	311	cliIETESTCD_311_1	IETESTCD_49	
			IN14A02	151	cliIETESTCD_151_1		
			IN15A02	102	cliIETESTCD_102_1		
			IN12A04	354	cliIETESTCD_354		
			IN10A05	163	cliIETESTCD_163		

			IN11A05	452	cliIETESTCD_452	
cliIESPID_50	String		1	1	cliIESPID_1	IESPID_50
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
			11	11	cliIESPID_11	
			12	12	cliIESPID_12	
cliIETEST_50	String		Prior history of meningococcal ACWY vaccination or history of meningococcal disease	61	cliIETEST_61_1	IETEST_50
			History of any severe AE associated with any vaccination	62	cliIETEST_62_1	
			Safety concerns at time of vaccination, including anyone with unresolved laboratory abnormalities meeting monitoring criteria	64	cliIETEST_64_1	
			History of Guillain-Barre syndrome or brachial neuritis	65	cliIETEST_65_1	
			History of Arthus-type hypersensitivity reactions after previous dose of tetanus vaccines	66	cliIETEST_66_1	
			Presence of any unstable neurological conditions or history of seizures	68	cliIETEST_68_1	
			Any other medical or psychiatric condition that may increase risk associated with sub-study participation or vaccine administration or that may interfere with the interpretation of sub-study results	70	cliIETEST_70_1	
			Current febrile illness or other acute illness within 48 hours or receipt of antibiotic for acute illness within 72 hours before sub-study vaccine administration (details in Excl. criterion # 5)	82	cliIETEST_82	
			Hypersensitivity to any component of the Tdap vaccine	83	cliIETEST_83	
			Any condition that would make participant unsuitable for receiving the Tdap vaccine based upon product information	84	cliIETEST_84	
cliIETESTCD_50	String		Hypersensitivity to any component of the meningococcal ACWY vaccine	85	cliIETEST_85	IETESTCD_50
			Any condition that would make participant unsuitable for receiving meningococcal ACWY vaccine based upon product information	86	cliIETEST_86	
			EX32A02	75	cliIETESTCD_75_1	
			EX33A02	179	cliIETESTCD_179_1	
			EX35A02	77	cliIETESTCD_77_1	
			EX36A02	78	cliIETESTCD_78_1	
			EX37A02	79	cliIETESTCD_79_1	
			EX39A02	81	cliIETESTCD_81_1	
			EX41A02	83	cliIETESTCD_83_1	
			EX40A05	453	cliIETESTCD_453	
			EX42A05	454	cliIETESTCD_454	
			EX43A05	455	cliIETESTCD_455	
			EX44A05	456	cliIETESTCD_456	
			EX45A05	457	cliIETESTCD_457	

RDE Analytics: RD_IE001_25		
Data Variable RefName	RD Column Name	Column Data Type
*RD_IE001_25_SCTIE001_01_25		
IESPID_49	IESPID_49_C	VARCHAR2
	IESPID_49	VARCHAR2
	IESPID_49_ND	VARCHAR2
IETEST_49	IETEST_49_C	VARCHAR2
	IETEST_49	VARCHAR2

	IETEST_49_ND	VARCHAR2
IEORRES_49	IEORRES_49_C	VARCHAR2
	IEORRES_49	VARCHAR2
	IEORRES_49_ND	VARCHAR2
IEORRES_49 - IEDESC_49	IEDESC_49	VARCHAR2
IETESTCD_49	IETESTCD_49_C	VARCHAR2
	IETESTCD_49	VARCHAR2
	IETESTCD_49_ND	VARCHAR2
*RD_IE001_25_SCTIE001_02_25		
IESPID_50	IESPID_50_C	VARCHAR2
	IESPID_50	VARCHAR2
	IESPID_50_ND	VARCHAR2
IETEST_50	IETEST_50_C	VARCHAR2
	IETEST_50	VARCHAR2
	IETEST_50_ND	VARCHAR2
IEORRES_50	IEORRES_50_C	VARCHAR2
	IEORRES_50	VARCHAR2
	IEORRES_50_ND	VARCHAR2
IEORRES_50 - IEDESC_50	IEDESC_50	VARCHAR2
IETESTCD_50	IETESTCD_50_C	VARCHAR2
	IETESTCD_50	VARCHAR2
	IETESTCD_50_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: CENTRAL LAB SAMPLE COLLECTION (LAB SUB) [LB001_4]		
1.* ✓	Collection Date: [Date of Specimen Collection]	[LBDAT_8] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2019-2027)
2.* ✓	Fasting? : [Fasting Status]	[LBFAST_3] [A:Y] ☐ YES [A:N] ☐ NO
# ✓	Category for Lab Test	Lab Panel Collected*
3.a	HEMATOLOGY	
3.1 	Lab Panel: [Category for Lab Test]	[LBCAT_8] [A:1] ☐ HEMATOLOGY
3.2* ✓	Was the lab panel collected?: [Lab Panel Collected]	[LBCATYN_3] [A:Y] ☐ YES [A:N] ☐ NO
Key: [*] = Item is required [✓] = Source verification required = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: CENTRAL LAB SAMPLE COLLECTION		
Type	RefName	Description
Form	LB001_4	LB001 - Central Processing (Results Transmitted Electronically)
Item	LBDAT_8	Date of specimen collection.
Item	LBFAST_3	Indicator used to identify fasting status.
Item	LBCAT_8	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBCATYN_3	Lab Panel specimen collected

RDE Analytics: RD_LB001_4		
Data Variable RefName	RD Column Name	Column Data Type
LBDAT_8	LBDAT_8	DATE
	LBDAT_8_DTS	VARCHAR2
	LBDAT_8_ND	VARCHAR2
LBFAST_3	LBFAST_3_C	VARCHAR2
	LBFAST_3	VARCHAR2
	LBFAST_3_ND	VARCHAR2
RD_LB001_4_SCTLB001_02_3		
LBCAT_8	LBCAT_8_C	VARCHAR2
	LBCAT_8	VARCHAR2
	LBCAT_8_ND	VARCHAR2
LBCATYN_3	LBCATYN_3_C	VARCHAR2
	LBCATYN_3	VARCHAR2
	LBCATYN_3_ND	VARCHAR2

B7981032: VACCINATION (VACCINE T) [EC203]		
Vaccination [sctEC203_01]		
1. ✓	AE Identifier: [AE Identifier:]	[ECAENO_1] A100
2.	Treatment Name [read-only] [Treatment Name]	[ECTRT_1] A100
3.	Formulation: [read-only] [Formulation:]	[ECDOSFRM_1] [A:66] ☐ INJECTION
4.* ✓	Dose Date: [Dose Date:]	[ECSTDAT_1] (DD/MM/YYYY) Req / Req / Req (2019-2027)
5.* ✓	Anatomical Location: [Anatomical Location:]	[ECLOC] [A:167] ☐ ARM [A:252] ☐ THIGH [A:295] ☐ HIP
6.* ✓	Body Side: [Body Side:]	[ECLAT] [A:5] ☐ LEFT [A:6] ☐ RIGHT
7.	Route: [read-only] [Route:]	[ECROUTE_1] [A:50] ☐ INTRAMUSCULAR
8.* ✓	Lot Number: [Lot Number]	[ECLOT] A20
9.	Comparison Term [read-only] [Comparison Term]	[COMPTERM_12] A255
10.	Standardized Medication Name - Dictionary Derived. [read-only] [Standardized Medication Name]	[ECDECOD_1] A100
11.	Standardized Medication Code - Dictionary Derived [read-only] [Standardized Medication Code]	[ECCD_1] A11
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: VACCINATION		
Type	RefName	Description
Form	EC203	EC203 - Vaccination
Item	ECAENO_1	Associated Adverse Event Identifier.
Item	ECTRT_1	Name of the study treatment or intervention given per single administration or during the 'constant dosing interval' for the observation.
Item	ECDOSFRM_1	Dose formulation. Examples: TABLET, LOTION.
Item	ECSTDAT_1	Date when constant dosing interval of the study treatment started or single administration occurred.
Item	ECLOC	Specifies anatomical location of administration.
Item	ECLAT	Specifies laterality of administration.
Item	ECROUTE_1	This may be collected if it cannot be derived or if there are multiple options. It may also be pre-printed on the CRF or derived from the protocol.
Item	ECLOT	Lot Number of the investigational product. The Lot Number identifies the manufacturing batch of the study treatment.
Item	COMPTERM_12	Hidden Item needed for clear coding rule.
Item	ECDECOD_1	Standardized Medication Name - Dictionary Derived.

Item	ECCD_1	Standardized Medication Code - Dictionary Derived
------	--------	---

Coding Summary: VACCINATION		
Verbatim RefName: ECTRT_1 Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
ECDECOD_1	PT	Term
ECCD_1	PT	Code

RDE Analytics: RD_EC203		
Data Variable RefName	RD Column Name	Column Data Type
ECAENO_1	ECAENO_1	VARCHAR2
	ECAENO_1_ND	VARCHAR2
ECTRT_1	ECTRT_1	VARCHAR2
	ECTRT_1_ND	VARCHAR2
ECDOSFRM_1	ECDOSFRM_1_C	VARCHAR2
	ECDOSFRM_1	VARCHAR2
	ECDOSFRM_1_ND	VARCHAR2
ECSTDAT_1	ECSTDAT_1	DATE
	ECSTDAT_1_DTS	VARCHAR2
	ECSTDAT_1_ND	VARCHAR2
ECLOC	ECLOC_C	VARCHAR2
	ECLOC	VARCHAR2
	ECLOC_ND	VARCHAR2
ECLAT	ECLAT_C	VARCHAR2
	ECLAT	VARCHAR2
	ECLAT_ND	VARCHAR2
ECROUTE_1	ECROUTE_1_C	VARCHAR2
	ECROUTE_1	VARCHAR2
	ECROUTE_1_ND	VARCHAR2
ECLOT	ECLOT	VARCHAR2
	ECLOT_ND	VARCHAR2
COMPTERM_12	COMPTERM_12	VARCHAR2
	COMPTERM_12_ND	VARCHAR2
ECDECOD_1	ECDECOD_1	VARCHAR2
	ECDECOD_1_ND	VARCHAR2
ECCD_1	ECCD_1	VARCHAR2
	ECCD_1_ND	VARCHAR2

B7981032: VACCINATION (VACCINE M) [EC203_1]		
Vaccination [sctEC203_01_1]		
1. ✓	AE Identifier: [AE Identifier:]	[ECAENO_2] A100
2.	Treatment Name [read-only] [Treatment Name]	[ECTRT_2] A100
3.	Formulation: [read-only] [Formulation:]	[ECDOSFRM_2] [A:66] ☐ INJECTION
4.* ✓	Dose Date: [Dose Date:]	[ECSTDAT_2] (DD/MM/YYYY) Req ▼ / Req ▼ / Req ▼ (2019-2027)
5.* ✓	Anatomical Location: [Anatomical Location:]	[ECLOC_1] [A:167] ☐ ARM [A:252] ☐ THIGH [A:295] ☐ HIP
6.* ✓	Body Side: [Body Side:]	[ECLAT_1] [A:5] ☐ LEFT [A:6] ☐ RIGHT
7.	Route: [read-only] [Route:]	[ECROUTE_2] [A:50] ☐ INTRAMUSCULAR
8.* ✓	Lot Number: [Lot Number]	[ECLOT_1] A20
9.	Comparison Term [read-only] [Comparison Term]	[COMPTERM_13] A255
10.	Standardized Medication Name - Dictionary Derived. [read-only] [Standardized Medication Name]	[ECDECOD_2] A100
11.	Standardized Medication Code - Dictionary Derived [read-only] [Standardized Medication Code]	[ECCD_2] A11
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: VACCINATION		
Type	RefName	Description
Form	EC203_1	EC203 - Vaccination
Item	ECAENO_2	Associated Adverse Event Identifier.
Item	ECTRT_2	Name of the study treatment or intervention given per single administration or during the 'constant dosing interval' for the observation.
Item	ECDOSFRM_2	Dose formulation. Examples: TABLET, LOTION.
Item	ECSTDAT_2	Date when constant dosing interval of the study treatment started or single administration occurred.
Item	ECLOC_1	Specifies anatomical location of administration.
Item	ECLAT_1	Specifies laterality of administration.
Item	ECROUTE_2	This may be collected if it cannot be derived or if there are multiple options. It may also be pre-printed on the CRF or derived from the protocol.
Item	ECLOT_1	Lot Number of the investigational product. The Lot Number identifies the manufacturing batch of the study treatment.
Item	COMPTERM_13	Hidden Item needed for clear coding rule.
Item	ECDECOD_2	Standardized Medication Name - Dictionary Derived.

Item	ECCD_2	Standardized Medication Code - Dictionary Derived
------	--------	---

Coding Summary: VACCINATION		
Verbatim RefName: ECTRT_2		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
ECDECOD_2	PT	Term
ECCD_2	PT	Code

RDE Analytics: RD_EC203_1		
Data Variable RefName	RD Column Name	Column Data Type
ECAENO_2	ECAENO_2	VARCHAR2
	ECAENO_2_ND	VARCHAR2
ECTRT_2	ECTRT_2	VARCHAR2
	ECTRT_2_ND	VARCHAR2
ECDOSFRM_2	ECDOSFRM_2_C	VARCHAR2
	ECDOSFRM_2	VARCHAR2
	ECDOSFRM_2_ND	VARCHAR2
ECSTDAT_2	ECSTDAT_2	DATE
	ECSTDAT_2_DTS	VARCHAR2
	ECSTDAT_2_ND	VARCHAR2
ECLOC_1	ECLOC_1_C	VARCHAR2
	ECLOC_1	VARCHAR2
	ECLOC_1_ND	VARCHAR2
ECLAT_1	ECLAT_1_C	VARCHAR2
	ECLAT_1	VARCHAR2
	ECLAT_1_ND	VARCHAR2
ECROUTE_2	ECROUTE_2_C	VARCHAR2
	ECROUTE_2	VARCHAR2
	ECROUTE_2_ND	VARCHAR2
ECLOT_1	ECLOT_1	VARCHAR2
	ECLOT_1_ND	VARCHAR2
COMPTERM_13	COMPTERM_13	VARCHAR2
	COMPTERM_13_ND	VARCHAR2
ECDECOD_2	ECDECOD_2	VARCHAR2
	ECDECOD_2_ND	VARCHAR2
ECCD_2	ECCD_2	VARCHAR2
	ECCD_2_ND	VARCHAR2

Study Object Descriptions: DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Form	DS006_3_1	Disposition form used for Follow-up
Item	DSSTAT_7	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSDECOD_4	Describes whether a subject completed the study or a portion of a study (epoch) or the reason they did not complete. DSDECOD is the Standardized Disposition Term.
Item	DSTERM_1	A free text field that captures how a subject completed the study or a portion of a study (epoch) or the reason they did not complete. (Or if used with a DECOD list), free text description of the subject's 'Other' status.

Codelist Values Tables: DISPOSITION - FOLLOW-UP						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
clinCOMPLT_4	String		ADVERSE EVENT	1	clinCOMPLT_1	DSDECOD_4
			COMPLETED	2	clinCOMPLT_2	
			DEATH	3	clinCOMPLT_3	
			LACK OF EFFICACY	4	clinCOMPLT_4	
			LOST TO FOLLOW-UP	5	clinCOMPLT_5	
			OTHER	7	clinCOMPLT_7	
			PHYSICIAN DECISION	8	clinCOMPLT_8	
			PREGNANCY	9	clinCOMPLT_9	
			PROTOCOL DEVIATION	11	clinCOMPLT_11	
			STUDY TERMINATED BY SPONSOR	14	clinCOMPLT_14	
			WITHDRAWAL BY SUBJECT	16	clinCOMPLT_16	
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	17	clinCOMPLT_17	

RDE Analytics: RD_DS006_3_1		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDAT_7	DSSTDAT_7	DATE
	DSSTDAT_7_DTS	VARCHAR2
	DSSTDAT_7_ND	VARCHAR2
DSPHASE_7	DSPHASE_7_C	VARCHAR2
	DSPHASE_7	VARCHAR2
	DSPHASE_7_ND	VARCHAR2
DSDECOD_4	DSDECOD_4_C	VARCHAR2
	DSDECOD_4	VARCHAR2
	DSDECOD_4_ND	VARCHAR2
DSTERM_1	DSTERM_1	VARCHAR2

	DSTERM_1_ND	VARCHAR2
--	-------------	----------

B7981032: CONCOMITANT MEDICATIONS (CONDRUG) - Repeating Form [CM301]															
#	Sponsor-Defined Identifier	Category for Medication	Concomitant Medications Pre-specified	Name of Medication	Medication to Treat Adverse Event	Associated AE Identifier	Dose Description	Dose Unit	Dose Frequency	Route	Start Date	Ongoing	Comparison Term	Standardized Medication Name	Standardized Medication Code
1	What is the medication identifier? <i>[read-only]</i> [Sponsor-Defined Identifier]						[CMSPID] A20								
2.*	Category: [Category for Medication]						[CMCAT] [A:1] ☐ GENERAL CONCOMITANT MEDICATIONS [A:10] ☐ PRIMARY DIAGNOSIS [A:35] ☐ ANDROGENETIC ALOPECIA TREATMENT								
3.	Concomitant Medications Pre-specified: <i>[read-only]</i> [Concomitant Medications Pre-specified]						[CMPRESP] [A:N] ☐ NO								
4.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). [Name of Medication]						[CMTRT] A100								
5.*	Was this medication given to treat an Adverse Event? [Medication to Treat Adverse Event]						[CMAER] [A:Y] ☐ YES [A:N] ☐ NO								
6.	AE Identifier: [Associated AE Identifier]						[CMAENO] A200								
7.*	Dose: [Dose Description]						[CMDSTXT] A25								
8.*	Dose Unit: [Dose Unit]						[CMDOSU] [clUNIT_1] ▼								
9.*	Dose Frequency: [Dose Frequency]						[CMDOSFRQ] [clFREQ_2] ▼								
10.*	Route: [Route]						[CMROUTE] [clROUTE_1] ▼								
11.*	Start Date: [Start Date]						[CMSTDAT] (DD/MM/YYYY) Req/Unk ▼ / Req/Unk ▼ / Req ▼ (1920-2027)								
12.*	Ongoing? [Ongoing]						[CMONGO] [A:Y] ☐ YES [A:N] ☐ [cmpCMENDAT] ▢ NO [CMENDAT] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req/Unk ▼ / Req ▼ (1920-2027)								
13.	Comparison Term <i>[read-only]</i> [Comparison Term]						[COMPTERM_6] A255								
14.	Standardized Medication Name - Dictionary derived. <i>[read-only]</i> [Standardized Medication Name]						[CMDECOD] A300								

15.	Standardized Medication Code - Dictionary derived <i>[read-only]</i> [Standardized Medication Code]	[CMCODE] A11
Key: [*] = Item is required [☐] = Item is collapsible [] = Key item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: CONCOMITANT MEDICATIONS		
Type	RefName	Description
Form	CM301	CM201 - Concomitant Medications
Item	CMSPID	A sponsor-defined reference number.
Item	CMCAT	Category for Medication.
Item	CMPRESP	Concomitant Medications Pre-specified
Item	CMTRT	Name of Medication
Item	CMAER	Medication to treat Adverse Event
Item	CMAENO	Identifier for the adverse event(s) for which the medication was taken
Item	CMDSTXT	The dose of medication per administration in character format
Item	CMDOSU	The unit associated with the medication taken
Item	CMDOSFRQ	How often the medication was taken
Item	CMROUTE	The route of administration of the medication
Item	CMSTDAT	Date the medication was first taken
Item	CMONGO	Indicates the medication is ongoing when no End Date is provided
Item	CMENDAT	Date the subject stopped taking the medication
Item	COMPTERM_6	Hidden Item needed for clear coding rule.
Item	CMDECOD	Standardized Medication Name - Dictionary derived.
Item	CMCODE	Standardized Medication Code - Dictionary derived

Keys (navigation)/Uniqueness: CONCOMITANT MEDICATIONS		
Item	Unique	Order #
CM301 (Repeating form)		
sctCM301_01		
CMSTDAT	None	1

Codelist Values Tables: CONCOMITANT MEDICATIONS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliUNIT_1	String		%	5	cliUNIT_5	CMDOSU
			mg	8	cliUNIT_8	
			mL	9	cliUNIT_9	
			ug	43	cliUNIT_43	
			g	45	cliUNIT_45	
			CAPSULE	56	cliUNIT_56	
			INHALATION	67	cliUNIT_67	
			SUPPOSITORY	95	cliUNIT_95	
			Tbsp	97	cliUNIT_97	
			TABLET	98	cliUNIT_98	
			tsp	100	cliUNIT_100	
			IU	109	cliUNIT_109	
			PUFF	130	cliUNIT_130	
			ug/kg	160	cliUNIT_160	

		U	380	cliUNIT_380	
		APPLICATION	441	cliUNIT_441	
		No Unit	611	cliUNIT_611	
		mg/mL	653	cliUNIT_653	
		DROP	689	cliUNIT_689	
		SPRAY	93	cliUNIT_93	
		SCOOPFUL	92	cliUNIT_92	
cliFREQ_2	String	UNKNOWN	1	cliFREQ_1	CMDOSFRQ
		BID	3	cliFREQ_3	
		2 TIMES PER WEEK	4	cliFREQ_4	
		PRN	6	cliFREQ_6	
		QOD	31	cliFREQ_31	
		TID	32	cliFREQ_32	
		EVERY 4 WEEKS	34	cliFREQ_34	
		QID	35	cliFREQ_35	
		EVERY WEEK	44	cliFREQ_44	
		QD	49	cliFREQ_49	
		Q3M	41	cliFREQ_41	
		EVERY 5 WEEKS	69	cliFREQ_69	
		5 TIMES PER WEEK	60	cliFREQ_60	
		BIM	47	cliFREQ_47	
		EVERY 3 WEEKS	39	cliFREQ_39	
		EVERY 6 WEEKS	68	cliFREQ_68	
		Q6M	71	cliFREQ_71	
		Q2M	40	cliFREQ_40	
		EVERY 8 WEEKS	70	cliFREQ_70	
		QM	5	cliFREQ_5	
		ONCE	43	cliFREQ_43	
		EVERY 2 WEEKS	46	cliFREQ_46	
		CONTINUOUS	2	cliFREQ_2	
		Q8H	29	cliFREQ_29	
		3 TIMES PER WEEK	33	cliFREQ_33	
		4 TIMES PER WEEK	36	cliFREQ_36	
		6 TIMES PER WEEK	64	cliFREQ_64	
		PA	67	cliFREQ_67	
		5 TIMES PER MONTH	59	cliFREQ_59	
		3 TIMES PER MONTH	54	cliFREQ_54	
		Q3D	37	cliFREQ_37	
		5 TIMES PER DAY	58	cliFREQ_58	
cliROUTE_1	String	AURICULAR (OTIC)	1	cliROUTE_1	CMROUTE
		CUTANEOUS	4	cliROUTE_4	
		INTRA-ARTICULAR	20	cliROUTE_20	
		INTRALESIONAL	45	cliROUTE_45	
		INTRAMUSCULAR	50	cliROUTE_50	
		INTRAUTERINE	68	cliROUTE_68	
		INTRAVENOUS	70	cliROUTE_70	
		NASAL	79	cliROUTE_79	

			OPHTHALMIC	83	cliROUTE_83
			ORAL	84	cliROUTE_84
			RECTAL	92	cliROUTE_92
			RESPIRATORY (INHALATION)	93	cliROUTE_93
			SUBCUTANEOUS	98	cliROUTE_98
			SUBLINGUAL	99	cliROUTE_99
			TOPICAL	101	cliROUTE_101
			TRANSDERMAL	102	cliROUTE_102
			UNKNOWN	108	cliROUTE_108
			VAGINAL	111	cliROUTE_111
			INTRADERMAL	35	cliROUTE_35
			INTRAPLEURAL	55	cliROUTE_55
			INTRAVESICAL	74	cliROUTE_74

Coding Summary: CONCOMITANT MEDICATIONS		
Verbatim RefName: CMTRT		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
CMDECOD	PT	Term
CMCODE	PT	Code

RDE Analytics: RD_CM301		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID	CMSPID	VARCHAR2
	CMSPID_ND	VARCHAR2
CMCAT	CMCAT_C	VARCHAR2
	CMCAT	VARCHAR2
	CMCAT_ND	VARCHAR2
CMPRESP	CMPRESP_C	VARCHAR2
	CMPRESP	VARCHAR2
	CMPRESP_ND	VARCHAR2
CMTRT	CMTRT	VARCHAR2
	CMTRT_ND	VARCHAR2
CMAER	CMAER_C	VARCHAR2
	CMAER	VARCHAR2
	CMAER_ND	VARCHAR2
CMAENO	CMAENO	VARCHAR2
	CMAENO_ND	VARCHAR2
CMDSTXT	CMDSTXT	VARCHAR2
	CMDSTXT_ND	VARCHAR2
CMDOSU	CMDOSU_C	VARCHAR2
	CMDOSU	VARCHAR2
	CMDOSU_ND	VARCHAR2
CMDOSFRQ	CMDOSFRQ_C	VARCHAR2
	CMDOSFRQ	VARCHAR2
	CMDOSFRQ_ND	VARCHAR2
CMROUTE	CMROUTE_C	VARCHAR2

	CMROUTE	VARCHAR2
	CMROUTE_ND	VARCHAR2
CMSTDAT	CMSTDAT	DATE
	CMSTDAT_DTS	VARCHAR2
	CMSTDAT_DTR	VARCHAR2
	CMSTDAT_ND	VARCHAR2
CMONGO	CMONGO_C	VARCHAR2
	CMONGO	VARCHAR2
	CMONGO_ND	VARCHAR2
CMONGO - CMENDAT	CMENDAT	DATE
	CMENDAT_DTS	VARCHAR2
	CMENDAT_DTR	VARCHAR2
COMPTERM_6	COMPTERM_6	VARCHAR2
	COMPTERM_6_ND	VARCHAR2
CMDECOD	CMDECOD	VARCHAR2
	CMDECOD_ND	VARCHAR2
CMCODE	CMCODE	VARCHAR2
	CMCODE_ND	VARCHAR2

B7981032: ADVERSE EVENT REPORT (AE) - Repeating Form [AE201]

#	Category	AE Identifier	Adjudication Event ID	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Severity	Serious	Is AE a Result of a Medication Error	Relationship to Study Treatment	Action Taken with Study Treatment	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation	Serious Adverse Event Number	Comparison Term	Lowest Level Term	Lowest Level Term Code	Dictionary Derived Term	Preferred Term Code	High Level Term	High Level Term Code
1																							

Record all adverse events regardless of suspected study treatment causality.

1.* ✓	Category: [Category]	[AECAT] [A:1] ☐ ADVERSE EVENT [A:9] ☐ INFECTION [A:11] ☐ NEOPLASM [A:31] ☐ HERPES INFECTION [A:32] ☐ UNEXPLAINED SKIN RASH														
2.	AE ID: <i>[read-only]</i> [AE Identifier]	[AESPID] A20														
3. ✓	PAC / Adjudication Event ID: [Adjudication Event ID]	[AEPACID] A100														
4.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]	[AETERM] A100														
5.* ✓ 	Start Date: [Start Date]	[AESTDAT] (DD/MM/YYYY) Req / Req / Req (2019-2027)														
6.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]	[AEONGO] [A:Y] ☐ YES [A:N] ☐ [cmpAEENDAT] ☐ NO [AEENDAT] (DD/MM/YYYY) End Date: Req / Req / Req (2019-2027)														
7.* ✓	Severity: [Severity]	[AESEV] [A:1] ☐ MILD [A:2] ☐ MODERATE [A:3] ☐ SEVERE														
8.* ✓	Is the adverse event serious? If Yes, NOTIFY SPONSOR IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[AESER] [A:Y] ☐ [cmpAESER_YES] ☐ YES [AESCONG] Is this serious event associated with congenital anomaly or birth defect? [A:Y] ☐ YES [A:N] ☐ NO [AESDISAB] Did this serious event result in persistent or significant disability/incapacity? [A:Y] ☐ YES [A:N] ☐ NO [AESDTH] Did this serious event result in death? [A:Y] ☐ YES [A:N] ☐ NO [AESHOSP] Did this serious event require or prolong hospitalization? [A:Y] ☐ YES [A:N] ☐ NO [AESLIFE] Is this serious event life threatening? [A:Y] ☐ YES														

		[A:N] ☐ NO [AESMIE] Other medically important serious event [A:Y] ☐ YES [A:N] ☐ NO [A:N] ☐ [cmpAESER] ☐ NO [AENSREP] Is this non-serious event reportable? [A:Y] ☐ YES [A:N] ☐ NO
9.* ✓	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	[AERME] [A:Y] ☐ YES [A:N] ☐ NO
10.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL] [A:1] ☐ [cmpAERELNST] ☐ NOT RELATED [AERELNST] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [cmpAERELT] ☐ OTHER [AERELT] If 'Other', specify: A80 [A:4] ☐ DISEASE UNDER STUDY [A:2] ☐ RELATED
11.* ✓	Latest Action Taken with Study Treatment: [Action Taken with Study Treatment]	[AEACN] [A:2] ☐ DOSE NOT CHANGED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
12.* ✓	Was a Concomitant Medication given? If yes, record on the Concomitant Medications page [Concomitant Medication Given]	[AECMGIV] [A:Y] ☐ YES [A:N] ☐ NO
13.* ✓	Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page [Non-Drug Treatment Given]	[AENDGIV] [A:Y] ☐ YES [A:N] ☐ NO
14.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
15.* ✓	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[AEDIS] [A:Y] ☐ YES [A:N] ☐ NO
16.	Serious Adverse Event Number: For Pfizer Use Only <i>[read-only]</i> [Serious Adverse Event Number]	[AEREFID] A20
17.	Comparison Term <i>[read-only]</i> [Comparison Term]	[COMPTERM] A255

18.	Lowest Level Term <i>[read-only]</i> [Lowest Level Term]	[AELLT] A100
19.	Lowest Level Term Code <i>[read-only]</i> [Lowest Level Term Code]	[AELLTCD] A8
20.	Dictionary-Derived Term <i>[read-only]</i> [Dictionary-Derived Term]	[AEDECOD] A100
21.	Preferred Term Code <i>[read-only]</i> [Preferred Term Code]	[AEPTCD] A8
22.	High Level Term <i>[read-only]</i> [High Level Term]	[AEHLT] A100
23.	High Level Term Code <i>[read-only]</i> [High Level Term Code]	[AEHLTCD] A8
24.	High Level Group Term <i>[read-only]</i> [High Level Group Term]	[AEHLGT] A100
25.	High Level Group Term Code <i>[read-only]</i> [High Level Group Term Code]	[AEHLGTCD] A8
26.	Primary System Organ Class <i>[read-only]</i> [Primary System Organ Class]	[AESOC] A100
27.	Primary System Organ Class Code <i>[read-only]</i> [Primary System Organ Class Code]	[AESOCCD] A8

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ADVERSE EVENT REPORT

Type	RefName	Description
Form	AE201	AE201 - Standard AE Page
Item	AECAT	Used to define a category of adverse event variables.
Item	AESPID	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AEPACID	Adjudication Event ID
Item	AETERM	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDAT	Date when the adverse event started.
Item	AEONGO	Indicates AE is ongoing when no End Date is provided.
Item	AEENDAT	Date when the adverse event resolved.
Item	AESEV	Description of the severity of the adverse event.
Item	AESER	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	AERME	Is this adverse event the result of a study/background medication error
Item	AEREL	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	AERELT	Event Due to Other Specify
Item	AEACN	Changes made to the study treatment in response to the adverse event.
Item	AECMGIV	Concomitant Medications Given
Item	AENDGIV	Non-Drug Treatment Given
Item	AEOUT	Description of the subject's status associated with an event.
Item	AEDIS	Indication of whether the adverse event caused the subject to discontinue from the study.

Item	AEREFID	Pfizer internal seious adverse event number
Item	COMPTERM	Hidden Item needed for clear coding rule.
Item	AELLT	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml ext
Item	AEPTCD	Dictionary-derived code for the Preferred Term.
Item	AEHLT	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT		
Item	Unique	Order #
AE201 (Repeating form)		
sctAE201_01		
AESTDAT	None	1

Coding Summary: ADVERSE EVENT REPORT		
Verbatim RefName: AETERM Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC	SOC	Term
AESOCCD	SOC	Code
AEHLGT	HLGT	Term
AEHLGTCD	HLGT	Code
AEHLT	HLT	Term
AEHLTCD	HLT	Code
AEDECOD	PT	Term
AEPTCD	PT	Code
AELLT	LLT	Term
AELLTCD	LLT	Code

RDE Analytics: RD_AE201		
Data Variable RefName	RD Column Name	Column Data Type
AECAT	AECAT_C	VARCHAR2
	AECAT	VARCHAR2
	AECAT_ND	VARCHAR2
AESPID	AESPID	VARCHAR2
	AESPID_ND	VARCHAR2
AEPACID	AEPACID	VARCHAR2
	AEPACID_ND	VARCHAR2
AETERM	AETERM	VARCHAR2
	AETERM_ND	VARCHAR2
AESTDAT	AESTDAT	DATE
	AESTDAT_DTS	VARCHAR2

	AESTDAT_ND	VARCHAR2
AEONGO	AEONGO_C	VARCHAR2
	AEONGO	VARCHAR2
	AEONGO_ND	VARCHAR2
AEONGO - AEENDAT	AEENDAT	DATE
	AEENDAT_DTS	VARCHAR2
AESEV	AESEV_C	VARCHAR2
	AESEV	VARCHAR2
	AESEV_ND	VARCHAR2
AESER	AESER_C	VARCHAR2
	AESER	VARCHAR2
	AESER_ND	VARCHAR2
AESER - AESCONG	AESCONG_C	VARCHAR2
	AESCONG	VARCHAR2
AESER - AESDISAB	AESDISAB_C	VARCHAR2
	AESDISAB	VARCHAR2
AESER - AESDTH	AESDTH_C	VARCHAR2
	AESDTH	VARCHAR2
AESER - AESHOSP	AESHOSP_C	VARCHAR2
	AESHOSP	VARCHAR2
AESER - AESLIFE	AESLIFE_C	VARCHAR2
	AESLIFE	VARCHAR2
AESER - AESMIE	AESMIE_C	VARCHAR2
	AESMIE	VARCHAR2
AESER - AENSREP	AENSREP_C	VARCHAR2
	AENSREP	VARCHAR2
AERME	AERME_C	VARCHAR2
	AERME	VARCHAR2
	AERME_ND	VARCHAR2
AEREL	AEREL_C	VARCHAR2
	AEREL	VARCHAR2
	AEREL_ND	VARCHAR2
AEREL - AERELNST	AERELNST_C	VARCHAR2
	AERELNST	VARCHAR2
AEREL - AERELT	AERELT	VARCHAR2
AEACN	AEACN_C	VARCHAR2
	AEACN	VARCHAR2
	AEACN_ND	VARCHAR2
AECMGIV	AECMGIV_C	VARCHAR2
	AECMGIV	VARCHAR2
	AECMGIV_ND	VARCHAR2
AENDGIV	AENDGIV_C	VARCHAR2
	AENDGIV	VARCHAR2
	AENDGIV_ND	VARCHAR2
AEOUT	AEOUT_C	VARCHAR2
	AEOUT	VARCHAR2
	AEOUT_ND	VARCHAR2

AEDIS	AEDIS_C	VARCHAR2
	AEDIS	VARCHAR2
	AEDIS_ND	VARCHAR2
AEREFID	AEREFID	VARCHAR2
	AEREFID_ND	VARCHAR2
COMPTERM	COMPTERM	VARCHAR2
	COMPTERM_ND	VARCHAR2
AELLT	AELLT	VARCHAR2
	AELLT_ND	VARCHAR2
AELLTCD	AELLTCD	VARCHAR2
	AELLTCD_ND	VARCHAR2
AEDECOD	AEDECOD	VARCHAR2
	AEDECOD_ND	VARCHAR2
AEPTCD	AEPTCD	VARCHAR2
	AEPTCD_ND	VARCHAR2
AEHLT	AEHLT	VARCHAR2
	AEHLT_ND	VARCHAR2
AEHLTCD	AEHLTCD	VARCHAR2
	AEHLTCD_ND	VARCHAR2
AEHLGT	AEHLGT	VARCHAR2
	AEHLGT_ND	VARCHAR2
AEHLGTC	AEHLGTC	VARCHAR2
	AEHLGTC_ND	VARCHAR2
AESOC	AESOC	VARCHAR2
	AESOC_ND	VARCHAR2
AESOCCD	AESOCCD	VARCHAR2
	AESOCCD_ND	VARCHAR2

B7981032: NON-DRUG TREATMENTS (NON-DRUG TREATMENT) - Repeating Form [PR301]																				
#	Category	Treatment Identifier	Con Non-Drug Treatments Pre-specified	Name of Treatment	Non-Drug Treatment to Treat Adverse Event	Associated AE Identifier	Treatment Frequency	Start Date	Ongoing?	Comparison Term	Lowest Level Term	Lowest Level Term Code	Dictionary Derived Term	Preferred Term Code	High Level Term	High Level Term Code	High Level Group Term	High Level Group Term Code	Primary System Organ Class	Primary System Organ Class Code
1.	*	Category: [Category]																		
										[PRCAT] [A:6] ☐ GENERAL NON-DRUG TREATMENT [A:1] ☐ FOR PRIMARY DIAGNOSIS [A:12] ☐ ANDROGENETIC ALOPECIA TREATMENT										
2.		What is the treatment Identifier? <i>[read-only]</i> [Treatment Identifier]																		
										[PRSPID] A20										
3.		Concomitant Non-drug Treatment Pre-specified: <i>[read-only]</i> [Con Non-Drug Treatments Pre-specified]																		
										[PRPRES] [A:N] ☐ NO										
4.	*	Name of Treatment: [Name of Treatment]																		
										[PRTRT] A100										
5.	*	Was this Non-Drug Treatment given to treat an Adverse Event? [Non-Drug Treatment to Treat Adverse Event]																		
										[PRAER] [A:Y] ☐ YES [A:N] ☐ NO										
6.		AE Identifier: [Associated AE Identifier]																		
										[PRAENO] A20										
7.	*	Treatment Frequency: [Treatment Frequency]																		
										[PRDOSFRQ] [cifREQ_6]										
8.	*	Start Date: [Start Date]																		
										[PRSTDAT] (DD/MM/YYYY) Req/Unk / Req/Unk / Req (1920-2027)										
9.	*	Ongoing? [Ongoing?]																		
										[PRONGO] [A:Y] ☐ YES [A:N] ☐ [cmpPRENDAT] ☐ NO [PRENDAT] (DD/MM/YYYY) End Date: Req/Unk / Req/Unk / Req (1920-2027)										
10.		Comparison Term <i>[read-only]</i> [Comparison Term]																		
										[COMPTERM_11] A255										
11.		Lowest Level Term <i>[read-only]</i> [Lowest Level Term]																		
										[PRLLT] A100										
12.		Lowest Level Term Code <i>[read-only]</i> [Lowest Level Term Code]																		
										[PRLLCD] A8										
13.		Dictionary Derived Term <i>[read-only]</i> [Dictionary Derived Term]																		
										[PRDECD] A100										
14.		Preferred Term Code <i>[read-only]</i> [Preferred Term Code]																		
										[PRPTCD] A8										
15.		High Level Term <i>[read-only]</i> [High Level Term]																		
										[PRHLT] A100										

16.	High Level Term Code <i>[read-only]</i> [High Level Term Code]	[PRHLTCD] A8
17.	High Level Group Term <i>[read-only]</i> [High Level Group Term]	[PRHLGT] A100
18.	High Level Group Term Code <i>[read-only]</i> [High Level Group Term Code]	[PRHLGTCD] A8
19.	Primary System Organ Class <i>[read-only]</i> [Primary System Organ Class]	[PRSOC] A100
20.	Primary System Organ Class Code <i>[read-only]</i> [Primary System Organ Class Code]	[PRSOCCD] A8

Key: [*] = Item is required [] = Item is collapsible [🔑] = Key item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: NON-DRUG TREATMENTS		
Type	RefName	Description
Form	PR301	PR301 - Non-Drug Treatments
Item	PRCAT	Category for non-drug treatments given prior to study start or during the study. Default To GENERAL NON_DRUG TREATMENT
Item	PRSPID	A sponsor-defined reference number..
Item	PRPRES	Concomitant non-drug treatments pre-specified
Item	PRTRT	Verbatim name of the treatment.
Item	PRAER	Non-Drgu Treatment to Treat Adverse Event
Item	PRAENO	Identifier of the Adverse Event for which this treatment was given .
Item	PRDOSFRQ	Treatment frequency
Item	PRSTDAT	Date the treatment was started
Item	PRONGO	Indicates the treatment is ongoing when no End Date is provided
Item	PRENDAT	Date the treatment was stopped.
Item	COMPTERM_11	Hidden Item needed for clear coding rule.
Item	PRLLT	Dictionary-derived text description of the Lowest Level Term.
Item	PRLLTCD	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD	Dictionary Derived Term
Item	PRPTCD	Dictionary-derived code for the Preferred Term.
Item	PRHLT	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	PRHLTCD	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	PRHLGT	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	PRHLGTCD	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	PRSOC	Dictionary-derived text description of the primary System Organ Class.
Item	PRSOCCD	Dictionary-derived code for the primary System Organ Class.

Keys (navigation)/Uniqueness: NON-DRUG TREATMENTS		
Item	Unique	Order #
PR301 (Repeating form)		
sctPR301_01		
PRSTDAT	None	1

Codelist Values Tables: NON-DRUG TREATMENTS							

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliFREQ_6	String		UNKNOWN	1	cliFREQ_1	PRDOSFRQ
			BID	3	cliFREQ_3	
			2 TIMES PER WEEK	4	cliFREQ_4	
			PRN	6	cliFREQ_6	
			QOD	31	cliFREQ_31	
			TID	32	cliFREQ_32	
			3 TIMES PER WEEK	33	cliFREQ_33	
			EVERY 4 WEEKS	34	cliFREQ_34	
			QID	35	cliFREQ_35	
			4 TIMES PER WEEK	36	cliFREQ_36	
			ONCE	43	cliFREQ_43	
			EVERY WEEK	44	cliFREQ_44	
			EVERY 2 WEEKS	46	cliFREQ_46	
			QD	49	cliFREQ_49	
			5 TIMES PER WEEK	60	cliFREQ_60	
			6 TIMES PER WEEK	64	cliFREQ_64	
			Q3M	41	cliFREQ_41	
			EVERY 5 WEEKS	69	cliFREQ_69	
			BIM	47	cliFREQ_47	
			EVERY 3 WEEKS	39	cliFREQ_39	
			EVERY 6 WEEKS	68	cliFREQ_68	
			Q6M	71	cliFREQ_71	
			Q2M	40	cliFREQ_40	
			EVERY 8 WEEKS	70	cliFREQ_70	
			QM	5	cliFREQ_5	
			CONTINUOUS	2	cliFREQ_2	
			Q8H	29	cliFREQ_29	

Coding Summary: NON-DRUG TREATMENTS		
Verbatim RefName: PRTRT Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
PRSOC	SOC	Term
PRSOCCD	SOC	Code
PRHLGT	HLGT	Term
PRHLGTCD	HLGT	Code
PRHLT	HLT	Term
PRHLTCD	HLT	Code
PRDECOD	PT	Term
PRPTCD	PT	Code
PRLLT	LLT	Term
PRLLTCD	LLT	Code

RDE Analytics: RD_PR301		
Data Variable RefName	RD Column Name	Column Data Type
PRCAT	PRCAT_C	VARCHAR2

	PRCAT	VARCHAR2
	PRCAT_ND	VARCHAR2
PRSPID	PRSPID	VARCHAR2
	PRSPID_ND	VARCHAR2
PRPRES	PRPRES_C	VARCHAR2
	PRPRES	VARCHAR2
	PRPRES_ND	VARCHAR2
PRTRT	PRTRT	VARCHAR2
	PRTRT_ND	VARCHAR2
PRAER	PRAER_C	VARCHAR2
	PRAER	VARCHAR2
	PRAER_ND	VARCHAR2
PRAENO	PRAENO	VARCHAR2
	PRAENO_ND	VARCHAR2
PRDOSFRQ	PRDOSFRQ_C	VARCHAR2
	PRDOSFRQ	VARCHAR2
	PRDOSFRQ_ND	VARCHAR2
PRSTDAT	PRSTDAT	DATE
	PRSTDAT_DTS	VARCHAR2
	PRSTDAT_DTR	VARCHAR2
	PRSTDAT_ND	VARCHAR2
PRONGO	PRONGO_C	VARCHAR2
	PRONGO	VARCHAR2
	PRONGO_ND	VARCHAR2
PRONGO - PRENDAT	PRENDAT	DATE
	PRENDAT_DTS	VARCHAR2
	PRENDAT_DTR	VARCHAR2
COMPTERM_11	COMPTERM_11	VARCHAR2
	COMPTERM_11_ND	VARCHAR2
PRLLT	PRLLT	VARCHAR2
	PRLLT_ND	VARCHAR2
PRLTCD	PRLTCD	VARCHAR2
	PRLTCD_ND	VARCHAR2
PRDECOD	PRDECOD	VARCHAR2
	PRDECOD_ND	VARCHAR2
PRPTCD	PRPTCD	VARCHAR2
	PRPTCD_ND	VARCHAR2
PRHLT	PRHLT	VARCHAR2
	PRHLT_ND	VARCHAR2
PRHLTCD	PRHLTCD	VARCHAR2
	PRHLTCD_ND	VARCHAR2
PRHLGT	PRHLGT	VARCHAR2
	PRHLGT_ND	VARCHAR2
PRHLGTC	PRHLGTC	VARCHAR2
	PRHLGTC_ND	VARCHAR2
PRSOC	PRSOC	VARCHAR2
	PRSOC_ND	VARCHAR2

PRSOCCD	PRSOCCD	VARCHAR2
	PRSOCCD_ND	VARCHAR2

B7981032: MEDICATION ERROR (MED ERROR) - Repeating Form [AE203]																							
#	Med Error ID	Category	Medication Error	Incorrect package ID	Start Date	Study Medication Errors Action	Concomitant Medication Given	Non-Drug Treatment Given	End Date	Caused Study Discontinuation	Medication Error Associated With AE	Serious Adverse Event Number	Comparison Term	Lowest Level Term	Lowest Level Term Code	Dictionary-Derived Term	Preferred Term Code	High Level Term	High Level Term Code	High Level Group Term	High Level Group Term Code	Primary System Organ Class	Primary System Organ Class Code
1																							
Record all study medication or background medication errors whether or not there is an associated adverse event.																							
1.	Med Error ID: [read-only] [Med Error ID]			[AESPID_1] A20																			
2.	Category: [read-only] [Category]			[AECAT_5] [A:21] ☐ MEDICATION ERROR																			
3.* ✓	Medication Error (Type of Medication Error): [Medication Error]			[AETERM_1] A100																			
4.* ✓	If this is a dispensing error, record the incorrect package ID that was dispensed/administered to the subject: [Incorrect package ID]			[AEINPKG] A10																			
5.* ✓ 	Start Date: [Start Date]			[AESTDAT_1] (DD/MM/YYYY) Req / Req / Req (2019-2027)																			
6.* ✓	Latest Action Taken with Study Treatment: [Study Medication Errors Action]			[AESTDME] [A:1] ☐ NO ACTION TAKEN [A:2] ☐ DOSE CORRECTED [A:3] ☐ TEMPORARILY STOPPED [A:4] ☐ PERMANENTLY DISCONTINUED																			
7.* ✓	Was a Concomitant Medication given? If yes, record on the Concomitant Medications page [Concomitant Medication Given]			[AECMGIV_5] [A:Y] ☐ YES [A:N] ☐ NO																			
8.* ✓	Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page [Non-Drug Treatment Given]			[AENDGIV_5] [A:Y] ☐ YES [A:N] ☐ NO																			
9.* ✓	End Date: [End Date]			[AEENDAT_1] (DD/MM/YYYY) Req / Req / Req (2019-2027)																			
10.* ✓	Did the medication error cause the subject to be discontinued from the study? [Caused Study Discontinuation]			[AEDIS_1] [A:Y] ☐ YES [A:N] ☐ NO																			
11.* ✓	Was this medication error associated with any adverse events? [Medication Error Associated With AE]			[AEMERAE] [A:N] ☐ NO [A:Y] ☐ [cmpAEMERAE] ☐ YES [cmpAESPID] If yes, record the AE ID(s) [AESPID1] [AESPID2] [AESPID3] [AESPID4] [AESPID5] AE ID: AE ID: AE ID: AE ID: AE ID:																			

		A20	A20	A20	A20	A20
12.	Serious Adverse Event Number: For Pfizer Use Only <i>[read-only]</i> [Serious Adverse Event Number]	[AEREFID_5] A20				
13.	Comparison Term <i>[read-only]</i> [Comparison Term]	[COMPTERM_5] A255				
14.	Lowest Level Term <i>[read-only]</i> [Lowest Level Term]	[AELLT_5] A100				
15.	Lowest Level Term Code <i>[read-only]</i> [Lowest Level Term Code]	[AELLTCD_5] A8				
16.	Dictionary-Derived Term <i>[read-only]</i> [Dictionary-Derived Term]	[AEDECOD_5] A100				
17.	Preferred Term Code <i>[read-only]</i> [Preferred Term Code]	[AEPTCD_5] A8				
18.	High Level Term <i>[read-only]</i> [High Level Term]	[AEHLT_5] A100				
19.	High Level Term Code <i>[read-only]</i> [High Level Term Code]	[AEHLTCD_5] A8				
20.	High Level Group Term <i>[read-only]</i> [High Level Group Term]	[AEHLGT_5] A100				
21.	High Level Group Term Code <i>[read-only]</i> [High Level Group Term Code]	[AEHLGTC_5] A8				
22.	Primary System Organ Class <i>[read-only]</i> [Primary System Organ Class]	[AESOC_5] A100				
23.	Primary System Organ Class Code <i>[read-only]</i> [Primary System Organ Class Code]	[AESOCCD_5] A8				
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.						

Study Object Descriptions: MEDICATION ERROR

Type	RefName	Description
Form	AE203	AE203 - Medication Error
Item	AESPID_1	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AECAT_5	Used to define a category of adverse event variables.
Item	AETERM_1	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AEINPKG	Incorrect Package ID

Item	AESTDAT_1	Date when the adverse event started.
Item	AESTDME	Changes made to the study treatment in response to the medication error adverse event.
Item	AECMGIV_5	Concomitant Medications Given
Item	AENDGIV_5	Non-Drug Treatment Given
Item	AEENDAT_1	Date when the event resolved.
Item	AEDIS_1	Indication of whether the Medication Error caused the subject to discontinue from the study.
Item	AEMERAE	Was this medication error associated with any adverse events
Item	AESPID1	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AESPID2	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AESPID3	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AESPID4	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AESPID5	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AEREFID_5	Pfizer internal seious adverse event number
Item	COMPTERM_5	Hidden Item needed for clear coding rule.
Item	AELLT_5	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_5	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_5	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_5	Dictionary-derived code for the Preferred Term.
Item	AEHLT_5	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_5	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_5	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCDD_5	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_5	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_5	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: MEDICATION ERROR		
Item	Unique	Order #
AE203 (Repeating form)		
sctAE203_01		
AESTDAT_1	None	1

Coding Summary: MEDICATION ERROR		
Verbatim RefName: AETERM_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_5	SOC	Term
AESOCCD_5	SOC	Code
AEHLGT_5	HLGT	Term
AEHLGTCDD_5	HLGT	Code
AEHLT_5	HLT	Term
AEHLTCD_5	HLT	Code
AEDECOD_5	PT	Term
AEPTCD_5	PT	Code
AELLT_5	LLT	Term
AELLTCD_5	LLT	Code

RDE Analytics: RD_AE203

Data Variable RefName	RD Column Name	Column Data Type
AESPID_1	AESPID_1	VARCHAR2
	AESPID_1_ND	VARCHAR2
AECAT_5	AECAT_5_C	VARCHAR2
	AECAT_5	VARCHAR2
	AECAT_5_ND	VARCHAR2
AETERM_1	AETERM_1	VARCHAR2
	AETERM_1_ND	VARCHAR2
AEINPKG	AEINPKG	VARCHAR2
	AEINPKG_ND	VARCHAR2
AESTDAT_1	AESTDAT_1	DATE
	AESTDAT_1_DTS	VARCHAR2
	AESTDAT_1_ND	VARCHAR2
AESTDME	AESTDME_C	VARCHAR2
	AESTDME	VARCHAR2
	AESTDME_ND	VARCHAR2
AECMGIV_5	AECMGIV_5_C	VARCHAR2
	AECMGIV_5	VARCHAR2
	AECMGIV_5_ND	VARCHAR2
AENDGIV_5	AENDGIV_5_C	VARCHAR2
	AENDGIV_5	VARCHAR2
	AENDGIV_5_ND	VARCHAR2
AEENDAT_1	AEENDAT_1	DATE
	AEENDAT_1_DTS	VARCHAR2
	AEENDAT_1_ND	VARCHAR2
AEDIS_1	AEDIS_1_C	VARCHAR2
	AEDIS_1	VARCHAR2
	AEDIS_1_ND	VARCHAR2
AEMERAE	AEMERAE_C	VARCHAR2
	AEMERAE	VARCHAR2
	AEMERAE_ND	VARCHAR2
AEMERAE - AESPID1	AESPID1	VARCHAR2
AEMERAE - AESPID2	AESPID2	VARCHAR2
AEMERAE - AESPID3	AESPID3	VARCHAR2
AEMERAE - AESPID4	AESPID4	VARCHAR2
AEMERAE - AESPID5	AESPID5	VARCHAR2
AEREFID_5	AEREFID_5	VARCHAR2
	AEREFID_5_ND	VARCHAR2
COMPTERM_5	COMPTERM_5	VARCHAR2
	COMPTERM_5_ND	VARCHAR2
AELLT_5	AELLT_5	VARCHAR2
	AELLT_5_ND	VARCHAR2
AELLTCD_5	AELLTCD_5	VARCHAR2
	AELLTCD_5_ND	VARCHAR2
AEDECOD_5	AEDECOD_5	VARCHAR2
	AEDECOD_5_ND	VARCHAR2
AEPTCD_5	AEPTCD_5	VARCHAR2

	AEPTCD_5_ND	VARCHAR2
AEHLT_5	AEHLT_5	VARCHAR2
	AEHLT_5_ND	VARCHAR2
AEHLTCD_5	AEHLTCD_5	VARCHAR2
	AEHLTCD_5_ND	VARCHAR2
AEHLGT_5	AEHLGT_5	VARCHAR2
	AEHLGT_5_ND	VARCHAR2
AEHLGTC_5	AEHLGTC_5	VARCHAR2
	AEHLGTC_5_ND	VARCHAR2
AESOC_5	AESOC_5	VARCHAR2
	AESOC_5_ND	VARCHAR2
AESOCCD_5	AESOCCD_5	VARCHAR2
	AESOCCD_5_ND	VARCHAR2

B7981032: PHARMACOKINETICS (POINT) (PHARMACOKINETICS (POINT)) [PKCT001_1]											
1.	Point or Interval Collection <i>[read-only]</i> [Point or Interval Collection]						[PKCOLL_1] [A:1] ☐ POINT				
2.*	Not Done? [Module Not Done]						[PKND_1] [A:1] ☐ NOT DONE [A:2] ☐ DONE				
#	Schedule of Activities - Visit	Body Fluid / Matrix	Sample Not Done	Actual Start Date	Nominal TPD	Actual Start Time	Unique Sample ID	CRF Comments On PK Sample	Verbatim Text of Analyte	Analyte Preferred Term	Anal
3.a	MONTH 1	PLASMA			0 H		1				
3.b	MONTH 1	PLASMA			1 H		2				
3.c	MONTH 3	PLASMA			0 H		3				
3.d	MONTH 3	PLASMA			30 MIN		4				
3.e	MONTH 3	PLASMA			3 H		5				
3.f	UNPLVIS	PLASMA			9001 H		6				
3.g	UNPLVIS	PLASMA			9002 H		7				
3.h	UNPLVIS	PLASMA			9003 H		8				
3.1	Schedule of Activities - Visit [Schedule of Activities - Visit]						[SOAVISIT_1] [A:1] ☐ MONTH 1 [A:2] ☐ MONTH 3 [A:3] ☐ UNPLVIS				
3.2	Body Fluid / Matrix [Body Fluid / Matrix]						[PKBDFLD_1] [A:27] ☐ PLASMA				
3.3	Not Done [Sample Not Done]						[PKSMND_1] [A:1] ☐ NOT DONE [A:2] ☐ DONE				
3.4	Date [Actual Start Date]						[PKADT_1] (DD/MM/YYYY) Req / Req / Req (2019-2027)				
3.5	Time Post Dose [Nominal TPD]						[PKPTM_1] [clTPT_3]				
3.6	Actual Time [Actual Start Time]						[PKATM_1] (hh:mm) Req : Req 24-hour clock				
3.7	Unique Sample ID [Unique Sample ID]						[PKUSMID_1] [clPKUSMID_1]				
3.8	Comments (Keep brief and legible) [CRF Comments On PK Sample]						[PKCOMC_1] A200				
3.9	Analyte: <i>[read-only]</i> [Verbatim Text of Analyte]						[PKTERM_1] A200				
3.10	Analyte Preferred Term: <i>[read-only]</i> [Analyte Preferred Term]						[PKDECOD_1] A80				
3.11	Analyte WHODrug Code: <i>[read-only]</i> [Analyte WHODrug Code:]						[PKCODE_1] A11				
3.12	Comparison Term <i>[read-only]</i> [Comparison Term]						[COMPTERM_10] A255				

Key: [*] = Item is required  = Fixed item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS (POINT)		
Type	RefName	Description
Form	PKCT001_1	PHARMACOKINETICS (POINT)
Item	COMPTERM_10	Hidden Item needed for clear coding rule.

Codelist Values Tables: PHARMACOKINETICS (POINT)						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliTPT_3	String		30 MIN	6	cliTPT_6	PKPTM_1
			0 H	15	cliTPT_15	
			1 H	16	cliTPT_16	
			3 H	23	cliTPT_23	
			9001 H	62	cliTPT_62	
			9002 H	63	cliTPT_63	
			9003 H	64	cliTPT_64	
cliPKUSMID_1	String		1	1	cliPKUSMID_1	PKUSMID_1
			2	2	cliPKUSMID_2	
			3	3	cliPKUSMID_3	
			4	4	cliPKUSMID_4	
			5	5	cliPKUSMID_5	
			6	6	cliPKUSMID_6	
			7	7	cliPKUSMID_7	
			8	8	cliPKUSMID_8	

Coding Summary: PHARMACOKINETICS (POINT)		
Verbatim RefName: PKTERM_1 Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
PKDECOD_1	PT	Term
PKCODE_1	PT	Code

RDE Analytics: RD_PKCT001_1		
Data Variable RefName	RD Column Name	Column Data Type
PKCOLL_1	PKCOLL_1_C	VARCHAR2
	PKCOLL_1	VARCHAR2
	PKCOLL_1_ND	VARCHAR2
PKND_1	PKND_1_C	VARCHAR2
	PKND_1	VARCHAR2
	PKND_1_ND	VARCHAR2
*RD_PKCT001_1_SCTPK1QG1_02_1		
SOAVISIT_1	SOAVISIT_1_C	VARCHAR2
	SOAVISIT_1	VARCHAR2
	SOAVISIT_1_ND	VARCHAR2
PKBDFLD_1	PKBDFLD_1_C	VARCHAR2
	PKBDFLD_1	VARCHAR2

	PKBDFLD_1_ND	VARCHAR2
PKSMND_1	PKSMND_1_C	VARCHAR2
	PKSMND_1	VARCHAR2
	PKSMND_1_ND	VARCHAR2
PKADT_1	PKADT_1	DATE
	PKADT_1_DTS	VARCHAR2
	PKADT_1_ND	VARCHAR2
PKPTM_1	PKPTM_1_C	VARCHAR2
	PKPTM_1	VARCHAR2
	PKPTM_1_ND	VARCHAR2
PKATM_1	PKATM_1	DATE
	PKATM_1_TMS	VARCHAR2
	PKATM_1_ND	VARCHAR2
PKUSMID_1	PKUSMID_1_C	VARCHAR2
	PKUSMID_1	VARCHAR2
	PKUSMID_1_ND	VARCHAR2
PKCOMC_1	PKCOMC_1	VARCHAR2
	PKCOMC_1_ND	VARCHAR2
PKTERM_1	PKTERM_1	VARCHAR2
	PKTERM_1_ND	VARCHAR2
PKDECOD_1	PKDECOD_1	VARCHAR2
	PKDECOD_1_ND	VARCHAR2
PKCODE_1	PKCODE_1	VARCHAR2
	PKCODE_1_ND	VARCHAR2
COMPTERM_10	COMPTERM_10	VARCHAR2
	COMPTERM_10_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: SUBJECT STATUS (SUBJECT STATUS) [DS_SLOPD]		
1.	Subject Status <i>[read-only]</i> [Subject Status]	[DS_STAT] [cIDS_STAT] 
2.	Subject Status Date <i>[read-only]</i> [Status Date]	[DS_DAT] (DD/MM/YYYY) Req  / Req  / Req  (2019-2027)
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: SUBJECT STATUS		
Type	RefName	Description
Form	DS_SLOPD	DS_SLOPD - Subject Status

Codelist Values Tables: SUBJECT STATUS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cIDS_STAT	String		SCREENED	1	cliScreened	DS_STAT
			SCREEN FAIL	2	cliScrnFail	
			ENROLLED/RANDOMIZED	3	cliRandomized	
			DISCONTINUED	4	cliDiscontinued	
			COMPLETED	5	cliCompleted	
			FOLLOW-UP	6	cliFollowUp	

RDE Analytics: RD_DS_SLOPD		
Data Variable RefName	RD Column Name	Column Data Type
DS_STAT	DS_STAT_C	VARCHAR2
	DS_STAT	VARCHAR2
	DS_STAT_ND	VARCHAR2
DS_DAT	DS_DAT	DATE
	DS_DAT_DTS	VARCHAR2
	DS_DAT_ND	VARCHAR2

B7981032: UNPLANNED VISIT (UNPL) [UNPL]		
Date of Visit [sctDOV_01]		
1.*	Date of Visit [Date of Visit]	[DOVDAT] (DD/MM/YYYY) Req / Req / Req (2019-2027)
Assessments [sctUNPL_02]		
2.*	Assessments [Assessments]	[UNPLASS] [A:1] ☐ COMPLETE PE_2 [A:2] ☐ TANNER STAGE ASSESSMENT [A:3] ☐ VITAL SIGNS_W/H [A:4] ☐ ECG [A:5] ☐ HEARING EVALUATION [A:6] ☐ TUBERCULOSIS TESTING [A:7] ☐ SEVERITY OF ALOPECIA TOOL_OVERALL [A:8] ☐ SEVERITY OF ALOPECIA TOOL_AGA [A:9] ☐ HAMILTON-NORWOOD SCALE FOR ANDROGENETIC ALOPECIA [A:10] ☐ EYEBROW ASSESSMENT [A:11] ☐ EYELASH ASSESSMENT [A:12] ☐ FINGERNAIL ASSESSMENT [A:13] ☐ PHOTOGRAPHY [A:14] ☐ CLINICIAN GLOBAL IMPRESSION [A:15] ☐ SLV_IDEATION_CSSR [A:16] ☐ SLV_INTENSITY OF IDEATION_CSSR [A:17] ☐ SLV_BEHAVIOR_CSSR [A:18] ☐ HOSPITAL ANXIETY AND DEPRESSION SCALE [A:19] ☐ PHQ-8 [A:20] ☐ ALOPECIA AREATA RESOURCE UTILIZATION [A:21] ☐ ALOPECIA AREATA PATIENT PRIORITY OUTCOMES [A:22] ☐ EQ-5D-5L [A:23] ☐ EQ-5D-Y [A:24] ☐ PATIENTS GLOBAL IMPRESSION OF CHANGE [A:25] ☐ PATIENTS IMPRESSION OF SATISFACTION [A:26] ☐ SF36V2 ACUTE [A:27] ☐ WORK PRODUCTIVITY AND ACTIVITY IMPAIRMENT QUESTIONNAIRE [A:28] ☐ CENTRAL LAB [A:29] ☐ CHEM_LOCAL LAB [A:30] ☐ HEM_LOCAL LAB [A:31] ☐ URIN_LOCAL LAB [A:32] ☐ PREGNANCY_URINE [A:33] ☐ PREGNANCY_HOME PREGNANCY [A:34] ☐ TELEPHONE CONTACT [A:35] ☐ PREMENARCHAL CHECK [A:36] ☐ RASH ASSESSMENT [A:37] ☐ HERPES ZOSTER DETAILS [A:38] ☐ INFECTIONS [A:39] ☐ BIOPSY SAMPLE [A:40] ☐ BRIEF2 [A:41] ☐ MOST RECENT DOSE PRIOR TO CLINIC [A:42] ☐ IN_CLINIC DOSE [A:43] ☐ PREGNANCY_SERUM [A:44] ☐ STUDY TREATMENT
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: UNPLANNED VISIT		
Type	RefName	Description
Item	DOVDAT	Date of Visit

Item	UNPLASS	Unplanned Assessments
------	---------	-----------------------

RDE Analytics: RD_UNPL		
Data Variable RefName	RD Column Name	Column Data Type
DOVDAT	DOVDAT	DATE
	DOVDAT_DTS	VARCHAR2
	DOVDAT_ND	VARCHAR2
UNPLASS	UNPLASS_ND	VARCHAR2
UNPLASS - COMPLETE PE_2	UNPLASS_CLIUNPLASS1_C	VARCHAR2
	UNPLASS_CLIUNPLASS1	VARCHAR2
UNPLASS - TANNER STAGE ASSESSMENT	UNPLASS_CLIUNPLASS2_C	VARCHAR2
	UNPLASS_CLIUNPLASS2	VARCHAR2
UNPLASS - VITAL SIGNS_W/H	UNPLASS_CLIUNPLASS3_C	VARCHAR2
	UNPLASS_CLIUNPLASS3	VARCHAR2
UNPLASS - ECG	UNPLASS_CLIUNPLASS4_C	VARCHAR2
	UNPLASS_CLIUNPLASS4	VARCHAR2
UNPLASS - HEARING EVALUATION	UNPLASS_CLIUNPLASS5_C	VARCHAR2
	UNPLASS_CLIUNPLASS5	VARCHAR2
UNPLASS - TUBERCULOSIS TESTING	UNPLASS_CLIUNPLASS6_C	VARCHAR2
	UNPLASS_CLIUNPLASS6	VARCHAR2
UNPLASS - SEVERITY OF ALOPECIA TOOL_OVERALL	UNPLASS_CLIUNPLASS7_C	VARCHAR2
	UNPLASS_CLIUNPLASS7	VARCHAR2
UNPLASS - SEVERITY OF ALOPECIA TOOL_AGA	UNPLASS_CLIUNPLASS8_C	VARCHAR2
	UNPLASS_CLIUNPLASS8	VARCHAR2
UNPLASS - HAMILTON-NORWOOD SCALE FOR ANDROGENETIC ALOPECIA	UNPLASS_CLIUNPLASS9_C	VARCHAR2
	UNPLASS_CLIUNPLASS9	VARCHAR2
UNPLASS - EYEBROW ASSESSMENT	UNPLASS_CLIUNPLASS10_C	VARCHAR2
	UNPLASS_CLIUNPLASS10	VARCHAR2
UNPLASS - EYELASH ASSESSMENT	UNPLASS_CLIUNPLASS11_C	VARCHAR2
	UNPLASS_CLIUNPLASS11	VARCHAR2
UNPLASS - FINGERNAIL ASSESSMENT	UNPLASS_CLIUNPLASS12_C	VARCHAR2
	UNPLASS_CLIUNPLASS12	VARCHAR2
UNPLASS - PHOTOGRAPHY	UNPLASS_CLIUNPLASS13_C	VARCHAR2
	UNPLASS_CLIUNPLASS13	VARCHAR2
UNPLASS - CLINICIAN GLOBAL IMPRESSION	UNPLASS_CLIUNPLASS14_C	VARCHAR2
	UNPLASS_CLIUNPLASS14	VARCHAR2
UNPLASS - SLV_IDEATION_CSSR	UNPLASS_CLIUNPLASS15_C	VARCHAR2
	UNPLASS_CLIUNPLASS15	VARCHAR2
UNPLASS - SLV_INTENSITY OF IDEATION_CSSR	UNPLASS_CLIUNPLASS16_C	VARCHAR2
	UNPLASS_CLIUNPLASS16	VARCHAR2
UNPLASS - SLV_BEHAVIOR_CSSR	UNPLASS_CLIUNPLASS17_C	VARCHAR2
	UNPLASS_CLIUNPLASS17	VARCHAR2
UNPLASS - HOSPITAL ANXIETY AND DEPRESSION SCALE	UNPLASS_CLIUNPLASS18_C	VARCHAR2
	UNPLASS_CLIUNPLASS18	VARCHAR2
UNPLASS - PHQ-8	UNPLASS_CLIUNPLASS19_C	VARCHAR2
	UNPLASS_CLIUNPLASS19	VARCHAR2
UNPLASS - ALOPECIA AREATA RESOURCE UTILIZATION	UNPLASS_CLIUNPLASS20_C	VARCHAR2

	UNPLASS_CLIUNPLASS20	VARCHAR2
UNPLASS - ALOPECIA AREATA PATIENT PRIORITY OUTCOMES	UNPLASS_CLIUNPLASS21_C	VARCHAR2
	UNPLASS_CLIUNPLASS21	VARCHAR2
UNPLASS - EQ-5D-5L	UNPLASS_CLIUNPLASS22_C	VARCHAR2
	UNPLASS_CLIUNPLASS22	VARCHAR2
UNPLASS - EQ-5D-Y	UNPLASS_CLIUNPLASS23_C	VARCHAR2
	UNPLASS_CLIUNPLASS23	VARCHAR2
UNPLASS - PATIENTS GLOBAL IMPRESSION OF CHANGE	UNPLASS_CLIUNPLASS24_C	VARCHAR2
	UNPLASS_CLIUNPLASS24	VARCHAR2
UNPLASS - PATIENTS IMPRESSION OF SATISFACTION	UNPLASS_CLIUNPLASS25_C	VARCHAR2
	UNPLASS_CLIUNPLASS25	VARCHAR2
UNPLASS - SF36V2 ACUTE	UNPLASS_CLIUNPLASS26_C	VARCHAR2
	UNPLASS_CLIUNPLASS26	VARCHAR2
UNPLASS - WORK PRODUCTIVITY AND ACTIVITY IMPAIRMENT QUESTIONNAIRE	UNPLASS_CLIUNPLASS27_C	VARCHAR2
	UNPLASS_CLIUNPLASS27	VARCHAR2
UNPLASS - CENTRAL LAB	UNPLASS_CLIUNPLASS28_C	VARCHAR2
	UNPLASS_CLIUNPLASS28	VARCHAR2
UNPLASS - CHEM_LOCAL LAB	UNPLASS_CLIUNPLASS29_C	VARCHAR2
	UNPLASS_CLIUNPLASS29	VARCHAR2
UNPLASS - HEM_LOCAL LAB	UNPLASS_CLIUNPLASS30_C	VARCHAR2
	UNPLASS_CLIUNPLASS30	VARCHAR2
UNPLASS - URIN_LOCAL LAB	UNPLASS_CLIUNPLASS31_C	VARCHAR2
	UNPLASS_CLIUNPLASS31	VARCHAR2
UNPLASS - PREGNANCY_URINE	UNPLASS_CLIUNPLASS32_C	VARCHAR2
	UNPLASS_CLIUNPLASS32	VARCHAR2
UNPLASS - PREGNANCY_HOME PREGNANCY	UNPLASS_CLIUNPLASS33_C	VARCHAR2
	UNPLASS_CLIUNPLASS33	VARCHAR2
UNPLASS - TELEPHONE CONTACT	UNPLASS_CLIUNPLASS34_C	VARCHAR2
	UNPLASS_CLIUNPLASS34	VARCHAR2
UNPLASS - PREMENARCHAL CHECK	UNPLASS_CLIUNPLASS35_C	VARCHAR2
	UNPLASS_CLIUNPLASS35	VARCHAR2
UNPLASS - RASH ASSESSMENT	UNPLASS_CLIUNPLASS36_C	VARCHAR2
	UNPLASS_CLIUNPLASS36	VARCHAR2
UNPLASS - HERPES ZOSTER DETAILS	UNPLASS_CLIUNPLASS37_C	VARCHAR2
	UNPLASS_CLIUNPLASS37	VARCHAR2
UNPLASS - INFECTIONS	UNPLASS_CLIUNPLASS38_C	VARCHAR2
	UNPLASS_CLIUNPLASS38	VARCHAR2
UNPLASS - BIOPSY SAMPLE	UNPLASS_CLIUNPLASS39_C	VARCHAR2
	UNPLASS_CLIUNPLASS39	VARCHAR2
UNPLASS - BRIEF2	UNPLASS_CLIUNPLASS40_C	VARCHAR2
	UNPLASS_CLIUNPLASS40	VARCHAR2
UNPLASS - MOST RECENT DOSE PRIOR TO CLINIC	UNPLASS_CLIUNPLASS41_C	VARCHAR2
	UNPLASS_CLIUNPLASS41	VARCHAR2
UNPLASS - IN_CLINIC DOSE	UNPLASS_CLIUNPLASS42_C	VARCHAR2
	UNPLASS_CLIUNPLASS42	VARCHAR2
UNPLASS - PREGNANCY_SERUM	UNPLASS_CLIUNPLASS43_C	VARCHAR2
	UNPLASS_CLIUNPLASS43	VARCHAR2

UNPLASS - STUDY TREATMENT	UNPLASS_CLIUNPLASS44_C	VARCHAR2
	UNPLASS_CLIUNPLASS44	VARCHAR2

B7981032: LABORATORY DATA - CHEMISTRY (CHEM_LOCAL LAB) [LB002_CHEM]						
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_1] [A:2] ☐ CLINICAL CHEMISTRY				
2.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_1] [A:4] ☐ BLOOD				
3.	Laboratory Name and Address: <i>[read-only]</i> [Vendor Name]	[LBNAM_1] A200				
4.	Laboratory Name and Address (Derived) <i>[read-only]</i> [Vendor Name (DERIVED)]	[LBNAMD_1] A200				
5.* ✓	Lab ID [Lab ID]	[LBUID_1] A50				
6.* ✓	Collection Date: [Date of Specimen Collection]	[LBDAT_1] (DD/MM/YYYY) Req v / Req v / Req v (2019-2027)				
# ✓	Sponsor-Defined Identifier	Test:	Result:	Clinically Significant?:	Not Done:	LNMT
7.a		Bilirubin_PX21				
7.b		Direct Bilirubin_PX22				
7.c		Indirect Bilirubin_PX23				
7.d		Protein_PX24				
7.e		Albumin_PX25				
7.f		Aspartate Aminotransferase_PX28				
7.g		Creatine Kinase_PX29				
7.h		Alanine Aminotransferase_PX30				
7.i		Gamma Glutamyl Transferase_PX31				
7.j		Alkaline Phosphatase_PX35				
7.k		Urea_PX46				
7.l		Blood Urea Nitrogen_PX47				
7.m		Creatinine_PX48				
7.n		Urate_PX50				
7.o		Sodium_PX54				
7.p		Potassium_PX55				
7.q		Chloride_PX56				
7.r		Bicarbonate_PX57				
7.s		Calcium_PX58				
7.t		Glucose_PX68				
7.u		Creatine Kinase BB_PX156				
7.v		Creatine Kinase MB_PX157				
7.w		Creatine Kinase MM_PX158				
7.x		Follicle Stimulating Hormone_PX387				
7.y		Bile Acid_PX542				
7.z		Choriogonadotropin Beta_PX701				
7.aa		CK Isoenzyme 2 (% of Tot)_PX1271				
7.ab		CK Isoenzyme 1 (% of Tot)_PX1296				
7.ac		CK Isoenzyme 3 (% of Tot)_PX1297				

7.ad		Acetaminophen_PX2633				
7.ae		Acetaminophen Protein Adduct_PX6765				
7.af		Cholesterol_PX350				
7.ag		LDL Cholesterol_PX172				
7.ah		HDL Cholesterol_PX173				
7.ai		Triglycerides_PX64				
7.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_1] N8				
7.2	Test: <i>[read-only]</i> [Test:]	[LBTEST_1] [ciLBTEST_1] ▾				
7.3	Result: ✓ [Result:]	[LBORRES_1] A30				
7.4	Clinically Significant?: ✓ [Clinically Significant?:]	[LBCLSIG_1] [A:Y] ☐ [cmpLBCOM_1] ▢ YES [LBCOM_1] Comment on Significant Finding: A200 [A:N] ☐ NO				
7.5	Not Done: ✓ [Not Done:]	[LBSTAT_1] [A:1] ☐ NOT DONE				
7.6	LNMT <i>[read-only]</i> [LNMT]	[cmpLNMT] [LNMTLOW] Low A20 [LNMTHIGH] High A20 [LNMTUNIT] Unit A20 [LNMTFLAG] Flag A20				
Key: [*] = Item is required [✓] = Source verification required [▢] = Item is collapsible [🔒] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.						

Study Object Descriptions: LABORATORY DATA - CHEMISTRY		
Type	RefName	Description
Item	LBCAT_1	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).. Default To HEMATOLOGY
Item	LBSPEC_1	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBNAM_1	The name or identifier of the laboratory that performed the test.
Item	LBUID_1	Field needed for LNMT integration
Item	LBDAT_1	Date of specimen collection.
Item	LBSPID_1	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_1	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBORRES_1	Result of the measurement or finding as originally received or collected.
Item	LBCLSIG_1	Whether lab test result(s) were clinically significant.
Item	LBCOM_1	Investigator comment on lab test results of clinical significance.

Item	LBSTAT_1	Used to indicate test was not done.
Item	LNMTLOW	LNMT field
Item	LNMTHIGH	LNMT field
Item	LNMTUNIT	LNMT field
Item	LNMTFLAG	LNMT field

Codelist Values Tables: LABORATORY DATA - CHEMISTRY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliLBTEST_1	String		Bilirubin_PX21	21	cliLBTEST_21	LBTEST_1
			Direct Bilirubin_PX22	22	cliLBTEST_22	
			Indirect Bilirubin_PX23	23	cliLBTEST_23	
			Protein_PX24	24	cliLBTEST_24	
			Albumin_PX25	25	cliLBTEST_25	
			Aspartate Aminotransferase_PX28	28	cliLBTEST_28	
			Creatine Kinase_PX29	29	cliLBTEST_29	
			Alanine Aminotransferase_PX30	30	cliLBTEST_30	
			Gamma Glutamyl Transferase_PX31	31	cliLBTEST_31	
			Alkaline Phosphatase_PX35	35	cliLBTEST_35	
			Urea_PX46	46	cliLBTEST_46	
			Blood Urea Nitrogen_PX47	47	cliLBTEST_47	
			Creatinine_PX48	48	cliLBTEST_48	
			Urate_PX50	50	cliLBTEST_50	
			Sodium_PX54	54	cliLBTEST_54	
			Potassium_PX55	55	cliLBTEST_55	
			Chloride_PX56	56	cliLBTEST_56	
			Bicarbonate_PX57	57	cliLBTEST_57	
			Calcium_PX58	58	cliLBTEST_58	
			Glucose_PX68	68	cliLBTEST_68	
			Creatine Kinase BB_PX156	156	cliLBTEST_156	
			Creatine Kinase MB_PX157	157	cliLBTEST_157	
			Creatine Kinase MM_PX158	158	cliLBTEST_158	
			Follicle Stimulating Hormone_PX387	387	cliLBTEST_387	
			Bile Acid_PX542	542	cliLBTEST_542	
			Choriogonadotropin Beta_PX701	701	cliLBTEST_701	
			CK Isoenzyme 2 (% of Tot)_PX1271	1271	cliLBTEST_1271	
			CK Isoenzyme 1 (% of Tot)_PX1296	1296	cliLBTEST_1296	
			CK Isoenzyme 3 (% of Tot)_PX1297	1297	cliLBTEST_1297	
			Acetaminophen_PX2633	2633	cliLBTEST_2633	
			Acetaminophen Protein Adduct_PX6765	6765	cliLBTEST_6765	
			Cholesterol_PX350	350	cliLBTEST_350	
			LDL Cholesterol_PX172	172	cliLBTEST_172	
			HDL Cholesterol_PX173	173	cliLBTEST_173	
			Triglycerides_PX64	64	cliLBTEST_64	

RDE Analytics: RD_LB002_CHEM		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_1	LBCAT_1_C	VARCHAR2

	LBCAT_1	VARCHAR2
	LBCAT_1_ND	VARCHAR2
LBSPEC_1	LBSPEC_1_C	VARCHAR2
	LBSPEC_1	VARCHAR2
	LBSPEC_1_ND	VARCHAR2
LBNAM_1	LBNAM_1	VARCHAR2
	LBNAM_1_ND	VARCHAR2
LBNAMD_1	LBNAMD_1	VARCHAR2
	LBNAMD_1_ND	VARCHAR2
LBUID_1	LBUID_1	VARCHAR2
	LBUID_1_ND	VARCHAR2
LBDAT_1	LBDAT_1	DATE
	LBDAT_1_DTS	VARCHAR2
	LBDAT_1_ND	VARCHAR2
RD_LB002_CHEM_SCTLB002_06		
LBSPID_1	LBSPID_1	NUMBER
	LBSPID_1_ND	VARCHAR2
LBTEST_1	LBTEST_1_C	VARCHAR2
	LBTEST_1	VARCHAR2
	LBTEST_1_ND	VARCHAR2
LBORRES_1	LBORRES_1	VARCHAR2
	LBORRES_1_ND	VARCHAR2
LBCLSIG_1	LBCLSIG_1_C	VARCHAR2
	LBCLSIG_1	VARCHAR2
	LBCLSIG_1_ND	VARCHAR2
LBCLSIG_1 - LBCOM_1	LBCOM_1	VARCHAR2
LBSTAT_1	LBSTAT_1_C	VARCHAR2
	LBSTAT_1	VARCHAR2
	LBSTAT_1_ND	VARCHAR2
cmpLNMT	CMPLNMT_ND	VARCHAR2
cmpLNMT - LNMTLOW	LNMTLOW	VARCHAR2
cmpLNMT - LNMTHIGH	LNMTHIGH	VARCHAR2
cmpLNMT - LNMTUNIT	LNMTUNIT	VARCHAR2
cmpLNMT - LNMTFLAG	LNMTFLAG	VARCHAR2

B7981032: LABORATORY DATA - HEMATOLOGY (HEM_LOCAL LAB) [LB002_HEM]						
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_2] [A:1] ☐ HEMATOLOGY				
2.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_2] [A:4] ☐ BLOOD				
3.	Laboratory Name and Address: <i>[read-only]</i> [Vendor Name]	[LBNAM_2] A200				
4.	Laboratory Name and Address (Derived) <i>[read-only]</i> [Vendor Name (DERIVED)]	[LBNAMD_2] A200				
5.* ✓	Lab ID [Lab ID]	[LBUID_2] A50				
6.* ✓	Collection Date: [Date of Specimen Collection]	[LBDAT_2] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2019-2027)				
# ✓	Sponsor-Defined Identifier	Test:	Result:	Clinically Significant?:	Not Done:	LNMT
7.a		Hemoglobin_PX1				
7.b		Hematocrit_PX2				
7.c		Erythrocytes_PX3				
7.d		Reticulocytes/Erythrocytes_PX4				
7.e		Platelets_PX5				
7.f		Leukocytes_PX7				
7.g		Neutrophils/Leukocytes_PX8				
7.h		Eosinophils/Leukocytes_PX9				
7.i		Basophils/Leukocytes_PX10				
7.j		Lymphocytes/Leukocytes_PX11				
7.k		Monocytes/Leukocytes_PX12				
7.l		Ery. Mean Corpuscular Volume_PX15				
7.m		Ery. Mean Corpuscular Hemoglobin_PX16				
7.n		Ery. Mean Corpuscular HGB Concentration_PX17				
7.o		Prothrombin Time_PX19				
7.p		Activated Partial Thromboplastin Time_PX127				
7.q		Erythrocyte Cell Morphology_PX320				
7.r		Neutrophils_PX608				
7.s		Eosinophils_PX609				
7.t		Basophils_PX610				
7.u		Lymphocytes_PX611				
7.v		Monocytes_PX612				
7.w		Prothrombin Intl. Normalized Ratio_PX704				
7.x		Reticulocytes_PX877				
7.y		Lymph Act Marker CD4 ABS_PX1020				
7.z		Lymph Act Marker CD8 ABS_PX1024				
7.aa		Lymph Act Marker CD8 %_PX1452				
7.ab		Lymph Act Marker CD4 %_PX1455				
7.ac		Lymphocyte Marker CD3 (Absolute)_PX5024				

7.ad		Lymphocyte Marker CD3 %_PX6667				
7.ae		Lymphocyte Marker CD16+56 %_PX6668				
7.af		Lymphocyte Marker CD19 %_PX6669				
7.ag		CD19_PX6817				
7.ah		CD16+56 Cell Count ABS_PX6818				
7.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]		[LBSPID_2] N8			
7.2	Test: <i>[read-only]</i> [Test:]		[LBTEST_2] [cLBTEST_2]			
7.3	Result: ✓ [Result:]		[LBORRES_2] A30			
7.4	Clinically Significant?: ✓ [Clinically Significant?:]		[LBCLSIG_2] [A:Y] ☐ [cmpLBCOM_2] ☐ YES [LBCOM_2] Comment on Significant Finding: A200 [A:N] ☐ NO			
7.5	Not Done: ✓ [Not Done:]		[LBSTAT_2] [A:1] ☐ NOT DONE			
7.6	LNMT <i>[read-only]</i> [LNMT]		[cmpLNMT] Low A20	[LNMTHIGH] High A20	[LNMTUNIT] Unit A20	[LNMTFLAG] Flag A20

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [☐] = Fixed item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: LABORATORY DATA - HEMATOLOGY		
Type	RefName	Description
Form	LB002_HEM	LB002 - Local Processing (Results Recorded Directly on CRF)
Item	LBCAT_2	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).. Default To HEMATOLOGY
Item	LBSPEC_2	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBNAM_2	The name or identifier of the laboratory that performed the test.
Item	LBUID_2	Field needed for LNMT integration
Item	LBDAT_2	Date of specimen collection.
Item	LBSPID_2	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_2	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBORRES_2	Result of the measurement or finding as originally received or collected.
Item	LBCLSIG_2	Whether lab test result(s) were clinically significant.
Item	LBCOM_2	Investigator comment on lab test results of clinical significance.
Item	LBSTAT_2	Used to indicate test was not done.
Item	LNMTLOW	LNMT field
Item	LNMTHIGH	LNMT field
Item	LNMTUNIT	LNMT field
Item	LNMTFLAG	LNMT field

Codelist Values Tables: LABORATORY DATA - HEMATOLOGY		

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliLBTEST_2	String		Hemoglobin_PX1	1	cliLBTEST_1	LBTEST_2
			Hematocrit_PX2	2	cliLBTEST_2	
			Erythrocytes_PX3	3	cliLBTEST_3	
			Reticulocytes/Erythrocytes_PX4	4	cliLBTEST_4	
			Platelets_PX5	5	cliLBTEST_5	
			Leukocytes_PX7	7	cliLBTEST_7	
			Neutrophils/Leukocytes_PX8	8	cliLBTEST_8	
			Eosinophils/Leukocytes_PX9	9	cliLBTEST_9	
			Basophils/Leukocytes_PX10	10	cliLBTEST_10	
			Lymphocytes/Leukocytes_PX11	11	cliLBTEST_11	
			Monocytes/Leukocytes_PX12	12	cliLBTEST_12	
			Ery. Mean Corpuscular Volume_PX15	15	cliLBTEST_15	
			Ery. Mean Corpuscular Hemoglobin_PX16	16	cliLBTEST_16	
			Ery. Mean Corpuscular HGB Concentration_PX17	17	cliLBTEST_17	
			Prothrombin Time_PX19	19	cliLBTEST_19	
			Activated Partial Thromboplastin Time_PX127	127	cliLBTEST_127	
			Erythrocyte Cell Morphology_PX320	320	cliLBTEST_320	
			Neutrophils_PX608	608	cliLBTEST_608	
			Eosinophils_PX609	609	cliLBTEST_609	
			Basophils_PX610	610	cliLBTEST_610	
			Lymphocytes_PX611	611	cliLBTEST_611	
			Monocytes_PX612	612	cliLBTEST_612	
			Prothrombin Intl. Normalized Ratio_PX704	704	cliLBTEST_704	
			Reticulocytes_PX877	877	cliLBTEST_877	
			Lymph Act Marker CD4 ABS_PX1020	1020	cliLBTEST_1020	
			Lymph Act Marker CD8 ABS_PX1024	1024	cliLBTEST_1024	
			Lymph Act Marker CD8 %_PX1452	1452	cliLBTEST_1452	
			Lymph Act Marker CD4 %_PX1455	1455	cliLBTEST_1455	
			Lymphocyte Marker CD3 (Absolute)_PX5024	5024	cliLBTEST_5024	
			Lymphocyte Marker CD3 %_PX6667	6667	cliLBTEST_6667	
			Lymphocyte Marker CD16+56 %_PX6668	6668	cliLBTEST_6668	
			Lymphocyte Marker CD19 %_PX6669	6669	cliLBTEST_6669	
			CD19_PX6817	6817	cliLBTEST_6817	
			CD16+56 Cell Count ABS_PX6818	6818	cliLBTEST_6818	

RDE Analytics: RD_LB002_HEM		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_2	LBCAT_2_C	VARCHAR2
	LBCAT_2	VARCHAR2
	LBCAT_2_ND	VARCHAR2
LBSPEC_2	LBSPEC_2_C	VARCHAR2
	LBSPEC_2	VARCHAR2
	LBSPEC_2_ND	VARCHAR2
LBNAM_2	LBNAM_2	VARCHAR2
	LBNAM_2_ND	VARCHAR2
LBNAMD_2	LBNAMD_2	VARCHAR2

	LBNAME_2_ND	VARCHAR2
LBUID_2	LBUID_2	VARCHAR2
	LBUID_2_ND	VARCHAR2
LBDAT_2	LBDAT_2	DATE
	LBDAT_2_DTS	VARCHAR2
	LBDAT_2_ND	VARCHAR2
RD_LB002_HEM_SCTLB002_02		
LBSPID_2	LBSPID_2	NUMBER
	LBSPID_2_ND	VARCHAR2
LBTEST_2	LBTEST_2_C	VARCHAR2
	LBTEST_2	VARCHAR2
	LBTEST_2_ND	VARCHAR2
LBORRES_2	LBORRES_2	VARCHAR2
	LBORRES_2_ND	VARCHAR2
LBCLSIG_2	LBCLSIG_2_C	VARCHAR2
	LBCLSIG_2	VARCHAR2
	LBCLSIG_2_ND	VARCHAR2
LBCLSIG_2 - LBCOM_2	LBCOM_2	VARCHAR2
LBSTAT_2	LBSTAT_2_C	VARCHAR2
	LBSTAT_2	VARCHAR2
	LBSTAT_2_ND	VARCHAR2
cmpLNMT	CMPLNMT_ND	VARCHAR2
cmpLNMT - LNMTLOW	LNMTLOW	VARCHAR2
cmpLNMT - LNMTHIGH	LNMTHIGH	VARCHAR2
cmpLNMT - LNMTUNIT	LNMTUNIT	VARCHAR2
cmpLNMT - LNMTFLAG	LNMTFLAG	VARCHAR2

B7981032: LAB URINALYSIS (URIN_LOCAL LAB) [LB002_URIN]						
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_4] [A:3] ☐ URINALYSIS				
2.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_4] [A:3] ☐ URINE				
3.	Laboratory Name and Address: <i>[read-only]</i> [Vendor Name]	[LBNAM_4] A200				
4.	Laboratory Name and Address (Derived) <i>[read-only]</i> [Vendor Name (DERIVED)]	[LBNAMD_4] A200				
5.* ✓	Lab ID [Lab ID]	[LBUID_4] A50				
6.* ✓	Collection Date: [Date of Specimen Collection]	[LB DAT_4] (DD/MM/YYYY) Req v / Req v / Req v (2019-2027)				
# ✓	Sponsor-Defined Identifier	Test:	Result:	Clinically Significant?:	Not Done:	LNMT
7.a		pH_PX77				
7.b		Protein_PX78				
7.c		Glucose_PX79				
7.d		Leukocytes_PX80				
7.e		Erythrocytes_PX81				
7.f		Bacteria_PX82				
7.g		Ketones_PX86				
7.h		Hemoglobin_PX87				
7.i		Epithelial Cells_PX92				
7.j		Bilirubin_PX115				
7.k		Urobilinogen_PX118				
7.l		Yeast Cells_PX337				
7.m		Nitrite_PX639				
7.n		Ova and Parasite_PX702				
7.o		Myoglobin_PX1547				
7.p		Leukocyte Esterase_PX1550				
7.q		Yeast Budding_PX4581				
7.r		Bacterial Casts_PX6478				
7.s		Yeast Hyphae_PX4582				
7.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_4] N8				
7.2 	Test: <i>[read-only]</i> [Test:]	[LBTEST_4] [clLBTEST_4] v				
7.3 ✓	Result: [Result:]	[LBORRES_4] A30				
7.4 ✓	Clinically Significant?: [Clinically Significant?:]	[LBCLSIG_3] [A:Y] ☐ [cmpLBCOM_3] v YES [LBCOM_3] Comment on Significant Finding:				

		A200 [A:N] ☐ NO
7.5	Not Done: [Not Done:]	[LBSTAT_4] [A:1] ☐ NOT DONE
7.6	LNMT [read-only] [LNMT]	[cmpLNMT] [LNMTFLOW] Low A20 [LNMTHIGH] High A20 [LNMTUNIT] Unit A20 [LNMTFLAG] Flag A20
Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [] = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LAB URINALYSIS		
Type	RefName	Description
Item	LBCAT_4	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).. Default To HEMATOLOGY
Item	LBSPEC_4	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBNAM_4	The name or identifier of the laboratory that performed the test.
Item	LBUID_4	Field needed for LNMT integration
Item	LBDAT_4	Date of specimen collection.
Item	LBSPID_4	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_4	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBORRES_4	Result of the measurement or finding as originally received or collected.
Item	LBCLSIG_3	Whether lab test result(s) were clinically significant.
Item	LBCOM_3	Investigator comment on lab test results of clinical significance.
Item	LBSTAT_4	Used to indicate test was not done.
Item	LNMTLOW	LNMT field
Item	LNMTHIGH	LNMT field
Item	LNMTUNIT	LNMT field
Item	LNMTFLAG	LNMT field

Codelist Values Tables: LAB URINALYSIS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliLBTEST_4	String		pH_PX77	77	cliLBTEST_77	LBTEST_4
			Protein_PX78	78	cliLBTEST_78	
			Glucose_PX79	79	cliLBTEST_79	
			Leukocytes_PX80	80	cliLBTEST_80	
			Erythrocytes_PX81	81	cliLBTEST_81	
			Bacteria_PX82	82	cliLBTEST_82	
			Ketones_PX86	86	cliLBTEST_86	

			Hemoglobin_PX87	87	cliLBTEST_87
			Epithelial Cells_PX92	92	cliLBTEST_92
			Bilirubin_PX115	115	cliLBTEST_115
			Urobilinogen_PX118	118	cliLBTEST_118
			Yeast Cells_PX337	337	cliLBTEST_337
			Nitrite_PX639	639	cliLBTEST_639
			Ova and Parasite_PX702	702	cliLBTEST_702
			Myoglobin_PX1547	1547	cliLBTEST_1547
			Leukocyte Esterase_PX1550	1550	cliLBTEST_1550
			Yeast Budding_PX4581	4581	cliLBTEST_4581
			Bacterial Casts_PX6478	6478	cliLBTEST_6478
			Yeast Hyphae_PX4582	4582	cliLBTEST_4582

RDE Analytics: RD_LB002_URIN		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_4	LBCAT_4_C	VARCHAR2
	LBCAT_4	VARCHAR2
	LBCAT_4_ND	VARCHAR2
LBSPEC_4	LBSPEC_4_C	VARCHAR2
	LBSPEC_4	VARCHAR2
	LBSPEC_4_ND	VARCHAR2
LBNAM_4	LBNAM_4	VARCHAR2
	LBNAM_4_ND	VARCHAR2
LBNAMD_4	LBNAMD_4	VARCHAR2
	LBNAMD_4_ND	VARCHAR2
LBUID_4	LBUID_4	VARCHAR2
	LBUID_4_ND	VARCHAR2
LBDAT_4	LBDAT_4	DATE
	LBDAT_4_DTS	VARCHAR2
	LBDAT_4_ND	VARCHAR2
RD_LB002_URIN_SCTLB002_08		
LBSPID_4	LBSPID_4	NUMBER
	LBSPID_4_ND	VARCHAR2
LBTEST_4	LBTEST_4_C	VARCHAR2
	LBTEST_4	VARCHAR2
	LBTEST_4_ND	VARCHAR2
LBORRES_4	LBORRES_4	VARCHAR2
	LBORRES_4_ND	VARCHAR2
LBCLSIG_3	LBCLSIG_3_C	VARCHAR2
	LBCLSIG_3	VARCHAR2
	LBCLSIG_3_ND	VARCHAR2
LBCLSIG_3 - LBCOM_3	LBCOM_3	VARCHAR2
LBSTAT_4	LBSTAT_4_C	VARCHAR2
	LBSTAT_4	VARCHAR2
	LBSTAT_4_ND	VARCHAR2
cmpLNMT	CMPLNMT_ND	VARCHAR2
cmpLNMT - LNMTLOW	LNMTLOW	VARCHAR2

cmpLNMT - LNMTHIGH	LNMTHIGH	VARCHAR2
cmpLNMT - LNMTUNIT	LNMTUNIT	VARCHAR2
cmpLNMT - LNMTFLAG	LNMTFLAG	VARCHAR2

B7981032: RASH ASSESSMENT (RASH ASSESSMENT) [RSH001]		
1.*	Adverse Event ID from Adverse Event form: [AE ID From AE Form]	[RSHAEID] A20
2.*	Where did the rash first appear? [Where Did the Rash First Appear]	[RSHFAPP] A80
3.*	Where is the rash located? [Where is the Rash Located]	[RSHLOC] A80
4.*	How would you describe the rash: [Rash Description]	[RSHDESC] [A:1] ☐ URTICARIAL [A:2] ☐ VASCULITIC [A:3] ☐ MACULOPAPULAR [A:4] ☐ LICHENOID [A:5] ☐ UNKNOWN [A:999] ☐ [cmpRSHOTH] ☐ OTHER [RSHOTH] Please specify: A80
5.*	Severity of pruritus for rash: [Severity of Pruritus for Rash]	[RSHPEV] N2
6.*	If the rash is discontinuous, what is the lesion size? [If Discontinuous, What is Lesion Size]	[RSHSIZE] N3
7.*	Unit: [Lesion Size Unit]	[RSHSIZU] [A:6] ☐ mm [A:111] ☐ cm
8.*	Was a lesion swab test performed: [Lesion Swab Test Performed]	[RSHSWAB] [A:Y] ☐ [cmpRSHSWDAT] ☐ YES [RSHSWDAT] (DD/MM/YYYY) Please provide the swab collection date: Req / Req / Req (2019-2027) [A:N] ☐ NO [A:NA] ☐ NA
9.*	Was a biopsy performed: [Biopsy Performed]	[RSHBIOP] [A:Y] ☐ [cmpRSHBIDAT] ☐ YES [RSHBIDAT] (DD/MM/YYYY) Please provide the biopsy collection date: Req / Req / Req (2019-2027) [A:N] ☐ NO [A:NA] ☐ NA
10.	Was a viral surveillance test performed: <i>[read-only]</i> [Viral Surveillance Test Performed]	[RSHSURV] [A:Y] ☐ [cmpRSHVSDAT] ☐ YES [RSHVSDAT] (DD/MM/YYYY) Please provide the viral surveillance collection date: Req / Req / Req (2019-2027) [A:N] ☐ NO [A:NA] ☐ NA
11.*	Was treatment (topical or systemic) given? [Was Treatment Given]	[RSHSTREA] [A:Y] ☐ YES [A:N] ☐ NO
12.*	In the past week has the rash been stable, getting worse or getting better? [Rash Been Stable, Worse or Better]	[RSHSTAT] [A:1] ☐ STABLE [A:2] ☐ WORSE [A:3] ☐ BETTER

		[A:4] ☐ NOT APPLICABLE
13.*	Are there any associated systemic symptoms? [Any Associated Systemic Symptoms]	[RSHSYMP] [A:Y] ☐ [cmpRSHSYMD] ☐ YES [RSHSYMD] Please give details: A200 [A:N] ☐ NO
14.*	Is there involvement of the oral mucosa or conjunctivae? [Involvement of Oral Mucosa/Conjunctivae]	[RSHORAL] [A:Y] ☐ [cmpRSHORAD] ☐ YES [RSHORAD] Please give details: A200 [A:N] ☐ NO
Key: [*] = Item is required [☐] = Item is collapsible Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: RASH ASSESSMENT

Type	RefName	Description
Form	RSH001	RASH ASSESSMENT

RDE Analytics: RD_RSH001			
Data Variable	RefName	RD Column Name	Column Data Type
RSHAEID		RSHAEID	VARCHAR2
		RSHAEID_ND	VARCHAR2
RSHFAPP		RSHFAPP	VARCHAR2
		RSHFAPP_ND	VARCHAR2
RSHLOC		RSHLOC	VARCHAR2
		RSHLOC_ND	VARCHAR2
RSHDESC		RSHDESC_C	VARCHAR2
		RSHDESC	VARCHAR2
		RSHDESC_ND	VARCHAR2
RSHDESC - RSHOTHD		RSHOTHD	VARCHAR2
RSHPSEV		RSHPSEV	NUMBER
		RSHPSEV_ND	VARCHAR2
RSHSIZE		RSHSIZE	NUMBER
		RSHSIZE_ND	VARCHAR2
RSHSIZU		RSHSIZU_C	VARCHAR2
		RSHSIZU	VARCHAR2
		RSHSIZU_ND	VARCHAR2
RSHSWAB		RSHSWAB_C	VARCHAR2
		RSHSWAB	VARCHAR2
		RSHSWAB_ND	VARCHAR2
RSHSWAB - RSHSWDAT		RSHSWDAT	DATE

	RSHSWDAT_DTS	VARCHAR2
RSHBIOP	RSHBIOP_C	VARCHAR2
	RSHBIOP	VARCHAR2
	RSHBIOP_ND	VARCHAR2
RSHBIOP - RSHBIDAT	RSHBIDAT	DATE
	RSHBIDAT_DTS	VARCHAR2
RSHSURV	RSHSURV_C	VARCHAR2
	RSHSURV	VARCHAR2
	RSHSURV_ND	VARCHAR2
RSHSURV - RSHVSDAT	RSHVSDAT	DATE
	RSHVSDAT_DTS	VARCHAR2
RSHTREA	RSHTREA_C	VARCHAR2
	RSHTREA	VARCHAR2
	RSHTREA_ND	VARCHAR2
RSHSTAT	RSHSTAT_C	VARCHAR2
	RSHSTAT	VARCHAR2
	RSHSTAT_ND	VARCHAR2
RSHSYMP	RSHSYMP_C	VARCHAR2
	RSHSYMP	VARCHAR2
	RSHSYMP_ND	VARCHAR2
RSHSYMP - RSHSYMD	RSHSYMD	VARCHAR2
RSHORAL	RSHORAL_C	VARCHAR2
	RSHORAL	VARCHAR2
	RSHORAL_ND	VARCHAR2
RSHORAL - RSHORAD	RSHORAD	VARCHAR2

B7981032: HERPES ZOSTER DETAILS: (HERPES ZOSTER DETAILS) [HERZ002]		
Please remember to record any AE of pain in the affected area that persists for more than 90 days after the resolution of the rash (i.e. diagnosis of the post-herpetic neuralgia)		
1.	Herpes Infection Type: <i>[read-only]</i> [Herpes Infection Type: Herpes Zoster]	[HERZTYP] [A:1] ☐ HERPES ZOSTER
2.*	Date of Assessment: [Date of Assessment]	[HERZDAT] (DD/MM/YYYY) Req / Req / Req (2019-2027)
3.*	Is this herpes zoster infection localized (dermatomal) or multidermatomal? (For guidance of dermatomes please refer to the CRF completion guidelines) If multidermatomal, please specify: [Is this herpes zoster infection localized (dermatomal) or multidermatomal]	[HERZLOM] [A:1] ☐ LOCALIZED [A:2] ☐ MULTIDERMATOMAL
Dermatome		Body Side
4. ✓		
4.1*	Dermatome: [Dermatome]	[HERZDMT] [cHERZD]
4.2*	Body Side: [Body Side]	[HERZLAT] [A:1] ☐ BILATERAL [A:5] ☐ LEFT [A:6] ☐ RIGHT
5.*	Detailed location of the herpes zoster infection (Check (X) all that apply): [Detailed location of the herpes zoster infection (Check (X) all that apply):]	[HERZLOC] [A:44] ☐ EYE [A:58] ☐ HEAD [A:102] ☐ INGUINAL REGION [A:152] ☐ BACK [A:154] ☐ FACE [A:158] ☐ CHEST [A:269] ☐ ABDOMINAL SKIN [A:357] ☐ LIMB, LOWER [A:358] ☐ LIMB, UPPER [A:407] ☐ BUTTOCK [A:505] ☐ SCALP [A:999] ☐ [cmpHERZLOD] ☐ OTHER [HERZLOD] Specify:
6.*	Was a viral DNA sample collected? [Was a viral DNA sample collected?]	[HERZDNA] [A:Y] ☐ YES [A:N] ☐ NO
7.*	Was a skin SWAB of the affected area taken from viral load testing? [Was a skin SWAB of the affected area taken from viral load testing?]	[HERZSKN] [A:Y] ☐ YES [A:N] ☐ NO
8.*	Is there any neurologic involvement? [Is there any neurologic involvement?]	[HERZNEU] [A:Y] ☐ YES (If Yes, record on AE page). [A:N] ☐ NO
9.*	Did infection require referral to specialist? [Did infection require referral to specialist?]	[HERZSPC] [A:Y] ☐ YES [A:N] ☐ NO
10.*	Was infection confirmed? [Was infection confirmed?]	[HERZINF] [A:Y] ☐ YES [A:N] ☐ NO
11.*	Has the patient ever had chicken pox? [Has the patient ever had chicken pox?]	[HERZCP] [A:Y] ☐ [cmpHERZCDAT] ☐ YES [HERZCDT] (DD/MM/YYYY) If Yes, approximate date of chicken pox: NReq/Unk / NReq/Unk / Req (1920-2027)

		[A:N] ☐ NO [A:U] ☐ UNKNOWN
12.*	Did the patient have the chicken pox vaccine? [Did the patient have the chicken pox vaccine?]	[HERZCPV] [A:Y] ☐ [cmpHERZVDAT] ☐ YES [HERZVDT] (DD/MM/YYYY) If Yes, date of most recent chicken pox vaccine: NReq/Unk / NReq/Unk / Req (1920-2027) [A:N] ☐ NO [A:U] ☐ UNKNOWN
13.*	Did the patient have the herpes zoster vaccine? [Did the patient have the herpes zoster vaccine?]	[HERZHZV] [A:Y] ☐ [cmpHERZHDAT] ☐ YES [HERZHDT] (DD/MM/YYYY) If Yes, date of most recent herpes zoster vaccine: NReq/Unk / NReq/Unk / Req (1920-2027) [A:N] ☐ NO [A:U] ☐ UNKNOWN
14.*	Has the patient ever had shingles (herpes zoster)? [Has the patient ever had shingles (herpes zoster)?]	[HERZSH] [A:Y] ☐ [cmpHERZSDAT] ☐ YES [HERZSDT] (DD/MM/YYYY) If Yes, approximate date of shingles: NReq/Unk / NReq/Unk / Req (1920-2027) [A:N] ☐ NO [A:U] ☐ UNKNOWN
15.*	Is there any visceral involvement? (if yes, specify details): [Is there any visceral involvement? (if yes, specify details):]	[HERZVS] [A:Y] ☐ [cmpHERZVSD] ☐ YES [HERZVSD] Specify details: A200 [A:N] ☐ NO
16.*	Treated with antiviral therapy? If Yes, record treatment on the Concomitant Medication page. [Treated with antiviral therapy?]	[HERZTAT] [A:Y] ☐ YES [A:N] ☐ NO [A:U] ☐ UNKNOWN
17.*	Did this event require parenteral antibiotics? If Yes, record treatment on the Concomitant Medication page. [Did this event require parenteral antibiotics?]	[HERZPAB] [A:Y] ☐ YES [A:N] ☐ NO [A:U] ☐ UNKNOWN
18.*	Did this event require hospitalization? [Did this event require hospitalization?]	[HERZHSP] [A:Y] ☐ YES [A:N] ☐ NO
19.*	Any other complications for this event? (if yes, specify details): [Any other complications for this event? (if yes, specify details):]	[HERZOC] [A:Y] ☐ [cmpHERZOCP] ☐ YES [HERZOCP] Specify details: A200 [A:N] ☐ NO

Key: [*] = Item is required [▼] = Source verification required [☐] = Item is collapsible
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: HERPES ZOSTER DETAILS:

Type	RefName	Description
Form	HERZ002	HERPES ZOSTER DETAILS

Codelist Values Tables: HERPES ZOSTER DETAILS:

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliHERZD	String		C1	1	cliHERZD_1	HERZDMT
			C2	2	cliHERZD_2	
			C3	3	cliHERZD_3	
			C4	4	cliHERZD_4	
			C5	5	cliHERZD_5	
			C6	6	cliHERZD_6	
			C7	7	cliHERZD_7	
			C8	8	cliHERZD_8	
			T1	9	cliHERZD_9	
			T2	10	cliHERZD_10	
			T3	11	cliHERZD_11	
			T4	12	cliHERZD_12	
			T5	13	cliHERZD_13	
			T6	14	cliHERZD_14	
			T7	15	cliHERZD_15	
			T8	16	cliHERZD_16	
			T9	17	cliHERZD_17	
			T10	18	cliHERZD_18	
			T11	19	cliHERZD_19	
			T12	20	cliHERZD_20	
			L1	21	cliHERZD_21	
			L2	22	cliHERZD_22	
			L3	23	cliHERZD_23	
			L4	24	cliHERZD_24	
			L5	25	cliHERZD_25	
			S1	26	cliHERZD_26	
			S2	27	cliHERZD_27	
			S3	28	cliHERZD_28	
			S4	29	cliHERZD_29	
			S5	30	cliHERZD_30	
			V1	31	cliHERZD_31	
			V2	32	cliHERZD_32	
			V3	33	cliHERZD_33	

RDE Analytics: RD_HERZ002		
Data Variable RefName	RD Column Name	Column Data Type
HERZTYP	HERZTYP_C	VARCHAR2
	HERZTYP	VARCHAR2
	HERZTYP_ND	VARCHAR2
HERZDAT	HERZDAT	DATE

	HERZDAT_DTS	VARCHAR2
	HERZDAT_ND	VARCHAR2
HERZLOM	HERZLOM_C	VARCHAR2
	HERZLOM	VARCHAR2
	HERZLOM_ND	VARCHAR2
HERZLOC	HERZLOC_ND	VARCHAR2
HERZLOC - EYE	HERZLOC_CLILOC44_C	VARCHAR2
	HERZLOC_CLILOC44	VARCHAR2
HERZLOC - HEAD	HERZLOC_CLILOC58_C	VARCHAR2
	HERZLOC_CLILOC58	VARCHAR2
HERZLOC - INGUINAL REGION	HERZLOC_CLILOC102_C	VARCHAR2
	HERZLOC_CLILOC102	VARCHAR2
HERZLOC - BACK	HERZLOC_CLILOC152_C	VARCHAR2
	HERZLOC_CLILOC152	VARCHAR2
HERZLOC - FACE	HERZLOC_CLILOC154_C	VARCHAR2
	HERZLOC_CLILOC154	VARCHAR2
HERZLOC - CHEST	HERZLOC_CLILOC158_C	VARCHAR2
	HERZLOC_CLILOC158	VARCHAR2
HERZLOC - ABDOMINAL SKIN	HERZLOC_CLILOC269_C	VARCHAR2
	HERZLOC_CLILOC269	VARCHAR2
HERZLOC - LIMB, LOWER	HERZLOC_CLILOC357_C	VARCHAR2
	HERZLOC_CLILOC357	VARCHAR2
HERZLOC - LIMB, UPPER	HERZLOC_CLILOC358_C	VARCHAR2
	HERZLOC_CLILOC358	VARCHAR2
HERZLOC - BUTTOCK	HERZLOC_CLILOC407_C	VARCHAR2
	HERZLOC_CLILOC407	VARCHAR2
HERZLOC - SCALP	HERZLOC_CLILOC505_C	VARCHAR2
	HERZLOC_CLILOC505	VARCHAR2
HERZLOC - OTHER	HERZLOC_CMPHERZLOD_C	VARCHAR2
	HERZLOC_CMPHERZLOD	VARCHAR2
HERZLOC - HERZLOD	HERZLOD	VARCHAR2
HERZDNA	HERZDNA_C	VARCHAR2
	HERZDNA	VARCHAR2
	HERZDNA_ND	VARCHAR2
HERZSKN	HERZSKN_C	VARCHAR2
	HERZSKN	VARCHAR2
	HERZSKN_ND	VARCHAR2
HERZNEU	HERZNEU_C	VARCHAR2
	HERZNEU	VARCHAR2
	HERZNEU_ND	VARCHAR2
HERZSPC	HERZSPC_C	VARCHAR2
	HERZSPC	VARCHAR2
	HERZSPC_ND	VARCHAR2
HERZINF	HERZINF_C	VARCHAR2
	HERZINF	VARCHAR2
	HERZINF_ND	VARCHAR2
HERZCP	HERZCP_C	VARCHAR2

	HERZCP	VARCHAR2
	HERZCP_ND	VARCHAR2
HERZCP - HERZCDT	HERZCDT	DATE
	HERZCDT_DTS	VARCHAR2
	HERZCDT_DTR	VARCHAR2
HERZCPV	HERZCPV_C	VARCHAR2
	HERZCPV	VARCHAR2
	HERZCPV_ND	VARCHAR2
HERZCPV - HERZVDT	HERZVDT	DATE
	HERZVDT_DTS	VARCHAR2
	HERZVDT_DTR	VARCHAR2
HERZHZV	HERZHZV_C	VARCHAR2
	HERZHZV	VARCHAR2
	HERZHZV_ND	VARCHAR2
HERZHZV - HERZHDT	HERZHDT	DATE
	HERZHDT_DTS	VARCHAR2
	HERZHDT_DTR	VARCHAR2
HERZSH	HERZSH_C	VARCHAR2
	HERZSH	VARCHAR2
	HERZSH_ND	VARCHAR2
HERZSH - HERZSDT	HERZSDT	DATE
	HERZSDT_DTS	VARCHAR2
	HERZSDT_DTR	VARCHAR2
HERZVS	HERZVS_C	VARCHAR2
	HERZVS	VARCHAR2
	HERZVS_ND	VARCHAR2
HERZVS - HERZVSD	HERZVSD	VARCHAR2
HERZTAT	HERZTAT_C	VARCHAR2
	HERZTAT	VARCHAR2
	HERZTAT_ND	VARCHAR2
HERZPAB	HERZPAB_C	VARCHAR2
	HERZPAB	VARCHAR2
	HERZPAB_ND	VARCHAR2
HERZHSP	HERZHSP_C	VARCHAR2
	HERZHSP	VARCHAR2
	HERZHSP_ND	VARCHAR2
HERZOC	HERZOC_C	VARCHAR2
	HERZOC	VARCHAR2
	HERZOC_ND	VARCHAR2
HERZOC - HERZOCP	HERZOCP	VARCHAR2
RD_HERZ002_SCTHERZ002_02		
HERZDMT	HERZDMT_C	VARCHAR2
	HERZDMT	VARCHAR2
	HERZDMT_ND	VARCHAR2
HERZLAT	HERZLAT_C	VARCHAR2
	HERZLAT	VARCHAR2
	HERZLAT_ND	VARCHAR2

B7981032: INFECTIONS (INFECTIONS) [SIN001]			
[sctSIN001_01]			
1.*	Date of assessment: [Date of assessment]	[SINDAT] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2019-2027)	
2.*	Infection Adverse Event Number: [SIN Adverse Event Number]	[SINAENM] A50	
3.*	Relevant action(s) taken: [Relevant Action(s) Taken]	[SINRACT] [A:1] ☐ PARENTERAL ANTIMICROBIALS ADMINISTERED [A:2] ☐ NON-PARENTERAL ANTIMICROBIALS ADMINISTERED [A:3] ☐ HOSPITALIZED [A:4] ☐ SURGICAL INTERVENTION	
4.*	Infection type: [Infection Type]	[SININFT] [cliSINA] v	
5.	Infection Type Other Specify Detail: [Infection Type Other Specify Detail]	[SININFO] A100	
6.	Actual organism (if known): [Actual Organism]	[SINORG] A100	
7.*	Sample Source: [SIN Sample Source]	[SINSAMP] [cliSPECTYPE_5] v	
8.	Other Specify: [Sample Source Specify Details]	[SINSMPD] A100	
9.*	Method of Identification: [Method of Identification]	[SINIDMT] [A:1] ☐ CULTURES [A:2] ☐ SEROLOGY [A:3] ☐ POLYMERASE CHAIN REACTION [A:999] ☐ [cmpSINIDMD] v OTHER [SINIDMD] Specify: A100	
Key: [*] = Item is required [☐] = Item is collapsible Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.			

Study Object Descriptions: INFECTIONS		
Type	RefName	Description
Form	SIN001	SIGNIFICANT INFECTIONS

Codelist Values Tables: INFECTIONS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliSINA	String		PNEUMOCOCCUS	1	cliSINA_1	SININFT
			STREPTOCOCCUS	2	cliSINA_2	
			STAPHYLOCOCCUS	3	cliSINA_3	
			ENTEROCOCCUS	4	cliSINA_4	
			MENINGOCOCCUS	5	cliSINA_5	
			MYCOPLASMA	6	cliSINA_6	
			CHLAMYDIA	7	cliSINA_7	
			CRYPTOCOCCUS	9	cliSINA_9	

		CANDIDIASIS	10	cliSINA_10	
		LISTERIA	11	cliSINA_11	
		HAEMOPHILUS	12	cliSINA_12	
		ENTERIC BACTERIA	13	cliSINA_13	
		PSEUDOMONAS	14	cliSINA_14	
		LEGIONELLA	15	cliSINA_15	
		ASPERGILLUS	16	cliSINA_16	
		HELMINTH	17	cliSINA_17	
		VIRAL HEPATITIS	18	cliSINA_18	
		OTHER PARASITIC	19	cliSINA_19	
		CLOSTRIDIA	20	cliSINA_20	
		ATYPICAL MYCOBACTERIA	21	cliSINA_21	
		MYCOBACTERIA	22	cliSINA_22	
		SPIROCHETAL INFECTIONS	23	cliSINA_23	
		RICKETTSIA	24	cliSINA_24	
		CRYPTOSPORIDIASIS	25	cliSINA_25	
		PNEUMOCYSTIS	26	cliSINA_26	
		TOXOPLASMOSIS	27	cliSINA_27	
		ISOSPORIASIS	28	cliSINA_28	
		HISTOPLASMOSIS	29	cliSINA_29	
		COCCIDIOIDOMYCOSIS	30	cliSINA_30	
		CYTOMEGALOVIRUS	31	cliSINA_31	
		OTHER BACTERIAL	32	cliSINA_32	
		OTHER FUNGAL	33	cliSINA_33	
		BLASTOMYCOSIS	34	cliSINA_34	
		ENTEROBACTER	35	cliSINA_35	
		EPSTEIN-BARR VIRUS	36	cliSINA_36	
		HERPES SIMPLEX	37	cliSINA_37	
		KLEBSIELLA	39	cliSINA_39	
		OTHER VIRAL	40	cliSINA_40	
		PARVOVIRUS	41	cliSINA_41	
		PITYROSPORUM	42	cliSINA_42	
		POLYOMAVIRUS	43	cliSINA_43	
		TINEA	44	cliSINA_44	
		MYCOBACTERIAL TUBERCULOSIS	45	cliSINA_45	
		OTHER MYCOBACTERIAL	46	cliSINA_46	
		SALMONELLA	47	cliSINA_47	
		UNKNOWN	998	cliSINA_998	
		OTHER	999	cliSINA_999	
cliSPECTYPE_5	String	BLOOD	7	cliSPECTYPE_7	SINSAMP
		CEREBROSPINAL FLUID	12	cliSPECTYPE_12	
		PLASMA	27	cliSPECTYPE_27	
		SERUM	33	cliSPECTYPE_33	
		SPUTUM	35	cliSPECTYPE_35	
		STOOL	36	cliSPECTYPE_36	
		URINE	40	cliSPECTYPE_40	
		OTHER	75	cliSPECTYPE_75	

RDE Analytics: RD_SIN001		
Data Variable RefName	RD Column Name	Column Data Type
SINDAT	SINDAT	DATE
	SINDAT_DTS	VARCHAR2
	SINDAT_ND	VARCHAR2
SINAENM	SINAENM	VARCHAR2
	SINAENM_ND	VARCHAR2
SINRACT	SINRACT_ND	VARCHAR2
SINRACT - PARENTERAL ANTIMICROBIALS ADMINISTERED	SINRACT_CLISIND1_C	VARCHAR2
	SINRACT_CLISIND1	VARCHAR2
SINRACT - NON-PARENTERAL ANTIMICROBIALS ADMINISTERED	SINRACT_CLISIND2_C	VARCHAR2
	SINRACT_CLISIND2	VARCHAR2
SINRACT - HOSPITALIZED	SINRACT_CLISIND3_C	VARCHAR2
	SINRACT_CLISIND3	VARCHAR2
SINRACT - SURGICAL INTERVENTION	SINRACT_CLISIND4_C	VARCHAR2
	SINRACT_CLISIND4	VARCHAR2
SININFT	SININFT_C	VARCHAR2
	SININFT	VARCHAR2
	SININFT_ND	VARCHAR2
SININFO	SININFO	VARCHAR2
	SININFO_ND	VARCHAR2
SINORG	SINORG	VARCHAR2
	SINORG_ND	VARCHAR2
SINSAMP	SINSAMP_C	VARCHAR2
	SINSAMP	VARCHAR2
	SINSAMP_ND	VARCHAR2
SINSMPD	SINSMPD	VARCHAR2
	SINSMPD_ND	VARCHAR2
SINIDMT	SINIDMT_C	VARCHAR2
	SINIDMT	VARCHAR2
	SINIDMT_ND	VARCHAR2
SINIDMT - SINIDMD	SINIDMD	VARCHAR2

Study Object Descriptions: BIOPSY SAMPLE		
Type	RefName	Description
Form	OBY105	BIOPSY SAMPLE

file:///C:/Users/Nsharma/AppData/Local/Apps/2.0/3H0KP69G.CJ8/2DJKZ8XV.BQV/orac..90.0 919f856034ae8f10 0007.000... 2/14/2024

Study Object Descriptions: LAB PREGNANCY SERUM		
Type	RefName	Description
Item	LBCAT_13	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).. Default To HEMATOLOGY
Item	LBSCAT_13	Used to define a sub-category of related laboratory records (e.g. Electrolytes, Liver Function).
Item	LBSPEC_13	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBNAM_13	The name or identifier of the laboratory that performed the test.
Item	LBUID_13	Field needed for LNMT integration
Item	LBDAT_13	Date of specimen collection.
Item	LBSPID_13	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_13	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBORRES_13	Result of the measurement or finding as originally received or collected.
Item	LBSTAT_13	Used to indicate test was not done.

RDE Analytics: RD_LB002_PREG_S		
Data Variable RefName	RD Column Name	Column Data Type

LBCAT_13	LBCAT_13_C	VARCHAR2
	LBCAT_13	VARCHAR2
	LBCAT_13_ND	VARCHAR2
LBSCAT_13	LBSCAT_13_C	VARCHAR2
	LBSCAT_13	VARCHAR2
	LBSCAT_13_ND	VARCHAR2
LBSPEC_13	LBSPEC_13_C	VARCHAR2
	LBSPEC_13	VARCHAR2
	LBSPEC_13_ND	VARCHAR2
LBNAM_13	LBNAM_13	VARCHAR2
	LBNAM_13_ND	VARCHAR2
LBNAMD_13	LBNAMD_13	VARCHAR2
	LBNAMD_13_ND	VARCHAR2
LBUID_13	LBUID_13	VARCHAR2
	LBUID_13_ND	VARCHAR2
LBDAT_13	LBDAT_13	DATE
	LBDAT_13_DTS	VARCHAR2
	LBDAT_13_ND	VARCHAR2
*RD_LB002_PREG_S_SCTLB002_14		
LBSPID_13	LBSPID_13	NUMBER
	LBSPID_13_ND	VARCHAR2
LBTEST_13	LBTEST_13_C	VARCHAR2
	LBTEST_13	VARCHAR2
	LBTEST_13_ND	VARCHAR2
LBORRES_13	LBORRES_13	VARCHAR2
	LBORRES_13_ND	VARCHAR2
LBSTAT_13	LBSTAT_13_C	VARCHAR2
	LBSTAT_13	VARCHAR2
	LBSTAT_13_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

RDE Analytics: RD_OBY105_1		
Data Variable RefName	RD Column Name	Column Data Type
OBYBDAT_1	OBYBDAT_1	DATE
	OBYBDAT_1_DTS	VARCHAR2
	OBYBDAT_1_ND	VARCHAR2
OBYLOC_1	OBYLOC_1_C	VARCHAR2
	OBYLOC_1	VARCHAR2
	OBYLOC_1_ND	VARCHAR2
OBYLOC_1 - OBYLOCO_1	OBYLOCO_1	VARCHAR2
OBYAENM_1	OBYAENM_1	VARCHAR2
	OBYAENM_1_ND	VARCHAR2
OBYCOM_2	OBYCOM_2	VARCHAR2
	OBYCOM_2_ND	VARCHAR2
OBYPCACID_1	OBYPCACID_1	VARCHAR2
	OBYPCACID_1_ND	VARCHAR2

B7981032: LAB CHEMISTRY 0 H (LAB CHEM) [LB002_CHEM_1]							
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]		[LBCAT_14] [A:2] ☐ CLINICAL CHEMISTRY				
2.	Specimen Type: <i>[read-only]</i> [Specimen Type]		[LBSPEC_14] [A:4] ☐ BLOOD				
3.	Laboratory Name and Address: <i>[read-only]</i> [Vendor Name]		[LBNAM_14] A200				
4.	Laboratory Name and Address (Derived) <i>[read-only]</i> [Vendor Name (DERIVED)]		[LBNAMD_14] A200				
5.* ✓	Lab ID [Lab ID]		[LBUID_14] A50				
6.* ✓	Collection Date: [Date of Specimen Collection]		[LBDAT_14] (DD/MM/YYYY) Req / Req / Req (2019-2027)				
# ✓	Sponsor-Defined Identifier	Test:	Result:	Clinically Significant?:	Not Done:	LNMT	
7.a		Bilirubin_PX21					
7.b		Direct Bilirubin_PX22					
7.c		Indirect Bilirubin_PX23					
7.d		Protein_PX24					
7.e		Albumin_PX25					
7.f		Aspartate Aminotransferase_PX28					
7.g		Creatine Kinase_PX29					
7.h		Alanine Aminotransferase_PX30					
7.i		Gamma Glutamyl Transferase_PX31					
7.j		Alkaline Phosphatase_PX35					
7.k		Urea_PX46					
7.l		Blood Urea Nitrogen_PX47					
7.m		Creatinine_PX48					
7.n		Urate_PX50					
7.o		Sodium_PX54					
7.p		Potassium_PX55					
7.q		Chloride_PX56					
7.r		Bicarbonate_PX57					
7.s		Calcium_PX58					
7.t		Glucose_PX68					
7.u		Creatine Kinase BB_PX156					
7.v		Creatine Kinase MB_PX157					
7.w		Creatine Kinase MM_PX158					
7.x		Follicle Stimulating Hormone_PX387					
7.y		Bile Acid_PX542					
7.z		Choriogonadotropin Beta_PX701					
7.aa		CK Isoenzyme 2 (% of Tot)_PX1271					
7.ab		CK Isoenzyme 1 (% of Tot)_PX1296					
7.ac		CK Isoenzyme 3 (% of Tot)_PX1297					

7.ad		Acetaminophen_PX2633				
7.ae		Acetaminophen Protein Adduct_PX6765				
7.af		Cholesterol_PX350				
7.ag		LDL Cholesterol_PX172				
7.ah		HDL Cholesterol_PX173				
7.ai		Triglycerides_PX64				
7.aj		Ferritin_PX362				
7.ak		Transferrin_PX397				
7.al		Transferrin Saturation_PX7634				
7.am		LDL Chol Friedewald Est PEG_PX2110				
7.an		Glomerular Filtration Rate Mdrd Equation_PX4489				
7.ao		Thyroid Antithyroglobulin Antibodies_PX7546				
7.ap		Triiodothyronine_PX179				
7.aq		Free T3 (Triiodothyronine)_PX894				
7.ar		Free T4 (Thyroxine)_PX181				
7.as		Thyroxine; Total T4_PX178				
7.at		Thyroid Stimulating Hormone_PX332				

7.1

Sponsor ID: *[read-only]*
[Sponsor-Defined Identifier]

[LBSPID_14]

N8

7.2

Test: *[read-only]*
[Test:]

[LBTEST_14]

[clLBTEST_14]

7.3

Result:
✓ [Result:]

[LBORRES_14]

A30

7.4

Clinically Significant?:
✓ [Clinically Significant?:]

[LBCLSIG_14]

[A:Y] ☐ [cmpLBCOM_4] ☐

YES

[LBCOM_4]

Comment on Significant Finding:

A200

[A:N] ☐ NO

7.5

Not Done:
✓ [Not Done:]

[LBSTAT_14]

[A:1] ☐ NOT DONE

7.6

LNMT *[read-only]*
[LNMT]

[cmpLNMT_1]

[LNMTLOW_1]

Low

A20

[LNMTHIGH_1]

High

A20

[LNMTUNIT_1]

Unit

A20

[LNMTFLAG_1]

Flag

A20

Key: [*] = Item is required [✓] = Source verification required [input type="checkbox"/>] = Item is collapsible [input type="checkbox"/>] = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: LAB CHEMISTRY 0 H

Type	RefName	Description
Item	LBCAT_14	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).. Default To HEMATOLOGY
Item	LBSPEC_14	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBNAM_14	The name or identifier of the laboratory that performed the test.
Item	LBUID_14	Field needed for LNMT integration
Item	LBDAT_14	Date of specimen collection.
Item	LBSPID_14	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_14	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBORRES_14	Result of the measurement or finding as originally received or collected.
Item	LBCLSIG_14	Whether lab test result(s) were clinically significant.
Item	LBCOM_4	Investigator comment on lab test results of clinical significance.
Item	LBSTAT_14	Used to indicate test was not done.
Item	LNMTLOW_1	LNMT field
Item	LNMTHIGH_1	LNMT field
Item	LNMTUNIT_1	LNMT field
Item	LNMTFLAG_1	LNMT field

Codelist Values Tables: LAB CHEMISTRY 0 H						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliLBTEST_14	String		Bilirubin_PX21	21	cliLBTEST_21	LBTEST_14
			Direct Bilirubin_PX22	22	cliLBTEST_22	
			Indirect Bilirubin_PX23	23	cliLBTEST_23	
			Protein_PX24	24	cliLBTEST_24	
			Albumin_PX25	25	cliLBTEST_25	
			Aspartate Aminotransferase_PX28	28	cliLBTEST_28	
			Creatine Kinase_PX29	29	cliLBTEST_29	
			Alanine Aminotransferase_PX30	30	cliLBTEST_30	
			Gamma Glutamyl Transferase_PX31	31	cliLBTEST_31	
			Alkaline Phosphatase_PX35	35	cliLBTEST_35	
			Urea_PX46	46	cliLBTEST_46	
			Blood Urea Nitrogen_PX47	47	cliLBTEST_47	
			Creatinine_PX48	48	cliLBTEST_48	
			Urate_PX50	50	cliLBTEST_50	
			Sodium_PX54	54	cliLBTEST_54	
			Potassium_PX55	55	cliLBTEST_55	
			Chloride_PX56	56	cliLBTEST_56	
			Bicarbonate_PX57	57	cliLBTEST_57	
			Calcium_PX58	58	cliLBTEST_58	
			Glucose_PX68	68	cliLBTEST_68	
			Creatine Kinase BB_PX156	156	cliLBTEST_156	
			Creatine Kinase MB_PX157	157	cliLBTEST_157	
			Creatine Kinase MM_PX158	158	cliLBTEST_158	
			Follicle Stimulating Hormone_PX387	387	cliLBTEST_387	
			Bile Acid_PX542	542	cliLBTEST_542	
			Choriogonadotropin Beta_PX701	701	cliLBTEST_701	
			CK Isoenzyme 2 (% of Tot)_PX1271	1271	cliLBTEST_1271	
			CK Isoenzyme 1 (% of Tot)_PX1296	1296	cliLBTEST_1296	

		CK Isoenzyme 3 (% of Tot)_PX1297	1297	cliLBTEST_1297
		Acetaminophen_PX2633	2633	cliLBTEST_2633
		Acetaminophen Protein Adduct_PX6765	6765	cliLBTEST_6765
		Cholesterol_PX350	350	cliLBTEST_350
		LDL Cholesterol_PX172	172	cliLBTEST_172
		HDL Cholesterol_PX173	173	cliLBTEST_173
		Triglycerides_PX64	64	cliLBTEST_64
		Ferritin_PX362	362	cliLBTEST_362
		Transferrin_PX397	397	cliLBTEST_397
		Transferrin Saturation_PX7634	7634	cliLBTEST_7634
		LDL Chol Friedewald Est PEG_PX2110	2110	cliLBTEST_2110
		Glomerular Filtration Rate Mdrd Equation_PX4489	4489	cliLBTEST_4489
		Thyroid Antithyroglobulin Antibodies_PX7546	7546	cliLBTEST_7546
		Triiodothyronine_PX179	179	cliLBTEST_179
		Free T3 (Triiodothyronine)_PX894	894	cliLBTEST_894
		Free T4 (Thyroxine)_PX181	181	cliLBTEST_181
		Thyroxine; Total T4_PX178	178	cliLBTEST_178
		Thyroid Stimulating Hormone_PX332	332	cliLBTEST_332

RDE Analytics: RD_LB002_CHEM_1		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_14	LBCAT_14_C	VARCHAR2
	LBCAT_14	VARCHAR2
	LBCAT_14_ND	VARCHAR2
LBSPEC_14	LBSPEC_14_C	VARCHAR2
	LBSPEC_14	VARCHAR2
	LBSPEC_14_ND	VARCHAR2
LBNAM_14	LBNAM_14	VARCHAR2
	LBNAM_14_ND	VARCHAR2
LBNAMD_14	LBNAMD_14	VARCHAR2
	LBNAMD_14_ND	VARCHAR2
LBUID_14	LBUID_14	VARCHAR2
	LBUID_14_ND	VARCHAR2
LBDAT_14	LBDAT_14	DATE
	LBDAT_14_DTS	VARCHAR2
	LBDAT_14_ND	VARCHAR2
*RD_LB002_CHEM_1_SCTLB002_18		
LBSPID_14	LBSPID_14	NUMBER
	LBSPID_14_ND	VARCHAR2
LBTEST_14	LBTEST_14_C	VARCHAR2
	LBTEST_14	VARCHAR2
	LBTEST_14_ND	VARCHAR2
LBORRES_14	LBORRES_14	VARCHAR2
	LBORRES_14_ND	VARCHAR2
LBCLSIG_14	LBCLSIG_14_C	VARCHAR2
	LBCLSIG_14	VARCHAR2
	LBCLSIG_14_ND	VARCHAR2

LBCLSIG_14 - LBCOM_4	LBCOM_4	VARCHAR2
LBSTAT_14	LBSTAT_14_C	VARCHAR2
	LBSTAT_14	VARCHAR2
	LBSTAT_14_ND	VARCHAR2
cmpLNMT_1	CMPLNMT_1_ND	VARCHAR2
cmpLNMT_1 - LNMTLOW_1	LNMTLOW_1	VARCHAR2
cmpLNMT_1 - LNMTHIGH_1	LNMTHIGH_1	VARCHAR2
cmpLNMT_1 - LNMTUNIT_1	LNMTUNIT_1	VARCHAR2
cmpLNMT_1 - LNMTFLAG_1	LNMTFLAG_1	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: LABORATORY DATA - HEMATOLOGY (LAB HEM) [LB002_HEM_1]						
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_15] [A:1] ☐ HEMATOLOGY				
2.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_15] [A:4] ☐ BLOOD				
3.	Laboratory Name and Address: <i>[read-only]</i> [Vendor Name]	[LBNAM_15] A200				
4.	Laboratory Name and Address (Derived) <i>[read-only]</i> [Vendor Name (DERIVED)]	[LBNAMD_15] A200				
5.* ✓	Lab ID [Lab ID]	[LBUID_15] A50				
6.* ✓	Collection Date: [Date of Specimen Collection]	[LBDAT_15] (DD/MM/YYYY) Req / Req / Req (2019-2027)				
# ✓	Sponsor-Defined Identifier	Test:	Result:	Clinically Significant?:	Not Done:	LNMT
7.a		Hemoglobin_PX1				
7.b		Hematocrit_PX2				
7.c		Erythrocytes_PX3				
7.d		Reticulocytes/Erythrocytes_PX4				
7.e		Platelets_PX5				
7.f		Leukocytes_PX7				
7.g		Neutrophils/Leukocytes_PX8				
7.h		Eosinophils/Leukocytes_PX9				
7.i		Basophils/Leukocytes_PX10				
7.j		Lymphocytes/Leukocytes_PX11				
7.k		Monocytes/Leukocytes_PX12				
7.l		Ery. Mean Corpuscular Volume_PX15				
7.m		Ery. Mean Corpuscular Hemoglobin_PX16				
7.n		Ery. Mean Corpuscular HGB Concentration_PX17				
7.o		Prothrombin Time_PX19				
7.p		Activated Partial Thromboplastin Time_PX127				
7.q		Erythrocyte Cell Morphology_PX320				
7.r		Neutrophils_PX608				
7.s		Eosinophils_PX609				
7.t		Basophils_PX610				
7.u		Lymphocytes_PX611				
7.v		Monocytes_PX612				
7.w		Prothrombin Intl. Normalized Ratio_PX704				
7.x		Reticulocytes_PX877				
7.y		Lymph Act Marker CD4 ABS_PX1020				
7.z		Lymph Act Marker CD8 ABS_PX1024				
7.aa		Lymph Act Marker CD8 %_PX1452				
7.ab		Lymph Act Marker CD4 %_PX1455				
7.ac		Lymphocyte Marker CD3 (Absolute)_PX5024				

7.ad		Lymphocyte Marker CD3 %_PX6667				
7.ae		Lymphocyte Marker CD16+56 %_PX6668				
7.af		Lymphocyte Marker CD19 %_PX6669				
7.ag		CD19_PX6817				
7.ah		CD16+56 Cell Count ABS_PX6818				
7.ai		Iron_PX53				
7.aj		Immunoglobulin G_PX159				
7.ak		Immunoglobulin A_PX160				
7.al		Immunoglobulin M_PX162				
7.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]		[LBSPID_15] N8			
7.2	Test: <i>[read-only]</i>  [Test:]		[LBTEST_15] [cilLBTEST_15] 			
7.3	Result:  [Result:]		[LBORRES_15] A30			
7.4	Clinically Significant?:  [Clinically Significant?:]		[LBCLSIG_15] [A:Y] ☐ [cmpLBCOM_5]  YES [LBCOM_5] Comment on Significant Finding: A200 [A:N] ☐ NO			
7.5	Not Done:  [Not Done:]		[LBSTAT_15] [A:1] ☐ NOT DONE			
7.6	LNMT <i>[read-only]</i> [LNMT]		[cmpLNMT_2] [LNMTFLOW_2] Low A20 [LNMTHIGH_2] High A20 [LNMTUNIT_2] Unit A20 [LNMTFLAG_2] Flag A20			
Key: [*] = Item is required  = Source verification required  = Item is collapsible  = Fixed item Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.						

Study Object Descriptions: LABORATORY DATA - HEMATOLOGY		
Type	RefName	Description
Form	LB002_HEM_1	LB002 - Local Processing (Results Recorded Directly on CRF)
Item	LBCAT_15	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).. Default To HEMATOLOGY
Item	LBSPEC_15	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBNAM_15	The name or identifier of the laboratory that performed the test.
Item	LBUID_15	Field needed for LNMT integration
Item	LBDAT_15	Date of specimen collection.
Item	LBSPID_15	Sponsor-defined reference number. This is the Pfizer PXCODE.

Item	LBTEST_15	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBORRES_15	Result of the measurement or finding as originally received or collected.
Item	LBCLSIG_15	Whether lab test result(s) were clinically significant.
Item	LBCOM_5	Investigator comment on lab test results of clinical significance.
Item	LBSTAT_15	Used to indicate test was not done.
Item	LNMTLOW_2	LNMT field
Item	LNMTHIGH_2	LNMT field
Item	LNMTUNIT_2	LNMT field
Item	LNMTFLAG_2	LNMT field

Codelist Values Tables: LABORATORY DATA - HEMATOLOGY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliLBTEST_15	String		Hemoglobin_PX1	1	cliLBTEST_1	LBTEST_15
			Hematocrit_PX2	2	cliLBTEST_2	
			Erythrocytes_PX3	3	cliLBTEST_3	
			Reticulocytes/Erythrocytes_PX4	4	cliLBTEST_4	
			Platelets_PX5	5	cliLBTEST_5	
			Leukocytes_PX7	7	cliLBTEST_7	
			Neutrophils/Leukocytes_PX8	8	cliLBTEST_8	
			Eosinophils/Leukocytes_PX9	9	cliLBTEST_9	
			Basophils/Leukocytes_PX10	10	cliLBTEST_10	
			Lymphocytes/Leukocytes_PX11	11	cliLBTEST_11	
			Monocytes/Leukocytes_PX12	12	cliLBTEST_12	
			Ery. Mean Corpuscular Volume_PX15	15	cliLBTEST_15	
			Ery. Mean Corpuscular Hemoglobin_PX16	16	cliLBTEST_16	
			Ery. Mean Corpuscular HGB Concentration_PX17	17	cliLBTEST_17	
			Prothrombin Time_PX19	19	cliLBTEST_19	
			Activated Partial Thromboplastin Time_PX127	127	cliLBTEST_127	
			Erythrocyte Cell Morphology_PX320	320	cliLBTEST_320	
			Neutrophils_PX608	608	cliLBTEST_608	
			Eosinophils_PX609	609	cliLBTEST_609	
			Basophils_PX610	610	cliLBTEST_610	
			Lymphocytes_PX611	611	cliLBTEST_611	
			Monocytes_PX612	612	cliLBTEST_612	
			Prothrombin Intl. Normalized Ratio_PX704	704	cliLBTEST_704	
			Reticulocytes_PX877	877	cliLBTEST_877	
			Lymph Act Marker CD4 ABS_PX1020	1020	cliLBTEST_1020	
			Lymph Act Marker CD8 ABS_PX1024	1024	cliLBTEST_1024	
			Lymph Act Marker CD8 %_PX1452	1452	cliLBTEST_1452	
			Lymph Act Marker CD4 %_PX1455	1455	cliLBTEST_1455	
			Lymphocyte Marker CD3 (Absolute)_PX5024	5024	cliLBTEST_5024	
			Lymphocyte Marker CD3 %_PX6667	6667	cliLBTEST_6667	
			Lymphocyte Marker CD16+56 %_PX6668	6668	cliLBTEST_6668	
			Lymphocyte Marker CD19 %_PX6669	6669	cliLBTEST_6669	
			CD19_PX6817	6817	cliLBTEST_6817	
			CD16+56 Cell Count ABS_PX6818	6818	cliLBTEST_6818	
			Iron_PX53	53	cliLBTEST_53	

			Immunoglobulin G_PX159	159	cliLBTEST_159	
			Immunoglobulin A_PX160	160	cliLBTEST_160	
			Immunoglobulin M_PX162	162	cliLBTEST_162	

RDE Analytics: RD_LB002_HEM_1		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_15	LBCAT_15_C	VARCHAR2
	LBCAT_15	VARCHAR2
	LBCAT_15_ND	VARCHAR2
LBSPEC_15	LBSPEC_15_C	VARCHAR2
	LBSPEC_15	VARCHAR2
	LBSPEC_15_ND	VARCHAR2
LBNAM_15	LBNAM_15	VARCHAR2
	LBNAM_15_ND	VARCHAR2
LBNAMD_15	LBNAMD_15	VARCHAR2
	LBNAMD_15_ND	VARCHAR2
LBUID_15	LBUID_15	VARCHAR2
	LBUID_15_ND	VARCHAR2
LBDAT_15	LBDAT_15	DATE
	LBDAT_15_DTS	VARCHAR2
	LBDAT_15_ND	VARCHAR2
*RD_LB002_HEM_1_SCTLB002_20		
LBSPID_15	LBSPID_15	NUMBER
	LBSPID_15_ND	VARCHAR2
LBTEST_15	LBTEST_15_C	VARCHAR2
	LBTEST_15	VARCHAR2
	LBTEST_15_ND	VARCHAR2
LBORRES_15	LBORRES_15	VARCHAR2
	LBORRES_15_ND	VARCHAR2
LBCLSIG_15	LBCLSIG_15_C	VARCHAR2
	LBCLSIG_15	VARCHAR2
	LBCLSIG_15_ND	VARCHAR2
LBCLSIG_15 - LBCOM_5	LBCOM_5	VARCHAR2
LBSTAT_15	LBSTAT_15_C	VARCHAR2
	LBSTAT_15	VARCHAR2
	LBSTAT_15_ND	VARCHAR2
cmpLNMT_2	CMPLNMT_2_ND	VARCHAR2
cmpLNMT_2 - LNMTLOW_2	LNMTLOW_2	VARCHAR2
cmpLNMT_2 - LNMTHIGH_2	LNMTHIGH_2	VARCHAR2
cmpLNMT_2 - LNMTUNIT_2	LNMTUNIT_2	VARCHAR2
cmpLNMT_2 - LNMTFLAG_2	LNMTFLAG_2	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: LAB URINALYSIS (LAB URIN) [LB002_URIN_1]						
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_16] [A:3] ☐ URINALYSIS				
2.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_16] [A:3] ☐ URINE				
3.	Laboratory Name and Address: <i>[read-only]</i> [Vendor Name]	[LBNAM_16] A200				
4.	Laboratory Name and Address (Derived) <i>[read-only]</i> [Vendor Name (DERIVED)]	[LBNAMD_16] A200				
5.* ✓	Lab ID [Lab ID]	[LBUID_16] A50				
6.* ✓	Collection Date: [Date of Specimen Collection]	[LB DAT_16] (DD/MM/YYYY) Req v / Req v / Req v (2019-2027)				
# ✓	Sponsor-Defined Identifier	Test:	Result:	Clinically Significant?:	Not Done:	LNMT
7.a		pH_PX77				
7.b		Protein_PX78				
7.c		Glucose_PX79				
7.d		Leukocytes_PX80				
7.e		Erythrocytes_PX81				
7.f		Bacteria_PX82				
7.g		Ketones_PX86				
7.h		Hemoglobin_PX87				
7.i		Epithelial Cells_PX92				
7.j		Bilirubin_PX115				
7.k		Urobilinogen_PX118				
7.l		Yeast Cells_PX337				
7.m		Nitrite_PX639				
7.n		Ova and Parasite_PX702				
7.o		Myoglobin_PX1547				
7.p		Leukocyte Esterase_PX1550				
7.q		Yeast Budding_PX4581				
7.r		Bacterial Casts_PX6478				
7.s		Yeast Hyphae_PX4582				
7.t		Urine Microscopic Exam_PX839				
7.u		Urine Mucus_PX433				
7.v		Calcium Oxalate Crystals_602				
7.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_16] N8				
7.2	Test: <i>[read-only]</i>  [Test:]	[LBTEST_16] [clLBTEST_16] v				
7.3 ✓	Result: [Result:]	[LBORRES_16] A30				
7.4	Clinically Significant?:	[LBCLSIG_16]				

✓ [Clinically Significant?:]	[A:Y] [cmpLBCOM_6] YES [LBCOM_6] Comment on Significant Finding: A200 [A:N] NO
7.5 Not Done: ✓ [Not Done:]	[LBSTAT_16] [A:1] NOT DONE
7.6 LNMT <i>[read-only]</i> [LNMT]	[cmpLNMT_3] [LNMTLOW_3] Low A20 [LNMTHIGH_3] High A20 [LNMTUNIT_3] Unit A20 [LNMTFLAG_3] Flag A20

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: LAB URINALYSIS

Type	RefName	Description
Item	LBCAT_16	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).. Default To HEMATOLOGY
Item	LBSPEC_16	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBNAM_16	The name or identifier of the laboratory that performed the test.
Item	LBUID_16	Field needed for LNMT integration
Item	LBDAT_16	Date of specimen collection.
Item	LBSPID_16	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_16	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBORRES_16	Result of the measurement or finding as originally received or collected.
Item	LBCLSIG_16	Whether lab test result(s) were clinically significant.
Item	LBCOM_6	Investigator comment on lab test results of clinical significance.
Item	LBSTAT_16	Used to indicate test was not done.
Item	LNMTLOW_3	LNMT field
Item	LNMTHIGH_3	LNMT field
Item	LNMTUNIT_3	LNMT field
Item	LNMTFLAG_3	LNMT field

Codelist Values Tables: LAB URINALYSIS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
cliLBTEST_16	String		pH_PX77	77	cliLBTEST_77	LBTEST_16
			Protein_PX78	78	cliLBTEST_78	
			Glucose_PX79	79	cliLBTEST_79	
			Leukocytes_PX80	80	cliLBTEST_80	

		Erythrocytes_PX81	81	cliLBTEST_81
		Bacteria_PX82	82	cliLBTEST_82
		Ketones_PX86	86	cliLBTEST_86
		Hemoglobin_PX87	87	cliLBTEST_87
		Epithelial Cells_PX92	92	cliLBTEST_92
		Bilirubin_PX115	115	cliLBTEST_115
		Urobilinogen_PX118	118	cliLBTEST_118
		Yeast Cells_PX337	337	cliLBTEST_337
		Nitrite_PX639	639	cliLBTEST_639
		Ova and Parasite_PX702	702	cliLBTEST_702
		Myoglobin_PX1547	1547	cliLBTEST_1547
		Leukocyte Esterase_PX1550	1550	cliLBTEST_1550
		Yeast Budding_PX4581	4581	cliLBTEST_4581
		Bacterial Casts_PX6478	6478	cliLBTEST_6478
		Yeast Hyphae_PX4582	4582	cliLBTEST_4582
		Urine Microscopic Exam_PX839	839	cliLBTEST_839
		Urine Mucus_PX433	433	cliLBTEST_433
		Calcium Oxalate Crystals_602	602	cliLBTEST_602

RDE Analytics: RD_LB002_URIN_1		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_16	LBCAT_16_C	VARCHAR2
	LBCAT_16	VARCHAR2
	LBCAT_16_ND	VARCHAR2
LBSPEC_16	LBSPEC_16_C	VARCHAR2
	LBSPEC_16	VARCHAR2
	LBSPEC_16_ND	VARCHAR2
LBNAM_16	LBNAM_16	VARCHAR2
	LBNAM_16_ND	VARCHAR2
LBNAMD_16	LBNAMD_16	VARCHAR2
	LBNAMD_16_ND	VARCHAR2
LBUID_16	LBUID_16	VARCHAR2
	LBUID_16_ND	VARCHAR2
LBDAT_16	LBDAT_16	DATE
	LBDAT_16_DTS	VARCHAR2
	LBDAT_16_ND	VARCHAR2
*RD_LB002_URIN_1_SCTLB002_22		
LBSPID_16	LBSPID_16	NUMBER
	LBSPID_16_ND	VARCHAR2
LBTEST_16	LBTEST_16_C	VARCHAR2
	LBTEST_16	VARCHAR2
	LBTEST_16_ND	VARCHAR2
LBORRES_16	LBORRES_16	VARCHAR2
	LBORRES_16_ND	VARCHAR2
LBCLSIG_16	LBCLSIG_16_C	VARCHAR2
	LBCLSIG_16	VARCHAR2
	LBCLSIG_16_ND	VARCHAR2

LBCLSIG_16 - LBCOM_6	LBCOM_6	VARCHAR2
LBSTAT_16	LBSTAT_16_C	VARCHAR2
	LBSTAT_16	VARCHAR2
	LBSTAT_16_ND	VARCHAR2
cmpLNMT_3	CMPLNMT_3_ND	VARCHAR2
cmpLNMT_3 - LNMTLOW_3	LNMTLOW_3	VARCHAR2
cmpLNMT_3 - LNMTHIGH_3	LNMTHIGH_3	VARCHAR2
cmpLNMT_3 - LNMTUNIT_3	LNMTUNIT_3	VARCHAR2
cmpLNMT_3 - LNMTFLAG_3	LNMTFLAG_3	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

B7981032: CASEBOOK SIGNATURE FORM (INVSIG) [INVSIG]		
CASEBOOK SIGNATURE FORM [INVSIG]		
1.*	Casebook Signature [Casebook Signature]	[INVSIG_1] [A:1]  Click Here to Enable
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_INVSIG		
Data Variable RefName	RD Column Name	Column Data Type
INVSIG_1	INVSIG_1_C	VARCHAR2
	INVSIG_1	VARCHAR2
	INVSIG_1_ND	VARCHAR2

InForm Special Properties For Study Design: B7981032			
InForm Special Property	Property Type	Data Object RefName	Data Object Path RefName
Screening	Visit	evtINFSCR	evtINFSCR
Enrollment	Visit	evtINFENR	evtINFENR
Screening	Form	INFSCR	evtINFSCR.INFSCR
Enrollment	Form	INFENR	evtINFENR.INFENR
Patient Identification	Form	DM301	evtSCREENING.DM301
Study Completion	Form	Unassigned	Unassigned
Reg Docs	Form	Unassigned	Unassigned
Visit Report	Form	Unassigned	Unassigned
Visit Approval	Form	Unassigned	Unassigned
Initials (Screening)	Item	SCRINIT	evtINFSCR.INFSCR.sctINFSCR_01.SCRINIT
DOB (Screening)	Item	SCRDOB	evtINFSCR.INFSCR.sctINFSCR_01.SCRDOB
Screening date (Screening)	Item	Unassigned	Unassigned
Patient No. (Enrollment)	Item	SUBJID	evtSCREENING.DM301.sctDM301_01.SUBJID evtINFENR.INFENR.sctINFENR_01.SUBJID
Initials (Patient Identification)	Item	Unassigned	Unassigned
Completion status (Study Completion)	Item	Unassigned	Unassigned
Drop out reason (Study Completion)	Item	Unassigned	Unassigned
DOV (Date of Visit)	Item	DOVDAT	evtMONTH31.DOV.sctDOV_01.DOVDAT evtMONTH37.DOV.sctDOV_01.DOVDAT evtMONTH38.DOV.sctDOV_01.DOVDAT evtMONTH36.DOV.sctDOV_01.DOVDAT evtDAY1.DOV.sctDOV_01.DOVDAT evtSCREENING.DOV.sctDOV_01.DOVDAT evtMONTH9.DOV.sctDOV_01.DOVDAT evtUNPLVIS.UNPL.sctDOV_01.DOVDAT evtMONTH41.DOV.sctDOV_01.DOVDAT evtFOLLOW_UP.DOV.sctDOV_01.DOVDAT evtMONTH35.DOV.sctDOV_01.DOVDAT evtMONTH12.DOV.sctDOV_01.DOVDAT evtMONTH60.DOV.sctDOV_01.DOVDAT evtMONTH32.DOV.sctDOV_01.DOVDAT evtMONTH3.DOV.sctDOV_01.DOVDAT evtMONTH18.DOV.sctDOV_01.DOVDAT evtMONTH24.DOV.sctDOV_01.DOVDAT evtMONTH48.DOV.sctDOV_01.DOVDAT evtMONTH4.DOV.sctDOV_01.DOVDAT evtMONTH6.DOV.sctDOV_01.DOVDAT evtMONTH28.DOV.sctDOV_01.DOVDAT evtMONTH25.DOV.sctDOV_01.DOVDAT evtMONTH51.DOV.sctDOV_01.DOVDAT evtMONTH46.DOV.sctDOV_01.DOVDAT evtMONTH52.DOV.sctDOV_01.DOVDAT evtMONTH50.DOV.sctDOV_01.DOVDAT evtMONTH1.DOV.sctDOV_01.DOVDAT evtMONTH56.DOV.sctDOV_01.DOVDAT evtMONTH15.DOV.sctDOV_01.DOVDAT evtEARLY_TERMINATION.DOV.sctDOV_01.DOVDAT evtMONTH24_EOT.DOV.sctDOV_01.DOVDAT evtMONTH23.DOV.sctDOV_01.DOVDAT evtMONTH26.DOV.sctDOV_01.DOVDAT evtMONTH42.DOV.sctDOV_01.DOVDAT evtMONTH57.DOV.sctDOV_01.DOVDAT evtMONTH2.DOV.sctDOV_01.DOVDAT evtMONTH40.DOV.sctDOV_01.DOVDAT evtMONTH55.DOV.sctDOV_01.DOVDAT evtMONTH11.DOV.sctDOV_01.DOVDAT evtMONTH19.DOV.sctDOV_01.DOVDAT evtMONTH17.DOV.sctDOV_01.DOVDAT evtD1SUB.DOV.sctDOV_01.DOVDAT evtMONTH14.DOV.sctDOV_01.DOVDAT evtMONTH54.DOV.sctDOV_01.DOVDAT evtMONTH27.DOV.sctDOV_01.DOVDAT

			evtMONTH59.DOV.sctDOV_01.DOVDAT evtMONTH58.DOV.sctDOV_01.DOVDAT evtMONTH30.DOV.sctDOV_01.DOVDAT evtMONTH33.DOV.sctDOV_01.DOVDAT evtMONTH8.DOV.sctDOV_01.DOVDAT evtMONTH34.DOV.sctDOV_01.DOVDAT evtMONTH10.DOV.sctDOV_01.DOVDAT evtMONTH39.DOV.sctDOV_01.DOVDAT evtMONTH53.DOV.sctDOV_01.DOVDAT evtWEEK2.DOV.sctDOV_01.DOVDAT evtMONTH22.DOV.sctDOV_01.DOVDAT evtMONTH44.DOV.sctDOV_01.DOVDAT evtMONTH21.DOV.sctDOV_01.DOVDAT evtMONTH29.DOV.sctDOV_01.DOVDAT evtMONTH7.DOV.sctDOV_01.DOVDAT evtMONTH45.DOV.sctDOV_01.DOVDAT evtMONTH43.DOV.sctDOV_01.DOVDAT evtMONTH5.DOV.sctDOV_01.DOVDAT evtMONTH47.DOV.sctDOV_01.DOVDAT evtMONTH16.DOV.sctDOV_01.DOVDAT evtMTH1SUB.DOV.sctDOV_01.DOVDAT evtMONTH20.DOV.sctDOV_01.DOVDAT evtMONTH49.DOV.sctDOV_01.DOVDAT evtMONTH13.DOV.sctDOV_01.DOVDAT
Randomization field (Randomization)	Item	Unassigned	Unassigned

Personal/Protected Health Information Table: B7981032		
Item RefName	Section RefName	Form RefName
No items have been defined as "Personal/Protected Health Information".		
Please note: emails sent from the trial server by the InForm application are not encrypted. If you are subject to HIPAA requirements, you should identify and block all Personal/Protected Health Information items that may be included in email notifications.		

Unit Conversions For Study Design: B7981032

No unit conversion data.

Review States for Study: B7981032			
Review State '1': PromptMonitoring			
Description		Review state to track Prompt Monitoring	
RefName		PromptMonitoring	
Activated		yes	
InForm Product Locale: English (United States)			
Review State Label		Prompt Monitoring	
Review State Mnemonic		PM	
Stage	Stage Name	Stage Mnemonic	Stage Label
1	ReadyPM	ReadyPM	Ready for PM
2	CompletePM	CompPM	PM Complete
3	Notused	Not Used	NotUsed
InForm Product Locale: Japanese (Japan)			
Review State Label		Prompt Monitoring2	
Review State Mnemonic		PM2	
Stage	Stage Name	Stage Mnemonic	Stage Label
1	ReadyPM	ReadyPM2	Ready for PM2
2	CompletePM	CompPM2	PM Complete2
3	Notused	Not Used2	NotUsed2
Review State '2': SourceDocumentReview			
Description		Review state to track Source Document Review	
RefName		SourceDocumentReview	
Activated		yes	
InForm Product Locale: English (United States)			
Review State Label		Source Document Review	
Review State Mnemonic		SDR	
Stage	Stage Name	Stage Mnemonic	Stage Label
1	ReadyforSDR	Ready SDR	ReadySDR
2	CompSDR	SDR Complete	CompleteSDR
3	Notused	Not Used	NotUsed
InForm Product Locale: Japanese (Japan)			
Review State Label		Source Document Review2	
Review State Mnemonic		SDR2	
Stage	Stage Name	Stage Mnemonic	Stage Label
1	ReadyforSDR	Ready SDR2	ReadySDR2
2	CompSDR	SDR Complete2	CompleteSDR2
3	Notused	Not Used2	NotUsed2

In-place Revisions Summary Table: B7981032					
Deployment Instance: B7981032_UAT					
Data Object RefName	Type	Actual Change Path	Description	Study Version	Path
AEENDAT_1	Item	AE203.sctAE203_01.AEENDAT_1		B7981032 0.0.2395	AE203.sctAE203_01.AEENDAT_1
				B7981032 1.1.2	AE203.sctAE203_01.AEENDAT_1
				B7981032 1.1.38	AE203.sctAE203_01.AEENDAT_1
				B7981032 1.1.41	AE203.sctAE203_01.AEENDAT_1
				B7981032 1.2.0	AE203.sctAE203_01.AEENDAT_1
				B7981032 1.2.174	AE203.sctAE203_01.AEENDAT_1
				B7981032 1.2.176	AE203.sctAE203_01.AEENDAT_1
				B7981032 1.2.250	AE203.sctAE203_01.AEENDAT_1
				B7981032 1.2.265	AE203.sctAE203_01.AEENDAT_1
				B7981032 1.2.35	AE203.sctAE203_01.AEENDAT_1
				B7981032 1.3.30	AE203.sctAE203_01.AEENDAT_1
				B7981032 1.3.36	AE203.sctAE203_01.AEENDAT_1
				B7981032 2.0.136	AE203.sctAE203_01.AEENDAT_1
				B7981032 2.0.138	AE203.sctAE203_01.AEENDAT_1
				B7981032 3.0.18	AE203.sctAE203_01.AEENDAT_1
				B7981032 3.0.28	AE203.sctAE203_01.AEENDAT_1
				B7981032 3.0.32	AE203.sctAE203_01.AEENDAT_1
				B7981032 4.0.43	AE203.sctAE203_01.AEENDAT_1
				B7981032 4.0.46	AE203.sctAE203_01.AEENDAT_1
				B7981032 5.0.212	AE203.sctAE203_01.AEENDAT_1
				B7981032 5.0.258	AE203.sctAE203_01.AEENDAT_1
				B7981032 6.0.0	AE203.sctAE203_01.AEENDAT_1
				B7981032 6.0.5	AE203.sctAE203_01.AEENDAT_1
				B7981032 7.0.0	AE203.sctAE203_01.AEENDAT_1
				B7981032 7.0.1	AE203.sctAE203_01.AEENDAT_1
				B7981032 7.0.16	AE203.sctAE203_01.AEENDAT_1
				B7981032 7.0.2	AE203.sctAE203_01.AEENDAT_1
				B7981032 7.0.8	AE203.sctAE203_01.AEENDAT_1
				B7981032 0.0.2395	AE203.sctAE203_01.AESTDAT_1
				B7981032 1.1.2	AE203.sctAE203_01.AESTDAT_1
				B7981032 1.1.38	AE203.sctAE203_01.AESTDAT_1
				B7981032 1.1.41	AE203.sctAE203_01.AESTDAT_1
				B7981032 1.2.0	AE203.sctAE203_01.AESTDAT_1
				B7981032 1.2.174	AE203.sctAE203_01.AESTDAT_1
				B7981032 1.2.176	AE203.sctAE203_01.AESTDAT_1
				B7981032 1.2.250	AE203.sctAE203_01.AESTDAT_1
				B7981032 1.2.265	AE203.sctAE203_01.AESTDAT_1
				B7981032 1.2.35	AE203.sctAE203_01.AESTDAT_1
				B7981032 1.3.30	AE203.sctAE203_01.AESTDAT_1
				B7981032 1.3.36	AE203.sctAE203_01.AESTDAT_1
				B7981032 2.0.136	AE203.sctAE203_01.AESTDAT_1
				B7981032 2.0.138	AE203.sctAE203_01.AESTDAT_1
				B7981032 3.0.18	AE203.sctAE203_01.AESTDAT_1
				B7981032 3.0.28	AE203.sctAE203_01.AESTDAT_1
				B7981032 3.0.32	AE203.sctAE203_01.AESTDAT_1
				B7981032 4.0.43	AE203.sctAE203_01.AESTDAT_1
				B7981032 4.0.46	AE203.sctAE203_01.AESTDAT_1
				B7981032 5.0.212	AE203.sctAE203_01.AESTDAT_1
				B7981032 5.0.258	AE203.sctAE203_01.AESTDAT_1
				B7981032 6.0.0	AE203.sctAE203_01.AESTDAT_1
				B7981032 6.0.5	AE203.sctAE203_01.AESTDAT_1
				B7981032 7.0.0	AE203.sctAE203_01.AESTDAT_1
				B7981032 7.0.1	AE203.sctAE203_01.AESTDAT_1
				B7981032 7.0.16	AE203.sctAE203_01.AESTDAT_1
				B7981032 7.0.2	AE203.sctAE203_01.AESTDAT_1
				B7981032 7.0.8	AE203.sctAE203_01.AESTDAT_1
AESTDAT_1	Item	AE203.sctAE203_01.AESTDAT_1		B7981032 0.0.2395	AE203.sctAE203_01.AESTDAT_1
AUDDAT	Item	AUD001.sctAUD001_01.AUDDAT		B7981032 0.0.2395	AUD001.sctAUD001_01.AUDDAT
				B7981032 1.1.2	AUD001.sctAUD001_01.AUDDAT
				B7981032 1.1.38	AUD001.sctAUD001_01.AUDDAT
				B7981032 1.1.41	AUD001.sctAUD001_01.AUDDAT
				B7981032 1.2.0	AUD001.sctAUD001_01.AUDDAT
				B7981032 1.2.174	AUD001.sctAUD001_01.AUDDAT
				B7981032 1.2.176	AUD001.sctAUD001_01.AUDDAT
				B7981032 1.2.250	AUD001.sctAUD001_01.AUDDAT
				B7981032 1.2.265	AUD001.sctAUD001_01.AUDDAT
				B7981032 1.2.265	AUD001.sctAUD001_01.AUDDAT
				B7981032 1.2.265	AUD001.sctAUD001_01.AUDDAT
				B7981032 1.2.265	AUD001.sctAUD001_01.AUDDAT

				B7981032 1.2.35 B7981032 1.3.30 B7981032 1.3.36 B7981032 2.0.136 B7981032 2.0.138 B7981032 3.0.18 B7981032 3.0.28 B7981032 3.0.32	AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT
				B7981032 4.0.43 B7981032 4.0.46	AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT
				B7981032 5.0.212 B7981032 5.0.258 B7981032 6.0.0 B7981032 6.0.5 B7981032 7.0.0 B7981032 7.0.1 B7981032 7.0.16 B7981032 7.0.2 B7981032 7.0.8	AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT AUD001.sctAUD001_01.AUDDAT
DLADAT	Item	DLA001.sctDLA001_01.DLADAT		B7981032 0.0.2395 B7981032 1.1.2 B7981032 1.1.38 B7981032 1.1.41 B7981032 1.2.0 B7981032 1.2.174 B7981032 1.2.176 B7981032 1.2.250 B7981032 1.2.265 B7981032 1.2.35 B7981032 1.3.30 B7981032 1.3.36 B7981032 2.0.136 B7981032 2.0.138 B7981032 3.0.18 B7981032 3.0.28 B7981032 3.0.32	DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT
				B7981032 4.0.43 B7981032 4.0.46	DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT
				B7981032 5.0.212 B7981032 5.0.258 B7981032 6.0.0 B7981032 6.0.5 B7981032 7.0.0 B7981032 7.0.1 B7981032 7.0.16 B7981032 7.0.2 B7981032 7.0.8	DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT DLA001.sctDLA001_01.DLADAT
EGDAT_1	Item	EG002_1.sctEG002_01.EGDAT_1		B7981032 1.1.2 B7981032 1.1.38 B7981032 1.2.0 B7981032 1.2.174 B7981032 1.2.250 B7981032 1.3.30 B7981032 2.0.136 B7981032 3.0.18	EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1
				B7981032 4.0.43	EG002_1.sctEG002_01.EGDAT_1
				B7981032 0.0.2395 B7981032 1.1.41 B7981032 1.2.176 B7981032 1.2.265 B7981032 1.2.35 B7981032 1.3.36 B7981032 2.0.138 B7981032 3.0.28 B7981032 3.0.32 B7981032 4.0.46	EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1
				B7981032 5.0.212 B7981032 5.0.258 B7981032 6.0.0	EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1 EG002_1.sctEG002_01.EGDAT_1

file:///C:/Users/Nsharma/AppData/Local/Apps/2.0/3H0KP69G.CJ8/2DJKZ8XV.BQV/orac..90.0 919f856034ae8f10 0007.000... 2/14/2024

[illegible]

[illegible]

Custom Events for Study Design: B7981032

No custom events have been defined.