

Annotated Study Book

B7981118

Date generated:

Oct 16, 2025 03:04 AM UTC+0



Protocol Number	B7981118_V3.0.0
Study Version	V3.0.0
NCT Number	3.4
IND/IDE Number	NCI 20240927

Table of Contents

Section	Page Number
Events	3
Instruments	48
Link Definitions	—
Clinical Models	—
Clinical Tables	—
Data Lineage	—
Common Variables	—
Study Maps	—
Checks	—
Reference Tables	—
Other Descriptive Metadata	479

Events*Screening*

Screening	
Unique Event Name:	SCR
Event Description:	Screening
Event Type:	Static
Max Repeats Allowed:	1
Day Schedule:	0
Event Date Window:	Day 0 to Day 0
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.1)
	✓✓ DS001 (0.3)
	✓✓ DS001_1 (0.10)
	✓✓ DM001 (0.28)
	R_TRIG001 (0.17)
	IE002 (0.13)
	MH001 (0.19)
	✓✓ CM001_1 (0.34)
	✓✓ MH001_4 (0.42)
	VS001_1 (0.44)

	EG001 (0.36)
	SRTCR002 (0.20)
	✓ DS001_4 (0.19)
	✓ AE001 (0.95)
	D_SAE001 (0.74)
	CM001 (0.47)
	PR001 (0.22)
	AE001_1 (0.31)
Expressions	
Active Rules:	
Rule 1:	FM_>=_INFORMED_CONSENT (0.2)
Rule 2:	FM_>_END_OF_SCREENING_DISP (0.1)
Rule 3:	FM_>_END_OF_TREATMENT (0.1)
Rule 4:	AE_G013_001 (0.1)
Rule 5:	AE_G109_001 (0.1)
Rule 6:	FM_<_BIRTH_DATE_YEAR (0.1)
Rule 7:	AE_G016_001 (0.1)
Rule 8:	DM_G049_001 (0.1)
Rule 9:	FM_<_INFORMED_CONSENT (0.1)
Rule 10:	MH_G002_001 (0.1)
Rule 11:	CM_G055_001 (0.1)
Rule 12:	DM_G047_001 (0.1)
Rule 13:	DM_G048_001 (0.1)
Rule 14:	AE_G147_001 (0.1)
Rule 15:	AE_G254_001 (0.1)

Rule 16:	AE_G005_001 (0.1)
Rule 17:	AE_G007_001 (0.1)
Rule 18:	DM_G001_001 (0.1)
Rule 19:	EG_G004_001 (0.1)
Rule 20:	EG_G017_001 (0.1)
Rule 21:	EG_G007_001 (0.1)
Rule 22:	DM_G016_001 (0.1)
Rule 23:	EG_G009_001 (0.1)
Rule 24:	EG_G011_001 (0.1)
Rule 25:	EG_G016_001 (0.1)
Rule 26:	DS_G031_001_4 (0.1)
Rule 27:	DM_G015_001 (0.1)
Rule 28:	R_TRIG_G003_001 (0.1)
Rule 29:	DM_G034_001 (0.3)
Rule 30:	DS_G028_001_4 (0.1)
Rule 31:	DS_G030_001_4 (0.1)
Rule 32:	VS_G009_001_1 (0.1)
Rule 33:	VS_G013_001_1 (0.1)
Rule 34:	CM_G004_001 (0.1)
Rule 35:	VS_G010_001_1 (0.1)
Rule 36:	PR_G026_001 (0.1)
Rule 37:	AE_G109_001_1 (0.1)
Rule 38:	IE_G009_002 (0.1)
Rule 39:	IE_G010_002 (0.1)
Rule 40:	AE_G181_001 (0.1)
Rule 41:	AE_G138_001 (0.1)

Rule 42:	AE_G140_001 (0.1)
Rule 43:	AE_G169_001 (0.1)
Rule 44:	AE_G003_001 (0.1)
Rule 45:	AE_G135_001 (0.1)
Rule 46:	AE_G136_001 (0.1)
Rule 47:	AE_G144_001 (0.1)
Rule 48:	AE_G149_001 (0.1)
Rule 49:	AE_G170_001 (0.1)
Rule 50:	AE_G245_001 (0.1)
Rule 51:	AE_G247_001 (0.1)
Rule 52:	IE_G017_002 (0.2)
Rule 53:	IE_G018_002 (0.3)
Rule 54:	DM_G070_001 (0.1)
Rule 55:	DM_G065_001 (0.1)
Rule 56:	AE_G259_001 (0.1)
Rule 57:	R_TRIG_G007_001 (0.1)
Rule 58:	AE_G256_001 (0.1)
Rule 59:	DS_S001_001_1 (0.1)
Rule 60:	AE_G255_001 (0.2)
Rule 61:	FM_>_END_OF_STUDY (0.3)
Rule 62:	CM_G004_001_1 (0.2)
Rule 63:	D_EGORRES_001 (0.21)
Rule 64:	DS_G029_001_4 (0.1)
Rule 65:	R_TRIG_G008_001 (0.3)
Rule 66:	MH_G118_001 (0.4)
Rule 67:	R_TRIG_G001_001 (0.2)

Rule 68:	AE_G027_001 (0.2)
Rule 69:	DM_G043_001 (0.2)
Rule 70:	DM_G044_001 (0.2)
Rule 71:	DM_G045_001 (0.2)
Rule 72:	DM_G038_001 (0.2)
Rule 73:	D_EGORRES_001_1 (0.16)
Rule 74:	AE_G026_001 (0.3)
Rule 75:	MH_G117_001 (0.2)
Rule 76:	IE_G016_002 (0.3)
Rule 77:	DS_G045_001_4 (0.3)
Rule 78:	AE_G191_001_1 (0.2)
Rule 79:	AE_G201_001 (0.2)
Rule 80:	AE_G207_001 (0.2)
Rule 81:	DS_G033_001_4 (0.2)
Rule 82:	DM_G056_001 (0.2)
Rule 83:	R_TRIG_S001_001 (0.4)
Rule 84:	R_TRIG_S001_001 (0.4)
Rule 85:	R_TRIG_S001_001 (0.4)
Rule 86:	R_TRIG_S001_001 (0.4)
Rule 87:	R_TRIG_S001_001 (0.4)
Rule 88:	R_TRIG_S001_001 (0.4)
Rule 89:	R_TRIG_S001_001 (0.4)
Rule 90:	R_TRIG_S001_001 (0.4)
Rule 91:	DS_S001_001_7_1 (0.5)
Rule 92:	DYNE_S001_900 (0.6)
Rule 93:	AE_G257_001 (0.2)

Rule 94:	AE_G175_001_1 (0.2)
Rule 95:	DS_G019_001 (0.2)
Rule 96:	AE_G173_001 (0.3)
Rule 97:	AE_G146_001 (0.2)
Rule 98:	DS_G044_001_4 (0.2)
Rule 99:	R_TRIG_G005_001 (0.2)
Rule 100:	DM_G055_001 (0.3)
Rule 101:	VS_G015_001_1 (0.3)
Rule 102:	SRTCR_G018_002 (0.1)
Rule 103:	SRTCR_G011_002 (0.1)
Rule 104:	SV_G007_001 (0.4)
Rule 105:	SV_S010_001 (0.3)
Rule 106:	MH_S001_001_4 (0.2)

Events*Day 1*

Day 1	
Unique Event Name:	DAY1
Event Description:	Baseline
Event Type:	Static
Max Repeats Allowed:	1
Day Schedule:	1
Event Date Window:	Day 35 to Day 1
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.1)
	DS001_3 (0.14)
	VS001_1 (0.44)
	AUAUD001 (0.12)
	R_OMIC003 (0.28)
	BEETRK010 (0.24)
	 PC003 (0.66)
	 AE001 (0.95)
	D_SAE001 (0.74)
	CM001 (0.47)

		PR001 (0.22)
		AE001_1 (0.31)
Expressions		
Active Rules:		
Rule 1:		AUAUD_G001_001 (0.1)
Rule 2:		FM_<_RANDOMIZATION (0.2)
Rule 3:		FM_>=_RANDOMIZATION (0.2)
Rule 4:		AE_G013_001 (0.1)
Rule 5:		AE_G109_001 (0.1)
Rule 6:		AE_G016_001 (0.1)
Rule 7:		CM_G055_001 (0.1)
Rule 8:		AE_G147_001 (0.1)
Rule 9:		AE_G254_001 (0.1)
Rule 10:		AE_G005_001 (0.1)
Rule 11:		AE_G007_001 (0.1)
Rule 12:		VS_G009_001_1 (0.1)
Rule 13:		VS_G013_001_1 (0.1)
Rule 14:		CM_G004_001 (0.1)
Rule 15:		VS_G010_001_1 (0.1)
Rule 16:		PR_G026_001 (0.1)
Rule 17:		AE_G109_001_1 (0.1)
Rule 18:		AE_G181_001 (0.1)
Rule 19:		AE_G138_001 (0.1)
Rule 20:		AE_G140_001 (0.1)
Rule 21:		AE_G169_001 (0.1)
Rule 22:		AE_G003_001 (0.1)

Rule 23:	AE_G135_001 (0.1)
Rule 24:	AE_G136_001 (0.1)
Rule 25:	AE_G144_001 (0.1)
Rule 26:	AE_G149_001 (0.1)
Rule 27:	AE_G170_001 (0.1)
Rule 28:	AE_G245_001 (0.1)
Rule 29:	AE_G247_001 (0.1)
Rule 30:	AE_G259_001 (0.1)
Rule 31:	AE_G256_001 (0.1)
Rule 32:	AE_G255_001 (0.2)
Rule 33:	AE_G027_001 (0.2)
Rule 34:	AE_G026_001 (0.3)
Rule 35:	AE_G191_001_1 (0.2)
Rule 36:	AE_G201_001 (0.2)
Rule 37:	AE_G207_001 (0.2)
Rule 38:	SV_S004_001 (0.11)
Rule 39:	SV_S005_001 (0.9)
Rule 40:	AE_G257_001 (0.2)
Rule 41:	AE_G175_001_1 (0.2)
Rule 42:	AE_G173_001 (0.3)
Rule 43:	AE_G146_001 (0.2)
Rule 44:	VS_G015_001_1 (0.3)
Rule 45:	SV_G007_001 (0.4)
Rule 46:	D_PCTPT_003 (0.32)
Rule 47:	SV_S003_001 (0.9)
Rule 48:	D_BETPT_010 (0.32)

Rule 49:	SV_S001_001 (0.10)
Rule 50:	SV_S001_001 (0.10)
Rule 51:	SV_S001_001 (0.10)
Rule 52:	SV_S001_001 (0.10)
Rule 53:	SV_S001_001 (0.10)
Rule 54:	SV_S001_001 (0.10)
Rule 55:	SV_S001_001 (0.10)
Rule 56:	R_OMIC_G011_003 (0.1)

Events

Week 04

Week 04	
Unique Event Name:	WEEK4
Event Description:	week 04 Day 29 of study treatment
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	29
Event Date Window:	Day 5 to Day 5
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.1)
	VS001_1 (0.44)
	R_OMIC003_1 (0.14)
	BEETRK010 (0.24)
	✓ PC003 (0.66)
	✓ AE001 (0.95)
	D_SAE001 (0.74)
	CM001 (0.47)
	PR001 (0.22)
	AE001_1 (0.31)

Expressions		
Active Rules:		
	Rule 1:	AE_G013_001 (0.1)
	Rule 2:	AE_G109_001 (0.1)
	Rule 3:	AE_G016_001 (0.1)
	Rule 4:	CM_G055_001 (0.1)
	Rule 5:	AE_G147_001 (0.1)
	Rule 6:	AE_G254_001 (0.1)
	Rule 7:	AE_G005_001 (0.1)
	Rule 8:	AE_G007_001 (0.1)
	Rule 9:	VS_G009_001_1 (0.1)
	Rule 10:	VS_G013_001_1 (0.1)
	Rule 11:	CM_G004_001 (0.1)
	Rule 12:	VS_G010_001_1 (0.1)
	Rule 13:	PR_G026_001 (0.1)
	Rule 14:	AE_G109_001_1 (0.1)
	Rule 15:	AE_G181_001 (0.1)
	Rule 16:	AE_G138_001 (0.1)
	Rule 17:	AE_G140_001 (0.1)
	Rule 18:	AE_G169_001 (0.1)
	Rule 19:	AE_G003_001 (0.1)
	Rule 20:	AE_G135_001 (0.1)
	Rule 21:	AE_G136_001 (0.1)
	Rule 22:	AE_G144_001 (0.1)
	Rule 23:	AE_G149_001 (0.1)
	Rule 24:	AE_G170_001 (0.1)

Rule 25:	AE_G245_001 (0.1)
Rule 26:	AE_G247_001 (0.1)
Rule 27:	AE_G259_001 (0.1)
Rule 28:	AE_G256_001 (0.1)
Rule 29:	AE_G255_001 (0.2)
Rule 30:	AE_G027_001 (0.2)
Rule 31:	AE_G026_001 (0.3)
Rule 32:	AE_G191_001_1 (0.2)
Rule 33:	AE_G201_001 (0.2)
Rule 34:	AE_G207_001 (0.2)
Rule 35:	DYNE_S001_900 (0.6)
Rule 36:	AE_G257_001 (0.2)
Rule 37:	AE_G175_001_1 (0.2)
Rule 38:	AE_G173_001 (0.3)
Rule 39:	AE_G146_001 (0.2)
Rule 40:	VS_G015_001_1 (0.3)
Rule 41:	SV_G007_001 (0.4)
Rule 42:	D_PCTPT_003 (0.32)
Rule 43:	D_BETPT_010 (0.32)
Rule 44:	SV_S002_001 (0.6)
Rule 45:	SV_S002_001 (0.6)
Rule 46:	SV_S002_001 (0.6)
Rule 47:	SV_S002_001 (0.6)
Rule 48:	SV_S002_001 (0.6)

Events

Week 08

Week 08		
Unique Event Name:	WEEK8	
Event Description:	week 08 Day 57 of study treatment	
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Day Schedule:	57	
Event Date Window:	Day 5 to Day 5	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.1)	
	VS001_1 (0.44)	
	✓ PC003 (0.66)	
	✓ AE001 (0.95)	
	D_SAE001 (0.74)	
	CM001 (0.47)	
	PR001 (0.22)	
	AE001_1 (0.31)	
Expressions		
Active Rules:		

Rule 1:	AE_G013_001 (0.1)
Rule 2:	AE_G109_001 (0.1)
Rule 3:	AE_G016_001 (0.1)
Rule 4:	CM_G055_001 (0.1)
Rule 5:	AE_G147_001 (0.1)
Rule 6:	AE_G254_001 (0.1)
Rule 7:	AE_G005_001 (0.1)
Rule 8:	AE_G007_001 (0.1)
Rule 9:	VS_G009_001_1 (0.1)
Rule 10:	VS_G013_001_1 (0.1)
Rule 11:	CM_G004_001 (0.1)
Rule 12:	VS_G010_001_1 (0.1)
Rule 13:	PR_G026_001 (0.1)
Rule 14:	AE_G109_001_1 (0.1)
Rule 15:	AE_G181_001 (0.1)
Rule 16:	AE_G138_001 (0.1)
Rule 17:	AE_G140_001 (0.1)
Rule 18:	AE_G169_001 (0.1)
Rule 19:	AE_G003_001 (0.1)
Rule 20:	AE_G135_001 (0.1)
Rule 21:	AE_G136_001 (0.1)
Rule 22:	AE_G144_001 (0.1)
Rule 23:	AE_G149_001 (0.1)
Rule 24:	AE_G170_001 (0.1)
Rule 25:	AE_G245_001 (0.1)
Rule 26:	AE_G247_001 (0.1)

Rule 27:	AE_G259_001 (0.1)
Rule 28:	AE_G256_001 (0.1)
Rule 29:	AE_G255_001 (0.2)
Rule 30:	AE_G027_001 (0.2)
Rule 31:	AE_G026_001 (0.3)
Rule 32:	AE_G191_001_1 (0.2)
Rule 33:	AE_G201_001 (0.2)
Rule 34:	AE_G207_001 (0.2)
Rule 35:	DYNE_S001_900 (0.6)
Rule 36:	AE_G257_001 (0.2)
Rule 37:	AE_G175_001_1 (0.2)
Rule 38:	AE_G173_001 (0.3)
Rule 39:	AE_G146_001 (0.2)
Rule 40:	VS_G015_001_1 (0.3)
Rule 41:	SV_G007_001 (0.4)
Rule 42:	D_PCTPT_003 (0.32)
Rule 43:	SV_S003_001 (0.9)
Rule 44:	SV_S003_001 (0.9)
Rule 45:	SV_S003_001 (0.9)
Rule 46:	SV_S003_001 (0.9)

Events

Week 12

Week 12	
Unique Event Name:	WEEK12
Event Description:	week 12 Day 85 of study treatment
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	85
Event Date Window:	Day 5 to Day 5
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.1)
	VS001_1 (0.44)
	EG001 (0.36)
	R_OMIC003_1 (0.14)
	BEETRK010 (0.24)
	✓ AE001 (0.95)
	D_SAE001 (0.74)
	CM001 (0.47)
	PR001 (0.22)
	AE001_1 (0.31)

Expressions		
Active Rules:		
	Rule 1:	AE_G013_001 (0.1)
	Rule 2:	AE_G109_001 (0.1)
	Rule 3:	AE_G016_001 (0.1)
	Rule 4:	CM_G055_001 (0.1)
	Rule 5:	AE_G147_001 (0.1)
	Rule 6:	AE_G254_001 (0.1)
	Rule 7:	AE_G005_001 (0.1)
	Rule 8:	AE_G007_001 (0.1)
	Rule 9:	EG_G004_001 (0.1)
	Rule 10:	EG_G017_001 (0.1)
	Rule 11:	EG_G007_001 (0.1)
	Rule 12:	EG_G009_001 (0.1)
	Rule 13:	EG_G011_001 (0.1)
	Rule 14:	EG_G016_001 (0.1)
	Rule 15:	VS_G009_001_1 (0.1)
	Rule 16:	VS_G013_001_1 (0.1)
	Rule 17:	CM_G004_001 (0.1)
	Rule 18:	VS_G010_001_1 (0.1)
	Rule 19:	PR_G026_001 (0.1)
	Rule 20:	AE_G109_001_1 (0.1)
	Rule 21:	AE_G181_001 (0.1)
	Rule 22:	AE_G138_001 (0.1)
	Rule 23:	AE_G140_001 (0.1)
	Rule 24:	AE_G169_001 (0.1)

Rule 25:	AE_G003_001 (0.1)
Rule 26:	AE_G135_001 (0.1)
Rule 27:	AE_G136_001 (0.1)
Rule 28:	AE_G144_001 (0.1)
Rule 29:	AE_G149_001 (0.1)
Rule 30:	AE_G170_001 (0.1)
Rule 31:	AE_G245_001 (0.1)
Rule 32:	AE_G247_001 (0.1)
Rule 33:	AE_G259_001 (0.1)
Rule 34:	AE_G256_001 (0.1)
Rule 35:	AE_G255_001 (0.2)
Rule 36:	D_EGORRES_001 (0.21)
Rule 37:	AE_G027_001 (0.2)
Rule 38:	D_EGORRES_001_1 (0.16)
Rule 39:	AE_G026_001 (0.3)
Rule 40:	AE_G191_001_1 (0.2)
Rule 41:	AE_G201_001 (0.2)
Rule 42:	AE_G207_001 (0.2)
Rule 43:	SV_S004_001 (0.11)
Rule 44:	SV_S004_001 (0.11)
Rule 45:	SV_S004_001 (0.11)
Rule 46:	SV_S004_001 (0.11)
Rule 47:	SV_S004_001 (0.11)
Rule 48:	SV_S004_001 (0.11)
Rule 49:	DYNE_S001_900 (0.6)
Rule 50:	AE_G257_001 (0.2)

Rule 51:	AE_G175_001_1 (0.2)
Rule 52:	AE_G173_001 (0.3)
Rule 53:	AE_G146_001 (0.2)
Rule 54:	VS_G015_001_1 (0.3)
Rule 55:	SV_G007_001 (0.4)
Rule 56:	D_BETPT_010 (0.32)

Events

Week 16

Week 16		
Unique Event Name:	WEEK16	
Event Description:	week 16 Day 113 of study treatment	
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Day Schedule:	113	
Event Date Window:	Day 5 to Day 5	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.1)	
	VS001_1 (0.44)	
	✓ AE001 (0.95)	
	D_SAE001 (0.74)	
	CM001 (0.47)	
	PR001 (0.22)	
	AE001_1 (0.31)	
Expressions		
Active Rules:		
Rule 1:	AE_G013_001 (0.1)	

Rule 2:	AE_G109_001 (0.1)
Rule 3:	AE_G016_001 (0.1)
Rule 4:	CM_G055_001 (0.1)
Rule 5:	AE_G147_001 (0.1)
Rule 6:	AE_G254_001 (0.1)
Rule 7:	AE_G005_001 (0.1)
Rule 8:	AE_G007_001 (0.1)
Rule 9:	VS_G009_001_1 (0.1)
Rule 10:	VS_G013_001_1 (0.1)
Rule 11:	CM_G004_001 (0.1)
Rule 12:	VS_G010_001_1 (0.1)
Rule 13:	PR_G026_001 (0.1)
Rule 14:	AE_G109_001_1 (0.1)
Rule 15:	AE_G181_001 (0.1)
Rule 16:	AE_G138_001 (0.1)
Rule 17:	AE_G140_001 (0.1)
Rule 18:	AE_G169_001 (0.1)
Rule 19:	AE_G003_001 (0.1)
Rule 20:	AE_G135_001 (0.1)
Rule 21:	AE_G136_001 (0.1)
Rule 22:	AE_G144_001 (0.1)
Rule 23:	AE_G149_001 (0.1)
Rule 24:	AE_G170_001 (0.1)
Rule 25:	AE_G245_001 (0.1)
Rule 26:	AE_G247_001 (0.1)
Rule 27:	AE_G259_001 (0.1)

Rule 28:	AE_G256_001 (0.1)
Rule 29:	AE_G255_001 (0.2)
Rule 30:	AE_G027_001 (0.2)
Rule 31:	AE_G026_001 (0.3)
Rule 32:	AE_G191_001_1 (0.2)
Rule 33:	AE_G201_001 (0.2)
Rule 34:	AE_G207_001 (0.2)
Rule 35:	SV_S005_001 (0.9)
Rule 36:	SV_S005_001 (0.9)
Rule 37:	SV_S005_001 (0.9)
Rule 38:	SV_S005_001 (0.9)
Rule 39:	DYNE_S001_900 (0.6)
Rule 40:	AE_G257_001 (0.2)
Rule 41:	AE_G175_001_1 (0.2)
Rule 42:	AE_G173_001 (0.3)
Rule 43:	AE_G146_001 (0.2)
Rule 44:	VS_G015_001_1 (0.3)
Rule 45:	SV_G007_001 (0.4)

Events

Week 20

Week 20		
Unique Event Name:	WEEK20	
Event Description:	week 20 Day 141 of study treatment	
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Day Schedule:	141	
Event Date Window:	Day 5 to Day 5	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.1)	
	VS001_1 (0.44)	
	✓ AE001 (0.95)	
	D_SAE001 (0.74)	
	CM001 (0.47)	
	PR001 (0.22)	
	AE001_1 (0.31)	
Expressions		
Active Rules:		
Rule 1:	AE_G013_001 (0.1)	

Rule 2:	AE_G109_001 (0.1)
Rule 3:	AE_G016_001 (0.1)
Rule 4:	CM_G055_001 (0.1)
Rule 5:	AE_G147_001 (0.1)
Rule 6:	AE_G254_001 (0.1)
Rule 7:	AE_G005_001 (0.1)
Rule 8:	AE_G007_001 (0.1)
Rule 9:	VS_G009_001_1 (0.1)
Rule 10:	VS_G013_001_1 (0.1)
Rule 11:	CM_G004_001 (0.1)
Rule 12:	VS_G010_001_1 (0.1)
Rule 13:	PR_G026_001 (0.1)
Rule 14:	AE_G109_001_1 (0.1)
Rule 15:	AE_G181_001 (0.1)
Rule 16:	AE_G138_001 (0.1)
Rule 17:	AE_G140_001 (0.1)
Rule 18:	AE_G169_001 (0.1)
Rule 19:	AE_G003_001 (0.1)
Rule 20:	AE_G135_001 (0.1)
Rule 21:	AE_G136_001 (0.1)
Rule 22:	AE_G144_001 (0.1)
Rule 23:	AE_G149_001 (0.1)
Rule 24:	AE_G170_001 (0.1)
Rule 25:	AE_G245_001 (0.1)
Rule 26:	AE_G247_001 (0.1)
Rule 27:	AE_G259_001 (0.1)

Rule 28:	AE_G256_001 (0.1)
Rule 29:	AE_G255_001 (0.2)
Rule 30:	AE_G027_001 (0.2)
Rule 31:	AE_G026_001 (0.3)
Rule 32:	AE_G191_001_1 (0.2)
Rule 33:	AE_G201_001 (0.2)
Rule 34:	AE_G207_001 (0.2)
Rule 35:	SV_S006_001 (0.5)
Rule 36:	SV_S006_001 (0.5)
Rule 37:	SV_S006_001 (0.5)
Rule 38:	SV_S006_001 (0.5)
Rule 39:	DYNE_S001_900 (0.6)
Rule 40:	AE_G257_001 (0.2)
Rule 41:	AE_G175_001_1 (0.2)
Rule 42:	AE_G173_001 (0.3)
Rule 43:	AE_G146_001 (0.2)
Rule 44:	VS_G015_001_1 (0.3)
Rule 45:	SV_G007_001 (0.4)

Events

Week 24

Week 24	
Unique Event Name:	WEEK24
Event Description:	week 24 Day 169 of study treatment
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	169
Event Date Window:	Day 5 to Day 5
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.1)
	VS001_1 (0.44)
	AUAUD001_1 (0.12)
	EG001 (0.36)
	R_OMIC003_1 (0.14)
	BEETRK010 (0.24)
	✓ AE001 (0.95)
	D_SAE001 (0.74)
	CM001 (0.47)
	PR001 (0.22)

		AE001_1 (0.31)
Expressions		
Active Rules:		
Rule 1:	AUAUD_G001_001_1 (0.2)	
Rule 2:	AE_G013_001 (0.1)	
Rule 3:	AE_G109_001 (0.1)	
Rule 4:	AE_G016_001 (0.1)	
Rule 5:	CM_G055_001 (0.1)	
Rule 6:	AE_G147_001 (0.1)	
Rule 7:	AE_G254_001 (0.1)	
Rule 8:	AE_G005_001 (0.1)	
Rule 9:	AE_G007_001 (0.1)	
Rule 10:	EG_G004_001 (0.1)	
Rule 11:	EG_G017_001 (0.1)	
Rule 12:	EG_G007_001 (0.1)	
Rule 13:	EG_G009_001 (0.1)	
Rule 14:	EG_G011_001 (0.1)	
Rule 15:	EG_G016_001 (0.1)	
Rule 16:	VS_G009_001_1 (0.1)	
Rule 17:	VS_G013_001_1 (0.1)	
Rule 18:	CM_G004_001 (0.1)	
Rule 19:	VS_G010_001_1 (0.1)	
Rule 20:	PR_G026_001 (0.1)	
Rule 21:	AE_G109_001_1 (0.1)	
Rule 22:	AE_G181_001 (0.1)	
Rule 23:	AE_G138_001 (0.1)	

Rule 24:	AE_G140_001 (0.1)
Rule 25:	AE_G169_001 (0.1)
Rule 26:	AE_G003_001 (0.1)
Rule 27:	AE_G135_001 (0.1)
Rule 28:	AE_G136_001 (0.1)
Rule 29:	AE_G144_001 (0.1)
Rule 30:	AE_G149_001 (0.1)
Rule 31:	AE_G170_001 (0.1)
Rule 32:	AE_G245_001 (0.1)
Rule 33:	AE_G247_001 (0.1)
Rule 34:	AE_G259_001 (0.1)
Rule 35:	AE_G256_001 (0.1)
Rule 36:	AE_G255_001 (0.2)
Rule 37:	D_EGORRES_001 (0.21)
Rule 38:	AE_G027_001 (0.2)
Rule 39:	D_EGORRES_001_1 (0.16)
Rule 40:	AE_G026_001 (0.3)
Rule 41:	AE_G191_001_1 (0.2)
Rule 42:	AE_G201_001 (0.2)
Rule 43:	AE_G207_001 (0.2)
Rule 44:	DYNE_S001_900 (0.6)
Rule 45:	AE_G257_001 (0.2)
Rule 46:	AE_G175_001_1 (0.2)
Rule 47:	AE_G173_001 (0.3)
Rule 48:	AE_G146_001 (0.2)
Rule 49:	VS_G015_001_1 (0.3)

Rule 50:	SV_G007_001 (0.4)
Rule 51:	SV_S007_001 (0.5)
Rule 52:	SV_S007_001 (0.5)
Rule 53:	SV_S007_001 (0.5)
Rule 54:	SV_S007_001 (0.5)
Rule 55:	SV_S007_001 (0.5)
Rule 56:	SV_S007_001 (0.5)
Rule 57:	SV_S007_001 (0.5)
Rule 58:	D_BETPT_010 (0.32)

Events*Disposition*

Disposition	
Unique Event Name:	DISP
Event Description:	Disposition
Event Type:	Static
Max Repeats Allowed:	1
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	✓✓ DS001_5 (0.31)
	✓✓ DS001_5_1 (0.21)
	✓✓ DS001_6 (0.32)
	DS001_7 (0.1)
	DS001_7_1 (0.6)
	✓✓ DS001_8 (0.11)
	✓✓ DD002 (0.49)
Expressions	
Active Rules:	
Rule 1:	FM_>_WITHDRAWAL_CONSENT (0.1)
Rule 2:	FM_>_DEATH_DATE (0.1)
Rule 3:	DS_G034_001_6 (0.2)

Rule 4:	DD_G007_002 (0.2)
Rule 5:	DS_G028_001_5_1 (0.2)
Rule 6:	DS_G028_001_5 (0.1)
Rule 7:	DS_S001_001_5 (0.5)
Rule 8:	DS_G060_001_5 (0.2)
Rule 9:	DS_G040_001_5 (0.2)
Rule 10:	DS_G036_001_6 (0.3)
Rule 11:	DD_G015_002 (0.3)
Rule 12:	DS_G047_001_5 (0.2)
Rule 13:	DS_S001_001_7_1 (0.5)
Rule 14:	DS_S001_001_7 (0.4)
Rule 15:	DD_S001_002 (0.5)
Rule 16:	DS_S001_001_5_1 (0.4)
Rule 17:	DS_G061_001_5 (0.2)
Rule 18:	DS_G035_001_6 (0.2)
Rule 19:	DD_G017_002 (0.7)
Rule 20:	DS_G031_001_5 (0.4)
Rule 21:	DS_G031_001_5_1 (0.4)
Rule 22:	DS_G061_001_5_1 (0.5)
Rule 23:	DS_G035_001_5 (0.5)
Rule 24:	DS_G040_001_5_1 (0.4)
Rule 25:	DS_G060_001_5_1 (0.4)
Rule 26:	DS_G029_001_5 (0.3)
Rule 27:	DS_G029_001_5_1 (0.4)
Rule 28:	DS_G047_001_5_1 (0.4)
Rule 29:	DS_S003_001_5 (0.7)

Events*Early Termination*

Early Termination	
Unique Event Name:	EARLY_TERMINATION
Event Description:	Early Termination
Event Type:	Scheduled
Max Repeats Allowed:	1
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.1)
	VS001_1 (0.44)
	AUAUD001_1 (0.12)
	EG001 (0.36)
	BEETRK010 (0.24)
	R_OMIC003_1 (0.14)
	✓ AE001 (0.95)
	D_SAE001 (0.74)
	CM001 (0.47)
	PR001 (0.22)
	AE001_1 (0.31)
Expressions	

Active Rules:		
Rule 1:		AUAUD_G001_001_1 (0.2)
Rule 2:		AE_G013_001 (0.1)
Rule 3:		AE_G109_001 (0.1)
Rule 4:		AE_G016_001 (0.1)
Rule 5:		CM_G055_001 (0.1)
Rule 6:		AE_G147_001 (0.1)
Rule 7:		AE_G254_001 (0.1)
Rule 8:		AE_G005_001 (0.1)
Rule 9:		AE_G007_001 (0.1)
Rule 10:		EG_G004_001 (0.1)
Rule 11:		EG_G017_001 (0.1)
Rule 12:		EG_G007_001 (0.1)
Rule 13:		EG_G009_001 (0.1)
Rule 14:		EG_G011_001 (0.1)
Rule 15:		EG_G016_001 (0.1)
Rule 16:		VS_G009_001_1 (0.1)
Rule 17:		VS_G013_001_1 (0.1)
Rule 18:		CM_G004_001 (0.1)
Rule 19:		VS_G010_001_1 (0.1)
Rule 20:		PR_G026_001 (0.1)
Rule 21:		AE_G109_001_1 (0.1)
Rule 22:		AE_G181_001 (0.1)
Rule 23:		AE_G138_001 (0.1)
Rule 24:		AE_G140_001 (0.1)
Rule 25:		AE_G169_001 (0.1)

Rule 26:	AE_G003_001 (0.1)
Rule 27:	AE_G135_001 (0.1)
Rule 28:	AE_G136_001 (0.1)
Rule 29:	AE_G144_001 (0.1)
Rule 30:	AE_G149_001 (0.1)
Rule 31:	AE_G170_001 (0.1)
Rule 32:	AE_G245_001 (0.1)
Rule 33:	AE_G247_001 (0.1)
Rule 34:	AE_G259_001 (0.1)
Rule 35:	AE_G256_001 (0.1)
Rule 36:	AE_G255_001 (0.2)
Rule 37:	D_EGORRES_001 (0.21)
Rule 38:	AE_G027_001 (0.2)
Rule 39:	D_EGORRES_001_1 (0.16)
Rule 40:	AE_G026_001 (0.3)
Rule 41:	AE_G191_001_1 (0.2)
Rule 42:	AE_G201_001 (0.2)
Rule 43:	AE_G207_001 (0.2)
Rule 44:	DYNE_S001_900 (0.6)
Rule 45:	AE_G257_001 (0.2)
Rule 46:	AE_G175_001_1 (0.2)
Rule 47:	AE_G173_001 (0.3)
Rule 48:	AE_G146_001 (0.2)
Rule 49:	VS_G015_001_1 (0.3)
Rule 50:	SV_G007_001 (0.4)
Rule 51:	SV_S008_001 (0.7)

Rule 52:	SV_S008_001 (0.7)
Rule 53:	SV_S008_001 (0.7)
Rule 54:	SV_S008_001 (0.7)
Rule 55:	SV_S008_001 (0.7)
Rule 56:	SV_S008_001 (0.7)
Rule 57:	SV_S008_001 (0.7)
Rule 58:	D_BETPT_010 (0.32)

Events

Unplanned

Unplanned	
Unique Event Name:	UNPL
Event Description:	Unplanned
Event Type:	Unscheduled
Max Repeats Allowed:	999
Repeating:	Yes
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.1)
	D_UPA001 (0.7)
	VS001_1 (0.44)
	AUAUD001_1 (0.12)
	SRTCR002 (0.20)
	EG001 (0.36)
	LB001 (0.14)
	LB001_1 (0.18)
	✓ MBMC005 (0.23)
	D_EDP001 (0.5)
	LB001_2 (0.17)
	LB001_5 (0.23)

		R_OMIC003 (0.28)
Expressions		
Active Rules:		
Rule 1:		AUAUD_G001_001_1 (0.2)
Rule 2:		LB_G008_001_1 (0.1)
Rule 3:		EG_G004_001 (0.1)
Rule 4:		EG_G017_001 (0.1)
Rule 5:		EG_G007_001 (0.1)
Rule 6:		EG_G009_001 (0.1)
Rule 7:		EG_G011_001 (0.1)
Rule 8:		EG_G016_001 (0.1)
Rule 9:		VS_G009_001_1 (0.1)
Rule 10:		VS_G013_001_1 (0.1)
Rule 11:		VS_G010_001_1 (0.1)
Rule 12:		LB_G008_001 (0.1)
Rule 13:		LB_G020_001 (0.1)
Rule 14:		LB_G031_001 (0.1)
Rule 15:		LB_S001_001 (0.1)
Rule 16:		SRTCR_S001_002 (0.1)
Rule 17:		MBMC_S001_005 (0.1)
Rule 18:		AUAUD_S001_001_1 (0.1)
Rule 19:		EG_S001_001 (0.1)
Rule 20:		LB_S001_001_1 (0.1)
Rule 21:		LB_S001_001_2 (0.1)
Rule 22:		VS_S001_001_1 (0.3)
Rule 23:		D_EGORRES_001 (0.21)

Rule 24:	LB_G020_001_1 (0.3)
Rule 25:	LB_G020_001_2 (0.4)
Rule 26:	D_EGORRES_001_1 (0.16)
Rule 27:	LB_G041_001_1 (0.1)
Rule 28:	MBMC_G004_005 (0.1)
Rule 29:	LB_G030_001_2 (0.3)
Rule 30:	LB_G031_001_1 (0.2)
Rule 31:	VS_G015_001_1 (0.3)
Rule 32:	SRTCR_G018_002 (0.1)
Rule 33:	SRTCR_G011_002 (0.1)
Rule 34:	LB_S001_001_5 (0.1)
Rule 35:	R_OMIC_G011_003 (0.1)
Rule 36:	R_OMC_S001_003 (0.2)

Events

Follow-up

Follow-up		
Unique Event Name:		FU
Event Description:		Follow-up
Event Type:		Scheduled
Max Repeats Allowed:		1
Day Schedule:		197
Event Date Window:		Day 0 to Day 7
Repeating:		No
Dynamic:		Yes
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		SV001 (0.1)
		✓ AE001 (0.95)
		D_SAE001 (0.74)
		CM001 (0.47)
		PR001 (0.22)
		AE001_1 (0.31)
Expressions		
Active Rules:		
Rule 1:		AE_G013_001 (0.1)
Rule 2:		AE_G109_001 (0.1)

Rule 3:	AE_G016_001 (0.1)
Rule 4:	CM_G055_001 (0.1)
Rule 5:	AE_G147_001 (0.1)
Rule 6:	AE_G254_001 (0.1)
Rule 7:	AE_G005_001 (0.1)
Rule 8:	AE_G007_001 (0.1)
Rule 9:	CM_G004_001 (0.1)
Rule 10:	PR_G026_001 (0.1)
Rule 11:	AE_G109_001_1 (0.1)
Rule 12:	AE_G181_001 (0.1)
Rule 13:	AE_G138_001 (0.1)
Rule 14:	AE_G140_001 (0.1)
Rule 15:	AE_G169_001 (0.1)
Rule 16:	AE_G003_001 (0.1)
Rule 17:	AE_G135_001 (0.1)
Rule 18:	AE_G136_001 (0.1)
Rule 19:	AE_G144_001 (0.1)
Rule 20:	AE_G149_001 (0.1)
Rule 21:	AE_G170_001 (0.1)
Rule 22:	AE_G245_001 (0.1)
Rule 23:	AE_G247_001 (0.1)
Rule 24:	AE_G259_001 (0.1)
Rule 25:	AE_G256_001 (0.1)
Rule 26:	AE_G255_001 (0.2)
Rule 27:	AE_G027_001 (0.2)
Rule 28:	AE_G026_001 (0.3)

Rule 29:	AE_G191_001_1 (0.2)
Rule 30:	AE_G201_001 (0.2)
Rule 31:	AE_G207_001 (0.2)
Rule 32:	DYNE_S001_900 (0.6)
Rule 33:	AE_G257_001 (0.2)
Rule 34:	AE_G175_001_1 (0.2)
Rule 35:	AE_G173_001 (0.3)
Rule 36:	AE_G146_001 (0.2)
Rule 37:	SV_S009_001 (0.1)
Rule 38:	SV_S009_001 (0.1)
Rule 39:	SV_S009_001 (0.1)

Events

Common Form Event

Common Form Event		
Unique Event Name:	common_event	
Event Description:		
Event Type:	Static	
Max Repeats Allowed:	1	
Repeating:	No	
Dynamic:	No	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	 AE001 (0.95)	
	CM001 (0.47)	
	D_SAE001 (0.74)	
	PR001 (0.22)	
	AE001_1 (0.31)	
Expressions		
Active Rules:		
Rule 1:	AE_G013_001 (0.1)	
Rule 2:	AE_G109_001 (0.1)	
Rule 3:	AE_G016_001 (0.1)	
Rule 4:	CM_G055_001 (0.1)	
Rule 5:	AE_G147_001 (0.1)	

Rule 6:	AE_G254_001 (0.1)
Rule 7:	AE_G005_001 (0.1)
Rule 8:	AE_G007_001 (0.1)
Rule 9:	CM_G004_001 (0.1)
Rule 10:	PR_G026_001 (0.1)
Rule 11:	AE_G109_001_1 (0.1)
Rule 12:	AE_G181_001 (0.1)
Rule 13:	AE_G138_001 (0.1)
Rule 14:	AE_G140_001 (0.1)
Rule 15:	AE_G169_001 (0.1)
Rule 16:	AE_G003_001 (0.1)
Rule 17:	AE_G135_001 (0.1)
Rule 18:	AE_G136_001 (0.1)
Rule 19:	AE_G144_001 (0.1)
Rule 20:	AE_G149_001 (0.1)
Rule 21:	AE_G170_001 (0.1)
Rule 22:	AE_G245_001 (0.1)
Rule 23:	AE_G247_001 (0.1)
Rule 24:	AE_G259_001 (0.1)
Rule 25:	AE_G256_001 (0.1)
Rule 26:	AE_G255_001 (0.2)
Rule 27:	AE_G027_001 (0.2)
Rule 28:	AE_G026_001 (0.3)
Rule 29:	AE_G191_001_1 (0.2)
Rule 30:	AE_G201_001 (0.2)
Rule 31:	AE_G207_001 (0.2)

Rule 32:	AE_G257_001 (0.2)
Rule 33:	AE_G175_001_1 (0.2)
Rule 34:	AE_G173_001 (0.3)
Rule 35:	AE_G146_001 (0.2)

Instruments

Instrument Parameters

Date Format:	
Year Min:	2025
Year Max:	2027
Date Format:	dd-MMM-yyyy
Radio Button Display:	Vertical
Drop-Down Display:	Expand to fit all content
Textbox:	
Min Length:	—
Max Length:	—
Integer:	
Min Value:	—
Max Value:	—
Decimal:	
Min Value:	—
Max Value:	—
Min Size:	—
Max Size:	—
Baseline Character Set:	[Basic Latin]
Escaped Character Set:	

Instruments

Permission Groups

	GPDIP_Impala_Integration	TMS_integration	UDMS Admin	GPDIP_CTMS_Integration	migration_user	TMF_Integration	Read Only - Site	Investigator w/ Data Entry	Mi
Coding	N/A	R,U	N/A	N/A	N/A	N/A	N/A	N/A	
HIDDEN	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Impala	R,U	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

Instruments
DS001 / MAIN INFORMED CONSENT

Instrument Definition

Instrument Name:	DS001
Instrument Title:	MAIN INFORMED CONSENT
SAS Instrument Name:	DS001
Description:	MAIN IC
Version:	0.3
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: DS001 MAIN INFORMED CONSENT (MAIN IC) [Version: 0.3]		
Section MAIN INFORMED CONSENT DS001_S		Permission Groups
Group of Fields DS01001 / Main Informed Consent Group Type: Non-Repeating	Number of variables: 1	

1.* ✓	Date of Written Consent Obtained: [DSSTDTC_001] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Written Consent Obtained using the format (DD-MMM-YYYY).	
Key: [*] = Item is required ✓ = Source verification required			

Study Object Descriptions: DS001 MAIN INFORMED CONSENT		
Type	RefName	Description
Form	CRF_9246105921014477_DS001	DS001
Item	I_9246145212290892_DSSTDTC_001	

Variable Validations DS001 MAIN INFORMED CONSENT				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

DSSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
DSSTDTC_001	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.

Groups of Fields DS001 MAIN INFORMED CONSENT

Group RefName	Group Type	Associated Variables
IG_9246144466024850_DS01001	Non-Repeating	DSSTDTC_001

Instruments
DD002 / DEATH DETAILS

Instrument Definition

Instrument Name:	DD002
Instrument Title:	DEATH DETAILS
SAS Instrument Name:	DD002
Description:	DTH DTL
Version:	0.49
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: DD002 DEATH DETAILS (DTH DTL) [Version: 0.49]		
Section DEATH DETAILS DD002_S		Permission Groups
Group of Fields DD01002 / Death Details Group Type: Non-Repeating	Number of variables: 5	

1.* ✓	Date of Collection / Notification of Death: [DDDTC_002] [DDDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record Date of Collection / Notification of Death	
----------	---	---	--

2.* ✓✓	Date of Death: [R_DDDTHDTC_002] [DDDTHDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: <_INFORMED_CONSENT Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Death. A full date of death is expected however, if only a partial date is available, enter UNK for unknown date parts e.g day and/or month.	
3. ✓✓	Is this death within the SAE reporting requirement? [D_SAEDDRPT_002] [SAEDDRPT] [Hidden]	[D_SAEDDRPT_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the response if Death is within SAE reporting requirement.	

4.*	Was an autopsy performed? [D_AUTOPSYYN1_002] [AUTOPSY] (Nested Field)	[D_AUTOPSYYN1_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the response if Autopsy was performed. This question must be answered if Death is within SAE reporting period.	
5.*	Autopsy cause of death: [D_AUTOPCOD_002] [AUTOPCOD] (Nested Field)	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If autopsy was performed, record the cause of death as determined from the autopsy.	
	Group of Fields DD02002 / Death Details Entry Group Type: Fixed Repeating	Number of rows: 1	

6.	Cause of Death Status: [DDTEST_002] [DDTEST] Row 1 (Locked): 1 - Primary Cause of Death	[DDTEST_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: Select the Cause of Death Status. Do not select more than one Primary Cause of Death. For multiple causes of death, select Secondary Cause of Death as needed.	
7.* 	Cause of Death: [DDORRES_002] [DDCDTH]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Cause of Death. LONG TERM SURVIVAL ANALYSIS STUDIES (Oncology or any TA): Any death collected from public records in the long term follow-up phases requires an assessment by the investigator as to whether or not the death has any relationship to study drug administered. If considered related, it must be reported via CT SAE Report Form to Argus.	

8.	Lowest Level Term [SUPPDD_DDLLT_002] [DDLLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
9.	Lowest Level Term Code [SUPPDD_DDLLTCD_002] [DDLLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
10.	Dictionary Derived Term [SUPPDD_DDDECOD_002] [DDDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

11.	Preferred Term Code [SUPPDD_DDPTCD_002] [DDPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
12.	High Level Term [SUPPDD_DDHLT_002] [DDHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
13.	High Level Term Code [SUPPDD_DDHLTCD_002] [DDHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

14.	High Level Group Term [SUPPDD_DDHLGT_002] [DDHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
15.	High Level Group Term Code [SUPPDD_DDHLGTCD_002] [DDHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
16.	Primary System Organ Class [SUPPDD_DDSOC_002] [DDSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

17.	Primary System Organ Class Code [SUPPDD_DDSOCCD_002] [DDSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: DD002 DEATH DETAILS

Type	RefName	Description
Form	CRF_9246106147705893_DD002	DD002
Item	I_9246145249232809_DDDTC_002	
Item	I_9246145281808827_R_DDDTHDTC_002	
Item	I_9246145314864923_D_SAEDDRPT_002	
Item	I_9246145362647087_D_AUTOPSYN1_002	
Item	I_9246145408154688_D_AUTOPCOD_002	
Item	I_9246145437231057_DDTEST_002	
Item	I_9246145466137278_DDORRES_002	
Item	I_9246145495187447_SUPPDD_DDLLT_002	
Item	I_9246145526621939_SUPPDD_DDLLTCD_002	
Item	I_9246145554696668_SUPPDD_DDDECOD_002	
Item	I_9246145601540273_SUPPDD_DDPTCD_002	
Item	I_9246145636914615_SUPPDD_DDHLT_002	
Item	I_9246145680459708_SUPPDD_DDHLTCD_002	

Item	I_9246145730456948_SUPPDD_DDHLGT_002	
Item	I_9246145791376255_SUPPDD_DDHLGTCD_002	
Item	I_9246145841363919_SUPPDD_DDSOC_002	
Item	I_9246145885067107_SUPPDD_DDSOCCD_002	

Codelist Values Tables: DD002 DEATH DETAILS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_SAEDDRPT_CL_002	0.1			NO	1	N	0.1	i_9246145314864923_d_saeddrpt_002
				YES	2	Y	0.1	
D_AUTOPSYYN1_CL_002	0.1			NO	1	N	0.1	i_9246145362647087_d_autopsyn1_002
				YES	2	Y	0.1	
DDTEST_CL_002	0.2			Primary Cause of Death	1	1	0.1	i_9246145437231057_ddtest_002

Variable Validations DD002 DEATH DETAILS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DDTC_002	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
DDTC_002	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
R_DDTHDTC_002	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DD002 DEATH DETAILS

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_9246144345995637_DD01002	Non-Repeating	DDDTC_002, R_DDDTHDTC_002, D_SAEDDRPT_002, D_AUTOPSYYN1_002, D_AUTOPCOD_002
IG_9246143769048855_DD02002	Fixed Repeating	DDTEST_002, DDORRES_002, SUPPDD_DDLLT_002, SUPPDD_DDLLTCD_002, SUPPDD_DDDECOD_002, SUPPDD_DDPTCD_002, SUPPDD_DDHLT_002, SUPPDD_DDHLTCD_002, SUPPDD_DDHLGT_002, SUPPDD_DDHLGTCD_002, SUPPDD_DDSOC_002, SUPPDD_DDSOCCD_002

Instruments
DS001_4 / DISPOSITION - SCREENING

Instrument Definition

Instrument Name:	DS001_4
Instrument Title:	DISPOSITION - SCREENING
SAS Instrument Name:	DS001_4
Description:	DISP SCR
Version:	0.19
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: DS001_4 DISPOSITION - SCREENING (DISP SCR) [Version: 0.19]		
Section DISPOSITION - SCREENING DS001_4_S		Permission Groups
Group of Fields DS01001_4 / Disposition - Screening Group Type: Non-Repeating	Number of variables: 6	

1.* ✓	Date of Completion/Discontinuation/Death: [DSSTDTC_001_4] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date using the format (DD-MMM-YYYY). Partial dates are permitted only when the Status of the subject is DEATH	
2.	Phase of Disposition: [SUPPDS_DSPHASE_001_4] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 3 Help/Info Text: Record the disposition phase the subject completed or discontinued.	

3.* 	Status: [DSDECOD_001_4] [DSDECOD]	[DSDECOD_CL_001_4] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Always Avoid Abbreviations. See "Completion Guidelines for Subject's Status in Disposition Events eCRF" document in the "Artifacts" section at the Dataset level for full instructions	
4.*	Specify Status: [Branching logic expression: [DSDECOD_001_4]='7' or [DSDECOD_001_4]='16'] [DSTERM_001_4] [DSTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Document the subject's status at [insert text corresponding to the selected trial epoch]. If the subject discontinued prematurely, record the primary reason for discontinuation from the "Status" list. If "Other", "Withdrawal By Subject" or "Withdrawal By Parent/Guardian" is selected from the "Status" list, then provide the reason on the "Specify Status" line. Avoid abbreviations.	

5.*	Will the subject continue to the next phase of this study? [SUPPDS_DSCONT_001_4] [DSCONT]	[SUPPDS_DSCONT_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the subject will be continuing to the next phase of this study.	
6.*	If Yes, next phase: [SUPPDS_DSNEXT_001_4] [DSNEXT] (Nested Field)	[SUPPDS_DSNEXT_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the next study phase the subject will continue to.	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: DS001_4 DISPOSITION - SCREENING

Type	RefName	Description
Form	CRF_9246106345633620_DS001_4	DS001_4
Item	I_9246145941394779_DSSTDTC_001_4	
Item	I_9246146241369773_SUPPDS_DSPHASE_001_4	
Item	I_9246145991397935_DSDECOD_001_4	
Item	I_9246146041342522_DSTERM_001_4	

Item	I_9246146121248935_SUPPDS_DSCONT_001_4	
Item	I_9246146181116847_SUPPDS_DSNEXT_001_4	

Codelist Values Tables: DS001_4 DISPOSITION - SCREENING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSPHASE_CL_001_4	0.2			SCREENING	1	3	0.1	i_9246146241369773_suppds_dsphase_001_4
DSDECOD_CL_001_4	0.6			ADVERSE EVENT	1	1	0.1	i_9246145991397935_dsdecod_001_4
				COMPLETED	2	2	0.1	
				DEATH	3	3	0.1	
				OTHER	4	7	0.1	
				PHYSICIAN DECISION	5	8	0.1	
				SCREEN FAILURE	6	13	0.1	
				WITHDRAWAL BY SUBJECT	7	16	0.1	
				PREGNANCY	8	9	0.1	
				PROTOCOL DEVIATION	9	11	0.1	
				LOST TO FOLLOW-UP	10	5	0.1	
				LACK OF EFFICACY	11	4	0.1	
				STUDY TERMINATED BY SPONSOR	12	14	0.1	
				MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	13	17	0.1	
SUPPDS_DSCONT_CL_001_4	0.1			YES	1	Y	0.1	i_9246146121248935_suppds_dscont_001_4
				NO	2	N	0.1	
SUPPDS_DSNEXT_CL_001_4	0.3			PERIOD A	1	24	0.1	i_9246146181116847_suppds_dsnext_001_4

Variable Validations DS001_4 DISPOSITION - SCREENING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_4	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_4	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_4	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_4 DISPOSITION - SCREENING

Group RefName	Group Type	Associated Variables
IG_9246144433581499_DS01001_4	Non-Repeating	DSSTDTC_001_4, SUPPDS_DSPHASE_001_4, DSDECOD_001_4, DSTERM_001_4, SUPPDS_DSCONT_001_4, SUPPDS_DSNEXT_001_4

Instruments
DS001_7 / WITHDRAWAL OF CONSENT

Instrument Definition

Instrument Name:	DS001_7
Instrument Title:	WITHDRAWAL OF CONSENT
SAS Instrument Name:	DS001_7
Description:	WOC
Version:	0.1
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: DS001_7 WITHDRAWAL OF CONSENT (WOC) [Version: 0.1]		
Section WITHDRAWAL OF CONSENT DS001_7_S		Permission Groups
Group of Fields DS01001_7 / Withdrawal Of Consent Group Type: Non-Repeating	Number of variables: 1	

1.*	Date of Withdrawal of Consent: [DSSTDTC_001_7] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Withdrawal Of Consent using the format (DD-MMM-YYYY).	
Key: [*] = Item is required			

Study Object Descriptions: DS001_7 WITHDRAWAL OF CONSENT

Type	RefName	Description
Form	CRF_9246106528100527_DS001_7	DS001_7
Item	I_9246146291495290_DSSTDTC_001_7	

Variable Validations DS001_7 WITHDRAWAL OF CONSENT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_7	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

DSSTDTC_001_7	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_7	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_7 WITHDRAWAL OF CONSENT

Group RefName	Group Type	Associated Variables
IG_9246143782400388_DS01001_7	Non-Repeating	DSSTDTC_001_7

Instruments
DS001_6 / DISPOSITION - FOLLOW-UP

Instrument Definition

Instrument Name:	DS001_6
Instrument Title:	DISPOSITION - FOLLOW-UP
SAS Instrument Name:	DS001_6
Description:	DISP FUP
Version:	0.32
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: DS001_6 DISPOSITION - FOLLOW-UP (DISP FUP) [Version: 0.32]		
Section DISPOSITION - FOLLOW-UP DS001_6_S		Permission Groups
Group of Fields DS01001_6 / Disposition - Follow-Up Group Type: Non-Repeating	Number of variables: 5	

1.	Subcategory: [DSSCAT_001_6] [DSSCAT]	[DSSCAT_CL_001_6] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 12	
2.* 	Date of Completion/Discontinuation/Death: [DSSTDTC_001_6] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date using the format (DD-MMM-YYYY). Partial dates are permitted only when the Status of the subject is DEATH	

3.	Phase of Disposition: [SUPPDS_DSPHASE_001_6] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_6] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: Record the disposition phase the subject completed or discontinued.	
4.* 	Status: [DSDECOD_001_6] [DSDECOD]	[DSDECOD_CL_001_6] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Always Avoid Abbreviations. See "Completion Guidelines for Subject's Status in Disposition Events eCRF" document in the "Artifacts" section at the Dataset level for full instructions.	

5.* ✓	Specify Status: [Branching logic expression: [DSDECOD_001_6]='7' or [DSDECOD_001_6]='16'] [DSTERM_001_6] [DSTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Document the subject's status at [insert text corresponding to the selected trial epoch]. If the subject discontinued prematurely, record the primary reason for discontinuation from the "Status" list. If "Other", "Withdrawal By Subject" or "Withdrawal By Parent/Guardian" is selected from the "Status" list, then provide the reason on the "Specify Status" line. Avoid abbreviations.	
----------	---	--	--

Key: [*] = Item is required ✓ = Source verification required

Study Object Descriptions: DS001_6 DISPOSITION - FOLLOW-UP

Type	RefName	Description
Form	CRF_9246106716079174_DS001_6	DS001_6
Item	I_9246146591261532_DSSCAT_001_6	
Item	I_9246146346989871_DSSTDTC_001_6	
Item	I_9246146395108680_SUPPDS_DSPHASE_001_6	
Item	I_9246146441420113_DSDECOD_001_6	
Item	I_9246146491371011_DSTERM_001_6	

Codelist Values Tables: DS001_6 DISPOSITION - FOLLOW-UP

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName

DSSCAT_CL_001_6	0.3			BLINDED THERAPY	1	12	0.1	i_9246146591261532_dsscat_001_6
SUPPDS_DSPHASE_CL_001_6	0.2			FOLLOW-UP	1	1	0.1	i_9246146395108680_suppds_dsphase_001_6
DSDECOD_CL_001_6	0.3			ADVERSE EVENT	1	1	0.1	i_9246146441420113_dsdecod_001_6
				COMPLETED	2	2	0.1	
				DEATH	3	3	0.1	
				OTHER	4	7	0.1	
				PHYSICIAN DECISION	5	8	0.1	
				PREGNANCY	6	9	0.1	
				STUDY TERMINATED BY SPONSOR	7	14	0.1	
				WITHDRAWAL BY SUBJECT	8	16	0.1	
				PROTOCOL DEVIATION	9	11	0.1	
				LACK OF EFFICACY	10	4	0.1	
				LOST TO FOLLOW-UP	11	5	0.1	
				MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	12	17	0.1	

Variable Validations DS001_6 DISPOSITION - FOLLOW-UP

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_6	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_6	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_6	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_6	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_6	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_6 DISPOSITION - FOLLOW-UP		
Group RefName	Group Type	Associated Variables
IG_9246143792677424_DS01001_6	Non-Repeating	DSSCAT_001_6, DSSTDTC_001_6, SUPPDS_DSPHASE_001_6, DSDECOD_001_6, DSTERM_001_6

Instruments
DS001_8 / TREATMENT UNBLINDED

Instrument Definition

Instrument Name:	DS001_8
Instrument Title:	TREATMENT UNBLINDED
SAS Instrument Name:	DS001_8
Description:	TRN UNBLN
Version:	0.11
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: DS001_8 TREATMENT UNBLINDED (TRN UNBLN) [Version: 0.11]		
Section TREATMENT UNBLINDED DS001_8_S		Permission Groups
Group of Fields DS01001_8 / Treatment Unblinded Group Type: Non-Repeating	Number of variables: 4	

1.* ✓	Date of Treatment Unblinded: [DSSTDTC_001_8] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Treatment Unblinded using the format (DD- MMM-YYYY).	
2.	Phase of Disposition: [SUPPDS_DSPHASE_001_8] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 6 Help/Info Text: Record the disposition phase the subject completed or discontinued.	

3.* ✓	Primary Reason for Unblinding: [X_DSTERM_DSUNBL_001_8] [DSUNBL]	[X_DSTERM_DSUNBL_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the primary reason the treatment was unblinded.	
4.* ✓	If other, specify: [X_DSTERM_DSUNBLO_001_8] [DSUNBLO] (Nested Field)	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If 'Primary Reason for Treatment Unblinding' is Other, record the reason in the space provided.	

Key: [*] = Item is required ✓ = Source verification required

Study Object Descriptions: DS001_8 TREATMENT UNBLINDED

Type	RefName	Description
Form	CRF_9246106918035022_DS001_8	DS001_8
Item	I_9246146641225910_DSSTDTC_001_8	
Item	I_9246146811212888_SUPPDS_DSPHASE_001_8	
Item	I_9246146701167668_X_DSTERM_DSUNBL_001_8	
Item	I_9246146761156670_X_DSTERM_DSUNBLO_001_	

Codelist Values Tables: DS001_8 TREATMENT UNBLINDED								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSPHASE_CL_001_8	0.2			BLINDED TREATMENT	1	6	0.1	i_9246146811212888_suppds_dsphase_001_8
X_DSTERM_DSUNBL_CL_001_8	0.1			SUBJECT SAFETY CONCERN	1	1	0.1	i_9246146701167668_x_dsterm_dsunbl_001_8
				STUDY PRIMARY OBJECTIVES MET	2	2	0.1	
				OTHER	3	999	0.1	

Variable Validations DS001_8 TREATMENT UNBLINDED				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_8	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_8	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_8	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_8	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_8	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_8	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_8 TREATMENT UNBLINDED		
Group RefName	Group Type	Associated Variables
IG_9246144416391086_DS01001_8	Non-Repeating	DSSTDTC_001_8, SUPPDS_DSPHASE_001_8, X_DSTERM_DSUNBL_001_8, X_DSTERM_DSUNBLO_001_8

Instruments
R_TRIG001 / TRIGGER FORM

Instrument Definition

Instrument Name:	R_TRIG001
Instrument Title:	TRIGGER FORM
SAS Instrument Name:	R_TRIG001
Description:	TRIG
Version:	0.17
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: R_TRIG001 TRIGGER FORM (TRIG) [Version: 0.17]		
Section TRIGGER FORM R_TRIG001_S		Permission Groups
Group of Fields R_TRIG01001 / Trigger Form Group Type: Non-Repeating	Number of variables: 3	

1.*	Select appropriate response - Protocol version: [R_TRIGRESP1_001] [TRGRES1]	[R_TRIGRESP1_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.*	Select appropriate response - Did subject meet all eligibility criteria? [R_TRIGRESP2_001] [TRGRES2]	[R_TRIGRESP2_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.*	Select appropriate response - Retained Research Sample Collection: [R_TRIGRESP11_001] [TRGRES11]	[R_TRIGRESP11_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: R_TRIG001 TRIGGER FORM

Type	RefName	Description
------	---------	-------------

Form	CRF_9246107104841767_R_TRIG001	R_TRIG001
Item	I_9246146857415473_R_TRIGRESP1_001	
Item	I_9246146911348518_R_TRIGRESP2_001	
Item	I_9246146958538844_R_TRIGRESP11_001	

Codelist Values Tables: R_TRIG001 TRIGGER FORM

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_TRIGRESP1_CL_001	0.3			Initial Version - 16JUL2025	1	0	0.1	i_9246146857415473_r_trigresp1_001
R_TRIGRESP2_CL_001	0.1			SUBJECT MET ALL ELIGIBILITY CRITERIA	1	5	0.1	i_9246146911348518_r_trigresp2_001
				SUBJECT DID NOT MEET ALL ELIGIBILITY CRITERIA	2	6	0.1	
R_TRIGRESP11_CL_001	0.1			RETAINED RESEARCH SAMPLE COLLECTED AT SITE WITH NO SEPARATE CONSENT FORM	1	29	0.1	i_9246146958538844_r_trigresp11_001
				RETAINED RESEARCH SAMPLE COLLECTED AT SITE WITH A SEPARATE CONSENT FORM	2	30	0.1	
				NO RETAINED RESEARCH SAMPLE COLLECTED AT SITE	3	31	0.1	

Groups of Fields R_TRIG001 TRIGGER FORM

Group RefName	Group Type	Associated Variables
IG_9246144034059004_R_TRIG01001	Non-Repeating	R_TRIGRESP1_001, R_TRIGRESP2_001, R_TRIGRESP11_001

Instruments
SV001 / DATE OF VISIT

Instrument Definition

Instrument Name:	SV001
Instrument Title:	DATE OF VISIT
SAS Instrument Name:	SV001
Description:	DOV
Version:	0.1
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: SV001 DATE OF VISIT (DOV) [Version: 0.1]			
Section DATE OF VISIT SV001_S			Permission Groups
	Group of Fields SV01001 / Date of Visit Group Type: Non-Repeating	Number of variables: 2	

1.*	Date of Visit: [SVSTDTC_001] [SVSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Enabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: - In general, Date of Visit represents the date the assessment(s) was made. - If assessments for a visit span more than one day, [INSERT INSTRUCTIONS FOR YOUR STUDY HERE, FOR EXAMPLE: Enter the date the first assessment was made].	
-----	---	--	--

2.*	Contact Mode: [X_SVCNTMOD_001] [SVCNTMOD]	[X_SVCNTMOD_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record Contact Mode for the visit. -If the visit is in person and at the clinical study site, choose "IN PERSON, ONSITE". Note that for visits defined in the protocol as "in person," the system will default "IN PERSON, ONSITE" but this may be overridden through data entry of an alternate Contact Mode if the participant could not be seen on site, for extraordinary circumstances. -If the visit is conducted by remote communication (i.e., not an in person visit), choose "REMOTE AUDIO VIDEO" for any telehealth visit (i.e., the exchange of healthcare information and services via telecommunication technologies, such as telephone calls, video, video conferencing calls, and wireless communications). -If the visit is conducted offsite with procedures performed by study personnel (e.g. a home health visit or alternate site approved by the investigator), select "IN PERSON, OFFSITE."	
-----	---	--	--

Key: [*] = Item is required

Study Object Descriptions: SV001 DATE OF VISIT

Type	RefName	Description
Form	CRF_9246107290311943_SV001	SV001
Item	I_9246147011504382_SVSTDTC_001	
Item	I_9246147061325558_X_SVCNTMOD_001	

Codelist Values Tables: SV001 DATE OF VISIT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_SVCNTMOD_CL_001	0.1			IN PERSON, ONSITE	1	1	0.1	i_9246147061325558_x_svcntmod_001
				IN PERSON, OFFSITE	2	2	0.1	
				REMOTE AUDIO VIDEO	3	3	0.1	

Variable Validations SV001 DATE OF VISIT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
SVSTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
SVSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
SVSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
SVSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
SVSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields SV001 DATE OF VISIT

Group RefName	Group Type	Associated Variables
IG_9246144498392231_SV01001	Non-Repeating	SVSTDTC_001, X_SVCNTMOD_001

Instruments
EG001 / ECG

Instrument Definition

Instrument Name:	EG001
Instrument Title:	ECG
SAS Instrument Name:	EG001
Description:	ECG
Version:	0.36
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: EG001 ECG (ECG) [Version: 0.36]			
Section ECG EG001_S			Permission Groups
	Group of Fields EG01001 / ECG Group Type: Non-Repeating	Number of variables: 4	

1.*	ECG Date Time: [EGDTC_001] [EGDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date ECG was done using this format (DD-MMM-YYYYY).	
-----	--	--	--

2.*	Was ECG: [EGORRES_INTP_001] [EGNABN]	[EGORRES_INTP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record whether the results were "Normal", "Abnormal" or "Not Evaluable".
The criteria for determining whether an abnormal objective test finding such as ECG should be reported as an adverse event during a clinical trial are as follows:

- Test result is associated with accompanying symptoms; and/or
- Test result requires additional diagnostic testing or medical/surgical intervention; and/or
- Test result leads to a change in trial dosing or discontinuation from the trial, significant additional concomitant drug treatment, or other therapy; and/or
- Test result is considered to be an adverse event by the investigator or sponsor.

Merely repeating an abnormal test, in the absence of any of the above conditions, does not constitute an adverse event.
Any abnormal test result that is determined to be an error does not require reporting as an adverse event.	
3.*	If abnormal, was the overall ECG clinically significant? [EGCLSIG_001] [EGCLSIG] (Nested Field)	[EGCLSIG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the ECG was ABNORMAL, record whether the abnormalities were clinically significant by selecting "Yes" or "No". Otherwise, leave this item blank.	

4.*	Comments on significant findings: (If clinically significant, record on the Adverse Event page or Medical History page) [CO_EGCOM_001] [EGCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields EG02001 / ECG Results Entry Group Type: Fixed Repeating	Number of rows: 6	
5.	ECG Test Name: [EGTEST_001] [EGTEST] Row 1 (Locked): 128 - ECG Mean Heart Rate Row 2 (Locked): 902 - QT Interval Not Otherwise Specified Row 3 (Locked): 903 - PR Interval Not Otherwise Specified Row 4 (Locked): 904 - QRS Interval Not Otherwise Specified Row 5 (Locked): 909 - QTcF Not Otherwise Specified Row 6 (Locked): 900 - RR Interval Not Otherwise Specified	[EGTEST_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the name of the ECG measurement or finding, if not pre-printed on the CRF.	

6.*	Result: [EGORRES_001] [EGORRES]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the findings or interpretation for the ECG measurement. If there are multiple ECG Test names pre-printed on the CRF and there is no finding or interpretation for that test, record ND in the result field.	
7.	Unit: [EGORRESU_001] [EGORRESU] Row 1 (Locked): 114 - beats/min Row 2 (Locked): 14 - ms Row 3 (Locked): 14 - ms Row 4 (Locked): 14 - ms Row 5 (Locked): 14 - ms Row 6 (Locked): 15 - s	[EGORRESU_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the unit of the ECG measurement or finding, if not pre-printed on the CRF.	

Key: [*] = Item is required

Study Object Descriptions: EG001 ECG

Type	RefName	Description
Form	CRF_9246107474629990_EG001	EG001
Item	I_9246147109459365_EGDTTC_001	
Item	I_9246147161287520_EGORRES_INTP_001	

Item	I_9246147277837005_EGCLSIG_001	
Item	I_9246147220608542_CO_EGCOM_001	
Item	I_9246147341266827_EGTEST_001	
Item	I_9246147401291317_EGORRES_001	
Item	I_9246147461264295_EGORRESU_001	

Codelist Values Tables: EG001 ECG

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
EGORRES_INTP_CL_001	0.1			ABNORMAL	1	1	0.1	i_9246147161287520_egorres_intp_001
				INDETERMINATE	2	2	0.1	
				NORMAL	3	3	0.1	
				UNKNOWN	4	4	0.1	
				NOT EVALUABLE	5	5	0.1	
EGCLSIG_CL_001	0.1			YES	1	Y	0.1	i_9246147277837005_egclsig_001
				NO	2	N	0.1	
EGTEST_CL_001	0.2			PR Interval Not Otherwise Specified	1	903	0.1	i_9246147341266827_egtest_001
				QT Interval Not Otherwise Specified	2	902	0.1	
				QTcF Not Otherwise Specified	3	909	0.1	
				QRS Interval Not Otherwise Specified	4	904	0.1	
				RR Interval Not Otherwise Specified	5	900	0.1	
				ECG Mean Heart Rate	6	128	0.1	
EGORRESU_CL_001	0.3			ms	1	14	0.1	i_9246147461264295_egorresu_001

				s	2	15	0.1
				beats/min	3	114	0.1

Variable Validations EG001 ECG

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
EGDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
EGDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
EGDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
EGDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
EGDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields EG001 ECG

Group RefName	Group Type	Associated Variables
IG_9246144517816025_EG01001	Non-Repeating	EGDTC_001, EGORRES_INTP_001, EGCLSIG_001, CO_EGCOM_001
IG_9246144311044192_EG02001	Fixed Repeating	EGTEST_001, EGORRES_001, EGORRESU_001

Instruments

CM001 / CONCOMITANT /PRIOR MEDICATIONS

Instrument Definition

Instrument Name:	CM001
Instrument Title:	CONCOMITANT /PRIOR MEDICATIONS
SAS Instrument Name:	CM001
Description:	CONMED
Version:	0.47
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: CM001 CONCOMITANT /PRIOR MEDICATIONS (CONMED) [Version: 0.47]		
Section CONCOMITANT /PRIOR MEDICATIONS CM001_S		Permission Groups
Group of Fields CM01001 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 26	

1.	What is the medication identifier? [CMSPID_001] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: [\$form_occurrence]	
2.	Category: [CMCAT_001] [CMCAT]	[CMCAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Category for this medication.	

3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001] [CMTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Generic drug name is the preferred entry. Provide the complete generic drug name (including salt form) if known. If the medication includes a large number of ingredients or the generic name is unknown, record the full trade or proprietary name.	
4.*	Medication Taken? [CMOCCUR_001] [CMOCCUR]	[CMOCCUR_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Indicate whether or not the pre-printed medication was taken by selecting "Yes" or "No".	

5.*	Was this medication given to treat an Adverse Event? [SUPPCM_CMAER_001] [CMAER]	[SUPPCM_CMAER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication was given to treat an adverse event, select Yes. Otherwise, select No.	
6.*	Reason for Administration: [CMINDC_001] [CMINDC]	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken based on clinical evaluation by the investigator. If taken to treat a condition, and a diagnosis was made, the reason should be the diagnosis. If taken to treat a condition, and no diagnosis was made, the reason should be the signs and symptoms. If taken as prophylaxis, report as "Prophylaxis for ...".	

7.*	Dose: [X_CMDSTXT_001] [CMDSTXT]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose of medication taken per administration. Do not include units in this field.	
8.*	Dose Unit: [CMDOSU_001] [CMDOSU]	[CMDOSU_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose unit of the medication taken.	
9.*	Dose Formulation: [CMDOSFRM_001] [CMDOSFRM]	[CMDOSFRM_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the pharmaceutical dosage form (e.g., TABLET CAPSULE, SYRUP) of delivery for the medication taken	

10.*	Dose Frequency: [CMDOSFRQ_001] [CMDOSFRQ]	[CMDOSFRQ_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record how often the medication was taken. (e.g., BID, PRN).	
11.*	Route: [CMROUTE_001] [CMROUTE]	[CMROUTE_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the route of administration for the drug.	

12.*	Start Date: [CMSTDTC_001] [CMSTDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1950; Max Year: 2027 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If the subject has been taking the medication for a considerable amount of time prior to the start of the study, it is acceptable to have an incomplete date. Medications taken during the study are expected to have a complete start date. Prior medications that are exclusionary should have both a start and end date. If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock.	
------	--	--	--

13.*	Ongoing? [X_CMONGO_001] [CMONGO] (Nested Field)	[X_CMONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the medication as ongoing if the subject has not stopped taking the medication at the time of data collection, and leave the end date blank. If this field is left blank, an End Date must be provided.	
------	---	---	--

14.*	End Date: [CMENDTC_001] [CMENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1970; Max Year: 2027 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject stopped taking the medication using the format (DD-MON-YYYY). If the subject has not stopped taking the medication leave this field blank. If appropriate, record the time (as complete as possible) when the medication was stopped, using the 24-hour clock.	
15.*	Reason for Discontinuation: [CMRSDISC_001] [CMDISR] (Nested Field)	[CMRSDISC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was discontinued.	

16.*	OTHER, specify: [SUPPCM_CMDISRO_001] [CMDISRO] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If "Other Reason" was chosen as the reason for discontinuation, specify the reason.	
17.	Is this concomitant therapy suspected to be related to an Adverse Event? [R_SUPPCM_CONSUS_001] [CMSUS] [Hidden]	[R_SUPPCM_CONSUS_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication is NOT considered suspect in relation to a reportable event please select NO. If this medication is considered suspect in relation to a reportable event please select YES and complete the remaining fields (AE ID, Action Taken and Re-Challenge)	

18.	AE ID of the AE this conmed is related to: [R_AEIDCM_001] [CMAEID] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	
19.	AE ID of the AE this conmed is related to: [R_AEIDCM1_001] [CMAEID1] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	

20.	AE ID of the AE this conmed is related to: [R_AEIDCM2_001] [CMAEID2] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	
21.	AE ID of the AE this conmed is related to: [R_AEIDCM3_001] [CMAEID3] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	

22.	AE ID of the AE this conmed is related to: [R_AEIDCM4_001] [CMAEID4] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	
23.*	Action Taken: [R_SUPPCM_ACTTKN_001] [CMACTION] (Nested Field)	[R_SUPPCM_ACTTKN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the medication selected in the pick list as a result of the SAE or non-serious but reportable event	

24.*	Re-Challenge: [R_SUPPCM_RECHAL_001] [CMRECHAL] <i>(Nested Field)</i>	[R_SUPPCM_RECHAL_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the medication selected in the pick list was re-introduced. Positive Re-challenge: When the concomitant medication was reintroduced and the SAE or non-serious but reportable event reappeared Negative Re-challenge: When the concomitant medication was reintroduced and the SAE or non-serious but reportable event did not reappear Not Applicable: When the medication was not re-introduced Unknown: When the medication was reintroduced, but the result of re-challenge was unknown	
25.	Standardized Medication Name - Dictionary derived. [CMDECOD_001] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	<i>TMS_integration</i> (R,U) <i>Read Only</i> (R) <i>Database Builder</i> (R) <i>Clinical</i> (R) <i>Lead Data Manager</i> (R)

26.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
Key: [*] = Item is required			

Study Object Descriptions: CM001 CONCOMITANT /PRIOR MEDICATIONS

Type	RefName	Description
Form	CRF_9246107659012932_CM001	CM001
Item	I_9246147511351068_CMSPID_001	
Item	I_9246147611343676_CMCAT_001	
Item	I_9246147671435512_CMTRT_001	
Item	I_9246147721255441_CMOCCUR_001	
Item	I_9246147771955631_SUPPCM_CMAER_001	
Item	I_9246147811543224_CMINDC_001	
Item	I_9246147841306356_X_CMDSTXT_001	
Item	I_9246147881857771_CMDOSU_001	
Item	I_9246147941927462_CMDOSFRM_001	
Item	I_9246147966120310_CMDOSFRQ_001	
Item	I_9246147996958778_CMROUTE_001	
Item	I_9246148035395187_CMSTDTC_001	
Item	I_9246148761198684_X_CMONGO_001	

Item	I_9246148811377410_CMENDTC_001	
Item	I_9246148854397848_CMRSISC_001	
Item	I_9246148901196383_SUPPCM_CMDISRO_001	
Item	I_9246148166402467_R_SUPPCM_CONSUS_001	
Item	I_9246148311304848_R_AEIDCM_001	
Item	I_9246148416753715_R_AEIDCM1_001	
Item	I_9246148491206814_R_AEIDCM2_001	
Item	I_9246148571204894_R_AEIDCM3_001	
Item	I_9246148651217225_R_AEIDCM4_001	
Item	I_9246148213869827_R_SUPPCM_ACTTKN_001	
Item	I_9246148261278694_R_SUPPCM_RECHAL_001	
Item	I_9246148084237516_CMDECOD_001	
Item	I_9246148141356861_SUPPCM_CMCODE_001	

Codelist Values Tables: CM001 CONCOMITANT /PRIOR MEDICATIONS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001	0.4			PRIMARY DIAGNOSIS	1	10	0.1	i_9246147611343676_cmcat_001
				GENERAL CONCOMITANT MEDICATIONS	2	1	0.1	
				RESCUE MEDICATIONS	3	2	0.1	
CMOCCUR_CL_001	0.1			YES	1	Y	0.1	i_9246147721255441_cmoccur_001
				NO	2	N	0.1	
SUPPCM_CMAER_CL_001	0.1			YES	1	Y	0.1	i_9246147771955631_suppcm_cmaer_001
				NO	2	N	0.1	
CMDOSU_CL_001	0.2			Gy	1	1	0.1	i_9246147881857771_cmdosu_001



Weber	29	30	0.1
Tesla	30	31	0.1
Henry	31	32	0.1
C	32	33	0.1
lm	33	34	0.1
lx	34	35	0.1
Bq	35	36	0.1
kat	36	37	0.1
m2	37	38	0.1
m3	38	39	0.1
m/s	39	40	0.1
g/L	40	41	0.1
F	41	42	0.1
ug	42	43	0.1
min	43	44	0.1
cm2	44	46	0.1
ft2	45	47	0.1
Ci	46	48	0.1
AMPULE	47	49	0.1
BAG	48	50	0.1
BAR	49	51	0.1
BOLUS	50	52	0.1
BOTTLE	51	53	0.1
BOX	52	54	0.1
CAN	53	55	0.1
CAPSULE	54	56	0.1
CARTRIDGE	55	57	0.1

COAT	56	58	0.1
CONTAINER	57	59	0.1
CYLINDER	58	60	0.1
DISK	59	61	0.1
DRUM	60	62	0.1
grain	61	63	0.1
HOMEOPATHIC DILUTION	62	64	0.1
IMPLANT	63	65	0.1
in	64	66	0.1
INHALATION	65	67	0.1
JAR	66	68	0.1
KALLIKREIN INHIBITOR UNIT	67	69	0.1
KIT	68	70	0.1
L	69	71	0.1
LOZENGE	70	72	0.1
uCi	71	73	0.1
umol	72	74	0.1
um	73	75	0.1
mCi	74	76	0.1
mEq	75	77	0.1
mmol	76	78	0.1
ng	77	79	0.1
nmol	78	80	0.1
oz	79	81	0.1
PACKAGE	80	82	0.1
PACKET	81	83	0.1

ppm	82	84	0.1
PATCH	83	85	0.1
PELLET	84	86	0.1
%(w/v)	85	87	0.1
%(w/w)	86	88	0.1
POUCH	87	89	0.1
LB	88	90	0.1
PRESSOR UNITS	89	91	0.1
SCOOPFUL	90	92	0.1
SPRAY	91	93	0.1
STRIP	92	94	0.1
SUPPOSITORY	93	95	0.1
SYRINGE	94	96	0.1
Tbsp	95	97	0.1
TABLET	96	98	0.1
TAMPON	97	99	0.1
tsp	98	100	0.1
TRACE	99	101	0.1
TROCHE	100	102	0.1
TUBE	101	103	0.1
VIAL	102	104	0.1
WAFER	103	105	0.1
yd	104	106	0.1
mol/L	105	107	0.1
%(v/v)	106	108	0.1
IU	107	109	0.1
QUANTITY SUFFICIENT	108	110	0.1

cm	109	111	0.1
mmHg	110	112	0.1
kg/m2	111	113	0.1
beats/min	112	114	0.1
breaths/min	113	115	0.1
CUP	114	116	0.1
atm	115	117	0.1
RING	116	118	0.1
mmol/L	117	119	0.1
pg	118	120	0.1
fg	119	121	0.1
ag	120	122	0.1
cg	121	123	0.1
dram	122	124	0.1
kg/L	123	125	0.1
mg/L	124	126	0.1
mL/min	125	127	0.1
g/dL	126	128	0.1
pmol	127	129	0.1
PUFF	128	130	0.1
mm2	129	131	0.1
tuberculin unit	130	132	0.1
mL/h	131	133	0.1
/s	132	134	0.1
/min	133	135	0.1
mg/h	134	136	0.1
mg/dL	135	137	0.1

cal	136	138	0.1
kcal	137	139	0.1
PFU	138	140	0.1
eq	139	141	0.1
HPF	140	142	0.1
g/m2	141	143	0.1
ug/L	142	144	0.1
LPF	143	145	0.1
mV	144	146	0.1
ng/dL	145	147	0.1
ng/L	146	148	0.1
nm	147	149	0.1
osm	148	150	0.1
psi	149	151	0.1
10^6 IU	150	152	0.1
nCi	151	153	0.1
IU/L	152	154	0.1
IU/mL	153	155	0.1
IU/kg	154	156	0.1
IU/mg	155	157	0.1
L/min	156	158	0.1
ug/h	157	159	0.1
ug/kg	158	160	0.1
ukat/L	159	161	0.1
mg/day	160	162	0.1
mg/kg	161	163	0.1
mg/m2	162	164	0.1

umol/day	163	165	0.1
mm/h	164	166	0.1
mmol/day	165	167	0.1
nmol/L	166	168	0.1
pmol/L	167	169	0.1
RNA copies/mL	168	170	0.1
mEq/day	169	171	0.1
mEq/L	170	172	0.1
mEq/kg	171	173	0.1
deg	172	174	0.1
dmol	173	175	0.1
cmol	174	176	0.1
mmol/g	175	177	0.1
fmol	176	178	0.1
amol	177	179	0.1
ft3	178	180	0.1
in2	179	181	0.1
ELISA unit	180	182	0.1
ELISA unit/dose	181	183	0.1
ELISA unit/mL	182	184	0.1
Log10 ELISA unit	183	185	0.1
Log10 ELISA unit/dose	184	186	0.1
mol/mL	185	187	0.1
mmol/kg	186	188	0.1
mol/g	187	189	0.1
mol/mg	188	190	0.1
10^3 CFU	189	191	0.1

10 ⁶ CFU	190	192	0.1
10 ⁹ CFU	191	193	0.1
CFU/g	192	194	0.1
10 ³ CFU/g	193	195	0.1
10 ⁶ CFU/g	194	196	0.1
10 ⁹ CFU/g	195	197	0.1
CFU/mL	196	198	0.1
10 ³ CFU/mL	197	199	0.1
10 ⁶ CFU/mL	198	200	0.1
10 ⁹ CFU/mL	199	201	0.1
Gauss	200	202	0.1
kg/cm ²	201	203	0.1
g/kg	202	204	0.1
ppth	203	205	0.1
pm	204	206	0.1
uL/mL	205	207	0.1
nL	206	208	0.1
gtt	207	209	0.1
mol/mol	208	210	0.1
rpm	209	211	0.1
dyn	210	212	0.1
log EID 50/dose	211	213	0.1
log ₁₀ CCID 50/dose	212	214	0.1
log ₁₀ TCID 50/dose	213	215	0.1
klU	214	216	0.1
IU/g	215	217	0.1
anti-Xa IU	216	218	0.1

anti-Xa IU/mL	217	219	0.1
AgU/mL	218	220	0.1
DAGU	219	221	0.1
DAGU/mL	220	222	0.1
tuberculin unit/mL	221	225	0.1
mkat	222	226	0.1
nkat	223	227	0.1
pkat	224	228	0.1
nkat/L	225	229	0.1
kBq	226	230	0.1
MBq	227	231	0.1
GBq	228	232	0.1
Bq/kg	229	233	0.1
Bq/g	230	234	0.1
Bq/ug	231	235	0.1
Bq/mg	232	236	0.1
GBq/g	233	237	0.1
GBq/ug	234	238	0.1
GBq/mg	235	239	0.1
Ci/g	236	240	0.1
Ci/kg	237	241	0.1
Ci/ug	238	242	0.1
Ci/mg	239	243	0.1
EID 50/dose	240	244	0.1
CCID 50/dose	241	245	0.1
TCID 50/dose	242	246	0.1
ukat	243	247	0.1

ppb	244	248	0.1
pptr	245	249	0.1
mCi/kg	246	250	0.1
uCi/kg	247	251	0.1
Roentgen	248	252	0.1
mEq/uL	249	253	0.1
mEq/g	250	254	0.1
mEq/ug	251	255	0.1
Bq/L	252	256	0.1
Bq/uL	253	257	0.1
Bq/mL	254	258	0.1
kBq/uL	255	259	0.1
MBq/uL	256	260	0.1
Ci/L	257	261	0.1
Ci/uL	258	262	0.1
Ci/mL	259	263	0.1
uCi/L	260	264	0.1
mCi/L	261	265	0.1
uV	262	266	0.1
cycle/min	263	267	0.1
km	264	268	0.1
Mile	265	269	0.1
100 IU/mL	266	270	0.1
10^3 organisms	267	271	0.1
10^6 organisms	268	272	0.1
10^9 organisms	269	273	0.1
10^3 organisms/g	270	274	0.1

10^6 organisms/g	271	275	0.1
10^9 organisms/g	272	276	0.1
10^6 organisms/mg	273	277	0.1
10^9 organisms/mg	274	278	0.1
10^3 organisms/mL	275	279	0.1
10^6 organisms/mL	276	280	0.1
10^9 organisms/mL	277	281	0.1
PFU/dose	278	282	0.1
PFU/mL	279	283	0.1
bel	280	284	0.1
g/cm2	281	285	0.1
kUSP	282	286	0.1
km/h	283	287	0.1
NEBULE	284	288	0.1
ug/day	285	289	0.1
mg/kg/min	286	290	0.1
IU/kg/h	287	291	0.1
ug/kg/min	288	292	0.1
ug/min	289	293	0.1
ft	290	294	0.1
FINGERTIP UNIT	291	295	0.1
SACHET	292	296	0.1
mg/kg/h	293	297	0.1
cycle/sec	294	298	0.1
Pack Year	295	299	0.1
U/L	296	300	0.1
U/mL	297	301	0.1

U/g	298	302	0.1
U/mg	299	303	0.1
U/kg	300	304	0.1
/day	301	305	0.1
/h	302	306	0.1
/HPF	303	307	0.1
/LPF	304	308	0.1
/uL	305	309	0.1
/wk	306	310	0.1
AFU	307	311	0.1
amu	308	312	0.1
Absorbance U	309	313	0.1
Absorbance U/min	310	314	0.1
dL	311	315	0.1
EU	312	316	0.1
FEU	313	317	0.1
fL	314	318	0.1
fmol/g	315	319	0.1
fmol/L	316	320	0.1
g/animal	317	321	0.1
g/animal/day	318	322	0.1
g/animal/wk	319	323	0.1
g/cage	320	324	0.1
g/cage/day	321	325	0.1
g/cage/wk	322	326	0.1
g/day	323	327	0.1
g/g	324	328	0.1



mL/cage/wk	352	357	0.1
mL/day	353	358	0.1
mL/g	354	359	0.1
mL/g/day	355	360	0.1
mL/g/h	356	361	0.1
mL/g/min	357	362	0.1
mL/kg	358	363	0.1
mL/kg/day	359	364	0.1
mL/kg/h	360	365	0.1
mL/kg/min	361	366	0.1
mL/m2	362	367	0.1
mL/m2/day	363	368	0.1
mL/m2/h	364	369	0.1
mL/m2/min	365	370	0.1
mmHg/s	366	371	0.1
mOsm	367	372	0.1
mOsm/kg	368	373	0.1
mPa	369	374	0.1
nmol/mL/min	370	375	0.1
ns	371	376	0.1
pg/dL	372	377	0.1
pL	373	378	0.1
ps	374	379	0.1
U	375	380	0.1
U/animal	376	381	0.1
U/g/day	377	382	0.1
U/g/h	378	383	0.1



uOsM	406	411	0.1
us	407	412	0.1
10^12/L	408	413	0.1
10^3 DNA copies/mL	409	414	0.1
10^3 RNA copies/mL	410	415	0.1
10^3/hpf	411	416	0.1
10^4/hpf	412	417	0.1
10^5/hpf	413	418	0.1
10^6 DNA copies/mL	414	419	0.1
10^6 IU/mL	415	420	0.1
10^6 RNA copies/mL	416	421	0.1
10^6/g	417	422	0.1
10^6/hpf	418	423	0.1
10^6/L	419	424	0.1
10^7/L	420	425	0.1
10^9/L	421	426	0.1
cm H2O	422	427	0.1
DNA copies/mL	423	428	0.1
L/h	424	429	0.1
mL/cm H2O	425	430	0.1
PACK	426	431	0.1
RATIO	427	432	0.1
10^3 copies/mL	428	433	0.1
10^6 copies/mL	429	434	0.1
copies/mL	430	435	0.1
DIOPTER	431	436	0.1
L/s	432	437	0.1

mL/min/1.73m2	433	438	0.1
mU/L	434	439	0.1
/month	435	440	0.1
APPLICATION	436	441	0.1
CAPFUL	437	442	0.1
dB	438	443	0.1
cm/s	439	444	0.1
/100 HPFs	440	445	0.1
log10 CFU/g	441	446	0.1
log10 CFU/mL	442	447	0.1
cGy	443	448	0.1
mL/s	444	449	0.1
/mL	445	450	0.1
/dL	446	451	0.1
/L	447	452	0.1
/VF	448	453	0.1
10^10/L	449	454	0.1
10^11/L	450	455	0.1
10^12 IU/L	451	456	0.1
10^3/L	452	457	0.1
10^4/L	453	458	0.1
10^5/L	454	459	0.1
10^8/L	455	460	0.1
CAPLET	456	461	0.1
cL	457	462	0.1
cm/min	458	463	0.1
cmol/L	459	464	0.1

cs	460	465	0.1
damol/L	461	466	0.1
foz_br	462	467	0.1
foz_us	463	468	0.1
fraction of 1	464	469	0.1
hPa	465	470	0.1
kDa	466	471	0.1
kPa/L/s	467	472	0.1
ks	468	473	0.1
L/h/m2	469	474	0.1
L/L	470	475	0.1
L/min/m2	471	476	0.1
mL/cm	472	477	0.1
mL/dL	473	478	0.1
mL/min/mmHg	474	479	0.1
mL/s/1.73 m2	475	480	0.1
mm/2h	476	481	0.1
mm/min	477	482	0.1
mm/s	478	483	0.1
mmHg/L/min	479	484	0.1
mph	480	485	0.1
mV*min	481	486	0.1
nU/cL	482	487	0.1
pt_br	483	489	0.1
pt_us	484	490	0.1
titer	485	491	0.1
U/cL	486	492	0.1

U/dL	487	493	0.1
ugEq	488	494	0.1
umol/L/s	489	495	0.1
uV*s	490	496	0.1
V/s	491	497	0.1
Frames/s	492	498	0.1
mL/mmHg	493	499	0.1
Antibody Unit	494	500	0.1
BISCUIT	495	501	0.1
BLOCKS	496	502	0.1
Hounsfield Unit	497	503	0.1
kHz	498	504	0.1
mmol/mol	499	505	0.1
STEPS	500	506	0.1
Torr	501	507	0.1
Shock Wave	502	508	0.1
VIRTUAL PIXEL	503	509	0.1
PIXELS/cm	504	510	0.1
PIXELS/in	505	511	0.1
%/min	506	512	0.1
mV ² /Hz	507	513	0.1
cy/cm	508	514	0.1
NEEDLE GAUGE	509	515	0.1
PIXEL	510	516	0.1
Enzyme U	511	517	0.1
mg/mL/min	512	518	0.1
DPM	513	519	0.1

/10^3 cells	514	520	0.1
/nL	515	521	0.1
BE/mL	516	523	0.1
CIGAR	517	524	0.1
CIGARETTE	518	525	0.1
copies/uL	519	526	0.1
HEP	520	527	0.1
log10 IU/mL	521	528	0.1
mJoule/cm2	522	529	0.1
mL/mmHg/min/L	523	530	0.1
mmol/min/kPa	524	531	0.1
mmol/min/kPa/L	525	532	0.1
PIPE	526	533	0.1
PNU/mL	527	534	0.1
SBE/mL	528	535	0.1
SQU/mL	529	536	0.1
umol/min	530	537	0.1
/100 WBC	531	538	0.1
v/v	532	539	0.1
cpm	533	540	0.1
NFIU	534	541	0.1
% INHIBITION	535	542	0.1
/pL	536	543	0.1
APL U/mL	537	544	0.1
BU	538	545	0.1
BU/mL	539	546	0.1
dpm/100mg	540	547	0.1

dpm/mg	541	548	0.1
dpm/mL	542	549	0.1
GPL U/mL	543	550	0.1
log10 copies/mL	544	551	0.1
MPL U/mL	545	552	0.1
nmol BCE/L	546	553	0.1
uEq/L	547	554	0.1
nmol BCE/mmol	548	555	0.1
pg/L	549	556	0.1
POINT	550	557	0.1
mg/mol	551	558	0.1
/kg	552	559	0.1
CCID 50/mL	553	560	0.1
dpm/0.5 mL	554	561	0.1
EID 50/mL	555	562	0.1
IU/dL	556	563	0.1
kg/cm	557	564	0.1
SFC/10 ⁶ PBMC	558	565	0.1
U.CARR	559	566	0.1
umol/L/min	560	567	0.1
m/s ²	561	568	0.1
/4.0 mL	562	569	0.1
/7.5 mL	563	570	0.1
/mm ²	564	571	0.1
10 ⁹ /g	565	572	0.1
Anson U	566	573	0.1
APL U	567	574	0.1

cd*s/m2	568	575	0.1
cd/m2	569	576	0.1
EIA unit	570	577	0.1
fmol/L/s	571	578	0.1
IU/g Hb	572	579	0.1
IU/mmol	573	580	0.1
ka_u/dL	574	581	0.1
kg/mol	575	582	0.1
mAnson U/mL	576	583	0.1
mg2/dL2	577	584	0.1
mmol2/L2	578	585	0.1
mOsm/L	579	586	0.1
mU/g	580	587	0.1
mV/s	581	588	0.1
nmol BCE/nmol	582	589	0.1
nmol/L/h	583	590	0.1
nmol/L/min	584	591	0.1
nmol/mol	585	592	0.1
PFU/animal	586	593	0.1
pkat/L	587	594	0.1
pmol/10^10 cells	588	595	0.1
pmol/10^9 cells	589	596	0.1
pmol/day	590	597	0.1
pmol/dL	591	598	0.1
pmol/L/h	592	599	0.1
U/10^12 RBC	593	600	0.1
ug/L/h	594	601	0.1

ugEq/L	595	602	0.1
umol/mol	596	603	0.1
GPL U	597	604	0.1
MPL U	598	605	0.1
L/day	599	606	0.1
IU/day	600	607	0.1
mol/day	601	608	0.1
nmol/day	602	609	0.1
nmol/g	603	610	0.1
No Unit	604	611	0.1
/10^3	605	612	0.1
mg/cm2	606	613	0.1
mg/dose	607	614	0.1
mg/kg/dose	608	615	0.1
mL/dose	609	616	0.1
TRANSDUCING UNIT	610	617	0.1
TRANSDUCING UNIT/mL	611	618	0.1
ug/dose	612	619	0.1
uIU/dL	613	620	0.1
uIU/L	614	621	0.1
ukat/10^12 RBC	615	622	0.1
uL/dose	616	623	0.1
umol/h/mmol	617	624	0.1
umol/L/h	618	625	0.1
uU/dL	619	626	0.1
uU/L	620	627	0.1
vg/dose	621	628	0.1

vg/mL	622	629	0.1
vp/dose	623	630	0.1
vp/mL	624	631	0.1
ug/cm2	625	632	0.1
pmol/g	626	633	0.1
Absorbance U/mL	627	634	0.1
copies/ug	628	635	0.1
mm3/mm2/year	629	636	0.1
um/day	630	637	0.1
umol/kg/min	631	638	0.1
Gravitational Unit	632	639	0.1
1/(s*kPa)	633	640	0.1
MET	634	641	0.1
MET*h	635	642	0.1
MET*min	636	643	0.1
mL/beat	637	644	0.1
mN	638	645	0.1
PHERESIS UNIT	639	646	0.1
ng/mL	640	647	0.1
K/cu mm	641	648	0.1
10^6/cu mm	642	649	0.1
mIU/mL	643	650	0.1
mcmol/L	644	651	0.1
mclU/mL	645	652	0.1
mg/mL	646	653	0.1
ug/mL	647	654	0.1
10^6 cells	648	655	0.1

nmol*min	649	656	0.1
10^6/uL	650	657	0.1
10^3/uL	651	658	0.1
mg/g	652	659	0.1
kU/L	653	660	0.1
BEAM BREAKS	654	661	0.1
umol/dL	655	662	0.1
Arbitrary U	656	663	0.1
Ejaculate U	657	664	0.1
/LSQN	658	665	0.1
/mm	659	666	0.1
10^6/Ejaculate U	660	667	0.1
gpELISA unit/mL	661	668	0.1
mL/(min*100mL)	662	669	0.1
ngEq/L	663	670	0.1
OI50	664	671	0.1
s^-1(%O2)^-1	665	672	0.1
Index Value	666	675	0.1
Cells/uL	667	676	0.1
mU/mL	668	677	0.1
mm3	669	678	0.1
log10 Titer	670	679	0.1
log2 Titer	671	680	0.1
CH50	672	681	0.1
ug/g	673	682	0.1
Caliper unit	674	683	0.1
/cmH2O	675	684	0.1

dB/m	676	685	0.1
pg/mL	677	686	0.1
vg/ug genomic DNA	678	687	0.1
cp per 10ng Genomic DNA	679	688	0.1
DROP	680	689	0.1
SGU	681	690	0.1
SMU	682	691	0.1
10^13vg	683	692	0.1
CELLS/MM3	684	693	0.1
NEGATIVE LOG VALUE	685	694	0.1
COPY/UG RNA	686	695	0.1
CH50 U Eq/mL	687	696	0.1
uIU/mL	688	697	0.1
10^10 vg	689	698	0.1
10^11 vg	690	699	0.1
10^12 vg	691	700	0.1
10^14 vg	692	701	0.1
10^15 vg	693	702	0.1
10^16 vg	694	703	0.1
vg/mg	695	704	0.1
kBq/mL	696	705	0.1
g/cm3	697	706	0.1
uCi/mg	698	707	0.1
vg/ug gDNA	699	708	0.1
MARKER	700	709	0.1
HOURS/WEEK	701	710	0.1
nCi/mL	702	711	0.1

BP	703	712	0.1
hr/day	704	713	0.1
10^3/mm3	705	714	0.1
Mean Spot number per 400000 Cells	706	715	0.1
10^8 PFU	707	716	0.1
ug/tsp	708	717	0.1
mg/tsp	709	718	0.1
g/tsp	710	719	0.1
ug/tbsp	711	720	0.1
mg/tbsp	712	721	0.1
g/tbsp	713	722	0.1
ug/drop	714	723	0.1
mg/drop	715	724	0.1
g/drop	716	725	0.1
ug/FINGER TIP	717	726	0.1
mg/FINGER TIP	718	727	0.1
g/FINGER TIP	719	728	0.1
ug/spray	720	729	0.1
mg/spray	721	730	0.1
g/spray	722	731	0.1
g/hr	723	732	0.1
uCi/g	724	733	0.1
syllable/sec	725	734	0.1
frame/sec	726	735	0.1
Copies/10ng gDNA	727	737	0.1
ng/mL DDU	728	738	0.1

micromol/L	729	739	0.1
Log copies/mL	730	740	0.1
cells/mL	731	741	0.1
pH	732	742	0.1
nmol/mL	733	743	0.1
mg/mg	734	744	0.1
GI/L	735	745	0.1
TI/L	736	746	0.1
nM x min	737	747	0.1
mcg/L	738	748	0.1
mmHg%	739	749	0.1
log10 TCID 50/mL	740	750	0.1
1/Dilution	741	751	0.1
CU	742	752	0.1
Units	743	753	0.1
NPX	744	754	0.1
bpm	745	755	0.1
dynes*sec/cm5	746	756	0.1
mmHg*m2 /L/min	747	757	0.1
/100 Enterocytes	748	758	0.1
MdFI	749	759	0.1
MnFI	750	760	0.1
Fraction Radioactive Marker*hr	751	761	0.1
DuA	752	762	0.1
mmHg*min/L	753	763	0.1
mmol/kg/s	754	764	0.1

				mg/L FEU	755	765	0.1	
				Arbitrary U/mL	756	766	0.1	
				Binding Ab Unit	757	767	0.1	
				Binding Ab Unit/mL	758	768	0.1	
				FIU	759	769	0.1	
				SAU	760	770	0.1	
				IU/g Hgb	761	771	0.1	
				EVENTS	762	772	0.1	
				mcg/mL	763	773	0.1	
				EU_ML	764	774	0.1	
				Log2 counts/million	765	775	0.1	
				mg	766	8	0.1	
				g/mL	767	674	0.1	
				g	768	45	0.1	
CMDOSFRM_CL_001	0.2			AEROSOL	1	1	0.1	i_9246147941927462_cmdosfrm_001
				CAPLET	2	10	0.1	
				CAPSULE	3	11	0.1	
				TABLET	4	146	0.1	
				TABLET, CONTROLLED RELEASE	5	171	0.1	
				WAFER	6	169	0.1	
				UNASSIGNED	7	168	0.1	
				TROCHE	8	167	0.1	
				TINCTURE	9	166	0.1	
				TAPE	10	165	0.1	
				TAMPON	11	164	0.1	
				TABLET, SUGAR COATED	12	163	0.1	

			TABLET, SPRAY DRIED DISPERSION	13	174	0.1
			TABLET, SOLUBLE	14	162	0.1
			TABLET, ORALLY DISINTEGRATING, DELAYED RELEASE	15	161	0.1
			TABLET, ORALLY DISINTEGRATING	16	160	0.1
			TABLET, MULTILAYER, EXTENDED RELEASE	17	159	0.1
			TABLET, MULTILAYER	18	158	0.1
			TABLET, MODIFIED RELEASE: SHORT DURATION	19	173	0.1
			TABLET, MODIFIED RELEASE: LONG DURATION	20	172	0.1
			TABLET, MODIFIED RELEASE, MATRIX	21	177	0.1
			TABLET, MODIFIED RELEASE, ECS	22	178	0.1
			TABLET, MODIFIED RELEASE, BILAYER (1:2)	23	179	0.1
			TABLET, MODIFIED RELEASE, BILAYER (1:1)	24	180	0.1
			TABLET, MODIFIED RELEASE	25	175	0.1
			TABLET, IMMEDIATE RELEASE	26	176	0.1
			TABLET, FOR SUSPENSION	27	157	0.1
			TABLET, FOR SOLUTION	28	156	0.1

--	--	--

TABLET, FILM COATED, EXTENDED RELEASE	29	155	0.1
TABLET, FILM COATED	30	154	0.1
TABLET, EXTENDED RELEASE	31	153	0.1
TABLET, EFFERVESCENT	32	152	0.1
TABLET, DELAYED RELEASE PARTICLES	33	151	0.1
TABLET, DELAYED RELEASE	34	150	0.1
TABLET, COATED PARTICLES	35	149	0.1
TABLET, COATED	36	148	0.1
TABLET, CHEWABLE	37	147	0.1
SYRUP	38	145	0.1
SWAB	39	144	0.1
SUTURE	40	143	0.1
SUSPENSION/DROPS	41	142	0.1
SUSPENSION, EXTENDED RELEASE	42	141	0.1
SUSPENSION	43	140	0.1
SUPPOSITORY, EXTENDED RELEASE	44	139	0.1
SUPPOSITORY	45	138	0.1
STRIP	46	137	0.1
STICK	47	136	0.1
SPRAY, SUSPENSION	48	135	0.1
SPRAY, METERED	49	134	0.1
SPRAY	50	133	0.1

SPONGE	51	132	0.1
SOLUTION/ DROPS	52	131	0.1
SOLUTION, GEL FORMING, EXTENDED RELEASE	53	130	0.1
SOLUTION, GEL FORMING / DROPS	54	129	0.1
SOLUTION, FOR SLUSH	55	128	0.1
SOLUTION, CONCENTRATE	56	127	0.1
SOLUTION	57	126	0.1
SOAP	58	125	0.1
SHAMPOO, SUSPENSION	59	124	0.1
SHAMPOO	60	123	0.1
SALVE	61	122	0.1
RINSE	62	121	0.1
RING	63	120	0.1
POWDER, METERED	64	119	0.1
POWDER, LYOPHILIZED	65	181	0.1
POWDER, FOR SUSPENSION	66	118	0.1
POWDER, FOR SOLUTION	67	117	0.1
POWDER, DENTIFRICE	68	116	0.1
POWDER	69	115	0.1
POULTICE	70	114	0.1
PLASTER	71	113	0.1
PILL	72	112	0.1
PELLETS, COATED, EXTENDED RELEASE	73	111	0.1
PELLET, IMPLANTABLE	74	110	0.1

PELLET	75	109	0.1
PATCH, EXTENDED RELEASE, ELECTRICALLY CONTROLLED	76	108	0.1
PATCH, EXTENDED RELEASE	77	107	0.1
PATCH	78	106	0.1
PASTILLE	79	105	0.1
PASTE, DENTIFRICE	80	104	0.1
PASTE	81	103	0.1
PACKING	82	102	0.1
OINTMENT, AUGMENTED	83	101	0.1
OINTMENT	84	100	0.1
OIL	85	99	0.1
NOT APPLICABLE	86	98	0.1
MOUTHWASH	87	97	0.1
LOZENGE	88	96	0.1
LOTION/SHAMPOO	89	95	0.1
LOTION, AUGMENTED	90	94	0.1
LOTION	91	93	0.1
LIQUID, EXTENDED RELEASE	92	92	0.1
LIQUID	93	91	0.1
LIPSTICK	94	90	0.1
LINIMENT	95	89	0.1
LINER, DENTAL	96	88	0.1
KIT	97	87	0.1
JELLY	98	86	0.1

IRRIGANT	99	85	0.1
INTRAUTERINE DEVICE	100	84	0.1
INSERT, EXTENDED RELEASE	101	83	0.1
INSERT	102	82	0.1
INJECTION, SUSPENSION, SONICATED	103	81	0.1
INJECTION, SUSPENSION, LIPOSOMAL	104	80	0.1
INJECTION, SUSPENSION, EXTENDED RELEASE	105	79	0.1
INJECTION, SUSPENSION	106	78	0.1
INJECTION, SOLUTION, CONCENTRATE	107	77	0.1
INJECTION, SOLUTION	108	76	0.1
INJECTION, POWDER, LYOPHILIZED, FOR SUSPENSION, EXTENDED RELEASE	109	75	0.1
INJECTION, POWDER, LYOPHILIZED, FOR SUSPENSION	110	74	0.1
INJECTION, POWDER, LYOPHILIZED, FOR SOLUTION	111	73	0.1
INJECTION, POWDER, LYOPHILIZED, FOR LIPOSOMAL SUSPENSION	112	72	0.1
INJECTION, POWDER, FOR SUSPENSION, EXTENDED RELEASE	113	71	0.1

INJECTION, POWDER, FOR SUSPENSION	114	70	0.1
INJECTION, POWDER, FOR SOLUTION	115	69	0.1
INJECTION, LIPID COMPLEX	116	68	0.1
INJECTION, EMULSION	117	67	0.1
INJECTION	118	66	0.1
INJECTABLE, LIPOSOMAL	119	65	0.1
INHALANT	120	64	0.1
IMPLANT	121	63	0.1
GUM, RESIN	122	62	0.1
GUM, CHEWING	123	61	0.1
GUM	124	60	0.1
GRANULE, FOR SUSPENSION, EXTENDED RELEASE	125	59	0.1
GRANULE, FOR SUSPENSION	126	58	0.1
GRANULE, FOR SOLUTION	127	57	0.1
GRANULE, EFFERVESCENT	128	56	0.1
GRANULE, DELAYED RELEASE	129	55	0.1
GRANULE	130	54	0.1
GRAFT	131	53	0.1
GLOBULE	132	52	0.1
GENERATOR	133	51	0.1
GEL, METERED	134	50	0.1
GEL, DENTRIFICE	135	49	0.1

GEL	136	48	0.1
GAS	137	47	0.1
FOR SUSPENSION, EXTENDED RELEASE	138	46	0.1
FOR SUSPENSION	139	45	0.1
FOR SOLUTION	140	44	0.1
FILM, SOLUBLE	141	43	0.1
FILM, EXTENDED RELEASE	142	42	0.1
FILM	143	41	0.1
FIBER, EXTENDED RELEASE	144	40	0.1
EXTRACT	145	39	0.1
ENEMA	146	38	0.1
EMULSION	147	37	0.1
ELIXIR	148	36	0.1
DRUG DELIVERY SYSTEM	149	35	0.1
DRESSING	150	34	0.1
DOUCHE	151	33	0.1
DISC	152	32	0.1
DIAPHRAGM	153	31	0.1
CULTURE	154	30	0.1
CRYSTAL	155	29	0.1
CREAM, AUGMENTED	156	28	0.1
CREAM	157	27	0.1
CORE, EXTENDED RELEASE	158	26	0.1
CONE	159	25	0.1
CONCENTRATE	160	24	0.1

CLOTH	161	23	0.1
CIGARETTE	162	22	0.1
CEMENT	163	21	0.1
CAPSULE, LIQUID FILLED	164	20	0.1
CAPSULE, GELATIN COATED	165	19	0.1
CAPSULE, FILM COATED, EXTENDED RELEASE	166	18	0.1
CAPSULE, EXTENDED RELEASE	167	17	0.1
CAPSULE, DELAYED RELEASE PELLETS	168	16	0.1
CAPSULE, DELAYED RELEASE	169	15	0.1
CAPSULE, CONTROLLED RELEASE	170	170	0.1
CAPSULE, COATED, EXTENDED RELEASE	171	14	0.1
CAPSULE, COATED PELLETS	172	13	0.1
CAPSULE, COATED	173	12	0.1
BLOCK	174	9	0.1
BEAD, IMPLANT, EXTENDED RELEASE	175	8	0.1
BEAD	176	7	0.1
BAR, CHEWABLE	177	6	0.1
AEROSOL, SPRAY	178	5	0.1
AEROSOL, POWDER	179	4	0.1
AEROSOL, METERED	180	3	0.1

			AEROSOL, FOAM	181	2	0.1	
CMDOSFRQ_CL_001	0.2		CONTINUOUS	1	2	0.1	i_9246147966120310_cmdosfrq_001
			BID	2	3	0.1	
			2 TIMES PER WEEK	3	4	0.1	
			QM	4	5	0.1	
			PRN	5	6	0.1	
			Q10H	6	7	0.1	
			Q11H	7	8	0.1	
			UNKNOWN	8	1	0.1	
			TID	9	32	0.1	
			QOD	10	31	0.1	
			QN	11	80	0.1	
			QID	12	35	0.1	
			QH	13	17	0.1	
			QD	14	49	0.1	
			QAM	15	74	0.1	
			Q9H	16	30	0.1	
			Q8H	17	29	0.1	
			Q7H	18	28	0.1	
			Q6M	19	71	0.1	
			Q6H	20	27	0.1	
			Q6D	21	76	0.1	
			Q5H	22	26	0.1	
			Q5D	23	45	0.1	
			Q4M	24	42	0.1	
			Q4H	25	25	0.1	
			Q4D	26	38	0.1	



EVERY 7 WEEKS	54	72	0.1
EVERY 6 WEEKS	55	68	0.1
EVERY 5 WEEKS	56	69	0.1
EVERY 48 WEEKS	57	82	0.1
EVERY 4 WEEKS	58	34	0.1
EVERY 3 WEEKS	59	39	0.1
EVERY 24 WEEKS	60	81	0.1
EVERY 2 WEEKS	61	46	0.1
BIM	62	47	0.1
AD LIBITUM	63	51	0.1
AC	64	73	0.1
7 TIMES PER WEEK	65	66	0.1
6 TIMES PER YEAR	66	65	0.1
6 TIMES PER WEEK	67	64	0.1
6 TIMES PER MONTH	68	63	0.1
6 TIMES PER DAY	69	62	0.1
5 TIMES PER YEAR	70	61	0.1
5 TIMES PER WEEK	71	60	0.1
5 TIMES PER MONTH	72	59	0.1
5 TIMES PER DAY	73	58	0.1
5 DAYS PER WEEK	74	75	0.1
4 TIMES PER YEAR	75	57	0.1
4 TIMES PER WEEK	76	36	0.1
4 TIMES PER MONTH	77	56	0.1
3 TIMES PER YEAR	78	55	0.1
3 TIMES PER WEEK	79	33	0.1
3 TIMES PER MONTH	80	54	0.1

CMROUTE_CL_001	0.3		2 TIMES PER YEAR	81	53	0.1	i_9246147996958778_cmroute_001
			1 TIME PER WEEK	82	52	0.1	
			ORAL	1	84	0.1	
			AURICULAR (OTIC)	2	1	0.1	
			BUCCAL	3	2	0.1	
			CONJUNCTIVAL	4	3	0.1	
			CUTANEOUS	5	4	0.1	
			DENTAL	6	5	0.1	
			ELECTRO-OSMOSIS	7	6	0.1	
			ENDOCERVICAL	8	7	0.1	
			ENDOSINUSIAL	9	8	0.1	
			ENDOTRACHEAL	10	9	0.1	
			ENTERAL	11	10	0.1	
			EPIDURAL	12	11	0.1	
			EXTRA-AMNIOTIC	13	12	0.1	
			EXTRACORPOREAL	14	13	0.1	
			HEMODIALYSIS	15	14	0.1	
			INFILTRATION	16	15	0.1	
			INTERSTITIAL	17	16	0.1	
			INTRA-ABDOMINAL	18	17	0.1	
			INTRA-AMNIOTIC	19	18	0.1	
			INTRA-ARTERIAL	20	19	0.1	
			INTRA-ARTICULAR	21	20	0.1	
			INTRABILIARY	22	21	0.1	
			INTRABRONCHIAL	23	22	0.1	
			INTRABURSAL	24	23	0.1	
			INTRACARDIAC	25	24	0.1	

				INTRACARTILAGINOUS	26	25	0.1
				INTRACAUDAL	27	26	0.1
				INTRACAVERNOUS	28	27	0.1
				INTRACAVITARY	29	28	0.1
				INTRACEREBRAL	30	29	0.1
				INTRACISTERNAL	31	30	0.1
				INTRACORNEAL	32	31	0.1
				INTRACORONAL, DENTAL	33	32	0.1
				INTRACORONARY	34	33	0.1
				INTRACORPORUS CAVERNOSUM	35	34	0.1
				INTRADERMAL	36	35	0.1
				INTRADISCAL	37	36	0.1
				INTRADUCTAL	38	37	0.1
				INTRADUODENAL	39	38	0.1
				INTRADURAL	40	39	0.1
				INTRAEPIDERMAL	41	40	0.1
				INTRAESOPHAGEAL	42	41	0.1
				INTRAGASTRIC	43	42	0.1
				INTRAGINGIVAL	44	43	0.1
				INTRAILEAL	45	44	0.1
				INTRALESIONAL	46	45	0.1
				INTRALUMINAL	47	46	0.1
				INTRALYMPHATIC	48	47	0.1
				INTRAMEDULLARY	49	48	0.1
				INTRAMENINGEAL	50	49	0.1
				INTRAMUSCULAR	51	50	0.1

INTRAOCULAR	52	51	0.1
INTRAOVARIAN	53	52	0.1
INTRAPERICARDIAL	54	53	0.1
INTRAPERITONEAL	55	54	0.1
INTRAPLEURAL	56	55	0.1
INTRAPROSTATIC	57	56	0.1
INTRAPULMONARY	58	57	0.1
INTRASINAL	59	58	0.1
INTRASPINAL	60	59	0.1
INTRASYNOVIAL	61	60	0.1
INTRATENDINOUS	62	61	0.1
INTRATESTICULAR	63	62	0.1
INTRATHECAL	64	63	0.1
INTRATHORACIC	65	64	0.1
INTRATUBULAR	66	65	0.1
INTRATUMOR	67	66	0.1
INTRATYMPANIC	68	67	0.1
INTRAUTERINE	69	68	0.1
INTRAVASCULAR	70	69	0.1
INTRAVENOUS	71	70	0.1
INTRAVENOUS BOLUS	72	71	0.1
INTRAVENOUS DRIP	73	72	0.1
INTRAVENTRICULAR	74	73	0.1
INTRAVESICAL	75	74	0.1
INTRAVITREAL	76	75	0.1
IONTOPHORESIS	77	76	0.1
IRRIGATION	78	77	0.1

			LARYNGEAL	79	78	0.1
			NASAL	80	79	0.1
			NASOGASTRIC	81	80	0.1
			NOT APPLICABLE	82	81	0.1
			OCCLUSIVE DRESSING TECHNIQUE	83	82	0.1
			OPHTHALMIC	84	83	0.1
			OROPHARYNGEAL	85	85	0.1
			PARENTERAL	86	86	0.1
			PERCUTANEOUS	87	87	0.1
			PERIARTICULAR	88	88	0.1
			PERIDURAL	89	89	0.1
			PERINEURAL	90	90	0.1
			PERIODONTAL	91	91	0.1
			RECTAL	92	92	0.1
			RESPIRATORY (INHALATION)	93	93	0.1
			RETROBULBAR	94	94	0.1
			SOFT TISSUE	95	95	0.1
			SUBARACHNOID	96	96	0.1
			SUBCONJUNCTIVAL	97	97	0.1
			SUBCUTANEOUS	98	98	0.1
			SUBLINGUAL	99	99	0.1
			SUBMUCOSAL	100	100	0.1
			TOPICAL	101	101	0.1
			TRANSDERMAL	102	102	0.1
			TRANSMUCOSAL	103	103	0.1



				PERITUMORAL	131	131	0.1	
				SUBCUTANEOUS IN DRAINING LYMPH NODE AREA	132	132	0.1	
				SUBDURAL	133	133	0.1	
X_CMONGO_CL_001	0.1			YES	1	Y	0.1	i_9246148761198684_x_cmongo_001
				NO	2	N	0.1	
CMRSDISC_CL_001	0.1			ADVERSE EVENT	1	1	0.1	i_9246148854397848_cmrdisc_001
				LACK OF EFFICACY	2	2	0.1	
				INTOLERABILITY	3	3	0.1	
				NON-COMPLIANCE WITH TREATMENT	4	4	0.1	
				LOSS OF RESPONSE	5	6	0.1	
				COST	6	7	0.1	
				SUBJECT'S DECISION TO STOP PHARMACOLOGICAL TREATMENT	7	8	0.1	
				OTHER	8	5	0.1	
R_SUPPCM_CONSUS_CL_001	0.1			NO	1	N	0.1	i_9246148166402467_r_suppcm_consus_001
				YES	2	Y	0.1	
R_SUPPCM_ACTTKN_CL_001	0.1			DOSE INCREASED	1	1	0.1	i_9246148213869827_r_suppcm_acttkn_001
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
R_SUPPCM_RECHAL_CL_001	0.1			POSITIVE	1	1	0.1	i_9246148261278694_r_suppcm_rechal_001

				NEGATIVE	2	2	0.1
				NOT APPLICABLE	3	3	0.1
				UNKNOWN	4	4	0.1

Variable Validations CM001 CONCOMITANT /PRIOR MEDICATIONS				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CMENDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMENDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001 CONCOMITANT /PRIOR MEDICATIONS		
Group RefName	Group Type	Associated Variables
IG_9246144444609149_CM01001	Non-Repeating	CMSPID_001, CMCAT_001, CMTRT_001, CMOCCUR_001, SUPPCM_CMAER_001, CMINDC_001, X_CMDSTXT_001, CMDOSU_001, CMDOSFRM_001, CMDOSFRQ_001, CMROUTE_001, CMSTDTC_001, X_CMONGO_001, CMENDTC_001, CMRSDISC_001, SUPPCM_CMDISRO_001, R_SUPPCM_CONSUS_001, R_AEIDCM_001, R_AEIDCM1_001, R_AEIDCM2_001, R_AEIDCM3_001, R_AEIDCM4_001, R_SUPPCM_ACTTKN_001, R_SUPPCM_RECHAL_001, CMDECOD_001, SUPPCM_CMCODE_001

Instruments
PR001 / NON-DRUG TREATMENTS

Instrument Definition

Instrument Name:	PR001
Instrument Title:	NON-DRUG TREATMENTS
SAS Instrument Name:	PR001
Description:	NON-DRUG TREATMENTS - Repeating Form
Version:	0.22
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: PR001 <i>NON-DRUG TREATMENTS</i> (NON-DRUG TREATMENTS - REPEATING FORM) [Version: 0.22]		
Section NON-DRUG TREATMENTS <i>PR001_S</i>		Permission Groups
Group of Fields PR01001 / Non-Drug Treatments Group Type: Non-Repeating	Number of variables: 16	

1.	What is the treatment Identifier? [PRSPID_001] [PRSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: [\$form_occurrence]	
2.*	Treatment: [PRTRT_001] [PRTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Records one procedure per line.	
3.*	Was this Non-Drug Treatment given to treat an Adverse Event? [SUPPPR_PRAER_001] [PRAER]	[SUPPPR_PRAER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication was given to treat an adverse event, select Yes. Otherwise, select No.	

4.*	Start Date: [PRSTDTC_001] [PRSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the treatment was first started using the format (DD-MMM-YYYY). If the treatment was given a considerable amount of time prior to the start of the study, it is acceptable to have an incomplete date. Treatments given during the study are expected to have a complete start date. Treatments given prior to the start of the study that are exclusionary should have both a start and end date.	
-----	--	---	--

5.*	Ongoing? [X_PRONGO_001] [PRONGO]	[X_PRONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the treatment as ongoing if the subject has not stopped receiving the treatment at the time of data collection, and leave the end date blank. If this field is left blank, an End Date must be provided.	
6.*	End Date: [PRENDTC_001] [PRENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the treatment stopped, using the format (DD- MMM-YYYY) and leave Ongoing box blank. If the treatment has not stopped leave this field blank.	

7.	Lowest Level Term [SUPPPR_PRLLT_001] [PRLLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
8.	Lowest Level Term Code [SUPPPR_PRLLTCD_001] [PRLLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
9.	Dictionary Derived Term [PRDECOD_001] [PRDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

10.	Preferred Term Code [SUPPPR_PRPTCD_001] [PRPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
11.	High Level Term [SUPPPR_PRHLT_001] [PRHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
12.	High Level Term Code [SUPPPR_PRHLTCD_001] [PRHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

13.	High Level Group Term [SUPPPR_PRHLGT_001] [PRHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
14.	High Level Group Term Code [SUPPPR_PRHLGTCD_001] [PRHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
15.	Primary System Organ Class [SUPPPR_PRSOC_001] [PRSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

16.	Primary System Organ Class Code [SUPPPR_PRSOCCD_001] [PRSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
Key: [*] = Item is required			

Study Object Descriptions: PR001 NON-DRUG TREATMENTS

Type	RefName	Description
Form	CRF_9246107890980234_PR001	PR001
Item	I_9246148961308510_PRSPID_001	
Item	I_9246149025749818_PRTRT_001	
Item	I_9246149051091052_SUPPPR_PRAER_001	
Item	I_9246149090167389_PRSTDTC_001	
Item	I_9246149122822044_X_PRONGO_001	
Item	I_9246149163125028_PRENDTC_001	
Item	I_9246149197247165_SUPPPR_PRLLT_001	
Item	I_9246149213945923_SUPPPR_PRLLTCD_001	
Item	I_9246149232170721_PRDECOD_001	
Item	I_9246149249236221_SUPPPR_PRPTCD_001	
Item	I_9246149265968144_SUPPPR_PRHLT_001	
Item	I_9246149301351306_SUPPPR_PRHLTCD_001	
Item	I_9246149338870998_SUPPPR_PRHLGT_001	

Item	I_9246149355954367_SUPPPR_PRHLGTCD_001	
Item	I_9246149372975444_SUPPPR_PRSOC_001	
Item	I_9246149392204213_SUPPPR_PRSOCCD_001	

Codelist Values Tables: PR001 NON-DRUG TREATMENTS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPPR_PRAER_CL_001	0.1			YES	1	Y	0.1	i_9246149051091052_supppr_praer_001
				NO	2	N	0.1	
X_PRONGO_CL_001	0.1			YES	1	Y	0.1	i_9246149122822044_x_prongo_001
				NO	2	N	0.1	

Variable Validations PR001 NON-DRUG TREATMENTS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PRSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PRSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PRSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
PRENDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PRENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRENDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PRENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PR001 NON-DRUG TREATMENTS

Group RefName	Group Type	Associated Variables
IG_9246144476999603_PR01001	Non-Repeating	PRSPID_001, PRTRT_001, SUPPPR_PRAER_001, PRSTDTC_001, X_PRONGO_001, PRENDTC_001, SUPPPR_PRLLT_001, SUPPPR_PRLLTCD_001, PRDECOD_001, SUPPPR_PRPTCD_001, SUPPPR_PRHLT_001, SUPPPR_PRHLTCD_001, SUPPPR_PRHLGT_001, SUPPPR_PRHLGTCD_001, SUPPPR_PRSOC_001, SUPPPR_PRSOCCD_001

Instruments
MH001 / MEDICAL HISTORY

Instrument Definition

Instrument Name:	MH001
Instrument Title:	MEDICAL HISTORY
SAS Instrument Name:	MH001
Description:	MEDHX
Version:	0.19
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: MH001 *MEDICAL HISTORY* (MEDHX) [Version: 0.19]

Section MEDICAL HISTORY <i>MH001_S</i>			Permission Groups
	Group of Fields MH02001 / Medical History Details Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 15	

1.	Line/MH Number: [MHSPID_001] [MHSPID]	Number Box (Integer) Max Value: 99999999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: toint32([\$row_index] + 1)	
2.*	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: [MHTERM_001] [MHTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Specify the Disease using medical terminology	

3.*	Start Date: [MHSTDTC_001] [MHSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1920; Max Year: 2027 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date using the format DD-MMM-YYYY	
4.*	Ongoing: [X_MHONGO_001] [MHONGO]	[X_MHONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" if the condition is ongoing. Note: It is expected that every reported condition should have either an End Date recorded or the Ongoing field selected but not both.	

5.*	End Date: [MHENDTC_001] [MHENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1920; Max Year: 2027 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the end date using the format DD-MMM-YYYY	
6.	Lowest Level Term [MHLLT_001] [MHLLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

7.	Lowest Level Term Code [MHLLTCD_001] [MHLLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
8.	Dictionary Derived Term [MHDECOD_001] [MHDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
9.	Preferred Term Code [MHPTCD_001] [MHPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

10.	High Level Term [MHHLT_001] [MHHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
11.	High Level Term Code [MHHLTCD_001] [MHHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
12.	High Level Group Term [MHHLGT_001] [MHHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

13.	High Level Group Term Code [MHHLGTCD_001] [MHHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
14.	Primary System Organ Class [MHSOC_001] [MHSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
15.	Primary System Organ Class Code [MHSOCCD_001] [MHSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
Key: [*] = Item is required			

Study Object Descriptions: MH001 MEDICAL HISTORY		
Type	RefName	Description
Form	CRF_9246108075534365_MH001	MH001
Item	I_9246149409174140_MHSPID_001	
Item	I_9246149439881491_MHTERM_001	
Item	I_9246149457939875_MHSTDTC_001	
Item	I_9246149477926322_X_MHONGO_001	
Item	I_9246149499921759_MHENDTC_001	
Item	I_9246149520744268_MHLLT_001	
Item	I_9246149538604844_MHLLTCD_001	
Item	I_9246149556478598_MHDECOD_001	
Item	I_9246149574489294_MHPTCD_001	
Item	I_9246149592552396_MHHLT_001	
Item	I_9246149610393461_MHHLTCD_001	
Item	I_9246149628652581_MHHLGT_001	
Item	I_9246149646965026_MHHLGTCD_001	
Item	I_9246149669494177_MHSOC_001	
Item	I_9246149687978435_MHSOCCD_001	

Codelist Values Tables: MH001 MEDICAL HISTORY								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_MHONGO_CL_001	0.1			YES	1	Y	0.1	i_9246149477926322_x_mhongo_001
				NO	2	N	0.1	

Variable Validations MH001 MEDICAL HISTORY
--

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
MHSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
MHSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MHSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
MHSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
MHSTDTC_001	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
MHSTDTC_001	>=_INFORMED_CONSENT	>=	>=_INFORMED_CONSENT	Date is on or after 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
MHSTDTC_001	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.
MHSTDTC_001	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.
MHENDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
MHENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MHENDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
MHENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields MH001 MEDICAL HISTORY

Group RefName	Group Type	Associated Variables
IG_9246143876388066_MH02001	Repeating	MHSPID_001, MHTERM_001, MHSTDTC_001, X_MHONGO_001, MHENDTC_001, MHLT_001, MHLTCD_001, MHDECOD_001, MHPTCD_001, MHHLT_001, MHHLTCD_001, MHHLGT_001, MHHLGTCD_001, MHSOC_001, MHSOCCD_001

Instruments
VS001_1 / VITAL SIGNS

Instrument Definition

Instrument Name:	VS001_1
Instrument Title:	VITAL SIGNS
SAS Instrument Name:	VS001_1
Description:	VITALS
Version:	0.44
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: VS001_1 VITAL SIGNS (VITALS) [Version: 0.44]		
Section VITAL SIGNS VS001_1_S		Permission Groups
Group of Fields VS01001_1 / Vital Signs - I Group Type: Non-Repeating	Number of variables: 3	

1.*	Date: [VSDTC_001_1] [VSDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of the measurement using this format (DD- MMM-YYYY). NO partial dates allowed. Record the time of the measurement using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
2.*	Weight: [VSORRES_WEIGHT_001_1] [WEIGHT]	Number Box (Decimal) Max Value: 999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the numeric value for weight.	

3.*	Unit: [VSORRESU_WEIGHT_001_1] [WEIGHTU]	[VSORRESU_WEIGHT_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If weight units are not defaulted, choose either lb or kg.	
	Group of Fields VS02001_1 / Vital Signs - II Group Type: Fixed Repeating	Number of rows: 1	
4.	Record Identifier: [VSSPID_001_1] [VSSPID] Row 1 (Locked): 1 - 1	[VSSPID_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: When multiple measurements of a test are performed at the same visit (e.g., triplicate BP measurements), be sure to enter the test and time taken with corresponding result in the order in which they were performed.	

5.*	Systolic BP in mmHg: [VSORRES_SYSBP_001_1] [SYSBP]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value of the systolic blood pressure.	
6.*	Diastolic BP in mmHg: [VSORRES_DIABP_001_1] [DIABP]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the numeric value of the diastolic blood pressure.	
7.*	Pulse in beats/minute: [VSORRES_PULSE_001_1] [PULSE]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value of pulse rate in beats/minute.	

Key: [*] = Item is required

Study Object Descriptions: VS001_1 VITAL SIGNS

Type	RefName	Description
Form	CRF_9246108268661204_VS001_1	VS001_1
Item	I_9246149773373451_VSDTC_001_1	
Item	I_9246149791847396_VSORRES_WEIGHT_001_1	
Item	I_9246149808122100_VSORRESU_WEIGHT_001_1	
Item	I_9246149704442340_VSSPID_001_1	
Item	I_9246149721057128_VSORRES_SYSBP_001_1	
Item	I_9246149740557155_VSORRES_DIABP_001_1	
Item	I_9246149756940331_VSORRES_PULSE_001_1	

Codelist Values Tables: VS001_1 VITAL SIGNS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
VSORRESU_WEIGHT_CL_001_1	0.1			kg	1	9	0.1	i_9246149808122100_vsorresu_weight_001_1
				LB	2	11	0.1	
VSSPID_CL_001_1	0.2			1	1	1	0.1	i_9246149704442340_vsspid_001_1

Variable Validations VS001_1 VITAL SIGNS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
VSDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
VSDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
VSDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.

VSDTC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
VSDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

Groups of Fields VS001_1 VITAL SIGNS		
Group RefName	Group Type	Associated Variables
IG_9246143813672395_VS01001_1	Non-Repeating	VSDTC_001_1, VSORRES_WEIGHT_001_1, VSORRESU_WEIGHT_001_1
IG_9246143834556244_VS02001_1	Fixed Repeating	VSSPID_001_1, VSORRES_SYSBP_001_1, VSORRES_DIABP_001_1, VSORRES_PULSE_001_1

Instruments
DM001 / DEMOGRAPHY

Instrument Definition

Instrument Name:	DM001
Instrument Title:	DEMOGRAPHY
SAS Instrument Name:	DM001
Description:	DEMOG
Version:	0.28
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: DM001 DEMOGRAPHY (DEMOG) [Version: 0.28]		
Section DEMOGRAPHY DM001_S		Permission Groups
Group of Fields DM01001 / Demography Group Type: Non-Repeating	Number of variables: 21	

1.* ✓	Birth Year: [BRTHDTC_001] [BRTHDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1920; Max Year: 2008 Date Time Component Settings: Year* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of birth to the level of precision known (e.g., day /month/year, year, month/year, etc) in this format (DD-MMM-YYYY). Record the time of birth using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
2.* ✓	Sex: [SEX_001] [SEX]	[SEX_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the subject's sex (e.g., "F" (female), "M" (male)). Record the subject's SEX. Per FDA guidance, 'Sex' refers to classification, based on the subject's genetic composition. Undifferentiated is an optional value for infant subjects.	

3.*	Ethnicity: [ETHNIC_001] [ETHNIC]	[ETHNIC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Study participants should self-report ethnicity, with ethnicity being asked before race. If the participant refuses to provide their Ethnicity, or where local laws prohibit collection of this information, record as "Not Reported".	
4.*	Ethnic Designation If Hispanic or Latino(a) or of Spanish origin, please provide origin: (Check (X) ALL that apply): [SUPPDM_ETHDES_001] [ETHDES] (Nested Field)	[SUPPDM_ETHDES_CL_001] Checkboxes Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If study participant reports their ethnicity as "Hispanic", then record all the participant's self-reported Ethnic Designations.	
5.*	Race: (Check X all that apply): [RACE_001] [RACE]	[RACE_CL_001] Checkboxes Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Study participants should self-report race, with race being asked about after ethnicity. If the participant refuses to provide their Race, or where local laws prohibit collection of this information, record as "Not Reported".	

6.	Racial Designation: [SUPPDM_RACIALD_001] [RACIALD]	[SUPPDM_RACIALD_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Study participants should self-report racial designation, with racial designation being asked after race.	
7.* 	Has the subject previously taken part in a study involving this investigational product? [X_DMPYN_001] [DMPYN]	[X_DMPYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the subject previously participated in a study involving this investigational product. If "Yes", include the appropriate details where indicated.	

8.*	First Study Identifier: [X_DMPFSTDY_001] [DMPFSTDY] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the first study identifier for this subject.	
9.*	First Site Identifier: [X_DMPFSITE_001] [DMPFSITE] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the first site identifier for this subject.	
10.*	First Subject Identifier: [X_DMPFSUBJ_001] [DMPFSUBJ] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the subject's first identifier.	

11.* 	Has the subject previously taken part in more than one study in this drug program PFIZER PF-06651600? If Yes, please provide the most recent study details: [X_DMPMYN_001] [DMPMYN] (Nested Field)	[X_DMPMYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the subject previously participated in more than one study involving this investigational product. If "Yes", include the following requested details for the most recent study.	
12.*	Most Recent Study Identifier: [X_DMPSTUDY_001] [DMPSTUDY] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the study identifier for the most recent study this subject participated in.	

13.*	Most Recent Site Identifier: [X_DMPSITE_001] [DMPSITE] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the site identifier for the most recent study this subject participated in.	
14.*	Most Recent Subject Identifier: [X_DMPSUBJ_001] [DMPSUBJ] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the subject identifier for the most recent study this subject participated in.	

15.*	Was the subject screened previously in current study? [X_DMRYN_001] [DMRYN]	[X_DMRYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If subject has been rescreened (Y) , enter the first SITE and SUBJECT ID assigned.	
16.*	Initial Site Identifier: [X_DMRSITE_001] [DMRSITE] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
17.*	Initial Subject Identifier: [X_DMRSUBJ_001] [DMRSUBJ] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

18.	Derived DOB for LNR [D_LNRDTC_001] [LNRDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1920; Max Year: 2008 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Inr_dob_calculation([study][dycons_BRTHDTC_001], [study][dycons_INFORMED_CONSENT],[study][dycons_R_AGE_001],[study][dycons_R_AGEU_001])	Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
-----	--	---	---

19.	Latest Date in Study (Derived) [D_LASTSTDTC_001] [LASTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: derive_eos_date([DISP][SUPPDS_DSCONT_001_5],[DISP] [DSSTDTC_001_5],[DISP][DSSTDTC_001_6],[DISP] [SUPPDS_DSCONT_001_5_1],[DISP][DSSTDTC_001_5_1],[DISP] [DSSTDTC_001_6],","", "",null,null)	Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
-----	--	---	--

20.	Last Treatment Disposition Date (Derived) [D_LTRDSDTC_001] [LTRDSDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: max(dataseries([DISP][DSSTDTC_001_5],[DISP] [DSSTDTC_001_5_1]))	Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
-----	--	--	--

21.	Last Screening Disposition Date (Derived) [D_LSCDSDTC_001] [LSCDSDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: max(dataseries([SCR][DSSTDTC_001_4], [study] [dycons_DSSTDTC_001_4_1],[study][dycons_DSSTDTC_001_4_2],[study] [dycons_DSSTDTC_001_4_3]))	Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
-----	---	---	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: DM001 DEMOGRAPHY

Type	RefName	Description
Form	CRF_9246108463240714_DM001	DM001
Item	I_9246149824685598_BRTHDTC_001	
Item	I_9246149847356146_SEX_001	
Item	I_9246149863987730_ETHNIC_001	
Item	I_9246149880589595_SUPPDM_ETHDES_001	
Item	I_9246149897760348_RACE_001	

Item	I_9246149914517592_SUPPDM_RACIALD_001	
Item	I_9246149930980586_X_DMPYN_001	
Item	I_9246149947319110_X_DMPFSTDY_001	
Item	I_9246149964104111_X_DMPFSITE_001	
Item	I_9246149981108516_X_DMPFSUBJ_001	
Item	I_9246149997341350_X_DMPMYN_001	
Item	I_9246150014053343_X_DMPSTUDY_001	
Item	I_9246150030327679_X_DMPSITE_001	
Item	I_9246150046772729_X_DMPSUBJ_001	
Item	I_9246150063351242_X_DMRYN_001	
Item	I_9246150079727402_X_DMRSITE_001	
Item	I_9246150096160981_X_DMRSUBJ_001	
Item	I_9246150112578387_D_LNRDTC_001	
Item	I_9246150148974125_D_LASTSTDTC_001	
Item	I_9246150198099166_D_LTRDSDTC_001	
Item	I_9246150232720949_D_LSCDSDTC_001	

Codelist Values Tables: DM001 DEMOGRAPHY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SEX_CL_001	0.2			FEMALE	1	F	0.1	i_9246149847356146_sex_001
				MALE	2	M	0.1	
ETHNIC_CL_001	0.1			HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN	1	HISPANIC OR LATINO	0.1	i_9246149863987730_ethnic_001
				NOT HISPANIC OR LATINO (A) OR OF SPANISH ORIGIN	2	NOT HISPANIC OR LATINO	0.1	

				NOT REPORTED	3	NOT REPORTED	0.1	
SUPPDM_ETHDES_CL_001	0.1			MEXICAN	1	1	0.1	i_9246149880589595_suppdm_ethdes_001
				PUERTO RICAN	2	2	0.1	
				CUBAN	3	3	0.1	
				SOUTH AMERICAN	4	4	0.1	
				CENTRAL AMERICAN	5	5	0.1	
				SPANISH	6	6	0.1	
RACE_CL_001	0.1			BLACK OR AFRICAN AMERICAN	1	1	0.1	i_9246149897760348_race_001
				AMERICAN INDIAN OR ALASKA NATIVE	2	2	0.1	
				ASIAN	3	3	0.1	
				NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	4	4	0.1	
				WHITE	5	5	0.1	
				NOT REPORTED	6	6	0.1	
				UNKNOWN	7	7	0.1	
SUPPDM_RACIALD_CL_001	0.1			INDIAN SUBCONTINENT ASIAN	1	1	0.1	i_9246149914517592_suppdm_raciald_001
				SOUTHEAST ASIAN	2	2	0.1	
				FAR EAST ASIAN	3	3	0.1	
				JAPANESE AMERICAN	4	4	0.1	
				JAPANESE	5	5	0.1	
				OTHER	6	999	0.1	
X_DMPYN_CL_001	0.1			YES	1	Y	0.1	i_9246149930980586_x_dmpyn_001
				NO	2	N	0.1	

X_DMPMYN_CL_001	0.1			YES	1	Y	0.1	i_9246149997341350_x_dmpmyn_001
				NO	2	N	0.1	
X_DMRYN_CL_001	0.1			YES	1	Y	0.1	i_9246150063351242_x_dmryn_001
				NO	2	N	0.1	

Variable Validations DM001 DEMOGRAPHY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
BRTHDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
BRTHDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
BRTHDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
BRTHDTC_001	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
BRTHDTC_001	>=_INFORMED_CONSENT	>=	>=_INFORMED_CONSENT	Date is on or after 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
BRTHDTC_001	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.
BRTHDTC_001	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.

Groups of Fields DM001 DEMOGRAPHY

Group RefName	Group Type	Associated Variables
IG_9246143975945593_DM01001	Non-Repeating	BRTHDTC_001, SEX_001, ETHNIC_001, SUPPDM_ETHDES_001, RACE_001, SUPPDM_RACIALD_001, X_DMPYN_001, X_DMPFSTDY_001, X_DMPFSITE_001, X_DMPFSUBJ_001, X_DMPMYN_001, X_DMPSTUDY_001, X_DMPSITE_001, X_DMPSUBJ_001, X_DMRYN_001, X_DMRSITE_001, X_DMRSUBJ_001, D_LNRDTC_001, D_LASTSTDTC_001, D_LTRDSDTC_001, D_LSCDSDTC_001

Instruments
IE002 / INCLUSION/EXCLUSION CRITERIA

Instrument Definition

Instrument Name:	IE002
Instrument Title:	INCLUSION/EXCLUSION CRITERIA
SAS Instrument Name:	IE002
Description:	INEX
Version:	0.13
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: IE002 INCLUSION/EXCLUSION CRITERIA (INEX) [Version: 0.13]			
Section INCLUSION/EXCLUSION CRITERIA IE002_S			Permission Groups
	Group of Fields IE01002 / Inclusion Criteria Not Met Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

1.*	Identifier of the Inclusion Criterion the subject did not meet: [IESPID_002] [IESPID]	[IESPID_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Inclusion Criterion Identifier. If an entry is made in error and no inclusion criteria were violated, delete the entry by removing all entered text, and then inactivate the blank row.	
2.	Description of the Inclusion Criterion the subject did not meet: [IETEST_002] [IETEST]	[IETEST_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Confirm the criterion description is correct.	
	Group of Fields IE02002 / Exclusion Criteria Met Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

3.*	Identifier of the Exclusion Criterion the subject met: [IESPID1_002] [IESPID1]	[IESPID1_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Exclusion Criterion Identifier. If an entry is made in error and no exclusion criteria were violated, delete the entry by removing all entered text, and then inactivate the blank row.	
4.	Description of the Exclusion Criterion the subject met: [IETEST1_002] [IETEST1]	[IETEST1_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Confirm the criterion description is correct.	

Key: [*] = Item is required

Study Object Descriptions: IE002 INCLUSION/EXCLUSION CRITERIA

Type	RefName	Description
Form	CRF_9246108649392540_IE002	IE002
Item	I_9246150321097536_IESPID_002	
Item	I_9246150339308549_IETEST_002	
Item	I_9246150268946153_IESPID1_002	
Item	I_9246150286280941_IETEST1_002	

Codelist Values Tables: IE002 INCLUSION/EXCLUSION CRITERIA

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
IESPID_CL_002	0.2			1	1	1	0.1	i_9246150321097536_iespid_002
				2	2	2	0.1	
IETEST_CL_002	0.5			18 years of age or older (or the minimum legal adult age as defined per local regulations, whichever is greater) at screening.	1	0_1	0.1	i_9246150339308549_ietest_002
				CSU ≥3M, inadequately controlled by sgAH, ≥5 UAS eDiary entries in 7d pre-Day1, If anti-IgE-experienced; stopped anti-IgE ≥16W or 5 half-lives before Day1 See protocol 5.1 inclusion 2 for details	2	0_2	0.1	
IESPID1_CL_002	0.3			1	1	1	0.1	i_9246150268946153_iespid1_002
				2	2	2	0.1	
				3	3	3	0.1	
				4	4	4	0.1	
				5	5	5	0.1	
				6	6	6	0.1	
				7	7	7	0.1	
				8	8	8	0.1	
				9	9	9	0.1	
				10	10	10	0.1	
				11	11	11	0.1	

IETEST1_CL_002	0.3			Medical conditions pertaining to CSU and other diseases /conditions affecting the skin (See protocol exclusion 1 for details)	1	0_1	0.1	i_9246150286280941_ietest1_002
				History of severe allergic or anaphylactoid reaction to any kinase inhibitor or a known allergy /hypersensitivity to any component (including excipients) of the study intervention.	2	0_2	0.1	
				General Infection History, as defined in protocol Section 5.2 exclusion 3.	3	0_3	0.1	
				Specific Viral Infection History, as defined in protocol Section 5.2 exclusion 4.	4	0_4	0.1	
				Other Medical Conditions, as defined in protocol Section 5.2 exclusion 5.	5	0_5	0.1	
				Any medical or psychiatric condition including any active suicidal ideation in the past year or suicidal behavior in the past 5 years. As defined in protocol Section 5.2 exclusion 6.	6	0_6	0.1	
				Current or prior use of any prohibited medication(s), vaccine (s), or treatment(s) within the timeframes outlined in Section 5.3.2, Section 5.3.3, or Section 6.9 and Section 10.9.2.	7	0_7	0.1	

			Participation in study with administration of investigational drug/vaccine within 8 wks or within 5 half-lives, whichever is longer, prior to this study first dose and/or during study participation.	8	0_8	0.1
			Diagnostic Assessments - Abnormalities in laboratory values at Screening, as defined in protocol Section 5.2 exclusion criteria 9.	9	0_9	0.1
			Screening standard 12-lead ECG that demonstrates clinically relevant abnormalities that may affect participant safety or interpretation of study results, as defined in protocol Sec 5.2 exclusion 10.	10	0_10	0.1
			Site staff directly involved in the study and their family, site staff supervised by the investigator, sponsor and sponsor delegate employees directly involved in the study and their family members.	11	0_11	0.1

Groups of Fields IE002 INCLUSION/EXCLUSION CRITERIA

Group RefName	Group Type	Associated Variables
IG_9246144003770938_IE01002	Repeating	IESPID_002, IETEST_002
IG_9246143803155812_IE02002	Repeating	IESPID1_002, IETEST1_002

Instruments
AE001 / ADVERSE EVENT REPORT

Instrument Definition

Instrument Name:	AE001
Instrument Title:	ADVERSE EVENT REPORT
SAS Instrument Name:	AE001
Description:	AE
Version:	0.95
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: AE001 ADVERSE EVENT REPORT (AE) [Version: 0.95]		
Section ADVERSE EVENT REPORT AE001_S		Permission Groups
Group of Fields AE01001 / Adverse Event Report Group Type: Non-Repeating	Number of variables: 41	

1.	Category: [AECAT_001] [AECAT]	[AECAT_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the "Category" for this adverse event.	
2.	AE ID: [AESPID_001] [AESPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: [\$form_occurrence] Help/Info Text: Record unique identifier for each adverse event for this subject.	
3.* ✓✓	Adverse Event: (If possible specify diagnosis, not individual symptoms): [AETERM_001] [AETERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

	Help/Info Text: Record the Adverse Event in the space provided. Record only one adverse event term per module, for example, "pain in chest and neck" should be recorded as two separate events "pain in chest" and "pain in neck". When recording adverse event use appropriate medical terminology. Terminology must be consistent for duration of event and for reoccurrence of same event. Terminology must also be consistent throughout the CRF and in references in SAE reports. Do not use abbreviations. Avoid ambiguous terminology. For example, COLD is no longer an accepted term since it can be interpreted as "feeling cold", "common cold", or "chronic obstructive lung disease". When listing an adverse event, record diagnosis not symptom. Record symptom(s) only if a diagnosis cannot be made. If symptom(s) are recorded and subsequently a diagnosis is made, the diagnosis should be captured as a separate adverse event. Symptoms already entered on the CRF that are attributed to the diagnosis should not be removed from the CRF but should be followed until resolved or until end of study as defined per protocol. NOTE: Date of onset of diagnosis is to be decided by the investigator. This may or may not coincide with date of onset of the first symptom. SPECIFIC GUIDANCE FOR MOTOR VEHICLE ACCIDENTS OR FALLS: Motor vehicle accidents should be recorded as adverse events when the subject is the operator of the vehicle, even if an injury did not result. When a motor vehicle accident results in an injury, both the injury and the motor vehicle accident should be recorded as adverse events. When recording a MVA, the subjects should be identified in the investigator/verbatim text as the driver. A motor vehicle is defined as any mechanically or electrically powered device not operated on rails and includes (but is not limited to) cars, trucks, vans, motorcycles, and off-roads vehicles. Boating accidents occurring where the subject is the operator of a boat operating under power should also be reported regard
--	--

4.* 	Start Date: [AESTDTC_001] [AESTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Start Date of the adverse event using the format (DD-MMM-YYYY). If the actual date is unknown, record an approximate date. When recording the Start Date for an objective test abnormality, record the date of test as the Start Date. If appropriate, record the time (as complete as possible) when the adverse event started, using the 24-hour clock. If the actual time is unknown, record an approximate time. When recording the start time for an objective test abnormality, record the time the sample was drawn or the time the test was performed.	
--	--	--	--

5.*	Is the adverse event still ongoing? [X_AEONGO_001] [AEONGO]	[X_AEONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No", if the adverse event has not resolved at the time of data collection; leave the End Date blank.	
6.*	End Date: [AEENDTC_001] [AEENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date that the AE resolved using this format (DD- MMM-YYYY). If the AE is ongoing, leave the field blank. If appropriate, record the time (as complete as possible) when the adverse event resolved, using the 24-hour clock. If the actual time is unknown, record an approximate time.	

7.	Date Site Aware of AE <i>[Branching logic expression: [D_AEReport_001]='Y']</i> <i>[SUPPAE_AESAWDTC_001]</i> [AESAWDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.*	Was this adverse event reported at a scheduled study visit/scheduled telephone call? <i>[SUPPAE_AERSCH_001]</i> [AERSCH]	[SUPPAE_AERSCH_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this AE was reported at a scheduled study visit/scheduled telephone call.	

9.* 	Severity: [AESEV_001] [AESEV]	[AESEV_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the severity of the adverse event: "Mild", "Moderate" or "Severe". IMPORTANT: If there is a marked change in severity, the event with the initial severity is treated as if it has ended. The event with the new severity will be recorded using the same medical term and new onset date. The new onset date can be the same but not prior to the resolve date of the initial severity. If the adverse event was recorded as intermittent, record the maximum severity. EXCEPTION: If, due to frequent changes of severity, it is not possible to retrieve this information and/or if the program requirements are such that it is not necessary to capture the date the severity changed, then update the completion guidelines to read: If there is a change in severity, record the adverse event as a single adverse event with the maximum severity recorded. For example, if subject experiences headaches that range from 'mild' to 'severe' for 4 days, then the headache should be recorded as a single event of 4-days duration, and the severity should be recorded as "Severe".	
10.* 	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [AESER_001] [AESER]	[AESER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if an adverse event should be classified as serious based on the 'serious' criteria defined in the protocol.	

11.*	Is this serious event associated with congenital anomaly or birth defect? [AESCONG_001] [AESCONG] (Nested Field)	[AESCONG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this serious event is associated with a congenital anomaly or birth defect.	
12.*	Did this serious event result in death? [AESDTH_001] [AESDTH] (Nested Field)	[AESDTH_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this serious event has resulted in death.	
13.*	Did this serious event require or prolong hospitalization? [AESHOSP_001] [AESHOSP] (Nested Field)	[AESHOSP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "YES" or "NO" if this serious event require or prolong hospitalization.	

14.	Hospital Admission Date: [D_SAEADMITDTC_001] [SAEADMIT] [Hidden] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject was admitted to the hospital using this format (DD-MMM-YYYY)	
-----	---	--	--

15.	Hospital Discharge Date: [D_SAEDISCHDTC_001] [SAEDISCH] [Hidden] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject was discharged from the hospital using this format (DD-MMM-YYYY). If the subject is still hospitalized, leave this field blank.	
16.*	Did this serious event result in persistent or significant disability/incapacity? [AESDISAB_001] [AESDISAB] (Nested Field)	[AESDISAB_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this serious event has resulted in persistent or significant disability/incapacity.	

17.*	Is this serious event life threatening? [AESLIFE_001] [AESLIFE] (Nested Field)	[AESLIFE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
18.*	Other Medically Important Serious Event [AESMIE_001] [AESMIE] (Nested Field)	[AESMIE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
19. ✓	Is this Adverse Event Reportable? (This could be either a Serious Adverse Event or a reportable Non-serious Adverse Event) [D_AEREPORT_001] [AEREPORT] [Hidden]	[D_AEREPORT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

20.*	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [SUPPAE_AEMERES_001] [AERME]	[SUPPAE_AEMERES_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the adverse event was the result of a study/background medication error.	
21.* ✓	Is this event related to study treatment: [AEREL_001] [AEREL]	[AEREL_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Assess if this adverse event is related to study treatment.	

22.*	If Not Related to study treatment(s), this event is due to: [AERELNST_001] [AERELNST] (Nested Field)	[AERELNST_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the adverse event is determined not to be related to study treatment, please indicate what this event is due to by selecting from the list provided. If "OTHER" is selected, specify the details in the space provided. If this event is determined to be related to Auxiliary Medicines <insert study specific requirements/drug names> please select 'Auxiliary Medicinal Product' and record this medication on the Concomitant Medication form with a subcategory of 'Auxiliary Medicinal Product'.	
23.*	If Other, specify: [SUPPAE_AERELTXT_001] [AERELT] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record all other reason(s) this adverse event that are unrelated to study treatment.	

24.* 	Latest Action Taken with Study Treatment: [AEACN_001] [AEACN]	[AEACN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record changes made to the study treatment resulting from the adverse event.	
25.*	Latest Action Taken with Background Treatment: [SUPPAE_AEBTACN_001] [AEBSTDRG]	[SUPPAE_AEBTACN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record changes made to background treatment resulting from the adverse event.	
26.*	Was a Concomitant Medication given? If yes, record on the Concomitant Medications page. [SUPPAE_AECMGIV_001] [AECMGIV]	[SUPPAE_AECMGIV_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Was a Concomitant Medication given? If yes, record on the Concomitant Medications page	

27.* 	Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page. [SUPPAE_AENDGIV_001] [AENDGIV]	[SUPPAE_AENDGIV_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page	
28.*	What was the outcome of this adverse event? [AEOUT_001] [AEOUT]	[AEOUT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the appropriate outcome of the event in relation to the subject's status.	
29.*	Did the adverse event cause the subject to be discontinued from the study? [SUPPAE_AESUBJDC_001] [AEDIS]	[SUPPAE_AESUBJDC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No", if the AE caused the subject to discontinue from the study.	

30.*	Do research related injury criteria apply? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability /incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [SUPPAE_AEIREL_001] [AERRI]	[SUPPAE_AEIREL_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if research related injury criteria apply.	
31.	Previous ID: [D_PREVID_001] [AEPREVID] [Hidden]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
32.	Lowest Level Term [AELLT_001] [AELLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

33.	Lowest Level Term Code [AELLTCD_001] [AELLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
34.	Dictionary Derived Term [AEDECOD_001] [AEDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
35.	Preferred Term Code [AEPTCD_001] [AEPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

36.	High Level Term [AEHLT_001] [AEHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
37.	High Level Term Code [AEHLTCD_001] [AEHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
38.	High Level Group Term [AEHLGT_001] [AEHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

39.	High Level Group Term Code [AEHLGTCD_001] [AEHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
40.	Primary System Organ Class [AESOC_001] [AESOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
41.	Primary System Organ Class Code [AESOCCD_001] [AESOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
	Group of Fields AE02001 / Safety Information Group Type: Non-Repeating	Number of variables: 10	

42.*	Case ID: [D_CASEID_001] [AECASEID]	Dynamic List Expression Active: Disabled Derived Codelist Expression: safety_cases([AESER_001] = 'Y' OR [D_AEReport_001] = 'Y') Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
43.*	Country in which the event occurred: [D_SAEcountry1_001] [AECNTRY]	[D_SAEcountry_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the country where the participant was when the event occurred. Please note that this country may be different from the location of a study site if, for example, the participant was on vacation in another country when the event occurred.	

44.*	What was the result of re-challenge for Study Treatment? [D_RECHALAE_001] [AERECHL]	[D_RECHALAE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the study treatment was re-introduced. Positive Re-challenge: When the study treatment was reintroduced and the AE reappeared Negative Re-challenge: When the study treatment was reintroduced and the AE did not reappear Not Applicable: When the study treatment was not re-introduced Unknown: When the study treatment was reintroduced, but the result of re-challenge was unknown	
45.*	Is there a reasonable possibility that the event is related to a Clinical Trial Procedure? [D_CTPROYN1_001] [AERELCTP]	[D_CTPROYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

46.*	Clinical Trial Procedure [D_CTPROCEDURE1_001] [AECTP] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
47.*	Did the subject experience any signs or symptoms associated with this event prior to the Start Date of this event, even if non-serious at the time? [D_SAEAEOST_001] [SAEAEOST]	[D_SAEAEOST_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

48.*	If yes, enter the date the subject first experienced a sign or symptom associated with this event? [D_SAEASTDTC_001] [SAEAESTD] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Start Date of the first sign or symptom associated with this event in the format (DD-MMM-YYYY).	
49.*	Did the subject experience any signs or symptoms associated with this event after the End Date of this event, even if non-serious at the time? [D_SAEAEOUTYN_001] [AENSSYMP]	[D_SAEAEOUTYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "YES" or "NO" if the subject experienced any signs or symptoms associated with this event after the End Date of this event even if non-serious at the time	

50.*	If yes, enter the outcome of the last sign or symptom associated with this event [D_SAEAEOUT_001] [AEFOUTS] (Nested Field)	[D_SAEAEOUT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record final outcome of the last sign or symptom associated with this event	
51.*	If yes, enter the date the subject last experienced a sign or symptom associated with this event [Branching logic expression: [D_SAEAEOUT_001] = '1' or [D_SAEAEOUT_001] = '3' OR [D_SAEAEOUT_001] = '4'] [D_SAEAEOUTDTC_001] [AESYMPDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record date the subject last experienced a sign or symptom associated with this event in the format (DD-MMM-YYYY)	
Key: [*] = Item is required  = Source verification required			

Study Object Descriptions: AE001 ADVERSE EVENT REPORT		
Type	RefName	Description
Form	CRF_9246108834420883_AE001	AE001
Item	I_9246150374606378_AECAT_001	
Item	I_9246150391882631_AESPID_001	
Item	I_9246150421084930_AETERM_001	
Item	I_9246150438553501_AESTDTC_001	
Item	I_9246150458399642_X_AEONGO_001	
Item	I_9246150476144411_AEENDTC_001	
Item	I_9246150496224461_SUPPAE_AESAWDTC_001	
Item	I_9246150523432408_SUPPAE_AERSCH_001	
Item	I_9246150541030595_AESEV_001	
Item	I_9246150930970563_AESER_001	
Item	I_9246150947938660_AESCONG_001	
Item	I_9246150981609173_AESDTH_001	
Item	I_9246150998533668_AESHOSP_001	
Item	I_9246151015452608_D_SAEADMITDTC_001	
Item	I_9246151034711193_D_SAEDISCHDTC_001	
Item	I_9246150964759607_AESDISAB_001	
Item	I_9246151053892987_AESLIFE_001	
Item	I_9246151070844722_AESMIE_001	
Item	I_9246150736187215_D_AEREPOR_001	
Item	I_9246150559148005_SUPPAE_AEMERES_001	
Item	I_9246150577070389_AEREL_001	
Item	I_9246150595754662_AERELNST_001	
Item	I_9246150614097055_SUPPAE_AERELTXT_001	

Item	I_9246150632288721_AEACN_001	
Item	I_9246151087530549_SUPPAE_AEBTACN_001	
Item	I_9246150650354948_SUPPAE_AECMGIV_001	
Item	I_9246150668713652_SUPPAE_AENDGIV_001	
Item	I_9246150686854455_AEOUT_001	
Item	I_9246150704881593_SUPPAE_AESUBJDC_001	
Item	I_9246150720372223_SUPPAE_AEIREL_001	
Item	I_9246150751689102_D_PREVID_001	
Item	I_9246150769814734_AELLT_001	
Item	I_9246150785775382_AELLTCD_001	
Item	I_9246150801305298_AEDECOD_001	
Item	I_9246150817368008_AEPTCD_001	
Item	I_9246150833085524_AEHLT_001	
Item	I_9246150848802211_AEHLTCD_001	
Item	I_9246150864820704_AEHLGT_001	
Item	I_9246150881014187_AEHLGTCD_001	
Item	I_9246150897933677_AESOC_001	
Item	I_9246150914540177_AESOCCD_001	
Item	I_9246151105278067_D_CASEID_001	
Item	I_9246151268288147_D_SAECOUNTRY1_001	
Item	I_9246151128958812_D_RECHALAE_001	
Item	I_9246151251595404_D_CTPROYN1_001	
Item	I_9246151145541837_D_CTPROCEDURE1_001	
Item	I_9246151162474988_D_SAEAEOST_001	
Item	I_9246151179150640_D_SAEAESTDTC_001	
Item	I_9246151198557810_D_SAEAEOUTYN_001	
Item	I_9246151234314777_D_SAEAEOUT_001	

Item	I_9246151215586444_D_SAEAEOUTDTC_001	
------	--------------------------------------	--

Codelist Values Tables: AE001 ADVERSE EVENT REPORT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
AECAT_CL_001	0.3			ADVERSE EVENT	1	1	0.1	i_9246150374606378_aecat_001
				SIGNIFICANT INFECTION	2	3	0.1	
				HERPES INFECTION	3	31	0.1	
				UNEXPLAINED SKIN RASH	4	32	0.1	
X_AEONGO_CL_001	0.1			NO	1	N	0.1	i_9246150458399642_x_aeongo_001
				YES	2	Y	0.1	
SUPPAE_AERSCH_CL_001	0.1			YES	1	Y	0.1	i_9246150523432408_suppaе_aersch_001
				NO	2	N	0.1	
AESEV_CL_001	0.1			MILD	1	1	0.1	i_9246150541030595_aesev_001
				MODERATE	2	2	0.1	
				SEVERE	3	3	0.1	
AESER_CL_001	0.1			YES	1	Y	0.1	i_9246150930970563_aeser_001
				NO	2	N	0.1	
AESCONG_CL_001	0.1			YES	1	Y	0.1	i_9246150947938660_aescong_001
				NO	2	N	0.1	
AESDTH_CL_001	0.1			YES	1	Y	0.1	i_9246150981609173_aesdth_001
				NO	2	N	0.1	
AESHOSP_CL_001	0.1			YES	1	Y	0.1	i_9246150998533668_aeshosp_001
				NO	2	N	0.1	
AESDISAB_CL_001	0.1			YES	1	Y	0.1	i_9246150964759607_aesdisab_001
				NO	2	N	0.1	

AESLIFE_CL_001	0.1			YES	1	Y	0.1	i_9246151053892987_aeslife_001
				NO	2	N	0.1	
AESMIE_CL_001	0.1			YES	1	Y	0.1	i_9246151070844722_aesmie_001
				NO	2	N	0.1	
D_AEREPORCL_001	0.1			NO	1	N	0.1	i_9246150736187215_d_aereport_001
				YES	2	Y	0.1	
SUPPAE_AEMERES_CL_001	0.1			YES	1	Y	0.1	i_9246150559148005_suppaes_aemeres_001
				NO	2	N	0.1	
AEREL_CL_001	0.1			NOT RELATED	1	1	0.1	i_9246150577070389_aerel_001
				RELATED	2	2	0.1	
AERELNST_CL_001	0.1			CONCOMITANT DRUG TREATMENT	1	1	0.1	i_9246150595754662_aerelnst_001
				CONCOMITANT NON-DRUG TREATMENT	2	2	0.1	
				OTHER	3	3	0.1	
AEACN_CL_001	0.1			DOSE INCREASED	1	1	0.1	i_9246150632288721_aeacn_001
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
SUPPAE_AEBTACN_CL_001	0.1			DOSE INCREASED	1	1	0.1	i_9246151087530549_suppaes_aebtacn_001
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	

				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
SUPPAE_AECMGIV_CL_001	0.1			YES	1	Y	0.1	i_9246150650354948_suppaecmgiv_001
				NO	2	N	0.1	
SUPPAE_AENDGIV_CL_001	0.1			YES	1	Y	0.1	i_9246150668713652_suppaeadngiv_001
				NO	2	N	0.1	
AEOU_CL_001	0.1			FATAL	1	1	0.1	i_9246150686854455_aeout_001
				NOT RECOVERED/NOT RESOLVED	2	2	0.1	
				RECOVERED/RESOLVED	3	3	0.1	
				RECOVERED/RESOLVED WITH SEQUELAE	4	4	0.1	
				RECOVERING /RESOLVING	5	5	0.1	
				UNKNOWN	6	6	0.1	
SUPPAE_AESUBJDC_CL_001	0.1			YES	1	Y	0.1	i_9246150704881593_suppaesubjdc_001
				NO	2	N	0.1	
SUPPAE_AEIREL_CL_001	0.1			NO	1	N	0.1	i_9246150720372223_suppaeeirel_001
				YES	2	Y	0.1	
D_SAEUCOUNTRY_CL_001	0.1			UNITED STATES	1	245	0.1	i_9246151268288147_d_saecountry1_001
				AFGHANISTAN	2	1	0.1	
				ELAND ISLANDS	3	2	0.1	
				ALBANIA	4	3	0.1	
				ALGERIA	5	4	0.1	
				AMERICAN SAMOA	6	5	0.1	
				ANDORRA	7	6	0.1	
				ANGOLA	8	7	0.1	
				ANGUILLA	9	8	0.1	

ANTARCTICA	10	9	0.1
ANTIGUA AND BARBUDA	11	10	0.1
ARGENTINA	12	11	0.1
ARMENIA	13	12	0.1
ARUBA	14	13	0.1
AUSTRALIA	15	14	0.1
AUSTRIA	16	15	0.1
AZERBAIJAN	17	16	0.1
BAHAMAS	18	17	0.1
BAHRAIN	19	18	0.1
BANGLADESH	20	19	0.1
BARBADOS	21	20	0.1
BELARUS	22	21	0.1
BELGIUM	23	22	0.1
BELIZE	24	23	0.1
BENIN	25	24	0.1
BERMUDA	26	25	0.1
BHUTAN	27	26	0.1
BOLIVIA	28	27	0.1
BOSNIA AND HERZEGOVINA	29	28	0.1
BOTSWANA	30	29	0.1
BOUVET ISLAND	31	30	0.1
BRAZIL	32	31	0.1
BRITISH INDIAN OCEAN TERRITORY	33	32	0.1
BRUNEI DARUSSALAM	34	33	0.1

BULGARIA	35	34	0.1
BURKINA FASO	36	35	0.1
BURUNDI	37	36	0.1
CAMBODIA	38	37	0.1
CAMEROON	39	38	0.1
CANADA	40	39	0.1
CAPE VERDE	41	40	0.1
CAYMAN ISLANDS	42	41	0.1
CENTRAL AFRICAN REPUBLIC	43	42	0.1
CHAD	44	43	0.1
CHILE	45	44	0.1
CHRISTMAS ISLAND	46	45	0.1
COCOS (KEELING) ISLANDS	47	46	0.1
COLOMBIA	48	47	0.1
COMOROS	49	48	0.1
CONGO	50	49	0.1
CONGO, DEMOCRATIC REPUBLIC OF THE	51	50	0.1
COOK ISLANDS	52	51	0.1
COSTA RICA	53	52	0.1
COTE D'IVOIRE	54	53	0.1
CROATIA	55	54	0.1
CUBA	56	55	0.1
CYPRUS	57	56	0.1
CZECH REPUBLIC	58	57	0.1
DENMARK	59	58	0.1

DJIBOUTI	60	59	0.1
DOMINICA	61	60	0.1
DOMINICAN REPUBLIC	62	61	0.1
ECUADOR	63	62	0.1
EGYPT	64	63	0.1
EL SALVADOR	65	64	0.1
EQUATORIAL GUINEA	66	65	0.1
ERITREA	67	66	0.1
ESTONIA	68	67	0.1
ETHIOPIA	69	68	0.1
FALKLAND ISLANDS (MALVINAS)	70	69	0.1
FAROE ISLANDS	71	70	0.1
FIJI	72	71	0.1
FINLAND	73	72	0.1
FRANCE	74	73	0.1
FRENCH GUIANA	75	74	0.1
FRENCH POLYNESIA	76	75	0.1
FRENCH SOUTHERN TERRITORIES	77	76	0.1
GABON	78	77	0.1
GAMBIA	79	78	0.1
GEORGIA	80	79	0.1
GERMANY	81	80	0.1
GHANA	82	81	0.1
GIBRALTAR	83	82	0.1
GREECE	84	83	0.1

--	--	--	--

GREENLAND	85	84	0.1
GRENADA	86	85	0.1
GUADELOUPE	87	86	0.1
GUAM	88	87	0.1
GUATEMALA	89	88	0.1
GUERNSEY	90	89	0.1
GUINEA	91	90	0.1
GUINEA-BISSAU	92	91	0.1
GUYANA	93	92	0.1
HAITI	94	93	0.1
HEARD ISLAND AND MCDONALD ISLANDS	95	94	0.1
HONDURAS	96	95	0.1
HONG KONG	97	96	0.1
HUNGARY	98	97	0.1
ICELAND	99	98	0.1
INDIA	100	99	0.1
INDONESIA	101	100	0.1
IRAN	102	101	0.1
IRAQ	103	102	0.1
IRELAND	104	103	0.1
ISLE OF MAN	105	104	0.1
ISRAEL	106	105	0.1
ITALY	107	106	0.1
JAMAICA	108	107	0.1
JAPAN	109	108	0.1
JERSEY	110	109	0.1

--	--	--	--

JORDAN	111	110	0.1
KAZAKHSTAN	112	111	0.1
KENYA	113	112	0.1
KIRIBATI	114	113	0.1
KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF	115	114	0.1
KOREA, REPUBLIC OF	116	115	0.1
KUWAIT	117	116	0.1
KYRGYZSTAN	118	117	0.1
LAO PEOPLE'S DEMOCRATIC REPUBLIC	119	118	0.1
LATVIA	120	119	0.1
LEBANON	121	120	0.1
LESOTHO	122	121	0.1
LIBERIA	123	122	0.1
LIBYAN ARAB JAMAHIRIYA	124	123	0.1
LIECHTENSTEIN	125	124	0.1
LITHUANIA	126	125	0.1
LUXEMBOURG	127	126	0.1
MACAO	128	127	0.1
MACEDONIA, FORMER YUGOSLAV REPUBLIC OF	129	128	0.1
MADAGASCAR	130	129	0.1
MALAWI	131	130	0.1
MALAYSIA	132	131	0.1
MALDIVES	133	132	0.1
MALI	134	133	0.1

--	--	--	--

MALTA	135	134	0.1
MARSHALL ISLANDS	136	135	0.1
MARTINIQUE	137	136	0.1
MAURITANIA	138	137	0.1
MAURITIUS	139	138	0.1
MAYOTTE	140	139	0.1
MEXICO	141	140	0.1
MICRONESIA	142	141	0.1
MOLDOVA	143	142	0.1
MONACO	144	143	0.1
MONGOLIA	145	144	0.1
MONTENEGRO	146	145	0.1
MONTSERRAT	147	146	0.1
MOROCCO	148	147	0.1
MOZAMBIQUE	149	148	0.1
MYANMAR	150	149	0.1
NAMIBIA	151	150	0.1
NAURU	152	151	0.1
NEPAL	153	152	0.1
NETHERLANDS	154	153	0.1
NETHERLANDS ANTILLES	155	154	0.1
NEW CALEDONIA	156	155	0.1
NEW ZEALAND	157	156	0.1
NICARAGUA	158	157	0.1
NIGER	159	158	0.1
NIGERIA	160	159	0.1
NIUE	161	160	0.1

NORFOLK ISLAND	162	161	0.1
NORTHERN MARIANA ISLANDS	163	162	0.1
NORWAY	164	163	0.1
OMAN	165	164	0.1
PAKISTAN	166	165	0.1
PALAU	167	166	0.1
PALESTINIAN TERRITORY, OCCUPIED	168	167	0.1
PANAMA	169	168	0.1
PAPUA NEW GUINEA	170	169	0.1
PARAGUAY	171	170	0.1
PERU	172	171	0.1
PHILIPPINES	173	172	0.1
PITCAIRN	174	173	0.1
POLAND	175	174	0.1
PORTUGAL	176	175	0.1
PUERTO RICO	177	176	0.1
QATAR	178	177	0.1
REUNION	179	178	0.1
ROMANIA	180	179	0.1
RUSSIAN FEDERATION	181	180	0.1
RWANDA	182	181	0.1
SAINT BARTHELEMY	183	182	0.1
SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA	184	183	0.1
SAINT KITTS AND NEVIS	185	184	0.1

			SAINT LUCIA	186	185	0.1
			SAINT MARTIN	187	186	0.1
			SAINT PIERRE AND MIQUELON	188	187	0.1
			SAINT VINCENT AND THE GRENADINES	189	188	0.1
			SAMOA	190	189	0.1
			SAN MARINO	191	190	0.1
			SAO TOME AND PRINCIPE	192	191	0.1
			SAUDI ARABIA	193	192	0.1
			SENEGAL	194	193	0.1
			SERBIA	195	194	0.1
			SEYCHELLES	196	195	0.1
			SIERRA LEONE	197	196	0.1
			SINGAPORE	198	197	0.1
			SLOVAKIA	199	198	0.1
			SLOVENIA	200	199	0.1
			SOLOMON ISLANDS	201	200	0.1
			SOMALIA	202	201	0.1
			SOUTH AFRICA	203	202	0.1
			SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS	204	203	0.1
			SPAIN	205	204	0.1
			SRI LANKA	206	205	0.1
			SUDAN	207	206	0.1
			SURINAME	208	207	0.1

B7981118_ASB_16-Oct-2025.pdf | 10/16/2025 | V3.0.0

				VATICAN CITY STATE	234	233	0.1	
				VENEZUELA	235	234	0.1	
				VIET NAM	236	235	0.1	
				VIRGIN ISLANDS, BRITISH	237	236	0.1	
				VIRGIN ISLANDS, U.S.	238	237	0.1	
				WALLIS AND FUTUNA	239	238	0.1	
				WESTERN SAHARA	240	239	0.1	
				YEMEN	241	240	0.1	
				ZAMBIA	242	241	0.1	
				ZIMBABWE	243	242	0.1	
				CHINA	244	243	0.1	
				TANZANIA	245	244	0.1	
D_RECHALAE_CL_001	0.1			POSITIVE	1	1	0.1	i_9246151128958812_d_rechalaе_001
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	
D_CTPROYN_CL_001	0.1			NO	1	N	0.1	i_9246151251595404_d_ctproyn1_001
				YES	2	Y	0.1	
D_SAEAEOST_CL_001	0.1			YES	1	Y	0.1	i_9246151162474988_d_saeaeost_001
				NO	2	N	0.1	
D_SAEAEOUTYN_CL_001	0.1			NO	1	N	0.1	i_9246151198557810_d_saeaeoutyn_001
				YES	2	Y	0.1	
D_SAEAEOUT_CL_001	0.1			FATAL	1	1	0.1	i_9246151234314777_d_saeaeout_001
				NOT RECOVERED/NOT RESOLVED	2	2	0.1	
				RECOVERED/RESOLVED	3	3	0.1	

				RECOVERED/RESOLVED WITH SEQUELAE	4	4	0.1
				RECOVERING /RESOLVING	5	5	0.1
				UNKNOWN	6	6	0.1

Variable Validations AE001 ADVERSE EVENT REPORT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AESTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AESTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AESTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AESTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AESTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AEENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AEENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AEENDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AEENDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AEENDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

SUPPAE_AESAWDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEADMITDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEADMITDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEADMITDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEADMITDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEADMITDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEDISCHDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEDISCHDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEDISCHDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEDISCHDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEDISCHDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEAESTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEAESTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEAESTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEAESTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEAESTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEAEOUTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEAEOUTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

D_SAEAEOUTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEAEOUTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEAEOUTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields AE001 ADVERSE EVENT REPORT

Group RefName	Group Type	Associated Variables
IG_9246143910337503_AE01001	Non-Repeating	AECAT_001, AESPID_001, AETERM_001, AESTDTC_001, X_AEONGO_001, AEENDTC_001, SUPPAE_AESAWDTC_001, SUPPAE_AERSCH_001, AESEV_001, AESER_001, AESCONG_001, AESDTH_001, AESHOSP_001, D_SAEADMITDTC_001, D_SAEDISCHDTC_001, AESDISAB_001, AESLIFE_001, AESMIE_001, D_AEREPOR_001, SUPPAE_AEMERES_001, AEREL_001, AERELNST_001, SUPPAE_AERELTXT_001, AEACN_001, SUPPAE_AEBTACN_001, SUPPAE_AECMGIV_001, SUPPAE_AENDGIV_001, AEOUT_001, SUPPAE_AESUBJDC_001, SUPPAE_AEIREL_001, D_PREVID_001, AELLT_001, AELLTCD_001, AEDECOD_001, AEPTCD_001, AEHLT_001, AEHLTCD_001, AEHLGT_001, AEHLGTCD_001, AESOC_001, AESOCCD_001
IG_9246143848228981_AE02001	Non-Repeating	D_CASEID_001, D_SAEACOUNTRY1_001, D_RECHALAE_001, D_CTPROYN1_001, D_CTPROCEDURE1_001, D_SAEAEOST_001, D_SAEAESTDTC_001, D_SAEAEOUTYN_001, D_SAEAEOUT_001, D_SAEAEOUTDTC_001

Instruments
AE001_1 / MEDICATION ERROR

Instrument Definition

Instrument Name:	AE001_1
Instrument Title:	MEDICATION ERROR
SAS Instrument Name:	AE001_1
Description:	MED ERROR
Version:	0.31
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: AE001_1 MEDICATION ERROR (MED ERROR) [Version: 0.31]		
Section MEDICATION ERROR AE001_1_S		Permission Groups
Group of Fields AE01001_1 / Medication Error Report Group Type: Non-Repeating	Number of variables: 21	

1.	Category: [AECAT_001_1] [AECAT]	[AECAT_CL_001_1] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 21 Help/Info Text: Record the "Category" for this adverse event.	
2.*	Medication Error: (If possible specify diagnosis, not individual symptoms) (Type of medication error) [AETERM_001_1] [AETERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

	Help/Info Text: Record the Adverse Event in the space provided. Record only one adverse event term per module, for example, "pain in chest and neck" should be recorded as two separate events "pain in chest" and "pain in neck". When recording adverse event use appropriate medical terminology. Terminology must be consistent for duration of event and for reoccurrence of same event. Terminology must also be consistent throughout the CRF and in references in SAE reports. Do not use abbreviations. Avoid ambiguous terminology. For example, COLD is no longer an accepted term since it can be interpreted as "feeling cold", "common cold", or "chronic obstructive lung disease". When listing an adverse event, record diagnosis not symptom. Record symptom(s) only if a diagnosis cannot be made. If symptom(s) are recorded and subsequently a diagnosis is made, the diagnosis should be captured as a separate adverse event. Symptoms already entered on the CRF that are attributed to the diagnosis should not be removed from the CRF but should be followed until resolved or until end of study as defined per protocol. NOTE: Date of onset of diagnosis is to be decided by the investigator. This may or may not coincide with date of onset of the first symptom. SPECIFIC GUIDANCE FOR MOTOR VEHICLE ACCIDENTS OR FALLS: Motor vehicle accidents should be recorded as adverse events when the subject is the operator of the vehicle, even if an injury did not result. When a motor vehicle accident results in an injury, both the injury and the motor vehicle accident should be recorded as adverse events. When recording a MVA, the subjects should be identified in the investigator/verbatim text as the driver. A motor vehicle is defined as any mechanically or electrically powered device not operated on rails and includes (but is not limited to) cars, trucks, vans, motorcycles, and off-roads vehicles. Boating accidents occurring where the subject is the operator of a boat operating under power should also be reported regard
--	--

3.*	Start Date: [AESTDTC_001_1] [AESTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Start Date of the adverse event using the format (DD-MMM-YYYY). If the actual date is unknown, record an approximate date. When recording the Start Date for an objective test abnormality, record the date of test as the Start Date. If appropriate, record the time (as complete as possible) when the adverse event started, using the 24-hour clock. If the actual time is unknown, record an approximate time. When recording the start time for an objective test abnormality, record the time the sample was drawn or the time the test was performed.	
-----	--	--	--

4.*	End Date: [AEENDTC_001_1] [AEENDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date that the AE resolved using this format (DD- MMM-YYYY). If the AE is ongoing, leave the field blank. If appropriate, record the time (as complete as possible) when the adverse event resolved, using the 24-hour clock. If the actual time is unknown, record an approximate time.	
5.*	Was this medication error associated with any adverse events? [SUPPAE_AEMEFL_001_1] [AEMERAE]	[SUPPAE_AEMEFL_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "YES" or "NO" if the medication error is associated with any adverse events.	

6.*	Was a Concomitant Medication given? If yes, record on the Concomitant Medications page. [SUPPAE_AECMGIV_001_1] [AECMGIV]	[SUPPAE_AECMGIV_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Was a Concomitant Medication given? If yes, record on the Concomitant Medications page	
7.*	Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page. [SUPPAE_AENDGIV_001_1] [AENDGIV]	[SUPPAE_AENDGIV_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page	
8.	If this is a dispensing error, record the incorrect package ID that was dispensed /administered to the subject: [SUPPAE_AEIPKGID_001_1] [AEINPKG]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the packing identification.	

9.*	Latest Action Taken with Study Treatment: [SUPPAE_AEMEACN_001_1] [AESTDME]	[SUPPAE_AEMEACN_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the study treatment resulting from the medication error. DOSE INCREASED: An indication that a medication schedule was modified by addition; either by changing the frequency, strength or amount. DOSE NOT CHANGED: An indication that a medication schedule was maintained. DOSE REDUCED: An indication that a medication schedule was modified by subtraction, either by changing the frequency, strength or amount. DRUG INTERRUPTED: An indication that a medication schedule was modified by temporarily terminating a prescribed regimen of medication. DRUG WITHDRAWN: An indication that a medication schedule was modified through termination of a prescribed regimen of medication. NOT APPLICABLE: Determination of a value is not relevant in the current context. UNKNOWN: Not known, not observed, not recorded, or refused. FOR ONCOLOGY ONLY: Refer to the READ ME DOCUMENT - FOR ONCOLOGY USE ONLY	
10.*	Latest Action Taken with Background Treatment: [SUPPAE_AEMEBACN_001_1] [AEBSDME]	[SUPPAE_AEMEBACN_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record changes made to background treatment resulting from the medication error.	

11.*	Drug Name: [SUPPAE_AETRTNAM_001_1] [AEMEDRG]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the treatment name associated with this medication error. Do not include information that could be potentially unblinding.	
12.	Lowest Level Term [AELLT_001_1] [AELLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
13.	Lowest Level Term Code [AELLTCD_001_1] [AELLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

14.	Dictionary Derived Term [AEDECOD_001_1] [AEDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
15.	Preferred Term Code [AEPTCD_001_1] [AEPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
16.	High Level Term [AEHLT_001_1] [AEHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

17.	High Level Term Code [AEHLTCD_001_1] [AEHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
18.	High Level Group Term [AEHLGT_001_1] [AEHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
19.	High Level Group Term Code [AEHLGTCD_001_1] [AEHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

20.	Primary System Organ Class [AESOC_001_1] [AESOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
21.	Primary System Organ Class Code [AESOCCD_001_1] [AESOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

Key: [*] = Item is required

Study Object Descriptions: AE001_1 MEDICATION ERROR

Type	RefName	Description
Form	CRF_9246109021540905_AE001_1	AE001_1
Item	I_9246151286456224_AECAT_001_1	
Item	I_9246151303705819_AETERM_001_1	
Item	I_9246151324031289_AESTDTC_001_1	
Item	I_9246151359629751_AEENDTC_001_1	
Item	I_9246151379991094_SUPPAE_AEMEFL_001_1	

Item	I_9246151398156997_SUPPAE_AECMGIV_001_1	
Item	I_9246151415356270_SUPPAE_AENDGIV_001_1	
Item	I_9246151432569583_SUPPAE_AEIPKGID_001_1	
Item	I_9246151449728381_SUPPAE_AEMEACN_001_1	
Item	I_9246151631823845_SUPPAE_AEMEBACN_001_1	
Item	I_9246151651452281_SUPPAE_AETRRTNAM_001_1	
Item	I_9246151466932848_AELLT_001_1	
Item	I_9246151484083523_AELLTCD_001_1	
Item	I_9246151501519135_AEDECOD_001_1	
Item	I_9246151518962649_AEPTCD_001_1	
Item	I_9246151536138374_AEHLT_001_1	
Item	I_9246151552620945_AEHLTCD_001_1	
Item	I_9246151570272719_AEHLGT_001_1	
Item	I_9246151585764776_AEHLGTCD_001_1	
Item	I_9246151601103186_AESOC_001_1	
Item	I_9246151616344522_AESOCCD_001_1	

Codelist Values Tables: AE001_1 MEDICATION ERROR

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
AECAT_CL_001_1	0.2			MEDICATION ERROR	1	21	0.1	i_9246151286456224_aecat_001_1
SUPPAE_AEMEFL_CL_001_1	0.1			YES	1	Y	0.1	i_9246151379991094_suppaе_aemeфl_001_1
				NO	2	N	0.1	
SUPPAE_AECMGIV_CL_001_1	0.1			YES	1	Y	0.1	i_9246151398156997_suppaе_aecmgiv_001_1
				NO	2	N	0.1	
SUPPAE_AENDGIV_CL_001_1	0.1			YES	1	Y	0.1	i_9246151415356270_suppaе_aendgiv_001_1

				NO	2	N	0.1	
SUPPAE_AEMEACN_CL_001_1	0.1			NO ACTION TAKEN	1	1	0.1	i_9246151449728381_suppaе_aemeacn_001_1
				DOSE CORRECTED	2	2	0.1	
				TEMPORARILY STOPPED	3	3	0.1	
				PERMANENTLY DISCONTINUED	4	4	0.1	
SUPPAE_AEMEBACN_CL_001_1	0.1			NO ACTION TAKEN	1	1	0.1	i_9246151631823845_suppaе_aemebacn_001_1
				DOSE CORRECTED	2	2	0.1	
				TEMPORARILY STOPPED	3	3	0.1	
				PERMANENTLY DISCONTINUED	4	4	0.1	

Variable Validations AE001_1 MEDICATION ERROR

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AESTDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AESTDTC_001_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
AESTDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AESTDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AESTDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AESTDTC_001_1	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
AESTDTC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AEENDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AEENDTC_001_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.

AEENDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AEENDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AEENDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AEENDTC_001_1	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
AEENDTC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields AE001_1 MEDICATION ERROR

Group RefName	Group Type	Associated Variables
IG_9246143824091895_AE01001_1	Non-Repeating	AECAT_001_1, AETERM_001_1, AESTDTC_001_1, AEENDTC_001_1, SUPPAE_AEMEFL_001_1, SUPPAE_AECMGIV_001_1, SUPPAE_AENDGIV_001_1, SUPPAE_AEIPKGID_001_1, SUPPAE_AEMEACN_001_1, SUPPAE_AEMEBACN_001_1, SUPPAE_AETRRTNAM_001_1, AELLT_001_1, AELLTCD_001_1, AEDECOD_001_1, AEPTCD_001_1, AEHLT_001_1, AEHLTCD_001_1, AEHLGT_001_1, AEHLGTCD_001_1, AESOC_001_1, AESOCCD_001_1

Instruments

MH001_4 / PRE-SPECIFIED PRIMARY DIAGNOSIS

Instrument Definition

Instrument Name:	MH001_4
Instrument Title:	PRE-SPECIFIED PRIMARY DIAGNOSIS
SAS Instrument Name:	MH001_4
Description:	PRIM DIAG
Version:	0.42
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS (PRIM DIAG) [Version: 0.42]		
Section PRE-SPECIFIED PRIMARY DIAGNOSIS MH001_4_S		Permission Groups
Group of Fields MH01001_4 / Pre-Specified Primary Diagnosis Group Type: Non-Repeating	Number of variables: 14	

1.	Primary Diagnosis: [R_MHTERM3_001_4] [MHTERM3]	[R_MHTERM3_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 10	
2.	Medical History Event Pre-Specified: [MHPRESP_001_4] [MHPRESP]	[MHPRESP_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y	
3.	Does the subject have/has the subject had Chronic Spontaneous Urticaria: [MHOCCUR_001_4] [MHOCCUR]	[MHOCCUR_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y Help/Info Text: Record if specific condition listed has occurred/is occurring by checking "Yes" or "No"	

4.* ✓	Date of Diagnosis: [MHSTDTC_001_4] [MHSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1920; Max Year: 2027 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date using the format DD-MMM-YYYY	
5.	Lowest Level Term [MHLLT_001_4] [MHLLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

6.	Lowest Level Term Code [MHLLTCD_001_4] [MHLLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
7.	Dictionary Derived Term [MHDECOD_001_4] [MHDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
8.	Preferred Term Code [MHPTCD_001_4] [MHPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

9.	High Level Term [MHHLT_001_4] [MHHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
10.	High Level Term Code [MHHLTCD_001_4] [MHHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
11.	High Level Group Term [MHHLGT_001_4] [MHHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

12.	High Level Group Term Code [MHHLGTCD_001_4] [MHHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
13.	Primary System Organ Class [MHSOC_001_4] [MHSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
14.	Primary System Organ Class Code [MHSOCCD_001_4] [MHSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS

Type	RefName	Description
Form	CRF_9246109236273455_MH001_4	MH001_4
Item	I_9246151668057886_R_MHTERM3_001_4	
Item	I_9246151688377646_MHPRESP_001_4	
Item	I_9246151708986396_MHOCCUR_001_4	
Item	I_9246151726179524_MHSTDTC_001_4	
Item	I_9246151747597579_MHLLT_001_4	
Item	I_9246151764235053_MHLLTCD_001_4	
Item	I_9246151781185804_MHDECOD_001_4	
Item	I_9246151797812965_MHPTCD_001_4	
Item	I_9246151814508112_MHHLT_001_4	
Item	I_9246151830522355_MHHLTCD_001_4	
Item	I_9246151846587240_MHHLGT_001_4	
Item	I_9246151862760883_MHHLGTCD_001_4	
Item	I_9246151879220307_MHSOC_001_4	
Item	I_9246151896085602_MHSOCCD_001_4	

Codelist Values Tables: MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_MHTERM3_CL_001_4	0.2			CHRONIC SPONTANEOUS URTICARIA	1	10	0.1	i_9246151668057886_r_mhterm3_001_4
MHPRESP_CL_001_4	0.1			YES	1	Y	0.1	i_9246151688377646_mhpresp_001_4
MHOCCUR_CL_001_4	0.2			YES	1	Y	0.1	i_9246151708986396_mhoccur_001_4

Variable Validations MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
MHSTDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
MHSTDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MHSTDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
MHSTDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
MHSTDTC_001_4	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
MHSTDTC_001_4	>=_INFORMED_CONSENT	>=	>=_INFORMED_CONSENT	Date is on or after 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
MHSTDTC_001_4	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.
MHSTDTC_001_4	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.

Groups of Fields MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS

Group RefName	Group Type	Associated Variables
IG_9246144405462873_MH01001_4	Non-Repeating	R_MHTERM3_001_4, MHPRESP_001_4, MHOCCUR_001_4, MHSTDTC_001_4, MHLT_001_4, MHLTCD_001_4, MHDECOD_001_4, MHPTCD_001_4, MHHLT_001_4, MHHLTCD_001_4, MHHLGT_001_4, MHHLGTCD_001_4, MHSOC_001_4, MHSOCCD_001_4

Instruments
DS001_5 / DISPOSITION - TREATMENT PERIOD A

Instrument Definition

Instrument Name:	DS001_5
Instrument Title:	DISPOSITION - TREATMENT PERIOD A
SAS Instrument Name:	DS001_5
Description:	DISP TRT
Version:	0.31
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: DS001_5 DISPOSITION - TREATMENT PERIOD A (DISP TRT) [Version: 0.31]		
Section DISPOSITION - TREATMENT PERIOD A DS001_5_S		Permission Groups
Group of Fields DS01001_5 / Disposition - Treatment Group Type: Non-Repeating	Number of variables: 7	

1.	Subcategory: [DSSCAT_001_5] [DSSCAT]	[DSSCAT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 12	
2.* 	Date of Completion/Discontinuation/Death: [DSSTDTC_001_5] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date using the format (DD-MMM-YYYY). Partial dates are permitted only when the Status of the subject is DEATH	

3.	Phase of Disposition: [SUPPDS_DSPHASE_001_5] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 24 Help/Info Text: Record the disposition phase the subject completed or discontinued.	
4.* 	Status: [DSDECOD_001_5] [DSDECOD]	[DSDECOD_CL_001_5] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Always Avoid Abbreviations. See "Completion Guidelines for Subject's Status in Disposition Events eCRF" document in the "Artifacts" section at the Dataset level for full instructions.	

5.* 	Specify Status: <i>[Branching logic expression: [DSDECOD_001_5]='7' or [DSDECOD_001_5]='16']</i> <i>[DSTERM_001_5]</i> [DSTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Document the subject's status at [insert text corresponding to the selected trial epoch]. If the subject discontinued prematurely, record the primary reason for discontinuation from the "Status" list. If "Other", "Withdrawal By Subject" or "Withdrawal By Parent/Guardian" is selected from the "Status" list, then provide the reason on the "Specify Status" line. Avoid abbreviations.	
6.*	Will the subject continue to the next phase of this study? <i>[SUPPDS_DSCONT_001_5]</i> [DSCONT]	[SUPPDS_DSCONT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the subject will be continuing to the next phase of this study.	

7.*	If Yes, next phase: [SUPPDS_DSNEXT_001_5] [DSNEXT] (Nested Field)	[SUPPDS_DSNEXT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the next study phase the subject will continue to.	
-----	--	---	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: DS001_5 DISPOSITION - TREATMENT PERIOD A

Type	RefName	Description
Form	CRF_9246109422613030_DS001_5	DS001_5
Item	I_9246152021459317_DSSCAT_001_5	
Item	I_9246151913495885_DSSTDTC_001_5	
Item	I_9246151932246487_SUPPDS_DSPHASE_001_5	
Item	I_9246151948607993_DSDECOD_001_5	
Item	I_9246151965673418_DSTERM_001_5	
Item	I_9246151988303973_SUPPDS_DSCONT_001_5	
Item	I_9246152004730118_SUPPDS_DSNEXT_001_5	

Codelist Values Tables: DS001_5 DISPOSITION - TREATMENT PERIOD A

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
DSSCAT_CL_001_5	0.3			BLINDED THERAPY	1	12	0.1	i_9246152021459317_dsscat_001_5
SUPPDS_DSPHASE_CL_001_5	0.3			PERIOD A	1	24	0.1	i_9246151932246487_suppds_dsphase_001_5

DSDECOD_CL_001_5	0.6			ADVERSE EVENT	1	1	0.1	i_9246151948607993_dsdecod_001_5
				COMPLETED	2	2	0.1	
				DEATH	3	3	0.1	
				OTHER	4	7	0.1	
				PHYSICIAN DECISION	5	8	0.1	
				PREGNANCY	6	9	0.1	
				STUDY TERMINATED BY SPONSOR	7	14	0.1	
				WITHDRAWAL BY SUBJECT	8	16	0.1	
				PROTOCOL DEVIATION	9	11	0.1	
				MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	10	17	0.1	
				LOST TO FOLLOW-UP	11	5	0.1	
				LACK OF EFFICACY	12	4	0.1	
SUPPDS_DSCONT_CL_001_5	0.1			YES	1	Y	0.1	i_9246151988303973_suppds_dscont_001_5
				NO	2	N	0.1	
SUPPDS_DSNEXT_CL_001_5	0.3			PERIOD B	1	25	0.1	i_9246152004730118_suppds_dsnext_001_5

Variable Validations DS001_5 DISPOSITION - TREATMENT PERIOD A

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_5	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_5	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_5	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_5	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.

DSSTDTC_001_5	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_5	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_5 DISPOSITION - TREATMENT PERIOD A

Group RefName	Group Type	Associated Variables
IG_9246143556142066_DS01001_5	Non-Repeating	DSSCAT_001_5, DSSTDTC_001_5, SUPPDS_DSPHASE_001_5, DSDECOD_001_5, DSTERM_001_5, SUPPDS_DSCONT_001_5, SUPPDS_DSNEXT_001_5

Instruments

LB001 / LOCAL LABORATORY DATA - CLINICAL CHEMISTRY

Instrument Definition

Instrument Name:	LB001
Instrument Title:	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY
SAS Instrument Name:	LB001
Description:	LAB CHEM
Version:	0.14
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: LB001 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY (LAB CHEM) [Version: 0.14]

Section Local Laboratory Data LB001_S		Permission Groups
Group of Fields LB01001 / LABORATORY DATA - CLINICAL CHEMISTRY Group Type: Non-Repeating	Number of variables: 3	

1.	Lab Panel: [LBCAT_001] [LBCAT]	[LBCAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 2	
2.	Specimen Type: [LBSPEC_001] [LBSPEC]	[LBSPEC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7 Help/Info Text: Record the Specimen Type if not pre-printed on the CRF.	

3.*	Collection Date: [LBDTC_001] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Enabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using this format (DD-MMM-YYYY). Record time of collection (as complete as possible).	
	Group of Fields LB02001 / Lab Results Group Type: Fixed Repeating	Number of rows: 13	

4.	Lab Test [LBTEST_001] Analyte: Bilirubin_PX21 (Bilirubin) Analyte: GFR CKD-EPI Serum Creat Cystatin C 2021_PX7581 (GFR CKD-EPI Serum Creat Cystatin C 2021) Analyte: GFR CKD-EPI Serum Creatinine 2021_PX7580 (GFR CKD-EPI Serum Creatinine 2021) Analyte: Potassium_PX55 (Potassium) Analyte: Sodium_PX54 (Sodium) Analyte: Creatinine_PX48 (Creatinine) Analyte: Urea Nitrogen_PX47 (Urea Nitrogen) Analyte: Urea_PX46 (Urea) Analyte: Alkaline Phosphatase_PX35 (Alkaline Phosphatase) Analyte: Alanine Aminotransferase_PX30 (Alanine Aminotransferase) Analyte: Creatine Kinase_PX29 (Creatine Kinase) Analyte: Aspartate Aminotransferase_PX28 (Aspartate Aminotransferase) Analyte: Direct Bilirubin_PX22 (Direct Bilirubin)	Text Box Variable Width: 420 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
5.	Lab Result [LBORRES_001]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.	Not Done [LBSTAT_001]	[ND] Radio Buttons Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.	Unit [LBORRESU_001]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
8.	Low Range [LBORNRL0_001]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

9.	High Range [LBORNRHI_001]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
10.	Status [LBFLAG_001]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
11.	Clinical Significance [LBCLSIG_001]	Text Box Variable Width: 250 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

12.	Comment [CO_LBCOM_001]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
-----	---------------------------	--	--

Key: [*] = Item is required

Study Object Descriptions: LB001 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY

Type	RefName	Description
Form	CRF_9246109623162524_LB001	LB001
Item	I_9246152038107826_LBCAT_001	
Item	I_9246152055672799_LBSPEC_001	
Item	I_9246152072996281_LBDTC_001	
Item	I_9246152092164044_LBTEST_001	
Item	I_9246152209140753_LBORRES_001	
Item	I_9246152308363018_LBSTAT_001	
Item	I_924615222349821_LBORRESU_001	
Item	I_9246152240526948_LBORNRL0_001	
Item	I_9246152253436336_LBORNRI_001	
Item	I_9246152267421232_LBFLAG_001	
Item	I_9246152281054814_LBCLSIG_001	
Item	I_9246152293971807_CO_LBCOM_001	

Codelist Values Tables: LB001 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001	0.2			CLINICAL CHEMISTRY	1	2	0.1	i_9246152038107826_lbcat_001
LBSPEC_CL_001	0.2			BLOOD	1	7	0.1	i_9246152055672799_lbspec_001
ND	0.1			NOT DONE	1	NOT DONE	0.1	i_9246152308363018_lbstat_001

Variable Validations LB001 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
LBDC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields LB001 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY

Group RefName	Group Type	Associated Variables
IG_9246144356831987_LB01001	Non-Repeating	LBCAT_001, LBSPEC_001, LBDC_001
IG_9246144367397545_LB02001	Fixed Repeating	LBTEST_001, LBORRES_001, LBSTAT_001, LBORRESU_001, LBORNRO_001, LBORNRI_001, LBFLAG_001, LBCLSIG_001, CO_LBCOM_001

Instruments

LB001_1 / LOCAL LABORATORY DATA - HEMATOLOGY

Instrument Definition

Instrument Name:	LB001_1
Instrument Title:	LOCAL LABORATORY DATA - HEMATOLOGY
SAS Instrument Name:	LB001_1
Description:	LAB HEM
Version:	0.18
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: LB001_1 LOCAL LABORATORY DATA - HEMATOLOGY (LAB HEM) [Version: 0.18]		
Section LABORATORY DATA - HEMATOLOGY <i>LB001_1_S</i>		Permission Groups
Group of Fields LB01001_1 / LABORATORY DATA - HEMATOLOGY Group Type: Non-Repeating	Number of variables: 3	

1.*	Collection Date: [LBDTC_001_1] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Enabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using this format (DD-MMM-YYYY). Record time of collection (as complete as possible).	
2.	Specimen Type: [LBSPEC_001_1] [LBSPEC]	[LBSPEC_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7 Help/Info Text: Record the Specimen Type if not pre-printed on the CRF.	

3.	Lab Panel: [LBCAT_001_1] [LBCAT]	[LBCAT_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
	Group of Fields LB02001_1 / LAB RESULT Group Type: Fixed Repeating	Number of rows: 15	
4.	Lab Test [LBTEST_001_1] Analyte: Eosinophils/Leukocytes_PX9 (Eosinophils/Leukocytes) Analyte: Hemoglobin_PX1 (Hemoglobin) Analyte: Basophils/Leukocytes_PX10 (Basophils/Leukocytes) Analyte: Lymphocytes/Leukocytes_PX11 (Lymphocytes/Leukocytes) Analyte: Monocytes/Leukocytes_PX12 (Monocytes/Leukocytes) Analyte: Hematocrit_PX2 (Hematocrit) Analyte: Erythrocytes_PX3 (Erythrocytes) Analyte: Platelets_PX5 (Platelets) Analyte: Neutrophils_PX608 (Neutrophils) Analyte: Eosinophils_PX609 (Eosinophils) Analyte: Basophils_PX610 (Basophils) Analyte: Lymphocytes_PX611 (Lymphocytes) Analyte: Monocytes_PX612 (Monocytes) Analyte: Leukocytes_PX7 (Leukocytes) Analyte: Neutrophils/Leukocytes_PX8 (Neutrophils/Leukocytes)	Text Box Variable Width: 420 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

5.	Lab Result [LBORRES_001_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.	Not Done [LBSTAT_001_1]	[ND] Radio Buttons Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.	Unit [LBORRESU_001_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

8.	Low Range [LBORNRLO_001_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
9.	High Range [LBORNRHI_001_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
10.	Status [LBFLAG_001_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

11.	Clinical Significance [LBCLSIG_001_1]	Text Box Variable Width: 250 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
12.	Comment [CO_LBCOM_001_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: LB001_1 LOCAL LABORATORY DATA - HEMATOLOGY

Type	RefName	Description
Form	CRF_9246109854558640_LB001_1	LB001_1
Item	I_9246152356569496_LBDTC_001_1	
Item	I_9246152339237547_LBSPEC_001_1	
Item	I_9246152321431223_LBCAT_001_1	
Item	I_9246152376507336_LBTEST_001_1	
Item	I_9246152506551617_LBORRES_001_1	
Item	I_9246152602978932_LBSTAT_001_1	
Item	I_9246152520441254_LBORRESU_001_1	

Item	I_9246152538997109_LBORNRL0_001_1	
Item	I_9246152552516648_LBORNRI0_001_1	
Item	I_9246152565893748_LBFLAG_001_1	
Item	I_9246152579732907_LBCLSIG_001_1	
Item	I_9246152592490780_CO_LBCOM_001_1	

Codelist Values Tables: LB001_1 LOCAL LABORATORY DATA - HEMATOLOGY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBSPEC_CL_001_1	0.3			BLOOD	1	7	0.1	i_9246152339237547_lbspec_001_1
LBCAT_CL_001_1	0.2			HEMATOLOGY	1	1	0.1	i_9246152321431223_lbcats_001_1
ND	0.1			NOT DONE	1	NOT DONE	0.1	i_9246152602978932_lbstat_001_1

Variable Validations LB001_1 LOCAL LABORATORY DATA - HEMATOLOGY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
LBDC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields LB001_1 LOCAL LABORATORY DATA - HEMATOLOGY

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_9246144455155762_LB01001_1	Non-Repeating	LBDTC_001_1, LBSPEC_001_1, LBCAT_001_1
IG_9246143920722551_LB02001_1	Fixed Repeating	LBTEST_001_1, LBORRES_001_1, LBSTAT_001_1, LBORRESU_001_1, LBORNRL0_001_1, LBORNRI_001_1, LBFLAG_001_1, LBCLSIG_001_1, CO_LBCOM_001_1

Instruments
D_UPA001 / UNPLANNED VISIT

Instrument Definition

Instrument Name:	D_UPA001
Instrument Title:	UNPLANNED VISIT
SAS Instrument Name:	D_UPA001
Description:	UNPL
Version:	0.7
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: D_UPA001 UNPLANNED VISIT (UNPL) [Version: 0.7]			
Section UNPLANNED VISIT D_UPA001_S			Permission Groups
	Group of Fields D_UPA01001 / Unplanned Visit Group Type: Non-Repeating	Number of variables: 1	
1.*	Assessments [D_UNPLASS_001] [UNPLASS]	[D_UNPLASS_CL_001] Checkboxes Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: D_UPA001 UNPLANNED VISIT

Type	RefName	Description
Form	CRF_9246110042349785_D_UPA001	D_UPA001
Item	I_9246152614361179_D_UNPLASS_001	

Codelist Values Tables: D_UPA001 UNPLANNED VISIT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_UNPLASS_CL_001	0.7			VITAL SIGNS	1	1	0.1	i_9246152614361179_d_unplass_001
				ECG	2	2	0.1	
				AUDIOMETRIC ASSESSMENT - HEARING TEST	3	4	0.1	
				TUBERCULOSIS TESTING	4	5	0.1	
				LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	5	6	0.1	
				LOCAL LABORATORY DATA - HEMATOLOGY	6	7	0.1	
				MICROBIOLOGY CULTURE - Hepatitis Testing	7	3	0.1	
				LOCAL LABORATORY DATA - URINALYSIS	8	8	0.1	
				LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	9	9	0.1	
				EXPOSURE DURING PREGNANCY	10	10	0.1	

			RETAINED RESEARCH SAMPLE TRACKING - Prep D1 Prep B2.5 Prep R1	11	11	0.1	
--	--	--	---	----	----	-----	--

Groups of Fields D_UPA001 UNPLANNED VISIT

Group RefName	Group Type	Associated Variables
IG_9246144285359404_D_UPA01001	Non-Repeating	D_UNPLASS_001

Instruments
PC003 / PHARMACOKINETICS

Instrument Definition

Instrument Name:	PC003
Instrument Title:	PHARMACOKINETICS
SAS Instrument Name:	PC003
Description:	PK
Version:	0.66
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: PC003 PHARMACOKINETICS (PK) [Version: 0.66]		
Section PHARMACOKINETICS PC003_S		Permission Groups
Group of Fields PC01003 / Pharmacokinetics Group Type: Fixed Repeating	Number of rows: 1	

1.	Category [PCCAT_003] [PCCAT]	[PCCAT_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
2.	Analyte: [SUPPPC_PKTERM_003] [PKTERM]	[SUPPPC_PKTERM_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.	Body Fluid / Matrix: [PCSPEC_003] [PKBDFLD]	[PCSPEC_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

4.*	Sample Not Done: [X_PCSTAT_003] [PKSMND]	[X_PCSTAT_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.	Time Post Dose: [PCTPT_003] [PKPTM]	[PCTPT_CL_003] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
6.	Reference Timepoint: [PCTPTREF_003] [PKTPTREF]	[PCTPTREF_CL_003] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

7.* ✓	Date and Time: <i>[Branching logic expression: [X_PCSTAT_003]='2']</i> <i>[PCDTC_003]</i> [PKADT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record start date of the sample collection in the format dd- MMM-yyyy (e.g. 01-JAN-2006). Record the start time of the sample collection using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
8.	Comments (Keep brief and legible): <i>[CO_PKCOMC_003]</i> [PKCOMC]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: PC003 PHARMACOKINETICS

Type	RefName	Description
Form	CRF_9246110230748211_PC003	PC003
Item	I_9246152824080152_PCCAT_003	
Item	I_9246152632550400_SUPPPC_PKTERM_003	
Item	I_9246152652904638_PCSPEC_003	
Item	I_9246152678255249_X_PCSTAT_003	
Item	I_9246152798136570_PCTPT_003	
Item	I_9246152709131402_PCTPTREF_003	
Item	I_9246152730128194_PCDTC_003	
Item	I_9246152769480301_CO_PKCOMC_003	

Codelist Values Tables: PC003 PHARMACOKINETICS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
PCCAT_CL_003	0.2			PHARMACOKINETICS (POINT)	1	1	0.1	i_9246152824080152_pccat_003
SUPPPC_PKTERM_CL_003	0.3			PF_06651600	1	4	0.1	i_9246152632550400_supppc_pkterm_003
PCSPEC_CL_003	0.3			PLASMA	1	27	0.1	i_9246152652904638_pcspec_003
X_PCSTAT_CL_003	0.1			NOT DONE	1	1	0.1	i_9246152678255249_x_pcstat_003
				DONE	2	2	0.1	
PCTPT_CL_003	0.3			30 MIN	1	7	0.1	i_9246152798136570_pctpt_003
				1 H	2	17	0.1	
				2 H	3	20	0.1	

				3 H	4	24	0.1	
				0 H	5	63	0.1	
PCTPTREF_CL_003	0.2			DOSING	1	11	0.1	i_9246152709131402_pctptref_003

Variable Validations PC003 PHARMACOKINETICS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PCDTC_003	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
PCDTC_003	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PCDTC_003	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
PCDTC_003	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PCDTC_003	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PCDTC_003	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PC003 PHARMACOKINETICS

Group RefName	Group Type	Associated Variables
IG_9246144079598638_PC01003	Fixed Repeating	PCCAT_003, SUPPPC_PKTERM_003, PCSPEC_003, X_PCSTAT_003, PCTPT_003, PCTPTREF_003, PCDTC_003, CO_PKCOMC_003

Instruments

DS001_1 / ADDITIONAL INFORMED CONSENT - OPTIONAL RETAINED RESEARCH SAMPLING

Instrument Definition

Instrument Name:	DS001_1
Instrument Title:	ADDITIONAL INFORMED CONSENT - OPTIONAL RETAINED RESEARCH SAMPLING
SAS Instrument Name:	DS001_1
Description:	ADD CONST
Version:	0.10
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: DS001_1 <i>ADDITIONAL INFORMED CONSENT - OPTIONAL RETAINED RESEARCH SAMPLING</i> (ADD CONST) [Version: 0.10]		
Section ADDITIONAL INFORMED CONSENT - OPTIONAL RETAINED RESEARCH SAMPLING <i>DS001_1_S</i>		Permission Groups
Group of Fields DS01001_1 / Additional Informed Consent Group Type: Non-Repeating	Number of variables: 2	

1.* 	Consent Was: [SUPPDS_DSCSOBT_001_1] [DSCSOBT]	[SUPPDS_DSCSOBT_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if the subject's consent was "Obtained", "Not Obtained".	
2.*	Date of Written Consent Obtained: [DSSTDTC_001_1] [DSSTDTC] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Written Consent Obtained using the format (DD-MMM-YYYY).	

Key: [*] = Item is required  = Source verification required

Study Object Descriptions: DS001_1 ADDITIONAL INFORMED CONSENT - OPTIONAL RETAINED RESEARCH SAMPLING

Type	RefName	Description
Form	CRF_9246110416381036_DS001_1	DS001_1
Item	I_9246152842529702_SUPPDS_DSCSOBT_001_1	
Item	I_9246152858849739_DSSTDTC_001_1	

Codelist Values Tables: DS001_1 ADDITIONAL INFORMED CONSENT - OPTIONAL RETAINED RESEARCH SAMPLING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSCSOBT_CL_001_1	0.2			OBTAINED	1	1	0.1	i_9246152842529702_suppds_dscsobt_001_1
				NOT OBTAINED	2	2	0.1	

Variable Validations DS001_1 ADDITIONAL INFORMED CONSENT - OPTIONAL RETAINED RESEARCH SAMPLING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_1	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_1	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_1	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.

Groups of Fields DS001_1 ADDITIONAL INFORMED CONSENT - OPTIONAL RETAINED RESEARCH SAMPLING		
Group RefName	Group Type	Associated Variables
IG_9246143759186518_DS01001_1	Non-Repeating	SUPPDS_DSCSOBT_001_1, DSSTDTC_001_1

Instruments

R_OMIC003 / RETAINED RESEARCH SAMPLE TRACKING - Prep D1 Prep B2.5 Prep R1

Instrument Definition

Instrument Name:	R_OMIC003
Instrument Title:	RETAINED RESEARCH SAMPLE TRACKING - Prep D1 Prep B2.5 Prep R1
SAS Instrument Name:	R_OMIC003
Description:	BANKBIOS
Version:	0.28
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: R_OMIC003 <i>RETAINED RESEARCH SAMPLE TRACKING - PREP D1 PREP B2.5 PREP R1</i> (BANKBIOS) [Version: 0.28]		
Section RETAINED RESEARCH SAMPLE TRACKING <i>R_OMIC003_S</i>		Permission Groups
Group of Fields R_OMIC01003 / Sample Tracking Group Type: Fixed Repeating	Number of rows: 3	

1.	Category of Assessment: [R_OMICCAT_003] [OMICCAT] Row 1 (Locked): 7 - RETAINED RESEARCH SAMPLE TRACKING Row 2 (Locked): 7 - RETAINED RESEARCH SAMPLE TRACKING Row 3 (Locked): 7 - RETAINED RESEARCH SAMPLE TRACKING	[R_OMICCAT_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7	
2.	Sample Name: [R_OMICPRP_003] [OMICPRP] Row 1 (Locked): 1 - PREP D1 Row 2 (Locked): 11 - PREP B2.5 Row 3 (Locked): 2 - PREP R1	[R_OMICPRP_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.*	Was the Assessment Performed? [R_OMICPERF_003] [OMICPERF]	[R_OMICPERF_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.	Specimen Type: <i>[Branching logic expression: [R_OMICPERF_003]='Y']</i> <i>[R_OMICSPEC_003]</i> [OMICSPEC] Row 1 (Locked): 7 - BLOOD Row 2 (Locked): 33 - SERUM Row 3 (Locked): 7 - BLOOD	[R_OMICSPEC_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
5.*	Sample Collection Date: <i>[Branching logic expression: [R_OMICPERF_003]='Y']</i> <i>[R_OMICDTC_003]</i> [OMICDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: R_OMIC003 RETAINED RESEARCH SAMPLE TRACKING - Prep D1 Prep B2.5 Prep R1

Type	RefName	Description
------	---------	-------------

Form	CRF_9246110603067126_R_OMIC003	R_OMIC003
Item	I_9246152877106578_R_OMICCAT_003	
Item	I_9246152957014530_R_OMICPRP_003	
Item	I_9246152894158858_R_OMICPERF_003	
Item	I_9246152911201736_R_OMICSPEC_003	
Item	I_9246152933431696_R_OMICDTC_003	

Codelist Values Tables: R_OMIC003 RETAINED RESEARCH SAMPLE TRACKING - Prep D1 Prep B2.5 Prep R1

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_OMICCAT_CL_003	0.2			RETAINED RESEARCH SAMPLE TRACKING	1	7	0.1	i_9246152877106578_r_omiccat_003
R_OMICPRP_CL_003	0.2			PREP D1	1	1	0.1	i_9246152957014530_r_omicprp_003
				PREP B2.5	2	11	0.1	
				PREP R1	3	2	0.1	
R_OMICPERF_CL_003	0.1			YES	1	Y	0.1	i_9246152894158858_r_omicperf_003
				NO	2	N	0.1	
R_OMICSPEC_CL_003	0.3			BLOOD	1	7	0.1	i_9246152911201736_r_omicspec_003
				SERUM	2	33	0.1	

Variable Validations R_OMIC003 RETAINED RESEARCH SAMPLE TRACKING - Prep D1 Prep B2.5 Prep R1

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
R_OMICDTC_003	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
R_OMICDTC_003	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
R_OMICDTC_003	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

R_OMICDTC_003	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
---------------	----------------	---	----------------	--

Groups of Fields R_OMIC003 RETAINED RESEARCH SAMPLE TRACKING - Prep D1 Prep B2.5 Prep R1

Group RefName	Group Type	Associated Variables
IG_9246143672456640_R_OMIC01003	Fixed Repeating	R_OMICCAT_003, R_OMICPRP_003, R_OMICPERF_003, R_OMICSPEC_003, R_OMICDTC_003

Instruments

BEETRK010 / ELECTRONIC SAMPLE TRACKING

Instrument Definition

Instrument Name:	BEETRK010
Instrument Title:	ELECTRONIC SAMPLE TRACKING
SAS Instrument Name:	BEETRK010
Description:	SAMP TRK
Version:	0.24
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: BEETRK010 <i>ELECTRONIC SAMPLE TRACKING</i> (SAMP TRK) [Version: 0.24]		
Section ELECTRONIC SAMPLE TRACKING <i>BEETRK010_S</i>		Permission Groups
Group of Fields BEETRK01010 / Electronic Sample Tracking Group Type: Fixed Repeating	Number of rows: 1	

1.	Sample Collection Name: [SUPPBE_SAMPNAME_010] [ETRKSAMP]	[SUPPBE_SAMPNAME_CL_010] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
2.	Specimen Type: [SUPPBE_BESPEC_010] [ETRKSPEC]	[SUPPBE_BESPEC_CL_010] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.*	Sample Collected? [BEOCCUR_010] [ETRKSMP]	[BEOCCUR_CL_010] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO to record if the sample was collected ?	

4.*	Date Time of Specimen Collection: [BEDTC_010] [ETRKDTC] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record date of sample collection in the format dd-MMM-yyyy (e. g. 01-JAN-2006). Record the time of sample collection using 24 hour clock (e. g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
-----	--	--	--

5.*	Sample ID: [BEREFID_010] [ETRKID] (Nested Field)	Text Box Max Length: 60 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Sample ID or accession number or barcode.	
6.*	If no sample was collected or sample was not collected according to protocol, please provide reason: [CO_BECOM_010] [ETRKCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If no sample was collected or if the sample was not collected according to the protocol, specify the reason why in the space provided.	

Key: [*] = Item is required

Study Object Descriptions: BEETRK010 ELECTRONIC SAMPLE TRACKING

Type	RefName	Description
Form	CRF_9246110790799039_BEETRK010	BEETRK010
Item	I_9246152974752941_SUPPBE_SAMPNAME_010	
Item	I_9246152991735954_SUPPBE_BESPEC_010	
Item	I_9246153008490908_BEOCCUR_010	

Item	I_9246153025467300_BEDTC_010	
Item	I_9246153045186295_BEREFID_010	
Item	I_9246153063170217_CO_BECOM_010	

Codelist Values Tables: BEETRK010 ELECTRONIC SAMPLE TRACKING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPBE_SAMPNAME_CL_010	0.4			IgE	1	22	0.1	i_9246152974752941_suppbe_sampname_010
				AUTOANTIBODIES	2	30	0.1	
				BHRA	3	31	0.1	
SUPPBE_BESPEC_CL_010	0.3			SERUM	1	33	0.1	i_9246152991735954_suppbe_bespec_010
BEOCCUR_CL_010	0.1			NO	1	N	0.1	i_9246153008490908_beoccur_010
				YES	2	Y	0.1	

Variable Validations BEETRK010 ELECTRONIC SAMPLE TRACKING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
BEDTC_010	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
BEDTC_010	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
BEDTC_010	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
BEDTC_010	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields BEETRK010 ELECTRONIC SAMPLE TRACKING

Group RefName	Group Type	Associated Variables
IG_9246144055909417_BEETRK01010	Fixed Repeating	SUPPBE_SAMPNAME_010, SUPPBE_BESPEC_010, BEOCCUR_010, BEDTC_010, BEREFID_010, CO_BECOM_010

Instruments
SRTCR002 / TUBERCULOSIS TESTING

Instrument Definition

Instrument Name:	SRTCR002
Instrument Title:	TUBERCULOSIS TESTING
SAS Instrument Name:	SRTCR002
Description:	TCR
Version:	0.20
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: SRTCR002 TUBERCULOSIS TESTING (TCR) [Version: 0.20]		
Section TUBERCULOSIS TESTING SRTCR002_S		Permission Groups
Group of Fields SRTCR01002 / Tuberculosis Testing Group Type: Fixed Repeating	Number of rows: 6	

1.	Testing Method: [Y_SRMETHOD_002] [TCRMETH] Row 1 (Locked): 2 - QUANTIFERON TB GOLD Row 2 (Locked): 5 - T-SPOT Row 3 (Locked): 1 - PPD SKIN TEST Row 4 (Locked): 3 - CHEST X-RAY Row 5 (Locked): 6 - CT SCAN Row 6 (Locked): 7 - MRI	[Y_SRMETHOD_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
2.*	Not Done: [X_SRSTAT_002] [TCRSTAT]	[X_SRSTAT_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.*	Date of Test: [Y_SRDTC_002] [TCRDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record date in the format dd-MMM-yyyy (e.g. 01-JAN-2006).	
4.*	Result: [Y_SRRRES_002] [TCRRRES] (Nested Field)	[Y_SRRRES_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields SRTCR02002 / Tuberculosis Testing Entry Group Type: Non-Repeating	Number of variables: 3	

5.*	If Chest X-Ray, CT scan, MRI Positive, specify details: <i>[Branching logic expression: [Y_SRORES_002(3)]= '1' or [Y_SRORES_002(5)]= '1' or [Y_SRORES_002(4)]= '1']</i> <i>[CO_TCRCOM_002]</i> [TCRCOM]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.*	If PPD Skin Test was done, enter the date of read: <i>[Branching logic expression: [Y_SRMETHOD_002(2)] = '1' and [X_SRSTAT_002(2)] = '2']</i> <i>[SUPPSR_TSTDTC_002]</i> [TCRRDDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7.*	If PPD Skin Test was done, enter induration: <i>[Branching logic expression: [Y_SRMETHOD_002(2)] = '1' and [X_SRSTAT_002(2)] = '2']</i> <i>[SRORRES_IDRLDIAM_002]</i> [TCRIND]	Number Box (Decimal) Max Value: 999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: SRTCR002 TUBERCULOSIS TESTING

Type	RefName	Description
Form	CRF_9246110992904809_SRTCR002	SRTCR002
Item	I_9246153142153837_Y_SRMETHOD_002	
Item	I_9246153080690267_X_SRSTAT_002	
Item	I_9246153100848470_Y_SRDTC_002	
Item	I_9246153122498834_Y_SRORRES_002	
Item	I_9246153162408252_CO_TCRCOM_002	
Item	I_9246153189744387_SUPPSR_TSTDTC_002	
Item	I_9246153218698778_SRORRES_IDRLDIAM_002	

Codelist Values Tables: SRTCR002 TUBERCULOSIS TESTING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
Y_SRMETHOD_CL_002	0.5			QUANTIFERON TB GOLD	1	2	0.1	i_9246153142153837_y_srmethod_002

				T-SPOT	2	5	0.1	
				PPD SKIN TEST	3	1	0.1	
				CHEST X-RAY	4	3	0.1	
				CT SCAN	5	6	0.1	
				MRI	6	7	0.1	
X_SRSTAT_CL_002	0.3			NOT DONE	1	1	0.1	i_9246153080690267_x_srstat_002
				DONE	2	2	0.1	
Y_SRRORRES_CL_002	0.1			POSITIVE	1	1	0.1	i_9246153122498834_y_srrorres_002
				NEGATIVE	2	2	0.1	

Variable Validations SRTCR002 TUBERCULOSIS TESTING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
Y_SRDTTC_002	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
Y_SRDTTC_002	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
Y_SRDTTC_002	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
Y_SRDTTC_002	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
Y_SRDTTC_002	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
SUPPSR_TSTDTC_002	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
SUPPSR_TSTDTC_002	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
SUPPSR_TSTDTC_002	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
SUPPSR_TSTDTC_002	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields SRTCR002 TUBERCULOSIS TESTING

Group RefName	Group Type	Associated Variables
IG_9246143597818869_SRTCR01002	Fixed Repeating	Y_SRMETHOD_002, X_SRSTAT_002, Y_SRDTC_002, Y_SRORRES_002
IG_9246143729891140_SRTCR02002	Non-Repeating	CO_TCRCOM_002, SUPPSR_TSTDTC_002, SRORRES_IDRLDIAM_002

Instruments

DS001_7_1 / WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE

Instrument Definition

Instrument Name:	DS001_7_1
Instrument Title:	WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE
SAS Instrument Name:	DS001_7_1
Description:	WOC RRS
Version:	0.6
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: DS001_7_1 WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE (WOC RRS) [Version: 0.6]		
Section WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE DS001_7_S_1		Permission Groups
Group of Fields DS01001_7_1 / Withdrawal Of Consent Group Type: Non-Repeating	Number of variables: 1	

1.*	Date of Withdrawal of Consent: [DSSTDTC_001_7_1] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Withdrawal Of Consent using the format (DD-MMM-YYYY).	
Key: [*] = Item is required			

Study Object Descriptions: DS001_7_1 WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE

Type	RefName	Description
Form	CRF_9246111179985660_DS001_7_1	DS001_7_1
Item	I_9246153245496136_DSSTDTC_001_7_1	

Variable Validations DS001_7_1 WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_7_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

DSSTDTC_001_7_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_7_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_7_1 WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE		
Group RefName	Group Type	Associated Variables
IG_9246143720227448_DS01001_7_1	Non-Repeating	DSSTDTC_001_7_1

Instruments

AUAUD001 / AUDIOMETRIC ASSESSMENT - HEARING TEST BL

Instrument Definition

Instrument Name:	AUAUD001
Instrument Title:	AUDIOMETRIC ASSESSMENT - HEARING TEST BL
SAS Instrument Name:	AUAUD001
Description:	HEARING
Version:	0.12
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: AUAUD001 AUDIOMETRIC ASSESSMENT - HEARING TEST BL (HEARING) [Version: 0.12]		
Section AUDIOMETRIC ASSESSMENT - HEARING TEST BL AUAUD001_S		Permission Groups
Group of Fields AUAUD01001 / Audiometric Assessment - Hearing Test BL Group Type: Non-Repeating	Number of variables: 1	

1.*	Date of Assessment: [AUDTC_001] [AUDDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of assessment in the format dd-MMM-yyyy (e. g. 01-JAN-2006)	
	Group of Fields AUAUD02001 / Audiometric Assessment - Hearing Test Results Group Type: Fixed Repeating	Number of rows: 2	
2.	Body Side: [AULAT_001] [AUDLAT] Row 1 (Locked): 5 - LEFT Row 2 (Locked): 6 - RIGHT	[AULAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

3.	Anatomical Location: [AULOC_001] [AUDLOC] Row 1 (Locked): 42 - EAR Row 2 (Locked): 42 - EAR	[AULOC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 42	
4.*	Hearing Status: [AUORRES_INTP_001] [AUDHSTA]	[AUORRES_INTP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record whether the subject's hearing was Normal or Abnormal.	
5.*	If Abnormal, is this clinically significant? [AUCLSIG_001] [AUDCLSG] (Nested Field)	[AUCLSIG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If Hearing Status is "Abnormal", record if this is clinically significant.	

6.*	Hearing Test Comments: [CO_AUCOM_001] [AUDCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If hearing is Abnormal, record a brief comment in the space provided.	
-----	--	--	--

Key: [*] = Item is required

Study Object Descriptions: AUAUD001 AUDIOMETRIC ASSESSMENT - HEARING TEST BL

Type	RefName	Description
Form	CRF_9246111364835231_AUAUD001	AUAUD001
Item	I_9246153265272214_AUDTC_001	
Item	I_9246153285914850_AULAT_001	
Item	I_9246153305574785_AULOC_001	
Item	I_9246153326450733_AUORRES_INTP_001	
Item	I_9246153346446114_AUCLSIG_001	
Item	I_9246153367763641_CO_AUCOM_001	

Codelist Values Tables: AUAUD001 AUDIOMETRIC ASSESSMENT - HEARING TEST BL

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
AULAT_CL_001	0.1			LEFT	1	5	0.1	i_9246153285914850_aulat_001
				RIGHT	2	6	0.1	

AULOC_CL_001	0.1			EAR	1	42	0.1	i_9246153305574785_auloc_001
AUORRES_INTP_CL_001	0.1			NORMAL	1	3	0.1	i_9246153326450733_aurres_intp_001
				ABNORMAL	2	1	0.1	
AUCLSIG_CL_001	0.1			YES	1	Y	0.1	i_9246153346446114_aucsig_001
				NO	2	N	0.1	

Variable Validations AUAUD001 AUDIOMETRIC ASSESSMENT - HEARING TEST BL

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AUDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AUDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AUDTC_001	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
AUDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AUDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AUDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields AUAUD001 AUDIOMETRIC ASSESSMENT - HEARING TEST BL

Group RefName	Group Type	Associated Variables
IG_9246143739900856_AUAUD01001	Non-Repeating	AUDTC_001
IG_9246143705460798_AUAUD02001	Fixed Repeating	AULAT_001, AULOC_001, AUORRES_INTP_001, AUCLSIG_001, CO_AUCOM_001

Instruments

MBMC005 / MICROBIOLOGY CULTURE - Hepatitis Testing

Instrument Definition

Instrument Name:	MBMC005
Instrument Title:	MICROBIOLOGY CULTURE - Hepatitis Testing
SAS Instrument Name:	MBMC005
Description:	MC
Version:	0.23
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: MBMC005 MICROBIOLOGY CULTURE - HEPATITIS TESTING (MC) [Version: 0.23]		
Section MICROBIOLOGY CULTURE - Hepatitis Testing MBMC005_S		Permission Groups
Group of Fields MBMC01005 / MICROBIOLOGY CULTURE - I Group Type: Non-Repeating	Number of variables: 3	

1.* ✓	Date of Specimen Collection: [MBDTC_005] [MCDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the Specimen Collection was performed using this format (DD-MMM-YYYY). If applicable, record the time (as complete as possible) the Specimen Collection was performed using 24-hour clock in hh:mm format (e.g., 7:00 a.m. = 07:00, 8:45 p.m. = 20:45).	
2.	Trade Name Other, Specify: [DIVAL_TRADENAM_OTH_005] [MCTRDNO]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3. ✓	Method of Test: [MBMETHOD_005] [MCMETHOD]	[MBMETHOD_CL_005] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Method of Test if not pre-printed on the CRF.	
	Group of Fields MBMC02005 / MICROBIOLOGY CULTURE - II Group Type: Fixed Repeating	Number of rows: 6	
4.	Pathogens: [MBTEST_005] [MCTEST] Row 1 (Locked): 116 - Hepatitis B Virus Surface Antigen Row 2 (Locked): 117 - Hepatitis C Virus Antibody Row 3 (Locked): 118 - Hepatitis C Virus RNA Row 4 (Locked): 126 - Hepatitis B Virus Core Antibody Row 5 (Locked): 131 - Hepatitis B Virus DNA Row 6 (Locked): 138 - Hepatitis B Virus Surface Antibody	[MBTEST_CL_005] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
5. ✓	Pathogens Test Result: [MBORRES_005] [MCCORRES]	[MBORRES_CL_005] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the [Pathogen] Test Result, if not pre-printed on the CRF.	

6. ✓	Pathogens Not Tested: [MBSTAT_005] [MCSTAT]	[MBSTAT_CL_005] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if the Pathogen was Not Tested.	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: MBMC005 MICROBIOLOGY CULTURE - Hepatitis Testing

Type	RefName	Description
Form	CRF_9246111548938347_MBMC005	MBMC005
Item	I_9246153388494457_MBDTC_005	
Item	I_9246153412867651_DIVAL_TRADENAM_OTH_00	
Item	I_9246153437061613_MBMETHOD_005	
Item	I_9246153458070236_MBTEST_005	
Item	I_9246153480074451_MBORRES_005	
Item	I_9246153500916110_MBSTAT_005	

Codelist Values Tables: MBMC005 MICROBIOLOGY CULTURE - Hepatitis Testing

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
MBMETHOD_CL_005	0.2			POLYMERASE CHAIN REACTION	1	96	0.1	i_9246153437061613_mbmethode_005
				IMMUNOASSAY	2	233	0.1	

MBTEST_CL_005	0.2			Hepatitis B Virus Surface Antigen	1	116	0.1	i_9246153458070236_mbtest_005
				Hepatitis C Virus Antibody	2	117	0.1	
				Hepatitis C Virus RNA	3	118	0.1	
				Hepatitis B Virus Core Antibody	4	126	0.1	
				Hepatitis B Virus DNA	5	131	0.1	
				Hepatitis B Virus Surface Antibody	6	138	0.1	
MBORRES_CL_005	0.1			DETECTED	1	1	0.1	i_9246153480074451_mborres_005
				NOT DETECTED	2	2	0.1	
				INDETERMINATE	3	3	0.1	
MBSTAT_CL_005	0.1			NOT DONE	1	1	0.1	i_9246153500916110_mbstat_005

Variable Validations MBMC005 MICROBIOLOGY CULTURE - Hepatitis Testing

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
MBDTC_005	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
MBDTC_005	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
MBDTC_005	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MBDTC_005	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields MBMC005 MICROBIOLOGY CULTURE - Hepatitis Testing

Group RefName	Group Type	Associated Variables
IG_9246143866041599_MBMC01005	Non-Repeating	MBDTC_005, DIVAL_TRADENAM_OTH_005, MBMETHOD_005
IG_9246143886391784_MBMC02005	Fixed Repeating	MBTEST_005, MBORRES_005, MBSTAT_005

Instruments

LB001_2 / LOCAL LABORATORY DATA - URINALYSIS

Instrument Definition

Instrument Name:	LB001_2
Instrument Title:	LOCAL LABORATORY DATA - URINALYSIS
SAS Instrument Name:	LB001_2
Description:	LAB URIN
Version:	0.17
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: LB001_2 LOCAL LABORATORY DATA - URINALYSIS (LAB URIN) [Version: 0.17]		
Section LAB URINALYSIS LB001_2_S		Permission Groups
Group of Fields LB01001_2 / LAB URINALYSIS Group Type: Non-Repeating	Number of variables: 3	

1.	Lab Panel: [LBCAT_001_2] [LBCAT]	[LBCAT_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 3	
2.*	Collection Date: [LBDTC_001_2] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Enabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using this format (DD-MMM-YYYY). Record time of collection (as complete as possible).	

3.	Specimen Type: [LBSPEC_001_2] [LBSPEC]	[LBSPEC_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 40 Help/Info Text: Record the Specimen Type if not pre-printed on the CRF.	
	Group of Fields LB02001_2 / LAB RESULT Group Type: Fixed Repeating	Number of rows: 17	
4.	Lab Test [LBTEST_001_2] Analyte: Ketones_PX86 (Ketones) Analyte: Urine Microscopic Exam_PX839 (Urine Microscopic Exam) Analyte: Casts_PX83 (Casts) Analyte: Protein/Creatinine_PX822 (Protein/Creatinine) Analyte: Bacteria_PX82 (Bacteria) Analyte: Erythrocytes_PX81 (Erythrocytes) Analyte: Leukocytes_PX80 (Leukocytes) Analyte: Glucose_PX79 (Glucose) Analyte: Epithelial Cells_PX92 (Epithelial Cells) Analyte: Albumin/Creatinine_PX914 (Albumin/Creatinine) Analyte: Protein_PX78 (Protein) Analyte: Myoglobin_PX1547 (Myoglobin) Analyte: Yeast Cells_PX337 (Yeast Cells) Analyte: Nitrite_PX639 (Nitrite) Analyte: pH_PX77 (pH) Analyte: Crystals_PX91 (Crystals) Analyte: Hemoglobin_PX87 (Hemoglobin)	Text Box Variable Width: 420 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

5.	Lab Result [LBORRES_001_2]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.	Not Done [LBSTAT_001_2]	[ND_10] Radio Buttons Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.	Unit [LBORRESU_001_2]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

8.	Low Range [LBORNRLO_001_2]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
9.	High Range [LBORNRHI_001_2]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
10.	Status [LBFLAG_001_2]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

11.	Clinical Significance [LBCLSIG_001_2]	Text Box Variable Width: 250 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
12.	Comment [CO_LBCOM_001_2]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: LB001_2 LOCAL LABORATORY DATA - URINALYSIS

Type	RefName	Description
Form	CRF_9246111782350033_LB001_2	LB001_2
Item	I_9246153524991566_LBCAT_001_2	
Item	I_9246153556189546_LBDTC_001_2	
Item	I_9246153592615519_LBSPEC_001_2	
Item	I_9246153618969149_LBTEST_001_2	
Item	I_9246153789561316_LBORRES_001_2	
Item	I_9246153804521539_LBSTAT_001_2	
Item	I_9246153817700848_LBORRESU_001_2	

Item	I_9246153833768555_LBORNRL0_001_2	
Item	I_9246153845039066_LBORNRI_001_2	
Item	I_9246153856015394_LBFLAG_001_2	
Item	I_9246153866883907_LBCLSIG_001_2	
Item	I_9246153878347122_CO_LBCOM_001_2	

Codelist Values Tables: LB001_2 LOCAL LABORATORY DATA - URINALYSIS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_2	0.1			URINALYSIS	1	3	0.1	i_9246153524991566_lbcats_001_2
LBSPEC_CL_001_2	0.2			URINE	1	40	0.1	i_9246153592615519_lbspec_001_2
ND_10	0.1			NOT DONE	1	NOT DONE	0.1	i_9246153804521539_lbstat_001_2

Variable Validations LB001_2 LOCAL LABORATORY DATA - URINALYSIS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDC_001_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
LBDC_001_2	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields LB001_2 LOCAL LABORATORY DATA - URINALYSIS

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_9246143570855908_LB01001_2	Non-Repeating	LBCAT_001_2, LBDTC_001_2, LBSPEC_001_2
IG_9246143492451101_LB02001_2	Fixed Repeating	LBTEST_001_2, LBORRES_001_2, LBSTAT_001_2, LBORRESU_001_2, LBORNRL0_001_2, LBORNRI_001_2, LBFLAG_001_2, LBCLSIG_001_2, CO_LBCOM_001_2

Instruments

AUAUD001_1 / AUDIOMETRIC ASSESSMENT - HEARING TEST POST BL

Instrument Definition

Instrument Name:	AUAUD001_1
Instrument Title:	AUDIOMETRIC ASSESSMENT - HEARING TEST POST BL
SAS Instrument Name:	AUAUD001_1
Description:	HEARING
Version:	0.12
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: AUAUD001_1 AUDIOMETRIC ASSESSMENT - HEARING TEST POST BL (HEARING) [Version: 0.12]		
Section AUDIOMETRIC ASSESSMENT - HEARING TEST POST BL AUAUD001_S_1		Permission Groups
Group of Fields AUAUD01001_1 / Audiometric Assessment - Hearing Test Post BL Group Type: Non-Repeating	Number of variables: 1	

1.*	Date of Assessment: [AUDTC_001_1] [AUDDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of assessment in the format dd-MMM-yyyy (e. g. 01-JAN-2006)	
	Group of Fields AUAUD02001_1 / Audiometric Assessment - Hearing Test Results Group Type: Fixed Repeating	Number of rows: 2	
2.	Body Side: [AULAT_001_1] [AUDLAT] Row 1 (Locked): 5 - LEFT Row 2 (Locked): 6 - RIGHT	[AULAT_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

3.	Anatomical Location: [AULOC_001_1] [AUDLOC] Row 1 (Locked): 42 - EAR Row 2 (Locked): 42 - EAR	[AULOC_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 42	
4.*	Hearing Status: [AUORRES_INTP_001_1] [AUDHSTA]	[AUORRES_INTP_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record whether the subject's hearing was Normal or Abnormal.	
5.*	Hearing Test Comments: [CO_AUCOM_001_1] [AUDCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If hearing is Abnormal, record a brief comment in the space provided.	

6.*	Change from Baseline: [SUPPAU_AUCHGB_001_1] [AUDCHGB]	[SUPPAU_AUCHGB_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the change from baseline.	
Key: [*] = Item is required			

Study Object Descriptions: AUAUD001_1 AUDIOMETRIC ASSESSMENT - HEARING TEST POST BL

Type	RefName	Description
Form	CRF_9246111968799202_AUAUD001_1	AUAUD001_1
Item	I_9246153889776204_AUDTC_001_1	
Item	I_9246153912053852_AULAT_001_1	
Item	I_9246153931418135_AULOC_001_1	
Item	I_9246153951106213_AUORRES_INTP_001_1	
Item	I_9246153970343481_CO_AUCOM_001_1	
Item	I_9246153991844021_SUPPAU_AUCHGB_001_1	

Codelist Values Tables: AUAUD001_1 AUDIOMETRIC ASSESSMENT - HEARING TEST POST BL

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
AULAT_CL_001_1	0.1			LEFT	1	5	0.1	i_9246153912053852_aulat_001_1
				RIGHT	2	6	0.1	
AULOC_CL_001_1	0.1			EAR	1	42	0.1	i_9246153931418135_auloc_001_1

AUORRES_INTP_CL_001_1	0.1			NORMAL	1	3	0.1	i_9246153951106213_aurres_intp_001_1
				ABNORMAL	2	1	0.1	
SUPPAU_AUCHGB_CL_001_1	0.1			IMPROVED	1	1	0.1	i_9246153991844021_suppau_auchgb_001_1
				UNCHANGED	2	2	0.1	
				WORSENER	3	3	0.1	

Variable Validations AUAUD001_1 AUDIOMETRIC ASSESSMENT - HEARING TEST POST BL

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AUDTC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AUDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AUDTC_001_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
AUDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AUDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AUDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields AUAUD001_1 AUDIOMETRIC ASSESSMENT - HEARING TEST POST BL

Group RefName	Group Type	Associated Variables
IG_9246143543218426_AUAUD01001_1	Non-Repeating	AUDTC_001_1
IG_9246143635562395_AUAUD02001_1	Fixed Repeating	AULAT_001_1, AULOC_001_1, AUORRES_INTP_001_1, CO_AUCOM_001_1, SUPPAU_AUCHGB_001_1

Instruments
EC001_4 / TREATMENT

Instrument Definition

Instrument Name:	EC001_4
Instrument Title:	TREATMENT
SAS Instrument Name:	EC001_4
Description:	TRT - REP
Version:	0.96
Status:	Inactive
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: EC001_4 TREATMENT (TRT - REP) [Version: 0.96]		
Section TREATMENT-[insert protocol specified text] EC001_4_S		Permission Groups
Group of Fields EC01001_4 / Study Treatment Group Type: Non-Repeating	Number of variables: 57	

1.*	Treatment Name: [ECTRT_001_4] [ECTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Default Value: FILGRASTIM Help/Info Text: Record the name of the study treatment (if it is not pre-printed).	
2.*	Formulation: [ECDOSFRM_001_4] [ECDOSFRM]	[ECDOSFRM_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the formulation (e.g., SOLUTION, TABLET, LOTION)	
3.*	Route: [ECROUTE_001_4] [ECROUTE]	[ECROUTE_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the route of administration (e.g., IV, ORAL, TRANSDERMAL)	

4.*	Intended Dose Regimen: [ECDOSRGM_001_4] [ECDOSRGM]	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Intended Dose Regimen in space provided. This is the text description of the (intended) schedule or regimen for the Intervention. Examples: TWO WEEKS ON, TWO WEEKS OFF.	
5.*	Planned Dose Regimen: [SUPPEC_ECPRGM_001_4] [ECPRGM]	Number Box (Decimal) Max Value: 9999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the 'Planned Dose Regimen' in the space provided.	

6.*	Planned Dose Regimen Unit: [SUPPEC_ECPRGMU_001_4] [ECPRGMU]	[SUPPEC_ECPRGMU_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the unit for the Planned Dose Regimen (e.g., ng, mg, mg /kg).	
7.*	Planned Dose Regimen Frequency: [SUPPEC_ECPRFRQ_001_4] [ECPRFRQ]	[SUPPEC_ECPRFRQ_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the frequency for the Planned Dose Regimen (e.g., BID, QID, TID).	
8.*	Was the planned dose regimen for this visit adjusted relative to the planned dose regimen for the prior visit? [SUPPEC_ECPRADJ_001_4] [ECPRADJ]	[SUPPEC_ECPRADJ_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if the Planned Dose Regimen was adjusted since the prior visit. If "Yes", include the appropriate details where indicated.	

9.*	If Yes, what is the reason for the adjustment? [SUPPEC_ECPRADR_001_4] [ECPRADR] (Nested Field)	[SUPPEC_ECPRADR_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason for the planned dose regimen adjustment.	
10.*	If Other, specify: [SUPPEC_ECPRADO_001_4] [ECPRADO] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If 'Other' is the reason for planned dose regimen adjustment, please specify.	
11.*	GFR Calculation Method: [SUPPEC_ECGFR_001_4] [ECGFR]	[SUPPEC_ECGFR_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the 'GFR Calculation Method' used to calculate the Treatment dose.	

12.	Timeframe Subject Was Observed: [SUPPEC_ECOBSVT_001_4] [ECOBSVT]	[SUPPEC_ECOBSVT_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the 'Timeframe Subject Was Observed'.	
13.*	Was the subject observed for at least [protocol specified observation period (see Design Guideline, use ECOBSVT)] after investigational product administration? [SUPPEC_ECOBSV_001_4] [ECOBSV]	[SUPPEC_ECOBSV_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the subject was observed for any acute reactions for the protocol specified time period after investigational product administration then the question should be answered YES. If the subject was not observed or observed for less than the protocol specified time period then the question should be answered NO.	

14.*	If No, specify reason: [SUPPEC_ECOBSVD_001_4] [ECOBSVD] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the subject was not observed or observed for less than the protocol specified time period record the reason for non-compliance in the space provided.	
15.*	Needle Size: [SUPPEC_ECNDLSZ_001_4] [ECNDLSZ]	Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the size of the needle used for the injected dose.	

16.*	Total Volume Prepared: [SUPPEC_ECVLPT_001_4] [ECVLPT]	Number Box (Decimal) Max Value: 9999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the 'Total Volume Prepared' of the Investigational Product for administration.	
17.*	Unit: [SUPPEC_ECVLPTU_001_4] [ECVLPTU]	[SUPPEC_ECVLPTU_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the unit of the 'Total Volume Prepared' (e.g. ml, L etc).	

18.*	Total Volume Administered: [SUPPEC_ECVLAT_001_4] [ECVLAT]	Number Box (Decimal) Max Value: 9999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the 'Total Volume Administered' of the Investigational Product.	
19.*	Unit: [SUPPEC_ECVLATU_001_4] [ECVLATU]	[SUPPEC_ECVLATU_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the unit of the 'Total Volume Administered' (e.g. ml, L etc).	
20.*	Anatomical Location: [ECLOC_001_4] [ECLOC]	[ECLOC_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

21.*	Body Side: [ECLAT_001_4] [ECLAT]	[ECLAT_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
22.*	Body Site Directionality: [ECDIR_001_4] [ECDIR]	[ECDIR_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
23.*	Was the infusion stopped? [SUPPEC_ECINSTP_001_4] [ECINSTP]	[SUPPEC_ECINSTP_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

24.	Planned Time Point: [ECTPT_001_4] [ECTPT]	[ECTPT_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Default Value: 2	
25.	Row ID: [ECGRPID_001_4] [ECGRPID]	[ECGRPID_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Default Value: 1	
26.	Reference Time Point: [ECTPTREF_001_4] [ECTPTREF]	[ECTPTREF_CL_001_4] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Default Value: 11	

27.*	Taken? (Position 1): [SUPPEC_ECOCCUR1_001_4] [ECOCCUR1]	[SUPPEC_ECOCCUR1_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: For each blister position, enter Yes or No indicating whether or not the medication was taken (ingested) by the subject from that position on the blister card.	
28.*	Taken? (Position 2): [SUPPEC_ECOCCUR2_001_4] [ECOCCUR2]	[SUPPEC_ECOCCUR2_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: For each blister position, enter Yes or No indicating whether or not the medication was taken (ingested) by the subject from that position on the blister card.	

29.*	Taken? (Position 3): [SUPPEC_ECOCCUR3_001_4] [ECOCCUR3]	[SUPPEC_ECOCCUR3_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: For each blister position, enter Yes or No indicating whether or not the medication was taken (ingested) by the subject from that position on the blister card.	
30.*	Taken? (Position 4): [SUPPEC_ECOCCUR4_001_4] [ECOCCUR4]	[SUPPEC_ECOCCUR4_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: For each blister position, enter Yes or No indicating whether or not the medication was taken (ingested) by the subject from that position on the blister card.	
31.*	Did the subject take the study medication as specified in the protocol? [SUPPEC_ECCMPL_001_4] [ECCMPL]	[SUPPEC_ECCMPL_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

32.*	Infusion Rate: [SUPPEC_ECINFRT_001_4] [ECFLRT]	Number Box (Decimal) Max Value: 999999999999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
------	--	---	--

33.*	Start Date [Time]: [ECSTDTC_001_4] [ECSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date of the study treatment administration using this format dd-MMM-yyyy (e.g. 01-JAN-2006). NO partial dates allowed. Record the time using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45).	
------	---	--	--

34.*	Was food consumed within [insert protocol specified time frame] prior to dosing? [SUPPEC_MLPREDOS_001_4] [MEALPRE]	[SUPPEC_MLPREDOS_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record 'Yes', 'No', or 'Unknown' in response to question 'Was food consumed within prior to dosing?'.	
35.*	Infusion Rate Unit: [SUPPEC_ECINFRTU_001_4] [ECFLRTU]	[SUPPEC_ECINFRTU_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

36.*	End Date [Time]: [ECENDTC_001_4] [ECENDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the end date or last date of administration of study treatment using this format dd-MMM-yyyy (e.g. 01-JAN-2006). NO partial dates allowed. Record the time using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
------	---	--	--

37.*	Planned Dose: [X_ECPDOSTX_001_4] [ECPDOSTX]	Text Box Max Length: 15 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
38.*	Medication was administered by: [SUPPEC_ECADM_001_4] [ECADM]	[SUPPEC_ECADM_CL_001_4] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
39.*	Planned Dose: [X_ECPDOSE_001_4] [ECPDOSE]	Number Box (Decimal) Max Value: 9999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose the subject was scheduled to receive.	

40.*	Planned Dose Unit: [X_ECPDOSEU_001_4] [ECPDOSEU]	[X_ECPDOSEU_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the unit of dose or amount planned per period (e.g., ng, mg, mg/kg).	
41.*	Planned Dose Frequency: [X_ECPDFRQ_001_4] [ECPDFRQ]	[X_ECPDFRQ_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the frequency for the Planned Dose (e.g., BID, QID, TID).	
42.*	Reason for Missed Dose: [ECREASOC_001_4] [ECREASOC]	[ECREASOC_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason doses were missed.	

43.*	If Other, please specify: [X_MISDOSO_001_4] [MISDOSO] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If 'Other' is the reason doses were missed, please specify.	
44.*	Reason for Changed Dose: [SUPPEC_ECREASCH_001_4] [ECREASCH]	[SUPPEC_ECREASCH_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason doses were changed.	
45.*	If Other, Specify: [SUPPEC_ECREACHO_001_4] [ECREACHO] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

46.*	Total Daily Dose: [ECDOSTOT_001_4] [ECDOSTOT]	Number Box (Decimal) Max Value: 9999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Total Daily Dose of study treatment that was administered to/taken by the subject in the period recorded; from the start date /time to the end date/time inclusive.	
47.*	Actual Dose: [X_ECDOSE_001_4] [ECDOSE]	Number Box (Decimal) Max Value: 9999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record non-zero values of the dose or amount of study treatment (including placebo) that was administered to/taken by the participant in the period recorded. Planned off drug period dates should not be entered into the dosing CRF. Refer to CRF Completion Requirements for additional info regarding data entry for missed doses and how these should be recorded (i.e. expected doses that were not given, etc.).	

48.*	Dose: [X_ECDOSTXT_001_4] [ECDOSTXT]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose or amount of study/background treatment that was administered to or taken by the subject from the start date/time to the end date/time inclusive.	
49.*	Unit: [ECDOSU_001_4] [ECDOSU]	[ECDOSU_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the unit of dose or amount taken per period recorded (e. g., ng, mg, mg/kg).	

50.*	Frequency: [ECDOSFRQ_001_4] [ECDOSFRQ]	[ECDOSFRQ_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the frequency the study treatment was administered for a defined period of time (e.g., BID, QID, TID).	
51.*	Treatment Label ID: [ECREFID_001_4] [ECREFID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record treatment label identifier that appears on the container holding the study treatment.	

52.*	Lot Number: [ECLOT_001_4] [ECLOT]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the lot number that appears on the container holding the study treatment.	
53.*	What was the reason the dose was adjusted? [ECADJ_001_4] [ECADJ] (Nested Field)	[ECADJ_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason for the dose adjustment.	

54.*	Was the [Total Daily or Actual] Dose adjusted from planned? [SUPPEC_ECDOSADJ_001_4] [ECDOSADJ]	[SUPPEC_ECDOSADJ_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select either 'Yes' or 'No' to indicate whether there was a change in dosing. Select Yes if partial dose was administered. Select No if no dose was administered.	
55.*	Were any doses missed on unknown dates? [SUPPEC_ECMDOSE_001_4] [ECMDOSE]	[SUPPEC_ECMDOSE_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
56.*	Number of missed doses: [SUPPEC_ECNMDOS_001_4] [ECNMDOS] (Nested Field)	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

57.*	If other, specify: [SUPPEC_ECDOSAJ0_001_4] [ECADJO] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If 'Other' is the reason doses were adjusted, please specify.	
Key: [*] = Item is required			

Study Object Descriptions: EC001_4 TREATMENT

Type	RefName	Description
Form	CRF_9246112155820346_EC001_4	EC001_4
Item	I_9246154010696251_ECTRT_001_4	
Item	I_9246154030650164_ECDOSFRM_001_4	
Item	I_9246154048676958_ECROUTE_001_4	
Item	I_9246154065519238_ECDOSRGM_001_4	
Item	I_9246154082557594_SUPPEC_ECPRGM_001_4	
Item	I_9246154099295400_SUPPEC_ECPRGMU_001_4	
Item	I_9246154116670105_SUPPEC_ECPRFRQ_001_4	
Item	I_9246154134084565_SUPPEC_ECPRADJ_001_4	
Item	I_9246154150906029_SUPPEC_ECPRADR_001_4	
Item	I_9246154167936180_SUPPEC_ECPRADO_001_4	
Item	I_9246154186244267_SUPPEC_ECGFR_001_4	
Item	I_9246154203613935_SUPPEC_ECOBSVT_001_4	
Item	I_9246154240904138_SUPPEC_ECOBSV_001_4	

Item	I_9246154266145106_SUPPEC_ECOBSVD_001_4	
Item	I_9246154286396124_SUPPEC_ECNDLSZ_001_4	
Item	I_9246154312704477_SUPPEC_ECVLPT_001_4	
Item	I_9246154343183457_SUPPEC_ECVLPTU_001_4	
Item	I_9246154369152327_SUPPEC_ECVLAT_001_4	
Item	I_9246154397217193_SUPPEC_ECVLATU_001_4	
Item	I_9246154424555977_ECLOC_001_4	
Item	I_9246154449145053_ECLAT_001_4	
Item	I_9246154479153219_ECDIR_001_4	
Item	I_9246154506489657_SUPPEC_ECINSTP_001_4	
Item	I_9246154535138730_ECTPT_001_4	
Item	I_9246154563268793_ECGRPID_001_4	
Item	I_9246154589993808_ECTPTREF_001_4	
Item	I_9246154617769544_SUPPEC_ECOCCUR1_001_4	
Item	I_9246154643485296_SUPPEC_ECOCCUR2_001_4	
Item	I_9246154673389430_SUPPEC_ECOCCUR3_001_4	
Item	I_9246154701152990_SUPPEC_ECOCCUR4_001_4	
Item	I_9246154727968481_SUPPEC_ECCMPL_001_4	
Item	I_9246154752135794_SUPPEC_ECINFRT_001_4	
Item	I_9246154778727648_ECSTDTC_001_4	
Item	I_9246154808827850_SUPPEC_MLPREDOS_001_4	
Item	I_9246154837963433_SUPPEC_ECINFRTU_001_4	
Item	I_9246154870988234_ECENDTC_001_4	
Item	I_9246154915593467_X_ECPDOSTX_001_4	
Item	I_9246154955800450_SUPPEC_ECADM_001_4	
Item	I_9246154999129888_X_ECPDOSE_001_4	
Item	I_9246155029347135_X_ECPDOSEU_001_4	

Item	I_9246155054142748_X_ECPDFRQ_001_4	
Item	I_9246155085683059_ECREASOC_001_4	
Item	I_9246155111924476_X_MISDOSO_001_4	
Item	I_9246155138142960_SUPPEC_ECREASCH_001_4	
Item	I_9246155160603491_SUPPEC_ECREACHO_001_4	
Item	I_9246155184671965_ECDOSTOT_001_4	
Item	I_9246155217153838_X_ECDOSE_001_4	
Item	I_9246155237998114_X_ECDOSTXT_001_4	
Item	I_9246155260446550_ECDOSU_001_4	
Item	I_9246155283518488_ECDOSFRQ_001_4	
Item	I_9246155313146424_ECREFID_001_4	
Item	I_9246155334222197_ECLOT_001_4	
Item	I_9246155362327957_ECADJ_001_4	
Item	I_9246155386306528_SUPPEC_ECDOSADJ_001_4	
Item	I_9246155449891563_SUPPEC_ECMDOSE_001_4	
Item	I_9246155478132205_SUPPEC_ECNMDOS_001_4	
Item	I_9246155507140947_SUPPEC_ECDOSAJO_001_4	

Codelist Values Tables: EC001_4 TREATMENT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
ECDOSFRM_CL_001_4	0.1			CAPSULE	1	11	0.1	i_9246154030650164_ecdosfrm_001_4
				INJECTION	2	66	0.1	
				TABLET	3	146	0.1	
				TABLET, CONTROLLED RELEASE	4	171	0.1	

				POWDER, LYOPHILIZED	5	181	0.1	
ECROUTE_CL_001_4	0.4			INTRAMUSCULAR	1	50	0.1	i_9246154048676958_ecroute_001_4
				INTRAVENOUS	2	70	0.1	
				ORAL	3	84	0.1	
				TOPICAL	4	101	0.1	
SUPPEC_ECPRGMU_CL_001_4	0.1			mg	1	8	0.1	i_9246154099295400_suppec_ecprgmu_001_4
				g	2	45	0.1	
				g/mL	3	674	0.1	
SUPPEC_ECPRFRQ_CL_001_4	0.1			CONTINUOUS	1	2	0.1	i_9246154116670105_suppec_ecprfrq_001_4
				BID	2	3	0.1	
				2 TIMES PER WEEK	3	4	0.1	
				QM	4	5	0.1	
				PRN	5	6	0.1	
SUPPEC_ECPRADJ_CL_001_4	0.1			NO	1	N	0.1	i_9246154134084565_suppec_ecpradj_001_4
				YES	2	Y	0.1	
SUPPEC_ECPRADR_CL_001_4	0.1			ADVERSE EVENT(S)	1	1	0.1	i_9246154150906029_suppec_ecpradr_001_4
				INSUFFICIENT CLINICAL RESPONSE	2	2	0.1	
				OTHER SPECIFY	3	999	0.1	
SUPPEC_ECGFR_CL_001_4	0.1			COCKROFT-GAULT FORMULA	1	1	0.1	i_9246154186244267_suppec_ecgfr_001_4
				JELLIFE FORMULA	2	2	0.1	
				WRIGHT FORMULA	3	3	0.1	
				ISOTOPIC METHOD (51CR EDTA)	4	4	0.1	
				24HR URINE COLLECTION	5	5	0.1	
SUPPEC_ECOBSVT_CL_001_4	0.1			20 MINUTES	1	1	0.1	i_9246154203613935_suppec_ecobsvt_001_4

				30 MINUTES	2	2	0.1	
				THE PROTOCOL SPECIFIED OBSERVATION PERIOD	3	3	0.1	
SUPPEC_ECOBSV_CL_001_4	0.1			NO	1	N	0.1	i_9246154240904138_suppec_ecobsv_001_4
				YES	2	Y	0.1	
SUPPEC_ECVLPTU_CL_001_4	0.1			mg	1	8	0.1	i_9246154343183457_suppec_ecvlptu_001_4
				g	2	45	0.1	
				Index Value	3	675	0.1	
SUPPEC_ECVLATU_CL_001_4	0.1			mg	1	8	0.1	i_9246154397217193_suppec_ecvlatu_001_4
				g	2	45	0.1	
				g/mL	3	674	0.1	
ECLOC_CL_001_4	0.1			LIP	1	1	0.1	i_9246154424555977_ecloc_001_4
				HARD PALATE	2	2	0.1	
				HYPOPHARYNX	3	3	0.1	
				GASTRIC CARDIA	4	4	0.1	
				FUNDUS OF THE STOMACH	5	5	0.1	
ECLAT_CL_001_4	0.3			LEFT	1	5	0.1	i_9246154449145053_eclat_001_4
ECDIR_CL_001_4	0.1			ANTERIOR	1	1	0.1	i_9246154479153219_ecdir_001_4
				DORSAL	2	9	0.1	
				INNER	3	14	0.1	
				UPPER	4	30	0.1	
SUPPEC_ECINSTP_CL_001_4	0.1			NO	1	N	0.1	i_9246154506489657_suppec_ecinstp_001_4
				YES	2	Y	0.1	
ECTPT_CL_001_4	0.1			-1 H	1	2	0.1	i_9246154535138730_ectpt_001_4
				-58 MIN	2	3	0.1	
ECGRPID_CL_001_4	0.1			1	1	1	0.1	i_9246154563268793_ecgrpid_001_4

				2	2	2	0.1	
				3	3	3	0.1	
				4	4	4	0.1	
				5	5	5	0.1	
ECTPTREF_CL_001_4	0.1			MOST RECENT DOSE	1	5	0.1	i_9246154589993808_ectptref_001_4
				SECOND MOST RECENT DOSE	2	6	0.1	
				THIRD MOST RECENT DOSE	3	7	0.1	
				SCREENING	4	8	0.1	
				BASELINE	5	9	0.1	
				PREVIOUS	6	10	0.1	
				DOSING	7	11	0.1	
				SURGERY	8	12	0.1	
				HEMODIALYSIS	9	13	0.1	
				REST	10	14	0.1	
				EXERCISE	11	15	0.1	
				INFUSION START	12	16	0.1	
				INFUSION END	13	17	0.1	
SUPPEC_ECOCCUR1_CL_001_4	0.1			NO	1	N	0.1	i_9246154617769544_suppec_ecoccur1_001_4
				YES	2	Y	0.1	
SUPPEC_ECOCCUR2_CL_001_4	0.1			NO	1	N	0.1	i_9246154643485296_suppec_ecoccur2_001_4
				YES	2	Y	0.1	
SUPPEC_ECOCCUR3_CL_001_4	0.1			NO	1	N	0.1	i_9246154673389430_suppec_ecoccur3_001_4
				YES	2	Y	0.1	
SUPPEC_ECOCCUR4_CL_001_4	0.1			NO	1	N	0.1	i_9246154701152990_suppec_ecoccur4_001_4
				YES	2	Y	0.1	

SUPPEC_ECCMPL_CL_001_4	0.1			NO	1	N	0.1	i_9246154727968481_suppec_eccmpl_001_4
				YES	2	Y	0.1	
SUPPEC_MLPREDOS_CL_001_4	0.1			NO	1	N	0.1	i_9246154808827850_suppec_mlpredos_001_4
				YES	2	Y	0.1	
SUPPEC_ECINFRTU_CL_001_4	0.1			mg	1	8	0.1	i_9246154837963433_suppec_ecinftru_001_4
				g	2	45	0.1	
				g/mL	3	674	0.1	
SUPPEC_ECADM_CL_001_4	0.1			CAREGIVER	1	1	0.1	i_9246154955800450_suppec_ecadm_001_4
				CHILD	2	2	0.1	
				PARENT	3	3	0.1	
				CLINICAL RESEARCH COORDINATOR	4	4	0.1	
				CLINICAL RESEARCH ASSOCIATE	5	5	0.1	
				CLINICAL STUDY SPONSOR	6	6	0.1	
				HEALTH CARE PROFESSIONAL	7	7	0.1	
				INDEPENDENT ASSESSOR	8	8	0.1	
				INVESTIGATOR	9	9	0.1	
				FRIEND	10	10	0.1	
				STUDY SUBJECT	11	11	0.1	
				SPOUSE	12	12	0.1	
				DOMESTIC PARTNER	13	13	0.1	
				ADJUDICATION COMMITTEE	14	14	0.1	
				GUARDIAN	15	15	0.1	

				VENDOR	16	16	0.1	
				PROXY	17	17	0.1	
				SIGNIFICANT OTHER	18	18	0.1	
				INTERVIEWER	19	19	0.1	
				NON-HEALTH CARE PROFESSIONAL	20	20	0.1	
X_ECPDOSEU_CL_001_4	0.4			mg	1	8	0.1	i_9246155029347135_x_ecpdoseu_001_4
				g	2	45	0.1	
				g/mL	3	674	0.1	
X_ECPDFRQ_CL_001_4	0.4			CONTINUOUS	1	2	0.1	i_9246155054142748_x_ecpdfrq_001_4
				BID	2	3	0.1	
				2 TIMES PER WEEK	3	4	0.1	
				QM	4	5	0.1	
				PRN	5	6	0.1	
ECREASOC_CL_001_4	0.3			ADVERSE EVENT	1	1	0.1	i_9246155085683059_ecreasoc_001_4
				LOST MEDICATION	2	2	0.1	
				MISSED/FORGOT TO TAKE MEDICATION	3	3	0.1	
				OTHER	4	999	0.1	
SUPPEC_ECREASCH_CL_001_4	0.5			ADVERSE EVENT	1	1	0.1	i_9246155138142960_suppec_ecreasch_001_4
ECDOSU_CL_001_4	0.4			mg	1	8	0.1	i_9246155260446550_ecdosu_001_4
				g	2	45	0.1	
				g/mL	3	674	0.1	
ECDOSFRQ_CL_001_4	0.4			CONTINUOUS	1	2	0.1	i_9246155283518488_ecdosfrq_001_4
				BID	2	3	0.1	
				2 TIMES PER WEEK	3	4	0.1	
				QM	4	5	0.1	

ECADJ_CL_001_4	0.3			ADVERSE EVENT(S)	1	1	0.1	i_9246155362327957_ecadj_001_4
				INSUFFICIENT CLINICAL RESPONSE	2	2	0.1	
				OTHER SPECIFY	3	999	0.1	
SUPPEC_ECDOSADJ_CL_001_4	0.3			NO	1	N	0.1	i_9246155386306528_suppec_ecdosadj_001_4
				YES	2	Y	0.1	
SUPPEC_ECMDOSE_CL_001_4	0.3			NO	1	N	0.1	i_9246155449891563_suppec_ecmdose_001_4
				YES	2	Y	0.1	

Variable Validations EC001_4 TREATMENT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
ECSTDTC_001_4	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
ECSTDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
ECSTDTC_001_4	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
ECSTDTC_001_4	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
ECSTDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
ECSTDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
ECSTDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
ECSTDTC_001_4	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
ECENDTC_001_4	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
ECENDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
ECENDTC_001_4	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
ECENDTC_001_4	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.

ECENDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
ECENDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
ECENDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
ECENDTC_001_4	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.

Groups of Fields EC001_4 TREATMENT

Group RefName	Group Type	Associated Variables
IG_9246144069235055_EC01001_4	Non-Repeating	ECTRT_001_4, ECDOSFRM_001_4, ECROUTE_001_4, ECDOSRGM_001_4, SUPPEC_ECPRGM_001_4, SUPPEC_ECPRGMU_001_4, SUPPEC_ECPRFRQ_001_4, SUPPEC_ECPRADJ_001_4, SUPPEC_ECPRADR_001_4, SUPPEC_ECPRADO_001_4, SUPPEC_ECGFR_001_4, SUPPEC_ECOBSVT_001_4, SUPPEC_ECOBSV_001_4, SUPPEC_ECOBSVD_001_4, SUPPEC_ECNDSLZ_001_4, SUPPEC_ECVLPT_001_4, SUPPEC_ECVLPTU_001_4, SUPPEC_ECVLAT_001_4, SUPPEC_ECVLATU_001_4, ECLOC_001_4, ECLAT_001_4, ECDIR_001_4, SUPPEC_ECINSTP_001_4, ECTPT_001_4, ECGRPID_001_4, ECTPTREF_001_4, SUPPEC_ECOCCUR1_001_4, SUPPEC_ECOCCUR2_001_4, SUPPEC_ECOCCUR3_001_4, SUPPEC_ECOCCUR4_001_4, SUPPEC_ECCMPL_001_4, SUPPEC_ECINFRT_001_4, ECSTDTC_001_4, SUPPEC_MLPREDOS_001_4, SUPPEC_ECINFRTU_001_4, ECENDTC_001_4, X_ECPDOSTX_001_4, SUPPEC_ECADM_001_4, X_ECPDOSE_001_4, X_ECPDOSEU_001_4, X_ECPDFRQ_001_4, ECREASOC_001_4, X_MISDOSO_001_4, SUPPEC_ECREASCH_001_4, SUPPEC_ECREACHO_001_4, ECDOSTOT_001_4, X_ECDOSE_001_4, X_ECDOSTXT_001_4, ECDOSU_001_4, ECDOSFRQ_001_4, ECREFID_001_4, ECLOT_001_4, ECADJ_001_4, SUPPEC_ECDOSADJ_001_4, SUPPEC_ECMDOSE_001_4, SUPPEC_ECNMDOS_001_4, SUPPEC_ECDOSAJ_001_4

Instruments

CM001_1 / RESPONSE TO REGIMEN - IgE Exp

Instrument Definition

Instrument Name:	CM001_1
Instrument Title:	RESPONSE TO REGIMEN - IgE Exp
SAS Instrument Name:	CM001_1
Description:	RP TO REG
Version:	0.34
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: CM001_1 RESPONSE TO REGIMEN - IGE EXP (RP TO REG) [Version: 0.34]		
Section RESPONSE TO REGIMEN CM001_1_S		Permission Groups
Group of Fields	Fixed Rows: Disabled	
CM01001_1 / Response To Regimen Entry	Do not allow deletion of first row: Disabled	
Group Type: Repeating	Number of variables / row: 11	

1.	What is the medication identifier? [CMSPID_001_1] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: [\$row_index] + 1	
2.	Category: [CMCAT_001_1] [CMCAT]	[CMCAT_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 30 Help/Info Text: Record the Category for this medication.	
3.	Concomitant Medications Pre-specified: [CMPRESP_001_1] [CMPRESP]	[CMPRESP_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y	

4.* ✓	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001_1] [CMTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Generic drug name is the preferred entry. Provide the complete generic drug name (including salt form) if known. If the medication includes a large number of ingredients or the generic name is unknown, record the full trade or proprietary name.	
----------	---	---	--

5.*	Start Date: [CMSTDTC_001_1] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If the subject has been taking the medication for a considerable amount of time prior to the start of the study, it is acceptable to have an incomplete date. Medications taken during the study are expected to have a complete start date. Prior medications that are exclusionary should have both a start and end date. If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock.	
-----	--	--	--

6.*	Ongoing? [X_CMONGO_001_1] [CMONGO]	[X_CMONGO_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the medication as ongoing if the subject has not stopped taking the medication at the time of data collection, and leave the end date blank. If this field is left blank, an End Date must be provided.	
-----	---	---	--

7.*	End Date: [CMENDTC_001_1] [CMENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject stopped taking the medication using the format (DD-MON-YYYY). If the subject has not stopped taking the medication leave this field blank. If appropriate, record the time (as complete as possible) when the medication was stopped, using the 24-hour clock.	
8.*	Reason for Discontinuation: [CMRSDISC_001_1] [CMDISR] (Nested Field)	[CMRSDISC_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was discontinued.	

9.*	OTHER, specify: [SUPPCM_CMDISRO_001_1] [CMDISRO] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If "Other Reason" was chosen as the reason for discontinuation, specify the reason.	
10.	Standardized Medication Name - Dictionary derived. [CMDECOD_001_1] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
11.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001_1] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: CM001_1 RESPONSE TO REGIMEN - IgE Exp

Type	RefName	Description
Form	CRF_9246112341881359_CM001_1	CM001_1
Item	I_9246155529132059_CMSPID_001_1	
Item	I_9246155567123515_CMCAT_001_1	
Item	I_9246155591343331_CMPRESP_001_1	
Item	I_9246155619445587_CMTRT_001_1	
Item	I_9246155643851912_CMSTDTC_001_1	
Item	I_9246155670867705_X_CMONGO_001_1	
Item	I_9246155694140454_CMENDTC_001_1	
Item	I_9246155726994048_CMRSDISC_001_1	
Item	I_9246155754142656_SUPPCM_CMDISRO_001_1	
Item	I_9246155784938974_CMDECOD_001_1	
Item	I_9246155811868712_SUPPCM_CMCODE_001_1	

Codelist Values Tables: CM001_1 RESPONSE TO REGIMEN - IgE Exp

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_1	0.2			CONDITIONING REGIMEN	1	30	0.1	i_9246155567123515_cmcat_001_1
CMPRESP_CL_001_1	0.2			YES	1	Y	0.1	i_9246155591343331_cmpresp_001_1
X_CMONGO_CL_001_1	0.1			YES	1	Y	0.1	i_9246155670867705_x_cmongo_001_1
				NO	2	N	0.1	
CMRSDISC_CL_001_1	0.2			ADVERSE EVENT	1	1	0.1	i_9246155726994048_cmrsdisc_001_1
				LACK OF EFFICACY	2	2	0.1	

				INTOLERABILITY	3	3	0.1
				NON-COMPLIANCE WITH TREATMENT	4	4	0.1
				LOSS OF RESPONSE	5	6	0.1
				COST	6	7	0.1
				SUBJECT'S DECISION TO STOP PHARMACOLOGICAL TREATMENT	7	8	0.1
				COMPLETED TREATMENT	8	10	0.1
				IMPROVED	9	9	0.1
				PHYSICIAN DECISION	10	11	0.1
				DISEASE PROGRESSION	11	12	0.1
				OTHER	12	5	0.1

Variable Validations CM001_1 RESPONSE TO REGIMEN - IgE Exp

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CMENDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMENDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMENDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMENDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_1 RESPONSE TO REGIMEN - IgE Exp		
Group RefName	Group Type	Associated Variables
IG_9246144193125629_CM01001_1	Repeating	CMSPID_001_1, CMCAT_001_1, CMPRESP_001_1, CMTRT_001_1, CMSTDTC_001_1, X_CMONGO_001_1, CMENDTC_001_1, CMRSDISC_001_1, SUPPCM_CMDISRO_001_1, CMDECOD_001_1, SUPPCM_CMCODE_001_1

Instruments

R_OMIC003_1 / RETAINED RESEARCH SAMPLE TRACKING - Prep B2.5 Prep R1

Instrument Definition

Instrument Name:	R_OMIC003_1
Instrument Title:	RETAINED RESEARCH SAMPLE TRACKING - Prep B2.5 Prep R1
SAS Instrument Name:	R_OMIC003_1
Description:	BANKBIOS
Version:	0.14
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - PREP B2.5 PREP R1 (BANKBIOS) [Version: 0.14]		
Section RETAINED RESEARCH SAMPLE TRACKING R_OMIC003_S_1		Permission Groups
Group of Fields R_OMIC01003_1 / Sample Tracking Group Type: Fixed Repeating	Number of rows: 2	

1.	Category of Assessment: [R_OMICCAT_003_1] [OMICCAT] Row 1 (Locked): 7 - RETAINED RESEARCH SAMPLE TRACKING Row 2 (Locked): 7 - RETAINED RESEARCH SAMPLE TRACKING	[R_OMICCAT_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7	
2.	Sample Name: [R_OMICPRP_003_1] [OMICPRP] Row 1 (Locked): 11 - PREP B2.5 Row 2 (Locked): 2 - PREP R1	[R_OMICPRP_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.*	Was the Assessment Performed? [R_OMICPERF_003_1] [OMICPERF]	[R_OMICPERF_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.	Specimen Type: <i>[Branching logic expression: [R_OMICPERF_003_1]='Y']</i> <i>[R_OMICSPEC_003_1]</i> [OMICSPEC] Row 1 (Locked): 33 - SERUM Row 2 (Locked): 7 - BLOOD	[R_OMICSPEC_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
5.*	Sample Collection Date: <i>[Branching logic expression: [R_OMICPERF_003_1]='Y']</i> <i>[R_OMICDTC_003_1]</i> [OMICDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - Prep B2.5 Prep R1

Type	RefName	Description
------	---------	-------------

Form	CRF_9246112528744809_R_OMIC003_1	R_OMIC003_1
Item	I_9246155855151989_R_OMICCAT_003_1	
Item	I_9246155900565969_R_OMICPRP_003_1	
Item	I_9246155940150205_R_OMICPERF_003_1	
Item	I_9246155977152772_R_OMICSPEC_003_1	
Item	I_9246156028147021_R_OMICDTC_003_1	

Codelist Values Tables: R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - Prep B2.5 Prep R1

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_OMICCAT_CL_003_1	0.1			RETAINED RESEARCH SAMPLE TRACKING	1	7	0.1	i_9246155855151989_r_omiccat_003_1
R_OMICPRP_CL_003_1	0.2			PREP B2.5	1	11	0.1	i_9246155900565969_r_omicprp_003_1
				PREP R1	2	2	0.1	
R_OMICPERF_CL_003_1	0.1			YES	1	Y	0.1	i_9246155940150205_r_omicperf_003_1
				NO	2	N	0.1	
R_OMICSPEC_CL_003_1	0.2			BLOOD	1	7	0.1	i_9246155977152772_r_omicspec_003_1
				SERUM	2	33	0.1	

Variable Validations R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - Prep B2.5 Prep R1

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
R_OMICDTC_003_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
R_OMICDTC_003_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
R_OMICDTC_003_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
R_OMICDTC_003_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

R_OMICDTC_003_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
-----------------	--------------------	---	--------------------	---

Groups of Fields R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - Prep B2.5 Prep R1

Group RefName	Group Type	Associated Variables
IG_9246143689760947_R_OMIC01003_1	Fixed Repeating	R_OMICCAT_003_1, R_OMICPRP_003_1, R_OMICPERF_003_1, R_OMICSPEC_003_1, R_OMICDTC_003_1

Instruments

LB001_5 / LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS

Instrument Definition

Instrument Name:	LB001_5
Instrument Title:	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS
SAS Instrument Name:	LB001_5
Description:	Local Laboratory Data Qualitative
Version:	0.23
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS (LOCAL LABORATORY DATA QUALITATIVE)
[Version: 0.23]

Section LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS LB001_5_S		Permission Groups
Group of Fields LB01001_5 / Local Laboratory Data Qualitative Group Type: Non-Repeating	Number of variables: 4	

1.	Lab Panel: [LBCAT_001_5] [LBCAT]	[LBCAT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 3	
2.	Lab Sub-Panel: [LBSCAT_001_5] [LBSCAT]	[LBSCAT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 17	

3.*	Collection Date: [LBDTC_001_5] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using this format (DD-MMM-YYYY). Record time of collection (as complete as possible).	
4.	Specimen Type: [LBSPEC_001_5] [LBSPEC]	[LBSPEC_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 40 Help/Info Text: Record the Specimen Type if not pre-printed on the CRF.	

	Group of Fields LB03001_5 / Local Laboratory Data Qualitative Result Group Type: Fixed Repeating	Number of rows: 1	
5.	Test: [LBTEST_001_5] [LBTEST] Row 1 (Locked): 701 - Choriogonadotropin Beta	[LBTEST_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
6.	Result: [LBORRES_001_5] [D_LBORRES]	[LBORRES_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.	Not Done: [LBSTAT_001_5] [LBSTAT]	[LBSTAT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if Laboratory Test was 'Not Done'	

8.	Sponsor ID: [LBSPID_001_5] [LBSPID] Row 1 (Locked): 701 - 701	[LBSPID_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
----	--	---	--

Key: [*] = Item is required

Study Object Descriptions: LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS

Type	RefName	Description
Form	CRF_9246112739791906_LB001_5	LB001_5
Item	I_9246156092208565_LBCAT_001_5	
Item	I_9246156123155363_LBSCAT_001_5	
Item	I_9246156163914291_LBDTC_001_5	
Item	I_9246156211790787_LBSPEC_001_5	
Item	I_9246156237708875_LBTEST_001_5	
Item	I_9246156264504379_LBORRES_001_5	
Item	I_9246156299897149_LBSTAT_001_5	
Item	I_9246156337205952_LBSPID_001_5	

Codelist Values Tables: LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_5	0.1			URINALYSIS	1	3	0.1	i_9246156092208565_lbcats_001_5
LBSCAT_CL_001_5	0.2			PREGNANCY	1	17	0.1	i_9246156123155363_lbscats_001_5

LBSPEC_CL_001_5	0.1			URINE	1	40	0.1	i_9246156211790787_lbspec_001_5
LBTEST_CL_001_5	0.2			Choriogonadotropin Beta	1	701	0.1	i_9246156237708875_lbtest_001_5
LBORRES_CL_001_5	0.1			INDETERMINATE	1	2	0.1	i_9246156264504379_lborres_001_5
				NEGATIVE	2	4	0.1	
				POSITIVE	3	5	0.1	
LBSTAT_CL_001_5	0.1			NOT DONE	1	1	0.1	i_9246156299897149_lbstat_001_5
LBSPID_CL_001_5	0.2			701	1	701	0.1	i_9246156337205952_lbspid_001_5

Variable Validations LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001_5	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
LBDC_001_5	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDC_001_5	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDC_001_5	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDC_001_5	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS

Group RefName	Group Type	Associated Variables
IG_9246143651801120_LB01001_5	Non-Repeating	LBCAT_001_5, LBSCAT_001_5, LBDC_001_5, LBSPEC_001_5
IG_9246143621869646_LB03001_5	Fixed Repeating	LBTEST_001_5, LBORRES_001_5, LBSTAT_001_5, LBSPID_001_5

Instruments

DS001_5_1 / DISPOSITION - TREATMENT PERIOD B

Instrument Definition

Instrument Name:	DS001_5_1
Instrument Title:	DISPOSITION - TREATMENT PERIOD B
SAS Instrument Name:	DS001_5_1
Description:	DISP TRT
Version:	0.21
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: DS001_5_1 DISPOSITION - TREATMENT PERIOD B (DISP TRT) [Version: 0.21]		
Section DISPOSITION - TREATMENT PERIOD B DS001_5_S_1		Permission Groups
Group of Fields DS01001_5_1 / Disposition - Treatment Group Type: Non-Repeating	Number of variables: 7	

1.	Subcategory: [DSSCAT_001_5_1] [DSSCAT]	[DSSCAT_CL_001_5_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 12	
2.* 	Date of Completion/Discontinuation/Death: [DSSTDTC_001_5_1] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date using the format (DD-MMM-YYYY). Partial dates are permitted only when the Status of the subject is DEATH	

3.	Phase of Disposition: [SUPPDS_DSPHASE_001_5_1] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_5_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 25 Help/Info Text: Record the disposition phase the subject completed or discontinued.	
4.* 	Status: [DSDECOD_001_5_1] [DSDECOD]	[DSDECOD_CL_001_5_1] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Always Avoid Abbreviations. See "Completion Guidelines for Subject's Status in Disposition Events eCRF" document in the "Artifacts" section at the Dataset level for full instructions.	

5.* 	Specify Status: <i>[Branching logic expression: [DSDECOD_001_5_1]='7' or [DSDECOD_001_5_1]='16']</i> <i>[DSTERM_001_5_1]</i> [DSTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Document the subject's status at [insert text corresponding to the selected trial epoch]. If the subject discontinued prematurely, record the primary reason for discontinuation from the "Status" list. If "Other", "Withdrawal By Subject" or "Withdrawal By Parent/Guardian" is selected from the "Status" list, then provide the reason on the "Specify Status" line. Avoid abbreviations.	
6.*	Will the subject continue to the next phase of this study? <i>[SUPPDS_DSCONT_001_5_1]</i> [DSCONT]	[SUPPDS_DSCONT_CL_001_5_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the subject will be continuing to the next phase of this study.	

7.*	If Yes, next phase: [SUPPDS_DSNEXT_001_5_1] [DSNEXT] (Nested Field)	[SUPPDS_DSNEXT_CL_001_5_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the next study phase the subject will continue to.	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: DS001_5_1 DISPOSITION - TREATMENT PERIOD B

Type	RefName	Description
Form	CRF_9246112925919938_DS001_5_1	DS001_5_1
Item	I_9246156554278888_DSSCAT_001_5_1	
Item	I_9246156371645935_DSSTDTC_001_5_1	
Item	I_9246156409916994_SUPPDS_DSPHASE_001_5_1	
Item	I_9246156439524409_DSDECOD_001_5_1	
Item	I_9246156471058714_DSTERM_001_5_1	
Item	I_9246156505597321_SUPPDS_DSCONT_001_5_1	
Item	I_9246156533498710_SUPPDS_DSNEXT_001_5_1	

Codelist Values Tables: DS001_5_1 DISPOSITION - TREATMENT PERIOD B

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
DSSCAT_CL_001_5_1	0.2			BLINDED THERAPY	1	12	0.1	i_9246156554278888_dsscat_001_5_1
SUPPDS_DSPHASE_CL_001_5_1	0.2			PERIOD B	1	25	0.1	i_9246156409916994_suppds_dsphase_001_5_1

DSDECOD_CL_001_5_1	0.2			ADVERSE EVENT	1	1	0.1	i_9246156439524409_dsdecod_001_5_1
				COMPLETED	2	2	0.1	
				DEATH	3	3	0.1	
				OTHER	4	7	0.1	
				PHYSICIAN DECISION	5	8	0.1	
				PREGNANCY	6	9	0.1	
				STUDY TERMINATED BY SPONSOR	7	14	0.1	
				WITHDRAWAL BY SUBJECT	8	16	0.1	
				PROTOCOL DEVIATION	9	11	0.1	
				LACK OF EFFICACY	10	4	0.1	
				LOST TO FOLLOW-UP	11	5	0.1	
				MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	12	17	0.1	
SUPPDS_DSCONT_CL_001_5_1	0.1			YES	1	Y	0.1	i_9246156505597321_suppds_dscont_001_5_1
				NO	2	N	0.1	
SUPPDS_DSNEXT_CL_001_5_1	0.3			FOLLOW-UP	1	1	0.1	i_9246156533498710_suppds_dsnext_001_5_1

Variable Validations DS001_5_1 DISPOSITION - TREATMENT PERIOD B

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_5_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_5_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_5_1	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
DSSTDTC_001_5_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

DSSTDTC_001_5_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_5_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_5_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_5_1 DISPOSITION - TREATMENT PERIOD B

Group RefName	Group Type	Associated Variables
IG_9246143662019015_DS01001_5_1	Non-Repeating	DSSCAT_001_5_1, DSSTDTC_001_5_1, SUPPDS_DSPHASE_001_5_1, DSDECOD_001_5_1, DSTERM_001_5_1, SUPPDS_DSCONT_001_5_1, SUPPDS_DSNEXT_001_5_1

Instruments

D_EDP001 / EXPOSURE DURING PREGNANCY

Instrument Definition

Instrument Name:	D_EDP001
Instrument Title:	EXPOSURE DURING PREGNANCY
SAS Instrument Name:	D_EDP001
Description:	EDP
Version:	0.5
Status:	Inactive
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: D_EDP001 EXPOSURE DURING PREGNANCY (EDP) [Version: 0.5]		
Section EXPOSURE DURING PREGNANCY D_EDP001_S		Permission Groups
Group of Fields D_EDP01001 / Safety Information Group Type: Non-Repeating	Number of variables: 1	

1.*	Select the CASE ID of the SAE/Reportable event [D_CASEIDEDP_001] [EDPCASID]	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array(", [D_CASEIDSAE_001] <> null, [D_CASEIDSAE_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP02001 / Pregnancy Group Type: Non-Repeating	Number of variables: 13	

2.*	First Day of Last Menstrual Period [D_MENDAT_001] [EDPLMNDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the first day of the mother's last menstrual period (e.g., "12JUN2016"). Enter a partial date if the full date is unknown (e.g., "UNKJUN2016").	
-----	---	---	--

3.*	Estimated Date of Delivery [D_ESTDELDAT_001] [EDPDELDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the date of delivery (e.g., "12JUN2016"). Enter a partial date if the full date is unknown (e.g., "UNKJUL2016").	
4.*	Number of Foetuses [D_NUMFOET_001] [EDPFETUS]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the number of foetuses	

5.*	Is the gestation, in weeks, at time of initial exposure known? [D_GESTTIM_001] [EDPGINEX]	[D_GESTTIM_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.*	Select trimester [D_TRIMESTER_001] [EDPTRIM] (Nested Field)	[D_TRIMESTER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the weeks of gestation are not known, indicate in which trimester initial exposure occurred.	
7.*	Specify number of weeks below [D_NUMWEEKS_001] [EDPGSTWK] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter an estimate of the duration of pregnancy in weeks at the time of initial exposure to the medication, if known.	

8.*	Relevant History/Exposure to Products [D_RELHIST_001] [EDPEXP]	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide any maternal risk factors for adverse pregnancy outcomes, including environmental or occupational exposures and medical disorder (e.g., hypertension, diabetes, infection, etc.). Describe the course of the pregnancy and any treatments. Please specify any treatment for infertility. Specify the timing, dose, and duration of exposure in relation to the pregnancy. Also include any family history of congenital abnormality/genetic diseases, consanguinity (or any family relationships or lineage) between parents (specify the degree, if known).	
9.*	Did the mother smoke during this pregnancy? [D_MSMOKE_001] [EDPMSMK]	[D_MSMOKE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the mother smoked during the pregnancy please select YES and indicate the number per day	

10.*	Provide the number per day [D_MSMOKENUM_001] [EDPNCIG] (Nested Field)	Number Box (Integer) Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.*	Did the mother drink alcohol during this pregnancy? [D_MALC_001] [EDPMALC]	[D_MALC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the mother drank alcohol during the pregnancy select YES and indicate the frequency	
12.*	Provide the frequency [D_MALCNUMB_001] [EDPALFRQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

13.*	Did the mother use illicit drugs during this pregnancy? [D_MDRUG_001] [EDPMDRUG]	[D_MDRUG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the mother used illicit drugs during the pregnancy select YES and indicate the frequency	
14.*	Provide the frequency [D_MDRUGFREQ_001] [EDPDRFRQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP03001 / Obstetrical History Group Type: Non-Repeating	Number of variables: 4	
15.*	Has the mother had previous pregnancies? [D_PREVPREG_001] [EDPPREG]	[D_PREVPREG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

16.*	Number of previous pregnancies [D_NUMPREG_001] [EDPNPREG] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
17.*	Number of other children [D_NUMCHILD_001] [EDPOCHLD] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

18.*	Outcome of previous pregnancies and previous maternal pregnancy complications [D_OUTCOMEPREV_001] [EDPPOUT] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide additional details regarding the outcome of any previous pregnancies (e.g., live birth, miscarriage, elective termination with specification of gestational length and context, late fetal death, ectopic pregnancy, molar pregnancy). Add information about any previous maternal pregnancy complications (e.g., premature rupture of membranes). Include details specifically describing any previous fetal/neonatal abnormalities, if applicable, referring to both structural malformation and any non-structural or long-term functional effects. Also supply any history of sub-fertility.	
	Group of Fields D_EDP04001 / Outcome of Pregnancy Group Type: Non-Repeating	Number of variables: 5	

19.*	Date of outcome of pregnancy [D_OUTCOMEPREVDAT_001] [EDPOUTDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the date the pregnancy ended, as DDMMYYYY (e.g., 02APR2016). Enter a partial date if the full date is unknown (e.g., UNKAPR2016).	
20.*	Mode of delivery [D_DELIVERMOD_001] [EDPMODE]	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: (e.g., natural birth [i.e., vaginal delivery without medication or anesthesia], cesarean section)	

21.*	Pregnancy outcome [D_PREGOUT_001] [EDPOUTPG]	[D_PREGOUT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the outcome of the pregnancy. Full term live birth Full term = live birth at 37 or more weeks of gestation. Premature live birth Premature = live birth at less than 37 weeks of gestation. Stillbirth, also known as fetal death, is delivery of a dead child. Spontaneous Abortion/Miscarriage = premature expulsion from the uterus of the products of conception, the embryo, or of a non-viable fetus. Included in this category is "missed abortion" which refers to when the products of conception are reabsorbed and not expelled. Induced abortion = pharmacologically or surgically induced expulsion from the uterus of the products of conception, of an embryo, or of a fetus. If the pregnancy outcome is 'Stillbirth' or 'Spontaneous abortion' please ensure an SAE case/report has been sent to Pfizer safety and ensure that SAE CASE ID is present in the CASE ID field on the EDP CRF.	
22.*	Is the gestation age at birth, in weeks, known? [D_GESTWEEKS_001] [EDPGEST]	[D_GESTWEEKS_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Indicate gestational age (as determined from LMP and/or ultrasound) at birth in weeks (if known).	

23.*	Provide weeks below [D_GESTWEEKS1_001] [EDPGESTW] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP05001 / Infant Group Type: Non-Repeating	Number of variables: 11	
24.*	Outcome of Infant [D_OUTCOMEINF_001] [EDPIFOUT]	[D_OUTCOMEINF_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the outcome of the infant. Other neonatal problem /abnormality includes dysmaturity, neonatal illness, fetal distress, amniotic fluid abnormal, abnormal placenta, hospitalization. If the outcome of infant is 'Congenital Malformation/Anomaly' or 'Other neonatal problem' please ensure an SAE case/report has been sent to Pfizer safety and ensure that SAE CASE ID is present in the CASE ID field on the EDP CRF.	

25.*	Other, specify [D_OUTCOMEOTH_001] [EDPOTHSP] (Nested Field)	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
26.*	Apgar Score 1 Min [D_APGAR1_001] [EDPAPMIN]	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the Apgar Score(s) (if known) for 1 min	
27.*	Apgar Score 5 Min [D_APGAR5_001] [EDPAPMAX]	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the Apgar Score(s) (if known) for 5 min	

28.*	Infant Sex [D_INFSEX_001] [EDPIFSEX]	[D_INFSEX_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Check the appropriate box to indicate the sex of the infant at birth (i.e., Male or Female).	
29.*	Birthweight [D_BIRTHWEIGHT_001] [EDPIFBW]	Number Box (Integer) Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the infant's weight at birth	
30.*	Birthweight unit [D_BIRTHWEIGHTU_001] [EDPIFBWU]	[D_BIRTHWEIGHTU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

31.*	Length at birth [D_LENGTH_001] [EDPIFLN]	Number Box (Integer) Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the infant's length at birth	
32.*	Length at birth unit [D_LENGTHU_001] [EDPIFLNU]	[D_LENGTHU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
33.*	Head circumference at birth [D_HEADCIR_001] [EDPIFHC]	Number Box (Integer) Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the infant's head circumference at birth	

34.*	Head circumference at birth unit [D_HEADCIRU_001] [EDPIFHCU]	[D_HEADCIRU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP06001 / Paternal Information Group Type: Non-Repeating	Number of variables: 4	
35.*	Was there paternal exposure? [D_PATEXPOYN_001] [EDPPTEXP]	[D_PATEXPOYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: In the case of paternal exposure select YES and provide the information in the requested fields	

36.*	Occupation [D_PAT OCC_001] [EDPOCUP] (Nested Field)	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the father's occupation, if known.	
37.*	Relevant History [D_PATHIST_001] [EDPRLHX] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Include any risk factors, including environmental or occupational exposures (e.g., HIV/AIDS, toxins). Include details of any family history of congenital abnormality/genetic diseases, consanguinity (with details regarding family relationships or lineage including the degree of consanguinity) between the parents."	

38.*	Exposure to Products - Where any drugs taken by the father during the mother's pregnancy? [D_PATEXPOSURE_001] [EDPEXPRD] (Nested Field)	[D_PATEXPOSURE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Check NO if none were taken. Check YES if applicable.	
	Group of Fields D_EDP07001 / Exposure to Products Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 8	
39.*	Product [D_PATPRONAM_001] [EDPPROD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Avoid abbreviations.	

40.*	Indication [D_PATINDC_001] [EDPINDIC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken by the father	
41.*	Start Date [D_PATSTDTD_001] [EDPSTDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format DD- MMM-YYYY (e.g. 01-JAN-2020)	

42.*	Stop Date [D_PATENDTD_001] [EDPSTPDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: record the date the participant stopped taking the medication in the format DD-MMM-YYYY (e.g. 01-JAN-2020)	
43.*	Reason for stopping [D_PATSTOPRE_001] [EDPSTRSN]	Text Box Max Length: 60 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was stopped, if it was discontinued	

44.*	Dose [D_PATDOSE_001] [EDPDOSE]	Text Box Max Length: 10 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose and dose unit of the medication taken per administration	
45.*	Formulation [D_PATFORM_001] [EDPFRM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the formulation of the medication	

46.*	Frequency [D_PATFREQ_001] [EDPFRQ]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record how often the medication was taken (e.g. BID, PRN).	
	Group of Fields D_EDP08001 / Exposure to Products - Recreational Drug Use Group Type: Non-Repeating	Number of variables: 6	
47.*	Did the father smoke during the mother's pregnancy? [D_PATSMOKE_001] [EDPF SMK]	[D_PATSMOKE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the father smoked during the pregnancy please select YES and indicate the number per day	

48.*	Provide the number per day [D_PATSMOKENUM_001] [EDPFNCIG] (Nested Field)	Number Box (Integer) Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
49.*	Did the father drink alcohol during the mother's pregnancy? [D_PATALC_001] [EDPFALC]	[D_PATALC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the father drank during the pregnancy please select YES and indicate the frequency	
50.*	Provide the frequency [D_PATALCFREQ_001] [EDPFALFQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

51.*	Did the father use illicit drugs during the mother's pregnancy? [D_PATDRUG_001] [EDPFDRUG]	[D_PATDRUG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the father use illicit drugs during the pregnancy please select YES and indicate the frequency	
52.*	Provide the frequency [D_PATDRUGFREQ_001] [EDPFDRFQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: D_EDP001 EXPOSURE DURING PREGNANCY

Type	RefName	Description
Form	CRF_9246113134957981_D_EDP001	D_EDP001
Item	I_9246156581137078_D_CASEIDEDP_001	
Item	I_9246156615145221_D_MENDAT_001	
Item	I_9246156632490421_D_ESTDELDAT_001	
Item	I_9246156664132368_D_NUMFOET_001	
Item	I_9246156683998299_D_GESTTIM_001	

Item	I_9246156734441702_D_TRIMESTER_001	
Item	I_9246156707191434_D_NUMWEEKS_001	
Item	I_9246156762162022_D_RELHIST_001	
Item	I_9246156788114728_D_MSMOKE_001	
Item	I_9246156812151899_D_MSMOKENUM_001	
Item	I_9246156840097907_D_MALC_001	
Item	I_9246156858529488_D_MALCNUMB_001	
Item	I_9246156884141537_D_MDRUG_001	
Item	I_9246156905142218_D_MDRUGFREQ_001	
Item	I_9246156935176180_D_PREVPREG_001	
Item	I_9246156960886747_D_NUMPREG_001	
Item	I_9246156988230980_D_NUMCHILD_001	
Item	I_9246157015190716_D_OUTCOMEPREV_001	
Item	I_9246157042674245_D_OUTCOMEPREVDAT_001	
Item	I_9246157073927010_D_DELIVERMOD_001	
Item	I_9246157098290948_D_PREGOUT_001	
Item	I_9246157123840975_D_GESTWEEKS_001	
Item	I_9246157148222545_D_GESTWEEKS1_001	
Item	I_9246157172133704_D_OUTCOMEINF_001	
Item	I_9246157195135415_D_OUTCOMEOTH_001	
Item	I_9246157224817873_D_APGAR1_001	
Item	I_9246157248405679_D_APGAR5_001	
Item	I_9246157305172623_D_INFSEX_001	
Item	I_9246157358213113_D_BIRTHWEIGHT_001	
Item	I_9246157391304383_D_BIRTHWEIGHTU_001	
Item	I_9246157420872643_D_LENGTH_001	
Item	I_9246157451498271_D_LENGTHU_001	

Item	I_9246157478170593_D_HEADCIR_001	
Item	I_9246157501514972_D_HEADCIRU_001	
Item	I_9246157526714109_D_PATEXPOYN_001	
Item	I_9246157549550932_D_PATOCC_001	
Item	I_9246157578708119_D_PATHIST_001	
Item	I_9246157628585432_D_PATEXPOSURE_001	
Item	I_9246157660741999_D_PATPRONAM_001	
Item	I_9246157689185233_D_PATINDC_001	
Item	I_9246157717398290_D_PATSTDTD_001	
Item	I_9246157746420611_D_PATENDTD_001	
Item	I_9246157782690385_D_PATSTOPRE_001	
Item	I_9246157810139363_D_PATDOSE_001	
Item	I_9246157837166553_D_PATFORM_001	
Item	I_9246157912318687_D_PATFREQ_001	
Item	I_9246157946639565_D_PATSMOKE_001	
Item	I_9246157985379182_D_PATSMOKENUM_001	
Item	I_9246158018517951_D_PATALC_001	
Item	I_9246158040752195_D_PATALCFREQ_001	
Item	I_9246158069015426_D_PATDRUG_001	
Item	I_9246158089064632_D_PATDRUGFREQ_001	

Codelist Values Tables: D_EDP001 EXPOSURE DURING PREGNANCY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_GESTTIM_CL_001	0.1			NO	1	N	0.1	i_9246156683998299_d_gesttim_001
				YES	2	Y	0.1	

D_TRIMESTER_CL_001	0.1			FIRST TRIMESTER	1	1	0.1	i_9246156734441702_d_trimester_001
				SECOND TRIMESTER	2	2	0.1	
				THIRD TRIMESTER	3	3	0.1	
				UNKNOWN	4	4	0.1	
D_MSMOKE_CL_001	0.1			NO	1	N	0.1	i_9246156788114728_d_msmoke_001
				YES	2	Y	0.1	
D_MALC_CL_001	0.1			NO	1	N	0.1	i_9246156840097907_d_malc_001
				YES	2	Y	0.1	
D_MDRUG_CL_001	0.1			NO	1	N	0.1	i_9246156884141537_d_mdru001
				YES	2	Y	0.1	
D_PREVPREG_CL_001	0.1			NO	1	N	0.1	i_9246156935176180_d_prevpreg_001
				YES	2	Y	0.1	
D_PREGOUT_CL_001	0.1			FULL TERM LIVE BIRTH	1	1	0.1	i_9246157098290948_d_pregout_001
				PRETERM LIVE BIRTH	2	2	0.1	
				STILLBIRTH	3	3	0.1	
				SPONTANEOUS ABORTION /MISCARRIAGE	4	4	0.1	
				INDUCED ABORTION	5	5	0.1	
				UNKNOWN	6	6	0.1	
D_GESTWEEKS_CL_001	0.1			NO	1	N	0.1	i_9246157123840975_d_gestweeks_001
				YES	2	Y	0.1	
D_OUTCOMEINF_CL_001	0.1			NORMAL	1	1	0.1	i_9246157172133704_d_outcomeinf_001
				CONGENITAL MALFORMATION/ANOMALY	2	2	0.1	
				OTHER NEONATAL PROBLEM	3	3	0.1	
				UNKNOWN	4	4	0.1	
				OTHER	5	5	0.1	

D_INFSEX_CL_001	0.1			FEMALE	1	F	0.1	i_9246157305172623_d_infsex_001
				MALE	2	M	0.1	
D_BIRTHWEIGHTU_CL_001	0.1			g	1	45	0.1	i_9246157391304383_d_birthweightu_001
				oz	2	81	0.1	
				LB	3	90	0.1	
D_LENGTHU_CL_001	0.1			in	1	66	0.1	i_9246157451498271_d_lengthu_001
				cm	2	111	0.1	
D_HEADCIRU_CL_001	0.1			in	1	66	0.1	i_9246157501514972_d_headciru_001
				cm	2	111	0.1	
D_PATEXPOYN_CL_001	0.1			NO	1	N	0.1	i_9246157526714109_d_patexpoy_n_001
				YES	2	Y	0.1	
D_PATEXPOSURE_CL_001	0.1			NO	1	N	0.1	i_9246157628585432_d_patexposure_001
				YES	2	Y	0.1	
D_PATSMOKE_CL_001	0.1			NO	1	N	0.1	i_9246157946639565_d_patsmoke_001
				YES	2	Y	0.1	
D_PATALC_CL_001	0.1			NO	1	N	0.1	i_9246158018517951_d_patalc_001
				YES	2	Y	0.1	
D_PATDRUG_CL_001	0.1			NO	1	N	0.1	i_9246158069015426_d_patdrug_001
				YES	2	Y	0.1	

Groups of Fields D_EDP001 EXPOSURE DURING PREGNANCY

Group RefName	Group Type	Associated Variables
IG_9246144261143337_D_EDP01001	Non-Repeating	D_CASEIDEDP_001
IG_9246144224889274_D_EDP02001	Non-Repeating	D_MENDAT_001, D_ESTDELDAT_001, D_NUMFOET_001, D_GESTTIM_001, D_TRIMESTER_001, D_NUMWEEKS_001, D_RELHIST_001, D_MSMOKE_001, D_MSMOKENUM_001, D_MALC_001, D_MALCNUMB_001, D_MDRUG_001, D_MDRUGFREQ_001

IG_9246144214419313_D_EDP03001	Non-Repeating	D_PREVPREG_001, D_NUMPREG_001, D_NUMCHILD_001, D_OUTCOMEPREV_001
IG_9246144203986389_D_EDP04001	Non-Repeating	D_OUTCOMEPREVDAT_001, D_DELIVERMOD_001, D_PREGOUT_001, D_GESTWEEKS_001, D_GESTWEEKS1_001
IG_9246144181961963_D_EDP05001	Non-Repeating	D_OUTCOMEINF_001, D_OUTCOMEOTH_001, D_APGAR1_001, D_APGAR5_001, D_INFSEX_001, D_BIRTHWEIGHT_001, D_BIRTHWEIGHTU_001, D_LENGTH_001, D_LENGTHU_001, D_HEADCIR_001, D_HEADCIRU_001
IG_9246144171337805_D_EDP06001	Non-Repeating	D_PATEXPOYN_001, D_PATOCC_001, D_PATHIST_001, D_PATEXPOSURE_001
IG_9246144160869263_D_EDP07001	Repeating	D_PATPRONAM_001, D_PATINDC_001, D_PATSTDTD_001, D_PATENDTD_001, D_PATSTOPRE_001, D_PATDOSE_001, D_PATFORM_001, D_PATFREQ_001
IG_9246144150608505_D_EDP08001	Non-Repeating	D_PATSMOKE_001, D_PATSMOKENUM_001, D_PATALC_001, D_PATALCFREQ_001, D_PATDRUG_001, D_PATDRUGFREQ_001

Instruments
DS001_3 / RANDOMIZATION

Instrument Definition

Instrument Name:	DS001_3
Instrument Title:	RANDOMIZATION
SAS Instrument Name:	DS001_3
Description:	RAND
Version:	0.14
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: DS001_3 RANDOMIZATION (RAND) [Version: 0.14]		
Section RANDOMIZATION DS001_3_S		Permission Groups
Group of Fields DS01001_3 / Randomization Group Type: Non-Repeating	Number of variables: 3	

1.	Date of Randomization: [DSSTDTC_001_3] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: Read Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Please refer to CRF Completion Requirements for guidance.	GPDIP_Impala_Integration (R,U) Clinical (R) Lead Data Manager (R)
2.	Randomization Number: [DSREFID_001_3] [DSREFID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Please refer to CRF Completion Requirements for guidance.	GPDIP_Impala_Integration (R,U) Clinical (R) Lead Data Manager (R)

3.	Randomization Strata Description: [SUPPDS_DSRANSTD_001_3] [DSSTDDESC]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	GPDIP_Impala_Integration (R,U) Clinical (R) Lead Data Manager (R)
----	---	---	---

Key: [*] = Item is required

Study Object Descriptions: DS001_3 RANDOMIZATION

Type	RefName	Description
Form	CRF_9246113320305688_DS001_3	DS001_3
Item	I_9246158106952703_DSSTDTC_001_3	
Item	I_9246158131507778_DSREFID_001_3	
Item	I_9246158148080736_SUPPDS_DSRANSTD_001_3	

Variable Validations DS001_3 RANDOMIZATION

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_3	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
DSSTDTC_001_3	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_3	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_3	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_3	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

DSSTDTC_001_3	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
---------------	--------------------	---	--------------------	---

Groups of Fields DS001_3 RANDOMIZATION

Group RefName	Group Type	Associated Variables
IG_9246143964364045_DS01001_3	Non-Repeating	DSSTDTC_001_3, DSREFID_001_3, SUPPDS_DSRANSTD_001_3

Instruments
D_SAE001 / SAE / REPORTABLE EVENTS

Instrument Definition

Instrument Name:	D_SAE001
Instrument Title:	SAE / REPORTABLE EVENTS
SAS Instrument Name:	D_SAE001
Description:	SAE
Version:	0.74
Status:	Inactive
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

B7981118_V3.0.0: D_SAE001 SAE / REPORTABLE EVENTS (SAE) [Version: 0.74]		
Section SAE / REPORTABLE EVENTS D_SAE001_S		Permission Groups
Group of Fields D_SAE01001 / Case ID Group Type: Non-Repeating	Number of variables: 1	

1.	Case ID [D_CASEIDSAE_001] [SAECASID]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
	Group of Fields D_SAE02001 / Investigator Details Group Type: Non-Repeating	Number of variables: 5	
2.*	Date site aware of reportable event: [D_AESAWDTC1_001] [AESAWDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.*	Investigator First Name [D_FRINVNAM_001] [SAEFNAME]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.*	Investigator Last Name [D_LSINVNAM_001] [SAELNAME]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.*	Investigator Phone [D_INVPH1_001] [SAEINVPH]	Text Box Max Length: 16 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.*	Investigator Email [D_INVEMAIL1_001] [SAEEMAIL]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_SAE05001 / Relevant Lab Tests Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 6	
7.*	Lab Test Name [D_LBTESTNAM1_001] [SAELBTST]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.*	Test Date [D_LBTESTDTC1_001] [SAELBTD]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
9.*	Result [D_LBTESTRES1_001] [SAELRES]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

10.*	Normal Range Low [D_LBNORMRNL1_001] [SAENRGLO]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.*	Normal Range High [D_LBNORMRNLH1_001] [SAENRGHI]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
12.*	Unit [D_LBTESTUNIT1_001] [SAELRESU]	[D_LBTESTUNIT_CL_001_1] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_SAE06001 / Other Relevant Tests Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 4	

13.*	Other Relevant Tests (Procedures, Imaging) Name [D_LABOTH1_001] [SAEOTHLB]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
14.*	Test Date [D_LABOTHDTC_001] [SAETSTDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

15.*	Result [D_LABOTHRE_001] [SAEOTRES]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
16.	Investigator Comment [D_LABOTHCOM_001] [SAEINCOM]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_SAE07001 / Narrative Group Type: Non-Repeating	Number of variables: 4	
17.	Narrative field 1 [D_NARRATIVE1SAE_001] [SAENARF1]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

18.	Narrative field 2 [D_NARRATIVE2SAE_001] [SAENARF2]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
19.	Narrative field 3 [D_NARRATIVE3SAE_001] [SAENARF3]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
20.	Narrative - other data [D_NARRATIVE4SAE_001] [SAENAROT]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
	Group of Fields D_SAE08001 / Derived Case Details Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 16	

21.	AE IDs Included in Case [D_AEIDNUMBEG_001] [SAEAEID]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
22.	AE Term -Derived [D_AETERMMEDDRA_001] [SAEAETRM]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
23.	AE Term admis & discharge - Derived [D_AETERMADMIT_001] [SAEADDIS]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

24.	SAE Original Onset Date-Derived [D_SAEDATD_001] [AEOOD1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
-----	--	---	--

25.	SAE End Date-Derived [D_SAEEDD_001] [AEFOUTDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
26.	Results in death - Derived [D_RESDEATH_001] [SAERSDTH]	[D_RESDEATH_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

27.	Life threatening- Derived [D_LIFETHREAT_001] [SAELTHRT]	[D_LIFETHREAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
28.	Caused/prolonged hospitalization- Derived [D_CAUSEHOSP_001] [SAEHOSP]	[D_CAUSEHOSP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
29.	Disabling/incapacitating- derived [D_DISABLE_001] [SAEDISAB]	[D_DISABLE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

30.	Congenital anomaly/birth defect- Derived [D_ANOMALY_001] [SAEANOML]	[D_ANOMALY_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
31.	Other medically important condition- Derived [D_MEDIMPORT_001] [SAEIMPMD]	[D_MEDIMPORT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
32.	Causality- Derived [D_CAUSE_001] [SAECAUS]	[D_CAUSE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

33.	Action Taken - Derived [D_ACNTKN_001] [SAEACTK]	[D_ACNTKN_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
34.	Re-Challenge - Derived [D_RECHALDER_001] [SAERCHLD]	[D_RECHALDER_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
35.	SAE Outcome-Derived [D_SAEOUTD_001] [AEFOUTCM]	[D_SAEOUTD_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

36.	Country in which the event occurred - Derived [D_COUNTRYOCCUR_001] [AECNTRY]	[D_COUNTRYOCCUR_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
	Group of Fields D_SAE09001 / Derived Safety Specific Info Group Type: Non-Repeating	Number of variables: 7	
37.	Study ID - Study Blind [D_STUDYID_001] [SAESTDID]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
38.	Mapped Sub-Study [D_SUBSTDY1_001] [SAESSTDY]	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

39.	Date of Death - Derived [D_DEATHDTC_001] [SAEDTHDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
40.	Cause of Death - Derived [D_CAUSDEATH_001] [SAECDTH]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

41.	Mapped Autopsy Performed [D_AUTOPSYND_001] [SAEMAUT]	[D_AUTOPSYND_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
42.	Mapped Cause of Death - Autopsy [D_AUTOPOCODD_001] [SAEMCDTH]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
43.	SEX-Derived [D_SEXUNDIFF_001] [SAESEX]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: D_SAE001 SAE / REPORTABLE EVENTS

Type	RefName	Description
Form	CRF_9246113506811497_D_SAE001	D_SAE001
Item	I_9246158176127919_D_CASEIDSAE_001	
Item	I_9246158192597206_D_AESAWDTC1_001	
Item	I_9246158210742399_D_FRINVNAM_001	
Item	I_9246158232138628_D_LSINVNAM_001	
Item	I_9246158252509317_D_INVPH1_001	
Item	I_9246158269572321_D_INVEMAIL1_001	
Item	I_9246158285338772_D_LBTESTNAM1_001	
Item	I_9246158301328786_D_LBTESTDTC1_001	
Item	I_9246158322403369_D_LBTESTRES1_001	
Item	I_9246158338942612_D_LBNORMRNL1_001	
Item	I_9246158355176538_D_LBNORMMRNH1_001	
Item	I_9246158371837068_D_LBTESTUNIT1_001	
Item	I_9246158389577202_D_LABOTH1_001	
Item	I_9246158415143516_D_LABOTHDTC_001	
Item	I_9246158436504956_D_LABOTHRE_001	
Item	I_9246158455847667_D_LABOTHCOM_001	
Item	I_9246158472805532_D_NARRATIVE1SAE_001	
Item	I_9246158488853670_D_NARRATIVE2SAE_001	
Item	I_9246158505109265_D_NARRATIVE3SAE_001	
Item	I_9246158521552115_D_NARRATIVE4SAE_001	
Item	I_9246158581314689_D_AEIDNUMBEG_001	
Item	I_9246158602993000_D_AETERMMEDDRA_001	
Item	I_9246158620377625_D_AETERMADMIT_001	
Item	I_9246158637940752_D_SAEDATD_001	
Item	I_9246158657641868_D_SAEEDD_001	

Item	I_9246158677074637_D_RESDEATH_001	
Item	I_9246158704530631_D_LIFETHREAT_001	
Item	I_9246158726496808_D_CAUSEHOSP_001	
Item	I_9246158747639977_D_DISABLE_001	
Item	I_9246158768355549_D_ANOMALY_001	
Item	I_9246158786404012_D_MEDIMPORT_001	
Item	I_9246158806165205_D_CAUSE_001	
Item	I_9246158825813973_D_ACNTKN_001	
Item	I_9246158845886753_D_RECHALDER_001	
Item	I_9246158864191476_D_SAEOUTD_001	
Item	I_9246158884870748_D_COUNTRYOCCUR_001	
Item	I_9246158903059855_D_STUDYID_001	
Item	I_9246158938536438_D_SUBSTDY1_001	
Item	I_9246158956456124_D_DEATHDTC_001	
Item	I_9246159005074930_D_CAUSDEATH_001	
Item	I_9246159027612900_D_AUTOPSYND_001	
Item	I_9246159064250367_D_AUTOPOCDD_001	
Item	I_9246159101420259_D_SEXUNDIFF_001	

Codelist Values Tables: D_SAE001 SAE / REPORTABLE EVENTS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_LBTESTUNIT_CL_001_1	0.1			%	1	5	0.1	i_9246158371837068_d_lbtestunit1_001
				mg	2	8	0.1	
				mL	3	9	0.1	
				mol/L	4	107	0.1	

				mmHg	5	112	0.1	
				mmol/L	6	119	0.1	
				g/dL	7	128	0.1	
				mg/dL	8	137	0.1	
				IU/L	9	154	0.1	
				mEq/L	10	172	0.1	
				U/L	11	300	0.1	
				10^12/L	12	413	0.1	
				10^6/L	13	424	0.1	
				ng/mL	14	647	0.1	
				CELLS/MM3	15	693	0.1	
D_RESDEATH_CL_001	0.2			NO	1	N	0.1	i_9246158677074637_d_resdeath_001
				YES	2	Y	0.1	
D_LIFETHREAT_CL_001	0.2			NO	1	N	0.1	i_9246158704530631_d_lifethreat_001
				YES	2	Y	0.1	
D_CAUSEHOSP_CL_001	0.2			NO	1	N	0.1	i_9246158726496808_d_causehosp_001
				YES	2	Y	0.1	
D_DISABLE_CL_001	0.2			NO	1	N	0.1	i_9246158747639977_d_disable_001
				YES	2	Y	0.1	
D_ANOMALY_CL_001	0.2			NO	1	N	0.1	i_9246158768355549_d_anomaly_001
				YES	2	Y	0.1	
D_MEDIMPORT_CL_001	0.2			NO	1	N	0.1	i_9246158786404012_d_medimport_001
				YES	2	Y	0.1	
D_CAUSE_CL_001	0.2			NOT RELATED	1	1	0.1	i_9246158806165205_d_cause_001
				RELATED	2	2	0.1	
D_ACNTKN_CL_001	0.2			DOSE INCREASED	1	1	0.1	i_9246158825813973_d_acntkn_001
				DOSE NOT CHANGED	2	2	0.1	

				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
D_RECHALDER_CL_001	0.2			POSITIVE	1	1	0.1	i_9246158845886753_d_rechalder_001
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	
D_SAEOUTD_CL_001	0.2			FATAL	1	1	0.1	i_9246158864191476_d_saeoutd_001
				NOT RECOVERED/NOT RESOLVED	2	2	0.1	
				RECOVERED/RESOLVED	3	3	0.1	
				RECOVERED/RESOLVED WITH SEQUELAE	4	4	0.1	
				RECOVERING/RESOLVING	5	5	0.1	
				UNKNOWN	6	6	0.1	
D_COUNTRYOCCUR_CL_001	0.2			AFGHANISTAN	1	1	0.1	i_9246158884870748_d_countryoccur_001
				ELAND ISLANDS	2	2	0.1	
				ALBANIA	3	3	0.1	
				ALGERIA	4	4	0.1	
				AMERICAN SAMOA	5	5	0.1	
				ANDORRA	6	6	0.1	
				ANGOLA	7	7	0.1	
				ANGUILLA	8	8	0.1	
				ANTARCTICA	9	9	0.1	
				ANTIGUA AND BARBUDA	10	10	0.1	

ARGENTINA	11	11	0.1
ARMENIA	12	12	0.1
ARUBA	13	13	0.1
AUSTRALIA	14	14	0.1
AUSTRIA	15	15	0.1
AZERBAIJAN	16	16	0.1
BAHAMAS	17	17	0.1
BAHRAIN	18	18	0.1
BANGLADESH	19	19	0.1
BARBADOS	20	20	0.1
BELARUS	21	21	0.1
BELGIUM	22	22	0.1
BELIZE	23	23	0.1
BENIN	24	24	0.1
BERMUDA	25	25	0.1
BHUTAN	26	26	0.1
BOLIVIA	27	27	0.1
BOSNIA AND HERZEGOVINA	28	28	0.1
BOTSWANA	29	29	0.1
BOUVET ISLAND	30	30	0.1
BRAZIL	31	31	0.1
BRITISH INDIAN OCEAN TERRITORY	32	32	0.1
BRUNEI DARUSSALAM	33	33	0.1
BULGARIA	34	34	0.1
BURKINA FASO	35	35	0.1

--	--	--	--

BURUNDI	36	36	0.1
CAMBODIA	37	37	0.1
CAMEROON	38	38	0.1
CANADA	39	39	0.1
CAPE VERDE	40	40	0.1
CAYMAN ISLANDS	41	41	0.1
CENTRAL AFRICAN REPUBLIC	42	42	0.1
CHAD	43	43	0.1
CHILE	44	44	0.1
CHRISTMAS ISLAND	45	45	0.1
COCOS (KEELING) ISLANDS	46	46	0.1
COLOMBIA	47	47	0.1
COMOROS	48	48	0.1
CONGO	49	49	0.1
CONGO, DEMOCRATIC REPUBLIC OF THE	50	50	0.1
COOK ISLANDS	51	51	0.1
COSTA RICA	52	52	0.1
COTE D'IVOIRE	53	53	0.1
CROATIA	54	54	0.1
CUBA	55	55	0.1
CYPRUS	56	56	0.1
CZECH REPUBLIC	57	57	0.1
DENMARK	58	58	0.1
DJIBOUTI	59	59	0.1
DOMINICA	60	60	0.1

DOMINICAN REPUBLIC	61	61	0.1
ECUADOR	62	62	0.1
EGYPT	63	63	0.1
EL SALVADOR	64	64	0.1
EQUATORIAL GUINEA	65	65	0.1
ERITREA	66	66	0.1
ESTONIA	67	67	0.1
ETHIOPIA	68	68	0.1
FALKLAND ISLANDS (MALVINAS)	69	69	0.1
FAROE ISLANDS	70	70	0.1
FIJI	71	71	0.1
FINLAND	72	72	0.1
FRANCE	73	73	0.1
FRENCH GUIANA	74	74	0.1
FRENCH POLYNESIA	75	75	0.1
FRENCH SOUTHERN TERRITORIES	76	76	0.1
GABON	77	77	0.1
GAMBIA	78	78	0.1
GEORGIA	79	79	0.1
GERMANY	80	80	0.1
GHANA	81	81	0.1
GIBRALTAR	82	82	0.1
GREECE	83	83	0.1
GREENLAND	84	84	0.1
GRENADA	85	85	0.1

GADELOUPE	86	86	0.1
GUAM	87	87	0.1
GUATEMALA	88	88	0.1
GUERNSEY	89	89	0.1
GUINEA	90	90	0.1
GUINEA-BISSAU	91	91	0.1
GUYANA	92	92	0.1
HAITI	93	93	0.1
HEARD ISLAND AND MCDONALD ISLANDS	94	94	0.1
HONDURAS	95	95	0.1
HONG KONG	96	96	0.1
HUNGARY	97	97	0.1
ICELAND	98	98	0.1
INDIA	99	99	0.1
INDONESIA	100	100	0.1
IRAN	101	101	0.1
IRAQ	102	102	0.1
IRELAND	103	103	0.1
ISLE OF MAN	104	104	0.1
ISRAEL	105	105	0.1
ITALY	106	106	0.1
JAMAICA	107	107	0.1
JAPAN	108	108	0.1
JERSEY	109	109	0.1
JORDAN	110	110	0.1
KAZAKHSTAN	111	111	0.1



MAURITANIA	137	137	0.1
MAURITIUS	138	138	0.1
MAYOTTE	139	139	0.1
MEXICO	140	140	0.1
MICRONESIA	141	141	0.1
MOLDOVA	142	142	0.1
MONACO	143	143	0.1
MONGOLIA	144	144	0.1
MONTENEGRO	145	145	0.1
MONTSERRAT	146	146	0.1
MOROCCO	147	147	0.1
MOZAMBIQUE	148	148	0.1
MYANMAR	149	149	0.1
NAMIBIA	150	150	0.1
NAURU	151	151	0.1
NEPAL	152	152	0.1
NETHERLANDS	153	153	0.1
NETHERLANDS ANTILLES	154	154	0.1
NEW CALEDONIA	155	155	0.1
NEW ZEALAND	156	156	0.1
NICARAGUA	157	157	0.1
NIGER	158	158	0.1
NIGERIA	159	159	0.1
NIUE	160	160	0.1
NORFOLK ISLAND	161	161	0.1
NORTHERN MARIANA ISLANDS	162	162	0.1

				NORWAY	163	163	0.1
				OMAN	164	164	0.1
				PAKISTAN	165	165	0.1
				PALAU	166	166	0.1
				PALESTINIAN TERRITORY, OCCUPIED	167	167	0.1
				PANAMA	168	168	0.1
				PAPUA NEW GUINEA	169	169	0.1
				PARAGUAY	170	170	0.1
				PERU	171	171	0.1
				PHILIPPINES	172	172	0.1
				PITCAIRN	173	173	0.1
				POLAND	174	174	0.1
				PORTUGAL	175	175	0.1
				PUERTO RICO	176	176	0.1
				QATAR	177	177	0.1
				REUNION	178	178	0.1
				ROMANIA	179	179	0.1
				RUSSIAN FEDERATION	180	180	0.1
				RWANDA	181	181	0.1
				SAINT BARTHELEMY	182	182	0.1
				SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA	183	183	0.1
				SAINT KITTS AND NEVIS	184	184	0.1
				SAINT LUCIA	185	185	0.1
				SAINT MARTIN	186	186	0.1

SAINT PIERRE AND MIQUELON	187	187	0.1
SAINT VINCENT AND THE GRENADINES	188	188	0.1
SAMOA	189	189	0.1
SAN MARINO	190	190	0.1
SAO TOME AND PRINCIPE	191	191	0.1
SAUDI ARABIA	192	192	0.1
SENEGAL	193	193	0.1
SERBIA	194	194	0.1
SEYCHELLES	195	195	0.1
SIERRA LEONE	196	196	0.1
SINGAPORE	197	197	0.1
SLOVAKIA	198	198	0.1
SLOVENIA	199	199	0.1
SOLOMON ISLANDS	200	200	0.1
SOMALIA	201	201	0.1
SOUTH AFRICA	202	202	0.1
SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS	203	203	0.1
SPAIN	204	204	0.1
SRI LANKA	205	205	0.1
SUDAN	206	206	0.1
SURINAME	207	207	0.1
SVALBARD AND JAN MAYEN	208	208	0.1
SWAZILAND	209	209	0.1

--	--	--

SWEDEN	210	210	0.1
SWITZERLAND	211	211	0.1
SYRIAN ARAB REPUBLIC	212	212	0.1
TAIWAN	213	213	0.1
TAJIKISTAN	214	214	0.1
THAILAND	215	215	0.1
TIMOR-LESTE	216	216	0.1
TOGO	217	217	0.1
TOKELAU	218	218	0.1
TONGA	219	219	0.1
TRINIDAD AND TOBAGO	220	220	0.1
TUNISIA	221	221	0.1
TURKEY	222	222	0.1
TURKMENISTAN	223	223	0.1
TURKS AND CAICOS ISLAND	224	224	0.1
TUVALU	225	225	0.1
UGANDA	226	226	0.1
UKRAINE	227	227	0.1
UNITED ARAB EMIRATES	228	228	0.1
UNITED KINGDOM	229	229	0.1
URUGUAY	230	230	0.1
UZBEKISTAN	231	231	0.1
VANUATU	232	232	0.1
VATICAN CITY STATE	233	233	0.1
VENEZUELA	234	234	0.1
VIET NAM	235	235	0.1

				VIRGIN ISLANDS, BRITISH	236	236	0.1	
				VIRGIN ISLANDS, U.S.	237	237	0.1	
				WALLIS AND FUTUNA	238	238	0.1	
				WESTERN SAHARA	239	239	0.1	
				YEMEN	240	240	0.1	
				ZAMBIA	241	241	0.1	
				ZIMBABWE	242	242	0.1	
				CHINA	243	243	0.1	
				TANZANIA	244	244	0.1	
				UNITED STATES	245	245	0.1	
D_AUTOPSYynd_CL_001_1	0.1			NO	1	N	0.1	i_9246159027612900_d_autopsyynd_001
				UNKNOWN	2	U	0.1	
				YES	3	Y	0.1	

Groups of Fields D_SAE001 SAE / REPORTABLE EVENTS

Group RefName	Group Type	Associated Variables
IG_9246143991766231_D_SAE01001	Non-Repeating	D_CASEIDSAE_001
IG_9246144018234149_D_SAE02001	Non-Repeating	D_AESAWDTC1_001, D_FRINVNAM_001, D_LSINVNAM_001, D_INVPH1_001, D_INVEMAIL1_001
IG_9246144119118154_D_SAE05001	Repeating	D_LBTESTNAM1_001, D_LBTESTDTC1_001, D_LBTESTRES1_001, D_LBNORMRNL1_001, D_LBNORMMRNH1_001, D_LBTESTUNIT1_001
IG_9246144129639569_D_SAE06001	Repeating	D_LABOTH1_001, D_LABOTHDTC_001, D_LABOTHRE_001, D_LABOTHCOM_001
IG_9246144140312835_D_SAE07001	Non-Repeating	D_NARRATIVE1SAE_001, D_NARRATIVE2SAE_001, D_NARRATIVE3SAE_001, D_NARRATIVE4SAE_001
IG_9246144094955378_D_SAE08001	Repeating	D_AEIDNUMBEG_001, D_AETERMMEDDRA_001, D_AETERMADMIT_001, D_SAEDATD_001, D_SAEEDD_001, D_RESDEATH_001, D_LIFETHREAT_001, D_CAUSEHOSP_001, D_DISABLE_001, D_ANOMALY_001, D_MEDIMPORT_001, D_CAUSE_001, D_ACNTKN_001, D_RECHALDER_001, D_SAEOUTD_001, D_COUNTRYOCCUR_001

IG_9246144105503386_D_SAE09001	Non-Repeating	D_STUDYID_001, D_SUBSTDY1_001, D_DEATHDTC_001, D_CAUSDEATH_001, D_AUTOPSYND_001, D_AUTOPOCODD_001, D_SEXUNDIFF_001
--------------------------------	---------------	--

Other Descriptive Metadata

Custom Functions					
Name	Description	Code	Source	Version	ID
Subject_last_study_date	This function is meant to be used in studies using Disposition treatment and Disposition Follow up CRFs. The custom function support multiple versions (3 in total) of each of those forms in a study.	<pre>import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String customFunction(String C5, String T5, String F6, String C5_1, String T5_1, String F6_1, String C5_2, String T5_2, String F6_2) { String subj_cont, trt_date, fup_date; //Get the disposition variables populated regardless the disposition treatment and follow up forms used in the subject subj_cont = get_value(new String[]{C5, C5_1, C5_2}); trt_date = get_value(new String[]{T5, T5_1, T5_2}); fup_date = get_value(new String[]{F6, F6_1, F6_2}); if(subj_cont != null){ if(subj_cont.equals("N") && trt_date.length() > 0) return get_full_date(trt_date).toString(); else if(fup_date.length() > 0) return get_full_date(fup_date).toString(); } return ""; } public static String get_value(String[] vals){</pre>		0.1	71790

		<pre> for(String v : vals){ if(v != null && !v.equals("NA")) return v; } return ""; } public static java.time.LocalDate get_full_date(S tring st){ DateTimeFormatter formatter = DateTimeFormatter. ofPattern("yyyy-MM-dd", java.util.Locale.ENGLISH) ; if(st.indexOf("{null}") > 0){ st = st.replace("{null}", "01"); } else if(st.indexOf(" 00:00:00") > 0){ st = st.replace(" 00:00:00", ""); } return LocalDate.parse(st, formatter); } }</pre>			
Selection_Conmed_CF	Parameters --> String drugStartDate, String drugEndDate, String reactionStartDate, String ongoing	<pre>import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String checkReaction(String drugStartDate, String drugEndD ate, String reactionStartDate, String ongoing) { // Define date formatter for plain date DateTimeFormatter dateFormatter = DateTim eFormatter.ofPattern("yyyy-MM-dd"); // Validate and parse dates LocalDate reactionStart = isValidDate(rea ctionStartDate, dateFormatter) }</pre>		0.1	71789


```
                ? LocalDate.parse(
reactionStartDate, dateFormatter)
                : null;

        LocalDate drugStart = isValidDate(drugStart
rtDate, dateFormatter)
                ? LocalDate.parse(d
rugStartDate, dateFormatter)
                : null;

        LocalDate drugEnd = isValidDate(drugEndDa
te, dateFormatter)
                ? LocalDate.parse(dru
gEndDate, dateFormatter)
                : null;

        // Validate reactionStart parsing
        if (reactionStart == null) {
            return "false"; // Invalid date, cann
ot proceed
        }

        // Compare Drug Start and Drug End dates
with Reaction Start date
        if (drugStart != null && drugEnd != null)
        {
            if (isWithin14DaysBefore(reactionStar
t, drugStart) || isWithin14DaysBefore(reactionSta
rt, drugEnd)) {
                return "true";
            }
        }

        // Handle Ongoing parameter if Drug End D
ate is empty
        if (drugStart != null && drugEnd == null)
        {
```

		<pre> return "Y".equalsIgnoreCase(ongoing) ? "true" : "false"; } return "false"; // Default to false if no conditions are met } private static boolean isValidDate(String date, DateTimeFormatter formatter) { if (date == null date.isEmpty()) { return false; } // Simple regex to validate date String pattern = "\\d{4}-\\d{2}-\\d{2}"; return date.matches(pattern); } private static boolean isWithin14DaysBefore(LocalDate reactionStart, LocalDate drugDate) { int daysDifference = Math.abs((int) (reactionStart.toEpochDay() - drugDate.toEpochDay())); return daysDifference >= 0 && daysDifference <= 14; } }</pre>			
Row_Specific_Derivation_RR	RR Not Otherwise Specified: If EG001. EGTEST_001 = "ECG Mean Heart Rate" is not null, RR = 60/HR fetchAndDerive(ItemData currentItem, ApiService service, String row_number, String result1, String result1_row, String target, int target_row)	<pre>import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.model.ItemData; import com.candorgrc.core.shared.api.model.Variable; import java.util.List; public static boolean fetchAndDerive(ItemData currentItem, ApiService service, String row_number, String result1, String result1_row, String target, int target_row) {</pre>		0.1	71788

```
        if (currentItem == null || service == null) {
            return false;
        }
        // Fetch the current variable and its value
        Variable currentVariable = currentItem.getTargetVariable();
        Object currentValue = currentItem.getValue();

        if (currentVariable == null || currentValue == null) {
            return false;
        }

        // Prepare and load the derived value for RR
        if (result1_row.equals(row_number)) {

            // Derive value for row 5
            Variable targetVariable = service.getTargetVariable(currentItem.getCrfData(), target );
            if (targetVariable == null) {
                return false;
            }
            if (result1 != null) {
                String derivedValue = calculateRR(result1);
                ItemData derivedItem = new ItemData();
                derivedItem.setVariable(targetVariable);
                derivedItem.setRowIndex(target_row); // explicitly setting row index
                derivedItem.setCrfData(currentItem.getCrfData());
            }
        }
    }
}
```

		<pre> derivedItem.setSingleValue(derivedValue); service.saveFormData(currentItem.getCrfdData(), List.of(derivedItem)); return true; } else { ItemData derivedItem = new ItemData(); derivedItem.setVariable(targetVariable); derivedItem.setRowIndex(target_row); // explicitly setting row index derivedItem.setCrfdData(currentItem.getCrfdData()); derivedItem.setSingleValue(""); service.saveFormData(currentItem.getCrfdData(), List.of(derivedItem)); return true; } return false; } public static String calculateRR(String result1) { try { double value = Double.parseDouble(result1); double rr = 60.0 / value; //return String.valueOf(rr); return String.format("%.2f", rr); } catch (NumberFormatException e) { // Handle invalid input return null; } }</pre>			
Row_Specific_Derivation_QTcF	If EG001.EGTEST_001	import com.candorgrc.core.shared.api.ApiService;		0.1	71787

= "QT Interval Not Otherwise Specified" and EG001.
EGTEST_001 = "RR Interval Not Otherwise Specified" is not null,
 $QTcF = QT / \sqrt[3]{RR}$ (cube root of RR)
fetchAndDerive1
(ItemData currentItem,
ApiService service,
String row_number,
String result1, String sourceRow1, String result2, String sourceRow2, String target, int targetRow)

```
import com.candorgrc.core.shared.api.model.ItemData;
import com.candorgrc.core.shared.api.model.Variable;

import java.util.List;

    public static boolean fetchAndDerive1(ItemData currentItem, ApiService service, String row_number, String result1, String sourceRow1, String result2, String sourceRow2, String target, int targetRow ) {
        if (currentItem == null || service == null) {
            return false;
        }
        // Fetch the current variable and its value
        Variable currentVariable = currentItem.getItemVariable();
        Object currentValue = currentItem.getValue();

        if (currentVariable == null || currentValue == null) {
            return false;
        }

        // Prepare and load the derived value for RR
        if (sourceRow1.equals(row_number) || sourceRow2.equals(row_number)) {
            // Set the derived value directly on this item
            Variable targetVariable = service.getItemVariable(currentItem.getCrfdData(), target);
```

```
        if (targetVariable == null) {
            return false;
        }
        if(result1 != null && result2 != null
){
            String derivedValue1 = calculateQ
TcF(result1,result2) ;
            ItemData derivedItem = new ItemDa
ta();
            derivedItem.setVariable(targetVar
iable);
            derivedItem.setRowIndex(targetRow
); // explicitly setting row index
            derivedItem.setCrfdData(currentIte
m.getCrfdData());
            derivedItem.setSingleValue(derive
dValue1);
            service.saveFormData(currentItem.
getCrfdData(), List.of(derivedItem));
            return true;
        }
        else {
            ItemData derivedItem = new ItemDa
ta();
            derivedItem.setVariable(targetVar
iable);
            derivedItem.setRowIndex(targetRow
); // explicitly setting row index
            derivedItem.setCrfdData(currentIte
m.getCrfdData());
            derivedItem.setSingleValue("");
            service.saveFormData(currentItem.
getCrfdData(), List.of(derivedItem));
            return true;
        }
    }
    // Prepare and load the derived value f
```

```
or QTcF
    return false;
}

public static String calculateQTcF(String result1, String result2) {
    try {
        // Parse both input strings to double
        double qt = Double.parseDouble(result1);
        double rrValue = Double.parseDouble(result2);

        // Calculate RR
        double rr = 60.0 / rrValue;

        // Calculate cube root of RR
        double cubeRootRR = Math.cbrt(rr);

        // Calculate QTcF
        double qtcF = qt / cubeRootRR;

        // Return result as a string (formatted to 2 decimal places if needed)
        return String.format("%.2f", qtcF);
    } catch (NumberFormatException e) {
        return null;
    }
}
```

Remove_trailing_0s	NaN	<pre>public static String customFunction(String input) { // Check if input is a valid decimal number if (isDecimal(input) && input.contains(".")) { // Convert to double and round to 3 decimal places double value = Double.parseDouble(input); value = Math.round(value * 1000.0) / 1000.0; // Convert back to string input = Double.toString(value); // Remove trailing zeros and unnecessary decimal point input = input.replaceAll("0+\$", ""); // Remove trailing zeros input = input.replaceAll("\\.\\\$", ""); // Remove trailing decimal point if any } return input; } private static boolean isDecimal(String input) { try { // Try to parse the input as a double Double.parseDouble(input); // If parsing is successful, it is a decimal number return true; } catch (NumberFormatException e) { // If parsing fails, it is not a decimal number return false; } }</pre>	0.1	71786
--------------------	-----	--	-----	-------

overlappingDates	Returns if the two sets of start and end times are overlapping.	<pre>import java.time.LocalDateTime; public static boolean overlappingDates(LocalDateTime startDate1, LocalDateTime endDate1, LocalDateTime startDate2, LocalDateTime endDate2) { if (startDate1 == null endDate1 == null startDate2 == null endDate2 == null) { return false; } return (startDate1.isEqual(endDate2) startDate1.isBefore(endDate2)) && (endDate1.isEqual(startDate2) endDate1.isAfter(startDate2)); }</pre>		0.1	71785
------------------	---	---	--	-----	-------

Narrative_OtherData	NaN	<pre>public static String customFunction(String SubStudy , String[] AENO, String[] AE_PROCEDURE) { if (AENO.length != AE_PROCEDURE.length) { return ""; } StringBuilder FINAL = new StringBuilder() ; for (int i = 0; i < AENO.length; i++) { if (AE_PROCEDURE[i] != null) { if (FINAL.length() > 0) { FINAL.append("\n"); } FINAL.append("<" + AENO[i] + ">") .append(":").append("<" + AE_PROCEDURE[i] + "> \n"); } } return "{STUDYARMINFO}" + SubStudy + "{/STUDYARMINFO} \n" + "{EVENTRELATED}" + FINAL.toString() + "{/EVENTRELATED}"; }</pre>		0.1	71784
narrative	NaN	<pre>import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.model.CrfData; import com.candorgrc.core.shared.api.model.ItemData; import java.util.Collection; import java.util.Date; import java.util.List; import java.util.Objects; import java.util.Optional;</pre>		0.1	71783

```
private static final String FORM_NAME = "D_SAE001";
private static final String NARRATIVE_TARGET = "D_NARRATIVE3SAE_001";

public static boolean narrative(ItemData dataPoint, ApiService service) {
    if (dataPoint == null || service == null) {
        return false;
    }
    String source = dataPoint.getSingleValue();
    if (source == null || source.isEmpty()) {
        return false;
    }
    CrfData crfData = dataPoint.getCrfData();
    ItemDataRequest reportRequest = new ItemDataRequest()
        .setStudyName(dataPoint.getCrfData().getSubject().getSite().getStudy().getName())
        .setSubjectNumber(dataPoint.getCrfData().getSubject().getNumber())
        .setInstrumentName(FORM_NAME);
    Collection<ItemData> report = service.getItems(reportRequest);
    ItemData target = null;
    for (ItemData available : report) {
        if (available.getVariable().getName().equals(NARRATIVE_TARGET)
            && Objects.equals(available.getCrfData().getId(), crfData.getId())) {
            target = available;
        }
    }
    if (target == null) {
        target = dataPoint.withoutIds();
    }
}
```

		<pre> target.getVariable().setName(NARRATIV E_TARGET); } target.setValues(List.of(source + " (" + new Date() + ")")); dataPoint.setValues(List.of()); service.saveFormData(crfData, List.of(tar get, dataPoint)); return false; }</pre>			
LNR_DOB_CALCULATION	Calculates subject DOB based on either a direct map from the Standards DOB field or as a calculation when the site instead provided AGE, AGE Unit and Informed consent.	<pre>import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String customFunction(String DOB, S tring IC, String dc_age, String AGEU) { LocalDate dob_date = LocalDate.now(); if(DOB != null){ dob_date = get_full_date(DOB); return dob_date.toString(); } else if(dc_age != null && AGEU != null && IC != null){ int AGE = Integer.parseInt(dc_age); LocalDate ic_date = get_full_date(IC.toSt ring()); if(AGEU.equals("5")) dob_date = ic_date.m inusYears(AGE); else if(AGEU.equals("3")) dob_date = ic_d ate.minusMonths(AGE); else if(AGEU.equals("4")) dob_date = ic_d ate.minusWeeks(AGE); else if(AGEU.equals("1")) dob_date = ic_d ate.minusDays(AGE);</pre>		0.1	71782

```
        return dob_date.toString();
    }
    //Date format needs to be "2023-01-21";
    return "";
}

public static LocalDate get_full_date(String st)
{
    DateTimeFormatter formatter = getFormatte
r(st);

    if (st != null) {
        st = st.trim();
        if (st.contains("{null}")) {
            st = st.replace("{null}", "01");
        }
        if (st.contains(" 00:00:00")) {
            st = st.replace(" 00:00:00", "");
        }
        return LocalDate.parse(st, formatter)
;
    }
    return LocalDate.now(); // Default return
value
}

private static DateTimeFormatter getFormatter
(String st) {
    if (st.matches("\\d{2}-[A-Za-z]{3}-\\d{4}
")) {
        return DateTimeFormatter.ofPattern("d
d-MMM-yyyy");
    }
    return DateTimeFormatter.ofPattern("yyyy-
MM-dd");
}
```

heightToCm	Converts height to cm	<pre>public static Double heightToCm(Double result, String unit) { if (result == null unit == null result.equals("") unit.equals("")){ return null; }else if(unit.equals("cm")){ return result; }else if(unit.equals("in")){ return result * 2.54; }else{ return null; } }</pre>		0.1	71781
gradeUpdate	NaN	<pre>import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.model.*; import java.time.LocalDate; import java.time.format.DateTimeFormatter; import java.util.*; import java.util.function.BiPredicate; import java.util.function.Function; import java.util.function.Predicate; import java.util.stream.Collectors; import java.util.Map; import java.util.HashMap; import java.util.Set; import java.util.HashSet; import static java.util.Map.entry; import static java.util.stream.Collectors.toMap; private static final String EVENT_NAME = "common_event"; private static final String SAE_FORM = "D_SAE"</pre>		0.1	71780

```
001";
    private static final String AE_CASE_ID = "D_C
ASEID_001";
    private static final String SAE_CASE_ID = "D_
CASEIDSAE_001";
    private static final String AE_PREVIOUS_CASE_
ID = "D_PREVID_001";
    private static final String AE_TERM = "AETERM
_001";
    private static final String SAE_TERM = "D_AET
ERMEDDRA_001";
    private static final String SAE_TERM_DETAILS
= "D_AETERMADMIT_001";
    private static final String SAE_OUTCOME = "D_
SAEOUTD_001";
    private static final String AE_CT_PROCEDURE =
"D_CTPROCEDURE1_001";
    private static final String SAE_NARRATIVE2 =
"D_NARRATIVE2SAE_001";
    private static final String AE_PID = "AESPID_
001";
    private static final String SAE_PID = "D_AEID
NUMBEG_001";
    private static final String AE_COUNTRY = "D_S
AECOUNTRY1_001";
    private static final String SAE_COUNTRY = "D_
COUNTRYOCCUR_001";
    private static final String IS_AE_LAST_EXPERI
ENCE = "D_SAEAEOUTYN_001";
    private static final String AE_LAST_EXPERIENC
E = "D_SAEAEOUTDTC_001";
    private static final String AE_END_DATE = "AE
ENDTC_001";
    /**
     * If yes, enter the final outcome of the las
t sign or symptom assicated with this event
     */
```

```
private static final String AE_LAST_OUTCOME =
"D_SAEAEOUT_001";
/**
 * What was the outcome of this adverse event
?:
 */
private static final String AE_OUTCOME = "AEO
UT_001";
private static final String AE_START_DATETIME
= "AESTDTC_001";
/**
 * If yes, enter the date the subject first e
xperienced a sign or symptom associated with this
event?
 */
private static final String AE_EXPERIENCE_STA
RT= "D_SAEAESTDTC_001";
/**
 * SAE Original Onset Date-Derived
 */
private static final String SAE_START_DATE =
"D_SAEDATD_001";
private static final String SAE_END_DATE = "D
_SAEEDD_001";
private static final String AE_HOSPITALIZATIO
N_START = "D_SAEADMITDTC_001";
private static final String AE_HOSPITALIZATIO
N_END = "D_SAEDISCHDTC_001";
/**
 * Derived Case Details
 */
private static final String SAE_REPEATING GRO
UP = "D_SAE08001";
/**
 * Was the AE related to a Prefilled Syringe?
 */
private static final String AE_PREFILLED = "S
```



```
UPPAE_AEDEVREL_001";
    private static final String AE_ACTION = "D_DE
VACN_001";
    private static final String AE_OPERATOR = "D_
DEVOP_001";
    private static final Map<String, String> VAR_
MAP = Map.ofEntries(
        entry(AE_PID, SAE_PID),
        entry(AE_TERM, SAE_TERM),
        entry("AESDTH_001", "D_RESDEATH_001")
    ,
        entry("AESLIFE_001", "D_LIFETHREAT_00
1"),
        entry("AESHOSP_001", "D_CAUSEHOSP_001
"),
        entry("AESDISAB_001", "D_DISABLE_001"
),
        entry("AESMIE_001", "D_MEDIMPORT_001"
),
        entry(AE_CASE_ID, SAE_CASE_ID),
        entry("AEREL_001", "D_CAUSE_001"),
        entry("SUPPAE_AEREL1_001", "D_CAUSE1_
001"),
        entry("SUPPAE_AEREL2_001", "D_CAUSE2_
001"),
        entry("SUPPAE_AEREL3_001", "D_CAUSE3_
001"),
        entry("SUPPAE_AEREL4_001", "D_CAUSE4_
001"),
        entry("SUPPAE_AEREL5_001", "D_CAUSE5_
001"),
        entry("SUPPAE_AEREL6_001", "D_CAUSE6_
001"),
        entry("SUPPAE_AEREL7_001", "D_CAUSE7_
001"),
        entry("AEACN_001", "D_ACNTKN_001"),
        entry("SUPPAE_AEACN1_001", "D_ACNTKN1
```

```
_001"),
    entry("SUPPAE_AEACN2_001", "D_ACNTKN2
_001"),
    entry("SUPPAE_AEACN3_001", "D_ACNTKN3
_001"),
    entry("SUPPAE_AEACN4_001", "D_ACNTKN4
_001"),
    entry("SUPPAE_AEACN5_001", "D_ACNTKN5
_001"),
    entry("SUPPAE_AEACN6_001", "D_ACNTKN6
_001"),
    entry("SUPPAE_AEACN7_001", "D_ACNTKN7
_001"),
    entry("D_RECHALAE_001", "D_RECHALDER_
001"),
    entry("D_RECHALAE1_001", "D_RECHALDER
1_001"),
    entry("D_RECHALAE2_001", "D_RECHALDER
2_001"),
    entry("D_RECHALAE3_001", "D_RECHALDER
3_001"),
    entry("D_RECHALAE4_001", "D_RECHALDER
4_001"),
    entry("D_RECHALAE5_001", "D_RECHALDER
5_001"),
    entry("D_RECHALAE6_001", "D_RECHALDER
6_001"),
    entry("D_RECHALAE7_001", "D_RECHALDER
7_001"),
    entry("AESCONG_001", "D_ANOMALY_001")
);

    private static final List<String> RECHAL = Li
st.of("POSITIVE", "NEGATIVE", "NOT APPLICABLE", "
UNKNOWN");
    private static final List<String> AEACN = Lis
t.of("5", "3", "1", "4", "2", "6", "7");
```

```
private static final Map<String, BiPredicate<
String, String>> SAE_VALUE_FILTERS = Map.ofEntries(
    entry("D_CAUSEHOSP_001", (c, v) -> !"Y".equals(c)),
    entry("D_RESDEATH_001", (c, v) -> !"Y".equals(c)),
    entry("D_LIFETHREAT_001", (c, v) -> !"Y".equals(c)),
    entry("D_DISABLE_001", (c, v) -> !"Y".equals(c)),
    entry("D_MEDIMPORT_001", (c, v) -> !"Y".equals(c)),
    entry("D_CAUSE_001", (c, v) -> !"2".equals(c)),
    entry("D_CAUSE1_001", (c, v) -> !"2".equals(c)),
    entry("D_CAUSE2_001", (c, v) -> !"2".equals(c)),
    entry("D_CAUSE3_001", (c, v) -> !"2".equals(c)),
    entry("D_CAUSE4_001", (c, v) -> !"2".equals(c)),
    entry("D_CAUSE5_001", (c, v) -> !"2".equals(c)),
    entry("D_CAUSE6_001", (c, v) -> !"2".equals(c)),
    entry("D_CAUSE7_001", (c, v) -> !"2".equals(c)),
    entry("D_ANOMALY_001", (c, v) -> !"Y".equals(c)),
    entry("D_ACNTKN_001", (c, v) -> AEACN.indexOf(v) < AEACN.indexOf(c)),
    entry("D_ACNTKN1_001", (c, v) -> AEACN.indexOf(v) < AEACN.indexOf(c)),
    entry("D_ACNTKN2_001", (c, v) -> AEACN.indexOf(v) < AEACN.indexOf(c)),
```

```
        entry("D_ACNTKN3_001", (c, v) -> AEAC
N.indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN4_001", (c, v) -> AEAC
N.indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN5_001", (c, v) -> AEAC
N.indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN6_001", (c, v) -> AEAC
N.indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN7_001", (c, v) -> AEAC
N.indexOf(v) < AEACN.indexOf(c)),
        entry("D_RECHALDER_001", (c, v) -> RE
CHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER1_001", (c, v) -> R
ECHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER2_001", (c, v) -> R
ECHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER3_001", (c, v) -> R
ECHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER4_001", (c, v) -> R
ECHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER5_001", (c, v) -> R
ECHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER6_001", (c, v) -> R
ECHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER7_001", (c, v) -> R
ECHAL.indexOf(v) < RECHAL.indexOf(c))
    );
    private static final Map<String, String> CODE
LIST_MAP = new HashMap<>();
    static { CODELIST_MAP.put("D_RESDEATH_001", "
D_RESDEATH_CL_001");
        CODELIST_MAP.put("D_CAUSEHOSP_001", "D_CA
USEHOSP_CL_001");
        CODELIST_MAP.put("D_DISABLE_001", "D_DISA
BLE_CL_001");
        CODELIST_MAP.put("D_LIFETHREAT_001", "D_L
IFETHREAT_CL_001");
```

```
CODELIST_MAP.put("D_ANOMALY_001", "D_ANOM  
ALY_CL_001");  
CODELIST_MAP.put(SAE_COUNTRY, "D_COUNTRYO  
CCUR_CL_001");  
CODELIST_MAP.put(SAE_OUTCOME, "D_SAEOUTD_  
CL_001");  
CODELIST_MAP.put("D_CAUSE_001", "D_CAUSE_  
CL_001");  
CODELIST_MAP.put("D_CAUSE1_001", "D_CAUSE  
1_CL_001");  
CODELIST_MAP.put("D_CAUSE2_001", "D_CAUSE  
2_CL_001");  
CODELIST_MAP.put("D_CAUSE3_001", "D_CAUSE  
3_CL_001");  
CODELIST_MAP.put("D_CAUSE4_001", "D_CAUSE  
4_CL_001");  
CODELIST_MAP.put("D_CAUSE5_001", "D_CAUSE  
5_CL_001");  
CODELIST_MAP.put("D_CAUSE6_001", "D_CAUSE  
6_CL_001");  
CODELIST_MAP.put("D_CAUSE7_001", "D_CAUSE  
7_CL_001");  
CODELIST_MAP.put("D_ACNTKN_001", "D_ACNTK  
N_CL_001");  
CODELIST_MAP.put("D_ACNTKN1_001", "D_ACNT  
KN1_CL_001");  
CODELIST_MAP.put("D_ACNTKN2_001", "D_ACNT  
KN2_CL_001");  
CODELIST_MAP.put("D_ACNTKN3_001", "D_ACNT  
KN3_CL_001");  
CODELIST_MAP.put("D_ACNTKN4_001", "D_ACNT  
KN4_CL_001");  
CODELIST_MAP.put("D_ACNTKN5_001", "D_ACNT  
KN5_CL_001");  
CODELIST_MAP.put("D_ACNTKN6_001", "D_ACNT  
KN6_CL_001");  
CODELIST_MAP.put("D_ACNTKN7_001", "D_ACNT
```

```
KN7_CL_001");
        CODELIST_MAP.put("D_RECHALDER_001", "D_RE
CHALDER_CL_001");
        CODELIST_MAP.put("D_RECHALDER1_001", "D_R
ECHALDER1_CL_001");
        CODELIST_MAP.put("D_RECHALDER2_001", "D_R
ECHALDER2_CL_001");
        CODELIST_MAP.put("D_RECHALDER3_001", "D_R
ECHALDER3_CL_001");
        CODELIST_MAP.put("D_RECHALDER4_001", "D_R
ECHALDER4_CL_001");
        CODELIST_MAP.put("D_RECHALDER5_001", "D_R
ECHALDER5_CL_001");
        CODELIST_MAP.put("D_RECHALDER6_001", "D_R
ECHALDER6_CL_001");
        CODELIST_MAP.put("D_RECHALDER7_001", "D_R
ECHALDER7_CL_001");
        CODELIST_MAP.put("D_MEDIMPORT_001", "D_ME
DIMPORT_CL_001");
    };

    private static final Map<String, Integer> DAT
E_INDEXES = Map.of(AE_HOSPITALIZATION_START, 0, A
E_HOSPITALIZATION_END, 1);
    private static final Map<String, Predicate<In
teger>> HOSP_DATE_FILTERS = Map.of(AE_HOSPITALIZA
TION_START, i -> i < 0, AE_HOSPITALIZATION_END, i
-> i > 0);

    public static boolean gradeUpdate(ItemData da
taPoint, ApiService service, String productName)
    {
        if (dataPoint == null || service == null)
        {
            return false;
        }
        String caseId = dataPoint.getSingleValue(
```

```
);
    CrfData crfData = dataPoint.getCrfData();
    Map<Long, Map<Integer, Map<String, ItemData>>> grading = new HashMap<>(); //case no, row,
    term, var -> item
    Map<String, Long> saeForms = new HashMap<>();
    ItemDataRequest reportRequest = new ItemDataRequest()
        .setStudyName(dataPoint.getCrfData().getSubject().getSite().getStudy().getName())
        .setSubjectNumber(dataPoint.getCrfData().getSubject().getNumber())
        .setInstrumentName(SAE_FORM);
    Collection<ItemData> report = service.getItems(reportRequest);
    CrfData reportForm = null;
    for (ItemData available : report) {
        Long id = available.getCrfData().getId();
        if (available.getVariable().getName().equals(SAE_CASE_ID)
            && !available.getValues().isEmpty()) {
            String caseNo = available.getSingleValue();
            saeForms.put(caseNo, id);
        }
        Map<Integer, Map<String, ItemData>> terms = grading.computeIfAbsent(id, i -> new HashMap<>());
        Map<String, ItemData> records = terms.computeIfAbsent(available.getRowIndex(), i -> new HashMap<>());
        records.put(available.getVariable().getName(), available);
    }
}
```

```
//getting other values from current form
Collection<ItemData> items = service.getItems(reportRequest.setInstrumentName(crfData.getCrf().getName()));
    Map<Long, Map<String, ItemData>> allForms
    = new HashMap<>(); //form id, term, var -> item
    Map<String, Set<Long>> aeForms = new HashMap<>();
    Map<String, Map<String, String>> maxAestd
    tc = new HashMap<>();
    Map<String, Map<String, String>> minAestd
    tc = new HashMap<>();
    Map<String, Map<String, String>> maxAeSta
    rtEndDate = new HashMap<>();
    Map<String, Map<String, String>> maxAeEnd
    Date = new HashMap<>();
    Map<String, Map<String, String>> maxOutco
    meDate = new HashMap<>();
    Map<String, Map<String, String>> countryV
    alues = new HashMap<>();
    Map<String, Map<String, String>> outcomeV
    alues = new HashMap<>();
    Map<String, Map<String, Map<Long, String[
    ]>>> prefilledValues = new HashMap<>();
    Map<String, Map<String, List<String>>> pi
    ds = new HashMap<>();
    Map<String, Map<String, Set<String>>> nar
    ratives = new HashMap<>();
    for (ItemData available : items) {
        Long id = available.getCrfData().getI
    d();
        String varName = available.getVariabl
    e().getName();
        if (varName.equals(AE_CASE_ID)
            && !available.getValues().isE
    mpty()) {
            String caseNo = available.getSing
```



```
leValue();
        aeForms.computeIfAbsent(caseNo, n
-> new HashSet<>()).add(id);
    }
    if (available.getCrfData().isRemoved(
)
        && !AE_CASE_ID.equals(varName
)
        && !AE_TERM.equals(varName)
        && !AE_PREVIOUS_CASE_ID.equal
s(varName)) {
        continue;//skipping all removed f
rom calculations
    }
    Map<String, ItemData> terms = allForm
s.computeIfAbsent(id, i -> new HashMap<>());
    terms.put(varName, available);
    }
    Map<String, ItemData> currentForm = allFo
rms.computeIfAbsent(crfData.getId(), id -> new Ha
shMap<>());
    ItemData dummy = null;
    String oldId = "";
    boolean found = false;
    for (Map.Entry<String, ItemData> entry :
currentForm.entrySet()) {
        if (AE_PREVIOUS_CASE_ID.equals(entry.
getKey())
            && !Objects.equals(caseId, en
try.getValue().getSingleValue())) {
            oldId = entry.getValue().getSingl
eValue();
            dummy = entry.getValue();
            dummy.setSingleValue(caseId);
            found = true;
        }
    }
}
```

```
        if (!found && !currentForm.containsKey(AE_
_PREVIOUS_CASE_ID)) {
            dummy = dataPoint.withoutIds();
            dummy.getVariable().setName(AE_PREVIO
US_CASE_ID);
        }
        Map<String, Map<String, Map<String, ItemD
ata>>> byVarTerms = new HashMap<>();//case no ->
sae var -> term -> item
        Map<String, Map<String, Map<Long, String[
]>>> hospNarrativeDetails = new HashMap<>();//cas
e no -> term -> eventCrfId -> start/end
        Map<String, Map<String, ItemData[]>> hosp
Details = new HashMap<>();//case no -> term -> st
art/end
        Map<String, Set<String>> allTerms = new H
ashMap<>();
        for (Map.Entry<Long, Map<String, ItemData
>> form : allForms.entrySet()) {
            String term = Optional.ofNullable(for
m.getValue().get(AE_TERM))
                .map(ItemData::getSingleValue
).map(String::toUpperCase).orElse("");
            String caseNo = Optional.ofNullable(f
orm.getValue().get(AE_CASE_ID)).map(ItemData::get
SingleValue).orElse("");
            allTerms.computeIfAbsent(caseNo, no -
> new HashSet<>()).add(term);
            for (Map.Entry<String, ItemData> vari
able : form.getValue().entrySet()) {
                String saeVar = VAR_MAP.get(varia
ble.getKey());
                Optional.ofNullable(variable.getV
alue())
                    .filter(i -> saeVar != nu
ll)
                    .filter(i -> i.getSingleV
```

```
value() != null)
    .filter(i -> SAE_VALUE_FILTERS.containsKey(saeVar))
    .filter(i -> Optional.ofNullable(byVarTerms.computeIfAbsent(caseNo, no ->
new HashMap<>()).computeIfAbsent(saeVar, v -> new
HashMap<>()).get(term)).map(ItemData::getSingleValue).map(v -> SAE_VALUE_FILTERS.get(saeVar).test
(v, i.getSingleValue())).orElse(Boolean.TRUE))
    .ifPresent(i -> byVarTerms.computeIfAbsent(caseNo, no -> new HashMap<>()).
computeIfAbsent(saeVar, v -> new HashMap<>()).put
(term, i));
    }
    addDeviceInfo(term, form, prefilledValues.computeIfAbsent(caseNo, no -> new HashMap<>()
));
    Optional.ofNullable(form.getValue().get(AE_START_DATETIME))
        .map(ItemData::getSingleValue)
        .filter(date -> !maxAestdtc.getDefault(caseNo, Map.of()).containsKey(term) |
| date.compareTo(maxAestdtc.get(caseNo).get(term)) > 0)
        .ifPresent(date -> maxAestdtc.computeIfAbsent(caseNo, no -> new HashMap<>()).put
(term, date));

    addHospDate(form.getValue(), hospDetails.computeIfAbsent(caseNo, no -> new HashMap<>()
).computeIfAbsent(term, t -> new ItemData[2]));
    initHospitalizationInfo(caseNo, form.getKey(), term, form.getValue(), hospNarrativeDetails);

    Optional<ItemData> aestdtc = Optional
```

```
.ofNullable(form.getValue().get(AE_START_DATETIME
))
        .filter(i -> i.getSingleValue
() != null);
        Optional.ofNullable(form.getValue().g
et(AE_EXPERIENCE_START))
        .filter(i -> i.getSingleValue
() != null)
        .or(() -> aestdtc)
        .map(ItemData::getSingleValue
)
        .filter(date -> !minAestdtc.g
etOrDefault(caseNo, Map.of()).containsKey(term) |
| date.compareTo(minAestdtc.get(caseNo).get(term)
) < 0)
        .ifPresent(date -> minAestdtc
.computeIfAbsent(caseNo, no -> new HashMap<>()).p
ut(term, date));
        Optional<String> outcome = Optional.o
fNullable(form.getValue().get(AE_LAST_OUTCOME))
        .map(ItemData::getSingleValue
)
        .or(() -> Optional.ofNullable
(form.getValue().get(AE_OUTCOME)).map(ItemData::g
etSingleValue));
        Optional<ItemData> aeEnd = Optional.o
fNullable(form.getValue().get(AE_END_DATE))
        .filter(i -> i.getSingleValue
() != null);
        Optional<String> outcomeDate = Option
al.ofNullable(form.getValue().get(AE_START_DATETI
ME))
        .filter(i -> i.getSingleValue
() != null)
        .map(i -> aeEnd.isPresent() &
& i.getSingleValue().compareTo(aeEnd.get().getSin
gleValue()) < 0 ? aeEnd.get() : i)
```

```
                .or(() -> aeEnd)
                .map(ItemData::getSingleValue
            )
                .filter(date -> !maxOutcomeDate.getOrDefault(caseNo, Map.of()).containsKey(term) || date.compareTo(maxOutcomeDate.get(caseNo).get(term)) > 0);
                initMaxAeEndDate(caseNo, term, form, maxAeStartDate, maxAeEndDate);
                if (outcomeDate.isPresent()) {
                    maxOutcomeDate.computeIfAbsent(caseNo, no -> new HashMap<>()).put(term, outcomeDate.get());
                    outcome.ifPresent(o -> outcomeValues.computeIfAbsent(caseNo, no -> new HashMap<>()).put(term, o));
                } else if (!outcomeValues.getOrDefault(caseNo, Map.of()).containsKey(term)) {
                    outcome.ifPresent(o -> outcomeValues.computeIfAbsent(caseNo, no -> new HashMap<>()).put(term, o));
                }
                Optional.ofNullable(form.getValue().get(AE_COUNTRY))
                    .map(ItemData::getSingleValue
            )
                    .ifPresent(c -> countryValues.computeIfAbsent(caseNo, no -> new HashMap<>()).put(term, c));
                Optional.ofNullable(form.getValue().get(AE_PID))
                    .map(ItemData::getSingleValue
            )
                    .ifPresent(pid -> pids.computeIfAbsent(caseNo, no -> new HashMap<>()).computeIfAbsent(term, t -> new ArrayList<>()).add(pid));
                String proc = Optional.ofNullable(form
```

```
m.getValue().get(AE_CT_PROCEDURE))
                                .map(ItemData::getSingleValue
).orElse("");
        if (!proc.isEmpty()) {
            narratives.computeIfAbsent(caseNo
, no -> new HashMap<>()).computeIfAbsent(term, t
-> new HashSet<>()).add(proc);
        }
    }
    Long currentId = saeForms.get(caseId);
    List<ItemData> values = new ArrayList<>()
;
    Set<Integer> rowsToRemove = new HashSet<>
();
    if (currentId == null && caseId != null &
& !caseId.isEmpty()) { //new case
        reportForm = new CrfData();
        Crf saeCrf = new Crf();
        saeCrf.setName(SAE_FORM);
        reportForm.setCrf(saeCrf);
        reportForm.setSubject(dataPoint.getCrf
fData().getSubject());
        Encounter encounter = new Encounter()
;
        reportForm.setEncounter(encounter);
        encounter.setSubject(dataPoint.getCrf
Data().getSubject());
        Event event = new Event();
        encounter.setEvent(event);
        event.setUniqueName(EVENT_NAME);
        int occurrence = service.addCrf(repor
tForm);
        reportForm.setOccurrence(occurrence);
        ItemData term = null;
        ItemData procedure = null;
        ItemData[] aehopsDetail = new ItemDat
a[2];
```

```
ItemData[] saeoodDetail = new ItemData[2];
ItemData[] saeeddDetail = new ItemData[2];
ItemData[] saeoutDetail = new ItemData[2];
for (Map.Entry<String, ItemData> cur : currentForm.entrySet()) {
    if (VAR_MAP.containsKey(cur.getKey())) {
        ItemData copy = cur.getValue().withoutIds();
        if (cur.getKey().equals(AE_TERM)) {
            term = copy;
            copy.setSingleValue(Optional.ofNullable(copy.getSingleValue()).map(String::toUpperCase).orElse(""));
        }
        copy.getVariable().setName(VAR_MAP.get(cur.getKey()));
        copy.setCrfData(reportForm);
        String clKey = copy.getVariable().getName();
        String codelist = CODELIST_MAP.containsKey(clKey) ? CODELIST_MAP.get(clKey) : copy.getVariable().getCodeList();
        copy.getVariable().setCodelist(codelist);
        values.add(copy);
    }
    if (cur.getKey().equals(AE_CT_PROCEDURE)) {
        procedure = cur.getValue().withoutIds();
    }
    if (cur.getKey().equals(AE_HOSPIT
```

```
ALIZATION_START)) {
    aehopsDetail[0] = cur.getValu
e().withoutIds();
}
if (cur.getKey().equals(AE_HOSPIT
ALIZATION_END)) {
    aehopsDetail[1] = cur.getValu
e().withoutIds();
}
if (cur.getKey().equals(AE_EXPERI
ENCE_START)) {
    saeoodDetail[0] = cur.getValu
e().withoutIds();
}
if (cur.getKey().equals(AE_START_
DATETIME)) {
    saeoodDetail[1] = cur.getValu
e().withoutIds();
}
if (cur.getKey().equals(AE_LAST_E
XPERIENCE)) {
    saeeddDetail[0] = cur.getValu
e().withoutIds();
}
if (cur.getKey().equals(AE_END_DA
TE)) {
    saeeddDetail[1] = cur.getValu
e().withoutIds();
}
if (cur.getKey().equals(AE_LAST_0
UTCOME)) {
    saeoutDetail[0] = cur.getValu
e().withoutIds();
}
if (cur.getKey().equals(AE_OUTCOM
E)) {
    saeoutDetail[1] = cur.getValu
```



```
e().withoutIds();
    }
    }
    values.add(createHospDetails(Optional
.ofNullable(term).map(ItemData::getSingleValue).o
rElse(""), aehopsDetail[0], aehopsDetail[1]));
    ItemData saeood = createItem(SAE_STAR
T_DATE);
    if (saeoodDetail[0] != null && !saeoo
dDetail[0].getValues().isEmpty()) {
        saeood.setValues(saeoodDetail[0].
getValues());
    } else {
        saeood.setValues(saeoodDetail[1]
== null ? Collections.emptyList() : saeoodDetail[
1].getValues());
    }
    values.add(saeood);
    ItemData saeedd = createItem(SAE_END_
DATE);
    if (saeeddDetail[0] != null && !saeed
dDetail[0].getValues().isEmpty()) {
        saeedd.setValues(saeeddDetail[0].
getValues());
    } else {
        saeedd.setValues(saeeddDetail[1]
== null ? Collections.emptyList() : saeeddDetail[
1].getValues());
    }
    values.add(saeedd);
    ItemData saeout = createItem(SAE_OUTC
OME);
    if (saeoutDetail[0] != null && saeout
Detail[0].getValues().isEmpty()) {
        saeout.setValues(saeoutDetail[1]
== null ? Collections.emptyList() : saeoutDetail[
1].getValues());
    }
```

```
        } else {
            saeout.setValues(saeoutDetail[0]
== null ? Collections.emptyList() : saeoutDetail[
0].getValues());
        }
        values.add(saeout);
        ItemData country = createItem(SAE_COU
NTRY);
        country.setValues(List.of(emptyDefaul
t(currentForm, AE_COUNTRY)));
        values.add(country);
        values.add(createNarrative(List.<Item
Data[]>of(new ItemData[]{term, procedure}), produ
ctName, prefilledValues.get(caseId)));
    } else if (currentId != null) { //we alrea
dy have a form for that case
        Map<Integer, Map<String, ItemData>> r
eportData = grading.get(currentId);
        Integer rowNo = null;
        Map<Integer, String> rows = new HashM
ap<>();
        Map<String, Integer> pidRows = new Ha
shMap<>();
        TreeSet<Integer> termRows = new TreeS
et<>();
        String currentTerm = emptyDefault(cur
rentForm, AE_TERM, String::toUpperCase);
        for (Map.Entry<Integer, Map<String, I
temData>> entry : reportData.entrySet()) {
            for (Map.Entry<String, ItemData>
value : entry.getValue().entrySet()) {
                if (reportForm == null) {
                    reportForm = value.getVal
ue().getCrfData();
                }
                String group = getGroupName(v
alue.getValue());
```

```
        if ("".equals(group) || SAE_R
EPEATING_GROUP.equals(group)) {
            termRows.add(entry.getKey
());
        }
        boolean termRow = SAE_TERM.eq
uals(value.getValue().getVariable().getName());
        if (termRow && Objects.equals
(value.getValue().getSingleValue(), currentTerm))
        {
            rowNo = entry.getKey();
        }
        if (termRow) {
            rows.put(entry.getKey(),
value.getValue().getSingleValue());
        }
        if (SAE_PID.equals(value.getV
alue().getVariable().getName())) {
            pidRows.put(value.getValu
e().getSingleValue(), entry.getKey());
        }
    }
    if (rowNo == null && pidRows.contains
Key(emptyDefault(currentForm, AE_PID))) { //term u
pdate
        rowNo = pidRows.get(emptyDefault(
currentForm, AE_PID));
        rows.put(rowNo, currentTerm);
    }
    String saeNo = Optional.ofNullable(re
portData.get(0)).map(r -> r.get(SAE_CASE_ID)).map
(ItemData::getSingleValue).orElse("");
    if (rowNo == null) { //new row in the
case
        rowNo = termRows.last() + 1;
        for (Map.Entry<String, String> v
```

```
: VAR_MAP.entrySet()) {
    if (currentForm.containsKey(v
.getKey()) && !AE_CASE_ID.equals(v.getKey())) {
        ItemData copy = currentFo
rm.get(v.getKey()).withoutIds();
        if (v.getKey().equals(AE_
TERM)) {
            copy.setSingleValue(O
ptional.ofNullable(copy.getSingleValue()).map(Str
ing::toUpperCase).orElse(""));
        }
        copy.setRowIndex(rowNo);
        copy.getVariable().setNam
e(v.getValue());
        String codelist = CODELIS
T_MAP.containsKey(v.getValue()) ? CODELIST_MAP.ge
t(v.getValue()) : copy.getVariable().getCodeList(
);
        copy.getVariable().setCod
eList(codelist);
        values.add(copy);
    }
}
String termValue = emptyDefault(c
urrentForm, AE_TERM, String::toUpperCase);
ItemData aehops = createHospDetai
ls(termValue, currentForm.get(AE_HOSPITALIZATION_
START), currentForm.get(AE_HOSPITALIZATION_END));
aehops.setRowIndex(rowNo);
values.add(aehops);

ItemData saeood = createItem(SAE_
START_DATE, rowNo);
ItemData saeaestd = currentForm.g
et(AE_EXPERIENCE_START);
ItemData aestd = currentForm.get(
AE_START_DATETIME);
```

```
        if (saeaestd != null && saeaestd.
getSingleValue() != null) {
            saeood.setValues(saeaestd.get
Values());
        } else if (aestd != null) {
            saeood.setValues(aestd.getVal
ues());
        } else {
            saeood.setValues(Collections.
emptyList());
        }
        values.add(saeood);

        ItemData saeedd = createItem(SAE_
END_DATE, rowNo);
        ItemData saeaeout = currentForm.g
et(AE_LAST_EXPERIENCE);
        ItemData aeend = currentForm.get(
AE_END_DATE);
        if (saeaeout != null && saeaeout.
getSingleValue() != null) {
            saeedd.setValues(saeaeout.get
Values());
        } else if (aeend != null) {
            saeedd.setValues(aeend.getVal
ues());
        } else {
            saeedd.setValues(Collections.
emptyList());
        }
        values.add(saeedd);

        ItemData saeout = createItem(SAE_
OUTCOME, rowNo);
        ItemData dsaeaeout = currentForm.
get(AE_LAST_OUTCOME);
        ItemData aeout = currentForm.get(
```

```
AE_OUTCOME);
        if (dsaeaeout != null && dsaeaeou
t.getSingleValue() != null) {
            saeout.setValues(dsaeaeout.ge
tValues());
        } else if (aeout != null) {
            saeout.setValues(aeout.getVal
ues());
        } else {
            saeout.setValues(Collections.
emptyList());
        }
        values.add(saeout);
        ItemData country = createItem(SAE
_COUNTRY, rowNo);
        country.setValues(List.of(emptyDe
fault(currentForm, AE_COUNTRY)));
        values.add(country);
    }
    for (Map.Entry<Integer, Map<String, I
temData>> entry : reportData.entrySet()) {
        if (entry.getKey() >= rows.size()
) {
            continue;//we are in a wrong
group
        }
        String pid = "";
        Set<String> row = new HashSet<>(V
AR_MAP.values());
        String term = rows.get(entry.getK
ey());
        Optional<ItemData> country = Opti
onal.empty();
        Optional<ItemData> outcome = Opti
onal.empty();
        ItemData termData = entry.getValu
e().get(SAE_TERM);
```

```
        ItemData termDetails = entry.getV
alue().get(SAE_TERM_DETAILS);
        String oldTerm = Optional.ofNulla
ble(termData).map(ItemData::getSingleValue).orEls
e("");

        for (Map.Entry<String, ItemData>
value : entry.getValue().entrySet()) {
            row.remove(value.getKey());
            if (SAE_PID.equals(value.getK
ey())) {
                pid = String.join(", ", p
ids.getDefault(saeNo, Map.of()).getDefault(te
rm, List.of()));
                value.getValue().setSingl
eValue(pid);
                values.add(value.getValue
());
                if (pid.isEmpty()) {
                    termData.setSingleVal
ue("");
                    values.add(termData);
                    rowsToRemove.add(entr
y.getKey());
                    termDetails.setSingle
Value("");
                    values.add(termDetail
s);
                }
            }
        }
        if (SAE_VALUE_FILTERS.contain
sKey(value.getKey())) {
            value.getValue().setSingl
eValue(Optional.ofNullable(byVarTerms.get(saeNo))
.map(m -> m.get(value.getKey())).map(m -> m.get(t
erm)).map(ItemData::getSingleValue).orElse(""));
            values.add(value.getValue
```

```
(());  
        }  
        if (SAE_START_DATE.equals(value  
ue.getKey())) {  
            value.getValue().setValue  
s(List.of(minAestdtc.getDefault(saeNo, Map.of()  
).getDefault(term, "")));  
            values.add(value.getValue  
());  
        }  
        if (SAE_END_DATE.equals(value  
.getKey())) {  
            value.getValue().setValue  
s(List.of(maxAeEndDate.getDefault(saeNo, Map.of()  
).getDefault(term, "")));  
            values.add(value.getValue  
());  
        }  
  
        if (SAE_TERM.equals(value.get  
Key())  
            && !allTerms.getOrDef  
ault(saeNo, Set.of()).contains(oldTerm)  
            && pidRows.containsKe  
y(emptyDefault(currentForm, AE_PID))) {  
            value.getValue().setSingl  
eValue(emptyDefault(currentForm, AE_TERM, String:  
:toUpperCase));  
            values.add(value.getValue  
());  
        }  
        if (SAE_TERM_DETAILS.equals(v  
alue.getKey())  
            && !allTerms.getOrDef  
ault(saeNo, Set.of()).contains(oldTerm)  
            && pidRows.containsKe  
y(emptyDefault(currentForm, AE_PID))) {
```



```
    }
    if (SAE_OUTCOME.equals(value.
getKey())) {
        outcome = Optional.of(val
ue.getValue());
    }
    if (SAE_COUNTRY.equals(value.
getKey())) {
        country = Optional.of(val
ue.getValue());
    }
}
if (!maxAestdtc.getDefault(saeNo, Map.of()).containsKey(term)
|| Optional.ofNullable(cu
rrentForm.get(AE_START_DATETIME))
.map(ItemData::getSingleV
alue)
.map(v -> v.compareTo(max
Aestdtc.get(saeNo).get(term)))
.orElse(1) >= 0) {
    List<String> countryVal = Lis
t.of(countryValues.getDefault(saeNo, Map.of()).
getDefault(term, ""));
    country.or(() -> Optional.of(
createItem(SAE_COUNTRY, entry.getKey()))).ifPrese
nt(i -> {
        i.setValues(countryVal);
        values.add(i);
    });
}
String termDetailsStr = hospDetai
ls(term,
        hospDetails.getDefault(
saeNo, Map.of()).getDefault(term, new ItemData[
2])[0],
        hospDetails.getDefault(
```

```
saeNo, Map.of()).getOrDefault(term, new ItemData[2])[1]);
        if (!pid.isEmpty() && !Objects.equals(termDetails.getSingleValue(), termDetailsStr)) {
            termDetails.setSingleValue(termDetailsStr);
            values.add(termDetails);
        }
        List<String> outcomeVal = List.of(outcomeValues.getOrDefault(saeNo, Map.of()).getOrDefault(term, ""));
        outcome.or(() -> Optional.of(createItem(SAE_OUTCOME, entry.getKey()))).ifPresent(i -> {
            i.setValues(outcomeVal);
            values.add(i);
        });
        for (Map.Entry<String, String> v : VAR_MAP.entrySet()) {
            if (currentForm.containsKey(v.getKey())
                && row.contains(v.getValue())
                && rowNo.equals(currentForm.get(v.getKey()).getRowIndex())
                && !AE_CASE_ID.equals(v.getKey())) {
                ItemData copy = currentForm.get(v.getKey()).withoutIds();
                copy.setRowIndex(rowNo);
                copy.getVariable().setName(v.getValue());
                String codelist = CODELIST_MAP.containsKey(v.getValue()) ? CODELIST_MAP.get(v.getValue()) : copy.getVariable().getCodeList();
            }
        }
    }
}
```

```
                copy.getVariable().setCodeList(codelist);
                values.add(copy);
            }
        }
        String hospNarrative = getHospitalizationNarrative(
            hospDetails.getOrDefault(caseId, new HashMap<>()),
            hospNarrativeDetails.getOrDefault(caseId, new HashMap<>())
        );
        ItemData narrativeItem = reportData.get(0).get(SAE_NARRATIVE2);
        List<String[]> narrativeParts = narratives.getOrDefault(saeNo, Map.of())
            .entrySet()
            .stream()
            .map(e -> new String[]{e.getKey(), String.join(", ", e.getValue())})
            .collect(Collectors.toList());
        ;
        if (narrativeItem == null) {
            narrativeItem = createItem(SAE_NARRATIVE2);
        }
        String narrativeString = narrativeString(narrativeParts, productName, prefilledValues.get(saeNo), hospNarrative);
        narrativeItem.setSingleValue(narrativeString);
        values.add(narrativeItem);
    }
    if (reportForm != null && reportForm.isRemoved()) {
        service.restoreForm(reportForm);
    }
}
```

```
    }
    if (reportForm != null) {
        doRemoveTimeValue(values, SAE_START_D
ATE);
        doRemoveTimeValue(values, SAE_END_DAT
E);
        service.saveFormData(reportForm, valu
es);
    }
    if (dummy != null) {
        service.saveFormData(crfData, List.of
(dummy));
    }
    updatePreviousCase(oldId, allForms, aeFor
ms, grading, saeForms, productName, service);
    for (Integer row : rowsToRemove) {
        service.removeRow(reportForm, SAE_REP
EATING_GROUP, row);
    }
    if (reportForm != null && pids.getOrDefau
lt(caseId, Map.of()).values().stream().allMatch(L
ist::isEmpty)) {
        service.removeForm(reportForm);
    }
    return false;
}

private static void doRemoveTimeValue(List<It
emData> values, String variableName) {
    List<ItemData> saeItemDates = values.stre
am()
        .filter(o -> variableName.equals(
o.getVariable().getName()))
        .collect(Collectors.toList());

    for (ItemData saeItemDate: saeItemDates)
{
```

```
        String startDate = saeItemDate.getSingleValue();
        if ((startDate != null) && (startDate.trim().length() > 0)) {
            try {
                LocalDate dateValue = LocalDate.parse(startDate, DateTimeFormatter.ofPattern("yyyy-MM-dd HH:mm"));
                String dateValueWithoutTime = dateValue.format(DateTimeFormatter.ofPattern("yy-MM-dd"));
                saeItemDate.setSingleValue(dateValueWithoutTime);
            } catch (Exception e) {}
        }
    }

    private static void initMaxAeEndDate(String caseNo,
        String term,
        Map.Entry<Long, Map<String, ItemData>> form,
        Map<String, Map<String, String>> maxAeStartDate,
        Map<String, Map<String, String>> maxAeEndDate) {
        Optional<ItemData> aeStartDate = Optional.ofNullable(form.getValue().get(AE_START_DATETIME))
            .filter(i -> i.getSingleValue() != null);
        Optional<ItemData> aeEndDate = Optional.ofNullable(form.getValue().get(AE_END_DATE))
            .filter(i -> i.getSingleValue() != null);
    }
```

```
String aeStartDateValue = aeStartDate.map
(ItemData::getSingleValue).orElse(null);
String aeEndDateValue = aeEndDate.map(Ite
mData::getSingleValue).orElse(null);

String maxComparisonDate = null;
if ((aeStartDateValue != null) || (aeEndD
ateValue != null)) {
    maxComparisonDate = aeStartDateValue;
    if (aeStartDateValue != null) {
        if ((aeEndDateValue != null) && (
aeStartDateValue.compareTo(aeEndDateValue)) < 0)
        {
            maxComparisonDate = aeEndDate
Value;
        }
    } else {
        maxComparisonDate = aeEndDateValu
e;
    }
}

if (maxComparisonDate != null) {
    Map<String, String> maxAeStartEndDate
ByCase = maxAeStartEndDate.computeIfAbsent(caseNo
, no -> new HashMap<>());
    String maxAeStartEndDateValue = maxAe
StartEndDateByCase.get(term);

    if ((maxAeStartEndDateValue == null)
|| (maxComparisonDate.compareTo(maxAeStartEndDate
Value) >= 0)) {
        maxAeStartEndDateByCase.put(term,
maxComparisonDate);

        boolean isLastExperience = Option
al.ofNullable(form.getValue()).get(IS_AE_LAST_EXPE
```

```
RIENCE))
                                .filter(i -> i.getSingleV
alue() != null)
                                .map(o -> "Y".equals(o.ge
tSingleValue()))
                                .orElse(false);

                                if (isLastExperience) {
                                    aeEndDateValue = Optional.ofN
ullable(form.getValue().get(AE_LAST_EXPERIENCE))
                                        .filter(o -> o.getSin
gleValue() != null)
                                            .map(ItemData::getSin
gleValue)
                                                .orElse("");
                                } else {
                                    aeEndDateValue = aeEndDate.is
Present() ? aeEndDate.get().getSingleValue() : ""
;
                                }

                                maxAeEndDate.computeIfAbsent(case
No, no -> new HashMap<>()).put(term, aeEndDateVal
ue);
                            }
                    }
            }

            private static void updatePreviousCase(String
caseNo,
                                Map<Long, Map<String, ItemData>> alla
eForms,
                                Map<String, Set<Long>> aeForms,
                                Map<Long, Map<Integer, Map<String, It
emData>>> grading,
                                Map<String, Long> saeForms,
                                String productName,
```

```
        ApiService service) {
            if (caseNo == null || caseNo.isEmpty()) {
                return;
            }
            Map<Integer, Map<String, ItemData>> reportData = grading.get(saeForms.get(caseNo));
            if (reportData == null) {
                return;
            }
            Set<Long> ids = aeForms.get(caseNo);
            List<ItemData> values = new ArrayList<>();
;
            if (ids == null) {
                CrfData reportForm = null;
                for (Map.Entry<Integer, Map<String, ItemData>> entry : reportData.entrySet()) {
                    for (Map.Entry<String, ItemData> value : entry.getValue().entrySet()) {
                        if (reportForm == null) {
                            reportForm = value.getValue().getCrfData();
                        }
                        if (SAE_REPEATING_GROUP.equals(getGroupName(value.getValue()))) {
                            value.getValue().setSingleValue("");
                            values.add(value.getValue());
                        }
                    }
                }
            }
            doRemoveTimeValue(values, SAE_START_DATE);
            doRemoveTimeValue(values, SAE_END_DATE);
            service.saveFormData(reportForm, values);
        }
    }
}
```



```
        for (Integer row : reportData.keySet(
    )) {
            service.removeRow(reportForm, SAE
        _REPEATING_GROUP, row);
            }
            service.removeForm(reportForm);
            return;
        }
        Map<String, List<ItemData>> pids = new Ha
shMap<>();
        Map<String, ItemData> saeaestd = new Hash
Map<>();
        Map<String, ItemData> saeaeout = new Hash
Map<>();
        Map<String, ItemData> outcome = new HashM
ap<>();
        Map<String, Map<String, String>> maxAeSta
rtEndDate = new HashMap<>();
        Map<String, Map<String, String>> maxAeEnd
Date = new HashMap<>();
        Map<String, String> maxOutcomeDate = new
HashMap<>();
        Map<String, Map<String, ItemData>> byVarT
erms = VAR_MAP.values().stream().collect(toMap(v
-> v, v -> new HashMap<>()));
        Set<String> allTerms = new HashSet<>();
        Map<String, TreeMap<String, Long>> maxAes
tdtc = new HashMap<>();
        Map<String, List<ItemData[]>> narrativeMa
p = new TreeMap<>();
        Map<String, Map<Long, String[]>> prefille
dValues = new HashMap<>();
        Map<String, Map<String, Map<Long, String[
]>>> hospNarrativeDetails = new HashMap<>();//cas
e no -> term -> eventCrfId -> start/end
        Map<String, ItemData[]> hospDetails = new
HashMap<>();
```

```
        Set<Integer> rowsToRemove = new HashSet<>
        ();
        for (Map.Entry<Long, Map<String, ItemData
>> form : allAeForms.entrySet()) {
            if (!ids.contains(form.getKey())) {
                continue;
            }
            String term = emptyDefault(form.getVa
lue(), AE_TERM, String::toUpperCase);
            if (term.isEmpty()) {
                continue;
            }
            allTerms.add(term);
            ItemData[] narratives = new ItemData[
2];
            narratives[0] = form.getValue().get(A
E_TERM);
            narratives[1] = form.getValue().get(A
E_CT_PROCEDURE);
            if (!toValueOrEmpty(narratives[1]).is
Empty()) {
                narrativeMap.computeIfAbsent(term
, t -> new ArrayList<>()).add(narratives);
            }
            for (Map.Entry<String, ItemData> vari
able : form.getValue().entrySet()) {
                String saeVar = VAR_MAP.get(varia
ble.getKey());
                Optional.ofNullable(variable.getV
alue())
                    .filter(i -> i.getSingleV
alue() != null)
                    .filter(i -> byVarTerms.c
ontainsKey(saeVar))
                    .filter(i -> Optional.ofN
ullable(byVarTerms.get(saeVar)).map(m -> m.get(te
rm)).map(ItemData::getSingleValue).filter(v -> SA
```

```
E_VALUE_FILTERS.containsKey(saeVar)).map(v -> SAE
_VALUE_FILTERS.get(saeVar).test(v, i.getSingleVal
ue())).orElse(Boolean.TRUE))
                .ifPresent(i -> byVarTerm
s.get(saeVar).put(term, i));
        }
        addDeviceInfo(term, form, prefilledVa
lues);

        addHospDate(form.getValue(), hospDeta
ils.computeIfAbsent(term, t -> new ItemData[2]));
        initHospitalizationInfo(caseNo, form.
getKey(), term, form.getValue(), hospNarrativeDet
ails);

        Optional.ofNullable(form.getValue().g
et(AE_PID))
                .ifPresent(i -> pids.computeI
fAbsent(term, t -> new ArrayList<>()).add(i));
        Optional<ItemData> aestdtc = Optional
.ofNullable(form.getValue().get(AE_START_DATETIME
))
                .filter(i -> i.getSingleValue
() != null);
        Optional.ofNullable(form.getValue().g
et(AE_EXPERIENCE_START))
                .filter(i -> i.getSingleValue
() != null)
                .or((() -> aestdtc)
                .filter(i -> Optional.ofNulla
ble(saeaestd.get(term)).map(ItemData::getSingleVa
lue).map(v -> v.compareTo(i.getSingleValue()) > 0
).orElse(Boolean.TRUE))
                .ifPresent(i -> saeaestd.put(
term, i));
        Optional<ItemData> outcomeValue = Opt
ional.ofNullable(form.getValue().get(AE_LAST_OUTC
```

```
OME))
        .filter(v -> v.getSingleValue
() != null)
        .or(() -> Optional.ofNullable
(form.getValue().get(AE_OUTCOME)));
        Optional<ItemData> aeEnd = Optional.o
fNullable(form.getValue().get(AE_END_DATE))
        .filter(i -> i.getSingleValue
() != null);
        Optional<String> outcomeDate = Option
al.ofNullable(form.getValue().get(AE_START_DATETI
ME))
        .filter(i -> i.getSingleValue
() != null)
        .map(i -> aeEnd.isPresent() &
& i.getSingleValue().compareTo(aeEnd.get().getSin
gleValue()) < 0 ? aeEnd.get() : i)
        .or(() -> aeEnd)
        .map(ItemData::getSingleValue
)
        .filter(date -> !maxOutcomeDa
te.containsKey(term) || date.compareTo(maxOutcome
Date.get(term)) > 0);
        initMaxAeEndDate(caseNo, term, form,
maxAeStartDate, maxAeEndDate);
        if (outcomeDate.isPresent()) {
            maxOutcomeDate.put(term, outcomeD
ate.get());
            outcomeValue.ifPresent(o -> outco
me.put(term, o));
        } else if (!maxOutcomeDate.containsKe
y(term)) {
            outcomeValue.ifPresent(o -> outco
me.put(term, o));
        }
        ItemData aestart = form.getValue().ge
t(AE_START_DATETIME);
```

```
        if (aestart != null && aestart.getSingleValue() != null) {
            TreeMap<String, Long> dates = max
Aestdtc.computeIfAbsent(term, t -> new TreeMap<>());
            dates.put(aestart.getSingleValue(), aestart.getCrfdData().getId());
        }
    }
    Map<Integer, String> rows = new HashMap<>();
    CrfdData reportForm = null;
    for (Map.Entry<Integer, Map<String, ItemData>> entry : reportData.entrySet()) {
        for (Map.Entry<String, ItemData> value : entry.getValue().entrySet()) {
            if (reportForm == null) {
                reportForm = value.getValue().getCrfdData();
            }
            if (SAE_TERM.equals(value.getValue().getVariable().getName())) {
                rows.put(entry.getKey(), value.getValue().getSingleValue());
            }
        }
    }
    rows.values().retainAll(allTerms);
    for (Map.Entry<Integer, Map<String, ItemData>> entry : reportData.entrySet()) {
        String term = rows.get(entry.getKey());
    };
    String pid = pids.getDefault(term, List.of()).stream().map(ItemData::getSingleValue).filter(Objects::nonNull).collect(Collectors.joining(", "));
    for (Map.Entry<String, ItemData> value
```

```
e : entry.getValue().entrySet()) {
    if (SAE_VALUE_FILTERS.containsKey
(value.getKey())) {
        value.getValue().setSingleVal
ue(Optional.ofNullable(byVarTerms.get(value.getKe
y()).get(term)).map(ItemData::getSingleValue).orE
lse(""));
        values.add(value.getValue());
    }
    if (SAE_PID.equals(value.getKey()
)) {
        value.getValue().setSingleVal
ue(pid);
        values.add(value.getValue());
    }
    if (SAE_TERM.equals(value.getKey(
)) && pid.isEmpty()) {
        value.getValue().setSingleVal
ue("");
        values.add(value.getValue());
        rowsToRemove.add(entry.getKey
());
    }
    if (SAE_TERM_DETAILS.equals(value
.getKey()) && pid.isEmpty()) {
        value.getValue().setValues(Li
st.of(""));
        values.add(value.getValue());
    }
    if (SAE_END_DATE.equals(value.get
Key())) {
        value.getValue().setValues(Li
st.of(maxAeEndDate.getDefault(caseNo, Map.of())
.getDefault(term, "")));
        values.add(value.getValue());
    }
    if (SAE_START_DATE.equals(value.g
```

```
etKey())) {
    value.getValue().setSingleValue(emptyDefault(saeaestd, term));
    values.add(value.getValue());
}
if (SAE_COUNTRY.equals(value.getKey()) && pid.isEmpty()) {
    value.getValue().setValues(List.of(""));
    values.add(value.getValue());
}
if (SAE_OUTCOME.equals(value.getKey()) && pid.isEmpty()) {
    value.getValue().setValues(List.of(""));
    values.add(value.getValue());
}
}
String hospNarrative = getHospitalizationNarrative(
    hospDetails,
    hospNarrativeDetails.getDefault(caseNo, new HashMap<>())
);
ItemData narrativeItem = reportData.get(0).get(SAE_NARRATIVE2);
List<String[]> narrativeValues = narrativeMap.values().stream().map(v -> new String[]{
    toValueOrEmpty(v.get(0)[0]).toUpperCase(), v.stream().map(i -> toValueOrEmpty(i[1])).collect(Collectors.joining(", "))}).collect(Collectors.toList());
if (narrativeItem == null) {
    narrativeItem = createItem(SAE_NARRATIVE2);
}
narrativeItem.setSingleValue(narrativ
```

```
eString(narrativeValues, productName, prefilledVa
lues, hospNarrative));
        values.add(narrativeItem);
        if (!pid.isEmpty()) {
            ItemData hospItem = entry.getValu
e().getOrDefault(SAE_TERM_DETAILS, createItem(SAE
_TERM_DETAILS));
            hospItem.setSingleValue(hospDetai
ls(term, hospDetails.getOrDefault(term, new ItemD
ata[2])[0], hospDetails.getOrDefault(term, new It
emData[2])[1]));
            values.add(hospItem);
        }
        TreeMap<String, Long> dates = maxAest
dtc.get(term);
        if (dates != null && !dates.isEmpty()
&& !pid.isEmpty()) {
            Long id = dates.lastEntry().getVa
lue();
            Map<String, ItemData> aeform = al
lAeForms.get(id);
            Optional.ofNullable(aeform.get(AE
_COUNTRY)).map(ItemData::getSingleValue)
                .ifPresent(v -> {
                    ItemData countryItem
= entry.getValue().getOrDefault(SAE_COUNTRY, crea
teItem(SAE_COUNTRY));
                    countryItem.setSingle
Value(v);
                    values.add(countryIte
m);
                });
        }
        if (!pid.isEmpty()) {
            String outcomeValue = Optional.of
Nullable(outcome.get(term)).map(ItemData::getSing
leValue).orElse("");
```



```
        ItemData outcomeItem = entry.getV
alue().getOrDefault(SAE_OUTCOME, createItem(SAE_O
UTCOME));
        outcomeItem.setSingleValue(outcom
eValue);
        values.add(outcomeItem);
    }
}
doRemoveTimeValue(values, SAE_START_DATE)
;
doRemoveTimeValue(values, SAE_END_DATE);
service.saveFormData(reportForm, values);
for (Integer row : rowsToRemove) {
    service.removeRow(reportForm, SAE_REP
EATING_GROUP, row);
}
if (pids.isEmpty()) {
    service.removeForm(reportForm);
}
}

private static void initHospitalizationInfo(S
tring caseNo,
    Long eventCrfId,
    String term,
    Map<String, ItemData> form,
    Map<String, Map<String, Map<Long, Str
ing[]>>> hospNarrativeDetails) {
    boolean isFormRemoved = form.values().str
eam().findFirst().map(o -> o.getCrfData().isRemov
ed()).orElse(false);

    if (!isFormRemoved) {
        String[] hospitalizationInfo = new St
ring[4];

        hospitalizationInfo[0] = term;
```

```
        hospitalizationInfo[1] = Optional.ofNullable(form.get(AE_START_DATETIME)).map(ItemData::getSingleValue).orElse("");
        hospitalizationInfo[2] = Optional.ofNullable(form.get(AE_HOSPITALIZATION_START)).map(ItemData::getSingleValue).orElse("");
        hospitalizationInfo[3] = Optional.ofNullable(form.get(AE_HOSPITALIZATION_END)).map(ItemData::getSingleValue).orElse("");

        if (isEmpty(hospitalizationInfo[2]) && isEmpty(hospitalizationInfo[3])) {
            return;
        }

        Map<Long, String[]> hospitalizationByEventCrfId = hospNarrativeDetails.computeIfAbsent(caseNo, no -> new HashMap<>()).computeIfAbsent(term, t -> new HashMap<>());
        hospitalizationByEventCrfId.put(eventCrfId, hospitalizationInfo);
    }

    private static boolean isEmpty(String value)
    {
        return (value == null) || (value.length() == 0);
    }

    private static void addHospDate(Map<String, ItemData> form, ItemData[] curDates) {
        ItemData hospStart = form.get(AE_HOSPITALIZATION_START);
        ItemData hospEnd = form.get(AE_HOSPITALIZATION_END);
```

```
        if (hospStart != null && hospStart.getSingleValue() != null) {
            int idxStart = DATE_INDEXES.get(AE_HOSPITALIZATION_START);
            int idxEnd = DATE_INDEXES.get(AE_HOSPITALIZATION_END);
            if (curDates[idxStart] != null) {
                String start = hospStart.getSingleValue();

                if (HOSP_DATE_FILTERS.get(AE_HOSPITALIZATION_START).test(start.compareTo(curDates[idxStart].getSingleValue()))) {
                    curDates[idxStart] = hospStart;
                }

                curDates[idxEnd] = hospEnd;
            }
        } else {
            curDates[idxStart] = hospStart;
            curDates[idxEnd] = hospEnd;
        }
    }

    private static void addDeviceInfo(String term, Map.Entry<Long, Map<String, ItemData>> form, Map<String, Map<Long, String[]>> prefilledValues) {
        Optional.ofNullable(form.getValue().get(AE_PREFILLED))
            .map(ItemData::getSingleValue)
            .map(v -> "Y".equals(v) ? "Related" : "Not Related")
            .ifPresent(v -> prefilledValues.computeIfAbsent(term, t -> new HashMap<>()).computeIfAbsent(form.getKey(), t -> new String[3])[2] = v);
        Optional.ofNullable(form.getValue().get(AE_OPERATOR))
```

```
                .map(i -> i.getResponseSetValues(
) == null || i.getResponseSetValues().isEmpty() ?
i.getSingleValue() : i.getResponseSetValues().ge
t(0).getLabel())
                .ifPresent(v -> prefilledValues.c
omputeIfAbsent(term, t -> new HashMap<>()).comput
eIfAbsent(form.getKey(), t -> new String[3])[0] =
v);
                Optional.ofNullable(form.getValue().get(A
E_ACTION))
                .map(i -> i.getResponseSetValues(
) == null || i.getResponseSetValues().isEmpty() ?
i.getSingleValue() : i.getResponseSetValues().ge
t(0).getLabel())
                .ifPresent(v -> prefilledValues.c
omputeIfAbsent(term, t -> new HashMap<>()).comput
eIfAbsent(form.getKey(), t -> new String[3])[1] =
v);
            }

            private static ItemData createHospDetails(Str
ing term, ItemData start, ItemData end) {
                ItemData aehosp = createItem(SAE_TERM_DET
AILS);
                aehosp.setValues(List.of(hospDetails(term
, start, end)));
                return aehosp;
            }

            private static String getHospitalizationNarra
tive(Map<String, ItemData[]> hospDetails, Map<Str
ing, Map<Long, String[]>> hospNarrativeDetailsByT
erm) {
                String hospNarrative = "";

                for (Map.Entry<String, Map<Long, String[]
>> hospEntryByTerm : hospNarrativeDetailsByTerm.e
```

```
ntrySet()) {
    String term = hospEntryByTerm.getKey(
);
    Map<Long, String[]> hospDataByEventCr
fId = hospEntryByTerm.getValue();
    if (hospDataByEventCrfId != null) {
        for (Map.Entry<Long, String[]> en
tryByEventCrfId : hospDataByEventCrfId.entrySet()
) {
            Long eventCrfId = entryByEven
tCrfId.getKey();
            String[] hospData = entryByEv
entCrfId.getValue();

            ItemData[] gradingHospData =
hospDetails.getDefault(term, null);
            Long gradingEventCrfId = Opti
onal.ofNullable(gradingHospData)
                .filter(o -> (o[0] !=
null) || (o[1] != null))
                .map(o -> {
                    ItemData hostDate
= (o[0] == null) ? o[1] : o[0];

                    return hostDate.g
etCrfData().getId();
                })
                .orElse(null);
            boolean isHospDataExists = Op
tional.ofNullable(hospData)
                .map(o -> String.join
("", hospData).length() > 0)
                .orElse(false);
            if (isHospDataExists && !even
tCrfId.equals(gradingEventCrfId)) {
                if (hospNarrative.length(
) > 0) {
```

```
                                hospNarrative += "\n"
;
                                }
                                hospNarrative += String.f
ormat("{HOSPITALIZATION}%s{/HOSPITALIZATION}", St
ring.join(";", hospData));
                                }
                                }
                                }
                                }
                                return hospNarrative;
                                }

    private static String hospDetails(String term
, ItemData start, ItemData end) {
        if (term == null) {
            return "";
        }
        StringBuilder sb = new StringBuilder(100)
;
        sb.append("{PRIMARYSOURCEREACTION}").appe
nd(term).append("{/PRIMARYSOURCEREACTION}");
        String startStr = toDateString(start);
        if (!startStr.isEmpty()) {
            sb.append("\n{HOSPITALSTARTDATE}").ap
pend(startStr).append("{/HOSPITALSTARTDATE}");
        }
        String endStr = toDateString(end);
        if (!endStr.isEmpty()) {
            sb.append("\n{HOSPITALENDDATE}").appe
nd(endStr).append("{/HOSPITALENDDATE}");
        }
        return sb.toString();
    }

    private static String toDateString(ItemData i
```

```
temData) {
    return Optional.ofNullable(itemData)
        .map(ItemData::getSingleValue)
        .map(LocalDate::parse)
        .map(ld -> ld.format(DateTimeForm
atter.ofPattern("yyyyMMdd")))
        .orElse("");
}

private static ItemData createNarrative(Colle
ction<ItemData[]> details, String productName, Ma
p<String, Map<Long, String[]>> prefilledValues) {
    ItemData narrative2 = createItem(SAE_NARR
ATIVE2);
    List<String[]> values = details.stream().
map(data -> new String[]{toValueOrEmpty(data[0]).
toUpperCase(), toValueOrEmpty(data[1])}).collect(
Collectors.toList());
    narrative2.setValues(List.of(narrativeStr
ing(values, productName, prefilledValues, "")));
    return narrative2;
}

private static String toValueOrEmpty(ItemData
item) {
    return Optional.ofNullable(item).map(Item
Data::getSingleValue).orElse("");
}

private static String narrativeString(Collect
ion<String[]> details,
    String productName,
    Map<String, Map<Long, String[]>> pref
illedValues,
    String hospNarrative) {
    StringBuilder sb = new StringBuilder();
    for (String[] narrative : details) {
```

```
        if (narrative[1] != null && !narrative[1].isEmpty()) {
            sb.append(Optional.ofNullable(narrative[0]).orElse(""))
                .append(":")
                .append(narrative[1])
                .append("\n");
        }
    }
    if (sb.length() > 0) {
        sb.deleteCharAt(sb.length() - 1).append("{/EVENTRELATED}").insert(0, "{EVENTRELATED}");
    }
    if (productName != null && !productName.trim().equals("")) {
        StringBuilder product = new StringBuilder();
        prefilledValues.forEach((term, valueMap) -> {
            valueMap.forEach((id, parts) -> {
                product.append("\n{PRODUCTNAME}").append(productName).append("{/PRODUCTNAME}");
            }
            product.append("\n{AETERM}").append(term).append("{/AETERM}");
            if (parts[0] != null) {
                product.append("\n{DEVICEOPERATOR}").append(parts[0]).append("{/DEVICEOPERATOR}");
            }
            if (parts[1] != null) {
                product.append("\n{DEVICEACTIONTAKEN}").append(parts[1]).append("{/DEVICEACTIONTAKEN}");
            }
            if (parts[2] != null) {
```



```
                product.append("\n{DEVICE
CAUSALITY}").append(parts[2]).append("{/DEVICECAU
SALITY}");
            }
        });
    });
    sb.append("\n").append(product);
}

if ((hospNarrative != null) && (hospNarra
tive.length() > 0)) {
    int narrativeLength = sb.length();
    boolean isNewLineExists = (narrativeL
ength > 0) && sb.charAt(narrativeLength - 1) == '
\n';
    if (!isNewLineExists) {
        sb.append("\n");
    }
    sb.append(hospNarrative);
}

return sb.toString();
}

private static ItemData createItem(String var
Name) {
    return createItem(varName, 0);
}

private static ItemData createItem(String var
Name, int row) {
    ItemData itemData = new ItemData();
    Variable variable = new Variable();
    variable.setName(varName);
    if (CODELIST_MAP.containsKey(varName)) {
        variable.setCodeList(CODELIST_MAP.get
(varName));
    }
}
```

		<pre> } itemData.setVariable(variable); itemData.setRowIndex(row); return itemData; } private static String emptyDefault(Map<String , ItemData> form, String key) { return emptyDefault(form, key, Function.i dentity()); } private static String emptyDefault(Map<String , ItemData> form, String key, Function<String, St ring> transformer) { return Optional.ofNullable(form.get(key)) .map(ItemData::getSingleValue) .map(transformer) .orElse(""); } private static String getGroupName(ItemData i tem) { return Optional.ofNullable(item.getVariab leGroupData()) .map(VariableGroupData::getVariab leGroup) .map(VariableGroup::getName) .orElse(""); }</pre>			
getStartDTS	Returns a LocalDateTime from a start DTS, including handling UNK.	<pre>import java.time.LocalDateTime; public static LocalDateTime getStartDTS(String st artDTS) { if (startDTS == null startDTS.length() > 1 9 startDTS.equals("")) { return null; } }</pre>		0.1	71779

```
}
else {
    LocalDateTime startDate;
    int month = 1;
    int day = 1;
    int hour = 0;
    int minute = 0;
    int second = 0;

    switch (startDTS.length()) {
        case 19: second = Integer.valueOf(sta
rtDTS.substring(17,19)); // 2024-01-01T00:00:00
        case 16: minute = Integer.valueOf(sta
rtDTS.substring(14,16)); // 2024-01-01T00:00
        case 13: hour = Integer.valueOf(start
DTS.substring(11,13)); // 2024-01-01T00
        case 10: day = Integer.valueOf(startD
TS.substring(8,10)); // 2024-01-01
        case 7: month = Integer.valueOf(start
DTS.substring(5,7)); // 2024-01
        case 4: int year = Integer.valueOf(st
artDTS.substring(0,4)); //2024
            startDate = LocalDateTime.of(
year, month, day, hour, minute, second);
            break;
        default: startDate = null;
    }
    return startDate;
}
}
```

getSecondValueUppercased		<pre>public static String customFunction(String input) { // Split the input string by " " if(input != null && input.contains(" ")) { String[] parts = input.split("\\ "); if (parts.length >= 2) { // Return the second value in uppercase return parts[1].toUpperCase(); } else { // Return an empty string return ""; } } else{ return "";} }</pre>		0.1	71778
getEndDTS	Returns a LocalDateTime from an end DTS, including handling UNK.	<pre>import java.time.LocalDateTime; import java.util.Calendar; public static LocalDateTime getEndDTS(String endDTS) { if (endDTS == null endDTS.length() > 19 endDTS.equals("")) { return null; } else { LocalDateTime endDate; int month = 1; int day = 1; int hour = 0;</pre>		0.1	71777

		<pre> int minute = 0; int second = 0; switch (endDTS.length()) { case 19: second = Integer.valueOf(end DTS.substring(17,19)); // 2024-01-01T00:00:00 case 16: minute = Integer.valueOf(end DTS.substring(14,16)); // 2024-01-01T00:00 case 13: hour = Integer.valueOf(endDT S.substring(11,13)); // 2024-01-01T00 case 10: day = Integer.valueOf(endDTS .substring(8,10)); // 2024-01-01 case 7: month = Integer.valueOf(endDT S.substring(5,7)); // 2024-01 case 4: int year = Integer.valueOf(en dDTS.substring(0,4)); //2024 if (day == 0) { Calendar cal = Calendar.g etInstance(); cal.set(year, month -1, 1); day = cal.getActualMaximu m(Calendar.DAY_OF_MONTH); } endDate = LocalDateTime.of(ye ar, month, day, hour, minute, second); break; default: endDate = null; } return endDate; } }</pre>			
getDateFromCycle	Returns Date from specific Cycle Day, based on received	<pre>import java.util.*; import java.util.stream.*; import com.candorgrc.core.shared.api.ApiService;</pre>	0.1	71776	

parameters

```
import com.candorgrc.core.shared.api.ItemDataRequest;
import com.candorgrc.core.shared.api.context.Context;
import com.candorgrc.core.shared.api.model.*;

    public static Integer getDateFromCycle(ApiService service, ItemData dataPoint) {

        if (dataPoint == null) {
            return 0;
        }

        CrfData currentDataForm = dataPoint.getCrfData();
        Subject subject = dataPoint.getCrfData().getSubject();

        // Get Study name studyName;
        String studyName = subject.getSite().getStudy().getName();

        // REQUIREMENT:
        //      "Fetch data from the variable SVS
        TDTC_001 from Cycle 1 Day 1"
        ItemDataRequest dataRequest = new ItemDataRequest().setStudyName(studyName).setSubjectNumber(subject.getNumber()).setEventName("Cycle 1 Day 1");
        var items = service.getItems(dataRequest.setInstrumentName("SV001"));
        String searchedVar = "SVSTDTC_001";
        String foundItem = null;

        for (ItemData item : items) {
            if (searchedVar.equals(item.getVariable().getName())) {
```

		<pre> foundItem = item.getSingleValue() ; } } if(foundItem != null){ Crf targetFormDefinition = new Crf(). setName("SV001"); Event targetEvent = new Event().setUn iqueName("SCR"); Encounter targetEnc = new Encounter() .setEvent(targetEvent); var targetForm = service.factory().cr eateCrfData() .setCrf(targetFormDefinition) .setSubject(subject) .setEncounter(targetEnc); ItemData svdate = service.factory().c reateItemData(targetForm) .setVariable(new Variable().s etName("SVSTDTC_001")) .setSingleValue(foundItem); service.saveFormData(targetForm, List .of(svdate)); return 1; } return 0; }</pre>			
dreport	Expression 2: In DD002 form, D_SAEDDRPT_002	<pre>import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequ est; import com.candorgrc.core.shared.api.model.CrfDat a; import com.candorgrc.core.shared.api.model.ItemDa</pre>		0.1	71775

```
ta;
import com.candorgrc.core.shared.api.model.RowSta
tus;
import com.candorgrc.core.shared.api.model.Variab
le;

import java.util.*;

    public static boolean report(ItemData dataPoint
, ApiService service) {
        if (dataPoint == null || service == null)
        {
            return false;
        }
        String cause = "";
        if ("Y".equals(dataPoint.getSingleValue()
)) {
            CrfData crfData = dataPoint.getCrfDat
a();
            ItemDataRequest ddRequest = new ItemD
ataRequest()
                .setStudyName(dataPoint.getCr
fData().getSubject().getSite().getStudy().getName
())
                .setSubjectNumber(dataPoint.g
etCrfData().getSubject().getNumber())
                .setEventName("DISP")
                .setInstrumentName("DD002");
            Collection<ItemData> ddItems = servic
e.getItems(ddRequest);
            Map<Integer, Map<String, ItemData>> d
dMap = new HashMap<>();
            TreeSet<Integer> pCauses = new TreeSe
t<>();
            for (ItemData item : ddItems) {
                if (item.getRowStatus().map(RowSt
atus::isRemoved).orElse(Boolean.FALSE)) {
```



```
                continue;
            }
            String name = item.getVariable().
getName();
            Map<String, ItemData> variables =
ddMap.computeIfAbsent(item.getRowIndex(), integer
-> new HashMap<>());
            variables.put(name, item);
            if ("DDTEST_002".equals(name) &&
"1".equals(item.getSingleValue())) {
                pCauses.add(item.getRowIndex(
));
            }
        }
        cause = getCause(ddMap, pCauses);
    }
    ItemDataRequest saeRequest = new ItemData
Request()
        .setStudyName(dataPoint.getCrfDat
a().getSubject().getSite().getStudy().getName())
        .setSubjectNumber(dataPoint.getCr
fData().getSubject().getNumber())
        .setEventName("LOGS")
        .setInstrumentName("D_SAE001");
    Collection<ItemData> saeItems = service.g
etItems(saeRequest);
    Map<Long, Boolean> withCause = new HashMa
p<>();
    Map<Long, ItemData> causes = new HashMap<
>();
    Map<Long, CrfData> crfs = new HashMap<>()
;
    for (ItemData item : saeItems) {
        String name = item.getVariable().getN
ame();
        Long id = item.getCrfData().getId();
        if (!withCause.containsKey(id)) {
```

```
        withCause.put(id, Boolean.FALSE);
    }
    if (!crfs.containsKey(id)) {
        crfs.put(id, item.getCrfdData());
    }
    if ("D_RESDEATH_001".equals(name)
        && "Y".equals(item.getSingleV
alue())) {
        withCause.put(id, Boolean.TRUE);
    }
    if ("D_CAUSDEATH_001".equals(name)) {
        causes.put(id, item);
    }
}
Map<Long, List<ItemData>> update = new Ha
shMap<>();
for (Map.Entry<Long, Boolean> caused : wi
thCause.entrySet()) {
    ItemData causeItem = causes.get(cause
d.getKey());
    if (causeItem == null) {
        causeItem = new ItemData();
        Variable variable = new Variable(
);
        variable.setName("D_CAUSDEATH_001
");
        causeItem.setVariable(variable);
        causeItem.setCrfdData(crfs.get(cau
sed.getKey()));
    }
    List<String> value = caused.getValue(
) ? List.of(cause) : List.of("");
    causeItem.setValues(value);
    update.computeIfAbsent(caused.getKey(
), id -> new ArrayList<>()).add(causeItem);
}
for (Map.Entry<Long, List<ItemData>> vari
```

		<pre>ables : update.entrySet()) { service.saveFormData(crfs.get(variables.getKey()), variables.getValue()); } return false; } private static String getCause(Map<Integer, Map<String, ItemData>> ddMap, TreeSet<Integer> pCauses) { if (pCauses.isEmpty()) { return ""; } Map<String, ItemData> pCause = ddMap.get(pCauses.first()); ItemData dDorres = pCause.get("D_DDORRES_PRCDTH_002"); if (dDorres == null) { return Optional.ofNullable(pCause.get("DDORRES_002")).map(i -> i.getSingleValue()).orElse(""); } String dDorresValue = dDorres.getSingleValue(); if ("4".equals(dDorresValue)) { return Optional.ofNullable(pCause.get("D_DDORRES_PRCDTH_0TH_002")).map(i -> i.getSingleValue()).orElse(""); } return Optional.ofNullable(dDorres.getResponseSetValues()).map(rs -> rs.get(0)).map(c -> c.getLabel()).orElse(""); }</pre>			
derive_min_drugdate	derive_min_drugdate	<pre>// RULE EXPRESSION: // derive_min_drugdate([\$api], [\$data_point]) //</pre>	0.1	71774	

```
import java.util.*;
import java.util.stream.*;
import com.candorgrc.core.shared.api.ApiService;
import com.candorgrc.core.shared.api.ItemDataRequest;
import com.candorgrc.core.shared.api.context.Context;
import com.candorgrc.core.shared.api.model.*;

    // N.B. Partial Dates are passed to Custom Functions in non-normalized form,
    //      i.e. UNK fragments are NOT replaced with user-configured default values.
    private static final boolean INCLUDE_DATES_WITH_UNK = true;

    //private static final String ITEM_CODE_FOR_YES = "Y";
    //private static final String ITEM_CODE_FOR_NO = "N";

    private static List<ItemData> conditionalSearch(Collection<ItemData> items, String conditionalVar, String searchedVar) {
        // find ItemData(s) by name
        var conditionalItems = new HashMap<Long, ItemData>();
        var foundItems = new ArrayList<ItemData>();

        for (ItemData item : items) {
            if (conditionalVar.equals(item.getVariable().getName())) {
                // Here "item.getCrfdData().getId()" as a key works the same as "CRF Definition name & CRF occurrence" (item.getCrfdData().getCrf().getName() & item.getCrfdData().getOccurrence())
            }
        }
    }
}
```

```
        conditionalItems.put(item.getCrfd  
ata().getId(), item);  
    }  
    if (searchedVar.equals(item.getVariab  
le().getName())) {  
        foundItems.add(item);  
    }  
    }  
  
    // Return "searched variables" if related  
    "conditionalVar" has expected value of "N".  
    var result = new ArrayList<ItemData>();  
    for (ItemData foundItem : foundItems) {  
        ItemData conditionalItem = conditiona  
lItems.get(foundItem.getCrfdData().getId());  
        String conditionValue = conditionalIt  
em == null ? null : conditionalItem.getSingleValu  
e();  
        //if (ITEM_CODE_FOR_NO.equals(conditi  
onValue)) {  
            // REQUIREMENTS for conditions: not n  
ull and not equal 0.0  
            if (conditionValue != null && !condit  
ionValue.equals("0.0")){  
                result.add(foundItem);  
            }  
        }  
        return result;  
    }  
    private static void accumulate(ArrayList<Stri  
ng> accumulator, List<ItemData> items) {  
        for (ItemData item : items) {  
            String partialDate = item.getSingleVa  
lue();  
            if (partialDate != null && !partialDa  
te.isBlank() && (INCLUDE_DATES_WITH_UNK || !parti
```

```
alDate.contains("UNK"))) {
    accumulator.add(partialDate);
}
}
}
public static boolean derive_min_drugdate(Api
Service service, ItemData dataPoint) {

    if (dataPoint == null) {
        return false;
    }
    List<ItemData> changedItems = dataPoint.g
etCrfData().getChangedItems();
    CrfData currentDataForm = dataPoint.getCr
fData();
    Subject subject = dataPoint.getCrfData().
getSubject();

    // Get Study name studyName;
    String studyName = subject.getSite().getS
tudy().getName();

    // REQUIREMENT:
    //      "Fetch data from the variables EC
STDTC_001_4, ECSTDTC_001_4_1, X_ECDOSE_001_4, X_E
CDOSE_001_4_1 across the subject."
    ItemDataRequest dataRequest = new ItemDat
aRequest().setStudyName(studyName).setSubjectNumb
er(subject.getNumber());
    var items0 = service.getItems(dataRequest
.setInstrumentName("EC001"));
    var items1 = service.getItems(dataRequest
.setInstrumentName("EC001_1"));
    var items2 = service.getItems(dataRequest
.setInstrumentName("EC001_2"));
    var items3 = service.getItems(dataRequest
.setInstrumentName("EC001_3"));
```

```
//var items4 = service.getItems(dataReque  
st.setInstrumentName("EC001_4"));  
var items5 = service.getItems(dataRequest  
.setInstrumentName("EC001_5"));  
var items6 = service.getItems(dataRequest  
.setInstrumentName("EC001_6"));  
  
// REQUIREMENT:  
// "Consider forms which has not nul  
l in X_ECD0SE_001_4, X_ECD0SE_001_4_1 variables  
and the value not equal to 0.0"  
// "From the records that are select  
ed based on the above condition take all the date  
s from EC001 forms included on the search dataset  
."  
ArrayList<String> partialDates = new Arra  
yList<>();  
accumulate(partialDates, conditionalSearc  
h(items0, "X_ECD0SE_001", "ECSTDTC_001"));  
accumulate(partialDates, conditionalSearc  
h(items1, "X_ECD0SE_001_1", "ECSTDTC_001_1"));  
accumulate(partialDates, conditionalSearc  
h(items2, "X_ECD0SE_001_2", "ECSTDTC_001_2"));  
accumulate(partialDates, conditionalSearc  
h(items3, "X_ECD0SE_001_3", "ECSTDTC_001_3"));  
//accumulate(partialDates, conditionalSea  
rch(items4, "X_ECD0SE_001_4", "ECSTDTC_001_4"));  
accumulate(partialDates, conditionalSearc  
h(items5, "X_ECD0SE_001_5", "ECSTDTC_001_5"));  
accumulate(partialDates, conditionalSearc  
h(items6, "X_ECD0SE_ECDSIVD_001_6", "ECSTDTC_001_  
6"));  
accumulate(partialDates, conditionalSearc  
h(items6, "X_ECD0SE_ECDSORD_001_6", "ECSTDTC_001_  
6"));
```

```
// REQUIREMENT:
//      "Find the minimum date and ..."
// Note, we find minimum in a simplest way, i.e. UNK are considered "bigger" than numerical month/day.
Optional<String> minDateValue = partialDates.stream().min(Comparator.naturalOrder());

// REQUIREMENT:
//      "... Specify where to derive the result: DM001.D_FIRSTDOSEDTC_001"

Crf targetFormDefinition = new Crf().setName("DM001");
var targetForm = service.factory().createCrfData()
    .setCrf(targetFormDefinition)
    .setSubject(subject);
if (minDateValue.isPresent()) {
    // Note, the DS001_4 form is not assigned to an event.
    //targetForm.setEncounter(dataPoint.getCrfData().getEncounter().orElse(null));

    // Note, we don't know whether the DM001 form is repeatable (it's not assigned to an event).
    //targetForm.setOccurrence(1);
    ItemData minDrugDate = service.factory().createItemData(targetForm)
        .setVariable(new Variable().setName("D_FIRSTDOSEDTC_001"))
        .setSingleValue(minDateValue.get());
    service.saveFormData(targetForm, List.of(minDrugDate));
```


		<pre> return true; } else { ItemData minDrugDate = service.factor y().createItemData(targetForm) .setVariable(new Variable().s etName("D_FIRSTDOSEDTC_001")) .setSingleValue(""); service.saveFormData(targetForm, List .of(minDrugDate)); return true; } }</pre>			
derive_eos_date	derive_eos_date	<pre>import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String derive_eos_date(String C5, S tring T5, String F6, String C5_1, String T5_1, String F6_1, String C5_2, String T5_2, String F6_2, String[] TRD ates, String[] TRcont) { boolean foundN = false; String[] relevantDates = new String[10]; // A djusted size, only need extra for T5, T5_1, T5_2 int index = 0; // Check C5, C5_1, C5_2 and collect relevant T5, T5_1, T5_2 if ("N".equals(C5)) { foundN = true; relevantDates[index++] = T5; } if ("N".equals(C5_1)) {</pre>		0.1	71773

```
        foundN = true;
        relevantDates[index++] = T5_1;
    }
    if ("N".equals(C5_2)) {
        foundN = true;
        relevantDates[index++] = T5_2;
    }

    // Only process TRcont and TRDates if they are not null
    if (TRcont != null && TRDates != null) {
        for (int i = 0; i < TRcont.length; i++) {
            if ("N".equals(TRcont[i]) && TRDates[i] != null && !"NA".equals(TRDates[i])) {
                foundN = true;
                relevantDates[index++] = TRDates[i];
            }
        }
    }

    if (foundN) {
        // Return the max date from relevant dates
        return getMaxDate(relevantDates, index);
    } else {
        // If no "N" was found, return the max date from F6, F6_1, F6_2
        String[] followUpDates = {F6, F6_1, F6_2};
        ;
        return getMaxDate(followUpDates, followUpDates.length);
    }
}

private static String getMaxDate(String[] dates, int length) {
```

		<pre> LocalDate maxDate = null; DateTimeFormatter formatter1 = DateTimeForma ter.ofPattern("yyyy-MM-dd", java.util.Locale.ENGL ISH); DateTimeFormatter formatter2 = DateTimeForma ter.ofPattern("dd-MMM-yyyy", java.util.Locale.ENG LISH); for (int i = 0; i < length; i++) { String dateStr = dates[i]; if (dateStr != null && !dateStr.trim().is Empty() && !"NA".equalsIgnoreCase(dateStr)) { // Try to parse the date using the fi rst formatter LocalDate date = LocalDate.parse(date Str, formatter1); if (date == null) { // Try to parse the date using th e second formatter date = LocalDate.parse(dateStr, f ormatter2); } if (date != null && (maxDate == null date.isAfter(maxDate))) { maxDate = date; } } } return (maxDate != null) ? maxDate.toString() : null; } }</pre>			
default_values_add_entry	Defaults different rows and values in an add-entry form depending on the event. Classic	<pre>import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequ est; import com.candorgrc.core.shared.api.model.CrfDat</pre>	0.1	71772	

scenario on where this function could be used is the PC instrument.

```
a;
import com.candorgrc.core.shared.api.model.ItemData;
import com.candorgrc.core.shared.api.model.*;
import java.util.Collection;
import java.util.List;
import java.util.ArrayList;
import java.util.*;

//No updates needed to this custom function. To
//add instruments and corresponding values to populate,
//update below functions:
// 1- varMap()
// 2- etVisitValues()
public static boolean default_values_add_entry(ItemData itemData, ApiService service, String visit, String targetForm, String triggerForm, String triggerField, boolean dynamic_condition_met) {

    if ( itemData == null || service == null || !dynamic_condition_met) {
        return false;
    }

    //Codelist map.
    Map<String, String> var_codelist = varCodelistMap(targetForm);

    //Get all visits where the target form should be populated with defaulted values
    Map<String, Map<String, String>> map = getVisitValues(targetForm);

    //If the current visit is not within the map,
```

```
then return since there is nothing to populate here.
    if(!map.containsKey(visit)) return false;

    Map<String, String> rows = map.get(visit);

    int numb_rows = rows.size();

    Subject Sub = itemData.getCrfData().getSubject();
    String Study_Name = itemData.getCrfData().getSubject().getSite().getStudy().getName();
    String Subject_Number = itemData.getCrfData().getSubject().getNumber();

    List<ItemData> Target_RG = new ArrayList<>();
    Collection<ItemData> Source_Instrument_Variables
    = Return_ItemData_Collection(Study_Name, Subject_Number, triggerForm, service);
    for ( ItemData Source_Instrument_Variable : Source_Instrument_Variables ) {

        if ( Source_Instrument_Variable.getVariable() != null && Source_Instrument_Variable.getVariable().getName() != null
            && Source_Instrument_Variable.getVariable().getName().equals(triggerField)) {

            for(int i=0; i<numb_rows; i++){
                for(String key : var_codelist.keySet()){

                    if(rows.containsKey(key + "_" + i)){
                        String val = rows.get(key + "_" + i);

                        ItemData ID_Temp = Source_Instrument_Variable.withoutIds();
```

```
        ID_Temp.getVariable().setName(key);

        //If the variable has a codelist, assign it.
        if(var_codelist.containsKey(key))
            ID_Temp.getVariable().setCodeList(var_codelist.get(key));

        ID_Temp.setRowIndex(i);
        ID_Temp.setSingleValue(val);
        Target_RG.add(ID_Temp);
    }
}
}
}

CrfData Target_Instrument = To_Instrument(target
Form, Sub, itemData, service);

if(Target_Instrument != null){
    Target_Instrument.setEncounter(To_Event(visit,
Sub));
    Target_Instrument.setOccurrence(1);
    service.saveFormData(Target_Instrument, Target_
RG);
}

    return false;
}

public static Collection<ItemData> Return_ItemData_Collection(String Study_Name, String Subject_Number, String Instrument, ApiService service) {
    ItemDataRequest Item_Request = new ItemDataRequest().setStudyName(Study_Name).setSubjectNumber(Subject_Number).setInstrumentName(Instrument
```

```
);  
        return service.getItems(Item_Request);  
    }  
  
    public static CrfData To_Instrument(String target  
_form, Subject Sub, ItemData ID_Text, ApiService  
api)  
    {  
        CrfData CRFDATA = null;  
        for (CrfData cd: ID_Text.getCrfData().getEncoun  
ter().get().fetchCrfDatas())  
        {  
            if (cd.getCrf().getName().equals(target_form  
))  
            {  
                return cd;  
            }  
        }  
        CRFDATA = api.addCrf(ID_Text.getCrfData().get  
Subject(), ID_Text.getCrfData().getEncounter().ge  
t(), target_form);  
        return CRFDATA;  
    }  
  
    public static Encounter To_Event(String To_Event_  
REF, Subject Sub)  
    {  
        Encounter ENCOUNTER = new Encounter();  
        Event EVENT = new Event();  
        ENCOUNTER.setEvent(EVENT);  
        EVENT.setUniqueName(To_Event_REF);  
        return ENCOUNTER;  
    }  
  
    public static Map<String, String> varCodeListMap  
(String targetForm){
```

```
        if(targetForm.equals("PC003")) return Map.of(
            "PCCAT_003", "PCCAT_CL_003",
            "SUPPPC_PKTERM_003", "SUPPPC_PKTERM_CL_003",
            "PCTPT_003", "PCTPT_CL_003",
            "PCTPTREF_003", "PCTPTREF_CL_003",
            "PCSPEC_003", "PCSPEC_CL_003");
        //else if(targetForm.equals("PC003_1")) return Map.of("PCTPT_003_1", "PCTPT_CL_003_1");
        //else if(targetForm.equals("PC003_2")) return Map.of("PCTPT_003_2", "PCTPT_CL_003_2");
        else if(targetForm.equals("BEETRK010")) return Map.of(
            "SUPPBE_SAMPNAME_010", "SUPPBE_SAMPNAME_CL_010",
            "SUPPBE_BESPEC_010", "SUPPBE_BESPEC_CL_010");

        return null;
    }
}
```

```
//Update below method with the values needed on the instrument for each event.
public static Map<String, Map<String, String>> getVisitValues(String targetForm){
```

```
    Map<String, Map<String, String>> map = new HashMap<>();
```

```
    if(targetForm.equals("PC003")){
        //Variables that will be populated
        String[] vars = {"PCCAT_003", "SUPPPC_PKTERM_003", "PCTPT_003", "PCTPTREF_003", "PCSPEC_003"};
```

```
        //For each event where the form needs to be
```



```
populated, add an entry as indicated below.
    //Cycle 1 Day 1
    //For each record needed in the form, add a
string entry in below array. The string will hav
e the value for each of
    //the variables specified earlier (in this c
ase 1) separated by underscores.
    String[] rows_vals = {"1_4_63_11_27", "1_4_7
_11_27", "1_4_17_11_27", "1_4_20_11_27", "1_4_24
_11_27"};
    map.put("Week 04", test(vars, rows_vals));

    rows_vals = new String[]{"1_4_63_11_27"};
    map.put("Day 1", test(vars, rows_vals));

    rows_vals = new String[]{"1_4_63_11_27", "1_
4_7_11_27", "1_4_17_11_27", "1_4_20_11_27"};
    map.put("Week 08", test(vars, rows_vals));

}
else if(targetForm.equals("BEETRK010")){
    //Variables that will be populated
    String[] vars = {"SUPPBE_SAMPNAME_010", "SUPP
BE_BESPEC_010"};

    //For each event where the form needs to be
populated, add an entry as indicated below.
    //Day 1
    String[] rows_vals = {"22_33", "30_33", "31_
33"};
    map.put("Day 1", test(vars, rows_vals));

    //Week 4
    rows_vals = new String[]{"22_33"};
    map.put("Week 04", test(vars, rows_vals));

    //Week 12
```

```
        rows_vals = new String[]{"22_33", "30_33",  
"31_33"};  
        map.put("Week 12", test(vars, rows_vals));  
  
        //Week 24  
        rows_vals = new String[]{"22_33","31_33"};  
        map.put("Week 24", test(vars, rows_vals));  
  
        //Early Termination  
        rows_vals = new String[]{"22_33","31_33"};  
        map.put("Early Termination", test(vars, rows  
_vals));  
  
    }  
  
    return map;  
}  
  
//Map has following format Map<(variable name)_(r  
ow_index), (value)>  
public static Map<String, String> test(String[] v  
ars, String[] rows_vals){  
    Map<String, String> map = new HashMap<>();  
  
    //The key pointing to the values for each variab  
le will have the following format:  
    //<variable name>_<row_index>  
    //Map<String, String> var = new HashMap<>();  
  
    for(int i=0; i<rows_vals.length; i++){  
        String[] row_vals = rows_vals[i].split("_");  
  
        for(int y=0; y<vars.length; y++){  
            String var = vars[y];  
            String tmp = var + "_" + i + ", " + row_vals[y  
];  
            map.put(var + "_" + i, row_vals[y]);
```

		<pre>} } return map; }</pre>			
dcause	Expression 1: In D_SAE001 form, D_RESDEATH_001	<pre>import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.model.CrfData; import com.candorgrc.core.shared.api.model.ItemData; import com.candorgrc.core.shared.api.model.RowStatus; import com.candorgrc.core.shared.api.model.Variable; import java.util.*; public static boolean cause(ItemData dataPoint, ApiService service) { if (dataPoint == null service == null) { return false; } CrfData crfData = dataPoint.getCrfData(); ItemDataRequest saeRequest = new ItemDataRequest() .setStudyName(dataPoint.getCrfData().getSubject().getSite().getStudy().getName()) .setSubjectNumber(dataPoint.getCrfData().getSubject().getNumber()) .setInstrumentOccurrence(crfData.getOccurrence()) .setInstrumentName("D_SAE001"); Collection<ItemData> saeItems = service.getItems(saeRequest);</pre>	0.1	71771	

```
        Boolean proceed = false;
        ItemData causeItem = null;
        for (ItemData item : saeItems) {
            if (!Objects.equals(crfData.getId(),
item.getCrfData().getId())) {
                continue;
            }
            String name = item.getVariable().getN
ame();
            if (!proceed && "D_RESDEATH_001".equa
ls(name) && "Y".equals(item.getSingleValue())) {
                proceed = true;
            }
            if ("D_CAUSDEATH_001".equals(name)) {
                causeItem = item;
            }
        }
        String cause = "";
        if (proceed) {
            proceed = false;
            ItemDataRequest ddRequest = new ItemD
ataRequest()
                .setStudyName(dataPoint.getCr
fData().getSubject().getSite().getStudy().getName
())
                .setSubjectNumber(dataPoint.g
etCrfData().getSubject().getNumber())
                .setEventName("DISP")
                .setInstrumentName("DD002");
            Collection<ItemData> ddItems = servic
e.getItems(ddRequest);
            Map<Integer, Map<String, ItemData>> d
dMap = new HashMap<>();
            TreeSet<Integer> pCauses = new TreeSe
t<>();
            for (ItemData item : ddItems) {
                if (item.getRowStatus().map(RowSt
```

```
atus::isRemoved).orElse(Boolean.FALSE)) {
    continue;
}
Map<String, ItemData> variables =
ddMap.computeIfAbsent(item.getRowIndex(), integer -> new HashMap<>());
String name = item.getVariable().
getName();
variables.put(name, item);
if ("D_SAEDDRPT_002".equals(name)
&& "Y".equals(item.getSingleValue())) {
    proceed = true;
}
if ("DDTEST_002".equals(name) &&
"1".equals(item.getSingleValue())) {
    pCauses.add(item.getRowIndex(
));
}
}
cause = proceed ? getCause(ddMap, pCa
uses) : "";
}
if (causeItem == null) {
    causeItem = new ItemData();
    Variable variable = new Variable();
    variable.setName("D_CAUSDEATH_001");
    causeItem.setCrfData(crfData);
    causeItem.setVariable(variable);
}
causeItem.setValues(List.of(cause));
service.saveFormData(crfData, List.of(cau
seItem));
return false;
}

private static String getCause(Map<Integer, M
ap<String, ItemData>> ddMap, TreeSet<Integer> pCa
```

		<pre>uses) { if (pCauses.isEmpty()) { return ""; } Map<String, ItemData> pCause = ddMap.get(pCauses.first()); ItemData dDorres = pCause.get("D_DDORRES_ PRCDTH_002"); if (dDorres == null) { return Optional.ofNullable(pCause.get ("DDORRES_002")).map(i -> i.getSingleValue()).orE lse(""); } String dDorresValue = dDorres.getSingleVa lue(); if ("4".equals(dDorresValue)) { return Optional.ofNullable(pCause.get ("D_DDORRES_PRCPTH_OTH_002")).map(i -> i.getSingl eValue()).orElse(""); } return Optional.ofNullable(dDorres.getRes ponseSetValues()).map(rs -> rs.get(0)).map(c -> c .getLabel()).orElse(""); }</pre>			
datesOutsideRange	Calculate the number of a given unit (D, h, m) between 2 DTS and evaluates if it's outside the range given.	<pre>import java.time.LocalDateTime; import java.util.Calendar; // Date mask values private static final int y = 4; private static final int ym = 7; private static final int ymd = 10; private static final int ymdh = 13; private static final int ymdhm = 16; private static final int ymdhms = 19; /** * Returns whether the dates are outside of a give</pre>		0.1	71770

```
n range.  
*  
* @param DTS1 - First DTS value  
* @param DTR1 - First DTR value  
* @param isStart1 - true for follow start date  
imputation, false for follow end date imputation  
* @param DTS2 - Second DTS value  
* @param DTR2 - Second DTR value  
* @param isStart2 - true for follow start date  
imputation, false for follow end date imputation  
* @param unit whether the range is days  
, hours, or minutes  
* @param min mininum in unit  
* @param max maxium in unit  
* @return true if outside range, false if insid  
e range  
*/  
  
public static boolean datesOutsideRange(String DT  
S1, String DTR1, boolean isStart1, String DTS2, S  
tring DTR2, boolean isStart2,  
String un  
it, int min, int max) {  
    // return null if the dates or unit are null  
    if (DTS1 == null || DTS1 == "" || DTS2 == nul  
l || DTS2 == "" || unit == null) {  
        return false;  
    }  
    // Determine whether UNK and which date parts  
are present  
    int parts1;  
    int parts2;  
    boolean hasUNK1 = false;  
    boolean hasUNK2 = false;  
    if (DTR1 != null && DTR1.contains("UNK")) {  
        parts1 = determineUNKParts(DTR1);  
        hasUNK1 = true;  
    }
```

```
}
else {
    parts1 = DTS1.length();
}
if (DTR2 != null && DTR2.contains("UNK")) {
    parts2 = determineUNKParts(DTR2);
    hasUNK2 = true;
}
else {
    parts2 = DTS2.length();
}
// Determine common parts between two dates
int commonParts;
if (parts1 < parts2) {
    commonParts = parts1;
}
else {
    commonParts = parts2;
}
// Cut off DTS based on parts
String trimDTS1 = DTS1.substring(0, commonParts);
String trimDTS2 = DTS2.substring(0, commonParts);
// Get localdatetimes for both based off of common parts, imputing where UNK is used
LocalDateTime minDate;
LocalDateTime maxDate;
if (isStart1 || !hasUNK1) {
    minDate = startDTS(trimDTS1);
}
else {
    minDate = endDTS(trimDTS1);
}
if (isStart2 || !hasUNK2) {
    maxDate = startDTS(trimDTS2);
}
```



```
        else {
            maxDate = endDTS(trimDTS2);
        }
        boolean outsideRange = false;
        if (unit.equals("D")) {
            outsideRange = maxDate.isBefore(minDate.plusDays(min)) || maxDate.isAfter(minDate.plusDays(max));
        }
        else if (unit.equals("h")) {
            outsideRange = maxDate.isBefore(minDate.plusHours(min)) || maxDate.isAfter(minDate.plusHours(max));
        }
        else if (unit.equals("m")) {
            outsideRange = maxDate.isBefore(minDate.plusMinutes(min)) || maxDate.isAfter(minDate.plusMinutes(max));
        }
        return outsideRange;
    }

    /**
     * Determines possible parts for a DTR that may have UNK.
     *
     * @param DTR - DTR value
     * @return int representation of common parts
     */
    private static int determineUNKParts(String DTR)
    {
        int commonParts = ymdhms;
        if (DTR.endsWith("UNK-UNK UNK:UNK:NUL") || DTR.endsWith("UNK-UNK UNK:UNK")) {
            commonParts = ymdhm;
        }
        else if (DTR.endsWith("UNK-UNK UNK")) {
```

```
        commonParts = ymdh;
    }
    else if (DTR.endsWith("UNK-UNK")) {
        commonParts = ymd;
    }
    else if (DTR.endsWith("UNK")) {
        commonParts = ym;
    }
    else {
        commonParts = DTR.length();
    }
    return commonParts;
}

/**
 * Imputes (if necessary) a complete DTS based on
 * start date rules.
 *
 * @param startDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime startDTS(String startDate) {
    if (startDate == null || startDate.length() >
19) {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 1;
        int day = 1;
        int hour = 0;
        int minute = 0;
        int second = 0;
        switch (startDate.length()) {
            case 19: second = Integer.valueOf(startDate.substring(17,19)); // 2024-01-01T00:00:00

```

```
        case 16: minute = Integer.valueOf(startDate.substring(14,16)); // 2024-01-01T00:00
        case 13: hour = Integer.valueOf(startDate.substring(11,13)); // 2024-01-01T00
        case 10: day = Integer.valueOf(startDate.substring(8,10)); // 2024-01-01
        case 7: month = Integer.valueOf(startDate.substring(5,7)); // 2024-01
        case 4: int year = Integer.valueOf(startDate.substring(0,4)); // 2024
                dts = LocalDateTime.of(year, month, day, hour, minute, second);
                break;
        default: dts = null;
    }
    return dts;
}

/**
 * Imputes (if necessary) a complete DTS based on end date rules.
 *
 * @param endDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime endDTS(String endDate) {
    if (endDate == null || endDate.length() > 19)
    {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 12;
        int day = 0;
        int hour = 0;
```

		<pre>int minute = 0; int second = 0; switch (endDate.length()) { case 19: second = Integer.valueOf(end Date.substring(17,19)); // 2024-01-01T00:00:00 case 16: minute = Integer.valueOf(end Date.substring(14,16)); // 2024-01-01T00:00 case 13: hour = Integer.valueOf(endDa te.substring(11,13)); // 2024-01-01T00 case 10: day = Integer.valueOf(endDat e.substring(8,10)); // 2024-01-01 case 7: month = Integer.valueOf(endDa te.substring(5,7)); // 2024-01 case 4: int year = Integer.valueOf(en dDate.substring(0,4)); // 2024 if (day == 0) { Calendar cal = Calendar.g etInstance(); cal.set(year,month-1,1); day = cal.getActualMaximu m(Calendar.DAY_OF_MONTH); } dts = LocalDateTime.of(year, month, day, hour, minute, second); break; default: dts = null; } return dts; } }</pre>			
Concat_Variable_In_EachRow_1		<pre>import java.time.LocalDate; import java.time.format.DateTimeFormatter; import java.util.Optional; public static String customFunction(String[] arra y1, String[] array2, String[] array3, String[] ar ray4) {</pre>		0.1	71769

```
// Initialize arrays if they are null to avoid NullPointerException
if (array1 == null) array1 = new String[0];
if (array2 == null) array2 = new String[0];
if (array3 == null) array3 = new String[0];
if (array4 == null) array4 = new String[0];

StringBuilder result = new StringBuilder();
int maxLength = Math.max(Math.max(array1.length, array2.length), Math.max(array3.length, array4.length));
String prefix = "{Antipyretic Medication}";
String suffix = "{/Antipyretic Medication}";
DateTimeFormatter originalFormat = DateTimeFormatter.ofPattern("yyyy-MM-dd");
DateTimeFormatter targetFormat = DateTimeFormatter.ofPattern("dd-MMM-yyyy");

for (int i = 0; i < maxLength; i++) {
    StringBuilder row = new StringBuilder();

    // Check and replace null with an empty string
    String part1 = (i < array1.length && array1[i] != null) ? array1[i] : "";
    String part2 = (i < array2.length && array2[i] != null) ? array2[i] : "";
    String part3 = (i < array3.length && array3[i] != null) ? array3[i] : "";
    String part4 = (i < array4.length && array4[i] != null) ? array4[i] : "";

    // Convert part3 (date) from yyyy-MM-dd to dd-MMM-yyyy
    if (!part3.isEmpty()) {
        Optional<String> formattedDate = Optional.ofNullable(part3)
```

```
                .map(dateStr -> {
                    try {
                        LocalDate date = LocalDat
e.parse(dateStr, originalFormat);
                        return date.format(target
Format);
                    } catch (Exception e) {
                        // Handle invalid date fo
rmats
                        return "";
                    }
                });
            part3 = formattedDate.orElse("");
        }

        if (!part1.isEmpty()) {
            row.append("Product Name :").append(p
art1).append(" ,");
        }
        if (!part2.isEmpty()) {
            row.append("Dose :").append(part2).ap
pend(" ,");
        }
        if (!part3.isEmpty()) {
            row.append("Date of Admin :").append(
part3).append(" ,");
        }
        if (!part4.isEmpty()) {
            row.append("Time of use :").append(pa
rt4);
        }

        // Trim any trailing commas and whitespac
e
        if (row.length() > 0 && row.charAt(row.le
ngth() - 1) == ',') {
            row.setLength(row.length() - 1);
        }
    }
}
```

		<pre> } // Append the prefix and suffix if row content is not empty if (row.length() > 0) { result.append(prefix).append(row).append(suffix).append("\n"); } } return result.toString(); }</pre>		
Concat_Variable_In_EachRow		<pre>import java.time.LocalDate; import java.time.format.DateTimeFormatter; import java.util.Optional; public static String customFunction(String[] array1, String[] array2, String[] array3, String[] array4) { // Initialize arrays if they are null to avoid NullPointerException if (array1 == null) array1 = new String[0]; if (array2 == null) array2 = new String[0]; if (array3 == null) array3 = new String[0]; if (array4 == null) array4 = new String[0]; StringBuilder result = new StringBuilder(); int maxLength = Math.max(Math.max(array1.length, array2.length), Math.max(array3.length, array4.length)); String prefix = "{Antipyretic Medication}"; String suffix = "{/Antipyretic Medication}"; DateTimeFormatter originalFormat = DateTimeFormatter.ofPattern("yyyy-MM-dd"); DateTimeFormatter targetFormat = DateTimeFormatter.ofPattern("dd-MMM-yyyy");</pre>	0.1	71768

```
        for (int i = 0; i < maxLength; i++) {
            StringBuilder row = new StringBuilder();

            // Check and replace null with an empty string
            String part1 = (i < array1.length && array1[i] != null) ? array1[i] : "";
            String part2 = (i < array2.length && array2[i] != null) ? array2[i] : "";
            String part3 = (i < array3.length && array3[i] != null) ? array3[i] : "";
            String part4 = (i < array4.length && array4[i] != null) ? array4[i] : "";

            // Convert part3 (date) from yyyy-MM-dd to dd-MMM-yyyy
            if (!part3.isEmpty()) {
                Optional<String> formattedDate = Optional.ofNullable(part3)
                    .map(dateStr -> {
                        try {
                            LocalDate date = LocalDate.parse(dateStr, originalFormat);
                            return date.format(targetFormat);
                        } catch (Exception e) {
                            // Handle invalid date formats
                            return "";
                        }
                    });
                part3 = formattedDate.orElse("");
            }

            if (!part1.isEmpty()) {
                row.append("Product Name :").append(part1).append(" ,");
            }
        }
    }
}
```


		<pre> } if (!part2.isEmpty()) { row.append("Dose :").append(part2).ap pend(" ,"); } if (!part3.isEmpty()) { row.append("Date of Admin :").append(part3).append(" ,"); } if (!part4.isEmpty()) { row.append("Time of use :").append(pa rt4); } // Trim any trailing commas and whitespac e if (row.length() > 0 && row.charAt(row.le ngth() - 1) == ',') { row.setLength(row.length() - 1); } // Append the prefix and suffix if row co ntent is not empty if (row.length() > 0) { result.append(prefix).append(row).app end(suffix).append("\n"); } } return result.toString(); }</pre>			
compareDTS	Accepts two DTS and optional DTR values and returns -1 if the first is before the second, 0 if they are equal, or 1 if the first is after the second.	<pre>import java.time.LocalDateTime; import java.util.Calendar; // Date mask values private static final int y = 4; private static final int ym = 7;</pre>		0.1	71767

```
private static final int ymd = 10;
private static final int ymdh = 13;
private static final int ymdhm = 16;
private static final int ymdhms = 19;

/**
 * Accepts two DTS and two DTR values.
 * Returns -1 if the first is before the second,
 * 0 if they are equal, or 1 if the first is after t
 * he second.
 *
 * @param DTS1 - First DTS value
 * @param DTR1 - First DTR value
 * @param isStart1 - true for follow start date i
 * mputation, false for follow end date imputation
 * @param DTS2 - Second DTS value
 * @param DTR2 - Second DTR value
 * @param isStart2 - true for follow start date i
 * mputation, false for follow end date imputation
 * @return integer -1, 0, 1, or null if one date
 * is missing
 */
public static Integer compareDTS(String DTS1, Str
ing DTR1, boolean isStart1, String DTS2, String D
TR2, boolean isStart2) {
    Integer compared = null;

    // Check if both dates are present
    if (DTS1 == null || DTS1 == "" || DTS2 == nul
l || DTS2 == "" ) {
        return compared;
    }

    compared = genericCompareDTS(DTS1, DTR1, isSt
art1, DTS2, DTR2, isStart2);

    return compared;
```

```
}

/**
 * Accepts two DTS values. Overloaded version of
 * comparedTS.
 * Returns -1 if the first is before the second,
 * 0 if they are equal, or 1 if the first is after t
 * he second.
 *
 * @param DTS1 - First DTS value
 * @param isStart1 - true for follow start date i
 * mputation, false for follow end date imputation
 * @param DTS2 - Second DTS value
 * @param isStart2 - true for follow start date i
 * mputation, false for follow end date imputation
 * @return integer -1, 0, 1, or null if one date
 * is missing
 */
public static Integer comparedTS(String DTS1, boo
lean isStart1, String DTS2, boolean isStart2) {
    Integer compared = null;

    // Check if both dates are present
    if (DTS1 == null || DTS1 == "" || DTS2 == nul
l || DTS2 == "" ) {
        return compared;
    }

    compared = genericCompareDTS(DTS1, null, isSt
art1, DTS2, null, isStart2);

    return compared;
}

/**
 * Generic version of comparedTS for wrappers.
 * Accepts two DTS and optional DTR values.
```

```
* Returns -1 if the first is before the second,
0 if they are equal, or 1 if the first is after t
he second.
*
* @param DTS1 - First DTS value
* @param DTR1 - First DTR value
* @param isStart1 - true for follow start date i
mputation, false for follow end date imputation
* @param DTS2 - Second DTS value
* @param DTR2 - Second DTR value
* @param isStart2 - true for follow start date i
mputation, false for follow end date imputation
* @return integer -1, 0, 1, or null if one date
is missing
*/
private static Integer genericCompareDTS(String D
TS1, String DTR1, boolean isStart1, String DTS2,
String DTR2, boolean isStart2) {
    Integer compared = null;

    // Determine whether UNK and which date parts ar
e present
    int parts1;
    int parts2;
    boolean hasUNK1 = false;
    boolean hasUNK2 = false;
    if (DTR1 != null && DTR1.contains("UNK")) {
        parts1 = determineUNKParts(DTR1);
        hasUNK1 = true;
    }
    else {
        parts1 = DTS1.length();
    }
    if (DTR2 != null && DTR2.contains("UNK")) {
        parts2 = determineUNKParts(DTR2);
        hasUNK2 = true;
    }
}
```

```
else {
    parts2 = DTS2.length();
}

// Determine common parts between two dates
int commonParts;
if (parts1 < parts2) {
    commonParts = parts1;
}
else {
    commonParts = parts2;
}

// Cut off DTS based on parts
String trimDTS1 = DTS1.substring(0, commonParts);
String trimDTS2 = DTS2.substring(0, commonParts);

// Get localdatetimes for both based off of common parts, imputing where UNK is used
LocalDateTime LDT1;
LocalDateTime LDT2;
if (isStart1 || !hasUNK1) {
    LDT1 = startDTS(trimDTS1);
}
else {
    LDT1 = endDTS(trimDTS1);
}
if (isStart2 || !hasUNK2) {
    LDT2 = startDTS(trimDTS2);
}
else {
    LDT2 = endDTS(trimDTS2);
}

// Compare datetimes and set compared
```

```
        if (LDT1.isBefore(LDT2)) {
            compared = -1;
        }
        else if (LDT1.isAfter(LDT2)) {
            compared = 1;
        }
        else if (LDT1.equals(LDT2)) {
            compared = 0;
        }

        return compared;
    }

    /**
     * Determines possible parts for a DTR that may have UNK.
     *
     * @param DTR - DTR value
     * @return int representation of common parts
     */
    private static int determineUNKParts(String DTR)
    {
        int commonParts = ymdhms;
        if (DTR.endsWith("UNK-UNK UNK:UNK:NUL") || DTR.endsWith("UNK-UNK UNK:UNK")) {
            commonParts = ymdhm;
        }
        else if (DTR.endsWith("UNK-UNK UNK")) {
            commonParts = ymdh;
        }
        else if (DTR.endsWith("UNK-UNK")) {
            commonParts = ymd;
        }
        else if (DTR.endsWith("UNK")) {
            commonParts = ym;
        }
        else {
```

```
        commonParts = DTR.length();
    }

    return commonParts;
}

/**
 * Imputes (if necessary) a complete DTS based on
 * start date rules.
 *
 * @param startDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime startDTS(String startDate) {
    if (startDate == null || startDate.length() >
19) {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 1;
        int day = 1;
        int hour = 0;
        int minute = 0;
        int second = 0;

        switch (startDate.length()) {
            case 19: second = Integer.valueOf(startDate.substring(17,19)); // 2024-01-01T00:00:00
            case 16: minute = Integer.valueOf(startDate.substring(14,16)); // 2024-01-01T00:00
            case 13: hour = Integer.valueOf(startDate.substring(11,13)); // 2024-01-01T00
            case 10: day = Integer.valueOf(startDate.substring(8,10)); // 2024-01-01
            case 7: month = Integer.valueOf(startDate
```

```
Date.substring(5,7)); // 2024-01
        case 4: int year = Integer.valueOf(st
artDate.substring(0,4)); // 2024
            dts = LocalDateTime.of(year,
month, day, hour, minute, second);
            break;
            default: dts = null;
        }
        return dts;
    }
}

/**
 * Imputes (if necessary) a complete DTS based on
end date rules.
 *
 * @param endDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime endDTS(String endDat
e) {
    if (endDate == null || endDate.length() > 19)
    {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 12;
        int day = 0;
        int hour = 0;
        int minute = 0;
        int second = 0;

        switch (endDate.length()) {
            case 19: second = Integer.valueOf(end
Date.substring(17,19)); // 2024-01-01T00:00:00
            case 16: minute = Integer.valueOf(end
```


		<pre>Date.substring(14,16)); // 2024-01-01T00:00 case 13: hour = Integer.valueOf(endDate.substring(11,13)); // 2024-01-01T00 case 10: day = Integer.valueOf(endDate.substring(8,10)); // 2024-01-01 case 7: month = Integer.valueOf(endDate.substring(5,7)); // 2024-01 case 4: int year = Integer.valueOf(endDate.substring(0,4)); // 2024 if (day == 0) { Calendar cal = Calendar.getInstance(); cal.set(year,month-1,1); day = cal.getActualMaximum(Calendar.DAY_OF_MONTH); } dts = LocalDateTime.of(year,month, day, hour, minute, second); break; default: dts = null; } return dts; } }</pre>			
argusVaxLocMapper		<pre>import java.util.HashMap; public static String argusVaxLocMap(String loc, String lat) { /* * If both fields are empty, return null. */ if ((loc == null loc.trim().isEmpty()) && (lat == null lat.trim().isEmpty())) { return null; } // Concatenate loc and lat String loclat = (loc == null ? "" : loc.trim()) +</pre>		0.1	71766

```
(lat == null ? "" : " " +
lat.trim());
    // Convert to uppercase for case-insensit
ivity
    String lockKey = loclat.toUpperCase();
    /*
    * Hashmap of concatenated VOL3 Standards LO
C + LAT to Argus Values
    */
    HashMap<String, String> argusVaxMaps = new Ha
shMap<String, String>();
    argusVaxMaps.put("ABDOMEN", "Abdomen");
    argusVaxMaps.put("ARM LEFT", "Arm Left");
    argusVaxMaps.put("ARM RIGHT", "Arm Right");
    argusVaxMaps.put("ARM", "Arm");
    argusVaxMaps.put("DELTOID MUSCLE LEFT", "Delto
id Left");
    argusVaxMaps.put("DELTOID MUSCLE RIGHT", "Delt
oid Right");
    argusVaxMaps.put("FOOT LEFT", "Foot Left");
    argusVaxMaps.put("FOOT RIGHT", "Foot Right");
    argusVaxMaps.put("FOOT", "Foot");
    argusVaxMaps.put("GLUTEUS MAXIMUS LEFT", "Glu
teus Medius Left"); //Only GLUTEUS MAXIMUS found i
n standards
    argusVaxMaps.put("GLUTEUS MAXIMUS RIGHT", "Glu
teus Medius Right");
    argusVaxMaps.put("GLUTEUS MAXIMUS", "Gluteus")
;
    argusVaxMaps.put("HAND LEFT", "Hand Left");
    argusVaxMaps.put("HAND RIGHT", "Hand Right");
    argusVaxMaps.put("HAND", "Hand");
    argusVaxMaps.put("LEG LEFT", "Leg Left");
    argusVaxMaps.put("LEG RIGHT", "Leg Right");
    argusVaxMaps.put("LEG", "Leg");
    argusVaxMaps.put("FOREARM LEFT", "Lower Forear
m Left");
```

		<pre> argusVaxMaps.put("FOREARM RIGHT","Lower Forearm Right"); argusVaxMaps.put("NECK","Neck"); argusVaxMaps.put("ORAL CAVITY","Oral"); argusVaxMaps.put("ORAL MUCOSA","Oral"); argusVaxMaps.put("THIGH LEFT","Thigh Left"); argusVaxMaps.put("THIGH RIGHT","Thigh Right") ; argusVaxMaps.put("THIGH","Thigh"); argusVaxMaps.put("TRUNK","Torso Upper"); // ONLY TRUNK available argusVaxMaps.put("VASTUS LATERALIS MUSCLE LEFT","Vastus Lateral. Left"); argusVaxMaps.put("VASTUS LATERALIS MUSCLE RIGHT","Vastus Lateral.Right"); if(argusVaxMaps.containsKey(lockKey)) { return argusVaxMaps.get(lockKey); } return null; }</pre>			
--	--	---	--	--	--