



Study Design Specifications (SDS) Template Completion Instructions

This template is used to capture details regarding the study design required in support of the clinical protocol. The following details are required. Please do not alter the structure or formatting of the existing worksheets; do not delete columns or change column headers.

Worksheet	Detailed Instructions						
Applies to all Worksheets	Examples are provided in green text. Delete the example rows as applicable before deploying document. Update header protocol information, change font to black and un-italicize. The column headers must not be changed. <table><tr><td>White Column Header:</td><td>Indicates that values in that column are required.</td></tr><tr><td>Yellow Column Header:</td><td>Indicates that values in that column are optional.</td></tr><tr><td>Orange Column Header:</td><td>Indicates that values in that column are conditional required. Meaning the value becomes required based on the entry/selection in another column. The conditional requirement in these columns is specified per attribute.</td></tr></table>	White Column Header:	Indicates that values in that column are required.	Yellow Column Header:	Indicates that values in that column are optional.	Orange Column Header:	Indicates that values in that column are conditional required. Meaning the value becomes required based on the entry/selection in another column. The conditional requirement in these columns is specified per attribute.
White Column Header:	Indicates that values in that column are required.						
Yellow Column Header:	Indicates that values in that column are optional.						
Orange Column Header:	Indicates that values in that column are conditional required. Meaning the value becomes required based on the entry/selection in another column. The conditional requirement in these columns is specified per attribute.						
Document Version History	Complete the Document version history tab following the instructions provided on the tab including the summary of changes.						
EventDefinition	Complete the definition of events with the list of unique visits. Description of visits attributes is found below: Event Title: Please indicate event name/title in the space provided. Event titles must align as closely as possible to actual protocol event names but must align with Pfizer's event naming convention. This value shows in the EDC for users to reference during navigation. Unique Event Name: This is an internal attribute that uniquely identifies an event, and it must align with Pfizer's event naming conventions. This attribute is not visible to Electronic Data Capture (EDC) users. Description: Optional attribute used to provide a description of any special functionality required in the visits. For example, if we are creating repeating Cycle visits, what is the format to name those visits. Type: Indicate the visit type. The list below indicates visit types and how they behave in the system. Static: Static visits show immediately after the subject is enrolled. A static visit cannot be set up as dynamic. Unscheduled: Unscheduled, scheduled and parent events are the types of event that can be setup as dynamic. Unscheduled events that are not setup as dynamics, can be added manually by the user clicking the "Add Event" button; however, if setup as dynamic, then the unscheduled event does not show when clicking the "Add Event" button. Scheduled: These events do not initially show by default and instead need to be added via dynamics. Note that scheduled events cannot be created by the site user manually (eg, clicking the "Add Event" button). When an event is set up as "Scheduled" it is automatically set up as dynamic as well. This is the type of events that are needed to set up dynamic visits or child visits like Day1 and Day 15 in a Cycle parent visit. Parent: Parent visits are visits that host 1 or more visits. For example a parent visit "Cycle" in Oncology could host multiple visits like a "Day1" visit and "Day15" visit. Parent visit is other type of visit that could be set up as dynamic. Parent visits must be used when a group of visits with identical content need to repeat. By using parent visits in those scenarios, the visit can be declared and programmed once, but they repeat as many times as needed. Again the Cycle visits in Oncology are a perfect scenario to use Parent visits, because setting up the solution once, unlimits number of cycle visits at the subject level that could be created.						

	Assign to Parent: Enter the Unique Event Name of the Parent visit this visit is assigned as child of. An example of a parent visit would be a CYCLE visit in Oncology having Day 1 and Day 15 as child visits. Using a parent visit in this case then helps to define the cycle visit only once and reuse it as many times as cycles are needed at subject level. Max Repeats Allowed: For non repeating visits, enter 1. For the Unscheduled visit enter 999. There might be another repeating visits like the Illness visits in Vaccine, where only a specific number of visits (eg, 3) is predefined to be collected. In those cases, enter the exact number of visit instances of the repeat that are needed. Day Schedule: Applicable only to "Static" and "Scheduled" visit types. Indicates the day the visit is scheduled counting from baseline. For example, for the "Week 3" visit this attribute would be equal to 21 as the day this visit is scheduled. Day Min: "Day Min" and "Day Max" allow setup of a period within which the visit could occur. In the case of "Day Min", it indicates the number of days prior to the "Day Schedule" value that a visit could start without being considered a deviation. For example for the "Week 3" visit, the protocol might indicate that this visit could start 3 days prior the 21 day schedule (eg, at day 18). In this example, the value entered in "Day Min" is 3. Day Max: "Day Min" and "Day Max" allow setup of a period within which the visit could occur. In the case of "Day Max", it indicates the number of days after the "Day Schedule" value that a visit could occur without being considered a deviation. For example for the "Week 3" visit, the protocol might indicate that this visit could start 4 days after the 21 day schedule (eg, at day 25). In this example, the value entered in "Day Max" is 4. Active: Use to indicate if a visit is active or not. During initial build the value of this attribute will be TRUE for all visits. If during amendments a visit needs to be removed, indicate so by updating this attribute as "FALSE". Repeating: Applicable only for "Unscheduled" and "Scheduled" visit types. Indicates whether a visit is repeating or not. Enable Event level eNOTEs: Applicable only for Direct Data Capture (DDC) enabled studies. Insert Yes to enable electronic notes at the event level.
Instruments	Complete the definition of events with the list of instruments and corresponding visits. A new row is required for each event-instrument assignment. At each Event-Instrument entry, list the name of the instrument. Description of "Instruments" attributes is found below: Event Title: Enter the name of the event that hosts the instrument. Enter the events in the same order that they should display in the study per protocol. For example, if the event "Screening" is first, create a row having the "Screening" event for each instrument that is needed in that event. Instrument Name: For each of the rows defined for a parent event, enter the corresponding instrument name as per the protocol time and events. For example, if event "Screening" requires to have instrument "Date of Visit" followed by "Vital Signs" in that order, then the "Screening" visit will have 2 rows, the first one will list "Date of Visit" while the second one will have "Vital Signs". Instrument Title: Enter the instrument title. The following Instrument attributes are applicable only for DDC enabled studies: Available on mobile: Insert Yes to make the instrument available in mEDC (mobile EDC). Enable Filed level eNOTEs: Insert Yes to enable electronic notes for all the fields in the instrument. Enable within form Subject navigation: Insert Yes to all Subject navigation while remaining at the same instrument.
Variable Permission Groups	Use this tab when there is the need to change the way that variables display for a specific role(s). Enter a row in this tab for each different variable permission group needed. Note: In order for these changes to take effect, the role(s) impacted need to also have the correct Permission setup under the "Variables Permission Groups" permissions. Variable Permission Groups: Enter the name of the group. Display Permissions and Roles: Provide the display type needed which could be Hidden or Read-Only or Update and the corresponding role(s) that need to have that variable display. It is acceptable to have multiple display types and roles assigned under the same variable permission group. Instruments and Variables: Indicate the instruments and corresponding variables that are part of the Variable Permission Group.

Field Link Map Export	Instrument 1: Use Instrument Name to Indicate one of the instruments that will be linked. Repeating group 1: If the link is needed at the form record level (eg, Adverse Event record), then this value is not applicable. If the link is needed at a record in a group of fields in the form (for example in a lab page, the link might be needed at analyte level to connect an analyte having results out of range with an Adverse Event record), then enter the name of the "Group of fields" object found in Instrument 1. Context 1: Select the fields from Instrument 1 needed for sites to identify the record(s) to be linked. For example, if Instrument 1 is setup as "Adverse Event", then the fields entered could be the adverse event term and date to uniquely identify the AE records. Instrument 2: Use Instrument Name to indicate the instrument to be linked to the instrument selected in "Instrument 1". Repeating group 2: If the link is needed at the form record level (eg, Adverse Event record), then this value is not applicable. If the link is needed at a record in a group of fields in the form (for example in a lab page, the link might be needed at analyte level to connect an analyte having results out of range with an Adverse Event record), then enter the name of the "Group of fields" object found in Instrument 2. Context 2: Select the fields from Instrument 2 needed for sites to identify the record(s) to be linked. For example, if Instrument 2 is set up as "Concomitant Medication", then the fields entered could be the Medication and Medication Date to uniquely identify the CM records.
Plans	Site Group: For studies running a single SDV strategy in the study, this setting will be "All Sites". In the case of studies that are running 2 or more strategies, then the value for "Site Group" for each strategy needs to be specified according to the group of sites that will be included in that strategy. Note that site groups are created at the tenant level by the ADMIN team. SDV %: Enter the SDV % assigned to the study or in case of multiple SDV plans, then the percentage for each. If the study is running a 0% SDV strategy then enter 0. Variable: List all the fields that are present in the study in this column. The list of variables in the study could be extracted from column "Variable/Field Name" in the report "Export Data Dictionary" found in the "Instruments" tab in Study Central. Label is the variable label to help decode variable identifiers Variable Level Access: List of study setting for each variable. 'None' represents visible and enterable. 'Hide' should be aligned with the Variable Level Permissions Groups to manage any access. Data Review Tier: Specify for each variable whether the Data Review Tier value should be "Minimal", "Supportive" or "Critical". Fields_to_ SDV: This is the Standards Source Data Verification (SDV) plan. For each field in the study, indicate with an X if the field should be included for SDV. Leave this column empty if the study is running a 0% SDV strategy. If the study has more than 1 SDV plan (eg, due to a different SDV at cohort level or for China sites), add the plan as an additional column(s) after the "Fields_to_ SDV" SDV Plan column to define the fields that should be part of that additional plan as well as the plan SDV percentage. See examples in the "Plans" tab.

SAE	Retrieve the standard E2B mapping template from the Pfizer MetaData Repository (PMDR). Filter for tags with Standards Category of 'Standard - Modifiable - Required' and 'Standard - Conditional - Required'. Review the user guidance for each and edit Expression Definition column as needed. Any additional EC, CM or LB instruments (ex: EC001_2_1, CM001_2, LB001_1_2) added to the study will need have tags added to the mappings. Copy existing sets of rows where the E2B Mapping Category is either 'Drugs' for EC and CM and 'Tests' for LB and insert into the sheet as appropriate. Update the Variable Name and Instrument Title to align with the values from the study setup. User guidance also will provide instruction for when tag duplication is expected. Once all 'Standard - Modifiable - Required' and 'Standard - Conditional - Required' tags are edited/duplicated as needed copy over all tags being used into SAE SDS tab. Copy from column Expression Definition to E2B Tag. Column Definitions: Add/Edit/Remove : This column to be used in SDS versions after initial to denote when a change has been made. Expression Definition : This column contains instruction for builders and is where CDS will make study specific updates to green template text. Event Title: Modify based on which event a specific instrument is mapped from. If this is empty in the template, leave empty to indicate all events or the event information will be embedded into the expression programmed for the E2B tag. Instrument Title: Modify as appropriate to properly reflect the title of instruments in the study if any adjustments were made. E2B Mapping Category: Do not modify the contents. Label: Do not modify the contents. E2B Tag: Do not modify the contents.
CM Study Maps	Complete the Mapping Variable for each standard Clinical Model (CM) Study Map. The Mapping Variable must resolve to a single value per subject, provide the Event and/or indicate if a Minimum/Maximum or similar aggregation is to be used. Multiple variables are to be used separated by "OR" if a subject will only have one populated per design. If the particular study map is not applicable to the study, indicate with Y in the Intentionally Blank column and leave Mapping Variable blank.
DSOPI	The content within Model_Attribute_name and Model_name columns should not be changed as they are standard metadata for the SM_R_SUBJECTCLINICALSTUDY_V table. Source_table, Source_variable and Condition need to be filled in based on the study requirements. Source_table: Enter the Standard Data Review Model (SRDM) table where the data can be sourced. If there are multiple tables, enter each separated by a comma. Source_variable: Enter the column in the Source_table where the data can be sourced. If there are multiple columns, enter each separated by a comma and prefix the variable with the table name. Condition: Enter the condition where a row for a subject in the Source_table will have the relevant value in Source_variable. Express the logic following the examples. The resulting logic must evaluate to a single value in a single record per subject.
SRDM Defaults	Retrieve the latest study-defined SRDM defaults from the PMDR and add to the SRDM Defaults tab For each mdes_form_name used in the study, check if the default_value for the given item_refname is appropriate for the study. If not, update per standards guidelines in the PMDR. Add an X to the USED column to signify it is used in the study. Leave blank for non-applicable forms. If the study has any study-level forms, duplicate each entry from the base mdes_form_name for that study-level form. Leave the item_refname unchanged and modify the default_value if different for that form. Add an X to the USED column to signify it is used in the study.



RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

VISITNUM	Complete the VISITREFNAME and VISITNUM values for all visits specified in the EventDefinition tab. Use the VISITNUM macro to produce the first draft of the VISITNUM content. VISIT_NAME represents event Name as seen in the EDC interface. This column is used to setup unique payment events in IPS system. For parent-child visits, event Name must be extrapolated out to all possible occurrences. The format will be <parent Name><single space><Occurance><single space><child Name>. VISITREFNAME must match the Unique Event Name from the EventDefinition tab. It is the unique visit name that is used across downstream consumers of study data and adheres to the conventions in the standard RCC Event Naming Conventions document. For parent-child visits (i.e., where Assign to Parent has a value), these must be extrapolated out for the expected number of occurrences. This will be <parent Unique Event Name><Occurance>_<child Unique Event Name>. E.g., for parent CYCLE and child DAY1, there would be CYCLE1_DAY1, CYCLE2_DAY1, CYCLE3_DAY1, etc. If the values do not adhere to naming conventions, the value in VISITREFNAME_ACTUAL will be different to accomplish that. VISITNUM is the unique number corresponding to each visit that allows for visit sequencing and remains unchanged during the course of the study. VISITREFNAME_ACTUAL: Value must match VISITREFNAME, except in cases where the extrapolated VISITREFNAME for parent-child visits does not result in values that adhere to the RCC Event Naming Conventions. In that case, the values should be updated to adhere to the conventions. E.g., for VISITREFNAME values of DA1_WEEK, DA2_WEEK, and DA3_WEEK, VISITREFNAME_ACTUAL might have values WEEK6, WEEK12, and WEEK18. If that may be applicable to the study, consult with the database programmer for guidance.
Local Lab Ref	Only applicable for studies using the local lab, i.e, LB001, instrument. This tab is intended to capture the details of each local lab instrument including each Lab Test and the display order. Instrument Name must capture each lab copy of the lab instrument, e.g., LB001_1, LB001_2... Instrument Title should include permissible title updates aligned with the ASB Lab Test must outline each lab test in the intended order of display.
Integrations	Include all Case Report Form (CRF) Integrations in this tab, including Interactive Response Technology (IRT) Integration and/or CRF Data Load Integration Mappings Integration: Enter CRF integration type: IRT in case of IRT/Impala Integration or CRF for Data load directly in the CRF. Variable: Integration variable setup at tenant level. Instrument Name: Study CRF where data is loaded. Variable Name: Study CRF field where data is loaded. If study is not using any CRF integrations, mark all the columns as not applicable. Note: For both CRF and IRT integrations, Integration setup at tenant level will have to be completed in order to see Variables at the study level.
Study Specific Design Changes	Study Specific Design Changes tab applies only for studies with approval to deviate from the Standard build that will need to document study specific changes. Study Specific Design Changes tab must be removed/deleted from SDS if no study specific changes are identified in the study. Object Type: Indicate the type of the object that needs the change. For example it could be an event definition parameter, study parameter, rule parameter, or clinical model mapping. Object Name: The Standards name of the object that needs to be altered. In the case of a study parameter, the name of the parameter itself for example "Allow Instrument edit outside of Scheduled Event Range". Work with the study programmer to correctly identify the object name. Description of the change: Provide a description of the change that is needed to that object. For example in the case of "Allow Instrument edit outside of Scheduled Event Range", the description could be "For ePRO instrument XYZ, unselect this option. As per protocol, this instrument cannot be completed outside the scheduled window".
The SDS tabs are color coded as follows:	
Tab Color	Completion Details
Grey	Informational; no changes required.



Yellow	Populated during build or when updates are required after Study Design Specifications have been approved. Check for completion/accuracy at time of finalization/sign off.

Document Version History			
NOTE: Amendments made to study design specifications should be documented here with a su			
Version	Author	Date	Updated SDS tab (if applicable)
V 1.0	Nikhil Chavhan Nitesh Chaudhari	06-Aug-2025	Event Definition, Instruments, Variable Permission Groups, CM Study Maps.
V 1.1	Nikhil Chavhan Nitesh Chaudhari	18-Aug-2025	SRDM Defaults, DSOPI
V2.0	Nikhil Chavhan Nitesh Chaudhari Sruthi Vishnurajan	09-Sep-2025	Plans Tab
			Plans Tab
			Event Definition, Instruments.
			Collection Derivations
			Variable Permission Groups
			Instruments
			Integration
			VISIT NUM
			Local Lab Ref

B7981118

Summary / Reason for Change(s)	Protocol / Amendment Approval Date for this SDS version
Initial Version.	16-Jul-2025
Removed SRDM Default for "BETERM_SECTION_010", Updated DS001_5_1 Subset form for Subject status in DSOP1 tab.	16-Jul-2025
Removed Variable from PLANS tab for "AUCLSIG_001_1,D_CASEIDEDP_001,D_SAEASSOC_001,D_ESTDELDAT_001,D_GESTTIM_001,D_MALC_001,D_MALCNUMB_001,D_MDRUG_001,D_MDRUGFREQ_001,D_MENDAT_001,D_MSMOKE_001,D_MSMOKENUM_001,D_NUMFOET_001,D_NUMWEEKS_001,D_RELHIST_001,D_TRIMESTER_001,D_NUMCHILD_001,D_NUMPREG_001,D_OUTCOMEPREV_001,D_PREVPREG_001,D_DELIVERMOD_001,D_GESTWEEKS_001,D_GESTWEEKS1_001,D_OUTCOMEPREVDAT_001,D_PREGOUT_001,D_APGAR1_001,D_APGAR5_001,D_BIRTHWEIGHT_001,D_BIRTHWEIGHTU_001,D_HEADCIR_001,D_HEADCIRU_001,D_INFSEX_001,D_LENGTH_001,D_LENGTHU_001,D_OUTCOMEINF_001,D_OUTCOMEOTH_001,D_PATEXPOSURE_001,D_PATEXPOYN_001,D_PATHIST_001,D_PATOCC_001,D_PATDOSE_001,D_PATENDTD_001,D_PATFORM_001,D_PATFREQ_001,D_PATINDC_001,D_PATPRONAM_001,D_PATSTDTD_001,D_PATSTOPRE_001,D_PATSTOPRE1_001,D_PATSTOPRE2_001,D_PATSTOPRE3_001,D_PATSTOPRE4_001,D_PATSTOPRE5_001,D_PATSTOPRE6_001,D_PATSTOPRE7_001,D_PATSTOPRE8_001,D_PATSTOPRE9_001,D_PATSTOPRE10_001,D_PATSTOPRE11_001,D_PATSTOPRE12_001,D_PATSTOPRE13_001,D_PATSTOPRE14_001,D_PATSTOPRE15_001,D_PATSTOPRE16_001,D_PATSTOPRE17_001,D_PATSTOPRE18_001,D_PATSTOPRE19_001,D_PATSTOPRE20_001,D_PATSTOPRE21_001,D_PATSTOPRE22_001,D_PATSTOPRE23_001,D_PATSTOPRE24_001,D_PATSTOPRE25_001,D_PATSTOPRE26_001,D_PATSTOPRE27_001,D_PATSTOPRE28_001,D_PATSTOPRE29_001,D_PATSTOPRE30_001,D_PATSTOPRE31_001,D_PATSTOPRE32_001,D_PATSTOPRE33_001,D_PATSTOPRE34_001,D_PATSTOPRE35_001,D_PATSTOPRE36_001,D_PATSTOPRE37_001,D_PATSTOPRE38_001,D_PATSTOPRE39_001,D_PATSTOPRE40_001,D_PATSTOPRE41_001,D_PATSTOPRE42_001,D_PATSTOPRE43_001,D_PATSTOPRE44_001,D_PATSTOPRE45_001,D_PATSTOPRE46_001,D_PATSTOPRE47_001,D_PATSTOPRE48_001,D_PATSTOPRE49_001,D_PATSTOPRE50_001,D_PATSTOPRE51_001,D_PATSTOPRE52_001,D_PATSTOPRE53_001,D_PATSTOPRE54_001,D_PATSTOPRE55_001,D_PATSTOPRE56_001,D_PATSTOPRE57_001,D_PATSTOPRE58_001,D_PATSTOPRE59_001,D_PATSTOPRE60_001,D_PATSTOPRE61_001,D_PATSTOPRE62_001,D_PATSTOPRE63_001,D_PATSTOPRE64_001,D_PATSTOPRE65_001,D_PATSTOPRE66_001,D_PATSTOPRE67_001,D_PATSTOPRE68_001,D_PATSTOPRE69_001,D_PATSTOPRE70_001,D_PATSTOPRE71_001,D_PATSTOPRE72_001,D_PATSTOPRE73_001,D_PATSTOPRE74_001,D_PATSTOPRE75_001,D_PATSTOPRE76_001,D_PATSTOPRE77_001,D_PATSTOPRE78_001,D_PATSTOPRE79_001,D_PATSTOPRE80_001,D_PATSTOPRE81_001,D_PATSTOPRE82_001,D_PATSTOPRE83_001,D_PATSTOPRE84_001,D_PATSTOPRE85_001,D_PATSTOPRE86_001,D_PATSTOPRE87_001,D_PATSTOPRE88_001,D_PATSTOPRE89_001,D_PATSTOPRE90_001,D_PATSTOPRE91_001,D_PATSTOPRE92_001,D_PATSTOPRE93_001,D_PATSTOPRE94_001,D_PATSTOPRE95_001,D_PATSTOPRE96_001,D_PATSTOPRE97_001,D_PATSTOPRE98_001,D_PATSTOPRE99_001,D_PATSTOPRE100_001,D_PATSTOPRE101_001,D_PATSTOPRE102_001,D_PATSTOPRE103_001,D_PATSTOPRE104_001,D_PATSTOPRE105_001,D_PATSTOPRE106_001,D_PATSTOPRE107_001,D_PATSTOPRE108_001,D_PATSTOPRE109_001,D_PATSTOPRE110_001,D_PATSTOPRE111_001,D_PATSTOPRE112_001,D_PATSTOPRE113_001,D_PATSTOPRE114_001,D_PATSTOPRE115_001,D_PATSTOPRE116_001,D_PATSTOPRE117_001,D_PATSTOPRE118_001,D_PATSTOPRE119_001,D_PATSTOPRE120_001,D_PATSTOPRE121_001,D_PATSTOPRE122_001,D_PATSTOPRE123_001,D_PATSTOPRE124_001,D_PATSTOPRE125_001,D_PATSTOPRE126_001,D_PATSTOPRE127_001,D_PATSTOPRE128_001,D_PATSTOPRE129_001,D_PATSTOPRE130_001,D_PATSTOPRE131_001,D_PATSTOPRE132_001,D_PATSTOPRE133_001,D_PATSTOPRE134_001,D_PATSTOPRE135_001,D_PATSTOPRE136_001,D_PATSTOPRE137_001,D_PATSTOPRE138_001,D_PATSTOPRE139_001,D_PATSTOPRE140_001,D_PATSTOPRE141_001,D_PATSTOPRE142_001,D_PATSTOPRE143_001,D_PATSTOPRE144_001,D_PATSTOPRE145_001,D_PATSTOPRE146_001,D_PATSTOPRE147_001,D_PATSTOPRE148_001,D_PATSTOPRE149_001,D_PATSTOPRE150_001,D_PATSTOPRE151_001,D_PATSTOPRE152_001,D_PATSTOPRE153_001,D_PATSTOPRE154_001,D_PATSTOPRE155_001,D_PATSTOPRE156_001,D_PATSTOPRE157_001,D_PATSTOPRE158_001,D_PATSTOPRE159_001,D_PATSTOPRE160_001,D_PATSTOPRE161_001,D_PATSTOPRE162_001,D_PATSTOPRE163_001,D_PATSTOPRE164_001,D_PATSTOPRE165_001,D_PATSTOPRE166_001,D_PATSTOPRE167_001,D_PATSTOPRE168_001,D_PATSTOPRE169_001,D_PATSTOPRE170_001,D_PATSTOPRE171_001,D_PATSTOPRE172_001,D_PATSTOPRE173_001,D_PATSTOPRE174_001,D_PATSTOPRE175_001,D_PATSTOPRE176_001,D_PATSTOPRE177_001,D_PATSTOPRE178_001,D_PATSTOPRE179_001,D_PATSTOPRE180_001,D_PATSTOPRE181_001,D_PATSTOPRE182_001,D_PATSTOPRE183_001,D_PATSTOPRE184_001,D_PATSTOPRE185_001,D_PATSTOPRE186_001,D_PATSTOPRE187_001,D_PATSTOPRE188_001,D_PATSTOPRE189_001,D_PATSTOPRE190_001,D_PATSTOPRE191_001,D_PATSTOPRE192_001,D_PATSTOPRE193_001,D_PATSTOPRE194_001,D_PATSTOPRE195_001,D_PATSTOPRE196_001,D_PATSTOPRE197_001,D_PATSTOPRE198_001,D_PATSTOPRE199_001,D_PATSTOPRE200_001,D_PATSTOPRE201_001,D_PATSTOPRE202_001,D_PATSTOPRE203_001,D_PATSTOPRE204_001,D_PATSTOPRE205_001,D_PATSTOPRE206_001,D_PATSTOPRE207_001,D_PATSTOPRE208_001,D_PATSTOPRE209_001,D_PATSTOPRE210_001,D_PATSTOPRE211_001,D_PATSTOPRE212_001,D_PATSTOPRE213_001,D_PATSTOPRE214_001,D_PATSTOPRE215_001,D_PATSTOPRE216_001,D_PATSTOPRE217_001,D_PATSTOPRE218_001,D_PATSTOPRE219_001,D_PATSTOPRE220_001,D_PATSTOPRE221_001,D_PATSTOPRE222_001,D_PATSTOPRE223_001,D_PATSTOPRE224_001,D_PATSTOPRE225_001,D_PATSTOPRE226_001,D_PATSTOPRE227_001,D_PATSTOPRE228_001,D_PATSTOPRE229_001,D_PATSTOPRE230_001,D_PATSTOPRE231_001,D_PATSTOPRE232_001,D_PATSTOPRE233_001,D_PATSTOPRE234_001,D_PATSTOPRE235_001,D_PATSTOPRE236_001,D_PATSTOPRE237_001,D_PATSTOPRE238_001,D_PATSTOPRE239_001,D_PATSTOPRE240_001,D_PATSTOPRE241_001,D_PATSTOPRE242_001,D_PATSTOPRE243_001,D_PATSTOPRE244_001,D_PATSTOPRE245_001,D_PATSTOPRE246_001,D_PATSTOPRE247_001,D_PATSTOPRE248_001,D_PATSTOPRE249_001,D_PATSTOPRE250_001,D_PATSTOPRE251_001,D_PATSTOPRE252_001,D_PATSTOPRE253_001,D_PATSTOPRE254_001,D_PATSTOPRE255_001,D_PATSTOPRE256_001,D_PATSTOPRE257_001,D_PATSTOPRE258_001,D_PATSTOPRE259_001,D_PATSTOPRE260_001,D_PATSTOPRE261_001,D_PATSTOPRE262_001,D_PATSTOPRE263_001,D_PATSTOPRE264_001,D_PATSTOPRE265_001,D_PATSTOPRE266_001,D_PATSTOPRE267_001,D_PATSTOPRE268_001,D_PATSTOPRE269_001,D_PATSTOPRE270_001,D_PATSTOPRE271_001,D_PATSTOPRE272_001,D_PATSTOPRE273_001,D_PATSTOPRE274_001,D_PATSTOPRE275_001,D_PATSTOPRE276_001,D_PATSTOPRE277_001,D_PATSTOPRE278_001,D_PATSTOPRE279_001,D_PATSTOPRE280_001,D_PATSTOPRE281_001,D_PATSTOPRE282_001,D_PATSTOPRE283_001,D_PATSTOPRE284_001,D_PATSTOPRE285_001,D_PATSTOPRE286_001,D_PATSTOPRE287_001,D_PATSTOPRE288_001,D_PATSTOPRE289_001,D_PATSTOPRE290_001,D_PATSTOPRE291_001,D_PATSTOPRE292_001,D_PATSTOPRE293_001,D_PATSTOPRE294_001,D_PATSTOPRE295_001,D_PATSTOPRE296_001,D_PATSTOPRE297_001,D_PATSTOPRE298_001,D_PATSTOPRE299_001,D_PATSTOPRE300_001,D_PATSTOPRE301_001,D_PATSTOPRE302_001,D_PATSTOPRE303_	

RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Event Title	Unique Event Name	Description	Type	Assign to Parent	Max Repeats Allowed	Day Schedule	Day Min	Day Max	Active	Repeating	Enable Event level eNOTEs
Screening	SCR	Screening	Static		1	0	0	0	Yes	No	No
Day 1	DAY1	Baseline	Static		1	1	35	1	Yes	No	No
Week 04	WEEK4	week 04 Day 29 of study treatment	Scheduled		1	29	5	5	Yes	No	No
Week 08	WEEK8	week 08 Day 57 of study treatment	Scheduled		1	57	5	5	Yes	No	No
Week 12	WEEK12	week 12 Day 85 of study treatment	Scheduled		1	85	5	5	Yes	No	No
Week 16	WEEK16	week 16 Day 113 of study treatment	Scheduled		1	113	5	5	Yes	No	No
Week 20	WEEK20	week 20 Day 141 of study treatment	Scheduled		1	141	5	5	Yes	No	No
Week 24	WEEK24	week 24 Day 169 of study treatment	Scheduled		1	169	5	5	Yes	No	No
Disposition	DISP	Disposition	Static		1				Yes	No	No
Early Termination	EARLY_TERMINATION	Early Termination	Scheduled		1				Yes	No	No
Unplanned	UNPL	Unplanned	Unscheduled		999				Yes	Yes	No
Follow-up	FU	Follow-up	Scheduled		1	197	0	7	Yes	No	No
Common Form Event	common_event		Static		1				Yes	No	No

**RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Event Title	Instrument Name	Instrument Title	Available on mobile	Enable Field level eNOTES	Enable within form Subject navigation
Screening	SV001	DATE OF VISIT	NO	NO	NO
Screening	DS001	MAIN INFORMED CONSENT	NO	NO	NO
Screening	DS001_1	ADDITIONAL INFORMED CONSENT - OPTIONAL RETAINED RESEARCH SAMPLING	NO	NO	NO
Screening	DM001	DEMOGRAPHY	NO	NO	NO
Screening	R_TRIG001	TRIGGER FORM	NO	NO	NO
Screening	IE002	INCLUSION/EXCLUSION CRITERIA	NO	NO	NO
Screening	MH001	MEDICAL HISTORY	NO	NO	NO
Screening	CM001_1	RESPONSE TO REGIMEN - Anti-IgE Exp	NO	NO	NO
Screening	MH001_4	PRE-SPECIFIED PRIMARY DIAGNOSIS	NO	NO	NO
Screening	VS001_1	VITAL SIGNS	NO	NO	NO
Screening	EG001	ECG	NO	NO	NO
Screening	DS001_4	DISPOSITION - SCREENING	NO	NO	NO
Screening	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Screening	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Screening	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Screening	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Screening	AE001_1	MEDICATION ERROR	NO	NO	NO
Day 1	SV001	DATE OF VISIT	NO	NO	NO
Day 1	DS001_3	RANDOMIZATION	NO	NO	NO
Day 1	VS001_1	VITAL SIGNS	NO	NO	NO
Day 1	AUAUD001	AUDIOMETRIC ASSESSMENT - HEARING TEST BL	NO	NO	NO
Day 1	R_OMIC003	RETAINED RESEARCH SAMPLE TRACKING - Prep D1 Prep B2.5 Prep R1	NO	NO	NO
Day 1	BEETRK010	ELECTRONIC SAMPLE TRACKING	NO	NO	NO
Day 1	PC003	PHARMACOKINETICS	NO	NO	NO
Day 1	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Day 1	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Day 1	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Day 1	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Day 1	AE001_1	MEDICATION ERROR	NO	NO	NO
Day 1	EC001_5_3	PK DOSING	NO	NO	NO
Week 04	SV001	DATE OF VISIT	NO	NO	NO
Week 04	VS001_1	VITAL SIGNS	NO	NO	NO
Week 04	R_OMIC003_1	RETAINED RESEARCH SAMPLE TRACKING - Prep B2.5 Prep R1	NO	NO	NO
Week 04	BEETRK010	ELECTRONIC SAMPLE TRACKING	NO	NO	NO
Week 04	PC003	PHARMACOKINETICS	NO	NO	NO
Week 04	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Week 04	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Week 04	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Week 04	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Week 04	AE001_1	MEDICATION ERROR	NO	NO	NO
Week 04	EC001_5_1	PK DOSING	NO	NO	NO
Week 08	SV001	DATE OF VISIT	NO	NO	NO
Week 08	VS001_1	VITAL SIGNS	NO	NO	NO
Week 08	PC003	PHARMACOKINETICS	NO	NO	NO
Week 08	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Week 08	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Week 08	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Week 08	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Week 08	AE001_1	MEDICATION ERROR	NO	NO	NO
Week 08	EC001_5_1	PK DOSING	NO	NO	NO
Week 12	SV001	DATE OF VISIT	NO	NO	NO
Week 12	VS001_1	VITAL SIGNS	NO	NO	NO
Week 12	EG001	ECG	NO	NO	NO
Week 12	R_OMIC003_1	RETAINED RESEARCH SAMPLE TRACKING - Prep B2.5 Prep R1	NO	NO	NO
Week 12	BEETRK010	ELECTRONIC SAMPLE TRACKING	NO	NO	NO
Week 12	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Week 12	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO

**RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Week 12	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Week 12	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Week 12	AE001_1	MEDICATION ERROR	NO	NO	NO
Week 16	SV001	DATE OF VISIT	NO	NO	NO
Week 16	VS001_1	VITAL SIGNS	NO	NO	NO
Week 16	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Week 16	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Week 16	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Week 16	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Week 16	AE001_1	MEDICATION ERROR	NO	NO	NO
Week 20	SV001	DATE OF VISIT	NO	NO	NO
Week 20	VS001_1	VITAL SIGNS	NO	NO	NO
Week 20	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Week 20	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Week 20	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Week 20	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Week 20	AE001_1	MEDICATION ERROR	NO	NO	NO
Week 24	SV001	DATE OF VISIT	NO	NO	NO
Week 24	VS001_1	VITAL SIGNS	NO	NO	NO
Week 24	AUAUD001_1	AUDIOMETRIC ASSESSMENT - HEARING TEST POST BL	NO	NO	NO
Week 24	EG001	ECG	NO	NO	NO
Week 24	R_OMIC003_1	RETAINED RESEARCH SAMPLE TRACKING - Prep B2.5 Prep R1	NO	NO	NO
Week 24	BEETRK010	ELECTRONIC SAMPLE TRACKING	NO	NO	NO
Week 24	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Week 24	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Week 24	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Week 24	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Week 24	AE001_1	MEDICATION ERROR	NO	NO	NO
Early Termination	SV001	DATE OF VISIT	NO	NO	NO
Early Termination	VS001_1	VITAL SIGNS	NO	NO	NO
Early Termination	AUAUD001_1	AUDIOMETRIC ASSESSMENT - HEARING TEST POST BL	NO	NO	NO
Early Termination	EG001	ECG	NO	NO	NO
Early Termination	BEETRK010	ELECTRONIC SAMPLE TRACKING	NO	NO	NO
Early Termination	R_OMIC003_1	RETAINED RESEARCH SAMPLE TRACKING - Prep B2.5 Prep R1	NO	NO	NO
Early Termination	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Early Termination	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Early Termination	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Early Termination	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Early Termination	AE001_1	MEDICATION ERROR	NO	NO	NO
Disposition	DS001_5	DISPOSITION - TREATMENT PERIOD A	NO	NO	NO
Disposition	DS001_5_1	DISPOSITION - TREATMENT PERIOD B	NO	NO	NO
Disposition	DS001_6	DISPOSITION - FOLLOW-UP	NO	NO	NO
Disposition	DS001_7	WITHDRAWAL OF CONSENT	NO	NO	NO
Disposition	DS001_7_1	WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE	NO	NO	NO
Disposition	DS001_8	TREATMENT UNBLINDED	NO	NO	NO
Disposition	DD002	DEATH DETAILS	NO	NO	NO
Follow-up	SV001	DATE OF VISIT	NO	NO	NO
Follow-up	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Follow-up	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Follow-up	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Follow-up	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Follow-up	AE001_1	MEDICATION ERROR	NO	NO	NO
Unplanned	SV001	DATE OF VISIT	NO	NO	NO
Unplanned	D_UPA001	UNPLANNED VISIT	NO	NO	NO
Unplanned	VS001_1	VITAL SIGNS	NO	NO	NO
Unplanned	AUAUD001_1	AUDIOMETRIC ASSESSMENT - HEARING TEST POST BL	NO	NO	NO
Screening	SRTCR002	TUBERCULOSIS TESTING	NO	NO	NO
Unplanned	SRTCR002	TUBERCULOSIS TESTING	NO	NO	NO
Unplanned	EG001	ECG	NO	NO	NO

**RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Unplanned	LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	NO	NO	NO
Unplanned	LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	NO	NO	NO
Unplanned	MBMC005	MICROBIOLOGY CULTURE - Hepatitis Testing	NO	NO	NO
Unplanned	D_EDP001	EXPOSURE DURING PREGNANCY	NO	NO	NO
Unplanned	LB001_2	LOCAL LABORATORY DATA - URINALYSIS	NO	NO	NO
Unplanned	LB001_5	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	NO	NO	NO
Unplanned	R_OMIC003	RETAINED RESEARCH SAMPLE TRACKING - Prep D1 Prep B2.5 Prep R1	NO	NO	NO
Unplanned	BEETRK010	ELECTRONIC SAMPLE TRACKING	NO	NO	NO
Unplanned	PC003_1_1	PHARMACOKINETICS - REPEATING FORM	NO	NO	NO
Common Form Event	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Common Form Event	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Common Form Event	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Common Form Event	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Common Form Event	AE001_1	MEDICATION ERROR	NO	NO	NO

Variable Permission Groups	Display Permissions and Roles
HIDDEN	Read Only: Lead Data Manager, Database Builder, Clinical, Read Only
Impala	Editable: GPDIP_Impala_Integration Read Only: Lead Data Manager, Clinical
Coding	Read Only: Lead Data Manager, Database Builder, Read Only, Clinical Editable: TMS_integration

Instruments and Variables
DM001: D_LNRDTC_001, D_LASTSTDTC_001, D_LTRDSBTC_001, D_LSCDSBTC_001
DS001_3: DSREFID_001_3, DSSTDTC_001_3, SUPPDS_DSSTANSTD_001_3
DD002 : SUPPDD_DDHLT_002, SUPPDD_DDHLTCD_002, SUPPDD_DDDECOD_002, SUPPDD_DDPTCD_002, SUPPDD_DDHLT_002, SUPPDD_DDHLTCD_002, SUPPDD_DDHLGT_002, SUPPDD_DDHLGTCD_002, SUPPDD_DDSOC_002, SUPPDD_DDSOCCD_002 CM001: CMDECOD_001, SUPPCM_CMCODE_001 CM001_1: CMDECOD_001_1, SUPPCM_CMCODE_001_1 PR001: SUPPPR_PRLT_001, SUPPPR_PRLTCD_001, PRDECOD_001, SUPPPR_PRPTCD_001, SUPPPR_PRHLT_001, SUPPPR_PRHLTCD_001, SUPPPR_PRHLGT_001, SUPPPR_PRHLGTCD_001, SUPPPR_PRSOC_001, SUPPPR_PRSOCCD_001 MH001: MHLT_001, MHLTCD_001, MHDECOD_001, MHPTCD_001, MHLT_001, MHLTCD_001, MHLGT_001, MHLGTCD_001, MHSOC_001, MHSOCCD_001 MH001_4: MHLT_001_4, MHLTCD_001_4, MHDECOD_001_4, MHPTCD_001_4, MHLT_001_4, MHLTCD_001_4, MHLGT_001_4, MHLGTCD_001_4, MHSOC_001_4, MHSOCCD_001_4 AE001: AELLT_001, AELLTCD_001, AEDECOD_001, AEPTCD_001, AEHLT_001, AEHLTCD_001, AEHLGT_001, AEHLGTCD_001, AESOC_001, AESOCCD_001

RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Model_Attribute_Name	Model_name	Source_table	Source_variable	Condition
Randomization Number	RANDNUM	SM_DS001	DSREFID_001	WHERE DSREFID_001 IS NOT NULL
Date of Randomization	RANDDAT	SM_DS001	DSSTDTC_001	WHERE DSREFID_001 IS NOT NULL
Date Subject Discontinued	DCDAT	SM_DS001	DSSTDTC_001	WHERE SUPPDS_DSCONT_001 = 'NO' or (FORMREFNAME = 'DS001_6' and DSDECOD_001 <> 'COMPLETED')
Date Subject Completed Study	CMPLTDAT	SM_DS001	DSSTDTC_001	WHERE DSDECOD_001 = 'COMPLETED' and FORMREFNAME = 'DS001_6'
Date Subject Enrolled in Study	DEMOGDAT	SM_DS001	DSSTDTC_001	WHERE FORMREFNAME = 'DS001' and DSSTDTC_001 IS NOT NULL
Subject Reason for Withdrawal	DSDECOD	SM_DS001	DSDECOD_001	WHERE DSDECOD_001 <> 'COMPLETED' and (SUPPDS_DSCONT_001 = 'NO' or FORMREFNAME = 'DS001_6')
Subject Withdrawal Timeframe	EPOCH	SM_DS001	SUPPDS_DSPHASE_001	WHERE DSDECOD_001 <> 'COMPLETED' and (SUPPDS_DSCONT_001 = 'NO' or FORMREFNAME = 'DS001_6')
Date of Subject Screen Failure	SFDATE	SM_DS001	DSSTDTC_001	WHERE DSDECOD_001 <> 'COMPLETED' and FORMREFNAME = 'DS001_4'
Subject Status	DS_STAT	SM_DS001	DSDECOD_001	If FORMREFNAME = 'DS001_6' and DSDECOD_001 = 'COMPLETED' then 'COMPLETED' Else if FORMREFNAME = 'DS001_6' and DSDECOD_001 <> 'COMPLETED' then 'DISCONTINUED' Else if FORMREFNAME = 'DS001_5_1' and SUPPDS_DSCONT_001_5_1 = 'YES' then 'FOLLOW-UP' Else if FORMREFNAME = 'DS001_5' and SUPPDS_DSCONT_001_5 = 'NO' then 'DISCONTINUED' Else if FORMREFNAME = 'DS001_5' and SUPPDS_DSCONT_001_5 = 'YES' then 'PERIOD B' Else if FORMREFNAME = 'DS001_5_1' and SUPPDS_DSCONT_001_5_1 = 'NO' then 'DISCONTINUED' Else if FORMREFNAME = 'DS001_3' and DSSTDTC_001 IS NOT NULL then 'ENROLLED/RANDOMIZED' Else if FORMREFNAME = 'DS001_4' and DSDECOD_001 = 'COMPLETED' then 'SCREENED' Else if FORMREFNAME = 'DS001_4' and DSDECOD_001 <> 'COMPLETED' then 'SCREEN FAIL'
Status Date	STATDT	SM_DS001	DSSTDTC_001	max of DSSTDTC_001

Comments

--	--

RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

				Site Group	All Sites	China Sites Group
				SDV %	5	100
				SDV Plan	Fields to SDV	Fields to SDV China Sites
Instrument Name	Variable	Label	Variable Level Access	Data Review Tier		
AUAUD001_1	AUDTC_001_1	Date of Assessment:	None	Supportive		
AUAUD001_1	AULAT_001_1	Body Side:	Read	Supportive		
AUAUD001_1	AULOC_001_1	Anatomical Location:	Read	Supportive		
AUAUD001_1	AUORRES_INTP_001_1	Hearing Status:	None	Supportive		
AUAUD001_1	CO_AUCOM_001_1	Hearing Test Comments:	None	Supportive		
AUAUD001_1	SUPPAU_AUCHGB_001_1	Change from Baseline:	None	Supportive		

**RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Instrument 1	Repeating group 1	Context 1	Instrument 2	Repeating group 2	Context 2
AE001		AECAT_001, AEENDTC_001,AESTDTC_001,AETERM_001,AESPID_001	CM001		CMENDTC_001,CMSTDTC_001,CMTRT_001,CMSPID_001, CMCAT_001
AE001		AECAT_001, AEENDTC_001,AESTDTC_001,AETERM_001,AESPID_001	MH001	MH02001	MHENDTC_001,MHSTDTC_001,MHTERM_001,MHSPID_001
MH001	MH02001	MHENDTC_001,MHSTDTC_001,MHTERM_001,MHSPID_001	CM001		CMENDTC_001,CMSTDTC_001,CMTRT_001,CMSPID_001
AE001		AECAT_001, AEENDTC_001,AESTDTC_001,AETERM_001,AESPID_001	AE001_1		AEENDTC_001_1,AESTDTC_001_1,AETERM_001_1
AE001		AECAT_001, AEENDTC_001,AESTDTC_001,AETERM_001,AESPID_001	PR001		PRENDTC_001,PRSTDTC_001,PRTRT_001,PRSPID_001
AE001		AECAT_001, AEENDTC_001,AESTDTC_001,AETERM_001,AESPID_001	DD002		R_DDDTHDTC_002,DDDT_002

RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Add/Edit/Remove	Expression Definition	Event Title	Instrument Title	E2B Mapping Category	Label
	Concatenates what is entered for the ETHNIC_001 and RACE_001 fields on the DM001 Demography instrument and placed within the {PATETHNICGROUP} and {PATRACE} tags respectively. Codelist options selected will also be converted into the corresponding Argus accepted value. Instrument DM001 is stored in: SCR			Patient	Patient Medical History Text
	Mapped the SEX_001 field from the DM001 instrument. Instrument DM001 is stored in: SCR			Patient	Patient Sex
	Mapped the BRTHDTC_001 field from the DM001 instrument (if collected). Instrument DM001 is stored in: SCR			Patient	Patient Birth Date
	Converts entered Weight to metric (if not already entered). Baseline Vital Signs Instrument: VS001_1 Baseline Event Collected: SCR			Patient	Patient Weight
	Mapped the MHTERM_001 field from the MH001 instrument (if collected). Instrument MH001 is stored in: SCR	Screening	MH001	Patient Medical History Episode	Patient Medical Comment
	Mapped the X_MHONGO_001 field from the MH001 instrument (if collected). Instrument MH001 is stored in: SCR	Screening	MH001	Patient Medical History Episode	Patient Medical Continue
	Static Value: 0000 Do not modify.	Screening	MH001	Patient Medical History Episode	Patient Episode Name MedDRA Version
	Mapped the MHENDTC_001 field from the MH001 instrument (if collected). Instrument MH001 is stored in: SCR	Screening	MH001	Patient Medical History Episode	Patient Medical End Date
	Mapped the MHTERM_001 field from the MH001 instrument (if collected). All entered spaces will be removed for this tag. Instrument MH001 is stored in: SCR	Screening	MH001	Patient Medical History Episode	Patient Episode Name
	Mapped the MHSTDT_001 field from the MH001 instrument (if collected). All entered spaces will be removed. Instrument MH001 is stored in: SCR	Screening	MH001	Patient Medical History Episode	Patient Medical Start Date
	Mapped from [X_CMDSTXT_001]. Remove all trailing zeroes.	Common Form Event	CM001	Drugs	Drug Structure Dosage Num
	Mapped from [CMDOSFRM_001]	Common Form Event	CM001	Drugs	Drug Dosage Form
	Mapped from [CMTRT_001]	Common Form Event	CM001	Drugs	Medicinal Product
	Construct an array of all selected R_AEIDCM values (AESPID excluded).	Common Form Event	CM001	Drugs	Reaction ID
	Used in conjunction with the Drugs - Concomitant data selection rule. Will return true if Drug Start or Drug End dates are within 14 days of Reaction Start date or if Ongoing = Y. Otherwise return false.	Common Form Event	CM001	Drugs	Selection tag
	Mapped from [R_SUPPCM_CONSUS_001]	Common Form Event	CM001	Drugs	Concomitant as Suspect
	Retrieves the Adverse Event verbatim terms in all uppercase from the dynamic lists selected from all of the 'AE ID of the AE this conmed is related to' (R_AEIDCMX_001) fields.	Common Form Event	CM001	Drugs	Drug Characterization
	Mapped from [CMDOSFRQ_001]. All spaces are removed	Common Form Event	CM001	Drugs	Drug Interval Dosage Definition
	When X_CMONGO_001 is selected as YES, return {Ongoing}Yes/{Ongoing}, otherwise return <DO NOT USE>. If X_CMONGO_001 is not collected, <DO NOT USE> should always be returned.	Common Form Event	CM001	Drugs	Drug Dosage text
	Defaulted to a Static Value of 8 via an expression. Defaulting via Static Value will return an error.	Common Form Event	CM001	Drugs	Action Drug
	Mapped from [CMROUTE_001]	Common Form Event	CM001	Drugs	Drug Administration Route
	Mapped from [CMSTDT_001]. Time is excluded. If any date components are entered as UNK, they will be omitted.	Common Form Event	CM001	Drugs	Drug Start Date
	Mapped from [CMENDTC_001]. Time is excluded. If any date components are entered as UNK, they will be omitted.	Common Form Event	CM001	Drugs	Drug End Date
	Mapped from [CMDOSU_001]	Common Form Event	CM001	Drugs	Drug Structure Dosage Unit

**RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

	Construct an array of all selected R_AEIDCM values (AESPID excluded).	Common Form Event	CM001	Drug Recurrence	Reaction ID
	Mapped from [R_SUPPCM_RECHAL_001]	Common Form Event	CM001	Drug Recurrence	Did Reaction Recur on Re-administration?
	Mapped from D_RECHALDER_001	Common Form Event	D_SAE001	Drug Recurrence	Did Reaction Recur on Re-administration?
	Associated Dosing CRF: EC001_4				
	If R_SUPPCM_CONSUS_001 is not NULL and = 'Y', return 'RELATED'. Otherwise if R_SUPPCM_CONSUS_001 = 'N', return 'NOT RELATED'	Common Form Event	CM001	Drug Reaction Relatedness	Drug Result
	Mapped from [R_SUPPCM_ACTTKN_001]	Common Form Event	CM001	Drug Reaction Relatedness	Drug Assessment Method
	Construct an array of all selected R_AEIDCM values (AESPID excluded).	Common Form Event	CM001	Drug Reaction Relatedness	Reaction ID
	Mapped from D_ACNTKN_001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Assessment Method
	Associated Dosing CRF: EC001_4				
	Mapped from D_CAUSE_001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Result
	Associated Dosing CRF: EC001_4				
	Mapped from LBORNRI_001		LB001	Tests	High Test Range
	Mapped from LBDTC_001		LB001	Tests	Test Date
	Mapped from LBORRES_001		LB001	Tests	Test Result (value / qualifier)
	Mapped from LBORRESU_001		LB001	Tests	Test Unit
	Mapped from LBORNRO_001		LB001	Tests	Low Test Range
	Mapped from LBTEST_001		LB001	Tests	Test Name
	If LBORRES_001 is not NULL or CO_LBCOM_001 is not NULL, return {RESULT}LBORRES_001{/RESULT}{COMMENT}CO_LBCOM_001{/COMMENT}		LB001	Tests	Result Unstructured Data (free text)
	Map either from a Static Value or from a field. If using a static value, the DM001 instrument should be mapped to activate the value. Map from: Static Value or MHTERM_001_2		<MH001_2/MH001	Indication for Use in Case	Indication as Reported by the Primary Source
	Map either from a Static Value or from a field. Map from: CMINDC_001	Common Form Event	<CM001/MH001	Indication for Use in Case	Indication as Reported by the Primary Source
	Returns the provided Argus Product Name for the instrument. If multiple Product Names are tied to the instrument, all Product Names to be provided and how they're derived. Product Name(s): PF-AAAAAAAAAA when Formulation = Injection, PF-BBBBBBBBBB when Formulation = Tablet		EC001_4	Drugs	Medicinal Product
	Dose Unit Field: ECDOSU_001_4		EC001_4	Drugs	Drug Structure Dosage Unit
	Mapped from [ECENDTC_001_4]. Time is excluded. If any date components are entered as UNK, they will be omitted.		EC001_4	Drugs	Drug End Date
	Entered dose. All trailing zeroes will be removed in the safety case. Dose Field: X_ECDOSE_001_4		EC001_4	Drugs	Drug Structure Dosage Num
	Defaulted to a Static Value of 8 via an expression. Defaulting via Static Value will return an error.		EC001_4	Drugs	Action Drug
	Defaulted to a Static Value of <DO NOT USE>		EC001_4	Drugs	Drug Dosage text
	Mapped from [ECSTDTC_001_4]. Time is excluded. If any date components are entered as UNK, they will be omitted.		EC001_4	Drugs	Drug Start Date
	Mapped from [ECROUTE_001_4]		EC001_4	Drugs	Drug Administration Route
	Mapped from [ECDOSFRQ_001_4]		EC001_4	Drugs	Drug Interval Dosage Definition
	Mapped from LBORNRI_001_1		LB001_1	Tests	High Test Range
	Mapped from LBDTC_001_1		LB001_1	Tests	Test Date
	Mapped from LBORRES_001_1		LB001_1	Tests	Test Result (value / qualifier)
	Mapped from LBORRESU_001_1		LB001_1	Tests	Test Unit
	Mapped from LBORNRO_001_1		LB001_1	Tests	Low Test Range
	Mapped from LBTEST_001_1		LB001_1	Tests	Test Name

RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

	If LBORRES_001_1 is not NULL or CO_LBCOM_001_1 is not NULL, return {RESULT}LBORRES_001_1{/RESULT}{COMMENT}CO_LBCOM_001_1{/COMMENT}		LB001_1	Tests	Result Unstructured Data (free text)
	Mapped from LBORNRIH_001_2		LB001_2	Tests	High Test Range
	Mapped from LBDTC_001_2		LB001_2	Tests	Test Date
	Mapped from LBORRES_001_2		LB001_2	Tests	Test Result (value / qualifier)
	Mapped from LBORRESU_001_2		LB001_2	Tests	Test Unit
	Mapped from LBORNRL0_001_2		LB001_2	Tests	Low Test Range
	Mapped from LBTEST_001_2		LB001_2	Tests	Test Name
	If LBORRES_001_2 is not NULL or CO_LBCOM_001_2 is not NULL, return {RESULT}LBORRES_001_2{/RESULT}{COMMENT}CO_LBCOM_001_2{/COMMENT}		LB001_2	Tests	Result Unstructured Data (free text)
	Mapped from D_RECHALDER_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Recurrence	Did Reaction Recur on Re-administration?
	Mapped from D_ACNTKN_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Assessment Method
	Mapped from D_CAUSE_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Result
	Map either from a Static Value or from a field. If using a static value, the DM001 instrument should be mapped to activate the value. Map from: Static Value or MHTERM_001_2		<MH001_2/MH001	Indication for Use in Case	Indication as Reported by the Primary Source
	Mapped from D_RECHALDER_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Recurrence	Did Reaction Recur on Re-administration?
	Mapped from D_ACNTKN_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Assessment Method
	Mapped from D_CAUSE_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Result
	Map either from a Static Value or from a field. If using a static value, the DM001 instrument should be mapped to activate the value. Map from: Static Value or MHTERM_001_2		<MH001_2/MH001	Indication for Use in Case	Indication as Reported by the Primary Source
	Mapped from D_RECHALDER_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Recurrence	Did Reaction Recur on Re-administration?
	Mapped from D_ACNTKN_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Assessment Method
	Mapped from D_CAUSE_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Result
	Map either from a Static Value or from a field. If using a static value, the DM001 instrument should be mapped to activate the value. Map from: Static Value or MHTERM_001_2		<MH001_2/MH001	Indication for Use in Case	Indication as Reported by the Primary Source
	Mapped from D_RECHALDER_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Recurrence	Did Reaction Recur on Re-administration?
	Mapped from D_ACNTKN_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Assessment Method
	Mapped from D_CAUSE_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Result

**RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

	Map either from a Static Value or from a field. If using a static value, the DM001 instrument should be mapped to activate the value. Map from: Static Value or MHTERM_001_2		<MH001_2/MH001	Indication for Use in Case	Indication as Reported by the Primary Source
	Mapped from D_RECHALDER_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Recurrence	Did Reaction Recur on Re-administration?
	Mapped from D_ACNTKN_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Assessment Method
	Mapped from D_CAUSE_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Result
	Map either from a Static Value or from a field. If using a static value, the DM001 instrument should be mapped to activate the value. Map from: Static Value or MHTERM_001_2		<MH001_2/MH001	Indication for Use in Case	Indication as Reported by the Primary Source
	Mapped from D_RECHALDER_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Recurrence	Did Reaction Recur on Re-administration?
	Mapped from D_ACNTKN_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Assessment Method
	Mapped from D_CAUSE_001 Associated Dosing CRF: EC001	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Result
	Map either from a Static Value or from a field. If using a static value, the DM001 instrument should be mapped to activate the value. Map from: Static Value or MHTERM_001_2		<MH001_2/MH001	Indication for Use in Case	Indication as Reported by the Primary Source

E2B Tag
patientmedicalhistorytext
patientsex
patientbirthdate
patientweight
patientmedicalcomment
patientmedicalcontinue
patientepisodenamemeddraversion
patientmedicalenddate
patientepisodename
patientmedicalstartdate
drugstructuredosagenumb
drugdosageform
medicinalproduct
reactionid
selectionTag
concomitantsuspectyesno
drugcharacterization
drugintervaldosagedefinition
drugdosagetext
actiondrug
drugadministrationroute
drugstartdate
drugenddate
drugstructuredosageunit

reactionid
drugrecurreadministration
drugrecurreadministration
drugresult
drugassessmentmethod
reactionid
drugassessmentmethod
drugresult
hightestrange
testdate
testresult
testunit
lowtestrange
testname
testresulttext
drugindicationprimarysource
drugindicationprimarysource
medicinalproduct
drugstructuredosageunit
drugenddate
drugstructuredosagenumb
actiondrug
drugdosagetext
drugstartdate
drugadministrationroute
drugintervaldosagedefinition
hightestrange
testdate
testresult
testunit
lowtestrange
testname

testresulttext
hightestrange
testdate
testresult
testunit
lowtestrange
testname
testresulttext
drugrecurreadministration
drugassessmentmethod
drugresult
drugindicationprimarysource
drugrecurreadministration
drugassessmentmethod
drugresult
drugindicationprimarysource
drugrecurreadministration
drugassessmentmethod
drugresult
drugindicationprimarysource
drugrecurreadministration
drugassessmentmethod
drugresult

drugindicationprimarysource
drugrecurreadministration
drugassessmentmethod
drugresult
drugindicationprimarysource
drugrecurreadministration
drugassessmentmethod
drugresult
drugindicationprimarysource

**RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Name	Description	Mapping Variable	Intentionally Blank
STUDY_DAY	Reference Date for Study Day Calculation (eg, First Dose Date (Non-blinded), Randomization Date (Blinded), Other Date (Non-interventional))	[DS001_3.DSSTDTC_001_3]	FALSE
VISITNUM_REF	VISITNUM Reference Study Map	[ref][MD_VISITNUM_REFERENCE.VISITNUM]	FALSE
VISITREFNAME_ACTUAL_REF	VISITREFNAME_ACTUAL from VISITNUM_REF table	[ref][MD_VISITNUM_REFERENCE.VISITREFNAME_ACTUAL]	FALSE

**RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

mdes_form_name	item_refname	default_value	Used
AUAUD001	AUCAT_001	AUDIOMETRIC ASSESSMENT - HEARING TEST	X
AUAUD001_1	AUCAT_001	AUDIOMETRIC ASSESSMENT - HEARING TEST	X
BEETRK010	BECAT_010	ELECTRONIC SAMPLE TRACKING	X
BEETRK010	BETERM_COLLECT_010	COLLECTING	X
DD002	DDCAT_002	DEATH DETAILS	X
DM001	AGEU_001	YEARS	X
DS001	DSDECOD_001	INFORMED CONSENT OBTAINED	X
DS001	DSCAT_001	PROTOCOL MILESTONE	X
DS001_1	DSCAT_001_1	OTHER EVENT	X
DS001_1	DSTERM_001_1	RETAINED RESEARCH SAMPLES	X
DS001_1	DSDECOD_001_1	INFORMED CONSENT OBTAINED FOR PROTOCOL-SPECIFIED ACTIVITY	X
DS001_3	DSDECOD_001_3	RANDOMIZED	X
DS001_3	DSCAT_001_3	PROTOCOL MILESTONE	X
DS001_4	DSCAT_001_4	DISPOSITION EVENT	X
DS001_5	DSCAT_001_5	DISPOSITION EVENT	X
DS001_5_1	DSCAT_001_5	DISPOSITION EVENT	X
DS001_6	DSCAT_001_6	DISPOSITION EVENT	X
DS001_7	DSCAT_001_7	OTHER EVENT	X
DS001_7_1	DSCAT_001_7_1	OTHER EVENT	X
DS001_7	DSDECOD_001_7	WITHDRAWAL OF CONSENT	X
DS001_7_1	DSDECOD_001_7_1	WITHDRAWAL OF CONSENT	X
DS001_8	DSCAT_001_8	OTHER EVENT	X
DS001_8	DSDECOD_001_8	TREATMENT UNBLINDED	X
EG001	EGMETHOD_001	12 LEAD STANDARD	X
EG001	EGSCAT_001	LOCALLY READ ECGS	X
EG001	EGCAT_001	ECG ASSESSMENT	X
EG001	EGEVAL_001	INVESTIGATOR	X
MBMC005	MBCAT_005	MICROBIOLOGY CULTURE	X
MH001	MHCAT_001	GENERAL MEDICAL HISTORY	X
MH001_4	MHCAT_001_4	PRIMARY DIAGNOSIS	X
PR001	PRCAT_001	GENERAL NON-DRUG TREATMENT	X
SRTCR002	SROBJ_002	TUBERCULIN PPD-S	X
SRTCR002	LBCAT_002	CHEMISTRY	X
SRTCR002	Y_SRCAT_002	TCR	X
SRTCR002	SRORRESU_IDRLDIAM_002	mm	X
VS001_1	VSORRESU_DIABP_001_1	mmHg	X
VS001_1	VSORRESU_PULSE_001_1	beats/min	X
VS001_1	VSORRESU_SYSBP_001_1	mmHg	X
VS001_1	VSCAT_001_1	VITAL SIGNS	X
DS001_7_1	DSTERM_001_7_1	RETAINED RESEARCH SAMPLES	X
EC001_5_1	ECCAT_001_5_1	INVESTIGATIONAL PRODUCT	X
EC001_5_1	ECSCAT_001_5_1	PK DOSING	X
EC001_5_3	ECCAT_001_5_3	INVESTIGATIONAL PRODUCT	X
EC001_5_3	ECSCAT_001_5_3	PK DOSING	X

**RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

STUDYNAME	VISIT_NAME	VISITREFNAME_ACTUAL	VISITREFNAME	VISITNUM
B7981118	Screening	SCR	SCR	100
B7981118	Day 1	DAY1	DAY1	500
B7981118	Week 4	WEEK4	WEEK4	900
B7981118	Week 08	WEEK8	WEEK8	1000
B7981118	Week 12	WEEK12	WEEK12	1100
B7981118	Week 16	WEEK16	WEEK16	1200
B7981118	Week 20	WEEK20	WEEK20	1300
B7981118	Week 24	WEEK24	WEEK24	1400
B7981118	Disposition	DISP	DISP	80000
B7981118	Early Termination	EARLY_TERMINATION	EARLY_TERMINATION	50000
B7981118	Follow-up	FU	FU	60000
B7981118	Common Form Event	common_event	common_event	85000
B7981118	Unplanned	UNPL	UNPL	90000

RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Integration	Variable	Instrument Name	Variable name
IRT	Randomization Date	DS001_3	DSSTDTC_001_3
IRT	Randomization Number	DS001_3	DSREFID_001_3
IRT	Strata Description	DS001_3	SUPPDS_DSRANSTD_001_3

Add/Edit/Remove	Rule Name	Instrument	Event(s)	Row #
ADD	D_PCTPT_003	PC003	Day 1	1
ADD	D_PCTPT_003	PC003	Week 04	1
ADD	D_PCTPT_003	PC003	Week 04	2
ADD	D_PCTPT_003	PC003	Week 04	3
ADD	D_PCTPT_003	PC003	Week 04	4
ADD	D_PCTPT_003	PC003	Week 04	5
ADD	D_PCTPT_003	PC003	Week 08	1
ADD	D_PCTPT_003	PC003	Week 08	2
ADD	D_PCTPT_003	PC003	Week 08	3
ADD	D_PCTPT_003	PC003	Week 08	4
ADD	D_PCTPT_003	PC003	Day 1	1
ADD	D_PCTPT_003	PC003	Week 04	1
ADD	D_PCTPT_003	PC003	Week 04	2
ADD	D_PCTPT_003	PC003	Week 04	3
ADD	D_PCTPT_003	PC003	Week 04	4

ADD	D_PCTPT_003	PC003	Week 04	5
ADD	D_PCTPT_003	PC003	Week 08	1
ADD	D_PCTPT_003	PC003	Week 08	2
ADD	D_PCTPT_003	PC003	Week 08	3
ADD	D_PCTPT_003	PC003	Week 08	4
ADD	D_BETPT_010	BEETR010	Day 1	1
ADD	D_BETPT_010	BEETR010	Day 1	2
ADD	D_BETPT_010	BEETR010	Day 1	3
ADD	D_BETPT_010	BEETR010	Week 04	1
ADD	D_BETPT_010	BEETR010	Week 12	1
ADD	D_BETPT_010	BEETR010	Week 12	2
ADD	D_BETPT_010	BEETR010	Week 12	3
ADD	D_BETPT_010	BEETR010	Week 24	1
ADD	D_BETPT_010	BEETR010	Week 24	2
ADD	D_BETPT_010	BEETR010	Early Termination	1
ADD	D_BETPT_010	BEETR010	Early Termination	2

ADD	D BETPT C1 010	BEETRK010	UNPL	1
ADD	D BETPT C1 010	BEETRK010	UNPL	2
ADD	D BETPT C1 010	BEETRK010	UNPL	3

Variable = Value
PC003.SUPPPC_PKTERM_003 = PF_06651600; PC003.PCTPT_003 = 0H
PC003.SUPPPC_PKTERM_003 = PF_06651600; PC003.PCTPT_003 = 0H
PC003.SUPPPC_PKTERM_003 = PF_06651600; PC003.PCTPT_003 = 30MIN
PC003.SUPPPC_PKTERM_003 = PF_06651600; PC003.PCTPT_003 = 1H
PC003.SUPPPC_PKTERM_003 = PF_06651600; PC003.PCTPT_003 = 2H
PC003.SUPPPC_PKTERM_003 = PF_06651600; PC003.PCTPT_003 = 3H
PC003.SUPPPC_PKTERM_003 = PF_06651600; PC003.PCTPT_003 = 0H
PC003.SUPPPC_PKTERM_003 = PF_06651600; PC003.PCTPT_003 = 30MIN
PC003.SUPPPC_PKTERM_003 = PF_06651600; PC003.PCTPT_003 = 1H
PC003.SUPPPC_PKTERM_003 = PF_06651600; PC003.PCTPT_003 = 2H
PCTPTREF_003 = DOSING
PCTPTREF_003 = DOSING
PCTPTREF_003 = DOSING
PCTPTREF_003 = DOSING
PCTPTREF_003 = DOSING

PCTPTREF_003 = DOSING

PCTPTREF_003 = DOSING

PCTPTREF_003 = DOSING

PCTPTREF_003 = DOSING

PCTPTREF_003 = DOSING

SUPPBE_SAMPNAME_010 = IgE

SUPPBE_SAMPNAME_010 = AUTOANTIBODIES

SUPPBE_SAMPNAME_010 = BHRA

SUPPBE_SAMPNAME_010 = IgE

SUPPBE_SAMPNAME_010 = IgE

SUPPBE_SAMPNAME_010 = AUTOANTIBODIES

SUPPBE_SAMPNAME_010 = BHRA

SUPPBE_SAMPNAME_010 = IgE

SUPPBE_SAMPNAME_010 = BHRA

SUPPBE_SAMPNAME_010 = IgE

SUPPBE_SAMPNAME_010 = BHRA

SUPPBE_SAMPNAME_010 = IgE
SUPPBE_SAMPNAME_010 = AUTOANTIBODIES
SUPPBE_SAMPNAME_010 = BHRA

Trigger FORMREFNAME = BEETRK010 when D_UPA001.D_UNPLASS_001 = 'ELECTRONIC SAMPLE TRACKING'. Dynamically populate the row#(column E) in target Event(column D) by defaulting Variable with value in column F.

Trigger FORMREFNAME = BEETRK010 when D_UPA001.D_UNPLASS_001 = 'ELECTRONIC SAMPLE TRACKING'. Dynamically populate the row#(column E) in target Event(column D) by defaulting Variable with value in column F.

Trigger FORMREFNAME = BEETRK010 when D_UPA001.D_UNPLASS_001 = 'ELECTRONIC SAMPLE TRACKING'. Dynamically populate the row#(column E) in target Event(column D) by defaulting Variable with value in column F.

RCC-FM04 5.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Instrument Name	Instrument Title	Lab Test
LB001_5	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Choriogonadotropin Beta PX701
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Myoglobin PX1547
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Hemoglobin PX87
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Erythrocytes PX81
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Glucose PX79
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Protein PX78
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Ketones PX86
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Nitrite PX639
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Leukocytes PX80
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Bacteria PX82
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Casts PX83
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Crystals PX91
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Yeast Cells PX337
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Urine Microscopic Exam PX839
LB001_2	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Epithelial Cells PX92
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Hemoglobin PX1
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Hematocrit PX2
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Erythrocytes PX3 (mapped as RBC Count)
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Platelets PX5
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Leukocytes PX7 (generic leukocytes) (WBC)
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Neutrophils/Leukocytes PX8 (WBC)
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Eosinophils/Leukocytes PX9 (WBC)
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Basophils/Leukocytes PX10 (WBC)
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Lymphocytes/Leukocytes PX11 (WBC)
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Monocytes/Leukocytes PX12 (WBC)
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Neutrophils PX608
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Eosinophils PX609
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Monocytes PX612
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Basophils PX610
LB001_1	LOCAL LABORATORY DATA - HEMATOLOGY	Lymphocytes PX611
LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Urea PX46
LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Urea Nitrogen PX47
LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Creatinine PX48
LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Sodium PX54
LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Potassium PX55
LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Aspartate Aminotransferase PX28
LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Alanine Aminotransferase PX30
LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Bilirubin PX21
LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Direct Bilirubin PX22
LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Alkaline Phosphatase PX35
LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Creatine Kinase PX29
LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	GFR CKD-EPI Serum Creatinine 2021 PX7580
LB001	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	GFR CKD-EPI Serum Creat Cystatin C 2021 PX7581
LB001_2	LOCAL LABORATORY DATA - URINALYSIS	Albumin/Creatinine PX914
LB001_2	LOCAL LABORATORY DATA - URINALYSIS	pH PX77
LB001_2	LOCAL LABORATORY DATA - URINALYSIS	Protein/Creatinine PX822

**RCC-FM04 4.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Object Type	Object Name	Description of the Change
Scheduled Events	Allow Instrument edit outside of Scheduled Event Range	Unselect this setting on form ABC. This is an ePRO form that needs to be entered only during the specified time window in the protocol.
Study Parameters	IRT Integration	Select this setting as the study is integrated with Impala. When unselected additional settings for Study Parameters appear and need to be populated. See Integration tab for mapping specification.
Study Parameters	Enable Direct Data Capture	Activate this setting since the Study has Direct Data Capture
Event Group	Sub-Study 3	Add this event group with visit Screening, Week 1, Week 3, Week 7, Unplanned and DISP visit. This study is getting a new sub-study added.