

Annotated Study Book

B7981119

Date generated:

Dec 4, 2025 10:17 AM UTC+0



Protocol Number	B7981119_V3.0
Study Version	V3.0
NCT Number	3.4
IND/IDE Number	NCI 20240927

Table of Contents

Section	Page Number
Events	3
Instruments	53
Link Definitions	—
Clinical Models	—
Clinical Tables	—
Data Lineage	—
Common Variables	—
Study Maps	—
Checks	—
Reference Tables	—
Other Descriptive Metadata	474

Events

Screening

Screening	
Unique Event Name:	SCR
Event Description:	Screening
Event Type:	Static
Max Repeats Allowed:	1
Day Schedule:	0
Event Date Window:	Day 0 to Day 0
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.6)
	✓ DS001 (0.8)
	✓ DS001_1 (0.10)
	✓ DM001 (0.52)
	R_TRIG001 (0.14)
	✓ IE002 (0.15)
	✓ DS001_4 (0.21)
	MH001 (0.24)
	✓ MH001_4 (0.58)

		SU001 (0.7)
		✓ VS001_3 (0.49)
		✓ EG001 (0.27)
		✓ AUAUD001 (0.16)
		SRTCR002 (0.14)
		PR001 (0.44)
		✓ CM001 (0.87)
		✓ AE001 (0.105)
		✓ AE001_1 (0.32)
		D_SAE001 (0.27)
Expressions		
Active Rules:		
	Rule 1:	DS_G019_001 (0.2)
	Rule 2:	SV_S001_001 (0.4)
	Rule 3:	VS_G013_001_3 (0.3)
	Rule 4:	R_TRIG_G002_001 (0.2)
	Rule 5:	FM_<_BIRTH_DATE_YEAR (0.1)
	Rule 6:	AE_G169_001 (0.2)
	Rule 7:	AE_G026_001 (0.5)
	Rule 8:	AE_G027_001 (0.3)
	Rule 9:	EG_G017_001 (0.2)
	Rule 10:	FM_<_INFORMED_CONSENT (0.2)
	Rule 11:	AE_G109_001_1 (0.2)
	Rule 12:	R_TRIG_G007_001 (0.1)
	Rule 13:	AE_G201_001 (0.4)

Rule 14:	FM_>=_INFORMED_CONSENT (0.2)
Rule 15:	FM_>_END_OF_SCREENING_DISP (0.1)
Rule 16:	FM_>_END_OF_TREATMENT (0.2)
Rule 17:	AE_G255_001 (0.3)
Rule 18:	AE_G175_001_1 (0.4)
Rule 19:	R_TRIG_G005_001 (0.3)
Rule 20:	AE_G254_001 (0.1)
Rule 21:	CM_G055_001 (0.1)
Rule 22:	AE_G005_001 (0.1)
Rule 23:	DM_G016_001 (0.1)
Rule 24:	AE_G003_001 (0.1)
Rule 25:	AE_G135_001 (0.1)
Rule 26:	AE_G136_001 (0.2)
Rule 27:	AE_G173_001 (0.5)
Rule 28:	MH_G002_001 (0.1)
Rule 29:	AE_G007_001 (0.1)
Rule 30:	SV_G007_001 (0.4)
Rule 31:	DS_G031_001_4 (0.2)
Rule 32:	DM_G015_001 (0.1)
Rule 33:	DM_G001_001 (0.1)
Rule 34:	DM_G045_001 (0.3)
Rule 35:	R_TRIG_G001_001 (0.4)
Rule 36:	R_TRIG_G003_001 (0.1)
Rule 37:	DS_G028_001_4 (0.1)
Rule 38:	DS_G029_001_4 (0.1)
Rule 39:	DS_G030_001_4 (0.1)

Rule 40:	DS_G044_001_4 (0.2)
Rule 41:	CM_G004_001 (0.1)
Rule 42:	SU_G022_001 (0.6)
Rule 43:	PR_G026_001 (0.1)
Rule 44:	IE_G009_002 (0.1)
Rule 45:	IE_G010_002 (0.1)
Rule 46:	AE_G181_001 (0.1)
Rule 47:	AE_G138_001 (0.1)
Rule 48:	AE_G013_001 (0.1)
Rule 49:	AE_G109_001 (0.1)
Rule 50:	AE_G140_001 (0.1)
Rule 51:	DM_G043_001 (0.3)
Rule 52:	AE_G170_001 (0.3)
Rule 53:	AE_G207_001 (0.3)
Rule 54:	AE_G245_001 (0.1)
Rule 55:	AE_G247_001 (0.3)
Rule 56:	DM_G055_001 (0.5)
Rule 57:	IE_G017_002 (0.2)
Rule 58:	IE_G018_002 (0.5)
Rule 59:	DS_G045_001_4 (0.2)
Rule 60:	AE_G257_001 (0.3)
Rule 61:	DM_G065_001 (0.1)
Rule 62:	AE_G256_001 (0.1)
Rule 63:	MH_G117_001 (0.2)
Rule 64:	MH_G118_001 (0.4)
Rule 65:	FM_>_END_OF_STUDY (0.3)

Rule 66:	SU_G015_001 (0.3)
Rule 67:	SU_G016_001 (0.3)
Rule 68:	EG_G004_001 (0.2)
Rule 69:	EG_G009_001 (0.2)
Rule 70:	EG_G016_001 (0.2)
Rule 71:	EG_G011_001 (0.2)
Rule 72:	EG_G007_001 (0.2)
Rule 73:	VS_G076_001_3 (0.5)
Rule 74:	VS_G009_001_3 (0.3)
Rule 75:	VS_G032_001_3 (0.3)
Rule 76:	VS_G015_001_3 (0.4)
Rule 77:	VS_G010_001_3 (0.3)
Rule 78:	VS_G073_001_3 (0.12)
Rule 79:	DM_G049_001 (0.2)
Rule 80:	DM_G033_001 (0.4)
Rule 81:	DM_G070_001 (0.4)
Rule 82:	DM_G047_001 (0.2)
Rule 83:	DM_G044_001 (0.3)
Rule 84:	DM_G048_001 (0.2)
Rule 85:	DS_S001_001_1 (0.2)
Rule 86:	DYNE_S001_900 (0.4)
Rule 87:	MH_S001_001 (0.3)
Rule 88:	MH_S001_001 (0.3)
Rule 89:	MH_S001_001 (0.3)
Rule 90:	MH_S001_001 (0.3)
Rule 91:	MH_S001_001 (0.3)

Rule 92:	MH_S001_001 (0.3)
Rule 93:	MH_S001_001 (0.3)
Rule 94:	IE_S001_002 (0.3)
Rule 95:	D_EGORRES_001_1 (0.19)
Rule 96:	DS_G001_001_1 (0.3)
Rule 97:	SRTCR_S002_002 (0.2)
Rule 98:	MH_S002_001 (0.1)
Rule 99:	CM_S001_001 (0.1)
Rule 100:	MH_S001_001_4 (0.1)
Rule 101:	DS_G033_001_4 (0.3)

Events

Day 1

Day 1	
Unique Event Name:	DAY1
Event Description:	Baseline
Event Type:	Static
Max Repeats Allowed:	1
Day Schedule:	1
Event Date Window:	Day 0 to Day 0
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.6)
	DS001_3 (0.30)
	✓ VS001_4 (0.51)
	✓ EG001 (0.27)
	✓ EC001_5 (0.27)
	✓ PC003 (0.50)
	BEETRK010 (0.39)
	R_OMIC003 (0.36)
	R_OMIC003_1 (0.35)
	✓ CM001 (0.87)

		✓ AE001 (0.105)
		PR001 (0.44)
		PR001_4 (0.18)
		✓ AE001_1 (0.32)
		D_SAE001 (0.27)
Expressions		
Active Rules:		
	Rule 1:	AE_G169_001 (0.2)
	Rule 2:	AE_G026_001 (0.5)
	Rule 3:	AE_G027_001 (0.3)
	Rule 4:	EG_G017_001 (0.2)
	Rule 5:	AE_G109_001_1 (0.2)
	Rule 6:	AE_G201_001 (0.4)
	Rule 7:	FM_<_RANDOMIZATION (0.1)
	Rule 8:	FM_>=_RANDOMIZATION (0.1)
	Rule 9:	AE_G255_001 (0.3)
	Rule 10:	AE_G175_001_1 (0.4)
	Rule 11:	AE_G254_001 (0.1)
	Rule 12:	CM_G055_001 (0.1)
	Rule 13:	AE_G005_001 (0.1)
	Rule 14:	AE_G003_001 (0.1)
	Rule 15:	AE_G135_001 (0.1)
	Rule 16:	AE_G136_001 (0.2)
	Rule 17:	AE_G173_001 (0.5)
	Rule 18:	AE_G007_001 (0.1)

Rule 19:	SV_G007_001 (0.4)
Rule 20:	CM_G004_001 (0.1)
Rule 21:	PR_G026_001 (0.1)
Rule 22:	AE_G181_001 (0.1)
Rule 23:	AE_G138_001 (0.1)
Rule 24:	AE_G013_001 (0.1)
Rule 25:	AE_G109_001 (0.1)
Rule 26:	AE_G140_001 (0.1)
Rule 27:	AE_G170_001 (0.3)
Rule 28:	AE_G207_001 (0.3)
Rule 29:	AE_G245_001 (0.1)
Rule 30:	AE_G247_001 (0.3)
Rule 31:	AE_G257_001 (0.3)
Rule 32:	AE_G256_001 (0.1)
Rule 33:	EG_G004_001 (0.2)
Rule 34:	EG_G009_001 (0.2)
Rule 35:	EG_G016_001 (0.2)
Rule 36:	EG_G011_001 (0.2)
Rule 37:	EG_G007_001 (0.2)
Rule 38:	VS_G076_001_4 (0.4)
Rule 39:	VS_G009_001_4 (0.3)
Rule 40:	VS_G015_001_4 (0.4)
Rule 41:	VS_G010_001_4 (0.3)
Rule 42:	VS_G013_001_4 (0.3)
Rule 43:	R_OMIC_S001_003_1 (0.8)
Rule 44:	R_OMIC_S001_003 (0.7)

Rule 45:	D_EGORRES_001_1 (0.19)
Rule 46:	PR_G026_001_4 (0.2)
Rule 47:	VS_S003_001_4 (0.6)
Rule 48:	VS_S003_001_4 (0.6)
Rule 49:	VS_S003_001_4 (0.6)
Rule 50:	VS_S003_001_4 (0.6)
Rule 51:	VS_S003_001_4 (0.6)
Rule 52:	PC_G022_003 (0.2)
Rule 53:	BEETRK_G028_010 (0.6)
Rule 54:	CM_S001_001 (0.1)
Rule 55:	PR_S002_001_4 (0.3)
Rule 56:	R_OMIC_G012_003 (0.4)
Rule 57:	R_OMIC_G012_003_1 (0.3)

Events

Week 1

Week 1		
Unique Event Name:	WEEK1	
Event Description:	Week 1 Day 8	
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Day Schedule:	8	
Event Date Window:	Day 1 to Day 1	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.6)	
	✓ VS001 (0.55)	
	✓ CM001 (0.87)	
	✓ AE001 (0.105)	
	PR001 (0.44)	
	PR001_4 (0.18)	
	✓ AE001_1 (0.32)	
	D_SAE001 (0.27)	
Expressions		
Active Rules:		

Rule 1:	AE_G169_001 (0.2)
Rule 2:	AE_G026_001 (0.5)
Rule 3:	AE_G027_001 (0.3)
Rule 4:	AE_G109_001_1 (0.2)
Rule 5:	AE_G201_001 (0.4)
Rule 6:	AE_G255_001 (0.3)
Rule 7:	AE_G175_001_1 (0.4)
Rule 8:	AE_G254_001 (0.1)
Rule 9:	CM_G055_001 (0.1)
Rule 10:	AE_G005_001 (0.1)
Rule 11:	AE_G003_001 (0.1)
Rule 12:	AE_G135_001 (0.1)
Rule 13:	AE_G136_001 (0.2)
Rule 14:	AE_G173_001 (0.5)
Rule 15:	AE_G007_001 (0.1)
Rule 16:	SV_G007_001 (0.4)
Rule 17:	VS_G013_001 (0.1)
Rule 18:	CM_G004_001 (0.1)
Rule 19:	VS_G015_001 (0.2)
Rule 20:	VS_G010_001 (0.2)
Rule 21:	VS_G009_001 (0.3)
Rule 22:	PR_G026_001 (0.1)
Rule 23:	AE_G181_001 (0.1)
Rule 24:	AE_G138_001 (0.1)
Rule 25:	AE_G013_001 (0.1)
Rule 26:	AE_G109_001 (0.1)

Rule 27:	AE_G140_001 (0.1)
Rule 28:	AE_G170_001 (0.3)
Rule 29:	AE_G207_001 (0.3)
Rule 30:	AE_G245_001 (0.1)
Rule 31:	AE_G247_001 (0.3)
Rule 32:	AE_G257_001 (0.3)
Rule 33:	AE_G256_001 (0.1)
Rule 34:	DYNE_S001_900 (0.4)
Rule 35:	VS_S001_001 (0.1)
Rule 36:	PR_G026_001_4 (0.2)
Rule 37:	CM_S001_001 (0.1)
Rule 38:	PR_S002_001_4 (0.3)

Events

Week 2

Week 2		
Unique Event Name:	WEEK2	
Event Description:	Week 2 Day 15	
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Day Schedule:	15	
Event Date Window:	Day 1 to Day 1	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.6)	
	✓ VS001 (0.55)	
	✓ CM001 (0.87)	
	✓ AE001 (0.105)	
	PR001 (0.44)	
	PR001_4 (0.18)	
	✓ AE001_1 (0.32)	
	D_SAE001 (0.27)	
Expressions		
Active Rules:		

Rule 1:	AE_G169_001 (0.2)
Rule 2:	AE_G026_001 (0.5)
Rule 3:	AE_G027_001 (0.3)
Rule 4:	AE_G109_001_1 (0.2)
Rule 5:	AE_G201_001 (0.4)
Rule 6:	AE_G255_001 (0.3)
Rule 7:	AE_G175_001_1 (0.4)
Rule 8:	AE_G254_001 (0.1)
Rule 9:	CM_G055_001 (0.1)
Rule 10:	AE_G005_001 (0.1)
Rule 11:	AE_G003_001 (0.1)
Rule 12:	AE_G135_001 (0.1)
Rule 13:	AE_G136_001 (0.2)
Rule 14:	AE_G173_001 (0.5)
Rule 15:	AE_G007_001 (0.1)
Rule 16:	SV_G007_001 (0.4)
Rule 17:	VS_G013_001 (0.1)
Rule 18:	CM_G004_001 (0.1)
Rule 19:	VS_G015_001 (0.2)
Rule 20:	VS_G010_001 (0.2)
Rule 21:	VS_G009_001 (0.3)
Rule 22:	PR_G026_001 (0.1)
Rule 23:	AE_G181_001 (0.1)
Rule 24:	AE_G138_001 (0.1)
Rule 25:	AE_G013_001 (0.1)
Rule 26:	AE_G109_001 (0.1)

Rule 27:	AE_G140_001 (0.1)
Rule 28:	AE_G170_001 (0.3)
Rule 29:	AE_G207_001 (0.3)
Rule 30:	AE_G245_001 (0.1)
Rule 31:	AE_G247_001 (0.3)
Rule 32:	AE_G257_001 (0.3)
Rule 33:	AE_G256_001 (0.1)
Rule 34:	DYNE_S001_900 (0.4)
Rule 35:	VS_S002_001 (0.1)
Rule 36:	PR_G026_001_4 (0.2)
Rule 37:	CM_S001_001 (0.1)
Rule 38:	PR_S002_001_4 (0.3)

Events

Week 4

Week 4	
Unique Event Name:	WEEK4
Event Description:	Week 4 Day 29
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	29
Event Date Window:	Day 2 to Day 2
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.6)
	✓ VS001 (0.55)
	✓ EC001_5_1 (0.20)
	✓ EG001_1 (0.49)
	✓ EG001_2 (0.45)
	✓ PC003_1 (0.52)
	R_OMIC003_1 (0.35)
	BEETRK010 (0.39)
	✓ CM001 (0.87)

		✓ AE001 (0.105)
		PR001 (0.44)
		PR001_4 (0.18)
		✓ AE001_1 (0.32)
		D_SAE001 (0.27)
Expressions		
Active Rules:		
	Rule 1:	AE_G169_001 (0.2)
	Rule 2:	EG_G004_001_2 (0.4)
	Rule 3:	EG_G011_001_2 (0.4)
	Rule 4:	AE_G026_001 (0.5)
	Rule 5:	AE_G027_001 (0.3)
	Rule 6:	AE_G109_001_1 (0.2)
	Rule 7:	AE_G201_001 (0.4)
	Rule 8:	AE_G255_001 (0.3)
	Rule 9:	AE_G175_001_1 (0.4)
	Rule 10:	AE_G254_001 (0.1)
	Rule 11:	CM_G055_001 (0.1)
	Rule 12:	AE_G005_001 (0.1)
	Rule 13:	AE_G003_001 (0.1)
	Rule 14:	AE_G135_001 (0.1)
	Rule 15:	AE_G136_001 (0.2)
	Rule 16:	AE_G173_001 (0.5)
	Rule 17:	AE_G007_001 (0.1)
	Rule 18:	SV_G007_001 (0.4)

Rule 19:	VS_G013_001 (0.1)
Rule 20:	CM_G004_001 (0.1)
Rule 21:	VS_G015_001 (0.2)
Rule 22:	VS_G010_001 (0.2)
Rule 23:	VS_G009_001 (0.3)
Rule 24:	PR_G026_001 (0.1)
Rule 25:	AE_G181_001 (0.1)
Rule 26:	AE_G138_001 (0.1)
Rule 27:	AE_G013_001 (0.1)
Rule 28:	AE_G109_001 (0.1)
Rule 29:	AE_G140_001 (0.1)
Rule 30:	AE_G170_001 (0.3)
Rule 31:	AE_G207_001 (0.3)
Rule 32:	AE_G245_001 (0.1)
Rule 33:	AE_G247_001 (0.3)
Rule 34:	AE_G257_001 (0.3)
Rule 35:	AE_G256_001 (0.1)
Rule 36:	EG_G017_001_1 (0.3)
Rule 37:	EG_G004_001_1 (0.3)
Rule 38:	EG_G007_001_1 (0.4)
Rule 39:	EG_G009_001_1 (0.3)
Rule 40:	EG_G011_001_1 (0.3)
Rule 41:	EG_G016_001_1 (0.3)
Rule 42:	DYNE_S001_900 (0.4)
Rule 43:	R_OMIC_S001_003_1 (0.8)
Rule 44:	EG_G017_001_2 (0.4)

Rule 45:	EG_G007_001_2 (0.4)
Rule 46:	EG_G009_001_2 (0.4)
Rule 47:	EG_G016_001_2 (0.4)
Rule 48:	D_EGORRES_001_1_1 (0.20)
Rule 49:	D_EGORRES_001_2_1 (0.21)
Rule 50:	PR_G026_001_4 (0.2)
Rule 51:	VS_S008_001 (0.7)
Rule 52:	VS_S008_001 (0.7)
Rule 53:	VS_S008_001 (0.7)
Rule 54:	VS_S008_001 (0.7)
Rule 55:	VS_S008_001 (0.7)
Rule 56:	VS_S008_001 (0.7)
Rule 57:	BEETRK_G028_010 (0.6)
Rule 58:	CM_S001_001 (0.1)
Rule 59:	PR_S002_001_4 (0.3)
Rule 60:	R_OMIC_G012_003_1 (0.3)
Rule 61:	PC_G023_C03_003_1 (0.4)
Rule 62:	PC_G023_C01_003_1 (0.9)
Rule 63:	PC_G023_C02_003_1 (0.5)
Rule 64:	PC_G023_C04_003_1 (0.4)
Rule 65:	PC_G023_003_1 (0.5)

Events

Week 6

Week 6		
Unique Event Name:	WEEK6	
Event Description:	Week 6 Day 43	
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Day Schedule:	43	
Event Date Window:	Day 2 to Day 2	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.6)	
	✓ VS001 (0.55)	
	✓ CM001 (0.87)	
	✓ AE001 (0.105)	
	PR001 (0.44)	
	PR001_4 (0.18)	
	✓ AE001_1 (0.32)	
	D_SAE001 (0.27)	
Expressions		
Active Rules:		

Rule 1:	AE_G169_001 (0.2)
Rule 2:	AE_G026_001 (0.5)
Rule 3:	AE_G027_001 (0.3)
Rule 4:	AE_G109_001_1 (0.2)
Rule 5:	AE_G201_001 (0.4)
Rule 6:	AE_G255_001 (0.3)
Rule 7:	AE_G175_001_1 (0.4)
Rule 8:	AE_G254_001 (0.1)
Rule 9:	CM_G055_001 (0.1)
Rule 10:	AE_G005_001 (0.1)
Rule 11:	AE_G003_001 (0.1)
Rule 12:	AE_G135_001 (0.1)
Rule 13:	AE_G136_001 (0.2)
Rule 14:	AE_G173_001 (0.5)
Rule 15:	AE_G007_001 (0.1)
Rule 16:	SV_G007_001 (0.4)
Rule 17:	VS_G013_001 (0.1)
Rule 18:	CM_G004_001 (0.1)
Rule 19:	VS_G015_001 (0.2)
Rule 20:	VS_G010_001 (0.2)
Rule 21:	VS_G009_001 (0.3)
Rule 22:	PR_G026_001 (0.1)
Rule 23:	AE_G181_001 (0.1)
Rule 24:	AE_G138_001 (0.1)
Rule 25:	AE_G013_001 (0.1)
Rule 26:	AE_G109_001 (0.1)

Rule 27:	AE_G140_001 (0.1)
Rule 28:	AE_G170_001 (0.3)
Rule 29:	AE_G207_001 (0.3)
Rule 30:	AE_G245_001 (0.1)
Rule 31:	AE_G247_001 (0.3)
Rule 32:	AE_G257_001 (0.3)
Rule 33:	AE_G256_001 (0.1)
Rule 34:	DYNE_S001_900 (0.4)
Rule 35:	VS_S004_001 (0.1)
Rule 36:	PR_G026_001_4 (0.2)
Rule 37:	CM_S001_001 (0.1)
Rule 38:	PR_S002_001_4 (0.3)

Events

Week 8

Week 8	
Unique Event Name:	WEEK8
Event Description:	Week 8 Day 57
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	57
Event Date Window:	Day 2 to Day 2
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.6)
	✓ VS001 (0.55)
	✓ EG001 (0.27)
	✓ CM001 (0.87)
	✓ AE001 (0.105)
	PR001 (0.44)
	PR001_4 (0.18)
	✓ AE001_1 (0.32)
	D_SAE001 (0.27)
Expressions	

Active Rules:		
Rule 1:		AE_G169_001 (0.2)
Rule 2:		AE_G026_001 (0.5)
Rule 3:		AE_G027_001 (0.3)
Rule 4:		EG_G017_001 (0.2)
Rule 5:		AE_G109_001_1 (0.2)
Rule 6:		AE_G201_001 (0.4)
Rule 7:		AE_G255_001 (0.3)
Rule 8:		AE_G175_001_1 (0.4)
Rule 9:		AE_G254_001 (0.1)
Rule 10:		CM_G055_001 (0.1)
Rule 11:		AE_G005_001 (0.1)
Rule 12:		AE_G003_001 (0.1)
Rule 13:		AE_G135_001 (0.1)
Rule 14:		AE_G136_001 (0.2)
Rule 15:		AE_G173_001 (0.5)
Rule 16:		AE_G007_001 (0.1)
Rule 17:		SV_G007_001 (0.4)
Rule 18:		VS_G013_001 (0.1)
Rule 19:		CM_G004_001 (0.1)
Rule 20:		VS_G015_001 (0.2)
Rule 21:		VS_G010_001 (0.2)
Rule 22:		VS_G009_001 (0.3)
Rule 23:		PR_G026_001 (0.1)
Rule 24:		AE_G181_001 (0.1)
Rule 25:		AE_G138_001 (0.1)

Rule 26:	AE_G013_001 (0.1)
Rule 27:	AE_G109_001 (0.1)
Rule 28:	AE_G140_001 (0.1)
Rule 29:	AE_G170_001 (0.3)
Rule 30:	AE_G207_001 (0.3)
Rule 31:	AE_G245_001 (0.1)
Rule 32:	AE_G247_001 (0.3)
Rule 33:	AE_G257_001 (0.3)
Rule 34:	AE_G256_001 (0.1)
Rule 35:	EG_G004_001 (0.2)
Rule 36:	EG_G009_001 (0.2)
Rule 37:	EG_G016_001 (0.2)
Rule 38:	EG_G011_001 (0.2)
Rule 39:	EG_G007_001 (0.2)
Rule 40:	DYNE_S001_900 (0.4)
Rule 41:	VS_S005_001 (0.7)
Rule 42:	VS_S005_001 (0.7)
Rule 43:	D_EGORRES_001_1 (0.19)
Rule 44:	PR_G026_001_4 (0.2)
Rule 45:	CM_S001_001 (0.1)
Rule 46:	PR_S002_001_4 (0.3)

Events

Week 12

Week 12	
Unique Event Name:	WEEK12
Event Description:	Week 12 Day 85
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	85
Event Date Window:	Day 2 to Day 2
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.6)
	✓ VS001 (0.55)
	✓ EG001 (0.27)
	✓ EC001_5_1 (0.20)
	✓ PC003_1 (0.52)
	✓ CM001 (0.87)
	✓ AE001 (0.105)
	PR001 (0.44)
	PR001_4 (0.18)

		✓ AE001_1 (0.32)
		D_SAE001 (0.27)
Expressions		
	Active Rules:	
	Rule 1:	AE_G169_001 (0.2)
	Rule 2:	AE_G026_001 (0.5)
	Rule 3:	AE_G027_001 (0.3)
	Rule 4:	EG_G017_001 (0.2)
	Rule 5:	AE_G109_001_1 (0.2)
	Rule 6:	AE_G201_001 (0.4)
	Rule 7:	AE_G255_001 (0.3)
	Rule 8:	AE_G175_001_1 (0.4)
	Rule 9:	AE_G254_001 (0.1)
	Rule 10:	CM_G055_001 (0.1)
	Rule 11:	AE_G005_001 (0.1)
	Rule 12:	AE_G003_001 (0.1)
	Rule 13:	AE_G135_001 (0.1)
	Rule 14:	AE_G136_001 (0.2)
	Rule 15:	AE_G173_001 (0.5)
	Rule 16:	AE_G007_001 (0.1)
	Rule 17:	SV_G007_001 (0.4)
	Rule 18:	VS_G013_001 (0.1)
	Rule 19:	CM_G004_001 (0.1)
	Rule 20:	VS_G015_001 (0.2)
	Rule 21:	VS_G010_001 (0.2)
	Rule 22:	VS_G009_001 (0.3)

Rule 23:	PR_G026_001 (0.1)
Rule 24:	AE_G181_001 (0.1)
Rule 25:	AE_G138_001 (0.1)
Rule 26:	AE_G013_001 (0.1)
Rule 27:	AE_G109_001 (0.1)
Rule 28:	AE_G140_001 (0.1)
Rule 29:	AE_G170_001 (0.3)
Rule 30:	AE_G207_001 (0.3)
Rule 31:	AE_G245_001 (0.1)
Rule 32:	AE_G247_001 (0.3)
Rule 33:	AE_G257_001 (0.3)
Rule 34:	AE_G256_001 (0.1)
Rule 35:	EG_G004_001 (0.2)
Rule 36:	EG_G009_001 (0.2)
Rule 37:	EG_G016_001 (0.2)
Rule 38:	EG_G011_001 (0.2)
Rule 39:	EG_G007_001 (0.2)
Rule 40:	DYNE_S001_900 (0.4)
Rule 41:	D_EGORRES_001_1 (0.19)
Rule 42:	PR_G026_001_4 (0.2)
Rule 43:	VS_S009_001 (0.6)
Rule 44:	VS_S009_001 (0.6)
Rule 45:	VS_S009_001 (0.6)
Rule 46:	VS_S009_001 (0.6)
Rule 47:	CM_S001_001 (0.1)
Rule 48:	PR_S002_001_4 (0.3)

Rule 49:	PC_G023_C03_003_1 (0.4)
Rule 50:	PC_G023_C01_003_1 (0.9)
Rule 51:	PC_G023_C02_003_1 (0.5)
Rule 52:	PC_G023_C04_003_1 (0.4)
Rule 53:	PC_G023_003_1 (0.5)

Events

Week 16

Week 16	
Unique Event Name:	WEEK16
Event Description:	Week 16 Day 113
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	113
Event Date Window:	Day 2 to Day 2
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.6)
	✓ VS001_4 (0.51)
	✓ EG001 (0.27)
	✓ AUAUD001_1 (0.19)
	R_OMIC003_1 (0.35)
	BEETRK010 (0.39)
	✓ CM001 (0.87)
	✓ AE001 (0.105)
	PR001 (0.44)
	PR001_4 (0.18)

		✓ AE001_1 (0.32)
		D_SAE001 (0.27)
Expressions		
	Active Rules:	
	Rule 1:	AE_G169_001 (0.2)
	Rule 2:	AE_G026_001 (0.5)
	Rule 3:	AE_G027_001 (0.3)
	Rule 4:	EG_G017_001 (0.2)
	Rule 5:	AE_G109_001_1 (0.2)
	Rule 6:	AE_G201_001 (0.4)
	Rule 7:	AE_G255_001 (0.3)
	Rule 8:	AE_G175_001_1 (0.4)
	Rule 9:	AE_G254_001 (0.1)
	Rule 10:	CM_G055_001 (0.1)
	Rule 11:	AE_G005_001 (0.1)
	Rule 12:	AE_G003_001 (0.1)
	Rule 13:	AE_G135_001 (0.1)
	Rule 14:	AE_G136_001 (0.2)
	Rule 15:	AE_G173_001 (0.5)
	Rule 16:	AE_G007_001 (0.1)
	Rule 17:	SV_G007_001 (0.4)
	Rule 18:	CM_G004_001 (0.1)
	Rule 19:	PR_G026_001 (0.1)
	Rule 20:	AE_G181_001 (0.1)
	Rule 21:	AE_G138_001 (0.1)
	Rule 22:	AE_G013_001 (0.1)

Rule 23:	AE_G109_001 (0.1)
Rule 24:	AE_G140_001 (0.1)
Rule 25:	AE_G170_001 (0.3)
Rule 26:	AE_G207_001 (0.3)
Rule 27:	AE_G245_001 (0.1)
Rule 28:	AE_G247_001 (0.3)
Rule 29:	AE_G257_001 (0.3)
Rule 30:	AE_G256_001 (0.1)
Rule 31:	EG_G004_001 (0.2)
Rule 32:	EG_G009_001 (0.2)
Rule 33:	EG_G016_001 (0.2)
Rule 34:	EG_G011_001 (0.2)
Rule 35:	EG_G007_001 (0.2)
Rule 36:	VS_G076_001_4 (0.4)
Rule 37:	VS_G009_001_4 (0.3)
Rule 38:	VS_G015_001_4 (0.4)
Rule 39:	VS_G010_001_4 (0.3)
Rule 40:	VS_G013_001_4 (0.3)
Rule 41:	DYNE_S001_900 (0.4)
Rule 42:	VS_S004_001_4 (0.8)
Rule 43:	VS_S004_001_4 (0.8)
Rule 44:	VS_S004_001_4 (0.8)
Rule 45:	VS_S004_001_4 (0.8)
Rule 46:	R_OMIC_S001_003_1 (0.8)
Rule 47:	AUAUD_G001_001_1 (0.2)
Rule 48:	D_EGORRES_001_1 (0.19)

Rule 49:	PR_G026_001_4 (0.2)
Rule 50:	BEETRK_G028_010 (0.6)
Rule 51:	CM_S001_001 (0.1)
Rule 52:	PR_S002_001_4 (0.3)
Rule 53:	R_OMIC_G012_003_1 (0.3)

Events

Disposition

Disposition	
Unique Event Name:	DISP
Event Description:	Disposition
Event Type:	Static
Max Repeats Allowed:	1
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	✓ DS001_5 (0.25)
	✓ DS001_6 (0.19)
	✓ DS001_7 (0.2)
	✓ DS001_7_1 (0.4)
	✓ DS001_8 (0.12)
	✓ DD002 (0.34)
Expressions	
Active Rules:	
Rule 1:	DD_S001_002 (0.3)
Rule 2:	DYNE_S002_900 (0.2)
Rule 3:	DS_G034_001_6 (0.2)

Rule 4:	FM_>_WITHDRAWAL_CONSENT (0.2)
Rule 5:	FM_>_DEATH_DATE (0.1)
Rule 6:	DD_G007_002 (0.1)
Rule 7:	DS_G028_001_5 (0.1)
Rule 8:	DS_G035_001_6 (0.3)
Rule 9:	DS_G031_001_5 (0.3)
Rule 10:	DS_G029_001_5 (0.2)
Rule 11:	DS_G040_001_5 (0.2)
Rule 12:	DS_G047_001_5 (0.3)
Rule 13:	DD_G015_002 (0.3)
Rule 14:	DS_G061_001_5 (0.3)
Rule 15:	DD_G017_002 (0.2)
Rule 16:	DS_G036_001_6 (0.5)
Rule 17:	DS_S001_001_7 (0.1)
Rule 18:	DS_S001_001_5 (0.2)
Rule 19:	DS_S001_001_5 (0.2)
Rule 20:	DS_S001_001_5 (0.2)
Rule 21:	DS_S001_001_7_1 (0.4)

Events

Early Termination

Early Termination	
Unique Event Name:	EARLY_TERMINATION
Event Description:	Early Termination
Event Type:	Scheduled
Max Repeats Allowed:	1
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.6)
	✓ VS001_4 (0.51)
	✓ EG001 (0.27)
	✓ AUAUD001_1 (0.19)
	BEETRK010 (0.39)
	✓ CM001 (0.87)
	✓ AE001 (0.105)
	PR001 (0.44)
	PR001_4 (0.18)
	✓ AE001_1 (0.32)
	D_SAE001 (0.27)

Expressions		
Active Rules:		
	Rule 1:	AE_G169_001 (0.2)
	Rule 2:	DYNE_S002_900 (0.2)
	Rule 3:	AE_G026_001 (0.5)
	Rule 4:	AE_G027_001 (0.3)
	Rule 5:	EG_G017_001 (0.2)
	Rule 6:	AE_G109_001_1 (0.2)
	Rule 7:	AE_G201_001 (0.4)
	Rule 8:	AE_G255_001 (0.3)
	Rule 9:	AE_G175_001_1 (0.4)
	Rule 10:	AE_G254_001 (0.1)
	Rule 11:	CM_G055_001 (0.1)
	Rule 12:	AE_G005_001 (0.1)
	Rule 13:	AE_G003_001 (0.1)
	Rule 14:	AE_G135_001 (0.1)
	Rule 15:	AE_G136_001 (0.2)
	Rule 16:	AE_G173_001 (0.5)
	Rule 17:	AE_G007_001 (0.1)
	Rule 18:	SV_G007_001 (0.4)
	Rule 19:	CM_G004_001 (0.1)
	Rule 20:	PR_G026_001 (0.1)
	Rule 21:	AE_G181_001 (0.1)
	Rule 22:	AE_G138_001 (0.1)
	Rule 23:	AE_G013_001 (0.1)
	Rule 24:	AE_G109_001 (0.1)

Rule 25:	AE_G140_001 (0.1)
Rule 26:	AE_G170_001 (0.3)
Rule 27:	AE_G207_001 (0.3)
Rule 28:	AE_G245_001 (0.1)
Rule 29:	AE_G247_001 (0.3)
Rule 30:	AE_G257_001 (0.3)
Rule 31:	AE_G256_001 (0.1)
Rule 32:	EG_G004_001 (0.2)
Rule 33:	EG_G009_001 (0.2)
Rule 34:	EG_G016_001 (0.2)
Rule 35:	EG_G011_001 (0.2)
Rule 36:	EG_G007_001 (0.2)
Rule 37:	VS_G076_001_4 (0.4)
Rule 38:	VS_G009_001_4 (0.3)
Rule 39:	VS_G015_001_4 (0.4)
Rule 40:	VS_G010_001_4 (0.3)
Rule 41:	VS_G013_001_4 (0.3)
Rule 42:	VS_S005_001_4 (0.4)
Rule 43:	VS_S005_001_4 (0.4)
Rule 44:	VS_S005_001_4 (0.4)
Rule 45:	VS_S005_001_4 (0.4)
Rule 46:	AUAUD_G001_001_1 (0.2)
Rule 47:	D_EGORRES_001_1 (0.19)
Rule 48:	PR_G026_001_4 (0.2)
Rule 49:	BEETRK_G028_010 (0.6)
Rule 50:	CM_S001_001 (0.1)

Rule 51:	PR_S002_001_4 (0.3)
-----------------	---------------------

Events

Unplanned

Unplanned	
Unique Event Name:	UNPL
Event Description:	Unplanned
Event Type:	Unscheduled
Max Repeats Allowed:	999
Repeating:	Yes
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.6)
	D_UPA001 (0.14)
	✓ VS001_2 (0.45)
	✓ EG001_3 (0.35)
	✓ LB001_8 (0.20)
	✓ LB001_9 (0.20)
	✓ LB001_8_1 (0.12)
	✓ LB001_9_1 (0.8)
	✓ LB001_7 (0.16)
	✓ LB001 (0.29)
	MBMC005 (0.53)

		SRTCR002 (0.14)
		✓ AUAUD001_1 (0.19)
		D_EDP001 (0.2)
		R_OMIC003 (0.36)
		BEETRK010 (0.39)
		✓ PC003_2 (0.15)
Expressions		
Active Rules:		
	Rule 1:	EG_G011_001_3 (0.1)
	Rule 2:	MBMC_S001_005 (0.2)
	Rule 3:	LB_G008_001_9_1 (0.3)
	Rule 4:	SV_G007_001 (0.4)
	Rule 5:	LB_G008_001_8 (0.1)
	Rule 6:	LB_G020_001_8 (0.1)
	Rule 7:	LB_G028_001_8 (0.1)
	Rule 8:	LB_G031_001_8 (0.3)
	Rule 9:	VS_G076_001_2 (0.3)
	Rule 10:	LB_G020_001_9 (0.2)
	Rule 11:	LB_G031_001_9 (0.2)
	Rule 12:	LB_G008_001_9 (0.2)
	Rule 13:	VS_G010_001_2 (0.2)
	Rule 14:	VS_G009_001_2 (0.2)
	Rule 15:	VS_G013_001_2 (0.3)
	Rule 16:	VS_G015_001_2 (0.3)
	Rule 17:	EG_G007_001_3 (0.1)

Rule 18:	EG_G004_001_3 (0.1)
Rule 19:	EG_G009_001_3 (0.1)
Rule 20:	EG_G016_001_3 (0.1)
Rule 21:	EG_G017_001_3 (0.1)
Rule 22:	VS_S001_001_2 (0.2)
Rule 23:	EG_S001_001_3 (0.2)
Rule 24:	LB_S001_001_8 (0.3)
Rule 25:	LB_S001_001_9 (0.3)
Rule 26:	SRTCR_S001_002 (0.3)
Rule 27:	AUAUD_S001_001_1 (0.6)
Rule 28:	LB_S001_001_8_1 (0.4)
Rule 29:	LB_S001_001_9_1 (0.3)
Rule 30:	LB_S001_001_7 (0.2)
Rule 31:	LB_S001_001 (0.2)
Rule 32:	AUAUD_G001_001_1 (0.2)
Rule 33:	D_UPA_G001_001 (0.1)
Rule 34:	D_EGORRES_001_3_1 (0.8)
Rule 35:	LB_G020_001_8_1 (0.3)
Rule 36:	LB_G008_001_8_1 (0.3)
Rule 37:	LB_G031_001_8_1 (0.4)
Rule 38:	LB_G028_001_8_1 (0.2)
Rule 39:	LB_G031_001_9_1 (0.3)
Rule 40:	LB_G020_001_9_1 (0.3)
Rule 41:	SRTCR_S002_002 (0.2)
Rule 42:	BEETRK_G028_010 (0.6)
Rule 43:	R_OMIC_G012_003 (0.4)

Rule 44:	R_OMIC_S002_003 (0.11)
Rule 45:	PC_S001_003_2 (0.2)
Rule 46:	BEETRK_S001_010 (0.2)

Events

Follow-up Week 20

Follow-up Week 20		
Unique Event Name:	FOLLOW_UP_WEEK20	
Event Description:	Follow Up / Week 20	
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Day Schedule:	141	
Event Date Window:	Day 3 to Day 3	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.6)	
	✓ VS001 (0.55)	
	PR001 (0.44)	
	PR001_4 (0.18)	
	✓ CM001 (0.87)	
	✓ AE001 (0.105)	
	✓ AE001_1 (0.32)	
	D_SAE001 (0.27)	
Expressions		
Active Rules:		

Rule 1:	AE_G169_001 (0.2)
Rule 2:	VS_S007_001 (0.2)
Rule 3:	AE_G026_001 (0.5)
Rule 4:	AE_G027_001 (0.3)
Rule 5:	AE_G109_001_1 (0.2)
Rule 6:	AE_G201_001 (0.4)
Rule 7:	AE_G255_001 (0.3)
Rule 8:	AE_G175_001_1 (0.4)
Rule 9:	AE_G254_001 (0.1)
Rule 10:	CM_G055_001 (0.1)
Rule 11:	AE_G005_001 (0.1)
Rule 12:	AE_G003_001 (0.1)
Rule 13:	AE_G135_001 (0.1)
Rule 14:	AE_G136_001 (0.2)
Rule 15:	AE_G173_001 (0.5)
Rule 16:	AE_G007_001 (0.1)
Rule 17:	SV_G007_001 (0.4)
Rule 18:	VS_G013_001 (0.1)
Rule 19:	CM_G004_001 (0.1)
Rule 20:	VS_G015_001 (0.2)
Rule 21:	VS_G010_001 (0.2)
Rule 22:	VS_G009_001 (0.3)
Rule 23:	PR_G026_001 (0.1)
Rule 24:	AE_G181_001 (0.1)
Rule 25:	AE_G138_001 (0.1)
Rule 26:	AE_G013_001 (0.1)

Rule 27:	AE_G109_001 (0.1)
Rule 28:	AE_G140_001 (0.1)
Rule 29:	AE_G170_001 (0.3)
Rule 30:	AE_G207_001 (0.3)
Rule 31:	AE_G245_001 (0.1)
Rule 32:	AE_G247_001 (0.3)
Rule 33:	AE_G257_001 (0.3)
Rule 34:	AE_G256_001 (0.1)
Rule 35:	DYNE_S001_900 (0.4)
Rule 36:	PR_G026_001_4 (0.2)
Rule 37:	CM_S001_001 (0.1)
Rule 38:	PR_S002_001_4 (0.3)

Events

Common Form Event

Common Form Event		
Unique Event Name:		common_event
Event Description:		Common Form Event
Event Type:		Static
Max Repeats Allowed:		1
Repeating:		No
Dynamic:		No
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		✓ AE001_1 (0.32)
		✓ AE001 (0.105)
		✓ CM001 (0.87)
		D_SAE001 (0.27)
		PR001 (0.44)
		PR001_4 (0.18)
Expressions		
Active Rules:		
Rule 1:		AE_G169_001 (0.2)
Rule 2:		AE_G026_001 (0.5)
Rule 3:		AE_G027_001 (0.3)
Rule 4:		AE_G109_001_1 (0.2)

Rule 5:	AE_G201_001 (0.4)
Rule 6:	AE_G255_001 (0.3)
Rule 7:	AE_G175_001_1 (0.4)
Rule 8:	AE_G254_001 (0.1)
Rule 9:	CM_G055_001 (0.1)
Rule 10:	AE_G005_001 (0.1)
Rule 11:	AE_G003_001 (0.1)
Rule 12:	AE_G135_001 (0.1)
Rule 13:	AE_G136_001 (0.2)
Rule 14:	AE_G173_001 (0.5)
Rule 15:	AE_G007_001 (0.1)
Rule 16:	CM_G004_001 (0.1)
Rule 17:	PR_G026_001 (0.1)
Rule 18:	AE_G181_001 (0.1)
Rule 19:	AE_G138_001 (0.1)
Rule 20:	AE_G013_001 (0.1)
Rule 21:	AE_G109_001 (0.1)
Rule 22:	AE_G140_001 (0.1)
Rule 23:	AE_G170_001 (0.3)
Rule 24:	AE_G207_001 (0.3)
Rule 25:	AE_G245_001 (0.1)
Rule 26:	AE_G247_001 (0.3)
Rule 27:	AE_G257_001 (0.3)
Rule 28:	AE_G256_001 (0.1)
Rule 29:	PR_G026_001_4 (0.2)
Rule 30:	CM_S001_001 (0.1)

Rule 31:	PR_S002_001_4 (0.3)
-----------------	---------------------

Instruments

Instrument Parameters

Date Format:	
Year Min:	2025
Year Max:	2028
Date Format:	dd-MMM-yyyy
Radio Button Display:	Vertical
Drop-Down Display:	Expand to fit all content
Textbox:	
Min Length:	—
Max Length:	—
Integer:	
Min Value:	—
Max Value:	—
Decimal:	
Min Value:	—
Max Value:	—
Min Size:	—
Max Size:	—
Baseline Character Set:	[Basic Latin]
Escaped Character Set:	

Instruments

Permission Groups

	GPDIP_Impala_Integration	TMS_integration	UDMS Admin	GPDIP_CTMS_Integration	migration_user	TMF_Integration	Read Only - Site	Investigator w/ Data Entry
Coding	N/A	R,U	N/A	N/A	N/A	N/A	N/A	N/A
eSAETesting	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Hidden	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
IRT_Edit	R,U	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ReadOnly	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Instruments

DS001 / MAIN INFORMED CONSENT

Instrument Definition

Instrument Name:	DS001
Instrument Title:	MAIN INFORMED CONSENT
SAS Instrument Name:	DS001
Description:	MAIN IC
Version:	0.8
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: DS001 MAIN INFORMED CONSENT (MAIN IC) [Version: 0.8]		
Section MAIN INFORMED CONSENT DS001_S		Permission Groups
Group of Fields DS01001 / Main Informed Consent Group Type: Non-Repeating	Number of variables: 1	

1.* ✓	Date of Written Consent Obtained: [DSSTDTC_001] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Written Consent Obtained using the format (DD-MMM-YYYY).	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: DS001 MAIN INFORMED CONSENT		
Type	RefName	Description
Form	CRF_14944919899664555_DS001	DS001
Item	I_14944935242368889_DSSTDTC_001	

Variable Validations DS001 MAIN INFORMED CONSENT				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

DSSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
DSSTDTC_001	>=_ENROLLMENT	>=	>=_ENROLLMENT	Date is on or after 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.
DSSTDTC_001	>=_FIRST_DOSE	>=	>=_FIRST_DOSE	Date is on or after the first dose date. Please review and update if appropriate.

Groups of Fields DS001 MAIN INFORMED CONSENT		
Group RefName	Group Type	Associated Variables
IG_14944934137672968_DS01001	Non-Repeating	DSSTDTC_001

Instruments

DD002 / DEATH DETAILS

Instrument Definition

Instrument Name:	DD002
Instrument Title:	DEATH DETAILS
SAS Instrument Name:	DD002
Description:	DTH DTL
Version:	0.34
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: DD002 <i>DEATH DETAILS</i> (DTH DTL) [Version: 0.34]			
Section DEATH DETAILS <i>DD002_S</i>			Permission Groups
	Group of Fields DD01002 / Death Details Group Type: Non-Repeating	Number of variables: 5	

1.* ✓	Date of Collection: [DDDTC_002] [DDDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record Date of Collection / Notification of Death	
----------	---	---	--

2.* 	Date of Death: [R_DDDTHDTC_002] [DDDTHDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Death. A full date of death is expected however, if only a partial date is available, enter UNK for unknown date parts e.g day and/or month.	
3.	Is this death within the SAE reporting requirement? [D_SAEDDRPT_002] [SAEDDRPT] [Hidden]	[D_SAEDDRPT_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the response if Death is within SAE reporting requirement.	

4.*	Was an autopsy performed? [D_AUTOPSYYN1_002] [AUTOPSY] (Nested Field)	[D_AUTOPSYYN1_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the response if Autopsy was performed. This question must be answered if Death is within SAE reporting period.	
5.*	Autopsy cause of death: [D_AUTOPCOD_002] [AUTOPCOD] (Nested Field)	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If autopsy was performed, record the cause of death as determined from the autopsy.	
	Group of Fields DD02002 / Death Details Entry Group Type: Fixed Repeating	Number of rows: 1	

6.	Cause of Death Status: [DDTEST_002] [DDTEST] Row 1 (Locked): 1 - Primary Cause of Death	[DDTEST_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: Select the Cause of Death Status. Do not select more than one Primary Cause of Death. For multiple causes of death, select Secondary Cause of Death as needed.	
7.* ✓	Cause of Death: [DDORRES_002] [DDCDTH]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Cause of Death. LONG TERM SURVIVAL ANALYSIS STUDIES (Oncology or any TA): Any death collected from public records in the long term follow-up phases requires an assessment by the investigator as to whether or not the death has any relationship to study drug administered. If considered related, it must be reported via CT SAE Report Form to Argus.	

8.	Lowest Level Term [SUPPDD_DDLLT_002] [DDLLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
9.	Lowest Level Term Code [SUPPDD_DDLLTCD_002] [DDLLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
10.	Dictionary Derived Term [SUPPDD_DDDECOD_002] [DDDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

11.	Preferred Term Code [SUPPDD_DDPTCD_002] [DDPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
12.	High Level Term [SUPPDD_DDHLT_002] [DDHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
13.	High Level Term Code [SUPPDD_DDHLTCD_002] [DDHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

14.	High Level Group Term [SUPPDD_DDHLGT_002] [DDHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
15.	High Level Group Term Code [SUPPDD_DDHLGTCD_002] [DDHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
16.	Primary System Organ Class [SUPPDD_DDSOC_002] [DDSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

17.	Primary System Organ Class Code [SUPPDD_DDSOCCD_002] [DDSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
-----	--	---	---

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: DD002 DEATH DETAILS		
Type	RefName	Description
Form	CRF_14944920123793030_DD002	DD002
Item	I_14944935589252336_DDDTC_002	
Item	I_14944935614801204_R_DDDTHDTC_002	
Item	I_14944935640240435_D_SAEDDRPT_002	
Item	I_14944935664886627_D_AUTOPSYN1_002	
Item	I_14944935692280083_D_AUTOPCOD_002	
Item	I_14944935276447467_DDTEST_002	
Item	I_14944935306464274_DDORRES_002	
Item	I_14944935334882933_SUPPDD_DDLLT_002	
Item	I_14944935362619814_SUPPDD_DDLLTCD_002	
Item	I_14944935389081121_SUPPDD_DDDECOD_002	
Item	I_14944935415800447_SUPPDD_DDPTCD_002	
Item	I_14944935441262775_SUPPDD_DDHLT_002	
Item	I_14944935466597244_SUPPDD_DDHLTCD_002	

Item	I_14944935492411210_SUPPDD_DDHLGT_002	
Item	I_14944935516390516_SUPPDD_DDHLGTCD_002	
Item	I_14944935541650466_SUPPDD_DDSDOC_002	
Item	I_14944935565666695_SUPPDD_DDSDOCCD_002	

Codelist Values Tables: DD002 DEATH DETAILS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_SAEDDRPT_CL_002	0.1			YES	1	Y	0.1	i_14944935640240435_d_saeddrpt_002
				NO	2	N	0.1	
D_AUTOPSYYN1_CL_002	0.1			NO	1	N	0.1	i_14944935664886627_d_autopsyn1_002
				YES	2	Y	0.1	
DDTEST_CL_002	0.2			Primary Cause of Death	1	1	0.1	i_14944935276447467_ddtest_002

Variable Validations DD002 DEATH DETAILS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DDBTC_002	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DDBTC_002	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
R_DDDTHDTC_002	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
R_DDDTHDTC_002	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DD002 DEATH DETAILS

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_14944934589221366_DD01002	Non-Repeating	DDDTC_002, R_DDDTHDTC_002, D_SAEDDRPT_002, D_AUTOPSYYN1_002, D_AUTOPCOD_002
IG_14944934645722472_DD02002	Fixed Repeating	DDTEST_002, DDORRES_002, SUPPDD_DDLT_002, SUPPDD_DDLTCD_002, SUPPDD_DDDECOD_002, SUPPDD_DDPTCD_002, SUPPDD_DDHLT_002, SUPPDD_DDHLTCD_002, SUPPDD_DDHLGT_002, SUPPDD_DDHLGTCD_002, SUPPDD_DDSDOC_002, SUPPDD_DDSOCCD_002

Instruments

DS001_4 / DISPOSITION - SCREENING

Instrument Definition

Instrument Name:	DS001_4
Instrument Title:	DISPOSITION - SCREENING
SAS Instrument Name:	DS001_4
Description:	DISP SCR
Version:	0.21
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: DS001_4 DISPOSITION - SCREENING (DISP SCR) [Version: 0.21]		
Section DISPOSITION - SCREENING DS001_4_S		Permission Groups
Group of Fields DS01001_4 / Disposition - Screening Group Type: Non-Repeating	Number of variables: 6	

1.* 	Date of Completion/Discontinuation/Death: [DSSTDTC_001_4] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date using the format (DD-MMM-YYYY). Partial dates are permitted only when the Status of the subject is DEATH	
2.* 	Status: [DSDECOD_001_4] [DSDECOD]	[DSDECOD_CL_001_4] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Always Avoid Abbreviations. See "Completion Guidelines for Subject's Status in Disposition Events eCRF" document in the "Artifacts" section at the Dataset level for full instructions	

3.* 	Specify Status: <i>[Branching logic expression: [DSDECOD_001_4]='7' or [DSDECOD_001_4]='16']</i> <i>[DSTERM_001_4]</i> [DSTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Document the subject's status at SCREENING phase. If the subject discontinued prematurely, record the primary reason for discontinuation from the "Status" list. If "Other", "Withdrawal By Subject" or "Withdrawal By Parent/Guardian" is selected from the "Status" list, then provide the reason on the "Specify Status" line. Avoid abbreviations.	
4.* 	Will the subject continue to the next phase of this study? <i>[SUPPDS_DSCONT_001_4]</i> [DSCONT]	[SUPPDS_DSCONT_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the subject will be continuing to the next phase of this study.	

5.	If Yes, next phase: [SUPPDS_DSNEXT_001_4] [DSNEXT] (Nested Field)	[SUPPDS_DSNEXT_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 6 Help/Info Text: Record the next study phase the subject will continue to.	
6.	Phase of Disposition: [SUPPDS_DSPHASE_001_4] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 3 Help/Info Text: Record the disposition phase the subject completed or discontinued.	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: DS001_4 DISPOSITION - SCREENING

Type	RefName	Description
Form	CRF_14944920322722938_DS001_4	DS001_4
Item	I_14944935718878030_DSSTDTC_001_4	
Item	I_14944935744196179_DSDECOD_001_4	
Item	I_14944935771440852_DSTERM_001_4	

Item	I_14944935813921296_SUPPDS_DSCONT_001_4	
Item	I_14944935839562906_SUPPDS_DSNEXT_001_4	
Item	I_14944935865281808_SUPPDS_DSPHASE_001_4	

Codelist Values Tables: DS001_4 DISPOSITION - SCREENING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
DSDECOD_CL_001_4	0.2			ADVERSE EVENT	1	1	0.1	i_14944935744196179_dsdecod_001_4
				COMPLETED	2	2	0.1	
				DEATH	3	3	0.1	
				OTHER	4	7	0.1	
				PHYSICIAN DECISION	5	8	0.1	
				SCREEN FAILURE	6	13	0.1	
				WITHDRAWAL BY SUBJECT	7	16	0.1	
				STUDY TERMINATED BY SPONSOR	8	14	0.1	
				PREGNANCY	9	9	0.1	
SUPPDS_DSCONT_CL_001_4	0.1			YES	1	Y	0.1	i_14944935813921296_suppds_dscont_001_4
				NO	2	N	0.1	
SUPPDS_DSNEXT_CL_001_4	0.2			BLINDED TREATMENT	1	6	0.1	i_14944935839562906_suppds_dsnnext_001_4
SUPPDS_DSPHASE_CL_001_4	0.2			SCREENING	1	3	0.1	i_14944935865281808_suppds_dsphase_001_4

Variable Validations DS001_4 DISPOSITION - SCREENING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

DSSTDTC_001_4	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001_4	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_4	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_4	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_4 DISPOSITION - SCREENING

Group RefName	Group Type	Associated Variables
IG_14944934324264365_DS01001_4	Non-Repeating	DSSTDTC_001_4, DSDECOD_001_4, DSTERM_001_4, SUPPDS_DSCONT_001_4, SUPPDS_DSNEXT_001_4, SUPPDS_DSPHASE_001_4

Instruments

DS001_7 / WITHDRAWAL OF CONSENT

Instrument Definition

Instrument Name:	DS001_7
Instrument Title:	WITHDRAWAL OF CONSENT
SAS Instrument Name:	DS001_7
Description:	WOC
Version:	0.2
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: DS001_7 WITHDRAWAL OF CONSENT (WOC) [Version: 0.2]		
Section WITHDRAWAL OF CONSENT DS001_7_S		Permission Groups
Group of Fields DS01001_7 / Withdrawal Of Consent Group Type: Non-Repeating	Number of variables: 1	

1.* ✓	Date of Withdrawal of Consent: [DSSTDTC_001_7] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Withdrawal Of Consent using the format (DD-MMM-YYYY).	
Key: [*] = Item is required ✓ = Source verification required			

Study Object Descriptions: DS001_7 WITHDRAWAL OF CONSENT		
Type	RefName	Description
Form	CRF_14944920516657779_DS001_7	DS001_7
Item	I_14944935890629659_DSSTDTC_001_7	

Variable Validations DS001_7 WITHDRAWAL OF CONSENT				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_7	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

DSSTDTC_001_7	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_7	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_7 WITHDRAWAL OF CONSENT		
Group RefName	Group Type	Associated Variables
IG_14944934315506660_DS01001_7	Non-Repeating	DSSTDTC_001_7

Instruments

DS001_6 / DISPOSITION - FOLLOW-UP

Instrument Definition

Instrument Name:	DS001_6
Instrument Title:	DISPOSITION - FOLLOW-UP
SAS Instrument Name:	DS001_6
Description:	DISP FUP
Version:	0.19
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: DS001_6 DISPOSITION - FOLLOW-UP (DISP FUP) [Version: 0.19]		
Section DISPOSITION - FOLLOW-UP DS001_6_S		Permission Groups
Group of Fields DS01001_6 / Disposition - Follow-Up Group Type: Non-Repeating	Number of variables: 4	

1.* 	Date of Completion/Discontinuation/Death: [DSSTDTC_001_6] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date using the format (DD-MMM-YYYY). Partial dates are permitted only when the Status of the subject is DEATH	
2.	Phase of Disposition: [SUPPDS_DSPHASE_001_6] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_6] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: Record the disposition phase the subject completed or discontinued.	

3.* ✓	Status: [DSDECOD_001_6] [DSDECOD]	[DSDECOD_CL_001_6] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Always Avoid Abbreviations. See "Completion Guidelines for Subject's Status in Disposition Events eCRF" document in the "Artifacts" section at the Dataset level for full instructions.	
4.* ✓	Specify Status: [Branching logic expression: [DSDECOD_001_6]='7' or [DSDECOD_001_6]='16'] [DSTERM_001_6] [DSTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Document the subject's status at FOLLOW-UP phase. If the subject discontinued prematurely, record the primary reason for discontinuation from the "Status" list. If "Other", "Withdrawal By Subject" or "Withdrawal By Parent/Guardian" is selected from the "Status" list, then provide the reason on the "Specify Status" line. Avoid abbreviations.	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: DS001_6 DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Form	CRF_14944920714432269_DS001_6	DS001_6

Item	I_14944935917529439_DSSTDTC_001_6	
Item	I_14944935943177261_SUPPDS_DSPHASE_001_6	
Item	I_14944935968385494_DSDECOD_001_6	
Item	I_14944935994742941_DSTERM_001_6	

Codelist Values Tables: DS001_6 DISPOSITION - FOLLOW-UP								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSPHASE_CL_001_6	0.2			FOLLOW-UP	1	1	0.1	i_14944935943177261_suppds_dsphase_001_6
DSDECOD_CL_001_6	0.5			COMPLETED	1	2	0.1	i_14944935968385494_dsdecod_001_6
				LOST TO FOLLOW-UP	2	5	0.1	
				DEATH	3	3	0.1	
				OTHER	4	7	0.1	
				PHYSICIAN DECISION	5	8	0.1	
				STUDY TERMINATED BY SPONSOR	6	14	0.1	
				WITHDRAWAL BY SUBJECT	7	16	0.1	

Variable Validations DS001_6 DISPOSITION - FOLLOW-UP				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_6	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_6	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001_6	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_6	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
DSSTDTC_001_6	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

DSSTDTC_001_6	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_6	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_6 DISPOSITION - FOLLOW-UP		
Group RefName	Group Type	Associated Variables
IG_14944934665360665_DS01001_6	Non-Repeating	DSSTDTC_001_6, SUPPDS_DSPHASE_001_6, DSDECOD_001_6, DSTERM_001_6

Instruments

DS001_8 / TREATMENT UNBLINDED

Instrument Definition

Instrument Name:	DS001_8
Instrument Title:	TREATMENT UNBLINDED
SAS Instrument Name:	DS001_8
Description:	TRN UNBLN
Version:	0.12
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: DS001_8 TREATMENT UNBLINDED (TRN UNBLN) [Version: 0.12]		
Section TREATMENT UNBLINDED DS001_8_S		Permission Groups
Group of Fields DS01001_8 / Treatment Unblinded Group Type: Non-Repeating	Number of variables: 4	

1.* 	Date of Treatment Unblinded: [DSSTDTC_001_8] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Treatment Unblinded using the format (DD- MMM-YYYY).	
2.*	Phase of Disposition: [SUPPDS_DSPHASE_001_8] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the disposition phase the subject completed or discontinued.	

3.* ✓	Primary Reason for Unblinding: [X_DSTERM_DSUNBL_001_8] [DSUNBL]	[X_DSTERM_DSUNBL_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the primary reason the treatment was unblinded.	
4.* ✓	If other, specify: [X_DSTERM_DSUNBLO_001_8] [DSUNBLO] (Nested Field)	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If 'Primary Reason for Treatment Unblinding' is Other, record the reason in the space provided.	

Key: [*] = Item is required ✓ = Source verification required

Study Object Descriptions: DS001_8 TREATMENT UNBLINDED		
Type	RefName	Description
Form	CRF_14944920915696930_DS001_8	DS001_8
Item	I_14944936033893977_DSSTDTC_001_8	
Item	I_14944936059811279_SUPPDS_DSPHASE_001_8	
Item	I_14944936084801658_X_DSTERM_DSUNBL_001_	
Item	I_14944936110964481_X_DSTERM_DSUNBLO_001	

Codelist Values Tables: DS001_8 TREATMENT UNBLINDED

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSPHASE_CL_001_8	0.4			DOUBLE-BLIND TREATMENT	1	17	0.1	i_14944936059811279_suppds_dsphase_001_8
				FOLLOW-UP	2	1	0.1	
X_DSTERM_DSUNBL_CL_001_8	0.1			SUBJECT SAFETY CONCERN	1	1	0.1	i_14944936084801658_x_dsterm_dsunbl_001_
				STUDY PRIMARY OBJECTIVES MET	2	2	0.1	
				OTHER	3	999	0.1	

Variable Validations DS001_8 TREATMENT UNBLINDED

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_8	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_8	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001_8	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_8	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_8	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_8	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_8	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_8 TREATMENT UNBLINDED

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_14944934279555120_DS01001_8	Non-Repeating	DSSTDTC_001_8, SUPPDS_DSPHASE_001_8, X_DSTERM_DSUNBL_001_8, X_DSTERM_DSUNBLO_001_8
--------------------------------	---------------	--

Instruments

R_TRIG001 / TRIGGER FORM

Instrument Definition

Instrument Name:	R_TRIG001
Instrument Title:	TRIGGER FORM
SAS Instrument Name:	R_TRIG001
Description:	TRIG
Version:	0.14
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: R_TRIG001 <i>TRIGGER FORM</i> (TRIG) [Version: 0.14]		
Section TRIGGER FORM <i>R_TRIG001_S</i>		Permission Groups
Group of Fields R_TRIG01001 / Trigger Form Group Type: Non-Repeating	Number of variables: 3	

1.*	Select appropriate response - Protocol version: [R_TRIGRESP1_001] [TRGRES1]	[R_TRIGRESP1_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.*	Select appropriate response - Did subject meet all eligibility criteria? [R_TRIGRESP2_001] [TRGRES2]	[R_TRIGRESP2_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.*	Select appropriate response - Retained Research Sample Collection: [R_TRIGRESP11_001] [TRGRES11]	[R_TRIGRESP11_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: R_TRIG001 TRIGGER FORM		
Type	RefName	Description

Form	CRF_14944921114452972_R_TRIG001	R_TRIG001
Item	I_14944936137538855_R_TRIGRESP1_001	
Item	I_14944936162625923_R_TRIGRESP2_001	
Item	I_14944936186766000_R_TRIGRESP11_001	

Codelist Values Tables: R_TRIG001 TRIGGER FORM								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_TRIGRESP1_CL_001	0.5			Original Protocol - 28JUL2025	1	0	0.1	i_14944936137538855_r_trigresp1_001
R_TRIGRESP2_CL_001	0.1			SUBJECT MET ALL ELIGIBILITY CRITERIA	1	5	0.1	i_14944936162625923_r_trigresp2_001
				SUBJECT DID NOT MEET ALL ELIGIBILITY CRITERIA	2	6	0.1	
R_TRIGRESP11_CL_001	0.1			RETAINED RESEARCH SAMPLE COLLECTED AT SITE WITH NO SEPARATE CONSENT FORM	1	29	0.1	i_14944936186766000_r_trigresp11_001
				RETAINED RESEARCH SAMPLE COLLECTED AT SITE WITH A SEPARATE CONSENT FORM	2	30	0.1	
				NO RETAINED RESEARCH SAMPLE COLLECTED AT SITE	3	31	0.1	

Groups of Fields R_TRIG001 TRIGGER FORM		
Group RefName	Group Type	Associated Variables
IG_14944934167587991_R_TRIG01001	Non-Repeating	R_TRIGRESP1_001, R_TRIGRESP2_001, R_TRIGRESP11_001

Instruments

SV001 / DATE OF VISIT

Instrument Definition

Instrument Name:	SV001
Instrument Title:	DATE OF VISIT
SAS Instrument Name:	SV001
Description:	DOV
Version:	0.6
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: SV001 <i>DATE OF VISIT</i> (DOV) [Version: 0.6]			
Section <i>DATE OF VISIT SV001_S</i>			Permission Groups
	Group of Fields SV01001 / Date of Visit Group Type: Non-Repeating	Number of variables: 2	

1.*	Date of Visit: [SVSTDTC_001] [SVSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Enabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: - In general, Date of Visit represents the date the assessment(s) was made. - If assessments for a visit span more than one day, Enter the date the first assessment was made.	
-----	---	--	--

2.*	Contact Mode: [X_SVCNTMOD_001] [SVCNTMOD]	[X_SVCNTMOD_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record Contact Mode for the visit. -If the visit is in person and at the clinical study site, choose "IN PERSON, ONSITE". Note that for visits defined in the protocol as "in person," the system will default "IN PERSON, ONSITE" but this may be overridden through data entry of an alternate Contact Mode if the participant could not be seen on site, for extraordinary circumstances. -If the visit is conducted by remote communication (i.e., not an in person visit), choose "REMOTE AUDIO VIDEO" for any telehealth visit (i.e., the exchange of healthcare information and services via telecommunication technologies, such as telephone calls, video, video conferencing calls, and wireless communications). -If the visit is conducted offsite with procedures performed by study personnel (e.g. a home health visit or alternate site approved by the investigator), select "IN PERSON, OFFSITE."	
Key: [*] = Item is required			

Study Object Descriptions: SV001 DATE OF VISIT		
Type	RefName	Description
Form	CRF_14944921314440846_SV001	SV001
Item	I_14944936212098302_SVSTDTC_001	
Item	I_14944936239488041_X_SVCNTMOD_001	

Codelist Values Tables: SV001 DATE OF VISIT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_SVCNTMOD_CL_001	0.1			IN PERSON, ONSITE	1	1	0.1	i_14944936239488041_x_svcntmod_001
				IN PERSON, OFFSITE	2	2	0.1	
				REMOTE AUDIO VIDEO	3	3	0.1	

Variable Validations SV001 DATE OF VISIT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
SVSTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
SVSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
SVSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
SVSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
SVSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields SV001 DATE OF VISIT

Group RefName	Group Type	Associated Variables
IG_14944934458883108_SV01001	Non-Repeating	SVSTDTC_001, X_SVCNTMOD_001

Instruments

CM001 / CONCOMITANT /PRIOR MEDICATIONS

Instrument Definition

Instrument Name:	CM001
Instrument Title:	CONCOMITANT /PRIOR MEDICATIONS
SAS Instrument Name:	CM001
Description:	CONMED
Version:	0.87
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: CM001 CONCOMITANT /PRIOR MEDICATIONS (CONMED) [Version: 0.87]		
Section CONCOMITANT /PRIOR MEDICATIONS CM001_S		Permission Groups
Group of Fields CM01001 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 23	

1.	What is the medication identifier? [CMSPID_001] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: [\$form_occurrence]	
2. ✓	Category: [CMCAT_001] [CMCAT]	[CMCAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Category for this medication.	
3.	Concomitant Medications Pre-specified: [CMPRESP_001] [CMPRESP]	[CMPRESP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: N	

4.* ✓	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001] [CMTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Generic drug name is the preferred entry. Provide the complete generic drug name (including salt form) if known. If the medication includes a large number of ingredients or the generic name is unknown, record the full trade or proprietary name.	
----------	--	--	--

5.* 	Start Date: [CMSTDTC_001] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1949; Max Year: 2028 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If the subject has been taking the medication for a considerable amount of time prior to the start of the study, it is acceptable to have an incomplete date. Medications taken during the study are expected to have a complete start date. Prior medications that are exclusionary should have both a start and end date. If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock.	
---	---	--	--

6.* ✓	Ongoing? [X_CMONGO_001] [CMONGO]	[X_CMONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the medication as ongoing if the subject has not stopped taking the medication at the time of data collection, and leave the end date blank. If this field is left blank, an End Date must be provided.	
----------	--	--	--

7.* 	End Date: [CMENDTC_001] [CMENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1949; Max Year: 2028 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject stopped taking the medication using the format (DD-MON-YYYY). If the subject has not stopped taking the medication leave this field blank. If appropriate, record the time (as complete as possible) when the medication was stopped, using the 24-hour clock.	
8.* 	Was this medication given to treat an Adverse Event? [SUPPCM_CMAER_001] [CMAER]	[SUPPCM_CMAER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication was given to treat an adverse event, select Yes. Otherwise, select No.	

9.* 	Reason for Administration: [CMINDC_001] [CMINDC]	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken based on clinical evaluation by the investigator. If taken to treat a condition, and a diagnosis was made, the reason should be the diagnosis. If taken to treat a condition, and no diagnosis was made, the reason should be the signs and symptoms. If taken as prophylaxis, report as "Prophylaxis for ...".	
10.* 	Dose: [X_CMDSTXT_001] [CMDSTXT]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose of medication taken per administration. Do not include units in this field.	

11.* ✓✓	Dose Unit: [CMDOSU_001] [CMDOSU]	[CMDOSU_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose unit of the medication taken.	
12.* ✓✓	Dose Frequency: [CMDOSFRQ_001] [CMDOSFRQ]	[CMDOSFRQ_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record how often the medication was taken. (e.g., BID, PRN).	
13.* ✓✓	Route: [CMROUTE_001] [CMROUTE]	[CMROUTE_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the route of administration for the drug.	

14.	Is this concomitant therapy suspected to be related to an Adverse Event? [R_SUPPCM_CONSUS_001] [CMSUS] [Hidden]	[R_SUPPCM_CONSUS_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication is NOT considered suspect in relation to a reportable event please select NO. If this medication is considered suspect in relation to a reportable event please select YES and complete the remaining fields (AE ID, Action Taken and Re-Challenge)	
15.*	AE ID of the AE this conmed is related to: [R_AEIDCM_001] [CMAEID] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('[', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y' , [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	

16.	AE ID of the AE this conmed is related to: [R_AEIDCM1_001] [CMAEID1] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	
17.	AE ID of the AE this conmed is related to: [R_AEIDCM2_001] [CMAEID2] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	

18.	AE ID of the AE this conmed is related to: [R_AEIDCM3_001] [CMAEID3] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	
19.	AE ID of the AE this conmed is related to: [R_AEIDCM4_001] [CMAEID4] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	

20.*	Action Taken: [R_SUPPCM_ACTTKN_001] [CMACTION] (Nested Field)	[R_SUPPCM_ACTTKN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the medication selected in the pick list as a result of the SAE or non-serious but reportable event	
21.*	Re-Challenge: [R_SUPPCM_RECHAL_001] [CMRECHAL] (Nested Field)	[R_SUPPCM_RECHAL_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the medication selected in the pick list was re-introduced. Positive Re-challenge: When the concomitant medication was reintroduced and the SAE or non-serious but reportable event reappeared Negative Re-challenge: When the concomitant medication was reintroduced and the SAE or non-serious but reportable event did not reappear Not Applicable: When the medication was not re-introduced Unknown: When the medication was reintroduced, but the result of re-challenge was unknown	

22.	Standardized Medication Name - Dictionary derived. [CMDECOD_001] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
23.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: CM001 CONCOMITANT /PRIOR MEDICATIONS		
Type	RefName	Description
Form	CRF_14944921511770669_CM001	CM001
Item	I_14944936265898092_CMSPID_001	
Item	I_14944936315501613_CMCAT_001	
Item	I_14944936341377708_CMPRESP_001	
Item	I_14944936707731586_CMTRT_001	
Item	I_14944936524681978_CMSTDTC_001	

Item	I_14944936691020062_X_CMONGO_001	
Item	I_14944936699103710_CMENDTC_001	
Item	I_14944936370322872_SUPPCM_CMAER_001	
Item	I_14944936396842124_CMINDC_001	
Item	I_14944936422999186_X_CMDSTXT_001	
Item	I_14944936448584239_CMDOSU_001	
Item	I_14944936474107687_CMDOSFRQ_001	
Item	I_14944936499435042_CMROUTE_001	
Item	I_14944936599560620_R_SUPPCM_CONSUS_001	
Item	I_14944936618242344_R_AEIDCM_001	
Item	I_14944936635448168_R_AEIDCM1_001	
Item	I_14944936649317642_R_AEIDCM2_001	
Item	I_14944936662885292_R_AEIDCM3_001	
Item	I_14944936676795734_R_AEIDCM4_001	
Item	I_14944936609019435_R_SUPPCM_ACTTKN_001	
Item	I_14944936717276374_R_SUPPCM_RECHAL_001	
Item	I_14944936551827993_CMDECOD_001	
Item	I_14944936578698481_SUPPCM_CMCODE_001	

Codelist Values Tables: CM001 CONCOMITANT /PRIOR MEDICATIONS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001	0.3			GENERAL CONCOMITANT MEDICATIONS	1	1	0.1	i_14944936315501613_cmcat_001
				PRIMARY DIAGNOSIS	2	10	0.1	
				RESCUE MEDICATIONS	3	2	0.1	

CMPRESP_CL_001	0.2			NO	1	N	0.1	i_14944936341377708_cmpresp_001
X_CMONGO_CL_001	0.1			YES	1	Y	0.1	i_14944936691020062_x_cmongo_001
				NO	2	N	0.1	
SUPPCM_CMAER_CL_001	0.1			YES	1	Y	0.1	i_14944936370322872_suppcm_cmaer_001
				NO	2	N	0.1	
CMDOSU_CL_001	0.2			%	1	5	0.1	i_14944936448584239_cmdosu_001
				APPLICATION	2	441	0.1	
				CAPSULE	3	56	0.1	
				DROP	4	689	0.1	
				g	5	45	0.1	
				INHALATION	6	67	0.1	
				IU	7	109	0.1	
				mg	8	8	0.1	
				mg/mL	9	653	0.1	
				mL	10	9	0.1	
				No Unit	11	611	0.1	
				PUFF	12	130	0.1	
				SCOOPFUL	13	92	0.1	
				SPRAY	14	93	0.1	
				SUPPOSITORY	15	95	0.1	
				TABLET	16	98	0.1	
				Tbsp	17	97	0.1	
				tsp	18	100	0.1	
				U	19	380	0.1	
				ug	20	43	0.1	
				mm	21	6	0.1	
				kg	22	7	0.1	

			g/L	23	41	0.1	
			AMPULE	24	49	0.1	
			BOTTLE	25	53	0.1	
			grain	26	63	0.1	
			in	27	66	0.1	
			L	28	71	0.1	
			LOZENGE	29	72	0.1	
			mCi	30	76	0.1	
			mEq	31	77	0.1	
			mmol	32	78	0.1	
			ng	33	79	0.1	
			nmol	34	80	0.1	
			oz	35	81	0.1	
			PACKET	36	83	0.1	
			ppm	37	84	0.1	
			PATCH	38	85	0.1	
			LB	39	90	0.1	
			TROCHE	40	102	0.1	
			VIAL	41	104	0.1	
			%(v/v)	42	108	0.1	
			cm	43	111	0.1	
			mmol/L	44	119	0.1	
			pg	45	120	0.1	
			mg/L	46	126	0.1	
			PELLET	47	86	0.1	
CMDOSFRQ_CL_001	0.3		TID	1	32	0.1	i_14944936474107687_cmdosfrq_001
			EVERY WEEK	2	44	0.1	

PA	3	67	0.1
BID	4	3	0.1
QID	5	35	0.1
Q6M	6	71	0.1
Q2M	7	40	0.1
BIM	8	47	0.1
CONTINUOUS	9	2	0.1
6 TIMES PER WEEK	10	64	0.1
EVERY 8 WEEKS	11	70	0.1
EVERY 2 WEEKS	12	46	0.1
QM	13	5	0.1
QOD	14	31	0.1
3 TIMES PER MONTH	15	54	0.1
QD	16	49	0.1
EVERY 3 WEEKS	17	39	0.1
3 TIMES PER WEEK	18	33	0.1
Q3D	19	37	0.1
1 TIME PER WEEK	20	52	0.1
PRN	21	6	0.1
2 TIMES PER WEEK	22	4	0.1
4 TIMES PER WEEK	23	36	0.1
5 TIMES PER DAY	24	58	0.1
5 TIMES PER MONTH	25	59	0.1
5 TIMES PER WEEK	26	60	0.1
EVERY 4 WEEKS	27	34	0.1
EVERY 5 WEEKS	28	69	0.1
EVERY 6 WEEKS	29	68	0.1

				ONCE	30	43	0.1	
				Q3M	31	41	0.1	
				Q8H	32	29	0.1	
				UNKNOWN	33	1	0.1	
CMROUTE_CL_001	0.2			AURICULAR (OTIC)	1	1	0.1	i_14944936499435042_cmroute_001
				TOPICAL	2	101	0.1	
				INTRAMUSCULAR	3	50	0.1	
				VAGINAL	4	111	0.1	
				INTRALESIONAL	5	45	0.1	
				INTRAPLEURAL	6	55	0.1	
				RECTAL	7	92	0.1	
				CUTANEOUS	8	4	0.1	
				UNKNOWN	9	108	0.1	
				INTRA-ARTICULAR	10	20	0.1	
				TRANSDERMAL	11	102	0.1	
				RESPIRATORY (INHALATION)	12	93	0.1	
				INTRAUTERINE	13	68	0.1	
				INTRAVENOUS	14	70	0.1	
				INTRAVESICAL	15	74	0.1	
				OPHTHALMIC	16	83	0.1	
				NASAL	17	79	0.1	
				ORAL	18	84	0.1	
				SUBLINGUAL	19	99	0.1	
				INTRADERMAL	20	35	0.1	
				SUBCUTANEOUS	21	98	0.1	
				PARENTERAL	22	86	0.1	

R_SUPPCM_CONSUS_CL_001	0.1			NO	1	N	0.1	i_14944936599560620_r_suppcm_consus_001
				YES	2	Y	0.1	
R_SUPPCM_ACTTKN_CL_001	0.1			DOSE INCREASED	1	1	0.1	i_14944936609019435_r_suppcm_acttkn_001
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
R_SUPPCM_RECHAL_CL_001	0.1			POSITIVE	1	1	0.1	i_14944936717276374_r_suppcm_rechal_001
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	

Groups of Fields CM001 CONCOMITANT /PRIOR MEDICATIONS

Group RefName	Group Type	Associated Variables
IG_14944934079606116_CM01001	Non-Repeating	CMSPID_001, CMCAT_001, CMPRESP_001, CMTRT_001, CMSTDTC_001, X_CMONGO_001, CMENDTC_001, SUPPCM_CMAER_001, CMINDC_001, X_CMDSTXT_001, CMDOSU_001, CMDOSFRQ_001, CMROUTE_001, R_SUPPCM_CONSUS_001, R_AEIDCM_001, R_AEIDCM1_001, R_AEIDCM2_001, R_AEIDCM3_001, R_AEIDCM4_001, R_SUPPCM_ACTTKN_001, R_SUPPCM_RECHAL_001, CMDECOD_001, SUPPCM_CMCODE_001

Instruments

PR001 / NON-DRUG TREATMENTS

Instrument Definition

Instrument Name:	PR001
Instrument Title:	NON-DRUG TREATMENTS
SAS Instrument Name:	PR001
Description:	NON-DRUG TREATMENTS
Version:	0.44
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: PR001 <i>NON-DRUG TREATMENTS</i> (NON-DRUG TREATMENTS) [Version: 0.44]		
Section NON-DRUG TREATMENTS <i>PR001_S</i>		Permission Groups
Group of Fields PR01001 / Non-Drug Treatments Group Type: Non-Repeating	Number of variables: 18	

1.	What is the treatment Identifier? [PRSPID_001] [PRSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: [\$form_occurrence]	
2.*	Treatment: [PRTRT_001] [PRTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Records one procedure per line.	
3.*	Primary Reason for Treatment Given: [SUPPPR_PRREAS_001] [PRREAS]	[SUPPPR_PRREAS_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.*	Other, specify: [X_SUPPPR_PRRAS_001] [PRREASO] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.*	Was this Non-Drug Treatment given to treat an Adverse Event? [SUPPPR_PRAER_001] [PRAER]	[SUPPPR_PRAER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication was given to treat an adverse event, select Yes. Otherwise, select No.	

6.*	Start Date: [PRSTDTC_001] [PRSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1949; Max Year: 2028 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the treatment was first started using the format (DD-MMM-YYYY). If the treatment was given a considerable amount of time prior to the start of the study, it is acceptable to have an incomplete date. Treatments given during the study are expected to have a complete start date. Treatments given prior to the start of the study that are exclusionary should have both a start and end date.	
-----	--	---	--

7.*	Ongoing? [X_PRONGO_001] [PRONGO]	[X_PRONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the treatment as ongoing if the subject has not stopped receiving the treatment at the time of data collection, and leave the end date blank. If this field is left blank, an End Date must be provided.	
-----	--	---	--

8.*	End Date: [PRENDTC_001] [PRENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1949; Max Year: 2028 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the treatment stopped, using the format (DD- MMM-YYYY) and leave Ongoing box blank. If the treatment has not stopped leave this field blank.	
9.	Lowest Level Term [SUPPPR_PRLLT_001] [PRLLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

10.	Lowest Level Term Code [SUPPPR_PRLTCD_001] [PRLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
11.	Dictionary Derived Term [PRDECOD_001] [PRDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
12.	Preferred Term Code [SUPPPR_PRPTCD_001] [PRPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

13.	High Level Term [SUPPPR_PRHLT_001] [PRHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
14.	High Level Term Code [SUPPPR_PRHLTCD_001] [PRHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
15.	High Level Group Term [SUPPPR_PRHLGT_001] [PRHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

16.	High Level Group Term Code [SUPPPR_PRHLGTCD_001] [PRHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
17.	Primary System Organ Class [SUPPPR_PRSOC_001] [PRSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
18.	Primary System Organ Class Code [SUPPPR_PRSOCCD_001] [PRSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
Key: [*] = Item is required			

Study Object Descriptions: PR001 NON-DRUG TREATMENTS		
Type	RefName	Description
Form	CRF_14944921712126377_PR001	PR001
Item	I_14944936727100701_PRSPID_001	
Item	I_14944936746300627_PRTRT_001	
Item	I_14944936877465934_SUPPPR_PRREAS_001	
Item	I_14944936886474354_X_SUPPPR_PRREAS_001	
Item	I_14944936755297133_SUPPPR_PRAER_001	
Item	I_14944936764913239_PRSTDTC_001	
Item	I_14944936774941562_X_PRONGO_001	
Item	I_14944936783140188_PRENDTC_001	
Item	I_14944936792471799_SUPPPR_PRLLT_001	
Item	I_14944936800696197_SUPPPR_PRLTCD_001	
Item	I_14944936808988615_PRDECOD_001	
Item	I_14944936817264821_SUPPPR_PRPTCD_001	
Item	I_14944936825731877_SUPPPR_PRHLT_001	
Item	I_14944936834153681_SUPPPR_PRHLTCD_001	
Item	I_14944936842802415_SUPPPR_PRLHGT_001	
Item	I_14944936851367201_SUPPPR_PRLHGTCD_001	
Item	I_14944936860037128_SUPPPR_PRSOC_001	
Item	I_14944936869071526_SUPPPR_PRSOCCD_001	

Codelist Values Tables: PR001 NON-DRUG TREATMENTS								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPPR_PRREAS_CL_001	0.1			DISEASE PROGRESSION	1	1	0.1	i_14944936877465934_supppr_prreas_001

				PERSISTENCE OF DISEASE	2	2	0.1	
				RECURRENT DISEASE	3	3	0.1	
				UNDERLYING DISEASE	4	5	0.1	
				OTHER	5	4	0.1	
SUPPPR_PRAER_CL_001	0.1			YES	1	Y	0.1	i_14944936755297133_supppr_praer_001
				NO	2	N	0.1	
X_PRONGO_CL_001	0.1			YES	1	Y	0.1	i_14944936774941562_x_prongo_001
				NO	2	N	0.1	

Variable Validations PR001 NON-DRUG TREATMENTS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PRSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PRSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PRSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
PRENDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PRENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRENDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PRENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PR001 NON-DRUG TREATMENTS

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_14944934486665569_PR01001	Non-Repeating	PRSPID_001, PRTRT_001, SUPPPR_PRREAS_001, X_SUPPPR_PRREAS_001, SUPPPR_PRAER_001, PRSTDTC_001, X_PRONGO_001, PRENDTC_001, SUPPPR_PRLLT_001, SUPPPR_PRLLTCD_001, PRDECOD_001, SUPPPR_PRPTCD_001, SUPPPR_PRHLT_001, SUPPPR_PRHLTCD_001, SUPPPR_PRHLGT_001, SUPPPR_PRHLGTCD_001, SUPPPR_PRSOC_001, SUPPPR_PRSOCCD_001
------------------------------	---------------	---

Instruments

MH001 / GENERAL MEDICAL HISTORY

Instrument Definition

Instrument Name:	MH001
Instrument Title:	GENERAL MEDICAL HISTORY
SAS Instrument Name:	MH001
Description:	MEDHX
Version:	0.24
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: MH001 <i>GENERAL MEDICAL HISTORY</i> (MEDHX) [Version: 0.24]		
Section GENERAL MEDICAL HISTORY <i>MH001_S</i>		Permission Groups
Group of Fields MH02001 / Medical History Details Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 15	

1.	Line/MH Number: [MHSPID_001] [MHSPID]	Number Box (Integer) Max Value: 99999999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: toint32([\$row_index] + 1)	
2.*	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: [MHTERM_001] [MHTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Specify the Disease using medical terminology	

3.*	Start Date: [MHSTDTC_001] [MHSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1949; Max Year: 2028 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date using the format DD-MMM-YYYY	
4.*	Ongoing: [X_MHONGO_001] [MHONGO]	[X_MHONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" if the condition is ongoing. Note: It is expected that every reported condition should have either an End Date recorded or the Ongoing field selected but not both.	

5.*	End Date: [MHENDTC_001] [MHENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1949; Max Year: 2028 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the end date using the format DD-MMM-YYYY	
6.	Lowest Level Term [MHLLT_001] [MHLLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

7.	Lowest Level Term Code [MHLLTCD_001] [MHLLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
8.	Dictionary Derived Term [MHDECOD_001] [MHDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
9.	Preferred Term Code [MHPTCD_001] [MHPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

10.	High Level Term [MHHLT_001] [MHHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
11.	High Level Term Code [MHHLTCD_001] [MHHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
12.	High Level Group Term [MHHLGT_001] [MHHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

13.	High Level Group Term Code [MHHLGTCD_001] [MHHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
14.	Primary System Organ Class [MHSOC_001] [MHSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
15.	Primary System Organ Class Code [MHSOCCD_001] [MHSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
Key: [*] = Item is required			

Study Object Descriptions: MH001 GENERAL MEDICAL HISTORY		
Type	RefName	Description
Form	CRF_14944921951731058_MH001	MH001
Item	I_14944936897049842_MHSPID_001	
Item	I_14944936914666298_MHTERM_001	
Item	I_14944936924826624_MHSTDTC_001	
Item	I_14944936936141744_X_MHONGO_001	
Item	I_14944936946591209_MHENDTC_001	
Item	I_14944936957686999_MHLLT_001	
Item	I_14944936969055082_MHLLTCD_001	
Item	I_14944936979109095_MHDECOD_001	
Item	I_14944936989894912_MHPTCD_001	
Item	I_14944937000901832_MHHLT_001	
Item	I_14944937011358362_MHHLTCD_001	
Item	I_14944937021591459_MHHLGT_001	
Item	I_14944937031694152_MHHLGTCD_001	
Item	I_14944937043295113_MHSOC_001	
Item	I_14944937053731377_MHSOCCD_001	

Codelist Values Tables: MH001 GENERAL MEDICAL HISTORY								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_MHONGO_CL_001	0.1			YES	1	Y	0.1	i_14944936936141744_x_mhongo_001
				NO	2	N	0.1	

Variable Validations MH001 GENERAL MEDICAL HISTORY
--

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
MHSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
MHSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MHSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
MHSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
MHSTDTC_001	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
MHSTDTC_001	>=_INFORMED_CONSENT	>=	>=_INFORMED_CONSENT	Date is on or after 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
MHSTDTC_001	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.
MHSTDTC_001	>=_FIRST_DOSE	>=	>=_FIRST_DOSE	Date is on or after the first dose date. Please review and update if appropriate.
MHSTDTC_001	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.
MHSTDTC_001	>=_ENROLLMENT	>=	>=_ENROLLMENT	Date is on or after 'Enrollment Date'. Please review and update if appropriate.
MHENDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
MHENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MHENDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
MHENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields MH001 GENERAL MEDICAL HISTORY		
Group RefName	Group Type	Associated Variables
IG_14944934569067278_MH02001	Repeating	MHSPID_001, MHTERM_001, MHSTDTC_001, X_MHONGO_001, MHENDTC_001, MHLT_001, MHLTCD_001, MHDECOD_001, MHPTCD_001, MHHLT_001, MHHLTCD_001, MHHLGT_001, MHHLGTCD_001, MHSOC_001, MHSOCCD_001

Instruments

DM001 / DEMOGRAPHY

Instrument Definition

Instrument Name:	DM001
Instrument Title:	DEMOGRAPHY
SAS Instrument Name:	DM001
Description:	DEMOG
Version:	0.52
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: DM001 <i>DEMOGRAPHY</i> (DEMOG) [Version: 0.52]			
Section DEMOGRAPHY <i>DM001_S</i>			Permission Groups
	Group of Fields DM01001 / Demography Group Type: Non-Repeating	Number of variables: 19	

1.* 	Birth Year: [BRTHDTC_001] [BRTHDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1949; Max Year: 2008 Date Time Component Settings: Year* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of birth to the level of precision known (e.g., day /month/year, year, month/year, etc) in this format (DD-MMM-YYYY). Record the time of birth using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
2.* 	Sex: [SEX_001] [SEX]	[SEX_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the subject's sex (e.g., "F" (female), "M" (male)). Record the subject's SEX. Per FDA guidance, 'Sex' refers to classification, based on the subject's genetic composition. Undifferentiated is an optional value for infant subjects.	

3.* 	Ethnicity: [ETHNIC_001] [ETHNIC]	[ETHNIC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Study participants should self-report ethnicity, with ethnicity being asked before race. If the participant refuses to provide their Ethnicity, or where local laws prohibit collection of this information, record as "Not Reported".	
4.* 	Race: (Check X all that apply): [RACE_001] [RACE]	[RACE_CL_001] Checkboxes Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Study participants should self-report race, with race being asked about after ethnicity. If the participant refuses to provide their Race, or where local laws prohibit collection of this information, record as "Not Reported".	

5.* 	Has the subject previously taken part in a study involving this investigational product? [X_DMPYN_001] [DMPYN]	[X_DMPYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the subject previously participated in a study involving this investigational product. If "Yes", include the appropriate details where indicated.	
6.*	First Study Identifier: [X_DMPFSTDY_001] [DMPFSTDY] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the first study identifier for this subject.	

7.*	First Site Identifier: [X_DMPFSITE_001] [DMPFSITE] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the first site identifier for this subject.	
8.*	First Subject Identifier: [X_DMPFSUBJ_001] [DMPFSUBJ] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the subject's first identifier.	

9.* 	Has the subject previously taken part in more than one study in this drug program PF-06651600? If Yes, please provide the most recent study details: [X_DMPMYN_001] [DMPMYN] (Nested Field)	[X_DMPMYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the subject previously participated in more than one study involving this investigational product. If "Yes", include the following requested details for the most recent study.	
10.*	Most Recent Study Identifier: [X_DMPSTUDY_001] [DMPSTUDY] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the study identifier for the most recent study this subject participated in.	

11.*	Most Recent Site Identifier: [X_DMPSITE_001] [DMPSITE] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the site identifier for the most recent study this subject participated in.	
12.*	Most Recent Subject Identifier: [X_DMPSUBJ_001] [DMPSUBJ] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the subject identifier for the most recent study this subject participated in.	

13.* ✓✓	Was the subject screened previously in current study? [X_DMRYN_001] [DMRYN]	[X_DMRYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If subject has been rescreened (Y) , enter the first SITE and SUBJECT ID assigned.	
14.* ✓✓	Initial Site Identifier: [X_DMRSITE_001] [DMRSITE] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
15.* ✓✓	Initial Subject Identifier: [X_DMRSUBJ_001] [DMRSUBJ] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

16.	Derived DOB for LNR [D_LNRDTC_001] [LNRDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1949; Max Year: 2008 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Inr_dob_calculation([study][dycons_BRTHDTC_001], [study] [dycons_DSSTDTC_001_7], [study][dycons_R_AGE_001],[study] [dycons_R_AGEU_001])	Safety Query Manager (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
-----	---	--	---

17.	Latest Date in Study (Derived) [D_LASTSTDTC_001] [LASTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([DISP][SUPPDS_DSCONT_001_5])), derive_eos_date([DISP][SUPPDS_DSCONT_001_5],[DISP][DSSTDTC_001_5], [DISP][DSSTDTC_001_6], "", "", "", "", "", "", null, null), null)	Safety Query Manager (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
-----	--	---	---

18.	Last Treatment Disposition Date (Derived) [D_LTRDSDTC_001] [LTRDSDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: max(dataseries([DISP])[DSSTDTC_001_5]))	Safety Query Manager (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
-----	--	---	--

19.	Last Screening Disposition Date (Derived) [D_LSCDSDTC_001] [LSCDSDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: max(dataseries([SCR][DSSTDTC_001_4]))	Safety Query Manager (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
-----	---	--	---

Key: [*] = Item is required ☒ = Source verification required

Study Object Descriptions: DM001 DEMOGRAPHY

Type	RefName	Description
Form	CRF_14944922146981930_DM001	DM001
Item	I_14944937065218771_BRTHDTC_001	
Item	I_14944937076099226_SEX_001	
Item	I_14944937086670750_ETHNIC_001	
Item	I_14944937100031615_RACE_001	
Item	I_14944937198186394_X_DMPYN_001	
Item	I_14944937209101089_X_DMPFSTDY_001	
Item	I_14944937218845318_X_DMPFSITE_001	



Item	I_14944937227229954_X_DMPFSUBJ_001	
Item	I_14944937235414311_X_DMPMYN_001	
Item	I_14944937244516622_X_DMPSTUDY_001	
Item	I_14944937254739668_X_DMPSITE_001	
Item	I_14944937264053400_X_DMPSUBJ_001	
Item	I_14944937111994528_X_DMRYN_001	
Item	I_14944937124093489_X_DMRSITE_001	
Item	I_14944937133720500_X_DMRSUBJ_001	
Item	I_14944937272650416_D_LNRDTC_001	
Item	I_14944937142963668_D_LASTSTDTC_001	
Item	I_14944937169793327_D_LTRDSDTC_001	
Item	I_14944937184175292_D_LSCDSDTC_001	

Codelist Values Tables: DM001 DEMOGRAPHY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SEX_CL_001	0.2			FEMALE	1	F	0.1	i_14944937076099226_sex_001
				MALE	2	M	0.1	
ETHNIC_CL_001	0.1			HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN	1	HISPANIC OR LATINO	0.1	i_14944937086670750_ethnic_001
				NOT HISPANIC OR LATINO (A) OR OF SPANISH ORIGIN	2	NOT HISPANIC OR LATINO	0.1	
				NOT REPORTED	3	NOT REPORTED	0.1	
RACE_CL_001	0.1			BLACK OR AFRICAN AMERICAN	1	1	0.1	i_14944937100031615_race_001

				AMERICAN INDIAN OR ALASKA NATIVE	2	2	0.1	
				ASIAN	3	3	0.1	
				NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	4	4	0.1	
				WHITE	5	5	0.1	
				NOT REPORTED	6	6	0.1	
				UNKNOWN	7	7	0.1	
X_DMPYN_CL_001	0.1			YES	1	Y	0.1	i_14944937198186394_x_dmpyn_001
				NO	2	N	0.1	
X_DMPMYN_CL_001	0.1			YES	1	Y	0.1	i_14944937235414311_x_dmpmyn_001
				NO	2	N	0.1	
X_DMRYN_CL_001	0.1			YES	1	Y	0.1	i_14944937111994528_x_dmryn_001
				NO	2	N	0.1	

Variable Validations DM001 DEMOGRAPHY				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
BRTHDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
BRTHDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
BRTHDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
BRTHDTC_001	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
BRTHDTC_001	>=_INFORMED_CONSENT	>=	>=_INFORMED_CONSENT	Date is on or after 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
BRTHDTC_001	>=_ENROLLMENT	>=	>=_ENROLLMENT	Date is on or after 'Enrollment Date'. Please review and update if appropriate.
BRTHDTC_001	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.

BRTHDTC_001	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.
BRTHDTC_001	>=_FIRST_DOSE	>=	>=_FIRST_DOSE	Date is on or after the first dose date. Please review and update if appropriate.

Groups of Fields DM001 DEMOGRAPHY		
Group RefName	Group Type	Associated Variables
IG_14944934560069697_DM01001	Non-Repeating	BRTHDTC_001, SEX_001, ETHNIC_001, RACE_001, X_DMPYN_001, X_DMPFSTDY_001, X_DMPFSITE_001, X_DMPFSUBJ_001, X_DMPMYN_001, X_DMPSTUDY_001, X_DMPSITE_001, X_DMPSUBJ_001, X_DMRYN_001, X_DMRSITE_001, X_DMRSUBJ_001, D_LNRDTC_001, D_LASTSTDTC_001, D_LTRDSDTC_001, D_LSCDSDTC_001

Instruments

IE002 / INCLUSION/EXCLUSION CRITERIA

Instrument Definition

Instrument Name:	IE002
Instrument Title:	INCLUSION/EXCLUSION CRITERIA
SAS Instrument Name:	IE002
Description:	INEX
Version:	0.15
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: IE002 <i>INCLUSION/EXCLUSION CRITERIA</i> (INEX) [Version: 0.15]			
Section INCLUSION/EXCLUSION CRITERIA <i>IE002_S</i>			Permission Groups
	Group of Fields IE01002 / Inclusion Criteria Not Met Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

1.* ✓	Identifier of the Inclusion Criterion the subject did not meet: [IESPID_002] [IESPID]	[IESPID_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Inclusion Criterion Identifier. If an entry is made in error and no inclusion criteria were violated, delete the entry by removing all entered text, and then inactivate the blank row.	
2.	Description of the Inclusion Criterion the subject did not meet: [IETEST_002] [IETEST]	[IETEST_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Confirm the criterion description is correct.	
	Group of Fields IE02002 / Exclusion Criteria Met Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

3.* ✓	Identifier of the Exclusion Criterion the subject met: [IESPID1_002] [IESPID1]	[IESPID1_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Exclusion Criterion Identifier. If an entry is made in error and no exclusion criteria were violated, delete the entry by removing all entered text, and then inactivate the blank row.	
4.	Description of the Exclusion Criterion the subject met: [IETEST1_002] [IETEST1]	[IETEST1_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Confirm the criterion description is correct.	
Key: [*] = Item is required ✓ = Source verification required			

Study Object Descriptions: IE002 INCLUSION/EXCLUSION CRITERIA

Type	RefName	Description
Form	CRF_14944922342482361_IE002	IE002
Item	I_14944937318271904_IESPID_002	
Item	I_14944937327723375_IETEST_002	
Item	I_14944937291189323_IESPID1_002	
Item	I_14944937301503732_IETEST1_002	

Codelist Values Tables: IE002 INCLUSION/EXCLUSION CRITERIA

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
IESPID_CL_002	0.2			1	1	1	0.1	i_14944937318271904_iespid_002
				2a	2	2	0.1	
				2b	3	3	0.1	
				2c	4	4	0.1	
				2d	5	5	0.1	
IETEST_CL_002	0.3			Male or female participants aged ≥ 18 to ≤ 75 years of age. Participants must be at least 18 years of age, at the time of signing the informed consent.	1	0_1	0.1	i_14944937327723375_ietest_002
				Participants with moderate to severe HS for at least 6 months prior to Visit 1. Must have HS lesions present in at least 2 distinct anatomic areas (HSII or HSIII) at both the Screening & BL visits.	2	0_2	0.1	
				Study participants must have moderate to severe HS defined as a total of ≥ 5 inflammatory lesions (ie, number of abscesses plus number of inflammatory nodules) at both the Screening and BL visits.	3	0_3	0.1	

				Inadequate response to at least 4-week (28 days) treatment with oral antibiotics for the treatment of HS at the Screening Visit, as defined in protocol Inclusion criteria #2c.	4	0_4	0.1	
				Anti-TNF- α , IL-17 inhibitor, or IL-23 inhibitor naive; or Have been exposed to a single anti-TNF- α , a single IL-17, or a single IL-23 inhibitor treatment, as defined in protocol Inclusion #2d.	5	0_5	0.1	
IESPID1_CL_002	0.2			1	1	1	0.1	i_14944937291189323_iespid1_002
				2	2	2	0.1	
				3	3	3	0.1	
				4	4	4	0.1	
				5	5	5	0.1	
				6	6	6	0.1	
				7	7	7	0.1	
				8	8	8	0.1	
				9	9	9	0.1	
				10	10	10	0.1	
				11	11	11	0.1	
				12	12	12	0.1	
				13	13	13	0.1	
IETEST1_CL_002	0.3			Presence of ≥ 20 draining fistulae at Screening or BL visit	1	0_1	0.1	i_14944937301503732_ietest1_002

Evidence of other active skin disease or condition (eg, bacterial, fungal, or viral infection) at the time of screening or BL visit that would interfere with the evaluation of HS.	2	0_2	0.1
Have known immunodeficiency disorder or first-degree relative with a hereditary immunodeficiency (unless known negative carrier status) or have had a splenectomy, as defined in protocol Exclusion #3.	3	0_3	0.1
General Infection History, as defined in protocol exclusion criteria #4.	4	0_4	0.1
Specific Viral Infection History, as defined in protocol exclusion criteria #5	5	0_5	0.1
Other Medical Conditions, as defined in protocol exclusion criteria #6	6	0_6	0.1
Any medical or psychiatric condition including any active suicidal ideation in past year or suicidal behavior in the past 5 years, as defined in protocol exclusion criteria #7.	7	0_7	0.1
Prior exposure to any JAK inhibitor or BTK inhibitor for any condition, including HS.	8	0_8	0.1

			Current or prior use of any prohibited concomitant medication (s), vaccine(s), or therapies(s) within the timeframes outlined in Section 5.3.2, Section 6.9, and Section 10.9.2.	9	0_9	0.1
			Participation in an investigational product or device study within 8 weeks or for IP, 5 half-lives preceding first dose of study intervention, as defined in protocol exclusion criteria #10.	10	0_10	0.1
			Abnormalities in laboratory values at Screening, as defined in protocol exclusion criteria #11.	11	0_11	0.1
			Screening standard 12-lead ECG that demonstrates clinically relevant abnormalities that may affect participant safety or interpretation of study results, as defined in protocol exclusion criteria #12.	12	0_12	0.1
			Site staff directly involved in the study and their family, site staff supervised by the investigator, sponsor and sponsor delegate employees directly involved in the study and their family members.	13	0_13	0.1

Groups of Fields IE002 INCLUSION/EXCLUSION CRITERIA

Group RefName	Group Type	Associated Variables
IG_14944934214127014_IE01002	Repeating	IESPID_002, IETEST_002
IG_14944934533308919_IE02002	Repeating	IESPID1_002, IETEST1_002

Instruments

AE001 / ADVERSE EVENT REPORT

Instrument Definition

Instrument Name:	AE001
Instrument Title:	ADVERSE EVENT REPORT
SAS Instrument Name:	AE001
Description:	AE
Version:	0.105
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: AE001 ADVERSE EVENT REPORT (AE) [Version: 0.105]		
Section ADVERSE EVENT REPORT AE001_S		Permission Groups
Group of Fields AE01001 / Adverse Event Report Group Type: Non-Repeating	Number of variables: 39	

1.	Category: [AECAT_001] [AECAT]	[AECAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: Record the "Category" for this adverse event.	
2.	AE ID: [AESPID_001] [AESPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: [\$form_occurrence] Help/Info Text: Record unique identifier for each adverse event for this subject.	
3.* ✓✓	Adverse Event: (If possible specify diagnosis, not individual symptoms): [AETERM_001] [AETERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Help/Info Text: Record the Adverse Event in the space provided. Record only one adverse event term per module, for example, "pain in chest and neck" should be recorded as two separate events "pain in chest" and "pain in neck". When recording adverse event use appropriate medical terminology. Terminology must be consistent for duration of event and for reoccurrence of same event. Terminology must also be consistent throughout the CRF and in references in SAE reports. Do not use abbreviations. Avoid ambiguous terminology. For example, COLD is no longer an accepted term since it can be interpreted as "feeling cold", "common cold", or "chronic obstructive lung disease". When listing an adverse event, record diagnosis not symptom. Record symptom(s) only if a diagnosis cannot be made. If symptom(s) are recorded and subsequently a diagnosis is made, the diagnosis should be captured as a separate adverse event. Symptoms already entered on the CRF that are attributed to the diagnosis should not be removed from the CRF but should be followed until resolved or until end of study as defined per protocol. NOTE: Date of onset of diagnosis is to be decided by the investigator. This may or may not coincide with date of onset of the first symptom. SPECIFIC GUIDANCE FOR MOTOR VEHICLE ACCIDENTS OR FALLS: Motor vehicle accidents should be recorded as adverse events when the subject is the operator of the vehicle, even if an injury did not result. When a motor vehicle accident results in an injury, both the injury and the motor vehicle accident should be recorded as adverse events. When recording a MVA, the subjects should be identified in the investigator/verbatim text as the driver. A motor vehicle is defined as any mechanically or electrically powered device not operated on rails and includes (but is not limited to) cars, trucks, vans, motorcycles, and off-roads vehicles. Boating accidents occurring where the subject is the operator of a boat operating under power should also be reported regard

4.* 	Start Date: [AESTDTC_001] [AESTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Start Date of the adverse event using the format (DD-MMM-YYYY). If the actual date is unknown, record an approximate date. When recording the Start Date for an objective test abnormality, record the date of test as the Start Date. If appropriate, record the time (as complete as possible) when the adverse event started, using the 24-hour clock. If the actual time is unknown, record an approximate time. When recording the start time for an objective test abnormality, record the time the sample was drawn or the time the test was performed.	
---	---	---	--

5.*	Is the adverse event still ongoing? [X_AEONGO_001] [AEONGO]	[X_AEONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No", if the adverse event has not resolved at the time of data collection; leave the End Date blank.	
6.*	End Date: [AEENDTC_001] [AEENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date that the AE resolved using this format (DD-MMM-YYYY). If the AE is ongoing, leave the field blank. If appropriate, record the time (as complete as possible) when the adverse event resolved, using the 24-hour clock. If the actual time is unknown, record an approximate time.	

7.*	Date Site Aware of AE <i>[Branching logic expression: [D_AEReport_001]='Y']</i> [SUPPAE_AESAWDTC_001] [AESAWDAT] [Hidden]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.*	Was this adverse event reported at a scheduled study visit/scheduled telephone call? [SUPPAE_AERSCH_001] [AERSCH]	[SUPPAE_AERSCH_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this AE was reported at a scheduled study visit/scheduled telephone call.	

9.* 	Severity: [AESEV_001] [AESEV]	[AESEV_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the severity of the adverse event: "Mild", "Moderate" or "Severe". IMPORTANT: If there is a marked change in severity, the event with the initial severity is treated as if it has ended. The event with the new severity will be recorded using the same medical term and new onset date. The new onset date can be the same but not prior to the resolve date of the initial severity. If the adverse event was recorded as intermittent, record the maximum severity. EXCEPTION: If, due to frequent changes of severity, it is not possible to retrieve this information and/or if the program requirements are such that it is not necessary to capture the date the severity changed, then update the completion guidelines to read: If there is a change in severity, record the adverse event as a single adverse event with the maximum severity recorded. For example, if subject experiences headaches that range from 'mild' to 'severe' for 4 days, then the headache should be recorded as a single event of 4-days duration, and the severity should be recorded as "Severe".	
10.* 	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [AESER_001] [AESER]	[AESER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if an adverse event should be classified as serious based on the 'serious' criteria defined in the protocol.	

11.* ✓✓	Is this serious event associated with congenital anomaly or birth defect? [AESCONG_001] [AESCONG] (Nested Field)	[AESCONG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this serious event is associated with a congenital anomaly or birth defect.	
12.* ✓✓	Did this serious event result in death? [AESDTH_001] [AESDTH] (Nested Field)	[AESDTH_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this serious event has resulted in death.	
13.* ✓✓	Did this serious event require or prolong hospitalization? [AESHOSP_001] [AESHOSP] (Nested Field)	[AESHOSP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "YES" or "NO" if this serious event require or prolong hospitalization.	

14.	Hospital Admission Date: [D_SAEADMITDTC_001] [SAEADMIT] [Hidden] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject was admitted to the hospital using this format (DD-MMM-YYYY)	
-----	---	---	--

15.	Hospital Discharge Date: [D_SAEDISCHDTC_001] [SAEDISCH] [Hidden] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject was discharged from the hospital using this format (DD-MMM-YYYY). If the subject is still hospitalized, leave this field blank.	
16.* ✓	Did this serious event result in persistent or significant disability/incapacity? [AESDISAB_001] [AESDISAB] (Nested Field)	[AESDISAB_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this serious event has resulted in persistent or significant disability/incapacity.	

17.* ✓	Is this serious event life threatening? [AESLIFE_001] [AESLIFE] (Nested Field)	[AESLIFE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
18.* ✓	Other Medically Important Serious Event [AESMIE_001] [AESMIE] (Nested Field)	[AESMIE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
19.	Is this Adverse Event Reportable? (This could be either a Serious Adverse Event or a reportable Non-serious Adverse Event) [D_AEREPORT_001] [AEREPORT] [Hidden]	[D_AEREPORT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

20.* 	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [SUPPAE_AEMERES_001] [AERME]	[SUPPAE_AEMERES_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the adverse event was the result of a study/background medication error.	
21.* 	Is this event related to study treatment: [AEREL_001] [AEREL]	[AEREL_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Assess if this adverse event is related to study treatment.	

22.*	If Not Related to study treatment(s), this event is due to: [AERELNST_001] [AERELNST] (Nested Field)	[AERELNST_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the adverse event is determined not to be related to study treatment, please indicate what this event is due to by selecting from the list provided. If "OTHER" is selected, specify the details in the space provided. If this event is determined to be related to Auxiliary Medicines <insert study specific requirements/drug names> please select 'Auxiliary Medicinal Product' and record this medication on the Concomitant Medication form with a subcategory of 'Auxiliary Medicinal Product'.	
23.*	If Other, specify: [SUPPAE_AERELTXT_001] [AERELT] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record all other reason(s) this adverse event that are unrelated to study treatment.	

24.* 	Latest Action Taken with Study Treatment: [AEACN_001] [AEACN]	[AEACN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record changes made to the study treatment resulting from the adverse event.	
25.* 	Was a Concomitant Medication given? If yes, record on the Concomitant Medications page. [SUPPAE_AECMGIV_001] [AECMGIV]	[SUPPAE_AECMGIV_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Was a Concomitant Medication given? If yes, record on the Concomitant Medications page	
26.* 	Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page. [SUPPAE_AENDGIV_001] [AENDGIV]	[SUPPAE_AENDGIV_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page	

27.* ✓✓	What was the outcome of this adverse event? [AEOUT_001] [AEOUT]	[AEOUT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the appropriate outcome of the event in relation to the subject's status.	
28.* ✓✓	Did the adverse event cause the subject to be discontinued from the study? [SUPPAE_AESUBJDC_001] [AEDIS]	[SUPPAE_AESUBJDC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No", if the AE caused the subject to discontinue from the study.	
29.	Previous ID: [D_PREVID_001] [AEPREVID] [Hidden]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

30.	Lowest Level Term [AELLT_001] [AELLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
31.	Lowest Level Term Code [AELLTCD_001] [AELLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
32.	Dictionary Derived Term [AEDECOD_001] [AEDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

33.	Preferred Term Code [AEPTCD_001] [AEPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
34.	High Level Term [AEHLT_001] [AEHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
35.	High Level Term Code [AEHLTCD_001] [AEHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

36.	High Level Group Term [AEHLGT_001] [AEHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
37.	High Level Group Term Code [AEHLGTCD_001] [AEHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
38.	Primary System Organ Class [AESOC_001] [AESOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

39.	Primary System Organ Class Code [AESOCCD_001] [AESOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
	Group of Fields AE02001 / Safety Information Group Type: Non-Repeating	Number of variables: 10	
40.*	Case ID: [D_CASEID_001] [AECASEID]	Dynamic List Expression Active: Disabled Derived Codelist Expression: safety_cases([AESER_001] = 'Y' OR [D_AEREPORT_001] = 'Y') Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

41.*	Country in which the event occurred: [D_SAE_COUNTRY1_001] [AECNTRY]	[D_SAE_COUNTRY_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the country where the participant was when the event occurred. Please note that this country may be different from the location of a study site if, for example, the participant was on vacation in another country when the event occurred.	
42.*	What was the result of re-challenge for Study Treatment? [D_RECHALAE_001] [AERECHL]	[D_RECHALAE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the study treatment was re-introduced. Positive Re-challenge: When the study treatment was reintroduced and the AE reappeared Negative Re-challenge: When the study treatment was reintroduced and the AE did not reappear Not Applicable: When the study treatment was not re-introduced Unknown: When the study treatment was reintroduced, but the result of re-challenge was unknown	

43.*	Is there a reasonable possibility that the event is related to a Clinical Trial Procedure? [D_CTPROYN1_001] [AERELCTP]	[D_CTPROYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
44.*	Clinical Trial Procedure [D_CTPROCEDURE1_001] [AECTP] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
45.*	Did the subject experience any signs or symptoms associated with this event prior to the Start Date of this event, even if non-serious at the time? [D_SAEAEOST_001] [SAEAEOST]	[D_SAEAEOST_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

46.*	If yes, enter the date the subject first experienced a sign or symptom associated with this event? [D_SAEAESTDTC_001] [SAEAESTD] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Start Date of the first sign or symptom associated with this event in the format (DD-MMM-YYYY).	
47.*	Did the subject experience any signs or symptoms associated with this event after the End Date of this event, even if non-serious at the time? [D_SAEAEOUTYN_001] [AENSSYMP]	[D_SAEAEOUTYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "YES" or "NO" if the subject experienced any signs or symptoms associated with this event after the End Date of this event even if non-serious at the time	

48.*	If yes, enter the outcome of the last sign or symptom associated with this event [D_SAEAEOUT_001] [AEFOUTS] (Nested Field)	[D_SAEAEOUT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record final outcome of the last sign or symptom associated with this event	
49.*	If yes, enter the date the subject last experienced a sign or symptom associated with this event [Branching logic expression: [D_SAEAEOUT_001] = '1' or [D_SAEAEOUT_001] = '3' OR [D_SAEAEOUT_001] = '4'] [D_SAEAEOUTDTC_001] [AESYMPDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record date the subject last experienced a sign or symptom associated with this event in the format (DD-MMM-YYYY)	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: AE001 ADVERSE EVENT REPORT

Type	RefName	Description
Form	CRF_14944922537100579_AE001	AE001
Item	I_14944937344496462_AECAT_001	
Item	I_14944937353896159_AESPID_001	
Item	I_14944937369210026_AETERM_001	
Item	I_14944937378612627_AESTDTC_001	
Item	I_14944937390402699_X_AEONGO_001	
Item	I_14944937401090326_AEENDTC_001	
Item	I_14944937411304100_SUPPAE_AESAWDTC_001	
Item	I_14944937425109665_SUPPAE_AERSCH_001	
Item	I_14944937433710776_AESEV_001	
Item	I_14944937666246088_AESER_001	
Item	I_14944937676536202_AESCONG_001	
Item	I_14944937697878602_AESDTH_001	
Item	I_14944937708161053_AESHOSP_001	
Item	I_14944937716214999_D_SAEADMITDTC_001	
Item	I_14944937725917062_D_SAEDISCHDTC_001	
Item	I_14944937686766912_AESDISAB_001	
Item	I_14944937734370292_AESLIFE_001	
Item	I_14944937744371562_AESMIE_001	
Item	I_14944937535303459_D_AEREPOR_001	
Item	I_14944937444826142_SUPPAE_AEMERES_001	
Item	I_14944937453688454_AEREL_001	
Item	I_14944937465299229_AERELNST_001	
Item	I_14944937474455628_SUPPAE_AERELTXT_001	

Item	I_14944937483490550_AEACN_001	
Item	I_14944937492649575_SUPPAE_AECMGIV_001	
Item	I_14944937503597090_SUPPAE_AENDGIV_001	
Item	I_14944937514686980_AEOUT_001	
Item	I_14944937524382159_SUPPAE_AESUBJDC_001	
Item	I_14944937546602406_D_PREVID_001	
Item	I_14944937557901190_AELLT_001	
Item	I_14944937569477150_AELLTCD_001	
Item	I_14944937581318980_AEDECOD_001	
Item	I_14944937592315463_AEPTCD_001	
Item	I_14944937602216204_AEHLT_001	
Item	I_14944937613486155_AEHLTCD_001	
Item	I_14944937623479663_AEHLGT_001	
Item	I_14944937633872235_AEHLGTCD_001	
Item	I_14944937644839343_AESOC_001	
Item	I_14944937655291599_AESOCCD_001	
Item	I_14944937752283559_D_CASEID_001	
Item	I_14944937820171957_D_SAEACOUNTRY1_001	
Item	I_14944937765871533_D_RECHALAE_001	
Item	I_14944937831135890_D_CTPROYN1_001	
Item	I_14944937840441261_D_CTPROCEDURE1_001	
Item	I_14944937774696577_D_SAEAEOST_001	
Item	I_14944937783619098_D_SAEAESTDTC_001	
Item	I_14944937792409780_D_SAEAEOUTYN_001	
Item	I_14944937811105051_D_SAEAEOUT_001	
Item	I_14944937801148777_D_SAEAEOUTDTC_001	

Codelist Values Tables: AE001 ADVERSE EVENT REPORT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
AECAT_CL_001	0.2			ADVERSE EVENT	1	1	0.1	i_14944937344496462_aecat_001
X_AEONGO_CL_001	0.1			NO	1	N	0.1	i_14944937390402699_x_aeongo_001
				YES	2	Y	0.1	
SUPPAE_AERSCH_CL_001	0.1			YES	1	Y	0.1	i_14944937425109665_suppaе_aersch_001
				NO	2	N	0.1	
AESEV_CL_001	0.1			MILD	1	1	0.1	i_14944937433710776_aesev_001
				MODERATE	2	2	0.1	
				SEVERE	3	3	0.1	
AESER_CL_001	0.1			YES	1	Y	0.1	i_14944937666246088_aeser_001
				NO	2	N	0.1	
AESCONG_CL_001	0.1			YES	1	Y	0.1	i_14944937676536202_aescong_001
				NO	2	N	0.1	
AESDTH_CL_001	0.1			YES	1	Y	0.1	i_14944937697878602_aesdth_001
				NO	2	N	0.1	
AESHOSP_CL_001	0.1			YES	1	Y	0.1	i_14944937708161053_aeshosp_001
				NO	2	N	0.1	
AESDISAB_CL_001	0.1			YES	1	Y	0.1	i_14944937686766912_aesdisab_001
				NO	2	N	0.1	
AESLIFE_CL_001	0.1			YES	1	Y	0.1	i_14944937734370292_aeslife_001
				NO	2	N	0.1	
AESMIE_CL_001	0.1			YES	1	Y	0.1	i_14944937744371562_aesmie_001
				NO	2	N	0.1	
D_AEREPORT_CL_001	0.1			NO	1	N	0.1	i_14944937535303459_d_aereport_001

				YES	2	Y	0.1	
SUPPAE_AEMERES_CL_001	0.1			YES	1	Y	0.1	i_14944937444826142_suppaе_aemeres_001
				NO	2	N	0.1	
AEREL_CL_001	0.1			NOT RELATED	1	1	0.1	i_14944937453688454_aerel_001
				RELATED	2	2	0.1	
AERELNST_CL_001	0.1			CONCOMITANT DRUG TREATMENT	1	1	0.1	i_14944937465299229_aerelnst_001
				CONCOMITANT NON-DRUG TREATMENT	2	2	0.1	
				OTHER	3	3	0.1	
AEACN_CL_001	0.2			DOSE NOT CHANGED	1	2	0.1	i_14944937483490550_aeacn_001
				DRUG INTERRUPTED	2	4	0.1	
				DRUG WITHDRAWN	3	5	0.1	
				NOT APPLICABLE	4	6	0.1	
				UNKNOWN	5	7	0.1	
SUPPAE_AECMGIV_CL_001	0.1			YES	1	Y	0.1	i_14944937492649575_suppaе_aecmgiv_001
				NO	2	N	0.1	
SUPPAE_AENDGIV_CL_001	0.1			YES	1	Y	0.1	i_14944937503597090_suppaе_aendgiv_001
				NO	2	N	0.1	
AEOUT_CL_001	0.1			FATAL	1	1	0.1	i_14944937514686980_aeout_001
				NOT RECOVERED/NOT RESOLVED	2	2	0.1	
				RECOVERED/RESOLVED	3	3	0.1	
				RECOVERED/RESOLVED WITH SEQUELAE	4	4	0.1	
				RECOVERING /RESOLVING	5	5	0.1	
				UNKNOWN	6	6	0.1	

SUPPAE_AESUBJDC_CL_001	0.1			YES	1	Y	0.1	i_14944937524382159_suppaes_aesubjdc_001
				NO	2	N	0.1	
D_SAE_COUNTRY_CL_001	0.1			UNITED STATES	1	245	0.1	i_14944937820171957_d_saecountry1_001
D_RECHALAE_CL_001	0.1			POSITIVE	1	1	0.1	i_14944937765871533_d_rechalaes_001
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	
D_CTPROYN_CL_001	0.1			NO	1	N	0.1	i_14944937831135890_d_ctproyn1_001
				YES	2	Y	0.1	
D_SAEAEOST_CL_001	0.1			YES	1	Y	0.1	i_14944937774696577_d_saeaeost_001
				NO	2	N	0.1	
D_SAEAEOUTYN_CL_001	0.1			NO	1	N	0.1	i_14944937792409780_d_saeaeoutyn_001
				YES	2	Y	0.1	
D_SAEAEOUT_CL_001	0.1			FATAL	1	1	0.1	i_14944937811105051_d_saeaeout_001
				NOT RECOVERED/NOT RESOLVED	2	2	0.1	
				RECOVERED/RESOLVED	3	3	0.1	
				RECOVERED/RESOLVED WITH SEQUELAE	4	4	0.1	
				RECOVERING /RESOLVING	5	5	0.1	
				UNKNOWN	6	6	0.1	

Variable Validations AE001 ADVERSE EVENT REPORT				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AESTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AESTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

AESTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AESTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AESTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AEENDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AEENDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AEENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AEENDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AEENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEADMITDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEADMITDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEADMITDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEADMITDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEADMITDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

D_SAEDISCHDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEDISCHDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEDISCHDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEDISCHDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEDISCHDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEAESTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEAESTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEAESTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEAESTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEAESTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEAEOUTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEAEOUTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEAEOUTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEAEOUTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEAEOUTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields AE001 ADVERSE EVENT REPORT

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_14944934071686824_AE01001	Non-Repeating	AECAT_001, AESPID_001, AETERM_001, AESTDTC_001, X_AEONGO_001, AEENDTC_001, SUPPAE_AESAWDTC_001, SUPPAE_AERSCH_001, AESEV_001, AESER_001, AESCONG_001, AESDTH_001, AESHOSP_001, D_SAEADMITDTC_001, D_SAEISCHDTC_001, AESDISAB_001, AESLIFE_001, AESMIE_001, D_AEREPOR_001, SUPPAE_AEMERES_001, AEREL_001, AERELNST_001, SUPPAE_AERELTXT_001, AEACN_001, SUPPAE_AECMGIV_001, SUPPAE_AENDGIV_001, AEOUT_001, SUPPAE_AESUBJDC_001, D_PREVID_001, AELLT_001, AELLTCD_001, AEDECOD_001, AEPTCD_001, AEHLT_001, AEHLTCD_001, AEHLGT_001, AEHLGTCD_001, AESOC_001, AESOCCD_001
IG_14944934256626658_AE02001	Non-Repeating	D_CASEID_001, D_SAEACOUNTRY1_001, D_RECHALAE_001, D_CTPROYN1_001, D_CTPROCEDURE1_001, D_SAEAEOST_001, D_SAEAESTDTC_001, D_SAEAEOUTYN_001, D_SAEAEOUT_001, D_SAEAEOUTDTC_001

Instruments

DS001_5 / DISPOSITION - TREATMENT

Instrument Definition

Instrument Name:	DS001_5
Instrument Title:	DISPOSITION - TREATMENT
SAS Instrument Name:	DS001_5
Description:	DISP TRT
Version:	0.25
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: DS001_5 DISPOSITION - TREATMENT (DISP TRT) [Version: 0.25]		
Section DISPOSITION - TREATMENT DS001_5_S		Permission Groups
Group of Fields DS01001_5 / Disposition - Treatment Group Type: Non-Repeating	Number of variables: 6	

1.* 	Date of Completion/Discontinuation/Death: [DSSTDTC_001_5] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date using the format (DD-MMM-YYYY). Partial dates are permitted only when the Status of the subject is DEATH	
2.	Phase of Disposition: [SUPPDS_DSPHASE_001_5] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 6 Help/Info Text: Record the disposition phase the subject completed or discontinued.	

3.* 	Status: [DSDECOD_001_5] [DSDECOD]	[DSDECOD_CL_001_5] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Always Avoid Abbreviations. See "Completion Guidelines for Subject's Status in Disposition Events eCRF" document in the "Artifacts" section at the Dataset level for full instructions.	
4.* 	Specify Status: <i>[Branching logic expression: [DSDECOD_001_5]='7' or [DSDECOD_001_5]='16']</i> [DSTERM_001_5] [DSTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Document the subject's status at TREATMENT phase. If the subject discontinued prematurely, record the primary reason for discontinuation from the "Status" list. If "Other", "Withdrawal By Subject" or "Withdrawal By Parent/Guardian" is selected from the "Status" list, then provide the reason on the "Specify Status" line. Avoid abbreviations.	

5.* ✓	Will the subject continue to the next phase of this study? [SUPPDS_DSCONT_001_5] [DSCONT]	[SUPPDS_DSCONT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the subject will be continuing to the next phase of this study.	
6.	If Yes, next phase: [SUPPDS_DSNEXT_001_5] [DSNEXT] (Nested Field)	[SUPPDS_DSNEXT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: Record the next study phase the subject will continue to.	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: DS001_5 DISPOSITION - TREATMENT		
Type	RefName	Description
Form	CRF_14944922738946440_DS001_5	DS001_5
Item	I_14944937849757127_DSSTDTC_001_5	
Item	I_14944937859041279_SUPPDS_DSPHASE_001_5	
Item	I_14944937870379349_DSDECOD_001_5	
Item	I_14944937878809876_DSTERM_001_5	

Item	I_14944937891332105_SUPPDS_DSCONT_001_5	
Item	I_14944937900854805_SUPPDS_DSNEXT_001_5	

Codelist Values Tables: DS001_5 DISPOSITION - TREATMENT								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSPHASE_CL_001_5	0.2			BLINDED TREATMENT	1	6	0.1	i_14944937859041279_suppbs_dsphase_001_5
DSDECOD_CL_001_5	0.3			ADVERSE EVENT	1	1	0.1	i_14944937870379349_dsdecod_001_5
				COMPLETED	2	2	0.1	
				DEATH	3	3	0.1	
				OTHER	4	7	0.1	
				PHYSICIAN DECISION	5	8	0.1	
				PREGNANCY	6	9	0.1	
				STUDY TERMINATED BY SPONSOR	7	14	0.1	
				WITHDRAWAL BY SUBJECT	8	16	0.1	
				LOST TO FOLLOW-UP	9	5	0.1	
				LACK OF EFFICACY	10	4	0.1	
				PROTOCOL DEVIATION	11	11	0.1	
SUPPDS_DSCONT_CL_001_5	0.1			YES	1	Y	0.1	i_14944937891332105_suppbs_dscont_001_5
				NO	2	N	0.1	
SUPPDS_DSNEXT_CL_001_5	0.3			FOLLOW-UP	1	1	0.1	i_14944937900854805_suppbs_dsnnext_001_5

Variable Validations DS001_5 DISPOSITION - TREATMENT				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text

DSSTDTC_001_5	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_5	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001_5	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_5	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
DSSTDTC_001_5	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_5	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_5	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_5	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_5 DISPOSITION - TREATMENT

Group RefName	Group Type	Associated Variables
IG_14944934551066963_DS01001_5	Non-Repeating	DSSTDTC_001_5, SUPPDS_DSPHASE_001_5, DSDECOD_001_5, DSTERM_001_5, SUPPDS_DSCONT_001_5, SUPPDS_DSNEXT_001_5

Instruments

VS001 / VITAL SIGNS

Instrument Definition

Instrument Name:	VS001
Instrument Title:	VITAL SIGNS
SAS Instrument Name:	VS001
Description:	VITALS
Version:	0.55
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: VS001 VITAL SIGNS (VITALS) [Version: 0.55]			
Section VITAL SIGNS VS001_S			Permission Groups
	Group of Fields VS01001 / Vital Signs - I Group Type: Non-Repeating	Number of variables: 1	

1.* 	Date: [VSDTC_001] [VSDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of the measurement using this format (DD- MMM-YYYY). NO partial dates allowed. Record the time of the measurement using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
	Group of Fields VS02001 / Vital Signs - II Group Type: Fixed Repeating	Number of rows: 1	

2.	Record Identifier: [VSSPID_001] [VSSPID] Row 1 (Locked): 1 - 1	[VSSPID_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: When multiple measurements of a test are performed at the same visit (e.g., triplicate BP measurements), be sure to enter the test and time taken with corresponding result in the order in which they were performed.	
3.* ✓	Systolic BP in mmHg: [VSORRES_SYSBP_001] [SYSBP]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value of the systolic blood pressure.	

4.* ✓	Diastolic BP in mmHg: [VSORRES_DIABP_001] [DIABP]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the numeric value of the diastolic blood pressure.	
5.* ✓	Pulse in beats/minute: [VSORRES_PULSE_001] [PULSE]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value of pulse rate (beats/minute).	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: VS001 VITAL SIGNS		
Type	RefName	Description
Form	CRF_14944922971885560_VS001	VS001
Item	I_14944937910964087_VSDTC_001	
Item	I_14944937920922108_VSSPID_001	
Item	I_14944937930532594_VSORRES_SYSBP_001	
Item	I_14944937939120921_VSORRES_DIABP_001	

Item	I_14944937947662282_VSORRES_PULSE_001	
------	---------------------------------------	--

Codelist Values Tables: VS001 VITAL SIGNS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
VSSPID_CL_001	0.2			1	1	1	0.1	i_14944937920922108_vsspid_001

Variable Validations VS001 VITAL SIGNS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
VSDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
VSDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
VSDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
VSDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
VSDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields VS001 VITAL SIGNS

Group RefName	Group Type	Associated Variables
IG_14944934737868550_VS01001	Non-Repeating	VSDTC_001
IG_14944934727357333_VS02001	Fixed Repeating	VSSPID_001, VSORRES_SYSBP_001, VSORRES_DIABP_001, VSORRES_PULSE_001

Instruments

LB001_8 / LOCAL LABORATORY DATA - CLINICAL CHEMISTRY

Instrument Definition

Instrument Name:	LB001_8
Instrument Title:	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY
SAS Instrument Name:	LB001_8
Description:	LAB CHEM
Version:	0.20
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: LB001_8 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY (LAB CHEM) [Version: 0.20]		
Section LOCAL LABORATORY DATA - CLINICAL CHEMISTRY LB001_S_8		Permission Groups
Group of Fields LB01001_8 / LABORATORY DATA - CHEMISTRY Group Type: Non-Repeating	Number of variables: 4	

1.	Lab Panel: [LBCAT_001_8] [LBCAT]	[LBCAT_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 2	
2.	Specimen Type: [LBSPEC_001_8] [LBSPEC]	[LBSPEC_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7 Help/Info Text: Record the Specimen Type if not pre-printed on the CRF.	

3.* 	Collection Date: [LBDTC_001_8] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Enabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using this format (DD-MMM-YYYY). Record time of collection (as complete as possible).	
4.*	Fasting? [LBFAST_001_8] [LBFAST]	[LBFAST_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the fasting status of the subject.	
	Group of Fields LB02001_8 / LAB RESULT Group Type: Fixed Repeating	Number of rows: 21	

5.	Lab Test [LBTEST_001_8] Analyte: Chloride_PX56 (Chloride) Analyte: Cholesterol_PX1478 (Cholesterol) Analyte: Triglycerides_PX1479 (Triglycerides) Analyte: LDL Cholesterol_PX172 (LDL Cholesterol) Analyte: HDL Cholesterol_PX173 (HDL Cholesterol) Analyte: Cystatin C_PX1789 (Cystatin C) Analyte: Bilirubin_PX21 (Bilirubin) Analyte: Direct Bilirubin_PX22 (Direct Bilirubin) Analyte: Aspartate Aminotransferase_PX28 (Aspartate Aminotransferase) Analyte: Creatine Kinase_PX29 (Creatine Kinase) Analyte: Alanine Aminotransferase_PX30 (Alanine Aminotransferase) Analyte: Alkaline Phosphatase_PX35 (Alkaline Phosphatase) Analyte: Urea_PX46 (Urea) Analyte: Urea Nitrogen_PX47 (Urea Nitrogen) Analyte: Creatinine_PX48 (Creatinine) Analyte: Sodium_PX54 (Sodium) Analyte: Potassium_PX55 (Potassium) Analyte: Bicarbonate_PX57 (Bicarbonate) Analyte: Calcium_PX58 (Calcium) Analyte: Glucose_PX68 (Glucose) Analyte: GFR from Creatinine Adjusted for BSA_PX7869 (GFR from Creatinine Adjusted for BSA)	Text Box Variable Width: 420 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
6. ✓	Lab Result [LBORRES_001_8]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7. ✓	Not Done [LBSTAT_001_8]	[ND] Radio Buttons Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.	Unit [LBORRESU_001_8]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
9.	Low Range [LBORNRL0_001_8]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

10.	High Range [LBORNRHI_001_8]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
11.	Status [LBFLAG_001_8]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
12. ✓	Clinical Significance [LBCLSIG_001_8]	Text Box Variable Width: 250 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

13. ✓	Comment [CO_LBCOM_001_8]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
----------	---	--	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: LB001_8 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY		
Type	RefName	Description
Form	CRF_14944923171191393_LB001_8	LB001_8
Item	I_14944938136820431_LBCAT_001_8	
Item	I_14944938147125922_LBSPEC_001_8	
Item	I_14944938156297131_LBDTC_001_8	
Item	I_14944938166604788_LBFAST_001_8	
Item	I_14944937957516599_LBTEST_001_8	
Item	I_14944938067036287_LBORRES_001_8	
Item	I_14944938127724373_LBSTAT_001_8	
Item	I_14944938075701282_LBORRESU_001_8	
Item	I_14944938085030981_LBORNRO_001_8	
Item	I_14944938093697741_LBORNRI_001_8	
Item	I_14944938102073023_LBFLAG_001_8	
Item	I_14944938110636308_LBCLSIG_001_8	
Item	I_14944938119075598_CO_LBCOM_001_8	

Codelist Values Tables: LB001_8 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_8	0.1			CLINICAL CHEMISTRY	1	2	0.1	i_14944938136820431_lbcat_001_8
LBSPEC_CL_001_8	0.2			BLOOD	1	7	0.1	i_14944938147125922_lbspec_001_8
LBFASCT_CL_001_8	0.1			NO	1	N	0.1	i_14944938166604788_lbfasc_001_8
				YES	2	Y	0.1	
ND	0.4			NOT DONE	1	NOT DONE	0.1	i_14944938127724373_lbstat_001_8

Variable Validations LB001_8 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001_8	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDC_001_8	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDC_001_8	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDC_001_8	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
LBDC_001_8	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields LB001_8 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY

Group RefName	Group Type	Associated Variables
IG_14944934119841415_LB01001_8	Non-Repeating	LBCAT_001_8, LBSPEC_001_8, LBDC_001_8, LBFASCT_001_8
IG_14944934088251936_LB02001_8	Fixed Repeating	LBTEST_001_8, LBORRES_001_8, LBSTAT_001_8, LBORRESU_001_8, LBORNRO_001_8, LBORNRI_001_8, LBFLAG_001_8, LBCLSIG_001_8, CO_LBCOM_001_8

Instruments

DS001_3 / RANDOMIZATION

Instrument Definition

Instrument Name:	DS001_3
Instrument Title:	RANDOMIZATION
SAS Instrument Name:	DS001_3
Description:	RAND
Version:	0.30
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: DS001_3 RANDOMIZATION (RAND) [Version: 0.30]		
Section RANDOMIZATION DS001_3_S		Permission Groups
Group of Fields DS01001_3 / Randomization Group Type: Non-Repeating	Number of variables: 3	

1.	Date of Randomization: [DSSTDTC_001_3] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the Date of Randomization using the format (DD- MMM-YYYY).	GPDIP_Impala_Integration (R,U)
2.	Randomization Number: [DSREFID_001_3] [DSREFID]	Text Box Max Length: 5 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the subject's Randomization number.	GPDIP_Impala_Integration (R,U)

3.	Randomization Strata Description: Prior Anti-TNF-Alpha inhibitor or IL-17 inhibitor or IL-23 inhibitor exposure: [SUPPDS_DSRANSTD_001_3] [DSSTDESC]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	GPDIP_Impala_Integration (R,U)
Key: [*] = Item is required			

Study Object Descriptions: DS001_3 RANDOMIZATION		
Type	RefName	Description
Form	CRF_14944923374332602_DS001_3	DS001_3
Item	I_14944938177823958_DSSTDTC_001_3	
Item	I_14944938187941305_DSREFID_001_3	
Item	I_14944938199869633_SUPPDS_DSRANSTD_001_	

Variable Validations DS001_3 RANDOMIZATION				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_3	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
DSSTDTC_001_3	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_3	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_3	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_3	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

DSSTDTC_001_3	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
---------------	--------------------	---	--------------------	---

Groups of Fields DS001_3 RANDOMIZATION		
Group RefName	Group Type	Associated Variables
IG_14944934718322016_DS01001_3	Non-Repeating	DSSTDTC_001_3, DSREFID_001_3, SUPPDS_DSRANSTD_001_3

Instruments

D_UPA001 / UNPLANNED VISIT

Instrument Definition

Instrument Name:	D_UPA001
Instrument Title:	UNPLANNED VISIT
SAS Instrument Name:	D_UPA001
Description:	UNPL
Version:	0.14
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: D_UPA001 UNPLANNED VISIT (UNPL) [Version: 0.14]			
Section UNPLANNED VISIT D_UPA001_S			Permission Groups
	Group of Fields D_UPA01001 / Unplanned Visit Group Type: Non-Repeating	Number of variables: 1	
1.*	Assessments [D_UNPLASS_001] [UNPLASS]	[D_UNPLASS_CL_001] Checkboxes Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: D_UPA001 UNPLANNED VISIT		
Type	RefName	Description
Form	CRF_14944923579673548_D_UPA001	D_UPA001
Item	I_14944938211187149_D_UNPLASS_001	

Codelist Values Tables: D_UPA001 UNPLANNED VISIT								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_UNPLASS_CL_001	0.14			VITAL SIGNS - REPEATING	1	1	0.1	i_14944938211187149_d_unplass_001
				LOCALLY READ ECGs REPEATING	2	2	0.1	
				LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	3	3	0.1	
				LOCAL LABORATORY DATA - HEMATOLOGY	4	4	0.1	
				LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	5	5	0.1	
				LOCAL LABORATORY DATA - HEMATOLOGY - REFLEX TESTING	6	6	0.1	
				LOCAL LABORATORY DATA- URINALYSIS - REFLEX TESTING	7	7	0.1	
				LOCAL LABORATORY DATA - SERUM PREGNANCY	8	8	0.1	



			MICROBIOLOGY CULTURE - SEROLOGY REFLEX TESTING	9	9	0.1
			TUBERCULOSIS TESTING	10	10	0.1
			AUDIOMETRIC ASSESSMENT - HEARING TEST POST SCR	11	11	0.1
			RETAINED RESEARCH SAMPLE TRACKING - PREP D1	12	12	0.1
			ELECTRONIC SAMPLE TRACKING - IP-10	13	13	0.1
			PHARMACOKINETICS - UNP	14	14	0.1

Groups of Fields D_UPA001 UNPLANNED VISIT		
Group RefName	Group Type	Associated Variables
IG_14944934063138735_D_UPA01001	Non-Repeating	D_UNPLASS_001

Instruments
PC003 / PHARMACOKINETICS - DAY1

Instrument Definition

Instrument Name:	PC003
Instrument Title:	PHARMACOKINETICS - DAY1
SAS Instrument Name:	PC003
Description:	PK
Version:	0.50
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: PC003 <i>PHARMACOKINETICS - DAY1</i> (PK) [Version: 0.50]		
Section PHARMACOKINETICS - DAY1 <i>PC003_S</i>		Permission Groups
Group of Fields PC01003 / Pharmacokinetics Group Type: Fixed Repeating	Number of rows: 1	

1.	Category [PCCAT_003] [PCCAT] Row 1 (Locked): 1 - PHARMACOKINETICS (POINT)	[PCCAT_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
2.	Analyte: [SUPPPC_PKTERM_003] [PKTERM] Row 1 (Locked): 1 - PF-06651600	[SUPPPC_PKTERM_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
3.	Body Fluid / Matrix: [PCSPEC_003] [PKBDFLD] Row 1 (Locked): 7 - BLOOD	[PCSPEC_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7	

4.*	Sample Not Done: [X_PCSTAT_003] [PKSMND]	[X_PCSTAT_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.	Time Post Dose: [PCTPT_003] [PKPTM] Row 1 (Locked): 63 - 0 H	[PCTPT_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 63	
6.	Reference Timepoint: [PCTPTREF_003] [PKTPTREF] Row 1 (Locked): 10 - PREVIOUS	[PCTPTREF_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 10	

7.* ✓	Date and Time: <i>[Branching logic expression: [X_PCSTAT_003]='2']</i> <i>[PCDTC_003]</i> [PKADT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record start date of the sample collection in the format dd- MMM-yyyy (e.g. 01-JAN-2006). Record the start time of the sample collection using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
8.	Comments (Keep brief and legible): <i>[Branching logic expression: [X_PCSTAT_003]='2']</i> <i>[CO_PKCOMC_003]</i> [PKCOMC]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: PC003 PHARMACOKINETICS - DAY1

Type	RefName	Description
Form	CRF_14944923779083414_PC003	PC003
Item	I_14944938302037273_PCCAT_003	
Item	I_14944938222213294_SUPPPC_PKTERM_003	
Item	I_14944938232408073_PCSPEC_003	
Item	I_14944938242514368_X_PCSTAT_003	
Item	I_14944938252640856_PCTPT_003	
Item	I_14944938262603636_PCTPTREF_003	
Item	I_14944938273439537_PCDTC_003	
Item	I_14944938289137756_CO_PKCOMC_003	

Codelist Values Tables: PC003 PHARMACOKINETICS - DAY1

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
PCCAT_CL_003	0.1			PHARMACOKINETICS (POINT)	1	1	0.1	i_14944938302037273_pccat_003
SUPPPC_PKTERM_CL_003	0.2			PF-06651600	1	1	0.1	i_14944938222213294_supppc_pkterm_003
PCSPEC_CL_003	0.2			BLOOD	1	7	0.1	i_14944938232408073_pcspec_003
X_PCSTAT_CL_003	0.1			NOT DONE	1	1	0.1	i_14944938242514368_x_pcstat_003
				DONE	2	2	0.1	
PCTPT_CL_003	0.2			0 H	1	63	0.1	i_14944938252640856_pctpt_003
PCTPTREF_CL_003	0.3			PREVIOUS	1	10	0.1	i_14944938262603636_pctptref_003

Variable Validations PC003 PHARMACOKINETICS - DAY1				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PCDTC_003	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
PCDTC_003	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PCDTC_003	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
PCDTC_003	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
PCDTC_003	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PCDTC_003	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PCDTC_003	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PC003 PHARMACOKINETICS - DAY1		
Group RefName	Group Type	Associated Variables
IG_14944934578132084_PC01003	Fixed Repeating	PCCAT_003, SUPPPC_PKTERM_003, PCSPEC_003, X_PCSTAT_003, PCTPT_003, PCTPTREF_003, PCDTC_003, CO_PKCOMC_003

Instruments

DS001_1 / ADDITIONAL INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE

Instrument Definition

Instrument Name:	DS001_1
Instrument Title:	ADDITIONAL INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE
SAS Instrument Name:	DS001_1
Description:	ADD CONST
Version:	0.10
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: DS001_1 ADDITIONAL INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE (ADD CONST) [Version: 0.10]		
Section ADDITIONAL INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE DS001_1_S		Permission Groups
Group of Fields DS01001_1 / Additional Informed Consent Group Type: Non-Repeating	Number of variables: 2	

1.* 	Consent Was: [SUPPDS_DSCSOBT_001_1] [DSCSOBT]	[SUPPDS_DSCSOBT_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if the subject's consent was "Obtained", "Not Obtained" or "Not Required".	
2.* 	Date of Written Consent Obtained: [DSSTDTC_001_1] [DSSTDTC] <i>(Nested Field)</i>	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Written Consent Obtained using the format (DD-MMM-YYYY).	
Key: [*] = Item is required  = Source verification required			

Study Object Descriptions: DS001_1 ADDITIONAL INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE

Type	RefName	Description
Form	CRF_14944924026791230_DS001_1	DS001_1
Item	I_14944938313317316_SUPPDS_DSCSOBT_001_1	
Item	I_14944938324018842_DSSTDTC_001_1	

Codelist Values Tables: DS001_1 ADDITIONAL INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSCSOBT_CL_001_1	0.2			OBTAINED	1	1	0.1	i_14944938313317316_suppbs_dscsobt_001_1
				NOT OBTAINED	2	2	0.1	

Variable Validations DS001_1 ADDITIONAL INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_1	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_1	>=_ENROLLMENT	>=	>=_ENROLLMENT	Date is on or after 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001_1	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_1	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.

DSSTDTC_001_1	>=_FIRST_DOSE	>=	>=_FIRST_DOSE	Date is on or after the first dose date. Please review and update if appropriate.
---------------	---------------	----	---------------	---

Groups of Fields DS001_1 ADDITIONAL INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE

Group RefName	Group Type	Associated Variables
IG_14944934620270301_DS01001_1	Non-Repeating	SUPPDS_DSCSOBT_001_1, DSSTDTC_001_1

Instruments

SRTCR002 / TUBERCULOSIS TESTING

Instrument Definition

Instrument Name:	SRTCR002
Instrument Title:	TUBERCULOSIS TESTING
SAS Instrument Name:	SRTCR002
Description:	TCR
Version:	0.14
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: SRTCR002 <i>TUBERCULOSIS TESTING</i> (TCR) [Version: 0.14]		
Section TUBERCULOSIS TESTING <i>SRTCR002_S</i>		Permission Groups
Group of Fields SRTCR01002 / Tuberculosis Testing Group Type: Fixed Repeating	Number of rows: 7	

1.	Testing Method: [Y_SRMETHOD_002] [TCRMETH] Row 1 (Locked): 2 - QUANTIFERON TB GOLD Row 2 (Locked): 8 - QUANTIFERON TB GOLD PLUS Row 3 (Locked): 5 - T-SPOT Row 4 (Locked): 1 - PPD SKIN TEST Row 5 (Locked): 3 - CHEST X-RAY Row 6 (Locked): 6 - CT SCAN Row 7 (Locked): 7 - MRI	[Y_SRMETHOD_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
2.*	Not Done: [X_SRSTAT_002] [TCRSTAT]	[X_SRSTAT_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.*	Date of Test: [Y_SRDTC_002] [TCRDAT] <i>(Nested Field)</i>	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record date in the format dd-MMM-yyyy (e.g. 01-JAN-2006).	
4.*	Result: [Y_SORRES_002] [TCRORRES] <i>(Nested Field)</i>	[Y_SORRES_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: SRTCR002 TUBERCULOSIS TESTING		
Type	RefName	Description

Form	CRF_14944924228274368_SRTCR002	SRTCR002
Item	I_14944938332400204_Y_SRMETHOD_002	
Item	I_14944938340868482_X_SRSTAT_002	
Item	I_14944938349111252_Y_SRDTC_002	
Item	I_14944938357789023_Y_SRORRES_002	

Codelist Values Tables: SRTCR002 TUBERCULOSIS TESTING								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
Y_SRMETHOD_CL_002	0.3			QUANTIFERON TB GOLD	1	2	0.1	i_14944938332400204_y_srmethod_002
				QUANTIFERON TB GOLD PLUS	2	8	0.1	
				T-SPOT	3	5	0.1	
				PPD SKIN TEST	4	1	0.1	
				CHEST X-RAY	5	3	0.1	
				CT SCAN	6	6	0.1	
				MRI	7	7	0.1	
X_SRSTAT_CL_002	0.2			NOT DONE	1	1	0.1	i_14944938340868482_x_srstat_002
				DONE	2	2	0.1	
Y_SRORRES_CL_002	0.4			POSITIVE	1	1	0.1	i_14944938357789023_y_srorres_002
				NEGATIVE	2	2	0.1	
				INDETERMINATE	3	3	0.1	

Variable Validations SRTCR002 TUBERCULOSIS TESTING				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text

Y_SRDTTC_002	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
Y_SRDTTC_002	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
Y_SRDTTC_002	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
Y_SRDTTC_002	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
Y_SRDTTC_002	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields SRTCR002 TUBERCULOSIS TESTING

Group RefName	Group Type	Associated Variables
IG_14944934756103868_SRTCR01002	Fixed Repeating	Y_SRMETHOD_002, X_SRSTAT_002, Y_SRDTTC_002, Y_SRRORRES_002

Instruments

R_OMIC003 / RETAINED RESEARCH SAMPLE TRACKING - PREP D1

Instrument Definition

Instrument Name:	R_OMIC003
Instrument Title:	RETAINED RESEARCH SAMPLE TRACKING - PREP D1
SAS Instrument Name:	R_OMIC003
Description:	BANKBIOS
Version:	0.36
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: R_OMIC003 <i>RETAINED RESEARCH SAMPLE TRACKING - PREP D1</i> (BANKBIOS) [Version: 0.36]		
Section RETAINED RESEARCH SAMPLE TRACKING - PREP D1 R_OMIC003_S		Permission Groups
Group of Fields R_OMIC01003 / Sample Tracking Group Type: Fixed Repeating	Number of rows: 1	

1.	Category of Assessment: [R_OMICCAT_003] [OMICCAT] Row 1 (Locked): 7 - RETAINED RESEARCH SAMPLE TRACKING	[R_OMICCAT_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7	
2.	Sample Name: [R_OMICPRP_003] [OMICPRP] Row 1 (Locked): 1 - PREP D1	[R_OMICPRP_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
3.*	Was the Assessment Performed? [R_OMICPERF_003] [OMICPERF]	[R_OMICPERF_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.	Specimen Type: <i>[Branching logic expression: [R_OMICPERF_003]='Y']</i> [R_OMICSPEC_003] [OMICSPEC] Row 1 (Locked): 7 - BLOOD	[R_OMICSPEC_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7	
5.*	Sample Collection Date: <i>[Branching logic expression: [R_OMICPERF_003]='Y']</i> [R_OMICDTC_003] [OMICDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: R_OMIC003 RETAINED RESEARCH SAMPLE TRACKING - PREP D1

Type	RefName	Description
------	---------	-------------

Form	CRF_14944924428991223_R_OMIC003	R_OMIC003
Item	I_14944938365855432_R_OMICCAT_003	
Item	I_14944938373679405_R_OMICPRP_003	
Item	I_14944938381549015_R_OMICPERF_003	
Item	I_14944938389748699_R_OMICSPEC_003	
Item	I_14944938401153173_R_OMICDTC_003	

Codelist Values Tables: R_OMIC003 RETAINED RESEARCH SAMPLE TRACKING - PREP D1

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_OMICCAT_CL_003	0.2			RETAINED RESEARCH SAMPLE TRACKING	1	7	0.1	i_14944938365855432_r_omiccat_003
R_OMICPRP_CL_003	0.5			PREP D1	1	1	0.1	i_14944938373679405_r_omicprp_003
R_OMICPERF_CL_003	0.1			YES	1	Y	0.1	i_14944938381549015_r_omicperf_003
				NO	2	N	0.1	
R_OMICSPEC_CL_003	0.2			BLOOD	1	7	0.1	i_14944938389748699_r_omicspec_003

Variable Validations R_OMIC003 RETAINED RESEARCH SAMPLE TRACKING - PREP D1

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
R_OMICDTC_003	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
R_OMICDTC_003	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
R_OMICDTC_003	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
R_OMICDTC_003	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields R_OMIC003 RETAINED RESEARCH SAMPLE TRACKING - PREP D1

Group RefName	Group Type	Associated Variables
IG_14944934786489773_R_OMIC01003	Fixed Repeating	R_OMICCAT_003, R_OMICPRP_003, R_OMICPERF_003, R_OMICSPEC_003, R_OMICDTC_003

Instruments

AE001_1 / MEDICATION ERROR

Instrument Definition

Instrument Name:	AE001_1
Instrument Title:	MEDICATION ERROR
SAS Instrument Name:	AE001_1
Description:	MED ERROR
Version:	0.32
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: AE001_1 MEDICATION ERROR (MED ERROR) [Version: 0.32]		
Section MEDICATION ERROR AE001_1_S		Permission Groups
Group of Fields AE01001_1 / Medication Error Report Group Type: Non-Repeating	Number of variables: 19	

1.	Category: [AECAT_001_1] [AECAT]	[AECAT_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 21 Help/Info Text: Record the "Category" for this adverse event.	
2.*	Medication Error: (If possible specify diagnosis, not individual symptoms) (Type of medication error) [AETERM_001_1] [AETERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Help/Info Text: Record the Adverse Event in the space provided. Record only one adverse event term per module, for example, "pain in chest and neck" should be recorded as two separate events "pain in chest" and "pain in neck". When recording adverse event use appropriate medical terminology. Terminology must be consistent for duration of event and for reoccurrence of same event. Terminology must also be consistent throughout the CRF and in references in SAE reports. Do not use abbreviations. Avoid ambiguous terminology. For example, COLD is no longer an accepted term since it can be interpreted as "feeling cold", "common cold", or "chronic obstructive lung disease". When listing an adverse event, record diagnosis not symptom. Record symptom(s) only if a diagnosis cannot be made. If symptom(s) are recorded and subsequently a diagnosis is made, the diagnosis should be captured as a separate adverse event. Symptoms already entered on the CRF that are attributed to the diagnosis should not be removed from the CRF but should be followed until resolved or until end of study as defined per protocol. NOTE: Date of onset of diagnosis is to be decided by the investigator. This may or may not coincide with date of onset of the first symptom. SPECIFIC GUIDANCE FOR MOTOR VEHICLE ACCIDENTS OR FALLS: Motor vehicle accidents should be recorded as adverse events when the subject is the operator of the vehicle, even if an injury did not result. When a motor vehicle accident results in an injury, both the injury and the motor vehicle accident should be recorded as adverse events. When recording a MVA, the subjects should be identified in the investigator/verbatim text as the driver. A motor vehicle is defined as any mechanically or electrically powered device not operated on rails and includes (but is not limited to) cars, trucks, vans, motorcycles, and off-roads vehicles. Boating accidents occurring where the subject is the operator of a boat operating under power should also be reported regard

3.*	Start Date: [AESTDTC_001_1] [AESTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Start Date of the adverse event using the format (DD-MMM-YYYY). If the actual date is unknown, record an approximate date. When recording the Start Date for an objective test abnormality, record the date of test as the Start Date. If appropriate, record the time (as complete as possible) when the adverse event started, using the 24-hour clock. If the actual time is unknown, record an approximate time. When recording the start time for an objective test abnormality, record the time the sample was drawn or the time the test was performed.	
-----	--	--	--

4.*	End Date: [AEENDTC_001_1] [AEENDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date that the AE resolved using this format (DD- MMM-YYYY). If the AE is ongoing, leave the field blank. If appropriate, record the time (as complete as possible) when the adverse event resolved, using the 24-hour clock. If the actual time is unknown, record an approximate time.	
5.* ✓	Was this medication error associated with any adverse events? [SUPPAE_AEMEFL_001_1] [AEMERAE]	[SUPPAE_AEMEFL_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "YES" or "NO" if the medication error is associated with any adverse events.	

6.*	Was a Concomitant Medication given? If yes, record on the Concomitant Medications page. [SUPPAE_AECMGIV_001_1] [AECMGIV]	[SUPPAE_AECMGIV_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Was a Concomitant Medication given? If yes, record on the Concomitant Medications page	
7.* ✓✓	Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page. [SUPPAE_AENDGIV_001_1] [AENDGIV]	[SUPPAE_AENDGIV_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page	
8.	If this is a dispensing error, record the incorrect package ID that was dispensed /administered to the subject: [SUPPAE_AEIPKGID_001_1] [AEINPKG]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the packing identification.	

9.*	Latest Action Taken with Study Treatment: [SUPPAE_AEMEACN_001_1] [AESTDME]	[SUPPAE_AEMEACN_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the study treatment resulting from the medication error. DOSE INCREASED: An indication that a medication schedule was modified by addition; either by changing the frequency, strength or amount. DOSE NOT CHANGED: An indication that a medication schedule was maintained. DOSE REDUCED: An indication that a medication schedule was modified by subtraction, either by changing the frequency, strength or amount. DRUG INTERRUPTED: An indication that a medication schedule was modified by temporarily terminating a prescribed regimen of medication. DRUG WITHDRAWN: An indication that a medication schedule was modified through termination of a prescribed regimen of medication. NOT APPLICABLE: Determination of a value is not relevant in the current context. UNKNOWN: Not known, not observed, not recorded, or refused. FOR ONCOLOGY ONLY: Refer to the READ ME DOCUMENT - FOR ONCOLOGY USE ONLY	
10.	Lowest Level Term [AELLT_001_1] [AELLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

11.	Lowest Level Term Code [AELLTCD_001_1] [AELLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
12.	Dictionary Derived Term [AEDECOD_001_1] [AEDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
13.	Preferred Term Code [AEPTCD_001_1] [AEPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

14.	High Level Term [AEHLT_001_1] [AEHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
15.	High Level Term Code [AEHLTCD_001_1] [AEHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
16.	High Level Group Term [AEHLGT_001_1] [AEHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

17.	High Level Group Term Code [AEHLGTCD_001_1] [AEHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
18.	Primary System Organ Class [AESOC_001_1] [AESOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
19.	Primary System Organ Class Code [AESOCCD_001_1] [AESOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: AE001_1 MEDICATION ERROR		
Type	RefName	Description
Form	CRF_14944924662473054_AE001_1	AE001_1
Item	I_14944938413906958_AECAT_001_1	
Item	I_14944938422167385_AETERM_001_1	
Item	I_14944938431138366_AESTDTC_001_1	
Item	I_14944938440807329_AEENDTC_001_1	
Item	I_14944938450443284_SUPPAE_AEMEFL_001_1	
Item	I_14944938461870444_SUPPAE_AECMGIV_001_1	
Item	I_14944938471359560_SUPPAE_AENDGIV_001_1	
Item	I_14944938480290155_SUPPAE_AEIPKGID_001_1	
Item	I_14944938490433800_SUPPAE_AEMEACN_001_1	
Item	I_14944938500436768_AELLT_001_1	
Item	I_14944938511247316_AELLTCD_001_1	
Item	I_14944938520905038_AEDECOD_001_1	
Item	I_14944938530239176_AEPTCD_001_1	
Item	I_14944938539554435_AEHLT_001_1	
Item	I_14944938548893225_AEHLTCD_001_1	
Item	I_14944938558513647_AEHLGT_001_1	
Item	I_14944938568204912_AEHLGTCD_001_1	
Item	I_14944938578157518_AESOC_001_1	
Item	I_14944938588132129_AESOCCD_001_1	

Codelist Values Tables: AE001_1 MEDICATION ERROR								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName

AECAT_CL_001_1	0.2			MEDICATION ERROR	1	21	0.1	i_14944938413906958_aecat_001_1
SUPPAE_AEMEFL_CL_001_1	0.1			YES	1	Y	0.1	i_14944938450443284_suppaе_aemeфl_001_1
				NO	2	N	0.1	
SUPPAE_AECMGIV_CL_001_1	0.1			YES	1	Y	0.1	i_14944938461870444_suppaе_aecmgiv_001_1
				NO	2	N	0.1	
SUPPAE_AENDGIV_CL_001_1	0.1			YES	1	Y	0.1	i_14944938471359560_suppaе_aendgiv_001_1
				NO	2	N	0.1	
SUPPAE_AEMEACN_CL_001_1	0.1			NO ACTION TAKEN	1	1	0.1	i_14944938490433800_suppaе_aemeacn_001_1
				DOSE CORRECTED	2	2	0.1	
				TEMPORARILY STOPPED	3	3	0.1	
				PERMANENTLY DISCONTINUED	4	4	0.1	

Variable Validations AE001_1 MEDICATION ERROR

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AESTDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AESTDTC_001_1	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
AESTDTC_001_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
AESTDTC_001_1	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
AESTDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AESTDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AESTDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AESTDTC_001_1	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.

AESTDTC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AEENDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AEENDTC_001_1	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
AEENDTC_001_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
AEENDTC_001_1	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
AEENDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AEENDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AEENDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AEENDTC_001_1	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
AEENDTC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields AE001_1 MEDICATION ERROR

Group RefName	Group Type	Associated Variables
IG_14944934416983011_AE01001_1	Non-Repeating	AECAT_001_1, AETERM_001_1, AESTDTC_001_1, AEENDTC_001_1, SUPPAE_AEMEFL_001_1, SUPPAE_AECMGIV_001_1, SUPPAE_AENDGIV_001_1, SUPPAE_AEIPKGID_001_1, SUPPAE_AEMEACN_001_1, AELLT_001_1, AELLTCD_001_1, AEDECOD_001_1, AEPTCD_001_1, AEHLT_001_1, AEHLTCD_001_1, AEHLGT_001_1, AEHLGTCD_001_1, AESOC_001_1, AESOCCD_001_1

Instruments

SU001 / SUBSTANCE USE

Instrument Definition

Instrument Name:	SU001
Instrument Title:	SUBSTANCE USE
SAS Instrument Name:	SU001
Description:	SUBST USE
Version:	0.7
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: SU001 <i>SUBSTANCE USE</i> (SUBST USE) [Version: 0.7]		
Section SUBSTANCE USE <i>SU001_S</i>		Permission Groups
Group of Fields SU01001 / Substance Use Group Type: Fixed Repeating	Number of rows: 5	

1.	Category: [SUCAT_001] [SUCAT] Row 1 (Locked): 1 - TOBACCO Row 2 (Locked): 2 - ALCOHOL Row 3 (Locked): 4 - MARIJUANA Row 4 (Locked): 5 - ELECTRONIC NICOTINE DELIVERY SYSTEM (ENDS) Row 5 (Locked): 6 - ILLICIT DRUGS	[SUCAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
2.*	Type of substance: [SUTRT_001] [SUTRT]	[SUTRT_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the appropriate type of substance used within a substance category (e.g. cigarettes, cigar where substance category = Tobacco).	
3.*	Has the subject ever used [the substance] ? [SUPPSU_SUUSAGE_001] [SUNCF]	[SUPPSU_SUUSAGE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate response.	
Key: [*] = Item is required			

Study Object Descriptions: SU001 SUBSTANCE USE		
Type	RefName	Description
Form	CRF_14944924863093147_SU001	SU001
Item	I_14944938597167889_SUCAT_001	
Item	I_14944938607743065_SUTRT_001	
Item	I_14944938616795571_SUPPSU_SUUSAGE_001	

Codelist Values Tables: SU001 SUBSTANCE USE								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUCAT_CL_001	0.2			TOBACCO	1	1	0.1	i_14944938597167889_sucat_001
				ALCOHOL	2	2	0.1	
				MARIJUANA	3	4	0.1	
				ELECTRONIC NICOTINE DELIVERY SYSTEM (ENDS)	4	5	0.1	
				ILLCIT DRUGS	5	6	0.1	
SUTRT_CL_001	0.2			CIGARETTES	1	1	0.1	i_14944938607743065_sutrt_001
				CIGARS	2	2	0.1	
				CIGARILLOS	3	3	0.1	
				CHEW TOBACCO	4	4	0.1	
				PIPE	5	5	0.1	
				SNUFF TOBACCO	6	6	0.1	
				WINE	7	7	0.1	
				BEER	8	8	0.1	
				LIQUOR/SPIRITS	9	9	0.1	
				E-CIGARETTE	10	10	0.1	

				HOOKAH	11	11	0.1	
				RECREATIONAL MARIJUANA	12	18	0.1	
				ILLICIT DRUGS, NOT SPECIFIED	13	19	0.1	
				MARIJUANA	14	20	0.1	
				TOBACCO	15	500	0.1	
				ALCOHOL	16	501	0.1	
SUPPSU_SUUSAGE_CL_001	0.1			NEVER	1	1	0.1	i_14944938616795571_suppsu_suusage_001
				CURRENT	2	2	0.1	
				FORMER	3	3	0.1	

Groups of Fields SU001 SUBSTANCE USE		
Group RefName	Group Type	Associated Variables
IG_14944934332657878_SU01001	Fixed Repeating	SUCAT_001, SUTRT_001, SUPPSU_SUUSAGE_001

Instruments

EG001 / ECG

Instrument Definition

Instrument Name:	EG001
Instrument Title:	ECG
SAS Instrument Name:	EG001
Description:	ECG
Version:	0.27
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: EG001 ECG (ECG) [Version: 0.27]			
Section ECG EG001_S			Permission Groups
	Group of Fields EG01001 / ECG Group Type: Non-Repeating	Number of variables: 5	

1.	Subject position: [EGPOS_001] [EGPOS]	[EGPOS_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 4 Help/Info Text: Record the position of the subject during the ECG.	
2.* ✓	ECG Date Time: [EGDTC_001] [EGDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date ECG was done using this format (DD-MMM-YYYY).	

3.*	Was ECG: [EGORRES_INTP_001] [EGNABN]	[EGORRES_INTP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record whether the results were "Normal", "Abnormal" or "Not Evaluable".
The criteria for determining whether an abnormal objective test finding such as ECG should be reported as an adverse event during a clinical trial are as follows:

- Test result is associated with accompanying symptoms; and/or
- Test result requires additional diagnostic testing or medical/surgical intervention; and/or
- Test result leads to a change in trial dosing or discontinuation from the trial, significant additional concomitant drug treatment, or other therapy; and/or
- Test result is considered to be an adverse event by the investigator or sponsor.

Merely repeating an abnormal test, in the absence of any of the above conditions, does not constitute an adverse event.
Any abnormal test result that is determined to be an error does not require reporting as an adverse event.	
4.* 	If abnormal, was the overall ECG clinically significant? [EGCLSIG_001] [EGCLSIG] (Nested Field)	[EGCLSIG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the ECG was ABNORMAL, record whether the abnormalities were clinically significant by selecting "Yes" or "No". Otherwise, leave this item blank.	

5.* ✓	Comments on significant findings: (If clinically significant, record on the Adverse Event Page or Medical History page) [CO_EGCOM_001] [EGCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields EG02001 / ECG Results Entry Group Type: Fixed Repeating	Number of rows: 6	
6.	ECG Test Name: [EGTEST_001] [EGTEST] Row 1 (Locked): 128 - ECG Mean Heart Rate Row 2 (Locked): 903 - PR Interval Not Otherwise Specified Row 3 (Locked): 904 - QRS Interval Not Otherwise Specified Row 4 (Locked): 902 - QT Interval Not Otherwise Specified Row 5 (Locked): 900 - RR Interval Not Otherwise Specified Row 6 (Locked): 909 - QTcF Not Otherwise Specified	[EGTEST_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the name of the ECG measurement or finding, if not pre-printed on the CRF.	

7.* ✓	Result: [EGORRES_001] [EGORRES] Row 6 (Locked):	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the findings or interpretation for the ECG measurement. If there are multiple ECG Test names pre-printed on the CRF and there is no finding or interpretation for that test, record ND in the result field.	
8.	Unit: [EGORRESU_001] [EGORRESU] Row 1 (Locked): 114 - beats/min Row 2 (Locked): 14 - ms Row 3 (Locked): 14 - ms Row 4 (Locked): 14 - ms Row 5 (Locked): 14 - ms Row 6 (Locked): 14 - ms	[EGORRESU_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the unit of the ECG measurement or finding, if not pre-printed on the CRF.	

Key: [*] = Item is required ✓ = Source verification required

Study Object Descriptions: EG001 ECG		
Type	RefName	Description
Form	CRF_14944925061980355_EG001	EG001
Item	I_14944938656818268_EGPOS_001	
Item	I_14944938666848978_EGDTC_001	

Item	I_14944938677516896_EGORRES_INTP_001	
Item	I_14944938687044133_EGCLSIG_001	
Item	I_14944938696343235_CO_EGCOM_001	
Item	I_14944938625892352_EGTEST_001	
Item	I_14944938636312033_EGORRES_001	
Item	I_14944938647229813_EGORRESU_001	

Codelist Values Tables: EG001 ECG

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
EGPOS_CL_001	0.2			SUPINE	1	4	0.1	i_14944938656818268_egpos_001
EGORRES_INTP_CL_001	0.3			NORMAL	1	3	0.1	i_14944938677516896_egorres_intp_001
				ABNORMAL	2	1	0.1	
				INDETERMINATE	3	2	0.1	
				UNKNOWN	4	4	0.1	
				NOT EVALUABLE	5	5	0.1	
EGCLSIG_CL_001	0.1			YES	1	Y	0.1	i_14944938687044133_egclsig_001
				NO	2	N	0.1	
EGTEST_CL_001	0.3			ECG Mean Heart Rate	1	128	0.1	i_14944938625892352_egtest_001
				PR Interval Not Otherwise Specified	2	903	0.1	
				QRS Interval Not Otherwise Specified	3	904	0.1	
				QT Interval Not Otherwise Specified	4	902	0.1	
				RR Interval Not Otherwise Specified	5	900	0.1	

				QTcF Not Otherwise Specified	6	909	0.1	
EGORRESU_CL_001	0.2			beats/min	1	114	0.1	i_14944938647229813_egorresu_001
				ms	2	14	0.1	

Variable Validations EG001 ECG

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
EGDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
EGDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
EGDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
EGDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
EGDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields EG001 ECG

Group RefName	Group Type	Associated Variables
IG_14944934812246148_EG01001	Non-Repeating	EGPOS_001, EGDTC_001, EGORRES_INTP_001, EGCLSIG_001, CO_EGCOM_001
IG_14944934797337022_EG02001	Fixed Repeating	EGTEST_001, EGORRES_001, EGORRESU_001

Instruments

DS001_7_1 / WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE

Instrument Definition

Instrument Name:	DS001_7_1
Instrument Title:	WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE
SAS Instrument Name:	DS001_7_1
Description:	WOC
Version:	0.4
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: DS001_7_1 WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE (WOC) [Version: 0.4]			
Section WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE DS001_7_S_1			Permission Groups
	Group of Fields DS01001_7_1 / Withdrawal Of Consent Group Type: Non-Repeating	Number of variables: 1	

1.* ✓	Date of Withdrawal of Consent: [DSSTDTC_001_7_1] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Withdrawal Of Consent using the format (DD-MMM-YYYY).	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: DS001_7_1 WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE		
Type	RefName	Description
Form	CRF_14944925261350811_DS001_7_1	DS001_7_1
Item	I_14944938705823391_DSSTDTC_001_7_1	

Variable Validations DS001_7_1 WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_7_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

DSSTDTC_001_7_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_7_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_7_1 WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE		
Group RefName	Group Type	Associated Variables
IG_14944934441257733_DS01001_7_1	Non-Repeating	DSSTDTC_001_7_1

Instruments

VS001_3 / VITAL SIGNS WITH HEIGHT & WEIGHT

Instrument Definition

Instrument Name:	VS001_3
Instrument Title:	VITAL SIGNS WITH HEIGHT & WEIGHT
SAS Instrument Name:	VS001_3
Description:	VITALS
Version:	0.49
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: VS001_3 VITAL SIGNS WITH HEIGHT & WEIGHT (VITALS) [Version: 0.49]		
Section VITAL SIGNS WITH HEIGHT & WEIGHT VS001_S_3		Permission Groups
Group of Fields VS01001_3 / Vital Signs - I Group Type: Non-Repeating	Number of variables: 5	

1.* 	Date: [VSDTC_001_3] [VSDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of the measurement using this format (DD- MMM-YYYY). NO partial dates allowed. Record the time of the measurement using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
2.* 	Weight: [VSORRES_WEIGHT_001_3] [WEIGHT]	Number Box (Decimal) Max Value: 999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value for weight.	

3.* 	Unit: [VSORRESU_WEIGHT_001_3] [WEIGHTU]	[VSORRESU_WEIGHT_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If weight units are not defaulted, choose either lb or kg.	
4.* 	Height: [VSORRES_HEIGHT_001_3] [HEIGHT]	Number Box (Decimal) Max Value: 999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value for height.	
5.* 	Unit: [VSORRESU_HEIGHT_001_3] [HEIGHTU]	[VSORRESU_HEIGHT_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If height units are not defaulted, choose either in or cm.	

	Group of Fields VS02001_3 / Vital Signs - II Group Type: Fixed Repeating	Number of rows: 1	
6.	Record Identifier: [VSSPID_001_3] [VSSPID] Row 1 (Locked): 1 - 1	[VSSPID_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: When multiple measurements of a test are performed at the same visit (e.g., triplicate BP measurements), be sure to enter the test and time taken with corresponding result in the order in which they were performed.	
7.* ✓✓	Systolic BP in mmHg: [VSORRES_SYSBP_001_3] [SYSBP]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value of the systolic blood pressure.	

8.* ✓✓	Diastolic BP in mmHg: [VSORRES_DIABP_001_3] [DIABP]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the numeric value of the diastolic blood pressure.	
9.* ✓✓	Pulse in beats/minute: [VSORRES_PULSE_001_3] [PULSE]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value of pulse rate (beats/minute).	
Key: [*] = Item is required [✓✓] = Source verification required			

Study Object Descriptions: VS001_3 VITAL SIGNS WITH HEIGHT & WEIGHT		
Type	RefName	Description
Form	CRF_14944925463194219_VS001_3	VS001_3
Item	I_14944938715240737_VSDTC_001_3	
Item	I_14944938724746370_VSORRES_WEIGHT_001_3	
Item	I_14944938733640518_VSORRESU_WEIGHT_001_3	
Item	I_14944938742443983_VSORRES_HEIGHT_001_3	

Item	I_14944938753254120_VSORRESU_HEIGHT_001_	
Item	I_14944938762327516_VSSPID_001_3	
Item	I_14944938771190780_VSORRES_SYSBP_001_3	
Item	I_14944938779887538_VSORRES_DIABP_001_3	
Item	I_14944938787555417_VSORRES_PULSE_001_3	

Codelist Values Tables: VS001_3 VITAL SIGNS WITH HEIGHT & WEIGHT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
VSORRESU_WEIGHT_CL_001_3	0.1			kg	1	9	0.1	i_14944938733640518_vsorresu_weight_001_
				LB	2	11	0.1	
VSORRESU_HEIGHT_CL_001_3	0.1			cm	1	5	0.1	i_14944938753254120_vsorresu_height_001_
				in	2	8	0.1	
VSSPID_CL_001_3	0.2			1	1	1	0.1	i_14944938762327516_vsspid_001_3

Variable Validations VS001_3 VITAL SIGNS WITH HEIGHT & WEIGHT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
VSDTC_001_3	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
VSDTC_001_3	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
VSDTC_001_3	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
VSDTC_001_3	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
VSDTC_001_3	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields VS001_3 VITAL SIGNS WITH HEIGHT & WEIGHT

Group RefName	Group Type	Associated Variables
IG_14944934542248868_VS01001_3	Non-Repeating	VSDTC_001_3, VSORRES_WEIGHT_001_3, VSORRESU_WEIGHT_001_3, VSORRES_HEIGHT_001_3, VSORRESU_HEIGHT_001_3
IG_14944934195762433_VS02001_3	Fixed Repeating	VSSPID_001_3, VSORRES_SYSBP_001_3, VSORRES_DIABP_001_3, VSORRES_PULSE_001_3

Instruments

VS001_4 / VITAL SIGNS WITH WEIGHT

Instrument Definition

Instrument Name:	VS001_4
Instrument Title:	VITAL SIGNS WITH WEIGHT
SAS Instrument Name:	VS001_4
Description:	VITALS
Version:	0.51
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: VS001_4 VITAL SIGNS WITH WEIGHT (VITALS) [Version: 0.51]		
Section VITAL SIGNS WITH WEIGHT VS001_S_4		Permission Groups
Group of Fields VS01001_4 / Vital Signs - I Group Type: Non-Repeating	Number of variables: 3	

1.* 	Date: [VSDTC_001_4] [VSDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of the measurement using this format (DD- MMM-YYYY). NO partial dates allowed. Record the time of the measurement using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
2.* 	Weight: [VSORRES_WEIGHT_001_4] [WEIGHT]	Number Box (Decimal) Max Value: 999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value for weight.	

3.* ✓	Unit: [VSORRESU_WEIGHT_001_4] [WEIGHTU]	[VSORRESU_WEIGHT_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If weight units are not defaulted, choose either lb or kg.	
	Group of Fields VS02001_4 / Vital Signs - II Group Type: Fixed Repeating	Number of rows: 1	
4.	Record Identifier: [VSSPID_001_4] [VSSPID] Row 1 (Locked): 1 - 1	[VSSPID_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: When multiple measurements of a test are performed at the same visit (e.g., triplicate BP measurements), be sure to enter the test and time taken with corresponding result in the order in which they were performed.	

5.* ✓✓	Systolic BP in mmHg: [VSORRES_SYSBP_001_4] [SYSBP]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value of the systolic blood pressure.	
6.* ✓✓	Diastolic BP in mmHg: [VSORRES_DIABP_001_4] [DIABP]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the numeric value of the diastolic blood pressure.	
7.* ✓✓	Pulse in beats/minute: [VSORRES_PULSE_001_4] [PULSE]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value of pulse rate (beats/minute).	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: VS001_4 VITAL SIGNS WITH WEIGHT

Type	RefName	Description
Form	CRF_14944925662289772_VS001_4	VS001_4
Item	I_14944938825343692_VSDTC_001_4	
Item	I_14944938834432818_VSORRES_WEIGHT_001_4	
Item	I_14944938841699640_VSORRESU_WEIGHT_001_4	
Item	I_14944938794637148_VSSPID_001_4	
Item	I_14944938803530024_VSORRES_SYSBP_001_4	
Item	I_14944938810920719_VSORRES_DIABP_001_4	
Item	I_14944938818232718_VSORRES_PULSE_001_4	

Codelist Values Tables: VS001_4 VITAL SIGNS WITH WEIGHT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
VSORRESU_WEIGHT_CL_001_4	0.1			kg	1	9	0.1	i_14944938841699640_vsorresu_weight_001_4
				LB	2	11	0.1	
VSSPID_CL_001_4	0.2			1	1	1	0.1	i_14944938794637148_vsspid_001_4

Variable Validations VS001_4 VITAL SIGNS WITH WEIGHT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
VSDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
VSDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
VSDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.

VSDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
VSDTC_001_4	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields VS001_4 VITAL SIGNS WITH WEIGHT		
Group RefName	Group Type	Associated Variables
IG_14944934515549079_VS01001_4	Non-Repeating	VSDTC_001_4, VSORRES_WEIGHT_001_4, VSORRESU_WEIGHT_001_4
IG_14944934495889307_VS02001_4	Fixed Repeating	VSSPID_001_4, VSORRES_SYSBP_001_4, VSORRES_DIABP_001_4, VSORRES_PULSE_001_4

Instruments

R_OMIC003_1 / RETAINED RESEARCH SAMPLE TRACKING - PREP B2.5/PREP R1

Instrument Definition

Instrument Name:	R_OMIC003_1
Instrument Title:	RETAINED RESEARCH SAMPLE TRACKING - PREP B2.5/PREP R1
SAS Instrument Name:	R_OMIC003_1
Description:	BANKBIOS
Version:	0.35
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: R_OMIC003_1 <i>RETAINED RESEARCH SAMPLE TRACKING - PREP B2.5/PREP R1</i> (BANKBIOS) [Version: 0.35]		
Section RETAINED RESEARCH SAMPLE TRACKING - PREP B2.5/PREP R1 R_OMIC003_S_1		Permission Groups
Group of Fields R_OMIC01003_1 / Sample Tracking Group Type: Fixed Repeating	Number of rows: 2	

1.	Category of Assessment: [R_OMICCAT_003_1] [OMICCAT] Row 1 (Locked): 7 - RETAINED RESEARCH SAMPLE TRACKING Row 2 (Locked): 7 - RETAINED RESEARCH SAMPLE TRACKING	[R_OMICCAT_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7	
2.	Sample Name: [R_OMICPRP_003_1] [OMICPRP] Row 1 (Locked): 2 - PREP R1 Row 2 (Locked): 11 - PREP B2.5	[R_OMICPRP_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.*	Was the Assessment Performed? [R_OMICPERF_003_1] [OMICPERF]	[R_OMICPERF_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.	Specimen Type: <i>[Branching logic expression: [R_OMICPERF_003_1]='Y']</i> <u>[R_OMICSPEC_003_1]</u> [OMICSPEC] Row 1 (Locked): 7 - BLOOD Row 2 (Locked): 33 - SERUM	[R_OMICSPEC_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
5.*	Sample Collection Date: <i>[Branching logic expression: [R_OMICPERF_003_1]='Y']</i> <u>[R_OMICDTC_003_1]</u> [OMICDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - PREP B2.5/PREP R1

Type	RefName	Description
------	---------	-------------

Form	CRF_14944925859647845_R_OMIC003_1	R_OMIC003_1
Item	I_14944938848827058_R_OMICCAT_003_1	
Item	I_14944938856455019_R_OMICPRP_003_1	
Item	I_14944938864846883_R_OMICPERF_003_1	
Item	I_14944938872540510_R_OMICSPEC_003_1	
Item	I_14944938883377125_R_OMICDTC_003_1	

Codelist Values Tables: R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - PREP B2.5/PREP R1

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_OMICCAT_CL_003_1	0.2			RETAINED RESEARCH SAMPLE TRACKING	1	7	0.1	i_14944938848827058_r_omiccat_003_1
R_OMICPRP_CL_003_1	0.2			PREP R1	1	2	0.1	i_14944938856455019_r_omicprp_003_1
				PREP B2.5	2	11	0.1	
R_OMICPERF_CL_003_1	0.1			YES	1	Y	0.1	i_14944938864846883_r_omicperf_003_1
				NO	2	N	0.1	
R_OMICSPEC_CL_003_1	0.3			BLOOD	1	7	0.1	i_14944938872540510_r_omicspec_003_1
				SERUM	2	33	0.1	

Variable Validations R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - PREP B2.5/PREP R1

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
R_OMICDTC_003_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
R_OMICDTC_003_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
R_OMICDTC_003_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
R_OMICDTC_003_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - PREP B2.5/PREP R1		
Group RefName	Group Type	Associated Variables
IG_14944933985254589_R_OMIC01003_1	Fixed Repeating	R_OMICCAT_003_1, R_OMICPRP_003_1, R_OMICPERF_003_1, R_OMICSPEC_003_1, R_OMICDTC_003_1

Instruments

MH001_4 / PRE-SPECIFIED PRIMARY DIAGNOSIS

Instrument Definition

Instrument Name:	MH001_4
Instrument Title:	PRE-SPECIFIED PRIMARY DIAGNOSIS
SAS Instrument Name:	MH001_4
Description:	PRIM DIAG
Version:	0.58
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS (PRIM DIAG) [Version: 0.58]		
Section PRE-SPECIFIED PRIMARY DIAGNOSIS MH001_4_S		Permission Groups
Group of Fields MH01001_4 / Pre-Specified Primary Diagnosis Group Type: Non-Repeating	Number of variables: 14	

1.	Primary Diagnosis: [R_MHTERM3_001_4] [MHTERM3]	[R_MHTERM3_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
2.	Medical History Event Pre-Specified: [MHPRESP_001_4] [MHPRESP]	[MHPRESP_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y	
3.	Does the subject have/has the subject had Hidradenitis Suppurativa: [MHOCCUR_001_4] [MHOCCUR]	[MHOCCUR_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y Help/Info Text: Record if specific condition listed has occurred/is occurring by checking "Yes" or "No"	

4.* 	Date of Diagnosis: [MHSTDTC_001_4] [MHSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1949; Max Year: 2028 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date using the format DD-MMM-YYYY	
5.	Lowest Level Term [MHLLT_001_4] [MHLLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

6.	Lowest Level Term Code [MHLLTCD_001_4] [MHLLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
7.	Dictionary Derived Term [MHDECOD_001_4] [MHDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
8.	Preferred Term Code [MHPTCD_001_4] [MHPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

9.	High Level Term [MHHLT_001_4] [MHHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
10.	High Level Term Code [MHHLTCD_001_4] [MHHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
11.	High Level Group Term [MHHLGT_001_4] [MHHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

12.	High Level Group Term Code [MHHLGTCD_001_4] [MHHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
13.	Primary System Organ Class [MHSOC_001_4] [MHSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
14.	Primary System Organ Class Code [MHSOCCD_001_4] [MHSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS		
Type	RefName	Description
Form	CRF_14944926105712910_MH001_4	MH001_4
Item	I_14944938895516176_R_MHTERM3_001_4	
Item	I_14944938905036382_MHPRESP_001_4	
Item	I_14944939007224148_MHOCCUR_001_4	
Item	I_14944938914291439_MHSTDTC_001_4	
Item	I_14944938923881149_MHLLT_001_4	
Item	I_14944938932020937_MHLLTCD_001_4	
Item	I_14944938940018800_MHDECOD_001_4	
Item	I_14944938948187035_MHPTCD_001_4	
Item	I_14944938956356820_MHHLT_001_4	
Item	I_14944938964748463_MHHLTCD_001_4	
Item	I_14944938972949788_MHHLGT_001_4	
Item	I_14944938981414456_MHHLGTCD_001_4	
Item	I_14944938989871986_MHSOC_001_4	
Item	I_14944938998443944_MHSOCCD_001_4	

Codelist Values Tables: MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_MHTERM3_CL_001_4	0.2			Hidradenitis Suppurativa	1	1	0.1	i_14944938895516176_r_mhterm3_001_4
MHPRESP_CL_001_4	0.1			YES	1	Y	0.1	i_14944938905036382_mhpresp_001_4
MHOCCUR_CL_001_4	0.2			YES	1	Y	0.1	i_14944939007224148_mhoccu_001_4

Variable Validations MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS
--

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
MHSTDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
MHSTDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MHSTDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
MHSTDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
MHSTDTC_001_4	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
MHSTDTC_001_4	>=_INFORMED_CONSENT	>=	>=_INFORMED_CONSENT	Date is on or after 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
MHSTDTC_001_4	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.
MHSTDTC_001_4	>=_FIRST_DOSE	>=	>=_FIRST_DOSE	Date is on or after the first dose date. Please review and update if appropriate.
MHSTDTC_001_4	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.
MHSTDTC_001_4	>=_ENROLLMENT	>=	>=_ENROLLMENT	Date is on or after 'Enrollment Date'. Please review and update if appropriate.

Groups of Fields MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS

Group RefName	Group Type	Associated Variables
IG_14944934674473987_MH01001_4	Non-Repeating	R_MHTERM3_001_4, MHPRESP_001_4, MHOCCUR_001_4, MHSTDTC_001_4, MHLT_001_4, MHLTCD_001_4, MHDECOD_001_4, MHPTCD_001_4, MHHLT_001_4, MHHLTCD_001_4, MHHLGT_001_4, MHHLGTCD_001_4, MHSOC_001_4, MHSOCCD_001_4

Instruments

PC003_1 / PHARMACOKINETICS - WEEK 4 and 12

Instrument Definition

Instrument Name:	PC003_1
Instrument Title:	PHARMACOKINETICS - WEEK 4 and 12
SAS Instrument Name:	PC003_1
Description:	PK
Version:	0.52
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: PC003_1 PHARMACOKINETICS - WEEK 4 AND 12 (PK) [Version: 0.52]		
Section PHARMACOKINETICS - WEEK 4 and 12 PC003_S_1		Permission Groups
Group of Fields PC01003_1 / Pharmacokinetics Group Type: Fixed Repeating	Number of rows: 5	

1.	Category [PCCAT_003_1] [PCCAT] Row 1 (Locked): 1 - PHARMACOKINETICS (POINT) Row 2 (Locked): 1 - PHARMACOKINETICS (POINT) Row 3 (Locked): 1 - PHARMACOKINETICS (POINT) Row 4 (Locked): 1 - PHARMACOKINETICS (POINT) Row 5 (Locked): 1 - PHARMACOKINETICS (POINT)	[PCCAT_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
2.	Analyte: [SUPPPC_PKTERM_003_1] [PKTERM] Row 1 (Locked): 1 - PF-06651600 Row 2 (Locked): 1 - PF-06651600 Row 3 (Locked): 1 - PF-06651600 Row 4 (Locked): 1 - PF-06651600 Row 5 (Locked): 1 - PF-06651600	[SUPPPC_PKTERM_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
3.	Body Fluid / Matrix: [PCSPEC_003_1] [PKBDFLD] Row 1 (Locked): 7 - BLOOD Row 2 (Locked): 7 - BLOOD Row 3 (Locked): 7 - BLOOD Row 4 (Locked): 7 - BLOOD Row 5 (Locked): 7 - BLOOD	[PCSPEC_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7	

4.*	Sample Not Done: [X_PCSTAT_003_1] [PKSMND]	[X_PCSTAT_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.	Time Post Dose: [PCTPT_003_1] [PKPTM] Row 1 (Locked): 63 - 0 H Row 2 (Locked): 7 - 0.5 H Row 3 (Locked): 17 - 1 H Row 4 (Locked): 20 - 2 H Row 5 (Locked): 24 - 3 H	[PCTPT_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
6.	Reference Timepoint: [PCTPTREF_003_1] [PKTPTREF] Row 1 (Locked): 10 - PREVIOUS Row 2 (Locked): 11 - DOSING Row 3 (Locked): 11 - DOSING Row 4 (Locked): 11 - DOSING Row 5 (Locked): 11 - DOSING	[PCTPTREF_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

7.* 	Date and Time: <i>[Branching logic expression: [X_PCSTAT_003_1]='2']</i> <i>[PCDTC_003_1]</i> [PKADT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record start date of the sample collection in the format dd- MMM-yyyy (e.g. 01-JAN-2006). Record the start time of the sample collection using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
8.	Comments (Keep brief and legible): <i>[Branching logic expression: [X_PCSTAT_003_1]='2']</i> <i>[CO_PKCOMC_003_1]</i> [PKCOMC]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: PC003_1 PHARMACOKINETICS - WEEK 4 and 12

Type	RefName	Description
Form	CRF_14944926307985543_PC003_1	PC003_1
Item	I_14944939091762900_PCCAT_003_1	
Item	I_14944939017273278_SUPPPC_PKTERM_003_1	
Item	I_14944939026526801_PCSPEC_003_1	
Item	I_14944939035694688_X_PCSTAT_003_1	
Item	I_14944939044963316_PCTPT_003_1	
Item	I_14944939054260720_PCTPTREF_003_1	
Item	I_14944939064887063_PCDTC_003_1	
Item	I_14944939078770346_CO_PKCOMC_003_1	

Codelist Values Tables: PC003_1 PHARMACOKINETICS - WEEK 4 and 12

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
PCCAT_CL_003_1	0.1			PHARMACOKINETICS (POINT)	1	1	0.1	i_14944939091762900_pccat_003_1
SUPPPC_PKTERM_CL_003_1	0.2			PF-06651600	1	1	0.1	i_14944939017273278_supppc_pkterm_003_1
PCSPEC_CL_003_1	0.2			BLOOD	1	7	0.1	i_14944939026526801_pcspec_003_1
X_PCSTAT_CL_003_1	0.1			NOT DONE	1	1	0.1	i_14944939035694688_x_pcstat_003_1
				DONE	2	2	0.1	
PCTPT_CL_003_1	0.4			0 H	1	63	0.1	i_14944939044963316_pctpt_003_1
				0.5 H	2	7	0.1	
				1 H	3	17	0.1	

				2 H	4	20	0.1	
				3 H	5	24	0.1	
PCTPTREF_CL_003_1	0.2			PREVIOUS	1	10	0.1	i_14944939054260720_pctptref_003_1
				DOSING	2	11	0.1	

Variable Validations PC003_1 PHARMACOKINETICS - WEEK 4 and 12

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PCDTC_003_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
PCDTC_003_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PCDTC_003_1	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
PCDTC_003_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
PCDTC_003_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PCDTC_003_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PCDTC_003_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PC003_1 PHARMACOKINETICS - WEEK 4 and 12

Group RefName	Group Type	Associated Variables
IG_14944934683529021_PC01003_1	Fixed Repeating	PCCAT_003_1, SUPPPC_PKTERM_003_1, PCSPEC_003_1, X_PCSTAT_003_1, PCTPT_003_1, PCTPTREF_003_1, PCDTC_003_1, CO_PKCOMC_003_1

Instruments

AUAUD001 / AUDIOMETRIC ASSESSMENT - HEARING TEST SCR

Instrument Definition

Instrument Name:	AUAUD001
Instrument Title:	AUDIOMETRIC ASSESSMENT - HEARING TEST SCR
SAS Instrument Name:	AUAUD001
Description:	HEARING
Version:	0.16
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: AUAUD001 AUDIOMETRIC ASSESSMENT - HEARING TEST SCR (HEARING) [Version: 0.16]		
Section AUDIOMETRIC ASSESSMENT - HEARING TEST SCR AUAUD001_S		Permission Groups
Group of Fields AUAUD01001 / Audiometric Assessment - Hearing Test Group Type: Non-Repeating	Number of variables: 1	

1.* 	Date of Assessment: [AUDTC_001] [AUDDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of assessment in the format dd-MMM-yyyy (e. g. 01-JAN-2006)	
	Group of Fields AUAUD02001 / Audiometric Assessment - Hearing Test Results Group Type: Fixed Repeating	Number of rows: 2	
2.	Body Side: [AULAT_001] [AUDLAT] Row 1 (Locked): 5 - LEFT Row 2 (Locked): 6 - RIGHT	[AULAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

3.	Anatomical Location: [AULOC_001] [AUDLOC]	[AULOC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 42	
4.* ✓	Hearing Status: [AUORRES_INTP_001] [AUDHSTA]	[AUORRES_INTP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record whether the subject's hearing was Normal or Abnormal.	
5.* ✓	If Abnormal, is this clinically significant? [AUCLSIG_001] [AUDCLSG] (Nested Field)	[AUCLSIG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If Hearing Status is "Abnormal", record if this is clinically significant.	

6.* ✓	Hearing Test Comments: [CO_AUCOM_001] [AUDCOM] <i>(Nested Field)</i>	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If hearing is Abnormal, record a brief comment in the space provided.	
----------	---	--	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: AUAUD001 AUDIOMETRIC ASSESSMENT - HEARING TEST SCR		
Type	RefName	Description
Form	CRF_14944926510842018_AUAUD001	AUAUD001
Item	I_14944939100980887_AUDTC_001	
Item	I_14944939110680390_AULAT_001	
Item	I_14944939119948666_AULOC_001	
Item	I_14944939130058128_AUORRES_INTP_001	
Item	I_14944939139081227_AUCLSIG_001	
Item	I_14944939148983872_CO_AUCOM_001	

Codelist Values Tables: AUAUD001 AUDIOMETRIC ASSESSMENT - HEARING TEST SCR								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
AULAT_CL_001	0.1			LEFT	1	5	0.1	i_14944939110680390_aulat_001

				RIGHT	2	6	0.1	
AULOC_CL_001	0.1			EAR	1	42	0.1	i_14944939119948666_auloc_001
AUORRES_INTP_CL_001	0.1			NORMAL	1	3	0.1	i_14944939130058128_aurres_intp_001
				ABNORMAL	2	1	0.1	
AUCLSIG_CL_001	0.1			YES	1	Y	0.1	i_14944939139081227_aucsig_001
				NO	2	N	0.1	

Variable Validations AUAUD001 AUDIOMETRIC ASSESSMENT - HEARING TEST SCR

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AUDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AUDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AUDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AUDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AUDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AUDTC_001	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
AUDTC_001	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.

Groups of Fields AUAUD001 AUDIOMETRIC ASSESSMENT - HEARING TEST SCR

Group RefName	Group Type	Associated Variables
IG_14944934450157961_AUAUD01001	Non-Repeating	AUDTC_001
IG_14944934405996669_AUAUD02001	Fixed Repeating	AULAT_001, AULOC_001, AUORRES_INTP_001, AUCLSIG_001, CO_AUCOM_001

Instruments

EG001_1 / ECG - PRE DOSE

Instrument Definition

Instrument Name:	EG001_1
Instrument Title:	ECG - PRE DOSE
SAS Instrument Name:	EG001_1
Description:	ECG
Version:	0.49
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: EG001_1 ECG - PRE DOSE (ECG) [Version: 0.49]			
Section ECG - PRE DOSE EG001_S_1			Permission Groups
	Group of Fields EG01001_1 / ECG Group Type: Non-Repeating	Number of variables: 7	

1.	Planned time point: [EGTPT_001_1] [EGTPT]	[EGTPT_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 63	
2.	Reference Time Point: [EGPTREF_001_1] [EGPTREF]	[EGPTREF_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 10	
3.	Subject position: [EGPOS_001_1] [EGPOS]	[EGPOS_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 4 Help/Info Text: Record the position of the subject during the ECG.	

4.* ✓	ECG Date Time: [EGDTC_001_1] [EGDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date ECG was done using this format (DD-MMM-YYYY).	
----------	--	---	--

5.*	Was ECG: [EGORRES_INTP_001_1] [EGNABN]	[EGORRES_INTP_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record whether the results were "Normal", "Abnormal" or "Not Evaluable".
The criteria for determining whether an abnormal objective test finding such as ECG should be reported as an adverse event during a clinical trial are as follows:

- Test result is associated with accompanying symptoms; and/or
- Test result requires additional diagnostic testing or medical/surgical intervention; and/or
- Test result leads to a change in trial dosing or discontinuation from the trial, significant additional concomitant drug treatment, or other therapy; and/or
- Test result is considered to be an adverse event by the investigator or sponsor.

Merely repeating an abnormal test, in the absence of any of the above conditions, does not constitute an adverse event.
Any abnormal test result that is determined to be an error does not require reporting as an adverse event.	
6.* ✓	If abnormal, was the overall ECG clinically significant? [EGCLSIG_001_1] [EGCLSIG] (Nested Field)	[EGCLSIG_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the ECG was ABNORMAL, record whether the abnormalities were clinically significant by selecting "Yes" or "No". Otherwise, leave this item blank.	

7.* ✓	Comments on significant findings: (If clinically significant, record on the Adverse Event page) [CO_EGCOM_001_1] [EGCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields EG02001_1 / ECG Results Entry Group Type: Fixed Repeating	Number of rows: 6	
8.	ECG Test Name: [EGTEST_001_1] [EGTEST] Row 1 (Locked): 128 - ECG Mean Heart Rate Row 2 (Locked): 903 - PR Interval Not Otherwise Specified Row 3 (Locked): 904 - QRS Interval Not Otherwise Specified Row 4 (Locked): 902 - QT Interval Not Otherwise Specified Row 5 (Locked): 900 - RR Interval Not Otherwise Specified Row 6 (Locked): 909 - QTcF Not Otherwise Specified	[EGTEST_CL_001_1] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the name of the ECG measurement or finding, if not pre-printed on the CRF.	

9.* ✓	Result: [EGORRES_001_1] [EGORRES] Row 6 (Locked):	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the findings or interpretation for the ECG measurement. If there are multiple ECG Test names pre-printed on the CRF and there is no finding or interpretation for that test, record ND in the result field.	
10.	Unit: [EGORRESU_001_1] [EGORRESU] Row 1 (Locked): 114 - beats/min Row 2 (Locked): 14 - ms Row 3 (Locked): 14 - ms Row 4 (Locked): 14 - ms Row 5 (Locked): 14 - ms Row 6 (Locked): 14 - ms	[EGORRESU_CL_001_1] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the unit of the ECG measurement or finding, if not pre-printed on the CRF.	
Key: [*] = Item is required ✓ = Source verification required			

Study Object Descriptions: EG001_1 ECG - PRE DOSE		
Type	RefName	Description
Form	CRF_14944926713112616_EG001_1	EG001_1
Item	I_14944939159456640_EGTPT_001_1	
Item	I_14944939171160198_EGTPTREF_001_1	

Item	I_14944939182296569_EGPOS_001_1	
Item	I_14944939193154017_EGDTC_001_1	
Item	I_14944939203482482_EGORRES_INTP_001_1	
Item	I_14944939213448183_EGCLSIG_001_1	
Item	I_14944939223926219_CO_EGCOM_001_1	
Item	I_14944939232978856_EGTEST_001_1	
Item	I_14944939243654766_EGORRES_001_1	
Item	I_14944939253109634_EGORRESU_001_1	

Codelist Values Tables: EG001_1 ECG - PRE DOSE

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
EGTPT_CL_001_1	0.4			0 H	1	63	0.1	i_14944939159456640_egtpt_001_1
EGTPTRF_CL_001_1	0.4			PREVIOUS	1	10	0.1	i_14944939171160198_egtptrf_001_1
EGPOS_CL_001_1	0.2			SUPINE	1	4	0.1	i_14944939182296569_egpos_001_1
EGORRES_INTP_CL_001_1	0.3			NORMAL	1	3	0.1	i_14944939203482482_egorres_intp_001_1
				ABNORMAL	2	1	0.1	
				INDETERMINATE	3	2	0.1	
				UNKNOWN	4	4	0.1	
				NOT EVALUABLE	5	5	0.1	
EGCLSIG_CL_001_1	0.1			YES	1	Y	0.1	i_14944939213448183_egclsig_001_1
				NO	2	N	0.1	
EGTEST_CL_001_1	0.4			ECG Mean Heart Rate	1	128	0.1	i_14944939232978856_egtest_001_1
				PR Interval Not Otherwise Specified	2	903	0.1	
				QRS Interval Not Otherwise Specified	3	904	0.1	

				QT Interval Not Otherwise Specified	4	902	0.1	
				RR Interval Not Otherwise Specified	5	900	0.1	
				QTcF Not Otherwise Specified	6	909	0.1	
EGORRESU_CL_001_1	0.2			beats/min	1	114	0.1	i_14944939253109634_egorresu_001_1
				ms	2	14	0.1	

Variable Validations EG001_1 ECG - PRE DOSE				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
EGDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
EGDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
EGDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
EGDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
EGDTC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields EG001_1 ECG - PRE DOSE		
Group RefName	Group Type	Associated Variables
IG_14944934378582750_EG01001_1	Non-Repeating	EGTPT_001_1, EGTPTREF_001_1, EGPOS_001_1, EGDTC_001_1, EGORRES_INTPT_001_1, EGCLSIG_001_1, CO_EGCOM_001_1
IG_14944934425499142_EG02001_1	Fixed Repeating	EGTEST_001_1, EGORRES_001_1, EGORRESU_001_1

Instruments

LB001_9 / LOCAL LABORATORY DATA - HEMATOLOGY

Instrument Definition

Instrument Name:	LB001_9
Instrument Title:	LOCAL LABORATORY DATA - HEMATOLOGY
SAS Instrument Name:	LB001_9
Description:	LAB HEM
Version:	0.20
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: LB001_9 LOCAL LABORATORY DATA - HEMATOLOGY (LAB HEM) [Version: 0.20]		
Section LOCAL LABORATORY DATA - HEMATOLOGY LB001_9_S		Permission Groups
Group of Fields LB01001_9 / LABORATORY DATA - HEMATOLOGY Group Type: Non-Repeating	Number of variables: 4	

1.	Lab Panel: [LBCAT_001_9] [LBCAT]	[LBCAT_CL_001_9] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
2.	Specimen Type: [LBSPEC_001_9] [LBSPEC] [Hidden]	[LBSPEC_CL_001_9] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7 Help/Info Text: Record the Specimen Type if not pre-printed on the CRF.	
3.	Specimen Type: [LBSPEC1_001_9] [LBSPEC1]	[LBSPEC1_CL_001_9] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7 Help/Info Text: Record the Specimen Type if not pre-printed on the CRF.	

4.* ✓	Collection Date: [LBDTC_001_9] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Enabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using this format (DD-MMM-YYYY). Record time of collection (as complete as possible).	
	Group of Fields LB02001_9 / Lab Results Group Type: Fixed Repeating	Number of rows: 12	

5.	Lab Test [LBTEST_001_9] Analyte: Hemoglobin_PX1 (Hemoglobin) Analyte: Leukocytes_PX7 (Leukocytes) Analyte: Monocytes_PX612 (Monocytes) Analyte: Lymphocytes_PX611 (Lymphocytes) Analyte: Basophils_PX610 (Basophils) Analyte: Eosinophils_PX609 (Eosinophils) Analyte: Neutrophils_PX608 (Neutrophils) Analyte: Platelets_PX5 (Platelets) Analyte: Mean Platelet Volume_PX461 (Mean Platelet Volume) Analyte: Erythrocytes_PX3 (Erythrocytes) Analyte: Hematocrit_PX2 (Hematocrit) Analyte: Hemoglobin A1C_PX128 (Hemoglobin A1C)	Text Box Variable Width: 420 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
6. ✓	Lab Result [LBORRES_001_9]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7. ✓	Not Done [LBSTAT_001_9]	[ND_10] Radio Buttons Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.	Unit [LBORRESU_001_9]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
9.	Low Range [LBORNRL0_001_9]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
10.	High Range [LBORNRI_001_9]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

11.	Status [LBFLAG_001_9]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
12. ✓	Clinical Significance [LBCLSIG_001_9]	Text Box Variable Width: 250 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
13. ✓	Comment [CO_LBCOM_001_9]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: LB001_9 LOCAL LABORATORY DATA - HEMATOLOGY		
Type	RefName	Description

Form	CRF_14944926914834801_LB001_9	LB001_9
Item	I_14944939262839742_LBCAT_001_9	
Item	I_14944939271125572_LBSPEC_001_9	
Item	I_14944939289094470_LBSPEC1_001_9	
Item	I_14944939281206858_LBDTC_001_9	
Item	I_14944939297694924_LBTEST_001_9	
Item	I_14944939361659389_LBORRES_001_9	
Item	I_14944939370283531_LBSTAT_001_9	
Item	I_14944939378185912_LBORRESU_001_9	
Item	I_14944939386989147_LBORNRO_001_9	
Item	I_14944939395128836_LBORNRI_001_9	
Item	I_14944939403134396_LBFLAG_001_9	
Item	I_14944939411177847_LBCLSIG_001_9	
Item	I_14944939418994132_CO_LBCOM_001_9	

Codelist Values Tables: LB001_9 LOCAL LABORATORY DATA - HEMATOLOGY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_9	0.1			HEMATOLOGY	1	1	0.1	i_14944939262839742_lbcats_001_9
LBSPEC_CL_001_9	0.2			BLOOD	1	7	0.1	i_14944939271125572_lbspec_001_9
LBSPEC1_CL_001_9	0.2			BLOOD	1	7	0.1	i_14944939289094470_lbspec1_001_9
ND_10	0.1			NOT DONE	1	NOT DONE	0.1	i_14944939370283531_lbstat_001_9

Variable Validations LB001_9 LOCAL LABORATORY DATA - HEMATOLOGY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
------------------	---------------------	----------	-----------------	------------

LBDTC_001_9	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDTC_001_9	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDTC_001_9	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDTC_001_9	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
LBDTC_001_9	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields LB001_9 LOCAL LABORATORY DATA - HEMATOLOGY

Group RefName	Group Type	Associated Variables
IG_14944934396858494_LB01001_9	Non-Repeating	LBCAT_001_9, LBSPEC_001_9, LBSPEC1_001_9, LBDTC_001_9
IG_14944934347148955_LB02001_9	Fixed Repeating	LBTEST_001_9, LBORRES_001_9, LBSTAT_001_9, LBORRESU_001_9, LBORNRL0_001_9, LBORNRI_001_9, LBFLAG_001_9, LBCLSIG_001_9, CO_LBCOM_001_9

Instruments

VS001_2 / VITAL SIGNS - REPEATING

Instrument Definition

Instrument Name:	VS001_2
Instrument Title:	VITAL SIGNS - REPEATING
SAS Instrument Name:	VS001_2
Description:	VIT - REP
Version:	0.45
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: VS001_2 VITAL SIGNS - REPEATING (VIT - REP) [Version: 0.45]		
Section VITAL SIGNS - REPEATING VS001_2_S		Permission Groups
Group of Fields VS01001_2 / Vital Signs - I Group Type: Non-Repeating	Number of variables: 3	

1.* 	Date: [VSDTC_001_2] [VSDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of the measurement using this format (DD- MMM-YYYY). NO partial dates allowed. Record the time of the measurement using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
2.* 	Weight: [VSORRES_WEIGHT_001_2] [WEIGHT]	Number Box (Decimal) Max Value: 999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the numeric value for weight.	

3.* ✓	Unit: [VSORRESU_WEIGHT_001_2] [WEIGHTU]	[VSORRESU_WEIGHT_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If weight units are not defaulted, choose either lb or kg.	
	Group of Fields VS02001_2 / Vital Signs - II Group Type: Fixed Repeating	Number of rows: 1	
4.	Record Identifier: [VSSPID_001_2] [VSSPID] Row 1 (Locked): 1 - 1	[VSSPID_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: When multiple measurements of a test are performed at the same visit (e.g., triplicate BP measurements), be sure to enter the test and time taken with corresponding result in the order in which they were performed.	

5.* ✓✓	Systolic BP in mmHg: [VSORRES_SYSBP_001_2] [SYSBP]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value of the systolic blood pressure.	
6.* ✓✓	Diastolic BP in mmHg: [VSORRES_DIABP_001_2] [DIABP]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the numeric value of the diastolic blood pressure.	
7.* ✓✓	Pulse in beats/minute: [VSORRES_PULSE_001_2] [PULSE]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value of pulse rate in beats/minute.	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: VS001_2 VITAL SIGNS - REPEATING

Type	RefName	Description
Form	CRF_14944927115667316_VS001_2	VS001_2
Item	I_14944939427350764_VSDTC_001_2	
Item	I_14944939448334396_VSORRES_WEIGHT_001_2	
Item	I_14944939458608789_VSORRESU_WEIGHT_001_2	
Item	I_14944939468931896_VSSPID_001_2	
Item	I_14944939479862886_VSORRES_SYSBP_001_2	
Item	I_14944939490317423_VSORRES_DIABP_001_2	
Item	I_14944939500493117_VSORRES_PULSE_001_2	

Codelist Values Tables: VS001_2 VITAL SIGNS - REPEATING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
VSORRESU_WEIGHT_CL_001_2	0.1			kg	1	9	0.1	i_14944939458608789_vsorresu_weight_001_2
				LB	2	11	0.1	
VSSPID_CL_001_2	0.2			1	1	1	0.1	i_14944939468931896_vsspid_001_2

Variable Validations VS001_2 VITAL SIGNS - REPEATING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
VSDTC_001_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
VSDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
VSDTC_001_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.

VSDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
VSDTC_001_2	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields VS001_2 VITAL SIGNS - REPEATING		
Group RefName	Group Type	Associated Variables
IG_14944934698469991_VS01001_2	Non-Repeating	VSDTC_001_2, VSORRES_WEIGHT_001_2, VSORRESU_WEIGHT_001_2
IG_14944934707575206_VS02001_2	Fixed Repeating	VSSPID_001_2, VSORRES_SYSBP_001_2, VSORRES_DIABP_001_2, VSORRES_PULSE_001_2

Instruments

EG001_3 / LOCALLY READ ECGs REPEATING

Instrument Definition

Instrument Name:	EG001_3
Instrument Title:	LOCALLY READ ECGs REPEATING
SAS Instrument Name:	EG001_3
Description:	LOCALECGR
Version:	0.35
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: EG001_3 LOCALLY READ ECGs REPEATING (LOCALECGR) [Version: 0.35]			
Section LOCALLY READ ECGs REPEATING EG001_3_S			Permission Groups
	Group of Fields EG01001_3 / ECGs Group Type: Non-Repeating	Number of variables: 5	

1.	Subject position: [EGPOS_001_3] [EGPOS]	[EGPOS_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 4 Help/Info Text: Record the position of the subject during the ECG.	
2.* ✓	ECG Date: [EGDTC_001_3] [EGDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date ECG was done using this format (DD-MMM-YYYY).	

3.*	Was ECG: [EGORRES_INTP_001_3] [EGNABN]	[EGORRES_INTP_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record whether the results were "Normal", "Abnormal" or "Not Evaluable".
The criteria for determining whether an abnormal objective test finding such as ECG should be reported as an adverse event during a clinical trial are as follows:

- Test result is associated with accompanying symptoms; and/or
- Test result requires additional diagnostic testing or medical/surgical intervention; and/or
- Test result leads to a change in trial dosing or discontinuation from the trial, significant additional concomitant drug treatment, or other therapy; and/or
- Test result is considered to be an adverse event by the investigator or sponsor.

Merely repeating an abnormal test, in the absence of any of the above conditions, does not constitute an adverse event.
Any abnormal test result that is determined to be an error does not require reporting as an adverse event.	
4.* 	If abnormal, was the overall ECG clinically significant? [EGCLSIG_001_3] [EGCLSIG] (Nested Field)	[EGCLSIG_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the ECG was ABNORMAL, record whether the abnormalities were clinically significant by selecting "Yes" or "No". Otherwise, leave this item blank.	

5.* ✓	Comments on significant findings: (If clinically significant, record on the Adverse Event page) [CO_EGCOM_001_3] [EGCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields EG02001_3 / RESULTS Group Type: Fixed Repeating	Number of rows: 6	
6.	ECG Test Name: [EGTEST_001_3] [EGTEST] Row 1 (Locked): 128 - ECG Mean Heart Rate Row 2 (Locked): 903 - PR Interval Not Otherwise Specified Row 3 (Locked): 904 - QRS Interval Not Otherwise Specified Row 4 (Locked): 902 - QT Interval Not Otherwise Specified Row 5 (Locked): 900 - RR Interval Not Otherwise Specified Row 6 (Locked): 909 - QTcF Not Otherwise Specified	[EGTEST_CL_001_3] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the name of the ECG measurement or finding, if not pre-printed on the CRF.	

7.* ✓	Result: [EGORRES_001_3] [EGORRES] Row 6 (Locked):	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the findings or interpretation for the ECG measurement. If there are multiple ECG Test names pre-printed on the CRF and there is no finding or interpretation for that test, record ND in the result field.	
8.	Unit: [EGORRESU_001_3] [EGORRESU] Row 1 (Locked): 114 - beats/min Row 2 (Locked): 14 - ms Row 3 (Locked): 14 - ms Row 4 (Locked): 14 - ms Row 5 (Locked): 14 - ms Row 6 (Locked): 14 - ms	[EGORRESU_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the unit of the ECG measurement or finding, if not pre-printed on the CRF.	
Key: [*] = Item is required ✓ = Source verification required			

Study Object Descriptions: EG001_3 LOCALLY READ ECGs REPEATING		
Type	RefName	Description
Form	CRF_14944927316944531_EG001_3	EG001_3
Item	I_14944939510688790_EGPOS_001_3	
Item	I_14944939521193517_EGDTC_001_3	

Item	I_14944939531749673_EGORRES_INTP_001_3	
Item	I_14944939542018528_EGCLSIG_001_3	
Item	I_14944939552585876_CO_EGCOM_001_3	
Item	I_14944939562227279_EGTEST_001_3	
Item	I_14944939573238966_EGORRES_001_3	
Item	I_14944939582943384_EGORRESU_001_3	

Codelist Values Tables: EG001_3 LOCALLY READ ECGs REPEATING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
EGPOS_CL_001_3	0.3			SUPINE	1	4	0.1	i_14944939510688790_egpos_001_3
EGORRES_INTP_CL_001_3	0.3			NORMAL	1	3	0.1	i_14944939531749673_egorres_intp_001_3
				ABNORMAL	2	1	0.1	
				INDETERMINATE	3	2	0.1	
				UNKNOWN	4	4	0.1	
				NOT EVALUABLE	5	5	0.1	
EGCLSIG_CL_001_3	0.1			NO	1	N	0.1	i_14944939542018528_egclsig_001_3
				YES	2	Y	0.1	
EGTEST_CL_001_3	0.3			ECG Mean Heart Rate	1	128	0.1	i_14944939562227279_egtest_001_3
				PR Interval Not Otherwise Specified	2	903	0.1	
				QRS Interval Not Otherwise Specified	3	904	0.1	
				QT Interval Not Otherwise Specified	4	902	0.1	
				RR Interval Not Otherwise Specified	5	900	0.1	

				QTcF Not Otherwise Specified	6	909	0.1	
EGORRESU_CL_001_3	0.2			beats/min	1	114	0.1	i_14944939582943384_egorresu_001_3
				ms	2	14	0.1	

Variable Validations EG001_3 LOCALLY READ ECGs REPEATING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
EGDTC_001_3	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
EGDTC_001_3	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
EGDTC_001_3	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
EGDTC_001_3	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
EGDTC_001_3	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields EG001_3 LOCALLY READ ECGs REPEATING

Group RefName	Group Type	Associated Variables
IG_14944934746957175_EG01001_3	Non-Repeating	EGPOS_001_3, EGDTC_001_3, EGORRES_INTP_001_3, EGCLSIG_001_3, CO_EGCOM_001_3
IG_14944934771340172_EG02001_3	Fixed Repeating	EGTEST_001_3, EGORRES_001_3, EGORRESU_001_3

Instruments

AUAUD001_1 / AUDIOMETRIC ASSESSMENT - HEARING TEST POST SCR

Instrument Definition

Instrument Name:	AUAUD001_1
Instrument Title:	AUDIOMETRIC ASSESSMENT - HEARING TEST POST SCR
SAS Instrument Name:	AUAUD001_1
Description:	HEARING
Version:	0.19
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: AUAUD001_1 AUDIOMETRIC ASSESSMENT - HEARING TEST POST SCR (HEARING) [Version: 0.19]		
Section AUDIOMETRIC ASSESSMENT - HEARING TEST POST SCR AUAUD001_S_1		Permission Groups
Group of Fields AUAUD01001_1 / Audiometric Assessment - Hearing Test Group Type: Non-Repeating	Number of variables: 1	

1.* 	Date of Assessment: [AUDTC_001_1] [AUDDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of assessment in the format dd-MMM-yyyy (e. g. 01-JAN-2006)	
	Group of Fields AUAUD02001_1 / Audiometric Assessment - Hearing Test Results Group Type: Fixed Repeating	Number of rows: 2	
2.	Body Side: [AULAT_001_1] [AUDLAT] Row 1 (Locked): 5 - LEFT Row 2 (Locked): 6 - RIGHT	[AULAT_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

3.	Anatomical Location: [AULOC_001_1] [AUDLOC]	[AULOC_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 42	
4.* ✓	Hearing Status: [AUORRES_INTP_001_1] [AUDHSTA]	[AUORRES_INTP_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record whether the subject's hearing was Normal or Abnormal.	
5.* ✓	If Abnormal, is this clinically significant? [AUCLSIG_001_1] [AUDCLSG] (Nested Field)	[AUCLSIG_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If Hearing Status is "Abnormal", record if this is clinically significant.	

6.* ✓	Hearing Test Comments: [CO_AUCOM_001_1] [AUDCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If hearing is Abnormal, record a brief comment in the space provided.	
7.* ✓	Change from Baseline: [SUPPAU_AUCHGB_001_1] [AUDCHGB]	[SUPPAU_AUCHGB_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the change from baseline.	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: AUAUD001_1 AUDIOMETRIC ASSESSMENT - HEARING TEST POST SCR		
Type	RefName	Description
Form	CRF_14944927519580338_AUAUD001_1	AUAUD001_1
Item	I_14944939593098016_AUDTC_001_1	
Item	I_14944939602646102_AULAT_001_1	
Item	I_14944939611961524_AULOC_001_1	
Item	I_14944939621746754_AUORRES_INTP_001_1	

Item	I_14944939631089515_AUCLSIG_001_1	
Item	I_14944939642236340_CO_AUCOM_001_1	
Item	I_14944939652264942_SUPPAU_AUCHGB_001_1	

Codelist Values Tables: AUAUD001_1 AUDIOMETRIC ASSESSMENT - HEARING TEST POST SCR								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
AULAT_CL_001_1	0.1			LEFT	1	5	0.1	i_14944939602646102_aulat_001_1
				RIGHT	2	6	0.1	
AULOC_CL_001_1	0.1			EAR	1	42	0.1	i_14944939611961524_auloc_001_1
AUORRES_INTP_CL_001_1	0.1			NORMAL	1	3	0.1	i_14944939621746754_aurres_intp_001_1
				ABNORMAL	2	1	0.1	
AUCLSIG_CL_001_1	0.1			YES	1	Y	0.1	i_14944939631089515_aucsig_001_1
				NO	2	N	0.1	
SUPPAU_AUCHGB_CL_001_1	0.3			UNCHANGED	1	2	0.1	i_14944939652264942_suppau_auchgb_001_1
				IMPROVED, CLINICALLY SIGNIFICANT	2	4	0.1	
				WORSENER, CLINICALLY SIGNIFICANT	3	5	0.1	
				NOT CLINICALLY SIGNIFICANT	4	6	0.1	

Variable Validations AUAUD001_1 AUDIOMETRIC ASSESSMENT - HEARING TEST POST SCR				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AUDTC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

AUDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AUDTC_001_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
AUDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AUDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AUDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AUDTC_001_1	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.

Groups of Fields AUAUD001_1 AUDIOMETRIC ASSESSMENT - HEARING TEST POST SCR		
Group RefName	Group Type	Associated Variables
IG_14944934146357204_AUAUD01001_1	Non-Repeating	AUDTC_001_1
IG_14944934155619014_AUAUD02001_1	Fixed Repeating	AULAT_001_1, AULOC_001_1, AUORRES_INTP_001_1, AUCLSIG_001_1, CO_AUCOM_001_1, SUPPAU_AUCHGB_001_1

Instruments

BEETRK010 / ELECTRONIC SAMPLE TRACKING - IP-10

Instrument Definition

Instrument Name:	BEETRK010
Instrument Title:	ELECTRONIC SAMPLE TRACKING - IP-10
SAS Instrument Name:	BEETRK010
Description:	SAMP TRK
Version:	0.39
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: BEETRK010 <i>ELECTRONIC SAMPLE TRACKING - IP-10</i> (SAMP TRK) [Version: 0.39]		
Section ELECTRONIC SAMPLE TRACKING - IP-10 <i>BEETRK010_S</i>		Permission Groups
Group of Fields BEETRK01010 / Electronic Sample Tracking Group Type: Fixed Repeating	Number of rows: 1	

1.	Sample Collection Name: [SUPPBE_SAMPNAME_010] [ETRKSAMP] Row 1 (Locked): 1 - Interferon gamma-induced protein 10 (IP-10)	[SUPPBE_SAMPNAME_CL_010] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
2.	Specimen Type: [SUPPBE_BESPEC_010] [ETRKSPEC] Row 1 (Locked): 33 - SERUM	[SUPPBE_BESPEC_CL_010] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 33	
3.*	Sample Collected? [BEOCCUR_010] [ETRKSMP]	[BEOCCUR_CL_010] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO to record if the sample was collected ?	

4.*	Date of Specimen Collection: [BEDTC_010] [ETRKDTC] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record date of sample collection in the format dd-MMM-yyyy (e. g. 01-JAN-2006). Record the time of sample collection using 24 hour clock (e. g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
5.*	Sample ID: [BEREFID_010] [ETRKID] (Nested Field)	Text Box Max Length: 60 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Sample ID or accession number or barcode.	

6.*	If no sample was collected or sample was not collected according to protocol, please provide reason: [CO_BECOM_010] [ETRKCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If no sample was collected or if the sample was not collected according to the protocol, specify the reason why in the space provided.	
-----	---	--	--

Key: [*] = Item is required

Study Object Descriptions: BEETRK010 ELECTRONIC SAMPLE TRACKING - IP-10		
Type	RefName	Description
Form	CRF_14944927721033675_BEETRK010	BEETRK010
Item	I_14944939662467261_SUPPBE_SAMPNAME_010	
Item	I_14944939672151782_SUPPBE_BESPEC_010	
Item	I_14944939682816254_BEOCCUR_010	
Item	I_14944939693054323_BEDTC_010	
Item	I_14944939703588022_BEREFID_010	
Item	I_14944939713896064_CO_BECOM_010	

Codelist Values Tables: BEETRK010 ELECTRONIC SAMPLE TRACKING - IP-10								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName

SUPPBE_SAMPNAME_CL_010	0.2			Interferon gamma-induced protein 10 (IP-10)	1	1	0.1	i_14944939662467261_suppbe_sampname_010
SUPPBE_BESPEC_CL_010	0.2			SERUM	1	33	0.1	i_14944939672151782_suppbe_bespec_010
BEOCCUR_CL_010	0.1			NO	1	N	0.1	i_14944939682816254_beoccur_010
				YES	2	Y	0.1	

Variable Validations BEETRK010 ELECTRONIC SAMPLE TRACKING - IP-10

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
BEDTC_010	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
BEDTC_010	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
BEDTC_010	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
BEDTC_010	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
BEDTC_010	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields BEETRK010 ELECTRONIC SAMPLE TRACKING - IP-10

Group RefName	Group Type	Associated Variables
IG_14944934051867258_BEETRK01010	Fixed Repeating	SUPPBE_SAMPNAME_010, SUPPBE_BESPEC_010, BEOCCUR_010, BEDTC_010, BEREFIG_010, CO_BECOM_010

Instruments

EG001_2 / ECG - POST DOSE

Instrument Definition

Instrument Name:	EG001_2
Instrument Title:	ECG - POST DOSE
SAS Instrument Name:	EG001_2
Description:	ECG
Version:	0.45
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: EG001_2 ECG - POST DOSE (ECG) [Version: 0.45]			
Section ECG - POST DOSE EG001_S_2			Permission Groups
	Group of Fields EG01001_2 / ECG Group Type: Non-Repeating	Number of variables: 7	

1.	Planned time point: [EGTPT_001_2] [EGTPT]	[EGTPT_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
2.	Reference Time Point: [EGTPTREF_001_2] [EGTPTREF]	[EGTPTREF_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 11	
3.	Subject position: [EGPOS_001_2] [EGPOS]	[EGPOS_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 4 Help/Info Text: Record the position of the subject during the ECG.	

4.* 	ECG Date Time: [EGDTC_001_2] [EGDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date ECG was done using this format (DD-MMM-YYYY).	
---	--	---	--

5.*	Was ECG: [EGORRES_INTP_001_2] [EGNABN]	[EGORRES_INTP_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record whether the results were "Normal", "Abnormal" or "Not Evaluable".
The criteria for determining whether an abnormal objective test finding such as ECG should be reported as an adverse event during a clinical trial are as follows:

- Test result is associated with accompanying symptoms; and/or
- Test result requires additional diagnostic testing or medical/surgical intervention; and/or
- Test result leads to a change in trial dosing or discontinuation from the trial, significant additional concomitant drug treatment, or other therapy; and/or
- Test result is considered to be an adverse event by the investigator or sponsor.

Merely repeating an abnormal test, in the absence of any of the above conditions, does not constitute an adverse event.
Any abnormal test result that is determined to be an error does not require reporting as an adverse event.	
6.* ✓	If abnormal, was the overall ECG clinically significant? [EGCLSIG_001_2] [EGCLSIG] (Nested Field)	[EGCLSIG_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the ECG was ABNORMAL, record whether the abnormalities were clinically significant by selecting "Yes" or "No". Otherwise, leave this item blank.	

7.*	Comments on significant findings: (If clinically significant, record on the Adverse Event page) [CO_EGCOM_001_2] [EGCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields EG02001_2 / ECG Results Entry Group Type: Fixed Repeating	Number of rows: 6	
8.	ECG Test Name: [EGTEST_001_2] [EGTEST] Row 1 (Locked): 128 - ECG Mean Heart Rate Row 2 (Locked): 903 - PR Interval Not Otherwise Specified Row 3 (Locked): 904 - QRS Interval Not Otherwise Specified Row 4 (Locked): 902 - QT Interval Not Otherwise Specified Row 5 (Locked): 900 - RR Interval Not Otherwise Specified Row 6 (Locked): 909 - QTcF Not Otherwise Specified	[EGTEST_CL_001_2] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the name of the ECG measurement or finding, if not pre-printed on the CRF.	

9.*	Result: [EGORRES_001_2] [EGORRES] Row 6 (Locked):	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the findings or interpretation for the ECG measurement. If there are multiple ECG Test names pre-printed on the CRF and there is no finding or interpretation for that test, record ND in the result field.	
10.	Unit: [EGORRESU_001_2] [EGORRESU] Row 1 (Locked): 114 - beats/min Row 2 (Locked): 14 - ms Row 3 (Locked): 14 - ms Row 4 (Locked): 14 - ms Row 5 (Locked): 14 - ms Row 6 (Locked): 14 - ms	[EGORRESU_CL_001_2] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the unit of the ECG measurement or finding, if not pre-printed on the CRF.	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: EG001_2 ECG - POST DOSE		
Type	RefName	Description
Form	CRF_14944927922109923_EG001_2	EG001_2
Item	I_14944939724605402_EGTPT_001_2	
Item	I_14944939737208944_EGTPTREF_001_2	

Item	I_14944939746877169_EGPOS_001_2	
Item	I_14944939757118446_EGDTC_001_2	
Item	I_14944939767898742_EGORRES_INTP_001_2	
Item	I_14944939777871442_EGCLSIG_001_2	
Item	I_14944939787582990_CO_EGCOM_001_2	
Item	I_14944939797430086_EGTEST_001_2	
Item	I_14944939807604303_EGORRES_001_2	
Item	I_14944939815813596_EGORRESU_001_2	

Codelist Values Tables: EG001_2 ECG - POST DOSE

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
EGTPT_CL_001_2	0.3			1 H	1	1	0.1	i_14944939724605402_egtpt_001_2
EGTPTRF_CL_001_2	0.3			DOSING	1	11	0.1	i_14944939737208944_egtptrf_001_2
EGPOS_CL_001_2	0.2			SUPINE	1	4	0.1	i_14944939746877169_egpos_001_2
EGORRES_INTP_CL_001_2	0.2			NORMAL	1	3	0.1	i_14944939767898742_egorres_intp_001_2
				ABNORMAL	2	1	0.1	
				INDETERMINATE	3	2	0.1	
				UNKNOWN	4	4	0.1	
				NOT EVALUABLE	5	5	0.1	
EGCLSIG_CL_001_2	0.2			YES	1	Y	0.1	i_14944939777871442_egclsig_001_2
				NO	2	N	0.1	
EGTEST_CL_001_2	0.3			ECG Mean Heart Rate	1	128	0.1	i_14944939797430086_egtest_001_2
				PR Interval Not Otherwise Specified	2	903	0.1	
				QRS Interval Not Otherwise Specified	3	904	0.1	

				QT Interval Not Otherwise Specified	4	902	0.1	
				RR Interval Not Otherwise Specified	5	900	0.1	
				QTcF Not Otherwise Specified	6	909	0.1	
EGORRESU_CL_001_2	0.2			beats/min	1	114	0.1	i_14944939815813596_egorresu_001_2
				ms	2	14	0.1	

Variable Validations EG001_2 ECG - POST DOSE				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
EGDTC_001_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
EGDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
EGDTC_001_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
EGDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
EGDTC_001_2	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields EG001_2 ECG - POST DOSE		
Group RefName	Group Type	Associated Variables
IG_14944934656251962_EG01001_2	Non-Repeating	EGTPT_001_2, EGTPTREF_001_2, EGPOS_001_2, EGDTC_001_2, EGORRES_INTP_001_2, EGCLSIG_001_2, CO_EGCOM_001_2
IG_14944934630656579_EG02001_2	Fixed Repeating	EGTEST_001_2, EGORRES_001_2, EGORRESU_001_2

Instruments

LB001_8_1 / LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING

Instrument Definition

Instrument Name:	LB001_8_1
Instrument Title:	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING
SAS Instrument Name:	LB001_8_1
Description:	LAB CHEM
Version:	0.12
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: LB001_8_1 LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING (LAB CHEM) [Version: 0.12]		
Section LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING LB001_S_8_1		Permission Groups
Group of Fields LB01001_8_1 / LABORATORY DATA - CHEMISTRY Group Type: Non-Repeating	Number of variables: 4	

1.	Lab Panel: [LBCAT_001_8_1] [LBCAT]	[LBCAT_CL_001_8_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 2	
2.	Specimen Type: [LBSPEC_001_8_1] [LBSPEC]	[LBSPEC_CL_001_8_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7 Help/Info Text: Record the Specimen Type if not pre-printed on the CRF.	

3.* 	Collection Date: [LBDTC_001_8_1] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Enabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using this format (DD-MMM-YYYY). Record time of collection (as complete as possible).	
4.*	Fasting? [LBFAST_001_8_1] [LBFAST]	[LBFAST_CL_001_8_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the fasting status of the subject.	
	Group of Fields LB02001_8_1 / LAB RESULT Group Type: Fixed Repeating	Number of rows: 17	

5.	Lab Test [LBTEST_001_8_1] Analyte: Creatinine_PX48 (Creatinine) Analyte: Alanine Aminotransferase_PX30 (Alanine Aminotransferase) Analyte: Gamma Glutamyl Transferase_PX31 (Gamma Glutamyl Transferase) Analyte: Bile Acid_PX542 (Bile Acid) Analyte: Alkaline Phosphatase_PX35 (Alkaline Phosphatase) Analyte: GFR from Creatinine Adjusted for BSA_PX7869 (GFR from Creatinine Adjusted for BSA) Analyte: GFR from Cystatin C and Creat Adj BSA_PX7868 (GFR from Cystatin C and Creat Adj BSA) Analyte: Acetaminophen Protein Adduct_PX6765 (Acetaminophen Protein Adduct) Analyte: Cystatin C_PX1789 (Cystatin C) Analyte: Bilirubin_PX21 (Bilirubin) Analyte: Direct Bilirubin_PX22 (Direct Bilirubin) Analyte: Indirect Bilirubin_PX23 (Indirect Bilirubin) Analyte: Protein_PX24 (Protein) Analyte: Albumin_PX25 (Albumin) Analyte: Acetaminophen_PX2633 (Acetaminophen) Analyte: Aspartate Aminotransferase_PX28 (Aspartate Aminotransferase) Analyte: Creatine Kinase_PX29 (Creatine Kinase)	Text Box Variable Width: 420 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
6. ✓	Lab Result [LBORRES_001_8_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7. ✓	Not Done [LBSTAT_001_8_1]	[ND_14] Radio Buttons Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.	Unit [LBORRESU_001_8_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
9.	Low Range [LBORNRL0_001_8_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

10.	High Range [LBORNRHI_001_8_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
11.	Status [LBFLAG_001_8_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
12. ✓	Clinical Significance [LBCLSIG_001_8_1]	Text Box Variable Width: 250 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

13. ✓	Comment [CO_LBCOM_001_8_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
----------	---	--	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: LB001_8_1 LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING		
Type	RefName	Description
Form	CRF_14944928167369165_LB001_8_1	LB001_8_1
Item	I_14944939825389924_LBCAT_001_8_1	
Item	I_14944939832950726_LBSPEC_001_8_1	
Item	I_14944939840783512_LBDTC_001_8_1	
Item	I_14944939849668896_LBFAST_001_8_1	
Item	I_14944939858711975_LBTEST_001_8_1	
Item	I_14944939942487661_LBORRES_001_8_1	
Item	I_14944939949940698_LBSTAT_001_8_1	
Item	I_14944939958567245_LBORRESU_001_8_1	
Item	I_14944939966581141_LBORNRL0_001_8_1	
Item	I_14944939973837313_LBORNRLHI_001_8_1	
Item	I_14944939981083294_LBFLAG_001_8_1	
Item	I_14944939989100325_LBCLSIG_001_8_1	
Item	I_14944939996454195_CO_LBCOM_001_8_1	

Codelist Values Tables: LB001_8_1 LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_8_1	0.1			CLINICAL CHEMISTRY	1	2	0.1	i_14944939825389924_lbcat_001_8_1
LBSPEC_CL_001_8_1	0.1			BLOOD	1	7	0.1	i_14944939832950726_lbspec_001_8_1
LBFAST_CL_001_8_1	0.1			NO	1	N	0.1	i_14944939849668896_lbfast_001_8_1
				YES	2	Y	0.1	
ND_14	0.1			NOT DONE	1	NOT DONE	0.1	i_14944939949940698_lbstat_001_8_1

Variable Validations LB001_8_1 LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDTC_001_8_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDTC_001_8_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDTC_001_8_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDTC_001_8_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
LBDTC_001_8_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields LB001_8_1 LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING

Group RefName	Group Type	Associated Variables
IG_14944933966992022_LB01001_8_1	Non-Repeating	LBCAT_001_8_1, LBSPEC_001_8_1, LBDTC_001_8_1, LBFAST_001_8_1
IG_14944933939015077_LB02001_8_1	Fixed Repeating	LBTEST_001_8_1, LBORRES_001_8_1, LBSTAT_001_8_1, LBORRESU_001_8_1, LBORNRO_001_8_1, LBORNRI_001_8_1, LBFLAG_001_8_1, LBCLSIG_001_8_1, CO_LBCOM_001_8_1

Instruments

LB001_9_1 / LOCAL LABORATORY DATA - HEMATOLOGY - REFLEX TESTING

Instrument Definition

Instrument Name:	LB001_9_1
Instrument Title:	LOCAL LABORATORY DATA - HEMATOLOGY - REFLEX TESTING
SAS Instrument Name:	LB001_9_1
Description:	LAB HEM
Version:	0.8
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: LB001_9_1 LOCAL LABORATORY DATA - HEMATOLOGY - REFLEX TESTING (LAB HEM) [Version: 0.8]		
Section LOCAL LABORATORY DATA - HEMATOLOGY - REFLEX TESTING LB001_9_S_1		Permission Groups
Group of Fields LB01001_9_1 / LABORATORY DATA - HEMATOLOGY Group Type: Non-Repeating	Number of variables: 3	

1.	Lab Panel: [LBCAT_001_9_1] [LBCAT]	[LBCAT_CL_001_9_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
2.	Specimen Type: [LBSPEC_001_9_1] [LBSPEC]	[LBSPEC_CL_001_9_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7 Help/Info Text: Record the Specimen Type if not pre-printed on the CRF.	

3.* 	Collection Date: [LBDTC_001_9_1] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Enabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using this format (DD-MMM-YYYY). Record time of collection (as complete as possible).	
	Group of Fields LB02001_9_1 / Lab Results Group Type: Fixed Repeating	Number of rows: 3	
4.	Lab Test [LBTEST_001_9_1] Analyte: Eosinophils/Leukocytes_PX9 (Eosinophils/Leukocytes) Analyte: Prothrombin Time_PX19 (Prothrombin Time) Analyte: Prothrombin Intl. Normalized Ratio_PX704 (Prothrombin Intl. Normalized Ratio)	Text Box Variable Width: 420 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

5. ✓	Lab Result [LBORRES_001_9_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6. ✓	Not Done [LBSTAT_001_9_1]	[ND_10_1] Radio Buttons Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.	Unit [LBORRESU_001_9_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

8.	Low Range [LBORNRLO_001_9_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
9.	High Range [LBORNRHI_001_9_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
10.	Status [LBFLAG_001_9_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

11. ✓	Clinical Significance [LBCLSIG_001_9_1]	Text Box Variable Width: 250 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
12. ✓	Comment [CO_LBCOM_001_9_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: LB001_9_1 LOCAL LABORATORY DATA - HEMATOLOGY - REFLEX TESTING		
Type	RefName	Description
Form	CRF_14944928373062282_LB001_9_1	LB001_9_1
Item	I_14944940004047432_LBCAT_001_9_1	
Item	I_14944940012479846_LBSPEC_001_9_1	
Item	I_14944940021188600_LBDTC_001_9_1	
Item	I_14944940030518201_LBTEST_001_9_1	
Item	I_14944940058276283_LBORRES_001_9_1	
Item	I_14944940067358098_LBSTAT_001_9_1	
Item	I_14944940075631005_LBORRESU_001_9_1	

Item	I_14944940084580668_LBORNRO_001_9_1	
Item	I_14944940092662462_LBORNRI_001_9_1	
Item	I_14944940100530759_LBFLAG_001_9_1	
Item	I_14944940109130746_LBCLSIG_001_9_1	
Item	I_14944940117179629_CO_LBCOM_001_9_1	

Codelist Values Tables: LB001_9_1 LOCAL LABORATORY DATA - HEMATOLOGY - REFLEX TESTING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_9_1	0.1			HEMATOLOGY	1	1	0.1	i_14944940004047432_lbcats_001_9_1
LBSPEC_CL_001_9_1	0.1			BLOOD	1	7	0.1	i_14944940012479846_lbspec_001_9_1
ND_10_1	0.1			NOT DONE	1	NOT DONE	0.1	i_14944940067358098_lbstat_001_9_1

Variable Validations LB001_9_1 LOCAL LABORATORY DATA - HEMATOLOGY - REFLEX TESTING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001_9_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDC_001_9_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDC_001_9_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDC_001_9_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
LBDC_001_9_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields LB001_9_1 LOCAL LABORATORY DATA - HEMATOLOGY - REFLEX TESTING

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_14944933931096220_LB01001_9_1	Non-Repeating	LBCAT_001_9_1, LBSPEC_001_9_1, LBDTC_001_9_1
IG_14944933915250654_LB02001_9_1	Fixed Repeating	LBTEST_001_9_1, LBORRES_001_9_1, LBSTAT_001_9_1, LBORRESU_001_9_1, LBORNRL0_001_9_1, LBORNRI_001_9_1, LBFLAG_001_9_1, LBCLSIG_001_9_1, CO_LBCOM_001_9_1

Instruments

LB001_7 / LOCAL LABORATORY DATA - URINALYSIS - REFLEX TESTING

Instrument Definition

Instrument Name:	LB001_7
Instrument Title:	LOCAL LABORATORY DATA - URINALYSIS - REFLEX TESTING
SAS Instrument Name:	LB001_7
Description:	LAB URIN
Version:	0.16
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: LB001_7 LOCAL LABORATORY DATA - URINALYSIS - REFLEX TESTING (LAB URIN) [Version: 0.16]		
Section LOCAL LABORATORY DATA - URINALYSIS - REFLEX TESTING LB001_S_7		Permission Groups
Group of Fields LB01001_7 / LABORATORY DATA - URINALYSIS Group Type: Non-Repeating	Number of variables: 4	

1.	Lab Panel: [LBCAT_001_7] [LBCAT]	[LBCAT_CL_001_7] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 3	
2.	Specimen Type: [LBSPEC_001_7] [LBSPEC]	[LBSPEC_CL_001_7] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 40 Help/Info Text: Record the Specimen Type if not pre-printed on the CRF.	

3.* 	Collection Date: [LBDTC_001_7] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Enabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using this format (DD-MMM-YYYY). Record time of collection (as complete as possible).	
4.*	Specimen Condition: [LBSPCCND_001_7] [LBSPCCND]	[LBSPCCND_CL_001_7] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record condition of specimen.	
	Group of Fields LB02001_7 / LAB RESULT Group Type: Fixed Repeating	Number of rows: 3	

5.	Lab Test [LBTEST_001_7] Analyte: Erythrocytes_PX81 (Erythrocytes) Analyte: Albumin/Creatinine_PX914 (Albumin/Creatinine) Analyte: Protein/Creatinine_PX822 (Protein/Creatinine)	Text Box Variable Width: 420 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
6. ✓	Lab Result [LBORRES_001_7]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7. ✓	Not Done [LBSTAT_001_7]	[ND] Radio Buttons Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.	Unit [LBORRESU_001_7]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
9.	Low Range [LBORNRL0_001_7]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
10.	High Range [LBORNRI_001_7]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

11.	Status [LBFLAG_001_7]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
12. ✓	Clinical Significance [LBCLSIG_001_7]	Text Box Variable Width: 250 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
13. ✓	Comment [CO_LBCOM_001_7]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: LB001_7 LOCAL LABORATORY DATA - URINALYSIS - REFLEX TESTING

Type	RefName	Description
------	---------	-------------

Form	CRF_14944928578293256_LB001_7	LB001_7
Item	I_14944940125367744_LBCAT_001_7	
Item	I_14944940136273085_LBSPEC_001_7	
Item	I_14944940145297759_LBDTC_001_7	
Item	I_14944940154765837_LBSPCCND_001_7	
Item	I_14944940166498507_LBTEST_001_7	
Item	I_14944940195043582_LBORRES_001_7	
Item	I_14944940203851272_LBSTAT_001_7	
Item	I_14944940212893071_LBORRESU_001_7	
Item	I_14944940222482010_LBORNRO_001_7	
Item	I_14944940231360765_LBORNRI_001_7	
Item	I_14944940241485366_LBFLAG_001_7	
Item	I_14944940250310730_LBCLSIG_001_7	
Item	I_14944940259438641_CO_LBCOM_001_7	

Codelist Values Tables: LB001_7 LOCAL LABORATORY DATA - URINALYSIS - REFLEX TESTING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_7	0.1			URINALYSIS	1	3	0.1	i_14944940125367744_lbcat_001_7
LBSPEC_CL_001_7	0.1			URINE	1	40	0.1	i_14944940136273085_lbspec_001_7
LBSPCCND_CL_001_7	0.1			FROZEN	1	1	0.1	i_14944940154765837_lbspccnd_001_7
				HEMOLYZED	2	2	0.1	
				LIPEMIC	3	3	0.1	
				REFRIGERATED	4	4	0.1	
				ROOM TEMPERATURE	5	5	0.1	
ND	0.4			NOT DONE	1	NOT DONE	0.1	i_14944940203851272_lbstat_001_7

Variable Validations LB001_7 LOCAL LABORATORY DATA - URINALYSIS - REFLEX TESTING				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001_7	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDC_001_7	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDC_001_7	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDC_001_7	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
LBDC_001_7	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields LB001_7 LOCAL LABORATORY DATA - URINALYSIS - REFLEX TESTING		
Group RefName	Group Type	Associated Variables
IG_14944934011027374_LB01001_7	Non-Repeating	LBCAT_001_7, LBSPEC_001_7, LBDC_001_7, LBSPCCND_001_7
IG_14944933996951156_LB02001_7	Fixed Repeating	LBTEST_001_7, LBORRES_001_7, LBSTAT_001_7, LBORRESU_001_7, LBORNRL0_001_7, LBORNRI_001_7, LBFLAG_001_7, LBCLSIG_001_7, CO_LBCOM_001_7

Instruments

MBMC005 / MICROBIOLOGY CULTURE - SEROLOGY REFLEX TESTING

Instrument Definition

Instrument Name:	MBMC005
Instrument Title:	MICROBIOLOGY CULTURE - SEROLOGY REFLEX TESTING
SAS Instrument Name:	MBMC005
Description:	MC
Version:	0.53
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: MBMC005 MICROBIOLOGY CULTURE - SEROLOGY REFLEX TESTING (MC) [Version: 0.53]		
Section MICROBIOLOGY CULTURE - HEPATITIS TESTING MBMC005_S		Permission Groups
Group of Fields MBMC01005 / MICROBIOLOGY CULTURE - I Group Type: Non-Repeating	Number of variables: 1	

1.*	Date of Specimen Collection: [MBDTC_005] [MCDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the Specimen Collection was performed using this format (DD-MMM-YYYY). If applicable, record the time (as complete as possible) the Specimen Collection was performed using 24-hour clock in hh:mm format (e.g., 7:00 a.m. = 07:00, 8:45 p.m. = 20:45).	
	Group of Fields MBMC02005 / MICROBIOLOGY CULTURE - II Group Type: Fixed Repeating	Number of rows: 11	

2.	Test Name: [MBTEST_005] [MCTEST] Row 1 (Locked): 116 - Hepatitis B Virus Surface Antigen Row 2 (Locked): 126 - Hepatitis B Virus Core Antibody Row 3 (Locked): 138 - Hepatitis B Virus Surface Antibody Row 4 (Locked): 131 - Hepatitis B Virus DNA Row 5 (Locked): 117 - Hepatitis C Virus Antibody Row 6 (Locked): 118 - Hepatitis C Virus RNA Row 7 (Locked): 125 - Hepatitis A Virus IgM Antibody Row 8 (Locked): 128 - Hepatitis E Virus IgG Antibody Row 9 (Locked): 171 - Hepatitis D Virus IgM Antibody Row 10 (Locked): 129 - Hepatitis E Virus IgM Antibody Row 11 (Locked): 127 - Hepatitis D Virus Antibody	[MBTEST_CL_005] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.	Test Result: [MBORRES_005] [MCORRES]	[MBORRES_CL_005] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the [Pathogen] Test Result, if not pre-printed on the CRF.	

4.	Not Tested: [MBSTAT_005] [MCSTAT]	[MBSTAT_CL_005] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if the Pathogen was Not Tested.	
Key: [*] = Item is required			

Study Object Descriptions: MBMC005 MICROBIOLOGY CULTURE - SEROLOGY REFLEX TESTING		
Type	RefName	Description
Form	CRF_14944928780529121_MBMC005	MBMC005
Item	I_14944940268559373_MBDTC_005	
Item	I_14944940278941745_MBTEST_005	
Item	I_14944940289354452_MBORRES_005	
Item	I_14944940299461207_MBSTAT_005	

Codelist Values Tables: MBMC005 MICROBIOLOGY CULTURE - SEROLOGY REFLEX TESTING								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
MBTEST_CL_005	0.7			Hepatitis B Virus Surface Antigen	1	116	0.1	i_14944940278941745_mbtest_005
				Hepatitis B Virus Core Antibody	2	126	0.1	
				Hepatitis B Virus Surface Antibody	3	138	0.1	
				Hepatitis B Virus DNA	4	131	0.1	

				Hepatitis C Virus Antibody	5	117	0.1	
				Hepatitis C Virus RNA	6	118	0.1	
				Hepatitis A Virus IgM Antibody	7	125	0.1	
				Hepatitis E Virus IgG Antibody	8	128	0.1	
				Hepatitis D Virus IgM Antibody	9	171	0.1	
				Hepatitis E Virus IgM Antibody	10	129	0.1	
				Hepatitis D Virus Antibody	11	127	0.1	
MBORRES_CL_005	0.1			DETECTED	1	1	0.1	i_14944940289354452_mborres_005
				NOT DETECTED	2	2	0.1	
				INDETERMINATE	3	3	0.1	
MBSTAT_CL_005	0.1			NOT DONE	1	1	0.1	i_14944940299461207_mbstat_005

Variable Validations MBMC005 MICROBIOLOGY CULTURE - SEROLOGY REFLEX TESTING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
MBDTC_005	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
MBDTC_005	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
MBDTC_005	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MBDTC_005	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields MBMC005 MICROBIOLOGY CULTURE - SEROLOGY REFLEX TESTING

Group RefName	Group Type	Associated Variables
IG_14944933975319518_MBMC01005	Non-Repeating	MBDTC_005
IG_14944934019607726_MBMC02005	Fixed Repeating	MBTEST_005, MBORRES_005, MBSTAT_005

Instruments

LB001 / LOCAL LABORATORY DATA - SERUM PREGNANCY

Instrument Definition

Instrument Name:	LB001
Instrument Title:	LOCAL LABORATORY DATA - SERUM PREGNANCY
SAS Instrument Name:	LB001
Description:	LAB CHEM
Version:	0.29
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: LB001 LOCAL LABORATORY DATA - SERUM PREGNANCY (LAB CHEM) [Version: 0.29]		
Section LOCAL LABORATORY DATA - SERUM PREGNANCY LB001_S		Permission Groups
Group of Fields LB01001 / LABORATORY DATA - CLINICAL CHEMISTRY Group Type: Non-Repeating	Number of variables: 4	

1.	Lab Panel: [LBCAT_001] [LBCAT]	[LBCAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 2	
2.	Specimen Type: [LBSPEC_001] [LBSPEC]	[LBSPEC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 33 Help/Info Text: Record the Specimen Type if not pre-printed on the CRF.	

3.* 	Collection Date: [LBDTC_001] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Enabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using the format (DD-MMM-YYYY). Record the time the treatment stopped using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45).	
4.*	Fasting? [LBFAST_001] [LBFAST]	[LBFAST_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the fasting status of the subject.	

	Group of Fields LB02001 / Lab Results Group Type: Fixed Repeating	Number of rows: 1	
5.	Lab Test [LBTEST_001] Analyte: Choriogonadotropin Beta_PX701 (Choriogonadotropin Beta)	Text Box Variable Width: 420 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
6. ✓	Lab Result [LBORRES_001]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7. ✓	Not Done [LBSTAT_001]	[ND] Radio Buttons Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.	Unit [LBORRESU_001]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
9.	Low Range [LBORNRL0_001]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
10.	High Range [LBORNRI_001]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

11.	Status [LBFLAG_001]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
12. ✓	Clinical Significance [LBCLSIG_001]	Text Box Variable Width: 250 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
13. ✓	Comment [CO_LBCOM_001]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: LB001 LOCAL LABORATORY DATA - SERUM PREGNANCY		
Type	RefName	Description

Form	CRF_14944928984082874_LB001	LB001
Item	I_14944940309672569_LBCAT_001	
Item	I_14944940319858642_LBSPEC_001	
Item	I_14944940330111316_LBDTC_001	
Item	I_14944940340924292_LBFAST_001	
Item	I_14944940351868534_LBTEST_001	
Item	I_14944940367045105_LBORRES_001	
Item	I_14944940373845516_LBSTAT_001	
Item	I_14944940380910025_LBORRESU_001	
Item	I_14944940393057167_LBORNRO_001	
Item	I_14944940400219111_LBORNRI_001	
Item	I_14944940407104528_LBFLAG_001	
Item	I_14944940414570726_LBCLSIG_001	
Item	I_14944940422645414_CO_LBCOM_001	

Codelist Values Tables: LB001 LOCAL LABORATORY DATA - SERUM PREGNANCY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001	0.1			CLINICAL CHEMISTRY	1	2	0.1	i_14944940309672569_lbcat_001
LBSPEC_CL_001	0.5			SERUM	1	33	0.1	i_14944940319858642_lbspec_001
LBFAST_CL_001	0.1			NO	1	N	0.1	i_14944940340924292_lbfast_001
				YES	2	Y	0.1	
ND	0.4			NOT DONE	1	NOT DONE	0.1	i_14944940373845516_lbstat_001

Variable Validations LB001 LOCAL LABORATORY DATA - SERUM PREGNANCY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
LBDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields LB001 LOCAL LABORATORY DATA - SERUM PREGNANCY		
Group RefName	Group Type	Associated Variables
IG_14944934611094546_LB01001	Non-Repeating	LBCAT_001, LBSPEC_001, LBDTC_001, LBFAST_001
IG_14944934599114723_LB02001	Fixed Repeating	LBTEST_001, LBORRES_001, LBSTAT_001, LBORRESU_001, LBORNRL0_001, LBORNRI_001, LBFLAG_001, LBCLSIG_001, CO_LBCOM_001

Instruments

D_SAE001 / SAE / REPORTABLE EVENTS

Instrument Definition

Instrument Name:	D_SAE001
Instrument Title:	SAE / REPORTABLE EVENTS
SAS Instrument Name:	D_SAE001
Description:	SAE
Version:	0.27
Status:	Inactive
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: D_SAE001 SAE / REPORTABLE EVENTS (SAE) [Version: 0.27]		
Section SAE / REPORTABLE EVENTS D_SAE001_S		Permission Groups
Group of Fields D_SAE01001 / Case ID Group Type: Non-Repeating	Number of variables: 1	

1.	Case ID [D_CASEIDSAE_001] [SAECASID]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_SAE02001 / Investigator Details Group Type: Non-Repeating	Number of variables: 5	
2.*	Date site aware of reportable event: [D_AESAWDTC1_001] [AESAWDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the site first became aware of the SAE /Reportable Event.	

3.*	Investigator First Name [D_FRINVNAM_001] [SAEFNAME]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the first name of the investigator.	
4.*	Investigator Last Name [D_LSINVNAM_001] [SAELNAME]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the last name of the investigator.	
5.*	Investigator Phone [D_INVPH1_001] [SAEINVPH]	Text Box Max Length: 16 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the Investigators telephone number.	

6.*	Investigator Email [D_INVEMAIL1_001] [SAEEMAIL]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the email of the investigator.	
	Group of Fields D_SAE05001 / Relevant Lab Tests Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 6	
7.*	Lab Test Name [D_LBTESTNAM1_001] [SAELBTST]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the name of the lab test.	

8.*	Test Date [D_LBTESTDTC1_001] [SAELBTD]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the lab test was completed.	
9.*	Result [D_LBTESTRES1_001] [SAELRES]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the result of the lab test. This field should only contain numeric values. If the result is not a numeric value consider listing this rest in the Other Relevant Tests section below.	

10.*	Normal Range Low [D_LBNORMRNL1_001] [SAENRGLO]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the low normal range value for this lab test.	
11.*	Normal Range High [D_LBNORMRNLH1_001] [SAENRGHI]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the high normal range value for this lab test.	
12.*	Unit [D_LBTESTUNIT1_001] [SAELRESU]	[D_LBTESTUNIT_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the unit of the lab test.	

	Group of Fields D_SAE06001 / Other Relevant Tests Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 4	
13.*	Other Relevant Tests (Procedures, Imaging) Name <u>[D_LABOTH1_001]</u> [SAEOTHLB]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record any relevant tests completed for this reportable event. Do not record lab tests here. If the subject had the same test on the same date please denote the difference between the two by numbering the tests and recording them on separate lines. (i.e., MRI 1, MR2).	

14.*	Test Date [D_LABOTHDC_001] [SAETSTDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the relevant test was completed	
15.*	Result [D_LABOTHRE_001] [SAEOTRES]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record result of the relevant test.	

16.	Investigator Comment [D_LABOTHCOM_001] [SAEINCOM]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record any investigator comments on relevant test.	
	Group of Fields D_SAE07001 / Narrative Group Type: Non-Repeating	Number of variables: 4	
17.	Narrative field 1 [D_NARRATIVE1SAE_001] [SAENARF1]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter narrative prose/text to accompany the data entered for this Case for initial and follow up cases submitted to Pfizer Safety. Include information such as relevant past drug history, time course and evolution of event, treatment received for the event) DO NOT INCLUDE SUBJECT IDENTIFIERS (i.e., subject name). DO NOT COPY AND PASTE FROM OTHER SYSTEMS.	

18.	Narrative field 2 [D_NARRATIVE2SAE_001] [SAENARF2]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
19.	Narrative field 3 [D_NARRATIVE3SAE_001] [SAENARF3]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
20.	Narrative - other data [D_NARRATIVE4SAE_001] [SAENAROT]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
	Group of Fields D_SAE08001 / Derived Case Details Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 16	

21.	AE IDs Included in Case [D_AEIDNUMBEG_001] [SAEAEID]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
22.	AE Term -Derived [D_AETERMMEDDRA_001] [SAEAETRM]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
23.	AE Term admis & discharge - Derived [D_AETERMADMIT_001] [SAEADDIS]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

24.	SAE Original Onset Date-Derived [D_SAEDATD_001] [AEOOD1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
-----	--	--	--

25.	SAE End Date-Derived [D_SAEEDD_001] [AEFOUDDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
26.	Results in death - Derived [D_RESDEATH_001] [SAERSDTH]	[D_RESDEATH_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

27.	Life threatening- Derived [D_LIFETHREAT_001] [SAELTHRT]	[D_LIFETHREAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
28.	Caused/prolonged hospitalization- Derived [D_CAUSEHOSP_001] [SAEHOSP]	[D_CAUSEHOSP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
29.	Disabling/incapacitating- derived [D_DISABLE_001] [SAEDISAB]	[D_DISABLE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

30.	Congenital anomaly/birth defect- Derived [D_ANOMALY_001] [SAEANOML]	[D_ANOMALY_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
31.	Other medically important condition- Derived [D_MEDIMPORT_001] [SAEIMPMD]	[D_MEDIMPORT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
32.	Causality- Derived [D_CAUSE_001] [SAECAUS]	[D_CAUSE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

33.	Action Taken - Derived [D_ACNTKN_001] [SAEACTK]	[D_ACNTKN_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
34.	Re-Challenge - Derived [D_RECHALDER_001] [SAERCHLD]	[D_RECHALDER_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
35.	SAE Outcome-Derived [D_SAEOUTD_001] [AEFOUTCM]	[D_SAEOUTD_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

36.	Country in which the event occurred - Derived [D_COUNTRYOCCUR_001] [AECNTRY]	[D_COUNTRYOCCUR_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_SAE09001 / Derived Safety Specific Info Group Type: Non-Repeating	Number of variables: 5	
37.	Study ID - Study Blind [D_STUDYID_001] [SAESTDID]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

38.	Date of Death - Derived [D_DEATHDTC_001] [SAEDTHDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
39.	Cause of Death - Derived [D_CAUSDEATH_001] [SAECDTH]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

40.	Mapped Autopsy Performed [D_AUTOPSYND_001] [SAEMAUT]	[D_AUTOPSYND_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
41.	Mapped Cause of Death - Autopsy [D_AUTOPOCDD_001] [SAEMCDTH]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: D_SAE001 SAE / REPORTABLE EVENTS		
Type	RefName	Description
Form	CRF_14944929187173383_D_SAE001	D_SAE001
Item	I_14944940429597833_D_CASEIDSAE_001	
Item	I_14944940440142403_D_AESAWDTC1_001	
Item	I_14944940449690768_D_FRINVNAM_001	
Item	I_14944940457711508_D_LSINVNAM_001	
Item	I_14944940466349468_D_INVPH1_001	
Item	I_14944940476423402_D_INVEMAIL1_001	

Item	I_14944940485545488_D_LBTESTNAM1_001	
Item	I_14944940494940606_D_LBTESTDTC1_001	
Item	I_14944940505296099_D_LBTESTRES1_001	
Item	I_14944940515214177_D_LBNORMRNL1_001	
Item	I_14944940525207488_D_LBNORMRNH1_001	
Item	I_14944940534887709_D_LBTESTUNIT1_001	
Item	I_14944940544553210_D_LABOTH1_001	
Item	I_14944940585441160_D_LABOTHDT1_001	
Item	I_14944940595391419_D_LABOTHRE_001	
Item	I_14944940604942278_D_LABOTHCOM_001	
Item	I_14944940614737362_D_NARRATIVE1SAE_001	
Item	I_14944940623532441_D_NARRATIVE2SAE_001	
Item	I_14944940632968109_D_NARRATIVE3SAE_001	
Item	I_14944940642628507_D_NARRATIVE4SAE_001	
Item	I_14944940652610068_D_AEIDNUMBEG_001	
Item	I_14944940662371536_D_AETERMMEDDRA_001	
Item	I_14944940673408930_D_AETERMADMIT_001	
Item	I_14944940682675835_D_SAEDATD_001	
Item	I_14944940693212816_D_SAEEDD_001	
Item	I_14944940705213407_D_RESDEATH_001	
Item	I_14944940715982625_D_LIFETHREAT_001	
Item	I_14944940726221392_D_CAUSEHOSP_001	
Item	I_14944940737029781_D_DISABLE_001	
Item	I_14944940748596535_D_ANOMALY_001	
Item	I_14944940760058461_D_MEDIMPORT_001	
Item	I_14944940771415295_D_CAUSE_001	
Item	I_14944940780608281_D_ACNTKN_001	

Item	I_14944940790270303_D_RECHALDER_001	
Item	I_14944940800792187_D_SAEOUTD_001	
Item	I_14944940812117350_D_COUNTRYOCCUR_001	
Item	I_14944940824050625_D_STUDYID_001	
Item	I_14944940835909875_D_DEATHDTC_001	
Item	I_14944940847390877_D_CAUSDEATH_001	
Item	I_14944940858306163_D_AUTOPSYND_001	
Item	I_14944940869703260_D_AUTOPOCODD_001	

Codelist Values Tables: D_SAE001 SAE / REPORTABLE EVENTS								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_LBTESTUNIT_CL_001	0.1			%	1	5	0.1	i_14944940534887709_d_lbtestunit1_001
				mg	2	8	0.1	
				mL	3	9	0.1	
				sec	4	15	0.1	
				mol/L	5	107	0.1	
				mmHg	6	112	0.1	
				mmol/L	7	119	0.1	
				g/dL	8	128	0.1	
				mg/dL	9	137	0.1	
				IU/L	10	154	0.1	
				mEq/L	11	172	0.1	
				U/L	12	300	0.1	
				10^12/L	13	413	0.1	
				10^6/L	14	424	0.1	

				ng/mL	15	647	0.1	
				CELLS/MM3	16	693	0.1	
D_RESDEATH_CL_001	0.1			NO	1	N	0.1	i_14944940705213407_d_resdeath_001
				YES	2	Y	0.1	
D_LIFETHREAT_CL_001	0.1			NO	1	N	0.1	i_14944940715982625_d_lifethreat_001
				YES	2	Y	0.1	
D_CAUSEHOSP_CL_001	0.1			NO	1	N	0.1	i_14944940726221392_d_causehosp_001
				YES	2	Y	0.1	
D_DISABLE_CL_001	0.1			NO	1	N	0.1	i_14944940737029781_d_disable_001
				YES	2	Y	0.1	
D_ANOMALY_CL_001	0.1			NO	1	N	0.1	i_14944940748596535_d_anomaly_001
				YES	2	Y	0.1	
D_MEDIMPORT_CL_001	0.1			NO	1	N	0.1	i_14944940760058461_d_medimport_001
				YES	2	Y	0.1	
D_CAUSE_CL_001	0.1			NOT RELATED	1	1	0.1	i_14944940771415295_d_cause_001
				RELATED	2	2	0.1	
D_ACNTKN_CL_001	0.1			DOSE INCREASED	1	1	0.1	i_14944940780608281_d_acntkn_001
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
D_RECHALDER_CL_001	0.1			POSITIVE	1	1	0.1	i_14944940790270303_d_rechalder_001
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	

D_SAEOUTD_CL_001	0.1			FATAL	1	1	0.1	i_14944940800792187_d_saeoutd_001
				NOT RECOVERED/NOT RESOLVED	2	2	0.1	
				RECOVERED/RESOLVED	3	3	0.1	
				RECOVERED/RESOLVED WITH SEQUELAE	4	4	0.1	
				RECOVERING/RESOLVING	5	5	0.1	
				UNKNOWN	6	6	0.1	
D_COUNTRYOCCUR_CL_001	0.1			AFGHANISTAN	1	1	0.1	i_14944940812117350_d_countryoccur_001
				ELAND ISLANDS	2	2	0.1	
				ALBANIA	3	3	0.1	
				ALGERIA	4	4	0.1	
				AMERICAN SAMOA	5	5	0.1	
				ANDORRA	6	6	0.1	
				ANGOLA	7	7	0.1	
				ANGUILLA	8	8	0.1	
				ANTARCTICA	9	9	0.1	
				ANTIGUA AND BARBUDA	10	10	0.1	
				ARGENTINA	11	11	0.1	
				ARMENIA	12	12	0.1	
				ARUBA	13	13	0.1	
				AUSTRALIA	14	14	0.1	
				AUSTRIA	15	15	0.1	
				AZERBAIJAN	16	16	0.1	
				BAHAMAS	17	17	0.1	
				BAHRAIN	18	18	0.1	
				BANGLADESH	19	19	0.1	

BARBADOS	20	20	0.1
BELARUS	21	21	0.1
BELGIUM	22	22	0.1
BELIZE	23	23	0.1
BENIN	24	24	0.1
BERMUDA	25	25	0.1
BHUTAN	26	26	0.1
BOLIVIA	27	27	0.1
BOSNIA AND HERZEGOVINA	28	28	0.1
BOTSWANA	29	29	0.1
BOUVET ISLAND	30	30	0.1
BRAZIL	31	31	0.1
BRITISH INDIAN OCEAN TERRITORY	32	32	0.1
BRUNEI DARUSSALAM	33	33	0.1
BULGARIA	34	34	0.1
BURKINA FASO	35	35	0.1
BURUNDI	36	36	0.1
CAMBODIA	37	37	0.1
CAMEROON	38	38	0.1
CANADA	39	39	0.1
CAPE VERDE	40	40	0.1
CAYMAN ISLANDS	41	41	0.1
CENTRAL AFRICAN REPUBLIC	42	42	0.1
CHAD	43	43	0.1
CHILE	44	44	0.1

CHRISTMAS ISLAND	45	45	0.1
COCOS (KEELING) ISLANDS	46	46	0.1
COLOMBIA	47	47	0.1
COMOROS	48	48	0.1
CONGO	49	49	0.1
CONGO, DEMOCRATIC REPUBLIC OF THE	50	50	0.1
COOK ISLANDS	51	51	0.1
COSTA RICA	52	52	0.1
COTE D'IVOIRE	53	53	0.1
CROATIA	54	54	0.1
CUBA	55	55	0.1
CYPRUS	56	56	0.1
CZECH REPUBLIC	57	57	0.1
DENMARK	58	58	0.1
DJIBOUTI	59	59	0.1
DOMINICA	60	60	0.1
DOMINICAN REPUBLIC	61	61	0.1
ECUADOR	62	62	0.1
EGYPT	63	63	0.1
EL SALVADOR	64	64	0.1
EQUATORIAL GUINEA	65	65	0.1
ERITREA	66	66	0.1
ESTONIA	67	67	0.1
ETHIOPIA	68	68	0.1
FALKLAND ISLANDS (MALVINAS)	69	69	0.1

FAROE ISLANDS	70	70	0.1
FIJI	71	71	0.1
FINLAND	72	72	0.1
FRANCE	73	73	0.1
FRENCH GUIANA	74	74	0.1
FRENCH POLYNESIA	75	75	0.1
FRENCH SOUTHERN TERRITORIES	76	76	0.1
GABON	77	77	0.1
GAMBIA	78	78	0.1
GEORGIA	79	79	0.1
GERMANY	80	80	0.1
GHANA	81	81	0.1
GIBRALTAR	82	82	0.1
GREECE	83	83	0.1
GREENLAND	84	84	0.1
GRENADA	85	85	0.1
GUADELOUPE	86	86	0.1
GUAM	87	87	0.1
GUATEMALA	88	88	0.1
GUERNSEY	89	89	0.1
GUINEA	90	90	0.1
GUINEA-BISSAU	91	91	0.1
GUYANA	92	92	0.1
HAITI	93	93	0.1
HEARD ISLAND AND MCDONALD ISLANDS	94	94	0.1

HONDURAS	95	95	0.1
HONG KONG	96	96	0.1
HUNGARY	97	97	0.1
ICELAND	98	98	0.1
INDIA	99	99	0.1
INDONESIA	100	100	0.1
IRAN	101	101	0.1
IRAQ	102	102	0.1
IRELAND	103	103	0.1
ISLE OF MAN	104	104	0.1
ISRAEL	105	105	0.1
ITALY	106	106	0.1
JAMAICA	107	107	0.1
JAPAN	108	108	0.1
JERSEY	109	109	0.1
JORDAN	110	110	0.1
KAZAKHSTAN	111	111	0.1
KENYA	112	112	0.1
KIRIBATI	113	113	0.1
KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF	114	114	0.1
KOREA, REPUBLIC OF	115	115	0.1
KUWAIT	116	116	0.1
KYRGYZSTAN	117	117	0.1
LAO PEOPLE'S DEMOCRATIC REPUBLIC	118	118	0.1
LATVIA	119	119	0.1

LEBANON	120	120	0.1
LESOTHO	121	121	0.1
LIBERIA	122	122	0.1
LIBYAN ARAB JAMAHIRIYA	123	123	0.1
LIECHTENSTEIN	124	124	0.1
LITHUANIA	125	125	0.1
LUXEMBOURG	126	126	0.1
MACAO	127	127	0.1
MACEDONIA, FORMER YUGOSLAV REPUBLIC OF	128	128	0.1
MADAGASCAR	129	129	0.1
MALAWI	130	130	0.1
MALAYSIA	131	131	0.1
MALDIVES	132	132	0.1
MALI	133	133	0.1
MALTA	134	134	0.1
MARSHALL ISLANDS	135	135	0.1
MARTINIQUE	136	136	0.1
MAURITANIA	137	137	0.1
MAURITIUS	138	138	0.1
MAYOTTE	139	139	0.1
MEXICO	140	140	0.1
MICRONESIA	141	141	0.1
MOLDOVA	142	142	0.1
MONACO	143	143	0.1
MONGOLIA	144	144	0.1
MONTENEGRO	145	145	0.1

MONTSERRAT	146	146	0.1
MOROCCO	147	147	0.1
MOZAMBIQUE	148	148	0.1
MYANMAR	149	149	0.1
NAMIBIA	150	150	0.1
NAURU	151	151	0.1
NEPAL	152	152	0.1
NETHERLANDS	153	153	0.1
NETHERLANDS ANTILLES	154	154	0.1
NEW CALEDONIA	155	155	0.1
NEW ZEALAND	156	156	0.1
NICARAGUA	157	157	0.1
NIGER	158	158	0.1
NIGERIA	159	159	0.1
NIUE	160	160	0.1
NORFOLK ISLAND	161	161	0.1
NORTHERN MARIANA ISLANDS	162	162	0.1
NORWAY	163	163	0.1
OMAN	164	164	0.1
PAKISTAN	165	165	0.1
PALAU	166	166	0.1
PALESTINIAN TERRITORY, OCCUPIED	167	167	0.1
PANAMA	168	168	0.1
PAPUA NEW GUINEA	169	169	0.1
PARAGUAY	170	170	0.1

PERU	171	171	0.1
PHILIPPINES	172	172	0.1
PITCAIRN	173	173	0.1
POLAND	174	174	0.1
PORTUGAL	175	175	0.1
PUERTO RICO	176	176	0.1
QATAR	177	177	0.1
REUNION	178	178	0.1
ROMANIA	179	179	0.1
RUSSIAN FEDERATION	180	180	0.1
RWANDA	181	181	0.1
SAINT BARTHELEMY	182	182	0.1
SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA	183	183	0.1
SAINT KITTS AND NEVIS	184	184	0.1
SAINT LUCIA	185	185	0.1
SAINT MARTIN	186	186	0.1
SAINT PIERRE AND MIQUELON	187	187	0.1
SAINT VINCENT AND THE GRENADINES	188	188	0.1
SAMOA	189	189	0.1
SAN MARINO	190	190	0.1
SAO TOME AND PRINCIPE	191	191	0.1
SAUDI ARABIA	192	192	0.1
SENEGAL	193	193	0.1
SERBIA	194	194	0.1

SEYCHELLES	195	195	0.1
SIERRA LEONE	196	196	0.1
SINGAPORE	197	197	0.1
SLOVAKIA	198	198	0.1
SLOVENIA	199	199	0.1
SOLOMON ISLANDS	200	200	0.1
SOMALIA	201	201	0.1
SOUTH AFRICA	202	202	0.1
SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS	203	203	0.1
SPAIN	204	204	0.1
SRI LANKA	205	205	0.1
SUDAN	206	206	0.1
SURINAME	207	207	0.1
SVALBARD AND JAN MAYEN	208	208	0.1
SWAZILAND	209	209	0.1
SWEDEN	210	210	0.1
SWITZERLAND	211	211	0.1
SYRIAN ARAB REPUBLIC	212	212	0.1
TAIWAN	213	213	0.1
TAJIKISTAN	214	214	0.1
THAILAND	215	215	0.1
TIMOR-LESTE	216	216	0.1
TOGO	217	217	0.1
TOKELAU	218	218	0.1
TONGA	219	219	0.1

TRINIDAD AND TOBAGO	220	220	0.1
TUNISIA	221	221	0.1
TURKEY	222	222	0.1
TURKMENISTAN	223	223	0.1
TURKS AND CAICOS ISLAND	224	224	0.1
TUVALU	225	225	0.1
UGANDA	226	226	0.1
UKRAINE	227	227	0.1
UNITED ARAB EMIRATES	228	228	0.1
UNITED KINGDOM	229	229	0.1
URUGUAY	230	230	0.1
UZBEKISTAN	231	231	0.1
VANUATU	232	232	0.1
VATICAN CITY STATE	233	233	0.1
VENEZUELA	234	234	0.1
VIET NAM	235	235	0.1
VIRGIN ISLANDS, BRITISH	236	236	0.1
VIRGIN ISLANDS, U.S.	237	237	0.1
WALLIS AND FUTUNA	238	238	0.1
WESTERN SAHARA	239	239	0.1
YEMEN	240	240	0.1
ZAMBIA	241	241	0.1
ZIMBABWE	242	242	0.1
CHINA	243	243	0.1
TANZANIA	244	244	0.1
UNITED STATES	245	245	0.1

D_AUTOPSYND_CL_001	0.1			NO	1	N	0.1	i_14944940858306163_d_autopsyynd_001
				UNKNOWN	2	U	0.1	
				YES	3	Y	0.1	

Groups of Fields D_SAE001 SAE / REPORTABLE EVENTS		
Group RefName	Group Type	Associated Variables
IG_14944934477152543_D_SAE01001	Non-Repeating	D_CASEIDSAE_001
IG_14944934467809264_D_SAE02001	Non-Repeating	D_AESAWDTC1_001, D_FRINVNAM_001, D_LSINVNAM_001, D_INVPH1_001, D_INVEMAIL1_001
IG_14944934524430328_D_SAE05001	Repeating	D_LBTESTNAM1_001, D_LBTESTDTC1_001, D_LBTESTRES1_001, D_LBNORMRNL1_001, D_LBNORMMRNH1_001, D_LBTESTUNIT1_001
IG_14944934506623752_D_SAE06001	Repeating	D_LABOTH1_001, D_LABOTHDTC_001, D_LABOTHRE_001, D_LABOTHCOM_001
IG_14944934222437795_D_SAE07001	Non-Repeating	D_NARRATIVE1SAE_001, D_NARRATIVE2SAE_001, D_NARRATIVE3SAE_001, D_NARRATIVE4SAE_001
IG_14944934206018644_D_SAE08001	Repeating	D_AEIDNUMBEG_001, D_AETERMMEDDRA_001, D_AETERMADMIT_001, D_SAEDATD_001, D_SAEEDD_001, D_RESDEATH_001, D_LIFETHREAT_001, D_CAUSEHOSP_001, D_DISABLE_001, D_ANOMALY_001, D_MEDIMPORT_001, D_CAUSE_001, D_ACNTKN_001, D_RECHALDER_001, D_SAEOUTD_001, D_COUNTRYOCCUR_001
IG_14944934186159611_D_SAE09001	Non-Repeating	D_STUDYID_001, D_DEATHDTC_001, D_CAUSDEATH_001, D_AUTOPSYND_001, D_AUTOPOCODD_001

Instruments

D_EDP001 / EXPOSURE DURING PREGNANCY

Instrument Definition

Instrument Name:	D_EDP001
Instrument Title:	EXPOSURE DURING PREGNANCY
SAS Instrument Name:	D_EDP001
Description:	EDP
Version:	0.2
Status:	Inactive
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: D_EDP001 <i>EXPOSURE DURING PREGNANCY</i> (EDP) [Version: 0.2]		
Section EXPOSURE DURING PREGNANCY <i>D_EDP001_S</i>		Permission Groups
Group of Fields D_EDP01001 / Safety Information Group Type: Non-Repeating	Number of variables: 1	

1.*	Select the CASE ID of the SAE/Reportable event [D_CASEIDEDP_001] [EDPCASID]	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array(", [D_CASEIDSAE_001] <> null, [D_CASEIDSAE_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP02001 / Pregnancy Group Type: Non-Repeating	Number of variables: 13	

2.*	First Day of Last Menstrual Period [D_MENDAT_001] [EDPLMNDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the first day of the mother's last menstrual period (e.g., "12JUN2016"). Enter a partial date if the full date is unknown (e.g., "UNKJUN2016").	
-----	---	---	--

3.*	Estimated Date of Delivery [D_ESTDELDAT_001] [EDPDELDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the date of delivery (e.g., "12JUN2016"). Enter a partial date if the full date is unknown (e.g., "UNKJUL2016").	
4.*	Number of Foetuses [D_NUMFOET_001] [EDPFETUS]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the number of foetuses	

5.*	Is the gestation, in weeks, at time of initial exposure known? [D_GESTTIM_001] [EDPGINEX]	[D_GESTTIM_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.*	Specify number of weeks below [D_NUMWEEKS_001] [EDPGSTWK] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter an estimate of the duration of pregnancy in weeks at the time of initial exposure to the medication, if known.	
7.*	Select trimester [D_TRIMESTER_001] [EDPTRIM] (Nested Field)	[D_TRIMESTER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the weeks of gestation are not known, indicate in which trimester initial exposure occurred.	

8.*	Relevant History/Exposure to Products [D_RELHIST_001] [EDPEXP]	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide any maternal risk factors for adverse pregnancy outcomes, including environmental or occupational exposures and medical disorder (e.g., hypertension, diabetes, infection, etc.). Describe the course of the pregnancy and any treatments. Please specify any treatment for infertility. Specify the timing, dose, and duration of exposure in relation to the pregnancy. Also include any family history of congenital abnormality/genetic diseases, consanguinity (or any family relationships or lineage) between parents (specify the degree, if known).	
9.*	Did the mother smoke during this pregnancy? [D_MSMOKE_001] [EDPMSMK]	[D_MSMOKE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the mother smoked during the pregnancy please select YES and indicate the number per day	

10.*	Provide the number per day [D_MSMOKENUM_001] [EDPNCIG] (Nested Field)	Number Box (Integer) Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.*	Did the mother drink alcohol during this pregnancy? [D_MALC_001] [EDPMALC]	[D_MALC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the mother drank alcohol during the pregnancy select YES and indicate the frequency	
12.*	Provide the frequency [D_MALCNUMB_001] [EDPALFRQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

13.*	Did the mother use illicit drugs during this pregnancy? [D_MDRUG_001] [EDPMDRUG]	[D_MDRUG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the mother used illicit drugs during the pregnancy select YES and indicate the frequency	
14.*	Provide the frequency [D_MDRUGFREQ_001] [EDPDRFRQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP03001 / Obstetrical History Group Type: Non-Repeating	Number of variables: 4	
15.*	Has the mother had previous pregnancies? [D_PREVPREG_001] [EDPPREG]	[D_PREVPREG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

16.*	Number of previous pregnancies [D_NUMPREG_001] [EDPNPREG] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
17.*	Number of other children [D_NUMCHILD_001] [EDPOCHLD] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

18.*	Outcome of previous pregnancies and previous maternal pregnancy complications [D_OUTCOMEPREV_001] [EDPPOUT] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide additional details regarding the outcome of any previous pregnancies (e.g., live birth, miscarriage, elective termination with specification of gestational length and context, late fetal death, ectopic pregnancy, molar pregnancy). Add information about any previous maternal pregnancy complications (e.g., premature rupture of membranes). Include details specifically describing any previous fetal/neonatal abnormalities, if applicable, referring to both structural malformation and any non-structural or long-term functional effects. Also supply any history of sub-fertility.	
	Group of Fields D_EDP04001 / Outcome of Pregnancy Group Type: Non-Repeating	Number of variables: 5	

19.*	Date of outcome of pregnancy [D_OUTCOMEPREVDAT_001] [EDPOUTDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the date the pregnancy ended, as DDMMYYYY (e.g., 02APR2016). Enter a partial date if the full date is unknown (e.g., UNKAPR2016).	
20.*	Mode of delivery [D_DELIVERMOD_001] [EDPMODE]	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: (e.g., natural birth [i.e., vaginal delivery without medication or anesthesia], cesarean section)	

21.*	Pregnancy outcome [D_PREGOUT_001] [EDPOUTPG]	[D_PREGOUT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the outcome of the pregnancy. Full term live birth Full term = live birth at 37 or more weeks of gestation. Premature live birth Premature = live birth at less than 37 weeks of gestation. Stillbirth, also known as fetal death, is delivery of a dead child. Spontaneous Abortion/Miscarriage = premature expulsion from the uterus of the products of conception, the embryo, or of a non-viable fetus. Included in this category is "missed abortion" which refers to when the products of conception are reabsorbed and not expelled. Induced abortion = pharmacologically or surgically induced expulsion from the uterus of the products of conception, of an embryo, or of a fetus. If the pregnancy outcome is 'Stillbirth' or 'Spontaneous abortion' please ensure an SAE case/report has been sent to Pfizer safety and ensure that SAE CASE ID is present in the CASE ID field on the EDP CRF.	
22.*	Is the gestation age at birth, in weeks, known? [D_GESTWEEKS_001] [EDPGEST]	[D_GESTWEEKS_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Indicate gestational age (as determined from LMP and/or ultrasound) at birth in weeks (if known).	

23.*	Provide weeks below [D_GESTWEEKS1_001] [EDPGESTW] <i>(Nested Field)</i>	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP05001 / Infant Group Type: Non-Repeating	Number of variables: 11	
24.*	Outcome of Infant [D_OUTCOMEINF_001] [EDPIFOUT]	[D_OUTCOMEINF_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the outcome of the infant. Other neonatal problem /abnormality includes dysmaturity, neonatal illness, fetal distress, amniotic fluid abnormal, abnormal placenta, hospitalization. If the outcome of infant is 'Congenital Malformation/Anomaly' or 'Other neonatal problem' please ensure an SAE case/report has been sent to Pfizer safety and ensure that SAE CASE ID is present in the CASE ID field on the EDP CRF.	

25.*	Other, specify [D_OUTCOMEOTH_001] [EDPOTHSP] (Nested Field)	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
26.*	Apgar Score 1 Min [D_APGAR1_001] [EDPAPMIN]	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the Apgar Score(s) (if known) for 1 min	
27.*	Apgar Score 5 Min [D_APGAR5_001] [EDPAPMAX]	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the Apgar Score(s) (if known) for 5 min	

28.*	Infant Sex [D_INFSEX_001] [EDPIFSEX]	[D_INFSEX_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Check the appropriate box to indicate the sex of the infant at birth (i.e., Male or Female).	
29.*	Birthweight [D_BIRTHWEIGHT_001] [EDPIFBW]	Number Box (Integer) Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the infant's weight at birth	
30.*	Birthweight unit [D_BIRTHWEIGHTU_001] [EDPIFBWU]	[D_BIRTHWEIGHTU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

31.*	Length at birth [D_LENGTH_001] [EDPIFLN]	Number Box (Integer) Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the infant's length at birth	
32.*	Length at birth unit [D_LENGTHU_001] [EDPIFLNU]	[D_LENGTHU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
33.*	Head circumference at birth [D_HEADCIR_001] [EDPIFHC]	Number Box (Integer) Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the infant's head circumference at birth	

34.*	Head circumference at birth unit [D_HEADCIRU_001] [EDPIFHCU]	[D_HEADCIRU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP06001 / Paternal Information Group Type: Non-Repeating	Number of variables: 4	
35.*	Was there paternal exposure? [D_PATEXPOYN_001] [EDPPTEXP]	[D_PATEXPOYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: In the case of paternal exposure select YES and provide the information in the requested fields	

36.*	Occupation [D_PAT OCC_001] [EDPOCUP] (Nested Field)	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the father's occupation, if known.	
37.*	Relevant History [D_PATHIST_001] [EDPRLHX] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Include any risk factors, including environmental or occupational exposures (e.g., HIV/AIDS, toxins). Include details of any family history of congenital abnormality/genetic diseases, consanguinity (with details regarding family relationships or lineage including the degree of consanguinity) between the parents."	

38.*	Exposure to Products - Where any drugs taken by the father during the mother's pregnancy? [D_PATEXPOSURE_001] [EDPEXPRD] (Nested Field)	[D_PATEXPOSURE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Check NO if none were taken. Check YES if applicable.	
	Group of Fields D_EDP07001 / Exposure to Products Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 8	
39.*	Product [D_PATPRONAM_001] [EDPPROD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Avoid abbreviations.	

40.*	Indication [D_PATINDC_001] [EDPINDIC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken by the father	
41.*	Start Date [D_PATSTDTD_001] [EDPSTDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format DD- MMM-YYYY (e.g. 01-JAN-2020)	

42.*	Stop Date [D_PATENDTD_001] [EDPSTPDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: record the date the participant stopped taking the medication in the format DD-MMM-YYYY (e.g. 01-JAN-2020)	
43.*	Reason for stopping [D_PATSTOPRE_001] [EDPSTRSN]	Text Box Max Length: 60 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was stopped, if it was discontinued	

44.*	Dose [D_PATDOSE_001] [EDPDOSE]	Text Box Max Length: 10 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose and dose unit of the medication taken per administration	
45.*	Formulation [D_PATFORM_001] [EDPFRM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the formulation of the medication	

46.*	Frequency [D_PATFREQ_001] [EDPFRQ]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record how often the medication was taken (e.g. BID, PRN).	
	Group of Fields D_EDP08001 / Exposure to Products - Recreational Drug Use Group Type: Non-Repeating	Number of variables: 6	
47.*	Did the father smoke during the mother's pregnancy? [D_PATSMOKE_001] [EDPFSMK]	[D_PATSMOKE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the father smoked during the pregnancy please select YES and indicate the number per day	

48.*	Provide the number per day [D_PATSMOKENUM_001] [EDPFNCIG] (Nested Field)	Number Box (Integer) Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
49.*	Did the father drink alcohol during the mother's pregnancy? [D_PATALC_001] [EDPFALC]	[D_PATALC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the father drank during the pregnancy please select YES and indicate the frequency	
50.*	Provide the frequency [D_PATALCFREQ_001] [EDPFALFQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

51.*	Did the father use illicit drugs during the mother's pregnancy? [D_PATDRUG_001] [EDPFDRUG]	[D_PATDRUG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the father use illicit drugs during the pregnancy please select YES and indicate the frequency	
52.*	Provide the frequency [D_PATDRUGFREQ_001] [EDPFDRFQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: D_EDP001 EXPOSURE DURING PREGNANCY		
Type	RefName	Description
Form	CRF_14944929390466148_D_EDP001	D_EDP001
Item	I_14944940880314973_D_CASEIDEDP_001	
Item	I_14944940894762865_D_MENDAT_001	
Item	I_14944940903733805_D_ESTDELDAT_001	
Item	I_14944940912161690_D_NUMFOET_001	
Item	I_14944940921050520_D_GESTTIM_001	

Item	I_14944940929708156_D_NUMWEEKS_001	
Item	I_14944940939659351_D_TRIMESTER_001	
Item	I_14944940948341068_D_RELHIST_001	
Item	I_14944940957207237_D_MSMOKE_001	
Item	I_14944940965902033_D_MSMOKENUM_001	
Item	I_14944940974551956_D_MALC_001	
Item	I_14944940983792983_D_MALCNUMB_001	
Item	I_14944940992862695_D_MDRUG_001	
Item	I_14944941002376533_D_MDRUGFREQ_001	
Item	I_14944941011137635_D_PREVPREG_001	
Item	I_14944941020069510_D_NUMPREG_001	
Item	I_14944941028965857_D_NUMCHILD_001	
Item	I_14944941037244999_D_OUTCOMEPREV_001	
Item	I_14944941046253223_D_OUTCOMEPREVDAT_001	
Item	I_14944941055175243_D_DELIVERMOD_001	
Item	I_14944941063659751_D_PREGOUT_001	
Item	I_14944941073030476_D_GESTWEEKS_001	
Item	I_14944941081338386_D_GESTWEEKS1_001	
Item	I_14944941090018512_D_OUTCOMEINF_001	
Item	I_14944941098706490_D_OUTCOMEOTH_001	
Item	I_14944941107345188_D_APGAR1_001	
Item	I_14944941115918952_D_APGAR5_001	
Item	I_14944941124521145_D_INFSEX_001	
Item	I_14944941134542403_D_BIRTHWEIGHT_001	
Item	I_14944941143334512_D_BIRTHWEIGHTU_001	
Item	I_14944941152832785_D_LENGTH_001	
Item	I_14944941161623582_D_LENGTHU_001	

Item	I_14944941170956481_D_HEADCIR_001	
Item	I_14944941179903215_D_HEADCIRU_001	
Item	I_14944941188849161_D_PATEXPOYN_001	
Item	I_14944941199089938_D_PATOCC_001	
Item	I_14944941209345115_D_PATHIST_001	
Item	I_14944941219057033_D_PATEXPOSURE_001	
Item	I_14944941229053240_D_PATPRONAM_001	
Item	I_14944941238552366_D_PATINDC_001	
Item	I_14944941247981306_D_PATSTDTD_001	
Item	I_14944941259088615_D_PATENDTD_001	
Item	I_14944941269781920_D_PATSTOPRE_001	
Item	I_14944941279719190_D_PATDOSE_001	
Item	I_14944941289626200_D_PATFORM_001	
Item	I_14944941299065495_D_PATFREQ_001	
Item	I_14944941309345853_D_PATSMOKE_001	
Item	I_14944941322615313_D_PATSMOKENUM_001	
Item	I_14944941332303756_D_PATALC_001	
Item	I_14944941342107332_D_PATALCFREQ_001	
Item	I_14944941351882937_D_PATDRUG_001	
Item	I_14944941362058270_D_PATDRUGFREQ_001	

Codelist Values Tables: D_EDP001 EXPOSURE DURING PREGNANCY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_GESTTIM_CL_001	0.1			NO	1	N	0.1	i_14944940921050520_d_gesttim_001
				YES	2	Y	0.1	

D_TRIMESTER_CL_001	0.1			FIRST TRIMESTER	1	1	0.1	i_14944940939659351_d_trimester_001
				SECOND TRIMESTER	2	2	0.1	
				THIRD TRIMESTER	3	3	0.1	
				UNKNOWN	4	4	0.1	
D_MSMOKE_CL_001	0.1			NO	1	N	0.1	i_14944940957207237_d_msmoke_001
				YES	2	Y	0.1	
D_MALC_CL_001	0.1			NO	1	N	0.1	i_14944940974551956_d_malc_001
				YES	2	Y	0.1	
D_MDRUG_CL_001	0.1			NO	1	N	0.1	i_14944940992862695_d_mdru001
				YES	2	Y	0.1	
D_PREVPREG_CL_001	0.1			NO	1	N	0.1	i_14944941011137635_d_prevpreg_001
				YES	2	Y	0.1	
D_PREGOUT_CL_001	0.1			FULL TERM LIVE BIRTH	1	1	0.1	i_14944941063659751_d_pregout_001
				PRETERM LIVE BIRTH	2	2	0.1	
				STILLBIRTH	3	3	0.1	
				SPONTANEOUS ABORTION /MISCARRIAGE	4	4	0.1	
				INDUCED ABORTION	5	5	0.1	
				UNKNOWN	6	6	0.1	
D_GESTWEEKS_CL_001	0.1			NO	1	N	0.1	i_14944941073030476_d_gestweeks_001
				YES	2	Y	0.1	
D_OUTCOMEINF_CL_001	0.1			NORMAL	1	1	0.1	i_14944941090018512_d_outcomeinf_001
				CONGENITAL MALFORMATION/ANOMALY	2	2	0.1	
				OTHER NEONATAL PROBLEM	3	3	0.1	
				UNKNOWN	4	4	0.1	
				OTHER	5	5	0.1	

D_INFSEX_CL_001	0.1			FEMALE	1	F	0.1	i_14944941124521145_d_infsex_001
				MALE	2	M	0.1	
D_BIRTHWEIGHTU_CL_001	0.1			g	1	45	0.1	i_14944941143334512_d_birthweightu_001
				oz	2	81	0.1	
				LB	3	90	0.1	
D_LENGTHU_CL_001	0.1			in	1	66	0.1	i_14944941161623582_d_lengthu_001
				cm	2	111	0.1	
D_HEADCIRU_CL_001	0.1			in	1	66	0.1	i_14944941179903215_d_headciru_001
				cm	2	111	0.1	
D_PATEXPOYN_CL_001	0.1			NO	1	N	0.1	i_14944941188849161_d_patexpoy_n_001
				YES	2	Y	0.1	
D_PATEXPOSURE_CL_001	0.1			NO	1	N	0.1	i_14944941219057033_d_patexposure_001
				YES	2	Y	0.1	
D_PATSMOKE_CL_001	0.1			NO	1	N	0.1	i_14944941309345853_d_patsmoke_001
				YES	2	Y	0.1	
D_PATALC_CL_001	0.1			NO	1	N	0.1	i_14944941332303756_d_patalc_001
				YES	2	Y	0.1	
D_PATDRUG_CL_001	0.1			NO	1	N	0.1	i_14944941351882937_d_patdrug_001
				YES	2	Y	0.1	

Groups of Fields D_EDP001 EXPOSURE DURING PREGNANCY

Group RefName	Group Type	Associated Variables
IG_14944934177254952_D_EDP01001	Non-Repeating	D_CASEIDEDP_001
IG_14944934270419972_D_EDP02001	Non-Repeating	D_MENDAT_001, D_ESTDELDAT_001, D_NUMFOET_001, D_GESTTIM_001, D_NUMWEEKS_001, D_TRIMESTER_001, D_RELHIST_001, D_MSMOKE_001, D_MSMOKENUM_001, D_MALC_001, D_MALCNUMB_001, D_MDRUG_001, D_MDRUGFREQ_001

IG_14944934247653388_D_EDP03001	Non-Repeating	D_PREVPREG_001, D_NUMPREG_001, D_NUMCHILD_001, D_OUTCOMEPREV_001
IG_14944934239148597_D_EDP04001	Non-Repeating	D_OUTCOMEPREVDAT_001, D_DELIVERMOD_001, D_PREGOUT_001, D_GESTWEEKS_001, D_GESTWEEKS1_001
IG_14944934230743481_D_EDP05001	Non-Repeating	D_OUTCOMEINF_001, D_OUTCOMEOTH_001, D_APGAR1_001, D_APGAR5_001, D_INFSEX_001, D_BIRTHWEIGHT_001, D_BIRTHWEIGHTU_001, D_LENGTH_001, D_LENGTHU_001, D_HEADCIR_001, D_HEADCIRU_001
IG_14944934307243968_D_EDP06001	Non-Repeating	D_PATEXPOYN_001, D_PATOCC_001, D_PATHIST_001, D_PATEXPOSURE_001
IG_14944934298237583_D_EDP07001	Repeating	D_PATPRONAM_001, D_PATINDC_001, D_PATSTDTD_001, D_PATENDTD_001, D_PATSTOPRE_001, D_PATDOSE_001, D_PATFORM_001, D_PATFREQ_001
IG_14944934288721488_D_EDP08001	Non-Repeating	D_PATSMOKE_001, D_PATSMOKENUM_001, D_PATALC_001, D_PATALCFREQ_001, D_PATDRUG_001, D_PATDRUGFREQ_001

Instruments

PR001_4 / NON-DRUG TREATMENTS - RESCUE INTERVENTIONS

Instrument Definition

Instrument Name:	PR001_4
Instrument Title:	NON-DRUG TREATMENTS - RESCUE INTERVENTIONS
SAS Instrument Name:	PR001_4
Description:	NON-DRUG TREATMENTS
Version:	0.18
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: PR001_4 NON-DRUG TREATMENTS - RESCUE INTERVENTIONS (NON-DRUG TREATMENTS) [Version: 0.18]		
Section NON-DRUG TREATMENTS PR001_S_4		Permission Groups
Group of Fields PR01001_4 / Non-Drug Treatments Group Type: Non-Repeating	Number of variables: 17	

1.	What is the treatment Identifier? [PRSPID_001_4] [PRSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: [\$form_occurrence]	
2.*	Treatment: [PRTRT_001_4] [PRTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Records one procedure per line.	
3.*	Primary Reason for Treatment Given: [SUPPPR_PRREAS_001_4] [PRREAS]	[SUPPPR_PRREAS_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	

4.*	Was this Non-Drug Treatment given to treat an Adverse Event? [SUPPPR_PRAER_001_4] [PRAER]	[SUPPPR_PRAER_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication was given to treat an adverse event, select Yes. Otherwise, select No.	
-----	--	---	--

5.*	Start Date: [PRSTDTC_001_4] [PRSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2028 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the treatment was first started using the format (DD-MMM-YYYY). If the treatment was given a considerable amount of time prior to the start of the study, it is acceptable to have an incomplete date. Treatments given during the study are expected to have a complete start date. Treatments given prior to the start of the study that are exclusionary should have both a start and end date.	
-----	--	---	--

6.*	Ongoing? [X_PRONGO_001_4] [PRONGO]	[X_PRONGO_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the treatment as ongoing if the subject has not stopped receiving the treatment at the time of data collection, and leave the end date blank. If this field is left blank, an End Date must be provided.	
-----	---	--	--

7.*	End Date: [PRENDTC_001_4] [PRENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2028 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the treatment stopped, using the format (DD- MMM-YYYY) and leave Ongoing box blank. If the treatment has not stopped leave this field blank.	
8.	Lowest Level Term [SUPPPR_PRLT_001_4] [PRLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

9.	Lowest Level Term Code [SUPPPR_PRLTCD_001_4] [PRLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
10.	Dictionary Derived Term [PRDECOD_001_4] [PRDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
11.	Preferred Term Code [SUPPPR_PRPTCD_001_4] [PRPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

12.	High Level Term [SUPPPR_PRHLT_001_4] [PRHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
13.	High Level Term Code [SUPPPR_PRHLTCD_001_4] [PRHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
14.	High Level Group Term [SUPPPR_PRHLGT_001_4] [PRHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)

15.	High Level Group Term Code [SUPPPR_PRHLGTCD_001_4] [PRHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
16.	Primary System Organ Class [SUPPPR_PRSOC_001_4] [PRSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
17.	Primary System Organ Class Code [SUPPPR_PRSOCCD_001_4] [PRSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R)
Key: [*] = Item is required			

Study Object Descriptions: PR001_4 NON-DRUG TREATMENTS - RESCUE INTERVENTIONS		
Type	RefName	Description
Form	CRF_14944929593768652_PR001_4	PR001_4
Item	I_14944941369507836_PRSPID_001_4	
Item	I_14944941381760611_PRTRT_001_4	
Item	I_14944941391167257_SUPPPR_PRREAS_001_4	
Item	I_14944941399352222_SUPPPR_PRAER_001_4	
Item	I_14944941407041959_PRSTDTC_001_4	
Item	I_14944941417299146_X_PRONGO_001_4	
Item	I_14944941425599614_PRENDTC_001_4	
Item	I_14944941434303592_SUPPPR_PRLLT_001_4	
Item	I_14944941442435371_SUPPPR_PRLTCD_001_4	
Item	I_14944941450464800_PRDECOD_001_4	
Item	I_14944941459772633_SUPPPR_PRPTCD_001_4	
Item	I_14944941467535732_SUPPPR_PRHLT_001_4	
Item	I_14944941475485965_SUPPPR_PRHLTCD_001_4	
Item	I_14944941483695061_SUPPPR_PRLHGT_001_4	
Item	I_14944941491825018_SUPPPR_PRLHGTCD_001_4	
Item	I_14944941500272497_SUPPPR_PRSOC_001_4	
Item	I_14944941509114493_SUPPPR_PRSOCCD_001_4	

Codelist Values Tables: PR001_4 NON-DRUG TREATMENTS - RESCUE INTERVENTIONS								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPPR_PRREAS_CL_001_4	0.2			DISEASE PROGRESSION	1	1	0.1	i_14944941391167257_supppr_prreas_001_4
SUPPPR_PRAER_CL_001_4	0.1			YES	1	Y	0.1	i_14944941399352222_supppr_praer_001_4

				NO	2	N	0.1	
X_PRONGO_CL_001_4	0.1			YES	1	Y	0.1	i_14944941417299146_x_prongo_001_4
				NO	2	N	0.1	

Variable Validations PR001_4 NON-DRUG TREATMENTS - RESCUE INTERVENTIONS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PRSTDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PRSTDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRSTDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PRSTDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
PRENDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PRENDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRENDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PRENDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PR001_4 NON-DRUG TREATMENTS - RESCUE INTERVENTIONS

Group RefName	Group Type	Associated Variables
IG_14944934042099693_PR01001_4	Non-Repeating	PRSPID_001_4, PRTRT_001_4, SUPPPR_PRREAS_001_4, SUPPPR_PRAER_001_4, PRSTDTC_001_4, X_PRONGO_001_4, PRENDTC_001_4, SUPPPR_PRLLT_001_4, SUPPPR_PRLTCD_001_4, PRDECOD_001_4, SUPPPR_PRPTCD_001_4, SUPPPR_PRHLT_001_4, SUPPPR_PRLTCD_001_4, SUPPPR_PRLGTC_001_4, SUPPPR_PRLGTC_001_4, SUPPPR_PRSOC_001_4, SUPPPR_PRSOCCD_001_4

Instruments

EC001_5 / PK DOSING - DAY 1

Instrument Definition

Instrument Name:	EC001_5
Instrument Title:	PK DOSING - DAY 1
SAS Instrument Name:	EC001_5
Description:	PK TRT
Version:	0.27
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: EC001_5 PK DOSING - DAY 1 (PK TRT) [Version: 0.27]		
Section PK DOSING EC001_5_S		Permission Groups
Group of Fields EC01001_5 / PK Related Dosing Details Group Type: Non-Repeating	Number of variables: 7	

1.	Treatment Name: [ECTRT_001_5] [ECTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Blinded Treatment Help/Info Text: Record the name of the study treatment (if it is not pre-printed).	
2.	Formulation: [ECDOSFRM_001_5] [ECDOSFRM]	[ECDOSFRM_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 11 Help/Info Text: Record the formulation (e.g., SOLUTION, TABLET)	
3.	Reference Time Point: [ECTPTREF_001_5] [ECTPTREF]	[ECTPTREF_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 11	

4.* 	Start Date Time: [ECSTDTC_001_5] [ECSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date of the study treatment administration using this format dd-MMM-yyyy (e.g. 01-JAN-2006). NO partial dates allowed. Record the time using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45).	
---	--	---	--

5.* 	Actual Dose: [X_ECDOSE_001_5] [ECDOSE]	Number Box (Decimal) Max Value: 9999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record non-zero values of the dose or amount of study treatment (including placebo) that was administered to/taken by the participant in the period recorded. Planned off drug period dates should not be entered into the dosing CRF. Refer to CRF Completion Requirements for additional info regarding data entry for missed doses and how these should be recorded (i.e. expected doses that were not given, etc.).	
6.	Unit: [ECDOSU_001_5] [ECDOSU]	[ECDOSU_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 56 Help/Info Text: Record the unit of dose or amount taken per period recorded (e. g., ng, mg, mg/kg).	

7.	Frequency: [ECDOSFRQ_001_5] [ECDOSFRQ]	[ECDOSFRQ_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 49 Help/Info Text: Record the frequency the study treatment was administered for a defined period of time (e.g., BID, QID, TID).	
----	--	---	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: EC001_5 PK DOSING - DAY 1		
Type	RefName	Description
Form	CRF_14944929794785642_EC001_5	EC001_5
Item	I_14944941517772334_ECTRT_001_5	
Item	I_14944941527082554_ECDOSFRM_001_5	
Item	I_14944941537683560_ECTPTREF_001_5	
Item	I_14944941547332971_ECSTDTC_001_5	
Item	I_14944941557609235_X_ECDOSE_001_5	
Item	I_14944941575794378_ECDOSU_001_5	
Item	I_14944941566342021_ECDOSFRQ_001_5	

Codelist Values Tables: EC001_5 PK DOSING - DAY 1								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName

ECDOSFRM_CL_001_5	0.1			CAPSULE	1	11	0.1	i_14944941527082554_ecdosfrm_001_5
ECTPTREF_CL_001_5	0.2			DOSING	1	11	0.1	i_14944941537683560_ectptref_001_5
ECDOSU_CL_001_5	0.2			CAPSULE	1	56	0.1	i_14944941575794378_ecdosu_001_5
ECDOSFRQ_CL_001_5	0.2			QD	1	49	0.1	i_14944941566342021_ecdosfrq_001_5

Variable Validations EC001_5 PK DOSING - DAY 1

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
ECSTDTC_001_5	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
ECSTDTC_001_5	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
ECSTDTC_001_5	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
ECSTDTC_001_5	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
ECSTDTC_001_5	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
ECSTDTC_001_5	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
ECSTDTC_001_5	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.

Groups of Fields EC001_5 PK DOSING - DAY 1

Group RefName	Group Type	Associated Variables
IG_14944934129340623_EC01001_5	Non-Repeating	ECTRT_001_5, ECDOSFRM_001_5, ECTPTREF_001_5, ECSTDTC_001_5, X_ECDOSE_001_5, ECDOSU_001_5, ECDOSFRQ_001_5

Instruments

PC003_2 / PHARMACOKINETICS - UNP

Instrument Definition

Instrument Name:	PC003_2
Instrument Title:	PHARMACOKINETICS - UNP
SAS Instrument Name:	PC003_2
Description:	PK
Version:	0.15
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: PC003_2 PHARMACOKINETICS - UNP (PK) [Version: 0.15]			
Section PHARMACOKINETICS - DAY1 PC003_S_2			Permission Groups
	Group of Fields PC01003_2 / Pharmacokinetics Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 6	

1.	Category [PCCAT_003_2] [PCCAT]	[PCCAT_CL_003_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
2.	Analyte: [SUPPPC_PKTERM_003_2] [PKTERM]	[SUPPPC_PKTERM_CL_003_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
3.	Body Fluid / Matrix: [PCSPEC_003_2] [PKBDFLD]	[PCSPEC_CL_003_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7	

4.*	Sample Not Done: [X_PCSTAT_003_2] [PKSMND]	[X_PCSTAT_CL_003_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.* ✓	Date and Time: <i>[Branching logic expression: [X_PCSTAT_003_2]='2']</i> [PCDTC_003_2] [PKADT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record start date of the sample collection in the format dd- MMM-yyyy (e.g. 01-JAN-2006). Record the start time of the sample collection using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	

6.	Comments (Keep brief and legible): [Branching logic expression: [X_PCSTAT_003_2]='2'] [CO_PKCOMC_003_2] [PKCOMC]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: PC003_2 PHARMACOKINETICS - UNP		
Type	RefName	Description
Form	CRF_14944929995766735_PC003_2	PC003_2
Item	I_14944941639743450_PCCAT_003_2	
Item	I_14944941585198415_SUPPPC_PKTERM_003_2	
Item	I_14944941594912080_PCSPEC_003_2	
Item	I_14944941603746602_X_PCSTAT_003_2	
Item	I_14944941614805468_PCDTC_003_2	
Item	I_14944941627532234_CO_PKCOMC_003_2	

Codelist Values Tables: PC003_2 PHARMACOKINETICS - UNP								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
PCCAT_CL_003_2	0.1			PHARMACOKINETICS (POINT)	1	1	0.1	i_14944941639743450_pccat_003_2
SUPPPC_PKTERM_CL_003_2	0.1			PF-06651600	1	1	0.1	i_14944941585198415_supppc_pkterm_003_2

PCSPEC_CL_003_2	0.1			BLOOD	1	7	0.1	i_14944941594912080_pcspec_003_2
X_PCSTAT_CL_003_2	0.1			NOT DONE	1	1	0.1	i_14944941603746602_x_pcstat_003_2
				DONE	2	2	0.1	

Variable Validations PC003_2 PHARMACOKINETICS - UNP

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PCDTC_003_2	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
PCDTC_003_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PCDTC_003_2	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
PCDTC_003_2	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
PCDTC_003_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PCDTC_003_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PCDTC_003_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PC003_2 PHARMACOKINETICS - UNP

Group RefName	Group Type	Associated Variables
IG_14944934387946139_PC01003_2	Repeating	PCCAT_003_2, SUPPPC_PKTERM_003_2, PCSPEC_003_2, X_PCSTAT_003_2, PCDTC_003_2, CO_PKCOMC_003_2

Instruments

EC001_5_1 / PK DOSING - WEEK 4 AND WEEK 12

Instrument Definition

Instrument Name:	EC001_5_1
Instrument Title:	PK DOSING - WEEK 4 AND WEEK 12
SAS Instrument Name:	EC001_5_1
Description:	PK TRT
Version:	0.20
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

B7981119_V3.0: EC001_5_1 PK DOSING - WEEK 4 AND WEEK 12 (PK TRT) [Version: 0.20]		
Section PK DOSING EC001_5_S_1		Permission Groups
Group of Fields EC01001_5_1 / PK Related Dosing Details Group Type: Non-Repeating	Number of variables: 7	

1.	Treatment Name: [ECTRT_001_5_1] [ECTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Blinded Treatment Help/Info Text: Record the name of the study treatment (if it is not pre-printed).	
2.	Formulation: [ECDOSFRM_001_5_1] [ECDOSFRM]	[ECDOSFRM_CL_001_5_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 11 Help/Info Text: Record the formulation (e.g., SOLUTION, TABLET)	
3.*	Reference Time Point: [ECTPTREF_001_5_1] [ECTPTREF]	[ECTPTREF_CL_001_5_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.* 	Start Date Time: [ECSTDTC_001_5_1] [ECSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date of the study treatment administration using this format dd-MMM-yyyy (e.g. 01-JAN-2006). NO partial dates allowed. Record the time using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45).	
---	--	---	--

5.* 	Actual Dose: [X_ECDOSE_001_5_1] [ECDOSE]	Number Box (Decimal) Max Value: 9999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record non-zero values of the dose or amount of study treatment (including placebo) that was administered to/taken by the participant in the period recorded. Planned off drug period dates should not be entered into the dosing CRF. Refer to CRF Completion Requirements for additional info regarding data entry for missed doses and how these should be recorded (i.e. expected doses that were not given, etc.).	
6.	Unit: [ECDOSU_001_5_1] [ECDOSU]	[ECDOSU_CL_001_5_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 56 Help/Info Text: Record the unit of dose or amount taken per period recorded (e. g., ng, mg, mg/kg).	

7.	Frequency: [ECDOSFRQ_001_5_1] [ECDOSFRQ]	[ECDOSFRQ_CL_001_5_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 49 Help/Info Text: Record the frequency the study treatment was administered for a defined period of time (e.g., BID, QID, TID).	
----	--	---	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: EC001_5_1 PK DOSING - WEEK 4 AND WEEK 12

Type	RefName	Description
Form	CRF_14944930241980000_EC001_5_1	EC001_5_1
Item	I_14944941648336782_ECTRT_001_5_1	
Item	I_14944941656849590_ECDOSFRM_001_5_1	
Item	I_14944941665384001_ECTPTREF_001_5_1	
Item	I_14944941673747320_ECSTDTC_001_5_1	
Item	I_14944941682942382_X_ECDOSE_001_5_1	
Item	I_14944941691957932_ECDOSU_001_5_1	
Item	I_14944941700525837_ECDOSFRQ_001_5_1	

Codelist Values Tables: EC001_5_1 PK DOSING - WEEK 4 AND WEEK 12

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
------------------	------------------	-------------------------	-------------------------	-------	-------	-----------	--------------	-----------------------

ECDOSFRM_CL_001_5_1	0.1			CAPSULE	1	11	0.1	i_14944941656849590_ecdosfrm_001_5_1
ECTPTREF_CL_001_5_1	0.3			PREVIOUS	1	10	0.1	i_14944941665384001_ectptref_001_5_1
				DOSING	2	11	0.1	
ECDOSU_CL_001_5_1	0.1			CAPSULE	1	56	0.1	i_14944941691957932_ecdosu_001_5_1
ECDOSFRQ_CL_001_5_1	0.1			QD	1	49	0.1	i_14944941700525837_ecdosfrq_001_5_1

Variable Validations EC001_5_1 PK DOSING - WEEK 4 AND WEEK 12

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
ECSTDTC_001_5_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
ECSTDTC_001_5_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
ECSTDTC_001_5_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
ECSTDTC_001_5_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
ECSTDTC_001_5_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
ECSTDTC_001_5_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
ECSTDTC_001_5_1	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.

Groups of Fields EC001_5_1 PK DOSING - WEEK 4 AND WEEK 12

Group RefName	Group Type	Associated Variables
IG_14944934369154860_EC01001_5_1	Non-Repeating	ECTRT_001_5_1, ECDOSFRM_001_5_1, ECTPTREF_001_5_1, ECSTDTC_001_5_1, X_ECDOSE_001_5_1, ECDOSU_001_5_1, ECDOSFRQ_001_5_1

Other Descriptive Metadata

Custom Functions					
Name	Description	Code	Source	Version	ID
Subject_last_study_date	This function is meant to be used in studies using Disposition treatment and Disposition Follow up CRFs. The custom function support multiple versions (3 in total) of each of those forms in a study.	<pre> import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String customFunction(String C5, String T5, String F6, String C5_1, String T5_1, String F6_1, String C5_2, String T5_2, String F6_2) { String subj_cont, trt_date, fup_date; //Get the disposition variables populated regardless the disposition treatment and follow up forms used in the subject subj_cont = get_value(new String[]{C5, C5_1, C5_2}); trt_date = get_value(new String[]{T5, T5_1, T5_2}); fup_date = get_value(new String[]{F6, F6_1, F6_2}); if(subj_cont != null){ if(subj_cont.equals("N") && trt_date.length() > 0) return get_full_date(trt_date).toString(); else if(fup_date.length() > 0) return get_full_date(fup_date).toString(); } return ""; } </pre>		0.1	139352

		<pre> public static String get_value(String[] vals){ for(String v : vals){ if(v != null && !v.equals("NA")) return v; } return ""; } public static java.time.LocalDate get_full_date(String st){ DateTimeFormatter formatter = DateTimeFormatter .ofPattern("yyyy-MM-dd", java.util.Locale.ENGLIS H); if(st.indexOf("{null}") > 0){ st = st.replace("{null}", "01"); } else if(st.indexOf(" 00:00:00") > 0){ st = st.replace(" 00:00:00", ""); } return LocalDate.parse(st, formatter); } </pre>			
Selection_Conmed_CF	Parameters --> String drugStartDate, String drugEndDate, String reactionStartDate, String ongoing	<pre> import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String checkReaction(String drugStartDate, String drugEnd Date, String reactionStartDate, String ongoing) { // Define date formatter for plain date DateTimeFormatter dateFormatter = DateTi meFormatter.ofPattern("yyyy-MM-dd"); </pre>		0.1	139351

```

        // Validate and parse dates
        LocalDate reactionStart = isValidDate(reactionStartDate, dateFormatter)
            ? LocalDate.parse(reactionStartDate, dateFormatter)
            : null;

        LocalDate drugStart = isValidDate(drugStartDate, dateFormatter)
            ? LocalDate.parse(drugStartDate, dateFormatter)
            : null;

        LocalDate drugEnd = isValidDate(drugEndDate, dateFormatter)
            ? LocalDate.parse(drugEndDate, dateFormatter)
            : null;

        // Validate reactionStart parsing
        if (reactionStart == null) {
            return "false"; // Invalid date, can not proceed
        }

        // Compare Drug Start and Drug End dates with Reaction Start date
        if (drugStart != null && drugEnd != null) {
            if (isWithin14DaysBefore(reactionStart, drugStart) || isWithin14DaysBefore(reactionStart, drugEnd)) {
                return "true";
            }
        }

        // Handle Ongoing parameter if Drug End

```

		<pre> Date is empty if (drugStart != null && drugEnd == null) { return "Y".equalsIgnoreCase(ongoing) ? "true" : "false"; } return "false"; // Default to false if n o conditions are met } private static boolean isValidDate(String da te, DateTimeFormatter formatter) { if (date == null date.isEmpty()) { return false; } // Simple regex to validate date String pattern = "\\d{4}-\\d{2}-\\d{2}"; return date.matches(pattern); } private static boolean isWithin14DaysBefore(LocalDate reactionStart, LocalDate drugDate) { int daysDifference = Math.abs((int) (rea ctionStart.toEpochDay() - drugDate.toEpochDay())); return daysDifference >= 0 && daysDiffer ence <= 14; } </pre>			
Row_Specific_Derivation_QTcF	If EG001.EGTEST_001 ="QT Interval Not Otherwise Specified" and EG001. EGTEST_001 = "RR Interval Not Otherwise Specified" is not null, QTcF = QT/ 3√RR (cube	<pre> import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.model.ItemD ata; import com.candorgrc.core.shared.api.model.Varia ble; import java.util.List; </pre>		0.1	139350

```

root of RR)
fetchAndDerive1
(ItemData currentItem,
ApiService service,
String row_number,
String result1, String
sourceRow1, String
result2, String
sourceRow2, String
target, int targetRow )

```

```

    public static boolean fetchAndDerive1(ItemData currentItem, ApiService service, String row_number, String result1, String sourceRow1, String result2, String sourceRow2, String target, int targetRow ) {
        if (currentItem == null || service == null) {
            return false;
        }
        // Fetch the current variable and its value
        Variable currentVariable = currentItem.getVariable();
        Object currentValue = currentItem.getValue();

        if (currentVariable == null || currentValue == null) {
            return false;
        }

        // Prepare and load the derived value for RR
        if (sourceRow1.equals(row_number) || sourceRow2.equals(row_number)) {
            // Set the derived value directly on this item
            Variable targetVariable = service.getVariable(currentItem.getCrfData(), target);
            if (targetVariable == null) {
                return false;
            }
            if(result1 != null && result2 != null){
                String derivedValue1 = calculateQTcF(result1,result2) ;

```

```

        ItemData derivedItem = new ItemD
ata();
        derivedItem.setVariable(targetVa
riable);
        derivedItem.setRowIndex(targetRo
w); // explicitly setting row index
        derivedItem.setCrfData(currentIt
em.getCrfData());
        derivedItem.setSingleValue(deriv
edValue1);
        service.saveFormData(currentItem
.getCrfData(), List.of(derivedItem));
        return true;
    }
    else {
        ItemData derivedItem = new ItemD
ata();
        derivedItem.setVariable(targetVa
riable);
        derivedItem.setRowIndex(targetRo
w); // explicitly setting row index
        derivedItem.setCrfData(currentIt
em.getCrfData());
        derivedItem.setSingleValue("");
        service.saveFormData(currentItem
.getCrfData(), List.of(derivedItem));
        return true;
    }
}
// Prepare and load the derived value
for QTcF
    return false;
}

public static String calculateQTcF(String re
sult1, String result2) {
    try {

```

		<pre> // Parse both input strings to doubles double qt = Double.parseDouble(result1); double rrValue = Double.parseDouble(result2); // Calculate RR double rr = 60.0 / rrValue; // Calculate cube root of RR double cubeRootRR = Math.cbrt(rr); // Calculate QTcF double qtcF = qt / cubeRootRR; // Return result as a string (formatted to 2 decimal places if needed) return String.format("%.2f", qtcF); } catch (NumberFormatException e) { return null; } } </pre>			
Remove_trailing_0s	NaN	<pre> public static String customFunction(String input) { // Check if input is a valid decimal number if (isDecimal(input) && input.contains(".")) { // Convert to double and round to 3 decimal places double value = Double.parseDouble(input); ; value = Math.round(value * 1000.0) / 1000.0; // Convert back to string </pre>		0.1	139349

		<pre> input = Double.toString(value); // Remove trailing zeros and unnecessary decimal point input = input.replaceAll("0+\$", ""); // Remove trailing zeros input = input.replaceAll("\\.\\\$", ""); // Remove trailing decimal point if any } return input; } private static boolean isDecimal(String input) { try { // Try to parse the input as a double Double.parseDouble(input); // If parsing is successful, it is a dec imal number return true; } catch (NumberFormatException e) { // If parsing fails, it is not a decimal number return false; } } </pre>			
--	--	---	--	--	--

overlappingDates	Returns if the two sets of start and end times are overlapping.	<pre> import java.time.LocalDateTime; public static boolean overlappingDates(LocalDateTime startDate1, LocalDateTime endDate1, LocalDateTime startDate2, LocalDateTime endDate2) { if (startDate1 == null endDate1 == null startDate2 == null endDate2 == null) { return false; } return (startDate1.isEqual(endDate2) startDate1.isBefore(endDate2)) && (endDate1.isEqual(startDate2) endDate1.isAfter(startDate2)); } </pre>		0.1	139348
------------------	---	---	--	-----	--------

Narrative_OtherData	NaN	<pre> public static String customFunction(String SubStudy , String[] AENO, String[] AE_PROCEDURE) { if (AENO.length != AE_PROCEDURE.length) { return ""; } StringBuilder FINAL = new StringBuilder(); for (int i = 0; i < AENO.length; i++) { if (AE_PROCEDURE[i] != null) { if (FINAL.length() > 0) { FINAL.append("\n"); } FINAL.append("<" + AENO[i] + ">")).append(":").append("<" + AE_PROCEDURE[i] + "> \n"); } } return "{STUDYARMINFO}" + SubStudy + "{/STUDYARMINFO} \n" + "{EVENTRELATED}" + FINAL.toString() + "{/EVENTRELATED}"; } </pre>	0.1	139347
narrative	NaN	<pre> import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.model.CrfData; import com.candorgrc.core.shared.api.model.ItemData; import java.util.Collection; import java.util.Date; import java.util.List; import java.util.Objects; import java.util.Optional; </pre>	0.1	139346

```

        private static final String FORM_NAME = "D_S
AE001";
        private static final String NARRATIVE_TARGET
        = "D_NARRATIVE3SAE_001";

        public static boolean narrative(ItemData dat
aPoint, ApiService service) {
            if (dataPoint == null || service == null
) {
                return false;
            }
            String source = dataPoint.getSingleValue
();
            if (source == null || source.isEmpty())
{
                return false;
            }
            CrfData crfData = dataPoint.getCrfData()
;
            ItemDataRequest reportRequest = new Item
DataRequest()
                .setStudyName(dataPoint.getCrfDa
ta().getSubject().getSite().getStudy().getName()
)
                .setSubjectNumber(dataPoint.getC
rfData().getSubject().getNumber())
                .setInstrumentName(FORM_NAME);
            Collection<ItemData> report = service.ge
tItems(reportRequest);
            ItemData target = null;
            for (ItemData available : report) {
                if (available.getVariable().getName(
).equals(NARRATIVE_TARGET)
                    && Objects.equals(available.
getCrfData().getId(), crfData.getId())) {
                    target = available;
                }
            }

```

		<pre> } if (target == null) { target = dataPoint.withoutIds(); target.getVariable().setName(NARRATIVE_TARGET); } target.setValues(List.of(source + " (" + new Date() + ")")); dataPoint.setValues(List.of()); service.saveFormData(crfData, List.of(target, dataPoint)); return false; } </pre>			
LNR_DOB_CALCULATION	Calculates subject DOB based on either a direct map from the Standards DOB field or as a calculation when the site instead provided AGE, AGE Unit and Informed consent.	<pre> import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String customFunction(String DOB, String IC, String dc_age, String AGEU) { LocalDate dob_date = LocalDate.now(); if(DOB != null){ dob_date = get_full_date(DOB); return dob_date.toString(); } else if(dc_age != null && AGEU != null && IC != null){ int AGE = Integer.parseInt(dc_age); LocalDate ic_date = get_full_date(IC.toString()); if(AGEU.equals("5")) dob_date = ic_date.minusYears(AGE); else if(AGEU.equals("3")) dob_date = ic_date.minusMonths(AGE); else if(AGEU.equals("4")) dob_date = ic_ </pre>		0.1	139345

```

date.minusWeeks(AGE);
    else if(AGEU.equals("1")) dob_date = ic_
date.minusDays(AGE);

    return dob_date.toString();
}
//Date format needs to be "2023-01-21";
return "";
}

public static LocalDate get_full_date(String st)
{
    DateTimeFormatter formatter = getFormatt
er(st);

    if (st != null) {
        st = st.trim();
        if (st.contains("{null}")) {
            st = st.replace("{null}", "01");
        }
        if (st.contains(" 00:00:00")) {
            st = st.replace(" 00:00:00", "")
;
        }
        return LocalDate.parse(st, formatter
);
    }
    return LocalDate.now(); // Default retur
n value
}

private static DateTimeFormatter getFormatte
r(String st) {
    if (st.matches("\\d{2}-[A-Za-z]{3}-\\d{4
}")) {
        return DateTimeFormatter.ofPattern("
dd-MMM-yyyy");
    }
}

```

		<pre> } return DateTimeFormatter.ofPattern("yyyy -MM-dd"); } </pre>			
heightToCm	Converts height to cm	<pre> public static Double heightToCm(Double result, S tring unit) { if (result == null unit == null result .equals("") unit.equals("")){ return null; }else if(unit.equals("cm")){ return result; }else if(unit.equals("in")){ return result * 2.54; }else{ return null; } } </pre>		0.1	139344
gradeUpdate	NaN	<pre> import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataReq uest; import com.candorgrc.core.shared.api.model.*; import java.time.LocalDate; import java.time.format.DateTimeFormatter; import java.util.*; import java.util.function.BiPredicate; import java.util.function.Function; import java.util.function.Predicate; import java.util.stream.Collectors; import java.util.Map; import java.util.HashMap; import java.util.Set; import java.util.HashSet; import static java.util.Map.entry; </pre>		0.1	139343

```

import static java.util.stream.Collectors.toMap;

    private static final String EVENT_NAME = "common_event";
    private static final String SAE_FORM = "D_SAE001";
    private static final String AE_CASE_ID = "D_CASEID_001";
    private static final String SAE_CASE_ID = "D_CASEIDSAE_001";
    private static final String AE_PREVIOUS_CASE_ID = "D_PREVID_001";
    private static final String AE_TERM = "AETERM_001";
    private static final String SAE_TERM = "D_AETERMMEDDRA_001";
    private static final String SAE_TERM_DETAILS = "D_AETERMADMIT_001";
    private static final String SAE_OUTCOME = "D_SAEOUTD_001";
    private static final String AE_CT_PROCEDURE = "D_CTPROCEDURE1_001";
    private static final String SAE_NARRATIVE2 = "D_NARRATIVE2SAE_001";
    private static final String AE_PID = "AESPID_001";
    private static final String SAE_PID = "D_AEIDNUMBEG_001";
    private static final String AE_COUNTRY = "D_SAE_COUNTRY1_001";
    private static final String SAE_COUNTRY = "D_COUNTRYOCCUR_001";
    private static final String IS_AE_LAST_EXPERIENCE = "D_SAEAEOUTYN_001";
    private static final String AE_LAST_EXPERIENCE = "D_SAEAEOUTDTC_001";
    private static final String AE_END_DATE = "A

```



```

EENDTC_001";
/**
 * If yes, enter the final outcome of the la
st sign or symptom associated with this event
 */
private static final String AE_LAST_OUTCOME
= "D_SAEAEOUT_001";
/**
 * What was the outcome of this adverse even
t?:
 */
private static final String AE_OUTCOME = "AE
OUT_001";
private static final String AE_START_DATETIM
E = "AESTDTC_001";
/**
 * If yes, enter the date the subject first
experienced a sign or symptom associated with th
is event?
 */
private static final String AE_EXPERIENCE_ST
ART= "D_SAEAESTDTC_001";
/**
 * SAE Original Onset Date-Derived
 */
private static final String SAE_START_DATE =
"D_SAEATD_001";
private static final String SAE_END_DATE = "
D_SAEEDD_001";
private static final String AE_HOSPITALIZATI
ON_START = "D_SAEADMITDTC_001";
private static final String AE_HOSPITALIZATI
ON_END = "D_SAEISCHDTC_001";
/**
 * Derived Case Details
 */
private static final String SAE_REPEATING_GR

```

```

OUP = "D_SAE08001";
/**
 * Was the AE related to a Prefilled Syringe
 *
 */
private static final String AE_PREFILLED = "
SUPPAE_AEDEVREL_001";
private static final String AE_ACTION = "D_D
EVACN_001";
private static final String AE_OPERATOR = "D
_DEVOP_001";
private static final Map<String, String> VAR
_MAP = Map.ofEntries(
    entry(AE_PID, SAE_PID),
    entry(AE_TERM, SAE_TERM),
    entry("AESDTH_001", "D_RESDEATH_001"
),
    entry("AESLIFE_001", "D_LIFETHREAT_0
01"),
    entry("AESHOSP_001", "D_CAUSEHOSP_00
1"),
    entry("AESDISAB_001", "D_DISABLE_001
"),
    entry("AESMIE_001", "D_MEDIMPORT_001
"),
    entry(AE_CASE_ID, SAE_CASE_ID),
    entry("AEREL_001", "D_CAUSE_001"),
    entry("SUPPAE_AEREL1_001", "D_CAUSE1
_001"),
    entry("SUPPAE_AEREL2_001", "D_CAUSE2
_001"),
    entry("SUPPAE_AEREL3_001", "D_CAUSE3
_001"),
    entry("SUPPAE_AEREL4_001", "D_CAUSE4
_001"),
    entry("SUPPAE_AEREL5_001", "D_CAUSE5
_001"),

```

_001"),	entry("SUPPAE_AEREL6_001", "D_CAUSE6
_001"),	entry("SUPPAE_AEREL7_001", "D_CAUSE7
1_001"),	entry("AEACN_001", "D_ACNTKN_001"),
2_001"),	entry("SUPPAE_AEACN1_001", "D_ACNTKN
3_001"),	entry("SUPPAE_AEACN2_001", "D_ACNTKN
4_001"),	entry("SUPPAE_AEACN3_001", "D_ACNTKN
5_001"),	entry("SUPPAE_AEACN4_001", "D_ACNTKN
6_001"),	entry("SUPPAE_AEACN5_001", "D_ACNTKN
7_001"),	entry("SUPPAE_AEACN6_001", "D_ACNTKN
_001"),	entry("SUPPAE_AEACN7_001", "D_ACNTKN
R1_001"),	entry("D_RECHALAE_001", "D_RECHALDER
R2_001"),	entry("D_RECHALAE1_001", "D_RECHALDE
R3_001"),	entry("D_RECHALAE2_001", "D_RECHALDE
R4_001"),	entry("D_RECHALAE3_001", "D_RECHALDE
R5_001"),	entry("D_RECHALAE4_001", "D_RECHALDE
R6_001"),	entry("D_RECHALAE5_001", "D_RECHALDE
R7_001"),	entry("D_RECHALAE6_001", "D_RECHALDE
)	entry("D_RECHALAE7_001", "D_RECHALDE
	entry("AESCONG_001", "D_ANOMALY_001"
	)

```

);

    private static final List<String> RECHAL = L
ist.of("POSITIVE", "NEGATIVE", "NOT APPLICABLE",
"UNKNOWN");
    private static final List<String> AEACN = Li
st.of("5", "3", "1", "4", "2", "6", "7");
    private static final Map<String, BiPredicate
<String, String>> SAE_VALUE_FILTERS = Map.ofEntr
ies(
        entry("D_CAUSEHOSP_001", (c, v) -> !
"Y".equals(c)),
        entry("D_RESDEATH_001", (c, v) -> !"
Y".equals(c)),
        entry("D_LIFETHREAT_001", (c, v) ->
!"Y".equals(c)),
        entry("D_DISABLE_001", (c, v) -> !"Y
".equals(c)),
        entry("D_MEDIMPORT_001", (c, v) -> !
"Y".equals(c)),
        entry("D_CAUSE_001", (c, v) -> !"2".
equals(c)),
        entry("D_CAUSE1_001", (c, v) -> !"2"
.equals(c)),
        entry("D_CAUSE2_001", (c, v) -> !"2"
.equals(c)),
        entry("D_CAUSE3_001", (c, v) -> !"2"
.equals(c)),
        entry("D_CAUSE4_001", (c, v) -> !"2"
.equals(c)),
        entry("D_CAUSE5_001", (c, v) -> !"2"
.equals(c)),
        entry("D_CAUSE6_001", (c, v) -> !"2"
.equals(c)),
        entry("D_CAUSE7_001", (c, v) -> !"2"
.equals(c)),
        entry("D_ANOMALY_001", (c, v) -> !"Y

```

```

".equals(c)),
        entry("D_ACNTKN_001", (c, v) -> AEAC
N.indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN1_001", (c, v) -> AEA
CN.indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN2_001", (c, v) -> AEA
CN.indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN3_001", (c, v) -> AEA
CN.indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN4_001", (c, v) -> AEA
CN.indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN5_001", (c, v) -> AEA
CN.indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN6_001", (c, v) -> AEA
CN.indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN7_001", (c, v) -> AEA
CN.indexOf(v) < AEACN.indexOf(c)),
        entry("D_RECHALDER_001", (c, v) -> R
ECHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER1_001", (c, v) ->
RECHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER2_001", (c, v) ->
RECHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER3_001", (c, v) ->
RECHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER4_001", (c, v) ->
RECHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER5_001", (c, v) ->
RECHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER6_001", (c, v) ->
RECHAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER7_001", (c, v) ->
RECHAL.indexOf(v) < RECHAL.indexOf(c))
    );
    private static final Map<String, String> COD
ELIST_MAP = new HashMap<>();
    static { CODELIST_MAP.put("D_RESDEATH_001",

```

```

"D_RESDEATH_CL_001");
    CODELIST_MAP.put("D_CAUSEHOSP_001", "D_C
AUSEHOSP_CL_001");
    CODELIST_MAP.put("D_DISABLE_001", "D_DIS
ABLE_CL_001");
    CODELIST_MAP.put("D_LIFETHREAT_001", "D_
LIFETHREAT_CL_001");
    CODELIST_MAP.put("D_ANOMALY_001", "D_ANO
MALY_CL_001");
    CODELIST_MAP.put(SAE_COUNTRY, "D_COUNTRY
OCCUR_CL_001");
    CODELIST_MAP.put(SAE_OUTCOME, "D_SAEOUTD
_CL_001");
    CODELIST_MAP.put("D_CAUSE_001", "D_CAUSE
_CL_001");
    CODELIST_MAP.put("D_CAUSE1_001", "D_CAUS
E1_CL_001");
    CODELIST_MAP.put("D_CAUSE2_001", "D_CAUS
E2_CL_001");
    CODELIST_MAP.put("D_CAUSE3_001", "D_CAUS
E3_CL_001");
    CODELIST_MAP.put("D_CAUSE4_001", "D_CAUS
E4_CL_001");
    CODELIST_MAP.put("D_CAUSE5_001", "D_CAUS
E5_CL_001");
    CODELIST_MAP.put("D_CAUSE6_001", "D_CAUS
E6_CL_001");
    CODELIST_MAP.put("D_CAUSE7_001", "D_CAUS
E7_CL_001");
    CODELIST_MAP.put("D_ACNTKN_001", "D_ACNT
KN_CL_001");
    CODELIST_MAP.put("D_ACNTKN1_001", "D_ACN
TKN1_CL_001");
    CODELIST_MAP.put("D_ACNTKN2_001", "D_ACN
TKN2_CL_001");
    CODELIST_MAP.put("D_ACNTKN3_001", "D_ACN
TKN3_CL_001");

```

```

        CODELIST_MAP.put("D_ACNTKN4_001", "D_ACN
TKN4_CL_001");
        CODELIST_MAP.put("D_ACNTKN5_001", "D_ACN
TKN5_CL_001");
        CODELIST_MAP.put("D_ACNTKN6_001", "D_ACN
TKN6_CL_001");
        CODELIST_MAP.put("D_ACNTKN7_001", "D_ACN
TKN7_CL_001");
        CODELIST_MAP.put("D_RECHALDER_001", "D_R
ECHALDER_CL_001");
        CODELIST_MAP.put("D_RECHALDER1_001", "D_
RECHALDER1_CL_001");
        CODELIST_MAP.put("D_RECHALDER2_001", "D_
RECHALDER2_CL_001");
        CODELIST_MAP.put("D_RECHALDER3_001", "D_
RECHALDER3_CL_001");
        CODELIST_MAP.put("D_RECHALDER4_001", "D_
RECHALDER4_CL_001");
        CODELIST_MAP.put("D_RECHALDER5_001", "D_
RECHALDER5_CL_001");
        CODELIST_MAP.put("D_RECHALDER6_001", "D_
RECHALDER6_CL_001");
        CODELIST_MAP.put("D_RECHALDER7_001", "D_
RECHALDER7_CL_001");
        CODELIST_MAP.put("D_MEDIMPORT_001", "D_M
EDIMPORT_CL_001");
    };

    private static final Map<String, Integer> DA
TE_INDEXES = Map.of(AE_HOSPITALIZATION_START, 0,
AE_HOSPITALIZATION_END, 1);
    private static final Map<String, Predicate<I
nteger>> HOSP_DATE_FILTERS = Map.of(AE_HOSPITALI
ZATION_START, i -> i < 0, AE_HOSPITALIZATION_END
, i -> i > 0);

    public static boolean gradeUpdate(ItemData d

```

```

ataPoint, ApiService service, String productName
) {
    if (dataPoint == null || service == null
) {
        return false;
    }
    String caseId = dataPoint.getSingleValue
();
    CrfData crfData = dataPoint.getCrfData()
;
    Map<Long, Map<Integer, Map<String, ItemD
ata>>> grading = new HashMap<>(); //case no, row
, term, var -> item
    Map<String, Long> saeForms = new HashMap
<>();
    ItemDataRequest reportRequest = new Item
DataRequest()
        .setStudyName(dataPoint.getCrfDa
ta().getSubject().getSite().getStudy().getName()
)
        .setSubjectNumber(dataPoint.getC
rfData().getSubject().getNumber())
        .setInstrumentName(SAE_FORM);
    Collection<ItemData> report = service.ge
tItems(reportRequest);
    CrfData reportForm = null;
    for (ItemData available : report) {
        Long id = available.getCrfData().get
Id();
        if (available.getVariable().getName(
).equals(SAE_CASE_ID)
            && !available.getValues().is
Empty()) {
            String caseNo = available.getSin
gleValue();
            saeForms.put(caseNo, id);
        }
    }
}

```



```

        Map<Integer, Map<String, ItemData>>
terms = grading.computeIfAbsent(id, i -> new Has
hMap<>());
        Map<String, ItemData> records = term
s.computeIfAbsent(available.getRowIndex(), i ->
new HashMap<>());
        records.put(available.getVariable().
getName(), available);
    }
    //getting other values from current form
    Collection<ItemData> items = service.get
Items(reportRequest.setInstrumentName(crfData.ge
tCrf().getName()));
    Map<Long, Map<String, ItemData>> allForm
s = new HashMap<>(); //form id, term, var -> ite
m
    Map<String, Set<Long>> aeForms = new Has
hMap<>();
    Map<String, Map<String, String>> maxAest
dtc = new HashMap<>();
    Map<String, Map<String, String>> minAest
dtc = new HashMap<>();
    Map<String, Map<String, String>> maxAeSt
artEndDate = new HashMap<>();
    Map<String, Map<String, String>> maxAeEn
dDate = new HashMap<>();
    Map<String, Map<String, String>> maxOutc
omeDate = new HashMap<>();
    Map<String, Map<String, String>> country
Values = new HashMap<>();
    Map<String, Map<String, String>> outcome
Values = new HashMap<>();
    Map<String, Map<String, Map<Long, String
[]>>> prefilledValues = new HashMap<>();
    Map<String, Map<String, List<String>>> p
ids = new HashMap<>();
    Map<String, Map<String, Set<String>>> na

```

```

rratives = new HashMap<>();
    for (ItemData available : items) {
        Long id = available.getCrfData().get
Id();
        String varName = available.getVariab
le().getName();
        if (varName.equals(AE_CASE_ID)
            && !available.getValues().is
Empty()) {
            String caseNo = available.getSin
gleValue();
            aeForms.computeIfAbsent(caseNo,
n -> new HashSet<>()).add(id);
        }
        if (available.getCrfData().isRemoved
())
            && !AE_CASE_ID.equals(varNam
e)
            && !AE_TERM.equals(varName)
            && !AE_PREVIOUS_CASE_ID.equa
ls(varName)) {
                continue;//skipping all removed
from calculations
            }
            Map<String, ItemData> terms = allFor
ms.computeIfAbsent(id, i -> new HashMap<>());
            terms.put(varName, available);
        }
        Map<String, ItemData> currentForm = allF
orms.computeIfAbsent(crfData.getId(), id -> new
HashMap<>());
        ItemData dummy = null;
        String oldId = "";
        boolean found = false;
        for (Map.Entry<String, ItemData> entry :
currentForm.entrySet()) {
            if (AE_PREVIOUS_CASE_ID.equals(entry

```

```

.getKey())
                && !Objects.equals(caseId, e
ntry.getValue().getSingleValue())) {
                    oldId = entry.getValue().getSing
leValue();
                    dummy = entry.getValue();
                    dummy.setSingleValue(caseId);
                    found = true;
                }
            }
            if (!found && !currentForm.containsKey(A
E_PREVIOUS_CASE_ID)) {
                dummy = dataPoint.withoutIds();
                dummy.getVariable().setName(AE_PREVI
OUS_CASE_ID);
            }
            Map<String, Map<String, Map<String, Item
Data>>> byVarTerms = new HashMap<>();//case no -
> sae var -> term -> item
            Map<String, Map<String, Map<Long, String
[]>>> hospNarrativeDetails = new HashMap<>();//c
ase no -> term -> eventCrfId -> start/end
            Map<String, Map<String, ItemData[]>> hos
pDetails = new HashMap<>();//case no -> term ->
start/end
            Map<String, Set<String>> allTerms = new
HashMap<>();
            for (Map.Entry<Long, Map<String, ItemDat
a>> form : allForms.entrySet()) {
                String term = Optional.ofNullable(fo
rm.getValue().get(AE_TERM))
                    .map(ItemData::getSingleValu
e).map(String::toUpperCase).orElse("");
                String caseNo = Optional.ofNullable(
form.getValue().get(AE_CASE_ID)).map(ItemData::g
etSingleValue).orElse("");
                allTerms.computeIfAbsent(caseNo, no

```

```

-> new HashSet<>()).add(term);
        for (Map.Entry<String, ItemData> variable : form.getValue().entrySet()) {
            String saeVar = VAR_MAP.get(variable.getKey());
            Optional.ofNullable(variable.getValue())
                    .filter(i -> saeVar != null)
                    .filter(i -> i.getSingleValue() != null)
                    .filter(i -> SAE_VALUE_FILTERS.containsKey(saeVar))
                    .filter(i -> Optional.ofNullable(byVarTerms.computeIfAbsent(caseNo, no -> new HashMap<>()).computeIfAbsent(saeVar, v -> new HashMap<>()).get(term)).map(ItemData::getSingleValue).map(v -> SAE_VALUE_FILTERS.get(saeVar).test(v, i.getSingleValue())).orElse(Boolean.TRUE))
                    .ifPresent(i -> byVarTerms.computeIfAbsent(caseNo, no -> new HashMap<>()).computeIfAbsent(saeVar, v -> new HashMap<>()).put(term, i));
        }
        addDeviceInfo(term, form, prefilledValues.computeIfAbsent(caseNo, no -> new HashMap<>()));
        Optional.ofNullable(form.getValue().get(AE_START_DATETIME))
                .map(ItemData::getSingleValue)
                .filter(date -> !maxAestdtc.getDefault(caseNo, Map.of()).containsKey(term) || date.compareTo(maxAestdtc.get(caseNo).get(term)) > 0)
                .ifPresent(date -> maxAestdt

```

```

c.computeIfAbsent(caseNo, no -> new HashMap<>())
.put(term, date));

        addHospDate(form.getValue(), hospDetails.computeIfAbsent(caseNo, no -> new HashMap<>()).computeIfAbsent(term, t -> new ItemData[2]));
;
        initHospitalizationInfo(caseNo, form.getKey(), term, form.getValue(), hospNarrativeDetails);

        Optional<ItemData> aestdtc = Optional.ofNullable(form.getValue().get(AE_START_DATE_TERM))
                .filter(i -> i.getSingleValue() != null);
        Optional.ofNullable(form.getValue().get(AE_EXPERIENCE_START))
                .filter(i -> i.getSingleValue() != null)
                .or((() -> aestdtc)
                .map(ItemData::getSingleValue)
                .filter(date -> !minAestdtc.getDefault(caseNo, Map.of()).containsKey(term)
                || date.compareTo(minAestdtc.get(caseNo).get(term)) < 0)
                .ifPresent(date -> minAestdtc.computeIfAbsent(caseNo, no -> new HashMap<>())
                .put(term, date));
        Optional<String> outcome = Optional.ofNullable(form.getValue().get(AE_LAST_OUTCOME))
                .map(ItemData::getSingleValue)
                .or((() -> Optional.ofNullable(form.getValue().get(AE_OUTCOME)).map(ItemData::getSingleValue)));

```

```

        Optional<ItemData> aeEnd = Optional.
ofNullable(form.getValue().get(AE_END_DATE))
        .filter(i -> i.getSingleValue() != null);
        Optional<String> outcomeDate = Optional.
ofNullable(form.getValue().get(AE_START_DATE
TIME))
        .filter(i -> i.getSingleValue() != null)
        .map(i -> aeEnd.isPresent()
&& i.getSingleValue().compareTo(aeEnd.get().getS
ingleValue()) < 0 ? aeEnd.get() : i)
        .or(() -> aeEnd)
        .map(ItemData::getSingleValue)
        .filter(date -> !maxOutcomeDate.getOrDefault(caseNo, Map.of()).containsKey(t
erm) || date.compareTo(maxOutcomeDate.get(caseNo
).get(term)) > 0);
        initMaxAeEndDate(caseNo, term, form,
maxAeStartEndDate, maxAeEndDate);
        if (outcomeDate.isPresent()) {
            maxOutcomeDate.computeIfAbsent(c
aseNo, no -> new HashMap<>()).put(term, outcomeD
ate.get());
            outcome.ifPresent(o -> outcomeVa
lues.computeIfAbsent(caseNo, no -> new HashMap<>
()).put(term, o));
        } else if (!outcomeValues.getOrDefau
lt(caseNo, Map.of()).containsKey(term)) {
            outcome.ifPresent(o -> outcomeVa
lues.computeIfAbsent(caseNo, no -> new HashMap<>
()).put(term, o));
        }
        Optional.ofNullable(form.getValue().
get(AE_COUNTRY))
        .map(ItemData::getSingleValue)

```

```

e)
        .ifPresent(c -> countryValue
s.computeIfAbsent(caseNo, no -> new HashMap<>())
.put(term, c));
        Optional.ofNullable(form.getValue().
get(AE_PID))
        .map(ItemData::getSingleValu
e)
        .ifPresent(pid -> pids.compu
teIfAbsent(caseNo, no -> new HashMap<>()).comput
eIfAbsent(term, t -> new ArrayList<>()).add(pid)
);
        String proc = Optional.ofNullable(form
.getValue().get(AE_CT_PROCEDURE))
        .map(ItemData::getSingleValu
e).orElse("");
        if (!proc.isEmpty()) {
            narratives.computeIfAbsent(caseN
o, no -> new HashMap<>()).computeIfAbsent(term,
t -> new HashSet<>()).add(proc);
        }
    }
    Long currentId = saeForms.get(caseId);
    List<ItemData> values = new ArrayList<>(
);
    Set<Integer> rowsToRemove = new HashSet<
>();
    if (currentId == null && caseId != null
&& !caseId.isEmpty()) { //new case
        reportForm = new CrfData();
        Crf saeCrf = new Crf();
        saeCrf.setName(SAE_FORM);
        reportForm.setCrf(saeCrf);
        reportForm.setSubject(dataPoint.getC
rfData().getSubject());
        Encounter encounter = new Encounter(
);

```

```

        reportForm.setEncounter(encounter);
        encounter.setSubject(dataPoint.getCrfData().getSubject());
        Event event = new Event();
        encounter.setEvent(event);
        event.setUniqueName(EVENT_NAME);
        int occurrence = service.addCrf(reportForm);
        reportForm.setOccurrence(occurrence);
        ;
        ItemData term = null;
        ItemData procedure = null;
        ItemData[] aehopsDetail = new ItemData[2];
        ItemData[] saeoodDetail = new ItemData[2];
        ItemData[] saeeddDetail = new ItemData[2];
        ItemData[] saeoutDetail = new ItemData[2];
        for (Map.Entry<String, ItemData> cur : currentForm.entrySet()) {
            if (VAR_MAP.containsKey(cur.getKey())) {
                ItemData copy = cur.getValue().withoutIds();
                if (cur.getKey().equals(AE_TERM)) {
                    term = copy;
                    copy.setSingleValue(Optional.ofNullable(copy.getSingleValue()).map(String::toUpperCase).orElse(""));
                }
                copy.getVariable().setName(VAR_MAP.get(cur.getKey()));
                copy.setCrfData(reportForm);
                String clKey = copy.getVaria

```



```

ble().getName();
        String codelist = CODELIST_M
AP.containsKey(clKey) ? CODELIST_MAP.get(clKey)
: copy.getVariable().getCodeList();
        copy.getVariable().setCodeLi
st(codelist);
        values.add(copy);
    }
    if (cur.getKey().equals(AE_CT_PR
OCEDURE)) {
        procedure = cur.getValue().w
ithoutIds();
    }
    if (cur.getKey().equals(AE_HOSPI
TALIZATION_START)) {
        aehopsDetail[0] = cur.getVal
ue().withoutIds();
    }
    if (cur.getKey().equals(AE_HOSPI
TALIZATION_END)) {
        aehopsDetail[1] = cur.getVal
ue().withoutIds();
    }
    if (cur.getKey().equals(AE_EXPER
IENCE_START)) {
        saeoodDetail[0] = cur.getVal
ue().withoutIds();
    }
    if (cur.getKey().equals(AE_START
_DATETIME)) {
        saeoodDetail[1] = cur.getVal
ue().withoutIds();
    }
    if (cur.getKey().equals(AE_LAST_
EXPERIENCE)) {
        saeeddDetail[0] = cur.getVal
ue().withoutIds();

```

```

    }
    if (cur.getKey().equals(AE_END_D
ATE)) {
        saeeddDetail[1] = cur.getVal
ue().withoutIds();
    }
    if (cur.getKey().equals(AE_LAST_
OUTCOME)) {
        saeoutDetail[0] = cur.getVal
ue().withoutIds();
    }
    if (cur.getKey().equals(AE_OUTCO
ME)) {
        saeoutDetail[1] = cur.getVal
ue().withoutIds();
    }
}
values.add(createHospDetails(Optiona
l.ofNullable(term).map(ItemData::getSingleValue)
.orElse(""), aehopsDetail[0], aehopsDetail[1]));
ItemData saeood = createItem(SAE_STA
RT_DATE);
if (saeoodDetail[0] != null && !saeo
odDetail[0].getValues().isEmpty()) {
    saeood.setValues(saeoodDetail[0]
.getValues());
} else {
    saeood.setValues(saeoodDetail[1]
== null ? Collections.emptyList() : saeoodDetail[1].getValues());
}
values.add(saeood);
ItemData saeedd = createItem(SAE_END
_DATE);
if (saeeddDetail[0] != null && !sae
ddDetail[0].getValues().isEmpty()) {
    saeedd.setValues(saeeddDetail[0]

```

```

        .getValues());
        } else {
            saeedd.setValues(saeeddDetail[1]
== null ? Collections.emptyList() : saeeddDetail[1].getValues());
        }
        values.add(saeedd);
        ItemData saeout = createItem(SAE_OUTCOME);
        if (saeoutDetail[0] != null && saeoutDetail[0].getValues().isEmpty()) {
            saeout.setValues(saeoutDetail[1]
== null ? Collections.emptyList() : saeoutDetail[1].getValues());
        } else {
            saeout.setValues(saeoutDetail[0]
== null ? Collections.emptyList() : saeoutDetail[0].getValues());
        }
        values.add(saeout);
        ItemData country = createItem(SAE_COUNTRY);
        country.setValues(List.of(emptyDefault(currentForm, AE_COUNTRY)));
        values.add(country);
        values.add(createNarrative(List.<ItemData[]>of(new ItemData[]{term, procedure}), productName, prefilledValues.get(caseId)));
    } else if (currentId != null) { //we already have a form for that case
        Map<Integer, Map<String, ItemData>> reportData = grading.get(currentId);
        Integer rowNo = null;
        Map<Integer, String> rows = new HashMap<>();
        Map<String, Integer> pidRows = new HashMap<>();
    }

```

```

        TreeSet<Integer> termRows = new Tree
Set<>();
        String currentTerm = emptyDefault(cu
rrentForm, AE_TERM, String::toUpperCase);
        for (Map.Entry<Integer, Map<String,
ItemData>> entry : reportData.entrySet()) {
            for (Map.Entry<String, ItemData>
value : entry.getValue().entrySet()) {
                if (reportForm == null) {
                    reportForm = value.getVa
lue().getCrfData();
                }
                String group = getGroupName(
value.getValue());
                if ("".equals(group) || SAE_
REPEATING_GROUP.equals(group)) {
                    termRows.add(entry.getKe
y());
                }
                boolean termRow = SAE_TERM.e
quals(value.getValue().getVariable().getName());
                if (termRow && Objects.equal
s(value.getValue().getSingleValue(), currentTerm
)) {
                    rowNo = entry.getKey();
                }
                if (termRow) {
                    rows.put(entry.getKey(),
value.getValue().getSingleValue());
                }
                if (SAE_PID.equals(value.get
Value().getVariable().getName())) {
                    pidRows.put(value.getVal
ue().getSingleValue(), entry.getKey());
                }
            }
        }
    }
}

```

```

        if (rowNo == null && pidRows.containsKey(emptyDefault(currentForm, AE_PID))) { //term
            update
            rowNo = pidRows.get(emptyDefault
(currentForm, AE_PID));
            rows.put(rowNo, currentTerm);
        }
        String saeNo = Optional.ofNullable(r
eportData.get(0)).map(r -> r.get(SAE_CASE_ID)).m
ap(ItemData::getSingleValue).orElse("");
        if (rowNo == null) { //new row in the
            case
            rowNo = termRows.last() + 1;
            for (Map.Entry<String, String> v
: VAR_MAP.entrySet()) {
                if (currentForm.containsKey(
v.getKey()) && !AE_CASE_ID.equals(v.getKey())) {
                    ItemData copy = currentF
orm.get(v.getKey()).withoutIds();
                    if (v.getKey().equals(AE
_TERM)) {
                        copy.setSingleValue(
Optional.ofNullable(copy.getSingleValue()).map(S
tring::toUpperCase).orElse(""));
                    }
                    copy.setRowIndex(rowNo);
                    copy.getVariable().setNa
me(v.getValue());
                    String codelist = CODELI
ST_MAP.containsKey(v.getValue()) ? CODELIST_MAP.
get(v.getValue()) : copy.getVariable().getCodeLi
st();
                    copy.getVariable().setCo
delist(codelist);
                    values.add(copy);
                }
            }
        }
    }

```

```

        String termValue = emptyDefault(
currentForm, AE_TERM, String::toUpperCase);
        ItemData aehops = createHospData
ils(termValue, currentForm.get(AE_HOSPITALIZATIO
N_START), currentForm.get(AE_HOSPITALIZATION_END
));
        aehops.setRowIndex(rowNo);
        values.add(aehops);

        ItemData saeood = createItem(SAE
_START_DATE, rowNo);
        ItemData saeaestd = currentForm.
get(AE_EXPERIENCE_START);
        ItemData aestd = currentForm.get
(AE_START_DATETIME);
        if (saeaestd != null && saeaestd
.getSingleValue() != null) {
            saeood.setValues(saeaestd.ge
tValues());
        } else if (aestd != null) {
            saeood.setValues(aestd.getVa
lues());
        } else {
            saeood.setValues(Collections
.emptyList());
        }
        values.add(saeood);

        ItemData saeedd = createItem(SAE
_END_DATE, rowNo);
        ItemData saeaeout = currentForm.
get(AE_LAST_EXPERIENCE);
        ItemData aeend = currentForm.get
(AE_END_DATE);
        if (saeaeout != null && saeaeout
.getSingleValue() != null) {
            saeedd.setValues(saeaeout.ge

```

```

tValues());
        } else if (aeend != null) {
            saeedd.setValues(aeend.getVa
lues());
        } else {
            saeedd.setValues(Collections
.emptyList());
        }
        values.add(saeedd);

        ItemData saeout = createItem(SAE
_OUTCOME, rowNo);
        ItemData dsaeaeout = currentForm
.get(AE_LAST_OUTCOME);
        ItemData aeout = currentForm.get
(AE_OUTCOME);
        if (dsaeaeout != null && dsaeaeo
ut.getSingleValue() != null) {
            saeout.setValues(dsaeaeout.g
etValues());
        } else if (aeout != null) {
            saeout.setValues(aeout.getVa
lues());
        } else {
            saeout.setValues(Collections
.emptyList());
        }
        values.add(saeout);
        ItemData country = createItem(SA
E_COUNTRY, rowNo);
        country.setValues(List.of(emptyD
efault(currentForm, AE_COUNTRY)));
        values.add(country);
    }
    for (Map.Entry<Integer, Map<String,
ItemData>> entry : reportData.entrySet()) {
        if (entry.getKey() >= rows.size(

```

```

)) {
    continue;//we are in a wrong
    group
    }
    String pid = "";
    Set<String> row = new HashSet<>(
VAR_MAP.values());
    String term = rows.get(entry.get
Key());
    Optional<ItemData> country = Opt
ional.empty();
    Optional<ItemData> outcome = Opt
ional.empty();
    ItemData termData = entry.getVal
ue().get(SAE_TERM);
    ItemData termDetails = entry.get
Value().get(SAE_TERM_DETAILS);
    String oldTerm = Optional.ofNull
able(termData).map(ItemData::getSingleValue).orE
lse("");

    for (Map.Entry<String, ItemData>
value : entry.getValue().entrySet()) {
        row.remove(value.getKey());
        if (SAE_PID.equals(value.get
Key())) {
            pid = String.join(", ",
pids.getOrDefault(saeNo, Map.of()).getOrDefault(
term, List.of()));
            value.getValue().setSing
leValue(pid);
            values.add(value.getValu
e());
            if (pid.isEmpty()) {
                termData.setSingleVa
lue("");
                values.add(termData)

```



```

;
                                rowsToRemove.add(ent
ry.getKey());
                                termDetails.setSingl
eValue("");
                                values.add(termDetai
ls);
                                }
                                }
                                if (SAE_VALUE_FILTERS.contai
nsKey(value.getKey())) {
                                value.getValue().setSing
leValue(Optional.ofNullable(byVarTerms.get(saeNo
)).map(m -> m.get(value.getKey())).map(m -> m.ge
t(term)).map(ItemData::getSingleValue).orElse("")
));
                                values.add(value.getValu
e());
                                }
                                if (SAE_START_DATE.equals(va
lue.getKey())) {
                                value.getValue().setValu
es(List.of(minAestdtc.getDefault(saeNo, Map.of
()).getDefault(term, "")));
                                values.add(value.getValu
e());
                                }
                                if (SAE_END_DATE.equals(valu
e.getKey())) {
                                value.getValue().setValu
es(List.of(maxAeEndDate.getDefault(saeNo, Map.
of()).getDefault(term, "")));
                                values.add(value.getValu
e());
                                }
                                if (SAE_TERM.equals(value.ge

```

```

tKey())
                                && !allTerms.getOrDe
fault(saeNo, Set.of()).contains(oldTerm)
                                && pidRows.containsK
ey(emptyDefault(currentForm, AE_PID))) {
                                value.getValue().setSing
leValue(emptyDefault(currentForm, AE_TERM, Strin
g::toUpperCase));
                                values.add(value.getValu
e());
                                }
                                if (SAE_TERM_DETAILS.equals(
value.getKey())
                                && !allTerms.getOrDe
fault(saeNo, Set.of()).contains(oldTerm)
                                && pidRows.containsK
ey(emptyDefault(currentForm, AE_PID))) {
                                }
                                if (SAE_OUTCOME.equals(value
.getKey())) {
                                outcome = Optional.of(va
lue.getValue());
                                }
                                if (SAE_COUNTRY.equals(value
.getKey())) {
                                country = Optional.of(va
lue.getValue());
                                }
                                }
                                if (!maxAestdtc.getOrDefault(sae
No, Map.of()).containsKey(term)
                                || Optional.ofNullable(c
urrentForm.get(AE_START_DATETIME))
                                .map(ItemData::getSingle
Value)
                                .map(v -> v.compareTo(max
Aestdtc.get(saeNo).get(term)))

```

```

                .orElse(1) >= 0) {
                    List<String> countryVal = List.of(
countryValues.getOrElse(saeNo, Map.of())
).getOrElse(term, "");
                    country.or(() -> Optional.of(
createItem(SAE_COUNTRY, entry.getKey()))).ifPresent(i -> {
                        i.setValues(countryVal);
                        values.add(i);
                    });
                }
                String termDetailsStr = hospDetails(
term,
                    hospDetails.getOrElse(
saeNo, Map.of()).getOrElse(term, new ItemData[2])[0],
                    hospDetails.getOrElse(
saeNo, Map.of()).getOrElse(term, new ItemData[2])[1]);
                if (!pid.isEmpty() && !Objects.equals(
termDetails.getSingleValue(), termDetailsStr)) {
                    termDetails.setSingleValue(
termDetailsStr);
                    values.add(termDetails);
                }
                List<String> outcomeVal = List.of(
outcomeValues.getOrElse(saeNo, Map.of()).getOrElse(
term, ""));
                outcome.or(() -> Optional.of(
createItem(SAE_OUTCOME, entry.getKey()))).ifPresent(
i -> {
                    i.setValues(outcomeVal);
                    values.add(i);
                });
                for (Map.Entry<String, String> v
: VAR_MAP.entrySet()) {

```

```

        if (currentForm.containsKey(
v.getKey())
        && row.contains(v.ge
tValue())
        && rowNo.equals(curr
entForm.get(v.getKey()).getRowIndex())
        && !AE_CASE_ID.equal
s(v.getKey())) {
            ItemData copy = currentF
orm.get(v.getKey()).withoutIds();
            copy.setRowIndex(rowNo);
            copy.getVariable().setNa
me(v.getValue());
            String codelist = CODELI
ST_MAP.containsKey(v.getValue()) ? CODELIST_MAP.
get(v.getValue()) : copy.getVariable().getCodeLi
st();
            copy.getVariable().setCo
delist(codelist);
            values.add(copy);
        }
    }
    String hospNarrative = getHospitaliz
ationNarrative(
        hospDetails.getOrDefault(cas
eId, new HashMap<>()),
        hospNarrativeDetails.getOrDe
fault(caseId, new HashMap<>())
    );
    ItemData narrativeItem = reportData.
get(0).get(SAE_NARRATIVE2);
    List<String[]> narrativeParts = narr
atives.getOrDefault(saeNo, Map.of())
        .entrySet()
        .stream()
        .map(e -> new String[]{e.get

```

```

Key(), String.join(", ", e.getValue()}})
                .collect(Collectors.toList()
);
                if (narrativeItem == null) {
                    narrativeItem = createItem(SAE_N
ARRATIVE2);
                }
                String narrativeString = narrativeSt
ring(narrativeParts, productName, prefilledValue
s.get(saeNo), hospNarrative);
                narrativeItem.setSingleValue(narrati
veString);
                values.add(narrativeItem);
            }
            if (reportForm != null && reportForm.isR
emoved()) {
                service.restoreForm(reportForm);
            }
            if (reportForm != null) {
                doRemoveTimeValue(values, SAE_START_
DATE);
                doRemoveTimeValue(values, SAE_END_DA
TE);
                service.saveFormData(reportForm, val
ues);
            }
            if (dummy != null) {
                service.saveFormData(crfData, List.o
f(dummy));
            }
            updatePreviousCase(oldId, allForms, aeFo
rms, grading, saeForms, productName, service);
            for (Integer row : rowsToRemove) {
                service.removeRow(reportForm, SAE_RE
PEATING_GROUP, row);
            }
            if (reportForm != null && pids.getOrDefa

```

```

ult(caseId, Map.of()).values().stream().allMatch
(List::isEmpty)) {
    service.removeForm(reportForm);
}
return false;
}

private static void doRemoveTimeValue(List<I
temData> values, String variableName) {
    List<ItemData> saeItemDates = values.str
eam()
        .filter(o -> variableName.equals
(o.getVariable().getName()))
        .collect(Collectors.toList());

    for (ItemData saeItemDate: saeItemDates)
    {
        String startDate = saeItemDate.getSi
ngleValue();
        if ((startDate != null) && (startDat
e.trim().length() > 0)) {
            try {
                LocalDate dateValue = LocalD
ate.parse(startDate, DateTimeFormatter.ofPattern
("yyyy-MM-dd HH:mm"));
                String dateValueWithoutTime
= dateValue.format(DateTimeFormatter.ofPattern("
yyyy-MM-dd"));
                saeItemDate.setSingleValue(d
ateValueWithoutTime);
            } catch (Exception e) {}
        }
    }
}

private static void initMaxAeEndDate(String
caseNo,

```

```

        String term,
        Map.Entry<Long, Map<String, ItemData
>> form,
        Map<String, Map<String, String>> max
AeStartDate,
        Map<String, Map<String, String>> max
AeEndDate) {
    Optional<ItemData> aeStartDate = Optiona
l.ofNullable(form.getValue().get(AE_START_DATETI
ME))
        .filter(i -> i.getSingleValue()
!= null);
    Optional<ItemData> aeEndDate = Optional.
ofNullable(form.getValue().get(AE_END_DATE))
        .filter(i -> i.getSingleValue()
!= null);

    String aeStartDateValue = aeStartDate.ma
p(ItemData::getSingleValue).orElse(null);
    String aeEndDateValue = aeEndDate.map(It
emData::getSingleValue).orElse(null);

    String maxComparisonDate = null;
    if ((aeStartDateValue != null) || (aeEnd
DateValue != null)) {
        maxComparisonDate = aeStartDateValue
;
        if (aeStartDateValue != null) {
            if ((aeEndDateValue != null) &&
(aeStartDateValue.compareTo(aeEndDateValue)) < 0
) {
                maxComparisonDate = aeEndDat
eValue;
            }
        } else {
            maxComparisonDate = aeEndDateVal
ue;

```

```

    }
}

    if (maxComparisonDate != null) {
        Map<String, String> maxAeStartEndDateByCase = maxAeStartEndDate.computeIfAbsent(case
No, no -> new HashMap<>());
        String maxAeStartEndDateValue = maxA
eStartEndDateByCase.get(term);

        if ((maxAeStartEndDateValue == null)
|| (maxComparisonDate.compareTo(maxAeStartEndDa
teValue) >= 0)) {
            maxAeStartEndDateByCase.put(term
, maxComparisonDate);

            boolean isLastExperience = Optio
nal.ofNullable(form.getValue().get(IS_AE_LAST_EX
PERIENCE))
                .filter(i -> i.getSingle
Value() != null)
                .map(o -> "Y".equals(o.g
etSingleValue()))
                .orElse(false);

            if (isLastExperience) {
                aeEndDateValue = Optional.of
Nullable(form.getValue().get(AE_LAST_EXPERIENCE)
)
                .filter(o -> o.getSi
ngleValue() != null)
                .map(ItemData::getSi
ngleValue)
                .orElse("");
            } else {
                aeEndDateValue = aeEndDate.i
sPresent() ? aeEndDate.get().getSingleValue() :

```



```

        "";
    }

    maxAeEndDate.computeIfAbsent(caseNo, no -> new HashMap<>()).put(term, aeEndDateValue);
    }
}

private static void updatePreviousCase(String caseNo,
    Map<Long, Map<String, ItemData>> allAeForms,
    Map<String, Set<Long>> aeForms,
    Map<Long, Map<Integer, Map<String, ItemData>>> grading,
    Map<String, Long> saeForms,
    String productName,
    ApiService service) {
    if (caseNo == null || caseNo.isEmpty())
    {
        return;
    }
    Map<Integer, Map<String, ItemData>> reportData = grading.get(saeForms.get(caseNo));
    if (reportData == null) {
        return;
    }
    Set<Long> ids = aeForms.get(caseNo);
    List<ItemData> values = new ArrayList<>();
    if (ids == null) {
        CrfData reportForm = null;
        for (Map.Entry<Integer, Map<String, ItemData>> entry : reportData.entrySet()) {
            for (Map.Entry<String, ItemData>

```

```

        value : entry.getValue().entrySet()) {
            if (reportForm == null) {
                reportForm = value.getVa
            }
            if (SAE_REPEATING_GROUP.equals(getGroupName(value.getValue()))) {
                value.getValue().setSingleValue("");
                values.add(value.getValue());
            }
        }
        doRemoveTimeValue(values, SAE_START_DATE);
        doRemoveTimeValue(values, SAE_END_DATE);
        service.saveFormData(reportForm, values);
        for (Integer row : reportData.keySet()) {
            service.removeRow(reportForm, SAE_REPEATING_GROUP, row);
        }
        service.removeForm(reportForm);
        return;
    }
    Map<String, List<ItemData>> pids = new HashMap<>();
    Map<String, ItemData> saeaestd = new HashMap<>();
    Map<String, ItemData> saeaeout = new HashMap<>();
    Map<String, ItemData> outcome = new HashMap<>();
    Map<String, Map<String, String>> maxAeSt

```

```

artEndDate = new HashMap<>();
    Map<String, Map<String, String>> maxAeEn
dDate = new HashMap<>();
    Map<String, String> maxOutcomeDate = new
HashMap<>();
    Map<String, Map<String, ItemData>> byVar
Terms = VAR_MAP.values().stream().collect(toMap(
v -> v, v -> new HashMap<>()));
    Set<String> allTerms = new HashSet<>();
    Map<String, TreeMap<String, Long>> maxAe
stdtc = new HashMap<>();
    Map<String, List<ItemData[]>> narrativeM
ap = new TreeMap<>();
    Map<String, Map<Long, String[]>> prefill
edValues = new HashMap<>();
    Map<String, Map<String, Map<Long, String
[]>>> hospNarrativeDetails = new HashMap<>();//c
ase no -> term -> eventCrfId -> start/end
    Map<String, ItemData[]> hospDetails = ne
w HashMap<>();
    Set<Integer> rowsToRemove = new HashSet<
>();
    for (Map.Entry<Long, Map<String, ItemDat
a>> form : allAeForms.entrySet()) {
        if (!ids.contains(form.getKey())) {
            continue;
        }
        String term = emptyDefault(form.getV
alue(), AE_TERM, String::toUpperCase);
        if (term.isEmpty()) {
            continue;
        }
        allTerms.add(term);
        ItemData[] narratives = new ItemData
[2];
        narratives[0] = form.getValue().get(
AE_TERM);

```

```

        narratives[1] = form.getValue().get(
AE_CT_PROCEDURE);
        if (!toValueOrEmpty(narratives[1]).i
sEmpty()) {
            narrativeMap.computeIfAbsent(ter
m, t -> new ArrayList<>()).add(narratives);
        }
        for (Map.Entry<String, ItemData> var
iable : form.getValue().entrySet()) {
            String saeVar = VAR_MAP.get(vari
able.getKey());
            Optional.ofNullable(variable.get
Value())
                .filter(i -> i.getSingle
Value() != null)
                .filter(i -> byVarTerms.
containsKey(saeVar))
                .filter(i -> Optional.of
Nullable(byVarTerms.get(saeVar)).map(m -> m.get(
term)).map(ItemData::getSingleValue).filter(v ->
SAE_VALUE_FILTERS.containsKey(saeVar)).map(v ->
SAE_VALUE_FILTERS.get(saeVar).test(v, i.getSing
leValue()))).orElse(Boolean.TRUE))
                .ifPresent(i -> byVarTer
ms.get(saeVar).put(term, i));
        }
        addDeviceInfo(term, form, prefilledV
alues);

        addHospDate(form.getValue(), hospDet
ails.computeIfAbsent(term, t -> new ItemData[2])
);
        initHospitalizationInfo(caseNo, form
.getKey(), term, form.getValue(), hospNarrativeD
etails);

        Optional.ofNullable(form.getValue()).

```

```

get(AE_PID))
                .ifPresent(i -> pids.compute
IfAbsent(term, t -> new ArrayList<>()).add(i));
                Optional<ItemData> aestdtc = Optiona
l.ofNullable(form.getValue().get(AE_START_DATETI
ME))
                .filter(i -> i.getSingleValu
e() != null);
                Optional.ofNullable(form.getValue().
get(AE_EXPERIENCE_START))
                .filter(i -> i.getSingleValu
e() != null)
                .or((() -> aestdtc)
                .filter(i -> Optional.ofNull
able(saeaestd.get(term)).map(ItemData::getSingle
Value).map(v -> v.compareTo(i.getSingleValue())
> 0).orElse(Boolean.TRUE))
                .ifPresent(i -> saeaestd.put
(term, i));
                Optional<ItemData> outcomeValue = Op
tional.ofNullable(form.getValue().get(AE_LAST_OU
TCOME))
                .filter(v -> v.getSingleValu
e() != null)
                .or((() -> Optional.ofNullabl
e(form.getValue().get(AE_OUTCOME)));
                Optional<ItemData> aeEnd = Optional.
ofNullable(form.getValue().get(AE_END_DATE))
                .filter(i -> i.getSingleValu
e() != null);
                Optional<String> outcomeDate = Optio
nal.ofNullable(form.getValue().get(AE_START_DATE
TIME))
                .filter(i -> i.getSingleValu
e() != null)
                .map(i -> aeEnd.isPresent()
&& i.getSingleValue().compareTo(aeEnd.get().getS

```

```

ingleValue()) < 0 ? aeEnd.get() : i)
                    .or(() -> aeEnd)
                    .map(ItemData::getSingleValue)
e)
                    .filter(date -> !maxOutcomeDate.containsKey(term) || date.compareTo(maxOutcomeDate.get(term)) > 0);
                initMaxAeEndDate(caseNo, term, form,
maxAeStartDate, maxAeEndDate);
                if (outcomeDate.isPresent()) {
                    maxOutcomeDate.put(term, outcomeDate.get());
                    outcomeValue.ifPresent(o -> outcome.put(term, o));
                } else if (!maxOutcomeDate.containsKey(term)) {
                    outcomeValue.ifPresent(o -> outcome.put(term, o));
                }
                ItemData aestart = form.getValue().get(AE_START_DATETIME);
                if (aestart != null && aestart.getSingleValue() != null) {
                    TreeMap<String, Long> dates = maxAestdtc.computeIfAbsent(term, t -> new TreeMap<>());
                    dates.put(aestart.getSingleValue(), aestart.getCrfData().getId());
                }
            }
            Map<Integer, String> rows = new HashMap<>();
            CrfData reportForm = null;
            for (Map.Entry<Integer, Map<String, ItemData>> entry : reportData.entrySet()) {
                for (Map.Entry<String, ItemData> value : entry.getValue().entrySet()) {

```

```

        if (reportForm == null) {
            reportForm = value.getValue(
).getCrfdData();
        }
        if (SAE_TERM.equals(value.getVal
ue().getVariable().getName())) {
            rows.put(entry.getKey(), val
ue.getValue().getSingleValue());
        }
    }
    rows.values().retainAll(allTerms);
    for (Map.Entry<Integer, Map<String, Item
Data>> entry : reportData.entrySet()) {
        String term = rows.get(entry.getKey(
));
        String pid = pids.getDefault(term,
List.of()).stream().map(ItemData::getSingleValu
e).filter(Objects::nonNull).collect(Collectors.j
oining(", "));
        for (Map.Entry<String, ItemData> val
ue : entry.getValue().entrySet()) {
            if (SAE_VALUE_FILTERS.containsKe
y(value.getKey())) {
                value.getValue().setSingleVa
lue(Optional.ofNullable(byVarTerms.get(value.get
Key()).get(term)).map(ItemData::getSingleValue).
orElse(""));
                values.add(value.getValue())
;
            }
            if (SAE_PID.equals(value.getKey(
))) {
                value.getValue().setSingleVa
lue(pid);
                values.add(value.getValue())
;
            }
        }
    }
}

```

```

        }
        if (SAE_TERM.equals(value.getKey()) && pid.isEmpty()) {
            value.getValue().setSingleValue("");
            values.add(value.getValue());
        }
        rowsToRemove.add(entry.getKey());
    }
    if (SAE_TERM_DETAILS.equals(value.getKey()) && pid.isEmpty()) {
        value.getValue().setValues(List.of(""));
        values.add(value.getValue());
    }
    if (SAE_END_DATE.equals(value.getKey())) {
        value.getValue().setValues(List.of(maxAeEndDate.getDefault(caseNo, Map.of()).getDefault(term, "")));
        values.add(value.getValue());
    }
    if (SAE_START_DATE.equals(value.getKey())) {
        value.getValue().setSingleValue(emptyDefault(saeaestd, term));
        values.add(value.getValue());
    }
    if (SAE_COUNTRY.equals(value.getKey()) && pid.isEmpty()) {
        value.getValue().setValues(List.of(""));
        values.add(value.getValue());
    }

```



```

;
        }
        if (SAE_OUTCOME.equals(value.getKey()) && pid.isEmpty()) {
            value.getValue().setValues(List.of(""));
            values.add(value.getValue());
        }
    }
    String hospNarrative = getHospitalizationNarrative(
        hospDetails,
        hospNarrativeDetails.getOrDefault(caseNo, new HashMap<>())
    );
    ItemData narrativeItem = reportData.get(0).get(SAE_NARRATIVE2);
    List<String[]> narrativeValues = narrativeMap.values().stream().map(v -> new String[] {toValueOrEmpty(v.get(0)[0]).toUpperCase(), v.stream().map(i -> toValueOrEmpty(i[1])).collect(Collectors.joining(", ")))}.collect(Collectors.toList());
    if (narrativeItem == null) {
        narrativeItem = createItem(SAE_NARRATIVE2);
    }
    narrativeItem.setSingleValue(narrativeString(narrativeValues, productName, prefilledValues, hospNarrative));
    values.add(narrativeItem);
    if (!pid.isEmpty()) {
        ItemData hospItem = entry.getValue().getOrDefault(SAE_TERM_DETAILS, createItem(SAE_TERM_DETAILS));
        hospItem.setSingleValue(hospDeta

```

```

ils(term, hospDetails.getOrDefault(term, new ItemData[2])[0], hospDetails.getOrDefault(term, new ItemData[2])[1]));
        values.add(hospItem);
    }
    TreeMap<String, Long> dates = maxAes
tdtc.get(term);
    if (dates != null && !dates.isEmpty()
) && !pid.isEmpty()) {
        Long id = dates.lastEntry().getV
alue();
        Map<String, ItemData> aeform = a
llAeForms.get(id);
        Optional.ofNullable(aeform.get(A
E_COUNTRY)).map(ItemData::getSingleValue)
                .ifPresent(v -> {
                    ItemData countryItem
= entry.getValue().getOrDefault(SAE_COUNTRY, cr
eateItem(SAE_COUNTRY));
                    countryItem.setSingl
eValue(v);
                    values.add(countryIt
em);
                });
    }
    if (!pid.isEmpty()) {
        String outcomeValue = Optional.o
fNullable(outcome.get(term)).map(ItemData::getSi
ngleValue).orElse("");
        ItemData outcomeItem = entry.get
Value().getOrDefault(SAE_OUTCOME, createItem(SAE
_OUTCOME));
        outcomeItem.setSingleValue(outco
meValue);
        values.add(outcomeItem);
    }
}

```

```

        doRemoveTimeValue(values, SAE_START_DATE
    );
    doRemoveTimeValue(values, SAE_END_DATE);
    service.saveFormData(reportForm, values)
    ;
    for (Integer row : rowsToRemove) {
        service.removeRow(reportForm, SAE_RE
PEATING_GROUP, row);
    }
    if (pids.isEmpty()) {
        service.removeForm(reportForm);
    }
}

private static void initHospitalizationInfo(
String caseNo,
    Long eventCrfId,
    String term,
    Map<String, ItemData> form,
    Map<String, Map<String, Map<Long, St
ring[]>>> hospNarrativeDetails) {
    boolean isFormRemoved = form.values().st
ream().findFirst().map(o -> o.getCrfData().isRem
oved()).orElse(false);

    if (!isFormRemoved) {
        String[] hospitalizationInfo = new S
tring[4];

        hospitalizationInfo[0] = term;
        hospitalizationInfo[1] = Optional.of
Nullable(form.get(AE_START_DATETIME)).map(ItemDa
ta::getSingleValue).orElse("");
        hospitalizationInfo[2] = Optional.of
Nullable(form.get(AE_HOSPITALIZATION_START)).map
(ItemData::getSingleValue).orElse("");
        hospitalizationInfo[3] = Optional.of

```

```

Nullable(form.get(AE_HOSPITALIZATION_END)).map(
ItemData::getSingleValue).orElse("");

        if (isEmpty(hospitalizationInfo[2]) && isEmpty(hospitalizationInfo[3])) {
            return;
        }

        Map<Long, String[]> hospitalizationByEventCrfId = hospNarrativeDetails.computeIfAbsent(caseNo, no -> new HashMap<>()).computeIfAbsent(term, t -> new HashMap<>());
        hospitalizationByEventCrfId.put(eventCrfId, hospitalizationInfo);
    }

    private static boolean isEmpty(String value)
    {
        return (value == null) || (value.length() == 0);
    }

    private static void addHospDate(Map<String, ItemData> form, ItemData[] curDates) {
        ItemData hospStart = form.get(AE_HOSPITALIZATION_START);
        ItemData hospEnd = form.get(AE_HOSPITALIZATION_END);

        if (hospStart != null && hospStart.getSingleValue() != null) {
            int idxStart = DATE_INDEXES.get(AE_HOSPITALIZATION_START);
            int idxEnd = DATE_INDEXES.get(AE_HOSPITALIZATION_END);
            if (curDates[idxStart] != null) {

```

```

        String start = hospStart.getSingleValue();
        if (HOSP_DATE_FILTERS.get(AE_HOSPITALIZATION_START).test(start.compareTo(curDates[idxStart].getSingleValue()))) {
            curDates[idxStart] = hospStart;
            curDates[idxEnd] = hospEnd;
        }
    } else {
        curDates[idxStart] = hospStart;
        curDates[idxEnd] = hospEnd;
    }
}

private static void addDeviceInfo(String term, Map.Entry<Long, Map<String, ItemData>> form, Map<String, Map<Long, String[]>> prefilledValues) {
    Optional.ofNullable(form.getValue().get(AE_PREFILLED))
        .map(ItemData::getSingleValue)
        .map(v -> "Y".equals(v) ? "Related" : "Not Related")
        .ifPresent(v -> prefilledValues.computeIfAbsent(term, t -> new HashMap<>()).computeIfAbsent(form.getKey(), t -> new String[3])[2] = v);
    Optional.ofNullable(form.getValue().get(AE_OPERATOR))
        .map(i -> i.getResponseSetValues() == null || i.getResponseSetValues().isEmpty() ? i.getSingleValue() : i.getResponseSetValues().get(0).getLabel())
        .ifPresent(v -> prefilledValues.computeIfAbsent(term, t -> new HashMap<>()).comp

```

```

        computeIfAbsent(form.getKey(), t -> new String[3])[0] = v);
        Optional.ofNullable(form.getValue().get(AE_ACTION))
            .map(i -> i.getResponseSetValues() == null || i.getResponseSetValues().isEmpty()
                ? i.getSingleValue() : i.getResponseSetValues().get(0).getLabel())
            .ifPresent(v -> prefilledValues.computeIfAbsent(term, t -> new HashMap<>()).computeIfAbsent(form.getKey(), t -> new String[3])[1] = v);
    }

    private static ItemData createHospDetails(String term, ItemData start, ItemData end) {
        ItemData aehosp = createItem(SAE_TERM_DETAILS);
        aehosp.setValues(List.of(hospDetails(term, start, end)));
        return aehosp;
    }

    private static String getHospitalizationNarrative(Map<String, ItemData[]> hospDetails, Map<String, Map<Long, String[]>> hospNarrativeDetailsByTerm) {
        String hospNarrative = "";

        for (Map.Entry<String, Map<Long, String[]>> hospEntryByTerm : hospNarrativeDetailsByTerm.entrySet()) {
            String term = hospEntryByTerm.getKey();

            Map<Long, String[]> hospDataByEventCrfId = hospEntryByTerm.getValue();
            if (hospDataByEventCrfId != null) {

```

```

        for (Map.Entry<Long, String[]> e
ntryByEventCrfId : hospDataByEventCrfId.entrySet
()) {
            Long eventCrfId = entryByEve
ntCrfId.getKey();
            String[] hospData = entryByE
ventCrfId.getValue();

            ItemData[] gradingHospData =
hospDetails.getDefault(term, null);
            Long gradingEventCrfId = Opt
ional.ofNullable(gradingHospData)
                .filter(o -> (o[0] !
= null) || (o[1] != null))
                .map(o -> {
                    ItemData hostDat
e = (o[0] == null) ? o[1] : o[0];

                    return hostDate.
getCrfData().getId();
                })
                .orElse(null);
            boolean isHospDataExists = O
ptional.ofNullable(hospData)
                .map(o -> String.joi
n("", hospData).length() > 0)
                .orElse(false);
            if (isHospDataExists && !eve
ntCrfId.equals(gradingEventCrfId)) {
                if (hospNarrative.length
() > 0) {
                    hospNarrative += "\n
";
                }
                hospNarrative += String.
format("{HOSPITALIZATION}%s{/HOSPITALIZATION}",
String.join(";", hospData));
            }
        }
    }
}

```

```

        }
    }
}

return hospNarrative;
}

private static String hospDetails(String term, ItemData start, ItemData end) {
    if (term == null) {
        return "";
    }
    StringBuilder sb = new StringBuilder(100);
    sb.append("{PRIMARYSOURCEREACTION}").append(term).append("/{PRIMARYSOURCEREACTION}");
    String startStr = toDateString(start);
    if (!startStr.isEmpty()) {
        sb.append("\n{HOSPITALSTARTDATE}").append(startStr).append("/{HOSPITALSTARTDATE}");
    }
    String endStr = toDateString(end);
    if (!endStr.isEmpty()) {
        sb.append("\n{HOSPITALENDDATE}").append(endStr).append("/{HOSPITALENDDATE}");
    }
    return sb.toString();
}

private static String toDateString(ItemData itemData) {
    return Optional.ofNullable(itemData)
        .map(ItemData::getSingleValue)
        .map(LocalDate::parse)
        .map(ld -> ld.format(DateTimeFormatter.ofPattern("yyyyMMdd")))

```



```

        .orElse("");
    }

    private static ItemData createNarrative(Collection<ItemData[]> details, String productName, Map<String, Map<Long, String[]>> prefilledValues) {
        ItemData narrative2 = createItem(SAE_NARRATIVE2);
        List<String[]> values = details.stream().map(data -> new String[]{toValueOrEmpty(data[0]).toUpperCase(), toValueOrEmpty(data[1])}).collect(Collectors.toList());
        narrative2.setValues(List.of(narrativeString(values, productName, prefilledValues, "")));
        ;
        return narrative2;
    }

    private static String toValueOrEmpty(ItemData item) {
        return Optional.ofNullable(item).map(ItemData::getSingleValue).orElse("");
    }

    private static String narrativeString(Collection<String[]> details, String productName, Map<String, Map<Long, String[]>> prefilledValues, String hospNarrative) {
        StringBuilder sb = new StringBuilder();
        for (String[] narrative : details) {
            if (narrative[1] != null && !narrative[1].isEmpty()) {
                sb.append(Optional.ofNullable(narrative[0]).orElse(""))

```

```

        .append(":")
        .append(narrative[1])
        .append("\n");
    }
}
if (sb.length() > 0) {
    sb.deleteCharAt(sb.length() - 1).append("/EVENTRELATED").insert(0, "{EVENTRELATED}");
}
if (productName != null && !productName.trim().equals("")) {
    StringBuilder product = new StringBuilder();
    prefilledValues.forEach((term, valueMap) -> {
        valueMap.forEach((id, parts) -> {
            product.append("\n{PRODUCTNAME}").append(productName).append("/{PRODUCTNAME}");
            product.append("\n{AETERM}").append(term).append("/{AETERM}");
            if (parts[0] != null) {
                product.append("\n{DEVICEOPERATOR}").append(parts[0]).append("/{DEVICEOPERATOR}");
            }
            if (parts[1] != null) {
                product.append("\n{DEVICEACTIONTAKEN}").append(parts[1]).append("/{DEVICEACTIONTAKEN}");
            }
            if (parts[2] != null) {
                product.append("\n{DEVICECAUSALITY}").append(parts[2]).append("/{DEVICECAUSALITY}");
            }
        });
    });
}

```

```

        });
    });
    sb.append("\n").append(product);
}

if ((hospNarrative != null) && (hospNarrative.length() > 0)) {
    int narrativeLength = sb.length();
    boolean isNewLineExists = (narrativeLength > 0) && sb.charAt(narrativeLength - 1) == '\n';
    if (!isNewLineExists) {
        sb.append("\n");
    }
    sb.append(hospNarrative);
}

return sb.toString();
}

private static ItemData createItem(String varName) {
    return createItem(varName, 0);
}

private static ItemData createItem(String varName, int row) {
    ItemData itemData = new ItemData();
    Variable variable = new Variable();
    variable.setName(varName);
    if (CODELIST_MAP.containsKey(varName)) {
        variable.setCodeList(CODELIST_MAP.get(varName));
    }
    itemData.setVariable(variable);
    itemData.setRowIndex(row);
}

```

		<pre> return itemData; } private static String emptyDefault(Map<String, ItemData> form, String key) { return emptyDefault(form, key, Function.identity()); } private static String emptyDefault(Map<String, ItemData> form, String key, Function<String, String> transformer) { return Optional.ofNullable(form.get(key)) .map(ItemData::getSingleValue) .map(transformer) .orElse(""); } private static String getGroupName(ItemData item) { return Optional.ofNullable(item.getVariableGroupData()) .map(VariableGroupData::getVariableGroup) .map(VariableGroup::getName) .orElse(""); } </pre>			
getStartDTS	Returns a LocalDateTime from a start DTS, including handling UNK.	<pre> import java.time.LocalDateTime; public static LocalDateTime getStartDTS(String startDTS) { if (startDTS == null startDTS.length() > 19 startDTS.equals("")) { return null; } else { </pre>		0.1	139342

		<pre> LocalDateTime startDate; int month = 1; int day = 1; int hour = 0; int minute = 0; int second = 0; switch (startDTS.length()) { case 19: second = Integer.valueOf(st artDTS.substring(17,19)); // 2024-01-01T00:00:00 case 16: minute = Integer.valueOf(st artDTS.substring(14,16)); // 2024-01-01T00:00 case 13: hour = Integer.valueOf(star tDTS.substring(11,13)); // 2024-01-01T00 case 10: day = Integer.valueOf(start DTS.substring(8,10)); // 2024-01-01 case 7: month = Integer.valueOf(star tDTS.substring(5,7)); // 2024-01 case 4: int year = Integer.valueOf(s tartDTS.substring(0,4)); //2024 startDate = LocalDateTime.of (year, month, day, hour, minute, second); break; default: startDate = null; } return startDate; } </pre>			
--	--	---	--	--	--

getSecondValueUppercased		<pre> public static String customFunction(String input) { // Split the input string by " " if(input != null && input.contains(" ")) { String[] parts = input.split("\\ ") ; if (parts.length >= 2) { // Return the second value in upperc ase return parts[1].toUpperCase(); } else { // Return an empty string return ""; } } else{ return "";} } </pre>	0.1	139341
getEndDTS	Returns a LocalDateTime from an end DTS, including handling UNK.	<pre> import java.time.LocalDateTime; import java.util.Calendar; public static LocalDateTime getEndDTS(String end DTS) { if (endDTS == null endDTS.length() > 19 endDTS.equals("")) { return null; } else { LocalDateTime endDate; int month = 1; int day = 1; </pre>	0.1	139340

		<pre> int hour = 0; int minute = 0; int second = 0; switch (endDTS.length()) { case 19: second = Integer.valueOf(en dDTS.substring(17,19)); // 2024-01-01T00:00:00 case 16: minute = Integer.valueOf(en dDTS.substring(14,16)); // 2024-01-01T00:00 case 13: hour = Integer.valueOf(endD TS.substring(11,13)); // 2024-01-01T00 case 10: day = Integer.valueOf(endDT S.substring(8,10)); // 2024-01-01 case 7: month = Integer.valueOf(endD TS.substring(5,7)); // 2024-01 case 4: int year = Integer.valueOf(e ndDTS.substring(0,4)); //2024 if (day == 0) { Calendar cal = Calendar. getInstance(); cal.set(year, month -1, 1); day = cal.getActualMaxim um(Calendar.DAY_OF_MONTH); } endDate = LocalDateTime.of(y ear, month, day, hour, minute, second); break; default: endDate = null; } return endDate; } </pre>			
getDateFromCycle	Returns Date from specific Cycle Day,	<pre> import java.util.*; import java.util.stream.*; </pre>		0.1	139339

based on received
parameters

```
import com.candorgrc.core.shared.api.ApiService;
import com.candorgrc.core.shared.api.ItemDataRequest;
import com.candorgrc.core.shared.api.context.Context;
import com.candorgrc.core.shared.api.model.*;

    public static Integer getDateFromCycle(ApiService service, ItemData dataPoint) {

        if (dataPoint == null) {
            return 0;
        }

        CrfData currentDataForm = dataPoint.getCrfData();
        Subject subject = dataPoint.getCrfData().getSubject();

        // Get Study name studyName;
        String studyName = subject.getSite().getStudy().getName();

        // REQUIREMENT:
        //      "Fetch data from the variable SV
        STDTC_001 from Cycle 1 Day 1"
        ItemDataRequest dataRequest = new ItemDataRequest().setStudyName(studyName).setSubjectNumber(subject.getNumber()).setEventName("Cycle 1 Day 1");
        var items = service.getItems(dataRequest.setInstrumentName("SV001"));
        String searchedVar = "SVSTDTC_001";
        String foundItem = null;

        for (ItemData item : items) {
            if (searchedVar.equals(item.getVaria
```


		<pre> ble().getName())) { foundItem = item.getSingleValue(); } } if(foundItem != null){ Crf targetFormDefinition = new Crf() .setName("SV001"); Event targetEvent = new Event().setU niqueName("SCR"); Encounter targetEnc = new Encounter().setEvent(targetEvent); var targetForm = service.factory().c reateCrfData() .setCrf(targetFormDefinition) .setSubject(subject) .setEncounter(targetEnc); ItemData svdate = service.factory(). createItemData(targetForm) .setVariable(new Variable(). setName("SVSTDTC_001")) .setSingleValue(foundItem); service.saveFormData(targetForm, Lis t.of(svdate)); return 1; } return 0; } } </pre>			
dreport	Expression 2: In DD002 form, D_SAEDDRPT_002	<pre> import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataReq uest; import com.candorgrc.core.shared.api.model.CrfDa </pre>	0.1	139338	

```

ta;
import com.candorgrc.core.shared.api.model.ItemData;
import com.candorgrc.core.shared.api.model.RowStatus;
import com.candorgrc.core.shared.api.model.Variable;

import java.util.*;

    public static boolean report(ItemData dataPoint, ApiService service) {
        if (dataPoint == null || service == null) {
            return false;
        }
        String cause = "";
        if ("Y".equals(dataPoint.getSingleValue())) {
            CrfData crfData = dataPoint.getCrfData();
            ItemDataRequest ddRequest = new ItemDataRequest()
                .setStudyName(dataPoint.getCrfData().getSubject().getSite().getStudy().getName())
                .setSubjectNumber(dataPoint.getCrfData().getSubject().getNumber())
                .setEventName("DISP")
                .setInstrumentName("DD002");
            Collection<ItemData> ddItems = service.getItems(ddRequest);
            Map<Integer, Map<String, ItemData>> ddMap = new HashMap<>();
            TreeSet<Integer> pCauses = new TreeSet<>();
            for (ItemData item : ddItems) {

```

```

        if (item.getRowStatus().map(Rows
tatus::isRemoved).orElse(Boolean.FALSE)) {
            continue;
        }
        String name = item.getVariable()
.getName();
        Map<String, ItemData> variables
= ddMap.computeIfAbsent(item.getRowIndex(), inte
ger -> new HashMap<>());
        variables.put(name, item);
        if ("DDTEST_002".equals(name) &&
"1".equals(item.getSingleValue())) {
            pCauses.add(item.getRowIndex
());
        }
    }
    cause = getCause(ddMap, pCauses);
}
ItemDataRequest saeRequest = new ItemDat
aRequest()
    .setStudyName(dataPoint.getCrfd
ata().getSubject().getSite().getStudy().getName()
)
    .setSubjectNumber(dataPoint.getCr
rfData().getSubject().getNumber())
    .setEventName("LOGS")
    .setInstrumentName("D_SAE001");
Collection<ItemData> saeItems = service.
getItems(saeRequest);
Map<Long, Boolean> withCause = new HashM
ap<>();
Map<Long, ItemData> causes = new HashMap
<>();
Map<Long, CrfData> crfs = new HashMap<>(
);
for (ItemData item : saeItems) {
    String name = item.getVariable().get

```

```

Name();
        Long id = item.getCrfData().getId();
        if (!withCause.containsKey(id)) {
            withCause.put(id, Boolean.FALSE);
        }
        if (!crfs.containsKey(id)) {
            crfs.put(id, item.getCrfData());
        }
        if ("D_RESDEATH_001".equals(name)
            && "Y".equals(item.getSingle
Value())) {
            withCause.put(id, Boolean.TRUE);
        }
        if ("D_CAUSDEATH_001".equals(name))
        {
            causes.put(id, item);
        }
    }
    Map<Long, List<ItemData>> update = new Hash
ashMap<>();
    for (Map.Entry<Long, Boolean> caused : w
ithCause.entrySet()) {
        ItemData causeItem = causes.get(caus
ed.getKey());
        if (causeItem == null) {
            causeItem = new ItemData();
            Variable variable = new Variable
();
            variable.setName("D_CAUSDEATH_00
1");
            causeItem.setVariable(variable);
            causeItem.setCrfData(crfs.get(ca
used.getKey()));
        }
        List<String> value = caused.getValue
() ? List.of(cause) : List.of("");

```

```

        causeItem.setValues(value);
        update.computeIfAbsent(caused.getKey
(), id -> new ArrayList<>()).add(causeItem);
    }
    for (Map.Entry<Long, List<ItemData>> var
iables : update.entrySet()) {
        service.saveFormData(crfs.get(variab
les.getKey()), variables.getValue());
    }
    return false;
}

private static String getCause(Map<Integer,
Map<String, ItemData>> ddMap, TreeSet<Integer> p
Causes) {
    if (pCauses.isEmpty()) {
        return "";
    }
    Map<String, ItemData> pCause = ddMap.get
(pCauses.first());
    ItemData dDorres = pCause.get("D_DDORRES
_PRCDTH_002");
    if (dDorres == null) {
        return Optional.ofNullable(pCause.ge
t("DDORRES_002")).map(i -> i.getSingleValue()).o
rElse("");
    }
    String dDorresValue = dDorres.getSingleV
alue();
    if ("4".equals(dDorresValue)) {
        return Optional.ofNullable(pCause.ge
t("D_DDORRES_PRCDTH_OTH_002")).map(i -> i.getSin
gleValue()).orElse("");
    }
    return Optional.ofNullable(dDorres.getRe
sponseSetValues()).map(rs -> rs.get(0)).map(c ->
c.getLabel()).orElse("");
}

```

		}			
derive_min_drugdate	derive_min_drugdate	<pre>// RULE EXPRESSION: // derive_min_drugdate([\$api], [\$data_point //]) import java.util.*; import java.util.stream.*; import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.context.Context; import com.candorgrc.core.shared.api.model.*; // N.B. Partial Dates are passed to Custom Functions in non-normalized form, // i.e. UNK fragments are NOT replaces with user-configured default values. private static final boolean INCLUDE_DATES_WITH_UNK = true; //private static final String ITEM_CODE_FOR_YES = "Y"; //private static final String ITEM_CODE_FOR_NO = "N"; private static List<ItemData> conditionalSearch(Collection<ItemData> items, String conditionalVar, String searchedVar) { // find ItemData(s) by name var conditionalItems = new HashMap<Long, ItemData>(); var foundItems = new ArrayList<ItemData>(); for (ItemData item : items) { if (conditionalVar.equals(item.getVa</pre>	0.1	139337	

```

riable().getName())) {
    // Here "item.getCrfdData().getId
()" as a key works the same as "CRF Definition n
ame & CRF occurrence" (item.getCrfdData().getCrfd(
).getName() & item.getCrfdData().getOccurrence())
    conditionalItems.put(item.getCrfd
Data().getId(), item);
}
if (searchedVar.equals(item.getVaria
ble().getName())) {
    foundItems.add(item);
}
}

// Return "searched variables" if relate
d "conditionalVar" has expected value of "N".
var result = new ArrayList<ItemData>();
for (ItemData foundItem : foundItems) {
    ItemData conditionalItem = condition
alItems.get(foundItem.getCrfdData().getId());
    String conditionValue = conditionalI
tem == null ? null : conditionalItem.getSingleVa
lue();
    //if (ITEM_CODE_FOR_N0.equals(condit
ionValue)) {
    // REQUIREMENTS for conditions: not
null and not equal 0.0
    if (conditionValue != null && !condi
tionValue.equals("0.0")){
        result.add(foundItem);
    }
}
return result;
}
private static void accumulate(ArrayList<Str
ing> accumulator, List<ItemData> items) {

```

```

        for (ItemData item : items) {
            String partialDate = item.getSingleValue();
            if (partialDate != null && !partialDate.isBlank() && (INCLUDE_DATES_WITH_UNK || !partialDate.contains("UNK"))) {
                accumulator.add(partialDate);
            }
        }
    }

    public static boolean derive_min_drugdate(ApiService service, ItemData dataPoint) {

        if (dataPoint == null) {
            return false;
        }
        List<ItemData> changedItems = dataPoint.getCrfdData().getChangedItems();
        CrfdData currentDataForm = dataPoint.getCrfdData();
        Subject subject = dataPoint.getCrfdData().getSubject();

        // Get Study name studyName;
        String studyName = subject.getSite().getStudy().getName();

        // REQUIREMENT:
        // "Fetch data from the variables ECSTDTC_001_4, ECSTDTC_001_4_1, X_ECDOSE_001_4, X_ECDOSE_001_4_1 across the subject."
        ItemDataRequest dataRequest = new ItemDataRequest().setStudyName(studyName).setSubjectNumber(subject.getNumber());
        var items0 = service.getItems(dataRequest.setInstrumentName("EC001"));
        var items1 = service.getItems(dataRequest

```



```

t.setInstrumentName("EC001_1"));
    var items2 = service.getItems(dataReques
t.setInstrumentName("EC001_2"));
    var items3 = service.getItems(dataReques
t.setInstrumentName("EC001_3"));
    var items4 = service.getItems(dataReques
t.setInstrumentName("EC001_4"));
    var items5 = service.getItems(dataReques
t.setInstrumentName("EC001_5"));
    var items6 = service.getItems(dataReques
t.setInstrumentName("EC001_6"));

```

```

// REQUIREMENT:
//      "Consider forms which has not nu
ll in X_ECDOSE_001_4, X_ECDOSE_001_4_1 variable
s and the value not equal to 0.0"
//      "From the records that are selec
ted based on the above condition take all the da
tes from EC001 forms included on the search data
set."

```

```

    ArrayList<String> partialDates = new Arr
ayList<>();
    accumulate(partialDates, conditionalSear
ch(items0, "X_ECDOSE_001", "ECSTDTC_001"));
    accumulate(partialDates, conditionalSear
ch(items1, "X_ECDOSE_001_1", "ECSTDTC_001_1"));
    accumulate(partialDates, conditionalSear
ch(items2, "X_ECDOSE_001_2", "ECSTDTC_001_2"));
    accumulate(partialDates, conditionalSear
ch(items3, "X_ECDOSE_001_3", "ECSTDTC_001_3"));
    accumulate(partialDates, conditionalSear
ch(items4, "X_ECDOSE_001_4", "ECSTDTC_001_4"));
    accumulate(partialDates, conditionalSear
ch(items5, "X_ECDOSE_001_5", "ECSTDTC_001_5"));
    accumulate(partialDates, conditionalSear
ch(items6, "X_ECDOSE_ECDSIVD_001_6", "ECSTDTC_00

```

```

1_6"));
        accumulate(partialDates, conditionalSearch(items6, "X_ECD0SE_ECDSORD_001_6", "ECSTDTC_001_6"));

        // REQUIREMENT:
        //      "Find the minimum date and ..."
        // Note, we find minimum in a simplest way, i.e. UNK are considered "bigger" than numerical month/day.
        Optional<String> minDateValue = partialDates.stream().min(Comparator.naturalOrder());

        // REQUIREMENT:
        //      "... Specify where to derive the result: DM001.D_FIRSTDOSEDTC_001"

        Crf targetFormDefinition = new Crf().setName("DM001");
        var targetForm = service.factory().createCrfData()
                .setCrf(targetFormDefinition)
                .setSubject(subject);
        if (minDateValue.isPresent()) {
            // Note, the DS001_4 form is not assigned to an event.
            //targetForm.setEncounter(dataPoint.getCrfData().getEncounter().orElse(null));

            // Note, we don't know whether the DM001 form is repeatable (it's not assigned to an event).
            //targetForm.setOccurrence(1);
            ItemData minDrugDate = service.factory().createItemData(targetForm)
                    .setVariable(new Variable().

```

		<pre> setName("D_FIRSTDOSEDTC_001")) .setSingleValue(minDateValue .get()); service.saveFormData(targetForm, Lis t.of(minDrugDate)); return true; } else { ItemData minDrugDate = service.facto ry().createItemData(targetForm) .setVariable(new Variable(). setName("D_FIRSTDOSEDTC_001")) .setSingleValue(""); service.saveFormData(targetForm, Lis t.of(minDrugDate)); return true; } } } </pre>			
derive_eos_date	derive_eos_date	<pre> import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String derive_eos_date(String C5, String T5, String F6, String C5_1 , String T5_1, String F6_1, String C5_2 , String T5_2, String F6_2, String[] TR Dates, String[] TRcont) { boolean foundN = false; String[] relevantDates = new String[10]; // Adjusted size, only need extra for T5, T5_1, T5_ 2 int index = 0; // Check C5, C5_1, C5_2 and collect relevant </pre>	0.1	139336	

```

T5, T5_1, T5_2
    if ("N".equals(C5)) {
        foundN = true;
        relevantDates[index++] = T5;
    }
    if ("N".equals(C5_1)) {
        foundN = true;
        relevantDates[index++] = T5_1;
    }
    if ("N".equals(C5_2)) {
        foundN = true;
        relevantDates[index++] = T5_2;
    }

    // Only process TRcont and TRDates if they are not null
    if (TRcont != null && TRDates != null) {
        for (int i = 0; i < TRcont.length; i++)
        {
            if ("N".equals(TRcont[i]) && TRDates[i] != null && !"NA".equals(TRDates[i])) {
                foundN = true;
                relevantDates[index++] = TRDates[i];
            }
        }
    }

    if (foundN) {
        // Return the max date from relevant dates
        return getMaxDate(relevantDates, index);
    } else {
        // If no "N" was found, return the max date from F6, F6_1, F6_2
        String[] followUpDates = {F6, F6_1, F6_2};
    }
};

```

```

        return getMaxDate(followUpDates, followUpDates.length);
    }
}

private static String getMaxDate(String[] dates,
int length) {
    LocalDate maxDate = null;
    DateTimeFormatter formatter1 = DateTimeFormatter.ofPattern("yyyy-MM-dd", java.util.Locale.ENGLISH);
    DateTimeFormatter formatter2 = DateTimeFormatter.ofPattern("dd-MMM-yyyy", java.util.Locale.ENGLISH);

    for (int i = 0; i < length; i++) {
        String dateStr = dates[i];
        if (dateStr != null && !dateStr.trim().isEmpty() && !"NA".equalsIgnoreCase(dateStr)) {
            // Try to parse the date using the first formatter
            LocalDate date = LocalDate.parse(dateStr, formatter1);
            if (date == null) {
                // Try to parse the date using the second formatter
                date = LocalDate.parse(dateStr, formatter2);
            }

            if (date != null && (maxDate == null || date.isAfter(maxDate))) {
                maxDate = date;
            }
        }
    }
}

```

		<pre> return (maxDate != null) ? maxDate.toString() : null; } </pre>			
default_values_add_entry	Defaults different rows and values in an add-entry form depending on the event. Classic scenario on where this function could be used is the PC instrument.	<pre> import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.model.CrfData; import com.candorgrc.core.shared.api.model.ItemData; import com.candorgrc.core.shared.api.model.*; import java.util.Collection; import java.util.List; import java.util.ArrayList; import java.util.*; //No updates needed to this custom function. To add instruments and corresponding values to populate, update below functions: // 1- varMap() // 2- etVisitValues() public static boolean default_values_add_entry(ItemData itemData, ApiService service, String visit, String targetForm , String triggerForm, String triggerField, boolean dynamic_condition_met) { if (itemData == null service == null !dynamic_condition_met) { return false; } //Codelist map. Map<String, String> var_codelist = varCodelistMap(targetForm); </pre>	0.1	139335	

```

//Get all visits where the target form should be populated with defaulted values
Map<String, Map<String, String>> map = getVisitValues(targetForm);

//If the current visit is not within the map, then return since there is nothing to populate here.
if(!map.containsKey(visit)) return false;

Map<String, String> rows = map.get(visit);

int numb_rows = rows.size();

Subject Sub = itemData.getCrfData().getSubject();
String Study_Name = itemData.getCrfData().getSubject().getSite().getStudy().getName();
String Subject_Number = itemData.getCrfData().getSubject().getNumber();

List<ItemData> Target_RG = new ArrayList<>();
Collection<ItemData> Source_Instrument_Variables = Return_ItemData_Collection(Study_Name, Subject_Number, triggerForm, service);
for ( ItemData Source_Instrument_Variable : Source_Instrument_Variables ) {

    if ( Source_Instrument_Variable.getVariable() != null && Source_Instrument_Variable.getVariable().getName() != null
        && Source_Instrument_Variable.getVariable().getName().equals(triggerField)) {

        for(int i=0; i<numb_rows; i++){
            for(String key : var_codelist.keySet()){

```

```

        if(rows.containsKey(key + "_" + i)){
            String val = rows.get(key + "_" +
i);

            ItemData ID_Temp = Source_Instrument
_Variable.withoutIds();
            ID_Temp.getVariable().setName(key);

            //If the variable has a codelist, as
sign it.
            if(var_codelist.containsKey(key))
                ID_Temp.getVariable().setCod
eList(var_codelist.get(key));

            ID_Temp.setRowIndex(i);
            ID_Temp.setSingleValue(val);
            Target_RG.add(ID_Temp);
        }
    }
}

CrfData Target_Instrument = To_Instrument(targe
tForm, Sub, itemData, service);

if(Target_Instrument != null){
    Target_Instrument.setEncounter(To_Event(visit,
Sub));
    Target_Instrument.setOccurrence(1);
    service.saveFormData(Target_Instrument, Target
_RG);
}

    return false;
}

```



```

public static Collection<ItemData> Return_ItemDa
ta_Collection(String Study_Name, String Subject_
Number, String Instrument, ApiService service) {
    ItemDataRequest Item_Request = new ItemD
ataRequest().setStudyName(Study_Name).setSubject
Number(Subject_Number).setInstrumentName(Instrum
ent);
    return service.getItems(Item_Request);
}

public static CrfData To_Instrument(String targe
t_form, Subject Sub, ItemData ID_Text, ApiServic
e api)
{
    CrfData CRFDATA = null;
    for (CrfData cd: ID_Text.getCrfData().getEncou
nter().get().fetchCrfDatas())
    {
        if (cd.getCrf().getName().equals(target_for
m))
        {
            return cd;
        }
    }
    CRFDATA = api.addCrf(ID_Text.getCrfData().ge
tSubject(), ID_Text.getCrfData().getEncounter().
get(), target_form);
    return CRFDATA;
}

public static Encounter To_Event(String To_Event
_REF, Subject Sub)
{
    Encounter ENCOUNTER = new Encounter();
    Event EVENT = new Event();
    ENCOUNTER.setEvent(EVENT);
}

```

```

        EVENT.setUniqueName(To_Event_REF);
        return ENCOUNTER;
    }

    public static Map<String, String> varCodeListMap(String targetForm){

        if(targetForm.equals("PC003")) return Map.of(
            "PCTPT_003", "PCTPT_CL_003",
            "SUPPPC_PKTERM_003", "SUPPPC_PKTERM_CL_003");
        else if(targetForm.equals("PC003_1")) return Map.of("PCTPT_003_1", "PCTPT_CL_003_1");
        else if(targetForm.equals("PC003_2")) return Map.of("PCTPT_003_2", "PCTPT_CL_003_2");
        else if(targetForm.equals("BEETRK010_2")) return Map.of("SUPPBE_SAMPNAME_010_2", "SUPPBE_SAMPNAME_CL_010_2", "SUPPBE_BESPEC_010_2", "SUPPBE_BESPEC_CL_010_2");

        return null;
    }

    //Update below method with the values needed on the instrument for each event.
    public static Map<String, Map<String, String>> getVisitValues(String targetForm){

        Map<String, Map<String, String>> map = new HashMap<>();

        if(targetForm.equals("PC003")){
            //Variables that will be populated

```

```

        String[] vars = {"SUPPPC_PKTERM_003", "PCTP
T_003"};

        //For each event where the form needs to be
        populated, add an entry as indicated below.
        //Cycle 1 Day 1
        //For each record needed in the form, add a
        string entry in below array. The string will h
        ave the value for each of
        //the variables specified earlier (in this
        case 1) separated by underscores.
        String[] rows_vals = {"1_63", "1_17", "2_99
        "};
        map.put("Cycle 1 Day 1", test(vars, rows_va
        ls));

        rows_vals = new String[]{"1_63", "1_17", "2
        _99"};
        map.put("Cycle 2 Day 8", test(vars, rows_va
        ls));

        rows_vals = new String[]{"1_17", "2_99"};
        map.put("Cycle 3 Day 1", test(vars, rows_va
        ls));

        //End of Treatment Visit
        // rows_vals = new String[]{"999"};
        // map.put("End of Treatment", test(var
        s, rows_vals));
    }

    else if(targetForm.equals("PC003_1")){

    }

    else if(targetForm.equals("PC003_2")){

```

		<pre> } else if(targetForm.equals("BEETRK010_2")){ } return map; } //Map has following format Map<(variable name)_(row_index), (value)> public static Map<String, String> test(String[] vars, String[] rows_vals){ Map<String, String> map = new HashMap<>(); //The key pointing to the values for each varia ble will have the following format: //<variable name>_<row_index> //Map<String, String> var = new HashMap<>(); for(int i=0; i<rows_vals.length; i++){ String[] row_vals = rows_vals[i].split("_"); for(int y=0; y<vars.length; y++){ String var = vars[y]; String tmp = var + "_" + i + ", " + row_vals[y]; map.put(var + "_" + i, row_vals[y]); } } return map; } </pre>			
dcause	Expression 1: In D_SAE001 form,	<pre> import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataReq </pre>	0.1	139334	

D_RESDEATH_001

```
uest;
import com.candorgrc.core.shared.api.model.CrfData;
import com.candorgrc.core.shared.api.model.ItemData;
import com.candorgrc.core.shared.api.model.RowStatus;
import com.candorgrc.core.shared.api.model.Variable;

import java.util.*;

    public static boolean cause(ItemData dataPoint, ApiService service) {
        if (dataPoint == null || service == null) {
            return false;
        }
        CrfData crfData = dataPoint.getCrfData();
        ItemDataRequest saeRequest = new ItemDataRequest()
            .setStudyName(dataPoint.getCrfData().getSubject().getSite().getStudy().getName())
            .setSubjectNumber(dataPoint.getCrfData().getSubject().getNumber())
            .setInstrumentOccurrence(crfData.getOccurrence())
            .setInstrumentName("D_SAE001");
        Collection<ItemData> saeItems = service.getItems(saeRequest);
        Boolean proceed = false;
        ItemData causeItem = null;
        for (ItemData item : saeItems) {
            if (!Objects.equals(crfData.getId(), item.getCrfData().getId())) {
```

```

        continue;
    }
    String name = item.getVariable().getName();
    if (!proceed && "D_RESDEATH_001".equals(name) && "Y".equals(item.getSingleValue()))
    {
        proceed = true;
    }
    if ("D_CAUSDEATH_001".equals(name))
    {
        causeItem = item;
    }
    }
    String cause = "";
    if (proceed) {
        proceed = false;
        ItemDataRequest ddRequest = new ItemDataRequest()
            .setStudyName(dataPoint.getCrfData().getSubject().getSite().getStudy().getName())
            .setSubjectNumber(dataPoint.getCrfData().getSubject().getNumber())
            .setEventName("DISP")
            .setInstrumentName("DD002");
        Collection<ItemData> ddItems = service.getItems(ddRequest);
        Map<Integer, Map<String, ItemData>> ddMap = new HashMap<>();
        TreeSet<Integer> pCauses = new TreeSet<>();
        for (ItemData item : ddItems) {
            if (item.getRowStatus().map(RowStatus::isRemoved).orElse(Boolean.FALSE)) {
                continue;
            }

```

```

        Map<String, ItemData> variables
= ddMap.computeIfAbsent(item.getRowIndex(), inte
ger -> new HashMap<>());
        String name = item.getVariable()
.getName();
        variables.put(name, item);
        if ("D_SAEDDRPT_002".equals(name
) && "Y".equals(item.getSingleValue())) {
            proceed = true;
        }
        if ("DDTEST_002".equals(name) &&
"1".equals(item.getSingleValue())) {
            pCauses.add(item.getRowIndex
());
        }
    }
    cause = proceed ? getCause(ddMap, pC
auses) : "";
}
    if (causeItem == null) {
        causeItem = new ItemData();
        Variable variable = new Variable();
        variable.setName("D_CAUSDEATH_001");
        causeItem.setCrfData(crfData);
        causeItem.setVariable(variable);
    }
    causeItem.setValues(List.of(cause));
    service.saveFormData(crfData, List.of(ca
useItem));
    return false;
}

    private static String getCause(Map<Integer,
Map<String, ItemData>> ddMap, TreeSet<Integer> p
Causes) {
        if (pCauses.isEmpty()) {
            return "";
        }
    }

```

		<pre> } Map<String, ItemData> pCause = ddMap.get (pCauses.first()); ItemData dDorres = pCause.get("D_DDORRES _PRCDTH_002"); if (dDorres == null) { return Optional.ofNullable(pCause.ge t("DDORRES_002")).map(i -> i.getSingleValue()).o rElse(""); } String dDorresValue = dDorres.getSingleV alue(); if ("4".equals(dDorresValue)) { return Optional.ofNullable(pCause.ge t("D_DDORRES_PRCDTH_OTH_002")).map(i -> i.getSin gleValue()).orElse(""); } return Optional.ofNullable(dDorres.getRe sponseSetValues()).map(rs -> rs.get(0)).map(c -> c.getLabel()).orElse(""); } </pre>			
datesOutsideRange	Calculate the number of a given unit (D, h, m) between 2 DTS and evaluates if it's outside the range given.	<pre> import java.time.LocalDateTime; import java.util.Calendar; // Date mask values private static final int y = 4; private static final int ym = 7; private static final int ymd = 10; private static final int ymdh = 13; private static final int ymdhm = 16; private static final int ymdhms = 19; /** * Returns whether the dates are outside of a giv en range. * * @param DTS1 - First DTS value </pre>		0.1	139333


```

* @param    DTR1 - First DTR value
* @param    isStart1 - true for follow start date imputation, false for follow end date imputation
* @param    DTS2 - Second DTS value
* @param    DTR2 - Second DTR value
* @param    isStart2 - true for follow start date imputation, false for follow end date imputation
* @param    unit          whether the range is days, hours, or minutes
* @param    min            mininum in unit
* @param    max            maxium in unit
* @return    true if outside range, false if inside range
*/

public static boolean datesOutsideRange(String DTS1, String DTR1, boolean isStart1, String DTS2, String DTR2, boolean isStart2, String unit, int min, int max) {
    // return null if the dates or unit are null
    if (DTS1 == null || DTS1 == "" || DTS2 == null || DTS2 == "" || unit == null) {
        return false;
    }
    // Determine whether UNK and which date parts are present
    int parts1;
    int parts2;
    boolean hasUNK1 = false;
    boolean hasUNK2 = false;
    if (DTR1 != null && DTR1.contains("UNK")) {
        parts1 = determineUNKParts(DTR1);
        hasUNK1 = true;
    }
}

```

```

else {
    parts1 = DTS1.length();
}
if (DTR2 != null && DTR2.contains("UNK")) {
    parts2 = determineUNKParts(DTR2);
    hasUNK2 = true;
}
else {
    parts2 = DTS2.length();
}
// Determine common parts between two dates
int commonParts;
if (parts1 < parts2) {
    commonParts = parts1;
}
else {
    commonParts = parts2;
}
// Cut off DTS based on parts
String trimDTS1 = DTS1.substring(0, commonParts);
String trimDTS2 = DTS2.substring(0, commonParts);
// Get localdatetimes for both based off of
common parts, imputing where UNK is used
LocalDateTime minDate;
LocalDateTime maxDate;
if (isStart1 || !hasUNK1) {
    minDate = startDTS(trimDTS1);
}
else {
    minDate = endDTS(trimDTS1);
}
if (isStart2 || !hasUNK2) {
    maxDate = startDTS(trimDTS2);
}
else {

```

```

        maxDate = endDTS(trimDTS2);
    }
    boolean outsideRange = false;
    if (unit.equals("D")) {
        outsideRange = maxDate.isBefore(minDate.
plusDays(min)) || maxDate.isAfter(minDate.plusDa
ys(max));
    }
    else if (unit.equals("h")) {
        outsideRange = maxDate.isBefore(minDate.
plusHours(min)) || maxDate.isAfter(minDate.plusH
ours(max));
    }
    else if (unit.equals("m")) {
        outsideRange = maxDate.isBefore(minDate.
plusMinutes(min)) || maxDate.isAfter(minDate.plu
sMinutes(max));
    }
    return outsideRange;
}

/**
 * Determines possible parts for a DTR that may h
ave UNK.
 *
 * @param DTR - DTR value
 * @return int representation of common parts
 */
private static int determineUNKParts(String DTR)
{
    int commonParts = ymdhms;
    if (DTR.endsWith("UNK-UNK UNK:UNK:NUL") || D
TR.endsWith("UNK-UNK UNK:UNK")) {
        commonParts = ymdhm;
    }
    else if (DTR.endsWith("UNK-UNK UNK")) {
        commonParts = ymdh;
    }
}

```

```

    }
    else if (DTR.endsWith("UNK-UNK")) {
        commonParts = ymd;
    }
    else if (DTR.endsWith("UNK")) {
        commonParts = ym;
    }
    else {
        commonParts = DTR.length();
    }
    return commonParts;
}

/**
 * Imputes (if necessary) a complete DTS based on
 * start date rules.
 *
 * @param startDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime startDTS(String startDate) {
    if (startDate == null || startDate.length() >
19) {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 1;
        int day = 1;
        int hour = 0;
        int minute = 0;
        int second = 0;
        switch (startDate.length()) {
            case 19: second = Integer.valueOf(st
artDate.substring(17,19)); // 2024-01-01T00:00:0
0

```

```

        case 16: minute = Integer.valueOf(st
artDate.substring(14,16)); // 2024-01-01T00:00
        case 13: hour = Integer.valueOf(star
tDate.substring(11,13)); // 2024-01-01T00
        case 10: day = Integer.valueOf(start
Date.substring(8,10)); // 2024-01-01
        case 7: month = Integer.valueOf(star
tDate.substring(5,7)); // 2024-01
        case 4: int year = Integer.valueOf(s
tartDate.substring(0,4)); // 2024
                dts = LocalDateTime.of(year,
month, day, hour, minute, second);
                break;
                default: dts = null;
            }
        return dts;
    }
}

/**
 * Imputes (if necessary) a complete DTS based on
 * end date rules.
 *
 * @param endDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime endDTS(String endDa
te) {
    if (endDate == null || endDate.length() > 19
) {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 12;
        int day = 0;
        int hour = 0;

```

		<pre>int minute = 0; int second = 0; switch (endDate.length()) { case 19: second = Integer.valueOf(en dDate.substring(17,19)); // 2024-01-01T00:00:00 case 16: minute = Integer.valueOf(en dDate.substring(14,16)); // 2024-01-01T00:00 case 13: hour = Integer.valueOf(endD ate.substring(11,13)); // 2024-01-01T00 case 10: day = Integer.valueOf(endDa te.substring(8,10)); // 2024-01-01 case 7: month = Integer.valueOf(endD ate.substring(5,7)); // 2024-01 case 4: int year = Integer.valueOf(e ndDate.substring(0,4)); // 2024 if (day == 0) { Calendar cal = Calendar. getInstance(); cal.set(year,month-1,1); day = cal.getActualMaxim um(Calendar.DAY_OF_MONTH); } dts = LocalDateTime.of(year, month, day, hour, minute, second); break; default: dts = null; } return dts; } }</pre>			
Concat_Variable_In_EachRow		<pre>import java.time.LocalDate; import java.time.format.DateTimeFormatter; import java.util.Optional; public static String customFunction(String[] arr ay1, String[] array2, String[] array3, String[] array4) {</pre>	0.1	139332	

```

        // Initialize arrays if they are null to avoid
        // NullPointerException
        if (array1 == null) array1 = new String[0];
        if (array2 == null) array2 = new String[0];
        if (array3 == null) array3 = new String[0];
        if (array4 == null) array4 = new String[0];

        StringBuilder result = new StringBuilder();
        int maxLength = Math.max(Math.max(array1.length, array2.length), Math.max(array3.length, array4.length));

        String prefix = "{Antipyretic Medication}";
        String suffix = "{/Antipyretic Medication}";
        DateTimeFormatter originalFormat = DateTimeFormatter.ofPattern("yyyy-MM-dd");
        DateTimeFormatter targetFormat = DateTimeFormatter.ofPattern("dd-MMM-yyyy");

        for (int i = 0; i < maxLength; i++) {
            StringBuilder row = new StringBuilder();

            // Check and replace null with an empty string
            String part1 = (i < array1.length && array1[i] != null) ? array1[i] : "";
            String part2 = (i < array2.length && array2[i] != null) ? array2[i] : "";
            String part3 = (i < array3.length && array3[i] != null) ? array3[i] : "";
            String part4 = (i < array4.length && array4[i] != null) ? array4[i] : "";

            // Convert part3 (date) from yyyy-MM-dd to dd-MMM-yyyy
            if (!part3.isEmpty()) {
                Optional<String> formattedDate = Optional.ofNullable(part3)

```

```

        .map(dateStr -> {
            try {
                LocalDate date = LocalDa
te.parse(dateStr, originalFormat);
                return date.format(targe
tFormat);
            } catch (Exception e) {
                // Handle invalid date f
ormats
                return "";
            }
        });
        part3 = formattedDate.orElse("");
    }

    if (!part1.isEmpty()) {
        row.append("Product Name :").append(
part1).append(" ,");
    }
    if (!part2.isEmpty()) {
        row.append("Dose :").append(part2).a
ppend(" ,");
    }
    if (!part3.isEmpty()) {
        row.append("Date of Admin :").append
(part3).append(" ,");
    }
    if (!part4.isEmpty()) {
        row.append("Time of use :").append(p
art4);
    }

    // Trim any trailing commas and whitespa
ce
    if (row.length() > 0 && row.charAt(row.l
ength() - 1) == ',') {
        row.setLength(row.length() - 1);
    }

```


		<pre> } // Append the prefix and suffix if row content is not empty if (row.length() > 0) { result.append(prefix).append(row).append(suffix).append("\n"); } } return result.toString(); } </pre>			
compareDTS	Accepts two DTS and optional DTR values and returns -1 if the first is before the second, 0 if they are equal, or 1 if the first is after the second.	<pre> import java.time.LocalDateTime; import java.util.Calendar; // Date mask values private static final int y = 4; private static final int ym = 7; private static final int ymd = 10; private static final int ymdh = 13; private static final int ymdhm = 16; private static final int ymdhms = 19; /** * Accepts two DTS and two DTR values. * Returns -1 if the first is before the second, 0 if they are equal, or 1 if the first is after the second. * * @param DTS1 - First DTS value * @param DTR1 - First DTR value * @param isStart1 - true for follow start date imputation, false for follow end date imputation * @param DTS2 - Second DTS value * @param DTR2 - Second DTR value * @param isStart2 - true for follow start date imputation, false for follow end date imputation </pre>	0.1	139331	

```

    * @return integer -1, 0, 1, or null if one date
    is missing
    */
    public static Integer compareDTS(String DTS1, String DTR1, boolean isStart1, String DTS2, String
    DTR2, boolean isStart2) {
        Integer compared = null;

        // Check if both dates are present
        if (DTS1 == null || DTS1 == "" || DTS2 == null || DTS2 == "" ) {
            return compared;
        }

        compared = genericCompareDTS(DTS1, DTR1, isStart1, DTS2, DTR2, isStart2);

        return compared;
    }

    /**
     * Accepts two DTS values. Overloaded version of
     * compareDTS.
     * Returns -1 if the first is before the second,
     * 0 if they are equal, or 1 if the first is after
     * the second.
     *
     * @param DTS1 - First DTS value
     * @param isStart1 - true for follow start date
     * imputation, false for follow end date imputation
     * @param DTS2 - Second DTS value
     * @param isStart2 - true for follow start date
     * imputation, false for follow end date imputation
     * @return integer -1, 0, 1, or null if one date
     * is missing
     */
    public static Integer compareDTS(String DTS1, bo

```

```

olean isStart1, String DTS2, boolean isStart2) {
    Integer compared = null;

    // Check if both dates are present
    if (DTS1 == null || DTS1 == "" || DTS2 == null || DTS2 == "" ) {
        return compared;
    }

    compared = genericCompareDTS(DTS1, null, isStart1, DTS2, null, isStart2);

    return compared;
}

/**
 * Generic version of compareDTS for wrappers.
 * Accepts two DTS and optional DTR values.
 * Returns -1 if the first is before the second,
 * 0 if they are equal, or 1 if the first is after
 * the second.
 *
 * @param DTS1 - First DTS value
 * @param DTR1 - First DTR value
 * @param isStart1 - true for follow start date
 * imputation, false for follow end date imputation
 * @param DTS2 - Second DTS value
 * @param DTR2 - Second DTR value
 * @param isStart2 - true for follow start date
 * imputation, false for follow end date imputation
 * @return integer -1, 0, 1, or null if one date
 * is missing
 */
private static Integer genericCompareDTS(String
DTS1, String DTR1, boolean isStart1, String DTS2
, String DTR2, boolean isStart2) {
    Integer compared = null;

```

```

// Determine whether UNK and which date parts are present
int parts1;
int parts2;
boolean hasUNK1 = false;
boolean hasUNK2 = false;
if (DTR1 != null && DTR1.contains("UNK")) {
    parts1 = determineUNKParts(DTR1);
    hasUNK1 = true;
}
else {
    parts1 = DTS1.length();
}
if (DTR2 != null && DTR2.contains("UNK")) {
    parts2 = determineUNKParts(DTR2);
    hasUNK2 = true;
}
else {
    parts2 = DTS2.length();
}

// Determine common parts between two dates
int commonParts;
if (parts1 < parts2) {
    commonParts = parts1;
}
else {
    commonParts = parts2;
}

// Cut off DTS based on parts
String trimDTS1 = DTS1.substring(0, commonParts);
String trimDTS2 = DTS2.substring(0, commonParts);

```

```

        // Get localdatetimes for both based off of
        common parts, imputing where UNK is used
        LocalDateTime LDT1;
        LocalDateTime LDT2;
        if (isStart1 || !hasUNK1) {
            LDT1 = startDTS(trimDTS1);
        }
        else {
            LDT1 = endDTS(trimDTS1);
        }
        if (isStart2 || !hasUNK2) {
            LDT2 = startDTS(trimDTS2);
        }
        else {
            LDT2 = endDTS(trimDTS2);
        }

        // Compare datetimes and set compared
        if (LDT1.isBefore(LDT2)) {
            compared = -1;
        }
        else if (LDT1.isAfter(LDT2)) {
            compared = 1;
        }
        else if (LDT1.equals(LDT2)) {
            compared = 0;
        }

        return compared;
    }

    /**
     * Determines possible parts for a DTR that may
     have UNK.
     *
     * @param DTR - DTR value
     * @return int representation of common parts

```

```

*/
private static int determineUNKParts(String DTR)
{
    int commonParts = ymdhms;
    if (DTR.endsWith("UNK-UNK UNK:UNK:NUL") || D
TR.endsWith("UNK-UNK UNK:UNK")) {
        commonParts = ymdhm;
    }
    else if (DTR.endsWith("UNK-UNK UNK")) {
        commonParts = ymdh;
    }
    else if (DTR.endsWith("UNK-UNK")) {
        commonParts = ymd;
    }
    else if (DTR.endsWith("UNK")) {
        commonParts = ym;
    }
    else {
        commonParts = DTR.length();
    }

    return commonParts;
}

/**
 * Imputes (if necessary) a complete DTS based o
n start date rules.
 *
 * @param startDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime startDTS(String sta
rtDate) {
    if (startDate == null || startDate.length() >
19) {
        return null;
    }
}

```

```

else {
    LocalDateTime dts;
    int month = 1;
    int day = 1;
    int hour = 0;
    int minute = 0;
    int second = 0;

    switch (startDate.length()) {
        case 19: second = Integer.valueOf(st
artDate.substring(17,19)); // 2024-01-01T00:00:0
0
        case 16: minute = Integer.valueOf(st
artDate.substring(14,16)); // 2024-01-01T00:00
        case 13: hour = Integer.valueOf(star
tDate.substring(11,13)); // 2024-01-01T00
        case 10: day = Integer.valueOf(start
Date.substring(8,10)); // 2024-01-01
        case 7: month = Integer.valueOf(star
tDate.substring(5,7)); // 2024-01
        case 4: int year = Integer.valueOf(s
tartDate.substring(0,4)); // 2024
            dts = LocalDateTime.of(year,
month, day, hour, minute, second);
            break;
        default: dts = null;
    }
    return dts;
}

/**
 * Imputes (if necessary) a complete DTS based o
n end date rules.
 *
 * @param endDate - DTS value
 * @return imputed localdatetime object

```

```

*/
private static LocalDateTime endDTS(String endDate) {
    if (endDate == null || endDate.length() > 19)
    {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 12;
        int day = 0;
        int hour = 0;
        int minute = 0;
        int second = 0;

        switch (endDate.length()) {
            case 19: second = Integer.valueOf(endDate.substring(17,19)); // 2024-01-01T00:00:00
            case 16: minute = Integer.valueOf(endDate.substring(14,16)); // 2024-01-01T00:00
            case 13: hour = Integer.valueOf(endDate.substring(11,13)); // 2024-01-01T00
            case 10: day = Integer.valueOf(endDate.substring(8,10)); // 2024-01-01
            case 7: month = Integer.valueOf(endDate.substring(5,7)); // 2024-01
            case 4: int year = Integer.valueOf(endDate.substring(0,4)); // 2024
                    if (day == 0) {
                        Calendar cal = Calendar.getInstance();
                        cal.set(year,month-1,1);
                        day = cal.getActualMaximum(Calendar.DAY_OF_MONTH);
                    }
            dts = LocalDateTime.of(year,
                month, day, hour, minute, second);
        }
    }
}

```


		<pre> break; default: dts = null; } return dts; } } } </pre>			
argusVaxLocMapper		<pre> import java.util.HashMap; public static String argusVaxLocMap(String loc, String lat) { /* * If both fields are empty, return null. */ if ((loc == null loc.trim().isEmpty()) && (lat == null lat.trim().isEmpty())) { return null; } // Concatenate loc and lat String loclat = (loc == null ? "" : loc. trim()) + (lat == null ? "" : " " + lat.trim()); // Convert to uppercase for case-insensi tivity String lockKey = loclat.toUpperCase(); /* * Hashmap of concatenated VOL3 Standards L OC + LAT to Argus Values */ HashMap<String, String> argusVaxMaps = new H ashMap<String, String>(); argusVaxMaps.put("ABDOMEN", "Abdomen"); argusVaxMaps.put("ARM LEFT", "Arm Left"); argusVaxMaps.put("ARM RIGHT", "Arm Right"); argusVaxMaps.put("ARM", "Arm"); argusVaxMaps.put("DELTOID MUSCLE LEFT", "Delt oid Left"); argusVaxMaps.put("DELTOID MUSCLE RIGHT", "Del </pre>	0.1	139330	

```

toid Right");
    argusVaxMaps.put("FOOT LEFT","Foot Left");
    argusVaxMaps.put("FOOT RIGHT","Foot Right");
    argusVaxMaps.put("FOOT","Foot");
    argusVaxMaps.put("GLUTEUS MAXIMUS LEFT","Gluteus Medius Left"); //Only GLUTEUS MAXIMUS found in standards
    argusVaxMaps.put("GLUTEUS MAXIMUS RIGHT","Gluteus Medius Right");
    argusVaxMaps.put("GLUTEUS MAXIMUS","Gluteus");
);
    argusVaxMaps.put("HAND LEFT","Hand Left");
    argusVaxMaps.put("HAND RIGHT","Hand Right");
    argusVaxMaps.put("HAND","Hand");
    argusVaxMaps.put("LEG LEFT","Leg Left");
    argusVaxMaps.put("LEG RIGHT","Leg Right");
    argusVaxMaps.put("LEG","Leg");
    argusVaxMaps.put("FOREARM LEFT","Lower Forearm Left");
    argusVaxMaps.put("FOREARM RIGHT","Lower Forearm Right");
    argusVaxMaps.put("NECK","Neck");
    argusVaxMaps.put("ORAL CAVITY","Oral");
    argusVaxMaps.put("ORAL MUCOSA","Oral");
    argusVaxMaps.put("THIGH LEFT","Thigh Left");
    argusVaxMaps.put("THIGH RIGHT","Thigh Right");
);
    argusVaxMaps.put("THIGH","Thigh");
    argusVaxMaps.put("TRUNK","Torso Upper"); // ONLY TRUNK available
    argusVaxMaps.put("VASTUS LATERALIS MUSCLE LEFT","Vastus Lateral. Left");
    argusVaxMaps.put("VASTUS LATERALIS MUSCLE RIGHT","Vastus Lateral.Right");
    if(argusVaxMaps.containsKey(lockKey)) {
        return argusVaxMaps.get(lockKey);
    }
}

```

```
}    return null;
```