



Study Design Specifications (SDS) Template Completion Instructions

This template is used to capture details regarding the study design required in support of the clinical protocol. The following details are required. Please do not alter the structure or formatting of the existing worksheets; do not delete columns or change column headers.

Worksheet	Detailed Instructions						
Applies to all Worksheets	Examples are provided in green text. Delete the example rows as applicable before deploying document. Update header protocol information, change font to black and un-italicize. The column headers must not be changed. <table><tr><td>White Column Header:</td><td>Indicates that values in that column are required.</td></tr><tr><td>Yellow Column Header:</td><td>Indicates that values in that column are optional.</td></tr><tr><td>Orange Column Header:</td><td>Indicates that values in that column are conditional required. Meaning the value becomes required based on the entry/selection in another column. The conditional requirement in these columns is specified per attribute.</td></tr></table>	White Column Header:	Indicates that values in that column are required.	Yellow Column Header:	Indicates that values in that column are optional.	Orange Column Header:	Indicates that values in that column are conditional required. Meaning the value becomes required based on the entry/selection in another column. The conditional requirement in these columns is specified per attribute.
White Column Header:	Indicates that values in that column are required.						
Yellow Column Header:	Indicates that values in that column are optional.						
Orange Column Header:	Indicates that values in that column are conditional required. Meaning the value becomes required based on the entry/selection in another column. The conditional requirement in these columns is specified per attribute.						
Document Version History	Complete the Document version history tab following the instructions provided on the tab including the summary of changes.						
EventDefinition	Complete the definition of events with the list of unique visits. Description of visits attributes is found below: Event Title: Please indicate event name/title in the space provided. Event titles must align as closely as possible to actual protocol event names but must align with Pfizer's event naming convention.- This value shows in the EDC for users to reference during navigation. Unique Event Name: This is an internal attribute that uniquely identifies an event, and it must align with Pfizer's event naming conventions. This attribute is not visible to Electronic Data Capture (EDC) users. Description: Optional attribute used to provide a description of any special functionality required in the visits. For example, if we are creating repeating Cycle visits, what is the format to name those visits. Type: Indicate the visit type. The list below indicates visit types and how they behave in the system. Static: Static visits show immediately after the subject is enrolled. A static visit cannot be set up as dynamic. Unscheduled: Unscheduled, scheduled and parent events are the types of event that can be setup as dynamic. Unscheduled events that are not setup as dynamics, can be added manually by the user clicking the "Add Event" button; however, if setup as dynamic, then the unscheduled event does not show when clicking the "Add Event" button. Scheduled: These events do not initially show by default and instead need to be added via dynamics. Note that scheduled events cannot be created by the site user manually (eg, clicking the "Add Event" button). When an event is set up as "Scheduled" it is automatically set up as dynamic as well. This is the type of events that are needed to set up dynamic visits or child visits like Day1 and Day 15 in a Cycle parent visit. Parent: Parent visits are visits that host 1 or more visits. For example a parent visit "Cycle" in Oncology could host multiple visits like a "Day1" visit and "Day15" visit. Parent visit is other type of visit that could be set up as dynamic. Parent visits must be used when a group of visits with identical content need to repeat. By using parent visits in those scenarios, the visit can be declared and programmed once, but they repeat as many times as needed. Again the Cycle visits in Oncology are a perfect scenario to use Parent visits, because setting up the solution once, unlimits number of cycle visits at the subject level that could be created.						

	Assign to Parent: Enter the Unique Event Name of the Parent visit this visit is assigned as child of. An example of a parent visit would be a CYCLE visit in Oncology having Day 1 and Day 15 as child visits. Using a parent visit in this case then helps to define the cycle visit only once and reuse it as many times as cycles are needed at subject level. Max Repeats Allowed: For non repeating visits, enter 1. For the Unscheduled visit enter 999. There might be another repeating visits like the Illness visits in Vaccine, where only a specific number of visits (eg, 3) is predefined to be collected. In those cases, enter the exact number of visit instances of the repeat that are needed. Day Schedule: Applicable only to "Static" and "Scheduled" visit types. Indicates the day the visit is scheduled counting from baseline. For example, for the "Week 3" visit this attribute would be equal to 21 as the day this visit is scheduled. Day Min: "Day Min" and "Day Max" allow setup of a period within which the visit could occur. In the case of "Day Min", it indicates the number of days prior to the "Day Schedule" value that a visit could start without being considered a deviation. For example for the "Week 3" visit, the protocol might indicate that this visit could start 3 days prior the 21 day schedule (eg, at day 18). In this example, the value entered in "Day Min" is 3. Day Max: "Day Min" and "Day Max" allow setup of a period within which the visit could occur. In the case of "Day Max", it indicates the number of days after the "Day Schedule" value that a visit could occur without being considered a deviation. For example for the "Week 3" visit, the protocol might indicate that this visit could start 4 days after the 21 day schedule (eg, at day 25). In this example, the value entered in "Day Max" is 4. Active: Use to indicate if a visit is active or not. During initial build the value of this attribute will be TRUE for all visits. If during amendments a visit needs to be removed, indicate so by updating this attribute as "FALSE". Repeating: Applicable only for "Unscheduled" and "Scheduled" visit types. Indicates whether a visit is repeating or not. Enable Event level eNOTEs: Applicable only for Direct Data Capture (DDC) enabled studies. Insert Yes to enable electronic notes at the event level.
Instruments	Complete the definition of events with the list of instruments and corresponding visits. A new row is required for each event-instrument assignment. At each Event-Instrument entry, list the name of the instrument. Description of "Instruments" attributes is found below: Event Title: Enter the name of the event that hosts the instrument. Enter the events in the same order that they should display in the study per protocol. For example, if the event "Screening" is first, create a row having the "Screening" event for each instrument that is needed in that event. Instrument Name: For each of the rows defined for a parent event, enter the corresponding instrument name as per the protocol time and events. For example, if event "Screening" requires to have instrument "Date of Visit" followed by "Vital Signs" in that order, then the "Screening" visit will have 2 rows, the first one will list "Date of Visit" while the second one will have "Vital Signs". Instrument Title: Enter the instrument title. The following Instrument attributes are applicable only for DDC enabled studies: Available on mobile: Insert Yes to make the instrument available in mEDC (mobile EDC). Enable Filed level eNOTEs: Insert Yes to enable electronic notes for all the fields in the instrument. Enable within form Subject navigation: Insert Yes to all Subject navigation while remaining at the same instrument.
Variable Permission Groups	Use this tab when there is the need to change the way that variables display for a specific role(s). Enter a row in this tab for each different variable permission group needed. Note: In order for these changes to take effect, the role(s) impacted need to also have the correct Permission setup under the "Variables Permission Groups" permissions. Variable Permission Groups: Enter the name of the group. Display Permissions and Roles: Provide the display type needed which could be Hidden or Read-Only or Update and the corresponding role(s) that need to have that variable display. It is acceptable to have multiple display types and roles assigned under the same variable permission group. Instruments and Variables: Indicate the instruments and corresponding variables that are part of the Variable Permission Group.

Field Link Map Export	Instrument 1: Use Instrument Name to indicate one of the instruments that will be linked. Repeating group 1: If the link is needed at the form record level (eg, Adverse Event record), then this value is not applicable. If the link is needed at a record in a group of fields in the form (for example in a lab page, the link might be needed at analyte level to connect an analyte having results out of range with an Adverse Event record), then enter the name of the "Group of fields" object found in Instrument 1. Context 1: Select the fields from Instrument 1 needed for sites to identify the record(s) to be linked. For example, if Instrument 1 is setup as "Adverse Event", then the fields entered could be the adverse event term and date to uniquely identify the AE records. Instrument 2: Use Instrument Name to indicate the instrument to be linked to the instrument selected in "Instrument 1". Repeating group 2: If the link is needed at the form record level (eg, Adverse Event record), then this value is not applicable. If the link is needed at a record in a group of fields in the form (for example in a lab page, the link might be needed at analyte level to connect an analyte having results out of range with an Adverse Event record), then enter the name of the "Group of fields" object found in Instrument 2. Context 2: Select the fields from Instrument 2 needed for sites to identify the record(s) to be linked. For example, if Instrument 2 is set up as "Concomitant Medication", then the fields entered could be the Medication and Medication Date to uniquely identify the CM records.
Plans	Site Group: For studies running a single SDV strategy in the study, this setting will be "All Sites". In the case of studies that are running 2 or more strategies, then the value for "Site Group" for each strategy needs to be specified according to the group of sites that will be included in that strategy. Note that site groups are created at the tenant level by the ADMIN team. SDV %: Enter the SDV % assigned to the study or in case of multiple SDV plans, then the percentage for each. If the study is running a 0% SDV strategy then enter 0. Variable: List all the fields that are present in the study in this column. The list of variables in the study could be extracted from column "Variable/Field Name" in the report "Export Data Dictionary" found in the "Instruments" tab in Study Central. Label is the variable label to help decode variable identifiers Variable Level Access: List of study setting for each variable. 'None' represents visible and enterable. 'Hide' should be aligned with the Variable Level Permissions Groups to manage any access. Data Review Tier: Specify for each variable whether the Data Review Tier value should be "Minimal", "Supportive" or "Critical". Fields_to_ SDV: This is the Standards Source Data Verification (SDV) plan. For each field in the study, indicate with an X if the field should be included for SDV. Leave this column empty if the study is running a 0% SDV strategy. If the study has more than 1 SDV plan (eg, due to a different SDV at cohort level or for China sites), add the plan as an additional column(s) after the "Fields_to_ SDV" SDV Plan column to define the fields that should be part of that additional plan as well as the plan SDV percentage. See examples in the "Plans" tab.

SAE	Retrieve the standard E2B mapping template from the Pfizer MetaData Repository (PMDR). Filter for tags with Standards Category of 'Standard - Modifiable - Required' and 'Standard - Conditional - Required'. Review the user guidance for each and edit Expression Definition column as needed. Any additional EC, CM or LB instruments (ex: EC001_2_1, CM001_2, LB001_1_2) added to the study will need have tags added to the mappings. Copy existing sets of rows where the E2B Mapping Category is either 'Drugs' for EC and CM and 'Tests' for LB and insert into the sheet as appropriate. Update the Variable Name and Instrument Title to align with the values from the study setup. User guidance also will provide instruction for when tag duplication is expected. Once all 'Standard - Modifiable - Required' and 'Standard - Conditional - Required' tags are edited/duplicated as needed copy over all tags being used into SAE SDS tab. Copy from column Expression Definition to E2B Tag. Column Definitions: Add/Edit/Remove : This column to be used in SDS versions after initial to denote when a change has been made. Expression Definition : This column contains instruction for builders and is where CDS will make study specific updates to green template text. Event Title: Modify based on which event a specific instrument is mapped from. If this is empty in the template, leave empty to indicate all events or the event information will be embedded into the expression programmed for the E2B tag. Instrument Title: Modify as appropriate to properly reflect the title of instruments in the study if any adjustments were made. E2B Mapping Category: Do not modify the contents. Label: Do not modify the contents. E2B Tag: Do not modify the contents.
CM Study Maps	Complete the Mapping Variable for each standard Clinical Model (CM) Study Map. The Mapping Variable must resolve to a single value per subject, provide the Event and/or indicate if a Minimum/Maximum or similar aggregation is to be used. Multiple variables are to be used separated by "OR" if a subject will only have one populated per design. If the particular study map is not applicable to the study, indicate with TRUE in the Intentionally Blank column and leave Mapping Variable blank. Since this will very rarely be the case, consult with the study builder if this is being considered.
DSOPI	The content within Model_Attribute_name and Model_name columns should not be changed as they are standard metadata for the SM_R_SUBJECTCLINICALSTUDY_V table. Source_table, Source_variable and Condition need to be filled in based on the study requirements. Source_table: Enter the Standard Data Review Model (SRDM) table where the data can be sourced. If there are multiple tables, enter each separated by a comma. Source_variable: Enter the column in the Source_table where the data can be sourced. If there are multiple columns, enter each separated by a comma and prefix the variable with the table name. Condition: Enter the condition where a row for a subject in the Source_table will have the relevant value in Source_variable. Express the logic following the examples. The resulting logic must evaluate to a single value in a single record per subject. If the particular variable is not relevant for the study e.g., SFDATE for a study not collecting screen failures, then put "Not Applicable" in the Condition.
SRDM Defaults	Retrieve the latest study-defined SRDM defaults from the PMDR Spotfire RCC SRDM Default Values Report and add to the SRDM Defaults tab For each mdes_form_name used in the study, check if the default_value for the given item_refname is appropriate for the study. If not, update per standards guidelines in the PMDR referencing the collection_guidance. Add an X to the USED column to signify it is used in the study. Leave blank for non-applicable forms. If the study has any study-level forms, duplicate each entry from the base mdes_form_name for that study-level form. Leave the item_refname unchanged and modify the default_value if different for that form. Add an X to the USED column to signify it is used in the study.

VISITNUM	Complete the VISITREFNAME and VISITNUM values for all visits specified in the EventDefinition tab. Use the VISITNUM macro to produce the first draft of the VISITNUM content. STUDYNAME is the study protocol ID. It is populated for downstream needs. VISIT_NAME represents event Name as seen in the EDC interface. This column is used to setup unique payment events in IPS system. For parent-child visits, event Name must be extrapolated out to all possible occurrences. The format will be <parent Name><single space><Occurance><single space><child Name>. VISITREFNAME must match the Unique Event Name from the EventDefinition tab. It is the unique visit name that is used across downstream consumers of study data and adheres to the conventions in the standard RCC Event Naming Conventions document. For parent-child visits (i.e., where Assign to Parent has a value), these must be extrapolated out for the expected number of occurrences. This will be <parent Unique Event Name><Occurance>_<child Unique Event Name>. E.g., for parent CYCLE and child DAY1, there would be CYCLE1_DAY1, CYCLE2_DAY1, CYCLE3_DAY1, etc. If the values do not adhere to naming conventions, the value in VISITREFNAME_ACTUAL will be different to accomplish that. VISITNUM is the unique number corresponding to each visit that allows for visit sequencing and remains unchanged during the course of the study. VISITREFNAME_ACTUAL: Value must match VISITREFNAME, except in cases where the extrapolated VISITREFNAME for parent-child visits does not result in values that adhere to the RCC Event Naming Conventions. In that case, the values should be updated to adhere to the conventions. E.g., for VISITREFNAME values of DA1_WEEK, DA2_WEEK, and DA3_WEEK, VISITREFNAME_ACTUAL might have values WEEK6, WEEK12, and WEEK18. If that may be applicable to the study, consult with the database programmer for guidance.
Collection Derivations	Collections such as PK and Electronic Sample Tracking (BEETRK010) with same variable structures, but with different timepoints, analytes/sample collections, and/or other protocol specified values at different visits, can re-use the same instrument and dynamically populate these prespecified values using rules with add entry function. This tab is used to record the prespecified values. This is an optional tab and can be left blank. <u>Column Definitions:</u> Add/Edit/Remove: This column to be used in SDS versions after initial to denote when a change has been made. Rule Name: As defined in the DIP. The content provides additional detail to guide the application of a rule at the variable level. Instrument: The instrument with values dynamically populated. Event(s): The event(s) the dynamically populated value is applicable to. Row #: The row number of the variable Variable=Value: Provide the value to be assigned to the variable. If multiple variables should be populated with values in the same row, use delimiter ; to separate them, and put new variable=value on a new line in the cell. If any value contains delimiter ";", use notation ; . Dynamic Condition: specific conditions under which the Value(s) should be assigned to the Variable(s), eg. when DS001_2.SUPPDS_DSRANDSC_001_2 = PART 2 COHORT 2 or PART 2 COHORT 1
Local Lab Ref	Only applicable for studies using the local lab, i.e, LB001, instrument. This tab is intended to capture the details of each local lab instrument including each Lab Test and the display order. Instrument Name must capture each lab copy of the lab instrument, e.g., LB001_1, LB001_2... Instrument Title should include permissible title updates aligned with the ASB Lab Test must outline each lab test in the intended order of display.
Integrations	Include all Case Report Form (CRF) Integrations in this tab, including Interactive Response Technology (ITR) Integration and/or CRF Data Load Integration Mappings Integration: Enter CRF integration type: IRT in case of IRT/Impala Integration or CRF for Data load directly in the CRF. Variable: Integration variable setup at tenant level. Instrument Name: Study CRF where data is loaded. Variable Name: Study CRF field where data is loaded. If study is not using any CRF integrations, mark all the columns as not applicable. Note: For both CRF and IRT integrations, Integration setup at tenant level will have to be completed in order to see Variables at the study level.



Study Specific Design Changes	Study Specific Design Changes tab applies only for studies with approval to deviate from the Standard build that will need to document study specific changes. Study Specific Design Changes tab must be removed/deleted from SDS if no study specific changes are identified in the study. Object Type: Indicate the type of the object that needs the change. For example it could be an event definition parameter, study parameter, rule parameter, or clinical model mapping. Object Name: The Standards name of the object that needs to be altered. In the case of a study parameter, the name of the parameter itself for example "<i>Allow Instrument edit outside of Scheduled Event Range</i>". Work with the study programmer to correctly identify the object name. Description of the change: Provide a description of the change that is needed to that object. For example in the case of "<i>Allow Instrument edit outside of Scheduled Event Range</i>", the description could be "<i>For ePRO instrument XYZ, unselect this option. As per protocol, this instrument cannot be completed outside the scheduled window</i>".
The SDS tabs are color coded as follows:	
Tab Color	Completion Details
Grey	Informational; no changes required.
Yellow	Populated during build or when updates are required after Study Design Specifications have been approved. Check for completion/accuracy at time of finalization/sign off.

B7981119

Document Version History

NOTE: Amendments made to study design specifications should be documented here with a summary of or reason for the changes with any study amendment. This description must be detailed and specific.

Version	Author	Date	Updated SDS tab (if applicable)	Summary / Reason for Change(s)	Protocol / Amendment Approval Date for this SDS version
V1.0	BK Vignesh Anand Bhavishya Shetty	26-Aug-2025	Event Definition Instruments Variable Permission Groups Field Link Map Export Plans CM Study Maps DSOPI	Initial Draft Version	Original_28Jul2025 PACL 1_20Aug2025
V2.0	Bhavishya Shetty	15-Sep-2025	Instrument SRDM Default	Following tabs updated for addition of PR001_4 : Instrument tab Plans tab Variable Permission Groups (coding) Field Link Map Export SRDM Default SRDM Default : DS001_1-DSTERM_001_1 updated DS001_7_1- DSTERM_001_7_1 Plans tab: AULAT_001,AULOC_001,AULAT_001_1 AULOC_001_1-DSTERM_001_7_1 AULAT_001_1-DSTERM_001_7_1 AULOC_001_1-DSTERM_001_7_1 AULAT_001_1-DSTERM_001_7_1	Original_28Jul2025 PACL 1_20Aug2025
V2.1	Bhavishya Shetty	08-Oct-2025	DSOPI	Updated logic for DEMOGDAT	Original_28Jul2025
V2.2	Bhavishya Shetty	27-Oct-25	SRDM Defaults	Updated to include DM001 (AGEU_001) as per the latest STD SRDM default list.	Original_28Jul2025 PACL 1_20Aug2025

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

V3.0	Nilesh Jedge	21-Nov-25	Instruments Variable Permission Groups Plans SRDM Defaults	1. Instrument tab: - Below new instruments added in Unplanned Visit. •RETAINED RESEARCH SAMPLE TRACKING - PREP D1(R_OMIC003) •ELECTRONIC SAMPLE TRACKING - IP-10 (BEETRK010) •PHARMACOKINETICS -UNP (PC003_2) •PK Dosing-Day 1 (EC001_5) added in Day 1 visit. •PK Dosing- Week 4 and Week 12 (EC001_5_1) added in Week 4 and Week 12 visit. 2. Unplanned CRF (D_UPA001) modified to include above mentioned 3 form labels. 3. CMSTDTC_001, CMENDTC_001, PRSTDTC_001, PRENDTC_001 - Min Year to be changed as 1949 at these 2 CRFs. 3. Plan Tab: - Plan tab is updated for 'PHARMACOKINETICS – UNP', 'PK Dosing - Day 1 ' and 'PK Dosing - Week 4 and Week 12' for below variable. a. PHARMACOKINETICS – UNP:- •SUPPPC_PKTERM_003_2 •PCCAT_003_2 •PCSPEC_003_2 •X_PCSTAT_003_2 •PCDTC_003_2 •CO_PKCOMC_003_2 b. PHARMACOKINETICS - DAY1:-	Original_28Jul2025 PACL 1_20Aug2025
V3.1	Nilesh Jedge	26-Nov-25		1. Mark LBSPEC_001_9 Hide Variable as Yes. 2. In 'Plan Tab' below updates done: - a. new variable 'LBSPEC1_001_9' added. 3. Study Specific Design Changes' tab is updated with the information below: - Added new LBSPEC1_001_9 to replace LBSPEC_001_9 as this item is enabled for PHI, no one can see this data. Also change its CM mapping to new variable.	Original_28Jul2025 PACL 1_20Aug2025
V3.2	BK Vignesh Anand	4-Feb-26		1. Tab DSOPI, row#2, Subject Status - existing condition updated to show status as "ENROLLED/RANDOMIZED" instead of "RANDOMIZED" previously, as this status was not populating as expected downstream.	Original_28Jul2025 PACL 1_20Aug2025

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Event Title	Unique Event Name	Description	Type	Assign to Parent	Max Repeats Allowed	Day Schedule	Day Min	Day Max	Active	Repeating	Enable Event level eNOTEs
Screening	SCR	Screening	Static		1	0	0	0	TRUE	FALSE	NO
Day 1	DAY1	Baseline	Static		1	1	0	0	TRUE	FALSE	NO
Week 1	WEEK1	Week 1 Day 8	Scheduled		1	8	1	1	TRUE	FALSE	NO
Week 2	WEEK2	Week 2 Day 15	Scheduled		1	15	1	1	TRUE	FALSE	NO
Week 4	WEEK4	Week 4 Day 29	Scheduled		1	29	2	2	TRUE	FALSE	NO
Week 6	WEEK6	Week 6 Day 43	Scheduled		1	43	2	2	TRUE	FALSE	NO
Week 8	WEEK8	Week 8 Day 57	Scheduled		1	57	2	2	TRUE	FALSE	NO
Week 12	WEEK12	Week 12 Day 85	Scheduled		1	85	2	2	TRUE	FALSE	NO
Week 16	WEEK16	Week 16 Day 113	Scheduled		1	113	2	2	TRUE	FALSE	NO
Disposition	DISP	Disposition	Static		1				TRUE	FALSE	NO
Early Termination	EARLY_TERMINATIO	Early Termination	Scheduled		1				TRUE	FALSE	NO
Unplanned	UNPL	Unplanned	Unscheduled		999				TRUE	TRUE	NO
Follow-up Week 20	FOLLOW_UP_WEEK 20	Follow Up / Week 20	Scheduled		1	141	3	3	TRUE	FALSE	NO
Common Form Event	common_event	Common Form Event	Static		1				TRUE	FALSE	NO

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Event Title	Instrument Name	Instrument Title	Available on mobile	Enable Field level eNOTES	Enable within form Subject navigation
Screening	SV001	DATE OF VISIT	NO	NO	NO
Screening	DS001	MAIN INFORMED CONSENT	NO	NO	NO
Screening	DS001_1	ADDITIONAL INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE	NO	NO	NO
Screening	DM001	DEMOGRAPHY	NO	NO	NO
Screening	R_TRIG001	TRIGGER FORM	NO	NO	NO
Screening	IE002	INCLUSION/EXCLUSION CRITERIA	NO	NO	NO
Screening	DS001_4	DISPOSITION - SCREENING	NO	NO	NO
Screening	MH001	GENERAL MEDICAL HISTORY	NO	NO	NO
Screening	MH001_4	PRE-SPECIFIED PRIMARY DIAGNOSIS	NO	NO	NO
Screening	SU001	SUBSTANCE USE	NO	NO	NO
Screening	VS001_3	VITAL SIGNS WITH HEIGHT & WEIGHT	NO	NO	NO
Screening	EG001	ECG	NO	NO	NO
Screening	AUAUD001	AUDIOMETRIC ASSESSMENT - HEARING TEST SCR	NO	NO	NO
Screening	SRTCRO02	TUBERCULOSIS TESTING	NO	NO	NO
Screening	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Screening	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Screening	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Screening	AE001_1	MEDICATION ERROR	NO	NO	NO
Screening	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Day 1	SV001	DATE OF VISIT	NO	NO	NO
Day 1	DS001_3	RANDOMIZATION	NO	NO	NO
Day 1	VS001_4	VITAL SIGNS WITH WEIGHT	NO	NO	NO
Day 1	EG001	ECG	NO	NO	NO
Day 1	EC001_5	PK DOSING - DAY 1	NO	NO	NO
Day 1	PC003	PHARMACOKINETICS - DAY1	NO	NO	NO
Day 1	BEETRK010	ELECTRONIC SAMPLE TRACKING - IP-10	NO	NO	NO
Day 1	R_OMIC003	RETAINED RESEARCH SAMPLE TRACKING - PREP D1	NO	NO	NO
Day 1	R_OMIC003_1	RETAINED RESEARCH SAMPLE TRACKING - PREP B2.5/PREP R1	NO	NO	NO
Day 1	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Day 1	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Day 1	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Day 1	PR001_4	NON-DRUG TREATMENTS - RESCUE INTERVENTIONS	NO	NO	NO
Day 1	AE001_1	MEDICATION ERROR	NO	NO	NO
Day 1	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Week 1	SV001	DATE OF VISIT	NO	NO	NO
Week 1	VS001	VITAL SIGNS	NO	NO	NO
Week 1	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Week 1	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Week 1	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Week 1	PR001_4	NON-DRUG TREATMENTS - RESCUE INTERVENTIONS	NO	NO	NO
Week 1	AE001_1	MEDICATION ERROR	NO	NO	NO
Week 1	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Week 2	SV001	DATE OF VISIT	NO	NO	NO
Week 2	VS001	VITAL SIGNS	NO	NO	NO
Week 2	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Week 2	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Week 2	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Week 2	PR001_4	NON-DRUG TREATMENTS - RESCUE INTERVENTIONS	NO	NO	NO
Week 2	AE001_1	MEDICATION ERROR	NO	NO	NO
Week 2	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Week 4	SV001	DATE OF VISIT	NO	NO	NO
Week 4	VS001	VITAL SIGNS	NO	NO	NO
Week 4	EC001_5_1	PK DOSING - WEEK 4 AND WEEK 12	NO	NO	NO
Week 4	EG001_1	ECG - PRE DOSE	NO	NO	NO
Week 4	EG001_2	ECG - POST DOSE	NO	NO	NO
Week 4	PC003_1	PHARMACOKINETICS - WEEK 4 and 12	NO	NO	NO

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Week 4	R_OMIC003_1	RETAINED RESEARCH SAMPLE TRACKING - PREP B2.5/PREP R1	NO	NO	NO
Week 4	BEETR010	ELECTRONIC SAMPLE TRACKING - IP-10	NO	NO	NO
Week 4	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Week 4	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Week 4	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Week 4	PR001_4	NON-DRUG TREATMENTS - RESCUE INTERVENTIONS	NO	NO	NO
Week 4	AE001_1	MEDICATION ERROR	NO	NO	NO
Week 4	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Week 6	SV001	DATE OF VISIT	NO	NO	NO
Week 6	VS001	VITAL SIGNS	NO	NO	NO
Week 6	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Week 6	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Week 6	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Week 6	PR001_4	NON-DRUG TREATMENTS - RESCUE INTERVENTIONS	NO	NO	NO
Week 6	AE001_1	MEDICATION ERROR	NO	NO	NO
Week 6	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Week 8	SV001	DATE OF VISIT	NO	NO	NO
Week 8	VS001	VITAL SIGNS	NO	NO	NO
Week 8	EG001	ECG	NO	NO	NO
Week 8	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Week 8	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Week 8	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Week 8	PR001_4	NON-DRUG TREATMENTS - RESCUE INTERVENTIONS	NO	NO	NO
Week 8	AE001_1	MEDICATION ERROR	NO	NO	NO
Week 8	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Week 12	SV001	DATE OF VISIT	NO	NO	NO
Week 12	VS001	VITAL SIGNS	NO	NO	NO
Week 12	EG001	ECG	NO	NO	NO
Week 12	EC001_5_1	PK DOSING - WEEK 4 AND WEEK 12	NO	NO	NO
Week 12	PC003_1	PHARMACOKINETICS - WEEK 4 and 12	NO	NO	NO
Week 12	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Week 12	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Week 12	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Week 12	PR001_4	NON-DRUG TREATMENTS - RESCUE INTERVENTIONS	NO	NO	NO
Week 12	AE001_1	MEDICATION ERROR	NO	NO	NO
Week 12	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Week 16	SV001	DATE OF VISIT	NO	NO	NO
Week 16	VS001_4	VITAL SIGNS WITH WEIGHT	NO	NO	NO
Week 16	EG001	ECG	NO	NO	NO
Week 16	AUAUD001_1	AUDIOMETRIC ASSESSMENT - HEARING TEST POST SCR	NO	NO	NO
Week 16	R_OMIC003_1	RETAINED RESEARCH SAMPLE TRACKING - PREP B2.5/PREP R1	NO	NO	NO
Week 16	BEETR010	ELECTRONIC SAMPLE TRACKING - IP-10	NO	NO	NO
Week 16	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Week 16	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Week 16	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Week 16	PR001_4	NON-DRUG TREATMENTS - RESCUE INTERVENTIONS	NO	NO	NO
Week 16	AE001_1	MEDICATION ERROR	NO	NO	NO
Week 16	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Early Termination	SV001	DATE OF VISIT	NO	NO	NO
Early Termination	VS001_4	VITAL SIGNS WITH WEIGHT	NO	NO	NO
Early Termination	EG001	ECG	NO	NO	NO
Early Termination	AUAUD001_1	AUDIOMETRIC ASSESSMENT - HEARING TEST POST SCR	NO	NO	NO
Early Termination	BEETR010	ELECTRONIC SAMPLE TRACKING - IP-10	NO	NO	NO
Early Termination	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Early Termination	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Early Termination	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Early Termination	PR001_4	NON-DRUG TREATMENTS - RESCUE INTERVENTIONS	NO	NO	NO
Early Termination	AE001_1	MEDICATION ERROR	NO	NO	NO
Early Termination	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Unplanned	SV001	DATE OF VISIT	NO	NO	NO
Unplanned	D_UPA001	UNPLANNED VISIT	NO	NO	NO
Unplanned	VS001_2	VITAL SIGNS - REPEATING	NO	NO	NO
Unplanned	EG001_3	LOCALLY READ ECGs REPEATING	NO	NO	NO
Unplanned	LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	NO	NO	NO
Unplanned	LB001_9	LOCAL LABORATORY DATA - HEMATOLOGY	NO	NO	NO
Unplanned	LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	NO	NO	NO
Unplanned	LB001_9_1	LOCAL LABORATORY DATA - HEMATOLOGY - REFLEX TESTING	NO	NO	NO
Unplanned	LB001_7	LOCAL LABORATORY DATA - URINALYSIS - REFLEX TESTING	NO	NO	NO
Unplanned	LB001	LOCAL LABORATORY DATA - SERUM PREGNANCY	NO	NO	NO
Unplanned	MBMC005	MICROBIOLOGY CULTURE - SEROLOGY REFLEX TESTING	NO	NO	NO
Unplanned	SRTC002	TUBERCULOSIS TESTING	NO	NO	NO
Unplanned	AUAUD001_1	AUDIOMETRIC ASSESSMENT - HEARING TEST POST SCR	NO	NO	NO
Unplanned	D_EDP001	EXPOSURE DURING PREGNANCY	NO	NO	NO
Unplanned	R_OMIC003	RETAINED RESEARCH SAMPLE TRACKING - PREP D1	NO	NO	NO
Unplanned	BEETRK010	ELECTRONIC SAMPLE TRACKING - IP-10	NO	NO	NO
Unplanned	PC003_2	PHARMACOKINETICS - UNP	NO	NO	NO
Follow-up Week 20	SV001	DATE OF VISIT	NO	NO	NO
Follow-up Week 20	VS001	VITAL SIGNS	NO	NO	NO
Follow-up Week 20	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Follow-up Week 20	PR001_4	NON-DRUG TREATMENTS - RESCUE INTERVENTIONS	NO	NO	NO
Follow-up Week 20	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Follow-up Week 20	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Follow-up Week 20	AE001_1	MEDICATION ERROR	NO	NO	NO
Follow-up Week 20	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Disposition	DS001_5	DISPOSITION - TREATMENT	NO	NO	NO
Disposition	DS001_6	DISPOSITION - FOLLOW-UP	NO	NO	NO
Disposition	DS001_7	WITHDRAWAL OF CONSENT	NO	NO	NO
Disposition	DS001_7_1	WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLE	NO	NO	NO
Disposition	DS001_8	TREATMENT UNBLINDED	NO	NO	NO
Disposition	DD002	DEATH DETAILS	NO	NO	NO
Common Form Event	AE001_1	MEDICATION ERROR	NO	NO	NO
Common Form Event	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Common Form Event	CM001	CONCOMITANT /PRIOR MEDICATIONS	NO	NO	NO
Common Form Event	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Common Form Event	PR001	NON-DRUG TREATMENTS	NO	NO	NO
Common Form Event	PR001_4	NON-DRUG TREATMENTS - RESCUE INTERVENTIONS	NO	NO	NO

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Variable Permission Groups	Display Permissions and Roles	Instruments and Variables
Coding	Read Only: Lead Data Manager, Database Builder, Read Only, Clinical Editable: TMS_integration	AELLT_001, AELLTCD_001, AEPTCD_001, AESOC_001, AESOCCD_001 AE001_1: AELLT_001_1, AELLTCD_001_1, AEDECOD_001_1, AEPTCD_001_1, AEHLT_001_1, AEHLTCD_001_1, AEHLGT_001_1, AEHLGTCD_001_1, AESOC_001_1, AESOCCD_001_1 CM001: CMDECOD_001, SUPPCM_CMCODE_001 DD002: SUPPDD_DDDECOD_002, SUPPDD_DDHLGT_002, SUPPDD_DDHLGTCD_002, SUPPDD_DDHLT_002, SUPPDD_DDHLTCD_002, SUPPDD_DDLT_002, SUPPDD_DDLTCD_002, SUPPDD_DDPTCD_002, SUPPDD_DDSOC_002, SUPPDD_DSOC_002 MH001: MHDECOD_001, MHHLGT_001, MHHLGTCD_001, MHLT_001, MHLTCD_001, MHLT_001, MHLTCD_001, MHPTCD_001, MHSOC_001, MHSOCCD_001 MH001_4: MHDECOD_001_4, MHHLGT_001_4, MHHLGTCD_001_4, MHLT_001_4, MHLTCD_001_4, MHLT_001_4, MHLTCD_001_4, MHPTCD_001_4, MHSOC_001_4, MHSOCCD_001_4 PR001: PRDECOD_001, SUPPPR_PRHLGT_001, SUPPPR_PRHLGTCD_001, SUPPPR_PRHLT_001, SUPPPR_PRHLTCD_001, SUPPPR_PRLLT_001, SUPPPR_PRLLTCD_001, SUPPPR_PRPTCD_001, SUPPPR_PRSOC_001, SUPPPR_PRSOCCD_001 PR001_4: PRDECOD_001_4, SUPPPR_PRHLGT_001_4, SUPPPR_PRHLGTCD_001_4,
eSAETesting	Read Only: Lead Data Manager, Database Builder	NA
Hidden	Read Only: Lead Data Manager, Database Builder, Clinical, Safety Query Manager Hidden: Site Data Entry, Investigator w/ Data Entry, Investigator Signature, Site Monitor	DM001: D_LASTSTDTC_001, D_LNRDTC_001, D_LSCDSDTC_001, D_LTRDSDTC_001
IRT_Edit	Editable: GPDIP_Impala_Integration	DS001_3: DSREFID_001_3, DSSTDTC_001_3, SUPPDS_DSRANSTD_001_3
Read Only	Read Only: Site Data Entry Editable: Database Builder	N/A

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Instrument 1	Repeating group 1	Context 1	Instrument 2	Repeating group 2	Context 2
AE001		AEENDTC_001,AESTDTC_001,AETERM_001,AESPID_001	CM001		CMENDTC_001,CMSTDTC_001,CMTRT_001,CMSPID_001
AE001		AEENDTC_001,AESTDTC_001,AETERM_001,AESPID_001	MH001	MH02001	MHENDTC_001,MHSTDTC_001,MHTERM_001,MHSPID_001
MH001	MH02001	MHENDTC_001,MHSTDTC_001,MHTERM_001,MHSPID_001	CM001		CMENDTC_001,CMSTDTC_001,CMTRT_001,CMSPID_001
AE001		AEENDTC_001,AESTDTC_001,AETERM_001,AESPID_001	AE001_1		AEENDTC_001_1,AESTDTC_001_1,AETERM_001_1
AE001		AEENDTC_001,AESTDTC_001,AETERM_001,AESPID_001	PR001		PRENDTC_001,PRSTDTC_001,PRTRT_001,PRSPID_001
AE001		AEENDTC_001,AESTDTC_001,AETERM_001,AESPID_001	DD002		R_DDDTHDTC_002,DDDT_002
AE001		AEENDTC_001,AESTDTC_001,AETERM_001,AESPID_001	PR001_4		PRENDTC_001_4,PRSTDTC_001_4,PRTRT_001_4,PRSPID_001_4

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Instrument Name	Variable	Label	Variable Level Access	SDV Group	All Sites
				SDV %	5
				SDV Plan	Fields to SDV
				Data Review Tier	
CM001	CMPRESP_001	Concomitant Medications Pre-specified:	Read	Minimal	
LB001_9	LBSPEC_001_9	Specimen Type:	Read	Minimal	
LB001_9	LBSPEC1_001_9	Specimen Type:	Read	Minimal	
MH001_4	R_MHTERM3_001_4	Primary Diagnosis:	Read	Minimal	
MH001_4	MHPRESP_001_4	Medical History Event Pre-Specified:	Read	Minimal	
MH001_4	MHOCCUR_001_4	Does the subject have/has the subject had Hidradenoma?	Read	Minimal	
PC003	PCCAT_003	Category	Read	Minimal	
PC003_1	PCCAT_003_1	Category	Read	Minimal	
PC003_2	SUPPPC_PKTERM_003_2	Analyte:	Read	Minimal	
PC003_2	PCCAT_003_2	Category	Read	Minimal	
PC003_2	PCSPEC_003_2	Body Fluid / Matrix:	Read	Minimal	
PC003_2	X_PCSTAT_003_2	Sample Not Done:	None	Supportive	
PC003_2	PCDTC_003_2	Date and Time:	None	Critical	X
PC003_2	CO_PKCOMC_003_2	Comments (Keep brief and legible):	None	Supportive	
EC001_5	ECTRT_001_5	Treatment Name:	Read	Minimal	
EC001_5	ECDOSFRM_001_5	Formulation:	Read	Minimal	
EC001_5	ECTPTREF_001_5	Reference Time Point:	Read	Minimal	
EC001_5	ECSTDTC_001_5	Start Date Time:	None	Critical	X
EC001_5	X_ECDOSE_001_5	Actual Dose:	None	Critical	X
EC001_5	ECDOSU_001_5	Unit:	Read	Minimal	
EC001_5	ECDOSFRQ_001_5	Frequency:	Read	Minimal	
EC001_5_1	ECTRT_001_5_1	Treatment Name:	Read	Minimal	
EC001_5_1	ECDOSFRM_001_5_1	Formulation:	Read	Minimal	
EC001_5_1	ECTPTREF_001_5_1	Reference Time Point:	None	Supportive	
EC001_5_1	ECSTDTC_001_5_1	Start Date Time:	None	Critical	X
EC001_5_1	X_ECDOSE_001_5_1	Actual Dose:	None	Critical	X
EC001_5_1	ECDOSU_001_5_1	Unit:	Read	Minimal	
EC001_5_1	ECDOSFRQ_001_5_1	Frequency:	Read	Minimal	
AE001	AECAT_001	Category:	Read	Minimal	
AE001	AESPID_001	AE ID:	Read	Minimal	
AE001	AETERM_001	Adverse Event: (If possible specify diagnosis, not indication)	None	Critical	X
AE001	AESTDTC_001	Start Date:	None	Critical	X
AE001	X_AEONGO_001	Is the adverse event still ongoing?	None	Supportive	
AE001	AEENDTC_001	End Date:	None	Supportive	
AE001	SUPPAE_AERSCH_001	Was this adverse event reported at a scheduled study visit?	None	Supportive	
AE001	AESV_001	Severity:	None	Critical	X
AE001	AESER_001	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY	None	Critical	X
AE001	AESCONG_001	Is this serious event associated with congenital anomaly?	None	Critical	X
AE001	AESDTH_001	Did this serious event result in death?	None	Critical	X
AE001	AESHOSP_001	Did this serious event require or prolong hospitalization?	None	Critical	X
AE001	AESDISAB_001	Did this serious event result in persistent or significant disability?	None	Critical	X
AE001	AESLIFE_001	Is this serious event life threatening?	None	Critical	X
AE001	AESMIE_001	Other Medically Important Serious Event	None	Critical	X
AE001	SUPPAE_AEMERES_001	Is this adverse event the result of a study/background event?	None	Critical	X
AE001	AEREL_001	Is this event related to study treatment?	None	Critical	X
AE001	AERELNST_001	If Not Related to study treatment(s), this event is due to:	None	Supportive	
AE001	SUPPAE_AERELTXT_001	If Other, specify:	None	Supportive	
AE001	AEACN_001	Latest Action Taken with Study Treatment:	None	Critical	X
AE001	SUPPAE_AECMGIV_001	Was a Concomitant Medication given? If yes, record details	None	Supportive	
AE001	SUPPAE_AENDGIV_001	Was a Non-Drug Treatment given? If yes, record on treatment	None	Supportive	X
AE001	AEOUT_001	What was the outcome of this adverse event?	None	Critical	X
AE001	SUPPAE_AESUBJDC_001	Did the adverse event cause the subject to be discontinued?	None	Critical	X
AE001	AELLT_001	Lowest Level Term	Hide	Minimal	
AE001	AELLTCD_001	Lowest Level Term Code	Hide	Minimal	
AE001	AEDECOD_001	Dictionary Derived Term	Hide	Minimal	
AE001	AEPTCD_001	Preferred Term Code	Hide	Minimal	

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

AE001	AEHLT_001	High Level Term	Hide	Minimal	
AE001	AEHLTCD_001	High Level Term Code	Hide	Minimal	
AE001	AEHLGT_001	High Level Group Term	Hide	Minimal	
AE001	AEHLGTCD_001	High Level Group Term Code	Hide	Minimal	
AE001	AESOC_001	Primary System Organ Class	Hide	Minimal	
AE001	AESOCOD_001	Primary System Organ Class Code	Hide	Minimal	
AE001_1	AECAT_001_1	Category:	Read	Minimal	
AE001_1	AETERM_001_1	Medication Error: (If possible specify diagnosis, not in	None	Supportive	
AE001_1	AESTDTC_001_1	Start Date:	None	Supportive	
AE001_1	AEENDTC_001_1	End Date:	None	Supportive	
AE001_1	SUPPAE_AEMEFL_001_1	Was this medication error associated with any adverse	None	Critical	X
AE001_1	SUPPAE_AECMGIV_001_1	Was a Concomitant Medication given? If yes, record	None	Supportive	
AE001_1	SUPPAE_AENDGIV_001_1	Was a Non-Drug Treatment given? If yes, record on t	None	Critical	X
AE001_1	SUPPAE_AEIPKGB_001_1	If this is a dispensing error, record the incorrect pack	None	Supportive	
AE001_1	SUPPAE_AEMEACN_001_1	Latest Action Taken with Study Treatment:	None	Supportive	
AE001_1	AELLT_001_1	Lowest Level Term	Hide	Minimal	
AE001_1	AELLTCD_001_1	Lowest Level Term Code	Hide	Minimal	
AE001_1	AEDECOD_001_1	Dictionary Derived Term	Hide	Minimal	
AE001_1	AEPTCD_001_1	Preferred Term Code	Hide	Minimal	
AE001_1	AEHLT_001_1	High Level Term	Hide	Minimal	
AE001_1	AEHLTCD_001_1	High Level Term Code	Hide	Minimal	
AE001_1	AEHLGT_001_1	High Level Group Term	Hide	Minimal	
AE001_1	AEHLGTCD_001_1	High Level Group Term Code	Hide	Minimal	
AE001_1	AESOC_001_1	Primary System Organ Class	Hide	Minimal	
AE001_1	AESOCOD_001_1	Primary System Organ Class Code	Hide	Minimal	
AUAUD001	AUDTC_001	Date of Assessment:	None	Supportive	X
AUAUD001	AULAT_001	Body Side:	Read	Minimal	
AUAUD001	AULOC_001	Anatomical Location:	Read	Minimal	
AUAUD001	AUORRES_INTP_001	Hearing Status:	None	Supportive	X
AUAUD001	AUCLSIG_001	If Abnormal, is this clinically significant?	None	Supportive	X
AUAUD001	CO_AUCOM_001	Hearing Test Comments:	None	Supportive	X
AUAUD001_1	AUDTC_001_1	Date of Assessment:	None	Supportive	X
AUAUD001_1	AULAT_001_1	Body Side:	Read	Minimal	
AUAUD001_1	AULOC_001_1	Anatomical Location:	Read	Minimal	
AUAUD001_1	AUORRES_INTP_001_1	Hearing Status:	None	Supportive	X
AUAUD001_1	AUCLSIG_001_1	If Abnormal, is this clinically significant?	None	Supportive	X
AUAUD001_1	CO_AUCOM_001_1	Hearing Test Comments:	None	Supportive	X
AUAUD001_1	SUPPAU_AUCHGB_001_1	Change from Baseline:	None	Supportive	X
BEETRK010	SUPPBE_SAMPNAME_010	Sample Collection Name:	Read	Minimal	
BEETRK010	SUPPBE_BESPEC_010	Specimen Type:	Read	Minimal	
BEETRK010	BEOCCUR_010	Sample Collected?	None	Supportive	
BEETRK010	BEDTC_010	Date of Specimen Collection:	None	Supportive	
BEETRK010	BEREFID_010	Sample ID:	None	Supportive	
BEETRK010	CO_BECOM_010	If no sample was collected or sample was not collect	None	Supportive	
CM001	CMSPID_001	What is the medication identifier?	Read	Minimal	
CM001	CMCAT_001	Category:	None	Critical	X
CM001	CMTRT_001	Medication: Provide the complete generic drug name	None	Critical	X
CM001	CMSTDTC_001	Start Date:	None	Critical	X
CM001	X_CMONGO_001	Ongoing?	None	Critical	X
CM001	SUPPCM_CMAER_001	Was this medication given to treat an Adverse Event?	None	Critical	X
CM001	CMINDC_001	Reason for Administration:	None	Critical	X
CM001	X_CMDSTXT_001	Dose:	None	Critical	X
CM001	CMDOSU_001	Dose Unit:	None	Critical	X
CM001	CMDOSFRQ_001	Dose Frequency:	None	Critical	X
CM001	CMROUTE_001	Route:	None	Critical	X
CM001	CMENDTC_001	End Date:	None	Critical	X
CM001	CMDECOD_001	Standardized Medication Name - Dictionary derived.	Hide	Minimal	
CM001	SUPPCM_CMCODE_001	Standardized Medication Code - Dictionary derived	Hide	Minimal	
D_UPA001	D_UNPLASS_001	Assessments	None	Supportive	
DD002	DDDTTC_002	Date of Collection:	None	Critical	X
DD002	R_DDDTHDTC_002	Date of Death:	None	Critical	X
DD002	DDTEST_002	Cause of Death Status:	Read	Minimal	

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

DD002	DDORRES_002	Cause of Death:	None	Critical	X
DD002	SUPPDD_DDLT_002	Lowest Level Term	Hide	Minimal	
DD002	SUPPDD_DDLTCD_002	Lowest Level Term Code	Hide	Minimal	
DD002	SUPPDD_DDDECOD_002	Dictionary Derived Term	Hide	Minimal	
DD002	SUPPDD_DDPTCD_002	Preferred Term Code	Hide	Minimal	
DD002	SUPPDD_DDHLT_002	High Level Term	Hide	Minimal	
DD002	SUPPDD_DDHLTCD_002	High Level Term Code	Hide	Minimal	
DD002	SUPPDD_DDHLGT_002	High Level Group Term	Hide	Minimal	
DD002	SUPPDD_DDHLGTCD_002	High Level Group Term Code	Hide	Minimal	
DD002	SUPPDD_DDSOC_002	Primary System Organ Class	Hide	Minimal	
DD002	SUPPDD_DDSOCCD_002	Primary System Organ Class Code	Hide	Minimal	
DM001	BRTHDTC_001	Birth Year:	None	Critical	X
DM001	SEX_001	Sex:	None	Critical	X
DM001	ETHNIC_001	Ethnicity:	None	Supportive	X
DM001	RACE_001	Race: (Check X all that apply):	None	Critical	X
DM001	X_DMPYN_001	Has the subject previously taken part in a study invol	None	Critical	X
DM001	X_DMRYN_001	Was the subject screened previously in current study	None	Supportive	X
DM001	X_DMRSITE_001	Initial Site Identifier:	None	Supportive	X
DM001	X_DMRSUBJ_001	Initial Subject Identifier:	None	Supportive	X
DM001	D_LNRDTC_001	Derived DOB for LNR	Hide	Minimal	
DM001	D_LASTSTDTC_001	Latest Date in Study (Derived)	Hide	Minimal	
DM001	D_LTRDSDTC_001	Last Treatment Disposition Date (Derived)	Hide	Minimal	
DM001	D_LSCDSDTC_001	Last Screening Disposition Date (Derived)	Hide	Minimal	
DM001	X_DMPFSTDY_001	First Study Identifier:	None	Supportive	
DM001	X_DMPFSITE_001	First Site Identifier:	None	Supportive	
DM001	X_DMPFSUBJ_001	First Subject Identifier:	None	Supportive	
DM001	X_DMPMYN_001	Has the subject previously taken part in more than o	None	Critical	X
DM001	X_DMPSTUDY_001	Most Recent Study Identifier:	None	Supportive	
DM001	X_DMPSITE_001	Most Recent Site Identifier:	None	Supportive	
DM001	X_DMPSUBJ_001	Most Recent Subject Identifier:	None	Supportive	
DS001	DSSTDTC_001	Date of Written Consent Obtained:	None	Critical	X
DS001_1	SUPPDS_DSCSOBT_001_1	Consent Was:	None	Critical	X
DS001_1	DSSTDTC_001_1	Date of Written Consent Obtained:	None	Critical	X
DS001_3	DSSTDTC_001_3	Date of Randomization:	Read	Minimal	
DS001_3	DSREFID_001_3	Randomization Number:	Read	Minimal	
DS001_3	SUPPDS_DSRANSTD_001_3	Randomization Strata Description: Prior Anti-TNF-	Read	Minimal	
DS001_4	DSSTDTC_001_4	Date of Completion/Discontinuation/Death:	None	Critical	X
DS001_4	DSDECOD_001_4	Status:	None	Critical	X
DS001_4	DSTERM_001_4	Specify Status:	None	Supportive	X
DS001_4	SUPPDS_DSCONT_001_4	Will the subject continue to the next phase of this st	None	Critical	X
DS001_4	SUPPDS_DSNEXT_001_4	If Yes, next phase:	Read	Minimal	
DS001_4	SUPPDS_DSPHASE_001_4	Phase of Disposition:	Read	Minimal	
DS001_5	DSSTDTC_001_5	Date of Completion/Discontinuation/Death:	None	Critical	X
DS001_5	SUPPDS_DSPHASE_001_5	Phase of Disposition:	Read	Minimal	
DS001_5	DSDECOD_001_5	Status:	None	Critical	X
DS001_5	DSTERM_001_5	Specify Status:	None	Critical	X
DS001_5	SUPPDS_DSCONT_001_5	Will the subject continue to the next phase of this st	None	Supportive	X
DS001_5	SUPPDS_DSNEXT_001_5	If Yes, next phase:	Read	Minimal	
DS001_6	DSSTDTC_001_6	Date of Completion/Discontinuation/Death:	None	Critical	X
DS001_6	SUPPDS_DSPHASE_001_6	Phase of Disposition:	Read	Minimal	
DS001_6	DSDECOD_001_6	Status:	None	Critical	X
DS001_6	DSTERM_001_6	Specify Status:	None	Critical	X
DS001_7	DSSTDTC_001_7	Date of Withdrawal of Consent:	None	Critical	X
DS001_7_1	DSSTDTC_001_7_1	Date of Withdrawal of Consent:	None	Critical	X
DS001_8	DSSTDTC_001_8	Date of Treatment Unblinded:	None	Critical	X
DS001_8	SUPPDS_DSPHASE_001_8	Phase of Disposition:	None	Supportive	
DS001_8	X_DSTERM_DSUNBL_001_8	Primary Reason for Unblinding:	None	Critical	X
DS001_8	X_DSTERM_DSUNBLO_001_8	If other, specify:	None	Critical	X
EG001	EGPOS_001	Subject position:	Read	Minimal	

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

EG001	EGDTC_001	ECG Date Time:	None	Critical	X
EG001	EGORRES_INTP_001	Was ECG:	None	Supportive	
EG001	EGCLSIG_001	If abnormal, was the overall ECG clinically significant?	None	Critical	X
EG001	CO_EGCOM_001	Comments on significant findings: (If clinically significant)	None	Supportive	X
EG001	EGTEST_001	ECG Test Name:	Read	Minimal	
EG001	EGORRES_001	Result:	None	Supportive	X
EG001	EGORRESU_001	Unit:	Read	Minimal	
EG001_1	EGTPT_001_1	Planned time point:	Read	Minimal	
EG001_1	EGTPTRF_001_1	Reference Time Point:	Read	Minimal	
EG001_1	EGPOS_001_1	Subject position:	Read	Minimal	
EG001_1	EGDTC_001_1	ECG Date Time:	None	Critical	X
EG001_1	EGORRES_INTP_001_1	Was ECG:	None	Supportive	
EG001_1	EGCLSIG_001_1	If abnormal, was the overall ECG clinically significant?	None	Critical	X
EG001_1	CO_EGCOM_001_1	Comments on significant findings: (If clinically significant)	None	Supportive	X
EG001_1	EGTEST_001_1	ECG Test Name:	Read	Minimal	
EG001_1	EGORRES_001_1	Result:	None	Supportive	X
EG001_1	EGORRESU_001_1	Unit:	Read	Minimal	
EG001_2	EGTPT_001_2	Planned time point:	Read	Minimal	
EG001_2	EGTPTRF_001_2	Reference Time Point:	Read	Minimal	
EG001_2	EGPOS_001_2	Subject position:	Read	Minimal	
EG001_2	EGDTC_001_2	ECG Date Time:	None	Critical	X
EG001_2	EGORRES_INTP_001_2	Was ECG:	None	Supportive	
EG001_2	EGCLSIG_001_2	If abnormal, was the overall ECG clinically significant?	None	Critical	X
EG001_2	CO_EGCOM_001_2	Comments on significant findings: (If clinically significant)	None	Supportive	
EG001_2	EGTEST_001_2	ECG Test Name:	Read	Minimal	
EG001_2	EGORRES_001_2	Result:	None	Supportive	
EG001_2	EGORRESU_001_2	Unit:	Read	Minimal	
EG001_3	EGPOS_001_3	Subject position:	Read	Minimal	
EG001_3	EGDTC_001_3	ECG Date:	None	Critical	X
EG001_3	EGORRES_INTP_001_3	Was ECG:	None	Supportive	
EG001_3	EGCLSIG_001_3	If abnormal, was the overall ECG clinically significant?	None	Critical	X
EG001_3	CO_EGCOM_001_3	Comments on significant findings: (If clinically significant)	None	Supportive	X
EG001_3	EGTEST_001_3	ECG Test Name:	Read	Minimal	
EG001_3	EGORRES_001_3	Result:	None	Supportive	X
EG001_3	EGORRESU_001_3	Unit:	Read	Minimal	
IE002	IESPID_002	Identifier of the Inclusion Criterion the subject did not meet:	None	Supportive	X
IE002	IETEST_002	Description of the Inclusion Criterion the subject did not meet:	Read	Minimal	
IE002	IESPID1_002	Identifier of the Exclusion Criterion the subject met:	None	Supportive	X
IE002	IETEST1_002	Description of the Exclusion Criterion the subject met:	Read	Minimal	
LB001	LBCAT_001	Lab Panel:	Read	Minimal	
LB001	LBSPEC_001	Specimen Type:	Read	Minimal	
LB001	LBSTC_001	Collection Date:	None	Supportive	X
LB001	LBFAST_001	Fasting?	None	Supportive	
LB001	LBTEST_001	Lab Test	None		
LB001	LBORRES_001	Lab Result	None		X
LB001	LBSTAT_001	Not Done	None		X
LB001	LBORRESU_001	Unit	None		
LB001	LBORNRL0_001	Low Range	None		
LB001	LBORNRLHI_001	High Range	None		
LB001	LBFLAG_001	Status	None		
LB001	LBCLSIG_001	Clinical Significance	None		X
LB001	CO_LBCOM_001	Comment	None		X
LB001_7	LBCAT_001_7	Lab Panel:	Read	Minimal	
LB001_7	LBSPEC_001_7	Specimen Type:	Read	Minimal	
LB001_7	LBSTC_001_7	Collection Date:	None	Supportive	X
LB001_7	LBSPCCND_001_7	Specimen Condition:	None	Supportive	
LB001_7	LBTEST_001_7	Lab Test	None		
LB001_7	LBORRES_001_7	Lab Result	None		X
LB001_7	LBSTAT_001_7	Not Done	None		X
LB001_7	LBORRESU_001_7	Unit	None		
LB001_7	LBORNRL0_001_7	Low Range	None		
LB001_7	LBORNRLHI_001_7	High Range	None		

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

LB001_7	LBFLAG_001_7	Status	None		
LB001_7	LBCLSIG_001_7	Clinical Significance	None		X
LB001_7	CO_LBCOM_001_7	Comment	None		X
LB001_8	LBCAT_001_8	Lab Panel:	Read	Minimal	
LB001_8	LBSPEC_001_8	Specimen Type:	Read	Minimal	
LB001_8	LBDC_001_8	Collection Date:	None	Supportive	X
LB001_8	LBFAST_001_8	Fasting?	None	Supportive	
LB001_8	LBTEST_001_8	Lab Test	None		
LB001_8	LBORRES_001_8	Lab Result	None		X
LB001_8	LBSTAT_001_8	Not Done	None		X
LB001_8	LBORRESU_001_8	Unit	None		
LB001_8	LBORNRL0_001_8	Low Range	None		
LB001_8	LBORNRLH_001_8	High Range	None		
LB001_8	LBFLAG_001_8	Status	None		
LB001_8	LBCLSIG_001_8	Clinical Significance	None		X
LB001_8	CO_LBCOM_001_8	Comment	None		X
LB001_8_1	LBCAT_001_8_1	Lab Panel:	Read	Minimal	
LB001_8_1	LBSPEC_001_8_1	Specimen Type:	Read	Minimal	
LB001_8_1	LBDC_001_8_1	Collection Date:	None	Supportive	X
LB001_8_1	LBFAST_001_8_1	Fasting?	None	Supportive	
LB001_8_1	LBTEST_001_8_1	Lab Test	None		
LB001_8_1	LBORRES_001_8_1	Lab Result	None		X
LB001_8_1	LBSTAT_001_8_1	Not Done	None		X
LB001_8_1	LBORRESU_001_8_1	Unit	None		
LB001_8_1	LBORNRL0_001_8_1	Low Range	None		
LB001_8_1	LBORNRLH_001_8_1	High Range	None		
LB001_8_1	LBFLAG_001_8_1	Status	None		
LB001_8_1	LBCLSIG_001_8_1	Clinical Significance	None		X
LB001_8_1	CO_LBCOM_001_8_1	Comment	None		X
LB001_9	LBCAT_001_9	Lab Panel:	Read	Minimal	
LB001_9	LBDC_001_9	Collection Date:	None	Supportive	X
LB001_9	LBTEST_001_9	Lab Test	None		
LB001_9	LBORRES_001_9	Lab Result	None		X
LB001_9	LBSTAT_001_9	Not Done	None		X
LB001_9	LBORRESU_001_9	Unit	None		
LB001_9	LBORNRL0_001_9	Low Range	None		
LB001_9	LBORNRLH_001_9	High Range	None		
LB001_9	LBFLAG_001_9	Status	None		
LB001_9	LBCLSIG_001_9	Clinical Significance	None		X
LB001_9	CO_LBCOM_001_9	Comment	None		X
LB001_9_1	LBCAT_001_9_1	Lab Panel:	Read	Minimal	
LB001_9_1	LBSPEC_001_9_1	Specimen Type:	Read	Minimal	
LB001_9_1	LBDC_001_9_1	Collection Date:	None	Supportive	X
LB001_9_1	LBTEST_001_9_1	Lab Test	None		
LB001_9_1	LBORRES_001_9_1	Lab Result	None		X
LB001_9_1	LBSTAT_001_9_1	Not Done	None		X
LB001_9_1	LBORRESU_001_9_1	Unit	None		
LB001_9_1	LBORNRL0_001_9_1	Low Range	None		
LB001_9_1	LBORNRLH_001_9_1	High Range	None		
LB001_9_1	LBFLAG_001_9_1	Status	None		
LB001_9_1	LBCLSIG_001_9_1	Clinical Significance	None		X
LB001_9_1	CO_LBCOM_001_9_1	Comment	None		X
MBMC005	MBDC_005	Date of Specimen Collection:	None	Supportive	
MBMC005	MBTEST_005	Test Name:	Read	Minimal	
MBMC005	MBORRES_005	Test Result:	None	Supportive	
MBMC005	MBSTAT_005	Not Tested:	None	Supportive	
MH001	MHSPID_001	Line/MH Number:	Read	Minimal	
MH001	MHTERM_001	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug	None	Supportive	
MH001	MHSTDTC_001	Start Date:	None	Supportive	
MH001	X_MHONGO_001	Ongoing:	None	Supportive	
MH001	MHENDTC_001	End Date:	None	Supportive	
MH001	MHLLT_001	Lowest Level Term	Hide	Minimal	

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

MH001	MHLLTCD_001	Lowest Level Term Code	Hide	Minimal	
MH001	MHDECOD_001	Dictionary Derived Term	Hide	Minimal	
MH001	MHPTCD_001	Preferred Term Code	Hide	Minimal	
MH001	MHHLT_001	High Level Term	Hide	Minimal	
MH001	MHHLTCD_001	High Level Term Code	Hide	Minimal	
MH001	MHHLGT_001	High Level Group Term	Hide	Minimal	
MH001	MHHLGTCD_001	High Level Group Term Code	Hide	Minimal	
MH001	MHSOC_001	Primary System Organ Class	Hide	Minimal	
MH001	MHSOCCD_001	Primary System Organ Class Code	Hide	Minimal	
MH001_4	MHSTDTC_001_4	Date of Diagnosis:	None	Critical	X
MH001_4	MHLLT_001_4	Lowest Level Term	Hide	Minimal	
MH001_4	MHLLTCD_001_4	Lowest Level Term Code	Hide	Minimal	
MH001_4	MHDECOD_001_4	Dictionary Derived Term	Hide	Minimal	
MH001_4	MHPTCD_001_4	Preferred Term Code	Hide	Minimal	
MH001_4	MHHLT_001_4	High Level Term	Hide	Minimal	
MH001_4	MHHLTCD_001_4	High Level Term Code	Hide	Minimal	
MH001_4	MHHLGT_001_4	High Level Group Term	Hide	Minimal	
MH001_4	MHHLGTCD_001_4	High Level Group Term Code	Hide	Minimal	
MH001_4	MHSOC_001_4	Primary System Organ Class	Hide	Minimal	
MH001_4	MHSOCCD_001_4	Primary System Organ Class Code	Hide	Minimal	
PC003	SUPPPC_PKTERM_003	Analyte:	Read	Minimal	
PC003	PCSPEC_003	Body Fluid / Matrix:	Read	Minimal	
PC003	X_PCSTAT_003	Sample Not Done:	None	Supportive	
PC003	PCTPT_003	Time Post Dose:	Read	Minimal	
PC003	PCTPTREF_003	Reference Timepoint:	Read	Minimal	
PC003	PCDTC_003	Date and Time:	None	Critical	X
PC003	CO_PKCOMC_003	Comments (Keep brief and legible):	None	Supportive	
PC003_1	SUPPPC_PKTERM_003_1	Analyte:	Read	Minimal	
PC003_1	PCSPEC_003_1	Body Fluid / Matrix:	Read	Minimal	
PC003_1	X_PCSTAT_003_1	Sample Not Done:	None	Supportive	
PC003_1	PCTPT_003_1	Time Post Dose:	Read	Minimal	
PC003_1	PCTPTREF_003_1	Reference Timepoint:	Read	Minimal	
PC003_1	PCDTC_003_1	Date and Time:	None	Critical	X
PC003_1	CO_PKCOMC_003_1	Comments (Keep brief and legible):	None	Supportive	
PR001	PRSPID_001	What is the treatment Identifier?	Read	Minimal	
PR001	PRTRT_001	Treatment:	None	Supportive	
PR001	SUPPPR_PRREAS_001	Primary Reason for Treatment Given:	None	Supportive	
PR001	X_SUPPPR_PRREAS_001	Other, specify:	None	Supportive	
PR001	SUPPPR_PRAER_001	Was this Non-Drug Treatment given to treat an Adve	None	Supportive	
PR001	PRSTDTC_001	Start Date:	None	Supportive	
PR001	X_PRONGO_001	Ongoing?	None	Supportive	
PR001	PRENDTC_001	End Date:	None	Supportive	
PR001	SUPPPR_PRLLT_001	Lowest Level Term	Hide	Minimal	
PR001	SUPPPR_PRLLTCD_001	Lowest Level Term Code	Hide	Minimal	
PR001	PRDECOD_001	Dictionary Derived Term	Hide	Minimal	
PR001	SUPPPR_PRPTCD_001	Preferred Term Code	Hide	Minimal	
PR001	SUPPPR_PRHLT_001	High Level Term	Hide	Minimal	
PR001	SUPPPR_PRLTCD_001	High Level Term Code	Hide	Minimal	
PR001	SUPPPR_PRLHGT_001	High Level Group Term	Hide	Minimal	
PR001	SUPPPR_PRLHGTCD_001	High Level Group Term Code	Hide	Minimal	
PR001	SUPPPR_PRSOC_001	Primary System Organ Class	Hide	Minimal	
PR001	SUPPPR_PRSOCCD_001	Primary System Organ Class Code	Hide	Minimal	
PR001_4	PRSPID_001_4	What is the treatment Identifier?	Read	Minimal	
PR001_4	PRTRT_001_4	Treatment:	None	Critical	
PR001_4	SUPPPR_PRREAS_001_4	Primary Reason for Treatment Given:	Read	Minimal	
PR001_4	SUPPPR_PRAER_001_4	Was this Non-Drug Treatment given to treat an A	None	Critical	
PR001_4	PRSTDTC_001_4	Start Date:	None	Critical	
PR001_4	X_PRONGO_001_4	Ongoing?	None	Critical	
PR001_4	PRENDTC_001_4	End Date:	None	Critical	
PR001_4	SUPPPR_PRLLT_001_4	Lowest Level Term	Hide	Minimal	
PR001_4	SUPPPR_PRLLTCD_001_4	Lowest Level Term Code	Hide	Minimal	
PR001_4	PRDECOD_001_4	Dictionary Derived Term	Hide	Minimal	

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

PR001_4	SUPPPR PRPTCD_001_4	Preferred Term Code	Hide	Minimal	
PR001_4	SUPPPR PRHLT_001_4	High Level Term	Hide	Minimal	
PR001_4	SUPPPR PRHLTCD_001_4	High Level Term Code	Hide	Minimal	
PR001_4	SUPPPR PRHLGT_001_4	High Level Group Term	Hide	Minimal	
PR001_4	SUPPPR PRHLGTC_001_4	High Level Group Term Code	Hide	Minimal	
PR001_4	SUPPPR PRSOC_001_4	Primary System Organ Class	Hide	Minimal	
PR001_4	SUPPPR PRSOCCD_001_4	Primary System Organ Class Code	Hide	Minimal	
R_OMIC003	R_OMICCAT_003	Category of Assessment:	Read	Minimal	
R_OMIC003	R_OMICPRP_003	Sample Name:	Read	Minimal	
R_OMIC003	R_OMICPERF_003	Was the Assessment Performed?	None	Supportive	
R_OMIC003	R_OMICSPEC_003	Specimen Type:	Read	Minimal	
R_OMIC003	R_OMICDTC_003	Sample Collection Date:	None	Supportive	
R_OMIC003_1	R_OMICCAT_003_1	Category of Assessment:	Read	Minimal	
R_OMIC003_1	R_OMICPRP_003_1	Sample Name:	Read	Minimal	
R_OMIC003_1	R_OMICPERF_003_1	Was the Assessment Performed?	None	Supportive	
R_OMIC003_1	R_OMICSPEC_003_1	Specimen Type:	Read	Minimal	
R_OMIC003_1	R_OMICDTC_003_1	Sample Collection Date:	None	Supportive	
R_TRIG001	R_TRIGRESP1_001	Select appropriate response - Protocol version:	None	Supportive	
R_TRIG001	R_TRIGRESP2_001	Select appropriate response - Did subject meet all eli	None	Supportive	
R_TRIG001	R_TRIGRESP11_001	Select appropriate response - Retained Research Sam	None	Supportive	
SRTC002	Y_SRMETHOD_002	Testing Method:	Read	Minimal	
SRTC002	X_SRSTAT_002	Not Done:	None	Supportive	
SRTC002	Y_SRDTC_002	Date of Test:	None	Supportive	
SRTC002	Y_SRRRES_002	Result:	None	Supportive	
SU001	SUCAT_001	Category:	Read	Minimal	
SU001	SUTRT_001	Type of substance:	None	Supportive	
SU001	SUPPSU_SUUSAGE_001	Has the subject ever used [the substance] ?	None	Supportive	
SV001	SVSTDTC_001	Date of Visit:	None	Supportive	
SV001	X_SVCNTMOD_001	Contact Mode:	None	Supportive	
VS001	VSDTC_001	Date:	None	Critical	X
VS001	VSSPID_001	Record Identifier:	Read	Minimal	
VS001	VSORRES_SYSBP_001	Systolic BP in mmHg:	None	Supportive	X
VS001	VSORRES_DIABP_001	Diastolic BP in mmHg:	None	Supportive	X
VS001	VSORRES_PULSE_001	Pulse in beats/minute:	None	Supportive	X
VS001_2	VSDTC_001_2	Date:	None	Critical	X
VS001_2	VSORRES_WEIGHT_001_2	Weight:	None	Critical	X
VS001_2	VSORRESU_WEIGHT_001_2	Unit:	None	Supportive	X
VS001_2	VSSPID_001_2	Record Identifier:	Read	Minimal	
VS001_2	VSORRES_SYSBP_001_2	Systolic BP in mmHg:	None	Supportive	X
VS001_2	VSORRES_DIABP_001_2	Diastolic BP in mmHg:	None	Supportive	X
VS001_2	VSORRES_PULSE_001_2	Pulse in beats/minute:	None	Supportive	X
VS001_3	VSDTC_001_3	Date:	None	Critical	X
VS001_3	VSORRES_WEIGHT_001_3	Weight:	None	Critical	X
VS001_3	VSORRESU_WEIGHT_001_3	Unit:	None	Supportive	X
VS001_3	VSORRES_HEIGHT_001_3	Height:	None	Critical	X
VS001_3	VSORRESU_HEIGHT_001_3	Unit:	None	Supportive	X
VS001_3	VSSPID_001_3	Record Identifier:	Read	Minimal	
VS001_3	VSORRES_SYSBP_001_3	Systolic BP in mmHg:	None	Supportive	X
VS001_3	VSORRES_DIABP_001_3	Diastolic BP in mmHg:	None	Supportive	X
VS001_3	VSORRES_PULSE_001_3	Pulse in beats/minute:	None	Supportive	X
VS001_4	VSDTC_001_4	Date:	None	Critical	X
VS001_4	VSORRES_WEIGHT_001_4	Weight:	None	Critical	X
VS001_4	VSORRESU_WEIGHT_001_4	Unit:	None	Supportive	X
VS001_4	VSSPID_001_4	Record Identifier:	Read	Minimal	
VS001_4	VSORRES_SYSBP_001_4	Systolic BP in mmHg:	None	Supportive	X
VS001_4	VSORRES_DIABP_001_4	Diastolic BP in mmHg:	None	Supportive	X
VS001_4	VSORRES_PULSE_001_4	Pulse in beats/minute:	None	Supportive	X

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

[illegible]

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Name	Description	Mapping Variable	Intentionally Blank
STUDY_DAY	Reference Date for Study Day Calculation (eg, First Dose Date (Nor	[DS001_3.DSSTDTC_001_3]	FALSE
VISITNUM_REF	VISITNUM Reference Study Map	[ref][MD_VISITNUM_REFERENCE.VISITNUM]	FALSE
VISITREFNAME_ACTUAL_REF	VISITREFNAME_ACTUAL from VISITNUM_REF table	[ref][MD_VISITNUM_REFERENCE.VISITREFNAME_ACTUAL]	FALSE

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Model_Attribute_Name	Model_name	Source_table	Source_variable	Condition
Subject Status	DS_STAT	SM_DS001	DSSTDTC_001	CASE WHEN [SM_DS001.FORMREFNAME] == 'DS001_6' and [SM_DS001.DSDECOD_001] == 'COMPLETED' THEN 'COMPLETED' WHEN [SM_DS001.FORMREFNAME] == 'DS001_6' and [SM_DS001.DSDECOD_001] <> 'COMPLETED' and isnotblank([SM_DS001.DSDECOD_001]) THEN 'DISCONTINUED' WHEN [SM_DS001.FORMREFNAME] == 'DS001_5' and [SM_DS001.SUPPDS_DSCONT_001] == 'YES' THEN 'FOLLOW-UP' WHEN [SM_DS001.FORMREFNAME] == 'DS001_5' and [SM_DS001.SUPPDS_DSCONT_001] == 'NO' and isnotblank([SM_DS001.DSDECOD_001]) THEN 'DISCONTINUED' WHEN [SM_DS001.FORMREFNAME] == 'DS001_3' and isnotblank([SM_DS001.DSSTDTC_001]) THEN 'ENROLLED/RANDOMIZED' WHEN [SM_DS001.FORMREFNAME] == 'DS001_4' and [SM_DS001.DSDECOD_001] == 'COMPLETED' THEN 'SCREENED' WHEN [SM_DS001.FORMREFNAME] == 'DS001_4' and [SM_DS001.DSDECOD_001] <> 'COMPLETED' THEN 'SCREEN FAIL' END
Date of Randomization	RANDDAT	SM_DS001	DSSTDTC_001	CASE WHEN isnotblank([SM_DS001.DSREFID_001]) and [SM_DS001.FORMREFNAME] == 'DS001_3' THEN [SM_DS001.DSSTDTC_001] END

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

mdes_form_name	item_refname	default_value	USED
DS001_1	DSTERM_001_1	RETAINED RESEARCH SAMPLE	X
DS001_7_1	DSTERM_001_7_1	RETAINED RESEARCH SAMPLE	X

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

[illegible]

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Integration	Variable	Instrument Name	Variable name
IRT	Randomization Date	DS001_3	DSSTDTC_001_3
IRT	Randomization Number	DS001_3	DSREFID_001_3
IRT	Strata Description	DS001_3	SUPPDS_DSRANSTD_001_3

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Instrument Name	Instrument Title	Lab Test
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Urea Nitrogen_PX47
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Urea_PX46
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Creatinine_PX48
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Glucose_PX68
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Calcium_PX58
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Sodium_PX54
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Potassium_PX55
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Chloride_PX56
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Bicarbonate_PX57
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Aspartate Aminotransferase_PX28
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Alanine Aminotransferase_PX30
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Bilirubin_PX21
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Direct Bilirubin_PX22
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Alkaline Phosphatase_PX35
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Creatine Kinase_PX29
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	GFR from Creatinine Adjusted for BSA_PX7869
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Cholesterol_PX1478
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Triglycerides_PX1479
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	HDL Cholesterol_PX173
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	LDL Cholesterol_PX172
LB001_8	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY	Cystatin C_PX1789
LB001_9	LOCAL LABORATORY DATA - HEMATOLOGY	Hemoglobin_PX1
LB001_9	LOCAL LABORATORY DATA - HEMATOLOGY	Hematocrit_PX2
LB001_9	LOCAL LABORATORY DATA - HEMATOLOGY	Erythrocytes_PX3
LB001_9	LOCAL LABORATORY DATA - HEMATOLOGY	Platelets_PX5
LB001_9	LOCAL LABORATORY DATA - HEMATOLOGY	Mean Platelet Volume_PX461
LB001_9	LOCAL LABORATORY DATA - HEMATOLOGY	Leukocytes_PX7
LB001_9	LOCAL LABORATORY DATA - HEMATOLOGY	Neutrophils_PX608
LB001_9	LOCAL LABORATORY DATA - HEMATOLOGY	Eosinophils_PX609
LB001_9	LOCAL LABORATORY DATA - HEMATOLOGY	Monocytes_PX612
LB001_9	LOCAL LABORATORY DATA - HEMATOLOGY	Basophils_PX610
LB001_9	LOCAL LABORATORY DATA - HEMATOLOGY	Lymphocytes_PX611
LB001_9	LOCAL LABORATORY DATA - HEMATOLOGY	Hemoglobin A1C_PX128
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Creatine Kinase_PX29
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Aspartate Aminotransferase_PX28
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Alanine Aminotransferase_PX30
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Bilirubin_PX21
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Albumin_PX25
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Direct Bilirubin_PX22
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Indirect Bilirubin_PX23
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Gamma Glutamyl Transferase_PX31
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Alkaline phosphatase_PX35
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Protein_PX24
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Bile Acid_PX542
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Acetaminophen_PX2633
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Acetaminophen Protein Adduct, Acetaminophen_PX6765
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	Creatinine_PX48
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	CYSTATIN C_PX1789
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	GFR from Cystatin C and Creat Adj BSA_PX7868
LB001_8_1	LOCAL LABORATORY DATA - CHEMISTRY - REFLEX TESTING	GFR from Creatinine Adjusted for BSA_PX7869
LB001_9_1	LOCAL LABORATORY DATA - HEMATOLOGY - REFLEX TESTING	Prothrombin Time_PX19
LB001_9_1	LOCAL LABORATORY DATA - HEMATOLOGY - REFLEX TESTING	Prothrombin Intl. Normalized Ratio_PX704
LB001_9_1	LOCAL LABORATORY DATA - HEMATOLOGY - REFLEX TESTING	Eosinophils/Leukocytes_PX9
LB001_7	LOCAL LABORATORY DATA - HEMATOLOGY	Erythrocytes_PX81
LB001_7	LOCAL LABORATORY DATA - URINALYSIS - REFLEX TESTING	Albumin/Creatinine_PX914
LB001_7	LOCAL LABORATORY DATA - URINALYSIS - REFLEX TESTING	Protein/Creatinine_PX822

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Object Type	Object Name	Description of the Change
<i>New variable and CM map</i>	<i>LBSPEC1_001_9</i>	<i>Add new LBSPEC1_001_9 to replace LBSPEC_001_9 as this item is enabled for PHI, no one can see this data. Also change its CM mapping to new variable.</i>