

Annotated Study Book for Study Design: C3671013

Study Design Version: 24.0

Protocol: C3671013

Generic Drug Name: PF-06928316

Sponsor Drug Name: Respiratory Syncytial Virus (RSV) Vaccine

C3671013

Generated by Central Designer™

July 11, 2025 11:58AM

Time and Events Schedule For Study Design: C3671013																								
Element	Assessment	CRF	System		V1_DAY1_VAX (V1D1VX) [S]	V2_MONTH1_POSTVAX (V2POSTVX) [S/D]	V3_MONTH6_POSTVAX (V3POSTVX) [S/D]	V3_S2N1_SAFETY_FUP_TC (V3 S1 SFUP) [U/D/R]	V4_S2N2_STRT (V4 S2 STRT) [S/D]	V5_S2N2_SAFETY_FUP_TC (V5 S2 SFUP) [S/D]	V6_S2N3_STRT (V6 S3 STRT) [S/D]	V7_S2N3_SAFETY_FUP_TC (V7 S3 SFUP) [S/D]	UNPL_RESP_IL (UNPL RIV) [U/D/R]	RL_SELF_SWAB (R1SS) [U/D/R]	V100_CONSENT (CONSENTSSA) [S/D]	V101_DAY1_VAX (V101D1VX) [S/D]	V102_MONTH1_POSTVAX (V102POSTVX) [S/D]	V103_MONTH6_POSTVAX (V103POSTVX) [S/D]	V104_MONTH12_POSTVAX (V104POSTVX) [S/D]	V105_MONTH18_POSTVAX (V105POSTVX) [S/D]	V201_DAY1_VAX (V201D1VX) [S/D]	V202_MONTH1_POSTVAX (V202POSTVX) [S/D]	V203_MONTH6_POSTVAX (V203POSTVX) [S/D]	
	Visit Start Hours		0	0	0	672	4200	4201	8736	12768	16800	20832	20833	20834	20835	20836	21508	25036	29236	33604	33605	34277	37805	
1	D_JNFSCR001	SCREEN	1																					
2	D_JNFENR001	ENROLL		1																				
3	SV001	DOV			1	1	1	1	1	1	1	1			1	1	1	1	1	1	1	1	1	
4	DM001	DEMOG			2																			
5	DS001	MAIN IC			3-DF																			
6	DS001_1	REACTO IC			4-DF																			
7	DS001_10	IMMUN IC			5-DF																			
8	R_TRIG001	PHASE SEL			6-DF																			
9	R_TRIG001_3	PHASE SEL			7-DF																			
10	IE002	INEX			8-DF																			
11	DS001_3	RAND			9-DF											2-DF					4-DF			
12	DS001_4	DISP SCR			10-DF																	3-DF		
13	MH001_3	SIG MEDHX			11-DF										4-DF							5-DF		
14	MH001	GEN MEDHX			12-DF																			
15	PR001_3	SCR RESP			13-DF																			
16	CM001_4	SCR CORT			14-DF-RF																			
17	VS001	VIT SCR			15-DF																			
18	SU001	SUBST USE			16-DF																			
19	R_TRIG001_1	IMMUN TRIG			17-DF																			
20	BEETR001	IMMUN TRK			18-DF	2-DF			2-DF			2-DF					5-DF	2-DF	2-DF		2-DF	7-DF	2-DF	2-DF
21	EC01_2	VACIN TRT			19-DF												6-DF				8-DF			
22	FAVS0011	SYMPTDATE				3-DF												3-DF				3-DF		
23	FAFUC009	CONTACT SV					2-DF	2-DF		2-DF		2-DF												
24	FAFUC009_3	CONTACT SV					3-DF																	
25	FAFUC009_2	CONTACT SV							3-DF															
26	SV001_1	DOV ILL											1											
27	VS001_3	VIT RIL											2-DF											
28	HOHCU002	HLTHCARE											3-DF											
29	HOHOS007	HOSP											4-DF-RF											
30	HOHOS007_2	ICU											5-DF-RF											
31	CE0DT008	ILIDETAIL											6-DF											
32	H0CCAB007	CHESTXRAY											7-DF-RF											
33	MHMC005	ISOLATE											8-DF-RF											
34	PR001_3_1	RIL RESP											9-DF											
35	CESOD006	SOD											10-DF											
36	BEETR001_2	NASAL SWAB											11-DF											
37	SV001_2	DOV SWAB												1										
38	BEETR001_3	SELF NSWAB											2-DF											
39	DS001_11	MAIN IC														2-DF					2-DF			
40	IE002_1	INEX														3-DF								
41	VS001_1_1	VITALS															4-DF					6-DF		
42	IE002_2	INEX																				9-DF		
43	IE002_3	INEX																						
44	AE001	AE																						
45	AE001_1	MED ERROR																						
46	CM001	CONMED R1																						
47	CM001_2	CONMED VAX																						
48	CM001_3	PROHIB CH																						
49	PRTRD002	TRANSFUSE																						
50	D_UPA001	UNPL																						
51	VS001_1	VIT UREAC																						
52	FAFUC009_1	CONTACT UV																						
53	CECISR004	REACTION																						
54	FAFUC009_4	CONTACT UV																						
55	VS001_2	VIT ARI																						
56	DS001_7	WOC																						
57	DS002	DTH DTL																						
58	DS001_8	TRIN UNBLN																						
59	DS001_5	DISP TRT																						
60	DS001_6	DISP FUP																						
61	X_DS_SLOPD001	SUB STATU																						
62	D_15001	INVSIG																						

Key: [S] = Scheduled Visit [D] = Dynamic Visit [U] = Unscheduled Visit [R] = Repeating Visit
C = Common Form DF = Dynamic Form RF = Repeating Form

C3671013: INFORM SCREENING (SCREEN) [D_INFSCR001]

Inform Screening [D_INFSCR01001]

1. Inform Initials (hidden)
(Inform Initials)

[D_SCRINIT_001]
[A,]*

2.* Birth Date:
(Birth Date)

[D_SCRDOB_001] (DD/MM/YYYY)
Req/Unk ☒ / Req/Unk ☒ / Req ☒ (1901-2020)

Key: [*] = Item is required [!] = ASCII only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

RDE Analytics: RD_D_INFSCR001		
Data Variable RefName	RD Column Name	Column Data Type
D_SCRINIT_001	D_SCRINIT_001	VARCHAR2
	D_SCRINIT_001_ND	VARCHAR2
D_SCRDOB_001	D_SCRDOB_001	DATE
	D_SCRDOB_001_DTS	VARCHAR2
	D_SCRDOB_001_DTR	VARCHAR2
	D_SCRDOB_001_ND	VARCHAR2

C3671013: INFORM ENROLLMENT (ENROLL) [D_INFENR001]		
Inform Enrollment [D_INFENR001]		
1 * [Subject ID]	[D_SUBID_001]	
✓ [Subject ID]	NB	
Key: [*] = Item is required. [✓] = Source verification required Note: Source verification critical settings made in Inform will override any settings made in Central Designer.		
RDE Analytics: RD_D_INFENR001		
Data Variable RefName	RD Column Name	Column Data Type
D_SUBID_001	D_SUBID_001	NUMBER
	D_SUBID_001_ND	VARCHAR2

C3671013: DATE OF VISIT (DOV) [SV001]		
Date of Visit [SV01001]		
1. * [Date of Visit [Date of Visit]]	[SVSTDTC_001] (DD/MM/YYYY) Req [35] / Req [35] / Req [35] (2021-2027)	
2. [Erroneous Visit [Visit Error]]	[D_SVERROR_001] [A:1] ☐ ERRONEOUS VISIT	
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_SV001		
Data Variable RefName	RD Column Name	Column Data Type
SVSTDTC_001	SVSTDTC_001	DATE
	SVSTDTC_001_DTS	VARCHAR2
	SVSTDTC_001_ND	VARCHAR2
D_SVERROR_001	D_SVERROR_001_C	VARCHAR2
	D_SVERROR_001	VARCHAR2
	D_SVERROR_001_ND	VARCHAR2

Study Object Descriptions: DEMOGRAPHY		
Type	RefName	Description
Form	DM001	DM001 - Demography
Item	BIRTHDTG_001	A subject's date of birth (with or without the time of birth). The complete Date of Birth is made from the temporal components of Birth Year, Birth Month, Birth Day and Birth Time. Mapped from Inform Screening.
Item	SEX_001	The assemblage of physical properties or qualities by which male is distinguished from female; the physical difference between male and female.
Item	ETHNIC_001	A social group characterized by a distinctive social and cultural tradition.
Item	RACE_001	An arbitrary classification based on physical characteristics; a group of persons related by common descent or heredity (U.S. Center for Disease Control).
Item	SUPPDM_RACIALD_001	Racial designation of the study participant. Optional for Data Collection
Item	X_DMPSSTUDY_001	Previous Study Identifier. Format = ccccccc, e.g. B1570100
Item	X_DMPSITE_001	Previous Site Identifier. Format = nnnn, e.g. 2010.
Item	X_DMPSUBJ_001	Previous Subject Identifier. Format = nnnnnnnn, e.g. 20101001.

CodeList RefName	CodeList Data Type	Subset	Label	Code	CodeList Item RefName	Data Variable RefName
SUPPDM_RACIALD_CL_001	String		INDIAN SUBCONTINENT ASIAN	1	GIRACIALD_INDIAN_SUBCONTINENT_ASIAN	SUPPDM_RACIALD_001
			JAPANESE	5	GIRACIALD_JAPANESE	
			KOREAN	6	GIRACIALD_KOREAN	
			CHINESE	7	GIRACIALD_CHINESE	
			AFRICAN	8	GIRACIALD_AFRICAN	
			AFRICAN-CARIBBEAN	10	GIRACIALD_AFRICAN_CARIBBEAN	
			AUSTRALIAN ABORIGINAL	15	GIRACIALD_AUSTRALIAN_ABORIGINAL	
			TORRES STRAIT ISLANDER	16	GIRACIALD_TORRES_STRAIT_ISLANDER	
			ASHKENAZI JEW	19	GIRACIALD_ASHKENAZI_JEW	
			TAIWANESE	20	GIRACIALD_TAIWANESE	
			OTHER	999	GIRACIALD_OTHER	

DEID Analytics: RD_DM001			
Data Variable RefName		RD Column Name	Column Data Type
D_SUBID_001		D_SUBID_001	NUMBER
		D_SUBID_001_ND	VARCHAR2
BRTHDTC_001		BRTHDTC_001	DATE
		BRTHDTC_001_DTS	VARCHAR2
		BRTHDTC_001_DTR	VARCHAR2
SEX_001		BRTHDTC_001_ND	VARCHAR2
		SEX_001_C	VARCHAR2
		SEX_001	VARCHAR2
		SEX_001_ND	VARCHAR2
		SEX_001_ND	VARCHAR2
ETHNIC_001		ETHNIC_001_C	VARCHAR2
		ETHNIC_001	VARCHAR2
		ETHNIC_001_ND	VARCHAR2
ETHNIC_001 - MEXICAN		*SUPDM_ETHNDS_001_CLIETHNICMEXICAN_C	VARCHAR2
		*SUPDM_ETHNDS_001_CLIETHNICMEXICAN	VARCHAR2
ETHNIC_001 - PUERTO RICAN		*SUPDM_ETHNDS_001_CLIETHNICPUERTORICAN_C	VARCHAR2
		*SUPDM_ETHNDS_001_CLIETHNICPUERTORICAN	VARCHAR2
ETHNIC_001 - CUBAN		*SUPDM_ETHNDS_001_CLIETHNICCUBAN_C	VARCHAR2
		*SUPDM_ETHNDS_001_CLIETHNICCUBAN	VARCHAR2
ETHNIC_001 - SOUTH AMERICAN		*SUPDM_ETHNDS_001_CLIETHNCSOUTHAMERICAN_C	VARCHAR2
		*SUPDM_ETHNDS_001_CLIETHNCSOUTHAMERICAN	VARCHAR2
ETHNIC_001 - CENTRAL AMERICAN		*SUPDM_ETHNDS_001_CLIETHNCCENTRALAMERICAN_C	VARCHAR2
		*SUPDM_ETHNDS_001_CLIETHNCCENTRALAMERICAN	VARCHAR2
ETHNIC_001 - SPANISH		*SUPDM_ETHNDS_001_CLIETHNICSPANISH_C	VARCHAR2
		*SUPDM_ETHNDS_001_CLIETHNICSPANISH	VARCHAR2
RACE_001		RACE_001_ND	VARCHAR2
RACE_001 - BLACK OR AFRICAN AMERICAN		*RACE_001_CLIIRACEBLACKORAFRICANAMERICAN_C	VARCHAR2
		*RACE_001_CLIIRACEBLACKORAFRICANAMERICAN	VARCHAR2

RACE_001 - AMERICAN INDIAN OR ALASKA NATIVE	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE_C	VARCHAR2
	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE	VARCHAR2
RACE_001 - ASIAN	RACE_001_CLIRACEASIAN_C	VARCHAR2
	RACE_001_CLIRACEASIAN	VARCHAR2
RACE_001 - NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER_C	VARCHAR2
	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER	VARCHAR2
RACE_001 - WHITE	RACE_001_CLIRACEWHITE_C	VARCHAR2
	RACE_001_CLIRACEWHITE	VARCHAR2
RACE_001 - NOT REPORTED	*RACE_001_CLIRACENOTREPORTED_C	VARCHAR2
	*RACE_001_CLIRACENOTREPORTED	VARCHAR2
RACE_001 - UNKNOWN	RACE_001_CLIRACEUNKNOWN_C	VARCHAR2
	RACE_001_CLIRACEUNKNOWN	VARCHAR2
SUPPDM_RACIALD_001	SUPPDM_RACIALD_001_C	VARCHAR2
	SUPPDM_RACIALD_001	VARCHAR2
	SUPPDM_RACIALD_001_ND	VARCHAR2
X_DMRVN_001	X_DMRVN_001_C	VARCHAR2
	X_DMRVN_001	VARCHAR2
	X_DMRVN_001_ND	VARCHAR2
X_DMRVN_001 - X_DMRSITE_001	X_DMRSITE_001	VARCHAR2
X_DMRVN_001 - X_DMRSUBJ_001	X_DMRSUBJ_001	VARCHAR2
X_DMPVN_001	X_DMPVN_001_C	VARCHAR2
	X_DMPVN_001	VARCHAR2
	X_DMPVN_001_ND	VARCHAR2
X_DMPVN_001 - X_DMPSTUDY_001	X_DMPSTUDY_001	VARCHAR2
X_DMPVN_001 - X_DMPSITE_001	X_DMPSITE_001	VARCHAR2
X_DMPVN_001 - X_DMPSUBJ_001	X_DMPSUBJ_001	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

Informed Consent [DS01001]

[SUPPDS_DSCSOST_001]

(A1) ☐ [DSS101C_CMP_001] ☐
OBTAINED

[DSSTDTC_001] (DD/MM/YYYY)
Date Written Consent Obtained

Req / Req / Req (2021-2023)

Key: [*] = Item is required [] = Item is collapsible

Type	RefName	Description
------	---------	-------------

Data Variable RefName

SUPPDS_DSCSOBT_001	SUPPDS_DSCSOBT_001_C	VARCHAR2
	SUPPDS_DSCSOBT_001	VARCHAR2
	SUPPDS_DSCSOBT_001_ND	VARCHAR2
SUPPDS_DSCSOBT_001 - DSSTDTC_001	DSSTDTC_001	DATE
	DSSTDTC_001_DTS	VARCHAR2

Informed Consent [DS01001_1]

Key: [*] = Item is required [] = Item is collapsible
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

Type	RefName	Description
------	---------	-------------

Type	RefName	Description
Item	DSSTDTC_001_1	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

Data Variable RefName

Data Variable RefName	RD Column Name	Column Data Type
SUPPDS_DSCSOBT_001_1	SUPPDS_DSCSOBT_001_1_C	VARCHAR2
	SUPPDS_DSCSOBT_001_1	VARCHAR2
	SUPPDS_DSCSOBT_001_1_ND	VARCHAR2
SUPPDS_DSCSOBT_001_1 - DSSDTDC_001_1	DSSDTDC_001_1	DATE
	DSSDTDC_001_1_DTS	VARCHAR2

Study Object Descriptions: INFORMED CONSENT-IMMUNOGENICITY		
Type	RefName	Description
Item	DSSTDCT_001_10	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_10		
Data Variable RefName	RD Column Name	Column Data Type
SUPPDS_DSCSOBT_001_10	SUPPDS_DSCSOBT_001_10_C	VARCHAR2
	SUPPDS_DSCSOBT_001_10	VARCHAR2
	SUPPDS_DSCSOBT_001_10_ND	VARCHAR2
SUPPDS_DSCSOBT_001_10 - DSSTDTC_001_10	DSSTDTC_001_10	DATE
	DSSTDTC_001_10_DTS	VARCHAR2

C3671013: PHASE SELECTION (PHASE SEL) [R_TRIG001]

Trigger Form Details [R_TRIG01001]

1.* Select appropriate response - Protocol version
[Trigger Response 1]

[R_TRIGRESP1_001]
[R_TRIGRESP1_CL_001] ▼

2.* Select appropriate response - Did the subject meet all eligibility criteria?
[Trigger Response 2]

[R_TRIGRESP2_001]
[A.2] ☐ SUBJECT MET ALL ELIGIBILITY CRITERIA
[A.3] ☐ SUBJECT DID NOT MEET ALL ELIGIBILITY CRITERIA

Key: * = Blank is required
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: PHASE SELECTION						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
R_TRIGRESP1_CL_001	String		INITIAL PROTOCOL - 07JUL2021	0	d/TRIGRESP_INITIAL_PROTOCOL	R_TRIGRESP1_001
			PROTOCOL AMENDMENT 1 - 23NOV2021	1	d/PROTOCOL_AMENDMENT1_23NOV2021	
			PROTOCOL AMENDMENT 2 - 23MAR2022	2	d/PROTOCOL_AMENDMENT2_16MAR2022	
			PROTOCOL AMENDMENT 3 - 07JUL2022	3	d/PROTOCOLAMENDMENT207JUL2022	
			PROTOCOL AMENDMENT 4 - 08MAR2023	4	d/PROTOCOL_AMENDMENT4_08MAR2023	
			PROTOCOL AMENDMENT 5 - 31AUG2023	5	d/PROTOCOL_AMENDMENTS_31AUG2023	
			PROTOCOL AMENDMENT 6 - 19APR2024	6	d/PROTOCOL_AMENDMENT6_19APR2024	

RDE Analytics: RD_R_TRIG001		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP1_001	R_TRIGRESP1_001_C	VARCHAR2
	R_TRIGRESP1_001	VARCHAR2
	R_TRIGRESP1_001_ND	VARCHAR2
R_TRIGRESP2_001	R_TRIGRESP2_001_C	VARCHAR2
	R_TRIGRESP2_001	VARCHAR2
	R_TRIGRESP2_001_ND	VARCHAR2

C3671013: PHASE SELECTION SUBSTUDY (PHASE SEL) [R_TRIG001_3]

Trigger Form Details [R_TRIG001001_3]

1.* Select appropriate response - Which sub study does the participant belong to?
(Trigger Response 3)

[R_TRIGRESP3_001_3]
[A.1.1] SUB STUDY A
[A.1.2] SUB STUDY B
[A.1.3] SUB STUDY C

Key: * = Blank is required
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_R_TRIG001_3		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP3_001_3	R_TRIGRESP3_001_3_C	VARCHAR2
	R_TRIGRESP3_001_3	VARCHAR2
	R_TRIGRESP3_001_3_ND	VARCHAR2

C3671013: INCLUSION/EXCLUSION CRITERIA (INEX) [IE002]		
Inclusion Criterion Identifier		Inclusion Criterion Description
1.		
Inclusion Criteria Not Met Entry [IE01002]		
1.1	Identifier of the Inclusion Criterion the subject did not meet: (Inclusion Criterion Identifier)	[IESPID_002] [IESPID_CL_002] ▼
1.2	Description of the Inclusion Criterion the subject did not meet: (read-only) (Inclusion Criterion Description)	[IETEST_002] [IETEST_CL_002] ▼
2.	Exclusion Criterion Identifier	Exclusion Criterion Description
Exclusion Criteria Met Entry [IE02002]		
2.1	Identifier of the Exclusion Criterion the subject met: (Exclusion Criterion Identifier)	[IESPID1_002] [IESPID1_CL_002] ▼
2.2	Description of the Exclusion Criterion the subject met: (read-only) (Exclusion Criterion Description)	[IETEST1_002] [IETEST1_CL_002] ▼
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.		

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA					
Codelist RefName	Codelist Data Type	Subject	Label	Code	Codelist Item RefName
IESPID_CL_002	String		1.	1	clIESPID_1
			2.	2	clIESPID_2
			3.	3	clIESPID_3
			4.	4	clIESPID_4
			5.	5	clIESPID_5
IETEST_CL_002	String		Participants willing and able to comply with all scheduled visits, vaccine plan, laboratory tests, lifestyle considerations, symptom assessment by mobile device application and other study procedures.	0_1	clIETEST_Inclusion_Description_1
			Healthy participants who are determined by medical history, physical examination (if required), and clinical judgment of the investigator to be eligible for inclusion in the study.	0_2	clIETEST_Inclusion_Description_2
			Asymptomatic adults who live in the community, or in assisted-living or long-term care residential facilities where the participant is primarily responsible for self-care and activities of daily living.	0_3	clIETEST_Inclusion_Description_3
			Capable of giving signed informed consent, which includes compliance with the requirements and restrictions listed in the ICD and in the protocol.	0_4	clIETEST_Inclusion_Description_4
			Male (using contraception if applicable) or nonchildbearing-potential female participants >=60 years of age.	0_5	clIETEST_Inclusion_Description_5
IESPID1_CL_002	String		1.	1	clIESPID_1
			2.	2	clIESPID_2
			3.	3	clIESPID_3
			4.	4	clIESPID_4
			5.	5	clIESPID_5
			6.	6	clIESPID_6
			7.	7	clIESPID_7
			8.	8	clIESPID_8
			9.	9	clIESPID_9
			10.	10	clIESPID_10
IETEST1_CL_002	String		Bleeding diathesis or condition associated with prolonged bleeding that would, in the opinion of the investigator, contraindicate intramuscular injection.	0_1	clIETEST_Exclusion_Description_1
			History of severe adverse reaction associated with a vaccine and/or severe allergic reaction (eg, anaphylaxis) to any component of the study intervention(s) or any related vaccine.	0_2	clIETEST_Exclusion_Description_2
			Serious chronic disorder, or any other disorder that, in the investigator's opinion, excludes the participant from participating in the study.	0_3	clIETEST_Exclusion_Description_3
			Immunocompromised individuals with known or suspected immunodeficiency, as determined by history and/or laboratory/physical examination.	0_4	clIETEST_Exclusion_Description_4
			Other medical or psychiatric condition that may increase the risk of study participation or, in the investigator's judgment, make the participant inappropriate for the study.	0_5	clIETEST_Exclusion_Description_5
			Participation in other studies involving study intervention within 28 days prior to consent and/or during study participation.	0_6	clIETEST_Exclusion_Description_6
			Individuals who receive immunosuppressive therapy from 60 days before study intervention or planned receipt throughout the study. Corticosteroids must be discontinued 28 days prior to enrollment.	0_7	clIETEST_Exclusion_Description_7
			Receipt of blood/plasma products or immunoglobulin within 60 days before study intervention administration.	0_8	clIETEST_Exclusion_Description_8
			Previous vaccination with any licensed or investigational RSV vaccine or planned receipt during study participation.	0_9	clIETEST_Exclusion_Description_9
			Investigator site staff or Pfizer employees directly involved in the conduct of the study, site staff otherwise supervised by the investigator, and their respective family members.	0_10	clIETEST_Exclusion_Description_10
			Participation in other studies involving an investigational product within 28 days prior to consent and/or through and including the 6-month follow-up visit (Visit 3).	1_6	clIETEST_Exclusion_Description_6_1

RDE Analytics: RD_IE002		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE002_IE01002		
IESPID_002	IESPID_002_C	VARCHAR2
	IESPID_002	VARCHAR2
	IESPID_002_ND	VARCHAR2
IETEST_002	IETEST_002_C	VARCHAR2
	IETEST_002	VARCHAR2
	IETEST_002_ND	VARCHAR2
RD_IE002_IE02002		
IESPID1_002	IESPID1_002_C	VARCHAR2
	IESPID1_002	VARCHAR2
	IESPID1_002_ND	VARCHAR2
IETEST1_002	IETEST1_002_C	VARCHAR2
	IETEST1_002	VARCHAR2
	IETEST1_002_ND	VARCHAR2

C3671013: RANDOMIZATION (RAND) [DS001_3]

Disposition [DS01001_3]

1.* Randomization Date :
[Randomization Date :]

[DSSTDTC_001_3] [DD/MM/YYYY]
Req [v] / Req [v] / Req [v] (2021-2027)

2.* Randomization Number:
[Randomization Number]

[DSREFID_001_3]
A20 *

Key: [*] = Item is required [A] = ASCII only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: RANDOMIZATION	
Type	RefName
Item	DSSTDTC_001_3
The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).	

RDE Analytics: RD_DS001_3		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_3	DSSTDTC_001_3	DATE
	DSSTDTC_001_3_DTS	VARCHAR2
	DSSTDTC_001_3_ND	VARCHAR2
DSREFID_001_3	DSREFID_001_3	VARCHAR2
	DSREFID_001_3_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: DISPOSITION - SCREENING (DISP SCR) [DS001_4]

Disposition - Screening [DS01001_4]

1.* [Date of Completion/Discontinuation/Death
(Date of Completion/Discontinuation (Date))]

[DSSTDTC_001_4] [DD/MM/YYYY]
Req ☒ / Req ☒ / Req ☒ (2021-2027)

2. Phase of Disposition: [read-only]
(Disposition Phase)

[SUPPDS_DSPHASE_001_4]
(A-J) ☐ SCREENING
(A-K) ☐ REPEAT SCREENING 1

3.* Status:
(Status)

[DSDECOD_001_4]
[DSDECOD_CL_001_4]

4. Specify Status:
(Specify Status)

[DSTERM_001_4]
A100*

Key: [*] = Item is required [!] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - SCREENING	
Type	RefName
Description	
Item	[DSSTDTC_001_4] The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	[DSTERM_001_4] Specify Status

Codelist Values Tables: DISPOSITION - SCREENING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_4	String		ADVERSE EVENT	1	cINCOMPLT_ADVERSE_EVENT	DSDECOD_001_4
			COMPLETED	2	cINCOMPLT_COMPLETED	
			DEATH	3	cINCOMPLT_DEATH	
			OTHER	7	cINCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cINCOMPLT_PHYSICIAN_DECISION	
			PROTOCOL DEVIATION	11	cINCOMPLT_PROTOCOLDEVIATION	
			SCREEN FAILURE	13	cINCOMPLT_SCREEN_FAILURE	
			STUDY TERMINATED BY SPONSOR	14	cINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cINCOMPLT_WITHDRAWAL_BY_SUBJECT	

RDE Analytics: RD_DS001_4		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_4	DSSTDTC_001_4	DATE
	DSSTDTC_001_4_DTS	VARCHAR2
	DSSTDTC_001_4_NO	VARCHAR2
	SUPPDS_DSPHASE_001_4_C	VARCHAR2
SUPPDS_DSPHASE_001_4	SUPPDS_DSPHASE_001_4	VARCHAR2
	SUPPDS_DSPHASE_001_4_NO	VARCHAR2
	DSDECOD_001_4	VARCHAR2
DSDECOD_001_4	DSDECOD_001_4_C	VARCHAR2
	DSDECOD_001_4	VARCHAR2
	DSDECOD_001_4_NO	VARCHAR2
	DSTERM_001_4	VARCHAR2
DSTERM_001_4	DSTERM_001_4	VARCHAR2
	DSTERM_001_4_NO	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY - ONGOING (SIG MEDHX) [MH001_3]

#	Line/MH Number	Medical History Term	Medical History Term	Medical History Event Pre-Specified	Specific condition/procedure response	Condition Not Assessed:	Related Details	Comparison Term	Lowest Level Term	Lowest Level Term Code	Dictionary Derived Term	Preferred Term Code	High Level Term	High Level Term Code	High Level Group Term	High Level Group Term Code	Primary System Organ Class	Primary System Organ Class Code
1.a		CDPD		YES														
1.b		OTHER LUNG DISEASE		YES														
1.c		CONGESTIVE HEART FAILURE (CHF)		YES														
1.d		OTHER HEART DISEASE		YES														
1.e		ASTHMA		YES														
1.f		DIABETES MELLITUS		YES														
1.g		LIVER DISEASE		YES														
1.h		RENAL DISEASE		YES														

MH02001_3 Entry [MH02001_3]

1.1	Line/MH Number: (read-only) (Line/MH Number)	[MHSPID_001_3] NB
1.2	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: (read-only) (Medical History Term)	[D_MHTERM_001_3] [D_MHTERM_CL_001_3]
1.3	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: (read-only) (Medical History Term)	[MHTERM_001_3] A100*
1.4	Medical History Event Pre-Specified: (read-only) (Medical History Event Pre-Specified)	[MHPRESP_001_3] (A-Y) ☐ YES ☐ NO
1.5	Does the subject have/has the subject had specific condition (Specific condition/procedure response)	[MHOCOUR_001_3] (A-Y) ☐ YES ☐ NO
1.6	Condition Not Assessed: (Condition Not Assessed:)	[MHSTAT_001_3] (A-Z) ☐ NOT DONE
1.7	Related Details (Related Details)	[SUPPHH_MHDTL_001_3] A200*
1.8	Comparison Term (hidden) (Comparison Term)	[D_COMPTEHM3_001_3] A215*
1.9	Lowest Level Term (hidden) (Lowest Level Term)	[MHLLT_001_3] A100*
1.10	Lowest Level Term Code (hidden) (Lowest Level Term Code)	[MHLLTCD_001_3] A6*
1.11	Dictionary Derived Term (hidden) (Dictionary Derived Term)	[MHDECOD_001_3] A100*
1.12	Preferred Term Code (hidden) (Preferred Term Code)	[MHPTCD_001_3] A6*
1.13	High Level Term (hidden) (High Level Term)	[MHHLT_001_3] A100*
1.14	High Level Term Code (hidden) (High Level Term Code)	[MHHLTCD_001_3] A6*
1.15	High Level Group Term (hidden) (High Level Group Term)	[MHHLGT_001_3] A100*
1.16	High Level Group Term Code (hidden) (High Level Group Term Code)	[MHHLGTCO_001_3] A6*
1.17	Primary System Organ Class (hidden) (Primary System Organ Class)	[MHSDC_001_3] A100*
1.18	Primary System Organ Class Code (hidden) (Primary System Organ Class Code)	[MHSDCCO_001_3] A6*

Key: = Fixed item = ASCII Only

Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Codelist Values Tables: PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY - ONGOING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
D_MHTERM_CL_001_3	String		CDPD	6	c0PMTERH2_CDPD	D_MHTERM_001_3
			OTHER LUNG DISEASE	7	c0PMTERH2_OTHER_LUNG_DISEASE	
			CONGESTIVE HEART FAILURE (CHF)	8	c0PMTERH2_CHF	
			OTHER HEART DISEASE	9	c0PMTERH2_OTHER_HEART_DISEASE	
			ASTHMA	10	c0PMTERH2_ASTHMA	
			DIABETES MELLITUS	11	c0PMTERH2_DIABETES_MELLITUS	
			LIVER DISEASE	12	c0PMTERH2_LIVER_DISEASE	
			RENAL DISEASE	13	c0PMTERH2_RENAL_DISEASE	

Coding Summary: PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY - ONGOING			
Verbatim RefName: MHTERM_001_3 Dictionary: Pfizer MeuDRA Verbatim Type:			
Coding Item RefName	Level	Level Type	
MHSOC_001_3	SOC	Term	
MHSOCCD_001_3	SOC	Code	
MHHLGT_001_3	HLGT	Term	
MHHLGTCO_001_3	HLGT	Code	
MHHLT_001_3	HLT	Term	
MHHLTCD_001_3	HLT	Code	
MHDECOD_001_3	PT	Term	
MHPTCD_001_3	PT	Code	
MHLLT_001_3	LLT	Term	
MHLLTCD_001_3	LLT	Code	

RDE Analytics: RD_MH001_3		
Data Variable RefName	ID Column Name	Column Data Type
RD_MH001_3_MH02001_3		
MHSPID_001_3	MHSPID_001_3	NUMBER
	MHSPID_001_3_NO	VARCHAR2
D_MHTERM_001_3	D_MHTERM_001_3_C	VARCHAR2
	D_MHTERM_001_3	VARCHAR2
	D_MHTERM_001_3_NO	VARCHAR2
MHTERM_001_3	MHTERM_001_3	VARCHAR2
	MHTERM_001_3_NO	VARCHAR2
MHPRESP_001_3	MHPRESP_001_3_C	VARCHAR2
	MHPRESP_001_3	VARCHAR2
	MHPRESP_001_3_NO	VARCHAR2
	MHPRESP_001_3_C	VARCHAR2
MHOCOUR_001_3	MHOCOUR_001_3_C	VARCHAR2
	MHOCOUR_001_3	VARCHAR2

	MHOCUR_001_3_ND	VARCHAR2
MHSTAT_001_3	MHSTAT_001_3_C	VARCHAR2
	MHSTAT_001_3	VARCHAR2
	MHSTAT_001_3_ND	VARCHAR2
SUPPMH_MHDTL_001_3	SUPPMH_MHDTL_001_3	VARCHAR2
	SUPPMH_MHDTL_001_3_ND	VARCHAR2
D_COMPTERM3_001_3	D_COMPTERM3_001_3	VARCHAR2
	D_COMPTERM3_001_3_ND	VARCHAR2
MHILT_001_3	MHILT_001_3	VARCHAR2
	MHILT_001_3_ND	VARCHAR2
MHILYCD_001_3	MHILYCD_001_3	VARCHAR2
	MHILYCD_001_3_ND	VARCHAR2
MHIDECOD_001_3	MHIDECOD_001_3	VARCHAR2
	MHIDECOD_001_3_ND	VARCHAR2
MHPTCD_001_3	MHPTCD_001_3	VARCHAR2
	MHPTCD_001_3_ND	VARCHAR2
MHHLT_001_3	MHHLT_001_3	VARCHAR2
	MHHLT_001_3_ND	VARCHAR2
MHHLTCD_001_3	MHHLTCD_001_3	VARCHAR2
	MHHLTCD_001_3_ND	VARCHAR2
MHHLGT_001_3	MHHLGT_001_3	VARCHAR2
	MHHLGT_001_3_ND	VARCHAR2
MHHLGTCD_001_3	MHHLGTCD_001_3	VARCHAR2
	MHHLGTCD_001_3_ND	VARCHAR2
MHISOC_001_3	MHISOC_001_3	VARCHAR2
	MHISOC_001_3_ND	VARCHAR2
MHISOCCD_001_3	MHISOCCD_001_3	VARCHAR2
	MHISOCCD_001_3_ND	VARCHAR2

C3671013: GENERAL MEDICAL HISTORY (GEN MEDHX) [MH001]

1	Line/MH Number	Medical History Term	Start Date	Ongoing
Medical History Details Entry [MH02001]				
1.1	Line/MH Number: (read-only) (Line/MH Number)	[MHSPID_001] N8		
1.2	Disease/Syndrome/Surgery/Non-Drop Allergies/Drug Allergies: (Physical History Term)	[MHTERM_001] A100*		
1.3	Start Date: (Start Date)	[MHSTDTC_001] (DD/MM/YYYY) Req/Unk ☒ / Req/Unk ☒ / Req ☒ (1901-2027)		
1.4	Ongoing: (Ongoing)	[X_MHONGO_001] JA: Y ☐ YES ☐ JA: N ☐ [MHENDTC_001] (DD/MM/YYYY) NO End Date: Req/Unk ☒ / Req/Unk ☒ / Req ☒ (1901-2027)		
1.5	Comparison Term (hidden) (Comparison Term)	[D_COMPTERM3_001] A200*		
1.6	Lowest Level Term (hidden) (Lowest Level Term)	[MHLLTY_001] A100*		
1.7	Lowest Level Term Code (hidden) (Lowest Level Term Code)	[MHLLTCD_001] A8*		
1.8	Dictionary Derived Term (hidden) (Dictionary Derived Term)	[MHSDCCD_001] A100*		
1.9	Preferred Term Code (hidden) (Preferred Term Code)	[MHPTCD_001] A8*		
1.10	High Level Term (hidden) (High Level Term)	[MHHLTY_001] A100*		
1.11	High Level Term Code (hidden) (High Level Term Code)	[MHHLTCD_001] A8*		
1.12	High Level Group Term (hidden) (High Level Group Term)	[MHHLGT_001] A100*		
1.13	High Level Group Term Code (hidden) (High Level Group Term Code)	[MHHLGTC_001] A8*		
1.14	Primary System Organ Class (hidden) (Primary System Organ Class)	[MHSOC_001] A100*		
1.15	Primary System Organ Class Code (hidden) (Primary System Organ Class Code)	[MHSOCCD_001] A8*		

Key: [*] = Item is required [] = Item is collapsible [] = Key Item [*] = ASCII Only
Note: Source verification critical settings made in before will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: GENERAL MEDICAL HISTORY		
Type	RefName	Description
Form	MH001	GENERAL MEDICAL HISTORY
Item	MHSPID_001	A sponsor defined identifier which can be used for pre-printed numbers on the CRF. Populated as a sequential number
Item	MHTERM_001	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	MHSTDTC_001	Start Date of medical history event
Item	X_MHONGO_001	Indicates medical history event is ongoing when no end date is provided.
Item	MHENDTC_001	End Date of medical history event
Item	D_COMPTERM3_001	Hidden item needed for clear coding rule.
Item	MHLLTY_001	Lowest Level Term
Item	MHLLTCD_001	Lowest Level term
Item	MHSDCCD_001	Dictionary Derived Term
Item	MHPTCD_001	Preferred Term Code
Item	MHHLTY_001	High Level Term
Item	MHHLTCD_001	High Level Term Code
Item	MHHLGT_001	High Level Group Term
Item	MHHLGTC_001	High Level Group Term Code
Item	MHSOC_001	Primary System Organ Class
Item	MHSOCCD_001	Primary System Organ Class Code

Keys (navigation)/Uniqueness: GENERAL MEDICAL HISTORY		
Item	Unique	Order #
MH02001 (Repeating section)		
MHSPID_001	Individual	1

Coding Summary: GENERAL MEDICAL HISTORY			
Verbatim RefName: MHTERM_001			
Dictionary: Pfizer MedDRA Verbatim Type:			
Coding Item RefName	Level	Level Type	
MHSOC_001	SOC	Term	
MHSOCCD_001	SOC	Code	
MHHLGT_001	HLGT	Term	
MHHLGTC_001	HLGT	Code	
MHHLTY_001	HLT	Term	
MHHLTCD_001	HLT	Code	
MHSDCCD_001	PT	Term	
MHPTCD_001	PT	Code	
MHLLTY_001	LLT	Term	
MHLLTCD_001	LLT	Code	

RDE Analytics: RD_MH001		
Data Variable RefName	RD Column Name	Column Data Type
RD_MH001_MH02001		
MHSPID_001	MHSPID_001	NUMBER
MHTERM_001	MHSPID_001_ND	VARCHAR2
	MHTERM_001	VARCHAR2
MHSTDTC_001	MHTERM_001_ND	VARCHAR2
	MHSTDTC_001	DATE
	MHSTDTC_001_DTS	VARCHAR2
	MHSTDTC_001_DTR	VARCHAR2
	MHSTDTC_001_ND	VARCHAR2
X_MHONGO_001	X_MHONGO_001_C	VARCHAR2
	X_MHONGO_001	VARCHAR2
	X_MHONGO_001_ND	VARCHAR2
X_MHONGO_001 - MHENDTC_001	MHENDTC_001	DATE
	MHENDTC_001_DTS	VARCHAR2
	MHENDTC_001_DTR	VARCHAR2

D_COMPTERM3_001	D_COMPTERM3_001	VARCHAR2
	D_COMPTERM3_001_ND	VARCHAR2
MHLLT_001	MHLLT_001	VARCHAR2
	MHLLT_001_ND	VARCHAR2
MHLLTCD_001	MHLLTCD_001	VARCHAR2
	MHLLTCD_001_ND	VARCHAR2
MHDECOD_001	MHDECOD_001	VARCHAR2
	MHDECOD_001_ND	VARCHAR2
MHPTCD_001	MHPTCD_001	VARCHAR2
	MHPTCD_001_ND	VARCHAR2
MHHLT_001	MHHLT_001	VARCHAR2
	MHHLT_001_ND	VARCHAR2
MHHLTCD_001	MHHLTCD_001	VARCHAR2
	MHHLTCD_001_ND	VARCHAR2
MHHLGT_001	MHHLGT_001	VARCHAR2
	MHHLGT_001_ND	VARCHAR2
MHHLGTCDD_001	MHHLGTCDD_001	VARCHAR2
	MHHLGTCDD_001_ND	VARCHAR2
MHSOC_001	MHSOC_001	VARCHAR2
	MHSOC_001_ND	VARCHAR2
MHSOCCD_001	MHSOCCD_001	VARCHAR2
	MHSOCCD_001_ND	VARCHAR2

C3671013: NON-DRUG TREATMENTS- RESPIRATORY TREATMENT-BASELINE (SCR RESP) [PR001_3]

#	Treatment Identifier	Can Non-Drug Treatments Pre-specified	Treatment	Treatment	Treatment given?*	Dictionary Derived Term	Comparison Term	High Level Group Term	High Level Group Term Code	High Level Term	High Level Term Code	Lowest Level Term	Lowest Level Term Code	Preferred Term Code	Primary System Organ Class	Primary System Organ Class Code
1.a		YES	Noninvasive Positive Pressure Ventilation (NIPPV) or BIPAP													
1.b		YES	Continuous Positive Airway Pressure (CPAP)													
1.c		YES	Mechanical Ventilation													
1.d		YES	Oxygen Supplementation													

Non-Drug Treatments Entry [PR01001_3]

1.1 What is the treatment Identifier? [read-only]
[Treatment Identifier]

[PRSPID_001_3]
A20*

1.2 Concomitant Non-drug Treatment Pre-specified: [hidden]
[Can Non-Drug Treatments Pre-specified]

[PPRESPP_001_3]
[A-Y] ☐ YES

1.3 Treatment: [read-only]
[Treatment]

[D_PTTRT_001_3]
[A-9] ☐ Noninvasive Positive Pressure Ventilation (NIPPV) or BIPAP
[A-10] ☐ Continuous Positive Airway Pressure (CPAP)
[A-11] ☐ Mechanical Ventilation
[A-12] ☐ Oxygen Supplementation

1.4 Treatment: [read-only]
[Treatment]

[PTTRT_001_3]
A100*

1.5 Treatment given?
[Treatment given?]

[PROCCUR_001_3]
[A-Y] ☐ YES
[A-N] ☐ NO

1.6 Dictionary Derived Term [hidden]
[Dictionary Derived Term]

[PRDECOD_001_3]
A100*

1.7 Comparison Term [hidden]
[Comparison Term]

[D_COMPTERMS_001_3]
A200*

1.8 High Level Group Term [hidden]
[High Level Group Term]

[SUPPPR_PRIHGLT_001_3]
A100*

1.9 High Level Group Term Code [hidden]
[High Level Group Term Code]

[SUPPPR_PRIHGLTCD_001_3]
AB*

1.10 High Level Term [hidden]
[High Level Term]

[SUPPPR_PRIHLT_001_3]
A100*

1.11 High Level Term Code [hidden]
[High Level Term Code]

[SUPPPR_PRIHLTCD_001_3]
AB*

1.12 Lowest Level Term [hidden]
[Lowest Level Term]

[SUPPPR_PRLLT_001_3]
A100*

1.13 Lowest Level Term Code [hidden]
[Lowest Level Term Code]

[SUPPPR_PRLLTCD_001_3]
AB*

1.14 Preferred Term Code [hidden]
[Preferred Term Code]

[SUPPPR_PRPFTCD_001_3]
AB*

1.15 Primary System Organ Class [hidden]
[Primary System Organ Class]

[SUPPPR_PRISOC_001_3]
A100*

1.16 Primary System Organ Class Code [hidden]
[Primary System Organ Class Code]

[SUPPPR_PRISOC_001_3]
AB*

Key: [*] = Item is required
[Fixed] = Fixed Item [*] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: NON-DRUG TREATMENTS- RESPIRATORY TREATMENT-BASELINE		
Type	RefName	Description
Item	D_COMPTERMS_001_3	Hidden Item needed for clear coding rule.

Coding Summary: NON-DRUG TREATMENTS- RESPIRATORY TREATMENT-BASELINE			
Verbatim RefName: PRTRT_001_3			
Dictionary: Pflizer MedDRA Verbatim Type:			
Coding Item RefName	Level	Level Type	
SUPPPR_PRISOC_001_3	SOC	Term	
SUPPPR_PRISOC_001_3	SOC	Code	
SUPPPR_PRIHGLT_001_3	HLGT	Term	
SUPPPR_PRIHGLT_001_3	HLGT	Code	
SUPPPR_PRIHLT_001_3	HLT	Term	
SUPPPR_PRIHLT_001_3	HLT	Code	
PROCCUR_001_3	PT	Term	
SUPPPR_PRPFTCD_001_3	PT	Code	
SUPPPR_PRLLT_001_3	LLT	Term	
SUPPPR_PRLLTCD_001_3	LLT	Code	

RDE Analytics: RD_PR001_3		
Data Variable RefName	RD Column Name	Column Data Type
RD_PR001_3_PR01001_3		
PRSPID_001_3	PRSPID_001_3	VARCHAR2
	PRSPID_001_3_ND	VARCHAR2
PPRESP_001_3	PPRESP_001_3_C	VARCHAR2
	PPRESP_001_3	VARCHAR2
	PPRESP_001_3_ND	VARCHAR2
D_PTTRT_001_3	D_PTTRT_001_3_C	VARCHAR2
	D_PTTRT_001_3	VARCHAR2
	D_PTTRT_001_3_ND	VARCHAR2
PTTRT_001_3	PTTRT_001_3	VARCHAR2
	PTTRT_001_3_ND	VARCHAR2
PROCCUR_001_3	PROCCUR_001_3_C	VARCHAR2
	PROCCUR_001_3	VARCHAR2
	PROCCUR_001_3_ND	VARCHAR2
PRDECOD_001_3	PRDECOD_001_3	VARCHAR2
	PRDECOD_001_3_ND	VARCHAR2
D_COMPTERMS_001_3	D_COMPTERMS_001_3	VARCHAR2
	D_COMPTERMS_001_3_ND	VARCHAR2
SUPPPR_PRIHGLT_001_3	SUPPPR_PRIHGLT_001_3	VARCHAR2
	SUPPPR_PRIHGLT_001_3_ND	VARCHAR2
SUPPPR_PRIHGLTCD_001_3	SUPPPR_PRIHGLTCD_001_3	VARCHAR2
	SUPPPR_PRIHGLTCD_001_3_ND	VARCHAR2
SUPPPR_PRIHLT_001_3	SUPPPR_PRIHLT_001_3	VARCHAR2
	SUPPPR_PRIHLT_001_3_ND	VARCHAR2
SUPPPR_PRIHLTCD_001_3	SUPPPR_PRIHLTCD_001_3	VARCHAR2
	SUPPPR_PRIHLTCD_001_3_ND	VARCHAR2
SUPPPR_PRLLT_001_3	SUPPPR_PRLLT_001_3	VARCHAR2
	SUPPPR_PRLLT_001_3_ND	VARCHAR2
SUPPPR_PRLLTCD_001_3	SUPPPR_PRLLTCD_001_3	VARCHAR2
	SUPPPR_PRLLTCD_001_3_ND	VARCHAR2
SUPPPR_PRPFTCD_001_3	SUPPPR_PRPFTCD_001_3	VARCHAR2
	SUPPPR_PRPFTCD_001_3_ND	VARCHAR2

SUPPR_PRSOC_001_3	SUPPR_PRSOC_001_3	VARCHAR2
	SUPPR_PRSOC_001_3_ND	VARCHAR2
SUPPR_PRSOCDD_001_3	SUPPR_PRSOCDD_001_3	VARCHAR2
	SUPPR_PRSOCDD_001_3_ND	VARCHAR2

C3671013: CONCOMITANT MEDICATIONS-BASELINE CORTICOSTEROIDS (SCR CORT) - Repeating Form [CM001_4]

#	Sponsor-Defined Identifier	Concomitant Medications Pre-specified	Name of Medication	Start Date	Ongoing
1	SCR CORT [CM01001_4]				
1.	What is the medication identifier? [read-only] (Sponsor-Defined Identifier)		[CHSPID_001_4] A2.0 *		
2.	Concomitant Medications Pre-specified: [read-only] (Concomitant Medications Pre-specified)		[CHMPRESP_001_4] A: N/ ☐ NO		
3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., ingredient(s), route, use, formulation). (Name of Medication)		[CHTRT_001_4] A3.00 *		
4.*	Start Date: (Start Date)		[CHSTDT_001_4] (DD/MM/YYYY) Req/Link ☐ / Req/Link ☒ / Req ☐ (1900-2025)		
5.*	Ongoing? (Ongoing)		[X_CHONGO_001_4] A: Y/ ☐ YES A: N/ ☒ NO [CMENDTC_001_4] (DD/MM/YYYY) End Date: Req/Link ☐ / Req/Link ☒ / Req ☐ (1900-2025)		
6.	Comparison Term (hidden) (Comparison Term)		[D_COMPTERM1_001_4] A2.00 *		
7.	Standardized Medication Name - Dictionary derived. (hidden) (Standardized Medication Name)		[CMDECOD_001_4] A3.00 *		
8.	Standardized Medication Code - Dictionary derived (hidden) (Standardized Medication Code)		[SUPPCM_CHCODE_001_4] A1.1 *		

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [*] = ASCII Only

Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: CONCOMITANT MEDICATIONS-BASELINE CORTICOSTEROIDS		
Type	RefName	Description
Item	CHSPID_001_4	A sponsor-defined reference number.
Item	CHMPRESP_001_4	Concomitant Medications Pre-specified
Item	CHTRT_001_4	Name of Medication
Item	CHSTDT_001_4	Date the medication was first taken
Item	X_CHONGO_001_4	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001_4	Date the subject stopped taking the medication
Item	D_COMPTERM1_001_4	Hidden Item needed for clear coding rule.
Item	CMDECOD_001_4	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CHCODE_001_4	Standardized Medication Code - Dictionary derived

Coding Summary: CONCOMITANT MEDICATIONS-BASELINE CORTICOSTEROIDS			
Verbatim RefName: CHTRT_001_4			
Dictionary: Pfizer WHODD Verbatim Type:			
Coding Item RefName	Level	Level Type	
CMDECOD_001_4	PT	Term	
SUPPCM_CHCODE_001_4	PT	Code	

RDE Analytics: RD_CM001_4		
Data Variable RefName	RD Column Name	Column Data Type
CHSPID_001_4	CHSPID_001_4	VARCHAR2
	CHSPID_001_4_NO	VARCHAR2
CHMPRESP_001_4	CHMPRESP_001_4_C	VARCHAR2
	CHMPRESP_001_4	VARCHAR2
	CHMPRESP_001_4_NO	VARCHAR2
CHTRT_001_4	CHTRT_001_4	VARCHAR2
	CHTRT_001_4_NO	VARCHAR2
CHSTDT_001_4	CHSTDT_001_4	DATE
	CHSTDT_001_4_DTS	VARCHAR2
	CHSTDT_001_4_DTR	VARCHAR2
	CHSTDT_001_4_NO	VARCHAR2
X_CHONGO_001_4	X_CHONGO_001_4_C	VARCHAR2
	X_CHONGO_001_4	VARCHAR2
	X_CHONGO_001_4_NO	VARCHAR2
X_CHONGO_001_4 - CMENDTC_001_4	CMENDTC_001_4	DATE
	CMENDTC_001_4_DTS	VARCHAR2
	CMENDTC_001_4_DTR	VARCHAR2
D_COMPTERM1_001_4	D_COMPTERM1_001_4	VARCHAR2
	D_COMPTERM1_001_4_NO	VARCHAR2
CMDECOD_001_4	CMDECOD_001_4	VARCHAR2
	CMDECOD_001_4_NO	VARCHAR2
SUPPCM_CHCODE_001_4	SUPPCM_CHCODE_001_4	VARCHAR2
	SUPPCM_CHCODE_001_4_NO	VARCHAR2

C3671013: VITAL SIGNS - BASELINE (VIT SCR) [VS001]

Vital Signs Details [VS02001]

1.1

Record Identifier:
[Record Identifier]

1.2

Date:
[Date]

1.3

Temperature:
[Temperature]

1.4

Unit:
[Temperature Unit]

1.5

Temperature Location:
[Temperature Location]

1.6

Respiratory Rate:
[Respiratory Rate]

[VS0PID_001]
[A-1] ☐ 1

[VSDTC1_001] (DD/MM/YYYY)
[Req. ☐] [Req. ☐] [Req. ☐] [Req. ☐] (2022-2025)

[VSORRES_TEMP_001]
[xxx.x]

[VSORRESU_TEMP_001]
[A-4] ☐ C
[A-6] ☐ F

[VSLOC_TEMP_001]
[A-42] ☐ EAR
[A-60] ☐ ORAL CAVITY
[A-82] ☐ AXILLA
[A-380] ☐ RECTUM
[A-410] ☐ FOREHEAD

[VSORRES_RESP_001]
[N3]

Key: [*] = Item is required
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS - BASELINE		
Type	RefName	Description
Form	VS001	VS001 - Vital Signs - Wide Format
Item	VSSPID_001	VS001 - Calculated by InForm as sequential number for each test record. VS002 - Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_TEMP_001	Temperature
Item	VSORRESU_TEMP_001	Temperature Unit
Item	VSLOC_TEMP_001	Temperature Route
Item	VSORRES_RESP_001	Respiratory Rate in respirations/minute.

RDE Analytics: RD_VS001		
Data Variable RefName	RD Column Name	Column Data Type
RD_VS001_VS02001		
VSSPID_001	VSSPID_001_C	VARCHAR2
	VSSPID_001	VARCHAR2
	VSSPID_001_ND	VARCHAR2
VSDTC1_001	VSDTC1_001	DATE
	VSDTC1_001_DTS	VARCHAR2
	VSDTC1_001_ND	VARCHAR2
VSORRES_TEMP_001	VSORRES_TEMP_001	FLOAT
VSORRESU_TEMP_001	VSORRES_TEMP_001_ND	VARCHAR2
	VSORRESU_TEMP_001_C	VARCHAR2
	VSORRESU_TEMP_001	VARCHAR2
VSLOC_TEMP_001	VSORRESU_TEMP_001_ND	VARCHAR2
	VSLOC_TEMP_001_C	VARCHAR2
	VSLOC_TEMP_001	VARCHAR2
VSORRES_RESP_001	VSLOC_TEMP_001_ND	VARCHAR2
	VSORRES_RESP_001	NUMBER
	VSORRES_RESP_001_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: SUBSTANCE USE (SUBST USE) [SU001]

Substance Use [SU01001]

#

Category

1.4

TOBACCO

Type of substance

Has the subject ever used Tobacco?

TOBACCO

Substance Use Entry [SU01001]

1.1

Category (read-only)

[Category]

1.2

If Current or Former, type of substance: (read-only)

[Type of substance]

1.3

Has the subject ever used Tobacco?

[Has the subject ever used Tobacco?]

[SUCAT_001]

[A:1] ☐ TOBACCO

[SUTRT_001]

[A:500] ☐ TOBACCO

[SUPPSU_SUUSAGE_001]

[A:1] ☐ NEVER
[A:2] ☐ CURRENT
[A:3] ☐ FORMER

Key: (*) = Item is required
[Fixed] = Fixed Item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: SUBSTANCE USE		
Type	RefName	Description
Form	SU001	SU001 - Substance Use - Details
Item	SUCAT_001	Used to define a category of related records (e.g., TOBACCO, ALCOHOL).
Item	SUTRT_001	Type of Substance
Item	SUPPSU_SUUSAGE_001	Substance Use Occurrence.

RDE Analytics: RD_SU001		
Data Variable RefName	RD Column Name	Column Data Type
RD_SU001_SU01001	SUCAT_001_C	VARCHAR2
	SUCAT_001_ND	VARCHAR2
	SUTRT_001_C	VARCHAR2
SUTRT_001	SUTRT_001_C	VARCHAR2
	SUTRT_001_ND	VARCHAR2
	SUPPSU_SUUSAGE_001_C	VARCHAR2
SUPPSU_SUUSAGE_001	SUPPSU_SUUSAGE_001	VARCHAR2
	SUPPSU_SUUSAGE_001_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

Trigger Form Details [R_TRIG01001_1]

[R_TRIGRESP3_001_1]

[A:4] ☐ No, the participant is NOT part of the reactogenicity/immunogenicity subset

[A:5] ☐ Yes, the participant is part of the reactogenicity subset only

[A:6] ☐ Yes, the participant is part of the immunogenicity subset only

[A:7] ☐ Yes, the participant is part of the reactogenicity and immunogenicity subset

Key: [*] = Item is required
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP3_001_1	R_TRIGRESP3_001_1_C	VARCHAR2
	R_TRIGRESP3_001_1	VARCHAR2
	R_TRIGRESP3_001_1_ND	VARCHAR2

C3671013: ELECTRONIC SAMPLE TRACKING - ANTIBODY ASSESSMENT (IMMUN TRK) [BEETRK001]

1. Data Origin: *(read-only)*
[Data Origin]

2. Sample Type: *(read-only)*
[Sample Type]

3.* Sample Collected?
[Sample Collected]

4. If no sample was collected or sample was not collected according to protocol, please provide reason:
[Reason sample not collected]

[BEPARTY_001]
[A:1] ☐ SITE

[BESCAT_001]
[A:16] ☐ SERUM

[BEOCCUR_001]
[A:8] ☐ NO
[A:9] ☐ [BEOCCUR_cmp_001] ☐
YES
[BEDTC_001] (DD/MM/YYYY)
Date of Collection:
[Req] / / [Req] (2021-2027)

[CO_BECON_001]
A:201*

5. ☐

Sample ID

Aliquot Entry [BEETRK02001]

Please enter barcode for each aliquot.

S.1 Sample ID:
[Sample ID]

[BEREFID_001]
A:0*

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [*] = ASCI Only
Note: Source verification critical settings made in BiFarm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_BEETRK001		
Data Variable RefName	RD Column Name	Column Data Type
BEPARTY_001	BEPARTY_001_C	VARCHAR2
	BEPARTY_001	VARCHAR2
	BEPARTY_001_ND	VARCHAR2
BESCAT_001	BESCAT_001_C	VARCHAR2
	BESCAT_001	VARCHAR2
	BESCAT_001_ND	VARCHAR2
BEOCCUR_001	BEOCCUR_001_C	VARCHAR2
	BEOCCUR_001	VARCHAR2
	BEOCCUR_001_ND	VARCHAR2
BEOCCUR_001 - BEDTC_001	BEDTC_001	DATE
	BEDTC_001_DTS	VARCHAR2
	BEDTC_001_DTS	VARCHAR2
CO_BECON_001	CO_BECON_001	VARCHAR2
	CO_BECON_001_ND	VARCHAR2
RD_BEETRK001_BEETRK02001		
BEREFID_001	BEREFID_001	VARCHAR2
	BEREFID_001_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: VACCINATION (VACIN TRT) [EC001_2]

Vaccination [EC01001_2]

1.* Was there a temporary delay of vaccination?
[Temporary Delay of Vaccination]

[SUPPEC_ECTDV_001_2]
[A-1] ☐ [SUPPEC_ECTDV_CMP_001_2] ☐
YES
[SUPPEC_FDOTC_001_2] (DD/MM/YYYY)
Date of First Delay:
Req [v] / Req [v] / Req [v] (2021-2027)
[ECAD1_TDV_001_2]
Reason(s) for Temporary Delay of Vaccination
[A-1] ☐ FEVER
[A-3] ☐ RECENT NON-STUDY VACCINATION
[A-4] ☐ ACUTE ILLNESS
[A-6] ☐ RECENT SYSTEMIC CORTICOSTEROID TREATMENT
[A-9] ☐ ACUTE RESPIRATORY ILLNESS
[A-N] ☐ NO

2. Treatment Name [read-only]
[Treatment Name]

[ECTRT_001_2]
A1 00*

3. Formulation: [read-only]
[Formulation]

[ECDOSFRM_001_2]
[A-66] ☐ INJECTION

4.* Dose Date Time:
[Dose Date Time:]

[ECSTDTCTC_001_2] (DD/MM/YYYY hh:mm)
Req [v] / Req [v] / Req [v] (2021-2027)
Req [v] : Req [v] 24-hour clock

5. Anatomical Location: [read-only]
[Anatomical Location:]

[ECLOC_001_2]
[A-194] ☐ SKELETOID MUSCLE

6.* Body Side:
[Body Side:]

[ECLAT_001_2]
[A-5] ☐ LEFT
[A-6] ☐ RIGHT

7. Route: [read-only]
[Route:]

[ECROUTE_001_2]
[A-50] ☐ INTRAMUSCULAR

8.* Container Number:
[Container Number:]

[ECREFID_001_2]
A2 0*

9. Actual Dose: [read-only]
[Actual Dose:]

[ECDOSE_001_2]
XXXXXXXX

10. Unit: [read-only]
[Unit:]

[ECDOSU_001_2]
[A-86] ☐ SYRINGE

11. Timeframe Subject Was Observed [read-only]
[Timeframe Subject Was Observed]

[SUPPEC_ECOSV_001_2]
[A-2] ☐ 30 MINUTES

12.* Was the subject observed for at least 30 min after
investigational product administration?
[Observed Post Dose For Specified Time]

[SUPPEC_ECOSV_001_2]
[A-1] ☐ YES
[A-N] ☐ [SUPPEC_ECOSV_CMP_001_2] ☐
NO
[SUPPEC_ECOSV_001_2]
If No, specify reason:
A200*

13. Comparison Term [hidden]
[Comparison Term]

[ID_CMPFERM4_001_2]
A2 00*

14. Standardized Medication Name - Dictionary Derived.
[hidden]
[Standardized Medication Name]

[SUPPEC_ECDECOD_001_2]
A1 00*

15. Standardized Medication Code - Dictionary Derived
[hidden]
[Standardized Medication Code]

[SUPPEC_ECDCD_001_2]
A1 1*

Key: [v] = Item is required [v] = Source verification required [v] = Item is collapsible [*] = ASCL Only
Note: Source verification critical settings made in BiForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the Item.

Study Object Descriptions: VACCINATION		
Type	RefName	Description
Item	SUPPEC_ECOSV_001_2	If No, specify reason:

Coding Summary: VACCINATION			
Verbatim RefName: ECTRT_001_2			
Dictionary Pfizer W1000 Verbatim Type:			
Coding Item RefName	Level	Level Type	
SUPPEC_ECDECOD_001_2	PT	Term	
SUPPEC_ECDCD_001_2	PT	Code	

RDE Analytics: RD_EC001_2		
Data Variable RefName	RD Column Name	Column Data Type
SUPPEC_ECTDV_001_2	SUPPEC_ECTDV_001_2_C	VARCHAR2
	SUPPEC_ECTDV_001_2	VARCHAR2
	SUPPEC_ECTDV_001_2_ND	VARCHAR2
SUPPEC_ECTDV_001_2 - SUPPEC_FDOTC_001_2	SUPPEC_FDOTC_001_2	DATE
	SUPPEC_FDOTC_001_2_DTS	VARCHAR2
SUPPEC_ECTDV_001_2 - FEVER	*ECAD1_TDV_001_2_CLITDVAFEVER_C	VARCHAR2
	*ECAD1_TDV_001_2_CLITDVAFEVER	VARCHAR2
SUPPEC_ECTDV_001_2 - RECENT NON-STUDY VACCINATION	*ECAD1_TDV_001_2_CLITDVARECENTNONSTUDYVACCINATION_C	VARCHAR2
	*ECAD1_TDV_001_2_CLITDVARECENTNONSTUDYVACCINATION	VARCHAR2
SUPPEC_ECTDV_001_2 - ACUTE ILLNESS	*ECAD1_TDV_001_2_CLITDVACUTEILLNESS_C	VARCHAR2
	*ECAD1_TDV_001_2_CLITDVACUTEILLNESS	VARCHAR2
SUPPEC_ECTDV_001_2 - RECENT SYSTEMIC CORTICOSTEROID TREATMENT	*ECAD1_TDV_001_2_CLITDVARECENTSYSTEMICCORTICOSTEROIDTREATMENT_C	VARCHAR2
	*ECAD1_TDV_001_2_CLITDVARECENTSYSTEMICCORTICOSTEROIDTREATMENT	VARCHAR2
SUPPEC_ECTDV_001_2 - ACUTE RESPIRATORY ILLNESS	*ECAD1_TDV_001_2_CLITDVAACUTERESPIRATORYILLNESS_C	VARCHAR2
	*ECAD1_TDV_001_2_CLITDVAACUTERESPIRATORYILLNESS	VARCHAR2
ECTRT_001_2	ECTRT_001_2	VARCHAR2
	ECTRT_001_2_ND	VARCHAR2
ECDOSFRM_001_2	ECDOSFRM_001_2_C	VARCHAR2
	ECDOSFRM_001_2	VARCHAR2
	ECDOSFRM_001_2_ND	VARCHAR2
ECSTDTCTC_001_2	ECSTDTCTC_001_2	DATE
	ECSTDTCTC_001_2_DTS	VARCHAR2
	ECSTDTCTC_001_2_ND	VARCHAR2
ECLOC_001_2	ECLOC_001_2_C	VARCHAR2
	ECLOC_001_2	VARCHAR2
	ECLOC_001_2_ND	VARCHAR2
ECLAT_001_2	ECLAT_001_2_C	VARCHAR2
	ECLAT_001_2	VARCHAR2
	ECLAT_001_2_ND	VARCHAR2
ECROUTE_001_2	ECROUTE_001_2_C	VARCHAR2
	ECROUTE_001_2	VARCHAR2
	ECROUTE_001_2_ND	VARCHAR2
ECREFID_001_2	ECREFID_001_2	VARCHAR2
	ECREFID_001_2_ND	VARCHAR2
ECDOSE_001_2	ECDOSE_001_2	FLOAT
	ECDOSE_001_2_ND	VARCHAR2
ECDOSU_001_2	ECDOSU_001_2_C	VARCHAR2
	ECDOSU_001_2	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

	ECOSU_001_2_ND	VARCHAR2
SUPPEC_ECOSVT_001_2	SUPPEC_ECOSVT_001_2_C	VARCHAR2
	SUPPEC_ECOSVT_001_2	VARCHAR2
	SUPPEC_ECOSVT_001_2_ND	VARCHAR2
SUPPEC_ECOSV_001_2	SUPPEC_ECOSV_001_2_C	VARCHAR2
	SUPPEC_ECOSV_001_2	VARCHAR2
	SUPPEC_ECOSV_001_2_ND	VARCHAR2
SUPPEC_ECOSV_001_2 - SUPPEC_ECOSVD_001_2		SUPPEC_ECOSVD_001_2
D_COMPTERM4_001_2	D_COMPTERM4_001_2	VARCHAR2
	D_COMPTERM4_001_2_ND	VARCHAR2
SUPPEC_ECDECOD_001_2	SUPPEC_ECDECOD_001_2	VARCHAR2
	SUPPEC_ECDECOD_001_2_ND	VARCHAR2
SUPPEC_ECCD_001_2	SUPPEC_ECCD_001_2	VARCHAR2
	SUPPEC_ECCD_001_2_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

Codelist Values Tables: VACCINATION SYMPTOMS DIARY - SYMPTOM RESOLVED DATES							
Codelist RefName	Table	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM_CL_011	String			FEVER	1	DIVSDA_FEVER	CETERM_011
				VOMITING	2	DIVSDA_VOMITING	
				DIARRHEA	3	DIVSDA_DIARRHEA	
				FATIGUE	4	DIVSDA_FATIGUE	
				MUSCLE PAIN	6	DIVSDA_MUSCLE_PAIN	
				JOINT PAIN	7	DIVSDA_JOINT_PAIN	
				HEADACHE	12	DIVSDA_HEADACHE	
				NAUSEA	20	DIVSDA_NAUSEA	

RDE Analytics: RD_FAVSD011		
Data Variable RefName	Column Name	Column Data Type
CELOC_011	CELOC_011_C	VARCHAR2
	CELOC_011	VARCHAR2
	CELOC_011_ND	VARCHAR2
	CELOC_011_C	VARCHAR2
	CELOC_011	VARCHAR2
CELAT_011	CELOC_011_ND	VARCHAR2
	CELOC_011_ND	VARCHAR2
RD_FAVSD011_FAVSD02011		
CETERM_011	CETERM_011_C	VARCHAR2
	CETERM_011	VARCHAR2
	CETERM_011_ND	VARCHAR2
CEOCOCUR_011	CEOCOCUR_011_C	VARCHAR2
	CEOCOCUR_011	VARCHAR2
CEOCOCUR_011 - X_ONGO_011	CEOCOCUR_011_ND	VARCHAR2
	X_ONGO_011_C	VARCHAR2
	X_ONGO_011	VARCHAR2
CEOCOCUR_011 - CEENDTC1_011	CEENDTC_011	DATE
	CEENDTC_011_DTS	VARCHAR2
	CEENDTC_011_DTR	VARCHAR2
RD_FAVSD011_FAVSD04011		
CETERM1_011	CETERM1_011_C	VARCHAR2
	CETERM1_011	VARCHAR2
CEOCOCUR1_011	CETERM1_011_ND	VARCHAR2
	CEOCOCUR1_011_C	VARCHAR2
CEOCOCUR1_011 - X_ONGO1_011	CEOCOCUR1_011	VARCHAR2
	CEOCOCUR1_011_ND	VARCHAR2
	X_ONGO1_011_C	VARCHAR2
CEOCOCUR1_011 - CEENDTC1_011	X_ONGO1_011	VARCHAR2
	CEENDTC1_011	DATE
	CEENDTC1_011_DTS	VARCHAR2
	CEENDTC1_011_DTR	VARCHAR2

C3671013: CONTACT OUTCOME (CONTACT SV) [FAFUC009]

1. Follow-Up Contact Category (hidden)
(Follow Up Contact Category)

[FACAT_009]
(A.2) ☐ FOLLOW-UP CONTACT

2. Contact Type: (read-only)
(Type of Contact/Visit)

[FAORRES_FUCTYPE_009]
(A.2) ☐ TELEPHONE VISIT

3. Was contact made?
(Was Contact Made)

[FAORRES_FUCMADE_009]
(A.9) ☐ [FAORRES_FUCNCRS_CMP_009] ☐

NO
[FAORRES_FUCNCRS_009]
If No, why?
A200 *

[FAORRES_FUCOCCUR_CMP_009] ☐

YES
[FAORRES_FUCDAT_009] (DD/MM/YYYY)
Date of Contact
Req ☐ / Req ☒ / Req ☐ (2021-2025)

4. Comments:
(Comments/Findings/Details)

[CO_FUCCOM_009]
A200 *

Key: (*) = Item is required (✓) = Source verification required (☐) = Item is collapsible (★) = ASCE Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the Item.

RDE Analytics: RD_FAFUC009		
Data Variable RefName	RD Column Name	Column Data Type
FACAT_009	FACAT_009_C	VARCHAR2
	FACAT_009	VARCHAR2
	FACAT_009_ND	VARCHAR2
	FACAT_009_ND	VARCHAR2
FAORRES_FUCTYPE_009	FAORRES_FUCTYPE_009_C	VARCHAR2
	FAORRES_FUCTYPE_009	VARCHAR2
	FAORRES_FUCTYPE_009_ND	VARCHAR2
	FAORRES_FUCTYPE_009_ND	VARCHAR2
FAORRES_FUCMADE_009	FAORRES_FUCMADE_009_C	VARCHAR2
	FAORRES_FUCMADE_009	VARCHAR2
	FAORRES_FUCMADE_009_ND	VARCHAR2
	FAORRES_FUCMADE_009_ND	VARCHAR2
FAORRES_FUCMADE_009 - FAORRES_FUCNCRS_009	FAORRES_FUCNCRS_009	VARCHAR2
FAORRES_FUCMADE_009 - FAORRES_FUCDAT_009	FAORRES_FUCDAT_009	DATE
CO_FUCCOM_009	FAORRES_FUCDAT_009_DTS	VARCHAR2
	CO_FUCCOM_009	VARCHAR2
	CO_FUCCOM_009_ND	VARCHAR2

C3671013: CONTACT OUTCOME (CONTACT SV) [FAFUC009_3]

1. Follow-Up Contact Category (hidden)
(Follow Up Contact Category)

2. Contact Type:
(Type of Contact/Visit)

3. Was contact made?
(Was Contact Made)

4. Comments:
(Comments/Findings/Details)

[FACAT_009_3]
[A.2] ☐ FOLLOW-UP CONTACT

[FAORRES_FUCTYPE_009_3]
[A.2] ☐ TELEPHONE VISIT
[A.1] ☐ CLINIC VISIT

[FAORRES_FUCMADE_009_3]
[A.N] ☐ [FAORRES_FUCNCRS_009_3] ☐
NO
[FAORRES_FUCNCRS_009_3]
If No, why?
A200 *

[A.Y] ☐ [FAORRES_FUCOCCUR_CMP_009_3] ☐
YES
[FAORRES_FUCDAT_009_3] (DD/MM/YYYY)
Date of Contact:
[Req] / [Req] / [Req] (2021-2025)

[CO_FUCCOM_009_3]
A200 *

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCEI Only
Note: Source verification critical settings made in BiFarm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_FAFUC009_3		
Data Variable RefName	RD Column Name	Column Data Type
FACAT_009_3	FACAT_009_3_C	VARCHAR2
	FACAT_009_3	VARCHAR2
	FACAT_009_3_ND	VARCHAR2
FAORRES_FUCTYPE_009_3	FAORRES_FUCTYPE_009_3_C	VARCHAR2
	FAORRES_FUCTYPE_009_3	VARCHAR2
	FAORRES_FUCTYPE_009_3_ND	VARCHAR2
FAORRES_FUCMADE_009_3	FAORRES_FUCMADE_009_3_C	VARCHAR2
	FAORRES_FUCMADE_009_3	VARCHAR2
	FAORRES_FUCMADE_009_3_ND	VARCHAR2
FAORRES_FUCMADE_009_3 - FAORRES_FUCNCRS_009_3	FAORRES_FUCNCRS_009_3	VARCHAR2
FAORRES_FUCMADE_009_3 - FAORRES_FUCDAT_009_3	FAORRES_FUCDAT_009_3	DATE
CO_FUCCOM_009_3	FAORRES_FUCDAT_009_3_DTS	VARCHAR2
	CO_FUCCOM_009_3	VARCHAR2
	CO_FUCCOM_009_3_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: CONTACT OUTCOME (CONTACT SV) [FAFUC009_2]

1. Follow-Up Contact Category (hidden)
(Follow Up Contact Category)

[FACAT_009_2]
(A:2) ☐ FOLLOW-UP CONTACT

2. Contact Type:
(Type of Contact/Visit)

[FAORRES_FUCTYPE_009_2]
(A:2) ☐ TELEPHONE VISIT
(A:5) ☐ AT HOME VISIT
(A:1) ☐ CLINIC VISIT

3. Was contact made?
✓ (Was Contact Made)

[FAORRES_FUCHADE_009_2]
(A:N) ☐ [FAORRES_FUNCNCRS_009_2] ☐
NO
[FAORRES_FUNCNCRS_009_2]
If No, why?
A200 *

(A:Y) ☐ [FAORRES_FUCOCCUR_CHP_009_2] ☐
YES
[FAORRES_FUCDAT_009_2] (DD/MM/YYYY)
Date of Contact
[Req] / [Req] / [Req] (2021-2025)

4. Comments:
✓ (Comments/Findings/Details)

[CO_FUCCOM_009_2]
A200 *

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [*] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the form.

RDE Analytics: RD_FAFUC009_2		
Data Variable RefName	RD Column Name	Column Data Type
FACAT_009_2	FACAT_009_2_C	VARCHAR2
	FACAT_009_2	VARCHAR2
FAORRES_FUCTYPE_009_2	FACAT_009_2_ND	VARCHAR2
	FAORRES_FUCTYPE_009_2_C	VARCHAR2
	FAORRES_FUCTYPE_009_2	VARCHAR2
	FAORRES_FUCTYPE_009_2_ND	VARCHAR2
FAORRES_FUCHADE_009_2	FAORRES_FUCHADE_009_2_C	VARCHAR2
	FAORRES_FUCHADE_009_2	VARCHAR2
	FAORRES_FUCHADE_009_2_ND	VARCHAR2
	FAORRES_FUNCNCRS_009_2	VARCHAR2
FAORRES_FUCHADE_009_2 - FAORRES_FUNCNCRS_009_2	FAORRES_FUCHADE_009_2	DATE
FAORRES_FUCHADE_009_2 - FAORRES_FUCHADE_009_2	FAORRES_FUCHADE_009_2_DTS	DATE
CO_FUCCOM_009_2	CO_FUCCOM_009_2	VARCHAR2
	CO_FUCCOM_009_2_ND	VARCHAR2

RDE Analytics: RD_SV001_1		
Data Variable RefName	RD Column Name	Column Data Type
SVSTOTC_001	SVSTOTC_001	DATE
	SVSTOTC_001_DTS	VARCHAR2
	SVSTOTC_001_NO	VARCHAR2
D_SVERROR_001	D_SVERROR_001_C	VARCHAR2
	D_SVERROR_001	VARCHAR2
	D_SVERROR_001_NO	VARCHAR2
D_DIVISIT_001_1	D_DIVISIT_001_1_C	VARCHAR2
	D_DIVISIT_001_1	VARCHAR2
	D_DIVISIT_001_1_NO	VARCHAR2

RDE Analytics: RDE_VSD001_3			
Data Variable RefName		RD Column Name	Column Data Type
RDE_VSD001_3_VSD0201_3	VSSPID_001_3	VSSPID_001_3_C	VARCHAR2
		VSSPID_001_3	VARCHAR2
		VSSPID_001_3_NO	VARCHAR2
VSDTC1_001_3	VSDTC1_001_3		DATE
		VSDTC1_001_3_DT5	VARCHAR2
		VSDTC1_001_3	VARCHAR2
VSORRES_TEMP_001_3	VSORRES_TEMP_001_3		REAL
		VSORRES_TEMP_001_3_NO	VARCHAR2
VSORRESU_TEMP_001_3	VSORRESU_TEMP_001_3		VARCHAR2
		VSORRESU_TEMP_001_3_C	VARCHAR2
		VSORRESU_TEMP_001_3	VARCHAR2
		VSORRESU_TEMP_001_3_NO	VARCHAR2
VSLCLOC_TEMP_001_3	VSLCLOC_TEMP_001_3		VARCHAR2
		VSLCLOC_TEMP_001_3_C	VARCHAR2
		VSLCLOC_TEMP_001_3	VARCHAR2
		VSLCLOC_TEMP_001_3_NO	VARCHAR2
VSORRES_RESP_001_3	VSORRES_RESP_001_3		NUMBER
		VSORRES_RESP_001_3_NO	VARCHAR2
VSORRES_OXYSAT_001_3	VSORRES_OXYSAT_001_3		REAL
		VSORRES_OXYSAT_001_3_NO	VARCHAR2

C3671013: HEALTH CARE UTILIZATION (HLTHCARE) [HOHCU002]

Health Care Utilization [HOHCU01002]

1. [Evaluation Interval]: [read-only]
[Evaluation Interval]

[Y_HOEVNTX_002]
[A:22] ☐ SINCE THE START OF THE RESPIRATORY ILLNESS EPISODE

2. Disease Name: [read-only]
[Disease Name]

[SUPPHO_HCUUDIS_002]
[A:13] ☐ RESPIRATORY ILLNESS

Health Care Utilization Details [HOHCU02002]

#

Pre-Specified

Type of Practitioner

Occurrence of Visits or Contacts*

3.a YES

SPECIALIST

3.b YES

EMERGENCY ROOM

3.c YES

PULMONOLOGIST

3.d YES

PRIMARY CARE PHYSICIAN

3.e YES

URGENT CARE

3.f YES

OTHER

3.g YES

HOME HEALTHCARE SERVICES

3.h YES

TELEPHONE CONSULTATION

Health Care Utilization Details Entry [HOHCU02002]

3.1 [Pre-Specified: [hidden]]
[Pre-Specified]

[HOPRESP_002]
[A:1] ☐ YES

3.2 [Physician or Healthcare Professional: [read-only]]
[Type of Practitioner]

[HOTERM_002]
[HOTERM_CL_002]

3.3* [Occurrence of Visits or Contacts:
[Occurrence of Visits or Contacts]]

[HOOCUR_002]
[A:N] ☐ NO
[A:1] ☐ [FAORRES_NUMBER_CMP_002]
YES
[FAORRES_NUMBER_002]
Number of Visits or Contacts:
[N3]

Health Care Utilization Other [HOHCU03002]

4. [Other Type of Practitioner Specify:
[Other Type of Practitioner Specify]]

[X_HOTERM_HCUTERM_002]
ABO *

Health Care Utilization [HOHCU04002]

5.* [Since the Respiratory Illness, has the subject been hospitalized due to Respiratory Illness?
[Been Hospitalized]]

[X_HOTERM_HCUHSP_002]
[A:N] ☐ NO
[A:1] ☐ [X_HOTERM_HCUICU_CMP_002]
YES
[X_HOTERM_HCUICU_002]
Has the subject been in intensive care due to Respiratory Illness?
[A:N] ☐ NO
[A:1] ☐ YES

Key: [*] = Item is required [✓] = Source verification required [v] = Item is collapsible [v] = Filled item [*] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Codelist Values Tables: HEALTH CARE UTILIZATION						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	
HOTERM_CL_002	String		EMERGENCY ROOM	2	CHCUE_EMERGENCY_ROOM	
			PRIMARY CARE PHYSICIAN	3	CHCUE_PRIMARY_CARE_PHYSICIAN	
			PULMONOLOGIST	25	CHCUE_PULMONOLOGIST	
			SPECIALIST	29	CHCUE_SPECIALIST	
			HOME HEALTHCARE SERVICES	46	CHCUE_HOME_HEALTHCARE_SERVICES	
			URGENT CARE	47	CHCUE_URGENT_CARE	
			TELEPHONE CONSULTATION	48	CHCUE_TELEPHONE_CONSULTATION	
			OTHER	999	CHCUE_OTHER	
Data Variable RefName						
HOTERM_002						

RDE Analytics: RD_HOHCU002		
Data Variable RefName	RD Column Name	Column Data Type
Y_HOEVNTX_002	Y_HOEVNTX_002_C	VARCHAR2
	Y_HOEVNTX_002	VARCHAR2
	Y_HOEVNTX_002_ND	VARCHAR2
SUPPHO_HCUUDIS_002	SUPPHO_HCUUDIS_002_C	VARCHAR2
	SUPPHO_HCUUDIS_002	VARCHAR2
	SUPPHO_HCUUDIS_002_ND	VARCHAR2
X_HOTERM_HCUTERM_002	X_HOTERM_HCUTERM_002	VARCHAR2
	X_HOTERM_HCUTERM_002_ND	VARCHAR2
	X_HOTERM_HCUHSP_002_C	VARCHAR2
	X_HOTERM_HCUHSP_002	VARCHAR2
X_HOTERM_HCUHSP_002	X_HOTERM_HCUHSP_002	VARCHAR2
	X_HOTERM_HCUHSP_002_ND	VARCHAR2
	X_HOTERM_HCUHSP_002_C	VARCHAR2
X_HOTERM_HCUHSP_002 - X_HOTERM_HCUICU_002	X_HOTERM_HCUICU_002_C	VARCHAR2
	X_HOTERM_HCUICU_002	VARCHAR2
RD_HOHCU002_HOHCU02002		
HOPRESP_002	HOPRESP_002_C	VARCHAR2
	HOPRESP_002	VARCHAR2
	HOPRESP_002_ND	VARCHAR2
HOTERM_002	HOTERM_002_C	VARCHAR2
	HOTERM_002	VARCHAR2
	HOTERM_002_ND	VARCHAR2
HOOCUR_002	HOOCUR_002_C	VARCHAR2
	HOOCUR_002	VARCHAR2
	HOOCUR_002_ND	VARCHAR2
HOOCUR_002 - FAORRES_NUMBER_002	FAORRES_NUMBER_002	NUMBER

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: HOSPITALIZATION DETAILS (HOSP) - Repeating Form [HOHOS007]

#	Hospitalization Category	Hospitalization Term	Admission Date	Ongoing
1				
Hospitalization Details [HOHOS01007]				
1.	Hospitalization Category: [read-only] (Hospitalization Category)	[Y_HOCAT_007] [A:3] ☐ HOSPITALIZATION STATUS		
2.	Hospitalization Term: [read-only] (Hospitalization Term)	[HOTERM_007] [A:10] ☐ HOSPITAL		
3.*	Admission Date: [Admission Date]	[HOSTDTC_007] [DD/MM/YYYY] Req ☒ / Req ☒ / Req ☒ (2021-2025)		
4.*	Ongoing? [Ongoing]	[X_HOONGO_007] [A:7] ☐ YES [A:8] ☐ HOENDTC_CHP_007 ☐ NO [HOENDTC_007] [DD/MM/YYYY] Discharge Date: Req ☒ / Req ☒ / Req ☒ (2021-2025)		

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_HOHO007		
Data Variable RefName	RD Column Name	Column Data Type
Y_HOCAT_007	Y_HOCAT_007_C	VARCHAR2
	Y_HOCAT_007	VARCHAR2
	Y_HOCAT_007_ND	VARCHAR2
HOTERM_007	HOTERM_007_C	VARCHAR2
	HOTERM_007	VARCHAR2
	HOTERM_007_ND	VARCHAR2
HOSTDTC_007	HOSTDTC_007	DATE
	HOSTDTC_007_DTS	VARCHAR2
	HOSTDTC_007_ND	VARCHAR2
X_HOONGO_007	X_HOONGO_007_C	VARCHAR2
	X_HOONGO_007	VARCHAR2
	X_HOONGO_007_ND	VARCHAR2
X_HOONGO_007 - HOENDTC_007	HOENDTC_007	DATE
	HOENDTC_007_DTS	VARCHAR2

C3671013: HOSPITALIZATION DETAILS - ICU (ICU) - Repeating Form [HOHOS007_2]

#	Hospitalization Category	Hospitalization Term	Admission Date	Ongoing
1				
Hospitalization Details [HOHOS01007_2]				
1.	Hospitalization Category: [read-only] (Hospitalization Category)	[Y_HOCAT_007_2] [A:1] ☐ INTENSIVE CARE UNIT STATUS		
2.	Hospitalization Term: [read-only] (Hospitalization Term)	[HOTERM_007_2] [A:9] ☐ ICU		
3.*	Admission Date: [Admission Date]	[HOSTDTC_007_2] (DD/MM/YYYY) Req ☒ / Req ☐ / Req ☒ (2021-2025)		
4.*	Ongoing? ☒ (Ongoing)	[X_HOONGO_007_2] [A:7] ☐ YES [A:8] ☐ NO [HOENDTC_007_2] (DD/MM/YYYY) Discharge Date: Req ☐ / Req ☒ / Req ☒ (2021-2025)		

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible

Note: Source verification critical settings made in before will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_HOHOS007_2		
Data Variable RefName	RD Column Name	Column Data Type
Y_HOCAT_007_2	Y_HOCAT_007_2_C	VARCHAR2
	Y_HOCAT_007_2	VARCHAR2
	Y_HOCAT_007_2_ND	VARCHAR2
HOTERM_007_2	HOTERM_007_2_C	VARCHAR2
	HOTERM_007_2	VARCHAR2
	HOTERM_007_2_ND	VARCHAR2
HOSTDTC_007_2	HOSTDTC_007_2	DATE
	HOSTDTC_007_2_DTS	VARCHAR2
	HOSTDTC_007_2_ND	VARCHAR2
X_HOONGO_007_2	X_HOONGO_007_2_C	VARCHAR2
	X_HOONGO_007_2	VARCHAR2
	X_HOONGO_007_2_ND	VARCHAR2
X_HOONGO_007_2 - HOENDTC_007_2	HOENDTC_007_2	DATE
	HOENDTC_007_2_DTS	VARCHAR2

C3671013: ILLNESS DETAILS (ILLDETAIL) [CEIDT008]

Illness Details [CEIDT01008]

1. Category of Clinical Event: (read-only)
(Category of Clinical Event.)

[CECAT_008]
[A:1] ☐ RESPIRATORY ILLNESS

2. * Was a diagnosis obtained for the Respiratory Illness?
(Diagnosis Obtained)

[X_CESTAT_008]
[A:N] ☐ NO
[A:Y] ☒ [CETERM_CMP_008] ☐
YES
[CETERM_008]
Respiratory Illness Diagnosis:
A100*
[CEDTC_008] (DD/MM/YYYY)
Date of Diagnosis:
Req [dd] / Req [mm] / Req [yy] (2021-2025)
[CECONTRY_008]
Was a Concomitant Medication Given?
[A:Y] ☒ [SUPPCE_CECMACT_CMP_008] ☐
YES
[SUPPCE_CECMACT_008]
Concomitant Medication Action Taken:
[A:1] ☐ NEW CORTICOSTEROID USE
[A:2] ☐ INCREASE IN CORTICOSTEROID USE
[A:3] ☐ ANTIBIOTICS
[A:4] ☐ ANTIVIRALS
[A:N] ☐ NO

3. Comparison Term: (hidden)
(Comparison Term)

[D_COMPTERM_008]
A255*

4. Lowest Level Term (hidden)
(Lowest Level Term)

[CELLT_008]
A100*

5. Lowest Level Term Code (hidden)
(Lowest Level Term Code)

[CELLTCD_008]
A8*

6. Dictionary Derived Term (hidden)
(Dictionary Derived Term)

[CEDECOD_008]
A100*

7. Preferred Term Code (hidden)
(Preferred Term Code)

[CEPTCD_008]
A8*

8. High Level Term (hidden)
(High Level Term)

[CEHLT_008]
A100*

9. High Level Term Code (hidden)
(High Level Term Code)

[CEHLTCD_008]
A8*

10. High Level Group Term (hidden)
(High Level Group Term)

[CEHLOT_008]
A100*

11. High Level Group Term Code (hidden)
(High Level Group Term Code)

[CEHLOTCD_008]
A8*

12. Primary System Organ Class (hidden)
(Primary System Organ Class)

[CESOC_008]
A100*

13. Primary System Organ Class Code (hidden)
(Primary System Organ Class Code)

[CESOCCD_008]
A8*

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [*] = ASCII Only
Note: Source verification critical settings made in BiForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Coding Summary: ILLNESS DETAILS

Verbatim RefName: CETERM_008		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
CESOC_008	SOC	Term
CESOCCD_008	SOC	Code
CEHLOT_008	HLGT	Term
CEHLOTCD_008	HLGT	Code
CEHLT_008	HLT	Term
CEHLTCD_008	HLT	Code
CEDECOD_008	PT	Term
CEPTCD_008	PT	Code
CELLT_008	LLT	Term
CELLTCD_008	LLT	Code

RDE Analytics: RD_CEIDT008

Data Variable RefName	RD Column Name	Column Data Type
CECAT_008	CECAT_008_C	VARCHAR2
	CECAT_008	VARCHAR2
	CECAT_008_ND	VARCHAR2
X_CESTAT_008	X_CESTAT_008_C	VARCHAR2
	X_CESTAT_008	VARCHAR2
	X_CESTAT_008_ND	VARCHAR2
X_CESTAT_008 - CETERM_008	CETERM_008	VARCHAR2
X_CESTAT_008 - CEDTC_008	CEDTC_008	DATE
	CEDTC_008_DTS	VARCHAR2
X_CESTAT_008 - CECONTRY_008	CECONTRY_008_C	VARCHAR2
	CECONTRY_008	VARCHAR2
X_CESTAT_008 - NEW CORTICOSTEROID USE	*SUPPCE_CECMACT_008_CLIIDTCNEWCORTICOSTEROIDUSE_C	VARCHAR2
	*SUPPCE_CECMACT_008_CLIIDTCNEWCORTICOSTEROIDUSE	VARCHAR2
X_CESTAT_008 - INCREASE IN CORTICOSTEROID USE	*SUPPCE_CECMACT_008_CLIIDTCINCREASEINCORTICOSTEROIDUSE_C	VARCHAR2
	*SUPPCE_CECMACT_008_CLIIDTCINCREASEINCORTICOSTEROIDUSE	VARCHAR2
X_CESTAT_008 - ANTIBIOTICS	*SUPPCE_CECMACT_008_CLIIDTCANTIBIOTICS_C	VARCHAR2
	*SUPPCE_CECMACT_008_CLIIDTCANTIBIOTICS	VARCHAR2
X_CESTAT_008 - ANTIVIRALS	*SUPPCE_CECMACT_008_CLIIDTCANTIVIRALS_C	VARCHAR2
	*SUPPCE_CECMACT_008_CLIIDTCANTIVIRALS	VARCHAR2
D_COMPTERM_008	D_COMPTERM_008	VARCHAR2
	D_COMPTERM_008_ND	VARCHAR2
CELLT_008	CELLT_008	VARCHAR2
	CELLT_008_ND	VARCHAR2
CELLTCD_008	CELLTCD_008	VARCHAR2
	CELLTCD_008_ND	VARCHAR2
CEDECOD_008	CEDECOD_008	VARCHAR2
	CEDECOD_008_ND	VARCHAR2
CEPTCD_008	CEPTCD_008	VARCHAR2
	CEPTCD_008_ND	VARCHAR2
CEHLT_008	CEHLT_008	VARCHAR2
	CEHLT_008_ND	VARCHAR2
CEHLTCD_008	CEHLTCD_008	VARCHAR2
	CEHLTCD_008_ND	VARCHAR2
CEHLOT_008	CEHLOT_008	VARCHAR2
	CEHLOT_008_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0 919f856034ae8f10 0007.0000 6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

CEHLCYCD_008	CEHLCYCD_008	VARCHAR2
	CEHLCYCD_008_ND	VARCHAR2
CEHLCY_008	CEHLCY_008	VARCHAR2
	CEHLCY_008_ND	VARCHAR2
CEHLCYCD_008	CEHLCYCD_008	VARCHAR2
	CEHLCYCD_008_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C3671013: IMAGING (CHESTXRAY) - Repeating Form [MOCAR007]

#	Date of Assessment	Location of Assessment	Imaging Method	Overall Assessment
Imaging [MOCAR01007]				
1.*	Date of Assessment: (Date of Assessment)	[Y_MODTC_007] (DD/MM/YYYY) Req [v] / Req [v] / Req [v] (2021-2025)		
2.*	Location of Assessment: (Location of Assessment)	[MOLOC_007] (A.1.98) ☐ CHEST (A.999) ☐ [SUPPMO_LOCOTH_CMP_007] ☐ OTHER [SUPPMO_LOCOTH_007] If other, specify: A30*		
3.*	Type of Imaging Exam: (Imaging Method)	[MOMETHOD_007] (A.1.4) ☐ CT SCAN (A.6.3) ☐ X-RAY (A.59) ☐ ULTRASOUND (A.44) ☐ [SUPPMO_GADOLE_CMP_007] ☐ MRI [SUPPMO_GADOLE_007] If MRI, was a gadolinium enhancement done? (A.N) ☐ NO (A.N) ☐ YES (A.999) ☐ [SUPPMO_METHOTH_CMP_007] ☐ OTHER [SUPPMO_METHOTH_007] If other, specify: A30*		
4.*	Assessment: (Overall Assessment)	[MOORRES_INTP_007] (A.1) ☐ [SUPPMO_ASPECIFY_CMP_007] ☐ ABNORMAL [SUPPMO_ASPECIFY_007] If abnormal, specify findings: A200* (A.2) ☐ INDETERMINATE (A.3) ☐ NORMAL (A.4) ☐ UNKNOWN (A.5) ☐ NOT EVALUABLE		

Key: [Y] = Item is required [v] = Source verification required [] = Item is collapsible [A] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the Item.

RDE Analytics: RD_MOCAR007		
Data Variable RefName	RD Column Name	Column Data Type
Y_MODTC_007	Y_MODTC_007	DATE
	Y_MODTC_007_DTS	VARCHAR2
	Y_MODTC_007_ND	VARCHAR2
MOLOC_007	MOLOC_007_C	VARCHAR2
	MOLOC_007	VARCHAR2
	MOLOC_007_ND	VARCHAR2
MOLOC_007 - SUPPMO_LOCOTH_007	SUPPMO_LOCOTH_007	VARCHAR2
MOMETHOD_007	MOMETHOD_007_C	VARCHAR2
	MOMETHOD_007_ND	VARCHAR2
MOMETHOD_007 - SUPPMO_GADOLE_007	SUPPMO_GADOLE_007_C	VARCHAR2
	SUPPMO_GADOLE_007	VARCHAR2
MOMETHOD_007 - SUPPMO_METHOTH_007	SUPPMO_METHOTH_007	VARCHAR2
MOORRES_INTP_007	MOORRES_INTP_007_C	VARCHAR2
	MOORRES_INTP_007	VARCHAR2
MOORRES_INTP_007 - SUPPMO_ASPECIFY_007	MOORRES_INTP_007_ND	VARCHAR2
	SUPPMO_ASPECIFY_007	VARCHAR2

Codelist Values Tables: MICROBIOLOGY CULTURE						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DIVAL_TRADEANM_CL_005	String		BINAX NOW RSV TEST KIT	1	clmcp_BINAX_NOW_RSV_TEST_KIT	DIVAL_TRADEANM_005
			BD VERITOR RSV TEST KIT	2	clmcp_BD_VERITOR_RSV_TEST_KIT	
			WAMPOLE LAB CLEARVIEW RSV TEST KIT	3	clmcp_WAMPOLE_LAB_CLEARVIEW_RSV_TEST_KIT	
			OXOID XPCT RSV TEST	4	clmcp_OXOID_XPECT_RSV_TEST	
			QUICKEL QUICKVIEW RSV TEST	5	clmcp_QUICKEL_QUICKVIEW_RSV_TEST	
			QUICKEL SOPA 2 RSV KIT	6	clmcp_QUICKEL_SOPA_2_RSV_KIT	
			SAS RSV ALERT TESTING KIT	7	clmcp_SAS_RSV_ALERT_TESTING_KIT	
			ARIES FLU A/B & RSV ASSAY	8	clmcp_ARIES_FLU_A_B_RSV_ASSAY	
			BIOCODE RESPIRATORY PATHOGEN PANEL (RPP)	9	clmcp_BIOCODE_RESPIRATORY_PATHOGEN_PANEL_RPP	
			BIOFIRE FLU/MARAY RESPIRATORY PANEL	10	clmcp_BIOFIRE_FLU/MARAY_RESPIRATORY_PANEL	
			CEPHID FLU/RSV	11	clmcp_CEPHID_FLU_RSV	
			COBAS LIAT FLU A/B/RSV NUCLEIC ACID TEST	12	clmcp_COBAS_LIAT_FLU_A_B_RSV_NUCLEIC_ACID_TEST	
			DIAPLEX RV13 DETECTION PCR	13	clmcp_DIAPLEX_RV13_DETECTION_PCR	
			EPLEX RESPIRATORY PATHOGEN PANEL	14	clmcp_EPLEX_RESPIRATORY_PATHOGEN_PANEL	
			FASTTRACK FTD21	15	clmcp_FASTTRACK_FTD21	
			GENMARK EXENSOR XT-BTM	16	clmcp_GENMARK_EXENSOR_XT_BTM	
			IDYLLA RESPIRATORY (IFV-RSV) PANEL	17	clmcp_IDYLLA_RESPIRATORY_IFV_RSV_PANEL	
			IMDX FLU A/B AND RSV FOR ABBOTT M2000	18	clmcp_IMDX_FLU_A_B_AND_RSV_FOR_ABBOTT_M2000	
			LIGHTMIX KIT RESPIRATORY SYNCYTIAL VIRUS	19	clmcp_LIGHTMIX_KIT_RESPIRATORY_SYNCYTIAL_VIRUS	
			LUMINEX XTAG RESPIRATORY VIRAL PANEL	20	clmcp_LUMINEX_XTAG_RESPIRATORY_VIRAL_PANEL	
			NXTAG RESPIRATORY PATHOGEN PANEL	21	clmcp_NXTAG_RESPIRATORY_PATHOGEN_PANEL	
			PANTHER FUSION ASSAY	22	clmcp_PANTHER_FUSION_ASSAY	
			PATHOFINDER RESPINSFINDER 2SMART	23	clmcp_PATHOFINDER_RESPINSFINDER_2SMART	
			SIMPLEXA SRV	24	clmcp_SIMPLEXA_SRV	
			SOLANA RSV ASSAY	25	clmcp_SOLANA_RSV_ASSAY	
			VERIGENE RESPIRATORY ASSAY	26	clmcp_VERIGENE_RESPIRATORY_ASSAY	
			XPERT RSV ASSAY	27	clmcp_XPERT_RSV_ASSAY	

		YTAG RESPIRATORY VIRAL PANEL (RVP)	28	gIMCP_XTAG_RESPIRATORY_VIRAL_PANEL_RVP	
		ACCULA RSV TEST	29	gIMCP_ACCULA_RSV_TEST	
		ALERE RSV TEST	30	gIMCP_ALERE_RSV_TEST	
		ESENSOR RESPIRATORY VIRAL PANEL	31	gIMCP_ESENSOR_RESPIRATORY_VIRAL_PANEL	
		IDAHO FILMARRAY RESPIRATORY PANEL	32	gIMCP_IDAHO_FLMARRAY_RESPIRATORY_PANEL	
		PRODESSE ASSAY	33	gIMCP_PRODESSE_ASSAY	
		PROFLU+ ASSAY	34	gIMCP_PROFLU_ASSAY	
		QIASTAT-DXRESPIRATORY PANEL	35	gIMCP_QIASTAT_DXRESPIRATORY_PANEL	
		QUICK MOLECULAR ASSAY	36	gIMCP_QUICK_MOLECULAR_ASSAY	
		SIMPLEXA FLU/B & RSV	37	gIMCP_SIMPLEXA_FLUA_B_RSV	
		MOLECULAR TEST UNSPECIFIED	38	gIMCP_MOLECULAR_TEST_UNSPECIFIED	
		NEB MONARCH	39	gIMCP_NEB_MONARCH	
		PACBO SEQUEL II	40	gIMCP_PACBO_SEQUEL_II	
		SMRTLINK V10	41	gIMCP_SMRTLINK_V10	
		OTHER	999	gIMCP_OTHER	
		XPERT XPRESS COV-2/FLU/RSV PLUS	45	gIMCP_XPERT_XPRESS_COV_2_FLU_RSV_PLUS	
		XPERT XPRESS SARS COV-2/FLU/RSV	46	gIMCP_XPERT_XPRESS_SARS_COV_2_FLU_RSV	
MBTEST_CL_005	String	STREPTOCOCCUS AGALACTIAE	3	gIMICROORG_STREPTOCOCCUS_AGALACTIAE	MBTEST_005
		STREPTOCOCCUS PNEUMONAE	51	gIMICROORG_STREPTOCOCCUS_PNEUMONAE	
		LEGIONELLA PNEUMOPHILA	73	gIMICROORG_LEGIONELLA_PNEUMOPHILA	
		MORAXELLA CATARRHALIS	76	gIMICROORG_MORAXELLA_CATARRHALIS	
		STREPTOCOCCUS PYOGENES	87	gIMICROORG_STREPTOCOCCUS_PYOGENES	
		BOCAPARVOVIRUS	90	gIMICROORG_BOCAPARVOVIRUS	
		CORONAVIRIDAE	91	gIMICROORG_CORONAVIRIDAE	
		ENTEROVIRUS	92	gIMICROORG_ENTEROVIRUS	
		HUMAN METAPNEUMOVIRUS	93	gIMICROORG_HUMAN_METAPNEUMOVIRUS	
		HUMAN PARAINFLUENZA VIRUS 1	94	gIMICROORG_HUMAN_PARAINFLUENZA_VIRUS_1	
		HUMAN PARAINFLUENZA VIRUS 2	95	gIMICROORG_HUMAN_PARAINFLUENZA_VIRUS_2	
		HUMAN PARAINFLUENZA VIRUS 3	96	gIMICROORG_HUMAN_PARAINFLUENZA_VIRUS_3	
		HUMAN PARAINFLUENZA VIRUS 4	97	gIMICROORG_HUMAN_PARAINFLUENZA_VIRUS_4	
		INFLUENZA A VIRUS	99	gIMICROORG_INFLUENZA_A_VIRUS	
		INFLUENZA B VIRUS	100	gIMICROORG_INFLUENZA_B_VIRUS	
		ADENOVIRIDAE	104	gIMICROORG_ADENOVIRIDAE	
		BORDETELLA PERTUSSIS	105	gIMICROORG_BORDETELLA_PERTUSSIS	
		CHLAMYDOPHILA PNEUMONAE	108	gIMICROORG_CHLAMYDOPHILA_PNEUMONAE	
		MYCOPLASMA PNEUMONAE	107	gIMICROORG_MYCOPLASMA_PNEUMONAE	
		SEVERE ACUTE RESPIRATORY SYNDROME CORONAVIRUS 2	108	gIMICROORG_SEVERE_ACUTE_RESPIRATORY_SYNDROME_CORONA_2	
		RESPIRATORY SYNCYTIAL VIRUS A (RSVA)	109	gIMICROORG_RESPIRATORY_SYNCYTIAL_VIRUS_A_RSVA	
		RESPIRATORY SYNCYTIAL VIRUS B (RSVB)	110	gIMICROORG_RESPIRATORY_SYNCYTIAL_VIRUS_B_RSVB	
		RHINOVIRUS	122	gIMICROORG_RHINOVIRUS	
		OTHER	999	gIMICROORG_OTHER	
		HUMAN RESPIRATORY SYNCYTIAL VIRUS NOT TYPED	111	gIMICROORG_HUMAN_RESPIRATORY_SYNCYTIAL_VIRUS_NOT_TYPED	

RDE Analytics: RD_MBMC005		
Data Variable RefName	RD Column Name	Column Data Type
MBDTC_005	MBDTC_005	DATE
	MBDTC_005_DTS	VARCHAR2
	MBDTC_005_ND	VARCHAR2
MBSPEC_005	MBSPEC_005_C	VARCHAR2
	MBSPEC_005	VARCHAR2
	MBSPEC_005_ND	VARCHAR2
MBSPEC_005 - SUPPMB_MCLOTH_005	SUPPMB_MCLOTH_005	VARCHAR2
	MBLOC_005_C	VARCHAR2
	MBLOC_005	VARCHAR2
MBLOC_005	MBLOC_005_ND	VARCHAR2
	DEVAL_TRADENAM_005_C	VARCHAR2
	DEVAL_TRADENAM_005	VARCHAR2
DEVAL_TRADENAM_005	DEVAL_TRADENAM_005_ND	VARCHAR2
	DEVAL_TRADENAM_OTH_005	VARCHAR2
DEVAL_TRADENAM_OTH_005	DEVAL_TRADENAM_OTH_005_ND	VARCHAR2
	MBTSTDTL_005_C	VARCHAR2
	MBTSTDTL_005	VARCHAR2
MBTSTDTL_005	MBTSTDTL_005_ND	VARCHAR2
	RD_MBMC005_MBMC02005	
MBTEST_005	MBTEST_005_C	VARCHAR2
	MBTEST_005	VARCHAR2
	MBTEST_005_ND	VARCHAR2
MBORRES_005	MBORRES_005_C	VARCHAR2
	MBORRES_005	VARCHAR2
	MBORRES_005_ND	VARCHAR2
MBSTAT_005	MBSTAT_005_C	VARCHAR2
	MBSTAT_005	VARCHAR2
	MBSTAT_005_ND	VARCHAR2
RD_MBMC005_MBMC03005		
X_MBORRES_ORGANISM_005	X_MBORRES_ORGANISM_005	VARCHAR2
	X_MBORRES_ORGANISM_005_ND	VARCHAR2

C3671013: NON-DRUG TREATMENTS- RESPIRATORY TREATMENT-RIV (RIL RESP) [PR001_3_1]

Non-Drug Treatments (PR01001_3_1)

#	Treatment Identifier	Con Non-Drug Treatments Pre-specified	Treatment	Treatment	Treatment given?	Duration	Duration Unit	Dictionary Derived Term	Comparison Term	High Level Group Term	High Level Group Term Code	High Level Term	High Level Term Code	Lowest Level Term	Lowest Level Term Code	Preferred Term Code	Primary System Organ Class	Primary System Organ Class Code
1.a		YES	New Noninvasive Positive Pressure Ventilation (NIPPV) or BIPAP				DAYS											
1.b		YES	Increased Noninvasive Positive Pressure Ventilation (NIPPV) or BIPAP				DAYS											
1.c		YES	New Continuous Positive Airway Pressure (CPAP)				DAYS											
1.d		YES	Increased Continuous Positive Airway Pressure (CPAP)				DAYS											
1.e		YES	New Mechanical Ventilation				DAYS											
1.f		YES	Increased Mechanical Ventilation				DAYS											
1.g		YES	New Oxygen Supplementation				DAYS											
1.h		YES	Increased Oxygen Supplementation				DAYS											

Non-Drug Treatments Entry (PR01001_3_1)

1.1

What is the treatment identifier? (read-only) (Treatment Identifier)

[PRSPID_001_3_1]

A20*

1.2

Consistent Non-drug Treatment pre-specified: (hidden) (Con Non-Drug Treatments Pre-specified)

[PRPREP_001_3_1]

(A:1) ☐ YES

1.3

Treatment: (read-only) (Treatment)

[D_PRTRT_001_3_1]

[D_PRTRT_CL_001_3_1]

A100*

1.4

Treatment: (read-only) (Treatment)

[PRTRT_001_3_1]

A100*

1.5

Treatment given? (Treatment given?)

[PROCCUR_001_3_1]

(A:N) ☐ NO (A:Y) ☐ YES

1.6

Duration: (Duration)

[X_PBDUR_001_3_1]

N1

1.7

Duration Unit: (read-only) (Duration Unit)

[X_PBDURU_001_3_1]

(A:3) ☐ DAYS

1.8

Dictionary Derived Term (hidden) (Dictionary Derived Term)

[PRECOD_001_3_1]

A100*

1.9

Comparison Term (hidden) (Comparison Term)

[D_COMPTERMS_001_3_1]

A200*

1.10

High Level Group Term (hidden) (High Level Group Term)

[SUPPPR_PRLGT_001_3_1]

A100*

1.11

High Level Group Term Code (hidden) (High Level Group Term Code)

[SUPPPR_PRLGTCO_001_3_1]

A0*

1.12

High Level Term (hidden) (High Level Term)

[SUPPPR_PRLTY_001_3_1]

A100*

1.13

High Level Term Code (hidden) (High Level Term Code)

[SUPPPR_PRLTCD_001_3_1]

A0*

1.14

Lowest Level Term (hidden) (Lowest Level Term)

[SUPPPR_PRLLT_001_3_1]

A100*

1.15

Lowest Level Term Code (hidden) (Lowest Level Term Code)

[SUPPPR_PRLTCD_001_3_1]

A0*

1.16

Preferred Term Code (hidden) (Preferred Term Code)

[SUPPPR_PRTCD_001_3_1]

A0*

1.17

Primary System Organ Class (hidden) (Primary System Organ Class)

[SUPPPR_PRSOC_001_3_1]

A100*

1.18

Primary System Organ Class Code (hidden) (Primary System Organ Class Code)

[SUPPPR_PRSOCCO_001_3_1]

A0*

Key: [*] = Item is required [✓] = Source verification required [fix] = Fixed Item [*] = ASCII Only

Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Study Object Descriptions: NON-DRUG TREATMENTS- RESPIRATORY TREATMENT-RIV		
Type	RefName	Description
Item	D_COMPTERMS_001_3_1	Hidden Item needed for clear coding rule.

CodeList Values Tables: NON-DRUG TREATMENTS- RESPIRATORY TREATMENT-RIV					
CodeList RefName	CodeList Data Type	Subst	Label	Code	CodeList Item RefName
D_PRTRT_CL_001_3_1	String		New Noninvasive Positive Pressure Ventilation (NIPPV) or BIPAP	16	ciPRTRT_New_Noninvasive_Pos_Press_Ventilation_NIPPV_BIPAP
			Increased Noninvasive Positive Pressure Ventilation (NIPPV) or BIPAP	17	ciPRTRT_Inc_Noninvasive_Pos_Press_Ventilation_NIPPV_BIPAP
			New Continuous Positive Airway Pressure (CPAP)	18	ciPRTRT_New_Continuous_Positive_Airway_Pressure_CPAP
			Increased Continuous Positive Airway Pressure (CPAP)	19	ciPRTRT_Inc_Continuous_Positive_Airway_Pressure_CPAP
			New Mechanical Ventilation	20	ciPRTRT_New_Mechanical_Ventilation
			Increased Mechanical Ventilation	21	ciPRTRT_Inc_Mechanical_Ventilation
			New Oxygen Supplementation	22	ciPRTRT_New_Oxygen_Supplementation
			Increased Oxygen Supplementation	23	ciPRTRT_Inc_Oxygen_Supplementation

Coding Summary: NON-DRUG TREATMENTS- RESPIRATORY TREATMENT-RIV		
Verbatim RefName: PRTRT_001_3_1		
Dictionary Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type

SUPPR_PRSDC_001_3_1	SOC	Term
SUPPR_PRSOCCD_001_3_1	SOC	Code
SUPPR_PRHGT_001_3_1	HLGT	Term
SUPPR_PRHGTCD_001_3_1	HLGT	Code
SUPPR_PRHLT_001_3_1	HLT	Term
SUPPR_PRHLTCD_001_3_1	HLT	Code
PRDECOD_001_3_1	PT	Term
SUPPR_PRFTCD_001_3_1	PT	Code
SUPPR_PRLLT_001_3_1	LLT	Term
SUPPR_PRLLTCD_001_3_1	LLT	Code

RDE Analytics: RD_PRO01_3_1		
Data Variable RefName	RD Column Name	Column Data Type
RD_PRO01_3_1_PRO1001_3_1		
PRSPID_001_3_1	PRSPID_001_3_1	VARCHAR2
	PRSPID_001_3_1_ND	VARCHAR2
	PRPRESP_001_3_1_C	VARCHAR2
PRPRESP_001_3_1	PRPRESP_001_3_1	VARCHAR2
	PRPRESP_001_3_1_ND	VARCHAR2
	PRPRESP_001_3_1_ND	VARCHAR2
D_PRTRT_001_3_1	D_PRTRT_001_3_1_C	VARCHAR2
	D_PRTRT_001_3_1	VARCHAR2
	D_PRTRT_001_3_1_ND	VARCHAR2
PRTRT_001_3_1	PRTRT_001_3_1	VARCHAR2
	PRTRT_001_3_1_ND	VARCHAR2
PROCCUR_001_3_1	PROCCUR_001_3_1_C	VARCHAR2
	PROCCUR_001_3_1	VARCHAR2
	PROCCUR_001_3_1_ND	VARCHAR2
X_PRODUR_001_3_1	X_PRODUR_001_3_1	NUMBER
	X_PRODUR_001_3_1_ND	VARCHAR2
X_PRODURU_001_3_1	X_PRODURU_001_3_1_C	VARCHAR2
	X_PRODURU_001_3_1	VARCHAR2
	X_PRODURU_001_3_1_ND	VARCHAR2
PRDECOD_001_3_1	PRDECOD_001_3_1	VARCHAR2
	PRDECOD_001_3_1_ND	VARCHAR2
D_COMPTERMS_001_3_1	D_COMPTERMS_001_3_1	VARCHAR2
	D_COMPTERMS_001_3_1_ND	VARCHAR2
SUPPR_PRHGT_001_3_1	SUPPR_PRHGT_001_3_1	VARCHAR2
	SUPPR_PRHGT_001_3_1_ND	VARCHAR2
SUPPR_PRHGTCD_001_3_1	SUPPR_PRHGTCD_001_3_1	VARCHAR2
	SUPPR_PRHGTCD_001_3_1_ND	VARCHAR2
SUPPR_PRHLT_001_3_1	SUPPR_PRHLT_001_3_1	VARCHAR2
	SUPPR_PRHLT_001_3_1_ND	VARCHAR2
SUPPR_PRHLTCD_001_3_1	SUPPR_PRHLTCD_001_3_1	VARCHAR2
	SUPPR_PRHLTCD_001_3_1_ND	VARCHAR2
SUPPR_PRLLT_001_3_1	SUPPR_PRLLT_001_3_1	VARCHAR2
	SUPPR_PRLLT_001_3_1_ND	VARCHAR2
SUPPR_PRLLTCD_001_3_1	SUPPR_PRLLTCD_001_3_1	VARCHAR2
	SUPPR_PRLLTCD_001_3_1_ND	VARCHAR2
SUPPR_PRFTCD_001_3_1	SUPPR_PRFTCD_001_3_1	VARCHAR2
	SUPPR_PRFTCD_001_3_1_ND	VARCHAR2
SUPPR_PRSDC_001_3_1	SUPPR_PRSDC_001_3_1	VARCHAR2
	SUPPR_PRSDC_001_3_1_ND	VARCHAR2
SUPPR_PRSOCCD_001_3_1	SUPPR_PRSOCCD_001_3_1	VARCHAR2
	SUPPR_PRSOCCD_001_3_1_ND	VARCHAR2

C3671013: SIGNS AND SYMPTOMS (SOD) [CESOD006]

1.*
Date of Assessment:
(Date of Assessment)

[Y_CEDTC_006] (DD/MM/YYYY)
Req [✓] / Req [✓] / Req [✓] (2021-2025)

2.*
Date of First Symptom Started:
(First Symptom Started Date)

[FAORRES_FSSDTC_006] (DD/MM/YYYY)
Req/UHk [✓] / Req [✓] / Req [✓] (2021-2025)

3.*
Symptoms Ongoing?
(Symptoms Ongoing)

[X_FAONGD_006]
[A1/1] ☐ YES
[A/N] ☐ [X_FAONGD_CHP_006]
No
[FAORRES_LSSDTC_006] (DD/MM/YYYY)
Date of Last Symptom Resolved:
Req/UHk [✓] / Req [✓] / Req [✓] (2021-2025)

Symptoms [CESOD02006]

Event Pre-specified

Symptoms

Symptom Present*

4.a
YES

NEW OR INCREASED COUGH

4.b
YES

NEW OR INCREASED SORE THROAT

4.c
YES

NEW OR INCREASED WHEEZING

4.d
YES

NEW OR INCREASED NASAL CONGESTION

4.e
YES

NEW OR INCREASED NASAL DISCHARGE

4.f
YES

NEW OR INCREASED SPUTUM PRODUCTION

4.g
YES

NEW OR INCREASED SHORTNESS OF BREATH

4.h
YES

TACHYPNEA

Symptoms Entry [CESOD02006]

4.1
Event Pre-specified: (hidden)
(Event Pre-specified)

[CEPRES_006]
[A1/1] ☐ YES

4.2
Symptoms: (read-only)
(Symptoms)

[CETERM_006]
[CETERM_CL_006] [✓]

4.3*
Was symptom present?
(Symptom Present)

[CECCUR_006]
[A1/1] ☐ [CESTDTC_CHP_006] [✓]
YES
[SUPPCE_SODSDUR_006]
How long did the symptom last?
[A1/1] ☐ 1 DAY OR LESS
[A2/1] ☐ MORE THAN 1 DAY
[A/N] ☐ NO

5.
[✓]

Symptoms - Other

Symptoms - Other Entry [CESOD03006]

5.1*
Symptoms - Other Text:
(Symptoms - Other)

[CETERM1_006]
Ab*

5.2
Comparison Term: (hidden)
(Comparison Term)

[D_COMPTERM_006]
A200 *

5.3
Lowest Level Term: (hidden)
(Lowest Level Term)

[CELLT_006]
A100 *

5.4
Lowest Level Term Code: (hidden)
(Lowest Level Term Code)

[CELLTCD_006]
Ab *

5.5
Dictionary Derived Term: (hidden)
(Dictionary Derived Term)

[CEDECCD_006]
A100 *

5.6
Preferred Term Code: (hidden)
(Preferred Term Code)

[CEPTCD_006]
Ab *

5.7
High Level Term: (hidden)
(High Level Term)

[CEHLT_006]
A100 *

5.8
High Level Term Code: (hidden)
(High Level Term Code)

[CEHLTCD_006]
Ab *

5.9
High Level Group Term: (hidden)
(High Level Group Term)

[CEHLGT_006]
A100 *

5.10
High Level Group Term Code: (hidden)
(High Level Group Term Code)

[CEHLTCD_006]
Ab *

5.11
Primary System Organ Class: (hidden)
(Primary System Organ Class)

[CESOC_006]
A100 *

5.12
Primary System Organ Class Code: (hidden)
(Primary System Organ Class Code)

[CESOCCD_006]
Ab *

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [] = Fixed item [*] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Codelist Values Tables: SIGNS AND SYMPTOMS				
Codelist RefName	Codelist Data Type	Subsct	Label	
CETERM_CL_006	String		NEW OR INCREASED COUGH	79
			NEW OR INCREASED SORE THROAT	80
			NEW OR INCREASED WHEEZING	81
			NEW OR INCREASED NASAL CONGESTION	82
			NEW OR INCREASED NASAL DISCHARGE	83
			NEW OR INCREASED SPUTUM PRODUCTION	84
			NEW OR INCREASED SHORTNESS OF BREATH	85
			TACHYPNEA	78

Coding Summary: SIGNS AND SYMPTOMS

Verbatim RefName: CETERM_006		
Dictionary: Pfizer MedDRA		
Verbatim Type:		
Coding Item RefName	Level	Level Type
CESOC_006	SOC	Term
CEDECCD_006	SOC	Code
CEHLGT_006	HLGT	Term
CEHLTCD_006	HLGT	Code
CEHLT_006	HLT	Term
CEHLTCD_006	HLT	Code
CEDECCD_006	PT	Term
CEPTCD_006	PT	Code
CELLT_006	LLT	Term
CELLTCD_006	LLT	Code

RDE Analytics: RD_CESOD006		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006	Y_CEDTC_006	DATE
	Y_CEDTC_006_DTS	VARCHAR2
	Y_CEDTC_006_ND	VARCHAR2
FAORRES_FSSDTC_006	FAORRES_FSSDTC_006	DATE
	FAORRES_FSSDTC_006_DTS	VARCHAR2
	FAORRES_FSSDTC_006_DTR	VARCHAR2
	FAORRES_FSSDTC_006_ND	VARCHAR2

X_FAONGO_006	X_FAONGO_006_C	VARCHAR2
	X_FAONGO_006	VARCHAR2
	X_FAONGO_006_ND	VARCHAR2
X_FAONGO_006 - FAORRES_LSRDTC_006	FAORRES_LSRDTC_006	DATE
	FAORRES_LSRDTC_006_DTS	VARCHAR2
	FAORRES_LSRDTC_006_DTR	VARCHAR2
RD_CESOD006_CESOD02006		
CEPRES_006	CEPRES_006_C	VARCHAR2
	CEPRES_006	VARCHAR2
	CEPRES_006_ND	VARCHAR2
CETERM_006	CETERM_006_C	VARCHAR2
	CETERM_006	VARCHAR2
	CETERM_006_ND	VARCHAR2
CEOCCUR_006	CEOCCUR_006_C	VARCHAR2
	CEOCCUR_006	VARCHAR2
	CEOCCUR_006_ND	VARCHAR2
CEOCCUR_006 - SUPPCE_SODSOUR_006	SUPPCE_SODSOUR_006_C	VARCHAR2
	SUPPCE_SODSOUR_006	VARCHAR2
RD_CESOD006_CESOD03006		
CETERM1_006	CETERM1_006	VARCHAR2
	CETERM1_006_ND	VARCHAR2
D_COMPTERM_006	D_COMPTERM_006	VARCHAR2
	D_COMPTERM_006_ND	VARCHAR2
CELLT_006	CELLT_006	VARCHAR2
	CELLT_006_ND	VARCHAR2
CELLTCD_006	CELLTCD_006	VARCHAR2
	CELLTCD_006_ND	VARCHAR2
CEDECCD_006	CEDECCD_006	VARCHAR2
	CEDECCD_006_ND	VARCHAR2
CEPTCD_006	CEPTCD_006	VARCHAR2
	CEPTCD_006_ND	VARCHAR2
CEHLT_006	CEHLT_006	VARCHAR2
	CEHLT_006_ND	VARCHAR2
CEHLTCD_006	CEHLTCD_006	VARCHAR2
	CEHLTCD_006_ND	VARCHAR2
CEHGT_006	CEHGT_006	VARCHAR2
	CEHGT_006_ND	VARCHAR2
CEHGTCD_006	CEHGTCD_006	VARCHAR2
	CEHGTCD_006_ND	VARCHAR2
CESOC_006	CESOC_006	VARCHAR2
	CESOC_006_ND	VARCHAR2
CESOCCD_006	CESOCCD_006	VARCHAR2
	CESOCCD_006_ND	VARCHAR2

C3671013: ELECTRONIC SAMPLE TRACKING - NASAL SWAB (NASAL SWAB) [BEETRK001_2]

Electronic Sample Tracking [BEETRK01001_2]

1. Data Origin: *(read-only)*
[Data Origin]

[BEPARTY_001_2]
(A+1) ☐ SITE

2. Sample Type: *(read-only)*
[Sample Type]

[BESCAT_001_2]
(A+4S) ☐ NASAL_SWAB

3.* Sample Collected?
[Sample Collected]

[BE OCCUR_001_2]
(A+4S) ☐ NO

(A+Y) ☐ [BE OCCUR_CMP_001_2] ☐

YES

[BEDYC_001_2] *(DD/MM/YYYY)*

Date of Collection:
[Req] / / [Req] (2021-2025)

4. If no sample was collected or sample was not collected according to protocol, please provide reason:
[Reason sample not collected]

[CO_BECON_001_2]
A200*

5. ☐

Sample ID

Aliquot Entry [BEETRK02001_2]

Please enter barcode for each aliquot.

S.1 Sample ID:
☐ [Sample ID]

[BEREFID_001_2]
A40 *

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [*] = ASCI Only

Note: Source verification critical settings made in Biofumo will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_BEETRK001_2		
Data Variable RefName	RD Column Name	Column Data Type
BEPARTY_001_2	BEPARTY_001_2_C	VARCHAR2
	BEPARTY_001_2	VARCHAR2
	BEPARTY_001_2_ND	VARCHAR2
BESCAT_001_2	BESCAT_001_2_C	VARCHAR2
	BESCAT_001_2	VARCHAR2
	BESCAT_001_2_ND	VARCHAR2
BE OCCUR_001_2	BE OCCUR_001_2_C	VARCHAR2
	BE OCCUR_001_2	VARCHAR2
	BE OCCUR_001_2_ND	VARCHAR2
BE OCCUR_001_2 - BEDYC_001_2	BEDYC_001_2	DATE
	BEDYC_001_2_DTS	VARCHAR2
	CO_BECON_001_2	VARCHAR2
CO_BECON_001_2	CO_BECON_001_2_ND	VARCHAR2
*RD_BEETRK001_2_BEETRK02001_2		
BEREFID_001_2	BEREFID_001_2	VARCHAR2
	BEREFID_001_2_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: DATE OF VISIT - SELF SWAB (DOV SWAB) [SV001_2]

Date of Visit [SV01001]

1.*

Date of Visit
(Date of Visit)

[DVSTOTC_001] (DD/MM/YYYY)
Req 36 / Req 36 / Req 36 (2021-2027)

Erroneous Visit

2.

Erroneous Visit
(Visit Error)

[D_ERROR_001]
(A-I) ☐ ERRONEOUS VISIT

Respiratory Illness Visit [SV02001_2]

3.*

Respiratory Illness Visit Associated with Self Swab
(Respiratory Illness Visit Associated with Self Swab)

[D_DIRESS_001_2]
[D_DIRESS_CL_001_2] ☐

Self Swab Sample Number:

4.*

Self Swab Sample Number

[D_DIDAY_001_2]
[D_DIDAY_CL_001_2] ☐

Respiratory Illness Visit (read-only)

5.

Respiratory Illness Visit
(Respiratory Illness Visit)

[D_DIVISIT_001_2]
[D_DIVISIT_CL_001_2] ☐

Key: [*] = Item is required
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: DATE OF VISIT - SELF SWAB						
Codelist RefName	Codelist Data Type	Subst	Label	Code	Codelist Item RefName	Data Variable RefName
D_DIRESS_CL_001_2	String		RL_1	10	CHD_DIVISIT_RL_1	D_DIRESS_001_2
		RL_2	11	CHD_DIVISIT_RL_2		
		RL_3	12	CHD_DIVISIT_RL_3		
		RL_4	13	CHD_DIVISIT_RL_4		
		RL_5	14	CHD_DIVISIT_RL_5		
		RL_6	15	CHD_DIVISIT_RL_6		
		RL_7	16	CHD_DIVISIT_RL_7		
		RL_8	17	CHD_DIVISIT_RL_8		
		RL_9	18	CHD_DIVISIT_RL_9		
		RL_10	19	CHD_DIVISIT_RL_10		
		RL_11	20	CHD_DIVISIT_RL_11		
		RL_12	21	CHD_DIVISIT_RL_12		
		RL_13	22	CHD_DIVISIT_RL_13		
		RL_14	23	CHD_DIVISIT_RL_14		
		RL_15	24	CHD_DIVISIT_RL_15		
		RL_16	25	CHD_DIVISIT_RL_16		
		RL_17	26	CHD_DIVISIT_RL_17		
		RL_18	27	CHD_DIVISIT_RL_18		
		RL_19	28	CHD_DIVISIT_RL_19		
		RL_20	29	CHD_DIVISIT_RL_20		
		RL_21	30	CHD_DIVISIT_RL_21		
		RL_22	310	CHD_DIVISIT_RL_22		
		RL_23	32	CHD_DIVISIT_RL_23		
		RL_24	33	CHD_DIVISIT_RL_24		
		RL_25	34	CHD_DIVISIT_RL_25		
		RL_26	35	CHD_DIVISIT_RL_26		
		RL_27	36	CHD_DIVISIT_RL_27		
		RL_28	37	CHD_DIVISIT_RL_28		
		RL_29	38	CHD_DIVISIT_RL_29		
		RL_30	39	CHD_DIVISIT_RL_30		
D_DIDAY_CL_001_2	String		A	1	CHD_1	D_DIDAY_001_2
	B	2	CHD_2			
	C	3	CHD_3			
D_DIVISIT_CL_001_2	String		RL_1A	101	CHD_DIVISIT_RL_1A	D_DIVISIT_001_2
		RL_1B	102	CHD_DIVISIT_RL_1B		
		RL_1C	103	CHD_DIVISIT_RL_1C		
		RL_2A	111	CHD_DIVISIT_RL_2A		
		RL_2B	112	CHD_DIVISIT_RL_2B		
		RL_2C	113	CHD_DIVISIT_RL_2C		
		RL_3A	121	CHD_DIVISIT_RL_3A		
		RL_3B	122	CHD_DIVISIT_RL_3B		
		RL_3C	123	CHD_DIVISIT_RL_3C		
		RL_4A	131	CHD_DIVISIT_RL_4A		
		RL_4B	132	CHD_DIVISIT_RL_4B		
		RL_4C	133	CHD_DIVISIT_RL_4C		
		RL_5A	141	CHD_DIVISIT_RL_5A		
		RL_5B	142	CHD_DIVISIT_RL_5B		
		RL_5C	143	CHD_DIVISIT_RL_5C		
		RL_6A	151	CHD_DIVISIT_RL_6A		
		RL_6B	152	CHD_DIVISIT_RL_6B		
		RL_6C	153	CHD_DIVISIT_RL_6C		
		RL_7A	161	CHD_DIVISIT_RL_7A		
		RL_7B	162	CHD_DIVISIT_RL_7B		
		RL_7C	163	CHD_DIVISIT_RL_7C		
		RL_8A	171	CHD_DIVISIT_RL_8A		
		RL_8B	172	CHD_DIVISIT_RL_8B		
		RL_8C	173	CHD_DIVISIT_RL_8C		
		RL_9A	181	CHD_DIVISIT_RL_9A		
		RL_9B	182	CHD_DIVISIT_RL_9B		
		RL_9C	183	CHD_DIVISIT_RL_9C		
		RL_10A	191	CHD_DIVISIT_RL_10A		
		RL_10B	192	CHD_DIVISIT_RL_10B		
		RL_10C	193	CHD_DIVISIT_RL_10C		
		RL_11A	201	CHD_DIVISIT_RL_11A		
		RL_11B	202	CHD_DIVISIT_RL_11B		
		RL_11C	203	CHD_DIVISIT_RL_11C		
		RL_12A	211	CHD_DIVISIT_RL_12A		
		RL_12B	212	CHD_DIVISIT_RL_12B		
		RL_12C	213	CHD_DIVISIT_RL_12C		
		RL_13A	221	CHD_DIVISIT_RL_13A		
		RL_13B	222	CHD_DIVISIT_RL_13B		
		RL_13C	223	CHD_DIVISIT_RL_13C		
		RL_14A	231	CHD_DIVISIT_RL_14A		
		RL_14B	232	CHD_DIVISIT_RL_14B		
		RL_14C	233	CHD_DIVISIT_RL_14C		
		RL_15A	241	CHD_DIVISIT_RL_15A		
		RL_15B	242	CHD_DIVISIT_RL_15B		
		RL_15C	243	CHD_DIVISIT_RL_15C		
		RL_16A	251	CHD_DIVISIT_RL_16A		
		RL_16B	252	CHD_DIVISIT_RL_16B		
		RL_16C	253	CHD_DIVISIT_RL_16C		
		RL_17A	261	CHD_DIVISIT_RL_17A		
		RL_17B	262	CHD_DIVISIT_RL_17B		
		RL_17C	263	CHD_DIVISIT_RL_17C		
		RL_18A	271	CHD_DIVISIT_RL_18A		
		RL_18B	272	CHD_DIVISIT_RL_18B		
		RL_18C	273	CHD_DIVISIT_RL_18C		

		RI_19A	281	CHO_DIVISIT_RI_19A
		RI_19B	282	CHO_DIVISIT_RI_19B
		RI_19C	283	CHO_DIVISIT_RI_19C
		RI_20A	291	CHO_DIVISIT_RI_20A
		RI_20B	292	CHO_DIVISIT_RI_20B
		RI_20C	293	CHO_DIVISIT_RI_20C
		RI_21A	301	CHO_DIVISIT_RI_21A
		RI_21B	302	CHO_DIVISIT_RI_21B
		RI_21C	303	CHO_DIVISIT_RI_21C
		RI_22A	311	CHO_DIVISIT_RI_22A
		RI_22B	312	CHO_DIVISIT_RI_22B
		RI_22C	313	CHO_DIVISIT_RI_22C
		RI_23A	321	CHO_DIVISIT_RI_23A
		RI_23B	322	CHO_DIVISIT_RI_23B
		RI_23C	323	CHO_DIVISIT_RI_23C
		RI_24A	331	CHO_DIVISIT_RI_24A
		RI_24B	332	CHO_DIVISIT_RI_24B
		RI_24C	333	CHO_DIVISIT_RI_24C
		RI_25A	341	CHO_DIVISIT_RI_25A
		RI_25B	342	CHO_DIVISIT_RI_25B
		RI_25C	343	CHO_DIVISIT_RI_25C
		RI_26A	351	CHO_DIVISIT_RI_26A
		RI_26B	352	CHO_DIVISIT_RI_26B
		RI_26C	353	CHO_DIVISIT_RI_26C
		RI_27A	361	CHO_DIVISIT_RI_27A
		RI_27B	362	CHO_DIVISIT_RI_27B
		RI_27C	363	CHO_DIVISIT_RI_27C
		RI_28A	371	CHO_DIVISIT_RI_28A
		RI_28B	372	CHO_DIVISIT_RI_28B
		RI_28C	373	CHO_DIVISIT_RI_28C
		RI_29A	381	CHO_DIVISIT_RI_29A
		RI_29B	382	CHO_DIVISIT_RI_29B
		RI_29C	383	CHO_DIVISIT_RI_29C
		RI_30A	391	CHO_DIVISIT_RI_30A
		RI_30B	392	CHO_DIVISIT_RI_30B
		RI_30C	393	CHO_DIVISIT_RI_30C

RDE Analytics: RD_SV001_2		
Data Variable RefName	RD Column Name	Column Data Type
SVSTDT_C_001	SVSTDT_C_001	DATE
	SVSTDT_C_001_DTS	VARCHAR2
	SVSTDT_C_001_ND	VARCHAR2
D_SVEEROR_001	D_SVEEROR_001_C	VARCHAR2
	D_SVEEROR_001	VARCHAR2
	D_SVEEROR_001_ND	VARCHAR2
D_DIRESS_001_2	D_DIRESS_001_2_C	VARCHAR2
	D_DIRESS_001_2	VARCHAR2
	D_DIRESS_001_2_ND	VARCHAR2
D_DIDAY_001_2	D_DIDAY_001_2_C	VARCHAR2
	D_DIDAY_001_2	VARCHAR2
	D_DIDAY_001_2_ND	VARCHAR2
D_DIVISIT_001_2	D_DIVISIT_001_2_C	VARCHAR2
	D_DIVISIT_001_2	VARCHAR2
	D_DIVISIT_001_2_ND	VARCHAR2

C3671013: ELECTRONIC SAMPLE TRACKING - SELF NASAL SWAB (SELF NSWAB) [BEETRK001_3]

1. Data Origin: *(read-only)*
(Data Origin)

[BEPARTY_001_3]
(A+1) ☐ SITE

2. Sample Type:
(Sample Type)

[BESCAT_001_3]
(A.56) ☐ NASAL_SWAB_CO
(A.55) ☐ NASAL_SWAB_HCP
(A.36) ☐ NASAL_SWAB_SELF

3. Sample Collected?
(Sample Collected)

[BEOCCUR_001_3]
(A.N) ☐ NO
(A.Y) ☐ [BEOCCUR_CMP_001_3] ☐
YES
[BEDTC_001_3] (DD/MM/YYYY)
Date of Collection:
[Req] / [Req] / [Req] (2021-2023)

4. If no sample was collected or sample was not collected according to protocol, please provide reason:
(Reason sample not collected)

[CO_BECON_001_3]
A200 *

5. ☒

Sample ID

Aliquot Entry [BEETRK02001_3]

Please enter barcode for each aliquot.

5.1 Sample ID:
☒ (Sample ID)

[BREFID_001_3]
A40 *

Key: [*] = Item is required [☒] = Source verification required [☐] = Item is collapsible [*] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the Item.

RDE Analytics: RD_BEETRK001_3		
Data Variable RefName	RD Column Name	Column Data Type
BEPARTY_001_3	BEPARTY_001_3_C	VARCHAR2
	BEPARTY_001_3	VARCHAR2
	BEPARTY_001_3_ND	VARCHAR2
BESCAT_001_3	BESCAT_001_3_C	VARCHAR2
	BESCAT_001_3	VARCHAR2
	BESCAT_001_3_ND	VARCHAR2
BEOCCUR_001_3	BEOCCUR_001_3_C	VARCHAR2
	BEOCCUR_001_3	VARCHAR2
	BEOCCUR_001_3_ND	VARCHAR2
BEOCCUR_001_3 - BEDTC_001_3	BEDTC_001_3	DATE
	BEDTC_001_3_DTS	VARCHAR2
	CO_BECON_001_3	VARCHAR2
CO_BECON_001_3	CO_BECON_001_3	VARCHAR2
	CO_BECON_001_3_ND	VARCHAR2
*RD_BEETRK001_3_BEETRK02001_3		
BREFID_001_3	BREFID_001_3	VARCHAR2
	BREFID_001_3_ND	VARCHAR2

Key: [*] = The column and/or table name in the actual RDE extract may be different.

Study Object Descriptions: MAIN INFORMED CONSENT SUBSTUDY		
Type	RefName	Description
Item	DSSTDYC_001_11	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_11		
Data Variable RefName	RD Column Name	Column Data Type
SUPPDS_DSCSOBT_001_11	SUPPDS_DSCSOBT_001_11_C	VARCHAR2
	SUPPDS_DSCSOBT_001_11	VARCHAR2
	SUPPDS_DSCSOBT_001_11_ND	VARCHAR2
SUPPDS_DSCSOBT_001_11 - DSDTDC_001_11	DSDTDC_001_11	DATE
	DSDTDC_001_11_DTS	VARCHAR2

C3671013: INCLUSION/EXCLUSION CRITERIA-SSA (INEX) [IE002_1]		
Inclusion Criterion Identifier		Inclusion Criterion Description
1. Inclusion Criteria Not Met Entry [IE01002_1]		
1.1	Identifier of the Inclusion Criterion the subject did not meet: (Inclusion Criterion Identifier)	[IESPID_002_1] [IESPID_CL_002_1] v
1.2	Description of the Inclusion Criterion the subject did not meet: (read-only) (Inclusion Criterion Description)	[IETEST_002_1] [IETEST_CL_002_1] v
Exclusion Criterion Identifier		Exclusion Criterion Description
2. Exclusion Criteria Met Entry [IE02002_1]		
2.1	Identifier of the Exclusion Criterion the subject met: (Exclusion Criterion Identifier)	[IESPID1_002_1] [IESPID1_CL_002_1] v
2.2	Description of the Exclusion Criterion the subject met: (read-only) (Exclusion Criterion Description)	[IETEST1_002_1] [IETEST1_CL_002_1] v
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.		

CodeList Values Tables: INCLUSION/EXCLUSION CRITERIA-SSA					
CodeList RefName	CodeList Data Type	Subject	Label	Code	CodeList Item RefName
IESPID_CL_002_1	String		1	1	clIESPID_1
			2	2	clIESPID_2
			3	3	clIESPID_3
			4	4	clIESPID_4
			5	5	clIESPID_5
			6	6	clIESPID_6
			7	7	clIESPID_7
			8	8	clIESPID_8
IETEST_CL_002_1	String	Participants willing and able to comply with all scheduled visits, vaccine plan, laboratory tests, lifestyle considerations, symptom assessment by mobile device application and other study procedures. Healthy participants who are determined by medical history, physical examination (if required), and clinical judgment of the investigator to be eligible for inclusion in the study. Ambulatory adults who live in the community, or in assisted-living or long-term care residential facilities where the participant is primarily responsible for self-care and activities of daily living. Capable of giving signed informed consent, which includes compliance with the requirements and restrictions listed in the ICD and in the protocol. Male (using contraception if applicable) or nonchildbearing-potential female participants >=60 years of age. Participants who received RSVpreF in the efficacy study. Participants who have a Visit 2 serology sample available from the efficacy study, completed the end-of-Season 2 (Visit 5), and do meet exclusion criteria throughout the efficacy study duration. Participants who have a Visit 2 serology sample available from the efficacy study, completed the end-of-Season 2 (Visit 5), and do meet exclusion criteria throughout the efficacy study duration.	4.1	clIETEST_Inclusion_Description_1_1	IETEST_002_1
			4.2	clIETEST_Inclusion_Description_2_1	
			4.3	clIETEST_Inclusion_Description_3_1	
			4.4	clIETEST_Inclusion_Description_4_1	
			4.5	clIETEST_Inclusion_Description_5_1	
			4.6	clIETEST_Inclusion_Description_6_1	
			0.7	clIETEST_Inclusion_Description_7_1	
			4.7	clIETEST_Inclusion_Description_7_4	
IESPID1_CL_002_1	String		1	1	clIESPID_1
			2	2	clIESPID_2
			3	3	clIESPID_3
			4	4	clIESPID_4
			5	5	clIESPID_5
			6	6	clIESPID_6
			7	7	clIESPID_7
			8	8	clIESPID_8
			9	9	clIESPID_9
			10	10	clIESPID_10
			11	11	clIESPID_11
			12	12	clIESPID_12
IETEST1_CL_002_1	String	Bleeding diathesis or condition associated with prolonged bleeding that would, in the opinion of the investigator, contraindicate intramuscular injection. History of severe adverse reaction associated with a vaccine and/or severe allergic reaction (eg, anaphylaxis) to any component of the study intervention(s) or any related vaccine. Serious chronic disorder, or any other disorder that, in the investigator's opinion, excludes the participant from participating in the study. Immunocompromised individuals with known or suspected immunodeficiency, as determined by history and/or laboratory/physical examination. Other medical or psychiatric condition that may increase the risk of study participation or, in the investigator's judgment, make the participant inappropriate for the study. Participation in other studies involving an investigational product within 28 days prior to consent and/or through and including the 6-month follow-up visit (Visit 3). Individuals who receive immunosuppressive therapy from 60 days before study intervention or planned receipt throughout the study. Corticosteroids must be discontinued 28 days prior to enrollment. Receipt of blood/plasma products or immunoglobulin within 60 days before study intervention administration. Previous vaccination with any licensed or investigational RSV vaccine or planned receipt during study participation. Investigator site staff or Pfizer employees directly involved in the conduct of the study, site staff otherwise supervised by the investigator, and their respective family members. Participants who completed Vaccination 1 from the efficacy study less than 9 months or greater than 15 months prior to revaccination. Participant was confirmed by the sponsor to have previously received the study intervention more than once.	4.1	clIETEST_Exclusion_Description_1_1	IETEST1_002_1
			4.2	clIETEST_Exclusion_Description_2_1	
			4.3	clIETEST_Exclusion_Description_3_1	
			4.4	clIETEST_Exclusion_Description_4_1	
			4.5	clIETEST_Exclusion_Description_5_1	
			4.6	clIETEST_Exclusion_Description_6_2	
			4.7	clIETEST_Exclusion_Description_7_1	
			4.8	clIETEST_Exclusion_Description_8_1	
			4.9	clIETEST_Exclusion_Description_9_1	
			4.10	clIETEST_Exclusion_Description_10_1	
			4.11	clIETEST_Exclusion_Description_11_1	
			4.12	clIETEST_Exclusion_Description_12_1	

RDE Analytics: RD_IE002_1		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE002_1_IE01002_1		
IESPID_002_1	IESPID_002_1_C	VARCHAR2
	IESPID_002_1	VARCHAR2
	IESPID_002_1_ND	VARCHAR2
IETEST_002_1	IETEST_002_1_C	VARCHAR2
	IETEST_002_1	VARCHAR2
	IETEST_002_1_ND	VARCHAR2
RD_IE002_1_IE02002_1		
IESPID1_002_1	IESPID1_002_1_C	VARCHAR2
	IESPID1_002_1	VARCHAR2
	IESPID1_002_1_ND	VARCHAR2
IETEST1_002_1	IETEST1_002_1_C	VARCHAR2
	IETEST1_002_1	VARCHAR2
	IETEST1_002_1_ND	VARCHAR2

RDE Analytics: RD_VSO2001_1		
Data Variable RefName	RD Column Name	Column Data Type
RD_VSO001_1_VSO20001_1		
VSSPID_001_1.1	VSSPID_001_1.1_C	VARCHAR2
	VSSPID_001_1.1	VARCHAR2
	VSSPID_001_1.1_ND	VARCHAR2
VSDTCT_001_1.1	VSDTCT_001_1.1	DATE
	VSDTCT_001_1.1_DTS	VARCHAR2
	VSDTCT_001_1.1_ND	VARCHAR2
VSORRES_TEMP_001_1.1	VSORRES_TEMP_001_1.1	FLAOT
	VSORRES_TEMP_001_1.1_ND	VARCHAR2
VSORRESIU_TEMP_001_1.1	VSORRESIU_TEMP_001_1.1_C	VARCHAR2
	VSORRESIU_TEMP_001_1.1	VARCHAR2
	VSORRESIU_TEMP_001_1.1_ND	VARCHAR2
VSLOC_TEMP_001_1.1	VSLOC_TEMP_001_1.1_C	VARCHAR2
	VSLOC_TEMP_001_1.1	VARCHAR2
	VSLOC_TEMP_001_1.1_ND	VARCHAR2

C3671013: INCLUSION/EXCLUSION CRITERIA-SSB (INEX) [IE002_2]		
Inclusion Criterion Identifier		Inclusion Criterion Description
1. Inclusion Criteria Not Met Entry [IE01002_2]		
1.1	Identifier of the Inclusion Criterion the subject did not meet: (Inclusion Criterion Identifier)	[IESPID_002_2] [IESPID_CL_002_2] v
1.2	Description of the Inclusion Criterion the subject did not meet: (read-only) (Inclusion Criterion Description)	[IETEST_002_2] [IETEST_CL_002_2] v
Exclusion Criterion Identifier		Exclusion Criterion Description
2. Exclusion Criteria Met Entry [IE02002_2]		
2.1	Identifier of the Exclusion Criterion the subject met: (Exclusion Criterion Identifier)	[IESPID1_002_2] [IESPID1_CL_002_2] v
2.2	Description of the Exclusion Criterion the subject met: (read-only) (Exclusion Criterion Description)	[IETEST1_002_2] [IETEST1_CL_002_2] v
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.		

CodeList Values Tables: INCLUSION/EXCLUSION CRITERIA-SSB					
CodeList RefName	CodeList Data Type	Subject	Label	Code	CodeList Item RefName
IESPID_CL_002_2	String		1	1	clIESPID_1
			2	2	clIESPID_2
			3	3	clIESPID_3
			4	4	clIESPID_4
			5	5	clIESPID_5
			6	6	clIESPID_6
			7	7	clIESPID_7
			8	8	clIESPID_8
IETEST_CL_002_2	String		Participants willing and able to comply with all scheduled visits, vaccine plan, laboratory tests, lifestyle considerations, symptom assessment by mobile device application and other study procedures.	4.1	clIETEST_Inclusion_Description_1_1
			Healthy participants who are determined by medical history, physical examination (if required), and clinical judgment of the investigator to be eligible for inclusion in the study.	4.2	clIETEST_Inclusion_Description_2_1
			Ambulatory adults who live in the community, or in assisted-living or long-term care residential facilities where the participant is primarily responsible for self-care and activities of daily living.	4.3	clIETEST_Inclusion_Description_3_1
			Capable of giving signed informed consent, which includes compliance with the requirements and restrictions listed in the ICD and in the protocol.	4.4	clIETEST_Inclusion_Description_4_1
			Male (using contraception if applicable) or nonchildbearing-potential female participants >=60 years of age.	4.5	clIETEST_Inclusion_Description_5_1
			Participants who received RSVpreF in the efficacy study.	4.6	clIETEST_Inclusion_Description_6_1
			Participants who have a Visit 2 serology sample available from the efficacy study, completed the end-of-Season 2 (Visit 5), and do meet exclusion criteria throughout the efficacy study duration.	0.7	clIETEST_Inclusion_Description_7_1
			Participants who have a Visit 2 serology sample available for testing from the efficacy study and did not meet exclusion criteria through Visit 4 of the efficacy study.	4.8	clIETEST_Inclusion_Description_8_1
IESPID1_CL_002_2	String		1	1	clIESPID_1
			2	2	clIESPID_2
			3	3	clIESPID_3
			4	4	clIESPID_4
			5	5	clIESPID_5
			6	6	clIESPID_6
			7	7	clIESPID_7
			8	8	clIESPID_8
			9	9	clIESPID_9
			10	10	clIESPID_10
			11	11	clIESPID_11
			12	12	clIESPID_12
IETEST1_CL_002_2	String		Bleeding diathesis or condition associated with prolonged bleeding that would, in the opinion of the investigator, contraindicate intramuscular injection.	4.1	clIETEST_Exclusion_Description_1_1
			History of severe adverse reaction associated with a vaccine and/or severe allergic reaction (eg, anaphylaxis) to any component of the study intervention(s) or any related vaccine.	4.2	clIETEST_Exclusion_Description_2_1
			Serious chronic disorder, or any other disorder that, in the investigator's opinion, excludes the participant from participating in the study.	4.3	clIETEST_Exclusion_Description_3_1
			Immunocompromised individuals with known or suspected immunodeficiency, as determined by history and/or laboratory/physical examination.	4.4	clIETEST_Exclusion_Description_4_1
			Other medical or psychiatric condition that may increase the risk of study participation or, in the investigator's judgment, make the participant inappropriate for the study.	4.5	clIETEST_Exclusion_Description_5_1
			Participation in other studies involving an investigational product within 28 days prior to consent and/or through and including the 6-month follow-up visit (Visit 3).	4.6	clIETEST_Exclusion_Description_6_2
			Individuals who receive immunosuppressive therapy from 60 days before study intervention or planned receipt throughout the study. Corticosteroids must be discontinued 28 days prior to enrollment.	4.7	clIETEST_Exclusion_Description_7_1
			Receipt of blood/plasma products or immunoglobulin within 60 days before study intervention administration.	4.8	clIETEST_Exclusion_Description_8_1
			Previous vaccination with any licensed or investigational RSV vaccine or planned receipt during study participation.	4.9	clIETEST_Exclusion_Description_9_1
			Investigator site staff or Pfizer employees directly involved in the conduct of the study, site staff otherwise supervised by the investigator, and their respective family members.	4.10	clIETEST_Exclusion_Description_10_1
			Participants who completed Vaccination 1 from the efficacy study less than 9 months or greater than 15 months prior to revaccination.	4.11	clIETEST_Exclusion_Description_11_1
			Participant was confirmed by the sponsor to have previously received the study intervention more than once.	4.12	clIETEST_Exclusion_Description_12_1

RDE Analytics: RD_IE002_2		
Data Variable RefName	ID Column Name	Column Data Type
RD_IE002_2_IE01002_2		
IESPID_002_2	IESPID_002_2_C	VARCHAR2
	IESPID_002_2	VARCHAR2
	IESPID_002_2_ND	VARCHAR2
IETEST_002_2	IETEST_002_2_C	VARCHAR2
	IETEST_002_2	VARCHAR2
	IETEST_002_2_ND	VARCHAR2
RD_IE002_2_IE02002_2		
IESPID1_002_2	IESPID1_002_2_C	VARCHAR2
	IESPID1_002_2	VARCHAR2
	IESPID1_002_2_ND	VARCHAR2
IETEST1_002_2	IETEST1_002_2_C	VARCHAR2
	IETEST1_002_2	VARCHAR2
	IETEST1_002_2_ND	VARCHAR2

C3671013: INCLUSION/EXCLUSION CRITERIA-SSC (INEX) [IE002_3]		
Inclusion Criterion Identifier		Inclusion Criterion Description
1.		
Inclusion Criteria Not Met Entry [IE01002_3]		
1.1	Identifier of the Inclusion Criterion the subject did not meet: (Inclusion Criterion Identifier)	[IESPID_002_3] [IESPID_CL_002_3] v
1.2	Description of the Inclusion Criterion the subject did not meet: (read-only) (Inclusion Criterion Description)	[IETEST_002_3] [IETEST_CL_002_3] v
2.		Exclusion Criterion Identifier
Exclusion Criteria Met Entry [IE02002_3]		
2.1	Identifier of the Exclusion Criterion the subject met: (Exclusion Criterion Identifier)	[IESPID1_002_3] [IESPID1_CL_002_3] v
2.2	Description of the Exclusion Criterion the subject met: (read-only) (Exclusion Criterion Description)	[IETEST1_002_3] [IETEST1_CL_002_3] v
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.		

CodeList Values Tables: INCLUSION/EXCLUSION CRITERIA-SSC						
CodeList RefName	CodeList Data Type	Subject	Label	Code	CodeList Item RefName	
IESPID_CL_002_3	String		1	1	chIESPID_1	
			2	2	chIESPID_2	
			3	3	chIESPID_3	
			4	4	chIESPID_4	
			5	5	chIESPID_5	
			6	6	chIESPID_6	
			7	7	chIESPID_7	
IETEST_CL_002_3	String	Participants willing and able to comply with all scheduled visits, vaccine plan, laboratory tests, lifestyle considerations, symptom assessment by mobile device application and other study procedures. Healthy participants who are determined by medical history, physical examination (if required), and clinical judgement of the investigator to be eligible for inclusion in the study. Ambulatory adults who live in the community, or in assisted-living or long-term care residential facilities where the participant is primarily responsible for self-care and activities of daily living. Capable of giving signed informed consent as described in Section 10.1, which includes compliance with the requirements and restrictions listed in the ICD and in this protocol. Male (using contraception if applicable) or nonchildbearing-potential female participants >=40 years of age. Participants who received RSVpref in the efficacy study. Substudy A sponsor confirmed placebo participants in the efficacy study will be recorded as screen failures for Vaccination 2. Participants who have a efficacy study Visit 2 serology sample for testing, completed the end-of-Season 2 visit (Visit 5), and did not meet exclusion criteria throughout the efficacy study duration.	6.1	chIETEST_Inclusion_Description_1_3	IETEST_002_3	
			6.2	chIETEST_Inclusion_Description_2_3		
			6.3	chIETEST_Inclusion_Description_4_3		
			6.4	chIETEST_Inclusion_Description_3_3		
			6.5	chIETEST_Inclusion_Description_5_3		
			6.6	chIETEST_Inclusion_Description_6_3		
			6.7	chIETEST_Inclusion_Description_7_3		
IESPID1_CL_002_3	String		1	1	chIESPID_1	IESPID1_002_3
			2	2	chIESPID_2	
			3	3	chIESPID_3	
			4	4	chIESPID_4	
			5	5	chIESPID_5	
			6	6	chIESPID_6	
			7	7	chIESPID_7	
			8	8	chIESPID_8	
			9	9	chIESPID_9	
			10	10	chIESPID_10	
			11	11	chIESPID_11	
			12	12	chIESPID_12	
			13	13	chIESPID_13	
			14	14	chIESPID_14	
			15	15	chIESPID_15	
IETEST1_CL_002_3	String	Bleeding diathesis or condition associated with prolonged bleeding that would, in the opinion of the investigator, contraindicate intramuscular injection. History of severe adverse reaction associated with a vaccine and/or severe allergic reaction (eg, anaphylaxis) to any component of the study intervention(s) or any related vaccine. Serious chronic disorder, or any other disorder that, in the investigator's opinion, excludes the participant from participating in the study. Immunocompromised individuals with known or suspected immunodeficiency, as determined by history and/or laboratory/physical examination. Other medical or psychiatric condition that may increase the risk of study participation or, in the investigator's judgment, make the participant inappropriate for the study. Participation in other studies involving study intervention within 28 days prior to consent and/or through and including the 6-month follow-up visit. Individuals who receive immunosuppressive therapy from 60 days before study intervention or planned receipt throughout the study. Corticosteroids must be discontinued 28 days prior to enrollment. Receipt of blood/plasma products or immunoglobulin within 60 days before study intervention administration. Previous or planned vaccination with any licensed or investigational RSV receipt during study participation. Substudy A, B, C: this criterion does not include receipt of RSVpref in the efficacy study. Investigator site staff or Pfizer employees directly involved in the conduct of the study, site staff otherwise supervised by the investigator, and their respective family members. Participants who completed Vaccination 1 from the efficacy study less than 9 months or greater than 15 months prior to revaccination. Participant was confirmed by the sponsor to have previously received the study intervention more than once. Prior history of any subtype of Guillain-Barre syndrome of any etiology. Current or prior participation in Substudy A or Substudy B. Participants who completed Vaccination 1 from the efficacy study less than 32 months or greater than 40 months prior to revaccination.	6.1	chIETEST_Exclusion_Description_1_3	IETEST1_002_3	
			6.2	chIETEST_Exclusion_Description_2_3		
			6.3	chIETEST_Exclusion_Description_3_3		
			6.4	chIETEST_Exclusion_Description_4_3		
			6.5	chIETEST_Exclusion_Description_5_3		
			6.6	chIETEST_Exclusion_Description_6_3		
			6.7	chIETEST_Exclusion_Description_7_3		
			6.8	chIETEST_Exclusion_Description_8_3		
			6.9	chIETEST_Exclusion_Description_9_3		
			6.10	chIETEST_Exclusion_Description_10_3		
			6.11	chIETEST_Exclusion_Description_11_3		
			6.12	chIETEST_Exclusion_Description_12_3		
			6.13	chIETEST_Exclusion_Description_13_3		
			6.14	chIETEST_Exclusion_Description_14_3		
			6.15	chIETEST_Exclusion_Description_15_3		

RDE Analytics: RD_IE002_3		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE002_3_IE01002_3		
IESPID_002_3	IESPID_002_3_C	VARCHAR2
	IESPID_002_3	VARCHAR2
	IESPID_002_3_ND	VARCHAR2
IETEST_002_3	IETEST_002_3_C	VARCHAR2
	IETEST_002_3	VARCHAR2
	IETEST_002_3_ND	VARCHAR2
RD_IE002_3_IE02002_3		
IESPID1_002_3	IESPID1_002_3_C	VARCHAR2
	IESPID1_002_3	VARCHAR2
	IESPID1_002_3_ND	VARCHAR2
IETEST1_002_3	IETEST1_002_3_C	VARCHAR2
	IETEST1_002_3	VARCHAR2
	IETEST1_002_3_ND	VARCHAR2

C3671013: ADVERSE EVENT REPORT (AE) - Repeating Form [AE001]															
#	Category	AE Identifier	Adverse Event	Start Date Time	Is the Adverse Event Still Ongoing	Date Site Aware of AE	Toxicity Grade	Serious	Is AE a Result of a Medication Error	Relationship to Study Treatment	Action Taken with Study Treatment	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation
1	Adverse Event Report [AE01001]														
1.*	Category:	[AECAT_001] [A.1] ☐ ADVERSE EVENT [A.2] ☐ NEWLY DIAGNOSED CHRONIC MEDICAL CONDITION [A.4] ☐ AE OF SPECIAL INTEREST													
2.	AE ID: [read-only]	[AESPID_001] A20*													
3.*	Adverse Event:	[AETERM_001] A100*													
4.*	Start Date Time:	[AESTDTC_001] (DD/MM/YYYY h:mm) Req/Link ☐ / Req/Link ☒ / Req ☐ (2021-2027) Req/Link ☐ : Req/Link ☒ 24-hour clock													
5.*	Is the adverse event still ongoing?	[X_AEONGO_001] [A.1] ☐ YES [A.N] ☐ [AEENDTC_CHP_001] ☐ NO [AEENDTC_001] (DD/MM/YYYY h:mm) End Date & Time: Req/Link ☐ / Req/Link ☒ / Req ☐ (2021-2027) Req/Link ☐ : Req/Link ☒ 24-hour clock													
6.*	Date site aware of adverse event:	[SUPPAE_ASSAWOTC_001] (DD/MM/YYYY) Req ☒ / Req ☐ (2021-2027)													
7.*	Toxicity Grade:	[AETOXGR_001] [A.2] ☐ 1 [A.3] ☐ 2 [A.4] ☐ 3 [A.5] ☐ 4													
8.*	Is the adverse event serious?	[AESER_001] [A.1] ☐ [AESERONG_CHP_001] ☐ YES [AESERONG_001] Is this serious event associated with congenital anomaly or birth defect? [A.1] ☐ YES [A.N] ☐ NO [AESERDTH_001] Did this serious event result in death? [A.1] ☐ YES [A.N] ☐ NO [AESEROSP_001] Did this serious event require or prolong hospitalization? [A.1] ☐ YES [A.N] ☐ NO [AESERISAB_001] Did this serious event result in persistent or significant disability/incapacity? [A.1] ☐ YES [A.N] ☐ NO [AESERLIFE_001] Is this serious event life threatening? [A.1] ☐ YES [A.N] ☐ NO [AESERITE_001] Other medically important serious event [A.1] ☐ YES [A.N] ☐ NO													
9.*	Is this adverse event the result of a study Medication Error?	[SUPPAE_AEMERES_001] [A.1] ☐ YES [A.N] ☐ NO													
10.*	Is this event related to study treatment:	[AEREL_001] [A.1] ☐ [SUPPAE_AERELNST_CHP_001] ☐ NOT RELATED [AERELNST_001] If Not Related to study treatment(s), this event is due to: [A.1] ☐ CONCOMITANT DRUG TREATMENT [A.2] ☐ CONCOMITANT NON-DRUG TREATMENT [A.3] ☐ [SUPPAE_AERELT_CHP_001] ☐ OTHER [SUPPAE_AERELTXYT_001] If Other, specify: A00* [A.2] ☐ RELATED													
11.*	Latest Action Taken with Study Treatment:	[AEACH_001] [A.5] ☐ DRUG WITHDRAWN [A.6] ☐ NOT APPLICABLE													
12.*	Was a Concomitant Medication given?	[SUPPAE_AECHGIV_001] [A.1] ☐ YES [A.N] ☐ NO													
13.*	Was a Non-Drug Treatment given?	[SUPPAE_AENDGIV_001] [A.1] ☐ YES [A.N] ☐ NO													
14.*	What was the outcome of this adverse event?:	[AEOUT_001] [A.1] ☐ FATAL [A.2] ☐ NOT RECOVERED/NOT RESOLVED [A.3] ☐ RECOVERED/RESOLVED [A.4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A.5] ☐ RECOVERING/RESOLVING [A.6] ☐ UNKNOWN													
15.*	Did the adverse event cause the subject to be discontinued from the study?	[SUPPAE_AESURDC_001] [A.1] ☐ YES [A.N] ☐ NO													
16.	Comparison Term [hidden]	[D_COMPTERM2_001] A200*													
17.	Lowest Level Term [hidden]	[AELLY_001] A100*													
18.	Lowest Level Term Code [hidden]	[AELLYCD_001] A0*													
19.	Dictionary-Derived Term [hidden]	[AEDCOD_001] A100*													
20.	Preferred Term Code [hidden]	[AEPICD_001] A0*													
21.	High Level Term [hidden]	[AEHLT_001] A100*													
22.	High Level Term Code [hidden]	[AEHLTCD_001] A0*													
23.	High Level Group Term [hidden]	[AEHLGT_001] A100*													
24.	High Level Group Term Code [hidden]	[AEHLGTC_001] A0*													
25.	Primary System Organ Class [hidden]	[AESOC_001] A100*													
26.	Primary System Organ Class Code [hidden]	[AESOCCD_001]													

[Primary System Organ Class Code]	AS*
-----------------------------------	-----

Key: [?] = Item is required [?] = Source verification required [C] = Item is collapsible [R] = Key Item [A] = ASCII Only
Note: Source verification critical settings made in 3rd party will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ADVERSE EVENT REPORT	
Type	Description
Form: AED01	AED01 - Standard AE Page
Item: AECAT_001	Used to define a category of adverse event variables.
Item: AESPID_001	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item: AETERM_001	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item: AESTDTC_001	Date when the adverse event started.
Item: X_AEONGO_001	Indicates AE is ongoing when no End Date is provided.
Item: AEENDTC_001	Date when the adverse event resolved.
Item: SUPPAE_AESAWDTC_001	Date when the site became aware of the adverse event.
Item: AETOXGR_001	Description of the toxicity grade of the adverse event.
Item: AESER_001	Indicates whether or not the adverse event is determined to be "serious" based on what is defined in the protocol.
Item: SUPPAE_AEMERES_001	Is this adverse event the result of a study/background medication error
Item: AEREL_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item: AERELNST_001	If the event is "Not Related" to study treatment, indicate what this event is due to.
Item: SUPPAE_AERELTXT_001	Event Due to Other Specify
Item: AEACH_001	Changes made to the study treatment in response to the adverse event.
Item: SUPPAE_AESMGDV_001	Concomitant Medications Given
Item: SUPPAE_AESDGV_001	Non-Drug Treatment Given
Item: AEDOUT_001	Description of the subject's status associated with an event.
Item: SUPPAE_AESUBDOC_001	Indication of whether the adverse event caused the subject to discontinue from the study.
Item: D_COMPTERM2_001	Hidden Item needed for clear coding rule.
Item: AELLT_001	Dictionary-derived text description of the Lowest Level Term.
Item: AELLTCD_001	Dictionary-derived code for the Lowest Level Term.
Item: AEDECOD_001	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item: AEPTCD_001	Dictionary-derived code for the Preferred Term.
Item: AEHLT_001	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item: AEHLTCD_001	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item: AEHLGT_001	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item: AEHLGTC_001	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item: AESOC_001	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item: AESOCCD_001	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/ Uniqueness: ADVERSE EVENT REPORT		
Item	Unique	Order #
AE001 (Repeating form)		
AE01001		
AESTDTC_001	None	1

Coding Summary: ADVERSE EVENT REPORT			
Verbatim RefName: AETERM_001			
Dictionary: Pfizer MedDRA			
Verbatim Type:			
Coding Item RefName	Level	Level Type	
AESOC_001	SOC	Term	
AESOCCD_001	SOC	Code	
AEHLGT_001	HLGT	Term	
AEHLGTC_001	HLGT	Code	
AEHLT_001	HLT	Term	
AEHLTCD_001	HLT	Code	
AEDECOD_001	PT	Term	
AEPTCD_001	PT	Code	
AELLT_001	LLT	Term	
AELLTCD_001	LLT	Code	

RDE Analytics: RD_AE001		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001	AECAT_001_C	VARCHAR2
	AECAT_001	VARCHAR2
	AECAT_001_ND	VARCHAR2
AESPID_001	AESPID_001	VARCHAR2
	AESPID_001_ND	VARCHAR2
AETERM_001	AETERM_001	VARCHAR2
	AETERM_001_ND	VARCHAR2
AESTDTC_001	AESTDTC_001	DATE
	AESTDTC_001_DTS	VARCHAR2
	AESTDTC_001_DTR	VARCHAR2
	AESTDTC_001_ND	VARCHAR2
	AESTDTC_001_ND	VARCHAR2
X_AEONGO_001	X_AEONGO_001_C	VARCHAR2
	X_AEONGO_001	VARCHAR2
	X_AEONGO_001_ND	VARCHAR2
	X_AEONGO_001_ND	VARCHAR2
X_AEONGO_001 - AEENDTC_001	AEENDTC_001	DATE
	AEENDTC_001_DTS	VARCHAR2
	AEENDTC_001_DTR	VARCHAR2
	AEENDTC_001_ND	VARCHAR2
SUPPAE_AESAWDTC_001	SUPPAE_AESAWDTC_001	DATE
	SUPPAE_AESAWDTC_001_DTS	VARCHAR2
	SUPPAE_AESAWDTC_001_DTS	VARCHAR2
	SUPPAE_AESAWDTC_001_ND	VARCHAR2
AETOXGR_001	AETOXGR_001_C	VARCHAR2
	AETOXGR_001	VARCHAR2
	AETOXGR_001_ND	VARCHAR2
AESER_001	AESER_001_C	VARCHAR2
	AESER_001	VARCHAR2
	AESER_001_ND	VARCHAR2
AESER_001 - AESCONG_001	AESCONG_001_C	VARCHAR2
	AESCONG_001	VARCHAR2
	AESCONG_001	VARCHAR2
AESER_001 - AESDTH_001	AESDTH_001_C	VARCHAR2
	AESDTH_001	VARCHAR2
AESER_001 - AESHOSP_001	AESHOSP_001_C	VARCHAR2
	AESHOSP_001	VARCHAR2
AESER_001 - AESDISAB_001	AESDISAB_001_C	VARCHAR2
	AESDISAB_001	VARCHAR2
AESER_001 - AESLIFE_001	AESLIFE_001_C	VARCHAR2
	AESLIFE_001	VARCHAR2
AESER_001 - AESMIE_001	AESMIE_001_C	VARCHAR2
	AESMIE_001	VARCHAR2
SUPPAE_AEMERES_001	SUPPAE_AEMERES_001_C	VARCHAR2
	SUPPAE_AEMERES_001	VARCHAR2
	SUPPAE_AEMERES_001_ND	VARCHAR2
	SUPPAE_AEMERES_001_ND	VARCHAR2
AEREL_001	AEREL_001_C	VARCHAR2
	AEREL_001	VARCHAR2
	AEREL_001_ND	VARCHAR2

AREEL_001 - AREELINT_001	AREELINT_001_C	VARCHAR2
AREEL_001 - AREELINT_001	AREELINT_001	VARCHAR2
AREEL_001 - SUPPAAE_AREELTXT_001	SUPPAAE_AREELTXT_001	VARCHAR2
AEACN_001	AEACN_001_C	VARCHAR2
	AEACN_001	VARCHAR2
	AEACN_001_NO	VARCHAR2
SUPPAAE_AECMGV_001	SUPPAAE_AECMGV_001_C	VARCHAR2
	SUPPAAE_AECMGV_001	VARCHAR2
	SUPPAAE_AECMGV_001_NO	VARCHAR2
SUPPAAE_AENDGV_001	SUPPAAE_AENDGV_001_C	VARCHAR2
	SUPPAAE_AENDGV_001	VARCHAR2
	SUPPAAE_AENDGV_001_NO	VARCHAR2
AEOUT_001	AEOUT_001_C	VARCHAR2
	AEOUT_001	VARCHAR2
	AEOUT_001_NO	VARCHAR2
SUPPAAE_AESUBDC_001	SUPPAAE_AESUBDC_001_C	VARCHAR2
	SUPPAAE_AESUBDC_001	VARCHAR2
	SUPPAAE_AESUBDC_001_NO	VARCHAR2
D_COMPFEM2_001	D_COMPFEM2_001_C	VARCHAR2
	D_COMPFEM2_001	VARCHAR2
	D_COMPFEM2_001_NO	VARCHAR2
AEHLT_001	AEHLT_001	VARCHAR2
	AEHLT_001_NO	VARCHAR2
AEHLTCD_001	AEHLTCD_001	VARCHAR2
	AEHLTCD_001_NO	VARCHAR2
AEDECOD_001	AEDECOD_001	VARCHAR2
	AEDECOD_001_NO	VARCHAR2
AEPTCD_001	AEPTCD_001	VARCHAR2
	AEPTCD_001_NO	VARCHAR2
AEHLT_001	AEHLT_001	VARCHAR2
	AEHLT_001_NO	VARCHAR2
AHLTCD_001	AHLTCD_001	VARCHAR2
	AHLTCD_001_NO	VARCHAR2
AHLGT_001	AHLGT_001	VARCHAR2
	AHLGT_001_NO	VARCHAR2
AHLGTCD_001	AHLGTCD_001	VARCHAR2
	AHLGTCD_001_NO	VARCHAR2
AESOC_001	AESOC_001	VARCHAR2
	AESOC_001_NO	VARCHAR2
AESOCDD_001	AESOCDD_001	VARCHAR2
	AESOCDD_001_NO	VARCHAR2

C3671013: MEDICATION ERROR (MED ERROR) - Repeating Form [AE001_1]

#	Category	Medication Error	Incorrect package ID	Start Date	End Date	Study Medication Errors Action	Concomitant Medication Given	Non-Drug Treatment Given	Caused Study Discontinuation	Medication Error Associated With AE	Device Related
Medication Error [AE01001_1]											
1.	Category: [med-only] (Category)			[AECAT_001_1] (A.21) ☐ MEDICATION ERROR							
2.*	Medication Error: (Type of Medication Error)			[AETERM_001_1] A100*							
3.	If this is a dispensing error, record the incorrect package ID that was dispensed/administered to the subject: (Incorrect package ID)			[SUPPAE_AEIPKGID_001_1] A10*							
4.*	Start Date: (Start Date)			[AESTDTC_001_1] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2021-2027)							
4.*	End Date: (End Date)			[AEENDTC_001_1] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2021-2027)							
6.*	Latest Action Taken with Study Treatment: (Study Medication Errors Action)			[SUPPAE_AEMEACN_001_1] (A.1) ☐ NO ACTION TAKEN (A.4) ☐ PERMANENTLY DISCONTINUED							
7.*	Was a Concomitant Medication given? (Concomitant Medication Given)			[SUPPAE_AECMGIV_001_1] (A.V) ☐ YES (A.N) ☐ NO							
8.*	Was a Non-Drug Treatment given? (Non-Drug Treatment Given)			[SUPPAE_AENDGIV_001_1] (A.V) ☐ YES (A.N) ☐ NO							
9.*	Did the Medication Error cause the subject to be discontinued from the study? (Caused Study Discontinuation)			[SUPPAE_AESUBJDC_001_1] (A.V) ☐ YES (A.N) ☐ NO							
10.*	Was this medication error associated with any adverse events? (Medication Error Associated With AE)			[SUPPAE_AEHEFL_001_1] (A.V) ☐ [SUPPAE_AEHEFL_CMP_001_1] ☐ YES [SUPPAE_AEAIN01_001_1] AE ID: A20* [SUPPAE_AEAIN02_001_1] AE ID: A20* [SUPPAE_AEAIN03_001_1] AE ID: A20* [SUPPAE_AEAIN04_001_1] AE ID: A20* [SUPPAE_AEAIN05_001_1] AE ID: A20* (A.N) ☐ NO							
11.*	Was the Medication Error related to a prefilled syringe or vial adapter? (Device Related)			[SUPPAE_AEDEVREL_001_1] (A.V) ☐ YES (A.N) ☐ NO							
12.	Comparison Term (hidden) (Comparison Term)			[D_COMPTERM2_001_1] A200*							
13.	Lowest Level Term (hidden) (Lowest Level Term)			[AELLY_001_1] A100*							
14.	Lowest Level Term Code (hidden) (Lowest Level Term Code)			[AELLYCD_001_1] AB*							
15.	Dictionary-Derived Term (hidden) (Dictionary-Derived Term)			[AEDECOD_001_1] A100*							
16.	Preferred Term Code (hidden) (Preferred Term Code)			[AEPTCD_001_1] AB*							
17.	High Level Term (hidden) (High Level Term)			[AEHLT_001_1] A100*							
18.	High Level Term Code (hidden) (High Level Term Code)			[AEHLTCD_001_1] AB*							
19.	High Level Group Term (hidden) (High Level Group Term)			[AEHLGT_001_1] A100*							
20.	High Level Group Term Code (hidden) (High Level Group Term Code)			[AEHLGTC_001_1] AB*							
21.	Primary System Organ Class (hidden) (Primary System Organ Class)			[AESOC_001_1] A100*							
22.	Primary System Organ Class Code (hidden) (Primary System Organ Class Code)			[AESOCCD_001_1] AB*							

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [Key] = Key Item [*] = ASCII Only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: MEDICATION ERROR		
Type	RefName	Description
Form	AE001_1	AE001 - Standard AE Page
Item	AECAT_001_1	Used to define a category of adverse event variables.
Item	AETERM_001_1	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	SUPPAE_AEIPKGID_001_1	Incorrect Package ID
Item	AESTDTC_001_1	Date when the adverse event started.
Item	AEENDTC_001_1	Date when the adverse event resolved.
Item	SUPPAE_AEMEACN_001_1	Changes made to the study treatment in response to the medication error adverse event.
Item	SUPPAE_AECMGIV_001_1	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_1	Non-Drug Treatment Given
Item	SUPPAE_AESUBJDC_001_1	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	SUPPAE_AEHEFL_001_1	Was this medication error associated with any adverse events
Item	SUPPAE_AEDEVREL_001_1	Was this adverse event device related.
Item	D_COMPTERM2_001_1	Hidden item needed for clear coding rule.
Item	AELLY_001_1	Dictionary-derived text description of the Lowest Level Term.
Item	AELLYCD_001_1	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_1	Dictionary-derived text description of AETERM or AEODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_1	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_1	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_1	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_1	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTC_001_1	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_1	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_1	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: MEDICATION ERROR		
Item	Unique	Order #
AE001_1 (Repeating form)		
AE01001_1		
AESTDTC_001_1	None	1

Coding Summary: MEDICATION ERROR

Verbatim RefName: AETERM_001_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_1	SOC	Term
AESOCOD_001_1	SOC	Code
AEHLGT_001_1	HLGT	Term
AEHLGTCD_001_1	HLGT	Code
AEHLT_001_1	HLT	Term
AEHLTCD_001_1	HLT	Code
AEDECOD_001_1	PT	Term
AEPTCD_001_1	PT	Code
AELLY_001_1	LLT	Term
AELLYCD_001_1	LLT	Code

RDE Analytics: RD_AE001_1		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_1	AECAT_001_1_C	VARCHAR2
	AECAT_001_1	VARCHAR2
	AECAT_001_1_ND	VARCHAR2
AETERM_001_1	AETERM_001_1	VARCHAR2
	AETERM_001_1_ND	VARCHAR2
SUPPAE_AEIPKGD_001_1	SUPPAE_AEIPKGD_001_1	VARCHAR2
	SUPPAE_AEIPKGD_001_1_ND	VARCHAR2
AESTDTC_001_1	AESTDTC_001_1	DATE
	AESTDTC_001_1_DTS	VARCHAR2
	AESTDTC_001_1_ND	VARCHAR2
AEENDTC_001_1	AEENDTC_001_1	DATE
	AEENDTC_001_1_DTS	VARCHAR2
	AEENDTC_001_1_ND	VARCHAR2
SUPPAE_AEMEACH_001_1	SUPPAE_AEMEACH_001_1_C	VARCHAR2
	SUPPAE_AEMEACH_001_1	VARCHAR2
	SUPPAE_AEMEACH_001_1_ND	VARCHAR2
SUPPAE_AECMGIV_001_1	SUPPAE_AECMGIV_001_1_C	VARCHAR2
	SUPPAE_AECMGIV_001_1	VARCHAR2
	SUPPAE_AECMGIV_001_1_ND	VARCHAR2
SUPPAE_AENDGIV_001_1	SUPPAE_AENDGIV_001_1_C	VARCHAR2
	SUPPAE_AENDGIV_001_1	VARCHAR2
	SUPPAE_AENDGIV_001_1_ND	VARCHAR2
SUPPAE_AESUBIDC_001_1	SUPPAE_AESUBIDC_001_1_C	VARCHAR2
	SUPPAE_AESUBIDC_001_1	VARCHAR2
	SUPPAE_AESUBIDC_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1	SUPPAE_AEMEFL_001_1_C	VARCHAR2
	SUPPAE_AEMEFL_001_1	VARCHAR2
	SUPPAE_AEMEFL_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO1_001_1		SUPPAE_AEAENO1_001_1
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO2_001_1		SUPPAE_AEAENO2_001_1
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO3_001_1		SUPPAE_AEAENO3_001_1
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO4_001_1		SUPPAE_AEAENO4_001_1
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENOS_001_1		SUPPAE_AEAENOS_001_1
SUPPAE_AEDEVREL_001_1	SUPPAE_AEDEVREL_001_1_C	VARCHAR2
	SUPPAE_AEDEVREL_001_1	VARCHAR2
	SUPPAE_AEDEVREL_001_1_ND	VARCHAR2
D_COMPTERM2_001_1	D_COMPTERM2_001_1	VARCHAR2
	D_COMPTERM2_001_1_ND	VARCHAR2
AELLY_001_1	AELLY_001_1	VARCHAR2
	AELLY_001_1_ND	VARCHAR2
AELLYCD_001_1	AELLYCD_001_1	VARCHAR2
	AELLYCD_001_1_ND	VARCHAR2
AEDECOD_001_1	AEDECOD_001_1	VARCHAR2
	AEDECOD_001_1_ND	VARCHAR2
AEPTCD_001_1	AEPTCD_001_1	VARCHAR2
	AEPTCD_001_1_ND	VARCHAR2
AEHLT_001_1	AEHLT_001_1	VARCHAR2
	AEHLT_001_1_ND	VARCHAR2
AEHLTCD_001_1	AEHLTCD_001_1	VARCHAR2
	AEHLTCD_001_1_ND	VARCHAR2
AEHLGT_001_1	AEHLGT_001_1	VARCHAR2
	AEHLGT_001_1_ND	VARCHAR2
AEHLGTCD_001_1	AEHLGTCD_001_1	VARCHAR2
	AEHLGTCD_001_1_ND	VARCHAR2
AESOC_001_1	AESOC_001_1	VARCHAR2
	AESOC_001_1_ND	VARCHAR2
AESOCOD_001_1	AESOCOD_001_1	VARCHAR2
	AESOCOD_001_1_ND	VARCHAR2

C3671013: CONCOMITANT MEDICATIONS - RESPIRATORY ILLNESS (CONMED R1) - Repeating Form [CM001]

#	Sponsor-Defined Identifier	Concomitant Medications Pre-specified	Name of Medication	Start Date	Ongoing
Concomitant Medications [CM01001]					
1.	What is the medication identifier? <i>(read-only)</i> <i>(Sponsor-Defined Identifier)</i>		[CHSPID_001] A2.0 *		
2.	Concomitant Medications Pre-specified: <i>(read-only)</i> <i>(Concomitant Medications Pre-specified)</i>		[CMPRESP_001] A: N/ ☐ NO		
3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., ingredient(s), route, use, formulation). <i>(Name of Medication)</i>		[CHTRT_001] A3.00 *		
4.*	Start Date: <i>(Start Date)</i>		[CHSTOTC_001] (DD/MM/YYYY) Req/Link ☒ / Req/Link ☒ / Req ☒ (2021-2027)		
5.*	Ongoing? <i>(Ongoing)</i>		[X_CHONGO_001] A: Y/ ☐ YES A: N/ ☒ NO [CMENDTC_001] (DD/MM/YYYY) End Date: Req/Link ☒ / Req/Link ☒ / Req ☒ (2021-2027)		
6.	Comparison Term <i>(hidden)</i> <i>(Comparison Term)</i>		[D_COMPTERM1_001] A2.00 *		
7.	Standardized Medication Name - Dictionary derived. <i>(hidden)</i> <i>(Standardized Medication Name)</i>		[CMDECOD_001] A3.00 *		
8.	Standardized Medication Code - Dictionary derived <i>(hidden)</i> <i>(Standardized Medication Code)</i>		[SUPPCM_CHCODE_001] A1.1 *		

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [*] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: CONCOMITANT MEDICATIONS - RESPIRATORY ILLNESS		
Type	RefName	Description
Item	CHSPID_001	A sponsor-defined reference number.
Item	CMPRESP_001	Concomitant Medications Pre-specified
Item	CHTRT_001	Name of Medication
Item	CHSTOTC_001	Date the medication was first taken
Item	X_CHONGO_001	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001	Date the subject stopped taking the medication
Item	D_COMPTERM1_001	Hidden item needed for clear coding rule.
Item	CMDECOD_001	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CHCODE_001	Standardized Medication Code - Dictionary derived

Coding Summary: CONCOMITANT MEDICATIONS - RESPIRATORY ILLNESS			
Verbatim RefName: CHTRT_001			
Dictionary: Pfizer WHODD Verbatim Type:			
Coding Item RefName	Level	Level Type	
CMDECOD_001	PT	Term	
SUPPCM_CHCODE_001	PT	Code	

RDE Analytics: RD_CM001		
Data Variable RefName	RD Column Name	Column Data Type
CHSPID_001	CHSPID_001	VARCHAR2
	CHSPID_001_ND	VARCHAR2
CMPRESP_001	CMPRESP_001_C	VARCHAR2
	CMPRESP_001_ND	VARCHAR2
CHTRT_001	CHTRT_001	VARCHAR2
	CHTRT_001_ND	VARCHAR2
CHSTOTC_001	CHSTOTC_001	DATE
	CHSTOTC_001_DTS	VARCHAR2
	CHSTOTC_001_DTR	VARCHAR2
	CHSTOTC_001_ND	VARCHAR2
X_CHONGO_001	X_CHONGO_001_C	VARCHAR2
	X_CHONGO_001	VARCHAR2
	X_CHONGO_001_ND	VARCHAR2
X_CHONGO_001 - CMENDTC_001	CMENDTC_001	DATE
	CMENDTC_001_DTS	VARCHAR2
	CMENDTC_001_DTR	VARCHAR2
D_COMPTERM1_001	D_COMPTERM1_001	VARCHAR2
	D_COMPTERM1_001_ND	VARCHAR2
CMDECOD_001	CMDECOD_001	VARCHAR2
	CMDECOD_001_ND	VARCHAR2
SUPPCM_CHCODE_001	SUPPCM_CHCODE_001	VARCHAR2
	SUPPCM_CHCODE_001_ND	VARCHAR2

C3671013: CONCOMITANT MEDICATIONS - NON STUDY VACCINATIONS (CONMED VAX) - Repeating Form [CM001_2]

#	Sponsor-Defined Identifier	Concomitant Medications Pre-specified	Name of Medication	Start Date
Concomitant Medications [CM01001_2]				
1.	What is the medication identifier? <i>(read-only)</i> <i>(Sponsor-Defined Identifier)</i>		[CHSPID_001_2] A2.0 *	
2.	Concomitant Medications Pre-specified: <i>(read-only)</i> <i>(Concomitant Medications Pre-specified)</i>		[CMPRESP_001_2] A1.N1 ☐ ND	
3.	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., ingredient(s), route, use, formulation). <i>(Name of Medication)</i>		[CHTRT_001_2] A1.00 *	
4.	Start Date: ☒ <i>(Start Date)</i>		[CHSTDT_001_2] (DD/MM/YYYY) Req/Link ☒ / Req/Link ☒ / Req ☒ (2021-2027)	
5.	Comparison Term <i>(hidden)</i> <i>(Comparison Term)</i>		[D_COMPTERM1_001_2] A2.00 *	
6.	Standardized Medication Name - Dictionary derived. <i>(hidden)</i> <i>(Standardized Medication Name)</i>		[CHDECOD_001_2] A3.00 *	
7.	Standardized Medication Code - Dictionary derived <i>(hidden)</i> <i>(Standardized Medication Code)</i>		[SUPPCM_CMCODE_001_2] A1.1 *	

Key: [*] = Item is required ☒ = Source verification required [*] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: CONCOMITANT MEDICATIONS - NON STUDY VACCINATIONS		
Type	RefName	Description
Item	CHSPID_001_2	A sponsor-defined reference number.
Item	CMPRESP_001_2	Concomitant Medications Pre-specified
Item	CHTRT_001_2	Name of Medication
Item	CHSTDT_001_2	Date the medication was first taken
Item	D_COMPTERM1_001_2	Hidden Item needed for clear coding rule.
Item	CHDECOD_001_2	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001_2	Standardized Medication Code - Dictionary derived

Coding Summary: CONCOMITANT MEDICATIONS - NON STUDY VACCINATIONS		
Verbatim RefName: CHTRT_001_2		
Dictionary: Pfizer WHOOD Verbatim Type:		
Coding Item RefName	Level	Level Type
CHDECOD_001_2	PT	Term
SUPPCM_CMCODE_001_2	PT	Code

RDE Analytics: RD_CM001_2		
Data Variable RefName	RD Column Name	Column Data Type
CHSPID_001_2	CHSPID_001_2	VARCHAR2
	CHSPID_001_2_ND	VARCHAR2
CMPRESP_001_2	CMPRESP_001_2_C	VARCHAR2
	CMPRESP_001_2	VARCHAR2
	CMPRESP_001_2_ND	VARCHAR2
CHTRT_001_2	CHTRT_001_2	VARCHAR2
	CHTRT_001_2_ND	VARCHAR2
CHSTDT_001_2	CHSTDT_001_2	DATE
	CHSTDT_001_2_DTS	VARCHAR2
	CHSTDT_001_2_DTR	VARCHAR2
	CHSTDT_001_2_ND	VARCHAR2
	D_COMPTERM1_001_2	VARCHAR2
D_COMPTERM1_001_2	D_COMPTERM1_001_2	VARCHAR2
	D_COMPTERM1_001_2_ND	VARCHAR2
CHDECOD_001_2	CHDECOD_001_2	VARCHAR2
	CHDECOD_001_2_ND	VARCHAR2
SUPPCM_CMCODE_001_2	SUPPCM_CMCODE_001_2	VARCHAR2
	SUPPCM_CMCODE_001_2_ND	VARCHAR2

C3671013: CONCOMITANT MEDICATIONS - PROHIBITED (PROHIB CM) - Repeating Form [CM001_3]

#	Sponsor-Defined Identifier	Category for Medication	Concomitant Medications Pre-specified	Name of Medication	Start Date	Ongoing
Concomitant Medications [CM01001_3]						
1.	What is the medication identifier? <i>(read-only)</i> (Sponsor-Defined Identifier)		[CHSPID_001_3] A20 *			
2.*	Category: (Category for Medication)		[CMCAT_001_3] [A:15] ☐ CONCOMITANT IMMUNOSUPPRESSIVE THERAPY [A:16] ☐ CORTICOSTEROIDS [A:44] ☐ IMMUNOGLOBULINS			
3.	Concomitant Medications Pre-specified: <i>(read-only)</i> (Concomitant Medications Pre-specified)		[CHPRESP_001_3] [A:N] ☐ NO			
4.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., <i>Ingredient(s), route, use, formulation</i>). (Name of Medication)		[CHTRT_001_3] A100 *			
5.*	Start Date: (Start Date)		[CHSTDT_001_3] (DD/MM/YYYY) Req/Unk ☐ / Req/Unk ☒ / Req ☐ (1901-2027)			
6.*	Ongoing? (Ongoing)		[X_CHONGO_001_3] [A:Y] ☐ YES [A:N] ☐ ☒ [X_CHENDTC_CHP_001_3] ☐ NO [CHENDTC_001_3] (DD/MM/YYYY) End Date: Req/Unk ☒ / Req/Unk ☐ / Req ☐ (1901-2027)			
7.	Comparison Term <i>(hidden)</i> (Comparison Term)		[D_COMPTERM1_001_3] A200 *			
8.	Standardized Medication Name - Dictionary derived: <i>(hidden)</i> (Standardized Medication Name)		[CHDECOD_001_3] A100 *			
9.	Standardized Medication Code - Dictionary derived <i>(hidden)</i> (Standardized Medication Code)		[SUPPCH_CMCODE_001_3] A11 *			

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [*] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: CONCOMITANT MEDICATIONS - PROHIBITED		
Type	RefName	Description
Item	CHSPID_001_3	A sponsor-defined reference number.
Item	CHPRESP_001_3	Concomitant Medications Pre-specified
Item	CHTRT_001_3	Name of Medication
Item	CHSTDT_001_3	Date the medication was first taken
Item	X_CHONGO_001_3	Indicates the medication is ongoing when no End Date is provided
Item	CHENDTC_001_3	Date the subject stopped taking the medication
Item	D_COMPTERM1_001_3	Hidden Item needed for clear coding rule.
Item	CHDECOD_001_3	Standardized Medication Name - Dictionary derived.
Item	SUPPCH_CMCODE_001_3	Standardized Medication Code - Dictionary derived

Coding Summary: CONCOMITANT MEDICATIONS - PROHIBITED

Verbatim RefName: CHTRT_001_3		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
CHDECOD_001_3	PT	Term
SUPPCH_CMCODE_001_3	PT	Code

RDE Analytics: RD_CM001_3		
Data Variable RefName	RD Column Name	Column Data Type
CHSPID_001_3	CHSPID_001_3	VARCHAR2
	CHSPID_001_3_NO	VARCHAR2
CMCAT_001_3	CMCAT_001_3_C	VARCHAR2
	CMCAT_001_3	VARCHAR2
	CMCAT_001_3_NO	VARCHAR2
CHPRESP_001_3	CHPRESP_001_3_C	VARCHAR2
	CHPRESP_001_3	VARCHAR2
	CHPRESP_001_3_NO	VARCHAR2
CHTRT_001_3	CHTRT_001_3	VARCHAR2
	CHTRT_001_3_NO	VARCHAR2
CHSTDT_001_3	CHSTDT_001_3	DATE
	CHSTDT_001_3_DTS	VARCHAR2
	CHSTDT_001_3_DTR	VARCHAR2
	CHSTDT_001_3_NO	VARCHAR2
	CHSTDT_001_3_NO	VARCHAR2
X_CHONGO_001_3	X_CHONGO_001_3_C	VARCHAR2
	X_CHONGO_001_3	VARCHAR2
	X_CHONGO_001_3_NO	VARCHAR2
X_CHONGO_001_3 - CHENDTC_001_3	CHENDTC_001_3	DATE
	CHENDTC_001_3_DTS	VARCHAR2
	CHENDTC_001_3_DTR	VARCHAR2
	CHENDTC_001_3_NO	VARCHAR2
D_COMPTERM1_001_3	D_COMPTERM1_001_3	VARCHAR2
	D_COMPTERM1_001_3_NO	VARCHAR2
CHDECOD_001_3	CHDECOD_001_3	VARCHAR2
	CHDECOD_001_3_NO	VARCHAR2
SUPPCH_CMCODE_001_3	SUPPCH_CMCODE_001_3	VARCHAR2
	SUPPCH_CMCODE_001_3_NO	VARCHAR2

C3671013: TRANSFUSIONS (TRANSFUSE) - Repeating Form [PRTFD002]

1

Transfusion Type

Date of Transfusion

Transfusions [PRTFD01002]

1*
Transfusion Type:
[Transfusion Type]

[PRTRT_002]
[A:1] ☐ PACKED RBC
[A:2] ☐ PLATELETS
[A:3] ☐ WHOLE BLOOD
[A:4] ☐ PLASMA
[A:999] ☐ [X_PRTRT_TFDTYPO_CHF_002] ☐
OTHER
[X_PRTRT_TFDTYPO_002]
Specify:
[A:30]*

2*
Date of Transfusion:
[Date of Transfusion]

[PRSTDTC_002] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2021-2027)

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCI3 Only
Note: Source verification critical settings made in Sofarm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_PRTFD002		
Data Variable RefName	RD Column Name	Column Data Type
PRTRT_002	PRTRT_002_C	VARCHAR2
	PRTRT_002	VARCHAR2
	PRTRT_002_ND	VARCHAR2
PRTRT_002 - X_PRTRT_TFDTYPO_002	X_PRTRT_TFDTYPO_002	VARCHAR2
PRSTDTC_002	PRSTDTC_002	DATE
	PRSTDTC_002_DTS	VARCHAR2
	PRSTDTC_002_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: UNPLANNED VISIT (UNPL) [D_UPA001]		
Unplanned Assessments [D_UPA01001]		
1.* Assessments [Assessments]	D_UNPLASS_001 (A.3) ☐ CONTACT OUTCOME - UNPLANNED REACTOGENICITY (A.4) ☐ CONTACT OUTCOME - UNPLANNED VITALS ARI (A.5) ☐ PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY	
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_UPA001		
Data Variable RefName	RD Column Name	Column Data Type
D_UNPLASS_001	D_UNPLASS_001_NO	VARCHAR2
D_UNPLASS_001 - CONTACT OUTCOME - UNPLANNED REACTOGENICITY	*D_UNPLASS_001_CLJUNPLASSCONOUTUNPLREACT_C	VARCHAR2
	*D_UNPLASS_001_CLJUNPLASSCONOUTUNPLREACT	VARCHAR2
D_UNPLASS_001 - CONTACT OUTCOME - UNPLANNED VITALS ARI	*D_UNPLASS_001_CLJUNPLASSCONOUTUNPLVITALSARI_C	VARCHAR2
	*D_UNPLASS_001_CLJUNPLASSCONOUTUNPLVITALSARI	VARCHAR2
D_UNPLASS_001 - PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY	*D_UNPLASS_001_CLJUNPLASSPRESPECIGNEDHIST_C	VARCHAR2
	*D_UNPLASS_001_CLJUNPLASSPRESPECIGNEDHIST	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C3671013: VITAL SIGNS - UNPLANNED REACTOGENICITY (VIT UREAC) [VS001_1]

Vital Signs Details [VS02001_1]

▼

1

Record Identifier:

Date:

Temperature:

Temperature Unit:

Temperature Location:

Systolic:

Diastolic:

BP Position

Heart Rate

Vital Signs Details Entry [VS02001_1]

1.1

Record Identifier: *(read-only)*

[Record Identifier]

[VS0PID_001_1]

[A-1] ☐

1.2

Date:

[Date]

[VS0TCL_001_1] (DD/MM/YYYY)

[Req ☐] / [Req ☐] / [Req ☐] (2021-2027)

1.3

Temperature:

[Temperature]

[VS0RRRES_TEMP_001_1]

xxx.x

1.4

Unit:

[Temperature Unit]

[VS0RRRESU_TEMP_001_1]

[A-3] ☐ °F

[A-4] ☐ °C

1.5

Temperature Location:

[Temperature Location]

[VS0LOC_TEMP_001_1]

[A-42] ☐ EAR

[A-60] ☐ ORAL CAVITY

[A-83] ☐ AXILLA

[A-389] ☐ RECTUM

[A-410] ☐ FOREHEAD

1.6

Systolic:

[Systolic]

[VS0RRRES_SYSBP_001_1]

N3

1.7

Diastolic:

[Diastolic]

[VS0RRRES_DIABP_001_1]

N3

1.8

BP Position: *(read-only)*

[BP Position]

[VS0POS_BP_001_1]

[A-1] ☐ SITTING

1.9

Heart Rate:

[Heart Rate]

[VS0RRRES_HR_001_1]

N3

Key: [*] = Item is required (▼) = Source verification required ☐ = Fixed Item

Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS - UNPLANNED REACTOGENICITY		
Type	RefName	Description
Form	VS001_1	VS001 - Vital Signs - Wide Format
Item	VSSPID_001_1	VS001: Calculated by Inform as sequential number for each test record. VS002: Calculated by Inform as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_TEMP_001_1	Temperature
Item	VSORRESU_TEMP_001_1	Temperature Unit
Item	VSLOC_TEMP_001_1	Temperature Route
Item	VSORRES_SYSBP_001_1	Systolic Blood Pressure collected in mmHg
Item	VSORRES_DIABP_001_1	Diastolic Blood Pressure in mmHg
Item	VSPOS_BP_001_1	Blood Pressure Position
Item	VSORRES_HR_001_1	Heart Rate in beats/minute

RDE Analytics: RD_VS001_1			
Data Variable	RefName	RD Column Name	Column Data Type
RD_VS001_1_VS02001_1			
VSSPID_001_1	VS0PID_001_1	VS0PID_001_1_C	VARCHAR2
		VS0PID_001_1	VARCHAR2
		VS0PID_001_1_ND	VARCHAR2
VSDTCL_001_1	VS0TCL_001_1	VS0TCL_001_1	DATE
		VS0TCL_001_1_DTS	VARCHAR2
		VS0TCL_001_1_ND	VARCHAR2
VSORRES_TEMP_001_1	VS0RRRES_TEMP_001_1	VS0RRRES_TEMP_001_1	FLOAT
		VS0RRRES_TEMP_001_1_ND	VARCHAR2
		VS0RRRESU_TEMP_001_1_C	VARCHAR2
VSORRESU_TEMP_001_1	VS0RRRESU_TEMP_001_1	VS0RRRESU_TEMP_001_1	VARCHAR2
		VS0RRRESU_TEMP_001_1_ND	VARCHAR2
		VS0RRRESU_TEMP_001_1_ND	VARCHAR2
VSLOC_TEMP_001_1	VS0LOC_TEMP_001_1	VS0LOC_TEMP_001_1_C	VARCHAR2
		VS0LOC_TEMP_001_1	VARCHAR2
		VS0LOC_TEMP_001_1_ND	VARCHAR2
VSORRES_SYSBP_001_1	VS0RRRES_SYSBP_001_1	VS0RRRES_SYSBP_001_1	NUMBER
		VS0RRRES_SYSBP_001_1_ND	VARCHAR2
		VS0RRRES_DIABP_001_1	NUMBER
VSORRES_DIABP_001_1	VS0RRRES_DIABP_001_1	VS0RRRES_DIABP_001_1	NUMBER
		VS0RRRES_DIABP_001_1_ND	VARCHAR2
		VS0RRRES_DIABP_001_1_ND	VARCHAR2
VSPOS_BP_001_1	VS0POS_BP_001_1	VS0POS_BP_001_1_C	VARCHAR2
		VS0POS_BP_001_1	VARCHAR2
		VS0POS_BP_001_1_ND	VARCHAR2
VSORRES_HR_001_1	VS0RRRES_HR_001_1	VS0RRRES_HR_001_1	NUMBER
		VS0RRRES_HR_001_1_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0 919f856034ae8f10 0007.0000 6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: CONTACT OUTCOME - UNPLANNED REACTOGENICITY (CONTACT UV) [FAFUC009_1]

1. Follow-Up Contact Category *(Hidden)*
(Follow Up Contact Category)

2. Contact Type: *(read-only)*
(Type of Contact/Visit)

3. Was contact made?
(Was Contact Made)

4. Comments:
(Comments/Findings/Details)

[FACAT_009_1]
(A-1) ☐ CONTACT OUTCOME

[FAORRES_FUCTYPE_009_1]
(A-2) ☐ TELEPHONE VISIT

[FAORRES_FUCMADE_009_1]
(A-3) ☐ [FAORRES_FUCNCRS_009_1] ☐
NO
[FAORRES_FUCNCRS_009_1]
If No, why?
A200 *

[A-7] ☐ [FAORRES_FUCOCCUR_CMP_009_1] ☐
YES
[FAORRES_FUCDAT_009_1] (DD/MM/YYYY)
Date of Contact:
Req / Req / Req (2021-2027)
[FAORRES_FUCOUT_009_1]
Contact Outcome:
(A-1) ☐ VISIT ARRANGED
(A-2) ☐ VISIT ARRANGED, BUT NOT ATTENDED
(A-3) ☐ VISIT NOT ARRANGED, REACTION NO LONGER PRESENT
(A-4) ☐ VISIT NOT ARRANGED, UNABLE TO ATTEND
(A-5) ☐ VISIT NOT REQUIRED, DATA ENTRY ERROR IN E-DIARY
(A-6) ☐ VISIT NOT REQUIRED, INVESTIGATOR DECISION
(A-8) ☐ VISIT NOT ARRANGED, SEVERE REACTOGENICITY ASSESSMENT CONFIRMED VIA MEDICAL RECORDS AND/OR TELEHEALTH ASSESSMENT

[CO_FUCCOM_009_1]
A200 *

Key: [*] = Item is required [] = Source verification required [] = Item is collapsible [*] = ASCII Only
Note: Source verification critical settings made in b4form will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_FAFUC009_1		
Data Variable RefName	RD Column Name	Column Data Type
FACAT_009_1	FACAT_009_1_C	VARCHAR2
	FACAT_009_1	VARCHAR2
	FACAT_009_1_ND	VARCHAR2
FAORRES_FUCTYPE_009_1	FAORRES_FUCTYPE_009_1_C	VARCHAR2
	FAORRES_FUCTYPE_009_1	VARCHAR2
	FAORRES_FUCTYPE_009_1_ND	VARCHAR2
FAORRES_FUCMADE_009_1	FAORRES_FUCMADE_009_1_C	VARCHAR2
	FAORRES_FUCMADE_009_1	VARCHAR2
	FAORRES_FUCMADE_009_1_ND	VARCHAR2
FAORRES_FUCMADE_009_1 - FAORRES_FUCNCRS_009_1		VARCHAR2
FAORRES_FUCMADE_009_1 - FAORRES_FUCDAT_009_1		DATE
FAORRES_FUCMADE_009_1 - FAORRES_FUCOUT_009_1		VARCHAR2
FAORRES_FUCOUT_009_1		VARCHAR2
CO_FUCCOM_009_1		VARCHAR2
CO_FUCCOM_009_1_ND		VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: UNPLANNED ASSESSMENT OF LOCAL REACTION - SYSTEMIC EVENT (REACTION) [CECISR004]

Unplanned Assessment Of Local Reaction [CECISR004]

1. Category for Clinical Event (read-only)

Category for Clinical Event

2. Date of Assessment:

Date of Assessment

3. Injection Site Location (read-only)

Injection Site Location

4. Injection Site Body Side:

Injection Site Body Side

[Y_CECAT_004]

[A:2] ☐ UNPLANNED ASSESSMENT OF LOCAL REACTION/SYSTEMIC EVENT

[Y_CEDTC_004] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☒ (2021-2027)

[Y_CELOC_004]

[A:14] ☐ DELTOTOID MUSCLE

[Y_CELAT_004]

[A:5] ☐ LEFT

[A:6] ☐ RIGHT

Reaction [CECISR02004]

Reaction:

Reaction Present:

5.a REDNESS

5.b SWELLING

Reaction Entry [CECISR02004]

5.1 Reaction: (read-only)

Reaction

5.2 Reaction Present:

Reaction Present

[CETERM_004]

[A:1] ☐ REDNESS

[A:2] ☐ SWELLING

[CROCCUR_004]

[A:N] ☐ NO

[A:Y] ☐ [CEOCCUR_CMP_004] ☐

YES

[FAORRES_MAXDIAM_004]

Maximum Diameter (cm):

xx.x

[FAORRES_MINDIAM_004]

Minimum Diameter (cm):

xx.x

[FAORRES_GACRIMET_004]

Meets Grade 4 Reaction Criteria:

[A:N] ☐ NO

[A:Y] ☐ YES

Symptom [CECISR03004]

Symptom:

Symptom Present:

6.a HEADACHE

6.b VOMITING

6.c FATIGUE/TIREDNESS

6.d DIARRHEA

6.e MUSCLE PAIN

6.f JOINT PAIN

6.g PAIN AT INJECTION SITE

6.h NAUSEA

Symptom Entry [CECISR03004]

6.1 Symptom: (read-only)

Symptom

6.2 Symptom Present:

Symptom Present

[CETERM1_004]

[CETERM1_CL_004] ☒

[CROCCUR1_004]

[A:N] ☐ NO

[A:Y] ☐ [CEOCCUR1_CMP_004] ☐

YES

[CETOXGR_004]

Symptom Grade:

[A:1] ☐

[A:2] ☐

[A:3] ☐

[A:4] ☐

[X_CEREL_004]

Event related to Study Treatment?

[A:N] ☐ NO

[A:Y] ☐ YES

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [] = Fixed Item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the Item.

Codelist Values Tables: UNPLANNED ASSESSMENT OF LOCAL REACTION - SYSTEMIC EVENT					
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName
CETERM1_CL_004	String		HEADACHE	3	chcISR1_HEADACHE
			VOMITING	4	chcISR1_VOMITING
			DIARRHEA	6	chcISR1_DIARRHEA
			FATIGUE/TIREDNESS	7	chcISR1_FATIGUE_TIREDNESS
			MUSCLE PAIN	9	chcISR1_MUSCLE_PAIN
			JOINT PAIN	11	chcISR1_JOINT_PAIN
			PAIN AT INJECTION SITE	12	chcISR1_PAIN_AT_INJECTION_SITE
			NAUSEA	13	chcISR1_NAUSEA

RDE Analytics: RD_CECISR004			
Data Variable RefName	RD Column Name	Column Data Type	
Y_CECAT_004	Y_CECAT_004_C	VARCHAR2	
	Y_CECAT_004	VARCHAR2	
	Y_CECAT_004_ND	VARCHAR2	
Y_CEDTC_004	Y_CEDTC_004	DATE	
	Y_CEDTC_004_DTS	VARCHAR2	
	Y_CEDTC_004_ND	VARCHAR2	
Y_CELOC_004	Y_CELOC_004_C	VARCHAR2	
	Y_CELOC_004	VARCHAR2	
	Y_CELOC_004_ND	VARCHAR2	
Y_CELAT_004	Y_CELAT_004_C	VARCHAR2	
	Y_CELAT_004	VARCHAR2	
	Y_CELAT_004_ND	VARCHAR2	
RD_CECISR004_CECISR02004			
CETERM_004	CETERM_004_C	VARCHAR2	
	CETERM_004	VARCHAR2	
	CETERM_004_ND	VARCHAR2	
CROCCUR_004	CROCCUR_004_C	VARCHAR2	
	CROCCUR_004	VARCHAR2	
	CROCCUR_004_ND	VARCHAR2	
CROCCUR_004 - FAORRES_MAXDIAM_004	FAORRES_MAXDIAM_004	FLOAT	
	CROCCUR_004 - FAORRES_MINDIAM_004	FAORRES_MINDIAM_004	FAORRES_MINDIAM_004
	CROCCUR_004 - FAORRES_GACRIMET_004	FAORRES_GACRIMET_004_C	VARCHAR2
RD_CECISR004_CECISR03004	CETERM1_004_C	VARCHAR2	
	CETERM1_004	VARCHAR2	
	CETERM1_004_ND	VARCHAR2	
CROCCUR1_004	CROCCUR1_004_C	VARCHAR2	
	CROCCUR1_004	VARCHAR2	
	CROCCUR1_004_ND	VARCHAR2	
CROCCUR1_004 - CETOXGR_004	CETOXGR_004_C	VARCHAR2	
	CETOXGR_004	VARCHAR2	
	CETOXGR_004_ND	VARCHAR2	
CROCCUR1_004 - X_CEREL_004	X_CEREL_004_C	VARCHAR2	
	X_CEREL_004	VARCHAR2	
	X_CEREL_004_ND	VARCHAR2	

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: CONTACT OUTCOME (CONTACT UV) [FAFUC009_4]

1. Follow-Up Contact Category (Hidden)
(Follow Up Contact Category)

[FACAT_009_4]
[A:1] ☐ CONTACT OUTCOME

2. Contact Type: (read-only)
(Type of Contact/Visit)

[FAORRES_FUCTYPE_009_4]
[A:1] ☐ CLINIC VISIT

3.* Was contact made?
(Was Contact Made)

[FAORRES_FUCMADE_009_4]
[A:3] ☐ [FAORRES_FUCNCRS_CMP_009_4] ☐
NO
[FAORRES_FUCNCRS_009_4]
If No, why?
A200 *

[A:1] ☐ [FAORRES_FUCOCCUR_CMP_009_4] ☐
YES
[FAORRES_FUCDAT_009_4] (DD/MM/YYYY)
Date of Contact:
Req / / / Req / / (2021-2025)
[FAORRES_FUCOUT_009_4]
Contact Outcome:
[A:1] ☐ VISIT ARRANGED
[A:2] ☐ VISIT ARRANGED, BUT NOT ATTENDED
[A:3] ☐ VISIT NOT ARRANGED, REACTION NO LONGER PRESENT
[A:4] ☐ VISIT NOT ARRANGED, UNABLE TO ATTEND
[A:5] ☐ VISIT NOT REQUIRED, DATA ENTRY ERROR IN E-DIARY
[A:6] ☐ VISIT NOT REQUIRED, INVESTIGATOR DECISION

4. Comments:
(Comments/Findings/Details)

[CO_FUCCOM_009_4]
A200 *

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [*] = ASCII Only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_FAFUC009_4		
Data Variable RefName	RD Column Name	Column Data Type
FACAT_009_4	FACAT_009_4_C	VARCHAR2
	FACAT_009_4	VARCHAR2
	FACAT_009_4_ND	VARCHAR2
FAORRES_FUCTYPE_009_4	FAORRES_FUCTYPE_009_4_C	VARCHAR2
	FAORRES_FUCTYPE_009_4	VARCHAR2
	FAORRES_FUCTYPE_009_4_ND	VARCHAR2
FAORRES_FUCMADE_009_4	FAORRES_FUCMADE_009_4_C	VARCHAR2
	FAORRES_FUCMADE_009_4	VARCHAR2
	FAORRES_FUCMADE_009_4_ND	VARCHAR2
FAORRES_FUCMADE_009_4 - FAORRES_FUCNCRS_009_4	FAORRES_FUCNCRS_009_4	VARCHAR2
	FAORRES_FUCDAT_009_4	DATE
	FAORRES_FUCDAT_009_4_DTS	VARCHAR2
FAORRES_FUCMADE_009_4 - FAORRES_FUCOUT_009_4	FAORRES_FUCOUT_009_4_C	VARCHAR2
	FAORRES_FUCOUT_009_4	VARCHAR2
	CO_FUCCOM_009_4	VARCHAR2
CO_FUCCOM_009_4	CO_FUCCOM_009_4	VARCHAR2
	CO_FUCCOM_009_4_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: VITAL SIGNS - UNPLANNED (VIT ARI) - Repeating Form [VS001_2]

#

Vital Signs Details

Vital Signs Details [VS02001_2]

#

Record Identifier

Date*

Temperature*

Temperature Unit*

Temperature Location*

Respiratory Rate in respirations/minute*

Oxygen Saturation*

1.1

Record Identifier: (read-only)

[VS0PID_001_2]

1.2

Date:

[VSDTC1_001_2] (DD/MM/YYYY)

1.3

Temperature:

[VSORRES_TEMP_001_2]

1.4

Unit:

[VSORRESU_TEMP_001_2]

1.5

Temperature Location:

[VSLOC_TEMP_001_2]

1.6

Respiratory Rate in respirations/minute:

[VSORRES_RESP_001_2]

1.7

SPO2 Pulse Oximetry %:

[VSORRES_OXYSAT_001_2]

Key: [?] = Item is required [✓] = Source verification required [f] = Fixed Item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS - UNPLANNED		
Type	RefName	Description
Form	VS001_2	VS001 - Vital Signs - Wide Format
Item	VSSPID_001_2	VS001: Calculated by InForm as sequential number for each test record. VS002: Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_TEMP_001_2	Temperature
Item	VSORRESU_TEMP_001_2	Temperature Unit
Item	VSLOC_TEMP_001_2	Temperature Route
Item	VSORRES_RESP_001_2	Respiratory Rate in respirations/minute.

RDE Analytics: RD_VS001_2		
Data Variable RefName	RD Column Name	Column Data Type
RD_VS001_2_VS02001_2		
VSSPID_001_2	VSSPID_001_2_C	VARCHAR2
	VSSPID_001_2	VARCHAR2
	VSSPID_001_2_ND	VARCHAR2
VSDTC1_001_2	VSDTC1_001_2	DATE
	VSDTC1_001_2_DTS	VARCHAR2
	VSDTC1_001_2_ND	VARCHAR2
VSORRES_TEMP_001_2	VSORRES_TEMP_001_2	FLCAT
	VSORRES_TEMP_001_2_ND	VARCHAR2
VSORRESU_TEMP_001_2	VSORRESU_TEMP_001_2_C	VARCHAR2
	VSORRESU_TEMP_001_2	VARCHAR2
	VSORRESU_TEMP_001_2_ND	VARCHAR2
VSLOC_TEMP_001_2	VSLOC_TEMP_001_2_C	VARCHAR2
	VSLOC_TEMP_001_2	VARCHAR2
	VSLOC_TEMP_001_2_ND	VARCHAR2
VSORRES_RESP_001_2	VSORRES_RESP_001_2	NUMBER
	VSORRES_RESP_001_2_ND	VARCHAR2
VSORRES_OXYSAT_001_2	VSORRES_OXYSAT_001_2	FLCAT
	VSORRES_OXYSAT_001_2_ND	VARCHAR2

C3671013: WITHDRAWAL OF CONSENT (WOC) [DS001_7]		
Withdrawal Of Consent [DS01001_7]		
1. * Withdrawal of Consent Date : [Withdrawal of Consent Date :]		[DSSTDTC_001_7] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2021-2027)
Key: [*] = Item is required Note: Source verification critical settings made in Inform will override any settings made in Central Designer.		
Study Object Descriptions: WITHDRAWAL OF CONSENT		
Type	RefName	Description
Item	DSSTDTC_001_7	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
RDE Analytics: RD_DS001_7		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_7	DSSTDTC_001_7	DATE
	DSSTDTC_001_7_DTS	VARCHAR62
	DSSTDTC_001_7_IND	VARCHAR62

C3671013: DEATH DETAILS (DTH DTL) [DD002]

Death Details [DD01002]

1.* Date of Collection / Notification of Death:
Date of Collection / Notification of Death

[DDOTC_002] (DD/MM/YYYY)
Req [v] / Req [v] / Req [v] (2021-2027)

2.* Date of Death:
Date of Death

[R_DDOTHDT_002] (DD/MM/YYYY)
Req/Link [v] / Req/Link [v] / Req [v] (2021-2027)

3.
Cause of Death Status

Cause of Death

Death Details Entry [DD02002]

3.1.* Cause of Death Status:
Cause of Death Status

[DOTEST_002]
[A-I] ☐ PRIMARY CAUSE OF DEATH
[A-D] ☐ SECONDARY CAUSE OF DEATH

3.2.* Cause of Death:
Cause of Death

[DDORRES_002]
A200 *

3.3 Comparison Term (hidden)
Comparison Term

[D_COMPTERM6_002]
A200 *

3.4 Lowest Level Term (hidden)
Lowest Level Term

[SUPPDO_DDLT_002]
A100 *

3.5 Lowest Level Term Code (hidden)
Lowest Level Term Code

[SUPPDO_DDLTCD_002]
Aa *

3.6 Dictionary-Derived Term (hidden)
Dictionary-Derived Term

[SUPPDO_DDECOD_002]
A100 *

3.7 Preferred Term Code (hidden)
Preferred Term Code

[SUPPDO_DDPYCD_002]
Aa *

3.8 High Level Term (hidden)
High Level Term

[SUPPDO_DDHLT_002]
A100 *

3.9 High Level Term Code (hidden)
High Level Term Code

[SUPPDO_DDHLTCD_002]
Aa *

3.10 High Level Group Term (hidden)
High Level Group Term

[SUPPDO_DDHLET_002]
A100 *

3.11 High Level Group Term Code (hidden)
High Level Group Term Code

[SUPPDO_DDHLETCD_002]
Aa *

3.12 Primary System Organ Class (hidden)
Primary System Organ Class

[SUPPDO_DSOC_002]
A100 *

3.13 Primary System Organ Class Code (hidden)
Primary System Organ Class Code

[SUPPDO_DSOCOD_002]
Aa *

Key: [*] = Item is required [v] = Source verification required [A-I] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: DEATH DETAILS		
Type	RefName	Description
Form	DD002	DEATH DETAILS CODED

Coding Summary: DEATH DETAILS

Verbatim RefName: DDORRES_002			
Dictionary: Pfizer MedDRA Verbatim Type:			
Coding Item RefName	Level	Level Type	
SUPPDO_DSOC_002	SOC	Term	
SUPPDO_DSOCOD_002	SOC	Code	
SUPPDO_DDHLET_002	HLEGT	Term	
SUPPDO_DDHLETCD_002	HLEGT	Code	
SUPPDO_DDHLT_002	HLT	Term	
SUPPDO_DDHLTCD_002	HLT	Code	
SUPPDO_DDECOD_002	PT	Term	
SUPPDO_DDPYCD_002	PT	Code	
SUPPDO_DDLT_002	LLT	Term	
SUPPDO_DDLTCD_002	LLT	Code	

RDE Analytics: RD_DD002

Data Variable RefName	RD Column Name	Column Data Type
DDOTC_002	DDOTC_002	DATE
	DDOTC_002_DTS	VARCHAR2
	DDOTC_002_ND	VARCHAR2
R_DDOTHDT_002	R_DDOTHDT_002	DATE
	R_DDOTHDT_002_DTS	VARCHAR2
	R_DDOTHDT_002_DTR	VARCHAR2
	R_DDOTHDT_002_ND	VARCHAR2
RD_DD002_DD02002		
DOTEST_002	DOTEST_002_C	VARCHAR2
	DOTEST_002	VARCHAR2
	DOTEST_002_ND	VARCHAR2
DDORRES_002	DDORRES_002	VARCHAR2
	DDORRES_002_ND	VARCHAR2
D_COMPTERM6_002	D_COMPTERM6_002	VARCHAR2
	D_COMPTERM6_002_ND	VARCHAR2
SUPPDO_DDLT_002	SUPPDO_DDLT_002	VARCHAR2
SUPPDO_DDLTCD_002	SUPPDO_DDLT_002_ND	VARCHAR2
	SUPPDO_DDLTCD_002	VARCHAR2
SUPPDO_DDECOD_002	SUPPDO_DDLTCD_002_ND	VARCHAR2
	SUPPDO_DDECOD_002	VARCHAR2
SUPPDO_DDPYCD_002	SUPPDO_DDECOD_002_ND	VARCHAR2
	SUPPDO_DDPYCD_002	VARCHAR2
SUPPDO_DDHLT_002	SUPPDO_DDPYCD_002_ND	VARCHAR2
	SUPPDO_DDHLT_002	VARCHAR2
SUPPDO_DDHLTCD_002	SUPPDO_DDHLT_002_ND	VARCHAR2
	SUPPDO_DDHLTCD_002	VARCHAR2
SUPPDO_DDHLET_002	SUPPDO_DDHLTCD_002_ND	VARCHAR2
	SUPPDO_DDHLET_002	VARCHAR2
SUPPDO_DDHLETCD_002	SUPPDO_DDHLET_002_ND	VARCHAR2
	SUPPDO_DDHLETCD_002	VARCHAR2
SUPPDO_DSOC_002	SUPPDO_DDHLETCD_002_ND	VARCHAR2
	SUPPDO_DSOC_002	VARCHAR2
SUPPDO_DSOCOD_002	SUPPDO_DSOC_002_ND	VARCHAR2
	SUPPDO_DSOCOD_002	VARCHAR2
SUPPDO_DSOCOD_002	SUPPDO_DSOCOD_002	VARCHAR2
	SUPPDO_DSOCOD_002_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0 919f856034ae8f10 0007.0000 6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: TREATMENT UNBLINDED (TRN UNBLN) [DS001_8]

Treatment Unblinded [DS01001_8]

1.*
Data Treatment Unblinded
[Data Treatment Unblinded :]

2.*
Primary Reason for Unblinding:
(Primary Reason for Unblinding)

[DSSTDTC_001_8] [DD/MM/YYYY]
Req [?] / Req [?] / Req [?] (2021-2027)

[X_DSTERM_DSUNBL_001_8]
[A.1] ☐ SUBJECT SAFETY CONCERN
[A.3] ☐ ASSESS ELIGIBILITY FOR ADDITIONAL VACCINATION
[A.999] ☐ [X_DSTERM_DSUNBLO_001_8] ☐
OTHER
[X_DSTERM_DSUNBLO_001_8]
If other, specify:
A100 *

Key: [*] = Item is required [?] = Source verification required [?] = Item is collapsible [*] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the Item.

Study Object Descriptions: TREATMENT UNBLINDED	
Type	RefName
Item	[DSSTDTC_001_8] The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_8		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_8	DSSTDTC_001_8	DATE
	DSSTDTC_001_8_DTS	VARCHAR2
X_DSTERM_DSUNBL_001_8	DSSTDTC_001_8_ND	VARCHAR2
	X_DSTERM_DSUNBL_001_8_C	VARCHAR2
X_DSTERM_DSUNBL_001_8 - X_DSTERM_DSUNBLO_001_8	X_DSTERM_DSUNBL_001_8	VARCHAR2
	X_DSTERM_DSUNBL_001_8_ND	VARCHAR2
X_DSTERM_DSUNBL_001_8 - X_DSTERM_DSUNBLO_001_8	X_DSTERM_DSUNBLO_001_8	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

11/07/2025

C3671013: DISPOSITION - TREATMENT (DISP TRT) [DS001_5]

1.*

Date of Completion/Discontinuation/Death :
[Date of Completion/Discontinuation (Date :)]

[DSSTDTC_001_5]

[DD/MM/YYYY]
Req [35] / Req [36] / Req [37] (2021-2027)

2.

Phase of Disposition: [read-only]
(Disposition Phase)

[SUPPDS_DSPHASE_001_5]
(A:29) ☐ VACCINATION

3.*

Status:
(Status)

[DSDECOD_001_5]
[DSDECOD_CL_001_5] ☐

4.

Specify Status:
(Specify Status)

[DSTERM_001_5]
A:105*

Key: [*] = Item is required [] = Source verification required [*] = ASCII Only
Note: Source verification critical settings made in BiForm will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - TREATMENT		
Type	RefName	Description
Item	DSSTDTC_001_5	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5	Specify Status

Codelist Values Tables: DISPOSITION - TREATMENT								
Codelist RefName	Codelist Data Type	Subset	Label		Code	Codelist Item RefName		Data Variable RefName
DSDECOD_CL_001_5	String		ADVERSE EVENT		1	CINCOMPLT_ADVERSE_EVENT		DSDECOD_001_5
			COMPLETED		2	CINCOMPLT_COMPLETED		
			DEATH		3	CINCOMPLT_DEATH		
			LOST TO FOLLOW-UP		5	CINCOMPLT_LOSTTOFOLLOWUP		
			OTHER		7	CINCOMPLT_OTHER		
			PHYSICIAN DECISION		8	CINCOMPLT_PHYSICIAN_DECISION		
			PROTOCOL DEVIATION		11	CINCOMPLT_PROTOCOLDEVIATION		
			STUDY TERMINATED BY SPONSOR		14	CINCOMPLT_STUDY_TERMINATED_BY_SPONSOR		
			WITHDRAWAL BY SUBJECT		16	CINCOMPLT_WITHDRAWAL_BY_SUBJECT		
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT		17	CINCOMPLT_MEDICATIONERRORWITHOUTASSOCIATEDADVERSEEVENT		
			NO LONGER MEETS ELIGIBILITY CRITERIA		18	CINCOMPLT_NOLONGERMEETSELIGIBILITYCRITERIA		
			REFUSED FURTHER STUDY PROCEDURES		25	CINCOMPLT_REFUSEDFURTHERSTUDYPROCEDURES		

RDE Analytics: RD_DS001_5		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_5	DSSTDTC_001_5	DATE
	DSSTDTC_001_5_DTS	VARCHAR2
	DSSTDTC_001_5_NO	VARCHAR2
SUPPDS_DSPHASE_001_5	SUPPDS_DSPHASE_001_5_C	VARCHAR2
	SUPPDS_DSPHASE_001_5	VARCHAR2
	SUPPDS_DSPHASE_001_5_NO	VARCHAR2
DSDECOD_001_5	DSDECOD_001_5_C	VARCHAR2
	DSDECOD_001_5	VARCHAR2
	DSDECOD_001_5_NO	VARCHAR2
DSTERM_001_5	DSTERM_001_5	VARCHAR2
	DSTERM_001_5_NO	VARCHAR2

C3671013: DISPOSITION - FOLLOW-UP (DISP FUP) [DS001_6]

Disposition - Follow-Up [DS01001_6]

1.*

Date of Completion/Discontinuation/Death :
[Date of Completion/Discontinuation/Death :]

2.

Phase of Disposition: [read-only]
(Disposition Phase)

3.*

Status:
(Status)

4.

Specify Status:
(Specify Status)

[DS01001_6] [DD/MM/YYYY]
Req [v] / Req [v] / Req [v] (2021-2027)

[SUPPDS_DSPHASE_001_6]
[A:1] FOLLOW-UP

[DSEDECOD_001_6]
[DSEDECOD_01_001_6]

[DSTERM_001_6]
A100*

Key: [*] = Item is required [v] = Source verification required [*] = ASCII Only
Note: Source verification critical settings made in BiForm will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - FOLLOW-UP	
Type	RefName
Item	DSSTDTC_001_6
Item	DSTERM_001_6

Codelist Values Tables: DISPOSITION - FOLLOW-UP			
Codelist RefName	Codelist Data Type	Subset	Label
DSEDECOD_01_001_6	String		ADVERSE EVENT
			COMPLETED
			DEATH
			LOST TO FOLLOW-UP
			OTHER
			PHYSICIAN DECISION
			PROTOCOL DEVIATION
			STUDY TERMINATED BY SPONSOR
			WITHDRAWAL BY SUBJECT
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT
			NO LONGER MEETS ELIGIBILITY CRITERIA
			REFUSED FURTHER STUDY PROCEDURES
Code	Codelist Item RefName	Data Variable RefName	
1	cINCOMPLT_ADVERSE_EVENT	DSEDECOD_001_6	
2	cINCOMPLT_COMPLETED		
3	cINCOMPLT_DEATH		
5	cINCOMPLT_LOSTTOFOLLOWUP		
7	cINCOMPLT_OTHER		
8	cINCOMPLT_PHYSICIAN_DECISION		
11	cINCOMPLT_PROTOCOLDEVIATION		
14	cINCOMPLT_STUDY_TERMINATED_BY_SPONSOR		
16	cINCOMPLT_WITHDRAWAL_BY_SUBJECT		
17	cINCOMPLT_MEDICATIONERRORWITHOUTASSOCIATEDADVERSEEVENT		
18	cINCOMPLT_NOLONGERMEETSELIGIBILITYCRITERIA		
25	cINCOMPLT_REFUSEDFURTHERSTUDYPROCEDURES		

RDE Analytics: RD_DS001_6		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_6	DSSTDTC_001_6	DATE
	DSSTDTC_001_6_DTS	VARCHAR2
SUPPDS_DSPHASE_001_6	DSSTDTC_001_6_NO	VARCHAR2
	SUPPDS_DSPHASE_001_6_C	VARCHAR2
	SUPPDS_DSPHASE_001_6	VARCHAR2
	SUPPDS_DSPHASE_001_6_NO	VARCHAR2
DSEDECOD_001_6	DSEDECOD_001_6_C	VARCHAR2
	DSEDECOD_001_6	VARCHAR2
	DSEDECOD_001_6_NO	VARCHAR2
DSTERM_001_6	DSTERM_001_6	VARCHAR2
	DSTERM_001_6_NO	VARCHAR2

C3671013: SUBJECT STATUS (SUB STATU) [X_DS_SLOPD001]

1. Subject Status (read-only)
[Subject Status]

[X_DS_STAT_001]
[X_DS_STAT_CL_001]

2. Subject Status Date (read-only)
[Status Date]

[X_DS_DAT_001] (DD/MM/YYYY)
Req ☒ / Req ☒ / Req ☒ (2021-2027)

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: SUBJECT STATUS		
Type	RefName	Description
Form	X_DS_SLOPD001	DS_SLOPD - Subject Status

Codelist Values Tables: SUBJECT STATUS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
X_DS_STAT_CL_001	String		SCREENED	1	dIDS_STAT_SCREENED	X_DS_STAT_001
			SCREEN FAIL	2	dIDS_STAT_SCREEN_FAIL	
			ENROLLED/RANDOMIZED	3	dIDS_STAT_ENROLLED_RANDOMIZED	
			DISCONTINUED	4	dIDS_STAT_DISCONTINUED	
			COMPLETED	5	dIDS_STAT_COMPLETED	
			FOLLOW-UP	6	dIDS_STAT_FOLLOW_UP	

RDE Analytics: RD_X_DS_SLOPD001		
Data Variable RefName	RD Column Name	Column Data Type
X_DS_STAT_001	X_DS_STAT_001_C	VARCHAR2
	X_DS_STAT_001	VARCHAR2
	X_DS_STAT_001_ND	VARCHAR2
X_DS_DAT_001	X_DS_DAT_001	DATE
	X_DS_DAT_001_DTS	VARCHAR2
	X_DS_DAT_001_ND	VARCHAR2

C3671013: CASEBOOK SIGNATURE FORM (INVSIG) [D_IS001]	
Casebook Signature Form [D_IS01001]	
1. * Casebook Signature [Casebook Signature]	[D_INVSIG_001] [A-I] Click Here to Enable
Key: [*] = Item is required Note: Source verification critical settings made in Inform will override any settings made in Central Designer.	

RDE Analytics: RD_D_IS001		
Data Variable RefName	RD Column Name	Column Data Type
D_INVSIG_001	D_INVSIG_001_C	VARCHAR2
	D_INVSIG_001	VARCHAR2
	D_INVSIG_001_ND	VARCHAR2

InForm Special Properties For Study Design: C3671013			
InForm Special Property	Property Type	Data Object RefName	Data Object Path RefName
Screening	Visit	SV5SCR	SV5SCR
Enrollment	Visit	SV5ENR	SV5ENR
Screening	Form	D_INFSCR001	SV5SCR.D_INFSCR001
Enrollment	Form	D_INFENR001	SV5ENR.D_INFENR001
Patient Identification	Form	DM001	V1_DAY1_VAX.DM001
Study Completion	Form	Unassigned	Unassigned
Reg Docs	Form	Unassigned	Unassigned
Visit Report	Form	Unassigned	Unassigned
Visit Approval	Form	Unassigned	Unassigned
Initials (Screening)	Item	D_SCRINIT_001	SV5SCR.D_INFSCR001.D_INFSCR01001.D_SCRINIT_001
DOB (Screening)	Item	D_SCRDOB_001	SV5SCR.D_INFSCR001.D_INFSCR01001.D_SCRDOB_001
Screening date (Screening)	Item	Unassigned	Unassigned
Patient No. (Enrollment)	Item	D_SUBID_001	V1_DAY1_VAX.DM001.DM01001.D_SUBID_001 SV5ENR.D_INFENR001.D_INFENR01001.D_SUBID_001
Initials (Patient Identification)	Item	Unassigned	Unassigned
Completion status (Study Completion)	Item	Unassigned	Unassigned
Drop out reason (Study Completion)	Item	Unassigned	Unassigned
DOV (Date of Visit)	Item	SV5TDT_001	V304.DAY1_VAX3.SV001.SV01001.SV5TDT_001 V100.CONSENT.SV001.SV01001.SV5TDT_001 V101.DAY1_VAX.SV001.SV01001.SV5TDT_001 R1.SELF_SWAB.SV001.2.SV01001.SV5TDT_001 V1.DAY1_VAX.SV001.SV01001.SV5TDT_001 V301.DAY1_VAX2.SV001.SV01001.SV5TDT_001 V4.SZN2_STRT.SV001.SV01001.SV5TDT_001 V6.SZN3_STRT.SV001.SV01001.SV5TDT_001 V3.MONTH6_POSTVAX.SV001.SV01001.SV5TDT_001 V3.SZN1_SAFETY_FUP.TC.SV001.SV01001.SV5TDT_001 V2.MONTH11_POSTVAX.SV001.SV01001.SV5TDT_001 V201.DAY1_VAX.SV001.SV01001.SV5TDT_001 V203.MONTH6_POSTVAX.SV001.SV01001.SV5TDT_001 V100.MONTH11_POSTVAX3.SV001.SV01001.SV5TDT_001 V7.SZN3_SAFETY_FUP.TC.SV001.SV01001.SV5TDT_001 UNPL_RESP.8.L.SV001.1.SV01001.SV5TDT_001 V204.MONTH12_POSTVAX.SV001.SV01001.SV5TDT_001 V202.MONTH11_POSTVAX2.SV001.SV01001.SV5TDT_001 V303.MONTH6_POSTVAX2.SV001.SV01001.SV5TDT_001 V306.MONTH6_POSTVAX3.SV001.SV01001.SV5TDT_001 V102.MONTH11_POSTVAX.SV001.SV01001.SV5TDT_001 V104.MONTH12_POSTVAX.SV001.SV01001.SV5TDT_001 V202.MONTH11_POSTVAX.SV001.SV01001.SV5TDT_001 V5.SZN2_SAFETY_FUP.TC.SV001.SV01001.SV5TDT_001 UNPL.SV001.SV01001.SV5TDT_001 V103.MONTH6_POSTVAX.SV001.SV01001.SV5TDT_001 V205.MONTH18_POSTVAX.SV001.SV01001.SV5TDT_001 V307.MONTH12_POSTVAX3.SV001.SV01001.SV5TDT_001 V105.MONTH18_POSTVAX.SV001.SV01001.SV5TDT_001
Randomization field (Randomization)	Item	Unassigned	Unassigned

Personal/Protected Health Information Table: C3671013		
Item RefName	Section RefName	Form RefName
No items have been defined as "Personal/Protected Health Information".		
Please note: emails sent from the trial server by the Inform application are not encrypted. If you are subject to HIPAA requirements, you should identify and block all Personal/Protected Health Information items that may be included in email notifications.		

Unit Conversions For Study Design: C3671013
No unit conversion data.

Review States for Study: C3671013
No Review States have been defined.

In-place Revisions Summary Table: C3671013
No in-place revisions have been defined.

Custom Events for Study Design: C3671013
No custom events have been defined.