

Annotated Study Book for Study Design: C3671058

Study Design Version: 5.0

Protocol: C3671058

Sponsor Drug Name: CaPS

C3671058

Generated by Central Designer TM

May 8, 2025 11:08AM

C3671058: INFORM SCREENING (SCREEN) [D_INFSCR001]		
InForm Screening [D_INFSCR01001]		
1.	InForm Initials <i>[hidden]</i> [InForm Initials]	[D_SCRINIT_001] A3★
2.*	Age: [Age]	[D_AGE_001] xx.
3.	Age Unit: <i>[read-only]</i> [Age Unit]	[D_AGEU_001] [A:5] YEARS
Key: [*] = Item is required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_INFSCR001		
Data Variable RefName	RD Column Name	Column Data Type
D_SCRINIT_001	D_SCRINIT_001	VARCHAR2
	D_SCRINIT_001_ND	VARCHAR2
D_AGE_001	D_AGE_001	FLOAT
	D_AGE_001_ND	VARCHAR2
D_AGEU_001	D_AGEU_001_C	VARCHAR2
	D_AGEU_001	VARCHAR2
	D_AGEU_001_ND	VARCHAR2

C3671058: INFORM ENROLLMENT (ENROLL) [D_INFENR001]		
InForm Enrollment [D_INFENR01001]		
1.*	Subject Identifier: [Subject Identifier]	D_DSUBJID_001 1001 <= N4 <= 9999
2.	Subject ID: <i>[read-only]</i> [Subject ID]	D_SUBJID_001 N8
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_INFENR001		
Data Variable RefName	RD Column Name	Column Data Type
D_DSUBJID_001	D_DSUBJID_001	NUMBER
	D_DSUBJID_001_ND	VARCHAR2
D_SUBJID_001	D_SUBJID_001	NUMBER
	D_SUBJID_001_ND	VARCHAR2

C3671058: DATE OF VISIT (DOV) [SV001]		
Date of Visit [SV01001]		
1.*	Date of Visit: [Date of Visit]	[SVSTDTC_001] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2025)
2.*	Contact Mode: [Contact Mode]	[X_SVCNTMOD_001] [A:1] ☐ IN PERSON, ONSITE [A:2] ☐ IN PERSON, OFFSITE [A:3] ☐ REMOTE AUDIO VIDEO
3.	Erroneous Visit: [Visit Error]	[D_SVERROR_001] [A:1] ☐ ERRONEOUS VISIT
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_SV001		
Data Variable RefName	RD Column Name	Column Data Type
SVSTDTC_001	SVSTDTC_001	DATE
	SVSTDTC_001_DTS	VARCHAR2
	SVSTDTC_001_ND	VARCHAR2
X_SVCNTMOD_001	X_SVCNTMOD_001_C	VARCHAR2
	X_SVCNTMOD_001	VARCHAR2
	X_SVCNTMOD_001_ND	VARCHAR2
D_SVERROR_001	D_SVERROR_001_C	VARCHAR2
	D_SVERROR_001	VARCHAR2
	D_SVERROR_001_ND	VARCHAR2

C3671058: INFORMED CONSENT (CONS) [DS001]

Informed Consent [DS01001]

1.*

Consent Was:
[Consent Was]

[SUPPDS_DSCSOBT_001]

[A:1]  [DSSTDTC_CMP_001] 

OBTAINED

[DSSTDTC_001] (DD/MM/YYYY)

Date of Written Consent Obtained:

Req  / Req  / Req  (2025-2025)

Key: [*] = Item is required [] = Item is collapsible

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INFORMED CONSENT		
Type	RefName	Description
Item	DSSTDTC_001	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001		
Data Variable RefName	RD Column Name	Column Data Type
SUPPDS_DSCSOBT_001	SUPPDS_DSCSOBT_001_C	VARCHAR2
	SUPPDS_DSCSOBT_001	VARCHAR2
	SUPPDS_DSCSOBT_001_ND	VARCHAR2
SUPPDS_DSCSOBT_001 - DSSTDTC_001	DSSTDTC_001	DATE
	DSSTDTC_001_DTS	VARCHAR2

C3671058: DEMOGRAPHY (DEMOG) [DM001]		
Demography [DM01001]		
1. ✓	Subject Identifier: [Subject Identifier]	[D_DSUBJID1_001] 1001 <= N4 <= 9999
2.	Subject ID: <i>[read-only]</i> [Subject ID]	[D_SUBJID_001] N8
3.* ✓	Age: [Age]	[R_AGE_001] xx.
4.	Age Unit: <i>[read-only]</i> [Age Unit]	[R_AGEU_001] [A:5] ☒ YEARS
5.* ✓	Sex: [Sex]	[SEX_001] [A:F] ☒ FEMALE [A:M] ☐ MALE
6.* ✓	Ethnicity: [Ethnicity]	[ETHNIC_001] [A:HISPANIC OR LATINO] ☐ HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN [A:NOT HISPANIC OR LATINO] ☐ NOT HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN [A:NOT REPORTED] ☐ NOT REPORTED
7.* ✓	Race: (Check all that apply) [Race Of Subject]	[RACE_001] [A:1] ☐ BLACK OR AFRICAN AMERICAN [A:2] ☐ AMERICAN INDIAN OR ALASKA NATIVE [A:3] ☐ ASIAN [A:4] ☐ NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER [A:5] ☐ WHITE [A:6] ☐ NOT REPORTED [A:7] ☐ UNKNOWN
8. ✓	Racial Designation: [Racial Designation]	[SUPPDM_RACIALD_001] [SUPPDM_RACIALD_CL_001] ▼
9.* ✓	Has the subject previously taken part in a study involving this investigational product? [Participated in Previous Study]	[X_DMPYN_001] [A:Y] ☒ [X_DMPFYN_CMP_001] ☐ YES [X_DMPFSTDY_001] First Study Identifier: A20* [X_DMPFSITE_001] First Site Identifier: A20* [X_DMPFSUBJ_001] First Subject Identifier: A20* [X_DMPMYN_001] Has the subject previously taken part in more than one study in this drug program (C367)? If Yes, please provide the most recent study details: [A:N] ☐ NO [A:Y] ☒ [X_DMPYN_CMP_001] ☐ YES [X_DMPSTUDY_001] Most Recent Study Identifier: A20* [X_DMPSITE_001] Most Recent Site Identifier: A20* [X_DMPSUBJ_001] Most Recent Subject Identifier: A20* [A:N] ☐ NO

10.* ✓	Was the subject screened previously in current study? [Screened Previously in Current Study]	[X_DMRYN_001] [A:Y] ☐ [X_DMRYN_CMP_001] ☐ YES [X_DMRSITE_001] Initial Site Identifier: A20★ [X_DMRSUBJ_001] Initial Subject Identifier: A20★ [A:N] ☐ NO
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: DEMOGRAPHY		
Type	RefName	Description
Form	DM001	DM001 - Demography
Item	SEX_001	The assemblage of physical properties or qualities by which male is distinguished from female; the physical difference between male and female.
Item	ETHNIC_001	A social group characterized by a distinctive social and cultural tradition.
Item	RACE_001	An arbitrary classification based on physical characteristics; a group of persons related by common descent or heredity (U.S. Center for Disease Control).
Item	SUPPDM_RACIALD_001	Racial designation of the study participant. Optional for Data Collection
Item	X_DMPSTUDY_001	Previous Study Identifier. Format = ccccccc, e.g. B1570100
Item	X_DMPSITE_001	Previous Site Identifier. Format = nnnn, e.g. 2010.
Item	X_DMPSUBJ_001	Previous Subject Identifier. Format = nnnnnnnn, e.g. 20101001.

Codelist Values Tables: DEMOGRAPHY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
SUPPDM_RACIALD_CL_001	String		INDIAN SUBCONTINENT ASIAN	1	cliRACIALD_INDIAN_SUBCONTINENT_ASIAN	SUPPDM_RACIALD_001
			SOUTHEAST ASIAN	2	cliRACIALD_SOUTHEAST_ASIAN	
			FAR EAST ASIAN	3	cliRACIALD_FAR_EAST_ASIAN	
			JAPANESE AMERICAN	4	cliRACIALD_JAPANESE_AMERICAN	
			JAPANESE	5	cliRACIALD_JAPANESE	
			OTHER	999	cliRACIALD_OTHER	

RDE Analytics: RD_DM001		
Data Variable RefName	RD Column Name	Column Data Type
D_DSUBJID1_001	D_DSUBJID1_001	NUMBER
	D_DSUBJID1_001_ND	VARCHAR2
D_SUBJID_001	D_SUBJID_001	NUMBER
	D_SUBJID_001_ND	VARCHAR2
R_AGE_001	R_AGE_001	FLOAT
	R_AGE_001_ND	VARCHAR2
R_AGEU_001	R_AGEU_001_C	VARCHAR2
	R_AGEU_001	VARCHAR2
	R_AGEU_001_ND	VARCHAR2
SEX_001	SEX_001_C	VARCHAR2
	SEX_001	VARCHAR2
	SEX_001_ND	VARCHAR2
ETHNIC_001	ETHNIC_001_C	VARCHAR2

	ETHNIC_001	VARCHAR2
	ETHNIC_001_ND	VARCHAR2
RACE_001	RACE_001_ND	VARCHAR2
RACE_001 - BLACK OR AFRICAN AMERICAN	*RACE_001_CLIRACEBLACKORAFRICANAMERICAN_C	VARCHAR2
	*RACE_001_CLIRACEBLACKORAFRICANAMERICAN	VARCHAR2
RACE_001 - AMERICAN INDIAN OR ALASKA NATIVE	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE_C	VARCHAR2
	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE	VARCHAR2
RACE_001 - ASIAN	RACE_001_CLIRACEASIAN_C	VARCHAR2
	RACE_001_CLIRACEASIAN	VARCHAR2
RACE_001 - NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER_C	VARCHAR2
	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER	VARCHAR2
RACE_001 - WHITE	RACE_001_CLIRACEWHITE_C	VARCHAR2
	RACE_001_CLIRACEWHITE	VARCHAR2
RACE_001 - NOT REPORTED	*RACE_001_CLIRACENOTREPORTED_C	VARCHAR2
	*RACE_001_CLIRACENOTREPORTED	VARCHAR2
RACE_001 - UNKNOWN	RACE_001_CLIRACEUNKNOWN_C	VARCHAR2
	RACE_001_CLIRACEUNKNOWN	VARCHAR2
SUPPDM_RACIALD_001	SUPPDM_RACIALD_001_C	VARCHAR2
	SUPPDM_RACIALD_001	VARCHAR2
	SUPPDM_RACIALD_001_ND	VARCHAR2
X_DMPYN_001	X_DMPYN_001_C	VARCHAR2
	X_DMPYN_001	VARCHAR2
	X_DMPYN_001_ND	VARCHAR2
X_DMPYN_001 - X_DMPFSTDY_001	X_DMPFSTDY_001	VARCHAR2
X_DMPYN_001 - X_DMPFSITE_001	X_DMPFSITE_001	VARCHAR2
X_DMPYN_001 - X_DMPFSUBJ_001	X_DMPFSUBJ_001	VARCHAR2
X_DMPYN_001 - X_DMPMYN_001	X_DMPMYN_001_C	VARCHAR2
	X_DMPMYN_001	VARCHAR2
X_DMPYN_001 - X_DMPSTUDY_001	X_DMPSTUDY_001	VARCHAR2
X_DMPYN_001 - X_DMPSITE_001	X_DMPSITE_001	VARCHAR2
X_DMPYN_001 - X_DMPSUBJ_001	X_DMPSUBJ_001	VARCHAR2
X_DMRYN_001	X_DMRYN_001_C	VARCHAR2
	X_DMRYN_001	VARCHAR2
	X_DMRYN_001_ND	VARCHAR2
X_DMRYN_001 - X_DMRSITE_001	X_DMRSITE_001	VARCHAR2
X_DMRYN_001 - X_DMRSUBJ_001	X_DMRSUBJ_001	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C3671058: TRIGGER FORM-PROTOCOL VERSION (TRIG) [R_TRIG001]		
Trigger Form Details [R_TRIG01001]		
1.*	Select appropriate response - Protocol version: [Trigger Response 1]	[R_TRIGRESP1_001] [R_TRIGRESP1_CL_001] 
2.*	Select appropriate response - Did subject meet all eligibility criteria? [Trigger Response 2]	[R_TRIGRESP2_001] [A:5] ☐ SUBJECT MET ALL ELIGIBILITY CRITERIA [A:6] ☐ SUBJECT DID NOT MEET ALL ELIGIBILITY CRITERIA
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Codelist Values Tables: TRIGGER FORM-PROTOCOL VERSION						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
R_TRIGRESP1_CL_001	String		Initial Version - 19DEC2024	0	cliTRIGRESP_Initial_Version_19DEC2024	R_TRIGRESP1_001

RDE Analytics: RD_R_TRIG001		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP1_001	R_TRIGRESP1_001_C	VARCHAR2
	R_TRIGRESP1_001	VARCHAR2
	R_TRIGRESP1_001_ND	VARCHAR2
R_TRIGRESP2_001	R_TRIGRESP2_001_C	VARCHAR2
	R_TRIGRESP2_001	VARCHAR2
	R_TRIGRESP2_001_ND	VARCHAR2

C3671058: INCLUSION/EXCLUSION CRITERIA (INEX) [IE002]		
Inclusion Criterion Identifier		Inclusion Criterion Description
1.		
Inclusion Criteria Not Met Entry [IE01002]		
1.1 *	Identifier of the Inclusion Criterion the subject did not meet: [Inclusion Criterion Identifier]	[IESPID_002] [IESPID_CL_002] ▼
1.2	Description of the Inclusion Criterion the subject did not meet: <i>[read-only]</i> [Inclusion Criterion Description]	[IETEST_002] [IETEST_CL_002] ▼
Exclusion Criterion Identifier		Exclusion Criterion Description
2.		
Exclusion Criteria Met Entry [IE02002]		
2.1 *	Identifier of the Exclusion Criterion the subject met: [Exclusion Criterion Identifier]	[IESPID1_002] [IESPID1_CL_002] ▼
2.2	Description of the Exclusion Criterion the subject met: <i>[read-only]</i> [Exclusion Criterion Description]	[IETEST1_002] [IETEST1_CL_002] ▼
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
IESPID_CL_002	String		1	1	cliIESPID_1	IESPID_002
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
IETEST_CL_002	String		Male and female participants >=50 years of age at the time of consent.	0_1	cliIETEST_Inclusion_Description_1	IETEST_002
			Participants who are ambulatory; live in the community, assisted-living or long-term care residential facilities with minimal assistance; participant is primarily responsible for self-care and ADL.	0_2	cliIETEST_Inclusion_Description_2	
			Participants who are willing and able to comply with all scheduled visits, investigational plan, laboratory tests, frequent symptom assessment in e-diary and other study procedures.	0_3	cliIETEST_Inclusion_Description_3	
			Participants who are determined by medical history, physical examination (if required), and clinical judgement of the investigator to be eligible for inclusion in the study.	0_4	cliIETEST_Inclusion_Description_4	
			Capable of giving signed informed consent as described in Appendix 1, which includes compliance with the requirements and restrictions listed in the ICD and in this protocol.	0_5	cliIETEST_Inclusion_Description_5	
IESPID1_CL_002	String		1	1	cliIESPID_1	IESPID1_002
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
			11	11	cliIESPID_11	
			12	12	cliIESPID_12	
			13	13	cliIESPID_13	
			14	14	cliIESPID_14	

			15	15	cliIESPID_15	
			16	16	cliIESPID_16	
IETEST1_CL_002	String		Current clinically suspected or PCR-confirmed ongoing episode of Herpes Zoster (HZ) and/or history of clinically suspected or PCR-confirmed HZ within the past 12 months.	0_1	cliIETEST_Exclusion_Description_1	IETEST1_002
			Bleeding diathesis or condition associated with prolonged bleeding time that may contraindicate IM injection.	0_2	cliIETEST_Exclusion_Description_2	
			History of severe adverse reaction associated with a vaccine and/or severe allergic reaction (eg, anaphylaxis) to any component of the study intervention or any related vaccine.	0_3	cliIETEST_Exclusion_Description_3	
			Prior history of any subtype of Guillain Barré syndrome of any etiology.	0_4	cliIETEST_Exclusion_Description_4	
			Serious chronic disorder,including metastatic cancer, end stage renal disease, unstable cardiac disease or any other disorder that, in the PI's opinion, excludes the participant from the study.	0_5	cliIETEST_Exclusion_Description_5	
			Immunocompromised individuals with known or suspected immunodeficiency, as determined by history and/or laboratory/physical examination.	0_6	cliIETEST_Exclusion_Description_6	
			Any medical or psychiatric condition (including recent), active suicidal ideation or lab abnormality, that may in the PI's judgment, exclude the participant from the study.	0_7	cliIETEST_Exclusion_Description_7	
			Current use of any prohibited concomitant medication(s) or those unwilling/unable to use a permitted concomitant medication(s).	0_8	cliIETEST_Exclusion_Description_8	
			Previous vaccination with any licensed or investigational RSV vaccine at any time prior to enrollment or planned receipt of a nonstudy RSV vaccine during study participation.	0_9	cliIETEST_Exclusion_Description_9	
			Previous vaccination with any licensed recombinant adjuvant zoster vaccine (Shingrix) at any time prior to enrollment or planned receipt of a nonstudy VZV vaccine during study participation.	0_10	cliIETEST_Exclusion_Description_10	
			History of previous vaccination with live HZ vaccine (Zostavax) in the last 2 years from enrollment, or planned receipt during study participation.	0_11	cliIETEST_Exclusion_Description_11	
			Previous vaccination with any investigational VZV vaccine at any time prior to enrollment or planned receipt of a nonstudy investigational VZV vaccine during study participation.	0_12	cliIETEST_Exclusion_Description_12	
			Receipt of any blood/plasma products or immunoglobulin, from 60 days before study intervention administration, or planned receipt throughout the study.	0_13	cliIETEST_Exclusion_Description_13	
			Receipt of immunosuppressive therapy 60 days prior to enrollment or planned treatment during the study. Corticosteroids are allowed if dose < 20mg/day prednisone or equivalent for <14 days total.	0_14	cliIETEST_Exclusion_Description_14	
			Participation in other studies involving investigational product(s) within 28 days prior to consent and/or during study participation.	0_15	cliIETEST_Exclusion_Description_15	
			Investigator site staff, site staff otherwise supervised by the investigator, Pfizer/CRO employees directly involved in the conduct of the study, and their respective family members.	0_16	cliIETEST_Exclusion_Description_16	

RDE Analytics: RD_IE002		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE002_IE01002		
IESPID_002	IESPID_002_C	VARCHAR2
	IESPID_002	VARCHAR2
	IESPID_002_ND	VARCHAR2
IETEST_002	IETEST_002_C	VARCHAR2
	IETEST_002	VARCHAR2
	IETEST_002_ND	VARCHAR2
RD_IE002_IE02002		
IESPID1_002	IESPID1_002_C	VARCHAR2
	IESPID1_002	VARCHAR2
	IESPID1_002_ND	VARCHAR2
IETEST1_002	IETEST1_002_C	VARCHAR2
	IETEST1_002	VARCHAR2
	IETEST1_002_ND	VARCHAR2

C3671058: DISPOSITION - SCREENING (DISP SCR) [DS001_4]

Disposition - Screening [DS01001_4]

1.*
✓

Date of Completion/Discontinuation/Death:
[Date]

[DSSTDTC_001_4] (DD/MM/YYYY)

Req

▼

 / Req

▼

 / Req

▼

 (2025-2025)

2.*
✓

Status:
[Status]

[DSDECOD_001_4]

[DSDECOD_CL_001_4]

▼

3.
✓

Specify Status:
[Specify Status]

[DSTERM_001_4]

A100*

4.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_4]

[A:3] ☐ SCREENING

[A:41] ☐ REPEAT SCREENING 1

Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - SCREENING		
Type	RefName	Description
Item	DSSTDTC_001_4	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_4	Specify Status

Codelist Values Tables: DISPOSITION - SCREENING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_4	String		COMPLETED	2	cliINCOMPLT_COMPLETED	DSDECOD_001_4
			ADVERSE EVENT	1	cliINCOMPLT_ADVERSE_EVENT	
			SCREEN FAILURE	13	cliINCOMPLT_SCREEN_FAILURE	
			STUDY TERMINATED BY SPONSOR	14	cliINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			PHYSICIAN DECISION	8	cliINCOMPLT_PHYSICIAN_DECISION	
			DEATH	3	cliINCOMPLT_DEATH	
			NO LONGER MEETS ELIGIBILITY CRITERIA	18	cliINCOMPLT_NOLONGERMEETSELIGIBILITYCRITERIA	
			PROTOCOL DEVIATION	11	cliINCOMPLT_PROTOCOLDEVIATION	
			OTHER	7	cliINCOMPLT_OTHER	

RDE Analytics: RD_DS001_4		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_4	DSSTDTC_001_4	DATE
	DSSTDTC_001_4_DTS	VARCHAR2
	DSSTDTC_001_4_ND	VARCHAR2
DSDECOD_001_4	DSDECOD_001_4_C	VARCHAR2
	DSDECOD_001_4	VARCHAR2
	DSDECOD_001_4_ND	VARCHAR2
DSTERM_001_4	DSTERM_001_4	VARCHAR2
	DSTERM_001_4_ND	VARCHAR2
SUPPDS_DSPHASE_001_4	SUPPDS_DSPHASE_001_4_C	VARCHAR2
	SUPPDS_DSPHASE_001_4	VARCHAR2
	SUPPDS_DSPHASE_001_4_ND	VARCHAR2

C3671058: MEDICAL HISTORY (MEDHX) [MH001]				
	Line/MH Number	Medical History Term	Start Date	Ongoing
1.				
Medical History Details Entry [MH02001]				
1.1	Line/MH Number: <i>[read-only]</i> [Line/MH Number]	[MHSPID_001] N8		
1.2*	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: [Medical History Term]	[MHTERM_001] A100*		
1.3	Start Date: [Start Date]	[MHSTDTC_001] (DD/MM/YYYY hh:mm) Req/Unk v / Req/Unk v / Req v (1926-2025) NReq v : NReq v 24-hour clock		
1.4	Ongoing: [Ongoing]	[X_MHONGO_001] [A:Y] ☐ YES [A:N] ☐ [MHENDTC_CMP_001] ☐ NO [MHENDTC_001] (DD/MM/YYYY) End Date: Req/Unk v / Req/Unk v / Req v (1926-2025)		
1.5	Comparison Term <i>[hidden]</i> [Comparison Term]	[ID_COMPTERM3_001] A200*		
1.6	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[MHLLT_001] A100*		
1.7	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[MHLLTCD_001] A8*		
1.8	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[MHDECOD_001] A100*		
1.9	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[MHPTCD_001] A8*		
1.10	High Level Term <i>[hidden]</i> [High Level Term]	[MHHLT_001] A100*		
1.11	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[MHHLTCD_001] A8*		
1.12	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[MHHLGT_001] A100*		
1.13	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[MHHLGTCD_001] A8*		
1.14	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[MHSOC_001] A100*		
1.15	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[MHSOCCD_001] A8*		
Key: [*] = Item is required [v] = Source verification required [] = Item is collapsible [Key] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.				

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: MEDICAL HISTORY		
Type	RefName	Description
Form	MH001	GENERAL MEDICAL HISTORY
Item	MHSPID_001	A sponsor defined identifier which can be used for pre-printed numbers on the CRF. Populated as a sequential number
Item	MHTERM_001	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	MHSTDTC_001	Start Date of medical history event
Item	X_MHONGO_001	Indicates medical history event is ongoing when no end date is provided.
Item	MHENDTC_001	End Date of medical history event
Item	D_COMPTERM3_001	Hidden Item needed for clear coding rule.
Item	MHLLT_001	Lowest Level Term
Item	MHLLTCD_001	Lowest Level term
Item	MHDECOD_001	Dictionary Derived Term
Item	MHPTCD_001	Preferred Term Code
Item	MHHLT_001	High Level Term
Item	MHHLTCD_001	High Level Term Code
Item	MHHLGT_001	High Level Group Term
Item	MHHLGTC_001	High Level Group Term Code
Item	MHSOC_001	Primary System Organ Class
Item	MHSOCCD_001	Primary System Organ Class Code

Keys (navigation)/Uniqueness: MEDICAL HISTORY		
Item	Unique	Order #
MH02001 (Repeating section)		
MHSPID_001	Individual	1

Coding Summary: MEDICAL HISTORY		
Verbatim RefName: D_COMPTERM3_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC_001	SOC	Term
MHSOCCD_001	SOC	Code
MHHLGT_001	HLGT	Term
MHHLGTC_001	HLGT	Code
MHHLT_001	HLT	Term
MHHLTCD_001	HLT	Code
MHDECOD_001	PT	Term
MHPTCD_001	PT	Code
MHLLT_001	LLT	Term
MHLLTCD_001	LLT	Code

RDE Analytics: RD_MH001		
Data Variable RefName	RD Column Name	Column Data Type
RD_MH001_MH02001		
MHSPID_001	MHSPID_001	NUMBER
	MHSPID_001_ND	VARCHAR2

MHTERM_001	MHTERM_001	VARCHAR2
	MHTERM_001_ND	VARCHAR2
MHSTDTC_001	MHSTDTC_001	DATE
	MHSTDTC_001_DTS	VARCHAR2
	MHSTDTC_001_DTR	VARCHAR2
	MHSTDTC_001_ND	VARCHAR2
X_MHONGO_001	X_MHONGO_001_C	VARCHAR2
	X_MHONGO_001	VARCHAR2
	X_MHONGO_001_ND	VARCHAR2
X_MHONGO_001 - MHENDTC_001	MHENDTC_001	DATE
	MHENDTC_001_DTS	VARCHAR2
	MHENDTC_001_DTR	VARCHAR2
D_COMPTERM3_001	D_COMPTERM3_001	VARCHAR2
	D_COMPTERM3_001_ND	VARCHAR2
MHLLT_001	MHLLT_001	VARCHAR2
	MHLLT_001_ND	VARCHAR2
MHLLTCD_001	MHLLTCD_001	VARCHAR2
	MHLLTCD_001_ND	VARCHAR2
MHDECOD_001	MHDECOD_001	VARCHAR2
	MHDECOD_001_ND	VARCHAR2
MHPTCD_001	MHPTCD_001	VARCHAR2
	MHPTCD_001_ND	VARCHAR2
MHHLT_001	MHHLT_001	VARCHAR2
	MHHLT_001_ND	VARCHAR2
MHHLTCD_001	MHHLTCD_001	VARCHAR2
	MHHLTCD_001_ND	VARCHAR2
MHHLGT_001	MHHLGT_001	VARCHAR2
	MHHLGT_001_ND	VARCHAR2
MHHLGTCD_001	MHHLGTCD_001	VARCHAR2
	MHHLGTCD_001_ND	VARCHAR2
MHSOC_001	MHSOC_001	VARCHAR2
	MHSOC_001_ND	VARCHAR2
MHSOCCD_001	MHSOCCD_001	VARCHAR2
	MHSOCCD_001_ND	VARCHAR2

C3671058: PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY - ONGOING (SIG MEDHX) [MH001_3]**Pre-specified Significant Medical History Details [MH02001_3]**

#	Line/MH Number	Medical History Term	Medical History Event Pre-Specified	Specific condition/procedure response	Related Details	Comparison Term	Lowest Level Term	Lowest Level Term Code	Dictionary Derived Term	Preferred Term
1.a		Chronic Heart Disease								
1.b		Chronic Lung Disease								
1.c		Diabetes mellitus								
1.d		Chronic Kidney Disease								
1.e		Chronic Liver Disease								

Pre-specified Significant Medical History Details Entry [MH02001_3]

1.1	Line/MH Number: <i>[read-only]</i> [Line/MH Number]	[MHSPID_001_3] N8
1.2	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: <i>[read-only]</i> [Medical History Term]	[MHTERM2_001_3] [A:41] ☐ Chronic Heart Disease [A:42] ☐ Chronic Lung Disease [A:43] ☐ Diabetes mellitus [A:44] ☐ Chronic Kidney Disease [A:45] ☐ Chronic Liver Disease
1.3	Medical History Event Pre-Specified: <i>[read-only]</i> [Medical History Event Pre-Specified]	[MHPRESP_001_3] [A:Y] ☐ YES
1.4	Does the subject have/has the subject had Significant Medical History? ✓ [Specific condition/procedure response]	[MHOCUR_001_3] [A:Y] ☐ YES [A:N] ☐ NO
1.5	Related Details: ✓ [Related Details]	[SUPPMH_MHDTL_001_3] A200 ★
1.6	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM3_001_3] A200 ★
1.7	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[MHLT_001_3] A100 ★
1.8	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[MHLTCD_001_3] A8 ★
1.9	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[MHDECOD_001_3] A100 ★
1.10	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[MHPTCD_001_3] A8 ★
1.11	High Level Term <i>[hidden]</i> [High Level Term]	[MHHLT_001_3] A100 ★
1.12	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[MHHLTCD_001_3] A8 ★
1.13	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[MHHLGT_001_3] A100 ★
1.14	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[MHHLGTC_001_3]

		A8★
1.15	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[MHSOC_001_3] A100★
1.16	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[MHSOCCD_001_3] A8★
Key: [✓] = Source verification required [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Coding Summary: PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY - ONGOING		
Verbatim RefName: D_COMPTERM3_001_3 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC_001_3	SOC	Term
MHSOCCD_001_3	SOC	Code
MHHLGT_001_3	HLGT	Term
MHHLGTCD_001_3	HLGT	Code
MHHLT_001_3	HLT	Term
MHHLTCD_001_3	HLT	Code
MHDECOD_001_3	PT	Term
MHPTCD_001_3	PT	Code
MHLLT_001_3	LLT	Term
MHLLTCD_001_3	LLT	Code

RDE Analytics: RD_MH001_3		
Data Variable RefName	RD Column Name	Column Data Type
RD_MH001_3_MH02001_3		
MHSPID_001_3	MHSPID_001_3	NUMBER
	MHSPID_001_3_ND	VARCHAR2
MHTERM2_001_3	MHTERM2_001_3_C	VARCHAR2
	MHTERM2_001_3	VARCHAR2
	MHTERM2_001_3_ND	VARCHAR2
MHPRESP_001_3	MHPRESP_001_3_C	VARCHAR2
	MHPRESP_001_3	VARCHAR2
	MHPRESP_001_3_ND	VARCHAR2
MHOCCUR_001_3	MHOCCUR_001_3_C	VARCHAR2
	MHOCCUR_001_3	VARCHAR2
	MHOCCUR_001_3_ND	VARCHAR2
SUPPMH_MHDTL_001_3	SUPPMH_MHDTL_001_3	VARCHAR2
	SUPPMH_MHDTL_001_3_ND	VARCHAR2
D_COMPTERM3_001_3	D_COMPTERM3_001_3	VARCHAR2
	D_COMPTERM3_001_3_ND	VARCHAR2
MHLLT_001_3	MHLLT_001_3	VARCHAR2
	MHLLT_001_3_ND	VARCHAR2
MHLLTCD_001_3	MHLLTCD_001_3	VARCHAR2
	MHLLTCD_001_3_ND	VARCHAR2
MHDECOD_001_3	MHDECOD_001_3	VARCHAR2

	MHDECOD_001_3_ND	VARCHAR2
MHPTCD_001_3	MHPTCD_001_3	VARCHAR2
	MHPTCD_001_3_ND	VARCHAR2
MHHLT_001_3	MHHLT_001_3	VARCHAR2
	MHHLT_001_3_ND	VARCHAR2
MHHLTCD_001_3	MHHLTCD_001_3	VARCHAR2
	MHHLTCD_001_3_ND	VARCHAR2
MHHLGT_001_3	MHHLGT_001_3	VARCHAR2
	MHHLGT_001_3_ND	VARCHAR2
MHHLGTCD_001_3	MHHLGTCD_001_3	VARCHAR2
	MHHLGTCD_001_3_ND	VARCHAR2
MHSOC_001_3	MHSOC_001_3	VARCHAR2
	MHSOC_001_3_ND	VARCHAR2
MHSOCCD_001_3	MHSOCCD_001_3	VARCHAR2
	MHSOCCD_001_3_ND	VARCHAR2

C3671058: SUBSTANCE USE (SUBST USE) [SU001]

Substance Use [SU01001]

#	Category	Type of substance	Has the subject ever used the substance?*
1.a	TOBACCO		

Substance Use Entry [SU01001]

1.1	Category [Category]	[SUCAT_001] [A:1] ☐ TOBACCO	
1.2	Type of substance: [read-only] [Type of substance]	[SUTRT_001] [A:500] ☐ TOBACCO	
1.3*	Has the subject ever used tobacco ? [Has the subject ever used the substance?]	[SUPPSU_SUUSAGE_001] [A:1] ☐ NEVER [A:2] ☐ CURRENT [A:3] ☐ FORMER	

Key: [*] = Item is required ☐ = Fixed item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: SUBSTANCE USE		
Type	RefName	Description
Form	SU001	SU001 - Substance Use - Details
Item	SUCAT_001	Used to define a category of related records (e.g., TOBACCO, ALCOHOL).
Item	SUTRT_001	Type of Substance

RDE Analytics: RD_SU001			
Data Variable	RefName	RD Column Name	Column Data Type
RD_SU001_SU01001			
SUCAT_001		SUCAT_001_C	VARCHAR2
		SUCAT_001	VARCHAR2
		SUCAT_001_ND	VARCHAR2
SUTRT_001		SUTRT_001_C	VARCHAR2
		SUTRT_001	VARCHAR2
		SUTRT_001_ND	VARCHAR2
SUPPSU_SUUSAGE_001		SUPPSU_SUUSAGE_001_C	VARCHAR2
		SUPPSU_SUUSAGE_001	VARCHAR2
		SUPPSU_SUUSAGE_001_ND	VARCHAR2

C3671058: VITAL SIGNS - BASELINE (VITALS BSL) [VS001]

Vital Signs - I [VS01001]

1.

Category for Vital Signs: *[hidden]*
[Category for Vital Signs]

[VSCAT_001]
[A:1] ☐ VITAL SIGNS

2.*

Date:
[Date]

[VSDTC_001] (DD/MM/YYYY)
Req ☒ / Req ☒ / Req ☒ (2025-2025)

3.*

Weight:
[Weight]

[VSORRES_WEIGHT_001]
xxxxx.

4.*

Unit:
[Weight Unit]

[VSORRESU_WEIGHT_001]
[A:9] ☐ kg
[A:11] ☐ LB

5.*

Height:
[Height]

[VSORRES_HEIGHT_001]
xxxxx.

6.*

Unit:
[Height Unit]

[VSORRESU_HEIGHT_001]
[A:5] ☐ cm
[A:8] ☐ in

Vital Signs - II [VS02001]

#	Record Identifier	Temperature*	Temperature Unit*	Temperature Location
7.a	1			

Vital Signs - II Entry [VS02001]

7.1

Record Identifier: *[read-only]*
[Record Identifier]

[VSSPID_001]
[A:1] ☐ 1

7.2*

Temperature:
[Temperature]

[VSORRES_TEMP_001]
xxxx.

7.3*

Unit:
[Temperature Unit]

[VSORRESU_TEMP_001]
[A:4] ☐ C
[A:6] ☐ F

7.4

Temperature Location: *[read-only]*
[Temperature Location]

[VSLOC_TEMP_001]
[A:60] ☐ ORAL CAVITY

Key: [*] = Item is required [✓] = Source verification required ☐ = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS - BASELINE		
Type	RefName	Description
Form	VS001	VS001 - Vital Signs - Wide Format
Item	VSDTC_001	The date the measurement was performed.
Item	VSORRES_WEIGHT_001	Weight
Item	VSORRESU_WEIGHT_001	Weight Unit
Item	VSORRES_HEIGHT_001	Height
Item	VSORRESU_HEIGHT_001	Height Unit
Item	VSSPID_001	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_TEMP_001	Temperature
Item	VSORRESU_TEMP_001	Temperature Unit
Item	VSLOC_TEMP_001	Temperature Route

RDE Analytics: RD_VS001		
Data Variable RefName	RD Column Name	Column Data Type

file:///C:/Users/mp33/AppData/Local/Apps/2.0/YRQQE57M.J6X/AMK0KO7H.2Q1/orac..90.0_919f856034ae8f10_0007.000...

08-05-2025

VSCAT_001	VSCAT_001_C	VARCHAR2
	VSCAT_001	VARCHAR2
	VSCAT_001_ND	VARCHAR2
VSDTC_001	VSDTC_001	DATE
	VSDTC_001_DTS	VARCHAR2
	VSDTC_001_ND	VARCHAR2
VSORRES_WEIGHT_001	VSORRES_WEIGHT_001	FLOAT
	VSORRES_WEIGHT_001_ND	VARCHAR2
VSORRESU_WEIGHT_001	VSORRESU_WEIGHT_001_C	VARCHAR2
	VSORRESU_WEIGHT_001	VARCHAR2
	VSORRESU_WEIGHT_001_ND	VARCHAR2
VSORRES_HEIGHT_001	VSORRES_HEIGHT_001	FLOAT
	VSORRES_HEIGHT_001_ND	VARCHAR2
VSORRESU_HEIGHT_001	VSORRESU_HEIGHT_001_C	VARCHAR2
	VSORRESU_HEIGHT_001	VARCHAR2
	VSORRESU_HEIGHT_001_ND	VARCHAR2
RD_VS001_VS02001		
VSSPID_001	VSSPID_001_C	VARCHAR2
	VSSPID_001	VARCHAR2
	VSSPID_001_ND	VARCHAR2
VSORRES_TEMP_001	VSORRES_TEMP_001	FLOAT
	VSORRES_TEMP_001_ND	VARCHAR2
VSORRESU_TEMP_001	VSORRESU_TEMP_001_C	VARCHAR2
	VSORRESU_TEMP_001	VARCHAR2
	VSORRESU_TEMP_001_ND	VARCHAR2
VSLOC_TEMP_001	VSLOC_TEMP_001_C	VARCHAR2
	VSLOC_TEMP_001	VARCHAR2
	VSLOC_TEMP_001_ND	VARCHAR2

C3671058: RANDOMIZATION (RAND) [DS001_3]		
Randomization [DS01001_3]		
1.* ✓	Date of Randomization: [Date]	[DSSTDTC_001_3] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2025)
2.* ✓	Randomization Number: [Reference ID]	[DSREFID_001_3] A20★
3.* ✓	Randomization Group: [Randomization Group]	[SUPPDS_DSRANGRP_001_3] [A:5] ☐ GROUP 1 [A:6] ☐ GROUP 2
Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: RANDOMIZATION		
Type	RefName	Description
Item	DSSTDTC_001_3	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_3		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_3	DSSTDTC_001_3	DATE
	DSSTDTC_001_3_DTS	VARCHAR2
	DSSTDTC_001_3_ND	VARCHAR2
DSREFID_001_3	DSREFID_001_3	VARCHAR2
	DSREFID_001_3_ND	VARCHAR2
SUPPDS_DSRANGRP_001_3	SUPPDS_DSRANGRP_001_3_C	VARCHAR2
	SUPPDS_DSRANGRP_001_3	VARCHAR2
	SUPPDS_DSRANGRP_001_3_ND	VARCHAR2

C3671058: TREATMENT - ABRYSV0 (ABRYSV0) [EC001_2]	
Vaccination [EC01001_2]	
1.	Was there a temporary delay of vaccination? [Temporary Delay of Vaccination] [A:Y] ☐ [SUPPEC_ECTDV_001_2] ☐ YES [SUPPEC_FDDTC_001_2] (DD/MM/YYYY) Date of First Delay: Req / Req / Req (2025-2025) [ECADJ_TDV_001_2] Reason(s) for Temporary Delay of Vaccination: [A:3] ☐ RECENT NON-STUDY VACCINATION [A:6] ☐ RECENT SYSTEMIC CORTICOSTEROID TREATMENT [A:10] ☐ FEVER OR ACUTE ILLNESS [A:N] ☐ NO
2.	Treatment Name: [read-only] [Treatment Name] [ECTRT_001_2] A100★
3.	Formulation: [read-only] [Formulation] [ECDOSFRM_001_2] [A:66] ☐ INJECTION
4.*	Dose Date Time: [Dose Date Time:] [ECSTDTC_001_2] (DD/MM/YYYY hh:mm) Req / Req / Req (2025-2025) Req : Req 24-hour clock
5.	Anatomical Location: [read-only] [Anatomical Location] [ECLOC_001_2] [A:744] ☐ DELTOID MUSCLE
6.*	Body Side: [Body Side] [ECLAT_001_2] [A:5] ☐ LEFT [A:6] ☐ RIGHT
7.	Route: [read-only] [Route] [ECROUTE_001_2] [A:50] ☐ INTRAMUSCULAR
8.*	Treatment Label ID: [Treatment Label ID] [ECREFID_001_2] A20★
9.	Actual Dose: [read-only] [Actual Dose] [X_ECDOSE_001_2] xxxxxx.
10.	Unit: [read-only] [Unit] [ECDOSU_001_2] [A:96] ☐ SYRINGE
11.	Timeframe Subject Was Observed [read-only] [Timeframe Subject Was Observed] [SUPPEC_ECOBSVT_001_2] [A:2] ☐ 30 MINUTES
12.*	Was the subject observed for at least 30 minutes after investigational product administration? [Observed Post Dose For Specified Time] [SUPPEC_ECOBSV_001_2] [A:Y] ☐ YES [A:N] ☐ [SUPPEC_ECOBSVD_CMP_001_2] ☐ NO [SUPPEC_ECOBSVD_001_2] If No, specify reason: A200★
Key: [*] = Item is required ☐ = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.	

Study Object Descriptions: TREATMENT - ABRYSVO

Type	RefName	Description
Item	SUPPEC_ECOBSVD_001_2	If No, specify reason:

RDE Analytics: RD_EC001_2		
Data Variable RefName	RD Column Name	Column Data Type
SUPPEC_ECTDV_001_2	SUPPEC_ECTDV_001_2_C	VARCHAR2
	SUPPEC_ECTDV_001_2	VARCHAR2
	SUPPEC_ECTDV_001_2_ND	VARCHAR2
SUPPEC_ECTDV_001_2 - SUPPEC_FDDTC_001_2	SUPPEC_FDDTC_001_2	DATE
	SUPPEC_FDDTC_001_2_DTS	VARCHAR2
SUPPEC_ECTDV_001_2 - RECENT NON-STUDY VACCINATION	*ECADJ_TDV_001_2_CLITDVARECENTNONSTUDYVACCINATION_C	VARCHAR2
	*ECADJ_TDV_001_2_CLITDVARECENTNONSTUDYVACCINATION	VARCHAR2
SUPPEC_ECTDV_001_2 - RECENT SYSTEMIC CORTICOSTEROID TREATMENT	*ECADJ_TDV_001_2_CLITDVARECENTSYSTEMICCORTICOSTEROIDTREATMENT_C	VARCHAR2
	*ECADJ_TDV_001_2_CLITDVARECENTSYSTEMICCORTICOSTEROIDTREATMENT	VARCHAR2
SUPPEC_ECTDV_001_2 - FEVER OR ACUTE ILLNESS	*ECADJ_TDV_001_2_CLITDVAFEVERORACUTEILLNESS_C	VARCHAR2
	*ECADJ_TDV_001_2_CLITDVAFEVERORACUTEILLNESS	VARCHAR2
ECTRT_001_2	ECTRT_001_2	VARCHAR2
	ECTRT_001_2_ND	VARCHAR2
ECDOSFRM_001_2	ECDOSFRM_001_2_C	VARCHAR2
	ECDOSFRM_001_2	VARCHAR2
	ECDOSFRM_001_2_ND	VARCHAR2
ECSTDTC_001_2	ECSTDTC_001_2	DATE
	ECSTDTC_001_2_DTS	VARCHAR2
	ECSTDTC_001_2_ND	VARCHAR2
ECLOC_001_2	ECLOC_001_2_C	VARCHAR2
	ECLOC_001_2	VARCHAR2
	ECLOC_001_2_ND	VARCHAR2
ECLAT_001_2	ECLAT_001_2_C	VARCHAR2
	ECLAT_001_2	VARCHAR2
	ECLAT_001_2_ND	VARCHAR2
ECROUTE_001_2	ECROUTE_001_2_C	VARCHAR2
	ECROUTE_001_2	VARCHAR2
	ECROUTE_001_2_ND	VARCHAR2
ECREFID_001_2	ECREFID_001_2	VARCHAR2
	ECREFID_001_2_ND	VARCHAR2
X_ECDOSE_001_2	X_ECDOSE_001_2	FLOAT
	X_ECDOSE_001_2_ND	VARCHAR2
ECDOSU_001_2	ECDOSU_001_2_C	VARCHAR2
	ECDOSU_001_2	VARCHAR2
	ECDOSU_001_2_ND	VARCHAR2
SUPPEC_ECOBSVT_001_2	SUPPEC_ECOBSVT_001_2_C	VARCHAR2
	SUPPEC_ECOBSVT_001_2	VARCHAR2
	SUPPEC_ECOBSVT_001_2_ND	VARCHAR2
SUPPEC_ECOBSV_001_2	SUPPEC_ECOBSV_001_2_C	VARCHAR2
	SUPPEC_ECOBSV_001_2	VARCHAR2
	SUPPEC_ECOBSV_001_2_ND	VARCHAR2

SUPPEC_ECOBSV_001_2 - SUPPEC_ECOBSVD_001_2	SUPPEC_ECOBSVD_001_2	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C3671058: TREATMENT - SHINGRIX (SHINGRIX) [EC001_2_1]	
Vaccination [EC01001_2_1]	
1.	Was there a temporary delay of vaccination? [Temporary Delay of Vaccination] [A:Y] ☐ [SUPPEC_ECTDV_CMP_001_2_1] ☐ YES [SUPPEC_FDDTC_001_2_1] (DD/MM/YYYY) Date of First Delay: Req / Req / Req (2025-2025) [ECADJ_TDV_001_2_1] Reason(s) for Temporary Delay of Vaccination: [A:3] ☐ RECENT NON-STUDY VACCINATION [A:6] ☐ RECENT SYSTEMIC CORTICOSTEROID TREATMENT [A:10] ☐ FEVER OR ACUTE ILLNESS [A:N] ☐ NO
2.	Treatment Name: [read-only] [Treatment Name] [ECTRT_001_2_1] A100★
3.	Formulation: [read-only] [Formulation] [ECDOSFRM_001_2_1] [A:66] ☐ INJECTION
4.*	Dose Date Time [Dose Date Time] [ECSTDTC_001_2_1] (DD/MM/YYYY hh:mm) Req / Req / Req (2025-2025) Req : Req 24-hour clock
5.	Anatomical Location: [read-only] [Anatomical Location] [ECLOC_001_2_1] [A:744] ☐ DELTOID MUSCLE
6.*	Body Side: [Body Side] [ECLAT_001_2_1] [A:5] ☐ LEFT [A:6] ☐ RIGHT
7.	Route: [read-only] [Route] [ECROUTE_001_2_1] [A:50] ☐ INTRAMUSCULAR
8.*	Treatment Label ID: [Treatment Label ID] [ECREFID_001_2_1] A20★
9.	Actual Dose: [read-only] [Actual Dose] [X_ECDOSE_001_2_1] xxxxxx.
10.	Unit: [read-only] [Unit] [ECDOSU_001_2_1] [A:96] ☐ SYRINGE
11.	Timeframe Subject Was Observed [read-only] [Timeframe Subject Was Observed] [SUPPEC_ECOBSVT_001_2_1] [A:2] ☐ 30 MINUTES
12.*	Was the subject observed for at least 30 minutes after investigational product administration? [Observed Post Dose For Specified Time] [SUPPEC_ECOBSV_001_2_1] [A:Y] ☐ YES [A:N] ☐ [SUPPEC_ECOBSVD_CMP_001_2_1] ☐ NO [SUPPEC_ECOBSVD_001_2_1] If No, specify reason: A200★
Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.	

Study Object Descriptions: TREATMENT - SHINGRIX

Type	RefName	Description
Item	SUPPEC_ECOBSVD_001_2_1	If No, specify reason:

RDE Analytics: RD_EC001_2_1		
Data Variable RefName	RD Column Name	Column Data Type
SUPPEC_ECTDV_001_2_1	SUPPEC_ECTDV_001_2_1_C	VARCHAR2
	SUPPEC_ECTDV_001_2_1	VARCHAR2
	SUPPEC_ECTDV_001_2_1_ND	VARCHAR2
SUPPEC_ECTDV_001_2_1 - SUPPEC_FDDTC_001_2_1	SUPPEC_FDDTC_001_2_1	DATE
	SUPPEC_FDDTC_001_2_1_DTS	VARCHAR2
SUPPEC_ECTDV_001_2_1 - RECENT NON-STUDY VACCINATION	*ECADJ_TDV_001_2_1_CLITDVARECENTNONSTUDYVACCINATION_C	VARCHAR2
	*ECADJ_TDV_001_2_1_CLITDVARECENTNONSTUDYVACCINATION	VARCHAR2
SUPPEC_ECTDV_001_2_1 - RECENT SYSTEMIC CORTICOSTEROID TREATMENT	*ECADJ_TDV_001_2_1_CLITDVARECENTSYSTEMICCORTICOSTEROIDTREATMENT_C	VARCHAR2
	*ECADJ_TDV_001_2_1_CLITDVARECENTSYSTEMICCORTICOSTEROIDTREATMENT	VARCHAR2
SUPPEC_ECTDV_001_2_1 - FEVER OR ACUTE ILLNESS	*ECADJ_TDV_001_2_1_CLITDVAFEVERORACUTEILLNESS_C	VARCHAR2
	*ECADJ_TDV_001_2_1_CLITDVAFEVERORACUTEILLNESS	VARCHAR2
ECTRT_001_2_1	ECTRT_001_2_1	VARCHAR2
	ECTRT_001_2_1_ND	VARCHAR2
ECDOSFRM_001_2_1	ECDOSFRM_001_2_1_C	VARCHAR2
	ECDOSFRM_001_2_1	VARCHAR2
	ECDOSFRM_001_2_1_ND	VARCHAR2
ECSTDTC_001_2_1	ECSTDTC_001_2_1	DATE
	ECSTDTC_001_2_1_DTS	VARCHAR2
	ECSTDTC_001_2_1_ND	VARCHAR2
ECLOC_001_2_1	ECLOC_001_2_1_C	VARCHAR2
	ECLOC_001_2_1	VARCHAR2
	ECLOC_001_2_1_ND	VARCHAR2
ECLAT_001_2_1	ECLAT_001_2_1_C	VARCHAR2
	ECLAT_001_2_1	VARCHAR2
	ECLAT_001_2_1_ND	VARCHAR2
ECROUTE_001_2_1	ECROUTE_001_2_1_C	VARCHAR2
	ECROUTE_001_2_1	VARCHAR2
	ECROUTE_001_2_1_ND	VARCHAR2
ECREFID_001_2_1	ECREFID_001_2_1	VARCHAR2
	ECREFID_001_2_1_ND	VARCHAR2
X_ECDOSE_001_2_1	X_ECDOSE_001_2_1	FLOAT
	X_ECDOSE_001_2_1_ND	VARCHAR2
ECDOSU_001_2_1	ECDOSU_001_2_1_C	VARCHAR2
	ECDOSU_001_2_1	VARCHAR2
	ECDOSU_001_2_1_ND	VARCHAR2
SUPPEC_ECOBSVT_001_2_1	SUPPEC_ECOBSVT_001_2_1_C	VARCHAR2
	SUPPEC_ECOBSVT_001_2_1	VARCHAR2
	SUPPEC_ECOBSVT_001_2_1_ND	VARCHAR2
SUPPEC_ECOBSV_001_2_1	SUPPEC_ECOBSV_001_2_1_C	VARCHAR2
	SUPPEC_ECOBSV_001_2_1	VARCHAR2
	SUPPEC_ECOBSV_001_2_1_ND	VARCHAR2

SUPPEC_ECOSV_001_2_1 - SUPPEC_ECOSVD_001_2_1	SUPPEC_ECOSVD_001_2_1	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C3671058: SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS (SUMREACTIE) [CESOR019_1]

Summary of Reactogenicity [CESOR01019_1]

1.

Injection Site Location: *[read-only]*
[Injection Site Location]

[X_CELOC_019_1]
[A:744] ☐ DELTOID MUSCLE

2.*
✓

Did the participant have a reactogenicity event that was immediate within 30 minutes after intervention administration?
[Did the participant have a reactogenicity event that was immediate within 30 minutes after intervention administration?]

[R_SORIMMED_019_1]
[A:Y] ☐ YES
[A:N] ☐ NO

3.

Reaction

Start Date Time of Immediate Event

Injection Site Body Side

Immediate Event Entry [CESOR02019_1]

3.1*
✓

Reaction:
[Reaction]

[CETERM_IMM_019_1]
[CETERM_IMM_CL_019_1]

3.2*
✓

Start Date Time of Immediate Event:
[Start Date Time of Immediate Event]

[CESTDTC_019_1] (DD/MM/YYYY hh:mm)
Req / Req / Req (2025-2025)
Req : Req 24-hour clock

3.3
✓

Injection Site Body Side:
[Injection Site Body Side]

[X_CELAT1_019_1]
[A:5] ☐ LEFT
[A:6] ☐ RIGHT

Key: [*] = Item is required [✓] = Source verification required

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM_IMM_CL_019_1	String		FATIGUE	7	cliSORB_FATIGUE	CETERM_IMM_019_1
			HEADACHE	3	cliSORB_HEADACHE	
			VOMITTING	44	cliSORB_VOMITTING	
			NAUSEA	5	cliSORB_NAUSEA	
			DIARRHEA	6	cliSORB_DIARRHEA	
			MUSCLE PAIN	9	cliSORB_MUSCLE_PAIN	
			JOINT PAIN	8	cliSORB_JOINT_PAIN	
			REDNESS	1	cliSORB_REDNESS	
			SWELLING	2	cliSORB_SWELLING	
			PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
			FEVER	4	cliSORB_FEVER	
			VOMITING	11	cliSORB_VOMITING	

RDE Analytics: RD_CESOR019_1		
Data Variable RefName	RD Column Name	Column Data Type
X_CELOC_019_1	X_CELOC_019_1_C	VARCHAR2
	X_CELOC_019_1	VARCHAR2
	X_CELOC_019_1_ND	VARCHAR2
R_SORIMMED_019_1	R_SORIMMED_019_1_C	VARCHAR2
	R_SORIMMED_019_1	VARCHAR2
	R_SORIMMED_019_1_ND	VARCHAR2
*RD_CESOR019_1_CESOR02019_1		
CETERM_IMM_019_1	CETERM_IMM_019_1_C	VARCHAR2

file:///C:/Users/mp33/AppData/Local/Apps/2.0/YRQQE57M.J6X/AMK0KO7H.2Q1/orac..90.0_919f856034ae8f10_0007.000...

08-05-2025

	CETERM_IMM_019_1	VARCHAR2
	CETERM_IMM_019_1_ND	VARCHAR2
CESTDTC_019_1	CESTDTC_019_1	DATE
	CESTDTC_019_1_DTS	VARCHAR2
	CESTDTC_019_1_ND	VARCHAR2
X_CELAT1_019_1	X_CELAT1_019_1_C	VARCHAR2
	X_CELAT1_019_1	VARCHAR2
	X_CELAT1_019_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C3671058: SUMMARY OF REACTOGENICITY (SUMREACT) [CESOR019]			
Summary of Reactogenicity [CESOR01019]			
1.	Injection Site Location: <i>[read-only]</i> [Injection Site Location]	[X_CELOC_019] [A:744] ☐ DELTOID MUSCLE	
2.* ✓	Did the participant report a diary entry, reactogenicity event for each day of the planned e-diary period? [Did the participant report a diary entry, reactogenicity event for each day of the planned e-diary period]	[SUPPCE_DIARYCMP_019] [A:Y] ☐ YES [A:N] ☐ [SUPPCE_RSNOTRPT_CMP_019] ☐ NO [SUPPCE_RSNOTRPT_019] If No, provide the main reason it was not reported by the participant: [A:1] ☐ SUBJECT FELT TOO ILL [A:2] ☐ SUBJECT REFUSED [A:3] ☐ TECHNICAL ISSUES [A:4] ☐ HOSPITALIZATION [A:5] ☐ EVENT RESOLUTION [A:6] ☐ SUBJECT FORGOT [A:7] ☐ [SUPPCE_RSNOTRPO_CMP_019] ☐ OTHER [SUPPCE_RSNOTRPO_019] If Other, specify: A80 ★	
3.* ✓	Did the participant withdraw from treatment/study due to a reactogenicity event that started during the planned e-diary period? [Did the participant withdraw from treatment/study due to a reactogenicity event that started during the planned e-diary period]	[R_SORWDRAW_019] [A:Y] ☐ YES [A:N] ☐ NO	
4.* ✓	Did the participant require hospitalization or other medical attention for a reactogenicity event that started during the planned e-diary period? [Did the participant require hospitalization or other medical attention for a reactogenicity event that started during the planned e-diary period]	[R_SORMEDAT_019] [A:Y] ☐ YES [A:N] ☐ NO	
5.* ✓	Did the participant have a reactogenicity event that was also a serious adverse event? [Did the participant have a reactogenicity event that was also a serious adverse event]	[R_SORRSAE_019] [A:Y] ☐ YES [A:N] ☐ NO	
6.* ✓	Were fever, local reactions or systemic symptoms present on the last day the Subject Diary/Participant Reported Reactogenicity form was completed during the planned e-diary period? [Were fever, local reactions or systemic symptoms present on the last day the Subject Diary/PRR form was completed during the planned e-diary period]	[R_SORSLDAY_019] [A:Y] ☐ YES [A:N] ☐ NO	
Reaction		Injection Site Body Side	
7.			
Withdrawal Event Entry [CESOR03019]			
7.1* ✓	Reaction: [Reaction]	[CETERM_WDRAW_019] [CETERM_WDRAW_CL_019] v	
7.2 ✓	Injection Site Body Side: [Injection Site Body Side]	[X_CELAT2_019] [A:5] ☐ LEFT [A:6] ☐ RIGHT	
Reaction		Type of Healthcare	Start Date of Encounter
8.	Injection Site Body Side		
Hospitalization or Other Medical Attention Entry [CESOR04019]			

8.1*	Reaction: [Reaction]	[Y_CETERM_HOINDC_019] [Y_CETERM_HOINDC_CL_019]					
8.2*	Type of Healthcare: [Type of Healthcare]	[HOTERM_019] [A:1] HEALTHCARE PROFESSIONAL [A:2] EMERGENCY ROOM [A:3] HOSPITALIZED					
8.3*	Start Date of Encounter: [Start Date of Encounter]	[HOSTDTC_019] (DD/MM/YYYY) Req / Req / Req (2025-2025)					
8.4	Injection Site Body Side: [Injection Site Body Side]	[X_CELAT3_019] [A:5] LEFT [A:6] RIGHT					
Reaction		AE ID		AE ID		Injection Site Body Side	
9.							
Serious Adverse Event Entry [CESOR05019]							
9.1*	Reaction: [Reaction]	[CETERM_SAE_019] [CETERM_SAE_CL_019]					
9.2*	AE ID: [AE ID]	[CESPID_019] A20*					
9.3	AE ID: [AE ID]	[X_CESPID1_019] A20*					
9.4	AE ID: [AE ID]	[X_CESPID2_019] A20*					
9.5	Injection Site Body Side: [Injection Site Body Side]	[X_CELAT4_019] [A:5] LEFT [A:6] RIGHT					
Reaction		Ongoing			Injection Site Body Side		
10.							
Ongoing on Last Day Entry [CESOR06019]							
10.1*	Reaction: [Reaction]	[CETERM_ONGO_019] [CETERM_ONGO_CL_019]					
10.2*	Ongoing? [Ongoing]	[X_CEONGO_019] [A:Y] YES [A:N] [CEENDTC_CMP_019] NO [CEENDTC_019] (DD/MM/YYYY) If No, Enter Stop Date: Req / Req / Req (2025-2025)					
10.3	Injection Site Body Side: [Injection Site Body Side]	[X_CELAT5_019] [A:5] LEFT [A:6] RIGHT					

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Codelist Values Tables: SUMMARY OF REACTOGENICITY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM_WDRAW_CL_019	String		FATIGUE	7	cliSORB_FATIGUE	CETERM_WDRAW_019
			HEADACHE	3	cliSORB_HEADACHE	
			VOMITTING	44	cliSORB_VOMITTING	
			NAUSEA	5	cliSORB_NAUSEA	
			DIARRHEA	6	cliSORB_DIARRHEA	

		MUSCLE PAIN	9	cliSORB_MUSCLE_PAIN	
		JOINT PAIN	8	cliSORB_JOINT_PAIN	
		REDNESS	1	cliSORB_REDNESS	
		SWELLING	2	cliSORB_SWELLING	
		PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
		FEVER	4	cliSORB_FEVER	
		VOMITING	11	cliSORB_VOMITING	
Y_CETERM_HOINDC_CL_019	String	FATIGUE	7	cliSORB_FATIGUE	Y_CETERM_HOINDC_019
		HEADACHE	3	cliSORB_HEADACHE	
		VOMITTING	44	cliSORB_VOMITTING	
		NAUSEA	5	cliSORB_NAUSEA	
		DIARRHEA	6	cliSORB_DIARRHEA	
		MUSCLE PAIN	9	cliSORB_MUSCLE_PAIN	
		JOINT PAIN	8	cliSORB_JOINT_PAIN	
		REDNESS	1	cliSORB_REDNESS	
		SWELLING	2	cliSORB_SWELLING	
		PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
		FEVER	4	cliSORB_FEVER	
		VOMITING	11	cliSORB_VOMITING	
CETERM_SAE_CL_019	String	FATIGUE	7	cliSORB_FATIGUE	CETERM_SAE_019
		HEADACHE	3	cliSORB_HEADACHE	
		VOMITTING	44	cliSORB_VOMITTING	
		NAUSEA	5	cliSORB_NAUSEA	
		DIARRHEA	6	cliSORB_DIARRHEA	
		MUSCLE PAIN	9	cliSORB_MUSCLE_PAIN	
		JOINT PAIN	8	cliSORB_JOINT_PAIN	
		REDNESS	1	cliSORB_REDNESS	
		SWELLING	2	cliSORB_SWELLING	
		PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
		FEVER	4	cliSORB_FEVER	
		VOMITING	11	cliSORB_VOMITING	
CETERM_ONGO_CL_019	String	FATIGUE	7	cliSORB_FATIGUE	CETERM_ONGO_019
		HEADACHE	3	cliSORB_HEADACHE	
		VOMITTING	44	cliSORB_VOMITTING	
		NAUSEA	5	cliSORB_NAUSEA	
		DIARRHEA	6	cliSORB_DIARRHEA	
		MUSCLE PAIN	9	cliSORB_MUSCLE_PAIN	
		JOINT PAIN	8	cliSORB_JOINT_PAIN	
		REDNESS	1	cliSORB_REDNESS	
		SWELLING	2	cliSORB_SWELLING	
		PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
		FEVER	4	cliSORB_FEVER	
		VOMITING	11	cliSORB_VOMITING	

RDE Analytics: RD_CESOR019

Data Variable RefName	RD Column Name	Column Data Type
X_CELOC_019	X_CELOC_019_C	VARCHAR2

	X_CELOC_019	VARCHAR2
	X_CELOC_019_ND	VARCHAR2
SUPPCE_DIARYCMP_019	SUPPCE_DIARYCMP_019_C	VARCHAR2
	SUPPCE_DIARYCMP_019	VARCHAR2
	SUPPCE_DIARYCMP_019_ND	VARCHAR2
SUPPCE_DIARYCMP_019 - SUPPCE_RSNOTRPT_019	SUPPCE_RSNOTRPT_019_C	VARCHAR2
	SUPPCE_RSNOTRPT_019	VARCHAR2
SUPPCE_DIARYCMP_019 - SUPPCE_RSNOTRPO_019	SUPPCE_RSNOTRPO_019	VARCHAR2
R_SORWDRAW_019	R_SORWDRAW_019_C	VARCHAR2
	R_SORWDRAW_019	VARCHAR2
	R_SORWDRAW_019_ND	VARCHAR2
R_SORMEDAT_019	R_SORMEDAT_019_C	VARCHAR2
	R_SORMEDAT_019	VARCHAR2
	R_SORMEDAT_019_ND	VARCHAR2
R_SORRSAE_019	R_SORRSAE_019_C	VARCHAR2
	R_SORRSAE_019	VARCHAR2
	R_SORRSAE_019_ND	VARCHAR2
R_SORSLDAY_019	R_SORSLDAY_019_C	VARCHAR2
	R_SORSLDAY_019	VARCHAR2
	R_SORSLDAY_019_ND	VARCHAR2
RD_CESOR019_CESOR03019		
CETERM_WDRAW_019	CETERM_WDRAW_019_C	VARCHAR2
	CETERM_WDRAW_019	VARCHAR2
	CETERM_WDRAW_019_ND	VARCHAR2
X_CELAT2_019	X_CELAT2_019_C	VARCHAR2
	X_CELAT2_019	VARCHAR2
	X_CELAT2_019_ND	VARCHAR2
RD_CESOR019_CESOR04019		
Y_CETERM_HOINDC_019	Y_CETERM_HOINDC_019_C	VARCHAR2
	Y_CETERM_HOINDC_019	VARCHAR2
	Y_CETERM_HOINDC_019_ND	VARCHAR2
HOTERM_019	HOTERM_019_C	VARCHAR2
	HOTERM_019	VARCHAR2
	HOTERM_019_ND	VARCHAR2
HOSTDTC_019	HOSTDTC_019	DATE
	HOSTDTC_019_DTS	VARCHAR2
	HOSTDTC_019_ND	VARCHAR2
X_CELAT3_019	X_CELAT3_019_C	VARCHAR2
	X_CELAT3_019	VARCHAR2
	X_CELAT3_019_ND	VARCHAR2
RD_CESOR019_CESOR05019		
CETERM_SAE_019	CETERM_SAE_019_C	VARCHAR2
	CETERM_SAE_019	VARCHAR2
	CETERM_SAE_019_ND	VARCHAR2
CESPID_019	CESPID_019	VARCHAR2
	CESPID_019_ND	VARCHAR2
X_CESPID1_019	X_CESPID1_019	VARCHAR2

	X_CESPID1_019_ND	VARCHAR2
X_CESPID2_019	X_CESPID2_019	VARCHAR2
	X_CESPID2_019_ND	VARCHAR2
X_CELAT4_019	X_CELAT4_019_C	VARCHAR2
	X_CELAT4_019	VARCHAR2
	X_CELAT4_019_ND	VARCHAR2
RD_CESOR019_CESOR06019		
CETERM_ONGO_019	CETERM_ONGO_019_C	VARCHAR2
	CETERM_ONGO_019	VARCHAR2
	CETERM_ONGO_019_ND	VARCHAR2
X_CEONGO_019	X_CEONGO_019_C	VARCHAR2
	X_CEONGO_019	VARCHAR2
	X_CEONGO_019_ND	VARCHAR2
X_CEONGO_019 - CEENDTC_019	CEENDTC_019	DATE
	CEENDTC_019_DTS	VARCHAR2
X_CELAT5_019	X_CELAT5_019_C	VARCHAR2
	X_CELAT5_019	VARCHAR2
	X_CELAT5_019_ND	VARCHAR2

C3671058: CONTACT OUTCOME (CONTACT SV) [FAFUC009_1]

Contact Outcome [FAFUC01009_1]

1.

Follow-Up Contact Category *[read-only]*
[Follow Up Contact Category]

[FACAT_009_1]
[A:1] ☐ CONTACT OUTCOME

2.

Contact Type: *[read-only]*
[Type of Contact/Visit]

[FAORRES_FUCTYPE_009_1]
[A:2] ☐ TELEPHONE VISIT

3.*

Was contact made?
[Was Contact Made]

[FAORRES_FUCMADE_009_1]
[A:Y] ☐ [FAORRES_FUCOCCUR_CMP_009_1] ☐
YES
[FAORRES_FUCDAT_009_1] (DD/MM/YYYY)
Date of Contact:
Req ☐ / Req ☐ / Req ☐ (2025-2025)

[A:N] ☐ [FAORRES_FUCNCRS_CMP_009_1] ☐
NO
[FAORRES_FUCNCRS_009_1]
If No, why?
A200★

Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_FAFUC009_1		
Data Variable RefName	RD Column Name	Column Data Type
FACAT_009_1	FACAT_009_1_C	VARCHAR2
	FACAT_009_1	VARCHAR2
	FACAT_009_1_ND	VARCHAR2
FAORRES_FUCTYPE_009_1	FAORRES_FUCTYPE_009_1_C	VARCHAR2
	FAORRES_FUCTYPE_009_1	VARCHAR2
	FAORRES_FUCTYPE_009_1_ND	VARCHAR2
FAORRES_FUCMADE_009_1	FAORRES_FUCMADE_009_1_C	VARCHAR2
	FAORRES_FUCMADE_009_1	VARCHAR2
	FAORRES_FUCMADE_009_1_ND	VARCHAR2
FAORRES_FUCMADE_009_1 - FAORRES_FUCDAT_009_1	FAORRES_FUCDAT_009_1	DATE
	FAORRES_FUCDAT_009_1_DTS	VARCHAR2
FAORRES_FUCMADE_009_1 - FAORRES_FUCNCRS_009_1	FAORRES_FUCNCRS_009_1	VARCHAR2

file:///C:/Users/mp33/AppData/Local/Apps/2.0/YRQQE57M.J6X/AMK0KO7H.2Q1/orac..90.0_919f856034ae8f10_0007.000...

08-05-2025

C3671058: ADVERSE EVENT REPORT (AE) - Repeating Form [AE001]															
#	Category	AE Identifier	Adverse Event	Start Date Time	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Is AE a Result of a Medication Error	Relationship to Study Treatment	Action Taken with Study Treatment	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation	Device Related
1															
Adverse Event Report [AE01001]															
1.* ✓	Category: [Category]	[AECAT_001] [A:1] ☐ ADVERSE EVENT [A:22] ☐ NEWLY DIAGNOSED CHRONIC MEDICAL CONDITION [A:43] ☐ AE OF SPECIAL INTEREST													
2.	AE ID: [read-only] [AE Identifier]	[AESPID_001] A20★													
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]	[AETERM_001] A100★													
4.* ✓ 	Start Date Time: [Start Date Time]	[AESTDTC_001] (DD/MM/YYYY hh:mm) Req / Req / Req (2025-2025) Req/Unk : Req/Unk 24-hour clock													
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]	[X_AEONGO_001] [A:Y] ☐ YES [A:N] ☐ [AEENDTC_CMP_001] ☐ NO [AEENDTC_001] (DD/MM/YYYY hh:mm) End Date Time: Req / Req / Req (2025-2025) Req/Unk : Req/Unk 24-hour clock													
6.* ✓	Toxicity Grade: [Toxicity Grade]	[AETOXGR_001] [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4													
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[AESER_001] [A:Y] ☐ [AESCONG_CMP_001] ☐ YES [AESCONG_001] Is this serious event associated with congenital anomaly or birth defect? [A:Y] ☐ YES [A:N] ☐ NO [AESDTH_001] Did this serious event result in death? [A:Y] ☐ YES [A:N] ☐ NO [AESHOSP_001] Did this serious event require or prolong hospitalization? [A:Y] ☐ YES [A:N] ☐ NO [AESDISAB_001] Did this serious event result in persistent or significant disability/incapacity? [A:Y] ☐ YES [A:N] ☐ NO [AESLIFE_001] Is this serious event life threatening? [A:Y] ☐ YES [A:N] ☐ NO [AESMIE_001] Other medically important serious event													

		[A:Y] ☐ YES [A:N] ☐ NO [A:N] ☐ NO
8.* ✓	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	[SUPPAE_AEMERES_001] [A:Y] ☐ YES [A:N] ☐ NO
9.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001] [A:1] ☐ [SUPPAE_AERELNST_CMP_001] ☐ NOT RELATED [AERELNST_001] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [SUPPAE_AERELT_CMP_001] ☐ OTHER [SUPPAE_AERELTXT_001] If Other, specify: A80 ★ [A:2] ☐ RELATED
10.* ✓	Latest Action Taken with Study Treatment: [Action Taken with Study Treatment]	[AEACN_001] [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE
11.* ✓	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001] [A:Y] ☐ YES [A:N] ☐ NO
12.* ✓	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001] [A:Y] ☐ YES [A:N] ☐ NO
13.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
14.* ✓	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001] [A:Y] ☐ YES [A:N] ☐ NO
15.* ✓	Was the AE related to RSV Pre-F Syringe and vial adaptor? [Device Related]	[SUPPAE_AEDEVREL_001] [A:N] ☐ NO [A:Y] ☐ YES
16.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001] A200 ★
17.	Lowest Level Term [hidden]	[AELLT_001] A100 ★

	[Lowest Level Term]	
18.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[AELLTCD_001] A8★
19.	Dictionary-Derived Term <i>[hidden]</i> [Dictionary-Derived Term]	[AEDECOD_001] A100★
20.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[AEPTCD_001] A8★
21.	High Level Term <i>[hidden]</i> [High Level Term]	[AEHLT_001] A100★
22.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[AEHLTCD_001] A8★
23.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[AEHLGT_001] A100★
24.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[AEHLGTCD_001] A8★
25.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001] A100★
26.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001] A8★
Key: [*] = Item is required [▼] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: ADVERSE EVENT REPORT		
Type	RefName	Description
Form	AE001	AE001 - Standard AE Page
Item	AECAT_001	Used to define a category of adverse event variables.
Item	AESPID_001	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001	Date when the adverse event started.
Item	X_AEONGO_001	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001	Date when the adverse event resolved.
Item	AETOXGR_001	Description of the toxicity grade of the adverse event.
Item	AESER_001	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	SUPPAE_AEMERES_001	Is this adverse event the result of a study/background medication error
Item	AEREL_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELTXT_001	Event Due to Other Specify
Item	AEACN_001	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AECMGIV_001	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001	Non-Drug Treatment Given

Item	AEOUT_001	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	SUPPAE_AEDEVREL_001	Was this adverse event device related.
Item	D_COMPTERM2_001	Hidden Item needed for clear coding rule.
Item	AELLT_001	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTC_001	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOC_001	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT

Item	Unique	Order #
AE001 (Repeating form)		
AE01001		
AESTDTC_001	None	1

Coding Summary: ADVERSE EVENT REPORT

Verbatim RefName: D_COMPTERM2_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001	SOC	Term
AESOC_001	SOC	Code
AEHLGT_001	HLGT	Term
AEHLGTCD_001	HLGT	Code
AEHLT_001	HLT	Term
AEHLTCD_001	HLT	Code
AEDECOD_001	PT	Term
AEPTCD_001	PT	Code
AELLT_001	LLT	Term
AELLTCD_001	LLT	Code

RDE Analytics: RD_AE001

Data Variable RefName	RD Column Name	Column Data Type
AECAT_001	AECAT_001_C	VARCHAR2
	AECAT_001	VARCHAR2
	AECAT_001_ND	VARCHAR2
AESPID_001	AESPID_001	VARCHAR2
	AESPID_001_ND	VARCHAR2
AETERM_001	AETERM_001	VARCHAR2
	AETERM_001_ND	VARCHAR2
AESTDTC_001	AESTDTC_001	DATE

	AESTDTC_001_DTS	VARCHAR2
	AESTDTC_001_DTR	VARCHAR2
	AESTDTC_001_ND	VARCHAR2
X_AEONGO_001	X_AEONGO_001_C	VARCHAR2
	X_AEONGO_001	VARCHAR2
	X_AEONGO_001_ND	VARCHAR2
X_AEONGO_001 - AEENDTC_001	AEENDTC_001	DATE
	AEENDTC_001_DTS	VARCHAR2
	AEENDTC_001_DTR	VARCHAR2
AETOXGR_001	AETOXGR_001_C	VARCHAR2
	AETOXGR_001	VARCHAR2
	AETOXGR_001_ND	VARCHAR2
AESER_001	AESER_001_C	VARCHAR2
	AESER_001	VARCHAR2
	AESER_001_ND	VARCHAR2
AESER_001 - AESCONG_001	AESCONG_001_C	VARCHAR2
	AESCONG_001	VARCHAR2
AESER_001 - AESDTH_001	AESDTH_001_C	VARCHAR2
	AESDTH_001	VARCHAR2
AESER_001 - AESHOSP_001	AESHOSP_001_C	VARCHAR2
	AESHOSP_001	VARCHAR2
AESER_001 - AESDISAB_001	AESDISAB_001_C	VARCHAR2
	AESDISAB_001	VARCHAR2
AESER_001 - AESLIFE_001	AESLIFE_001_C	VARCHAR2
	AESLIFE_001	VARCHAR2
AESER_001 - AESMIE_001	AESMIE_001_C	VARCHAR2
	AESMIE_001	VARCHAR2
SUPPAE_AEMERES_001	SUPPAE_AEMERES_001_C	VARCHAR2
	SUPPAE_AEMERES_001	VARCHAR2
	SUPPAE_AEMERES_001_ND	VARCHAR2
AEREL_001	AEREL_001_C	VARCHAR2
	AEREL_001	VARCHAR2
	AEREL_001_ND	VARCHAR2
AEREL_001 - AERELNST_001	AERELNST_001_C	VARCHAR2
	AERELNST_001	VARCHAR2
AEREL_001 - SUPPAE_AERELTXT_001	SUPPAE_AERELTXT_001	VARCHAR2
AEACN_001	AEACN_001_C	VARCHAR2
	AEACN_001	VARCHAR2
	AEACN_001_ND	VARCHAR2
SUPPAE_AECMGIV_001	SUPPAE_AECMGIV_001_C	VARCHAR2
	SUPPAE_AECMGIV_001	VARCHAR2
	SUPPAE_AECMGIV_001_ND	VARCHAR2
SUPPAE_AENDGIV_001	SUPPAE_AENDGIV_001_C	VARCHAR2
	SUPPAE_AENDGIV_001	VARCHAR2
	SUPPAE_AENDGIV_001_ND	VARCHAR2
AEOUT_001	AEOUT_001_C	VARCHAR2
	AEOUT_001	VARCHAR2

	AEOUT_001_ND	VARCHAR2
SUPPAE_AESUBJDC_001	SUPPAE_AESUBJDC_001_C	VARCHAR2
	SUPPAE_AESUBJDC_001	VARCHAR2
	SUPPAE_AESUBJDC_001_ND	VARCHAR2
SUPPAE_AEDEVREL_001	SUPPAE_AEDEVREL_001_C	VARCHAR2
	SUPPAE_AEDEVREL_001	VARCHAR2
	SUPPAE_AEDEVREL_001_ND	VARCHAR2
D_COMPTERM2_001	D_COMPTERM2_001	VARCHAR2
	D_COMPTERM2_001_ND	VARCHAR2
AELLT_001	AELLT_001	VARCHAR2
	AELLT_001_ND	VARCHAR2
AELLTCD_001	AELLTCD_001	VARCHAR2
	AELLTCD_001_ND	VARCHAR2
AEDECOD_001	AEDECOD_001	VARCHAR2
	AEDECOD_001_ND	VARCHAR2
AEPTCD_001	AEPTCD_001	VARCHAR2
	AEPTCD_001_ND	VARCHAR2
AEHLT_001	AEHLT_001	VARCHAR2
	AEHLT_001_ND	VARCHAR2
AEHLTCD_001	AEHLTCD_001	VARCHAR2
	AEHLTCD_001_ND	VARCHAR2
AEHLGT_001	AEHLGT_001	VARCHAR2
	AEHLGT_001_ND	VARCHAR2
AEHLGTCD_001	AEHLGTCD_001	VARCHAR2
	AEHLGTCD_001_ND	VARCHAR2
AESOC_001	AESOC_001	VARCHAR2
	AESOC_001_ND	VARCHAR2
AESOCCD_001	AESOCCD_001	VARCHAR2
	AESOCCD_001_ND	VARCHAR2

C3671058: MEDICATION ERROR (MED ERROR) - Repeating Form [AE001_1]										
#	Category	Medication Error	Incorrect package ID	Start Date	End Date	Study Medication Errors Action	Concomitant Medication Given	Non-Drug Treatment Given	Medication Error Associated With AE	Device Related
1										
Medication Error Report [AE01001_1]										
1.	Category: [read-only] [Category]	[AECAT_001_1] [A:21] ☒ MEDICATION ERROR								
2.*	Medication Error: (If possible specify diagnosis, not individual symptoms) (Type of medication error) [Medication Error]	[AETERM_001_1] A100*								
3.	If this is a dispensing error, record the incorrect package ID that was dispensed/administered to the subject: [Incorrect package ID]	[SUPPAE_AEIPKGID_001_1] A20*								
4.*	Start Date : [Start Date]	[AESTDTC_001_1] (DD/MM/YYYY) Req / Req / Req (2025-2025)								
5.*	End Date : [End Date]	[AEENDTC_001_1] (DD/MM/YYYY) Req / Req / Req (2025-2025)								
6.*	Latest Action Taken with Study Treatment: [Study Medication Errors Action]	[SUPPAE_AEMEACN_001_1] [A:1] ☒ NO ACTION TAKEN [A:4] ☐ PERMANENTLY DISCONTINUED								
7.*	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_1] [A:Y] ☒ YES [A:N] ☐ NO								
8.*	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_1] [A:Y] ☒ YES [A:N] ☐ NO								
9.*	Was this medication error associated with any adverse events? [Medication Error Associated With AE]	[SUPPAE_AEMEFL_001_1] [A:Y] ☒ [SUPPAE_AEMEFL_CMP_001_1] ☐ YES [R_SUPPAE_AEAEN01_001_1] AE ID: A20* [R_SUPPAE_AEAEN02_001_1] AE ID: A20* [R_SUPPAE_AEAEN03_001_1] AE ID: A20* [R_SUPPAE_AEAEN04_001_1] AE ID: A20* [R_SUPPAE_AEAEN05_001_1] AE ID: A20* [A:N] ☐ NO								
10.*	Was the medication error related to syringe and/or vial adaptor? [Device Related]	[SUPPAE_AEDEVREL_001_1] [A:Y] ☒ YES [A:N] ☐ NO								
11.	Comparison Term	[D_COMPTERM2_001_1]								

	[hidden] [Comparison Term]	A200★
12.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001_1] A100★
13.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001_1] A8★
14.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001_1] A100★
15.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001_1] A8★
16.	High Level Term [hidden] [High Level Term]	[AEHLT_001_1] A100★
17.	High Level Term Code [hidden] [High Level Term Code]	[AEHLTCD_001_1] A8★
18.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001_1] A100★
19.	High Level Group Term Code [hidden] [High Level Group Term Code]	[AEHLGTC_001_1] A8★
20.	Primary System Organ Class [hidden] [Primary System Organ Class]	[AESOC_001_1] A100★
21.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[AESOCCD_001_1] A8★

Key: [*] = Item is required [] = Item is collapsible [K] = Key item [★] = ASCII Only
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: MEDICATION ERROR

Type	RefName	Description
Form	AE001_1	AE001 - Standard AE Page
Item	AECAT_001_1	Used to define a category of adverse event variables.
Item	AETERM_001_1	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	SUPPAE_AEIPKGID_001_1	Incorrect Package ID
Item	AESTDTC_001_1	Date when the adverse event started.
Item	AEENDTC_001_1	Date when the adverse event resolved.
Item	SUPPAE_AEMEACN_001_1	Changes made to the study treatment in response to the medication error adverse event.
Item	SUPPAE_AECMGIV_001_1	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_1	Non-Drug Treatment Given
Item	SUPPAE_AEMEFL_001_1	Was this medication error associated with any adverse events
Item	SUPPAE_AEDEVREL_001_1	Was this adverse event device related.
Item	D_COMPTERM2_001_1	Hidden Item needed for clear coding rule.

Item	AELLT_001_1	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_1	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_1	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_1	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_1	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_1	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_1	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_1	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_1	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_1	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: MEDICATION ERROR

Item	Unique	Order #
AE001_1 (Repeating form)		
AE01001_1		
AESTDTC_001_1	None	1

Coding Summary: MEDICATION ERROR

Verbatim RefName: D_COMPTERM2_001_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_1	SOC	Term
AESOCCD_001_1	SOC	Code
AEHLGT_001_1	HLGT	Term
AEHLGTCD_001_1	HLGT	Code
AEHLT_001_1	HLT	Term
AEHLTCD_001_1	HLT	Code
AEDECOD_001_1	PT	Term
AEPTCD_001_1	PT	Code
AELLT_001_1	LLT	Term
AELLTCD_001_1	LLT	Code

RDE Analytics: RD_AE001_1

Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_1	AECAT_001_1_C	VARCHAR2
	AECAT_001_1	VARCHAR2
	AECAT_001_1_ND	VARCHAR2
AETERM_001_1	AETERM_001_1	VARCHAR2
	AETERM_001_1_ND	VARCHAR2
SUPPAE_AEIPKGID_001_1	SUPPAE_AEIPKGID_001_1	VARCHAR2
	SUPPAE_AEIPKGID_001_1_ND	VARCHAR2
AESTDTC_001_1	AESTDTC_001_1	DATE
	AESTDTC_001_1_DTS	VARCHAR2
	AESTDTC_001_1_ND	VARCHAR2
AEENDTC_001_1	AEENDTC_001_1	DATE
	AEENDTC_001_1_DTS	VARCHAR2

	AEENDTC_001_1_ND	VARCHAR2
SUPPAE_AEMEACN_001_1	SUPPAE_AEMEACN_001_1_C	VARCHAR2
	SUPPAE_AEMEACN_001_1	VARCHAR2
	SUPPAE_AEMEACN_001_1_ND	VARCHAR2
SUPPAE_AECMGIV_001_1	SUPPAE_AECMGIV_001_1_C	VARCHAR2
	SUPPAE_AECMGIV_001_1	VARCHAR2
	SUPPAE_AECMGIV_001_1_ND	VARCHAR2
SUPPAE_AENDGIV_001_1	SUPPAE_AENDGIV_001_1_C	VARCHAR2
	SUPPAE_AENDGIV_001_1	VARCHAR2
	SUPPAE_AENDGIV_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1	SUPPAE_AEMEFL_001_1_C	VARCHAR2
	SUPPAE_AEMEFL_001_1	VARCHAR2
	SUPPAE_AEMEFL_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO1_001_1	R_SUPPAE_AEAENO1_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO2_001_1	R_SUPPAE_AEAENO2_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO3_001_1	R_SUPPAE_AEAENO3_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO4_001_1	R_SUPPAE_AEAENO4_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO5_001_1	R_SUPPAE_AEAENO5_001_1	VARCHAR2
SUPPAE_AEDEVREL_001_1	SUPPAE_AEDEVREL_001_1_C	VARCHAR2
	SUPPAE_AEDEVREL_001_1	VARCHAR2
	SUPPAE_AEDEVREL_001_1_ND	VARCHAR2
D_COMPTERM2_001_1	D_COMPTERM2_001_1	VARCHAR2
	D_COMPTERM2_001_1_ND	VARCHAR2
AELLT_001_1	AELLT_001_1	VARCHAR2
	AELLT_001_1_ND	VARCHAR2
AELLTCD_001_1	AELLTCD_001_1	VARCHAR2
	AELLTCD_001_1_ND	VARCHAR2
AEDECOD_001_1	AEDECOD_001_1	VARCHAR2
	AEDECOD_001_1_ND	VARCHAR2
AEPTCD_001_1	AEPTCD_001_1	VARCHAR2
	AEPTCD_001_1_ND	VARCHAR2
AEHLT_001_1	AEHLT_001_1	VARCHAR2
	AEHLT_001_1_ND	VARCHAR2
AEHLTCD_001_1	AEHLTCD_001_1	VARCHAR2
	AEHLTCD_001_1_ND	VARCHAR2
AEHLGT_001_1	AEHLGT_001_1	VARCHAR2
	AEHLGT_001_1_ND	VARCHAR2
AEHLGTC_001_1	AEHLGTC_001_1	VARCHAR2
	AEHLGTC_001_1_ND	VARCHAR2
AESOC_001_1	AESOC_001_1	VARCHAR2
	AESOC_001_1_ND	VARCHAR2
AESOCCD_001_1	AESOCCD_001_1	VARCHAR2
	AESOCCD_001_1_ND	VARCHAR2

C3671058: CONCOMITANT/PRIOR MEDICATIONS - PROHIBITED (PROHIB CM) - Repeating Form [CM001_2]						
#	Sponsor-Defined Identifier	Category for Medication	Name of Medication	Solicited Medication Data Available	Start Date	Ongoing
1						
Concomitant/Prior Medications [CM01001_2]						
1.	What is the medication identifier? <i>[read-only]</i> [Sponsor-Defined Identifier]	[CMSPID_001_2] A20★				
2.	Category: [Category for Medication]	[CMCAT_001_2] [A:15] ☐ CONCOMITANT IMMUNOSUPPRESSIVE THERAPY [A:16] ☐ CORTICOSTEROIDS [A:44] ☐ IMMUNOGLOBULINS				
3.* ✓	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [Name of Medication]	[CMTRT_001_2] A100★				
4.	Medication Taken? <i>[read-only]</i> [Solicited Medication Data Available]	[CMOCCUR_001_2] [A:Y] ☐ YES				
5.* ✓	Start Date: [Start Date]	[CMSTDTC_001_2] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (2017-2025)				
6.* ✓	Ongoing? [Ongoing]	[X_CMONGO_001_2] [A:Y] ☐ YES [A:N] ☐ [X_CMENDTC_CMP_001_2] ☐ NO [CMENDTC_001_2] (DD/MM/YYYY) End Date: Req/Unk v / Req/Unk v / Req v (2017-2025)				
7.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM1_001_2] A200★				
8.	Standardized Medication Name - Dictionary derived. <i>[hidden]</i> [Standardized Medication Name]	[CMDECOD_001_2] A300★				
9.	Standardized Medication Code - Dictionary derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPCM_CMCODE_001_2] A11★				
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.						

Study Object Descriptions: CONCOMITANT/PRIOR MEDICATIONS - PROHIBITED

Type	RefName	Description
Item	CMSPID_001_2	A sponsor-defined reference number.
Item	CMTRT_001_2	Name of Medication
Item	CMOCCUR_001_2	Use when the medication is solicited to indicate whether or not the medication was taken. Should not be used for spontaneously reported concomitant medications. Item will be used along with Item 3 CMPRESP at a study specific level
Item	CMSTDTC_001_2	Date the medication was first taken
Item	X_CMONGO_001_2	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001_2	Date the subject stopped taking the medication
Item	D_COMPTERM1_001_2	Hidden Item needed for clear coding rule.

Item	CMDECOD_001_2	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001_2	Standardized Medication Code - Dictionary derived

Coding Summary: CONCOMITANT/PRIOR MEDICATIONS - PROHIBITED

Verbatim RefName: D_COMPTERM1_001_2 Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
CMDECOD_001_2	PT	Term
SUPPCM_CMCODE_001_2	PT	Code

RDE Analytics: RD_CM001_2		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001_2	CMSPID_001_2	VARCHAR2
	CMSPID_001_2_ND	VARCHAR2
CMCAT_001_2	CMCAT_001_2_C	VARCHAR2
	CMCAT_001_2	VARCHAR2
	CMCAT_001_2_ND	VARCHAR2
CMTRT_001_2	CMTRT_001_2	VARCHAR2
	CMTRT_001_2_ND	VARCHAR2
CMOCCUR_001_2	CMOCCUR_001_2_C	VARCHAR2
	CMOCCUR_001_2	VARCHAR2
	CMOCCUR_001_2_ND	VARCHAR2
CMSTDTC_001_2	CMSTDTC_001_2	DATE
	CMSTDTC_001_2_DTS	VARCHAR2
	CMSTDTC_001_2_DTR	VARCHAR2
	CMSTDTC_001_2_ND	VARCHAR2
X_CMONGO_001_2	X_CMONGO_001_2_C	VARCHAR2
	X_CMONGO_001_2	VARCHAR2
	X_CMONGO_001_2_ND	VARCHAR2
X_CMONGO_001_2 - CMENDTC_001_2	CMENDTC_001_2	DATE
	CMENDTC_001_2_DTS	VARCHAR2
	CMENDTC_001_2_DTR	VARCHAR2
D_COMPTERM1_001_2	D_COMPTERM1_001_2	VARCHAR2
	D_COMPTERM1_001_2_ND	VARCHAR2
CMDECOD_001_2	CMDECOD_001_2	VARCHAR2
	CMDECOD_001_2_ND	VARCHAR2
SUPPCM_CMCODE_001_2	SUPPCM_CMCODE_001_2	VARCHAR2
	SUPPCM_CMCODE_001_2_ND	VARCHAR2

C3671058: CONCOMITANT/PRIOR MEDICATIONS - NON STUDY VACCINATIONS (CONMED VAX) - Repeating Form [CM001]

#	Sponsor-Defined Identifier	Category for Medication	Name of Medication	Start Date
1				

Concomitant Treatment [CM01001]

1.

What is the medication identifier? *[read-only]*
[Sponsor-Defined Identifier]

[CMSPID_001]
A20★

2.

Category: *[read-only]*
[Category for Medication]

[CMCAT_001]
[A:3] ☐ VACCINATIONS

3.★
✓

Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation).
[Name of Medication]

[CMTRT_001]
A100★

4.★
✓

Start Date :
[Start Date]

[CMSTDTC_001] (DD/MM/YYYY)
Req/Unk / Req/Unk / Req (2017-2025)

5.

Comparison Term *[hidden]*
[Comparison Term]

[D_COMPTERM1_001]
A200★

6.

Standardized Medication Name - Dictionary derived *[hidden]*
[Standardized Medication Name]

[CMDECOD_001]
A300★

7.

Standardized Medication Code - Dictionary derived *[hidden]*
[Standardized Medication Code]

[SUPPCM_CMCODE_001]
A11★

Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: CONCOMITANT/PRIOR MEDICATIONS - NON STUDY VACCINATIONS		
Type	RefName	Description
Item	CMSPID_001	A sponsor-defined reference number.
Item	CMTRT_001	Name of Medication
Item	CMSTDTC_001	Date the medication was first taken
Item	D_COMPTERM1_001	Hidden Item needed for clear coding rule.
Item	CMDECOD_001	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001	Standardized Medication Code - Dictionary derived

Coding Summary: CONCOMITANT/PRIOR MEDICATIONS - NON STUDY VACCINATIONS		
Verbatim RefName: D_COMPTERM1_001		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
CMDECOD_001	PT	Term
SUPPCM_CMCODE_001	PT	Code

RDE Analytics: RD_CM001		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001	CMSPID_001	VARCHAR2
	CMSPID_001_ND	VARCHAR2

CMCAT_001	CMCAT_001_C	VARCHAR2
	CMCAT_001	VARCHAR2
	CMCAT_001_ND	VARCHAR2
CMTRT_001	CMTRT_001	VARCHAR2
	CMTRT_001_ND	VARCHAR2
CMSTDTC_001	CMSTDTC_001	DATE
	CMSTDTC_001_DTS	VARCHAR2
	CMSTDTC_001_DTR	VARCHAR2
	CMSTDTC_001_ND	VARCHAR2
D_COMPTERM1_001	D_COMPTERM1_001	VARCHAR2
	D_COMPTERM1_001_ND	VARCHAR2
CMDECOD_001	CMDECOD_001	VARCHAR2
	CMDECOD_001_ND	VARCHAR2
SUPPCM_CMCODE_001	SUPPCM_CMCODE_001	VARCHAR2
	SUPPCM_CMCODE_001_ND	VARCHAR2

C3671058: TRANSFUSIONS (TRANSFUSE) - Repeating Form [PRTFD002]

#	Transfusion Type	Date of Transfusion	Transfusion Amount	Transfusion Amount Unit
1				

Transfusions [PRTFD01002]

1.*
✓

Transfusion Type:
[Transfusion Type]

[PRTRT_002]

[A:1] ☐ PACKED RBC

[A:2] ☐ PLATELETS

[A:3] ☐ WHOLE BLOOD

[A:4] ☐ PLASMA

[A:999] ☐ [X_PRTRT_TFDTYPO_CMP_002] ☐

OTHER

[X_PRTRT_TFDTYPO_002]

Specify:

A30*

2.*
✓

Date of Transfusion:
[Date of Transfusion]

[PRSTDTC_002] (DD/MM/YYYY)

Req / Req / Req (2025-2025)

3.*
✓

Transfusion Amount:
[Transfusion Amount]

[PRDOSE_002]

N4

4.

Transfusion Amount Unit: *[read-only]*
[Transfusion Amount Unit]

[PRDOSU_002]

[A:380] ☐ U

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_PRTFD002		
Data Variable RefName	RD Column Name	Column Data Type
PRTRT_002	PRTRT_002_C	VARCHAR2
	PRTRT_002	VARCHAR2
	PRTRT_002_ND	VARCHAR2
PRTRT_002 - X_PRTRT_TFDTYPO_002	X_PRTRT_TFDTYPO_002	VARCHAR2
PRSTDTC_002	PRSTDTC_002	DATE
	PRSTDTC_002_DTS	VARCHAR2
	PRSTDTC_002_ND	VARCHAR2
PRDOSE_002	PRDOSE_002	NUMBER
	PRDOSE_002_ND	VARCHAR2
PRDOSU_002	PRDOSU_002_C	VARCHAR2
	PRDOSU_002	VARCHAR2
	PRDOSU_002_ND	VARCHAR2

C3671058: RADIATION TREATMENT (PROHIB RT) - Repeating Form [PR001_1]					
#	Treatment	Con Non-Drug Treatments Pre-specified	Solicited Treatment Data Available	Start Date	Ongoing
1					
Radiation Treatment [PR01001_1]					
1.	Treatment: <i>[read-only]</i> [Treatment]	[PRTRT_001_1] A100★			
2.	Concomitant Non-drug Treatment Pre-specified: <i>[read-only]</i> [Con Non-Drug Treatments Pre-specified]	[PRPRES_001_1] [A:Y] ☐ YES			
3.	Treatment given? <i>[read-only]</i> [Solicited Treatment Data Available]	[PROCCUR_001_1] [A:Y] ☐ YES			
4.* ✓ 🔍	Start Date: [Start Date]	[PRSTDTC_001_1] (DD/MM/YYYY) Req / Req / Req (2025-2025)			
5.* ✓	Ongoing? [Ongoing]	[X_PRONGO_001_1] [A:N] ☐ [PRENDTC_CMP_001_1] ☐ NO [PRENDTC_001_1] (DD/MM/YYYY) End Date: Req / Req / Req (2025-2025) [A:Y] ☐ YES			
6.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM5_001_1] A200★			
7.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[SUPPPR_PRLLT_001_1] A100★			
8.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[SUPPPR_PRLLTCD_001_1] A8★			
9.	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[PRDECOD_001_1] A100★			
10.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPPR_PRPTCD_001_1] A8★			
11.	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001_1] A100★			
12.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPPR_PRHLTCD_001_1] A8★			
13.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001_1] A100★			
14.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTC_001_1] A8★			
15.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001_1] A100★			
16.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_1] A8★			
Key: [*] = Item is required [✓] = Source verification required [🔍] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.					

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: RADIATION TREATMENT		
Type	RefName	Description
Form	PR001_1	PR001 - NON-DRUG TREATMENTS
Item	PRTRT_001_1	Verbatim name of the treatment.
Item	PRPRESP_001_1	Concomitant non-drug treatments pre-specified
Item	PRSTDTC_001_1	Date the treatment was started
Item	X_PRONGO_001_1	Indicates the treatment is ongoing when no End Date is provided
Item	PRENDTC_001_1	Date the treatment was stopped.
Item	D_COMPTERM5_001_1	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001_1	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLLCD_001_1	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001_1	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001_1	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001_1	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRLTCD_001_1	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRLHGT_001_1	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRLGTCD_001_1	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001_1	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001_1	Dictionary-derived code for the primary System Organ Class.

Keys (navigation)/Uniqueness: RADIATION TREATMENT		
Item	Unique	Order #
PR001_1 (Repeating form)		
PR01001_1		
PRSTDTC_001_1	None	1

Coding Summary: RADIATION TREATMENT		
Verbatim RefName: D_COMPTERM5_001_1 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001_1	SOC	Term
SUPPPR_PRSOCCD_001_1	SOC	Code
SUPPPR_PRLHGT_001_1	HLGT	Term
SUPPPR_PRLGTCD_001_1	HLGT	Code
SUPPPR_PRHLT_001_1	HLT	Term
SUPPPR_PRLTCD_001_1	HLT	Code
PRDECOD_001_1	PT	Term
SUPPPR_PRPTCD_001_1	PT	Code
SUPPPR_PRLLT_001_1	LLT	Term
SUPPPR_PRLLCD_001_1	LLT	Code

RDE Analytics: RD_PR001_1		
Data Variable RefName	RD Column Name	Column Data Type
PRTRT_001_1	PRTRT_001_1	VARCHAR2
	PRTRT_001_1_ND	VARCHAR2

PRPRESP_001_1	PRPRESP_001_1_C	VARCHAR2
	PRPRESP_001_1	VARCHAR2
	PRPRESP_001_1_ND	VARCHAR2
PROCCUR_001_1	PROCCUR_001_1_C	VARCHAR2
	PROCCUR_001_1	VARCHAR2
	PROCCUR_001_1_ND	VARCHAR2
PRSTDTC_001_1	PRSTDTC_001_1	DATE
	PRSTDTC_001_1_DTS	VARCHAR2
	PRSTDTC_001_1_ND	VARCHAR2
X_PRONGO_001_1	X_PRONGO_001_1_C	VARCHAR2
	X_PRONGO_001_1	VARCHAR2
	X_PRONGO_001_1_ND	VARCHAR2
X_PRONGO_001_1 - PRENDTC_001_1	PRENDTC_001_1	DATE
	PRENDTC_001_1_DTS	VARCHAR2
D_COMPTERM5_001_1	D_COMPTERM5_001_1	VARCHAR2
	D_COMPTERM5_001_1_ND	VARCHAR2
SUPPPR_PRLT_001_1	SUPPPR_PRLT_001_1	VARCHAR2
	SUPPPR_PRLT_001_1_ND	VARCHAR2
SUPPPR_PRLTCD_001_1	SUPPPR_PRLTCD_001_1	VARCHAR2
	SUPPPR_PRLTCD_001_1_ND	VARCHAR2
PRDECOD_001_1	PRDECOD_001_1	VARCHAR2
	PRDECOD_001_1_ND	VARCHAR2
SUPPPR_PRPTCD_001_1	SUPPPR_PRPTCD_001_1	VARCHAR2
	SUPPPR_PRPTCD_001_1_ND	VARCHAR2
SUPPPR_PRHLT_001_1	SUPPPR_PRHLT_001_1	VARCHAR2
	SUPPPR_PRHLT_001_1_ND	VARCHAR2
SUPPPR_PRHLTCD_001_1	SUPPPR_PRHLTCD_001_1	VARCHAR2
	SUPPPR_PRHLTCD_001_1_ND	VARCHAR2
SUPPPR_PRHLGT_001_1	SUPPPR_PRHLGT_001_1	VARCHAR2
	SUPPPR_PRHLGT_001_1_ND	VARCHAR2
SUPPPR_PRHLGTC_001_1	SUPPPR_PRHLGTC_001_1	VARCHAR2
	SUPPPR_PRHLGTC_001_1_ND	VARCHAR2
SUPPPR_PRSOC_001_1	SUPPPR_PRSOC_001_1	VARCHAR2
	SUPPPR_PRSOC_001_1_ND	VARCHAR2
SUPPPR_PRSOCCD_001_1	SUPPPR_PRSOCCD_001_1	VARCHAR2
	SUPPPR_PRSOCCD_001_1_ND	VARCHAR2

C3671058: UNPLANNED VISIT (UNPL) [D_UPA001]		
Unplanned Assessments [D_UPA01001]		
1.*	Assessments [Assessments]	D_UNPLASS_001 [A:4] ☐ PARTICIPANT-REPORTED REACTOGENICITY [A:5] ☐ CONTACT OUTCOME - UNPLANNED REACTOGENICITY
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_UPA001		
Data Variable RefName	RD Column Name	Column Data Type
D_UNPLASS_001	D_UNPLASS_001_ND	VARCHAR2
D_UNPLASS_001 - PARTICIPANT-REPORTED REACTOGENICITY	*D_UNPLASS_001_CLIUNPLASSPARTICIPANTREPORTEDREACTOGENICITY_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPARTICIPANTREPORTEDREACTOGENICITY	VARCHAR2
D_UNPLASS_001 - CONTACT OUTCOME - UNPLANNED REACTOGENICITY	*D_UNPLASS_001_CLIUNPLASSCONTACTOUTCOMEUNPLANNEDREACTOGENICITY_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSCONTACTOUTCOMEUNPLANNEDREACTOGENICITY	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C3671058: CONTACT OUTCOME - UNPLANNED REACTOGENICITY (CONTACT) [FAFUC009]

Contact Outcome [FAFUC01009]

1.

Follow-Up Contact Category *[read-only]*
[Follow Up Contact Category]

[FACAT_009]

[A:1] ☒ CONTACT OUTCOME

2.*

Contact Type:
[Type of Contact/Visit]

[FAORRES_FUCTYPE_009]

[A:1] ☒ CLINIC VISIT
[A:2] ☒ TELEPHONE VISIT

3.*

Was contact made?
[Was Contact Made]

[FAORRES_FUCMADE_009]

[A:Y] ☒

[FAORRES_FUCCUR_CMP_009] ☐

YES

[FAORRES_FUCDAT_009] (DD/MM/YYYY)

Date of Contact:

Req / Req / Req (2025-2025)

[FAORRES_FUCOUT_009]

Contact Outcome:

[A:1] ☒ VISIT ARRANGED
[A:2] ☒ VISIT ARRANGED, BUT NOT ATTENDED
[A:3] ☒ VISIT NOT ARRANGED, REACTION NO LONGER PRESENT
[A:4] ☒ VISIT NOT ARRANGED, UNABLE TO ATTEND
[A:5] ☒ VISIT NOT REQUIRED, DATA ENTRY ERROR IN E-DIARY
[A:6] ☒ VISIT NOT REQUIRED, INVESTIGATOR DECISION
[A:7] ☒ VISIT NOT REQUIRED, PER PROTOCOL
[A:8] ☒ VISIT NOT ARRANGED, SEVERE REACTOGENICITY ASSESSMENT CONFIRMED VIA MEDICAL RECORDS AND/OR TELEHEALTH ASSESSMENT

[A:N] ☒

[FAORRES_FUCNCRS_CMP_009] ☐

NO

[FAORRES_FUCNCRS_009]

If No, why?

A200★

4.

Comments:
[Comments/Findings/Details]

[CO_FUCCOM_009]

A200★

Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_FAFUC009		
Data Variable RefName	RD Column Name	Column Data Type
FACAT_009	FACAT_009_C	VARCHAR2
	FACAT_009	VARCHAR2
	FACAT_009_ND	VARCHAR2
FAORRES_FUCTYPE_009	FAORRES_FUCTYPE_009_C	VARCHAR2
	FAORRES_FUCTYPE_009	VARCHAR2
	FAORRES_FUCTYPE_009_ND	VARCHAR2
FAORRES_FUCMADE_009	FAORRES_FUCMADE_009_C	VARCHAR2
	FAORRES_FUCMADE_009	VARCHAR2
	FAORRES_FUCMADE_009_ND	VARCHAR2
FAORRES_FUCMADE_009 - FAORRES_FUCDAT_009	FAORRES_FUCDAT_009	DATE
	FAORRES_FUCDAT_009_DTS	VARCHAR2
FAORRES_FUCMADE_009 - FAORRES_FUCOUT_009	FAORRES_FUCOUT_009_C	VARCHAR2

file:///C:/Users/mp33/AppData/Local/Apps/2.0/YRQQE57M.J6X/AMK0KO7H.2Q1/orac..90.0_919f856034ae8f10_0007.000... 08-05-2025

	FAORRES_FUCOUT_009	VARCHAR2
FAORRES_FUCMADE_009 - FAORRES_FUCNCRS_009	FAORRES_FUCNCRS_009	VARCHAR2
CO_FUCCOM_009	CO_FUCCOM_009	VARCHAR2
	CO_FUCCOM_009_ND	VARCHAR2

C3671058: VITAL SIGNS - UNPLANNED REACTOGENICITY (VITAL REAC) [VS001_1]

Vital Signs - I [VS01001_1]

1.

Category for Vital Signs: *[hidden]*
[Category for Vital Signs]

[VSCAT_001_1]
[A:4] ☐ REACTOGENICITY-UNPLANNED TEMPERATURE

2.*
✓

Date :
[Date]

[VSDTC_001_1] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2025-2025)

Vital Signs - II [VS02001_1]

#	Record Identifier	Temperature*	Temperature Unit*	Temperature Location
3.a	1			

Vital Signs - II Entry [VS02001_1]

3.1

Record Identifier: *[read-only]*
[Record Identifier]

[VSSPID_001_1]
[A:1] ☐ 1

3.2*

Temperature:
[Temperature]

[VSORRES_TEMP_001_1]
xxxx.

3.3*

Unit:
[Temperature Unit]

[VSORRESU_TEMP_001_1]
[A:6] ☐ F
[A:4] ☐ C

3.4

Temperature Location: *[read-only]*
[Temperature Location]

[VSLOC_TEMP_001_1]
[A:60] ☐ ORAL CAVITY

Key: [*] = Item is required [✓] = Source verification required = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS - UNPLANNED REACTOGENICITY		
Type	RefName	Description
Form	VS001_1	VS001 - Vital Signs - Wide Format
Item	VSDTC_001_1	The date the measurement was performed.
Item	VSSPID_001_1	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_TEMP_001_1	Temperature
Item	VSORRESU_TEMP_001_1	Temperature Unit
Item	VSLOC_TEMP_001_1	Temperature Route

RDE Analytics: RD_VS001_1			
Data Variable	RefName	RD Column Name	Column Data Type
VSCAT_001_1		VSCAT_001_1_C	VARCHAR2
		VSCAT_001_1	VARCHAR2
		VSCAT_001_1_ND	VARCHAR2
VSDTC_001_1		VSDTC_001_1	DATE
		VSDTC_001_1_DTS	VARCHAR2
		VSDTC_001_1_ND	VARCHAR2
RD_VS001_1_VS02001_1			
VSSPID_001_1		VSSPID_001_1_C	VARCHAR2
		VSSPID_001_1	VARCHAR2
		VSSPID_001_1_ND	VARCHAR2
VSORRES_TEMP_001_1		VSORRES_TEMP_001_1	FLOAT
		VSORRES_TEMP_001_1_ND	VARCHAR2
VSORRESU_TEMP_001_1		VSORRESU_TEMP_001_1_C	VARCHAR2

file:///C:/Users/mp33/AppData/Local/Apps/2.0/YRQQE57M.J6X/AMK0KO7H.2Q1/orac..90.0_919f856034ae8f10_0007.000... 08-05-2025

VSLOC_TEMP_001_1	VSORRESU_TEMP_001_1	VARCHAR2
	VSORRESU_TEMP_001_1_ND	VARCHAR2
	VSLOC_TEMP_001_1_C	VARCHAR2
	VSLOC_TEMP_001_1	VARCHAR2
	VSLOC_TEMP_001_1_ND	VARCHAR2

C3671058: UNPLANNED ASSESSMENT OF REACTOGENICITY (U REACT) [CECISR072]					
Reactogenicity - Unplanned Assessment [CECISR01072]					
1.* ✓	Date of Assessment: [Date of Assessment]	[Y_CEDTC_072] (DD/MM/YYYY) Req / Req / Req (2025-2025)			
2.	Reaction	Injection Site Location	Injection Site Body Side	Maximum Diameter	Meets Grade 4 Reaction Criteria
Injection Site Reactions Entry [CECISR02072]					
2.1* ✓	Reaction: [Reaction]	[CETERM_072] [A:1] ☐ REDNESS [A:2] ☐ SWELLING			
2.2	Injection Site Location: <i>[read-only]</i> [Injection Site Location]	[Y_CELOC_072] [A:744] ☐ DELTOID MUSCLE			
2.3* ✓	Injection Site Body Side: [Injection Site Body Side]	[Y_CELAT_072] [A:5] ☐ LEFT [A:6] ☐ RIGHT			
2.4* ✓	Maximum Diameter (cm): [Maximum Diameter]	[FAORRES_MAXDIAM_072] xxx.			
2.5* ✓	Meets Grade 4 Reaction Criteria: [Meets Grade 4 Reaction Criteria]	[FAORRES_G4CRIMET_072] [A:N] ☐ NO [A:Y] ☐ YES			
3.	Reaction	Injection Site Location	Injection Site Body Side	Symptom Severity	
Injection Site Pain Entry [CECISR03072]					
3.1	Reaction: <i>[read-only]</i> [Reaction]	[CETERM1_072] [A:12] ☐ PAIN AT INJECTION SITE			
3.2	Injection Site Location: <i>[read-only]</i> [Injection Site Location]	[Y_CELOC1_072] [A:744] ☐ DELTOID MUSCLE			
3.3* ✓	Injection Site Body Side: [Injection Site Body Side]	[Y_CELAT1_072] [A:5] ☐ LEFT [A:6] ☐ RIGHT			
3.4* ✓	Severity: [Symptom Severity]	[FAORRES_SEV_072] [A:1] ☐ MILD [A:2] ☐ MODERATE [A:3] ☐ [FAORRES1_G4CRIMET_CMP_072] ☐ SEVERE [FAORRES1_G4CRIMET_072] Meets Grade 4 Criteria: [A:N] ☐ NO [A:Y] ☐ YES			
4.	Symptom		Symptom Severity		
Systemic Symptoms Entry [CECISR04072]					
4.1* ✓	Symptom: [Symptom]	[CETERM2_072] [CETERM2_CL_072]			
4.2* ✓	Severity: [Symptom Severity]	[FAORRES1_SEV_072] [A:1] ☐ MILD [A:2] ☐ MODERATE [A:3] ☐ [FAORRES2_G4CRIMET_CMP_072] ☐ SEVERE [FAORRES2_G4CRIMET_072] Meets Grade 4 Criteria: [A:N] ☐ NO [A:Y] ☐ YES			

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Codelist Values Tables: UNPLANNED ASSESSMENT OF REACTOGENICITY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM2_CL_072	String		HEADACHE	3	cliCISRJ_HEADACHE	CETERM2_072
			VOMITING	4	cliCISRJ_VOMITING	
			DIARRHEA	6	cliCISRJ_DIARRHEA	
			FATIGUE	7	cliCISRJ_FATIGUE	
			MUSCLE PAIN	9	cliCISRJ_MUSCLE_PAIN	
			JOINT PAIN	11	cliCISRJ_JOINT_PAIN	
			NAUSEA	13	cliCISRJ_NAUSEA	

RDE Analytics: RD_CECISR072		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_072	Y_CEDTC_072	DATE
	Y_CEDTC_072_DTS	VARCHAR2
	Y_CEDTC_072_ND	VARCHAR2
RD_CECISR072_CECISR02072		
CETERM_072	CETERM_072_C	VARCHAR2
	CETERM_072	VARCHAR2
	CETERM_072_ND	VARCHAR2
Y_CELOC_072	Y_CELOC_072_C	VARCHAR2
	Y_CELOC_072	VARCHAR2
	Y_CELOC_072_ND	VARCHAR2
Y_CELAT_072	Y_CELAT_072_C	VARCHAR2
	Y_CELAT_072	VARCHAR2
	Y_CELAT_072_ND	VARCHAR2
FAORRES_MAXDIAM_072	FAORRES_MAXDIAM_072	FLOAT
	FAORRES_MAXDIAM_072_ND	VARCHAR2
FAORRES_G4CRIMET_072	FAORRES_G4CRIMET_072_C	VARCHAR2
	FAORRES_G4CRIMET_072	VARCHAR2
	FAORRES_G4CRIMET_072_ND	VARCHAR2
RD_CECISR072_CECISR03072		
CETERM1_072	CETERM1_072_C	VARCHAR2
	CETERM1_072	VARCHAR2
	CETERM1_072_ND	VARCHAR2
Y_CELOC1_072	Y_CELOC1_072_C	VARCHAR2
	Y_CELOC1_072	VARCHAR2
	Y_CELOC1_072_ND	VARCHAR2
Y_CELAT1_072	Y_CELAT1_072_C	VARCHAR2
	Y_CELAT1_072	VARCHAR2
	Y_CELAT1_072_ND	VARCHAR2
FAORRES_SEV_072	FAORRES_SEV_072_C	VARCHAR2
	FAORRES_SEV_072	VARCHAR2
	FAORRES_SEV_072_ND	VARCHAR2

FAORRES_SEV_072 - FAORRES1_G4CRIMET_072	FAORRES1_G4CRIMET_072_C	VARCHAR2
	FAORRES1_G4CRIMET_072	VARCHAR2
RD_CECISR072_CECISR04072		
CETERM2_072	CETERM2_072_C	VARCHAR2
	CETERM2_072	VARCHAR2
	CETERM2_072_ND	VARCHAR2
FAORRES1_SEV_072	FAORRES1_SEV_072_C	VARCHAR2
	FAORRES1_SEV_072	VARCHAR2
	FAORRES1_SEV_072_ND	VARCHAR2
FAORRES1_SEV_072 - FAORRES2_G4CRIMET_072	FAORRES2_G4CRIMET_072_C	VARCHAR2
	FAORRES2_G4CRIMET_072	VARCHAR2

C3671058: PARTICIPANT-REPORTED REACTOGENICITY (PARREACT) - Repeating Form [FAVSD065]

#	Date of Missed Diary	Local Reaction Indicator	Symptom Indicator	Temperature	Unit	Injection Site Location	Local Reaction-Choose a reaction only if it occurred	Symptoms-Choose a symptom only if it occurred
1								

Participant-Reported Reactogenicity [FAVSD01065]

1.* ✓	Date of Missed Diary: [Date of Missed Diary]	[Y_SUPPFA_VSDMDTC_065] (DD/MM/YYYY) Req / Req / Req (2025-2025)
2.* ✓	Did the participant report any local reactions? [Local Reaction Indicator]	[X_FAORRES_LOCREIND_065] [A:Y] ☐ YES [A:N] ☐ NO
3.* ✓	Did the participant report any symptoms? [Symptom Indicator]	[X_FAORRES_SYMPINDC_065] [A:Y] ☐ YES [A:N] ☐ NO
4.* ✓	Highest temperature for the day: [Temperature]	[VSORRES_TEMP_065] xxxx.
5.* ✓	Unit: [Unit]	[VSORRESU_TEMP_065] [A:4] ☐ C [A:6] ☐ F
6.	Injection Site Location: <i>[read-only]</i> [Injection Site Location]	[FALOC_065] [A:744] ☐ DELTOID MUSCLE

	Reaction	Injection Site Body Side	Diameter
7.			

Local Reaction-Choose a reaction only if it occurred Entry [FAVSD02065]

7.1* ✓	Reaction: [Reaction]	[FAOBJ_065] [A:1] ☐ REDNESS [A:2] ☐ SWELLING
7.2* ✓	Injection Site Body Side: [Injection Site Body Side]	[FALAT1_065] [A:5] ☐ LEFT [A:6] ☐ RIGHT
7.3* ✓	Diameter (Caliper Units): [Diameter]	[FAORRES_DIAMETER_065] N2

	Symptom	Severity	Injection Site Body Side
8.			

Symptoms-Choose a symptom only if it occurred Entry [FAVSD03065]

8.1* ✓	Symptom: [Symptom]	[FAOBJ1_065] [FAOBJ1_CL_065]
8.2* ✓	Severity: [Severity]	[FAORRES_SEV_065] [A:1] ☐ MILD [A:2] ☐ MODERATE [A:3] ☐ SEVERE
8.3 ✓	Injection Site Body Side for Pain at Injection Site: [Injection Site Body Side]	[FALAT2_065] [A:5] ☐ LEFT [A:6] ☐ RIGHT

Key: [*] = Item is required [✓] = Source verification required
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: PARTICIPANT-REPORTED REACTOGENICITY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
FAOBJ1_CL_065	String		DIARRHEA	7	cliVSDK_DIARRHEA	FAOBJ1_065
			FATIGUE	8	cliVSDK_FATIGUE	
			HEADACHE	9	cliVSDK_HEADACHE	

			JOINT PAIN	13	cliVSDK_JOINT_PAIN	
			MUSCLE PAIN	15	cliVSDK_MUSCLE_PAIN	
			NAUSEA	16	cliVSDK_NAUSEA	
			PAIN AT INJECTION SITE	22	cliVSDK_PAIN_AT_INJECTION_SITE	
			VOMITING	25	cliVSDK_VOMITING	

RDE Analytics: RD_FAVSD065		
Data Variable RefName	RD Column Name	Column Data Type
Y_SUPPFA_VSDMDTC_065	Y_SUPPFA_VSDMDTC_065	DATE
	Y_SUPPFA_VSDMDTC_065_DTS	VARCHAR2
	Y_SUPPFA_VSDMDTC_065_ND	VARCHAR2
X_FAORRES_LOCREIND_065	X_FAORRES_LOCREIND_065_C	VARCHAR2
	X_FAORRES_LOCREIND_065	VARCHAR2
	X_FAORRES_LOCREIND_065_ND	VARCHAR2
X_FAORRES_SYMPINDC_065	X_FAORRES_SYMPINDC_065_C	VARCHAR2
	X_FAORRES_SYMPINDC_065	VARCHAR2
	X_FAORRES_SYMPINDC_065_ND	VARCHAR2
VSORRES_TEMP_065	VSORRES_TEMP_065	FLOAT
	VSORRES_TEMP_065_ND	VARCHAR2
VSORRESU_TEMP_065	VSORRESU_TEMP_065_C	VARCHAR2
	VSORRESU_TEMP_065	VARCHAR2
	VSORRESU_TEMP_065_ND	VARCHAR2
FALOC_065	FALOC_065_C	VARCHAR2
	FALOC_065	VARCHAR2
	FALOC_065_ND	VARCHAR2
RD_FAVSD065_FAVSD02065		
FAOBJ_065	FAOBJ_065_C	VARCHAR2
	FAOBJ_065	VARCHAR2
	FAOBJ_065_ND	VARCHAR2
FALAT1_065	FALAT1_065_C	VARCHAR2
	FALAT1_065	VARCHAR2
	FALAT1_065_ND	VARCHAR2
FAORRES_DIAMETER_065	FAORRES_DIAMETER_065	NUMBER
	FAORRES_DIAMETER_065_ND	VARCHAR2
RD_FAVSD065_FAVSD03065		
FAOBJ1_065	FAOBJ1_065_C	VARCHAR2
	FAOBJ1_065	VARCHAR2
	FAOBJ1_065_ND	VARCHAR2
FAORRES_SEV_065	FAORRES_SEV_065_C	VARCHAR2
	FAORRES_SEV_065	VARCHAR2
	FAORRES_SEV_065_ND	VARCHAR2
FALAT2_065	FALAT2_065_C	VARCHAR2
	FALAT2_065	VARCHAR2
	FALAT2_065_ND	VARCHAR2

C3671058: WITHDRAWAL OF CONSENT (WOC) [DS001_7]		
Withdrawal Of Consent [DS01001_7]		
1.*	Date of Withdrawal of Consent: [Date]	[DSSTDTC_001_7] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2025)
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: WITHDRAWAL OF CONSENT		
Type	RefName	Description
Item	DSSTDTC_001_7	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_7			
Data Variable	RefName	RD Column Name	Column Data Type
DSSTDTC_001_7		DSSTDTC_001_7	DATE
		DSSTDTC_001_7_DTS	VARCHAR2
		DSSTDTC_001_7_ND	VARCHAR2

C3671058: DEATH DETAILS (DTH DTL) [DD002]		
Death Details [DD01002]		
1.* ✓	Date of Collection / Notification of Death: [Date of Collection / Notification of Death]	[DDDTC_002] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2025)
2.* ✓	Date of Death: [Date of Death]	[R_DDDTHDTC_002] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2025)
3.	Cause of Death Status	Cause of Death
Death Details Entry [DD02002]		
3.1* ✓	Cause of Death Status: [Cause of Death Status]	[DDTEST_002] [A:1] ☐ PRIMARY CAUSE OF DEATH [A:2] ☐ SECONDARY CAUSE OF DEATH
3.2* ✓	Cause of Death: [Cause of Death]	[DDORRES_002] A200*
3.3	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM6_002] A200*
3.4	Lowest Level Term [hidden] [Lowest Level Term]	[SUPPDD_DDLT_002] A100*
3.5	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[SUPPDD_DDLTCD_002] A8*
3.6	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[SUPPDD_DDDECOD_002] A100*
3.7	Preferred Term Code [hidden] [Preferred Term Code]	[SUPPDD_DDPTCD_002] A8*
3.8	High Level Term [hidden] [High Level Term]	[SUPPDD_DDHLT_002] A100*
3.9	High Level Term Code [hidden] [High Level Term Code]	[SUPPDD_DDHLTCD_002] A8*
3.10	High Level Group Term [hidden] [High Level Group Term]	[SUPPDD_DDHLGT_002] A100*
3.11	High Level Group Term Code [hidden] [High Level Group Term Code]	[SUPPDD_DDHLGTCD_002] A8*
3.12	Primary System Organ Class [hidden] [Primary System Organ Class]	[SUPPDD_DDSOC_002] A100*
3.13	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[SUPPDD_DDSOCCD_002] A8*
Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: DEATH DETAILS		
Type	RefName	Description

Form	DD002	DEATH DETAILS CODED
------	-------	---------------------

Coding Summary: DEATH DETAILS		
Verbatim RefName: DDORRES_002		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPDD_DDSOC_002	SOC	Term
SUPPDD_DDSOCCD_002	SOC	Code
SUPPDD_DDHLGT_002	HLGT	Term
SUPPDD_DDHLGTCD_002	HLGT	Code
SUPPDD_DDHLT_002	HLT	Term
SUPPDD_DDHLTCD_002	HLT	Code
SUPPDD_DDDECOD_002	PT	Term
SUPPDD_DDPTCD_002	PT	Code
SUPPDD_DDLLT_002	LLT	Term
SUPPDD_DDLLTCD_002	LLT	Code

RDE Analytics: RD_DD002		
Data Variable RefName	RD Column Name	Column Data Type
DDDTC_002	DDDTC_002	DATE
	DDDTC_002_DTS	VARCHAR2
	DDDTC_002_ND	VARCHAR2
R_DDDTHDTC_002	R_DDDTHDTC_002	DATE
	R_DDDTHDTC_002_DTS	VARCHAR2
	R_DDDTHDTC_002_ND	VARCHAR2
RD_DD002_DD02002		
DDTEST_002	DDTEST_002_C	VARCHAR2
	DDTEST_002	VARCHAR2
	DDTEST_002_ND	VARCHAR2
DDORRES_002	DDORRES_002	VARCHAR2
	DDORRES_002_ND	VARCHAR2
D_COMPTERM6_002	D_COMPTERM6_002	VARCHAR2
	D_COMPTERM6_002_ND	VARCHAR2
SUPPDD_DDLLT_002	SUPPDD_DDLLT_002	VARCHAR2
	SUPPDD_DDLLT_002_ND	VARCHAR2
SUPPDD_DDLLTCD_002	SUPPDD_DDLLTCD_002	VARCHAR2
	SUPPDD_DDLLTCD_002_ND	VARCHAR2
SUPPDD_DDDECOD_002	SUPPDD_DDDECOD_002	VARCHAR2
	SUPPDD_DDDECOD_002_ND	VARCHAR2
SUPPDD_DDPTCD_002	SUPPDD_DDPTCD_002	VARCHAR2
	SUPPDD_DDPTCD_002_ND	VARCHAR2
SUPPDD_DDHLT_002	SUPPDD_DDHLT_002	VARCHAR2
	SUPPDD_DDHLT_002_ND	VARCHAR2
SUPPDD_DDHLTCD_002	SUPPDD_DDHLTCD_002	VARCHAR2
	SUPPDD_DDHLTCD_002_ND	VARCHAR2
SUPPDD_DDHLGT_002	SUPPDD_DDHLGT_002	VARCHAR2
	SUPPDD_DDHLGT_002_ND	VARCHAR2

SUPPDD_DDHLGTCD_002	SUPPDD_DDHLGTCD_002	VARCHAR2
	SUPPDD_DDHLGTCD_002_ND	VARCHAR2
SUPPDD_DDSDOC_002	SUPPDD_DDSDOC_002	VARCHAR2
	SUPPDD_DDSDOC_002_ND	VARCHAR2
SUPPDD_DDSDOCCD_002	SUPPDD_DDSDOCCD_002	VARCHAR2
	SUPPDD_DDSDOCCD_002_ND	VARCHAR2

C3671058: DISPOSITION - TREATMENT (DISP TRT) [DS001_5]		
Disposition - Treatment [DS01001_5]		
1.* ✓	Date of Completion/Discontinuation/Death: [Date]	[DSSTDTC_001_5] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2025)
2.	Phase of Disposition: <i>[read-only]</i> [Disposition Phase]	[SUPPDS_DSPHASE_001_5] [A:29] ☐ VACCINATION
3.* ✓	Status: [Status]	[DSDECOD_001_5] [DSDECOD_CL_001_5] ☐
4. ✓	Specify Status: [Specify Status]	[DSTERM_001_5] A100★
Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: DISPOSITION - TREATMENT		
Type	RefName	Description
Item	DSSTDTC_001_5	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5	Specify Status

Codelist Values Tables: DISPOSITION - TREATMENT						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5	String		ADVERSE EVENT	1	cliINCOMPLT_ADVERSE_EVENT	DSDECOD_001_5
			COMPLETED	2	cliINCOMPLT_COMPLETED	
			DEATH	3	cliINCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	cliINCOMPLT_LOSTTOFOLLOWUP	
			OTHER	7	cliINCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cliINCOMPLT_PHYSICIAN_DECISION	
			PROTOCOL DEVIATION	11	cliINCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cliINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			NO LONGER MEETS ELIGIBILITY CRITERIA	18	cliINCOMPLT_NOLONGERMEETSELIGIBILITYCRITERIA	
			REACTOGENICITY EVENT	34	cliINCOMPLT_REACTOGENICITY_EVENT	

RDE Analytics: RD_DS001_5		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_5	DSSTDTC_001_5	DATE
	DSSTDTC_001_5_DTS	VARCHAR2
	DSSTDTC_001_5_ND	VARCHAR2
SUPPDS_DSPHASE_001_5	SUPPDS_DSPHASE_001_5_C	VARCHAR2
	SUPPDS_DSPHASE_001_5	VARCHAR2
	SUPPDS_DSPHASE_001_5_ND	VARCHAR2
DSDECOD_001_5	DSDECOD_001_5_C	VARCHAR2
	DSDECOD_001_5	VARCHAR2
	DSDECOD_001_5_ND	VARCHAR2
DSTERM_001_5	DSTERM_001_5	VARCHAR2
	DSTERM_001_5_ND	VARCHAR2

C3671058: DISPOSITION - FOLLOW-UP (DISP FUP) [DS001_6]

Disposition - Follow-Up [DS01001_6]

1.*
✓

Date of Completion/Discontinuation/Death:
[Date]

[DSSTDTC_001_6] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2025-2025)

2.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_6]

[A:1] ☒ FOLLOW-UP

3.*
✓

Status:
[Status]

[DSDECOD_001_6]

[DSDECOD_CL_001_6] ☐

4.
✓

Specify Status:
[Specify Status]

[DSTERM_001_6]

A100★

Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Item	DSSTDTC_001_6	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_6	Specify Status

Codelist Values Tables: DISPOSITION - FOLLOW-UP						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_6	String		ADVERSE EVENT	1	cliINCOMPLT_ADVERSE_EVENT	DSDECOD_001_6
			COMPLETED	2	cliINCOMPLT_COMPLETED	
			DEATH	3	cliINCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	cliINCOMPLT_LOSTTOFOLLOWUP	
			OTHER	7	cliINCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cliINCOMPLT_PHYSICIAN_DECISION	
			PROTOCOL DEVIATION	11	cliINCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cliINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			NO LONGER MEETS ELIGIBILITY CRITERIA	18	cliINCOMPLT_NOLONGERMEETSELIGIBILITYCRITERIA	
			REACTOGENICITY EVENT	34	cliINCOMPLT_REACTOGENICITY_EVENT	

RDE Analytics: RD_DS001_6		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_6	DSSTDTC_001_6	DATE
	DSSTDTC_001_6_DTS	VARCHAR2
	DSSTDTC_001_6_ND	VARCHAR2
SUPPDS_DSPHASE_001_6	SUPPDS_DSPHASE_001_6_C	VARCHAR2
	SUPPDS_DSPHASE_001_6	VARCHAR2
	SUPPDS_DSPHASE_001_6_ND	VARCHAR2
DSDECOD_001_6	DSDECOD_001_6_C	VARCHAR2
	DSDECOD_001_6	VARCHAR2
	DSDECOD_001_6_ND	VARCHAR2
DSTERM_001_6	DSTERM_001_6	VARCHAR2
	DSTERM_001_6_ND	VARCHAR2

C3671058: SUBJECT STATUS (SUB STATU) [X_DS_SLOPD001]			
Subject Status [X_DS_SLOPD01001]			
1.	Subject Status <i>[read-only]</i> [Subject Status]	[X_DS_STAT_001] [X_DS_STAT_CL_001] 	
2.	Subject Status Date <i>[read-only]</i> [Status Date]	[X_DS_DAT_001] (DD/MM/YYYY) Req  / Req  / Req  (2025-2025)	
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.			

Study Object Descriptions: SUBJECT STATUS		
Type	RefName	Description
Form	X_DS_SLOPD001	DS_SLOPD - Subject Status

Codelist Values Tables: SUBJECT STATUS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
X_DS_STAT_CL_001	String		SCREENED	1	cliDS_STAT_SCREENED	X_DS_STAT_001
			SCREEN FAIL	2	cliDS_STAT_SCREEN_FAIL	
			ENROLLED/RANDOMIZED	3	cliDS_STAT_ENROLLED_RANDOMIZED	
			DISCONTINUED	4	cliDS_STAT_DISCONTINUED	
			COMPLETED	5	cliDS_STAT_COMPLETED	
			FOLLOW-UP	6	cliDS_STAT_FOLLOW_UP	

RDE Analytics: RD_X_DS_SLOPD001		
Data Variable RefName	RD Column Name	Column Data Type
X_DS_STAT_001	X_DS_STAT_001_C	VARCHAR2
	X_DS_STAT_001	VARCHAR2
	X_DS_STAT_001_ND	VARCHAR2
X_DS_DAT_001	X_DS_DAT_001	DATE
	X_DS_DAT_001_DTS	VARCHAR2
	X_DS_DAT_001_ND	VARCHAR2

C3671058: CASEBOOK SIGNATURE FORM (INVSIG) [D_IS001]		
Casebook Signature Form [D_IS01001]		
1.*	Casebook Signature [Casebook Signature]	[D_INVSIG_001] [A:1]  Click Here to Enable
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_IS001		
Data Variable RefName	RD Column Name	Column Data Type
D_INVSIG_001	D_INVSIG_001_C	VARCHAR2
	D_INVSIG_001	VARCHAR2
	D_INVSIG_001_ND	VARCHAR2

InForm Special Properties For Study Design: C3671058			
InForm Special Property	Property Type	Data Object RefName	Data Object Path RefName
Screening	Visit	SYSSCR	SYSSCR
Enrollment	Visit	SYSENR	SYSENR
Screening	Form	D_INFSCR001	SYSSCR.D_INFSCR001
Enrollment	Form	D_INFENR001	SYSENR.D_INFENR001
Patient Identification	Form	DM001	V1_DAY1_VAX1.DM001
Study Completion	Form	Unassigned	Unassigned
Reg Docs	Form	Unassigned	Unassigned
Visit Report	Form	Unassigned	Unassigned
Visit Approval	Form	Unassigned	Unassigned
Initials (Screening)	Item	D_SCRINIT_001	SYSSCR.D_INFSCR001.D_INFSCR01001.D_SCRINIT_001
DOB (Screening)	Item	Unassigned	Unassigned
Screening date (Screening)	Item	Unassigned	Unassigned
Patient No. (Enrollment)	Item	D_SUBJID_001	V1_DAY1_VAX1.DM001.DM01001.D_SUBJID_001 SYSENR.D_INFENR001.D_INFENR01001.D_SUBJID_001
Initials (Patient Identification)	Item	Unassigned	Unassigned
Completion status (Study Completion)	Item	Unassigned	Unassigned
Drop out reason (Study Completion)	Item	Unassigned	Unassigned
DOV (Date of Visit)	Item	SVSTDTC_001	V3_MONTH2.SV001.SV01001.SVSTDTC_001 UNPL.SV001.SV01001.SVSTDTC_001 V2_MONTH1.SV001.SV01001.SVSTDTC_001 V1_DAY1_VAX1.SV001.SV01001.SVSTDTC_001 V4_MONTH3.SV001.SV01001.SVSTDTC_001 V5_MONTH4.SV001.SV01001.SVSTDTC_001
Randomization field (Randomization)	Item	Unassigned	Unassigned

Personal/Protected Health Information Table: C3671058		
Item RefName	Section RefName	Form RefName
No items have been defined as "Personal/Protected Health Information".		
Please note: emails sent from the trial server by the InForm application are not encrypted. If you are subject to HIPAA requirements, you should identify and block all Personal/Protected Health Information items that may be included in email notifications.		

Unit Conversions For Study Design: C3671058

No unit conversion data.

Review States for Study: C3671058

No Review States have been defined.

In-place Revisions Summary Table: C3671058						
Deployment Instance: C3671058LIVE						
Data Object RefName	Type	Actual Change Path	Description	Study Version	Path	
CESOR02019_1	Section	CESOR019_1.CESOR02019_1		C3671058 2.0.2	CESOR019_1.CESOR02019_1.*	
				C3671058 4.0.0	CESOR019_1.CESOR02019_1.*	
CESOR03019	Section	CESOR019.CESOR03019		C3671058 2.0.2	CESOR019.CESOR03019.*	
				C3671058 4.0.0	CESOR019.CESOR03019.*	
CESOR04019	Section	CESOR019.CESOR04019		C3671058 2.0.2	CESOR019.CESOR04019.*	
				C3671058 4.0.0	CESOR019.CESOR04019.*	
CESOR05019	Section	CESOR019.CESOR05019		C3671058 2.0.2	CESOR019.CESOR05019.*	
				C3671058 4.0.0	CESOR019.CESOR05019.*	
CESOR06019	Section	CESOR019.CESOR06019		C3671058 2.0.2	CESOR019.CESOR06019.*	
				C3671058 4.0.0	CESOR019.CESOR06019.*	

Custom Events for Study Design: C3671058

No custom events have been defined.