

Annotated Study Book for Study Design: C3671059

Study Design Version: 3.0

Protocol: C3671059

Sponsor Drug Name: PF-06928316

C3671059

Generated by Central Designer TM

July 9, 2025 4:24PM

Time and Events Schedule For Study Design: C3671059																						
Element		System																				
Assessment	CRF	SYSSCR [S]	SYSENR [S]	COHORT_SEL (CONSEL) [S]	V301_DAY1 (V301DAY1) [S/D]	V302_48_HRS_PSTVST1 (V302H48) [S/D]	SCR [S/D]	V201_VAX1 (V201VAX1) [S/D]	V202_MONTH1_POSTVAX1 (V202M1) [S/D]	V203_DELIVERY (V203DEL) [S/D]	V204_MONTH6_POSTDELIVERY (V204M6) [S/D]	V101_DAY1 (V101DAY1) [S/D]	V102_MONTH1 (V102MONTH1) [S/D]	V103_MONTH3 (V103MONTH3) [S/D]	V104_MONTH6 (V104MONTH6) [S/D]	LOGS (LOGS) [U]	UNPL (UNPL) [U/D/R]	DISP (DISP) [U]	END_OF_TRT (EOT) [S/D]	FOLLOW_UP (FUP) [S/D]	SUBJSTAT (SUBJSTAT) [U]	INVSIG (INVSIG) [U]
Visit Start Hours		0	0	0	1	49	50	51	1059	3747	8787	8788	9940	12292	17332	17333	17334	17335	17336	17337	17338	17339
1 D_INFSCR001	SCREEN	1																				
2 D_INFENR001	ENROLL		1																			
3 DM001	DEMOG			1																		
4 X_SAS001	STUDYAS			2																		
5 R_TRIG001	PROT VRSN			3																		
6 R_TRIG001_1	TRIG SP			4-DF																		
7 DS001	IC			5-DF																		
8 SV001	DOV				1	1	1	1	1	1	1	1	1	1	1		1					
9 IE002_1	INEX				2-DF																	
10 DS001_4	DISP SCRMA				3			3														
11 MH001	MEDHX				4-DF		2															
12 RPYN001	OBSHX				5-DF		3															
13 BEETRK001	SAMP TRK				6-DF			7-DF		2-DF					3-DF	3-DF						
14 FAFUC009	FUC					2-DF																
15 RPOBE016	OB EXAM						4	4-DF														
16 SU001	SUBST USE						5	5-DF														
17 VS001	VIT SIGNS						6	6-DF														
18 IE002	INEX							2-DF														
19 DS001_3	RAND							8-DF														
20 EC001_2	VACIN TRT							9-DF														
21 CESOR019_1	SUMREACTIE							10-DF														
22 CESOR019	SUMREACT								2-DF	5-DF												
23 RPPRG002	PREGOUT								3-DF								6-DF					
24 PR001_3	NONDRG TX								4-DF													
25 IE002_2	INF I/E											2-DF										
26 DS001_4_1	DISP SCRIN											3										
27 DS001_2	ENROLL											4-DF										
28 BEETRK001_2	INF SERO											5-DF										
29 SCIF0022	BTH OUTCM											6-DF										
30 PE001	PHYS EXAM											7-DF										
31 VS001_1	INF VIT											8-DF	2-DF	2-DF	2-DF							
32 HOHOS007	HOSP											9-DF-RF										
33 R_TRIG001_2	TRIG											10-DF										
34 AE001	AE																1-RF					
35 AE001_1	MED ERROR																2-DF-RF					
36 CM001	CONMED																3-DF-RF					
37 CM001_2	CONMED VAX																4-DF-RF					
38 PRTFD002	TRANSFUSE																5-DF-RF					
39 PRTFD002_1	INF TRNSFN																6-DF-RF					
40 D_UPA001	UNPL																	2				
41 CECISR072	U REACT																	3-DF				
42 FAFUC009_1	CTACT FUP																	4-DF				
43 VS001_3	VIT REAC																	5-DF				
44 FAVSD065	PARREACT																	7-DF-RF				
45 DS001_7	WOC																		1			
46 DD002	DTH DTL																	2-DF				
47 DS001_8	TRT UNBLN																	3-DF				
48 DS001_5	DISP TRT																		1			
49 DS001_6	DISP FUP																			1-DF		
50 DS001_6_1	DISP INF																			2-DF		
51 X_DS_SLOPD001	SUB STAT																				1	
52 D_IS001	INVSIG																					1
Key: [S] = Scheduled Visit [D] = Dynamic Visit [U] = Unscheduled Visit [R] = Repeating Visit C = Common Form DF = Dynamic Form RF = Repeating Form																						

C3671059: INFORM SCREENING (SCREEN) [D_INFSCR001]

InForm Screening [D_INFSCR01001]

1. Inform Initials [hidden]
[Inform Initials]

[D_SCRINIT_001]
A3*

2.* Age:
[Age]

[D_AGE_001]
xx.

3.* Age Unit:
[Age Unit]

[D_AGEU_001]
[A:S] YEARS
[A:I] DAYS

Key: [*] = Item is required [*] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_D_INFSCR001		
Data Variable RefName	RD Column Name	Column Data Type
D_SCRINIT_001	D_SCRINIT_001	VARCHAR2
	D_SCRINIT_001_ND	VARCHAR2
D_AGE_001	D_AGE_001	FLOAT
	D_AGE_001_ND	VARCHAR2
D_AGEU_001	D_AGEU_001_C	VARCHAR2
	D_AGEU_001	VARCHAR2
	D_AGEU_001_ND	VARCHAR2

C3671059: INFORM ENROLLMENT (ENROLL) [D_INFENR001]

InForm Enrollment [D_INFENR01001]

1.* Subject Identifier:
[Subject Identifier]

[D_DSUBJID_001]
1001 <= N4 <= 9999

2. Subject ID: [read-only]
[Subject ID]

[D_SUBJID_001]
N8

Key: [*] = Item is required

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_D_INFENR001		
Data Variable RefName	RD Column Name	Column Data Type
D_DSUBJID_001	D_DSUBJID_001	NUMBER
	D_DSUBJID_001_ND	VARCHAR2
D_SUBJID_001	D_SUBJID_001	NUMBER
	D_SUBJID_001_ND	VARCHAR2

C3671059: DEMOGRAPHY (DEMOG) [DM001]

Demography [DM01001]

1. Subject Identifier:
[Subject Identifier]

2. Subject ID: *[read-only]*
[Subject ID]

3.* Age:
✓ [Age]

4.* Age Unit:
✓ [Age Unit]

5.* Sex:
[Sex]

6.* Ethnicity:
✓ [Ethnicity]

7.* Race: (Check X all that apply):
✓ [Race Of Subject]

8.* Has the subject previously taken part in a study involving this investigational product?
✓ [Participated in Previous Study]

9.* Was the subject screened previously in current study?
✓ [Screened Previously in Current Study]

[D_DSUBJID1_001]
1001 <= N4 <= 9999

[D_SUBJID_001]
N8

[R_AGE_001]
xx.

[R_AGEU_001]
[A:5] ☐ YEARS
[A:1] ☒ DAYS

[SEX_001]
[A:F] ☐ FEMALE
[A:M] ☐ MALE
[A:UNDIFFERENTIATED] ☐ UNDIFFERENTIATED

[ETHNIC_001]
[A:HISPANIC OR LATINO] ☐ HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN
[A:NOT HISPANIC OR LATINO] ☐ NOT HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN
[A:NOT REPORTED] ☐ NOT REPORTED

[RACE_001]
[A:1] ☐ BLACK OR AFRICAN AMERICAN
[A:2] ☐ AMERICAN INDIAN OR ALASKA NATIVE
[A:3] ☐ ASIAN
[A:4] ☐ NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER
[A:5] ☐ WHITE
[A:6] ☐ NOT REPORTED
[A:7] ☐ UNKNOWN

[X_DMFPYN_001]
[A:Y] ☒ [X_DMFPYN_CMP_001] ☐
YES
[X_DMFPSTDY_001]
First Study Identifier:
A20*
[X_DMFPSITE_001]
First Site Identifier:
A20*
[X_DMFPSUBJ_001]
First Subject Identifier:
A20*
[A:N] ☐ NO

[X_DMRYN_001]
[A:Y] ☒ [X_DMRYN_CMP_001] ☐
YES
[X_DMRSITE_001]
Initial Site Identifier:
A20*
[X_DMRSUBJ_001]
Initial Subject Identifier:
A20*
[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DEMOGRAPHY		
Type	RefName	Description
Form	DM001	DM001 - Demography
Item	SEX_001	The assemblage of physical properties or qualities by which male is distinguished from female; the physical difference between male and female.
Item	ETHNIC_001	A social group characterized by a distinctive social and cultural tradition.
Item	RACE_001	An arbitrary classification based on physical characteristics; a group of persons related by common descent or heredity (U.S. Center for Disease Control).

RDE Analytics: RD_DM001		
Data Variable RefName	RD Column Name	Column Data Type
D_DSUBJID1_001	D_DSUBJID1_001	NUMBER
	D_DSUBJID1_001_ND	VARCHAR2
D_SUBJID_001	D_SUBJID_001	NUMBER
	D_SUBJID_001_ND	VARCHAR2
R_AGE_001	R_AGE_001	FLOAT
	R_AGE_001_ND	VARCHAR2
R_AGEU_001	R_AGEU_001_C	VARCHAR2
	R_AGEU_001	VARCHAR2
	R_AGEU_001_ND	VARCHAR2
	R_AGEU_001_ND	VARCHAR2
SEX_001	SEX_001_C	VARCHAR2
	SEX_001	VARCHAR2
	SEX_001_ND	VARCHAR2
ETHNIC_001	ETHNIC_001_C	VARCHAR2
	ETHNIC_001	VARCHAR2
	ETHNIC_001_ND	VARCHAR2
RACE_001	RACE_001_ND	VARCHAR2
RACE_001 - BLACK OR AFRICAN AMERICAN	*RACE_001_CLIRACEBLACKORAFRICANAMERICAN_C	VARCHAR2
	*RACE_001_CLIRACEBLACKORAFRICANAMERICAN	VARCHAR2
RACE_001 - AMERICAN INDIAN OR ALASKA NATIVE	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE_C	VARCHAR2
	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE	VARCHAR2
RACE_001 - ASIAN	RACE_001_CLIRACEASIAN_C	VARCHAR2

	RACE_001_CLIRACEASIAN	VARCHAR2
RACE_001 - NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER_C	VARCHAR2
	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER	VARCHAR2
RACE_001 - WHITE	RACE_001_CLIRACEWHITE_C	VARCHAR2
	RACE_001_CLIRACEWHITE	VARCHAR2
RACE_001 - NOT REPORTED	*RACE_001_CLIRACENOTREPORTED_C	VARCHAR2
	*RACE_001_CLIRACENOTREPORTED	VARCHAR2
RACE_001 - UNKNOWN	RACE_001_CLIRACEUNKNOWN_C	VARCHAR2
	RACE_001_CLIRACEUNKNOWN	VARCHAR2
X_DMPYN_001	X_DMPYN_001_C	VARCHAR2
	X_DMPYN_001	VARCHAR2
	X_DMPYN_001_ND	VARCHAR2
X_DMPYN_001 - X_DMPFSTDY_001	X_DMPFSTDY_001	VARCHAR2
X_DMPYN_001 - X_DMPFSITE_001	X_DMPFSITE_001	VARCHAR2
X_DMPYN_001 - X_DMPFSUBJ_001	X_DMPFSUBJ_001	VARCHAR2
X_DMRYN_001	X_DMRYN_001_C	VARCHAR2
	X_DMRYN_001	VARCHAR2
	X_DMRYN_001_ND	VARCHAR2
X_DMRYN_001 - X_DMRSITE_001	X_DMRSITE_001	VARCHAR2
X_DMRYN_001 - X_DMRSUBJ_001	X_DMRSUBJ_001	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C3671059: STUDY ANALYSIS SETS - COHORT SELECTION (STUDYAS) [X_SAS001]

Study Analysis Sets [X_SAS01001]

1.*

Which cohort does the participant belong to?

✓

[The participant belong to cohort]

[SUPPDM_SUBSTUDY_001]

[A:32] ☒ COHORT 1

[A:33] ☐ COHORT 2

[A:35] ☐ COHORT 3

Key: [*] = Item is required [✓] = Source verification required

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_X_SAS001		
Data Variable RefName	RD Column Name	Column Data Type
SUPPDM_SUBSTUDY_001	SUPPDM_SUBSTUDY_001_C	VARCHAR2
	SUPPDM_SUBSTUDY_001	VARCHAR2
	SUPPDM_SUBSTUDY_001_ND	VARCHAR2

C3671059: TRIGGER FORM-PROTOCOL VERSION (PROT VRSN) [R_TRIG001]

Trigger Form Details [R_TRIG01001]

1.*

Select appropriate response - Protocol version:
[Trigger Response 1]

[R_TRIGRESP1_001]

[R_TRIGRESP1_CL_001]

2.*

Select appropriate response - Did subject meet all eligibility criteria?
[Trigger Response 2]

[R_TRIGRESP2_001]

[A:5] ☐ SUBJECT MET ALL ELIGIBILITY CRITERIA
[A:6] ☐ SUBJECT DID NOT MEET ALL ELIGIBILITY CRITERIA

Key: [*] = Item is required

Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Codelist Values Tables: TRIGGER FORM-PROTOCOL VERSION						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
R_TRIGRESP1_CL_001	String		Initial Version - 09JAN2025	0	cliTRIGRESP_Initial_Version_09JAN2025	R_TRIGRESP1_001

RDE Analytics: RD_R_TRIG001		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP1_001	R_TRIGRESP1_001_C	VARCHAR2
	R_TRIGRESP1_001	VARCHAR2
	R_TRIGRESP1_001_ND	VARCHAR2
R_TRIGRESP2_001	R_TRIGRESP2_001_C	VARCHAR2
	R_TRIGRESP2_001	VARCHAR2
	R_TRIGRESP2_001_ND	VARCHAR2

C3671059: TRIGGER FORM-STUDY POPULATION (TRIG SP) [R_TRIG001_1]	
Trigger Form [R_TRIG01001_1]	
1.* Select appropriate response - Study Population: [Trigger Response 3]	[R_TRIGRESP3_001_1] [A:7] ☐ PREGNANT PARTICIPANT [A:8] ☒ INFANT
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.	

RDE Analytics: RD_R_TRIG001_1		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP3_001_1	R_TRIGRESP3_001_1_C	VARCHAR2
	R_TRIGRESP3_001_1	VARCHAR2
	R_TRIGRESP3_001_1_ND	VARCHAR2

C3671059: DATE OF VISIT (DOV) [SV001]

Date of Visit [SV01001]

1.* Date of Visit:
[Date of Visit]

[SVSTDTC_001] (DD/MM/YYYY)
Req / / (2025-2029)

2.* Contact Mode:
[Contact Mode]

[X_SVCNTMOD_001]
[A:1] ☐ IN PERSON, ONSITE
[A:2] ☐ IN PERSON, OFFSITE
[A:3] ☐ REMOTE AUDIO VIDEO

3. Erroneous Visit:
[Visit Error]

[D_SVERROR_001]
[A:1] ☐ ERRONEOUS VISIT

Key: [*] = Item is required
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

RDE Analytics: RD_SV001		
Data Variable RefName	RD Column Name	Column Data Type
SVSTDTC_001	SVSTDTC_001	DATE
	SVSTDTC_001_DTS	VARCHAR2
	SVSTDTC_001_ND	VARCHAR2
X_SVCNTMOD_001	X_SVCNTMOD_001_C	VARCHAR2
	X_SVCNTMOD_001	VARCHAR2
	X_SVCNTMOD_001_ND	VARCHAR2
D_SVERROR_001	D_SVERROR_001_C	VARCHAR2
	D_SVERROR_001	VARCHAR2
	D_SVERROR_001_ND	VARCHAR2

C3671059: INCLUSION/EXCLUSION CRITERIA (INEX) [IE002_1]		
1. ✓	Inclusion Criterion Identifier	Inclusion Criterion Description
Inclusion Criteria Not Met Entry [IE01002_1]		
1.1 ✓	Identifier of the Inclusion Criterion the subject did not meet: [Inclusion Criterion Identifier]	[IESPID_002_1] [IESPID_CL_002_1] ✓
1.2	Description of the Inclusion Criterion the subject did not meet: [read-only] [Inclusion Criterion Description]	[IETEST_002_1] [IETEST_CL_002_1] ✓
2. ✓	Exclusion Criterion Identifier	Exclusion Criterion Description
Exclusion Criteria Met Entry [IE02002_1]		
2.1 ✓	Identifier of the Exclusion Criterion the subject met: [Exclusion Criterion Identifier]	[IESPID1_002_1] [IESPID1_CL_002_1] ✓
2.2	Description of the Exclusion Criterion the subject met: [read-only] [Exclusion Criterion Description]	[IETEST1_002_1] [IETEST1_CL_002_1] ✓
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in Inform will override any settings made in Central Designer.		

CodeList RefName	CodeList Data Type	Subset	Label	Code	CodeList Item RefName	Data Variable RefName
IESPID_CL_002_1	String		1	1	cliIESPID_1	IESPID_002_1
			2	2	cliIESPID_2	
IETEST_CL_002_1	String		Confirmed receipt of a single dose of RSVpref in previous pregnancy as part of clinical trial (C3671008; NCT 04424316 or C3671003 NCT 04032093) with evaluable historical immunogenicity data.	0_1	cliIETEST_Inclusion_Description_1_1	IETEST_002_1
			Capable of giving signed informed consent, which includes compliance with the requirements and restrictions listed in the informed consent document (ICD) and in this protocol.	0_2	cliIETEST_Inclusion_Description_2_1	
IESPID1_CL_002_1	String		1	1	cliIESPID_1	IESPID1_002_1
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
IETEST1_CL_002_1	String		Receipt of any licensed or investigational RSV vaccine since participation in the maternal C3671008 or C3671003 study.	0_1	cliIETEST_Exclusion_Description_1_1	IETEST1_002_1
			Participation in other studies involving investigational drug(s) within 28 days prior to consent and/or during study participation.	0_2	cliIETEST_Exclusion_Description_2_1	
			Receipt of immunosuppressive therapy, including cytotoxic agents or systemic corticosteroids, eg, for cancer or an autoimmune disease post-delivery.	0_3	cliIETEST_Exclusion_Description_3_1	
			Receipt of blood/plasma products or immunoglobulin 60 days prior to enrollment.	0_4	cliIETEST_Exclusion_Description_4_1	

RDE Analytics: RD_IE002_1		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE002_1_IE01002_1		
IETEST_002_1	IESPID_002_1_C	VARCHAR2
	IESPID_002_1	VARCHAR2
	IESPID_002_1_ND	VARCHAR2
	IETEST_002_1_C	VARCHAR2
	IETEST_002_1	VARCHAR2
	IETEST_002_1_ND	VARCHAR2
RD_IE002_1_IE02002_1		
IESPID1_002_1	IESPID1_002_1_C	VARCHAR2
	IESPID1_002_1	VARCHAR2
	IESPID1_002_1_ND	VARCHAR2
IETEST1_002_1	IETEST1_002_1_C	VARCHAR2
	IETEST1_002_1	VARCHAR2
	IETEST1_002_1_ND	VARCHAR2

C3671059: DISPOSITION - SCREENING (DISP SCRMA) [DS001_4]

Disposition - Screening [DS01001_4]

1.*
✓
Date of Completion/Discontinuation/Death:
[Date]

[DSSTDTC_001_4] (DD/MM/YYYY)
Req ☒ / Req ☒ / Req ☒ (2025-2029)

2.*
✓
Status:
[Status]

[DSDECOD_001_4]
[DSDECOD_CL_001_4] ☒

3.
Specify Status:
[Specify Status]

[DSTERM_001_4]
A100 *

4.
Phase of Disposition: [read-only]
[Disposition Phase]

[SUPPDS_DSPHASE_001_4]
[A:3] ☒ SCREENING
[A:41] ☐ REPEAT SCREENING 1

Key: [*] = Item is required [✓] = Source verification required [*] = ASCII Only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - SCREENING		
Type	RefName	Description
Item	DSSTDTC_001_4	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_4	Specify Status

Codelist Values Tables: DISPOSITION - SCREENING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_4	String		ADVERSE EVENT	1	cliINCOMPLT_ADVERSE_EVENT	DSDECOD_001_4
			COMPLETED	2	cliINCOMPLT_COMPLETED	
			DEATH	3	cliINCOMPLT_DEATH	
			OTHER	7	cliINCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cliINCOMPLT_PHYSICIAN_DECISION	
			SCREEN FAILURE	13	cliINCOMPLT_SCREEN_FAILURE	
			STUDY TERMINATED BY SPONSOR	14	cliINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY PARENT/GUARDIAN	19	cliINCOMPLT_WITHDRAWAL_BY_PARENT_GUARDIAN	
			LOST TO FOLLOW-UP	5	cliINCOMPLT_LOST_TO_FOLLOWUP	
			PROTOCOL DEVIATION	11	cliINCOMPLT_PROTOCOL_DEVIATION	
			WITHDRAWAL BY SUBJECT	16	cliINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			MET ELIGIBILITY CRITERIA BUT NOT NEEDED	32	cliINCOMPLT_MET_ELIGIBILITY_CRITERIA_BUT_NOT_NEEDED	

RDE Analytics: RD_DS001_4		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_4	DSSTDTC_001_4	DATE
	DSSTDTC_001_4_DTS	VARCHAR2
	DSSTDTC_001_4_ND	VARCHAR2
DSDECOD_001_4	DSDECOD_001_4_C	VARCHAR2
	DSDECOD_001_4	VARCHAR2
	DSDECOD_001_4_ND	VARCHAR2
DSTERM_001_4	DSTERM_001_4	VARCHAR2
	DSTERM_001_4_ND	VARCHAR2
SUPPDS_DSPHASE_001_4	SUPPDS_DSPHASE_001_4_C	VARCHAR2
	SUPPDS_DSPHASE_001_4	VARCHAR2
	SUPPDS_DSPHASE_001_4_ND	VARCHAR2

C3671059: GENERAL MEDICAL HISTORY (MEDHX) [MH001]

1.	Line/MH Number	Medical History Term	Start Date Time	Ongoing
Medical History Details Entry [MH02001]				
1.1	Line/MH Number: [read-only] [Line/MH Number]	[MHSPID_001] N8		
1.2*	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: [Medical History Term]	[MHTERM_001] A100 *		
1.3	Start Date Time: [Start Date Time]	[MHSTDT_001] (DD/MM/YYYY hh:mm) Req/Unk / / Req / (1960-2029) NReq : NReq 24-hour clock		
1.4	Ongoing: [Ongoing]	[X_MHONGO_001] [A-Y] YES [A-N] [MHENDTC_CMP_001] NO [MHENDTC_001] (DD/MM/YYYY) End Date: Req/Unk / / Req (1960-2029)		
1.5	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM3_001] A200 *		
1.6	Lowest Level Term [hidden] [Lowest Level Term]	[MHLLT_001] A100 *		
1.7	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[MHLLTCD_001] A8 *		
1.8	Dictionary Derived Term [hidden] [Dictionary Derived Term]	[MHDECOD_001] A100 *		
1.9	Preferred Term Code [hidden] [Preferred Term Code]	[MHPTCD_001] A8 *		
1.10	High Level Term [hidden] [High Level Term]	[MHHLT_001] A100 *		
1.11	High Level Term Code [hidden] [High Level Term Code]	[MHHLTCD_001] A8 *		
1.12	High Level Group Term [hidden] [High Level Group Term]	[MHHLGT_001] A100 *		
1.13	High Level Group Term Code [hidden] [High Level Group Term Code]	[MHHLGTCD_001] A8 *		
1.14	Primary System Organ Class [hidden] [Primary System Organ Class]	[MHSOC_001] A100 *		
1.15	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[MHSOCCD_001] A8 *		

Key: [*] = Item is required [] = Item is collapsible [K] = Key item [*] = ASCII Only

Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: GENERAL MEDICAL HISTORY		
Type	RefName	Description
Form	MH001	GENERAL MEDICAL HISTORY
Item	MHSPID_001	A sponsor defined identifier which can be used for pre-printed numbers on the CRF. Populated as a sequential number
Item	MHTERM_001	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	MHSTDT_001	Start Date of medical history event
Item	X_MHONGO_001	Indicates medical history event is ongoing when no end date is provided.
Item	MHENDTC_001	End Date of medical history event
Item	D_COMPTERM3_001	Hidden Item needed for clear coding rule.
Item	MHLLT_001	Lowest Level Term
Item	MHLLTCD_001	Lowest Level term
Item	MHDECOD_001	Dictionary Derived Term
Item	MHPTCD_001	Preferred Term Code
Item	MHHLT_001	High Level Term
Item	MHHLTCD_001	High Level Term Code
Item	MHHLGT_001	High Level Group Term
Item	MHHLGTCD_001	High Level Group Term Code
Item	MHSOC_001	Primary System Organ Class
Item	MHSOCCD_001	Primary System Organ Class Code

Keys (navigation)/Uniqueness: GENERAL MEDICAL HISTORY		
Item	Unique	Order #
MH02001 (Repeating section)		
MHSPID_001	Individual	1

Coding Summary: GENERAL MEDICAL HISTORY		
Verbatim RefName: D_COMPTERM3_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type

MHSOC_001	SOC	Term
MHSOCCD_001	SOC	Code
MHHLGT_001	HLGT	Term
MHHLGTCD_001	HLGT	Code
MHHLT_001	HLT	Term
MHHLTCD_001	HLT	Code
MHDECOD_001	PT	Term
MHPTCD_001	PT	Code
MHLLT_001	LLT	Term
MHLLTCD_001	LLT	Code

RDE Analytics: RD_MH001		
Data Variable RefName	RD Column Name	Column Data Type
RD_MH001_MH02001		
MHSPID_001	MHSPID_001	NUMBER
	MHSPID_001_ND	VARCHAR2
MHTERM_001	MHTERM_001	VARCHAR2
	MHTERM_001_ND	VARCHAR2
MHSTDT_001	MHSTDT_001	DATE
	MHSTDT_001_DTS	VARCHAR2
	MHSTDT_001_DTR	VARCHAR2
	MHSTDT_001_ND	VARCHAR2
X_MHONGO_001	X_MHONGO_001_C	VARCHAR2
	X_MHONGO_001	VARCHAR2
	X_MHONGO_001_ND	VARCHAR2
X_MHONGO_001 - MHENDT_001	MHENDT_001	DATE
	MHENDT_001_DTS	VARCHAR2
	MHENDT_001_DTR	VARCHAR2
D_COMPTERM3_001	D_COMPTERM3_001	VARCHAR2
	D_COMPTERM3_001_ND	VARCHAR2
MHLLT_001	MHLLT_001	VARCHAR2
	MHLLT_001_ND	VARCHAR2
MHLLTCD_001	MHLLTCD_001	VARCHAR2
	MHLLTCD_001_ND	VARCHAR2
MHDECOD_001	MHDECOD_001	VARCHAR2
	MHDECOD_001_ND	VARCHAR2
MHPTCD_001	MHPTCD_001	VARCHAR2
	MHPTCD_001_ND	VARCHAR2
MHHLT_001	MHHLT_001	VARCHAR2
	MHHLT_001_ND	VARCHAR2
MHHLTCD_001	MHHLTCD_001	VARCHAR2
	MHHLTCD_001_ND	VARCHAR2
MHHLGT_001	MHHLGT_001	VARCHAR2
	MHHLGT_001_ND	VARCHAR2
MHHLGTCD_001	MHHLGTCD_001	VARCHAR2
	MHHLGTCD_001_ND	VARCHAR2
MHSOC_001	MHSOC_001	VARCHAR2
	MHSOC_001_ND	VARCHAR2
MHSOCCD_001	MHSOCCD_001	VARCHAR2
	MHSOCCD_001_ND	VARCHAR2

C3671059: OBSTETRICAL HISTORY (OBSHX) [RPGYN001]

Obstetrical History [RPGYN01001]

1.*

Date of Assessment:
[Date]

[RPDTC_001] (DD/MM/YYYY)

Req / Req / Req (1980-2028)

Obstetrical History Details [RPGYN02001]

#	Obstetrical History	Number
2.a	NUMBER OF PREVIOUS PREGNANCIES	
2.b	NUMBER OF LIVE BIRTHS	
2.c	NUMBER OF STILLBIRTHS	
2.d	NUMBER OF VAGINAL DELIVERIES	
2.e	NUMBER OF CESAREAN SECTIONS	
2.f	NUMBER OF SPONTANEOUS ABORTIONS	
2.g	NUMBER OF ABORTIONS	
2.h	NUMBER OF ECTOPIC PREGNANCIES	
2.i	NUMBER OF PREVIOUS NEONATAL DEATHS	
2.j	NUMBER OF PREVIOUS PRETERM DELIVERIES	

Obstetrical History Details Entry [RPGYN02001]

2.1

Obstetrical History:
 [Obstetrical History]

[RPTEST_001]

[RPTEST_CL_001]

2.2

Number:
[Number]

[RPORRES_001]

N2

Key: [*] = Item is required = Fixed item

Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Codelist Values Tables: OBSTETRICAL HISTORY							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName		
RPTEST_CL_001	String		NUMBER OF PREVIOUS PREGNANCIES	PRVPREGN	diGYNTEST_NUMBER_OF_PREVIOUS_PREGNANCIES		
			NUMBER OF LIVE BIRTHS	BRTHLVN	diGYNTEST_NUMBER_OF_LIVE_BIRTHS		
			NUMBER OF STILLBIRTHS	BRTHSTN	diGYNTEST_NUMBER_OF_STILLBIRTHS		
			NUMBER OF VAGINAL DELIVERIES	NUMVAGDE	diGYNTEST_NUMBER_OF_VAGINAL_DELIVERIES		
			NUMBER OF CESAREAN SECTIONS	NUMCSEC	diGYNTEST_NUMBER_OF_CESAREAN_SECTIONS		
			NUMBER OF SPONTANEOUS ABORTIONS	SPABORTN	diGYNTEST_NUMBER_OF_SPONTANEOUS_ABORTIONS		
			NUMBER OF ABORTIONS	ABORTN	diGYNTEST_NUMBER_OF_ABORTIONS		
			NUMBER OF ECTOPIC PREGNANCIES	ECTPREGN	diGYNTEST_NUMBER_OF_ECTOPIC_PREGNANCIES		
			NUMBER OF PREVIOUS NEONATAL DEATHS	NUMPNDTH	diGYNTEST_NUMBER_OF_PREVIOUS_NEONATAL_DEATHS		
			NUMBER OF PREVIOUS PRETERM DELIVERIES	GYNPPRE	diGYNTEST_NUMBER_OF_PREVIOUS_PRETERM_DELIVERIES		
Data Variable RefName							
RPTEST_001							

RDE Analytics: RD_RPGYN001		
Data Variable RefName	RD Column Name	Column Data Type
RPDTC_001	RPDTC_001	DATE
	RPDTC_001_DTS	VARCHAR2
	RPDTC_001_ND	VARCHAR2
RD_RPGYN001_RPGYN02001		
RPTEST_001	RPTEST_001_C	VARCHAR2
	RPTEST_001	VARCHAR2
	RPTEST_001_ND	VARCHAR2
RPORRES_001	RPORRES_001	NUMBER
	RPORRES_001_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

C3671059: ELECTRONIC SAMPLE TRACKING (SAMP TRK) [BEETR001]

Sample Tracking [BEETR01001]

1.

✓

Data Origin: *[read-only]*

[Data Origin]

[BEPARTY_001]

[A:1] SITE

2.

✓

Sample Type: *[read-only]*

[Sample Type]

[BESCAT_001]

[A:16] SERUM

3.

✓

Sample Collected?

[Sample Collected]

[BEOCCUR_001]

[A:N] NO

[A:Y] [BEOCCUR_CMP_001]

YES

[BEDTC_001] (DD/MM/YYYY hh:mm)

Date and Time of Collection:

Req / Req / Req (2025-2029)

Req/Unk : Req/Unk 24-hour clock

4.

✓

If no sample was collected or sample was not collected according to protocol, please provide reason:

[Reason sample not collected]

[CO_BECOM_001]

A200

5.

✓

Sample ID

Aliquot Identifiers Entry [BEETR02001]

5.1^{*}

✓

Sample ID:

[Sample ID]

[BEREFID_001]

A40

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [*] = ASCII Only

Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_BEETR001		
Data Variable RefName	RD Column Name	Column Data Type
BEPARTY_001	BEPARTY_001_C	VARCHAR2
	BEPARTY_001	VARCHAR2
	BEPARTY_001_ND	VARCHAR2
BESCAT_001	BESCAT_001_C	VARCHAR2
	BESCAT_001	VARCHAR2
	BESCAT_001_ND	VARCHAR2
BEOCCUR_001	BEOCCUR_001_C	VARCHAR2
	BEOCCUR_001	VARCHAR2
	BEOCCUR_001_ND	VARCHAR2
BEOCCUR_001 - BEDTC_001	BEDTC_001	DATE
	BEDTC_001_DTS	VARCHAR2
	BEDTC_001_DTR	VARCHAR2
CO_BECOM_001	CO_BECOM_001	VARCHAR2
	CO_BECOM_001_ND	VARCHAR2
RD_BEETR001_BEETR02001		
BEREFID_001	BEREFID_001	VARCHAR2
	BEREFID_001_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

C3671059: CONTACT OUTCOME (FUC) [FAFUC009]

Contact Outcome [FAFUC01009]

1. Follow-Up Contact Category [hidden]
[Follow Up Contact Category]

[FACAT_009]
[A:2] FOLLOW-UP CONTACT

2. Contact Type: [read-only]
[Type of Contact/Visit]

[FAORRES_FUCTYPE_009]
[A:2] TELEPHONE VISIT

3.* Was contact made?
[Was Contact Made]

[FAORRES_FUCMADE_009]
[A:Y] [FAORRES_FUCOCCUR_CMP_009] []

YES

[FAORRES_FUCDAT_009] (DD/MM/YYYY)
Date of Contact:
Req / Req / Req (2025-2029)
[A:N] [FAORRES_FUCNCRS_CMP_009] []

NO

[FAORRES_FUCNCRS_009]
If No, why?
A200 *

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_FAFUC009		
Data Variable RefName	RD Column Name	Column Data Type
FACAT_009	FACAT_009_C	VARCHAR2
	FACAT_009	VARCHAR2
	FACAT_009_ND	VARCHAR2
FAORRES_FUCTYPE_009	FAORRES_FUCTYPE_009_C	VARCHAR2
	FAORRES_FUCTYPE_009	VARCHAR2
	FAORRES_FUCTYPE_009_ND	VARCHAR2
FAORRES_FUCMADE_009	FAORRES_FUCMADE_009_C	VARCHAR2
	FAORRES_FUCMADE_009	VARCHAR2
	FAORRES_FUCMADE_009_ND	VARCHAR2
FAORRES_FUCMADE_009 - FAORRES_FUCDAT_009	FAORRES_FUCDAT_009	DATE
	FAORRES_FUCDAT_009_DTS	VARCHAR2
FAORRES_FUCMADE_009 - FAORRES_FUCNCRS_009	FAORRES_FUCNCRS_009	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

C3671059: OBSTETRIC EXAMINATION (OB EXAM) [RPOBE016]

Obstetric Examination [RPOBE016]

1.*
✓

Last menstrual period start date:
[Last Menstrual Period Start Date]

[RPORRES_LMPSTDTC_MENS_016] (DD/MM/YYYY)
Req/Unk / Req/Unk / Req (2024-2029)

2.
✓

First trimester ultrasound date:
[First Trimester Ultrasound Date]

[RPORRES_OBETR1DT_TRI1_016] (DD/MM/YYYY)
Req / Req / Req (2024-2029)

3.
✓

Second trimester ultrasound date:
[Second Trimester Ultrasound Date]

[RPORRES_OBETR2DT_TRI2_016] (DD/MM/YYYY)
Req / Req / Req (2024-2029)

4.

Third trimester ultrasound date:
[Third Trimester Ultrasound Date]

[RPORRES_OBETR3DT_TRI3_016] (DD/MM/YYYY)
Req / Req / Req (2024-2029)

5.*
✓

Gestational Age
[Gestational Age]

[RPORRES_EGESTAGE_CMP_016]
[RPORRES_EGESTAGE_WEEK_016] [RPORRES_EGESTAGE_DAY_016]
Gestational Age in Weeks: Gestational Age in Days:
0 <= N2 <= 45 0 <= N2 <= 6

6.*
✓

Method used to determine gestational age:
[Method Used to Determine Gestational Age]

[RPORRES_OBEGAMTH_METH_016]
[A:2] FIRST TRIMESTER ULTRASOUND
[A:3] SECOND TRIMESTER ULTRASOUND
[A:4] THIRD TRIMESTER ULTRASOUND

7.*

Estimated due date:
[Estimated Due Date]

[RPORRES_OBEDUEDT_DUE_016] (DD/MM/YYYY)
Req / Req / Req (2025-2029)

8.*

Fetal Heart Tones:
[Fetal Heart Tones]

[RPORRES_OBEFHTN_FHTONE_016]
[A:1] PRESENT
[A:2] ABSENT

9.*

Has the subject felt any fetal movements?
[Felt Fetal Movements]

[MOORRES_OBEFMV_MOVE_016]
[A:Y] YES
[A:N] NO

10.*

Investigator's clinical assessment of reported fetal movement:
[Clinical Assessment Fetal Movement]

[MOORRES_OBEFMIA_INV_016]
[A:1] ABNORMAL
[A:3] NORMAL

Key: [*] = Item is required [✓] = Source verification required
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

RDE Analytics: RD_RPOBE016		
Data Variable RefName	RD Column Name	Column Data Type
RPORRES_LMPSTDTC_MENS_016	RPORRES_LMPSTDTC_MENS_016	DATE
	RPORRES_LMPSTDTC_MENS_016_DTS	VARCHAR2
	RPORRES_LMPSTDTC_MENS_016_DTR	VARCHAR2
	RPORRES_LMPSTDTC_MENS_016_ND	VARCHAR2
RPORRES_OBETR1DT_TRI1_016	RPORRES_OBETR1DT_TRI1_016	DATE
	RPORRES_OBETR1DT_TRI1_016_DTS	VARCHAR2
	RPORRES_OBETR1DT_TRI1_016_ND	VARCHAR2
RPORRES_OBETR2DT_TRI2_016	RPORRES_OBETR2DT_TRI2_016	DATE
	RPORRES_OBETR2DT_TRI2_016_DTS	VARCHAR2
	RPORRES_OBETR2DT_TRI2_016_ND	VARCHAR2
RPORRES_OBETR3DT_TRI3_016	RPORRES_OBETR3DT_TRI3_016	DATE
	RPORRES_OBETR3DT_TRI3_016_DTS	VARCHAR2
	RPORRES_OBETR3DT_TRI3_016_ND	VARCHAR2
RPORRES_EGESTAGE_CMP_016	RPORRES_EGESTAGE_CMP_016_ND	VARCHAR2
RPORRES_EGESTAGE_CMP_016 - RPORRES_EGESTAGE_WEEK_016	RPORRES_EGESTAGE_WEEK_016	NUMBER
RPORRES_EGESTAGE_CMP_016 - RPORRES_EGESTAGE_DAY_016	RPORRES_EGESTAGE_DAY_016	NUMBER
RPORRES_OBEGAMTH_METH_016	RPORRES_OBEGAMTH_METH_016_C	VARCHAR2
	RPORRES_OBEGAMTH_METH_016	VARCHAR2
	RPORRES_OBEGAMTH_METH_016_ND	VARCHAR2
RPORRES_OBEDUEDT_DUE_016	RPORRES_OBEDUEDT_DUE_016	DATE
	RPORRES_OBEDUEDT_DUE_016_DTS	VARCHAR2
	RPORRES_OBEDUEDT_DUE_016_ND	VARCHAR2
RPORRES_OBEFHTN_FHTONE_016	*RPORRES_OBEFHTN_FHTONE_016_C	VARCHAR2
	*RPORRES_OBEFHTN_FHTONE_016	VARCHAR2
	*RPORRES_OBEFHTN_FHTONE_016_ND	VARCHAR2
MOORRES_OBEFMV_MOVE_016	MOORRES_OBEFMV_MOVE_016_C	VARCHAR2
	MOORRES_OBEFMV_MOVE_016	VARCHAR2
	MOORRES_OBEFMV_MOVE_016_ND	VARCHAR2
MOORRES_OBEFMIA_INV_016	MOORRES_OBEFMIA_INV_016_C	VARCHAR2
	MOORRES_OBEFMIA_INV_016	VARCHAR2
	MOORRES_OBEFMIA_INV_016_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C3671059: SUBSTANCE USE (SUBST USE) [SU001]

Substance Use [SU01001]

#	Category	Type of substance *	Has the subject ever used the substance? *	Frequency
1.a	TOBACCO	TOBACCO		
1.b	ALCOHOL	ALCOHOL		
1.c	ILLCIT DRUGS	ILLCIT DRUGS, NOT SPECIFIED		
1.d	MARIJUANA	RECREATIONAL MARIJUANA		

Substance Use Entry [SU01001]

1.1	Category [Category]	[SUCAT_001] [A: 1] ☐ TOBACCO [A: 2] ☐ ALCOHOL [A: 4] ☐ MARIJUANA [A: 6] ☐ ILLICIT DRUGS
1.2*	Type of substance: [Type of substance]	[SUTRT_001] [A: 500] ☐ TOBACCO [A: 501] ☐ ALCOHOL [A: 18] ☐ RECREATIONAL MARIJUANA [A: 19] ☐ ILLICIT DRUGS, NOT SPECIFIED
1.3*	Has the subject ever used the substance? [Has the subject ever used the substance?]	[SUPPSU_SUUSAGE_001] [A: 1] ☐ NEVER [A: 2] ☐ CURRENT [A: 3] ☐ FORMER
1.4	Frequency: [Frequency]	[SUDOSFRQ_001] [A: 44] ☐ EVERY WEEK [A: 49] ☐ QD [A: 5] ☐ QM

Key: [*] = Item is required ☐ = Fixed item

Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Study Object Descriptions: SUBSTANCE USE		
Type	RefName	Description
Form	SU001	SU001 - Substance Use - Details
Item	SUCAT_001	Used to define a category of related records (e.g., TOBACCO, ALCOHOL).
Item	SUTRT_001	Type of Substance
Item	SUDOSFRQ_001	Usually expressed as the number of uses consumed per a specific interval (e.g., PER DAY, PER WEEK, OCCASIONAL).

RDE Analytics: RD_SU001		
Data Variable RefName	RD Column Name	Column Data Type
RD_SU001_SU01001		
SUCAT_001	SUCAT_001_C	VARCHAR2
	SUCAT_001	VARCHAR2
	SUCAT_001_ND	VARCHAR2
SUTRT_001	SUTRT_001_C	VARCHAR2
	SUTRT_001	VARCHAR2
	SUTRT_001_ND	VARCHAR2
SUPPSU_SUUSAGE_001	SUPPSU_SUUSAGE_001_C	VARCHAR2
	SUPPSU_SUUSAGE_001	VARCHAR2
	SUPPSU_SUUSAGE_001_ND	VARCHAR2
SUDOSFRQ_001	SUDOSFRQ_001_C	VARCHAR2
	SUDOSFRQ_001	VARCHAR2
	SUDOSFRQ_001_ND	VARCHAR2

C3671059: VITAL SIGNS (VIT SIGNS) [VS001]

Vital Signs - I [VS01001]

1. Category for Vital Signs: [hidden]
[Category for Vital Signs]

[VSCAT_001]
[A:1] ☐ VITAL SIGNS

2.* Date:
[Date]

[VSDTC_001] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2025-2029)

3.* Weight:
[Weight]

[VSORRES_WEIGHT_001]
xxxxx.

4.* Unit:
[Weight Unit]

[VSORRESU_WEIGHT_001]
[A:9] ☐ kg
[A:11] ☐ LB

5.* Height:
[Height]

[VSORRES_HEIGHT_001]
xxxxxx.

6.* Unit:
[Height Unit]

[VSORRESU_HEIGHT_001]
[A:5] ☐ cm
[A:8] ☐ in

Vital Signs - II [VS02001]

#	Record Identifier	Temperature*	Temperature Unit*	Systolic Blood Pressure*	Diastolic Blood Pressure*	BP Position	Heart Rate in beats/minute*
7.a	1						

Vital Signs - II Entry [VS02001]

7.1 Record Identifier: [read-only]
[Record Identifier]

[VSSPID_001]
[A:1] ☐ 1

7.2.* Temperature:
[Temperature]

[VSORRES_TEMP_001]
xxxx.

7.3.* Unit:
[Temperature Unit]

[VSORRESU_TEMP_001]
[A:4] ☐ C
[A:6] ☐ F

7.4.* Systolic BP in mmHg:
[Systolic Blood Pressure]

[VSORRES_SYSBP_001]
N3

7.5.* Diastolic BP in mmHg:
[Diastolic Blood Pressure]

[VSORRES_DIABP_001]
N3

7.6 BP Position: [read-only]
[BP Position]

[VSPOS_BP_001]
[A:1] ☐ SITTING

7.7.* Heart Rate in beats/minute:
[Heart Rate in beats/minute]

[VSORRES_HR_001]
N3

Key: [*] = Item is required [✓] = Source verification required ☐ = Fixed item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS		
Type	RefName	Description
Form	VS001	VS001 - Vital Signs - Wide Format
Item	VSDTC_001	The date the measurement was performed.
Item	VSORRES_WEIGHT_001	Weight
Item	VSORRESU_WEIGHT_001	Weight Unit
Item	VSORRES_HEIGHT_001	Height
Item	VSORRESU_HEIGHT_001	Height Unit
Item	VSSPID_001	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_TEMP_001	Temperature
Item	VSORRESU_TEMP_001	Temperature Unit
Item	VSORRES_SYSBP_001	Systolic Blood Pressure collected in mmHg
Item	VSORRES_DIABP_001	Diastolic Blood Pressure in mmHg
Item	VSPOS_BP_001	Blood Pressure Position
Item	VSORRES_HR_001	Heart Rate in beats/minute

RDE Analytics: RD_VS001		
Data Variable RefName	RD Column Name	Column Data Type
VSCAT_001	VSCAT_001_C	VARCHAR2
	VSCAT_001	VARCHAR2
	VSCAT_001_ND	VARCHAR2
VSDTC_001	VSDTC_001	DATE
	VSDTC_001_DTS	VARCHAR2
	VSDTC_001_ND	VARCHAR2
VSORRES_WEIGHT_001	VSORRES_WEIGHT_001	FLOAT
	VSORRES_WEIGHT_001_ND	VARCHAR2
VSORRESU_WEIGHT_001	VSORRESU_WEIGHT_001_C	VARCHAR2
	VSORRESU_WEIGHT_001	VARCHAR2
	VSORRESU_WEIGHT_001_ND	VARCHAR2
VSORRES_HEIGHT_001	VSORRES_HEIGHT_001	FLOAT
	VSORRES_HEIGHT_001_ND	VARCHAR2
VSORRESU_HEIGHT_001	VSORRESU_HEIGHT_001_C	VARCHAR2
	VSORRESU_HEIGHT_001	VARCHAR2
	VSORRESU_HEIGHT_001_ND	VARCHAR2
RD_VS001_VS02001		
VSSPID_001	VSSPID_001_C	VARCHAR2
	VSSPID_001	VARCHAR2
	VSSPID_001_ND	VARCHAR2
VSORRES_TEMP_001	VSORRES_TEMP_001	FLOAT

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

	VSORRES_TEMP_001_ND	VARCHAR2
VSORRESU_TEMP_001	VSORRESU_TEMP_001_C	VARCHAR2
	VSORRESU_TEMP_001	VARCHAR2
	VSORRESU_TEMP_001_ND	VARCHAR2
VSORRES_SYSBP_001	VSORRES_SYSBP_001	NUMBER
	VSORRES_SYSBP_001_ND	VARCHAR2
VSORRES_DIABP_001	VSORRES_DIABP_001	NUMBER
	VSORRES_DIABP_001_ND	VARCHAR2
VSPOS_BP_001	VSPOS_BP_001_C	VARCHAR2
	VSPOS_BP_001	VARCHAR2
	VSPOS_BP_001_ND	VARCHAR2
VSORRES_HR_001	VSORRES_HR_001	NUMBER
	VSORRES_HR_001_ND	VARCHAR2

C3671059: INCLUSION/EXCLUSION CRITERIA (INEX) [IE002]

1.

▼

Inclusion Criterion Identifier

Inclusion Criterion Description

Inclusion Criteria Not Met Entry [IE01002]

1.1*

▼

Identifier of the Inclusion Criterion the subject did not meet:

[Inclusion Criterion Identifier]

[IESPID_002]

[IESPID_CL_002]

▼

1.2Description of the Inclusion Criterion the subject did not meet: [read-only]

[Inclusion Criterion Description]

[IETEST_002]

[IETEST_CL_002]

▼

2.

▼

Exclusion Criterion Identifier

Exclusion Criterion Description

Exclusion Criteria Met Entry [IE02002]

2.1*

▼

Identifier of the Exclusion Criterion the subject met:

[Exclusion Criterion Identifier]

[IESPID1_002]

[IESPID1_CL_002]

▼

2.2Description of the Exclusion Criterion the subject met: [read-only]

[Exclusion Criterion Description]

[IETEST1_002]

[IETEST1_CL_002]

▼

Key: [*] = Item is required [▼] = Source verification required
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA					
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName
IESPID_CL_002	String		1	1	ciIESPID_1
			2	2	ciIESPID_2
			3	3	ciIESPID_3
			4	4	ciIESPID_4
			5	5	ciIESPID_5
			6	6	ciIESPID_6
			7	7	ciIESPID_7
			8	8	ciIESPID_8
			9	9	ciIESPID_9
			10	10	ciIESPID_10
			11	11	ciIESPID_11
			12	12	ciIESPID_12
IETEST_CL_002	String		Participants 18 to 49 years old who are pregnant between 24 0/7 and 36 6/7 weeks gestation on day of planned IP administration with singleton pregnancy and with no known risk of complication.	0_1	ciIETEST_Inclusion_Description_1
			GA determined by LMP and an initial ultrasound performed at <= 22 weeks of gestation. If LMP is uncertain, GA must be determined by an initial ultrasound performed at <= 22 weeks of gestation.	0_2	ciIETEST_Inclusion_Description_2
			Confirmed receipt of a single dose of RSVpreF or Abrysvo in a previous pregnancy.	0_3	ciIETEST_Inclusion_Description_3
			Receiving prenatal standard of care based on country requirements.	0_4	ciIETEST_Inclusion_Description_4
			Had a fetal anomaly ultrasound examination performed at >=18 weeks' gestation of the current pregnancy with no significant fetal abnormalities observed.	0_5	ciIETEST_Inclusion_Description_5
			Determined by medical history, physical examination, and clinical judgment to be appropriate for inclusion in the study.	0_6	ciIETEST_Inclusion_Description_6
			Documented negative HIV antibody test, syphilis test, and hepatitis B virus (HBV) surface antigen test during this pregnancy and prior to randomization (Visit 201).	0_7	ciIETEST_Inclusion_Description_7
			Capable of giving signed informed consent OR If participant is illiterate, a thumb-printed informed consent must be obtained, and signed/dated by an impartial witness.	0_8	ciIETEST_Inclusion_Description_8
			Willing and able to comply with scheduled visits, treatment plan, laboratory tests, and other study procedures.	0_9	ciIETEST_Inclusion_Description_9
			Participant intends to deliver at a hospital or birthing facility where study procedures can be obtained.	0_10	ciIETEST_Inclusion_Description_10
			Expected to be available for the duration of the study and can be contacted by telephone during study participation.	0_11	ciIETEST_Inclusion_Description_11
			Participant is willing to give informed consent for her infant to participate in the study.	0_12	ciIETEST_Inclusion_Description_12
IESPID1_CL_002	String		1	1	ciIESPID_1
			2	2	ciIESPID_2
			3	3	ciIESPID_3
			4	4	ciIESPID_4
			5	5	ciIESPID_5
			6	6	ciIESPID_6
			7	7	ciIESPID_7
			8	8	ciIESPID_8
			9	9	ciIESPID_9
			10	10	ciIESPID_10
			11	11	ciIESPID_11
			12	12	ciIESPID_12
			13	13	ciIESPID_13
			14	14	ciIESPID_14
			15	15	ciIESPID_15
			16	16	ciIESPID_16
			17	17	ciIESPID_17
IETEST1_CL_002	String		Medical or psychiatric condition including recent or active suicidal ideation/behavior/lab abnormality that increases the risk of study participation or makes participant inappropriate for the study.	0_1	ciIETEST_Exclusion_Description_1
			Pre-pregnancy BMI of >40 kg/m2. If a pre-pregnancy BMI is not available, the BMI at the time of the first obstetric visit during the current pregnancy may be used.	0_2	ciIETEST_Exclusion_Description_2
			Bleeding diathesis or condition associated with prolonged bleeding that would, in the opinion of the investigator, contraindicate intramuscular injection.	0_3	ciIETEST_Exclusion_Description_3
			History of severe adverse reaction associated with a vaccine and/or severe allergic reaction (eg, anaphylaxis) to any component of the study intervention or any related vaccine.	0_4	ciIETEST_Exclusion_Description_4
			Current pregnancy complications or abnormalities at the time of consent that will increase the risk associated with the participation in and completion of the study.	0_5	ciIETEST_Exclusion_Description_5
			Prior pregnancy complications or abnormalities at the time of consent, based on investigator's judgment, that will increase the risk associated with the participation in and completion of the study.	0_6	ciIETEST_Exclusion_Description_6
			Major illness of participant or condition of the fetus that will increase the risk associated with participation in and completion of the study or preclude evaluation of the participant's response.	0_7	ciIETEST_Exclusion_Description_7
			Congenital or acquired immunodeficiency disorder, or rheumatologic disorder or other illness requiring chronic treatment with known immunosuppressant medications within the year prior to enrollment.	0_8	ciIETEST_Exclusion_Description_8
			Receipt of any licensed or investigational RSV vaccine since previous pregnancy.	0_9	ciIETEST_Exclusion_Description_9
			Receipt of monoclonal antibodies within the year prior to enrollment or the use of systemic corticosteroids for >14 days within 28 days prior to study enrollment.	0_10	ciIETEST_Exclusion_Description_10
			Current alcohol abuse or illicit drug use.	0_11	ciIETEST_Exclusion_Description_11
			Receipt of blood or plasma products or Ig from 60 days before study intervention administration, or planned receipt through delivery, with 1 exception, Rho(D) immune globulin.	0_12	ciIETEST_Exclusion_Description_12
			Participation in other studies involving investigational drug(s) within 28 days prior to consent and/or during study participation.	0_13	ciIETEST_Exclusion_Description_13
			Participation in any other study involving vaccination with an RSV vaccine (exception: C3671003 and C3671008) or RSV mAb.	0_14	ciIETEST_Exclusion_Description_14

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

		Previous administration of an investigational product (drug or vaccine) within 30 days or 5 half lives preceding the first dose of study intervention used in this study (whichever is longer).	0_15	cliIETEST_Exclusion_Description_15
		Investigator site staff members directly involved in conduct of study (& family member), staff members supervised by investigator, or Pfizer employees (including family members) involved in study.	0_16	cliIETEST_Exclusion_Description_16
		Children, grandchildren, or other individuals who are direct descendants of investigator site staff or sponsor and sponsor delegate employees directly involved in the conduct of the study.	0_17	cliIETEST_Exclusion_Description_17

RDE Analytics: RD_IE002		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE002_IE01002		
IESPID_002	IESPID_002_C	VARCHAR2
	IESPID_002	VARCHAR2
	IESPID_002_ND	VARCHAR2
IETEST_002	IETEST_002_C	VARCHAR2
	IETEST_002	VARCHAR2
	IETEST_002_ND	VARCHAR2
RD_IE002_IE02002		
IESPID1_002	IESPID1_002_C	VARCHAR2
	IESPID1_002	VARCHAR2
	IESPID1_002_ND	VARCHAR2
IETEST1_002	IETEST1_002_C	VARCHAR2
	IETEST1_002	VARCHAR2
	IETEST1_002_ND	VARCHAR2

C3671059: RANDOMIZATION (RAND) [DS001_3]

Randomization [DS01001_3]

1.*
Date of Randomization:
[Date]

2.*
Randomization Number:
[Reference ID]

[DSSTDTC_001_3] (DD/MM/YYYY)
Req / Req / Req (2025-2029)

[DSREFID_001_3]
A20 *

Key: [*] = Item is required [▼] = Source verification required [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: RANDOMIZATION		
Type	RefName	Description
Item	DSSTDTC_001_3	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_3		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_3	DSSTDTC_001_3	DATE
	DSSTDTC_001_3_DTS	VARCHAR2
	DSSTDTC_001_3_ND	VARCHAR2
DSREFID_001_3	DSREFID_001_3	VARCHAR2
	DSREFID_001_3_ND	VARCHAR2

C3671059: VACCINATION (VACIN TRT) [EC001_2]

Vaccination [EC01001_2]

1. Was there a temporary delay of vaccination?
[Temporary Delay of Vaccination]

[A:Y] ☒ [SUPPEC_ECTDV_CMP_001_2] ☐

YES

[SUPPEC_FDDTC_001_2] (DD/MM/YYYY)
Date of First Delay:
Req / Req / Req (2025-2029)
[ECADJ_TDV_001_2]
Reason(s) for Temporary Delay of Vaccination:
[A:6] ☐ RECENT SYSTEMIC CORTICOSTEROID TREATMENT
[A:11] ☐ RECENT DIAGNOSIS OF MALARIA
[A:4] ☐ FEVER
[A:3] ☐ ACUTE ILLNESS
[A:N] ☐ NO
[A:3] ☐ RECENT NON-STUDY VACCINATION

2. Treatment Name: [read-only]
[Treatment Name]

[ECTRT_001_2]
A100*

3. Formulation: [read-only]
[Formulation]

[ECDOSFRM_001_2]
[A:66] ☐ INJECTION

4.* Dose Date Time:
[Dose Date Time]

[ECSTDTCT_001_2] (DD/MM/YYYY hh:mm)
Req / Req / Req (2025-2029)
Req : Req 24-hour clock

5. Anatomical Location: [read-only]
[Anatomical Location]

[ECLAT_001_2]
[A:744] ☐ DELTOID MUSCLE

6.* Body Side:
[Body Side]

[ECLAT_001_2]
[A:5] ☐ LEFT
[A:6] ☐ RIGHT

7. Route: [read-only]
[Route]

[ECROUTE_001_2]
[A:50] ☐ INTRAMUSCULAR

8.* Treatment Container ID:
[Treatment Container ID]

[ECREFID_001_2]
A20*

9. Was the subject pregnant at exposure? [read-only]
[Pregnant at Exposure]

[SUPPEC_ECPREG_001_2]
[A:Y] ☐ YES

10. Actual Dose: [read-only]
[Actual Dose]

[X_ECDOSE_001_2]
xxxxxx.

11. Unit: [read-only]
[Unit]

[ECDOSU_001_2]
[A:96] ☐ SYRINGE

12. Timeframe Subject Was Observed [read-only]
[Timeframe Subject Was Observed]

[SUPPEC_ECOSV_001_2]
[A:2] ☐ 30 MINUTES

13.* Was the subject observed for at least 30 min after investigational product administration?
[Observed Post Dose For Specified Time]

[SUPPEC_ECOSV_001_2]
[A:Y] ☐ YES
[A:N] ☐ [SUPPEC_ECOSVD_CMP_001_2] ☐
NO
[SUPPEC_ECOSVD_001_2]
If No, specify reason:
A200*

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [*] = ASCII Only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: VACCINATION		
Type	RefName	Description
Item	SUPPEC_ECOSVD_001_2	If No, specify reason:

RDE Analytics: RD_EC001_2		
Data Variable RefName	RD Column Name	Column Data Type
SUPPEC_ECTDV_001_2	SUPPEC_ECTDV_001_2_C	VARCHAR2
	SUPPEC_ECTDV_001_2	VARCHAR2
	SUPPEC_ECTDV_001_2_ND	VARCHAR2
SUPPEC_ECTDV_001_2 - SUPPEC_FDDTC_001_2	SUPPEC_FDDTC_001_2	DATE
	SUPPEC_FDDTC_001_2_DTS	VARCHAR2
SUPPEC_ECTDV_001_2 - RECENT SYSTEMIC CORTICOSTEROID TREATMENT	*ECADJ_TDV_001_2_CLITDVARECENTSYSTEMICCORTICOSTEROIDTREATMENT_C	VARCHAR2
	*ECADJ_TDV_001_2_CLITDVARECENTSYSTEMICCORTICOSTEROIDTREATMENT	VARCHAR2
SUPPEC_ECTDV_001_2 - RECENT DIAGNOSIS OF MALARIA	*ECADJ_TDV_001_2_CLITDVARECENTDIAGNOSISOFMALARIA_C	VARCHAR2
	*ECADJ_TDV_001_2_CLITDVARECENTDIAGNOSISOFMALARIA	VARCHAR2
SUPPEC_ECTDV_001_2 - FEVER	*ECADJ_TDV_001_2_CLITDVAFEVER_C	VARCHAR2
	*ECADJ_TDV_001_2_CLITDVAFEVER	VARCHAR2
SUPPEC_ECTDV_001_2 - ACUTE ILLNESS	*ECADJ_TDV_001_2_CLITDVAACUTEILLNESS_C	VARCHAR2
	*ECADJ_TDV_001_2_CLITDVAACUTEILLNESS	VARCHAR2
SUPPEC_ECTDV_001_2 - RECENT NON-STUDY VACCINATION	*ECADJ_TDV_001_2_CLITDVARECENTNONSTUDYVACCINATION_C	VARCHAR2
	*ECADJ_TDV_001_2_CLITDVARECENTNONSTUDYVACCINATION	VARCHAR2
ECTRT_001_2	ECTRT_001_2	VARCHAR2
	ECTRT_001_2_ND	VARCHAR2
ECDOSFRM_001_2	ECDOSFRM_001_2_C	VARCHAR2
	ECDOSFRM_001_2	VARCHAR2
	ECDOSFRM_001_2_ND	VARCHAR2
ECSTDTCT_001_2	ECSTDTCT_001_2	DATE
	ECSTDTCT_001_2_DTS	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

	ECSTDTC_001_2_ND	VARCHAR2
ECLOC_001_2	ECLOC_001_2_C	VARCHAR2
	ECLOC_001_2	VARCHAR2
	ECLOC_001_2_ND	VARCHAR2
	ECLOC_001_2_ND	VARCHAR2
ECLAT_001_2	ECLAT_001_2_C	VARCHAR2
	ECLAT_001_2	VARCHAR2
	ECLAT_001_2_ND	VARCHAR2
	ECLAT_001_2_ND	VARCHAR2
ECROUTE_001_2	ECROUTE_001_2_C	VARCHAR2
	ECROUTE_001_2	VARCHAR2
	ECROUTE_001_2_ND	VARCHAR2
	ECROUTE_001_2_ND	VARCHAR2
ECREFID_001_2	ECREFID_001_2	VARCHAR2
	ECREFID_001_2	VARCHAR2
	ECREFID_001_2_ND	VARCHAR2
	ECREFID_001_2_ND	VARCHAR2
SUPPEC_ECPREG_001_2	SUPPEC_ECPREG_001_2_C	VARCHAR2
	SUPPEC_ECPREG_001_2	VARCHAR2
	SUPPEC_ECPREG_001_2_ND	VARCHAR2
	SUPPEC_ECPREG_001_2_ND	VARCHAR2
X_ECDOSE_001_2	X_ECDOSE_001_2	FLOAT
	X_ECDOSE_001_2_ND	VARCHAR2
	X_ECDOSE_001_2_ND	VARCHAR2
	X_ECDOSE_001_2_ND	VARCHAR2
ECDOSU_001_2	ECDOSU_001_2_C	VARCHAR2
	ECDOSU_001_2	VARCHAR2
	ECDOSU_001_2_ND	VARCHAR2
	ECDOSU_001_2_ND	VARCHAR2
SUPPEC_ECOBSVT_001_2	SUPPEC_ECOBSVT_001_2_C	VARCHAR2
	SUPPEC_ECOBSVT_001_2	VARCHAR2
	SUPPEC_ECOBSVT_001_2_ND	VARCHAR2
	SUPPEC_ECOBSVT_001_2_ND	VARCHAR2
SUPPEC_ECOBSV_001_2	SUPPEC_ECOBSV_001_2_C	VARCHAR2
	SUPPEC_ECOBSV_001_2	VARCHAR2
	SUPPEC_ECOBSV_001_2_ND	VARCHAR2
	SUPPEC_ECOBSV_001_2_ND	VARCHAR2
SUPPEC_ECOBSV_001_2 - SUPPEC_ECOBSVD_001_2	SUPPEC_ECOBSVD_001_2	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

Summary of Reactogenicity [CESOR01019_1]

Codelist Values Tables: SUMMARY OF REACTOGENICITY- IMMEDIATE EVENTS

RDE Analytics: RD_CESOR019_1		
Data Variable RefName	RD Column Name	Column Data Type
X_CELCOC_019_1	X_CELCOC_019_1_C	VARCHAR2
	X_CELCOC_019_1	VARCHAR2
	X_CELCOC_019_1_ND	VARCHAR2
	X_CELAT_019_1_C	VARCHAR2
X_CELAT_019_1	X_CELAT_019_1	VARCHAR2
	X_CELAT_019_1_ND	VARCHAR2
	R_SORIMMED_019_1_C	VARCHAR2
	R_SORIMMED_019_1	VARCHAR2
R_SORIMMED_019_1	R_SORIMMED_019_1_ND	VARCHAR2
*RD_CESOR019_1_CESOR02019_1		
CETERM_IMM_019_1	CETERM_IMM_019_1_C	VARCHAR2
	CETERM_IMM_019_1	VARCHAR2
	CETERM_IMM_019_1_ND	VARCHAR2
CESTDTC_019_1	CESTDTC_019_1	DATE
	CESTDTC_019_1_DTS	VARCHAR2
	CESTDTC_019_1_ND	VARCHAR2

Key: [*] = The column and/or table name in the actual RDE extract may be different.

C3671059: SUMMARY OF REACTOGENICITY (SUMREACT) [CESOR019]

Summary of Reactogenicity [CESOR019]

1.

Injection Site Location: *[read-only]*
[Injection Site Location]

[X_CELOC_019]

[A:744] ☒ DELTOID MUSCLE

2.*

Injection Site Body Side:
[Injection Site Body Side]

[X_CELAT_019]

[A:5] ☒ LEFT
[A:6] ☐ RIGHT

3.*

Did the participant report a diary entry, reactogenicity event for each day of the planned e-diary period?
[Did the participant report a diary entry, reactogenicity event for each day of the planned e-diary period]

[SUPPCE_DIARYCMP_019]

[A:Y] ☒ YES
[A:N] ☐ [SUPPCE_RSNOTRPT_CMP_019] ☐

NO

[SUPPCE_RSNOTRPT_019]

If No, provide the main reason it was not reported by the participant:

[A:1] ☒ SUBJECT FELT TOO ILL
[A:2] ☐ SUBJECT REFUSED
[A:3] ☐ TECHNICAL ISSUES
[A:4] ☐ HOSPITALIZATION
[A:5] ☐ EVENT RESOLUTION
[A:6] ☐ SUBJECT FORGOT
[A:7] ☐ [SUPPCE_RSNOTRPO_CMP_019] ☐

OTHER

[SUPPCE_RSNOTRPO_019]

If Other, specify:

A80 *

4.*

Did the participant withdraw from treatment/study due to a reactogenicity event that started during the planned e-diary period?
[Did the participant withdraw from treatment/study due to a reactogenicity event that started during the planned e-diary period]

[R_SORWDRAW_019]

[A:Y] ☐ YES
[A:N] ☒ NO

5.*

Did the participant require hospitalization or other medical attention for a reactogenicity event that started during the planned e-diary period?
[Did the participant require hospitalization or other medical attention for a reactogenicity event that started during the planned e-diary period]

[R_SORMEDAT_019]

[A:Y] ☐ YES
[A:N] ☒ NO

6.*

Did the participant have a reactogenicity event that was also a serious adverse event?
[Did the participant have a reactogenicity event that was also a serious adverse event]

[R_SORRSAE_019]

[A:Y] ☐ YES
[A:N] ☒ NO

7.*

Were fever, local reactions or systemic symptoms present on the last day the Subject Diary/Participant Reported Reactogenicity form was completed during the planned e-diary period?
[Were fever, local reactions or systemic symptoms present on the last day the Subject Diary/PRR form was completed during the planned e-diary period]

[R_SORSLDAPY_019]

[A:Y] ☐ YES
[A:N] ☒ NO

Reaction

8.
☒

Withdrawal Event Entry [CESOR03019]

8.1.*

Reaction:
[Reaction]

[CETERM_WDRAW_019]

[CETERM_WDRAW_CL_019]

Reaction

Type of Healthcare

Start Date of Encounter

9.
☒

Hospitalization or Other Medical Attention Entry [CESOR04019]

9.1.*

Reaction:
[Reaction]

[Y_CETERM_HOINDC_019]

[Y_CETERM_HOINDC_CL_019]

9.2.*

Type of Healthcare:
[Type of Healthcare]

[HOTERM_019]

[A:1] ☐ HEALTHCARE PROFESSIONAL
[A:2] ☐ EMERGENCY ROOM
[A:3] ☐ HOSPITALIZED

9.3*

Start Date of Encounter:
[Start Date of Encounter]

[HOSTDTC_019] (DD/MM/YYYY)

Req / Req / Req (2025-2029)

Reaction

AE ID

AE ID

AE ID

10.
☒

Serious Adverse Event Entry [CESOR05019]

10.1.*

Reaction:
[Reaction]

[CETERM_SAE_019]

[CETERM_SAE_CL_019]

10.2*

AE ID:
[AE ID]

[CESPID_019]

A20 *

10.3

AE ID:
[AE ID]

[X_CESPID1_019]

A20 *

10.4

AE ID:
[AE ID]

[X_CESPID2_019]

A20 *

Reaction

Ongoing

11.
☒

Ongoing on Last Day Entry [CESOR06019]

11.1.*

Reaction:
[Reaction]

[CETERM_ONGO_019]

[CETERM_ONGO_CL_019]

11.2*

Ongoing?
[Ongoing]

[X_CEONGO_019]

[A:Y] ☐ YES
[A:N] ☐ [CEENDTC_CMP_019] ☐

NO

[CEENDTC_019] (DD/MM/YYYY)

If No, Enter Stop Date:

Req / Req / Req (2025-2029)

Key: [*] = Item is required [▼] = Source verification required [▢] = Item is collapsible [★] = ASCII Only

Notes: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Codelist Values Tables: SUMMARY OF REACTOGENICITY

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM_WDRAW_CL_019	String		REDNESS	1	cliSORB_REDNESS	CETERM_WDRAW_019
			SWELLING	2	cliSORB_SWELLING	
			HEADACHE	3	cliSORB_HEADACHE	
			FEVER	4	cliSORB_FEVER	
			NAUSEA	5	cliSORB_NAUSEA	
			PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
			FATIGUE	7	cliSORB_FATIGUE	
			VOMITING	11	cliSORB_VOMITING	
			DIARRHEA	6	cliSORB_DIARRHEA	
			MUSCLE PAIN	9	cliSORB_MUSCLE_PAIN	
Y_CETERM_HOINDC_CL_019	String		JOINT PAIN	8	cliSORB_JOINT_PAIN	Y_CETERM_HOINDC_019
			REDNESS	1	cliSORB_REDNESS	
			SWELLING	2	cliSORB_SWELLING	
			HEADACHE	3	cliSORB_HEADACHE	
			FEVER	4	cliSORB_FEVER	
			NAUSEA	5	cliSORB_NAUSEA	
			PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
			FATIGUE	7	cliSORB_FATIGUE	
			VOMITING	11	cliSORB_VOMITING	
			DIARRHEA	6	cliSORB_DIARRHEA	
CETERM_SAE_CL_019	String		MUSCLE PAIN	9	cliSORB_MUSCLE_PAIN	CETERM_SAE_019
			JOINT PAIN	8	cliSORB_JOINT_PAIN	
			REDNESS	1	cliSORB_REDNESS	
			SWELLING	2	cliSORB_SWELLING	
			HEADACHE	3	cliSORB_HEADACHE	
			FEVER	4	cliSORB_FEVER	
			NAUSEA	5	cliSORB_NAUSEA	
			PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
			FATIGUE	7	cliSORB_FATIGUE	
			VOMITING	11	cliSORB_VOMITING	
CETERM_ONGO_CL_019	String		DIARRHEA	6	cliSORB_DIARRHEA	CETERM_ONGO_019
			MUSCLE PAIN	9	cliSORB_MUSCLE_PAIN	
			JOINT PAIN	8	cliSORB_JOINT_PAIN	
			REDNESS	1	cliSORB_REDNESS	
			SWELLING	2	cliSORB_SWELLING	
			HEADACHE	3	cliSORB_HEADACHE	
			FEVER	4	cliSORB_FEVER	
			NAUSEA	5	cliSORB_NAUSEA	
			PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
			FATIGUE	7	cliSORB_FATIGUE	

RDE Analytics: RD_CESOR019		
Data Variable RefName	RD Column Name	Column Data Type
X_CELOC_019	X_CELOC_019_C	VARCHAR2
	X_CELOC_019	VARCHAR2
	X_CELOC_019_ND	VARCHAR2
X_CELAT_019	X_CELAT_019_C	VARCHAR2
	X_CELAT_019	VARCHAR2
	X_CELAT_019_ND	VARCHAR2
SUPPCE_DIARYCMP_019	SUPPCE_DIARYCMP_019_C	VARCHAR2
	SUPPCE_DIARYCMP_019	VARCHAR2
	SUPPCE_DIARYCMP_019_ND	VARCHAR2
SUPPCE_DIARYCMP_019 - SUPPCE_RSNOTRPT_019	SUPPCE_RSNOTRPT_019_C	VARCHAR2
	SUPPCE_RSNOTRPT_019	VARCHAR2
SUPPCE_DIARYCMP_019 - SUPPCE_RSNOTRPO_019	SUPPCE_RSNOTRPO_019	VARCHAR2
R_SORWDRAW_019	R_SORWDRAW_019_C	VARCHAR2
	R_SORWDRAW_019	VARCHAR2
	R_SORWDRAW_019_ND	VARCHAR2
R_SORMEDAT_019	R_SORMEDAT_019_C	VARCHAR2
	R_SORMEDAT_019	VARCHAR2
	R_SORMEDAT_019_ND	VARCHAR2
R_SORRSAE_019	R_SORRSAE_019_C	VARCHAR2
	R_SORRSAE_019	VARCHAR2
	R_SORRSAE_019_ND	VARCHAR2
R_SORSLDAP_019	R_SORSLDAP_019_C	VARCHAR2
	R_SORSLDAP_019	VARCHAR2
	R_SORSLDAP_019_ND	VARCHAR2
RD_CESOR019_CESOR03019		
CETERM_WDRAW_019	CETERM_WDRAW_019_C	VARCHAR2
	CETERM_WDRAW_019	VARCHAR2
	CETERM_WDRAW_019_ND	VARCHAR2

RD_CESOR019_CESOR04019		
Y_CETERM_HOINDC_019	Y_CETERM_HOINDC_019_C	VARCHAR2
	Y_CETERM_HOINDC_019	VARCHAR2
	Y_CETERM_HOINDC_019_ND	VARCHAR2
HOTERM_019	HOTERM_019_C	VARCHAR2
	HOTERM_019	VARCHAR2
	HOTERM_019_ND	VARCHAR2
HOSTDTC_019	HOSTDTC_019	DATE
	HOSTDTC_019_DTS	VARCHAR2
	HOSTDTC_019_ND	VARCHAR2
RD_CESOR019_CESOR05019		
CETERM_SAE_019	CETERM_SAE_019_C	VARCHAR2
	CETERM_SAE_019	VARCHAR2
	CETERM_SAE_019_ND	VARCHAR2
CESPID_019	CESPID_019	VARCHAR2
	CESPID_019_ND	VARCHAR2
X_CESPID1_019	X_CESPID1_019	VARCHAR2
	X_CESPID1_019_ND	VARCHAR2
X_CESPID2_019	X_CESPID2_019	VARCHAR2
	X_CESPID2_019_ND	VARCHAR2
RD_CESOR019_CESOR06019		
CETERM_ONGO_019	CETERM_ONGO_019_C	VARCHAR2
	CETERM_ONGO_019	VARCHAR2
	CETERM_ONGO_019_ND	VARCHAR2
X_CEONGO_019	X_CEONGO_019_C	VARCHAR2
	X_CEONGO_019	VARCHAR2
	X_CEONGO_019_ND	VARCHAR2
X_CEONGO_019 - CEENDTC_019	CEENDTC_019	DATE
	CEENDTC_019_DTS	VARCHAR2

C3671059: PREGNANCY OUTCOME (PREGOUT) [RPPRG002]

Pregnancy Outcome [RPPRG01002]

1.*

Date Time of delivery:

[Date Time of Delivery]

[RPORRES_DELIVD_PRGDLDT_002] (DD/MM/YYYY hh:mm)

Req ☒ / Req ☒ / Req ☒ (2025-2029)

Req/Unk ☒ : Req/Unk ☒ 24-hour clock

2.*

Location of delivery:

[Location of Delivery]

[RPORRES_DELLOC_PRGLOC_002]

[A:1] ☐ MEDICAL FACILITY

[A:2] ☐ HOME

[A:999] ☒ [X_RPORRES_DELLOC_PRGLOCD_CMP_002] ☐

OTHER

[X_RPORRES_DELLOC_PRGLOCD_002]

Other location of delivery specify:

A50 *

3.*

Mode of delivery:

[Mode of Delivery]

[RPORRES_MODE_PRGDMOD_002]

[A:1] ☐ VAGINAL DELIVERY

[A:2] ☐ [RPORRES_TYPE_PRGCTYP_CMP_002] ☐

CESAREAN SECTION

[RPORRES_TYPE_PRGCTYP_002]

Cesarean section type:

[A:1] ☐ ELECTIVE

[A:2] ☐ SEMI-ELECTIVE

[A:3] ☐ EMERGENCY

4.*

Were there any complications experienced during delivery?

[Occurrence of Delivery Complications]

[RPORRES_COMPLIC_PRGDC_002]

[A:N] ☐ NO

[A:Y] ☐ YES

5.*

Indicate the number of births from this pregnancy:

[Number of Births]

[RPORRES_NUMBIR_PRGBCP_002]

N1

6.*

Outcome at delivery:

[Outcome at Delivery]

[RPORRES_OUTCOMD_PRGDOUT_002]

[A:1] ☐ FULL TERM LIVE DELIVERY

[A:2] ☐ [RPORRES_PPREBTH_PRETRM_CMP_002] ☐

PREMATURE LIVE DELIVERY

[RPORRES_PPREBTH_PRETRM_002]

Pathway to Preterm Birth:

[A:1] ☐ PREMATURE PRETERM RUPTURE OF MEMBRANES

[A:2] ☐ SPONTANEOUS PRETERM LABOR

[A:3] ☐ INSUFFICIENT CERVIX

[A:4] ☐ PROVIDER- INITIATED PRETERM BIRTH

[A:5] ☐ UNKNOWN

[A:3] ☒ [X_RPORRES_GESTAGED_PRGGAWK_CMP_002] ☐

STILLBIRTH

[X_RPORRES_GESTAGED_PRGGAWK_002]

Stillbirth: Gestational age at delivery in (weeks):

N2

[X_RPORRES_GESTAGED_PRGGADY_002]

Stillbirth: Gestational age at delivery (days):

N2

[A:4] ☐ SPONTANEOUS ABORTION

[A:5] ☐ [RPORRES_ABREAS_PRGMRES_CMP_002] ☐

INDUCED/ELECTIVE ABORTION

[RPORRES_ABREAS_PRGMRES_002]

Induced/elective abortion medical reason, specify:

A80 *

[A:6] ☐ UNKNOWN

7.

Gross visual inspection of aborted fetus/stillbirth:

[Gross Visual Inspection]

[RPORRES_INSPEC_PRGGVI_002]

[A:1] ☐ NOT DONE

[A:2] ☐ NO OBSERVED ABNORMALITIES

[A:3] ☐ [RPORRES_ABN_PRGOASD_CMP_002] ☐

OBSERVED ABNORMALITIES

[RPORRES_ABN_PRGOASD_002]

If observed abnormalities, specify:

A80 *

8.

Was pathology performed?

[Pathology Performed]

[RPORRES_PATHYN_PRGPATH_002]

[A:N] ☐ NO

[A:Y] ☐ [RPORRES_PRGPFND_PFIND_CMP_002] ☐

YES

[RPORRES_PATHFIND_PRGPFND_002]

Describe any pathology findings:

A80 *

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [*] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_RPPRG002		
Data Variable RefName	RD Column Name	Column Data Type
RPORRES_DELIVD_PRGDLDT_002	*RPORRES_DELIVD_PRGDLDT_002	DATE
	*RPORRES_DELIVD_PRGDLDT_002_DTS	VARCHAR2
	*RPORRES_DELIVD_PRGDLDT_002_DTR	VARCHAR2
	*RPORRES_DELIVD_PRGDLDT_002_ND	VARCHAR2
RPORRES_DELLOC_PRGLOC_002	RPORRES_DELLOC_PRGLOC_002_C	VARCHAR2
	RPORRES_DELLOC_PRGLOC_002	VARCHAR2
	RPORRES_DELLOC_PRGLOC_002_ND	VARCHAR2
RPORRES_DELLOC_PRGLOC_002 - X_RPORRES_DELLOC_PRGLOCD_002	*X_RPORRES_DELLOC_PRGLOCD_002	VARCHAR2
RPORRES_MODE_PRGDMOD_002	RPORRES_MODE_PRGDMOD_002_C	VARCHAR2
	RPORRES_MODE_PRGDMOD_002	VARCHAR2
	RPORRES_MODE_PRGDMOD_002_ND	VARCHAR2
RPORRES_MODE_PRGDMOD_002 - RPORRES_TYPE_PRGCTYP_002	RPORRES_TYPE_PRGCTYP_002_C	VARCHAR2
	RPORRES_TYPE_PRGCTYP_002	VARCHAR2
RPORRES_COMPLIC_PRGDC_002	RPORRES_COMPLIC_PRGDC_002_C	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

	RPORRES_COMPLIC_PRGDC_002	VARCHAR2
	RPORRES_COMPLIC_PRGDC_002_ND	VARCHAR2
RPORRES_NUMBIR_PRGBCP_002	RPORRES_NUMBIR_PRGBCP_002	NUMBER
	RPORRES_NUMBIR_PRGBCP_002_ND	VARCHAR2
RPORRES_OUTCOMD_PRGDOUT_002	*RPORRES_OUTCOMD_PRGDOUT_002_C	VARCHAR2
	*RPORRES_OUTCOMD_PRGDOUT_002	VARCHAR2
	*RPORRES_OUTCOMD_PRGDOUT_002_ND	VARCHAR2
RPORRES_OUTCOMD_PRGDOUT_002 - RPORRES_PPREBTH_PRETRM_002	*RPORRES_PPREBTH_PRETRM_002_C	VARCHAR2
	*RPORRES_PPREBTH_PRETRM_002	VARCHAR2
RPORRES_OUTCOMD_PRGDOUT_002 - X_RPORRES_GESTAGED_PRGGAWK_002	*X_RPORRES_GESTAGED_PRGGAWK_002	NUMBER
RPORRES_OUTCOMD_PRGDOUT_002 - X_RPORRES_GESTAGED_PRGGADY_002	*X_RPORRES_GESTAGED_PRGGADY_002	NUMBER
RPORRES_OUTCOMD_PRGDOUT_002 - RPORRES_ABREAS_PRGMRES_002	*RPORRES_ABREAS_PRGMRES_002	VARCHAR2
RPORRES_INSPEC_PRGGVI_002	RPORRES_INSPEC_PRGGVI_002_C	VARCHAR2
	RPORRES_INSPEC_PRGGVI_002	VARCHAR2
	RPORRES_INSPEC_PRGGVI_002_ND	VARCHAR2
RPORRES_INSPEC_PRGGVI_002 - RPORRES_ABN_PRGOASD_002	RPORRES_ABN_PRGOASD_002	VARCHAR2
RPORRES_PATHYN_PRGPATH_002	*RPORRES_PATHYN_PRGPATH_002_C	VARCHAR2
	*RPORRES_PATHYN_PRGPATH_002	VARCHAR2
	*RPORRES_PATHYN_PRGPATH_002_ND	VARCHAR2
RPORRES_PATHYN_PRGPATH_002 - RPORRES_PATHFIND_PRGPFND_002	*RPORRES_PATHFIND_PRGPFND_002	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C3671059: NON-DRUG TREATMENTS - DELIVERY (NONDRG TX) [PR001_3]

Non-Drug Treatments [PR01001_3]

#	Treatment Identifier	Con Non-Drug Treatments Pre-specified	Treatment	Solicited Treatment Data Available	Start Date	Comparison Term	Lowest Level Term	Lowest Level Term Code	Dictionary Derived Term	Preferred Term Code	High Level Term	High Level Term Code	High Level Group Term	High Level Group Term Code	Primary System Organ Class	Primary System Organ Class Code
1.a			Forceps Delivery													
1.b			Vacuum Extractor Delivery													

Non-Drug Treatments Entry [PR01001_3]

1.1

What is the treatment Identifier? [read-only]
[Treatment Identifier]

[PRSPID_001_3]
A20*

1.2

Concomitant Non-drug Treatment Pre-specified: [hidden]
[Con Non-Drug Treatments Pre-specified]

[PRPRES_001_3]
[A:Y] ☐ YES

1.3

Treatment:
[Treatment]

[PRTRT1_001_3]
[A:1] ☐ Forceps Delivery
[A:2] ☐ Vacuum Extractor Delivery

1.4

Treatment given?
[Solicited Treatment Data Available]

[PROCCUR_001_3]
[A:Y] ☐ YES
[A:N] ☐ NO

1.5

Start Date:
[Start Date]

[PRSTDTC_001_3] (DD/MM/YYYY)
Req/Unk ☐ / Req/Unk ☐ / Req ☒ (2025-2029)

1.6

Comparison Term [hidden]
[Comparison Term]

[D_COMPTERMS_001_3]
A200*

1.7

Lowest Level Term [hidden]
[Lowest Level Term]

[SUPPPR_PRLLT_001_3]
A100*

1.8

Lowest Level Term Code [hidden]
[Lowest Level Term Code]

[SUPPPR_PRLLTCD_001_3]
A8 *

1.9

Dictionary Derived Term [hidden]
[Dictionary Derived Term]

[PRDECOD_001_3]
A100*

1.10

Preferred Term Code [hidden]
[Preferred Term Code]

[SUPPPR_PRPTCD_001_3]
A8 *

1.11

High Level Term [hidden]
[High Level Term]

[SUPPPR_PRHLT_001_3]
A100*

1.12

High Level Term Code [hidden]
[High Level Term Code]

[SUPPPR_PRHLTCD_001_3]
A8 *

1.13

High Level Group Term [hidden]
[High Level Group Term]

[SUPPPR_PRHLGT_001_3]
A100*

1.14

High Level Group Term Code [hidden]
[High Level Group Term Code]

[SUPPPR_PRHLGTCD_001_3]
A8 *

1.15

Primary System Organ Class [hidden]
[Primary System Organ Class]

[SUPPPR_PRSOC_001_3]
A100*

1.16

Primary System Organ Class Code [hidden]
[Primary System Organ Class Code]

[SUPPPR_PRSOCCD_001_3]
A8 *

Key: ☐ = Fixed item [*] = ASCII Only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Study Object Descriptions: NON-DRUG TREATMENTS - DELIVERY		
Type	RefName	Description
Item	D_COMPTERMS_001_3	Hidden Item needed for clear coding rule.

Coding Summary: NON-DRUG TREATMENTS - DELIVERY			
Verbatim RefName: D_COMPTERMS_001_3			
Dictionary: Pfizer MedDRA Verbatim Type:			
Coding Item RefName	Level	Level Type	
SUPPPR_PRSOC_001_3	SOC	Term	
SUPPPR_PRSOCCD_001_3	SOC	Code	
SUPPPR_PRHLGT_001_3	HLGT	Term	
SUPPPR_PRHLGTCD_001_3	HLGT	Code	
SUPPPR_PRHLT_001_3	HLT	Term	
SUPPPR_PRHLTCD_001_3	HLT	Code	
PRDECOD_001_3	PT	Term	
SUPPPR_PRPTCD_001_3	PT	Code	
SUPPPR_PRLLT_001_3	LLT	Term	
SUPPPR_PRLLTCD_001_3	LLT	Code	

RDE Analytics: RD_PR001_3		
Data Variable RefName	RD Column Name	Column Data Type
RD_PR001_3_PR01001_3		
PRSPID_001_3	PRSPID_001_3	VARCHAR2
	PRSPID_001_3_ND	VARCHAR2
PRPRES_001_3	PRPRES_001_3_C	VARCHAR2
	PRPRES_001_3	VARCHAR2
	PRPRES_001_3_ND	VARCHAR2
PRTRT1_001_3	PRTRT1_001_3_C	VARCHAR2

	PRTRT1_001_3	VARCHAR2
	PRTRT1_001_3_ND	VARCHAR2
PROCCUR_001_3	PROCCUR_001_3_C	VARCHAR2
	PROCCUR_001_3	VARCHAR2
	PROCCUR_001_3_ND	VARCHAR2
PRSTDTC_001_3	PRSTDTC_001_3	DATE
	PRSTDTC_001_3_DTS	VARCHAR2
	PRSTDTC_001_3_DTR	VARCHAR2
	PRSTDTC_001_3_ND	VARCHAR2
D_COMPTERM5_001_3	D_COMPTERM5_001_3	VARCHAR2
	D_COMPTERM5_001_3_ND	VARCHAR2
SUPPPR_PRLLT_001_3	SUPPPR_PRLLT_001_3	VARCHAR2
	SUPPPR_PRLLT_001_3_ND	VARCHAR2
SUPPPR_PRLTCD_001_3	SUPPPR_PRLTCD_001_3	VARCHAR2
	SUPPPR_PRLTCD_001_3_ND	VARCHAR2
PRDECOD_001_3	PRDECOD_001_3	VARCHAR2
	PRDECOD_001_3_ND	VARCHAR2
SUPPPR_PRPTCD_001_3	SUPPPR_PRPTCD_001_3	VARCHAR2
	SUPPPR_PRPTCD_001_3_ND	VARCHAR2
SUPPPR_PRHLT_001_3	SUPPPR_PRHLT_001_3	VARCHAR2
	SUPPPR_PRHLT_001_3_ND	VARCHAR2
SUPPPR_PRHLTCD_001_3	SUPPPR_PRHLTCD_001_3	VARCHAR2
	SUPPPR_PRHLTCD_001_3_ND	VARCHAR2
SUPPPR_PRHLGT_001_3	SUPPPR_PRHLGT_001_3	VARCHAR2
	SUPPPR_PRHLGT_001_3_ND	VARCHAR2
SUPPPR_PRHLGTCD_001_3	SUPPPR_PRHLGTCD_001_3	VARCHAR2
	SUPPPR_PRHLGTCD_001_3_ND	VARCHAR2
SUPPPR_PRSOC_001_3	SUPPPR_PRSOC_001_3	VARCHAR2
	SUPPPR_PRSOC_001_3_ND	VARCHAR2
SUPPPR_PRSOCCD_001_3	SUPPPR_PRSOCCD_001_3	VARCHAR2
	SUPPPR_PRSOCCD_001_3_ND	VARCHAR2

C3671059: INCLUSION/EXCLUSION CRITERIA (INF I/E) [IE002_2]

Inclusion Criterion Identifier		Inclusion Criterion Description
1. ✓		
Inclusion Criteria Not Met Entry [IE01002_2]		
1.1* ✓	Identifier of the Inclusion Criterion the subject did not meet: [Inclusion Criterion Identifier]	[IESPID_002_2] [IESPID_CL_002_2] ✓
1.2	Description of the Inclusion Criterion the subject did not meet: [read-only] [Inclusion Criterion Description]	[IETEST_002_2] [IETEST_CL_002_2] ✓
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
IESPID_CL_002_2	String		1		cliIESPID_1	IESPID_002_2
			2		cliIESPID_2	
IETEST_CL_002_2	String		Evidence of a signed and dated ICD signed by the parent(s)/legal guardian(s). Note: Informed consent will be obtained from the father of the fetus/infant if recommended by local requirements. Parent(s)/legal guardian(s) willing and able to comply with scheduled visits, investigational plan, laboratory tests, and other study procedures.	0_1	cliIETEST_Inclusion_Description_1_2	IETEST_002_2
				0_2	cliIETEST_Inclusion_Description_2_2	

RDE Analytics: RD_IE002_2		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE002_2_IE01002_2		
IESPID_002_2	IESPID_002_2_C	VARCHAR2
	IESPID_002_2	VARCHAR2
	IESPID_002_2_ND	VARCHAR2
IETEST_002_2	IETEST_002_2_C	VARCHAR2
	IETEST_002_2	VARCHAR2
	IETEST_002_2_ND	VARCHAR2

C3671059: DISPOSITION - SCREENING - INFANT (DISP SCRIN) [DS001_4_1]

Disposition - Screening [DS01001_4_1]

1.*
✓
Date of Completion/Discontinuation/Death:
[Date]

[DSSTDTC_001_4_1] (DD/MM/YYYY)
Req ☒ / Req ☒ / Req ☒ (2025-2029)

2.*
✓
Status:
[Status]

[DSECOD_001_4_1]
[DSECOD_CL_001_4_1] ☒

3.
Specify Status:
[Specify Status]

[DSTERM_001_4_1]
A100 *

4.
Phase of Disposition: [read-only]
[Disposition Phase]

[SUPPDS_DSPHASE_001_4_1]
[A:3] ☒ SCREENING

Key: [*] = Item is required [✓] = Source verification required [*] = ASCII Only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - SCREENING - INFANT		
Type	RefName	Description
Item	DSSTDTC_001_4_1	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_4_1	Specify Status

Codelist Values Tables: DISPOSITION - SCREENING - INFANT						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSECOD_CL_001_4_1	String		ADVERSE EVENT	1	clINCOMPLT_ADVERSE_EVENT	DSECOD_001_4_1
			COMPLETED	2	clINCOMPLT_COMPLETED	
			DEATH	3	clINCOMPLT_DEATH	
			OTHER	7	clINCOMPLT_OTHER	
			PHYSICIAN DECISION	8	clINCOMPLT_PHYSICIAN_DECISION	
			STUDY TERMINATED BY SPONSOR	14	clINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY PARENT/GUARDIAN	19	clINCOMPLT_WITHDRAWAL_BY_PARENT_GUARDIAN	
			LOST TO FOLLOW-UP	5	clINCOMPLT_LOST_TO_FOLLOWUP	
			PROTOCOL DEVIATION	11	clINCOMPLT_PROTOCOL_DEVIATION	

RDE Analytics: RD_DS001_4_1		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_4_1	DSSTDTC_001_4_1	DATE
	DSSTDTC_001_4_1_DTS	VARCHAR2
	DSSTDTC_001_4_1_ND	VARCHAR2
DSECOD_001_4_1	DSDECOD_001_4_1_C	VARCHAR2
	DSDECOD_001_4_1	VARCHAR2
	DSDECOD_001_4_1_ND	VARCHAR2
DSTERM_001_4_1	DSTERM_001_4_1	VARCHAR2
	DSTERM_001_4_1_ND	VARCHAR2
SUPPDS_DSPHASE_001_4_1	SUPPDS_DSPHASE_001_4_1_C	VARCHAR2
	SUPPDS_DSPHASE_001_4_1	VARCHAR2
	SUPPDS_DSPHASE_001_4_1_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

C3671059: ENROLLMENT (ENROLL) [DS001_2]

Enrollment [DS01001_2]

1.* Enrollment Date:
✓ [Date]

2.* Enrollment Number:
✓ [Reference ID]

[DSSTDTC_001_2] (DD/MM/YYYY)
Req ☒ / Req ☒ / Req ☒ (2025-2029)

[DSREFID_001_2]
A20 *

Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: ENROLLMENT		
Type	RefName	Description
Item	DSSTDTC_001_2	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_2		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_2	DSSTDTC_001_2	DATE
	DSSTDTC_001_2_DTS	VARCHAR2
	DSSTDTC_001_2_ND	VARCHAR2
DSREFID_001_2	DSREFID_001_2	VARCHAR2
	DSREFID_001_2_ND	VARCHAR2

C3671059: ELECTRONIC SAMPLE TRACKING - INFANT SEROLOGY (INF SERO) [BEETRK001_2]

Sample Tracking [BEETRK01001_2]

1. Data Origin: *[read-only]*
[Data Origin]

[BEPARTY_001_2]
[A:1] ☐ SITE

2.* Sample Type:
[Sample Type]

[BESCAT_001_2]
[A:16] ☐ SERUM
[A:37] ☐ UMBILICAL_CORD_SERUM

3.* Sample Collected?
[Sample Collected]

[BEOCCUR_001_2]
[A:N] ☐ NO
[A:Y] ☐ [BEOCCUR_CMP_001_2] ☐
YES
[BEDTC_001_2] (DD/MM/YYYY hh:mm)
Date and Time of Collection:
Req ☐ / Req ☐ / Req ☐ (2025-2029)
Req/Unk ☐ : Req/Unk ☐ 24-hour clock

4. If no sample was collected or sample was not collected according to protocol,
please provide reason:
[Reason sample not collected]

[CO_BECOM_001_2]
A200 *

5. ☒

Sample ID

Aliquot Identifiers Entry [BEETRK02001_2]

5.1* Sample ID:
[Sample ID]

[BEREFID_001_2]
A40 *

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [*] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_BEETRK001_2		
Data Variable RefName	RD Column Name	Column Data Type
BEPARTY_001_2	BEPARTY_001_2_C	VARCHAR2
	BEPARTY_001_2	VARCHAR2
	BEPARTY_001_2_ND	VARCHAR2
BESCAT_001_2	BESCAT_001_2_C	VARCHAR2
	BESCAT_001_2	VARCHAR2
	BESCAT_001_2_ND	VARCHAR2
BEOCCUR_001_2	BEOCCUR_001_2_C	VARCHAR2
	BEOCCUR_001_2	VARCHAR2
	BEOCCUR_001_2_ND	VARCHAR2
BEOCCUR_001_2 - BEDTC_001_2	BEDTC_001_2	DATE
	BEDTC_001_2_DTS	VARCHAR2
	BEDTC_001_2_DTR	VARCHAR2
CO_BECOM_001_2	CO_BECOM_001_2	VARCHAR2
	CO_BECOM_001_2_ND	VARCHAR2
*RD_BEETRK001_2_BEETRK02001_2		
BEREFID_001_2	BEREFID_001_2	VARCHAR2
	BEREFID_001_2_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

C3671059: OUTCOME OF LIVE BIRTH AND ENROLLMENT - INFANT (BTH OUTCM) [SCIF0022]

Outcome Of Live Birth [SCIF001022]

1.* Associated Parent ID:
✓ [Associated Parent ID]

[APRELSUB_APID_022]
A20 *

2.* Gestational Age
✓ [Gestational Age]

[X_SCORRES_GSTABRTH_CMP_022]
Gestational age in weeks:
20 <= N2 <= 45

[X_SCORRES_GSTABRTH_GAW_022]
Gestational age in days:
0 <= N2 <= 6

3.* APGAR Score - 1 Minute:
✓ [APGAR Score - 1 Minute]

[RSORRES_APGAR1M_022]
N2

4.* APGAR Score - 5 Minutes:
✓ [APGAR Score - 5 Minutes]

[RSORRES_APGAR5M_022]
N2

5.* APGAR Score - 10 Minutes:
✓ [APGAR Score - 10 Minutes]

[RSORRES_APGAR10M_022]
N2

6.* Infant Outcome:
✓ [Infant Outcome]

[SCORRES_INFOUT_022]
[A:1] ☐ NORMAL
[A:2] ☐ CONGENITAL MALFORMATION/ANOMALY
[A:3] ☐ OTHER NEONATAL PROBLEM
[A:998] ☐ UNKNOWN

Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

RDE Analytics: RD_SCIF0022

Data Variable RefName	RD Column Name	Column Data Type
APRELSUB_APID_022	APRELSUB_APID_022	VARCHAR2
	APRELSUB_APID_022_ND	VARCHAR2
X_SCORRES_GSTABRTH_CMP_022	*X_SCORRES_GSTABRTH_CMP_022_ND	VARCHAR2
X_SCORRES_GSTABRTH_CMP_022 - X_SCORRES_GSTABRTH_GAW_022	*X_SCORRES_GSTABRTH_GAW_022	NUMBER
X_SCORRES_GSTABRTH_CMP_022 - X_SCORRES_GSTABRTH_GAD_022	*X_SCORRES_GSTABRTH_GAD_022	NUMBER
RSORRES_APGAR1M_022	RSORRES_APGAR1M_022	NUMBER
	RSORRES_APGAR1M_022_ND	VARCHAR2
RSORRES_APGAR5M_022	RSORRES_APGAR5M_022	NUMBER
	RSORRES_APGAR5M_022_ND	VARCHAR2
RSORRES_APGAR10M_022	RSORRES_APGAR10M_022	NUMBER
	RSORRES_APGAR10M_022_ND	VARCHAR2
SCORRES_INFOUT_022	SCORRES_INFOUT_022_C	VARCHAR2
	SCORRES_INFOUT_022	VARCHAR2
	SCORRES_INFOUT_022_ND	VARCHAR2

Key: [*] = The column and/or table name in the actual RDE extract may be different.

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

C3671059: PHYSICAL EXAMINATION - INFANT (PHYS EXAM) [PE001]

Physical Examination [PE01001]

1.* Exam Date:
[Exam Date]

[PEDTC_001] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2025-2029)

Physical Examination Result Entry [PE02001]

#	Body System Examined	Result*
2.a	GENERAL APPEARANCE	
2.b	HEAD	
2.c	EYES	
2.d	EARS	
2.e	NOSE	
2.f	LUNGS	
2.g	HEART	
2.h	ABDOMEN	
2.i	GENITOURINARY	
2.j	BACK	
2.k	MUSCULOSKELETAL	
2.l	EXTREMITIES	
2.m	NEUROLOGICAL	
2.n	SKIN	
2.o	LYMPH NODES	

Physical Examination Result Entry [PE02001]

2.1 Body System Examined:
[Body System Examined]

[PETEST_001]
[PETEST_CL_001] ☐

2.2* Result:
[Result]

[PEORRES_001]
[A:1] ☐ NORMAL
[A:2] ☐ [X_PEOORRES_PEDESC_CMP_001] ☐
ABNORMAL
[X_PEOORRES_PEDESC_001]
If abnormal findings, specify: (If clinically significant, record on the Adverse Event page as appropriate).
A200*
[A:3] ☐ NOT DONE

Key: [*] = Item is required [] = Item is collapsible [] = Fixed item [*] = ASCII Only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: PHYSICAL EXAMINATION - INFANT		
Type	RefName	Description
Form	PE001	PE001 - Physical Examination
Item	PEDTC_001	Date of examination.
Item	PETEST_001	Name of the Body System
Item	PEORRES_001	Overall assessment of examined body system
Item	X_PEOORRES_PEDESC_001	Text description of any abnormal finding

Codelist Values Tables: PHYSICAL EXAMINATION - INFANT					
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName
PETEST_CL_001	String		GENERAL APPEARANCE	1	ciPETEST_GENERAL_APPEARANCE
			HEAD	2	ciPETEST_HEAD
			EYES	3	ciPETEST_EYES
			EARS	5	ciPETEST_EARS
			NOSE	6	ciPETEST_NOSE
			LUNGS	10	ciPETEST_LUNGS
			HEART	11	ciPETEST_HEART
			ABDOMEN	13	ciPETEST_ABDOMEN
			GENITOURINARY	14	ciPETEST_GENITOURINARY
			BACK	17	ciPETEST_BACK
			MUSCULOSKELETAL	18	ciPETEST_MUSCULOSKELETAL
			EXTREMITIES	19	ciPETEST_EXTREMITIES
			NEUROLOGICAL	21	ciPETEST_NEUROLOGICAL
			SKIN	22	ciPETEST_SKIN
			LYMPH NODES	23	ciPETEST_LYMPH_NODES
					PETEST_001

RDE Analytics: RD_PE001		
Data Variable RefName	RD Column Name	Column Data Type
PEDTC_001	PEDTC_001	DATE
	PEDTC_001_DTS	VARCHAR2
	PEDTC_001_ND	VARCHAR2
RD_PE001_PE02001		
PETEST_001	PETEST_001_C	VARCHAR2
	PETEST_001	VARCHAR2
	PETEST_001_ND	VARCHAR2
PEORRES_001	PEORRES_001_C	VARCHAR2
	PEORRES_001	VARCHAR2
	PEORRES_001_ND	VARCHAR2
PEORRES_001 - X_PEOORRES_PEDESC_001	X_PEOORRES_PEDESC_001	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

C3671059: VITAL SIGNS - INFANT (INF VIT) [VS001_1]

Vital Signs - I [VS01001_1]

1. Category for Vital Signs: [hidden]
[Category for Vital Signs]

[VSCAT_001_1]
[A:1] ☐ VITAL SIGNS

2.* Date:
[Date]

[VSDTC_001_1] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2025-2029)

3.* Weight:
[Weight]

[VSORRES_WEIGHT_001_1]
xxxxx.

4.* Unit:
[Weight Unit]

[VSORRESU_WEIGHT_001_1]
[A:9] ☐ kg
[A:11] ☐ LB

5.* Body Length:
[Body Length]

[VSORRES_BODLNGTH_001_1]
xxxxx.

6.* Unit:
[Body Length Unit]

[VSORRESU_BODLNGTH_001_1]
[A:5] ☐ cm
[A:8] ☐ in

7.* Head Circumference:
[Head Circumference]

[VSORRES_HDCIRC_001_1]
xxxxx.

8.* Unit:
[Head Circumference Unit]

[VSORRESU_HDCIRC_001_1]
[A:5] ☐ cm
[A:8] ☐ in

Vital Signs - II [VS02001_1]

9.a 1

Record Identifier

Temperature*

Temperature Unit*

Heart Rate in beats/minute*

Respiratory Rate in respirations/minute*

Vital Signs - II Entry [VS02001_1]

9.1 ☐ Record Identifier: [read-only]
[Record Identifier]

[VSSPID_001_1]
[A:1] ☐ 1

9.2* ☒ Temperature:
[Temperature]

[VSORRES_TEMP_001_1]
xxxxx.

9.3* ☒ Unit:
[Temperature Unit]

[VSORRESU_TEMP_001_1]
[A:6] ☐ F
[A:4] ☐ C

9.4* Heart Rate in beats/minute:
[Heart Rate in beats/minute]

[VSORRES_HR_001_1]
N3

9.5* Respiratory Rate in respirations/minute:
[Respiratory Rate in respirations/minute]

[VSORRES_RESP_001_1]
N3

Key: [*] = Item is required [☒] = Source verification required [☐] = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS - INFANT		
Type	RefName	Description
Form	VS001_1	VS001 - Vital Signs - Wide Format
Item	VSDTC_001_1	The date the measurement was performed.
Item	VSORRES_WEIGHT_001_1	Weight
Item	VSORRESU_WEIGHT_001_1	Weight Unit
Item	VSORRES_BODLNGTH_001_1	Body Length
Item	VSORRESU_BODLNGTH_001_1	Body Length Unit
Item	VSORRES_HDCIRC_001_1	Head Circumference.
Item	VSORRESU_HDCIRC_001_1	Head Circumference Unit
Item	VSSPID_001_1	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_TEMP_001_1	Temperature
Item	VSORRESU_TEMP_001_1	Temperature Unit
Item	VSORRES_HR_001_1	Heart Rate in beats/minute
Item	VSORRES_RESP_001_1	Respiratory Rate in respirations/minute.

RDE Analytics: RD_VS001_1		
Data Variable RefName	RD Column Name	Column Data Type
VSCAT_001_1	VSCAT_001_1_C	VARCHAR2
	VSCAT_001_1	VARCHAR2
	VSCAT_001_1_ND	VARCHAR2
VSDTC_001_1	VSDTC_001_1	DATE
	VSDTC_001_1_DTS	VARCHAR2
	VSDTC_001_1_ND	VARCHAR2
VSORRES_WEIGHT_001_1	VSORRES_WEIGHT_001_1	FLOAT
	VSORRES_WEIGHT_001_1_ND	VARCHAR2
VSORRESU_WEIGHT_001_1	VSORRESU_WEIGHT_001_1_C	VARCHAR2
	VSORRESU_WEIGHT_001_1	VARCHAR2
	VSORRESU_WEIGHT_001_1_ND	VARCHAR2
VSORRES_BODLNGTH_001_1	VSORRES_BODLNGTH_001_1	FLOAT
	VSORRES_BODLNGTH_001_1_ND	VARCHAR2
VSORRESU_BODLNGTH_001_1	VSORRESU_BODLNGTH_001_1_C	VARCHAR2
	VSORRESU_BODLNGTH_001_1	VARCHAR2
	VSORRESU_BODLNGTH_001_1_ND	VARCHAR2
VSORRES_HDCIRC_001_1	VSORRES_HDCIRC_001_1	FLOAT
	VSORRES_HDCIRC_001_1_ND	VARCHAR2
VSORRESU_HDCIRC_001_1	VSORRESU_HDCIRC_001_1_C	VARCHAR2
	VSORRESU_HDCIRC_001_1	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

	VSORRESU_HDCIRC_001_1_ND	VARCHAR2
RD_VS001_1_VS02001_1		
VSSPID_001_1	VSSPID_001_1_C	VARCHAR2
	VSSPID_001_1	VARCHAR2
	VSSPID_001_1_ND	VARCHAR2
VSORRES_TEMP_001_1	VSORRES_TEMP_001_1	FLOAT
	VSORRES_TEMP_001_1_ND	VARCHAR2
VSORRESU_TEMP_001_1	VSORRESU_TEMP_001_1_C	VARCHAR2
	VSORRESU_TEMP_001_1	VARCHAR2
	VSORRESU_TEMP_001_1_ND	VARCHAR2
VSORRES_HR_001_1	VSORRES_HR_001_1	NUMBER
	VSORRES_HR_001_1_ND	VARCHAR2
VSORRES_RESP_001_1	VSORRES_RESP_001_1	NUMBER
	VSORRES_RESP_001_1_ND	VARCHAR2

C3671059: Hospitalization Details (HOSP) - Repeating Form [HOHOS007]

#	Hospitalization Category	Hospitalization Term	Admission Date Time	Ongoing
1.	Hospitalization Details [HOHOS01007]			
1.	Hospitalization Category: [read-only] [Hospitalization Category]	[Y_HOCAT_007] [A:3] ☐ HOSPITALIZATION STATUS		
2.	Hospitalization Term: [read-only] [Hospitalization Term]	[HOTERM_007] [A:10] ☐ HOSPITAL		
3.* ▼	Admission Date Time: [Admission Date Time]	[HOSTDTC_007] (DD/MM/YYYY hh:mm) Req / Req / Req (2025-2029) Req : Req 24-hour clock		
4.* ▼	Ongoing? [Ongoing]	[X_HOONGO_007] [A:Y] ☐ YES [A:N] ☐ [HOENDTC_CMP_007] ☐ NO [HOENDTC_007] (DD/MM/YYYY hh:mm) Discharge Date Time: Req / Req / Req (2025-2029) Req : Req 24-hour clock		

Key: [*] = Item is required [▼] = Source verification required [⊞] = Item is collapsible

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_HOHOS007		
Data Variable RefName	RD Column Name	Column Data Type
Y_HOCAT_007	Y_HOCAT_007_C	VARCHAR2
	Y_HOCAT_007	VARCHAR2
	Y_HOCAT_007_ND	VARCHAR2
HOTERM_007	HOTERM_007_C	VARCHAR2
	HOTERM_007	VARCHAR2
	HOTERM_007_ND	VARCHAR2
HOSTDTC_007	HOSTDTC_007	DATE
	HOSTDTC_007_DTS	VARCHAR2
	HOSTDTC_007_ND	VARCHAR2
X_HOONGO_007	X_HOONGO_007_C	VARCHAR2
	X_HOONGO_007	VARCHAR2
	X_HOONGO_007_ND	VARCHAR2
X_HOONGO_007 - HOENDTC_007	HOENDTC_007	DATE
	HOENDTC_007_DTS	VARCHAR2

C3671059: TRIGGER FORM-IMMUNOGENICITY GROUP (TRIG) [R_TRIG001_2]	
Trigger Form [R_TRIG01001_2]	
1.* Select appropriate response - Immunogenicity sample collection visit? [Trigger Response 4]	[R_TRIGRESP4_001_2] [A:10] ☐ Blood Sample will be collected at V103 [A:11] ☐ Blood Sample will be collected at V104
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.	

RDE Analytics: RD_R_TRIG001_2		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP4_001_2	R_TRIGRESP4_001_2_C	VARCHAR2
	R_TRIGRESP4_001_2	VARCHAR2
	R_TRIGRESP4_001_2_ND	VARCHAR2

C3671059: ADVERSE EVENT REPORT (AE) - Repeating Form [AE001]

#	Category/AE Identifier	Adverse Event	Start Date Time	Is the Adverse Event Still Ongoing	Date Site Aware of AE	Toxicity Grade/Serious	Is AE a Result of a Medication Error	Relationship to Study Treatment	Action Taken with Study Treatment	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation	Device Related
1	Adverse Event Report [AE01001]													
1.	Category: [Category]	[AECAT_001] [A:1] ☐ ADVERSE EVENT [A:22] ☐ NEWLY DIAGNOSED CHRONIC MEDICAL CONDITION [A:43] ☐ AE OF SPECIAL INTEREST												
2.	AE ID: [read-only] [AE Identifier]	[AESPID_001] A20 *												
3.*	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]	[AETERM_001] A100 *												
4.*	Start Date Time: [Start Date Time]	[AESTDTC_001] (DD/MM/YYYY hh:mm) Req / / / (2025-2029) Req/Unk : / / 24-hour clock												
5.*	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]	[X_AEONGO_001] [A:Y] ☐ YES [A:N] ☐ [AEENDTC_CMP_001] ☐ NO [AEENDTC_001] (DD/MM/YYYY hh:mm) End Date Time: Req / / / (2025-2029) Req/Unk : / / 24-hour clock												
6.*	Date site aware of adverse event: [Date Site Aware of AE]	[SUPPAE_AESAWDTC_001] (DD/MM/YYYY) Req/Unk / / / (2025-2029)												
7.*	Toxicity Grade: [Toxicity Grade]	[AETOXGR_001] [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4												
8.*	Is the adverse event serious? If Yes, NOTIFY Pfizer IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[AESER_001] [A:Y] ☐ [AESCONG_CMP_001] ☐ YES [AESCONG_001] Is this serious event associated with congenital anomaly or birth defect? [A:Y] ☐ YES [A:N] ☐ NO [AESDTH_001] Did this serious event result in death? [A:Y] ☐ YES [A:N] ☐ NO [AESHOSP_001] Did this serious event require or prolong hospitalization? [A:Y] ☐ [AEHOSP_CMP_001] ☐ YES [D_SAEADMITDTC_001] (DD/MM/YYYY) Hospital Admission Date: Req / / / (2025-2029) [D_SAEDISCHDTC_001] (DD/MM/YYYY) Hospital Discharge Date: Req / / / (2025-2029) [A:N] ☐ NO [AESDISAB_001] Did this serious event result in persistent or significant disability/incapacity? [A:Y] ☐ YES [A:N] ☐ NO [AESLIFE_001] Is this serious event life threatening? [A:Y] ☐ YES [A:N] ☐ NO [AESHIE_001] Other medically important serious event [A:Y] ☐ YES [A:N] ☐ NO [A:N] ☐ NO												
9.*	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	[SUPPAE_AEHORES_001] [A:Y] ☐ YES [A:N] ☐ NO												
10.*	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001] [A:1] ☐ [SUPPAE_AERELNST_CMP_001] ☐ NOT RELATED [AERELNST_001] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [SUPPAE_AERELT_CMP_001] ☐ OTHER [SUPPAE_AERELTXT_001] If Other, specify: A80 * [A:2] ☐ RELATED												
11.*	Latest Action Taken with Study Treatment: [Action Taken with Study Treatment]	[AEACN_001] [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE												
12.*	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001] [A:Y] ☐ YES [A:N] ☐ NO												
13.*	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001] [A:Y] ☐ YES [A:N] ☐ NO												

14.* ✓	What was the outcome of this adverse event? [Outcome]	[AEOUT_001] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
15.* ✓	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001] [A:Y] ☐ YES [A:N] ☐ NO
16.	Was the AE related to a Pre-Filled Syringe or Vial adapter? [hidden] [Device Related]	[SUPPAE_AEDEVREL_001] [A:N] ☐ NO [A:Y] ☐ YES
17.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001] A200*
18.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001] A100*
19.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001] A8*
20.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001] A100*
21.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001] A8*
22.	High Level Term [hidden] [High Level Term]	[AEHLT_001] A100*
23.	High Level Term Code [hidden] [High Level Term Code]	[AEHLTCD_001] A8*
24.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001] A100*
25.	High Level Group Term Code [hidden] [High Level Group Term Code]	[AEHLGTC_001] A8*
26.	Primary System Organ Class [hidden] [Primary System Organ Class]	[AESOC_001] A100*
27.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[AESOCCD_001] A8*
28.* ✓	Was the AE related to a Pre-Filled Syringe or Vial adapter? [Device Related]	[AERLDEV_001] [A:N] ☐ NO [A:Y] ☐ YES

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [] = Key item [★] = ASCII Only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ADVERSE EVENT REPORT		
Type	RefName	Description
Form	AE001	AE001 - Standard AE Page
Item	AECAT_001	Used to define a category of adverse event variables.
Item	AESPID_001	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001	Date when the adverse event started.
Item	X_AEONGO_001	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001	Date when the adverse event resolved.
Item	SUPPAE_AESAWDTC_001	Date when the site became aware of the adverse event.
Item	AETOXGR_001	Description of the toxicity grade of the adverse event.
Item	AESER_001	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	SUPPAE_AEMERES_001	Is this adverse event the result of a study/background medication error
Item	AEREL_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELTXT_001	Event Due to Other Specify
Item	AEACN_001	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AECMGIV_001	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001	Non-Drug Treatment Given
Item	AEOUT_001	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	SUPPAE_AEDEVREL_001	Was this adverse event device related.
Item	D_COMPTERM2_001	Hidden Item needed for clear coding rule.
Item	AELLT_001	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTC_001	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.

Item	AESOCDD_001	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.
Item	AERLDEV_001	Was this adverse event device related.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT

Item	Unique	Order #
AE001 (Repeating form)		
AE01001		
AESTDTC_001	None	1

Coding Summary: ADVERSE EVENT REPORT

Verbatim RefName: D_COMPTERM2_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001	SOC	Term
AESOCDD_001	SOC	Code
AEHLGT_001	HLGT	Term
AEHLGTCD_001	HLGT	Code
AEHLT_001	HLT	Term
AEHLTCD_001	HLT	Code
AEDECOD_001	PT	Term
AEPTCD_001	PT	Code
AELLT_001	LLT	Term
AELLTCD_001	LLT	Code

RDE Analytics: RD_AE001

Data Variable RefName	RD Column Name	Column Data Type
AECAT_001	AECAT_001_C	VARCHAR2
	AECAT_001	VARCHAR2
	AECAT_001_ND	VARCHAR2
AESPID_001	AESPID_001	VARCHAR2
	AESPID_001_ND	VARCHAR2
AETERM_001	AETERM_001	VARCHAR2
	AETERM_001_ND	VARCHAR2
AESTDTC_001	AESTDTC_001	DATE
	AESTDTC_001_DTS	VARCHAR2
	AESTDTC_001_DTR	VARCHAR2
	AESTDTC_001_ND	VARCHAR2
X_AEONGO_001	X_AEONGO_001_C	VARCHAR2
	X_AEONGO_001	VARCHAR2
	X_AEONGO_001_ND	VARCHAR2
X_AEONGO_001 - AEENDTC_001	AEENDTC_001	DATE
	AEENDTC_001_DTS	VARCHAR2
	AEENDTC_001_DTR	VARCHAR2
	AEENDTC_001_ND	VARCHAR2
SUPPAE_AESAWDTC_001	SUPPAE_AESAWDTC_001	DATE
	SUPPAE_AESAWDTC_001_DTS	VARCHAR2
	SUPPAE_AESAWDTC_001_DTR	VARCHAR2
	SUPPAE_AESAWDTC_001_ND	VARCHAR2
AETOXGR_001	AETOXGR_001_C	VARCHAR2
	AETOXGR_001	VARCHAR2
	AETOXGR_001_ND	VARCHAR2
AESER_001	AESER_001_C	VARCHAR2
	AESER_001	VARCHAR2
	AESER_001_ND	VARCHAR2
	AESER_001 - AESCONG_001	VARCHAR2
AESER_001 - AESCONG_001	AESCONG_001_C	VARCHAR2
	AESCONG_001	VARCHAR2
AESER_001 - AESDTH_001	AESDTH_001_C	VARCHAR2
	AESDTH_001	VARCHAR2
AESER_001 - AESHOSP_001	AESHOSP_001_C	VARCHAR2
	AESHOSP_001	VARCHAR2
AESER_001 - D_SAEADMITDTC_001	D_SAEADMITDTC_001	DATE
	D_SAEADMITDTC_001_DTS	VARCHAR2
AESER_001 - D_SAEDISCHDTC_001	D_SAEDISCHDTC_001	DATE
	D_SAEDISCHDTC_001_DTS	VARCHAR2
AESER_001 - AESDISAB_001	AESDISAB_001_C	VARCHAR2
	AESDISAB_001	VARCHAR2
AESER_001 - AESLIFE_001	AESLIFE_001_C	VARCHAR2
	AESLIFE_001	VARCHAR2
AESER_001 - AESMIE_001	AESMIE_001_C	VARCHAR2
	AESMIE_001	VARCHAR2
SUPPAE_AEMERES_001	SUPPAE_AEMERES_001_C	VARCHAR2
	SUPPAE_AEMERES_001	VARCHAR2
	SUPPAE_AEMERES_001_ND	VARCHAR2
AEREL_001	AEREL_001_C	VARCHAR2
	AEREL_001	VARCHAR2
	AEREL_001_ND	VARCHAR2
AEREL_001 - AERELNST_001	AERELNST_001_C	VARCHAR2
	AERELNST_001	VARCHAR2

AEREL_001 - SUPPAE_AERELTXT_001	SUPPAE_AERELTXT_001	VARCHAR2
AEACN_001	AEACN_001_C	VARCHAR2
	AEACN_001	VARCHAR2
	AEACN_001_ND	VARCHAR2
SUPPAE_AECMGIV_001	SUPPAE_AECMGIV_001_C	VARCHAR2
	SUPPAE_AECMGIV_001	VARCHAR2
	SUPPAE_AECMGIV_001_ND	VARCHAR2
SUPPAE_AENDGIV_001	SUPPAE_AENDGIV_001_C	VARCHAR2
	SUPPAE_AENDGIV_001	VARCHAR2
	SUPPAE_AENDGIV_001_ND	VARCHAR2
AEOUT_001	AEOUT_001_C	VARCHAR2
	AEOUT_001	VARCHAR2
	AEOUT_001_ND	VARCHAR2
SUPPAE_AESUBJDC_001	SUPPAE_AESUBJDC_001_C	VARCHAR2
	SUPPAE_AESUBJDC_001	VARCHAR2
	SUPPAE_AESUBJDC_001_ND	VARCHAR2
SUPPAE_AEDEVREL_001	SUPPAE_AEDEVREL_001_C	VARCHAR2
	SUPPAE_AEDEVREL_001	VARCHAR2
	SUPPAE_AEDEVREL_001_ND	VARCHAR2
D_COMPTERM2_001	D_COMPTERM2_001	VARCHAR2
	D_COMPTERM2_001_ND	VARCHAR2
AELLT_001	AELLT_001	VARCHAR2
	AELLT_001_ND	VARCHAR2
AELLTCD_001	AELLTCD_001	VARCHAR2
	AELLTCD_001_ND	VARCHAR2
AEDECOD_001	AEDECOD_001	VARCHAR2
	AEDECOD_001_ND	VARCHAR2
AEPTCD_001	AEPTCD_001	VARCHAR2
	AEPTCD_001_ND	VARCHAR2
AEHLT_001	AEHLT_001	VARCHAR2
	AEHLT_001_ND	VARCHAR2
AEHLTCD_001	AEHLTCD_001	VARCHAR2
	AEHLTCD_001_ND	VARCHAR2
AEHLGT_001	AEHLGT_001	VARCHAR2
	AEHLGT_001_ND	VARCHAR2
AEHLGTCD_001	AEHLGTCD_001	VARCHAR2
	AEHLGTCD_001_ND	VARCHAR2
AESOC_001	AESOC_001	VARCHAR2
	AESOC_001_ND	VARCHAR2
AESOCCD_001	AESOCCD_001	VARCHAR2
	AESOCCD_001_ND	VARCHAR2
AERLDEV_001	AERLDEV_001_C	VARCHAR2
	AERLDEV_001	VARCHAR2
	AERLDEV_001_ND	VARCHAR2

C3671059: MEDICATION ERROR (MED ERROR) - Repeating Form [AE001_1]

#	Category	Medication Error	Incorrect package ID	Start Date	End Date	Study Medication Errors Action	Concomitant Medication Given	Non-Drug Treatment Given	Medication Error Associated With AE	Device Related
1										
Medication Error Report [AE01001_1]										
1.	Category: [read-only] [Category]	[AECAT_001_1] [A:21] ☐ MEDICATION ERROR								
2.* ✓	Medication Error: (If possible specify diagnosis, not individual symptoms) (Type of medication error) [Medication Error]	[AETERM_001_1] A100*								
3.	If this is a dispensing error, record the incorrect package ID that was dispensed/administered to the subject: [Incorrect package ID]	[SUPPAE_AEIPKGID_001_1] A20*								
4.* ✓	Start Date: [Start Date]	[AESTDTC_001_1] (DD/MM/YYYY) Req / / (2025-2029)								
5.*	End Date: [End Date]	[AEENDTC_001_1] (DD/MM/YYYY) Req / / (2025-2029)								
6.*	Latest Action Taken with Study Treatment: [Study Medication Errors Action]	[SUPPAE_AEMEACN_001_1] [A:1] ☐ NO ACTION TAKEN [A:4] ☐ PERMANENTLY DISCONTINUED								
7.*	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_1] [A:Y] ☐ YES [A:N] ☐ NO								
8.*	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_1] [A:Y] ☐ YES [A:N] ☐ NO								
9.* ✓	Was this medication error associated with any adverse events? [Medication Error Associated With AE]	[SUPPAE_AEMEFL_001_1] [A:Y] ☐ ☐ [SUPPAE_AEMEFL_CMP_001_1] ☐ YES [R_SUPPAE_AEAENO1_001_1] AE ID: A20* [R_SUPPAE_AEAENO2_001_1] AE ID: A20* [R_SUPPAE_AEAENO3_001_1] AE ID: A20* [R_SUPPAE_AEAENO4_001_1] AE ID: A20* [R_SUPPAE_AEAENO5_001_1] AE ID: A20* [A:N] ☐ NO								
10.	Was the Medication Error related to a Syringe or Vial? [hidden] [Device Related]	[SUPPAE_AEDEVREL_001_1] [A:Y] ☐ YES [A:N] ☐ NO								
11.	Comparison Term [hidden] [Comparison Term]	[O_COMPTERM2_001_1] A200*								
12.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001_1] A100*								
13.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001_1] A8*								
14.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001_1] A100*								
15.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001_1] A8*								
16.	High Level Term [hidden] [High Level Term]	[AEHLT_001_1] A100*								
17.	High Level Term Code [hidden] [High Level Term Code]	[AEHLTCD_001_1] A8*								
18.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001_1] A100*								
19.	High Level Group Term Code [hidden] [High Level Group Term Code]	[AEHLGTCD_001_1] A8*								
20.	Primary System Organ Class [hidden] [Primary System Organ Class]	[AESOC_001_1] A100*								
21.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[AESOCCD_001_1] A8*								
22.*	Was the Medication Error related to a Pre-Filled Syringe or Vial adapter? [Device Related]	[AERLDEV_001_1] [A:N] ☐ NO [A:Y] ☐ YES								
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [☐] = Key item [*] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.										
Study Object Descriptions: MEDICATION ERROR										

Type	RefName	Description
Form	AE001_1	AE001 - Standard AE Page
Item	AECAT_001_1	Used to define a category of adverse event variables.
Item	AETERM_001_1	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	SUPPAE_AEIPKGID_001_1	Incorrect Package ID
Item	AESTDTC_001_1	Date when the adverse event started.
Item	AEENDTC_001_1	Date when the adverse event resolved.
Item	SUPPAE_AEMEACN_001_1	Changes made to the study treatment in response to the medication error adverse event.
Item	SUPPAE_AECMGIV_001_1	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_1	Non-Drug Treatment Given
Item	SUPPAE_AEMEFL_001_1	Was this medication error associated with any adverse events
Item	SUPPAE_AEDEVREL_001_1	Was this adverse event device related.
Item	D_COMPTERM2_001_1	Hidden Item needed for clear coding rule.
Item	AELLT_001_1	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_1	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_1	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_1	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_1	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_1	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_1	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTC_001_1	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_1	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOC_001_1	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.
Item	AERLDEV_001_1	Was this adverse event device related.

Keys (navigation)/Uniqueness: MEDICATION ERROR		
Item	Unique	Order #
AE001_1 (Repeating form)		
AE01001_1		
AESTDTC_001_1	None	1

Coding Summary: MEDICATION ERROR		
Verbatim RefName: D_COMPTERM2_001_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_1	SOC	Term
AESOC_001_1	SOC	Code
AEHLGT_001_1	HLGT	Term
AEHLGTCD_001_1	HLGT	Code
AEHLT_001_1	HLT	Term
AEHLTCD_001_1	HLT	Code
AEDECOD_001_1	PT	Term
AEPTCD_001_1	PT	Code
AELLT_001_1	LLT	Term
AELLTCD_001_1	LLT	Code

RDE Analytics: RD_AE001_1		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_1	AECAT_001_1_C	VARCHAR2
	AECAT_001_1	VARCHAR2
	AECAT_001_1_ND	VARCHAR2
AETERM_001_1	AETERM_001_1	VARCHAR2
	AETERM_001_1_ND	VARCHAR2
SUPPAE_AEIPKGID_001_1	SUPPAE_AEIPKGID_001_1	VARCHAR2
	SUPPAE_AEIPKGID_001_1_ND	VARCHAR2
AESTDTC_001_1	AESTDTC_001_1	DATE
	AESTDTC_001_1_DTS	VARCHAR2
	AESTDTC_001_1_ND	VARCHAR2
AEENDTC_001_1	AEENDTC_001_1	DATE
	AEENDTC_001_1_DTS	VARCHAR2
	AEENDTC_001_1_ND	VARCHAR2
SUPPAE_AEMEACN_001_1	SUPPAE_AEMEACN_001_1_C	VARCHAR2
	SUPPAE_AEMEACN_001_1	VARCHAR2
	SUPPAE_AEMEACN_001_1_ND	VARCHAR2
SUPPAE_AECMGIV_001_1	SUPPAE_AECMGIV_001_1_C	VARCHAR2
	SUPPAE_AECMGIV_001_1	VARCHAR2
	SUPPAE_AECMGIV_001_1_ND	VARCHAR2
SUPPAE_AENDGIV_001_1	SUPPAE_AENDGIV_001_1_C	VARCHAR2
	SUPPAE_AENDGIV_001_1	VARCHAR2
	SUPPAE_AENDGIV_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1	SUPPAE_AEMEFL_001_1_C	VARCHAR2
	SUPPAE_AEMEFL_001_1	VARCHAR2
	SUPPAE_AEMEFL_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAEN01_001_1	R_SUPPAE_AEAEN01_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAEN02_001_1	R_SUPPAE_AEAEN02_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAEN03_001_1	R_SUPPAE_AEAEN03_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAEN04_001_1	R_SUPPAE_AEAEN04_001_1	VARCHAR2

SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENOS_001_1	R_SUPPAE_AEAENOS_001_1	VARCHAR2
SUPPAE_AEDEVREL_001_1	SUPPAE_AEDEVREL_001_1_C	VARCHAR2
	SUPPAE_AEDEVREL_001_1	VARCHAR2
	SUPPAE_AEDEVREL_001_1_ND	VARCHAR2
D_COMPTERM2_001_1	D_COMPTERM2_001_1	VARCHAR2
	D_COMPTERM2_001_1_ND	VARCHAR2
AELLT_001_1	AELLT_001_1	VARCHAR2
	AELLT_001_1_ND	VARCHAR2
AELLTCD_001_1	AELLTCD_001_1	VARCHAR2
	AELLTCD_001_1_ND	VARCHAR2
AEDECOD_001_1	AEDECOD_001_1	VARCHAR2
	AEDECOD_001_1_ND	VARCHAR2
AEPTCD_001_1	AEPTCD_001_1	VARCHAR2
	AEPTCD_001_1_ND	VARCHAR2
AEHLT_001_1	AEHLT_001_1	VARCHAR2
	AEHLT_001_1_ND	VARCHAR2
AEHLTCD_001_1	AEHLTCD_001_1	VARCHAR2
	AEHLTCD_001_1_ND	VARCHAR2
AEHLGT_001_1	AEHLGT_001_1	VARCHAR2
	AEHLGT_001_1_ND	VARCHAR2
AEHLGTCD_001_1	AEHLGTCD_001_1	VARCHAR2
	AEHLGTCD_001_1_ND	VARCHAR2
AESOC_001_1	AESOC_001_1	VARCHAR2
	AESOC_001_1_ND	VARCHAR2
AESOCCD_001_1	AESOCCD_001_1	VARCHAR2
	AESOCCD_001_1_ND	VARCHAR2
AERLDEV_001_1	AERLDEV_001_1_C	VARCHAR2
	AERLDEV_001_1	VARCHAR2
	AERLDEV_001_1_ND	VARCHAR2

C3671059: CONCOMITANT MEDICATIONS (CONMED) - Repeating Form [CM001]

#	Sponsor-Defined Identifier	Category for Medication	Name of Medication	Start Date	Ongoing
1.	What is the medication identifier? [read-only] [Sponsor-Defined Identifier]		[CMSPID_001] A20*		
2.	Category: [read-only] [Category for Medication]		[CMCAT_001] [A:1] ☐ GENERAL CONCOMITANT MEDICATIONS		
3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). [Name of Medication]		[CMTRT_001] A100*		
4.*	Start Date: [Start Date]		[CMSTDTC_001] (DD/MM/YYYY) Req/Unk ☒ / Req/Unk ☐ / Req ☐ (2024-2029)		
5.*	Ongoing? [Ongoing]		[X_CMONGO_001] [A:Y] ☐ YES [A:N] ☒ [X_CMENDTC_CMP_001] ☐ NO [CMENDTC_001] (DD/MM/YYYY) End Date: Req/Unk ☒ / Req/Unk ☐ / Req ☐ (2024-2029)		
6.	Comparison Term [hidden] [Comparison Term]		[D_COMPTERM1_001] A200*		
7.	Standardized Medication Name - Dictionary derived [hidden] [Standardized Medication Name]		[CMDECOD_001] A300*		
8.	Standardized Medication Code - Dictionary derived [hidden] [Standardized Medication Code]		[SUPPCM_CMCODE_001] A11*		

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: CONCOMITANT MEDICATIONS		
Type	RefName	Description
Item	CMSPID_001	A sponsor-defined reference number.
Item	CMTRT_001	Name of Medication
Item	CMSTDTC_001	Date the medication was first taken
Item	X_CMONGO_001	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001	Date the subject stopped taking the medication
Item	D_COMPTERM1_001	Hidden Item needed for clear coding rule.
Item	CMDECOD_001	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001	Standardized Medication Code - Dictionary derived

Coding Summary: CONCOMITANT MEDICATIONS			
Verbatim RefName: D_COMPTERM1_001			
Dictionary: Pfizer WHODD Verbatim Type:			
Coding Item RefName	Level	Level Type	
CMDECOD_001	PT	Term	
SUPPCM_CMCODE_001	PT	Code	

RDE Analytics: RD_CM001		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001	CMSPID_001	VARCHAR2
	CMSPID_001_ND	VARCHAR2
CMCAT_001	CMCAT_001_C	VARCHAR2
	CMCAT_001	VARCHAR2
	CMCAT_001_ND	VARCHAR2
CMTRT_001	CMTRT_001	VARCHAR2
	CMTRT_001_ND	VARCHAR2
CMSTDTC_001	CMSTDTC_001	DATE
	CMSTDTC_001_DTS	VARCHAR2
	CMSTDTC_001_DTR	VARCHAR2
	CMSTDTC_001_ND	VARCHAR2
X_CMONGO_001	X_CMONGO_001_C	VARCHAR2
	X_CMONGO_001	VARCHAR2
	X_CMONGO_001_ND	VARCHAR2
X_CMONGO_001 - CMENDTC_001	CMENDTC_001	DATE
	CMENDTC_001_DTS	VARCHAR2
	CMENDTC_001_DTR	VARCHAR2
	CMENDTC_001_ND	VARCHAR2
D_COMPTERM1_001	D_COMPTERM1_001	VARCHAR2
	D_COMPTERM1_001_ND	VARCHAR2
CMDECOD_001	CMDECOD_001	VARCHAR2
	CMDECOD_001_ND	VARCHAR2
SUPPCM_CMCODE_001	SUPPCM_CMCODE_001	VARCHAR2
	SUPPCM_CMCODE_001_ND	VARCHAR2

C3671059: CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS (CONMED VAX) - Repeating Form [CM001_2]

#	Sponsor-Defined Identifier	Category for Medication	Name of Medication	Start Date
1				

Concomitant Medications [CM01001_2]

1.

What is the medication identifier? [read-only]
[Sponsor-Defined Identifier]

[CMSPID_001_2]

A20*

2.

Category: [read-only]
[Category for Medication]

[CMCAT_001_2]

[A:3] VACCINATIONS

3.*

Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name.
[Name of Medication]

[CMTRT_001_2]

A100*

4.*

Start Date:
[Start Date]

[CMSTDTC_001_2] (DD/MM/YYYY)

Req/Unk ☒ / Req/Unk ☒ / Req ☒ (2022-2029)

5.

Comparison Term [hidden]
[Comparison Term]

[D_COMPTERM1_001_2]

A200*

6.

Standardized Medication Name - Dictionary derived. [hidden]
[Standardized Medication Name]

[CMDECOD_001_2]

A300*

7.

Standardized Medication Code - Dictionary derived [hidden]
[Standardized Medication Code]

[SUPPCM_CMCODE_001_2]

A11*

Key: [*] = Item is required [✓] = Source verification required [*] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS

Type	RefName	Description
Item	CMSPID_001_2	A sponsor-defined reference number.
Item	CMTRT_001_2	Name of Medication
Item	CMSTDTC_001_2	Date the medication was first taken
Item	D_COMPTERM1_001_2	Hidden Item needed for clear coding rule.
Item	CMDECOD_001_2	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001_2	Standardized Medication Code - Dictionary derived

Coding Summary: CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS

Verbatim RefName: D_COMPTERM1_001_2		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
CMDECOD_001_2	PT	Term
SUPPCM_CMCODE_001_2	PT	Code

RDE Analytics: RD_CM001_2		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001_2	CMSPID_001_2	VARCHAR2
	CMSPID_001_2_ND	VARCHAR2
CMCAT_001_2	CMCAT_001_2_C	VARCHAR2
	CMCAT_001_2	VARCHAR2
	CMCAT_001_2_ND	VARCHAR2
CMTRT_001_2	CMTRT_001_2	VARCHAR2
	CMTRT_001_2_ND	VARCHAR2
CMSTDTC_001_2	CMSTDTC_001_2	DATE
	CMSTDTC_001_2_DTS	VARCHAR2
	CMSTDTC_001_2_DTR	VARCHAR2
	CMSTDTC_001_2_ND	VARCHAR2
D_COMPTERM1_001_2	D_COMPTERM1_001_2	VARCHAR2
	D_COMPTERM1_001_2_ND	VARCHAR2
CMDECOD_001_2	CMDECOD_001_2	VARCHAR2
	CMDECOD_001_2_ND	VARCHAR2
SUPPCM_CMCODE_001_2	SUPPCM_CMCODE_001_2	VARCHAR2
	SUPPCM_CMCODE_001_2_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

C3671059: TRANSFUSIONS (TRANSFUSE) - Repeating Form [PRTFD002]

#	Transfusion Type	Treatment Identifier	Date of Transfusion	Transfusion [Amount/Volume]	Transfusion [Amount/Volume] Unit
1					
Transfusions [PRTFD01002]					
1.* ✓	Transfusion Type: [Transfusion Type]	[PRTRT_002] [A:1] ☐ PACKED RBC [A:2] ☐ PLATELETS [A:3] ☐ WHOLE BLOOD [A:4] ☐ PLASMA [A:999] ☐ [X_PRTRT_TFDTYPO_002] ☐ OTHER [X_PRTRT_TFDTYPO_002] Specify: A30 *			
2.	What is the treatment Identifier? [read-only] [Treatment Identifier]	[PRSPID_002] A20 *			
3.* ✓	Date of Transfusion: [Date of Transfusion]	[PRSTDTC_002] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2029)			
4.* ✓	Transfusion Amount: [Transfusion [Amount/Volume]]	[PRDOSE_002] N4			
5.	Transfusion Amount Unit: [read-only] [Transfusion [Amount/Volume] Unit]	[PRDOSU_002] [A:380] ☐ U			
Key: [*] = Item is required [✓] = Source verification required [input type="checkbox"/>] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.					

RDE Analytics: RD_PRTFD002		
Data Variable RefName	RD Column Name	Column Data Type
PRTRT_002	PRTRT_002_C	VARCHAR2
	PRTRT_002	VARCHAR2
	PRTRT_002_ND	VARCHAR2
PRTRT_002 - X_PRTRT_TFDTYPO_002	X_PRTRT_TFDTYPO_002	VARCHAR2
PRSPID_002	PRSPID_002	VARCHAR2
	PRSPID_002_ND	VARCHAR2
PRSTDTC_002	PRSTDTC_002	DATE
	PRSTDTC_002_DTS	VARCHAR2
	PRSTDTC_002_ND	VARCHAR2
PRDOSE_002	PRDOSE_002	NUMBER
	PRDOSE_002_ND	VARCHAR2
PRDOSU_002	PRDOSU_002_C	VARCHAR2
	PRDOSU_002	VARCHAR2
	PRDOSU_002_ND	VARCHAR2

C3671059: TRANSFUSIONS - INFANT (INF TRNSFN) - Repeating Form [PRTFD002_1]

#	Transfusion Type	Treatment Identifier	Date of Transfusion	Transfusion [Amount/Volume]	Transfusion [Amount/Volume] Unit
1					

Transfusions [PRTFD01002_1]

1.*
Transfusion Type:
[Transfusion Type]

[PRTRT_002_1]

[A:1] ☐ PACKED RBC

[A:2] ☐ PLATELETS

[A:3] ☐ WHOLE BLOOD

[A:4] ☐ PLASMA

[A:999] ☐ [X_PRTRT_TFDTYPO_002_1] ☐

OTHER

[X_PRTRT_TFDTYPO_002_1]

Specify:

A30 *

2.
What is the treatment Identifier? [read-only]
[Treatment Identifier]

[PRSPID_002_1]

A20 *

3.*
Date of Transfusion:
[Date of Transfusion]

[PRSTDTC_002_1] (DD/MM/YYYY)

Req / / (2025-2029)

4.*
Transfusion Amount:
[Transfusion [Amount/Volume]]

[PRDOSE_002_1]

N4

5.
Transfusion Amount Unit: [read-only]
[Transfusion [Amount/Volume] Unit]

[PRDOSU_002_1]

[A:9] ☐ mL

Key: [*] = Item is required [✓] = Source verification required [⊞] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_PRTFD002_1		
Data Variable RefName	RD Column Name	Column Data Type
PRTRT_002_1	PRTRT_002_1_C	VARCHAR2
	PRTRT_002_1	VARCHAR2
	PRTRT_002_1_ND	VARCHAR2
PRTRT_002_1 - X_PRTRT_TFDTYPO_002_1	X_PRTRT_TFDTYPO_002_1	VARCHAR2
PRSPID_002_1	PRSPID_002_1	VARCHAR2
	PRSPID_002_1_ND	VARCHAR2
PRSTDTC_002_1	PRSTDTC_002_1	DATE
	PRSTDTC_002_1_DTS	VARCHAR2
	PRSTDTC_002_1_ND	VARCHAR2
PRDOSE_002_1	PRDOSE_002_1	NUMBER
	PRDOSE_002_1_ND	VARCHAR2
PRDOSU_002_1	PRDOSU_002_1_C	VARCHAR2
	PRDOSU_002_1	VARCHAR2
	PRDOSU_002_1_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

C3671059: UNPLANNED VISIT (UNPL) [D_UPA001]		
Unplanned Assessments [D_UPA01001]		
1.*	Assessments [Assessments]	[D_UNPLASS_001] [A:1] ☐ CONTACT OUTCOME-UNPLANNED REACTOGENICITY [A:2] ☐ PREGNANCY OUTCOME [A:3] ☐ PARTICIPANT REPORTED-REACTOGENICITY
Key: [*] = Item is required Note: Source verification critical settings made in Inform will override any settings made in Central Designer.		

RDE Analytics: RD_D_UPA001		
Data Variable RefName	RD Column Name	Column Data Type
D_UNPLASS_001	D_UNPLASS_001_ND	VARCHAR2
D_UNPLASS_001 - CONTACT OUTCOME-UNPLANNED REACTOGENICITY	*D_UNPLASS_001_CLIUNPLASSCONTACTOUTCOMEUNPLANNEDREACTOGENICITY_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSCONTACTOUTCOMEUNPLANNEDREACTOGENICITY	VARCHAR2
D_UNPLASS_001 - PREGNANCY OUTCOME	*D_UNPLASS_001_CLIUNPLASSPREGNANCYOUTCOME_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPREGNANCYOUTCOME	VARCHAR2
D_UNPLASS_001 - PARTICIPANT REPORTED-REACTOGENICITY	*D_UNPLASS_001_CLIUNPLASSPARTICIPANTREPORTEDREACTOGENICITY_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPARTICIPANTREPORTEDREACTOGENICITY	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C3671059: UNPLANNED ASSESSMENT OF REACTOGENICITY (U REACT) [CECISR072]

Reactogenicity - Unplanned Assessment [CECISR01072]

1.*
✓

Date of Assessment:
[Date of Assessment]

[Y_CEDTC_072] (DD/MM/YYYY)
Req ☒ / Req ☒ / Req ☒ (2025-2029)

2.
✓

Reaction

Injection Site Location

Injection Site Body Side

Maximum Diameter

Meets Grade 4 Reaction Criteria

Injection Site Reactions Entry [CECISR02072]

2.1*
✓

Reaction:
[Reaction]

[CETERM_072]
[A:1] ☐ REDNESS
[A:2] ☒ SWELLING

2.2

Injection Site Location: [read-only]
[Injection Site Location]

[Y_CELOC_072]
[A:744] ☒ DELTOID MUSCLE

2.3*
✓

Injection Site Body Side:
[Injection Site Body Side]

[Y_CELAT_072]
[A:5] ☐ LEFT
[A:6] ☒ RIGHT

2.4*
✓

Maximum Diameter (cm):
[Maximum Diameter]

[FAORRES_MAXDIAM_072]
xxx.

2.5*
✓

Meets Grade 4 Reaction Criteria:
[Meets Grade 4 Reaction Criteria]

[FAORRES_G4CRIMET_072]
[A:N] ☐ NO
[A:Y] ☒ YES

3.
✓

Reaction

Injection Site Location

Injection Site Body Side

Symptom Severity

Injection Site Pain Entry [CECISR03072]

3.1

Reaction: [read-only]
[Reaction]

[CETERM1_072]
[A:12] ☒ PAIN AT INJECTION SITE

3.2

Injection Site Location: [read-only]
[Injection Site Location]

[Y_CELOC1_072]
[A:744] ☒ DELTOID MUSCLE

3.3*
✓

Injection Site Body Side:
[Injection Site Body Side]

[Y_CELAT1_072]
[A:5] ☐ LEFT
[A:6] ☒ RIGHT

3.4*
✓

Severity:
[Symptom Severity]

[FAORRES_SEV_072]
[A:1] ☐ MILD
[A:2] ☒ MODERATE
[A:3] ☐ [FAORRES1_G4CRIMET_CMP_072] ☐ SEVERE
[FAORRES1_G4CRIMET_072]
Meets Grade 4 Criteria:
[A:N] ☐ NO
[A:Y] ☒ YES

4.
✓

Symptom

Symptom Severity

Systemic Symptoms Entry [CECISR04072]

4.1*
✓

Symptom:
[Symptom]

[CETERM2_072]
[CETERM2_CL_072] ☒

4.2*
✓

Severity:
[Symptom Severity]

[FAORRES1_SEV_072]
[A:1] ☐ MILD
[A:2] ☐ MODERATE
[A:3] ☐ [FAORRES2_G4CRIMET_CMP_072] ☐ SEVERE
[FAORRES2_G4CRIMET_072]
Meets Grade 4 Criteria:
[A:N] ☐ NO
[A:Y] ☒ YES

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Codelist Values Tables: UNPLANNED ASSESSMENT OF REACTOGENICITY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM2_CL_072	String		HEADACHE	3	clCISRJ_HEADACHE	CETERM2_072
			VOMITING	4	clCISRJ_VOMITING	
			DIARRHEA	6	clCISRJ_DIARRHEA	
			MUSCLE PAIN	9	clCISRJ_MUSCLE_PAIN	
			JOINT PAIN	11	clCISRJ_JOINT_PAIN	
			NAUSEA	13	clCISRJ_NAUSEA	
			FATIGUE	7	clCISRJ_FATIGUE	

RDE Analytics: RD_CECISR072			
Data Variable RefName	RD Column Name	Column Data Type	
Y_CEDTC_072	Y_CEDTC_072	DATE	
	Y_CEDTC_072_DTS	VARCHAR2	
	Y_CEDTC_072_ND	VARCHAR2	
RD_CECISR072_CECISR02072			
CETERM_072	CETERM_072_C	VARCHAR2	
	CETERM_072	VARCHAR2	
	CETERM_072_ND	VARCHAR2	
Y_CELOC_072	Y_CELOC_072_C	VARCHAR2	
	Y_CELOC_072	VARCHAR2	
	Y_CELOC_072_ND	VARCHAR2	
Y_CELAT_072	Y_CELAT_072_C	VARCHAR2	
	Y_CELAT_072	VARCHAR2	

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

	Y_CELAT_072_ND	VARCHAR2
FAORRES_MAXDIAM_072	FAORRES_MAXDIAM_072	FLOAT
	FAORRES_MAXDIAM_072_ND	VARCHAR2
FAORRES_G4CRIMET_072	FAORRES_G4CRIMET_072_C	VARCHAR2
	FAORRES_G4CRIMET_072	VARCHAR2
	FAORRES_G4CRIMET_072_ND	VARCHAR2
RD_CECISR072_CECISR03072		
CETERM1_072	CETERM1_072_C	VARCHAR2
	CETERM1_072	VARCHAR2
	CETERM1_072_ND	VARCHAR2
Y_CELOC1_072	Y_CELOC1_072_C	VARCHAR2
	Y_CELOC1_072	VARCHAR2
	Y_CELOC1_072_ND	VARCHAR2
Y_CELAT1_072	Y_CELAT1_072_C	VARCHAR2
	Y_CELAT1_072	VARCHAR2
	Y_CELAT1_072_ND	VARCHAR2
FAORRES_SEV_072	FAORRES_SEV_072_C	VARCHAR2
	FAORRES_SEV_072	VARCHAR2
	FAORRES_SEV_072_ND	VARCHAR2
FAORRES_SEV_072 - FAORRES1_G4CRIMET_072	FAORRES1_G4CRIMET_072_C	VARCHAR2
	FAORRES1_G4CRIMET_072	VARCHAR2
RD_CECISR072_CECISR04072		
CETERM2_072	CETERM2_072_C	VARCHAR2
	CETERM2_072	VARCHAR2
	CETERM2_072_ND	VARCHAR2
FAORRES1_SEV_072	FAORRES1_SEV_072_C	VARCHAR2
	FAORRES1_SEV_072	VARCHAR2
	FAORRES1_SEV_072_ND	VARCHAR2
FAORRES1_SEV_072 - FAORRES2_G4CRIMET_072	FAORRES2_G4CRIMET_072_C	VARCHAR2
	FAORRES2_G4CRIMET_072	VARCHAR2

C3671059: CONTACT OUTCOME - UNPLANNED REACTOGENECITY (CTACT FUP) [FAFUC009_1]

Contact Outcome [FAFUC01009_1]

1. Follow-Up Contact Category [hidden]
[Follow Up Contact Category]

[FACAT_009_1]
[A:2] FOLLOW-UP CONTACT

2.* Contact Type:
[Type of Contact/Visit]

[FAORRES_FUCTYPE_009_1]
[A:2] TELEPHONE VISIT
[A:1J] CLINIC VISIT
[A:5J] AT HOME VISIT
[A:9J] HOSPITAL VISIT

3.* Was contact made?
[Was Contact Made]

[FAORRES_FUCMADE_009_1]
[A:Y] [FAORRES_FUCOCCUR_CMP_009_1]
YES
[FAORRES_FUCWHO_009_1]
Who was contacted?
[A:1J] SUBJECT
[A:2J] CAREGIVER
[FAORRES_FUCDAT_009_1] (DD/MM/YYYY)
Date of Contact:
Req / Req / Req (2025-2029)
[FAORRES_FUCOUT_009_1]
Contact Outcome:
[FAORRES_FUCOUT_CL_009_1]
[A:NJ] [FAORRES_FUCNCRS_CMP_009_1]
NO
[FAORRES_FUCNCRS_009_1]
If No, why?
A200 *

4. Comments:
[Comments/Findings/Details]

[CO_FUCCOM_009_1]
A200 *

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [*] = ASCII Only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Codelist Values Tables: CONTACT OUTCOME - UNPLANNED REACTOGENECITY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
FAORRES_FUCOUT_CL_009_1	String		VISIT ARRANGED	1	clIFUCD_VISIT_ARRANGED	FAORRES_FUCOUT_009_1
			VISIT ARRANGED, BUT NOT ATTENDED	2	clIFUCD_VISIT_ARRANGED_BUT_NOT_ATTENDED	
			VISIT NOT ARRANGED, REACTION NO LONGER PRESENT	3	clIFUCD_VISIT_NOT_ARRANGED_REACTION_NO_LONGER_PRESENT	
			VISIT NOT ARRANGED, UNABLE TO ATTEND	4	clIFUCD_VISIT_NOT_ARRANGED_UNABLE_TO_ATTEND	
			VISIT NOT REQUIRED, DATA ENTRY ERROR IN E-DIARY	5	clIFUCD_VISIT_NOT_REQUIRED_DATA_ENTRY_ERROR_IN_E_DIARY	
			VISIT NOT REQUIRED, INVESTIGATOR DECISION	6	clIFUCD_VISIT_NOT_REQUIRED_INVESTIGATOR_DECISION	
			VISIT NOT REQUIRED, PER PROTOCOL	7	clIFUCD_VISIT_NOT_REQUIRED_PER_PROTOCOL	
			VISIT NOT ARRANGED, SEVERE REACTOGENICITY ASSESSMENT CONFIRMED VIA MEDICAL RECORDS AND/OR TELEHEALTH ASSESSMENT	8	clIFUCD_VST_NT_ARR_SEV_REACTO_CONF_MED_REC_TELE_ASSMNT	

RDE Analytics: RD_FAFUC009_1		
Data Variable RefName	RD Column Name	Column Data Type
FACAT_009_1	FACAT_009_1_C	VARCHAR2
	FACAT_009_1	VARCHAR2
	FACAT_009_1_ND	VARCHAR2
FAORRES_FUCTYPE_009_1	FAORRES_FUCTYPE_009_1_C	VARCHAR2
	FAORRES_FUCTYPE_009_1	VARCHAR2
	FAORRES_FUCTYPE_009_1_ND	VARCHAR2
FAORRES_FUCMADE_009_1	FAORRES_FUCMADE_009_1_C	VARCHAR2
	FAORRES_FUCMADE_009_1	VARCHAR2
	FAORRES_FUCMADE_009_1_ND	VARCHAR2
FAORRES_FUCMADE_009_1 - FAORRES_FUCWHO_009_1	FAORRES_FUCWHO_009_1_C	VARCHAR2
	FAORRES_FUCWHO_009_1	VARCHAR2
FAORRES_FUCMADE_009_1 - FAORRES_FUCDAT_009_1	FAORRES_FUCDAT_009_1	DATE
	FAORRES_FUCDAT_009_1_DTS	VARCHAR2
FAORRES_FUCMADE_009_1 - FAORRES_FUCOUT_009_1	FAORRES_FUCOUT_009_1_C	VARCHAR2
	FAORRES_FUCOUT_009_1	VARCHAR2
FAORRES_FUCMADE_009_1 - FAORRES_FUCNCRS_009_1	FAORRES_FUCNCRS_009_1	VARCHAR2
	CO_FUCCOM_009_1	VARCHAR2
CO_FUCCOM_009_1	CO_FUCCOM_009_1_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

C3671059: VITAL SIGNS - UNPLANNED REACTOGENICITY (VIT REAC) [VS001_3]

Vital Signs - I [VS01001_3]

1. Category for Vital Signs: [hidden]
[Category for Vital Signs]

[VSCAT_001_3]
[A:4] ☐ REACTOGENICITY-UNPLANNED TEMPERATURE

2.* Date:
[Date]

[VSDTC_001_3] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2025-2029)

Vital Signs - II [VS02001_3]

#	Record Identifier	Temperature*	Temperature Unit*	Systolic Blood Pressure*	Diastolic Blood Pressure*	BP Position	Heart Rate in beats/minute*
3.a	1						

Vital Signs - II Entry [VS02001_3]

3.1 Record Identifier: [read-only]
[Record Identifier]

[VSSPID_001_3]
[A:1] ☐

3.2* Temperature:
[Temperature]

[VSORRES_TEMP_001_3]
XXXX.

3.3* Unit:
[Temperature Unit]

[VSORRESU_TEMP_001_3]
[A:4] ☐ C
[A:6] ☐ F

3.4* Systolic BP in mmHg:
[Systolic Blood Pressure]

[VSORRES_SYSBP_001_3]
N3

3.5* Diastolic BP in mmHg:
[Diastolic Blood Pressure]

[VSORRES_DIABP_001_3]
N3

3.6 BP Position: [read-only]
[BP Position]

[VSPOS_BP_001_3]
[A:1] ☐ SITTING

3.7* Heart Rate in beats/minute:
[Heart Rate in beats/minute]

[VSORRES_HR_001_3]
N3

Key: [*] = Item is required [✓] = Source verification required ☐ = Fixed Item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS - UNPLANNED REACTOGENICITY		
Type	RefName	Description
Form	VS001_3	VS001 - Vital Signs - Wide Format
Item	VSDTC_001_3	The date the measurement was performed.
Item	VSSPID_001_3	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_TEMP_001_3	Temperature
Item	VSORRESU_TEMP_001_3	Temperature Unit
Item	VSORRES_SYSBP_001_3	Systolic Blood Pressure collected in mmHg
Item	VSORRES_DIABP_001_3	Diastolic Blood Pressure in mmHg
Item	VSPOS_BP_001_3	Blood Pressure Position
Item	VSORRES_HR_001_3	Heart Rate in beats/minute

RDE Analytics: RD_VS001_3		
Data Variable RefName	RD Column Name	Column Data Type
VSCAT_001_3	VSCAT_001_3_C	VARCHAR2
	VSCAT_001_3	VARCHAR2
	VSCAT_001_3_ND	VARCHAR2
VSDTC_001_3	VSDTC_001_3	DATE
	VSDTC_001_3_DTS	VARCHAR2
	VSDTC_001_3_ND	VARCHAR2
RD_VS001_3_VS02001_3		
VSSPID_001_3	VSSPID_001_3_C	VARCHAR2
	VSSPID_001_3	VARCHAR2
	VSSPID_001_3_ND	VARCHAR2
VSORRES_TEMP_001_3	VSORRES_TEMP_001_3	FLOAT
	VSORRES_TEMP_001_3_ND	VARCHAR2
VSORRESU_TEMP_001_3	VSORRESU_TEMP_001_3_C	VARCHAR2
	VSORRESU_TEMP_001_3	VARCHAR2
	VSORRESU_TEMP_001_3_ND	VARCHAR2
VSORRES_SYSBP_001_3	VSORRES_SYSBP_001_3	NUMBER
	VSORRES_SYSBP_001_3_ND	VARCHAR2
VSORRES_DIABP_001_3	VSORRES_DIABP_001_3	NUMBER
	VSORRES_DIABP_001_3_ND	VARCHAR2
VSPOS_BP_001_3	VSPOS_BP_001_3_C	VARCHAR2
	VSPOS_BP_001_3	VARCHAR2
	VSPOS_BP_001_3_ND	VARCHAR2
VSORRES_HR_001_3	VSORRES_HR_001_3	NUMBER
	VSORRES_HR_001_3_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

C3671059: PARTICIPANT-REPORTED REACTOGENCITY (PARREACT) - Repeating Form [FAVSD065]

#	Date of Missed Diary	Local Reaction Indicator	Symptom Indicator	Temperature	Unit	Injection Site Location	Injection Site Body Side	Local Reaction-Choose a reaction only if it occurred	Symptoms-Choose a symptom only if it occurred
1									
Participant-Reported Reactogenicity [FAVSD01065]									
1.*	Date of Missed Diary: [Date of Missed Diary]		[Y_SUPPPFA_VSDMDTC_065] (DD/MM/YYYY) Req / Req / Req (2025-2029)						
2.*	Did the participant report any local reactions? [Local Reaction Indicator]		[X_FAORRES_LOCREIND_065] [A:Y] YES [A:N] NO						
3.*	Did the participant report any symptoms? [Symptom Indicator]		[X_FAORRES_SYMPINDC_065] [A:Y] YES [A:N] NO						
4.*	Highest temperature for the day: [Temperature]		[VSORRES_TEMP_065] xxxx.						
5.*	Unit: [Unit]		[VSORRESU_TEMP_065] [A:4] C [A:6] F						
6.	Injection Site Location: [read-only] [Injection Site Location]		[FALOC_065] [A:744] DELTOID MUSCLE						
7.*	Injection Site Body Side: [Injection Site Body Side]		[FALAT_065] [A:5] LEFT [A:6] RIGHT						
8.	Reaction						Diameter		
Local Reaction-Choose a reaction only if it occurred Entry [FAVSD02065]									
8.1.*	Reaction: [Reaction]		[FAOBJ_065] [A:1] REDNESS [A:2] SWELLING						
8.2.*	Diameter (Caliper Units): [Diameter]		[FAORRES_DIAMETER_065] IN2						
9.	Symptom						Severity		
Symptoms-Choose a symptom only if it occurred Entry [FAVSD03065]									
9.1.*	Symptom: [Symptom]		[FAOBJ1_065] [FAOBJ1_CL_065]						
9.2.*	Severity: [Severity]		[FAORRES_SEV_065] [A:1] MILD [A:2] MODERATE [A:3] SEVERE						
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in Inform will override any settings made in Central Designer.									

Codelist Values Tables: PARTICIPANT-REPORTED REACTOGENCITY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
FAOBJ1_CL_065	String		DIARRHEA	7	clivSDK_DIARRHEA	FAOBJ1_065
			FATIGUE	8	clivSDK_FATIGUE	
			HEADACHE	9	clivSDK_HEADACHE	
			JOINT PAIN	13	clivSDK_JOINT_PAIN	
			MUSCLE PAIN	15	clivSDK_MUSCLE_PAIN	
			NAUSEA	16	clivSDK_NAUSEA	
			PAIN AT INJECTION SITE	22	clivSDK_PAIN_AT_INJECTION_SITE	
			VOMITING	25	clivSDK_VOMITING	

RDE Analytics: RD_FAVSD065		
Data Variable RefName	RD Column Name	Column Data Type
Y_SUPPPFA_VSDMDTC_065	Y_SUPPPFA_VSDMDTC_065	DATE
	Y_SUPPPFA_VSDMDTC_065_DTS	VARCHAR2
	Y_SUPPPFA_VSDMDTC_065_ND	VARCHAR2
X_FAORRES_LOCREIND_065	X_FAORRES_LOCREIND_065_C	VARCHAR2
	X_FAORRES_LOCREIND_065	VARCHAR2
	X_FAORRES_LOCREIND_065_ND	VARCHAR2
X_FAORRES_SYMPINDC_065	X_FAORRES_SYMPINDC_065_C	VARCHAR2
	X_FAORRES_SYMPINDC_065	VARCHAR2
	X_FAORRES_SYMPINDC_065_ND	VARCHAR2
VSORRES_TEMP_065	VSORRES_TEMP_065	FLOAT
	VSORRES_TEMP_065_ND	VARCHAR2
VSORRESU_TEMP_065	VSORRESU_TEMP_065_C	VARCHAR2
	VSORRESU_TEMP_065	VARCHAR2
	VSORRESU_TEMP_065_ND	VARCHAR2
FALOC_065	FALOC_065_C	VARCHAR2
	FALOC_065	VARCHAR2
	FALOC_065_ND	VARCHAR2
FALAT_065	FALAT_065_C	VARCHAR2
	FALAT_065	VARCHAR2
	FALAT_065_ND	VARCHAR2
RD_FAVSD065_FAVSD02065		
FAOBJ_065	FAOBJ_065_C	VARCHAR2
	FAOBJ_065	VARCHAR2

	FAOB1_065_ND	VARCHAR2
FAORRES_DIAMETER_065	FAORRES_DIAMETER_065	NUMBER
	FAORRES_DIAMETER_065_ND	VARCHAR2
RD_FAVSD065_FAVSD03065		
FAOB1_065	FAOB1_065_C	VARCHAR2
	FAOB1_065	VARCHAR2
	FAOB1_065_ND	VARCHAR2
FAORRES_SEV_065	FAORRES_SEV_065_C	VARCHAR2
	FAORRES_SEV_065	VARCHAR2
	FAORRES_SEV_065_ND	VARCHAR2

C3671059: WITHDRAWAL OF CONSENT (WOC) [DS001_7]		
Withdrawal Of Consent [DS01001_7]		
1.* ✓	Date of Withdrawal of Consent: [Date]	[DSSTDTC_001_7] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2025-2029)
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: WITHDRAWAL OF CONSENT		
Type	RefName	Description
Item	DSSTDTC_001_7	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_7		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_7	DSSTDTC_001_7	DATE
	DSSTDTC_001_7_DTS	VARCHAR2
	DSSTDTC_001_7_ND	VARCHAR2

C3671059: DEATH DETAILS (DTH DTL) [DD002]

Death Details [DD01002]

1.*
✓

Date of Collection / Notification of Death:
[Date of Collection / Notification of Death]

[DDDTC_002] (DD/MM/YYYY)

Req / Req / Req (2025-2029)

2.*
✓

Date of Death:
[Date of Death]

[R_DDDTHDTC_002] (DD/MM/YYYY)

Req/Unk / Req/Unk / Req (2025-2029)

3.

Cause of Death Status

Cause of Death

Death Details Entry [DD02002]

3.1*
✓

Cause of Death Status:
[Cause of Death Status]

[DDTEST_002]

[A:1] PRIMARY CAUSE OF DEATH
[A:2] SECONDARY CAUSE OF DEATH

3.2*
✓

Cause of Death:
[Cause of Death]

[DDORRES_002]

A200*

3.3

Comparison Term [hidden]
[Comparison Term]

[D_COMPTERM6_002]

A200*

3.4

Lowest Level Term [hidden]
[Lowest Level Term]

[SUPPDD_DDLT_002]

A100*

3.5

Lowest Level Term Code [hidden]
[Lowest Level Term Code]

[SUPPDD_DDLTCD_002]

A8 *

3.6

Dictionary-Derived Term [hidden]
[Dictionary-Derived Term]

[SUPPDD_DDDECOD_002]

A100*

3.7

Preferred Term Code [hidden]
[Preferred Term Code]

[SUPPDD_DDPTCD_002]

A8 *

3.8

High Level Term [hidden]
[High Level Term]

[SUPPDD_DDHLT_002]

A100*

3.9

High Level Term Code [hidden]
[High Level Term Code]

[SUPPDD_DDHLTCD_002]

A8 *

3.10

High Level Group Term [hidden]
[High Level Group Term]

[SUPPDD_DDHLGT_002]

A100*

3.11

High Level Group Term Code [hidden]
[High Level Group Term Code]

[SUPPDD_DDHLGTC_002]

A8 *

3.12

Primary System Organ Class [hidden]
[Primary System Organ Class]

[SUPPDD_DSOC_002]

A100*

3.13

Primary System Organ Class Code [hidden]
[Primary System Organ Class Code]

[SUPPDD_DSOC_002]

A8 *

Key: [*] = Item is required [✓] = Source verification required [*] = ASCII Only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Study Object Descriptions: DEATH DETAILS		
Type	RefName	Description
Form	DD002	DEATH DETAILS CODED

Coding Summary: DEATH DETAILS

Verbatim RefName: DDORRES_002		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPDD_DSOC_002	SOC	Term
SUPPDD_DSOC_002	SOC	Code
SUPPDD_DDHLGT_002	HLGT	Term
SUPPDD_DDHLGT_002	HLGT	Code
SUPPDD_DDHLT_002	HLT	Term
SUPPDD_DDHLT_002	HLT	Code
SUPPDD_DDDECOD_002	PT	Term
SUPPDD_DDPTCD_002	PT	Code
SUPPDD_DDLT_002	LLT	Term
SUPPDD_DDLT_002	LLT	Code

RDE Analytics: RD_DD002		
Data Variable RefName	RD Column Name	Column Data Type
DDDT_002	DDDT_002	DATE
	DDDT_002_DTS	VARCHAR2
	DDDT_002_ND	VARCHAR2
R_DDDTHDTC_002	R_DDDTHDTC_002	DATE
	R_DDDTHDTC_002_DTS	VARCHAR2
	R_DDDTHDTC_002_DTR	VARCHAR2
	R_DDDTHDTC_002_ND	VARCHAR2
RD_DD002_DD02002		
DDTEST_002	DDTEST_002_C	VARCHAR2
	DDTEST_002	VARCHAR2

	DDTEST_002_ND	VARCHAR2
DDORRES_002	DDORRES_002	VARCHAR2
	DDORRES_002_ND	VARCHAR2
D_COMPTERM6_002	D_COMPTERM6_002	VARCHAR2
	D_COMPTERM6_002_ND	VARCHAR2
SUPPDD_DDLLT_002	SUPPDD_DDLLT_002	VARCHAR2
	SUPPDD_DDLLT_002_ND	VARCHAR2
SUPPDD_DDLLTCD_002	SUPPDD_DDLLTCD_002	VARCHAR2
	SUPPDD_DDLLTCD_002_ND	VARCHAR2
SUPPDD_DDDECOD_002	SUPPDD_DDDECOD_002	VARCHAR2
	SUPPDD_DDDECOD_002_ND	VARCHAR2
SUPPDD_DDPTCD_002	SUPPDD_DDPTCD_002	VARCHAR2
	SUPPDD_DDPTCD_002_ND	VARCHAR2
SUPPDD_DDHLT_002	SUPPDD_DDHLT_002	VARCHAR2
	SUPPDD_DDHLT_002_ND	VARCHAR2
SUPPDD_DDHLTCD_002	SUPPDD_DDHLTCD_002	VARCHAR2
	SUPPDD_DDHLTCD_002_ND	VARCHAR2
SUPPDD_DDHLGT_002	SUPPDD_DDHLGT_002	VARCHAR2
	SUPPDD_DDHLGT_002_ND	VARCHAR2
SUPPDD_DDHLGTC_002	SUPPDD_DDHLGTC_002	VARCHAR2
	SUPPDD_DDHLGTC_002_ND	VARCHAR2
SUPPDD_DDSOC_002	SUPPDD_DDSOC_002	VARCHAR2
	SUPPDD_DDSOC_002_ND	VARCHAR2
SUPPDD_DDSOCCD_002	SUPPDD_DDSOCCD_002	VARCHAR2
	SUPPDD_DDSOCCD_002_ND	VARCHAR2

C3671059: TREATMENT UNBLINDED (TRT UNBLN) [DS001_8]

Treatment Unblinded [DS01001_8]

1.*
✓
Date of Treatment Unblinded:
[Date]

2.*
✓
Primary Reason for Unblinding:
[Primary Reason for Unblinding]

[DSSTDTC_001_8] (DD/MM/YYYY)
Req ☒ / Req ☒ / Req ☒ (2025-2029)

[X_DSTERM_DSUNBL_001_8]
[A:1] ☐ SUBJECT SAFETY CONCERN
[A:999] ☐ [X_DSTERM_DSUNBLO_CMP_001_8] ☐
OTHER
[X_DSTERM_DSUNBLO_001_8]
If other, specify:
A100 *

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [*] = ASCII Only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: TREATMENT UNBLINDED		
Type	RefName	Description
Item	DSSTDTC_001_8	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_8		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_8	DSSTDTC_001_8	DATE
	DSSTDTC_001_8_DTS	VARCHAR2
	DSSTDTC_001_8_ND	VARCHAR2
X_DSTERM_DSUNBL_001_8	X_DSTERM_DSUNBL_001_8_C	VARCHAR2
	X_DSTERM_DSUNBL_001_8	VARCHAR2
	X_DSTERM_DSUNBL_001_8_ND	VARCHAR2
X_DSTERM_DSUNBL_001_8 - X_DSTERM_DSUNBLO_001_8	X_DSTERM_DSUNBLO_001_8	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

C3671059: DISPOSITION - TREATMENT (DISP TRT) [DS001_5]

Disposition - Treatment [DS01001_5]

1.*
✓
Date of Completion/Discontinuation/Death:
[Date]

2.
Phase of Disposition: [read-only]
[Disposition Phase]

3.*
✓
Status:
[Status]

4.
Specify Status:
[Specify Status]

DSSTDTC_001_5 (DD/MM/YYYY)
Req ✓ / Req ✓ / Req ✓ (2025-2029)

SUPPDS_DSPHASE_001_5
[A:29] VACCINATION

DSDECOD_001_5
[DSDECOD_CL_001_5] ✓

DSTERM_001_5
A100 *

Key: [*] = Item is required [✓] = Source verification required [*] = ASCII Only
Note: Source verification critical settings made in Inform will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - TREATMENT		
Type	RefName	Description
Item	DSSTDTC_001_5	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5	Specify Status

Codelist Values Tables: DISPOSITION - TREATMENT						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5	String		ADVERSE EVENT	1	ciINCOMPLT_ADVERSE_EVENT	DSDECOD_001_5
			COMPLETED	2	ciINCOMPLT_COMPLETED	
			DEATH	3	ciINCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	ciINCOMPLT_LOSTTOFOLLOWUP	
			OTHER	7	ciINCOMPLT_OTHER	
			PHYSICIAN DECISION	8	ciINCOMPLT_PHYSICIAN_DECISION	
			PROTOCOL DEVIATION	11	ciINCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	ciINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	ciINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			WITHDRAWAL BY PARENT/GUARDIAN	19	ciINCOMPLT_WITHDRAWAL_BY_PARENT_GUARDIAN	
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	17	ciINCOMPLT_MEDIC_ERROR_WITHOUT_ASSOCIATED_ADVERSE	
			NO LONGER MEETS ELIGIBILITY CRITERIA	18	ciINCOMPLT_NO_LONGER_MEETS_ELIGIBILITY_CRITERIA	
			REFUSED FURTHER STUDY PROCEDURES	25	ciINCOMPLT_REFUSED_FURTHER_STUDY_PROCEDURES	
			REACTOGENICITY EVENT	34	ciINCOMPLT_REACTOGENICITY_EVENT	

RDE Analytics: RD_DS001_5		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_5	DSSTDTC_001_5	DATE
	DSSTDTC_001_5_DTS	VARCHAR2
	DSSTDTC_001_5_ND	VARCHAR2
SUPPDS_DSPHASE_001_5	SUPPDS_DSPHASE_001_5_C	VARCHAR2
	SUPPDS_DSPHASE_001_5	VARCHAR2
	SUPPDS_DSPHASE_001_5_ND	VARCHAR2
DSDECOD_001_5	DSDECOD_001_5_C	VARCHAR2
	DSDECOD_001_5	VARCHAR2
	DSDECOD_001_5_ND	VARCHAR2
DSTERM_001_5	DSTERM_001_5	VARCHAR2
	DSTERM_001_5_ND	VARCHAR2

file:///C:/Users/BKatsarska/AppData/Local/Apps/2.0/BKP6AQ71.RYN/QJE3B4RM.NZW/orac..90.0_919f856034ae8f10_0007.0000_6310ca88baa5543c/HtmlResources/AnnotatedStudybook.html

09/07/2025

Disposition - Follow-Up [DS01001_6]

1. * Date of Completion/Discontinuation/Death: [Date]	[DSSTDTCT_001_6] (DD/MM/YYYY) [Req] / [Req] / [Req] (2025-2029)
2. Phase of Disposition: [read-only] [Disposition Phase]	[SUPPDS_DSPPHASE_001_6] [A:1] FOLLOW-UP
3. * Status: [Status]	[DSDECODE_001_6] [DSDECODE_CL_001_6]
4. Specify Status: [Specify Status]	[DSTERM_001_6] A100 *

Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Type	RefName	Description
Item	DSSTDTC_001_6	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_6	Specify Status

Codelist Values Tables: DISPOSITION - FOLLOW-UP						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_6	String		ADVERSE EVENT	1	cINCOMPLT_ADVERSE_EVENT	DSDECOD_001_6
			COMPLETED	2	cINCOMPLT_COMPLETED	
			DEATH	3	cINCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	cINCOMPLT_LOSTTOFOLLOWUP	
			OTHER	7	cINCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cINCOMPLT_PHYSICIAN_DECISION	
			PROTOCOL DEVIATION	11	cINCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			WITHDRAWAL BY PARENT/GUARDIAN	19	cINCOMPLT_WITHDRAWAL_BY_PARENT_GUARDIAN	
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	17	cINCOMPLT_MEDIC_ERROR_WITHOUT_ASSOCIATED_ADVERSE	
			NO LONGER MEETS ELIGIBILITY CRITERIA	18	cINCOMPLT_NO_LONGER_MEETS_ELIGIBILITY_CRITERIA	
			REFUSED FURTHER STUDY PROCEDURES	25	cINCOMPLT_REFUSED_FURTHER_STUDY_PROCEDURES	
REACTOGENICITY EVENT	34	cINCOMPLT_REACTOGENICITY_EVENT				

Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_6	DSSTDTC_001_6	DATE
	DSSTDTC_001_6_DTS	VARCHAR2
	DSSTDTC_001_6_ND	VARCHAR2
SUPPDS_DSPHASE_001_6	SUPPDS_DSPHASE_001_6_C	VARCHAR2
	SUPPDS_DSPHASE_001_6	VARCHAR2
	SUPPDS_DSPHASE_001_6_ND	VARCHAR2
DSDECOD_001_6	DSDECOD_001_6_C	VARCHAR2
	DSDECOD_001_6	VARCHAR2
	DSDECOD_001_6_ND	VARCHAR2
DSTERM_001_6	DSTERM_001_6	VARCHAR2
	DSTERM_001_6_ND	VARCHAR2

C3671059: SUBJECT STATUS (SUB STAT) [X_DS_SLOPD001]

Subject Status [X_DS_SLOPD01001]

1. Subject Status *[read-only]*
[Subject Status]

X_DS_STAT_001

X_DS_STAT_CL_001

2. Subject Status Date *[read-only]*
[Status Date]

X_DS_DAT_001 (DD/MM/YYYY)

Req / Req / Req (2025-2029)

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: SUBJECT STATUS

Type	RefName	Description
Form	X_DS_SLOPD001	DS_SLOPD - Subject Status

Codelist Values Tables: SUBJECT STATUS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
X_DS_STAT_CL_001	String		SCREENED	1	clDS_STAT_SCREENED	X_DS_STAT_001
			SCREEN FAIL	2	clDS_STAT_SCREEN_FAIL	
			ENROLLED/RANDOMIZED	3	clDS_STAT_ENROLLED_RANDOMIZED	
			DISCONTINUED	4	clDS_STAT_DISCONTINUED	
			COMPLETED	5	clDS_STAT_COMPLETED	
			FOLLOW-UP	6	clDS_STAT_FOLLOW_UP	

RDE Analytics: RD_X_DS_SLOPD001		
Data Variable RefName	RD Column Name	Column Data Type
X_DS_STAT_001	X_DS_STAT_001_C	VARCHAR2
	X_DS_STAT_001	VARCHAR2
	X_DS_STAT_001_ND	VARCHAR2
X_DS_DAT_001	X_DS_DAT_001	DATE
	X_DS_DAT_001_DTS	VARCHAR2
	X_DS_DAT_001_ND	VARCHAR2

C3671059: CASEBOOK SIGNATURE FORM (INVSIG) [D_IS001]		
Casebook Signature Form [D_IS01001]		
1.* Casebook Signature [Casebook Signature]	[D_INVSIG_001] [A:1]  Click Here to Enable	
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_IS001		
Data Variable RefName	RD Column Name	Column Data Type
D_INVSIG_001	D_INVSIG_001_C	VARCHAR2
	D_INVSIG_001	VARCHAR2
	D_INVSIG_001_ND	VARCHAR2

InForm Special Properties For Study Design: C3671059			
InForm Special Property	Property Type	Data Object RefName	Data Object Path RefName
Screening	Visit	SYSSCR	SYSSCR
Enrollment	Visit	SYSENR	SYSENR
Screening	Form	D_INFSCR001	SYSSCR.D_INFSCR001
Enrollment	Form	D_INFENR001	SYSENR.D_INFENR001
Patient Identification	Form	DM001	COHORT_SEL.DM001
Study Completion	Form	Unassigned	Unassigned
Reg Docs	Form	Unassigned	Unassigned
Visit Report	Form	Unassigned	Unassigned
Visit Approval	Form	Unassigned	Unassigned
Initials (Screening)	Item	D_SCRINIT_001	SYSSCR.D_INFSCR001.D_INFSCR01001.D_SCRINIT_001
DOB (Screening)	Item	Unassigned	Unassigned
Screening date (Screening)	Item	Unassigned	Unassigned
Patient No. (Enrollment)	Item	D_SUBJID_001	COHORT_SEL.DM001.DM01001.D_SUBJID_001 SYSENR.D_INFENR001.D_INFENR01001.D_SUBJID_001
Initials (Patient Identification)	Item	Unassigned	Unassigned
Completion status (Study Completion)	Item	Unassigned	Unassigned
Drop out reason (Study Completion)	Item	Unassigned	Unassigned
DOV (Date of Visit)	Item	SVSTDTC_001	V203_DELIVERY.SV001.SV01001.SVSTDTC_001 UNPL.SV001.SV01001.SVSTDTC_001 V301_DAY1.SV001.SV01001.SVSTDTC_001 V101_DAY1.SV001.SV01001.SVSTDTC_001 V201_VAX1.SV001.SV01001.SVSTDTC_001 SCR.SV001.SV01001.SVSTDTC_001 V202_MONTH1_POSTVAX1.SV001.SV01001.SVSTDTC_001 V104_MONTH6.SV001.SV01001.SVSTDTC_001 V302_48_HRS_PSTVST1.SV001.SV01001.SVSTDTC_001 V204_MONTH6_POSTDELIVERY.SV001.SV01001.SVSTDTC_001 V102_MONTH1.SV001.SV01001.SVSTDTC_001 V103_MONTH3.SV001.SV01001.SVSTDTC_001
Randomization field (Randomization)	Item	Unassigned	Unassigned

Personal/Protected Health Information Table: C3671059		
Item RefName	Section RefName	Form RefName
No items have been defined as "Personal/Protected Health Information".		
Please note: emails sent from the trial server by the Inform application are not encrypted. If you are subject to HIPAA requirements, you should identify and block all Personal/Protected Health Information items that may be included in email notifications.		

Unit Conversions For Study Design: C3671059
No unit conversion data.

Review States for Study: C3671059
No Review States have been defined.

In-place Revisions Summary Table: C3671059
No in-place revisions have been defined.

Custom Events for Study Design: C3671059
No custom events have been defined.