

Annotated Study Book for Study Design: C4221016

Study Design Version: 14.0

Protocol: C4221016

Sponsor Drug Name: PF-07263896

C4221016

Generated by Central Designer TM

November 7, 2024 2:45AM

C4221016: INFORM SCREENING (SCREEN) [D_INFSCR001]		
InForm Screening [D_INFSCR01001]		
1.	InForm Initials <i>[hidden]</i> [InForm Initials]	[D_SCRINIT_001] A3★
2.*	Birth Year: [Birth Year]	[D_SCRDOB_001] (YYYY) Req  (1930-2030)
Key: [*] = Item is required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_INFSCR001		
Data Variable RefName	RD Column Name	Column Data Type
D_SCRINIT_001	D_SCRINIT_001	VARCHAR2
	D_SCRINIT_001_ND	VARCHAR2
D_SCRDOB_001	D_SCRDOB_001_DTS	VARCHAR2
	D_SCRDOB_001_ND	VARCHAR2

C4221016: INFORM ENROLLMENT (ENROLL) [D_INFENR001]		
InForm Enrollment [D_INFENR01001]		
1.*	Subject ID [Subject ID]	<u>[D_SUBJID_001]</u> N8
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_INFENR001		
Data Variable RefName	RD Column Name	Column Data Type
D_SUBJID_001	D_SUBJID_001	NUMBER
	D_SUBJID_001_ND	VARCHAR2

C4221016: DATE OF VISIT (DOV) [SV001]		
Date of Visit [SV01001]		
1.*	Date of Visit [Date of Visit]	[SVSTDTC_001] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)
2.	Erroneous Visit [Visit Error]	[D_SVERROR_001] [A:1] ☐ ERRONEOUS VISIT
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Data Series Summary: DATE OF VISIT					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
1.	SVSTDTC_001	IsSV001	dstSV001	dsvSVSTDTC_001	DateTime

RDE Analytics: RD_SV001		
Data Variable RefName	RD Column Name	Column Data Type
SVSTDTC_001	SVSTDTC_001	DATE
	SVSTDTC_001_DTS	VARCHAR2
	SVSTDTC_001_ND	VARCHAR2
D_SVERROR_001	D_SVERROR_001_C	VARCHAR2
	D_SVERROR_001	VARCHAR2
	D_SVERROR_001_ND	VARCHAR2

C4221016: DEMOGRAPHY (DEMOG) [DM001]

Demography [DM01001]

1.*

Subject ID

[Subject ID]

[D_SUBJID_001]

N8

2.*

Birth Year:

[Birth Year]

[BRTHDTC_001] (YYYY)

Req (1930-2030)

3.*

Sex:

[Sex]

[SEX_001]

[A:F] FEMALE

[A:M] MALE

4.*

Ethnicity:

[Ethnicity]

[ETHNIC_001]

[A:HISPANIC OR LATINO] HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN

[A:NOT HISPANIC OR LATINO] NOT HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN

[A:NOT REPORTED] NOT REPORTED

5.*

Race: (Check X all that apply):

[Race Of Subject]

[RACE_001]

[A:1] BLACK OR AFRICAN AMERICAN

[A:2] AMERICAN INDIAN OR ALASKA NATIVE

[A:3] ASIAN

[A:4] NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER

[A:5] WHITE

[A:6] NOT REPORTED

6.*

Has the subject previously taken part in a study involving this investigational product?

[Participated in Previous Study]

[X_DMPYN_001]

[A:Y] [X_DMPYN_CMP_001]

YES

[X_DMPSTUDY_001]

Previous Study Identifier:

A20 *

[X_DMPSITE_001]

Previous Site Identifier:

A20 *

[X_DMPSUBJ_001]

Previous Subject Identifier:

A20 *

[A:N] NO

7.*

Was the subject screened previously in current study?

[Screened Previously in Current Study]

[X_DMRYN_001]

[A:Y] [X_DMRYN_CMP_001]

YES

[X_DMRSITE_001]

Initial Site Identifier:

A20 *

[X_DMRSUBJ_001]

Initial Subject Identifier:

A20 *

[A:N] NO

Key: [*] = Item is required [✓] = Source verification required [⊞] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DEMOGRAPHY		
Type	RefName	Description
Form	DM001	DM001 - Demography
Item	BRTHDTC_001	A subject's date of birth (with or without the time of birth). The complete Date of Birth is made from the temporal components of Birth Year, Birth Month, Birth Day and Birth Time. Mapped from InForm Screening.
Item	SEX_001	The assemblage of physical properties or qualities by which male is distinguished from female; the physical difference between male and female.
Item	ETHNIC_001	A social group characterized by a distinctive social and cultural tradition.
Item	RACE_001	An arbitrary classification based on physical characteristics; a group of persons related by common descent or heredity (U.S. Center for Disease Control).

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007.... 11/7/2024

Item	X_DMPSTUDY_001	Previous Study Identifier. Format = ccccccc, e.g. B1570100
Item	X_DMPSITE_001	Previous Site Identifier. Format = nnnn, e.g. 2010.
Item	X_DMPSUBJ_001	Previous Subject Identifier. Format = nnnnnnnn, e.g. 20101001.

Data Series Summary: DEMOGRAPHY					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
2.	BRTHDTC_001	IsDM001	dstDM001	dsrBRTHDTC_001	DateTime
3.	SEX_001	IsDM001	dstDM001	dsrSEX_001	Text

RDE Analytics: RD_DM001		
Data Variable RefName	RD Column Name	Column Data Type
D_SUBJID_001	D_SUBJID_001	NUMBER
	D_SUBJID_001_ND	VARCHAR2
BRTHDTC_001	BRTHDTC_001_DTS	VARCHAR2
	BRTHDTC_001_ND	VARCHAR2
SEX_001	SEX_001_C	VARCHAR2
	SEX_001	VARCHAR2
	SEX_001_ND	VARCHAR2
ETHNIC_001	ETHNIC_001_C	VARCHAR2
	ETHNIC_001	VARCHAR2
	ETHNIC_001_ND	VARCHAR2
RACE_001	RACE_001_ND	VARCHAR2
RACE_001 - BLACK OR AFRICAN AMERICAN	*RACE_001_CLIRACEBLACKORAFRICANAMERICAN_C	VARCHAR2
	*RACE_001_CLIRACEBLACKORAFRICANAMERICAN	VARCHAR2
RACE_001 - AMERICAN INDIAN OR ALASKA NATIVE	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE_C	VARCHAR2
	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE	VARCHAR2
RACE_001 - ASIAN	RACE_001_CLIRACEASIAN_C	VARCHAR2
	RACE_001_CLIRACEASIAN	VARCHAR2
RACE_001 - NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER_C	VARCHAR2
	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER	VARCHAR2
RACE_001 - WHITE	RACE_001_CLIRACEWHITE_C	VARCHAR2
	RACE_001_CLIRACEWHITE	VARCHAR2
RACE_001 - NOT REPORTED	*RACE_001_CLIRACENOTREPORTED_C	VARCHAR2
	*RACE_001_CLIRACENOTREPORTED	VARCHAR2
X_DMPYN_001	X_DMPYN_001_C	VARCHAR2
	X_DMPYN_001	VARCHAR2
	X_DMPYN_001_ND	VARCHAR2
X_DMPYN_001 - X_DMPSTUDY_001	X_DMPSTUDY_001	VARCHAR2
X_DMPYN_001 - X_DMPSITE_001	X_DMPSITE_001	VARCHAR2
X_DMPYN_001 - X_DMPSUBJ_001	X_DMPSUBJ_001	VARCHAR2
X_DMRYN_001	X_DMRYN_001_C	VARCHAR2
	X_DMRYN_001	VARCHAR2
	X_DMRYN_001_ND	VARCHAR2
X_DMRYN_001 - X_DMRSITE_001	X_DMRSITE_001	VARCHAR2
X_DMRYN_001 - X_DMRSUBJ_001	X_DMRSUBJ_001	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MAIN INFORMED CONSENT (MAIN IC) [DS001]

Informed Consent [DS01001]

1.*
✓

Consent Was:
[Consent Was:]

[SUPPDS_DSCSOBT_001]
[A:1] ☐ [DSSTDTC_CMP_001] ☐
OBTAINED
[DSSTDTC_001] (DD/MM/YYYY)
Date Written Consent Obtained
Req ☐ / Req ☐ / Req ☐ (2020-2035)
[A:2] ☐ NOT OBTAINED

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: MAIN INFORMED CONSENT		
Type	RefName	Description
Item	DSSTDTC_001	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001		
Data Variable RefName	RD Column Name	Column Data Type
SUPPDS_DSCSOBT_001	SUPPDS_DSCSOBT_001_C	VARCHAR2
	SUPPDS_DSCSOBT_001	VARCHAR2
	SUPPDS_DSCSOBT_001_ND	VARCHAR2
SUPPDS_DSCSOBT_001 - DSSTDTC_001	DSSTDTC_001	DATE
	DSSTDTC_001_DTS	VARCHAR2

C4221016: BANKED BIOSPECIMEN CONSENT (BANK CONS) [R_OMIC002]		
Banked Biospecimen Consent [R_OMIC01002]		
1.	Category of Assessment <i>[read-only]</i> [Category of Assessment]	[R_OMICCAT_002] [A:1] ☒ BANKED BIOSPECIMEN CONSENT
2.	Mandatory Prep Codes <i>[read-only]</i> [Mandatory Prep Codes]	[R_OMICPCM_002] [A:19] ☒ PREP D1
3.* ✓	Mandatory Level of Collection [Mandatory Level of Collection]	[R_OMICMAN_002] [A:1] ☒ DISALLOWED AT THE SITE [A:2] ☒ A MANDATORY ACTIVITY FOR THE SUBJECT [A:3] ☒ AN OPTIONAL ACTIVITY FOR THE SUBJECT
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_R_OMIC002		
Data Variable RefName	RD Column Name	Column Data Type
R_OMICCAT_002	R_OMICCAT_002_C	VARCHAR2
	R_OMICCAT_002	VARCHAR2
	R_OMICCAT_002_ND	VARCHAR2
R_OMICPCM_002	R_OMICPCM_002_C	VARCHAR2
	R_OMICPCM_002	VARCHAR2
	R_OMICPCM_002_ND	VARCHAR2
R_OMICMAN_002	R_OMICMAN_002_C	VARCHAR2
	R_OMICMAN_002	VARCHAR2
	R_OMICMAN_002_ND	VARCHAR2

C4221016: ADDITIONAL CONSENT (ADD CONST) - Repeating Form [DS001_1]

#	Consent Type(s):	Consent Was
1		

Additional Consent [DS01001_1]

1.

Consent Type(s): *[read-only]*
[Consent Type(s):]

[SUPPDS_DSRCTYP_001_1]

[A:9] ☐ USE OF BIOLOGICAL SAMPLE FOR ADDITIONAL RESEARCH

2.*

Consent Was:
☒ [Consent Was]

[SUPPDS_DSCSOBT_001_1]

[A:1] ☐ [DSSTDTC_CMP_001_1] ☐
OBTAINED
[DSSTDTC_001_1] (DD/MM/YYYY)
Date Written Consent Obtained
Req ☐ / Req ☐ / Req ☒ (2020-2035)
[A:2] ☐ NOT OBTAINED
[A:3] ☐ NOT REQUIRED

Key: [*] = Item is required ☒ = Source verification required ☐ = Item is collapsible

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ADDITIONAL CONSENT		
Type	RefName	Description
Item	DSSTDTC_001_1	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_1		
Data Variable RefName	RD Column Name	Column Data Type
SUPPDS_DSRCTYP_001_1	SUPPDS_DSRCTYP_001_1_C	VARCHAR2
	SUPPDS_DSRCTYP_001_1	VARCHAR2
	SUPPDS_DSRCTYP_001_1_ND	VARCHAR2
SUPPDS_DSCSOBT_001_1	SUPPDS_DSCSOBT_001_1_C	VARCHAR2
	SUPPDS_DSCSOBT_001_1	VARCHAR2
	SUPPDS_DSCSOBT_001_1_ND	VARCHAR2
SUPPDS_DSCSOBT_001_1 - DSSTDTC_001_1	DSSTDTC_001_1	DATE
	DSSTDTC_001_1_DTS	VARCHAR2

C4221016: Trigger Form (TRIGGER) [R_TRIG001]

Trigger Form Details [R_TRIG01001]

1.*	Select appropriate response - Protocol version [Trigger Response 1]	[R_TRIGRESP1_001] [R_TRIGRESP1_CL_001] 
2.*	Select appropriate response - Local BRAF testing results [Trigger Response 3]	[R_TRIGRESP3_001] [A:10] ☐ Local BRAF testing results available [A:11] ☐ Local BRAF testing results not done or not available
3.*	Select appropriate response - Subject Participation Phase [Trigger Response 10]	[R_TRIGRESP10_001] [A:29] ☐ SAFETY LEAD-IN [A:30] ☐ PHASE 3

Key: [*] = Item is required
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: Trigger Form						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
R_TRIGRESP1_CL_001	String		INITIAL PROTOCOL	1	ciITRIGRESP_INITIAL_PROTOCOL	R_TRIGRESP1_001
			PROTOCOL AMENDMENT 1	2	ciITRIGRESP_PROTOCOL_AMENDMENT_1	
			PROTOCOL AMENDMENT 2	3	ciITRIGRESP_PROTOCOL_AMENDMENT_2	
			PROTOCOL AMENDMENT 3	4	ciITRIGRESP_PROTOCOL_AMENDMENT_3	
			PROTOCOL AMENDMENT 4	5	ciITRIGRESP_PROTOCOL_AMENDMENT_4	
			PROTOCOL AMENDMENT 5	6	ciITRIGRESP_PROTOCOL_AMENDMENT_5	

RDE Analytics: RD_R_TRIG001		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP1_001	R_TRIGRESP1_001_C	VARCHAR2
	R_TRIGRESP1_001	VARCHAR2
	R_TRIGRESP1_001_ND	VARCHAR2
R_TRIGRESP3_001	R_TRIGRESP3_001_C	VARCHAR2
	R_TRIGRESP3_001	VARCHAR2
	R_TRIGRESP3_001_ND	VARCHAR2
R_TRIGRESP10_001	R_TRIGRESP10_001_C	VARCHAR2
	R_TRIGRESP10_001	VARCHAR2
	R_TRIGRESP10_001_ND	VARCHAR2

C4221016: INCLUSION/EXCLUSION CRITERIA (INCL EXCL) [IE001]				
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).				
Inclusion Criteria [IE01001]				
# ✓	Inclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
1.a	1	Male or female participants >= 18 years at the time of informed consent		IN01A00
1.b	2	Participants who are willing and able to comply with all scheduled visits, treatment plan, laboratory tests, lifestyle considerations, and other study procedures		IN02A00
1.c	3	Histologically confirmed unresectable (Stage IIIB, IIIC, or IIID) or metastatic (Stage IV) cutaneous melanoma, according to the AJCC 8th edition		IN03A00
1.d	4	Presence of at least 1 measurable lesion as detected by radiological and/or photographic methods according to RECIST v1.1		IN04A00
1.e	5	ECOG performance status 0 or 1		IN05A00
1.f	6	Documented evidence of a BRAF V600E or V600K mutation in melanoma tumor tissue as previously determined by either PCR or NGS-based local lab assay		IN06A00
1.g	7	Submission of adequate tumor tissue (archival or freshly obtained; block or slides) to the sponsor central labs during the screening period and prior to enrollment (SLI)/randomization (Phase 3)		IN07A00
1.h	8	Have not received prior first-line systemic therapy for metastatic or unresectable locally advanced melanoma		IN08A00
1.i	9	Adequate bone marrow function characterized by the following at screening: ANC >= 1.5 × 10 ⁹ /L; Platelets >= 100 × 10 ⁹ /L; Hemoglobin >= 9 g/dL (without blood transfusions)		IN09A00
1.j	10	Adequate hepatic and renal function at screen:Tbili <= 1.5 × ULN and <2 mg/dL,ALT and/or AST <=2.5 × ULN, or <= 5 × ULN with liver metastases.Est creatinine clearance >= 50 mL/min		IN10A00
1.k	11	Capable of giving signed informed consent, which includes compliance with the requirements and restrictions listed in the ICD and in this protocol		IN11A00
Inclusion Criteria Entry [IE01001]				
1.1 ☐	Inclusion Number: [Inclusion Number]	[IESPID_001] [IESPID_CL_001] ▼		
1.2 ☐	Criterion Description: [Criterion Description]	[IETEST_001] [IETEST_CL_001] ▼		
1.3* ✓	Criterion met? [Criterion met?]	[IEORRES_001] [A:Y] ☐ YES [A:N] ☐ [SUPPIE_IEDESC_CMP_001] ☐ NO [SUPPIE_IEDESC_001] Describe details if relevant A200*		
1.4 ☐	Criterion ID: (For Pfizer use only) [read-only] [Criterion ID: (For Pfizer use only)]	[IETESTCD_001] [IETESTCD_CL_001] ▼		
Exclusion Criteria [IE02001]				
# ✓	Exclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
2.a	1	Other medical or psychiatric condition including recent (within the past year) or active suicidal ideation/behavior or lab abnormality that may increase the risk of study participation		EX01A00
2.b	2	Mucosal or ocular melanoma		EX02A00
2.c	3	Diagnosis of immunodeficiency or an active autoimmune disease that required systemic treatment in the past 2 yrs. with use of disease modifying agents, corticosteroids, or immunosuppressive drugs		EX03A00
2.d	4	Clinically significant multiple or severe drug allergies, intolerance to topical corticosteroids, or severe post-treatment hypersensitivity reactions		EX04A00
2.e	5	Unable to swallow, retain, and absorb oral medications		EX05A00
2.f	6	Impairment of GI function or disease which may significantly alter the absorption of oral study intervention		EX06A00
2.g	7	Clinically significant CV diseases, including history of acute MI,ACS,CHF,LVEF<50%, Uncontrolled hypertension,Cardiac arrhythmias,Triplicate baseline QTcF >= 480 ms or prolonged QT syndrome		EX07A00
2.h	8	History of thromboembolic or cerebrovascular events <= 12 wks prior to enrollment (SLI)/randomization (Phase 3)		EX08A00
2.i	9	History or current evidence of RVO or current risk factors for RVO; history of retinal degenerative disease		EX09A00
2.j	10	Concurrent neuromuscular disorder that is associated with the potential of elevated CK (eg, inflammatory myopathies, muscular dystrophy, amyotrophic lateral sclerosis, spinal muscular atrophy)		EX10A00

2.k	11	Current noninfectious pneumonitis or history of noninfectious pneumonitis requiring steroids	EX11A00
2.l	12	Evidence of HBV or HCV infection	EX12A00
2.m	13	Known history of a positive test for HIV or known AIDS. Testing for HIV must be performed at sites where mandated locally	EX13A00
2.n	14	Any active infection requiring systemic therapeutic treatment within 2 weeks prior to enrollment (SLI)/ randomization (Phase 3)	EX14A00
2.o	15	Participants with prior or current symptomatic brain metastasis, leptomeningeal disease or other active CNS metastases	EX15A00
2.p	16	Concurrent or previous other malignancy within 2 yrs, except prostate intraepithelial neoplasm, carcinoma in-situ of the cervix, Bowen's disease and Gleason <= 6 prostate cancer	EX16A00
2.q	17	Participants who previously received and subsequently discontinued encorafenib and/or binimetinib and/or anti-PD-1/-L1 due to severe toxicity	EX17A00
2.r	18	For participants in the SLI Only: Current use or anticipated need for food or drugs that are known moderate or strong CYP3A4 inhibitors during screening and through the DLT evaluation period	EX18A00
2.s	19	Participant has not recovered to Grade <= 1 from toxic effects of prior therapy and/or complications from prior surgical intervention before enrollment (SLI)/ randomization (Phase 3)	EX19A00
2.t	20	Had (prior to tx): rad thpy<= 4 wks; loco-regional tmnt or surg<= 6 wks; systemic adj thpy<= 6 mnths; immune-enhancing/suppressive<=14d; live vaccine<= 30 d; proh med <= 1 wk	EX20A00
2.u	21	Previous administration with an investigational drug <= 6 months prior to enrollment (SLI)/randomization (Phase 3)	EX21A00
2.v	22	Known sensitivity or contraindication to any component of study intervention (encorafenib, binimetinib and pembrolizumab), or their excipients	EX22A00
2.w	23	Pregnant, confirmed by a positive B-hCG laboratory test result, or is breastfeeding (lactating)	EX23A00
2.x	24	Investigator site staff or Pfizer employees directly involved in the conduct of the study, site staff otherwise supervised by the investigator, and their respective family members	EX24A00

Exclusion Criteria Entry [IE02001]

2.1	Exclusion Number: [Exclusion Number]	[IESPID1_001] [IESPID1_CL_001]
2.2	Criterion Description: [Criterion Description]	[IETEST1_001] [IETEST1_CL_001]
2.3*	Criterion met? [Criterion met?]	[IEORRES1_001] [A:Y] YES [SUPPIE_IEDESC1_CMP_001] YES [SUPPIE_IEDESC1_001] Describe details if relevant A200* [A:N] NO
2.4	Criterion ID: (For Pfizer use only) [read-only] [Criterion ID: (For Pfizer use only)]	[IETESTCD1_001] [IETESTCD1_CL_001]

Key: [*] = Item is required [✓] = Source verification required [⊞] = Item is collapsible [⊞] = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	IE001	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_001	Criterion Description
Item	IEORRES_001	Response to whether Inclusion/Exclusion Criterion was met .
Item	SUPPIE_IEDESC_001	Describe details of criterion not met if relevant
Item	IETESTCD_001	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST1_001	Criterion Description
Item	IEORRES1_001	Response to whether Inclusion/Exclusion Criterion was met .
Item	SUPPIE_IEDESC1_001	Describe details of criterion not met if relevant
Item	IETESTCD1_001	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Data Series Summary: INCLUSION/EXCLUSION CRITERIA					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
1.3	IEORRES_001	dsIE001	dstIEORRES_001	dsrIEORRES_001	Text
2.3	IEORRES1_001	dsIE001	dstIEORRES_001	dsrIEORRES1_001	Text

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
IESPID_CL_001	String		1	1	cliIESPID_1	IESPID_001	
			2	2	cliIESPID_2		
			3	3	cliIESPID_3		
			4	4	cliIESPID_4		
			5	5	cliIESPID_5		
			6	6	cliIESPID_6		
			7	7	cliIESPID_7		
			8	8	cliIESPID_8		
			9	9	cliIESPID_9		
			10	10	cliIESPID_10		
			11	11	cliIESPID_11		
IETEST_CL_001	String		Male or female participants >= 18 years at the time of informed consent	1	cliIETEST_Inclusion_Criteria_1	IETEST_001	
			Participants who are willing and able to comply with all scheduled visits, treatment plan, laboratory tests, lifestyle considerations, and other study procedures	2	cliIETEST_Inclusion_Criteria_2		
			Histologically confirmed unresectable (Stage IIIB, IIIC, or IIID) or metastatic (Stage IV) cutaneous melanoma, according to the AJCC 8th edition	3	cliIETEST_Inclusion_Criteria_3		
			Presence of at least 1 measurable lesion as detected by radiological and/or photographic methods according to RECIST v1.1	4	cliIETEST_Inclusion_Criteria_4		
			ECOG performance status 0 or 1	5	cliIETEST_Inclusion_Criteria_5		
			Documented evidence of a BRAF V600E or V600K mutation in melanoma tumor tissue as previously determined by either PCR or NGS-based local lab assay	6	cliIETEST_Inclusion_Criteria_6		
			Submission of adequate tumor tissue (archival or freshly obtained; block or slides) to the sponsor central labs during the screening period and prior to enrollment (SLI)/randomization (Phase 3)	7	cliIETEST_Inclusion_Criteria_7		
			Have not received prior first-line systemic therapy for metastatic or unresectable locally advanced melanoma	8	cliIETEST_Inclusion_Criteria_8		
			Adequate bone marrow function characterized by the following at screening: ANC >= 1.5 × 109/L, Platelets >= 100 × 109/L; Hemoglobin >= 9 g/dL (without blood transfusions)	9	cliIETEST_Inclusion_Criteria_9		
			Adequate hepatic and renal function at screen:Tbili <= 1.5 × ULN and <2 mg/dL,ALT and/or AST <=2.5 × ULN, or <= 5 × ULN with liver metastases.Est creatinine clearance >= 50 mL/min	10	cliIETEST_Inclusion_Criteria_10		
			Capable of giving signed informed consent, which includes compliance with the requirements and restrictions listed in the ICD and in this protocol	11	cliIETEST_Inclusion_Criteria_11		
IETESTCD_CL_001	String		IN01A00	1	cliIETESTCD_IN01A00	IETESTCD_001	
			IN02A00	2	cliIETESTCD_IN02A00		
			IN03A00	3	cliIETESTCD_IN03A00		
			IN04A00	4	cliIETESTCD_IN04A00		
			IN05A00	5	cliIETESTCD_IN05A00		
			IN06A00	6	cliIETESTCD_IN06A00		
			IN07A00	7	cliIETESTCD_IN07A00		
			IN08A00	8	cliIETESTCD_IN08A00		
			IN09A00	9	cliIETESTCD_IN09A00		
			IN10A00	10	cliIETESTCD_IN10A00		
			IN11A00	11	cliIETESTCD_IN11A00		
IESPID1_CL_001	String		1	1	cliIESPID1_1	IESPID1_001	
			2	2	cliIESPID1_2		

			3		3	cliIESPID1_3	
			4		4	cliIESPID1_4	
			5		5	cliIESPID1_5	
			6		6	cliIESPID1_6	
			7		7	cliIESPID1_7	
			8		8	cliIESPID1_8	
			9		9	cliIESPID1_9	
			10		10	cliIESPID1_10	
			11		11	cliIESPID1_11	
			12		12	cliIESPID1_12	
			13		13	cliIESPID1_13	
			14		14	cliIESPID1_14	
			15		15	cliIESPID1_15	
			16		16	cliIESPID1_16	
			17		17	cliIESPID1_17	
			18		18	cliIESPID1_18	
			19		19	cliIESPID1_19	
			20		20	cliIESPID1_20	
			21		21	cliIESPID1_21	
			22		22	cliIESPID1_22	
			23		23	cliIESPID1_23	
			24		24	cliIESPID1_24	
IETEST1_CL_001	String		Other medical or psychiatric condition including recent (within the past year) or active suicidal ideation/behavior or lab abnormality that may increase the risk of study participation	11	cliIETEST_Exclusion_Criteria_1	IETEST1_001	
			Mucosal or ocular melanoma	12	cliIETEST_Exclusion_Criteria_2		
			Diagnosis of immunodeficiency or an active autoimmune disease that required systemic treatment in the past 2 yrs. with use of disease modifying agents, corticosteroids, or immunosuppressive drugs	13	cliIETEST_Exclusion_Criteria_3		
			Clinically significant multiple or severe drug allergies, intolerance to topical corticosteroids, or severe post-treatment hypersensitivity reactions	14	cliIETEST_Exclusion_Criteria_4		
			Unable to swallow, retain, and absorb oral medications	15	cliIETEST_Exclusion_Criteria_5		
			Impairment of GI function or disease which may significantly alter the absorption of oral study intervention	16	cliIETEST_Exclusion_Criteria_6		
			Clinically significant CV diseases, including history of acute MI,ACS,CHF,LVEF<50%, Uncontrolled hypertension,Cardiac arrhythmias,Triplicate baseline QTcF >= 480 ms or prolonged QT syndrome	17	cliIETEST_Exclusion_Criteria_7		
			History of thromboembolic or cerebrovascular events <= 12 wks prior to enrollment (SLI)/randomization (Phase 3)	18	cliIETEST_Exclusion_Criteria_8		
			History or current evidence of RVO or current risk factors for RVO; history of retinal degenerative disease	19	cliIETEST_Exclusion_Criteria_9		
			Concurrent neuromuscular disorder that is associated with the potential of elevated CK (eg, inflammatory myopathies, muscular dystrophy, amyotrophic lateral sclerosis, spinal muscular atrophy)	20	cliIETEST_Exclusion_Criteria_10		
			Current noninfectious pneumonitis or history of noninfectious pneumonitis requiring steroids	21	cliIETEST_Exclusion_Criteria_11		
			Evidence of HBV or HCV infection	22	cliIETEST_Exclusion_Criteria_12		
			Known history of a positive test for HIV or known AIDS. Testing for HIV must be performed at sites where mandated locally	23	cliIETEST_Exclusion_Criteria_13		
			Any active infection requiring systemic therapeutic treatment within 2 weeks prior to enrollment (SLI)/ randomization (Phase 3)	24	cliIETEST_Exclusion_Criteria_14		
			Participants with prior or current symptomatic brain metastasis, leptomeningeal disease or other active CNS metastases	25	cliIETEST_Exclusion_Criteria_15		
			Concurrent or previous other malignancy within 2 yrs, except prostate intraepithelial neoplasm, carcinoma in-situ of the cervix, Bowen's disease and Gleason <= 6 prostate cancer	26	cliIETEST_Exclusion_Criteria_16		
			Participants who previously received and subsequently discontinued encorafenib and/or binimetinib and/or anti-PD-1/-L1 due to severe toxicity	27	cliIETEST_Exclusion_Criteria_17		
			For participants in the SLI Only: Current use or anticipated need for food or drugs that are known moderate or strong CYP3A4 inhibitors during screening and through the DLT evaluation period	28	cliIETEST_Exclusion_Criteria_18		
			Participant has not recovered to Grade <= 1 from toxic effects of prior therapy and/or complications from prior surgical intervention before enrollment (SLI)/ randomization (Phase 3)	29	cliIETEST_Exclusion_Criteria_19		

		Had (prior to tx): rad thpy<= 4 wks;loco-regional tmnt or surgy<= 6 wks; systemic adj thpy<= 6 mnths; immune-enhancing/suppressive<=14d; live vaccine<= 30 d; proh med <= 1 wk	30	cliIETEST_Exclusion_Criteria_20	
		Previous administration with an investigational drug <= 6 months prior to enrollment (SLI)/randomization (Phase 3)	31	cliIETEST_Exclusion_Criteria_21	
		Known sensitivity or contraindication to any component of study intervention (encorafenib, binimetinib and pembrolizumab), or their excipients	32	cliIETEST_Exclusion_Criteria_22	
		Pregnant, confirmed by a positive B-hCG laboratory test result, or is breastfeeding (lactating)	33	cliIETEST_Exclusion_Criteria_23	
		Investigator site staff or Pfizer employees directly involved in the conduct of the study, site staff otherwise supervised by the investigator, and their respective family members	34	cliIETEST_Exclusion_Criteria_24	
IETESTCD1_CL_001	String	EX01A00	31	cliIETESTCD_EX01A00	IETESTCD1_001
		EX02A00	32	cliIETESTCD_EX02A00	
		EX03A00	33	cliIETESTCD_EX03A00	
		EX04A00	34	cliIETESTCD_EX04A00	
		EX05A00	35	cliIETESTCD_EX05A00	
		EX06A00	36	cliIETESTCD_EX06A00	
		EX07A00	37	cliIETESTCD_EX07A00	
		EX08A00	38	cliIETESTCD_EX08A00	
		EX09A00	39	cliIETESTCD_EX09A00	
		EX10A00	40	cliIETESTCD_EX10A00	
		EX11A00	41	cliIETESTCD_EX11A00	
		EX12A00	42	cliIETESTCD_EX12A00	
		EX13A00	43	cliIETESTCD_EX13A00	
		EX14A00	44	cliIETESTCD_EX14A00	
		EX15A00	45	cliIETESTCD_EX15A00	
		EX16A00	46	cliIETESTCD_EX16A00	
		EX17A00	47	cliIETESTCD_EX17A00	
		EX18A00	48	cliIETESTCD_EX18A00	
		EX19A00	49	cliIETESTCD_EX19A00	
		EX20A00	50	cliIETESTCD_EX20A00	
		EX21A00	51	cliIETESTCD_EX21A00	
		EX22A00	52	cliIETESTCD_EX22A00	
		EX23A00	53	cliIETESTCD_EX23A00	
		EX24A00	54	cliIETESTCD_EX24A00	

RDE Analytics: RD_IE001		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE001_IE01001		
IESPID_001	IESPID_001_C	VARCHAR2
	IESPID_001	VARCHAR2
	IESPID_001_ND	VARCHAR2
IETEST_001	IETEST_001_C	VARCHAR2
	IETEST_001	VARCHAR2
	IETEST_001_ND	VARCHAR2
IEORRES_001	IEORRES_001_C	VARCHAR2
	IEORRES_001	VARCHAR2
	IEORRES_001_ND	VARCHAR2
IEORRES_001 - SUPPIE_IEDESC_001	SUPPIE_IEDESC_001	VARCHAR2
IETESTCD_001	IETESTCD_001_C	VARCHAR2
	IETESTCD_001	VARCHAR2

	IETESTCD_001_ND	VARCHAR2
RD_IE001_IE02001		
IESPID1_001	IESPID1_001_C	VARCHAR2
	IESPID1_001	VARCHAR2
	IESPID1_001_ND	VARCHAR2
IETEST1_001	IETEST1_001_C	VARCHAR2
	IETEST1_001	VARCHAR2
	IETEST1_001_ND	VARCHAR2
IEORRES1_001	IEORRES1_001_C	VARCHAR2
	IEORRES1_001	VARCHAR2
	IEORRES1_001_ND	VARCHAR2
IEORRES1_001 - SUPPIE_IEDESC1_001	SUPPIE_IEDESC1_001	VARCHAR2
IETESTCD1_001	IETESTCD1_001_C	VARCHAR2
	IETESTCD1_001	VARCHAR2
	IETESTCD1_001_ND	VARCHAR2

C4221016: SIGNIFICANT MEDICAL HISTORY (MEDHX) [MH001_1]				
Significant Medical History [MH01001_1]				
1.* ✓	Collection Date: [Medical History Collection Date]	[MHDTC_001_1] (DD/MM/YYYY) Req v / Req v / Req v (2020-2035)		
	Line/MH Number	Medical History Term	Start Date	Ongoing
2. ✓				
Medical History Details Entry [MH02001_1]				
2.1 🔗	Line/MH Number: <i>[read-only]</i> [Line/MH Number]	[MHSPID_001_1] N8		
2.2*	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: [Medical History Term]	[MHTERM_001_1] A100*		
2.3*	Start Date: [Start Date]	[MHSTDTC_001_1] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1920-2035)		
2.4	Medical History Event Pre-Specified: <i>[hidden]</i> [Medical History Event Pre-Specified]	[MHPRESP_001_1] [A:N] ☐ NO		
2.5*	Ongoing: [Ongoing]	[X_MHONGO_001_1] [A:Y] ☐ YES [A:N] ☐ [MHENDTC_CMP_001_1] ☐ NO [MHENDTC_001_1] (DD/MM/YYYY) End Date: Req/Unk v / Req/Unk v / Req v (1920-2035)		
2.6	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM3_001_1] A255*		
2.7	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[MHLLT_001_1] A100*		
2.8	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[MHLLTCD_001_1] A8*		
2.9	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[MHDECOD_001_1] A100*		
2.10	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[MHPTCD_001_1] A8*		
2.11	High Level Term <i>[hidden]</i> [High Level Term]	[MHHLT_001_1] A100*		
2.12	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[MHHLTCD_001_1] A8*		
2.13	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[MHHLGT_001_1] A100*		
2.14	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[MHHLGTCD_001_1] A8*		

2.15	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[MHSOC_001_1] A100★
2.16	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[MHSOCCD_001_1] A8★

Key: [★] = Item is required [✓] = Source verification required [] = Item is collapsible [🔑] = Key item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: SIGNIFICANT MEDICAL HISTORY		
Type	RefName	Description
Form	MH001_1	MEDICAL HISTORY
Item	MHSPID_001_1	A sponsor defined identifier which can be used for pre-printed numbers on the CRF. Populated as a sequential number
Item	MHTERM_001_1	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	MHSTDTC_001_1	Start Date of medical history event
Item	X_MHONGO_001_1	Indicates medical history event is ongoing when no end date is provided.
Item	MHENDTC_001_1	End Date of medical history event
Item	D_COMPTERM3_001_1	Hidden Item needed for clear coding rule.
Item	MHLLT_001_1	Lowest Level Term
Item	MHLLTCD_001_1	Lowest Level term
Item	MHDECOD_001_1	Dictionary Derived Term
Item	MHPTCD_001_1	Preferred Term Code
Item	MHHLT_001_1	High Level Term
Item	MHHLTCD_001_1	High Level Term Code
Item	MHHLGT_001_1	High Level Group Term
Item	MHHLGTCD_001_1	High Level Group Term Code
Item	MHSOC_001_1	Primary System Organ Class
Item	MHSOCCD_001_1	Primary System Organ Class Code

Keys (navigation)/Uniqueness: SIGNIFICANT MEDICAL HISTORY		
Item	Unique	Order #
MH02001_1 (Repeating section)		
MHSPID_001_1	Individual	1

Coding Summary: SIGNIFICANT MEDICAL HISTORY		
Verbatim RefName: MHTERM_001_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC_001_1	SOC	Term
MHSOCCD_001_1	SOC	Code
MHHLGT_001_1	HLGT	Term
MHHLGTCD_001_1	HLGT	Code
MHHLT_001_1	HLT	Term
MHHLTCD_001_1	HLT	Code
MHDECOD_001_1	PT	Term
MHPTCD_001_1	PT	Code
MHLLT_001_1	LLT	Term

MHLLTCD_001_1	LLT	Code
---------------	-----	------

RDE Analytics: RD_MH001_1		
Data Variable RefName	RD Column Name	Column Data Type
MHDTC_001_1	MHDTC_001_1	DATE
	MHDTC_001_1_DTS	VARCHAR2
	MHDTC_001_1_ND	VARCHAR2
RD_MH001_1_MH02001_1		
MHSPID_001_1	MHSPID_001_1	NUMBER
	MHSPID_001_1_ND	VARCHAR2
MHTERM_001_1	MHTERM_001_1	VARCHAR2
	MHTERM_001_1_ND	VARCHAR2
MHSTDTC_001_1	MHSTDTC_001_1	DATE
	MHSTDTC_001_1_DTS	VARCHAR2
	MHSTDTC_001_1_DTR	VARCHAR2
	MHSTDTC_001_1_ND	VARCHAR2
MHPRESP_001_1	MHPRESP_001_1_C	VARCHAR2
	MHPRESP_001_1	VARCHAR2
	MHPRESP_001_1_ND	VARCHAR2
X_MHONGO_001_1	X_MHONGO_001_1_C	VARCHAR2
	X_MHONGO_001_1	VARCHAR2
	X_MHONGO_001_1_ND	VARCHAR2
X_MHONGO_001_1 - MHENDTC_001_1	MHENDTC_001_1	DATE
	MHENDTC_001_1_DTS	VARCHAR2
	MHENDTC_001_1_DTR	VARCHAR2
D_COMPTERM3_001_1	D_COMPTERM3_001_1	VARCHAR2
	D_COMPTERM3_001_1_ND	VARCHAR2
MHLLT_001_1	MHLLT_001_1	VARCHAR2
	MHLLT_001_1_ND	VARCHAR2
MHLLTCD_001_1	MHLLTCD_001_1	VARCHAR2
	MHLLTCD_001_1_ND	VARCHAR2
MHDECOD_001_1	MHDECOD_001_1	VARCHAR2
	MHDECOD_001_1_ND	VARCHAR2
MHPTCD_001_1	MHPTCD_001_1	VARCHAR2
	MHPTCD_001_1_ND	VARCHAR2
MHHLT_001_1	MHHLT_001_1	VARCHAR2
	MHHLT_001_1_ND	VARCHAR2
MHHLTCD_001_1	MHHLTCD_001_1	VARCHAR2
	MHHLTCD_001_1_ND	VARCHAR2
MHHLGT_001_1	MHHLGT_001_1	VARCHAR2
	MHHLGT_001_1_ND	VARCHAR2
MHHLGTCD_001_1	MHHLGTCD_001_1	VARCHAR2
	MHHLGTCD_001_1_ND	VARCHAR2
MHSOC_001_1	MHSOC_001_1	VARCHAR2
	MHSOC_001_1_ND	VARCHAR2
MHSOCCD_001_1	MHSOCCD_001_1	VARCHAR2
	MHSOCCD_001_1_ND	VARCHAR2

C4221016: PRIMARY DIAGNOSIS (PRIM DIAG) [MH001_2]		
Medical History Details [MH02001_2]		
1.	Primary Diagnosis: [read-only] [Primary Diagnosis]	[MHTERM1_001_2] A100*
2.	Date of initial diagnosis: [Date of initial diagnosis]	[SUPPMH_MHIDDAT_001_2] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1920-2035)
3.*	TNM stage initial diagnosis: [TNM Stage Initial Diagnosis]	[RSORRES_TNMSTG_001_2] [RSORRES_TNMSTG_CL_001_2] v
4.*	TNM current stage: [TNM Current Stage]	[RSORRES1_TNMSTG_001_2] [RSORRES1_TNMSTG_CL_001_2] v
5.	AJCC TNM Stage - Current M: [AJCC TNM Stage - Current M]	[RSORRES1_TNMSTGM_001_2] [RSORRES1_TNMSTGM_CL_001_2] v
6.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM3_001_2] A255*
7.	Lowest Level Term [hidden] [Lowest Level Term]	[MHLLT_001_2] A100*
8.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[MHLLTCD_001_2] A8*
9.	Dictionary Derived Term [hidden] [Dictionary Derived Term]	[MHDECOD_001_2] A100*
10.	Preferred Term Code [hidden] [Preferred Term Code]	[MHPTCD_001_2] A8*
11.	High Level Term [hidden] [High Level Term]	[MHHLT_001_2] A100*
12.	High Level Term Code [hidden] [High Level Term Code]	[MHHLTCD_001_2] A8*
13.	High Level Group Term [hidden] [High Level Group Term]	[MHHLGT_001_2] A100*
14.	High Level Group Term Code [hidden] [High Level Group Term Code]	[MHHLGTC_001_2] A8*
15.	Primary System Organ Class [hidden] [Primary System Organ Class]	[MHSOC_001_2] A100*
16.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[MHSOCCD_001_2] A8*

	Class Code]	
Key: [*] = Item is required [▼] = Source verification required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: PRIMARY DIAGNOSIS		
Type	RefName	Description
Form	MH001_2	MEDICAL HISTORY
Item	MHTERM1_001_2	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	RSORRES_TNMSTG_001_2	TNM stage initial diagnosis.
Item	RSORRES1_TNMSTG_001_2	TNM current stage.
Item	RSORRES1_TNMSTGM_001_2	AJCC TNM stage - current M.
Item	D_COMPTERM3_001_2	Hidden Item needed for clear coding rule.
Item	MHLLT_001_2	Lowest Level Term
Item	MHLLTCD_001_2	Lowest Level term
Item	MHDECOD_001_2	Dictionary Derived Term
Item	MHPTCD_001_2	Preferred Term Code
Item	MHHLT_001_2	High Level Term
Item	MHHLTCD_001_2	High Level Term Code
Item	MHHLGT_001_2	High Level Group Term
Item	MHHLGTCD_001_2	High Level Group Term Code
Item	MHSOC_001_2	Primary System Organ Class
Item	MHSOCCD_001_2	Primary System Organ Class Code

Codelist Values Tables: PRIMARY DIAGNOSIS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
RSORRES_TNMSTG_CL_001_2	String		STAGE IA	10	cliMHOSTG_STAGE_IA	RSORRES_TNMSTG_001_2
			STAGE IB	2	cliMHOSTG_STAGE_IB	
			STAGE IIA	4	cliMHOSTG_STAGE_IIA	
			STAGE IIB	5	cliMHOSTG_STAGE_IIB	
			STAGE IIC	13	cliMHOSTG_STAGE_IIC	
			STAGE IIIA	11	cliMHOSTG_STAGE_IIIA	
			STAGE IIIB	7	cliMHOSTG_STAGE_IIIB	
			STAGE IIIC	14	cliMHOSTG_STAGE_IIIC	
			STAGE IIID	33	cliMHOSTG_STAGE_IIID	
			STAGE IV	8	cliMHOSTG_STAGE_IV	
RSORRES1_TNMSTG_CL_001_2	String		STAGE IA	10	cliMHOSTG_STAGE_IA	RSORRES1_TNMSTG_001_2
			STAGE IB	2	cliMHOSTG_STAGE_IB	
			STAGE IIA	4	cliMHOSTG_STAGE_IIA	
			STAGE IIB	5	cliMHOSTG_STAGE_IIB	
			STAGE IIC	13	cliMHOSTG_STAGE_IIC	
			STAGE IIIA	11	cliMHOSTG_STAGE_IIIA	
			STAGE IIIB	7	cliMHOSTG_STAGE_IIIB	
			STAGE IIIC	14	cliMHOSTG_STAGE_IIIC	
			STAGE IIID	33	cliMHOSTG_STAGE_IIID	
			STAGE IV	8	cliMHOSTG_STAGE_IV	
RSORRES1_TNMSTGM_CL_001_2	String		M1A[0]	7	cliAJCCM_M1A_0	RSORRES1_TNMSTGM_001_2
			M1A[1]	8	cliAJCCM_M1A_1	

			M1B[0]	9	cliAJCCM_M1B_0	
			M1B[1]	10	cliAJCCM_M1B_1	
			M1C[0]	11	cliAJCCM_M1C_0	
			M1C[1]	12	cliAJCCM_M1C_1	
			M1D[0]	13	cliAJCCM_M1D_0	
			M1D[1]	14	cliAJCCM_M1D_1	

Coding Summary: PRIMARY DIAGNOSIS		
Verbatim RefName: MHTERM1_001_2		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC_001_2	SOC	Term
MHSOCCD_001_2	SOC	Code
MHHLGT_001_2	HLGT	Term
MHHLGTCD_001_2	HLGT	Code
MHHLT_001_2	HLT	Term
MHHLTCD_001_2	HLT	Code
MHDECOD_001_2	PT	Term
MHPTCD_001_2	PT	Code
MHLLT_001_2	LLT	Term
MHLLTCD_001_2	LLT	Code

RDE Analytics: RD_MH001_2		
Data Variable RefName	RD Column Name	Column Data Type
MHTERM1_001_2	MHTERM1_001_2	VARCHAR2
	MHTERM1_001_2_ND	VARCHAR2
SUPPMH_MHIDDAT_001_2	SUPPMH_MHIDDAT_001_2	DATE
	SUPPMH_MHIDDAT_001_2_DTS	VARCHAR2
	SUPPMH_MHIDDAT_001_2_DTR	VARCHAR2
	SUPPMH_MHIDDAT_001_2_ND	VARCHAR2
RSORRES_TNMSTG_001_2	RSORRES_TNMSTG_001_2_C	VARCHAR2
	RSORRES_TNMSTG_001_2	VARCHAR2
	RSORRES_TNMSTG_001_2_ND	VARCHAR2
RSORRES1_TNMSTG_001_2	RSORRES1_TNMSTG_001_2_C	VARCHAR2
	RSORRES1_TNMSTG_001_2	VARCHAR2
	RSORRES1_TNMSTG_001_2_ND	VARCHAR2
RSORRES1_TNMSTGM_001_2	RSORRES1_TNMSTGM_001_2_C	VARCHAR2
	RSORRES1_TNMSTGM_001_2	VARCHAR2
	RSORRES1_TNMSTGM_001_2_ND	VARCHAR2
D_COMPTERM3_001_2	D_COMPTERM3_001_2	VARCHAR2
	D_COMPTERM3_001_2_ND	VARCHAR2
MHLLT_001_2	MHLLT_001_2	VARCHAR2
	MHLLT_001_2_ND	VARCHAR2
MHLLTCD_001_2	MHLLTCD_001_2	VARCHAR2
	MHLLTCD_001_2_ND	VARCHAR2
MHDECOD_001_2	MHDECOD_001_2	VARCHAR2
	MHDECOD_001_2_ND	VARCHAR2

MHPTCD_001_2	MHPTCD_001_2	VARCHAR2
	MHPTCD_001_2_ND	VARCHAR2
MHHLT_001_2	MHHLT_001_2	VARCHAR2
	MHHLT_001_2_ND	VARCHAR2
MHHLTCD_001_2	MHHLTCD_001_2	VARCHAR2
	MHHLTCD_001_2_ND	VARCHAR2
MHHLGT_001_2	MHHLGT_001_2	VARCHAR2
	MHHLGT_001_2_ND	VARCHAR2
MHHLGTCD_001_2	MHHLGTCD_001_2	VARCHAR2
	MHHLGTCD_001_2_ND	VARCHAR2
MHSOC_001_2	MHSOC_001_2	VARCHAR2
	MHSOC_001_2_ND	VARCHAR2
MHSOCCD_001_2	MHSOCCD_001_2	VARCHAR2
	MHSOCCD_001_2_ND	VARCHAR2

C4221016: NON-DRUG TREATMENTS - PRIOR CANCER SURGERY (PRIOR SURG) - Repeating Form [PR001_2]				
#	Category	Treatment	Start Date	Outcome of Procedure
1				
Non-Drug Treatments [PR01001_2]				
1.	Category: [read-only] [Category]	[PRCAT_001_2] [A:17] ☒ PRIOR CANCER SURGERY		
2.	Concomitant Non-drug Treatment Pre-specified: [hidden] [Con Non-Drug Treatments Pre-specified]	[PRPRES_001_2] [A:N] ☒ NO		
3.* ✓	Treatment: [Treatment]	[PRTRT_001_2] A100*		
4.* ✓	Start Date: [Start Date]	[PRSTDTC_001_2] (DD/MM/YYYY) Req/Unk ☐ / Req/Unk ☐ / Req ☒ (1920-2035)		
5.* ✓	Outcome of Procedure: [Outcome of Procedure]	[SUPPPR_PROUT_001_2] [A:2] ☒ RESECTED [A:4] ☒ PARTIALLY RESECTED [A:6] ☒ UNKNOWN		
6.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM5_001_2] A255*		
7.	Lowest Level Term [hidden] [Lowest Level Term]	[SUPPPR_PRLLT_001_2] A100*		
8.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[SUPPPR_PRLTCD_001_2] A8*		
9.	Dictionary Derived Term [hidden] [Dictionary Derived Term]	[PRDECOD_001_2] A100*		
10.	Preferred Term Code [hidden] [Preferred Term Code]	[SUPPPR_PRPTCD_001_2] A8*		
11.	High Level Term [hidden] [High Level Term]	[SUPPPR_PRHLT_001_2] A100*		
12.	High Level Term Code [hidden] [High Level Term Code]	[SUPPPR_PRHLTCD_001_2] A8*		
13.	High Level Group Term [hidden] [High Level Group Term]	[SUPPPR_PRHLGT_001_2] A100*		
14.	High Level Group Term Code [hidden] [High Level Group Term Code]	[SUPPPR_PRHLGTC_001_2] A8*		
15.	Primary System Organ Class [hidden] [Primary System Organ Class]	[SUPPPR_PRSOC_001_2] A100*		
16.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_2] A8*		
Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.				

Study Object Descriptions: NON-DRUG TREATMENTS - PRIOR CANCER SURGERY		
Type	RefName	Description
Form	PR001_2	PR001 - NON-DRUG TREATMENTS
Item	PRCAT_001_2	Category for non-drug treatments given prior to study start or during the study. Default To GENERAL NON_DRUG TREATMENT
Item	PRPRESP_001_2	Concomitant non-drug treatments pre-specified
Item	PRTRT_001_2	Verbatim name of the treatment.
Item	PRSTDTC_001_2	Date the treatment was started
Item	D_COMPTERM5_001_2	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001_2	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLLTCD_001_2	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001_2	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001_2	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001_2	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001_2	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001_2	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTCD_001_2	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001_2	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001_2	Dictionary-derived code for the primary System Organ Class.

Coding Summary: NON-DRUG TREATMENTS - PRIOR CANCER SURGERY		
Verbatim RefName: PRTRT_001_2 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001_2	SOC	Term
SUPPPR_PRSOCCD_001_2	SOC	Code
SUPPPR_PRHLGT_001_2	HLGT	Term
SUPPPR_PRHLGTCD_001_2	HLGT	Code
SUPPPR_PRHLT_001_2	HLT	Term
SUPPPR_PRHLTCD_001_2	HLT	Code
PRDECOD_001_2	PT	Term
SUPPPR_PRPTCD_001_2	PT	Code
SUPPPR_PRLLT_001_2	LLT	Term
SUPPPR_PRLLTCD_001_2	LLT	Code

RDE Analytics: RD_PR001_2		
Data Variable RefName	RD Column Name	Column Data Type
PRCAT_001_2	PRCAT_001_2_C	VARCHAR2
	PRCAT_001_2	VARCHAR2
	PRCAT_001_2_ND	VARCHAR2
PRPRESP_001_2	PRPRESP_001_2_C	VARCHAR2
	PRPRESP_001_2	VARCHAR2
	PRPRESP_001_2_ND	VARCHAR2
PRTRT_001_2	PRTRT_001_2	VARCHAR2
	PRTRT_001_2_ND	VARCHAR2
PRSTDTC_001_2	PRSTDTC_001_2	DATE
	PRSTDTC_001_2_DTS	VARCHAR2
	PRSTDTC_001_2_DTR	VARCHAR2

	PRSTDTC_001_2_ND	VARCHAR2
SUPPPR_PROUT_001_2	SUPPPR_PROUT_001_2_C	VARCHAR2
	SUPPPR_PROUT_001_2	VARCHAR2
	SUPPPR_PROUT_001_2_ND	VARCHAR2
D_COMPTERM5_001_2	D_COMPTERM5_001_2	VARCHAR2
	D_COMPTERM5_001_2_ND	VARCHAR2
SUPPPR_PRLLT_001_2	SUPPPR_PRLLT_001_2	VARCHAR2
	SUPPPR_PRLLT_001_2_ND	VARCHAR2
SUPPPR_PRLTCD_001_2	SUPPPR_PRLTCD_001_2	VARCHAR2
	SUPPPR_PRLTCD_001_2_ND	VARCHAR2
PRDECOD_001_2	PRDECOD_001_2	VARCHAR2
	PRDECOD_001_2_ND	VARCHAR2
SUPPPR_PRPTCD_001_2	SUPPPR_PRPTCD_001_2	VARCHAR2
	SUPPPR_PRPTCD_001_2_ND	VARCHAR2
SUPPPR_PRHLT_001_2	SUPPPR_PRHLT_001_2	VARCHAR2
	SUPPPR_PRHLT_001_2_ND	VARCHAR2
SUPPPR_PRHLTCD_001_2	SUPPPR_PRHLTCD_001_2	VARCHAR2
	SUPPPR_PRHLTCD_001_2_ND	VARCHAR2
SUPPPR_PRHLGT_001_2	SUPPPR_PRHLGT_001_2	VARCHAR2
	SUPPPR_PRHLGT_001_2_ND	VARCHAR2
SUPPPR_PRHLGTC_001_2	SUPPPR_PRHLGTC_001_2	VARCHAR2
	SUPPPR_PRHLGTC_001_2_ND	VARCHAR2
SUPPPR_PRSOC_001_2	SUPPPR_PRSOC_001_2	VARCHAR2
	SUPPPR_PRSOC_001_2_ND	VARCHAR2
SUPPPR_PRSOCCD_001_2	SUPPPR_PRSOCCD_001_2	VARCHAR2
	SUPPPR_PRSOCCD_001_2_ND	VARCHAR2

C4221016: PRIOR RADIATION THERAPY (PR RADIATN) - Repeating Form [PR001_1_1]					
#	Category	Treatment	Site of Treatment	Start Date	Ongoing?
1					
Radiation Treatment [PR01001_1_1]					
1.	Category: [read-only] [Category]	[PRCAT_001_1_1] [A:11] ☒ PRIOR RADIATION			
2.* ✓	Treatment: [Treatment]	[PRTRT_001_1_1] A100*			
3.	Concomitant Non-drug Treatment Pre-specified: [hidden] [Con Non-Drug Treatments Pre-specified]	[PRPRES_001_1_1] [A:N] ☒ NO			
4.* ✓	Site of Treatment: [Site of Treatment]	[PRLOC_001_1_1] [PRLOC_CL_001_1_1] ▼			
5.* ✓	Start Date: [Start Date]	[PRSTDTC_001_1_1] (DD/MM/YYYY) Req/Unk ▼ / Req/Unk ▼ / Req ▼ (1920-2035)			
6.* ✓	Ongoing? [Ongoing?]	[X_PRONGO_001_1_1] [A:N] ☒ [X_PRENDTC_CMP_001_1_1] NO [PRENDTC_001_1_1] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req/Unk ▼ / Req ▼ (1920-2035)			
7.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM5_001_1_1] A255*			
8.	Lowest Level Term [hidden] [Lowest Level Term]	[SUPPPR_PRLT_001_1_1] A100*			
9.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[SUPPPR_PRLTCD_001_1_1] A8*			
10.	Dictionary Derived Term [hidden] [Dictionary Derived Term]	[PRDECOD_001_1_1] A100*			
11.	Preferred Term Code [hidden] [Preferred Term Code]	[SUPPPR_PRPTCD_001_1_1] A8*			
12.	High Level Term [hidden] [High Level Term]	[SUPPPR_PRHLT_001_1_1] A100*			
13.	High Level Term Code [hidden] [High Level Term Code]	[SUPPPR_PRHLTCD_001_1_1] A8*			
14.	High Level Group Term [hidden] [High Level Group Term]	[SUPPPR_PRHGT_001_1_1] A100*			
15.	High Level Group Term Code [hidden] [High Level Group Term Code]	[SUPPPR_PRHGTCD_001_1_1] A8*			
16.	Primary System Organ Class [hidden] [Primary System Organ Class]	[SUPPPR_PRSOC_001_1_1] A100*			
17.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_1_1] A8*			

Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PRIOR RADIATION THERAPY		
Type	RefName	Description
Form	PR001_1_1	PR001 - NON-DRUG TREATMENTS
Item	PRCAT_001_1_1	Category for non-drug treatments given prior to study start or during the study. Default To GENERAL NON_DRUG TREATMENT
Item	PRTRT_001_1_1	Verbatim name of the treatment.
Item	PRPRESP_001_1_1	Concomitant non-drug treatments pre-specified
Item	PRLOC_001_1_1	Body site of where the treatment was given.
Item	PRSTDTC_001_1_1	Date the treatment was started
Item	X_PRONGO_001_1_1	Indicates the treatment is ongoing when no End Date is provided
Item	PRENDTC_001_1_1	Date the treatment was stopped.
Item	D_COMPTERM5_001_1_1	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001_1_1	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLLTCD_001_1_1	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001_1_1	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001_1_1	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001_1_1	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001_1_1	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001_1_1	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTCD_001_1_1	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001_1_1	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001_1_1	Dictionary-derived code for the primary System Organ Class.

Codelist Values Tables: PRIOR RADIATION THERAPY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
PRLOC_CL_001_1_1	String		LUNG	76	cliLOC_LUNG	PRLOC_001_1_1
			LIVER	40	cliLOC_LIVER	
			LYMPH NODE	108	cliLOC_LYMPH_NODE	
			SKIN	77	cliLOC_SKIN	
			BONE	28	cliLOC_BONE	
			BRAIN	71	cliLOC_BRAIN	
			HEAD AND NECK	647	cliLOC_HEAD_AND_NECK	
			CHEST	158	cliLOC_CHEST	
			KIDNEY	55	cliLOC_KIDNEY	
			SPLEEN	68	cliLOC_SPLEEN	
			THYROID GLAND	43	cliLOC_THYROID_GLAND	
			MUSCLE	633	cliLOC_MUSCLE	
			PELVIS	114	cliLOC_PELVIS	
			ADRENAL GLAND	81	cliLOC_ADRENAL_GLAND	
			OTHER	999	cliLOC_OTHER	

Coding Summary: PRIOR RADIATION THERAPY		
Verbatim RefName: PRTRT_001_1_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type

SUPPPR_PRSOC_001_1_1	SOC	Term
SUPPPR_PRSOCCD_001_1_1	SOC	Code
SUPPPR_PRHLGT_001_1_1	HLGT	Term
SUPPPR_PRHLGTC_001_1_1	HLGT	Code
SUPPPR_PRHLT_001_1_1	HLT	Term
SUPPPR_PRHLTCD_001_1_1	HLT	Code
PRDECOD_001_1_1	PT	Term
SUPPPR_PRPTCD_001_1_1	PT	Code
SUPPPR_PRLT_001_1_1	LLT	Term
SUPPPR_PRLTCD_001_1_1	LLT	Code

RDE Analytics: RD_PR001_1_1		
Data Variable RefName	RD Column Name	Column Data Type
PRCAT_001_1_1	PRCAT_001_1_1_C	VARCHAR2
	PRCAT_001_1_1	VARCHAR2
	PRCAT_001_1_1_ND	VARCHAR2
PRTRT_001_1_1	PRTRT_001_1_1	VARCHAR2
	PRTRT_001_1_1_ND	VARCHAR2
PRPRES_001_1_1	PRPRES_001_1_1_C	VARCHAR2
	PRPRES_001_1_1	VARCHAR2
	PRPRES_001_1_1_ND	VARCHAR2
PRLOC_001_1_1	PRLOC_001_1_1_C	VARCHAR2
	PRLOC_001_1_1	VARCHAR2
	PRLOC_001_1_1_ND	VARCHAR2
PRSTDTC_001_1_1	PRSTDTC_001_1_1	DATE
	PRSTDTC_001_1_1_DTS	VARCHAR2
	PRSTDTC_001_1_1_DTR	VARCHAR2
	PRSTDTC_001_1_1_ND	VARCHAR2
X_PRONGO_001_1_1	X_PRONGO_001_1_1_C	VARCHAR2
	X_PRONGO_001_1_1	VARCHAR2
	X_PRONGO_001_1_1_ND	VARCHAR2
X_PRONGO_001_1_1 - PRENDTC_001_1_1	PRENDTC_001_1_1	DATE
	PRENDTC_001_1_1_DTS	VARCHAR2
	PRENDTC_001_1_1_DTR	VARCHAR2
D_COMPTERM5_001_1_1	D_COMPTERM5_001_1_1	VARCHAR2
	D_COMPTERM5_001_1_1_ND	VARCHAR2
SUPPPR_PRLT_001_1_1	SUPPPR_PRLT_001_1_1	VARCHAR2
	SUPPPR_PRLT_001_1_1_ND	VARCHAR2
SUPPPR_PRLTCD_001_1_1	SUPPPR_PRLTCD_001_1_1	VARCHAR2
	SUPPPR_PRLTCD_001_1_1_ND	VARCHAR2
PRDECOD_001_1_1	PRDECOD_001_1_1	VARCHAR2
	PRDECOD_001_1_1_ND	VARCHAR2
SUPPPR_PRPTCD_001_1_1	SUPPPR_PRPTCD_001_1_1	VARCHAR2
	SUPPPR_PRPTCD_001_1_1_ND	VARCHAR2
SUPPPR_PRHLT_001_1_1	SUPPPR_PRHLT_001_1_1	VARCHAR2
	SUPPPR_PRHLT_001_1_1_ND	VARCHAR2
SUPPPR_PRHLTCD_001_1_1	SUPPPR_PRHLTCD_001_1_1	VARCHAR2

	SUPPPR_PRHLTCD_001_1_1_ND	VARCHAR2
SUPPPR_PRHLGT_001_1_1	SUPPPR_PRHLGT_001_1_1	VARCHAR2
	SUPPPR_PRHLGT_001_1_1_ND	VARCHAR2
SUPPPR_PRHLGTCD_001_1_1	SUPPPR_PRHLGTCD_001_1_1	VARCHAR2
	SUPPPR_PRHLGTCD_001_1_1_ND	VARCHAR2
SUPPPR_PRSOC_001_1_1	SUPPPR_PRSOC_001_1_1	VARCHAR2
	SUPPPR_PRSOC_001_1_1_ND	VARCHAR2
SUPPPR_PRSOCCD_001_1_1	SUPPPR_PRSOCCD_001_1_1	VARCHAR2
	SUPPPR_PRSOCCD_001_1_1_ND	VARCHAR2

C4221016: RESPONSE TO REGIMEN (PRIOR THPY) - Repeating Form [CM001_1]						
#	Regimen Number	Progression Occurred After Regimen			Response To Regimen	
1						
Overall Response [CM02001_1]						
1.* ✓	Regimen #: [Regimen Number]	[Y_RSREFID_001_1] A8★				
2.* ✓	Did progression occur after this regimen started? [Progression Occurred After Regimen]	[RSORRES_PDAFTRX_001_1] [A:Y] ☐ [RSORRES_PDARXDTX_CMP_001_1] ☐ YES [RSORRES_PDARXDTX_001_1] (DD/MM/YYYY) Date of documented progression: Req/Unk v / Req/Unk v / Req v (1920-2035) [A:N] ☐ NO [A:U] ☐ UNKNOWN				
	Sponsor-Defined Identifier	Category for Medication	Subcategory for Medication	Concomitant Medications Pre-specified	Name of Medication	Start Date End Date
3. ✓						
Response To Regimen Entry [CM01001_1]						
3.1	What is the medication identifier? [read-only] [Sponsor-Defined Identifier]	[CMSPID_001_1] A20★				
3.2	Category: [read-only] [Category for Medication]	[CMCAT_001_1] [A:7] ☐ PRIOR CANCER THERAPY				
3.3*	Subcategory: [Subcategory for Medication]	[CMSCAT_001_1] [A:1] ☐ NEOADJUVANT [A:2] ☐ ADJUVANT				
3.4	Concomitant Medications Pre-specified: [read-only] [Concomitant Medications Pre-specified]	[CMPRESP_001_1] [A:N] ☐ NO				
3.5* ✓	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). [Name of Medication]	[CMTRT_001_1] A100★				
3.6* ✓	Start Date: [Start Date]	[CMSTDTC_001_1] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1920-2035)				
3.7* ✓	End Date: [End Date]	[CMENDTC_001_1] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1920-2035)				
3.8	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM1_001_1] A255★				
3.9	Standardized Medication Name - Dictionary derived. [hidden] [Standardized Medication Name]	[CMDECOD_001_1] A300★				
3.10	Standardized Medication Code - Dictionary derived [hidden] [Standardized Medication Code]	[SUPPCM_CMCODE_001_1] A11★				
Key: [*] = Item is required [✓] = Source verification required [⊞] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.						

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: RESPONSE TO REGIMEN		
Type	RefName	Description
Item	CMSPID_001_1	A sponsor-defined reference number.
Item	CMSCAT_001_1	A further categorization of medications/ treatment. Examples: CHEMOTHERAPY, HORMONAL THERAPY, ALTERNATIVE THERAPY.
Item	CMPRESP_001_1	Concomitant Medications Pre-specified
Item	CMTRT_001_1	Name of Medication
Item	CMSTDTC_001_1	Date the medication was first taken
Item	CMENDTC_001_1	Date the subject stopped taking the medication
Item	D_COMPTERM1_001_1	Hidden Item needed for clear coding rule.
Item	CMDECOD_001_1	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001_1	Standardized Medication Code - Dictionary derived

Coding Summary: RESPONSE TO REGIMEN		
Verbatim RefName: CMTRT_001_1		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
CMDECOD_001_1	PT	Term
SUPPCM_CMCODE_001_1	PT	Code

RDE Analytics: RD_CM001_1		
Data Variable RefName	RD Column Name	Column Data Type
Y_RSREFID_001_1	Y_RSREFID_001_1	VARCHAR2
	Y_RSREFID_001_1_ND	VARCHAR2
RSORRES_PDAFTRX_001_1	RSORRES_PDAFTRX_001_1_C	VARCHAR2
	RSORRES_PDAFTRX_001_1	VARCHAR2
	RSORRES_PDAFTRX_001_1_ND	VARCHAR2
RSORRES_PDAFTRX_001_1 - RSORRES_PDARXDT_001_1	RSORRES_PDARXDT_001_1	DATE
	RSORRES_PDARXDT_001_1_DTS	VARCHAR2
	RSORRES_PDARXDT_001_1_DTR	VARCHAR2
RD_CM001_1_CM01001_1		
CMSPID_001_1	CMSPID_001_1	VARCHAR2
	CMSPID_001_1_ND	VARCHAR2
CMCAT_001_1	CMCAT_001_1_C	VARCHAR2
	CMCAT_001_1	VARCHAR2
	CMCAT_001_1_ND	VARCHAR2
CMSCAT_001_1	CMSCAT_001_1_C	VARCHAR2
	CMSCAT_001_1	VARCHAR2
	CMSCAT_001_1_ND	VARCHAR2
CMPRESP_001_1	CMPRESP_001_1_C	VARCHAR2
	CMPRESP_001_1	VARCHAR2
	CMPRESP_001_1_ND	VARCHAR2
CMTRT_001_1	CMTRT_001_1	VARCHAR2
	CMTRT_001_1_ND	VARCHAR2
CMSTDTC_001_1	CMSTDTC_001_1	DATE
	CMSTDTC_001_1_DTS	VARCHAR2

	CMSTDTC_001_1_DTR	VARCHAR2
	CMSTDTC_001_1_ND	VARCHAR2
CMENDTC_001_1	CMENDTC_001_1	DATE
	CMENDTC_001_1_DTS	VARCHAR2
	CMENDTC_001_1_DTR	VARCHAR2
	CMENDTC_001_1_ND	VARCHAR2
D_COMPTERM1_001_1	D_COMPTERM1_001_1	VARCHAR2
	D_COMPTERM1_001_1_ND	VARCHAR2
CMDECOD_001_1	CMDECOD_001_1	VARCHAR2
	CMDECOD_001_1_ND	VARCHAR2
SUPPCM_CMCODE_001_1	SUPPCM_CMCODE_001_1	VARCHAR2
	SUPPCM_CMCODE_001_1_ND	VARCHAR2

C4221016: VITAL SIGNS (VITALS WT) [VS001]

Vital Signs [VS01001]

1.*

Date:
[Date Time:]

[VSDTC_001] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2020-2035)

2.*

Weight:
[Weight]

[VSORRES_WEIGHT_001]
xxxx.

3.*

Unit:
[Weight Unit]

[VSORRESU_WEIGHT_001]
[A:9] ☐ kg
[A:11] ☐ LB

4.*

Height:
[Height]

[VSORRES_HEIGHT_001]
xxxx.

5.*

Unit:
[Height Unit]

[VSORRESU_HEIGHT_001]
[A:5] ☐ cm
[A:8] ☐ in

Vital Signs Details [VS02001]

# ✓	Record Identifier:	Temperature*	Temperature Unit*	Systolic:*	Diastolic:*	Pulse:*
6.a	1					

Vital Signs Details Entry [VS02001]

6.1

Record Identifier:
[Record Identifier:]

[VSSPID_001]
[A:1] ☐ 1

6.2*

Temperature:
[Temperature]

[VSORRES_TEMP_001]
xxxx.

6.3*

Unit:
[Temperature Unit]

[VSORRESU_TEMP_001]
[A:4] ☐ C
[A:6] ☐ F

6.4*

Systolic:
[Systolic:]

[VSORRES_SYSBP_001]
N3

6.5*

Diastolic:
[Diastolic:]

[VSORRES_DIABP_001]
N3

6.6*

Pulse:
[Pulse:]

[VSORRES_PULSE_001]
N3

Key: [*] = Item is required [✓] = Source verification required = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS		
Type	RefName	Description
Form	VS001	VS001 - Vital Signs - Wide Format
Item	VSDTC_001	The date the measurement was performed.
Item	VSORRES_WEIGHT_001	Weight
Item	VSORRESU_WEIGHT_001	Weight Unit
Item	VSORRES_HEIGHT_001	Height
Item	VSORRESU_HEIGHT_001	Height Unit
Item	VSSPID_001	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_TEMP_001	Temperature
Item	VSORRESU_TEMP_001	Temperature Unit
Item	VSORRES_SYSBP_001	Systolic Blood Pressure collected in mmHg
Item	VSORRES_DIABP_001	Diastolic Blood Pressure in mmHg

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

Item	VSORRES_PULSE_001	Pulse Rate in beats/minute.
------	-------------------	-----------------------------

RDE Analytics: RD_VS001		
Data Variable RefName	RD Column Name	Column Data Type
VSDTC_001	VSDTC_001	DATE
	VSDTC_001_DTS	VARCHAR2
	VSDTC_001_ND	VARCHAR2
VSORRES_WEIGHT_001	VSORRES_WEIGHT_001	FLOAT
	VSORRES_WEIGHT_001_ND	VARCHAR2
VSORRESU_WEIGHT_001	VSORRESU_WEIGHT_001_C	VARCHAR2
	VSORRESU_WEIGHT_001	VARCHAR2
	VSORRESU_WEIGHT_001_ND	VARCHAR2
VSORRES_HEIGHT_001	VSORRES_HEIGHT_001	FLOAT
	VSORRES_HEIGHT_001_ND	VARCHAR2
VSORRESU_HEIGHT_001	VSORRESU_HEIGHT_001_C	VARCHAR2
	VSORRESU_HEIGHT_001	VARCHAR2
	VSORRESU_HEIGHT_001_ND	VARCHAR2
RD_VS001_VS02001		
VSSPID_001	VSSPID_001_C	VARCHAR2
	VSSPID_001	VARCHAR2
	VSSPID_001_ND	VARCHAR2
VSORRES_TEMP_001	VSORRES_TEMP_001	FLOAT
	VSORRES_TEMP_001_ND	VARCHAR2
VSORRESU_TEMP_001	VSORRESU_TEMP_001_C	VARCHAR2
	VSORRESU_TEMP_001	VARCHAR2
	VSORRESU_TEMP_001_ND	VARCHAR2
VSORRES_SYSBP_001	VSORRES_SYSBP_001	NUMBER
	VSORRES_SYSBP_001_ND	VARCHAR2
VSORRES_DIABP_001	VSORRES_DIABP_001	NUMBER
	VSORRES_DIABP_001_ND	VARCHAR2
VSORRES_PULSE_001	VSORRES_PULSE_001	NUMBER
	VSORRES_PULSE_001_ND	VARCHAR2

C4221016: ECOG PERFORMANCE STATUS (ECOG) [QSPFM005]		
Ecog Performance Status [QSPFM01005]		
1.*	Date of assessment: [Date of assessment:]	[QSDTC_005] (DD/MM/YYYY) Req / Req / Req (2020-2035)
2.*	ECOG Performance Status (0-5): [ECOG Performance Status (0-5):]	[QSORRES_ECOG101_005]
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_QSPFM005		
Data Variable RefName	RD Column Name	Column Data Type
QSDTC_005	QSDTC_005	DATE
	QSDTC_005_DTS	VARCHAR2
	QSDTC_005_ND	VARCHAR2
QSORRES_ECOG101_005	QSORRES_ECOG101_005	NUMBER
	QSORRES_ECOG101_005_ND	VARCHAR2

C4221016: LOCALLY READ ECGs REPEATING (ECG SCR) - Repeating Form [EG001_3]								
#	Planned Time Point	Reference Time Point	ECG Method	Group ID	Sponsor-Defined Identifier	ECG Date Time:	ECG Interpretation	ECG Results
1								
Locally Read ECGs Repeating [EG01001_3]								
1.	Planned time point: <i>[read-only]</i> [Planned Time Point]	[EGTPT_001_3] [A:15] ☐ 0 H						
2.	Reference Time Point: <i>[read-only]</i> [Reference Time Point]	[EGTPTREF_001_3] [A:8] ☐ SCREENING						
3.*	Method: [ECG Method]	[EGMETHOD_001_3] [A:10] ☐ 12 LEAD STANDARD						
4.	Group Identifier: <i>[read-only]</i> [Group ID]	[EGGRPID_001_3] [A:1] ☐ 1						
5.	Repeat Number: [Sponsor-Defined Identifier]	[EGSPID_001_3] [A:1] ☐ 1ST ECG READING [A:2] ☐ 2ND ECG READING [A:3] ☐ 3RD ECG READING						
6.*	ECG Date Time: [ECG Date Time:]	[EGDTC_001_3] (DD/MM/YYYY hh:mm) Req / Req / Req (2020-2035) Req : Req 24-hour clock						
7.*	Was ECG: [ECG Interpretation]	[EGORRES_INTP_001_3] [A:1] ☐ [SUPPEG_EGCLSIG_CMP_001_3] ☐ ABNORMAL [SUPPEG_EGCLSIG_001_3] If abnormal, was the overall ECG clinically significant? [A:Y] ☐ [CO_EGCOM_CMP_001_3] ☐ YES [CO_EGCOM_001_3] Comments on significant findings: (If clinically significant, record on the [insert protocol specific requirement e.g. Adverse Event page, Medical History page, Sign and Symptoms of Disease page]) A200* [A:N] ☐ NO [A:2] ☐ INDETERMINATE [A:3] ☐ NORMAL [A:4] ☐ UNKNOWN [A:5] ☐ NOT EVALUABLE						
ECG Results [EG02001_3]								
# ▼	ECG Test Name					Result*	Unit	
8.a	ECG MEAN HEART RATE						beats/min	
8.b	QT INTERVAL NOT OTHERWISE SPECIFIED						msec	
8.c	PR INTERVAL NOT OTHERWISE SPECIFIED						msec	
8.d	QRS INTERVAL NOT OTHERWISE SPECIFIED						msec	
8.e	QTcF NOT OTHERWISE SPECIFIED						msec	
ECG Results Entry [EG02001_3]								
8.1 ☰	ECG Test Name: [ECG Test Name]	[EGTEST_001_3] [A:902] ☐ QT INTERVAL NOT OTHERWISE SPECIFIED [A:903] ☐ PR INTERVAL NOT OTHERWISE SPECIFIED [A:904] ☐ QRS INTERVAL NOT OTHERWISE SPECIFIED [A:128] ☐ ECG MEAN HEART RATE [A:909] ☐ QTcF NOT OTHERWISE SPECIFIED						
8.2*	Result: [Result]	[EGORRES_001_3] 						

		A200★
8.3 	Unit: [Unit]	[EGORRESU_001_3] [A:114]  beats/min [A:14]  msec
Key: [*] = Item is required [▼] = Source verification required [☐] = Item is collapsible  = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LOCALLY READ ECGs REPEATING		
Type	RefName	Description
Form	EG001_3	EG001 - LOCALLY READ ECGs
Item	EGTPT_001_3	Text description of planned time point when measurements should be taken for use when multiple sequential assessments are done.
Item	EGPTPTREF_001_3	Name of the fixed reference point referred to by EGELTM, EGTPTNUM, and EGTPT. Examples: PREVIOUS DOSE, PREVIOUS MEAL.
Item	EGMETHOD_001_3	ECG Method
Item	EGGRPID_001_3	An identifier used to tie a group of related records together in a single domain for a subject. For paper studies it should be pre-printed on the CRF, but for EDC numbers should be system generated.
Item	EGSPID_001_3	Sponsor-defined reference identifier. Used to order replicate assessments within a single grouping (EGGRPID). Must be unique within a group (e.g., 1, 2, 3), but may repeat across groups.
Item	EGDTC_001_3	Date of ECG.
Item	EGORRES_INTP_001_3	ECG Interpretation - Normal, Abnormal, Not Evaluable.
Item	SUPPEG_EGCLSIG_001_3	Whether ECG results were clinically significant. Need a rule as EGCLSIG is completed only if EGNABN = "ABNORMAL" or "INDETERMINATE"
Item	CO_EGCOM_001_3	Comments on Significant ECG Findings
Item	EGTEST_001_3	Name of ECG Measurement, test or examination. Long name for EGTESTCD.
Item	EGORRES_001_3	Result of the measurement or finding as originally received or collected.
Item	EGORRESU_001_3	Original units in which the data were collected.

RDE Analytics: RD_EG001_3		
Data Variable RefName	RD Column Name	Column Data Type
EGTPT_001_3	EGTPT_001_3_C	VARCHAR2
	EGTPT_001_3	VARCHAR2
	EGTPT_001_3_ND	VARCHAR2
EGPTPTREF_001_3	EGPTPTREF_001_3_C	VARCHAR2
	EGPTPTREF_001_3	VARCHAR2
	EGPTPTREF_001_3_ND	VARCHAR2
EGMETHOD_001_3	EGMETHOD_001_3_C	VARCHAR2
	EGMETHOD_001_3	VARCHAR2
	EGMETHOD_001_3_ND	VARCHAR2
EGGRPID_001_3	EGGRPID_001_3_C	VARCHAR2
	EGGRPID_001_3	VARCHAR2
	EGGRPID_001_3_ND	VARCHAR2
EGSPID_001_3	EGSPID_001_3_C	VARCHAR2
	EGSPID_001_3	VARCHAR2
	EGSPID_001_3_ND	VARCHAR2
EGDTC_001_3	EGDTC_001_3	DATE
	EGDTC_001_3_DTS	VARCHAR2
	EGDTC_001_3_ND	VARCHAR2
EGORRES_INTP_001_3	EGORRES_INTP_001_3_C	VARCHAR2
	EGORRES_INTP_001_3	VARCHAR2

	EGORRES_INTP_001_3_ND	VARCHAR2
EGORRES_INTP_001_3 - SUPPEG_EGCLSIG_001_3	SUPPEG_EGCLSIG_001_3_C	VARCHAR2
	SUPPEG_EGCLSIG_001_3	VARCHAR2
EGORRES_INTP_001_3 - CO_EGCOM_001_3	CO_EGCOM_001_3	VARCHAR2
RD_EG001_3_EG02001_3		
EGTEST_001_3	EGTEST_001_3_C	VARCHAR2
	EGTEST_001_3	VARCHAR2
	EGTEST_001_3_ND	VARCHAR2
EGORRES_001_3	EGORRES_001_3	VARCHAR2
	EGORRES_001_3_ND	VARCHAR2
EGORRESU_001_3	EGORRESU_001_3_C	VARCHAR2
	EGORRESU_001_3	VARCHAR2
	EGORRESU_001_3_ND	VARCHAR2

C4221016: CARDIAC FUNCTION EVALUATION (ECHOMUGA) [CVECH001]

Cardiac Function Evaluation [CVECH01001]

1.*

Method:
[Method]

[CVMETHOD_001]

[A:106] ☐ ECHOCARDIOGRAPHY

[A:165] ☐ MUGA

2.*

Date of Evaluation:
[Date of Evaluation]

[CVDTC_001] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2020-2035)

3.*

LVEF:
[LVEF]

[CVORRES_LVEF_001]

N5

4.

LVEF Lower Limit Of Normal
[LVEF Lower Limit Of Normal]

[SUPPCV_ECHLVLL_001]

xx.xx

5.

Comments:
[Comments/Findings/Details]

[CO_CVCOM_001]

A200★

6.*

Clinically Significant
[Clinically Significant]

[SUPPCV_CLSIG_001]

[A:Y] ☐ YES

[A:N] ☐ NO

Key: [*] = Item is required [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: CARDIAC FUNCTION EVALUATION		
Type	RefName	Description
Form	CVECH001	CARDIAC FUNCTION EVALUATION
Section	CVECH01001	sctECH001

RDE Analytics: RD_CVECH001		
Data Variable RefName	RD Column Name	Column Data Type
CVMETHOD_001	CVMETHOD_001_C	VARCHAR2
	CVMETHOD_001	VARCHAR2
	CVMETHOD_001_ND	VARCHAR2
CVDTC_001	CVDTC_001	DATE
	CVDTC_001_DTS	VARCHAR2
	CVDTC_001_ND	VARCHAR2
CVORRES_LVEF_001	CVORRES_LVEF_001	NUMBER
	CVORRES_LVEF_001_ND	VARCHAR2
SUPPCV_ECHLVLL_001	SUPPCV_ECHLVLL_001	FLOAT
	SUPPCV_ECHLVLL_001_ND	VARCHAR2
CO_CVCOM_001	CO_CVCOM_001	VARCHAR2
	CO_CVCOM_001_ND	VARCHAR2
SUPPCV_CLSIG_001	SUPPCV_CLSIG_001_C	VARCHAR2
	SUPPCV_CLSIG_001	VARCHAR2
	SUPPCV_CLSIG_001_ND	VARCHAR2

C4221016: OPHTHALMIC ASSESSMENTS - FUNDUS PHOTOGRAPHY (FUNDUS) [OEOP003_1]

Ophthalmic Assessments [OEOP01003_1]

1.

What is the category of the ophthalmic assessment? *[read-only]*
[Category]

[OECAT_003_1]
[A:8] ☐ FUNDOSCOPIC EXAMINATION

2.

What is the method used for the ophthalmic assessment? *[read-only]*
[Method]

[OEMETHOD_003_1]
[A:292] ☐ FUNDUS PHOTOGRAPHY

3.*

Actual Date of Visit/Collection/Exam
[Actual Date of Visit/Collection/Exam]

[OEDTC_003_1] (DD/MM/YYYY)
Req / Req / Req (2020-2035)

Examination Result [OEOP02003_1]

#	Eye Structure	Eye Examined	Examination Completion Status*	Examination Result	Clinically Significant	Description of Findings
4.a	EYE, VITREOUS CHAMBER	LEFT				
4.b	EYE, VITREOUS CHAMBER	RIGHT				
4.c	RETINA MACULAR	LEFT				
4.d	RETINA MACULAR	RIGHT				
4.e	CHOROID	LEFT				
4.f	CHOROID	RIGHT				
4.g	OPTIC NERVE	LEFT				
4.h	OPTIC NERVE	RIGHT				
4.i	OPTIC DISC	LEFT				
4.j	OPTIC DISC	RIGHT				

Examination Result Entry [OEOP02003_1]

4.1

Eye Structure *[read-only]*
[Eye Structure]

[OELOC_003_1]
[A:588] ☐ EYE, VITREOUS CHAMBER
[A:851] ☐ RETINA MACULAR
[A:741] ☐ CHOROID
[A:112] ☐ OPTIC NERVE
[A:590] ☐ OPTIC DISC

4.2

Eye Examined: *[read-only]*
[Eye Examined]

[OELAT_003_1]
[A:5] ☐ LEFT
[A:6] ☐ RIGHT

4.3*

Examination Completion Status
[Examination Completion Status]

[OESTAT_003_1]
[A:1] ☐ NOT DONE
[A:2] ☐ DONE

4.4

Examination Result
[Examination Result]

[OENRIND_003_1]
[A:1] ☐ NORMAL
[A:2] ☐ ABNORMAL

4.5

If abnormal or any findings, clinically significant
[Clinically Significant]

[SUPPOE_OECLSIG_003_1]
[A:N] ☐ NO
[A:Y] ☐ YES

4.6

Description of Findings
[Description of Findings]

[X_OEORRES_INTP_003_1]
A80*

Key: [*] = Item is required = Fixed item [*] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_OEOP003_1		
Data Variable RefName	RD Column Name	Column Data Type
OECAT_003_1	OECAT_003_1_C	VARCHAR2
	OECAT_003_1	VARCHAR2

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

	OECAT_003_1_ND	VARCHAR2
OEMETHOD_003_1	OEMETHOD_003_1_C	VARCHAR2
	OEMETHOD_003_1	VARCHAR2
	OEMETHOD_003_1_ND	VARCHAR2
OEDTC_003_1	OEDTC_003_1	DATE
	OEDTC_003_1_DTS	VARCHAR2
	OEDTC_003_1_ND	VARCHAR2
*RD_OEOPE003_1_OEOPE02003_1		
OELOC_003_1	OELOC_003_1_C	VARCHAR2
	OELOC_003_1	VARCHAR2
	OELOC_003_1_ND	VARCHAR2
OELAT_003_1	OELAT_003_1_C	VARCHAR2
	OELAT_003_1	VARCHAR2
	OELAT_003_1_ND	VARCHAR2
OESTAT_003_1	OESTAT_003_1_C	VARCHAR2
	OESTAT_003_1	VARCHAR2
	OESTAT_003_1_ND	VARCHAR2
OENRIND_003_1	OENRIND_003_1_C	VARCHAR2
	OENRIND_003_1	VARCHAR2
	OENRIND_003_1_ND	VARCHAR2
SUPPOE_OECLSIG_003_1	SUPPOE_OECLSIG_003_1_C	VARCHAR2
	SUPPOE_OECLSIG_003_1	VARCHAR2
	SUPPOE_OECLSIG_003_1_ND	VARCHAR2
X_OEORRES_INTP_003_1	X_OEORRES_INTP_003_1	VARCHAR2
	X_OEORRES_INTP_003_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: OPHTHALMIC ASSESSMENTS- OPTICAL COHERENCE TOMOGRAPHY (TOMOGRAPHY) [OEOP003_2]						
Ophthalmic Assessments [OEOP01003_2]						
1.	What is the category of the ophthalmic assessment? <i>[read-only]</i> [Category]	[OECAT_003_2] [A:9] ☐ OPTICAL COHERENCE TOMOGRAPHY ASSESSMENTS				
2.	What is the method used for the ophthalmic assessment? <i>[read-only]</i> [Method]	[OEMETHOD_003_2] [A:164] ☐ OPTICAL COHERENCE TOMOGRAPHY				
3.*	Actual Date of Visit/Collection/Exam [Actual Date of Visit/Collection/Exam]	[OEDTC_003_2] (DD/MM/YYYY) Req / Req / Req (2020-2035)				
Examination Result [OEOP02003_2]						
#	Eye Structure	Eye Examined	Examination Completion Status*	Examination Result	Clinically Significant	Description of Findings
4.a	CENTER POINT	LEFT				
4.b	CENTER POINT	RIGHT				
4.c	CHOROID	LEFT				
4.d	CHOROID	RIGHT				
4.e	ELLIPSOID ZONE (EZ)	LEFT				
4.f	ELLIPSOID ZONE (EZ)	RIGHT				
4.g	EXTERNAL LIMITING MEMBRANE	LEFT				
4.h	EXTERNAL LIMITING MEMBRANE	RIGHT				
4.i	EYE, VITREOUS CHAMBER	LEFT				
4.j	EYE, VITREOUS CHAMBER	RIGHT				
4.k	INTERDIGITATION ZONE (IZ)	LEFT				
4.l	INTERDIGITATION ZONE (IZ)	RIGHT				
4.m	OUTERNUCLEAR LAYER	LEFT				
4.n	OUTERNUCLEAR LAYER	RIGHT				
4.o	RETINA MACULAR	LEFT				
4.p	RETINA MACULAR	RIGHT				
4.q	RETINA NON-MACULAR (PERIPHERAL)	LEFT				
4.r	RETINA NON-MACULAR (PERIPHERAL)	RIGHT				
4.s	RETINAL PIGMENTED EPITHELIAL LAYER	LEFT				
4.t	RETINAL PIGMENTED EPITHELIAL LAYER	RIGHT				
Examination Result Entry [OEOP02003_2]						
4.1	Eye Structure <i>[read-only]</i> [Eye Structure]	[OELOC_003_2] [OELOC_CL_003_2]				
4.2	Eye Examined: <i>[read-only]</i> [Eye Examined]	[OELAT_003_2] [A:5] ☐ LEFT [A:6] ☐ RIGHT				
4.3*	Examination Completion Status [Examination Completion Status]	[OESTAT_003_2] [A:1] ☐ NOT DONE [A:2] ☐ DONE				
4.4	Examination Result [Examination Result]	[OENRIND_003_2] [A:1] ☐ NORMAL [A:2] ☐ ABNORMAL				
4.5	If abnormal or any findings, clinically significant [Clinically Significant]	[SUPPOE_OECLSIG_003_2] [A:N] ☐ NO [A:Y] ☐ YES				
4.6	Description of Findings [Description of Findings]	[X_OEORRES_INTP_003_2] A80*				

Key: [*] = Item is required  = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: OPHTHALMIC ASSESSMENTS- OPTICAL COHERENCE TOMOGRAPHY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
OELOC_CL_003_2	String		CENTER POINT	857	cliLOC_CENTER_POINT	OELOC_003_2
			CHOROID	741	cliLOC_CHOROID	
			ELLIPSOID ZONE (EZ)	855	cliLOC_ELLIPSOID_ZONE_EZ	
			EXTERNAL LIMITING MEMBRANE	854	cliLOC_EXTERNAL_LIMITING_MEMBRANE	
			EYE, VITREOUS CHAMBER	588	cliLOC_EYE_VITREOUS_CHAMBER	
			INTERDIGITATION ZONE (IZ)	856	cliLOC_INTERDIGITATION_ZONE_IZ	
			OUTERNUCLEAR LAYER	853	cliLOC_OUTERNUCLEAR_LAYER	
			RETINA MACULAR	851	cliLOC_RETINA_MACULAR	
			RETINA NON-MACULAR (PERIPHERAL)	852	cliLOC_RETINA_NONMACULAR_PERIPHERAL	
			RETINAL PIGMENTED EPITHELIAL LAYER	746	cliLOC_RETINAL_PIGMENTED_EPITHELIAL_LAYER	

RDE Analytics: RD_OEOPE003_2		
Data Variable RefName	RD Column Name	Column Data Type
OECAT_003_2	OECAT_003_2_C	VARCHAR2
	OECAT_003_2	VARCHAR2
	OECAT_003_2_ND	VARCHAR2
OEMETHOD_003_2	OEMETHOD_003_2_C	VARCHAR2
	OEMETHOD_003_2	VARCHAR2
	OEMETHOD_003_2_ND	VARCHAR2
OEDTC_003_2	OEDTC_003_2	DATE
	OEDTC_003_2_DTS	VARCHAR2
	OEDTC_003_2_ND	VARCHAR2
*RD_OEOPE003_2_OEOPE02003_2		
OELOC_003_2	OELOC_003_2_C	VARCHAR2
	OELOC_003_2	VARCHAR2
	OELOC_003_2_ND	VARCHAR2
OELAT_003_2	OELAT_003_2_C	VARCHAR2
	OELAT_003_2	VARCHAR2
	OELAT_003_2_ND	VARCHAR2
OESTAT_003_2	OESTAT_003_2_C	VARCHAR2
	OESTAT_003_2	VARCHAR2
	OESTAT_003_2_ND	VARCHAR2
OENRIND_003_2	OENRIND_003_2_C	VARCHAR2
	OENRIND_003_2	VARCHAR2
	OENRIND_003_2_ND	VARCHAR2
SUPPOE_OECLSIG_003_2	SUPPOE_OECLSIG_003_2_C	VARCHAR2
	SUPPOE_OECLSIG_003_2	VARCHAR2
	SUPPOE_OECLSIG_003_2_ND	VARCHAR2
X_OEORRES_INTP_003_2	X_OEORRES_INTP_003_2	VARCHAR2
	X_OEORRES_INTP_003_2_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: VISUAL ACUITY - DISTANCE SCR (VISUAL) [OEOVA002]

Test Results [OEOVA01002]

1.*

Date of Exam:
[Exam Date]

[OEDTC_002] (DD/MM/YYYY)
Req / Req / Req (2020-2035)

Location Results [OEOVA02002]

# ✓	Anatomical Location	Laterality	Examination Completion Status*	Is the fraction result available?	Unit	Examination Result	Method
2.a	EYE	LEFT					
2.b	EYE	RIGHT					

Location Results Entry [OEOVA02002]

2.1

Anatomical Location
[Anatomical Location]

[OELOC_002]
[A:44] ☐ EYE

2.2

Laterality
[Laterality]

[OELAT_002]
[A:5] ☐ LEFT
[A:6] ☐ RIGHT

2.3*

Examination Completion Status
[Examination Completion Status]

[OESTAT_002]
[A:1] ☐ NOT DONE
[A:2] ☐ DONE

2.4

Is the fraction result available?
[Is the fraction result available?]

[OEORRES_FRARES_002]
[A:Y] ☐ [OEORRES_SCORE_CMP_002] ☐
YES
[OEORRES_SCORE_002]
Visual Acuity Fractional Result

A6*

[A:N] ☐ NO

2.5

Unit
[Unit]

[OEORRESU_002]
[A:13] ☐ m
[A:294] ☐ ft

2.6

Examination Result
[Examination Result]

[OENRIND_002]
[A:1] ☐ ABNORMAL
[A:3] ☐ NORMAL

2.7

Method [read-only]
[Method]

[OEMETHOD_002]
[A:1] ☐ SNELLEN

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible ☐ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: VISUAL ACUITY - DISTANCE SCR		
Type	RefName	Description
Form	OEOVA002	VISUAL ACUITY - DISTANCE_LEFT_RIGHT EYE

RDE Analytics: RD_OEOVA002		
Data Variable RefName	RD Column Name	Column Data Type
OEDTC_002	OEDTC_002	DATE
	OEDTC_002_DTS	VARCHAR2
	OEDTC_002_ND	VARCHAR2
RD_OEOVA002_OEOVA02002		
OELOC_002	OELOC_002_C	VARCHAR2
	OELOC_002	VARCHAR2
	OELOC_002_ND	VARCHAR2
OELAT_002	OELAT_002_C	VARCHAR2

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

	OELAT_002	VARCHAR2
	OELAT_002_ND	VARCHAR2
OESTAT_002	OESTAT_002_C	VARCHAR2
	OESTAT_002	VARCHAR2
	OESTAT_002_ND	VARCHAR2
EOORRES_FRARES_002	EOORRES_FRARES_002_C	VARCHAR2
	EOORRES_FRARES_002	VARCHAR2
	EOORRES_FRARES_002_ND	VARCHAR2
EOORRES_FRARES_002 - EOORRES_SCORE_002	EOORRES_SCORE_002	VARCHAR2
EOORRESU_002	EOORRESU_002_C	VARCHAR2
	EOORRESU_002	VARCHAR2
	EOORRESU_002_ND	VARCHAR2
OENRIND_002	OENRIND_002_C	VARCHAR2
	OENRIND_002	VARCHAR2
	OENRIND_002_ND	VARCHAR2
OEMETHOD_002	OEMETHOD_002_C	VARCHAR2
	OEMETHOD_002	VARCHAR2
	OEMETHOD_002_ND	VARCHAR2

C4221016: OPHTHALMIC ASSESSMENTS - SLIT LAMP (SLIT LAMP) [OEOP003_5]

Ophthalmic Assessments [OEOP01003_5]

1.

What is the category of the ophthalmic assessment? *[read-only]*
[Category]

[OECAT_003_5]
[A:11] ☐ SLIT-LAMP EXAMINATION

2.

What is the method used for the ophthalmic assessment? *[read-only]*
[Method]

[OEMETHOD_003_5]
[A:53] ☐ SLIT LAMP

3.*

Actual Date of Visit/Collection/Exam
[Actual Date of Visit/Collection/Exam]

[OEDTC_003_5] (DD/MM/YYYY)
Req / Req / Req (2020-2035)

Examination Result [OEOP02003_5]

#	Eye Structure	Eye Examined	Examination Completion Status*	Examination Result	Clinically Significant	Description of Findings
4.a	EYELID	LEFT				
4.b	EYELID	RIGHT				
4.c	CORNEA	LEFT				
4.d	CORNEA	RIGHT				
4.e	PALPEBRAL CONJUNCTIVA	LEFT				
4.f	PALPEBRAL CONJUNCTIVA	RIGHT				
4.g	BULBAR CONJUNCTIVA	LEFT				
4.h	BULBAR CONJUNCTIVA	RIGHT				
4.i	IRIS	LEFT				
4.j	IRIS	RIGHT				
4.k	LENS	LEFT				
4.l	LENS	RIGHT				
4.m	EYE, ANTERIOR CHAMBER	LEFT				
4.n	EYE, ANTERIOR CHAMBER	RIGHT				

Examination Result Entry [OEOP02003_5]

4.1

Eye Structure *[read-only]*
[Eye Structure]

[OELOC_003_5]
[OELOC_CL_003_5]

4.2

Eye Examined: *[read-only]*
[Eye Examined]

[OELAT_003_5]
[A:5] ☐ LEFT
[A:6] ☐ RIGHT

4.3*

Examination Completion Status
[Examination Completion Status]

[OESTAT_003_5]
[A:1] ☐ NOT DONE
[A:2] ☐ DONE

4.4

Examination Result
[Examination Result]

[OENRIND_003_5]
[A:1] ☐ NORMAL
[A:2] ☐ ABNORMAL

4.5

If abnormal or any findings, clinically significant
[Clinically Significant]

[SUPPOE_OECLSIG_003_5]
[A:N] ☐ NO
[A:Y] ☐ YES

4.6

Description of Findings
[Description of Findings]

[X_OEORRES_INTP_003_5]
A80*

Key: [*] = Item is required [Fixed] = Fixed Item [*] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: OPHTHALMIC ASSESSMENTS - SLIT LAMP						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
OELOC_CL_003_5	String		EYELID	95	cliLOC_EYELID	OELOC_003_5

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

			CORNEA	21	cliLOC_CORNEA
			PALPEBRAL CONJUNCTIVA	858	cliLOC_PALPEBRAL_CONJUNCTIVA
			BULBAR CONJUNCTIVA	859	cliLOC_BULBAR_CONJUNCTIVA
			IRIS	743	cliLOC_IRIS
			LENS	106	cliLOC_LENS
			EYE, ANTERIOR CHAMBER	587	cliLOC_EYE_ANTERIOR_CHAMBER

RDE Analytics: RD_OEOPE003_5		
Data Variable RefName	RD Column Name	Column Data Type
OECAT_003_5	OECAT_003_5_C	VARCHAR2
	OECAT_003_5	VARCHAR2
	OECAT_003_5_ND	VARCHAR2
OEMETHOD_003_5	OEMETHOD_003_5_C	VARCHAR2
	OEMETHOD_003_5	VARCHAR2
	OEMETHOD_003_5_ND	VARCHAR2
OEDTC_003_5	OEDTC_003_5	DATE
	OEDTC_003_5_DTS	VARCHAR2
	OEDTC_003_5_ND	VARCHAR2
*RD_OEOPE003_5_OEOPE02003_5		
OELOC_003_5	OELOC_003_5_C	VARCHAR2
	OELOC_003_5	VARCHAR2
	OELOC_003_5_ND	VARCHAR2
OELAT_003_5	OELAT_003_5_C	VARCHAR2
	OELAT_003_5	VARCHAR2
	OELAT_003_5_ND	VARCHAR2
OESTAT_003_5	OESTAT_003_5_C	VARCHAR2
	OESTAT_003_5	VARCHAR2
	OESTAT_003_5_ND	VARCHAR2
OENRIND_003_5	OENRIND_003_5_C	VARCHAR2
	OENRIND_003_5	VARCHAR2
	OENRIND_003_5_ND	VARCHAR2
SUPPOE_OECLSIG_003_5	SUPPOE_OECLSIG_003_5_C	VARCHAR2
	SUPPOE_OECLSIG_003_5	VARCHAR2
	SUPPOE_OECLSIG_003_5_ND	VARCHAR2
X_OEORRES_INTP_003_5	X_OEORRES_INTP_003_5	VARCHAR2
	X_OEORRES_INTP_003_5_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: INTRAOCULAR PRESSURE ASSESSMENT (TONOMETRY) [OEOIP001]

Intraocular Pressure Assessment [OEOIP01001]

1.*

Date of Exam:
[Intraocular Pressure Assessment Date]

[OEDTC_001] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2020-2035)

2.*

Type of Tonometry (Check (X) ONE only):
[Intraocular Pressure Method]

[OEMETHOD_001]
[A:303] ☐ TONOMETRY

Location [OEOIP02001]

# ✓	Anatomical Location	Eye Examined	Examination Completion Status*	Intraocular Pressure (mmHg)	Examination Result	Description of Findings
3.a	EYE	LEFT				
3.b	EYE	RIGHT				

Location Entry [OEOIP02001]

3.1

Anatomical Location [read-only]
[Anatomical Location]

[OELOC_001]
[A:44] ☐ EYE

3.2

Eye Examined [read-only]
[Eye Examined]

[OELAT_001]
[A:5] ☐ LEFT
[A:6] ☐ RIGHT

3.3*

Examination Completion Status
[Examination Completion Status]

[OESTAT_001]
[A:1] ☐ NOT DONE
[A:2] ☐ DONE

3.4

Intraocular Pressure (mmHg)
[Intraocular Pressure (mmHg)]

[OEORRRES_IOP_001]
xx.

3.5

Examination Result
[Examination Result]

[OENRIND_001]
[A:1] ☐ ABNORMAL
[A:3] ☐ NORMAL

3.6

Description of Findings
[Description of Findings]

[IX_OEORRRES_INTP_001]
A80*

Key: [*] = Item is required [✓] = Source verification required ☐ = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: INTRAOCULAR PRESSURE ASSESSMENT		
Type	RefName	Description
Form	OEOIP001	INTRAOCULAR PRESSURE ASSESSMENT
Section	OEOIP01001	sctOIP101_02

RDE Analytics: RD_OEOIP001			
Data Variable	RefName	RD Column Name	Column Data Type
OEDTC_001		OEDTC_001	DATE
		OEDTC_001_DTS	VARCHAR2
		OEDTC_001_ND	VARCHAR2
OEMETHOD_001		OEMETHOD_001_C	VARCHAR2
		OEMETHOD_001	VARCHAR2
		OEMETHOD_001_ND	VARCHAR2
RD_OEOIP001_OEOIP02001			
OELOC_001		OELOC_001_C	VARCHAR2
		OELOC_001	VARCHAR2
		OELOC_001_ND	VARCHAR2
OELAT_001		OELAT_001_C	VARCHAR2

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007.... 11/7/2024

	OELAT_001	VARCHAR2
	OELAT_001_ND	VARCHAR2
OESTAT_001	OESTAT_001_C	VARCHAR2
	OESTAT_001	VARCHAR2
	OESTAT_001_ND	VARCHAR2
OERRES_IOP_001	OERRES_IOP_001	FLOAT
	OERRES_IOP_001_ND	VARCHAR2
OENRIND_001	OENRIND_001_C	VARCHAR2
	OENRIND_001	VARCHAR2
	OENRIND_001_ND	VARCHAR2
X_OERRES_INTP_001	X_OERRES_INTP_001	VARCHAR2
	X_OERRES_INTP_001_ND	VARCHAR2

C4221016: DISPOSITION - SCREENING (DISP SCR) [DS001_4]

Disposition - Screening [DS01001_4]

1.*
✓

Date of Completion/Discontinuation/Death
[Date of Completion/Discontinuation/Death]

[DSSTDTC_001_4] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2020-2035)

2.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_4]

[A:3] ☒ SCREENING

3.*
✓

Status:
[Status]

[DSDECOD_001_4]

[A:1] ☐ ADVERSE EVENT

[A:2] ☐ COMPLETED

[A:3] ☐ DEATH

[A:5] ☐ LOST TO FOLLOW-UP

[A:8] ☐ PHYSICIAN DECISION

[A:13] ☐ SCREEN FAILURE

[A:14] ☐ STUDY TERMINATED BY SPONSOR

[A:16] ☐ WITHDRAWAL BY SUBJECT

[A:7] ☐ OTHER

4.
✓

Specify Status:
[Specify Status]

[DSTERM_001_4]

A100★

5.*
✓

Will the subject continue to the next phase of this study?
[Subject Continue]

[SUPPDS_DSCONT_001_4]

[A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_4] ☐

YES

[SUPPDS_DSNEXT_001_4]

If Yes, next phase:

[A:4] ☐ TREATMENT

[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - SCREENING		
Type	RefName	Description
Item	DSSTDTC_001_4	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_4	Specify Status
Item	SUPPDS_DSNEXT_001_4	Next Phase of Study

RDE Analytics: RD_DS001_4		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_4	DSSTDTC_001_4	DATE
	DSSTDTC_001_4_DTS	VARCHAR2
	DSSTDTC_001_4_ND	VARCHAR2
SUPPDS_DSPHASE_001_4	SUPPDS_DSPHASE_001_4_C	VARCHAR2
	SUPPDS_DSPHASE_001_4	VARCHAR2
	SUPPDS_DSPHASE_001_4_ND	VARCHAR2
DSDECOD_001_4	DSDECOD_001_4_C	VARCHAR2
	DSDECOD_001_4	VARCHAR2
	DSDECOD_001_4_ND	VARCHAR2
DSTERM_001_4	DSTERM_001_4	VARCHAR2
	DSTERM_001_4_ND	VARCHAR2
SUPPDS_DSCONT_001_4	SUPPDS_DSCONT_001_4_C	VARCHAR2
	SUPPDS_DSCONT_001_4	VARCHAR2

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

	SUPPDS_DSCONT_001_4_ND	VARCHAR2
SUPPDS_DSCONT_001_4 - SUPPDS_DSNEXT_001_4	SUPPDS_DSNEXT_001_4_C	VARCHAR2
	SUPPDS_DSNEXT_001_4	VARCHAR2

C4221016: BASELINE TUMORS (BASE TUMOR) [TUTMM001]		
BASELINE TUMRPRMPT [TUTMM01001]		
1.*	Did this patient have any Target Lesions? [Did this patient have any Target Lesions]	[X_TUORRES_TRGEXM_TAR_001] [A:Y] ☐ YES [A:N] ☐ NO
2.*	Did this patient have any non-Target lesions? [Did this patient have any non-Target lesions]	[X_TUORRES_TRGEXM_NTAR_001] [A:Y] ☐ YES [A:N] ☐ NO
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Data Series Summary: BASELINE TUMORS					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
1.	X_TUORRES_TRGEXM_TAR_001	IsTUTMM001	dstTUTMM001	dSrTRGEXM_TAR_001	Text
2.	X_TUORRES_TRGEXM_NTAR_001	IsTUTMM001	dstTUTMM001	dSrTRGEXM_NTAR_001	Text

RDE Analytics: RD_TUTMM001		
Data Variable RefName	RD Column Name	Column Data Type
X_TUORRES_TRGEXM_TAR_001	X_TUORRES_TRGEXM_TAR_001_C	VARCHAR2
	X_TUORRES_TRGEXM_TAR_001	VARCHAR2
	X_TUORRES_TRGEXM_TAR_001_ND	VARCHAR2
X_TUORRES_TRGEXM_NTAR_001	X_TUORRES_TRGEXM_NTAR_001_C	VARCHAR2
	X_TUORRES_TRGEXM_NTAR_001	VARCHAR2
	X_TUORRES_TRGEXM_NTAR_001_ND	VARCHAR2

C4221016: TARGET LESIONS - BASELINE (TARGET) [TUTMM003]

TARGET LESIONS - BASELINE [TUTMM02003]

# ✓	Lesion Number	Disease Site	Disease Sub-site	Date of Assessment	Method of Tumor Assessment	Diameter
1.a	T1					
1.b	T2					
1.c	T3					
1.d	T4					
1.e	T5					

TARGET LESIONS - BASELINE Entry [TUTMM02003]

1.1	Lesion Number: [Lesion Number]	[Y_TRLNKID_003] [A:1] ☐ T1 [A:2] ☐ T2 [A:3] ☐ T3 [A:4] ☐ T4 [A:5] ☐ T5
1.2	Disease Site: [Disease Site]	[TULOC_003] [TULOC_CL_003] v
1.3	Disease Sub-site: [Disease Sub-site]	[SUPPTU_TMMSITE_003] A60*
1.4	Evaluation Date: [Date of Assessment]	[Y_TRDTC_003] (DD/MM/YYYY) Req v / Req v / Req v (2020-2035)
1.5	Procedure: [Method of Tumor Assessment]	[Y_TRMETHOD_003] [A:14] ☐ CT SCAN [A:75] ☐ PET/CT SCAN [A:44] ☐ MRI [A:105] ☐ PHYSICAL EXAMINATION [A:63] ☐ X-RAY
1.6	Diameter: [Diameter]	[TRORRES_DIAMETER_003] xxx.x mm

Key: [✓] = Source verification required [] = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Data Series Summary: TARGET LESIONS - BASELINE					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
1.2	TULOC_003	IsTUTMM003	dstTUTMM003	dsrTULOC_003	Text
1.3	SUPPTU_TMMSITE_003	IsTUTMM003	dstTUTMM003	dsrSUPPTU_TMMSITE_003	Text
1.4	Y_TRDTC_003	IsTUTMM003	dstTUTMM003	dsrY_TRDTC_003	DateTime

Codelist Values Tables: TARGET LESIONS - BASELINE						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
TULOC_CL_003	String		BONE	28	cliLOC_BONE	TULOC_003
			BRAIN	71	cliLOC_BRAIN	
			KIDNEY	55	cliLOC_KIDNEY	
			LIVER	40	cliLOC_LIVER	
			LUNG	76	cliLOC_LUNG	
			LYMPH NODE	108	cliLOC_LYMPH_NODE	
			SKIN	77	cliLOC_SKIN	

			CHEST	158	cliLOC_CHEST
			SPLEEN	68	cliLOC_SPLEEN
			THYROID GLAND	43	cliLOC_THYROID_GLAND
			MUSCLE	633	cliLOC_MUSCLE
			PELVIS	114	cliLOC_PELVIS
			ADRENAL GLAND	81	cliLOC_ADRENAL_GLAND
			HEAD AND NECK	647	cliLOC_HEAD_AND_NECK
			OTHER	999	cliLOC_OTHER

RDE Analytics: RD_TUTMM003		
Data Variable RefName	RD Column Name	Column Data Type
RD_TUTMM003_TUTMM02003		
Y_TRLNKID_003	Y_TRLNKID_003_C	VARCHAR2
	Y_TRLNKID_003	VARCHAR2
	Y_TRLNKID_003_ND	VARCHAR2
TULOC_003	TULOC_003_C	VARCHAR2
	TULOC_003	VARCHAR2
	TULOC_003_ND	VARCHAR2
SUPPTU_TMMSITE_003	SUPPTU_TMMSITE_003	VARCHAR2
	SUPPTU_TMMSITE_003_ND	VARCHAR2
Y_TRDTC_003	Y_TRDTC_003	DATE
	Y_TRDTC_003_DTS	VARCHAR2
	Y_TRDTC_003_ND	VARCHAR2
Y_TRMETHOD_003	Y_TRMETHOD_003_C	VARCHAR2
	Y_TRMETHOD_003	VARCHAR2
	Y_TRMETHOD_003_ND	VARCHAR2
TRORRES_DIAMETER_003	TRORRES_DIAMETER_003	FLOAT
	TRORRES_DIAMETER_003_ND	VARCHAR2

C4221016: NON-TARGET LESIONS - BASELINE (NON TARGET) [TUTMM006]

NON-TARGET-BASELINE [TUTMM02006]

# ▼	Lesion Number	Disease Site	Disease Sub-site	Date of Assessment	Method of Tumor Assessment	Lesion Assessment Status
1.a	NT1					PRESENT
1.b	NT2					PRESENT
1.c	NT3					PRESENT
1.d	NT4					PRESENT
1.e	NT5					PRESENT
1.f	NT6					PRESENT
1.g	NT7					PRESENT
1.h	NT8					PRESENT
1.i	NT9					PRESENT
1.j	NT10					PRESENT

NON-TARGET-BASELINE Entry [TUTMM02006]

1.1

Lesion Number:
[Lesion Number]

[Y_TRLNKID_006]
[Y_TRLNKID_CL_006] ▼

1.2

Disease Site:
[Disease Site]

[TULOC_006]
[TULOC_CL_006] ▼

1.3

Disease Sub-site:
[Disease Sub-site]

[SUPPTU_TMMSITE_006]
A60★

1.4

Evaluation Date:
[Date of Assessment]

[Y_TRDTC_006] (DD/MM/YYYY)
Req ▼ / Req ▼ / Req ▼ (2020-2035)

1.5

Procedure:
[Method of Tumor Assessment]

[Y_TRMETHOD_006]
[A:14] ○ CT SCAN
[A:44] ○ MRI
[A:75] ○ PET/CT SCAN
[A:105] ○ PHYSICAL EXAMINATION
[A:77] ○ SCINTIGRAPHY
[A:63] ○ X-RAY

1.6

Lesion(s) Assessment:
[Lesion Assessment Status]

[TRORRES_TUMSTATE_006]
[A:13] ○ PRESENT

Key: [▼] = Source verification required [] = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: NON-TARGET LESIONS - BASELINE		
Type	RefName	Description
Form	TUTMM006	NON-TARGET LESIONS - BASELINE
Section	TUTMM02006	TUTMM01006

Data Series Summary: NON-TARGET LESIONS - BASELINE					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
1.2	TULOC_006	IsTUTMM006	dstTUTMM006	dsrTULOC_006	Text
1.3	SUPPTU_TMMSITE_006	IsTUTMM006	dstTUTMM006	dsrSUPPTU_TMMSITE_006	Text
1.4	Y_TRDTC_006	IsTUTMM006	dstY_TRDTC_006	dsrY_TRDTC_006	DateTime

Codelist Values Tables: NON-TARGET LESIONS - BASELINE						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName

Y_TRLNKID_CL_006	String		NT1	11	cliTMMLNKID_NT1_1	Y_TRLNKID_006
			NT2	12	cliTMMLNKID_NT2_1	
			NT3	13	cliTMMLNKID_NT3_1	
			NT4	14	cliTMMLNKID_NT4_1	
			NT5	15	cliTMMLNKID_NT5_1	
			NT6	16	cliTMMLNKID_NT6_1	
			NT7	17	cliTMMLNKID_NT7_1	
			NT8	18	cliTMMLNKID_NT8_1	
			NT9	19	cliTMMLNKID_NT9_1	
			NT10	20	cliTMMLNKID_NT10_1	
TULOC_CL_006	String		LUNG	76	cliLOC_LUNG	TULOC_006
			LIVER	40	cliLOC_LIVER	
			LYMPH NODE	108	cliLOC_LYMPH_NODE	
			SKIN	77	cliLOC_SKIN	
			BONE	28	cliLOC_BONE	
			BRAIN	71	cliLOC_BRAIN	
			HEAD AND NECK	647	cliLOC_HEAD_AND_NECK	
			CHEST	158	cliLOC_CHEST	
			KIDNEY	55	cliLOC_KIDNEY	
			SPLEEN	68	cliLOC_SPLEEN	
			THYROID GLAND	43	cliLOC_THYROID_GLAND	
			MUSCLE	633	cliLOC_MUSCLE	
			PELVIS	114	cliLOC_PELVIS	
			ADRENAL GLAND	81	cliLOC_ADRENAL_GLAND	
			OTHER	999	cliLOC_OTHER	

RDE Analytics: RD_TUTMM006		
Data Variable RefName	RD Column Name	Column Data Type
RD_TUTMM006_TUTMM02006		
Y_TRLNKID_006	Y_TRLNKID_006_C	VARCHAR2
	Y_TRLNKID_006	VARCHAR2
	Y_TRLNKID_006_ND	VARCHAR2
TULOC_006	TULOC_006_C	VARCHAR2
	TULOC_006	VARCHAR2
	TULOC_006_ND	VARCHAR2
SUPPTU_TMMSITE_006	SUPPTU_TMMSITE_006	VARCHAR2
	SUPPTU_TMMSITE_006_ND	VARCHAR2
Y_TRDTC_006	Y_TRDTC_006	DATE
	Y_TRDTC_006_DTS	VARCHAR2
	Y_TRDTC_006_ND	VARCHAR2
Y_TRMETHOD_006	Y_TRMETHOD_006_C	VARCHAR2
	Y_TRMETHOD_006	VARCHAR2
	Y_TRMETHOD_006_ND	VARCHAR2
TRORRES_TUMSTATE_006	TRORRES_TUMSTATE_006_C	VARCHAR2
	TRORRES_TUMSTATE_006	VARCHAR2
	TRORRES_TUMSTATE_006_ND	VARCHAR2

C4221016: INCLUSION/EXCLUSION CRITERIA - AMD2 (INC EXC A2) [IE001_1]				
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).				
Inclusion Criteria [IE01001_1]				
# ✓	Inclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
1.a	1	Male or female participants >= 18 years at the time of informed consent		IN01A00
1.b	2	Participants who are willing and able to comply with all scheduled visits, treatment plan, laboratory tests, lifestyle considerations, and other study procedures		IN02A00
1.c	3	Histologically confirmed unresectable (Stage IIIB, IIIC, or IIID) or metastatic (Stage IV) cutaneous melanoma, according to the AJCC 8th edition		IN03A00
1.d	4	Presence of at least 1 measurable lesion as detected by radiological and/or photographic methods according to RECIST v1.1		IN04A00
1.e	5	ECOG performance status 0 or 1		IN05A00
1.f	6	Documented evidence of a BRAF V600E or V600K mutation in melanoma tumor tissue as previously determined by either PCR or NGS-based local lab assay		IN06A00
1.g	7	Submission of adequate tumor tissue (archival or freshly obtained; block or slides) to the sponsor central labs during the screening period and prior to enrollment (SLI)/randomization (Phase 3)		IN07A00
1.h	8	SLI Subjects: No more than 1 prior systemic tx for metastatic/locally advanced melanoma. Phase 3: No prior first line systemic tx for metastatic/locally advanced melanoma.		IN08A00
1.i	9	Adequate bone marrow function characterized by the following at screening: ANC >= 1.5 × 10 ⁹ /L, Platelets >= 100 × 10 ⁹ /L; Hemoglobin >= 9 g/dL (without blood transfusions)		IN09A00
1.j	10	Adequate hepatic and renal function at screen: Tbili <=1.5 xULN and ALT and/or AST <=2xULN mg/dL ALT and/or AST <=2.5 x ULNor <= 5xULN with liver metastases.Est creatinine clearance >= 50 mL/min		IN10A00
1.k	11	Capable of giving signed informed consent, which includes compliance with the requirements and restrictions listed in the ICD and in this protocol		IN11A00
Inclusion Criteria Entry [IE01001_1]				
1.1 ☐	Inclusion Number: [Inclusion Number]	[IESPID_001_1] [IESPID_CL_001_1] ▼		
1.2 ☐	Criterion Description: [Criterion Description]	[IETEST_001_1] [IETEST_CL_001_1] ▼		
1.3* ✓	Criterion met? [Criterion met?]	[IEORRES_001_1] [A:Y] ☐ YES [A:N] ☐ [SUPPIE_IEDESC_CMP_001_1] ☐ NO [SUPPIE_IEDESC_001_1] Describe details if relevant A200*		
1.4 ☐	Criterion ID: (For Pfizer use only) [read-only] [Criterion ID: (For Pfizer use only)]	[IETESTCD_001_1] [IETESTCD_CL_001_1] ▼		
Exclusion Criteria [IE02001_1]				
# ✓	Exclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
2.a	1	Other medical or psychiatric condition including recent (within the past year) or active suicidal ideation/behavior or lab abnormality that may increase the risk of study participation		EX01A00
2.b	2	Mucosal or ocular melanoma		EX02A00
2.c	3	Diagnosis of immunodeficiency or an active autoimmune disease that required systemic treatment in the past 2 yrs. with use of disease modifying agents, corticosteroids, or immunosuppressive drugs		EX03A00
2.d	4	Clinically significant multiple or severe drug allergies, intolerance to topical corticosteroids, or severe post-treatment hypersensitivity reactions		EX04A00
2.e	5	Unable to swallow, retain, and absorb oral medications		EX05A00
2.f	6	Impairment of GI function or disease which may significantly alter the absorption of oral study intervention		EX06A00
2.g	7	Clinically significant CV diseases including history of acute MI ACS CHF LVEF <50%. Uncontrolled hypertension Cardiac arrhythmias Triplicate baseline QTcF and >= 480 ms or prolonged QT syndrome		EX07A00
2.h	8	History of thromboembolic or cerebrovascular events <= 12 wks prior to enrollment (SLI)/randomization (Phase 3)		EX08A00
2.i	9	History or current evidence of RVO or current risk factors for RVO; history of retinal degenerative disease		EX09A00

2.j	10	Concurrent neuromuscular disorder that is associated with the potential of elevated CK (eg, inflammatory myopathies, muscular dystrophy, amyotrophic lateral sclerosis, spinal muscular atrophy)	EX10A00
2.k	11	Current noninfectious pneumonitis/interstitial lung disease or history of noninfectious pneumonitis/interstitial lung disease requiring steroids.	EX11A00
2.l	12	Evidence of HBV or HCV infection	EX12A00
2.m	13	Known history of a positive test for HIV or known AIDS. Testing for HIV must be performed at sites where mandated locally	EX13A00
2.n	14	Any active infection requiring systemic therapeutic treatment within 2 weeks prior to enrollment (SLI)/ randomization (Phase 3)	EX14A00
2.o	15	Participants with prior or current symptomatic brain metastasis, leptomeningeal disease or other active CNS metastases	EX15A00
2.p	16	Concurrent or previous other malignancy within 2 yrs, except prostate intraepithelial neoplasm, carcinoma in-situ of the cervix, Bowen's disease and Gleason <= 6 prostate cancer	EX16A00
2.q	17	Participants who previously received and subsequently discontinued encorafenib and/or binimetinib and/or anti-PD-1/-L1 due to severe toxicity	EX17A00
2.r	18	For participants in the SLI Only: Current use or anticipated need for food or drugs that are known moderate or strong CYP3A4 inhibitors during screening and through the DLT evaluation period	EX18A00
2.s	19	Participant has not recovered to Grade <= 1 from toxic effects of prior therapy and/or complications from prior surgical intervention before enrollment (SLI)/ randomization (Phase 3)	EX19A00
2.t	20	Had (prior to tx): rad thpy<= 4 wks; loco-regional tmnt or surg<= 6 wks; systemic adj thpy<= 6 mnths; immune-enhancing/suppressive<=14d; live vaccine<= 30 d; proh med <= 1 wk	EX20A00
2.u	21	Previous administration with an investigational drug <= 6 months prior to enrollment (SLI)/randomization (Phase 3)	EX21A00
2.v	22	Known sensitivity or contraindication to any component of study intervention (encorafenib, binimetinib and pembrolizumab), or their excipients	EX22A00
2.w	23	Pregnant, confirmed by a positive B-hCG laboratory test result, or is breastfeeding (lactating)	EX23A00
2.x	24	Investigator site staff or Pfizer employees directly involved in the conduct of the study, site staff otherwise supervised by the investigator, and their respective family members	EX24A00
2.y	25	For participants in the SLI only: Received prior BRAFi/MEKi therapy.	EX25A02

Exclusion Criteria Entry [IE02001_1]		
2.1	Exclusion Number: [Exclusion Number]	[IESPID1_001_1] [IESPID1_CL_001_1] ▼
2.2	Criterion Description: [Criterion Description]	[IETEST1_001_1] [IETEST1_CL_001_1] ▼
2.3*	Criterion met? [Criterion met?]	[IEORRES1_001_1] [A:Y] ☐ [SUPPIE_IEDESC1_CMP_001_1] ☐ YES [SUPPIE_IEDESC1_001_1] Describe details if relevant A200* [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [read-only] [Criterion ID: (For Pfizer use only)]	[IETESTCD1_001_1] [IETESTCD1_CL_001_1] ▼

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA - AMD2

Type	RefName	Description
Form	IE001_1	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_001_1	Criterion Description
Item	IEORRES_001_1	Response to whether Inclusion/Exclusion Criterion was met .
Item	SUPPIE_IEDESC_001_1	Describe details of criterion not met if relevant
Item	IETESTCD_001_1	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST1_001_1	Criterion Description
Item	IEORRES1_001_1	Response to whether Inclusion/Exclusion Criterion was met .

Item	SUPPIE_IEDESC1_001_1	Describe details of criterion not met if relevant
Item	IETESTCD1_001_1	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA - AMD2						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
IESPID_CL_001_1	String		1	1	cliIESPID_1	IESPID_001_1
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	
			11	11	cliIESPID_11	
IETEST_CL_001_1	String		Male or female participants >= 18 years at the time of informed consent	1	cliIETEST_Inclusion_Criteria_1	IETEST_001_1
			Participants who are willing and able to comply with all scheduled visits, treatment plan, laboratory tests, lifestyle considerations, and other study procedures	2	cliIETEST_Inclusion_Criteria_2	
			Histologically confirmed unresectable (Stage IIIB, IIIC, or IIID) or metastatic (Stage IV) cutaneous melanoma, according to the AJCC 8th edition	3	cliIETEST_Inclusion_Criteria_3	
			Presence of at least 1 measurable lesion as detected by radiological and/or photographic methods according to RECIST v1.1	4	cliIETEST_Inclusion_Criteria_4	
			ECOG performance status 0 or 1	5	cliIETEST_Inclusion_Criteria_5	
			Documented evidence of a BRAF V600E or V600K mutation in melanoma tumor tissue as previously determined by either PCR or NGS-based local lab assay	6	cliIETEST_Inclusion_Criteria_6	
			Submission of adequate tumor tissue (archival or freshly obtained; block or slides) to the sponsor central labs during the screening period and prior to enrollment (SLI)/randomization (Phase 3)	7	cliIETEST_Inclusion_Criteria_7	
			Adequate bone marrow function characterized by the following at screening: ANC >= 1.5 × 10 ⁹ /L, Platelets >= 100 × 10 ⁹ /L; Hemoglobin >= 9 g/dL (without blood transfusions)	9	cliIETEST_Inclusion_Criteria_9	
			Capable of giving signed informed consent, which includes compliance with the requirements and restrictions listed in the ICD and in this protocol	11	cliIETEST_Inclusion_Criteria_11	
			SLI Subjects: No more than 1 prior systemic tx for metastatic/locally advanced melanoma. Phase 3: No prior first line systemic tx for metastatic/locally advanced melanoma.	12	cliIETEST_Inclusion_Criteria_12	
			Adequate hepatic and renal function at screen:Tbili <=1.5 xULN and ALT and/or AST <=2xULN mg/dL ALT and/or AST <=2.5 x ULNor <= 5xULN with liver metastases.Est creatinine clearance >= 50 mL/min	13	cliIETEST_Inclusion_Criteria_13	
IETESTCD_CL_001_1	String		IN01A00	1	cliIETESTCD_IN01A00	IETESTCD_001_1
			IN02A00	2	cliIETESTCD_IN02A00	
			IN03A00	3	cliIETESTCD_IN03A00	
			IN04A00	4	cliIETESTCD_IN04A00	
			IN05A00	5	cliIETESTCD_IN05A00	
			IN06A00	6	cliIETESTCD_IN06A00	
			IN07A00	7	cliIETESTCD_IN07A00	
			IN09A00	9	cliIETESTCD_IN09A00	
			IN11A00	11	cliIETESTCD_IN11A00	
			IN08A00	8	cliIETESTCD_IN08A00	
			IN10A00	10	cliIETESTCD_IN10A00	
IESPID1_CL_001_1	String		1	1	cliIESPID1_1	IESPID1_001_1
			2	2	cliIESPID1_2	
			3	3	cliIESPID1_3	
			4	4	cliIESPID1_4	

			5		cliIESPID1_5	
			6		cliIESPID1_6	
			7		cliIESPID1_7	
			8		cliIESPID1_8	
			9		cliIESPID1_9	
			10		cliIESPID1_10	
			11		cliIESPID1_11	
			12		cliIESPID1_12	
			13		cliIESPID1_13	
			14		cliIESPID1_14	
			15		cliIESPID1_15	
			16		cliIESPID1_16	
			17		cliIESPID1_17	
			18		cliIESPID1_18	
			19		cliIESPID1_19	
			20		cliIESPID1_20	
			21		cliIESPID1_21	
			22		cliIESPID1_22	
			23		cliIESPID1_23	
			24		cliIESPID1_24	
			25		cliIESPID1_25	
IETEST1_CL_001_1	String		Other medical or psychiatric condition including recent (within the past year) or active suicidal ideation/behavior or lab abnormality that may increase the risk of study participation	11	cliIETEST_Exclusion_Criteria_1	IETEST1_001_1
			Mucosal or ocular melanoma	12	cliIETEST_Exclusion_Criteria_2	
			Diagnosis of immunodeficiency or an active autoimmune disease that required systemic treatment in the past 2 yrs. with use of disease modifying agents, corticosteroids, or immunosuppressive drugs	13	cliIETEST_Exclusion_Criteria_3	
			Clinically significant multiple or severe drug allergies, intolerance to topical corticosteroids, or severe post-treatment hypersensitivity reactions	14	cliIETEST_Exclusion_Criteria_4	
			Unable to swallow, retain, and absorb oral medications	15	cliIETEST_Exclusion_Criteria_5	
			Impairment of GI function or disease which may significantly alter the absorption of oral study intervention	16	cliIETEST_Exclusion_Criteria_6	
			History of thromboembolic or cerebrovascular events <= 12 wks prior to enrollment (SLI)/randomization (Phase 3)	18	cliIETEST_Exclusion_Criteria_8	
			History or current evidence of RVO or current risk factors for RVO; history of retinal degenerative disease	19	cliIETEST_Exclusion_Criteria_9	
			Concurrent neuromuscular disorder that is associated with the potential of elevated CK (eg, inflammatory myopathies, muscular dystrophy, amyotrophic lateral sclerosis, spinal muscular atrophy)	20	cliIETEST_Exclusion_Criteria_10	
			Evidence of HBV or HCV infection	22	cliIETEST_Exclusion_Criteria_12	
			Known history of a positive test for HIV or known AIDS. Testing for HIV must be performed at sites where mandated locally	23	cliIETEST_Exclusion_Criteria_13	
			Any active infection requiring systemic therapeutic treatment within 2 weeks prior to enrollment (SLI)/ randomization (Phase 3)	24	cliIETEST_Exclusion_Criteria_14	
			Participants with prior or current symptomatic brain metastasis, leptomeningeal disease or other active CNS metastases	25	cliIETEST_Exclusion_Criteria_15	
			Concurrent or previous other malignancy within 2 yrs, except prostate intraepithelial neoplasm, carcinoma in-situ of the cervix, Bowen's disease and Gleason <= 6 prostate cancer	26	cliIETEST_Exclusion_Criteria_16	
			Participants who previously received and subsequently discontinued encorafenib and/or binimetinib and/or anti-PD-1/-L1 due to severe toxicity	27	cliIETEST_Exclusion_Criteria_17	
			Participant has not recovered to Grade <= 1 from toxic effects of prior therapy and/or complications from prior surgical intervention before enrollment (SLI)/ randomization (Phase 3)	29	cliIETEST_Exclusion_Criteria_19	
			Previous administration with an investigational drug <= 6 months prior to enrollment (SLI)/randomization (Phase 3)	31	cliIETEST_Exclusion_Criteria_21	
			Known sensitivity or contraindication to any component of study intervention (encorafenib, binimetinib and pembrolizumab), or their excipients	32	cliIETEST_Exclusion_Criteria_22	
			Pregnant, confirmed by a positive B-hCG laboratory test result, or is breastfeeding (lactating)	33	cliIETEST_Exclusion_Criteria_23	
			Investigator site staff or Pfizer employees directly involved in the conduct of the study, site staff otherwise supervised by the investigator, and their respective family members	34	cliIETEST_Exclusion_Criteria_24	

		Clinically significant CV diseases including history of acute MI ACS CHF LVEF <50%. Uncontrolled hypertension Cardiac arrhythmias Triplicate baseline QTcF and >= 480 ms or prolonged QT syndrome	35	cliIETEST_Exclusion_Criteria_25	
		Current noninfectious pneumonitis/interstitial lung disease or history of noninfectious pneumonitis/interstitial lung disease requiring steroids.	36	cliIETEST_Exclusion_Criteria_26	
		For participants in the SLI only: Received prior BRAFi/MEKi therapy.	37	cliIETEST_Exclusion_Criteria_27	
		For participants in the SLI Only: Current use or anticipated need for food or drugs that are known moderate or strong CYP3A4 inhibitors during screening and through the DLT evaluation period	28	cliIETEST_Exclusion_Criteria_29	
		Had (prior to tx): rad thpy<= 4 wks;loco-regional tmnt or surgy<= 6 wks; systemic adj thpy<= 6 mnths; immune-enhancing/suppressive<=14d; live vaccine<= 30 d; proh med <= 1 wk	30	cliIETEST_Exclusion_Criteria_30	
IETESTCD1_CL_001_1	String	EX01A00	31	cliIETESTCD_EX01A00	IETESTCD1_001_1
		EX02A00	32	cliIETESTCD_EX02A00	
		EX03A00	33	cliIETESTCD_EX03A00	
		EX04A00	34	cliIETESTCD_EX04A00	
		EX05A00	35	cliIETESTCD_EX05A00	
		EX06A00	36	cliIETESTCD_EX06A00	
		EX07A00	37	cliIETESTCD_EX07A00	
		EX08A00	38	cliIETESTCD_EX08A00	
		EX09A00	39	cliIETESTCD_EX09A00	
		EX10A00	40	cliIETESTCD_EX10A00	
		EX11A00	41	cliIETESTCD_EX11A00	
		EX12A00	42	cliIETESTCD_EX12A00	
		EX13A00	43	cliIETESTCD_EX13A00	
		EX14A00	44	cliIETESTCD_EX14A00	
		EX15A00	45	cliIETESTCD_EX15A00	
		EX16A00	46	cliIETESTCD_EX16A00	
		EX17A00	47	cliIETESTCD_EX17A00	
		EX18A00	48	cliIETESTCD_EX18A00	
		EX19A00	49	cliIETESTCD_EX19A00	
		EX20A00	50	cliIETESTCD_EX20A00	
		EX21A00	51	cliIETESTCD_EX21A00	
		EX22A00	52	cliIETESTCD_EX22A00	
		EX23A00	53	cliIETESTCD_EX23A00	
		EX24A00	54	cliIETESTCD_EX24A00	
		EX25A02	55	cliIETESTCD_EX25A02	

RDE Analytics: RD_IE001_1		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE001_1_IE01001_1		
IESPID_001_1	IESPID_001_1_C	VARCHAR2
	IESPID_001_1	VARCHAR2
	IESPID_001_1_ND	VARCHAR2
IETEST_001_1	IETEST_001_1_C	VARCHAR2
	IETEST_001_1	VARCHAR2
	IETEST_001_1_ND	VARCHAR2
IEORRES_001_1	IEORRES_001_1_C	VARCHAR2
	IEORRES_001_1	VARCHAR2
	IEORRES_001_1_ND	VARCHAR2
IEORRES_001_1 - SUPPIE_IEDESC_001_1	SUPPIE_IEDESC_001_1	VARCHAR2

IETESTCD_001_1	IETESTCD_001_1_C	VARCHAR2
	IETESTCD_001_1	VARCHAR2
	IETESTCD_001_1_ND	VARCHAR2
RD_IE001_1_IE02001_1		
IESPID1_001_1	IESPID1_001_1_C	VARCHAR2
	IESPID1_001_1	VARCHAR2
	IESPID1_001_1_ND	VARCHAR2
IETEST1_001_1	IETEST1_001_1_C	VARCHAR2
	IETEST1_001_1	VARCHAR2
	IETEST1_001_1_ND	VARCHAR2
IEORRES1_001_1	IEORRES1_001_1_C	VARCHAR2
	IEORRES1_001_1	VARCHAR2
	IEORRES1_001_1_ND	VARCHAR2
IEORRES1_001_1 - SUPPIE_IEDESC1_001_1	SUPPIE_IEDESC1_001_1	VARCHAR2
IETESTCD1_001_1	IETESTCD1_001_1_C	VARCHAR2
	IETESTCD1_001_1	VARCHAR2
	IETESTCD1_001_1_ND	VARCHAR2

C4221016: INCLUSION/EXCLUSION CRITERIA - AMD3 (INC EXC A3) [IE001_2]				
Study eligibility requires subjects to meet all inclusion criteria (YES) and Not meet exclusion criteria (NO).				
Inclusion Criteria [IE01001_2]				
# ✓	Inclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
1.a	1	Male or female participants >= 18 years at the time of informed consent		IN01A00
1.b	2	Participants who are willing and able to comply with all scheduled visits, treatment plan, laboratory tests, lifestyle considerations, and other study procedures		IN02A00
1.c	3	Histologically confirmed unresectable (Stage IIIB, IIIC, or IIID) or metastatic (Stage IV) cutaneous melanoma, according to the AJCC 8th edition		IN03A00
1.d	4	Presence of at least 1 measurable lesion as detected by radiological and/or photographic methods according to RECIST v1.1		IN04A00
1.e	5	ECOG performance status 0 or 1		IN05A00
1.f	6	Documented evidence of a BRAF V600E or V600K mutation in melanoma tumor tissue as previously determined by either PCR or NGS-based local lab assay		IN06A00
1.g	7	Submission of adequate tumor tissue (archival or freshly obtained; block or slides) to the sponsor central labs during the screening period and prior to enrollment (SLI)/randomization (Phase 3)		IN07A00
1.h	8	Have not received prior first-line systemic therapy for metastatic or unresectable locally advanced melanoma		IN08A00
1.i	9	Adequate bone marrow function characterized by the following at screening: ANC >= 1.5 × 10 ⁹ /L; Platelets >= 100 × 10 ⁹ /L; Hemoglobin >= 9 g/dL (without blood transfusions)		IN09A00
1.j	10	Adequate hepatic and renal function at screen:Tbili <= 1.5 × ULN and <2 mg/dL,ALT and/or AST <=2.5 × ULN, or <= 5 × ULN with liver metastases.Est creatinine clearance >= 50 mL/min		IN10A00
1.k	11	Capable of giving signed informed consent, which includes compliance with the requirements and restrictions listed in the ICD and in this protocol		IN11A00
Inclusion Criteria Entry [IE01001_2]				
1.1 ☐	Inclusion Number: [Inclusion Number]	[IESPID_001_2] [IESPID_CL_001_2] ▼		
1.2 ☐	Criterion Description: [Criterion Description]	[IETEST_001_2] [IETEST_CL_001_2] ▼		
1.3* ✓	Criterion met? [Criterion met?]	[IEORRES_001_2] [A:Y] ☐ YES [A:N] ☐ [SUPPIE_IEDESC_CMP_001_2] ☐ NO [SUPPIE_IEDESC_001_2] Describe details if relevant A200*		
1.4 ☐	Criterion ID: (For Pfizer use only) [read-only] [Criterion ID: (For Pfizer use only)]	[IETESTCD_001_2] [IETESTCD_CL_001_2] ▼		
Exclusion Criteria [IE02001_2]				
# ✓	Exclusion Number	Criterion Description	Criterion met?*	Criterion ID: (For Pfizer use only)
2.a	1	Other medical or psychiatric condition including recent (within the past year) or active suicidal ideation/behavior or lab abnormality that may increase the risk of study participation		EX01A00
2.b	2	Mucosal or ocular melanoma		EX02A00
2.c	3	Diagnosis of immunodeficiency or an active autoimmune disease that required systemic treatment in the past 2 yrs. with use of disease modifying agents, corticosteroids, or immunosuppressive drugs		EX03A00
2.d	4	Clinically significant multiple or severe drug allergies, intolerance to topical corticosteroids, or severe post-treatment hypersensitivity reactions		EX04A00
2.e	5	Unable to swallow, retain, and absorb oral medications		EX05A00
2.f	6	Impairment of GI function or disease which may significantly alter the absorption of oral study intervention		EX06A00
2.g	7	Clinically significant CV diseases, including history of acute MI,ACS,CHF,LVEF<50%, Uncontrolled hypertension,Cardiac arrhythmias,Triplicate baseline QTcF >= 480 ms or prolonged QT syndrome		EX07A00
2.h	8	History of thromboembolic or cerebrovascular events <= 12 wks prior to enrollment (SLI)/randomization (Phase 3)		EX08A00
2.i	9	History or current evidence of RVO or current risk factors for RVO (eg, uncontrolled glaucoma or ocular hypertension, history of hyperviscosity or hypercoagulability syndromes)		EX09A00
2.j	10	Concurrent neuromuscular disorder that is associated with the potential of elevated CK (eg, inflammatory myopathies, muscular dystrophy, amyotrophic lateral		EX10A00

		sclerosis, spinal muscular atrophy)		
2.k	11	Current noninfectious pneumonitis/interstitial lung disease or history of noninfectious pneumonitis/interstitial lung disease requiring steroids, or history of radiation pneumonitis		EX11A00
2.l	12	Evidence of HBV or HCV infection		EX12A00
2.m	13	Known history of a positive test for HIV or known AIDS. Testing for HIV must be performed at sites where mandated locally		EX13A00
2.n	14	Any active infection requiring systemic therapeutic treatment within 2 weeks prior to enrollment (SLI)/ randomization (Phase 3)		EX14A00
2.o	15	Participants with prior or current symptomatic brain metastasis, leptomeningeal disease or other active CNS metastases		EX15A00
2.p	16	Concurrent or previous other malignancy within 2 yrs, except prostate intraepithelial neoplasm, carcinoma in-situ of the cervix, Bowen's disease and Gleason <= 6 prostate cancer		EX16A00
2.q	17	Participants who previously received and subsequently discontinued encorafenib and/or binimetinib and/or anti-PD-1/-L1 due to severe toxicity		EX17A00
2.r	18	For participants in the SLI Only: Current use or anticipated need for food or drugs that are known moderate or strong CYP3A4 inhibitors during screening and through the DLT evaluation period		EX18A00
2.s	19	Participant has not recovered to Grade <= 1 from toxic effects of prior therapy and/or complications from prior surgical intervention before enrollment (SLI)/ randomization (Phase 3)		EX19A00
2.t	20	Had (prior to tx): rad thpy<= 4 wks; loco-regional tmnt or surgery<= 6 wks; systemic adj thpy<= 6 mnths; immune-enhancing/suppressive<=14d; live vaccine<= 30 d; proh med <= 1 wk		EX20A00
2.u	21	Previous administration with an investigational drug <= 6 months prior to enrollment (SLI)/randomization (Phase 3)		EX21A00
2.v	22	Known sensitivity or contraindication to any component of study intervention (encorafenib, binimetinib and pembrolizumab), or their excipients		EX22A00
2.w	23	Pregnant, confirmed by a positive B-hCG laboratory test result, or is breastfeeding (lactating)		EX23A00
2.x	24	Investigator site staff or Pfizer employees directly involved in the conduct of the study, site staff otherwise supervised by the investigator, and their respective family members		EX24A00
2.y	25	Clinically significant CV diseases including history of acute MI ACS CHF LVEF <50%. Uncontrolled hypertension Cardiac arrhythmias Triplicate baseline QTcF and >= 480 ms or prolonged QT syndrome		EX25A02

Exclusion Criteria Entry [IE02001_2]		
2.1	Exclusion Number: [Exclusion Number]	[IESPID1_001_2] [IESPID1_CL_001_2]
2.2	Criterion Description: [Criterion Description]	[IETEST1_001_2] [IETEST1_CL_001_2]
2.3*	Criterion met? [Criterion met?]	[IEORRES1_001_2] [A:Y] ☐ [SUPPIE_IEDESC1_CMP_001_2] ☐ YES [SUPPIE_IEDESC1_001_2] Describe details if relevant A200* [A:N] ☐ NO
2.4	Criterion ID: (For Pfizer use only) [read-only] [Criterion ID: (For Pfizer use only)]	[IETESTCD1_001_2] [IETESTCD1_CL_001_2]

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INCLUSION/EXCLUSION CRITERIA - AMD3		
Type	RefName	Description
Form	IE001_2	IE001 - Inclusion/Exclusion Criteria
Item	IETEST_001_2	Criterion Description
Item	IEORRES_001_2	Response to whether Inclusion/Exclusion Criterion was met .
Item	SUPPIE_IEDESC_001_2	Describe details of criterion not met if relevant
Item	IETESTCD_001_2	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.
Item	IETEST1_001_2	Criterion Description
Item	IEORRES1_001_2	Response to whether Inclusion/Exclusion Criterion was met .

Item	SUPPIE_IDESC1_001_2	Describe details of criterion not met if relevant
Item	IETESTCD1_001_2	The identifier associated with the criterion that the subject did not meet. This must be a unique identifier that corresponds to a specific entry form.

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA - AMD3						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
IESPID_CL_001_2	String		1	1	cliIESPID_1	IESPID_001_2
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID1_10	
			11	11	cliIESPID1_11	
IETEST_CL_001_2	String		Male or female participants >= 18 years at the time of informed consent	1	cliIETEST_Inclusion_Criteria_1	IETEST_001_2
			Participants who are willing and able to comply with all scheduled visits, treatment plan, laboratory tests, lifestyle considerations, and other study procedures	2	cliIETEST_Inclusion_Criteria_2	
			Histologically confirmed unresectable (Stage IIIB, IIIC, or IIID) or metastatic (Stage IV) cutaneous melanoma, according to the AJCC 8th edition	3	cliIETEST_Inclusion_Criteria_3	
			Presence of at least 1 measurable lesion as detected by radiological and/or photographic methods according to RECIST v1.1	4	cliIETEST_Inclusion_Criteria_4	
			ECOG performance status 0 or 1	5	cliIETEST_Inclusion_Criteria_5	
			Documented evidence of a BRAF V600E or V600K mutation in melanoma tumor tissue as previously determined by either PCR or NGS-based local lab assay	6	cliIETEST_Inclusion_Criteria_6	
			Submission of adequate tumor tissue (archival or freshly obtained; block or slides) to the sponsor central labs during the screening period and prior to enrollment (SLI)/randomization (Phase 3)	7	cliIETEST_Inclusion_Criteria_7	
			Have not received prior first-line systemic therapy for metastatic or unresectable locally advanced melanoma	8	cliIETEST_Inclusion_Criteria_8	
			Adequate bone marrow function characterized by the following at screening: ANC >= 1.5 × 10 ⁹ /L, Platelets >= 100 × 10 ⁹ /L; Hemoglobin >= 9 g/dL (without blood transfusions)	9	cliIETEST_Inclusion_Criteria_9	
			Adequate hepatic and renal function at screen:Tbili <= 1.5 × ULN and <2 mg/dL,ALT and/or AST <=2.5 × ULN, or <= 5 × ULN with liver metastases.Est creatinine clearance >= 50 mL/min	10	cliIETEST_Inclusion_Criteria_10	
			Capable of giving signed informed consent, which includes compliance with the requirements and restrictions listed in the ICD and in this protocol	11	cliIETEST_Inclusion_Criteria_11	
IETESTCD_CL_001_2	String		IN01A00	1	cliIETESTCD_IN01A00	IETESTCD_001_2
			IN02A00	2	cliIETESTCD_IN02A00	
			IN03A00	3	cliIETESTCD_IN03A00	
			IN04A00	4	cliIETESTCD_IN04A00	
			IN05A00	5	cliIETESTCD_IN05A00	
			IN06A00	6	cliIETESTCD_IN06A00	
			IN07A00	7	cliIETESTCD_IN07A00	
			IN08A00	8	cliIETESTCD_IN08A00	
			IN09A00	9	cliIETESTCD_IN09A00	
			IN10A00	10	cliIETESTCD_IN10A00	
			IN11A00	11	cliIETESTCD_IN11A00	
IESPID1_CL_001_2	String		1	1	cliIESPID1_1	IESPID1_001_2
			2	2	cliIESPID1_2	
			3	3	cliIESPID1_3	
			4	4	cliIESPID1_4	
			5	5	cliIESPID1_5	

			6	6	cliIESPID1_6	
			7	7	cliIESPID1_7	
			8	8	cliIESPID1_8	
			9	9	cliIESPID1_9	
			10	10	cliIESPID1_10	
			11	11	cliIESPID1_11	
			12	12	cliIESPID1_12	
			13	13	cliIESPID1_13	
			14	14	cliIESPID1_14	
			15	15	cliIESPID1_15	
			16	16	cliIESPID1_16	
			17	17	cliIESPID1_17	
			18	18	cliIESPID1_18	
			19	19	cliIESPID1_19	
			20	20	cliIESPID1_20	
			21	21	cliIESPID1_21	
			22	22	cliIESPID1_22	
			23	23	cliIESPID1_23	
			24	24	cliIESPID1_24	
			25	25	cliIESPID1_25	
IETEST1_CL_001_2	String		Other medical or psychiatric condition including recent (within the past year) or active suicidal ideation/behavior or lab abnormality that may increase the risk of study participation	11	cliIETEST_Exclusion_Criteria_1	IETEST1_001_2
			Mucosal or ocular melanoma	12	cliIETEST_Exclusion_Criteria_2	
			Diagnosis of immunodeficiency or an active autoimmune disease that required systemic treatment in the past 2 yrs. with use of disease modifying agents, corticosteroids, or immunosuppressive drugs	13	cliIETEST_Exclusion_Criteria_3	
			Clinically significant multiple or severe drug allergies, intolerance to topical corticosteroids, or severe post-treatment hypersensitivity reactions	14	cliIETEST_Exclusion_Criteria_4	
			Unable to swallow, retain, and absorb oral medications	15	cliIETEST_Exclusion_Criteria_5	
			Impairment of GI function or disease which may significantly alter the absorption of oral study intervention	16	cliIETEST_Exclusion_Criteria_6	
			Clinically significant CV diseases, including history of acute MI,ACS,CHF,LVEF<50%, Uncontrolled hypertension,Cardiac arrhythmias,Triplicate baseline QTcF >= 480 ms or prolonged QT syndrome	17	cliIETEST_Exclusion_Criteria_7	
			History of thromboembolic or cerebrovascular events <= 12 wks prior to enrollment (SLI)/randomization (Phase 3)	18	cliIETEST_Exclusion_Criteria_8	
			Concurrent neuromuscular disorder that is associated with the potential of elevated CK (eg, inflammatory myopathies, muscular dystrophy, amyotrophic lateral sclerosis, spinal muscular atrophy)	20	cliIETEST_Exclusion_Criteria_10	
			Evidence of HBV or HCV infection	22	cliIETEST_Exclusion_Criteria_12	
			Known history of a positive test for HIV or known AIDS. Testing for HIV must be performed at sites where mandated locally	23	cliIETEST_Exclusion_Criteria_13	
			Any active infection requiring systemic therapeutic treatment within 2 weeks prior to enrollment (SLI)/ randomization (Phase 3)	24	cliIETEST_Exclusion_Criteria_14	
			Participants with prior or current symptomatic brain metastasis, leptomeningeal disease or other active CNS metastases	25	cliIETEST_Exclusion_Criteria_15	
			Concurrent or previous other malignancy within 2 yrs, except prostate intraepithelial neoplasm, carcinoma in-situ of the cervix, Bowen's disease and Gleason <= 6 prostate cancer	26	cliIETEST_Exclusion_Criteria_16	
			Participants who previously received and subsequently discontinued encorafenib and/or binimetinib and/or anti-PD-1/-L1 due to severe toxicity	27	cliIETEST_Exclusion_Criteria_17	
			For participants in the SLI Only: Current use or anticipated need for food or drugs that are known moderate or strong CYP3A4 inhibitors during screening and through the DLT evaluation period	28	cliIETEST_Exclusion_Criteria_18	
			Participant has not recovered to Grade <= 1 from toxic effects of prior therapy and/or complications from prior surgical intervention before enrollment (SLI)/ randomization (Phase 3)	29	cliIETEST_Exclusion_Criteria_19	
			Had (prior to tx): rad thpy<= 4 wks;loco-regional tmnt or surg<= 6 wks; systemic adj thpy<= 6 mnths; immune-enhancing/suppressive<=14d; live vaccine<= 30 d; proh med <= 1 wk	30	cliIETEST_Exclusion_Criteria_20	
			Previous administration with an investigational drug <= 6 months prior to enrollment (SLI)/randomization (Phase 3)	31	cliIETEST_Exclusion_Criteria_21	
			Known sensitivity or contraindication to any component of study intervention (encorafenib, binimetinib and pembrolizumab), or their excipients	32	cliIETEST_Exclusion_Criteria_22	

		Pregnant, confirmed by a positive B-hCG laboratory test result, or is breastfeeding (lactating)	33	cliIETEST_Exclusion_Criteria_23	
		Investigator site staff or Pfizer employees directly involved in the conduct of the study, site staff otherwise supervised by the investigator, and their respective family members	34	cliIETEST_Exclusion_Criteria_24	
		Clinically significant CV diseases including history of acute MI ACS CHF LVEF <50%. Uncontrolled hypertension Cardiac arrhythmias Triplicate baseline QTcF and >= 480 ms or prolonged QT syndrome	35	cliIETEST_Exclusion_Criteria_25	
		History or current evidence of RVO or current risk factors for RVO (eg, uncontrolled glaucoma or ocular hypertension, history of hyperviscosity or hypercoagulability syndromes)	36	cliIETEST_Exclusion_Criteria_31	
		Current noninfectious pneumonitis/interstitial lung disease or history of noninfectious pneumonitis/interstitial lung disease requiring steroids, or history of radiation pneumonitis	37	cliIETEST_Exclusion_Criteria_32	
IETESTCD1_CL_001_2	String	EX01A00	31	cliIETESTCD_EX01A00	IETESTCD1_001_2
		EX02A00	32	cliIETESTCD_EX02A00	
		EX03A00	33	cliIETESTCD_EX03A00	
		EX04A00	34	cliIETESTCD_EX04A00	
		EX05A00	35	cliIETESTCD_EX05A00	
		EX06A00	36	cliIETESTCD_EX06A00	
		EX07A00	37	cliIETESTCD_EX07A00	
		EX08A00	38	cliIETESTCD_EX08A00	
		EX09A00	39	cliIETESTCD_EX09A00	
		EX10A00	40	cliIETESTCD_EX10A00	
		EX11A00	41	cliIETESTCD_EX11A00	
		EX12A00	42	cliIETESTCD_EX12A00	
		EX13A00	43	cliIETESTCD_EX13A00	
		EX14A00	44	cliIETESTCD_EX14A00	
		EX15A00	45	cliIETESTCD_EX15A00	
		EX16A00	46	cliIETESTCD_EX16A00	
		EX17A00	47	cliIETESTCD_EX17A00	
		EX18A00	48	cliIETESTCD_EX18A00	
		EX19A00	49	cliIETESTCD_EX19A00	
		EX20A00	50	cliIETESTCD_EX20A00	
		EX21A00	51	cliIETESTCD_EX21A00	
		EX22A00	52	cliIETESTCD_EX22A00	
		EX23A00	53	cliIETESTCD_EX23A00	
		EX24A00	54	cliIETESTCD_EX24A00	
		EX25A02	55	cliIETESTCD_EX25A02	

RDE Analytics: RD_IE001_2		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE001_2_IE01001_2		
IESPID_001_2	IESPID_001_2_C	VARCHAR2
	IESPID_001_2	VARCHAR2
	IESPID_001_2_ND	VARCHAR2
IETEST_001_2	IETEST_001_2_C	VARCHAR2
	IETEST_001_2	VARCHAR2
	IETEST_001_2_ND	VARCHAR2
IEORRES_001_2	IEORRES_001_2_C	VARCHAR2
	IEORRES_001_2	VARCHAR2
	IEORRES_001_2_ND	VARCHAR2
IEORRES_001_2 - SUPPIE_IEDESC_001_2	SUPPIE_IEDESC_001_2	VARCHAR2

IETESTCD_001_2	IETESTCD_001_2_C	VARCHAR2
	IETESTCD_001_2	VARCHAR2
	IETESTCD_001_2_ND	VARCHAR2
RD_IE001_2_IE02001_2		
IESPID1_001_2	IESPID1_001_2_C	VARCHAR2
	IESPID1_001_2	VARCHAR2
	IESPID1_001_2_ND	VARCHAR2
IETEST1_001_2	IETEST1_001_2_C	VARCHAR2
	IETEST1_001_2	VARCHAR2
	IETEST1_001_2_ND	VARCHAR2
IEORRES1_001_2	IEORRES1_001_2_C	VARCHAR2
	IEORRES1_001_2	VARCHAR2
	IEORRES1_001_2_ND	VARCHAR2
IEORRES1_001_2 - SUPPIE_IEDESC1_001_2	SUPPIE_IEDESC1_001_2	VARCHAR2
IETESTCD1_001_2	IETESTCD1_001_2_C	VARCHAR2
	IETESTCD1_001_2	VARCHAR2
	IETESTCD1_001_2_ND	VARCHAR2

C4221016: RANDOMIZATION (RAND) [DS001_3]		
Disposition [DS01001_3]		
1.* ✓	Randomization Date : [Randomization Date :]	[DSSTDTC_001_3] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)
2.* ✓	Randomization Number: [Randomization Number]	[DSREFID_001_3] A20★
3.* ✓	Randomization Group: [Randomization Group]	[SUPPDS_DSRANGRP_001_3] [A:28] ☐ COHORT 1 [A:29] ☐ COHORT 2
Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: RANDOMIZATION		
Type	RefName	Description
Item	DSSTDTC_001_3	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

Data Series Summary: RANDOMIZATION					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
1.	DSSTDTC_001_3	IsDS	dstDS001_3	dsrDSSTDTC_001_3	DateTime

RDE Analytics: RD_DS001_3		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_3	DSSTDTC_001_3	DATE
	DSSTDTC_001_3_DTS	VARCHAR2
	DSSTDTC_001_3_ND	VARCHAR2
DSREFID_001_3	DSREFID_001_3	VARCHAR2
	DSREFID_001_3_ND	VARCHAR2
SUPPDS_DSRANGRP_001_3	SUPPDS_DSRANGRP_001_3_C	VARCHAR2
	SUPPDS_DSRANGRP_001_3	VARCHAR2
	SUPPDS_DSRANGRP_001_3_ND	VARCHAR2

C4221016: BANKED BIOSPECIMEN SAMPLE TRACKING (BANKBIOS) [R_OMIC003]

Banked Biospecimen Sample Tracking [R_OMIC01003]

# ✓	Category of Assessment	Specimen Type	Sample Name	Not Done:	Sample Date Time
1.a	BANKED BIOSPECIMEN SAMPLE TRACKING	BLOOD	PREP D1		

Banked Biospecimen Sample Tracking Entry [R_OMIC01003]

1.1	Category of Assessment [read-only] Category of Assessment	[R_OMICCAT_003] [A:6] ☐ BANKED BIOSPECIMEN SAMPLE TRACKING			
1.2	Specimen Type [read-only] Specimen Type	[R_OMICSPEC_003] [A:7] ☐ BLOOD			
1.3	Sample Name [read-only] Sample Name	[R_OMICPRP_003] [A:19] ☐ PREP D1			
1.4	Not Done: Not Done:	[R_OMICSTAT_003] [A:1] ☐ NOT DONE			
1.5	Sample Collection Date Sample Date Time	[R_OMICDTC_003] (DD/MM/YYYY) Req / Req / Req (2020-2035)			

Key: [✓] = Source verification required

Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_R_OMIC003		
Data Variable RefName	RD Column Name	Column Data Type
RD_R_OMIC003_R_OMIC01003		
R_OMICCAT_003	R_OMICCAT_003_C	VARCHAR2
	R_OMICCAT_003	VARCHAR2
	R_OMICCAT_003_ND	VARCHAR2
R_OMICSPEC_003	R_OMICSPEC_003_C	VARCHAR2
	R_OMICSPEC_003	VARCHAR2
	R_OMICSPEC_003_ND	VARCHAR2
R_OMICPRP_003	R_OMICPRP_003_C	VARCHAR2
	R_OMICPRP_003	VARCHAR2
	R_OMICPRP_003_ND	VARCHAR2
R_OMICSTAT_003	R_OMICSTAT_003_C	VARCHAR2
	R_OMICSTAT_003	VARCHAR2
	R_OMICSTAT_003_ND	VARCHAR2
R_OMICDTC_003	R_OMICDTC_003	DATE
	R_OMICDTC_003_DTS	VARCHAR2
	R_OMICDTC_003_ND	VARCHAR2

C4221016: VITAL SIGNS - REPEATING (VITALS) - Repeating Form [VS001_2]

#	Date Time:	Weight	Weight Unit	Vital Signs Details		
1						

Vital Signs [VS01001_2]

1.*	Date: [Date Time:]	[VSDTC_001_2] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)
2.*	Weight: [Weight]	[VSORRES_WEIGHT_001_2] xxxxx.
3.*	Unit: [Weight Unit]	[VSORRESU_WEIGHT_001_2] [A:9] ☐ kg [A:11] ☐ LB

Vital Signs Details [VS02001_2]

#	Record Identifier:	Temperature*	Temperature Unit*	Systolic:*	Diastolic:*	Pulse:*
4.a	1					

Vital Signs Details Entry [VS02001_2]

4.1	Record Identifier: [Record Identifier:]	[VSSPID_001_2] [A:1] ☐ 1
4.2*	Temperature: [Temperature]	[VSORRES_TEMP_001_2] xxxx.
4.3*	Unit: [Temperature Unit]	[VSORRESU_TEMP_001_2] [A:4] ☐ C [A:6] ☐ F
4.4*	Systolic: [Systolic:]	[VSORRES_SYSBP_001_2] N3
4.5*	Diastolic: [Diastolic:]	[VSORRES_DIABP_001_2] N3
4.6*	Pulse: [Pulse:]	[VSORRES_PULSE_001_2] N3

Key: [*] = Item is required [✓] = Source verification required ☐ = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS - REPEATING		
Type	RefName	Description
Form	VS001_2	VS001 - Vital Signs - Wide Format
Item	VSDTC_001_2	The date the measurement was performed.
Item	VSORRES_WEIGHT_001_2	Weight
Item	VSORRESU_WEIGHT_001_2	Weight Unit
Item	VSSPID_001_2	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_TEMP_001_2	Temperature
Item	VSORRESU_TEMP_001_2	Temperature Unit
Item	VSORRES_SYSBP_001_2	Systolic Blood Pressure collected in mmHg
Item	VSORRES_DIABP_001_2	Diastolic Blood Pressure in mmHg
Item	VSORRES_PULSE_001_2	Pulse Rate in beats/minute.

RDE Analytics: RD_VS001_2		
Data Variable RefName	RD Column Name	Column Data Type

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

VSDTC_001_2	VSDTC_001_2	DATE
	VSDTC_001_2_DTS	VARCHAR2
	VSDTC_001_2_ND	VARCHAR2
VSORRES_WEIGHT_001_2	VSORRES_WEIGHT_001_2	FLOAT
	VSORRES_WEIGHT_001_2_ND	VARCHAR2
VSORRESU_WEIGHT_001_2	VSORRESU_WEIGHT_001_2_C	VARCHAR2
	VSORRESU_WEIGHT_001_2	VARCHAR2
	VSORRESU_WEIGHT_001_2_ND	VARCHAR2
RD_VS001_2_VS02001_2		
VSSPID_001_2	VSSPID_001_2_C	VARCHAR2
	VSSPID_001_2	VARCHAR2
	VSSPID_001_2_ND	VARCHAR2
VSORRES_TEMP_001_2	VSORRES_TEMP_001_2	FLOAT
	VSORRES_TEMP_001_2_ND	VARCHAR2
VSORRESU_TEMP_001_2	VSORRESU_TEMP_001_2_C	VARCHAR2
	VSORRESU_TEMP_001_2	VARCHAR2
	VSORRESU_TEMP_001_2_ND	VARCHAR2
VSORRES_SYSBP_001_2	VSORRES_SYSBP_001_2	NUMBER
	VSORRES_SYSBP_001_2_ND	VARCHAR2
VSORRES_DIABP_001_2	VSORRES_DIABP_001_2	NUMBER
	VSORRES_DIABP_001_2_ND	VARCHAR2
VSORRES_PULSE_001_2	VSORRES_PULSE_001_2	NUMBER
	VSORRES_PULSE_001_2_ND	VARCHAR2

C4221016: LOCALLY READ ECGs REPEATING (ECG C1D1) - Repeating Form [EG001_3_1]

#	Planned Time Point	Reference Time Point	ECG Method	Group ID	Sponsor-Defined Identifier	ECG Date Time:	ECG Interpretation	ECG Results
1								

Locally Read ECGs Repeating [EG01001_3_1]

1.	Planned time point: <i>[read-only]</i> [Planned Time Point]	[EGTPT_001_3_1] [A:15] ☐ 0 H						
2.	Reference Time Point: <i>[read-only]</i> [Reference Time Point]	[EGTPTRF_001_3_1] [A:11] ☐ DOSING						
3.*	Method: [ECG Method]	[EGMETHOD_001_3_1] [A:10] ☐ 12 LEAD STANDARD						
4.	Group Identifier: <i>[read-only]</i> [Group ID]	[EGGRPID_001_3_1] [A:1] ☐ 1						
5.	Repeat Number: [Sponsor-Defined Identifier]	[EGSPID_001_3_1] [A:1] ☐ 1ST ECG READING [A:2] ☐ 2ND ECG READING [A:3] ☐ 3RD ECG READING						
6.*	ECG Date Time: [ECG Date Time:]	[EGDTC_001_3_1] (DD/MM/YYYY hh:mm) Req / Req / Req (2020-2035) Req : Req 24-hour clock						
7.*	Was ECG: [ECG Interpretation]	[EGORRES_INTP_001_3_1] [A:1] ☐ [SUPPEG_EGCLSIG_CMP_001_3_1] ☐ ABNORMAL [SUPPEG_EGCLSIG_001_3_1] If abnormal, was the overall ECG clinically significant? [A:Y] ☐ [CO_EGCOM_CMP_001_3_1] ☐ YES [CO_EGCOM_001_3_1] Comments on significant findings: (If clinically significant, record on the [insert protocol specific requirement e.g. Adverse Event page, Medical History page, Sign and Symptoms of Disease page]) A200* [A:N] ☐ NO [A:2] ☐ INDETERMINATE [A:3] ☐ NORMAL [A:4] ☐ UNKNOWN [A:5] ☐ NOT EVALUABLE						

ECG Results [EG02001_3_1]

#	ECG Test Name	Result*	Unit
8.a	ECG MEAN HEART RATE		beats/min
8.b	QT INTERVAL NOT OTHERWISE SPECIFIED		msec
8.c	PR INTERVAL NOT OTHERWISE SPECIFIED		msec
8.d	QRS INTERVAL NOT OTHERWISE SPECIFIED		msec
8.e	QTcF NOT OTHERWISE SPECIFIED		msec

ECG Results Entry [EG02001_3_1]

8.1	ECG Test Name: [ECG Test Name]	[EGTEST_001_3_1] [A:902] ☐ QT INTERVAL NOT OTHERWISE SPECIFIED [A:903] ☐ PR INTERVAL NOT OTHERWISE SPECIFIED [A:904] ☐ QRS INTERVAL NOT OTHERWISE SPECIFIED [A:128] ☐ ECG MEAN HEART RATE [A:909] ☐ QTcF NOT OTHERWISE SPECIFIED	
8.2*	Result: [Result]	[EGORRES_001_3_1] 	

		A200★
8.3 	Unit: [Unit]	[EGORRESU_001_3_1] [A:114]  beats/min [A:14]  msec
Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible  = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LOCALLY READ ECGs REPEATING		
Type	RefName	Description
Form	EG001_3_1	EG001 - LOCALLY READ ECGs
Item	EGTPT_001_3_1	Text description of planned time point when measurements should be taken for use when multiple sequential assessments are done.
Item	EGPTPTREF_001_3_1	Name of the fixed reference point referred to by EGELTM, EGTPTNUM, and EGTPT. Examples: PREVIOUS DOSE, PREVIOUS MEAL.
Item	EGMETHOD_001_3_1	ECG Method
Item	EGGRPID_001_3_1	An identifier used to tie a group of related records together in a single domain for a subject. For paper studies it should be pre-printed on the CRF, but for EDC numbers should be system generated.
Item	EGSPID_001_3_1	Sponsor-defined reference identifier. Used to order replicate assessments within a single grouping (EGGRPID). Must be unique within a group (e.g., 1, 2, 3), but may repeat across groups.
Item	EGDTC_001_3_1	Date of ECG.
Item	EGORRES_INTP_001_3_1	ECG Interpretation - Normal, Abnormal, Not Evaluable.
Item	SUPPEG_EGCLSIG_001_3_1	Whether ECG results were clinically significant. Need a rule as EGCLSIG is completed only if EGNABN = "ABNORMAL" or "INDETERMINATE"
Item	CO_EGCOM_001_3_1	Comments on Significant ECG Findings
Item	EGTEST_001_3_1	Name of ECG Measurement, test or examination. Long name for EGTESTCD.
Item	EGORRES_001_3_1	Result of the measurement or finding as originally received or collected.
Item	EGORRESU_001_3_1	Original units in which the data were collected.

RDE Analytics: RD_EG001_3_1		
Data Variable RefName	RD Column Name	Column Data Type
EGTPT_001_3_1	EGTPT_001_3_1_C	VARCHAR2
	EGTPT_001_3_1	VARCHAR2
	EGTPT_001_3_1_ND	VARCHAR2
EGTPTREF_001_3_1	EGTPTREF_001_3_1_C	VARCHAR2
	EGTPTREF_001_3_1	VARCHAR2
	EGTPTREF_001_3_1_ND	VARCHAR2
EGMETHOD_001_3_1	EGMETHOD_001_3_1_C	VARCHAR2
	EGMETHOD_001_3_1	VARCHAR2
	EGMETHOD_001_3_1_ND	VARCHAR2
EGGRPID_001_3_1	EGGRPID_001_3_1_C	VARCHAR2
	EGGRPID_001_3_1	VARCHAR2
	EGGRPID_001_3_1_ND	VARCHAR2
EGSPID_001_3_1	EGSPID_001_3_1_C	VARCHAR2
	EGSPID_001_3_1	VARCHAR2
	EGSPID_001_3_1_ND	VARCHAR2
EGDTC_001_3_1	EGDTC_001_3_1	DATE
	EGDTC_001_3_1_DTS	VARCHAR2
	EGDTC_001_3_1_ND	VARCHAR2
EGORRES_INTP_001_3_1	EGORRES_INTP_001_3_1_C	VARCHAR2
	EGORRES_INTP_001_3_1	VARCHAR2

	EGORRES_INTP_001_3_1_ND	VARCHAR2
EGORRES_INTP_001_3_1 - SUPPEG_EGCLSIG_001_3_1	SUPPEG_EGCLSIG_001_3_1_C	VARCHAR2
	SUPPEG_EGCLSIG_001_3_1	VARCHAR2
EGORRES_INTP_001_3_1 - CO_EGCOM_001_3_1	CO_EGCOM_001_3_1	VARCHAR2
RD_EG001_3_1_EG02001_3_1		
EGTEST_001_3_1	EGTEST_001_3_1_C	VARCHAR2
	EGTEST_001_3_1	VARCHAR2
	EGTEST_001_3_1_ND	VARCHAR2
EGORRES_001_3_1	EGORRES_001_3_1	VARCHAR2
	EGORRES_001_3_1_ND	VARCHAR2
EGORRESU_001_3_1	EGORRESU_001_3_1_C	VARCHAR2
	EGORRESU_001_3_1	VARCHAR2
	EGORRESU_001_3_1_ND	VARCHAR2

C4221016: TREATMENT-REPEATING-ENCORAFENIB (TRT-ENCO) - Repeating Form [EC001_4]									
#	Treatment Name	Formulation:	Route:	Start Date Time:	End Date Time:	Reason for Changed/Missed Dose	Actual Dose:	Unit:	Frequency:
1									
Treatment [EC01001_4]									
1.	Treatment Name <i>[read-only]</i> [Treatment Name]	[ECTRT_001_4] A100★							
2.	Formulation: <i>[read-only]</i> [Formulation:]	[ECDOSFRM_001_4] [A:11] ☐ CAPSULE							
3.	Route: <i>[read-only]</i> [Route:]	[ECROUTE_001_4] [A:84] ☐ ORAL							
4.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM4_001_4] A255★							
5.	Standardized Medication Name - Dictionary Derived. <i>[hidden]</i> [Standardized Medication Name]	[SUPPEC_ECDECOD_001_4] A100★							
6.	Standardized Medication Code - Dictionary Derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPEC_ECCD_001_4] A11★							
7.* ✓	Start Date: [Start Date Time:]	[ECSTDTC_001_4] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)							
8.* ✓	End Date: [End Date Time:]	[ECENDTC_001_4] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)							
9. ✓	Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]	[SUPPEC_MISDOST_001_4] [A:1] ☐ ADVERSE EVENT [A:3] ☐ MISSED/FORGOT TO TAKE MEDICATION [A:999] ☐ [SUPPEC_MISDOSO_CMP_001_4] ☐ OTHER [SUPPEC_MISDOSO_001_4] If Other, please specify: A200★							
10.* ✓	Actual Dose: [Actual Dose:]	[ECDOSE_001_4] xxxxxx.							
11.	Unit: <i>[read-only]</i> [Unit:]	[ECDOSU_001_4] [A:8] ☐ mg							
12.	Frequency: <i>[read-only]</i> [Frequency:]	[ECDOSFRQ_001_4] [A:49] ☐ QD							
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.									

Coding Summary: TREATMENT-REPEATING-ENCORAFENIB

Verbatim RefName: ECTRT_001_4		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPEC_ECDECOD_001_4	PT	Term
SUPPEC_ECCD_001_4	PT	Code

RDE Analytics: RD_EC001_4		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_4	ECTRT_001_4	VARCHAR2
	ECTRT_001_4_ND	VARCHAR2
ECDOSFRM_001_4	ECDOSFRM_001_4_C	VARCHAR2
	ECDOSFRM_001_4	VARCHAR2
	ECDOSFRM_001_4_ND	VARCHAR2
ECROUTE_001_4	ECROUTE_001_4_C	VARCHAR2
	ECROUTE_001_4	VARCHAR2
	ECROUTE_001_4_ND	VARCHAR2
D_COMPTERM4_001_4	D_COMPTERM4_001_4	VARCHAR2
	D_COMPTERM4_001_4_ND	VARCHAR2
SUPPEC_ECDECOD_001_4	SUPPEC_ECDECOD_001_4	VARCHAR2
	SUPPEC_ECDECOD_001_4_ND	VARCHAR2
SUPPEC_ECCD_001_4	SUPPEC_ECCD_001_4	VARCHAR2
	SUPPEC_ECCD_001_4_ND	VARCHAR2
ECSTDTC_001_4	ECSTDTC_001_4	DATE
	ECSTDTC_001_4_DTS	VARCHAR2
	ECSTDTC_001_4_ND	VARCHAR2
ECENDTC_001_4	ECENDTC_001_4	DATE
	ECENDTC_001_4_DTS	VARCHAR2
	ECENDTC_001_4_ND	VARCHAR2
SUPPEC_MISDOST_001_4	SUPPEC_MISDOST_001_4_C	VARCHAR2
	SUPPEC_MISDOST_001_4	VARCHAR2
	SUPPEC_MISDOST_001_4_ND	VARCHAR2
SUPPEC_MISDOST_001_4 - SUPPEC_MISDOSO_001_4	SUPPEC_MISDOSO_001_4	VARCHAR2
ECDOSE_001_4	ECDOSE_001_4	FLOAT
	ECDOSE_001_4_ND	VARCHAR2
ECDOSU_001_4	ECDOSU_001_4_C	VARCHAR2
	ECDOSU_001_4	VARCHAR2
	ECDOSU_001_4_ND	VARCHAR2
ECDOSFRQ_001_4	ECDOSFRQ_001_4_C	VARCHAR2
	ECDOSFRQ_001_4	VARCHAR2
	ECDOSFRQ_001_4_ND	VARCHAR2

C4221016: TREATMENT-REPEATING-BINIMETINIB (TRT-BINI) - Repeating Form [EC001_4_1]									
#	Treatment Name	Formulation:	Route:	Start Date Time:	End Date Time:	Reason for Changed/Missed Dose	Total Daily Dose	Unit:	Frequency:
1									
Treatment [EC01001_4_1]									
1.	Treatment Name [read-only] [Treatment Name]	[ECTRT_001_4_1] A100★							
2.	Formulation: [read-only] [Formulation:]	[ECDOSFRM_001_4_1] [A:146] ☒ TABLET							
3.	Route: [read-only] [Route:]	[ECROUTE_001_4_1] [A:84] ☒ ORAL							
4.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM4_001_4_1] A255★							
5.	Standardized Medication Name - Dictionary Derived. [hidden] [Standardized Medication Name]	[SUPPEC_ECDECOD_001_4_1] A100★							
6.	Standardized Medication Code - Dictionary Derived [hidden] [Standardized Medication Code]	[SUPPEC_ECCD_001_4_1] A11★							
7.* ✓	Start Date: [Start Date Time:]	[ECSTDTC_001_4_1] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2020-2035)							
8.* ✓	End Date: [End Date Time:]	[ECENDTC_001_4_1] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2020-2035)							
9. ✓	Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]	[SUPPEC_MISDOST_001_4_1] [A:1] ☐ ADVERSE EVENT [A:3] ☐ MISSED/FORGOT TO TAKE MEDICATION [A:999] ☒ [SUPPEC_MISDOSO_CMP_001_4_1] ☐ OTHER [SUPPEC_MISDOSO_001_4_1] If Other, please specify: A200★							
10.* ✓	Total Daily Dose: [Total Daily Dose]	[ECDOSTOT_001_4_1] xxxxxx.							
11.	Unit: [read-only] [Unit:]	[ECDOSU_001_4_1] [A:8] ☒ mg							
12.	Frequency: [read-only] [Frequency:]	[ECDOSFRQ_001_4_1] [A:3] ☒ BID							
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.									

Coding Summary: TREATMENT-REPEATING-BINIMETINIB

Verbatim RefName: ECTRT_001_4_1 Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPEC_ECDECOD_001_4_1	PT	Term
SUPPEC_ECCD_001_4_1	PT	Code

RDE Analytics: RD_EC001_4_1		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_4_1	ECTRT_001_4_1	VARCHAR2
	ECTRT_001_4_1_ND	VARCHAR2
ECDOSFRM_001_4_1	ECDOSFRM_001_4_1_C	VARCHAR2
	ECDOSFRM_001_4_1	VARCHAR2
	ECDOSFRM_001_4_1_ND	VARCHAR2
ECROUTE_001_4_1	ECROUTE_001_4_1_C	VARCHAR2
	ECROUTE_001_4_1	VARCHAR2
	ECROUTE_001_4_1_ND	VARCHAR2
D_COMPTERM4_001_4_1	D_COMPTERM4_001_4_1	VARCHAR2
	D_COMPTERM4_001_4_1_ND	VARCHAR2
SUPPEC_ECDECOD_001_4_1	SUPPEC_ECDECOD_001_4_1	VARCHAR2
	SUPPEC_ECDECOD_001_4_1_ND	VARCHAR2
SUPPEC_ECCD_001_4_1	SUPPEC_ECCD_001_4_1	VARCHAR2
	SUPPEC_ECCD_001_4_1_ND	VARCHAR2
ECSTDTC_001_4_1	ECSTDTC_001_4_1	DATE
	ECSTDTC_001_4_1_DTS	VARCHAR2
	ECSTDTC_001_4_1_ND	VARCHAR2
ECENDTC_001_4_1	ECENDTC_001_4_1	DATE
	ECENDTC_001_4_1_DTS	VARCHAR2
	ECENDTC_001_4_1_ND	VARCHAR2
SUPPEC_MISDOST_001_4_1	SUPPEC_MISDOST_001_4_1_C	VARCHAR2
	SUPPEC_MISDOST_001_4_1	VARCHAR2
	SUPPEC_MISDOST_001_4_1_ND	VARCHAR2
SUPPEC_MISDOST_001_4_1 - SUPPEC_MISDOSO_001_4_1	SUPPEC_MISDOSO_001_4_1	VARCHAR2
ECDOSTOT_001_4_1	ECDOSTOT_001_4_1	FLOAT
	ECDOSTOT_001_4_1_ND	VARCHAR2
ECDOSU_001_4_1	ECDOSU_001_4_1_C	VARCHAR2
	ECDOSU_001_4_1	VARCHAR2
	ECDOSU_001_4_1_ND	VARCHAR2
ECDOSFRQ_001_4_1	ECDOSFRQ_001_4_1_C	VARCHAR2
	ECDOSFRQ_001_4_1	VARCHAR2
	ECDOSFRQ_001_4_1_ND	VARCHAR2

C4221016: PARENTERAL (Pembrolizumab) (TRT-PEMBRO) [EC001_1]		
Parenteral (Pembrolizumab) [EC01001_1]		
1.	Treatment Name [read-only] [Treatment Name]	[ECTRT_001_1] A100★
2.	Formulation: [read-only] [Formulation:]	[ECDOSFRM_001_1] [A:66] ☒ INJECTION
3.	Route: [read-only] [Route:]	[ECROUTE_001_1] [A:70] ☒ INTRAVENOUS
4.	Standardized Medication Name - Dictionary Derived. [hidden] [Standardized Medication Name]	[SUPPEC_ECDECOD_001_1] A100★
5.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM4_001_1] A255★
6.* ✓	Start Date Time: [Start Date Time:]	[ECSTDTC_001_1] (DD/MM/YYYY hh:mm) Req / Req / Req (2020-2035) Req : Req 24-hour clock
7.* ✓	End Date Time: [End Date Time:]	[ECENDTC_001_1] (DD/MM/YYYY hh:mm) Req / Req / Req (2020-2035) Req : Req 24-hour clock
8.	Frequency: [read-only] [Frequency]	[X_ECPDFRQ_001_1] [A:39] ☒ EVERY 3 WEEKS
9.* ✓	Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]	[SUPPEC_MISDOST_001_1] [A:1] ☒ [SUPPEC_ECAENO1_CMP_001_1] ☐ ADVERSE EVENT [SUPPEC_ECAENO1_001_1] AE Identifier: A20★ [SUPPEC_ECAENO2_001_1] AE Identifier: A20★ [SUPPEC_ECAENO3_001_1] AE Identifier: A20★ [SUPPEC_ECAENO4_001_1] AE Identifier: A20★ [SUPPEC_ECAENOS_001_1] AE Identifier: A20★ [A:999] ☒ [SUPPEC_MISDOSO_CMP_001_1] ☐ OTHER [SUPPEC_MISDOSO_001_1] If Other, please specify: A200★
10.*	Actual Dose:	[ECDOSE_001_1]

✓	[Actual Dose:]	xxxxxx.
11.	Unit: <i>[read-only]</i> [Unit:]	[ECDOSU_001_1] <i>[A:8]</i>  mg
12.	Standardized Medication Code - Dictionary Derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPEC_ECCD_001_1] A11★

Key: [★] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Data Series Summary: PARENTERAL (Pembrolizumab)					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
6.	ECSTDTC_001_1	IsEC001_1	dstEC001_1	dsrc_ECSTDTC_001_1	DateTime

Coding Summary: PARENTERAL (Pembrolizumab)

Verbatim RefName: ECTRT_001_1		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPEC_ECDECOD_001_1	PT	Term
SUPPEC_ECCD_001_1	PT	Code

RDE Analytics: RD_EC001_1		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_1	ECTRT_001_1	VARCHAR2
	ECTRT_001_1_ND	VARCHAR2
ECDOSFRM_001_1	ECDOSFRM_001_1_C	VARCHAR2
	ECDOSFRM_001_1	VARCHAR2
	ECDOSFRM_001_1_ND	VARCHAR2
ECROUTE_001_1	ECROUTE_001_1_C	VARCHAR2
	ECROUTE_001_1	VARCHAR2
	ECROUTE_001_1_ND	VARCHAR2
SUPPEC_ECDECOD_001_1	SUPPEC_ECDECOD_001_1	VARCHAR2
	SUPPEC_ECDECOD_001_1_ND	VARCHAR2
D_COMPTERM4_001_1	D_COMPTERM4_001_1	VARCHAR2
	D_COMPTERM4_001_1_ND	VARCHAR2
ECSTDTC_001_1	ECSTDTC_001_1	DATE
	ECSTDTC_001_1_DTS	VARCHAR2
	ECSTDTC_001_1_ND	VARCHAR2
ECENDTC_001_1	ECENDTC_001_1	DATE
	ECENDTC_001_1_DTS	VARCHAR2
	ECENDTC_001_1_ND	VARCHAR2
X_ECPDFRQ_001_1	X_ECPDFRQ_001_1_C	VARCHAR2
	X_ECPDFRQ_001_1	VARCHAR2
	X_ECPDFRQ_001_1_ND	VARCHAR2
SUPPEC_MISDOST_001_1	SUPPEC_MISDOST_001_1_C	VARCHAR2
	SUPPEC_MISDOST_001_1	VARCHAR2
	SUPPEC_MISDOST_001_1_ND	VARCHAR2

SUPPEC_MISDOST_001_1 - SUPPEC_ECAENO1_001_1	SUPPEC_ECAENO1_001_1	VARCHAR2
SUPPEC_MISDOST_001_1 - SUPPEC_ECAENO2_001_1	SUPPEC_ECAENO2_001_1	VARCHAR2
SUPPEC_MISDOST_001_1 - SUPPEC_ECAENO3_001_1	SUPPEC_ECAENO3_001_1	VARCHAR2
SUPPEC_MISDOST_001_1 - SUPPEC_ECAENO4_001_1	SUPPEC_ECAENO4_001_1	VARCHAR2
SUPPEC_MISDOST_001_1 - SUPPEC_ECAENO5_001_1	SUPPEC_ECAENO5_001_1	VARCHAR2
SUPPEC_MISDOST_001_1 - SUPPEC_MISDOS0_001_1	SUPPEC_MISDOS0_001_1	VARCHAR2
ECDOSE_001_1	ECDOSE_001_1	FLOAT
	ECDOSE_001_1_ND	VARCHAR2
ECDOSU_001_1	ECDOSU_001_1_C	VARCHAR2
	ECDOSU_001_1	VARCHAR2
	ECDOSU_001_1_ND	VARCHAR2
SUPPEC_ECCD_001_1	SUPPEC_ECCD_001_1	VARCHAR2
	SUPPEC_ECCD_001_1_ND	VARCHAR2

C4221016: RANDOMIZATION -Ph3 (RAND Ph3) [DS001_3_1]		
Randomization [DS01001_3_1]		
1.* ✓	Randomization Date : [Randomization Date :]	[DSSTDTC_001_3_1] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)
2.* ✓	Randomization Number: [Randomization Number]	[DSREFID_001_3_1] A20★
Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: RANDOMIZATION -Ph3		
Type	RefName	Description
Item	DSSTDTC_001_3_1	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_3_1		
Data Variable	RefName	RD Column Name
DSSTDTC_001_3_1		Column Data Type
		DATE
		DSSTDTC_001_3_1_DTS
DSREFID_001_3_1		DSSTDTC_001_3_1_ND
		DSREFID_001_3_1
		DSREFID_001_3_1_ND

C4221016: TREATMENT-REPEATING ENCORAFENIB/PLACEBO (Ph3) (TRT-ENC P3) - Repeating Form [EC001_4_3]									
#	Treatment Name	Formulation:	Route:	Start Date Time:	End Date Time:	Reason for Changed/Missed Dose	Actual Dose:	Unit:	Frequency:
1									
Treatment [EC01001_4_3]									
1.	Treatment Name <i>[read-only]</i> [Treatment Name]	[ECTRT_001_4_3] A100★							
2.	Formulation: <i>[read-only]</i> [Formulation:]	[ECDOSFRM_001_4_3] [A:11] ☐ CAPSULE							
3.	Route: <i>[read-only]</i> [Route:]	[ECROUTE_001_4_3] [A:84] ☐ ORAL							
4.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM4_001_4_3] A255★							
5.	Standardized Medication Name - Dictionary Derived. <i>[hidden]</i> [Standardized Medication Name]	[SUPPEC_ECDECOD_001_4_3] A100★							
6.	Standardized Medication Code - Dictionary Derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPEC_ECCD_001_4_3] A11★							
7.* ✓	Start Date: [Start Date Time:]	[ECSTDTC_001_4_3] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)							
8.* ✓	End Date: [End Date Time:]	[ECENDTC_001_4_3] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)							
9. ✓	Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]	[SUPPEC_MISDOST_001_4_3] [A:1] ☐ ADVERSE EVENT [A:3] ☐ MISSED/FORGOT TO TAKE MEDICATION [A:999] ☐ [SUPPEC_MISDOSO_CMP_001_4_3] ☐ OTHER [SUPPEC_MISDOSO_001_4_3] If Other, please specify: A200★							
10.* ✓	Actual Dose: [Actual Dose:]	[ECDOSE_001_4_3] xxxxxx.							
11.	Unit: <i>[read-only]</i> [Unit:]	[ECDOSU_001_4_3] [A:8] ☐ mg							
12.	Frequency: <i>[read-only]</i> [Frequency:]	[ECDOSFRQ_001_4_3] [A:49] ☐ QD							
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.									

Coding Summary: TREATMENT-REPEATING ENCORAFENIB/PLACEBO (Ph3)

Verbatim RefName: ECTRT_001_4_3		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPEC_ECDECOD_001_4_3	PT	Term
SUPPEC_ECCD_001_4_3	PT	Code

RDE Analytics: RD_EC001_4_3		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_4_3	ECTRT_001_4_3	VARCHAR2
	ECTRT_001_4_3_ND	VARCHAR2
ECDOSFRM_001_4_3	ECDOSFRM_001_4_3_C	VARCHAR2
	ECDOSFRM_001_4_3	VARCHAR2
	ECDOSFRM_001_4_3_ND	VARCHAR2
ECROUTE_001_4_3	ECROUTE_001_4_3_C	VARCHAR2
	ECROUTE_001_4_3	VARCHAR2
	ECROUTE_001_4_3_ND	VARCHAR2
D_COMPTERM4_001_4_3	D_COMPTERM4_001_4_3	VARCHAR2
	D_COMPTERM4_001_4_3_ND	VARCHAR2
SUPPEC_ECDECOD_001_4_3	SUPPEC_ECDECOD_001_4_3	VARCHAR2
	SUPPEC_ECDECOD_001_4_3_ND	VARCHAR2
SUPPEC_ECCD_001_4_3	SUPPEC_ECCD_001_4_3	VARCHAR2
	SUPPEC_ECCD_001_4_3_ND	VARCHAR2
ECSTDTC_001_4_3	ECSTDTC_001_4_3	DATE
	ECSTDTC_001_4_3_DTS	VARCHAR2
	ECSTDTC_001_4_3_ND	VARCHAR2
ECENDTC_001_4_3	ECENDTC_001_4_3	DATE
	ECENDTC_001_4_3_DTS	VARCHAR2
	ECENDTC_001_4_3_ND	VARCHAR2
SUPPEC_MISDOST_001_4_3	SUPPEC_MISDOST_001_4_3_C	VARCHAR2
	SUPPEC_MISDOST_001_4_3	VARCHAR2
	SUPPEC_MISDOST_001_4_3_ND	VARCHAR2
SUPPEC_MISDOST_001_4_3 - SUPPEC_MISDOSO_001_4_3	SUPPEC_MISDOSO_001_4_3	VARCHAR2
ECDOSE_001_4_3	ECDOSE_001_4_3	FLOAT
	ECDOSE_001_4_3_ND	VARCHAR2
ECDOSU_001_4_3	ECDOSU_001_4_3_C	VARCHAR2
	ECDOSU_001_4_3	VARCHAR2
	ECDOSU_001_4_3_ND	VARCHAR2
ECDOSFRQ_001_4_3	ECDOSFRQ_001_4_3_C	VARCHAR2
	ECDOSFRQ_001_4_3	VARCHAR2
	ECDOSFRQ_001_4_3_ND	VARCHAR2

C4221016: TREATMENT-REPEATING BINIMETINIB/PLACEBO (Ph3) (TRT-BNI P3) - Repeating Form [EC001_4_2]									
#	Treatment Name	Formulation:	Route:	Start Date Time:	End Date Time:	Reason for Changed/Missed Dose	Total Daily Dose	Unit:	Frequency:
1									
Treatment [EC01001_4_2]									
1.	Treatment Name <i>[read-only]</i> [Treatment Name]	[ECTRT_001_4_2] A100★							
2.	Formulation: <i>[read-only]</i> [Formulation:]	[ECDOSFRM_001_4_2] [A:146] ☒ TABLET							
3.	Route: <i>[read-only]</i> [Route:]	[ECROUTE_001_4_2] [A:84] ☒ ORAL							
4.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM4_001_4_2] A255★							
5.	Standardized Medication Name - Dictionary Derived. <i>[hidden]</i> [Standardized Medication Name]	[SUPPEC_ECDECOD_001_4_2] A100★							
6.	Standardized Medication Code - Dictionary Derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPEC_ECCD_001_4_2] A11★							
7.* ✓	Start Date: [Start Date Time:]	[ECSTDTC_001_4_2] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2020-2035)							
8.* ✓	End Date: [End Date Time:]	[ECENDTC_001_4_2] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2020-2035)							
9. ✓	Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]	[SUPPEC_MISDOST_001_4_2] [A:1] ☐ ADVERSE EVENT [A:3] ☐ MISSED/FORGOT TO TAKE MEDICATION [A:999] ☒ [SUPPEC_MISDOSO_CMP_001_4_2] ☐ OTHER [SUPPEC_MISDOSO_001_4_2] If Other, please specify: A200★							
10.* ✓	Total Daily Dose: [Total Daily Dose]	[ECDOSTOT_001_4_2] xxxxxx.							
11.	Unit: <i>[read-only]</i> [Unit:]	[ECDOSU_001_4_2] [A:8] ☒ mg							
12.	Frequency: <i>[read-only]</i> [Frequency:]	[ECDOSFRQ_001_4_2] [A:3] ☒ BID							
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.									

Coding Summary: TREATMENT-REPEATING BINIMETINIB/PLACEBO (Ph3)

Verbatim RefName: ECTRT_001_4_2		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPEC_ECDECOD_001_4_2	PT	Term
SUPPEC_ECCD_001_4_2	PT	Code

RDE Analytics: RD_EC001_4_2		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_4_2	ECTRT_001_4_2	VARCHAR2
	ECTRT_001_4_2_ND	VARCHAR2
ECDOSFRM_001_4_2	ECDOSFRM_001_4_2_C	VARCHAR2
	ECDOSFRM_001_4_2	VARCHAR2
	ECDOSFRM_001_4_2_ND	VARCHAR2
ECROUTE_001_4_2	ECROUTE_001_4_2_C	VARCHAR2
	ECROUTE_001_4_2	VARCHAR2
	ECROUTE_001_4_2_ND	VARCHAR2
D_COMPTERM4_001_4_2	D_COMPTERM4_001_4_2	VARCHAR2
	D_COMPTERM4_001_4_2_ND	VARCHAR2
SUPPEC_ECDECOD_001_4_2	SUPPEC_ECDECOD_001_4_2	VARCHAR2
	SUPPEC_ECDECOD_001_4_2_ND	VARCHAR2
SUPPEC_ECCD_001_4_2	SUPPEC_ECCD_001_4_2	VARCHAR2
	SUPPEC_ECCD_001_4_2_ND	VARCHAR2
ECSTDTC_001_4_2	ECSTDTC_001_4_2	DATE
	ECSTDTC_001_4_2_DTS	VARCHAR2
	ECSTDTC_001_4_2_ND	VARCHAR2
ECENDTC_001_4_2	ECENDTC_001_4_2	DATE
	ECENDTC_001_4_2_DTS	VARCHAR2
	ECENDTC_001_4_2_ND	VARCHAR2
SUPPEC_MISDOST_001_4_2	SUPPEC_MISDOST_001_4_2_C	VARCHAR2
	SUPPEC_MISDOST_001_4_2	VARCHAR2
	SUPPEC_MISDOST_001_4_2_ND	VARCHAR2
SUPPEC_MISDOST_001_4_2 - SUPPEC_MISDOS0_001_4_2	SUPPEC_MISDOS0_001_4_2	VARCHAR2
ECDOSTOT_001_4_2	ECDOSTOT_001_4_2	FLOAT
	ECDOSTOT_001_4_2_ND	VARCHAR2
ECDOSU_001_4_2	ECDOSU_001_4_2_C	VARCHAR2
	ECDOSU_001_4_2	VARCHAR2
	ECDOSU_001_4_2_ND	VARCHAR2
ECDOSFRQ_001_4_2	ECDOSFRQ_001_4_2_C	VARCHAR2
	ECDOSFRQ_001_4_2	VARCHAR2
	ECDOSFRQ_001_4_2_ND	VARCHAR2

C4221016: LABORATORY DATA - HEMATOLOGY (LAB HEM) - Repeating Form [LB001_9_1]							
#	Category for Lab Test	Lab From Screening/Current Visit	Vendor Name (DERIVED)	Lab ID (Derived)	Specimen Type	Collection Date Time:	Lab Result
1							
Laboratory Data Hematology [LB01001_9_1]							
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_9_1] [A:1] ☐ HEMATOLOGY					
2.*	Lab From Screening/Current Visit [Lab From Screening/Current Visit]	[SUPPLB_LBINRC_001_9_1] [A:2] ☐ [SUPPLB_LBINRC_CMP_001_9_1] ☐ OTHER LAB [D_LBNAM_001_9_1] Laboratory Name and Address: A200* [D_SUPPLB_LBUID_001_9_1] Lab ID A50*					
3.	Laboratory Name and Address (Derived) <i>[read-only]</i> [Vendor Name (DERIVED)]	[LBNAM_001_9_1] A200*					
4.	Lab ID (Derived) <i>[read-only]</i> [Lab ID (Derived)]	[SUPPLB_LBUID_001_9_1] A50*					
5.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_9_1] [A:4] ☐ BLOOD					
6.*	Collection Date: [Collection Date Time:]	[LBDTC_001_9_1] (DD/MM/YYYY) Req v / Req v / Req v (2020-2035)					
Lab Result [LB03001_9_1]							
# ✓	Sponsor-Defined Identifier		Test		Result	Not Done:	LNMT
7.a			Hemoglobin_PX1				
7.b			Hematocrit_PX2				
7.c			Erythrocytes_PX3				
7.d			Platelets_PX5				
7.e			Leukocytes_PX7				
7.f			Absolute Neutrophil Count_PX2471				
7.g			Eosinophils_PX609				
7.h			Monocytes_PX612				
7.i			Basophils_PX610				
7.j			Lymphocytes_PX611				
7.k			Neutrophils/Leukocytes_PX8				
7.l			Lymphocytes/Leukocytes_PX11				
Lab Result Entry [LB03001_9_1]							
7.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_9_1] N8					
7.2	Test: <i>[read-only]</i> [Test]	[LBTEST_001_9_1] [LBTEST_CL_001_9_1] v					
7.3	Result: [Result]	[LBORRES_001_9_1] A20*					
7.4	Not Done:	[LBSTAT_001_9_1]					

	[Not Done:]	[A:1] ☐ NOT DONE
7.5	LNMT [read-only] [LNMT]	[X_LNMTFLAG_CMP_001_9_1] [LBORNRHI_001_9_1] High A20* [LBORNRLO_001_9_1] Low A20* [LBORRESU_001_9_1] Unit A20* [X_LNMTFLAG_001_9_1] Flag A20*
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LABORATORY DATA - HEMATOLOGY		
Type	RefName	Description
Item	LBCAT_001_9_1	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_9_1	Lab from initial/most recent visit
Item	D_LBNAM_001_9_1	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_9_1	Field needed for LNMT integration
Item	LBSPEC_001_9_1	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_9_1	Date of specimen collection.
Item	LBSPID_001_9_1	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_9_1	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_9_1	Used to indicate test was not done.
Item	LBORNRHI_001_9_1	LNMT field
Item	LBORNRLO_001_9_1	LNMT field
Item	LBORRESU_001_9_1	LNMT field
Item	X_LNMTFLAG_001_9_1	LNMT field

Codelist Values Tables: LABORATORY DATA - HEMATOLOGY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_9_1	String		Hemoglobin_PX1	1	cliLBTEST_Hemoglobin_PX1	LBTEST_001_9_1
			Hematocrit_PX2	2	cliLBTEST_Hematocrit_PX2	
			Erythrocytes_PX3	3	cliLBTEST_Erythrocytes_PX3	
			Platelets_PX5	5	cliLBTEST_Platelets_PX5	
			Leukocytes_PX7	7	cliLBTEST_Leukocytes_PX7	
			Absolute Neutrophil Count_PX2471	2471	cliLBTEST_Absolute_Neutrophil_Count_PX2471	
			Eosinophils_PX609	609	cliLBTEST_Eosinophils_PX609	
			Monocytes_PX612	612	cliLBTEST_Monocytes_PX612	
			Basophils_PX610	610	cliLBTEST_Basophils_PX610	
			Lymphocytes_PX611	611	cliLBTEST_Lymphocytes_PX611	
			Neutrophils/Leukocytes_PX8	8	cliLBTEST_Neutrophils_Leukocytes_PX8	
			Lymphocytes/Leukocytes_PX11	11	cliLBTEST_Lymphocytes_Leukocytes_PX11	

RDE Analytics: RD_LB001_9_1

Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_9_1	LBCAT_001_9_1_C	VARCHAR2
	LBCAT_001_9_1	VARCHAR2
	LBCAT_001_9_1_ND	VARCHAR2
SUPPLB_LBINRC_001_9_1	SUPPLB_LBINRC_001_9_1_C	VARCHAR2
	SUPPLB_LBINRC_001_9_1	VARCHAR2
	SUPPLB_LBINRC_001_9_1_ND	VARCHAR2
SUPPLB_LBINRC_001_9_1 - D_LBNAM_001_9_1	D_LBNAM_001_9_1	VARCHAR2
SUPPLB_LBINRC_001_9_1 - D_SUPPLB_LBUID_001_9_1	D_SUPPLB_LBUID_001_9_1	VARCHAR2
LBNAM_001_9_1	LBNAM_001_9_1	VARCHAR2
	LBNAM_001_9_1_ND	VARCHAR2
SUPPLB_LBUID_001_9_1	SUPPLB_LBUID_001_9_1	VARCHAR2
	SUPPLB_LBUID_001_9_1_ND	VARCHAR2
LBSPEC_001_9_1	LBSPEC_001_9_1_C	VARCHAR2
	LBSPEC_001_9_1	VARCHAR2
	LBSPEC_001_9_1_ND	VARCHAR2
LBDTC_001_9_1	LBDTC_001_9_1	DATE
	LBDTC_001_9_1_DTS	VARCHAR2
	LBDTC_001_9_1_ND	VARCHAR2
RD_LB001_9_1_LB03001_9_1		
LBSPID_001_9_1	LBSPID_001_9_1	NUMBER
	LBSPID_001_9_1_ND	VARCHAR2
LBTEST_001_9_1	LBTEST_001_9_1_C	VARCHAR2
	LBTEST_001_9_1	VARCHAR2
	LBTEST_001_9_1_ND	VARCHAR2
LBORRES_001_9_1	LBORRES_001_9_1	VARCHAR2
	LBORRES_001_9_1_ND	VARCHAR2
LBSTAT_001_9_1	LBSTAT_001_9_1_C	VARCHAR2
	LBSTAT_001_9_1	VARCHAR2
	LBSTAT_001_9_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9_1	X_LNMTFLAG_CMP_001_9_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9_1 - LBORNRHI_001_9_1	LBORNRHI_001_9_1	VARCHAR2
X_LNMTFLAG_CMP_001_9_1 - LBORNRLO_001_9_1	LBORNRLO_001_9_1	VARCHAR2
X_LNMTFLAG_CMP_001_9_1 - LBORRESU_001_9_1	LBORRESU_001_9_1	VARCHAR2
X_LNMTFLAG_CMP_001_9_1 - X_LNMTFLAG_001_9_1	X_LNMTFLAG_001_9_1	VARCHAR2

C4221016: LAB CHEMISTRY (LAB CHEM) - Repeating Form [LB001_8]							
#	Category for Lab Test	Lab From Screening/Current Visit	Vendor Name (DERIVED)	Lab ID (Derived)	Specimen Type	Collection Date Time:	Lab Result
1							
Lab Chemistry Details [LB01001_8]							
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_8] [A:2] ☒ CLINICAL CHEMISTRY					
2.*	Lab From Screening/Current Visit [Lab From Screening/Current Visit]	[SUPPLB_LBINRC_001_8] [A:2] ☒ [SUPPLB_LBINRC_CMP_001_8] ☐ OTHER LAB [D_LBNAM_001_8] Laboratory Name and Address: A200* [D_SUPPLB_LBUID_001_8] Lab ID A50*					
3.	Laboratory Name and Address (Derived) <i>[read-only]</i> [Vendor Name (DERIVED)]	[LBNAM_001_8] A200*					
4.	Lab ID (Derived) <i>[read-only]</i> [Lab ID (Derived)]	[SUPPLB_LBUID_001_8] A50*					
5.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_8] [A:1] ☒ SERUM					
6.*	Collection Date: [Collection Date Time:]	[LBDTC_001_8] (DD/MM/YYYY) Req / Req / Req (2020-2035)					
Lab Result [LB03001_8]							
#	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT		
7.a		Alanine Aminotransferase_PX30					
7.b		Albumin_PX25					
7.c		Alkaline Phosphatase_PX35					
7.d		Amylase_PX219					
7.e		Aspartate Aminotransferase_PX28					
7.f		Bilirubin_PX21					
7.g		Calcium_PX58					
7.h		Chloride_PX56					
7.i		Creatinine Clearance_PX49					
7.j		Creatine Kinase_PX29					
7.k		Creatinine_PX48					
7.l		Hepatitis C Virus Antibody_PX854					
7.m		Hepatitis B Virus Surface Antigen_PX38					
7.n		Lactate Dehydrogenase_PX32					
7.o		Triacylglycerol Lipase_PX711					
7.p		Potassium_PX55					
7.q		Protein_PX24					
7.r		Sodium_PX54					
7.s		Urate_PX50					
7.t		Blood Urea Nitrogen_PX47					

Lab Result Entry [LB03001_8]

7.1

Sponsor ID: *[read-only]*
[Sponsor-Defined Identifier]

[LBSPID_001_8]

N8

7.2

Test: *[read-only]*
[Test]

[LBTEST_001_8]

[LBTEST_CL_001_8] ▼

7.3

Result:
[Result]

[LBORRES_001_8]

A20★

7.4

Not Done:
[Not Done:]

[LBSTAT_001_8]

[A:1] ☐ NOT DONE

7.5

LNMT *[read-only]*
[LNMT]

[X_LNMTFLAG_CMP_001_8]

[LBORNRHI_001_8]

High

A20★

[LBORNRL0_001_8]

Low

A20★

[LBORRESU_001_8]

Unit

A20★

[X_LNMTFLAG_001_8]

Flag

A20★

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: LAB CHEMISTRY		
Type	RefName	Description
Item	LBCAT_001_8	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_8	Lab from initial/most recent visit
Item	D_LBNAM_001_8	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_8	Field needed for LNMT integration
Item	LBSPEC_001_8	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_8	Date of specimen collection.
Item	LBSPID_001_8	Sponsor-defined reference number. This is the Pfizer PXC0DE.
Item	LBTEST_001_8	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_8	Used to indicate test was not done.
Item	LBORNRHI_001_8	LNMT field
Item	LBORNRL0_001_8	LNMT field
Item	LBORRESU_001_8	LNMT field
Item	X_LNMTFLAG_001_8	LNMT field

Data Series Summary: LAB CHEMISTRY					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
2.	D_LBNAM_001_8	IsLBINF	dstLBINF	dsr_D_LBNAM_8	Text

Codelist Values Tables: LAB CHEMISTRY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_8	String		Alanine Aminotransferase_PX30	30	cliLBTEST_Alanine_Aminotransferase_PX30	LBTEST_001_8
			Albumin_PX25	25	cliLBTEST_Albumin_PX25	

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

		Alkaline Phosphatase_PX35	35	cliLBTEST_Alkaline_Phosphatase_PX35
		Amylase_PX219	219	cliLBTEST_Amylase_PX219
		Aspartate Aminotransferase_PX28	28	cliLBTEST_Aspartate_Aminotransferase_PX28
		Bilirubin_PX21	21	cliLBTEST_Bilirubin_PX21
		Calcium_PX58	58	cliLBTEST_Calcium_PX58
		Chloride_PX56	56	cliLBTEST_Chloride_PX56
		Creatinine Clearance_PX49	49	cliLBTEST_Creatinine_Clearance_PX49
		Creatine Kinase_PX29	29	cliLBTEST_Creatine_Kinase_PX29
		Creatinine_PX48	48	cliLBTEST_Creatinine_PX48
		Hepatitis C Virus Antibody_PX854	854	cliLBTEST_Hepatitis_C_Virus_Antibody_PX854
		Hepatitis B Virus Surface Antigen_PX38	38	cliLBTEST_Hepatitis_B_Virus_Surface_Antigen_PX38
		Lactate Dehydrogenase_PX32	32	cliLBTEST_Lactate_Dehydrogenase_PX32
		Triacylglycerol Lipase_PX711	711	cliLBTEST_Triacylglycerol_Lipase_PX711
		Potassium_PX55	55	cliLBTEST_Potassium_PX55
		Protein_PX24	24	cliLBTEST_Protein_PX24
		Sodium_PX54	54	cliLBTEST_Sodium_PX54
		Urate_PX50	50	cliLBTEST_Urate_PX50
		Blood Urea Nitrogen_PX47	47	cliLBTEST_Blood_Urea_Nitrogen_PX47

RDE Analytics: RD_LB001_8		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_8	LBCAT_001_8_C	VARCHAR2
	LBCAT_001_8	VARCHAR2
	LBCAT_001_8_ND	VARCHAR2
SUPPLB_LBINRC_001_8	SUPPLB_LBINRC_001_8_C	VARCHAR2
	SUPPLB_LBINRC_001_8	VARCHAR2
	SUPPLB_LBINRC_001_8_ND	VARCHAR2
SUPPLB_LBINRC_001_8 - D_LBNAM_001_8	D_LBNAM_001_8	VARCHAR2
SUPPLB_LBINRC_001_8 - D_SUPPLB_LBUID_001_8	D_SUPPLB_LBUID_001_8	VARCHAR2
LBNAM_001_8	LBNAM_001_8	VARCHAR2
	LBNAM_001_8_ND	VARCHAR2
SUPPLB_LBUID_001_8	SUPPLB_LBUID_001_8	VARCHAR2
	SUPPLB_LBUID_001_8_ND	VARCHAR2
LBSPEC_001_8	LBSPEC_001_8_C	VARCHAR2
	LBSPEC_001_8	VARCHAR2
	LBSPEC_001_8_ND	VARCHAR2
LBDTC_001_8	LBDTC_001_8	DATE
	LBDTC_001_8_DTS	VARCHAR2
	LBDTC_001_8_ND	VARCHAR2
RD_LB001_8_LB03001_8		
LBSPID_001_8	LBSPID_001_8	NUMBER
	LBSPID_001_8_ND	VARCHAR2
LBTEST_001_8	LBTEST_001_8_C	VARCHAR2
	LBTEST_001_8	VARCHAR2
	LBTEST_001_8_ND	VARCHAR2
LBORRES_001_8	LBORRES_001_8	VARCHAR2
	LBORRES_001_8_ND	VARCHAR2

LBSTAT_001_8	LBSTAT_001_8_C	VARCHAR2
	LBSTAT_001_8	VARCHAR2
	LBSTAT_001_8_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8	X_LNMTFLAG_CMP_001_8_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8 - LBORNRHI_001_8	LBORNRHI_001_8	VARCHAR2
X_LNMTFLAG_CMP_001_8 - LBORNRLO_001_8	LBORNRLO_001_8	VARCHAR2
X_LNMTFLAG_CMP_001_8 - LBORRESU_001_8	LBORRESU_001_8	VARCHAR2
X_LNMTFLAG_CMP_001_8 - X_LNMTFLAG_001_8	X_LNMTFLAG_001_8	VARCHAR2

C4221016: LAB CHEMISTRY - GLUCOSE (LAB GLUC) - Repeating Form [LB001_8_1]								
#	Category for Lab Test	Lab From Screening/Current Visit	Vendor Name (DERIVED)	Lab ID (Derived)	Specimen Type	Collection Date Time:	Fasting Status	Lab Result
1								
Lab Chemistry Details [LB01001_8_1]								
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_8_1] [A:2] ☐ CLINICAL CHEMISTRY						
2.*	Lab From Screening/Current Visit [Lab From Screening/Current Visit]	[SUPPLB_LBINRC_001_8_1] [A:2] ☐ [SUPPLB_LBINRC_CMP_001_8_1] ☐ OTHER LAB [D_LBNAM_001_8_1] Laboratory Name and Address: A200* [D_SUPPLB_LBUID_001_8_1] Lab ID A50*						
3.	Laboratory Name and Address (Derived) <i>[read-only]</i> [Vendor Name (DERIVED)]	[LBNAM_001_8_1] A200*						
4.	Lab ID (Derived) <i>[read-only]</i> [Lab ID (Derived)]	[SUPPLB_LBUID_001_8_1] A50*						
5.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_8_1] [A:1] ☐ SERUM						
6.*	Collection Date: [Collection Date Time:]	[LBDTC_001_8_1] (DD/MM/YYYY) Req v / Req v / Req v (2020-2035)						
7.*	Fasting? : [Fasting Status]	[LBFAST_001_8_1] [A:N] ☐ NO [A:Y] ☐ YES						
Lab Result [LB03001_8_1]								
# ✓	Sponsor-Defined Identifier			Test	Result	Not Done:	LNMT	
8.a				Glucose_PX67				
Lab Result Entry [LB03001_8_1]								
8.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_8_1] N8						
8.2	Test: <i>[read-only]</i> [Test]	[LBTEST_001_8_1] [A:67] ☐ Glucose_PX67						
8.3	Result: [Result]	[LBORRES_001_8_1] A20*						
8.4	Not Done: [Not Done:]	[LBSTAT_001_8_1] [A:1] ☐ NOT DONE						
8.5	LNMT <i>[read-only]</i> [LNMT]	[X_LNMTFLAG_CMP_001_8_1] [LBORNRHI_001_8_1] High A20* [LBORNRLO_001_8_1] Low A20* [LBORRESU_001_8_1] Unit						

			A20★ [X_LNMTFLAG_001_8_1] Flag A20★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.			

Study Object Descriptions: LAB CHEMISTRY - GLUCOSE		
Type	RefName	Description
Item	LBCAT_001_8_1	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_8_1	Lab from initial/most recent visit
Item	D_LBNAM_001_8_1	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_8_1	Field needed for LNMT integration
Item	LBSPEC_001_8_1	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_8_1	Date of specimen collection.
Item	LBFAST_001_8_1	Indicator used to identify fasting status.
Item	LBSPID_001_8_1	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_8_1	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_8_1	Used to indicate test was not done.
Item	LBORNRHI_001_8_1	LNMT field
Item	LBORNRLO_001_8_1	LNMT field
Item	LBORRESU_001_8_1	LNMT field
Item	X_LNMTFLAG_001_8_1	LNMT field

RDE Analytics: RD_LB001_8_1		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_8_1	LBCAT_001_8_1_C	VARCHAR2
	LBCAT_001_8_1	VARCHAR2
	LBCAT_001_8_1_ND	VARCHAR2
SUPPLB_LBINRC_001_8_1	SUPPLB_LBINRC_001_8_1_C	VARCHAR2
	SUPPLB_LBINRC_001_8_1	VARCHAR2
	SUPPLB_LBINRC_001_8_1_ND	VARCHAR2
SUPPLB_LBINRC_001_8_1 - D_LBNAM_001_8_1	D_LBNAM_001_8_1	VARCHAR2
SUPPLB_LBINRC_001_8_1 - D_SUPPLB_LBUID_001_8_1	D_SUPPLB_LBUID_001_8_1	VARCHAR2
LBNAM_001_8_1	LBNAM_001_8_1	VARCHAR2
	LBNAM_001_8_1_ND	VARCHAR2
SUPPLB_LBUID_001_8_1	SUPPLB_LBUID_001_8_1	VARCHAR2
	SUPPLB_LBUID_001_8_1_ND	VARCHAR2
LBSPEC_001_8_1	LBSPEC_001_8_1_C	VARCHAR2
	LBSPEC_001_8_1	VARCHAR2
	LBSPEC_001_8_1_ND	VARCHAR2
LBDTC_001_8_1	LBDTC_001_8_1	DATE
	LBDTC_001_8_1_DTS	VARCHAR2
	LBDTC_001_8_1_ND	VARCHAR2
LBFAST_001_8_1	LBFAST_001_8_1_C	VARCHAR2
	LBFAST_001_8_1	VARCHAR2

	LBFAST_001_8_1_ND	VARCHAR2
RD_LB001_8_1_LB03001_8_1		
LBSPID_001_8_1	LBSPID_001_8_1	NUMBER
	LBSPID_001_8_1_ND	VARCHAR2
LBTEST_001_8_1	LBTEST_001_8_1_C	VARCHAR2
	LBTEST_001_8_1	VARCHAR2
	LBTEST_001_8_1_ND	VARCHAR2
LBORRES_001_8_1	LBORRES_001_8_1	VARCHAR2
	LBORRES_001_8_1_ND	VARCHAR2
LBSTAT_001_8_1	LBSTAT_001_8_1_C	VARCHAR2
	LBSTAT_001_8_1	VARCHAR2
	LBSTAT_001_8_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8_1	X_LNMTFLAG_CMP_001_8_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8_1 - LBORNRHI_001_8_1	LBORNRHI_001_8_1	VARCHAR2
X_LNMTFLAG_CMP_001_8_1 - LBORNRLO_001_8_1	LBORNRLO_001_8_1	VARCHAR2
X_LNMTFLAG_CMP_001_8_1 - LBORRESU_001_8_1	LBORRESU_001_8_1	VARCHAR2
X_LNMTFLAG_CMP_001_8_1 - X_LNMTFLAG_001_8_1	X_LNMTFLAG_001_8_1	VARCHAR2

C4221016: LAB CHEMISTRY - ENDOCRINOLOGY (LAB ENDO) - Repeating Form [LB001_8_2]								
#	Category for Lab Test	Subcategory for Lab Test	Lab From Screening/Current Visit	Vendor Name (DERIVED)	Lab ID (Derived)	Specimen Type	Collection Date Time:	Lab Result
1								
Lab Chemistry Details [LB01001_8_2]								
1.	Lab Panel: [read-only] [Category for Lab Test]	[LBCAT_001_8_2] [A:2] ☒ CLINICAL CHEMISTRY						
2.	Lab Sub-Panel: [read-only] [Subcategory for Lab Test]	[LBSCAT_001_8_2] [A:9] ☒ ENDOCRINOLOGY						
3.*	Lab From Screening/Current Visit [Lab From Screening/Current Visit]	[SUPPLB_LBINRC_001_8_2] [A:2] ☒ [SUPPLB_LBINRC_CMP_001_8_2] ☐ OTHER LAB [D_LBNAM_001_8_2] Laboratory Name and Address: A200* [D_SUPPLB_LBUID_001_8_2] Lab ID A50*						
4.	Laboratory Name and Address (Derived) [read-only] [Vendor Name (DERIVED)]	[LBNAM_001_8_2] A200*						
5.	Lab ID (Derived) [read-only] [Lab ID (Derived)]	[SUPPLB_LBUID_001_8_2] A50*						
6.	Specimen Type: [read-only] [Specimen Type]	[LBSPEC_001_8_2] [A:4] ☒ BLOOD						
7.*	Collection Date: [Collection Date Time:]	[LBDTC_001_8_2] (DD/MM/YYYY) Req / Req / Req (2020-2035)						
Lab Result [LB03001_8_2]								
# ✓	Sponsor-Defined Identifier			Test		Result	Not Done:	LNMT
8.a				Follicle Stimulating Hormone_PX387				
8.b				Free T3 (Triiodothyronine)_PX894				
8.c				Thyroid Stimulating Hormone_PX332				
8.d				Free T4 (Thyroxine)_PX181				
Lab Result Entry [LB03001_8_2]								
8.1	Sponsor ID: [read-only] [Sponsor-Defined Identifier]	[LBSPID_001_8_2] N8						
8.2	Test: [read-only] [Test]	[LBTEST_001_8_2] [A:387] ☒ Follicle Stimulating Hormone_PX387 [A:894] ☒ Free T3 (Triiodothyronine)_PX894 [A:332] ☒ Thyroid Stimulating Hormone_PX332 [A:181] ☒ Free T4 (Thyroxine)_PX181						
8.3	Result: [Result]	[LBORRES_001_8_2] A20*						
8.4	Not Done: [Not Done:]	[LBSTAT_001_8_2] [A:1] ☒ NOT DONE						
8.5	LNMT [read-only] [LNMT]	[X_LNMTFLAG_CMP_001_8_2] [LBORNRHI_001_8_2] High A20*						

		[LBORNRO_001_8_2] Low A20★ [LBORRESU_001_8_2] Unit A20★ [X_LNMTFLAG_001_8_2] Flag A20★
Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LAB CHEMISTRY - ENDOCRINOLOGY		
Type	RefName	Description
Item	LBCAT_001_8_2	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSCAT_001_8_2	Used to define a sub-category of related laboratory records (e.g. Electrolytes, Liver Function).
Item	SUPPLB_LBINRC_001_8_2	Lab from initial/most recent visit
Item	D_LBNAM_001_8_2	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_8_2	Field needed for LNMT integration
Item	LBSPEC_001_8_2	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_8_2	Date of specimen collection.
Item	LBSPID_001_8_2	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_8_2	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_8_2	Used to indicate test was not done.
Item	LBORNRI_001_8_2	LNMT field
Item	LBORNRO_001_8_2	LNMT field
Item	LBORRESU_001_8_2	LNMT field
Item	X_LNMTFLAG_001_8_2	LNMT field

RDE Analytics: RD_LB001_8_2		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_8_2	LBCAT_001_8_2_C	VARCHAR2
	LBCAT_001_8_2	VARCHAR2
	LBCAT_001_8_2_ND	VARCHAR2
LBSCAT_001_8_2	LBSCAT_001_8_2_C	VARCHAR2
	LBSCAT_001_8_2	VARCHAR2
	LBSCAT_001_8_2_ND	VARCHAR2
SUPPLB_LBINRC_001_8_2	SUPPLB_LBINRC_001_8_2_C	VARCHAR2
	SUPPLB_LBINRC_001_8_2	VARCHAR2
	SUPPLB_LBINRC_001_8_2_ND	VARCHAR2
SUPPLB_LBINRC_001_8_2 - D_LBNAM_001_8_2	D_LBNAM_001_8_2	VARCHAR2
SUPPLB_LBINRC_001_8_2 - D_SUPPLB_LBUID_001_8_2	D_SUPPLB_LBUID_001_8_2	VARCHAR2
LBNAM_001_8_2	LBNAM_001_8_2	VARCHAR2
	LBNAM_001_8_2_ND	VARCHAR2
SUPPLB_LBUID_001_8_2	SUPPLB_LBUID_001_8_2	VARCHAR2
	SUPPLB_LBUID_001_8_2_ND	VARCHAR2
LBSPEC_001_8_2	LBSPEC_001_8_2_C	VARCHAR2
	LBSPEC_001_8_2	VARCHAR2

	LBSPEC_001_8_2_ND	VARCHAR2
LBDTC_001_8_2	LBDTC_001_8_2	DATE
	LBDTC_001_8_2_DTS	VARCHAR2
	LBDTC_001_8_2_ND	VARCHAR2
RD_LB001_8_2_LB03001_8_2		
LBSPID_001_8_2	LBSPID_001_8_2	NUMBER
	LBSPID_001_8_2_ND	VARCHAR2
LBTEST_001_8_2	LBTEST_001_8_2_C	VARCHAR2
	LBTEST_001_8_2	VARCHAR2
	LBTEST_001_8_2_ND	VARCHAR2
LBORRES_001_8_2	LBORRES_001_8_2	VARCHAR2
	LBORRES_001_8_2_ND	VARCHAR2
LBSTAT_001_8_2	LBSTAT_001_8_2_C	VARCHAR2
	LBSTAT_001_8_2	VARCHAR2
	LBSTAT_001_8_2_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8_2	X_LNMTFLAG_CMP_001_8_2_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8_2 - LBORNRHI_001_8_2	LBORNRHI_001_8_2	VARCHAR2
X_LNMTFLAG_CMP_001_8_2 - LBORNRLO_001_8_2	LBORNRLO_001_8_2	VARCHAR2
X_LNMTFLAG_CMP_001_8_2 - LBORRESU_001_8_2	LBORRESU_001_8_2	VARCHAR2
X_LNMTFLAG_CMP_001_8_2 - X_LNMTFLAG_001_8_2	X_LNMTFLAG_001_8_2	VARCHAR2

C4221016: LABORATORY DATA - COAGULATION (LOCAL COAG) - Repeating Form [LB001_9]								
#	Category for Lab Test	Subcategory for Lab Test	Lab From Screening/Current Visit	Vendor Name (DERIVED)	Lab ID (Derived)	Specimen Type	Collection Date Time:	Lab Result
1								
Laboratory Data Coagulation [LB01001_9]								
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_9] [A:1] ☐ HEMATOLOGY						
2.	Lab Sub-Panel: <i>[read-only]</i> [Subcategory for Lab Test]	[LBSCAT_001_9] [A:4] ☐ COAGULATION						
3.*	Lab From Screening/Current Visit [Lab From Screening/Current Visit]	[SUPPLB_LBINRC_001_9] [A:2] ☐ [SUPPLB_LBINRC_CMP_001_9] ☐ OTHER LAB [D_LBNAM_001_9] Laboratory Name and Address: A200* [D_SUPPLB_LBUID_001_9] Lab ID A50*						
4.	Laboratory Name and Address (Derived) <i>[read-only]</i> [Vendor Name (DERIVED)]	[LBNAM_001_9] A200*						
5.	Lab ID (Derived) <i>[read-only]</i> [Lab ID (Derived)]	[SUPPLB_LBUID_001_9] A50*						
6.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_9] [A:4] ☐ BLOOD						
7.*	Collection Date: [Collection Date Time:]	[LBDTC_001_9] (DD/MM/YYYY) Req v / Req v / Req v (2020-2035)						
Lab Result [LB03001_9]								
# ✓	Sponsor-Defined Identifier			Test		Result	Not Done:	LNMT
8.a				Prothrombin Time_PX19				
8.b				Prothrombin Intl. Normalized Ratio_PX704				
Lab Result Entry [LB03001_9]								
8.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_9] N8						
8.2 	Test: <i>[read-only]</i> [Test]	[LBTEST_001_9] [A:19] ☐ Prothrombin Time_PX19 [A:704] ☐ Prothrombin Intl. Normalized Ratio_PX704						
8.3	Result: [Result]	[LBORRES_001_9] A20*						
8.4	Not Done: [Not Done:]	[LBSTAT_001_9] [A:1] ☐ NOT DONE						
8.5	LNMT <i>[read-only]</i> [LNMT]	[X_LNMTFLAG_CMP_001_9] [LBORNRHI_001_9] High A20* [LBORNRLO_001_9] Low A20* [LBORRESU_001_9]						

			Unit A20★ [X_LNMTFLAG_001_9] Flag A20★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.			

Study Object Descriptions: LABORATORY DATA - COAGULATION		
Type	RefName	Description
Item	LBCAT_001_9	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSCAT_001_9	Used to define a sub-category of related laboratory records (e.g. Electrolytes, Liver Function).
Item	SUPPLB_LBINRC_001_9	Lab from initial/most recent visit
Item	D_LBNAM_001_9	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_9	Field needed for LNMT integration
Item	LBSPEC_001_9	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_9	Date of specimen collection.
Item	LBSPID_001_9	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_9	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_9	Used to indicate test was not done.
Item	LBORNRHI_001_9	LNMT field
Item	LBORNRLO_001_9	LNMT field
Item	LBORRESU_001_9	LNMT field
Item	X_LNMTFLAG_001_9	LNMT field

RDE Analytics: RD_LB001_9		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_9	LBCAT_001_9_C	VARCHAR2
	LBCAT_001_9	VARCHAR2
	LBCAT_001_9_ND	VARCHAR2
LBSCAT_001_9	LBSCAT_001_9_C	VARCHAR2
	LBSCAT_001_9	VARCHAR2
	LBSCAT_001_9_ND	VARCHAR2
SUPPLB_LBINRC_001_9	SUPPLB_LBINRC_001_9_C	VARCHAR2
	SUPPLB_LBINRC_001_9	VARCHAR2
	SUPPLB_LBINRC_001_9_ND	VARCHAR2
SUPPLB_LBINRC_001_9 - D_LBNAM_001_9		D_LBNAM_001_9
SUPPLB_LBINRC_001_9 - D_SUPPLB_LBUID_001_9		D_SUPPLB_LBUID_001_9
LBNAM_001_9	LBNAM_001_9	VARCHAR2
	LBNAM_001_9_ND	VARCHAR2
SUPPLB_LBUID_001_9	SUPPLB_LBUID_001_9	VARCHAR2
	SUPPLB_LBUID_001_9_ND	VARCHAR2
LBSPEC_001_9	LBSPEC_001_9_C	VARCHAR2
	LBSPEC_001_9	VARCHAR2
	LBSPEC_001_9_ND	VARCHAR2
LBDTC_001_9	LBDTC_001_9	DATE
	LBDTC_001_9_DTS	VARCHAR2

	LBDTC_001_9_ND	VARCHAR2
RD_LB001_9_LB03001_9		
LBSPID_001_9	LBSPID_001_9	NUMBER
	LBSPID_001_9_ND	VARCHAR2
LBTEST_001_9	LBTEST_001_9_C	VARCHAR2
	LBTEST_001_9	VARCHAR2
	LBTEST_001_9_ND	VARCHAR2
LBORRES_001_9	LBORRES_001_9	VARCHAR2
	LBORRES_001_9_ND	VARCHAR2
LBSTAT_001_9	LBSTAT_001_9_C	VARCHAR2
	LBSTAT_001_9	VARCHAR2
	LBSTAT_001_9_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9	X_LNMTFLAG_CMP_001_9_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9 - LBORNRHI_001_9	LBORNRHI_001_9	VARCHAR2
X_LNMTFLAG_CMP_001_9 - LBORNRLO_001_9	LBORNRLO_001_9	VARCHAR2
X_LNMTFLAG_CMP_001_9 - LBORRESU_001_9	LBORRESU_001_9	VARCHAR2
X_LNMTFLAG_CMP_001_9 - X_LNMTFLAG_001_9	X_LNMTFLAG_001_9	VARCHAR2

C4221016: LABORATORY DATA - HEMATOLOGY (LAB HEM) - Repeating Form [LB001_9_2]							
#	Category for Lab Test	Lab From Screening/Current Visit	Vendor Name (DERIVED)	Lab ID (Derived)	Specimen Type	Collection Date Time:	Lab Result
1							
Laboratory Data Hematology [LB01001_9_2]							
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_9_2] [A:1] ☐ HEMATOLOGY					
2.*	Lab From Screening/Current Visit [Lab From Screening/Current Visit]	[SUPPLB_LBINRC_001_9_2] [A:2] ☐ [SUPPLB_LBINRC_CMP_001_9_2] ☐ OTHER LAB [D_LBNAM_001_9_2] Laboratory Name and Address: A200* [D_SUPPLB_LBUID_001_9_2] Lab ID A50*					
3.	Laboratory Name and Address (Derived) <i>[read-only]</i> [Vendor Name (DERIVED)]	[LBNAM_001_9_2] A200*					
4.	Lab ID (Derived) <i>[read-only]</i> [Lab ID (Derived)]	[SUPPLB_LBUID_001_9_2] A50*					
5.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_9_2] [A:4] ☐ BLOOD					
6.*	Collection Date: [Collection Date Time:]	[LBDTC_001_9_2] (DD/MM/YYYY) Req v / Req v / Req v (2020-2035)					
Lab Result [LB03001_9_2]							
#	Sponsor-Defined Identifier		Test		Result	Not Done:	LNMT
7.a			Hemoglobin_PX1				
7.b			Hematocrit_PX2				
7.c			Erythrocytes_PX3				
7.d			Platelets_PX5				
7.e			Leukocytes_PX7				
7.f			Neutrophils_PX608				
7.g			Eosinophils_PX609				
7.h			Monocytes_PX612				
7.i			Basophils_PX610				
7.j			Lymphocytes_PX611				
7.k			Neutrophils/Leukocytes_PX8				
7.l			Lymphocytes/Leukocytes_PX11				
Lab Result Entry [LB03001_9_2]							
7.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_9_2] N8					
7.2	Test: <i>[read-only]</i> v [Test]	[LBTEST_001_9_2] [LBTEST_CL_001_9_2] v					
7.3	Result: [Result]	[LBORRES_001_9_2] A20*					
7.4	Not Done: [Not Done:]	[LBSTAT_001_9_2] [A:1] ☐ NOT DONE					

7.5	LNMT [read-only] [LNMT]	[X_LNMTFLAG_CMP_001_9_2] [LBORNRHI_001_9_2] High A20★ [LBORNRLO_001_9_2] Low A20★ [LBORRESU_001_9_2] Unit A20★ [X_LNMTFLAG_001_9_2] Flag A20★
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LABORATORY DATA - HEMATOLOGY		
Type	RefName	Description
Item	LBCAT_001_9_2	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_9_2	Lab from initial/most recent visit
Item	D_LBNAM_001_9_2	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_9_2	Field needed for LNMT integration
Item	LBSPEC_001_9_2	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_9_2	Date of specimen collection.
Item	LBSPID_001_9_2	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_9_2	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_9_2	Used to indicate test was not done.
Item	LBORNRHI_001_9_2	LNMT field
Item	LBORNRLO_001_9_2	LNMT field
Item	LBORRESU_001_9_2	LNMT field
Item	X_LNMTFLAG_001_9_2	LNMT field

Codelist Values Tables: LABORATORY DATA - HEMATOLOGY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_9_2	String		Hemoglobin_PX1	1	cliLBTEST_Hemoglobin_PX1	LBTEST_001_9_2
			Hematocrit_PX2	2	cliLBTEST_Hematocrit_PX2	
			Erythrocytes_PX3	3	cliLBTEST_Erythrocytes_PX3	
			Platelets_PX5	5	cliLBTEST_Platelets_PX5	
			Leukocytes_PX7	7	cliLBTEST_Leukocytes_PX7	
			Eosinophils_PX609	609	cliLBTEST_Eosinophils_PX609	
			Monocytes_PX612	612	cliLBTEST_Monocytes_PX612	
			Basophils_PX610	610	cliLBTEST_Basophils_PX610	
			Lymphocytes_PX611	611	cliLBTEST_Lymphocytes_PX611	
			Neutrophils/Leukocytes_PX8	8	cliLBTEST_Neutrophils_Leukocytes_PX8	
			Lymphocytes/Leukocytes_PX11	11	cliLBTEST_Lymphocytes_Leukocytes_PX11	
			Neutrophils_PX608	608	cliLBTEST_Neutrophils_PX608	

RDE Analytics: RD_LB001_9_2		
Data Variable RefName	RD Column Name	Column Data Type

LBCAT_001_9_2	LBCAT_001_9_2_C	VARCHAR2
	LBCAT_001_9_2	VARCHAR2
	LBCAT_001_9_2_ND	VARCHAR2
SUPPLB_LBINRC_001_9_2	SUPPLB_LBINRC_001_9_2_C	VARCHAR2
	SUPPLB_LBINRC_001_9_2	VARCHAR2
	SUPPLB_LBINRC_001_9_2_ND	VARCHAR2
SUPPLB_LBINRC_001_9_2 - D_LBNAM_001_9_2	D_LBNAM_001_9_2	VARCHAR2
SUPPLB_LBINRC_001_9_2 - D_SUPPLB_LBUID_001_9_2	D_SUPPLB_LBUID_001_9_2	VARCHAR2
LBNAM_001_9_2	LBNAM_001_9_2	VARCHAR2
	LBNAM_001_9_2_ND	VARCHAR2
SUPPLB_LBUID_001_9_2	SUPPLB_LBUID_001_9_2	VARCHAR2
	SUPPLB_LBUID_001_9_2_ND	VARCHAR2
LBSPEC_001_9_2	LBSPEC_001_9_2_C	VARCHAR2
	LBSPEC_001_9_2	VARCHAR2
	LBSPEC_001_9_2_ND	VARCHAR2
LBDTC_001_9_2	LBDTC_001_9_2	DATE
	LBDTC_001_9_2_DTS	VARCHAR2
	LBDTC_001_9_2_ND	VARCHAR2
RD_LB001_9_2_LB03001_9_2		
LBSPID_001_9_2	LBSPID_001_9_2	NUMBER
	LBSPID_001_9_2_ND	VARCHAR2
LBTEST_001_9_2	LBTEST_001_9_2_C	VARCHAR2
	LBTEST_001_9_2	VARCHAR2
	LBTEST_001_9_2_ND	VARCHAR2
LBORRES_001_9_2	LBORRES_001_9_2	VARCHAR2
	LBORRES_001_9_2_ND	VARCHAR2
LBSTAT_001_9_2	LBSTAT_001_9_2_C	VARCHAR2
	LBSTAT_001_9_2	VARCHAR2
	LBSTAT_001_9_2_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9_2	X_LNMTFLAG_CMP_001_9_2_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9_2 - LBORNRHI_001_9_2	LBORNRHI_001_9_2	VARCHAR2
X_LNMTFLAG_CMP_001_9_2 - LBORNRLO_001_9_2	LBORNRLO_001_9_2	VARCHAR2
X_LNMTFLAG_CMP_001_9_2 - LBORRESU_001_9_2	LBORRESU_001_9_2	VARCHAR2
X_LNMTFLAG_CMP_001_9_2 - X_LNMTFLAG_001_9_2	X_LNMTFLAG_001_9_2	VARCHAR2

C4221016: LAB CHEMISTRY (LABCHEM MG) - Repeating Form [LB001_8_3]							
#	Category for Lab Test	Lab From Screening/Current Visit	Vendor Name (DERIVED)	Lab ID (Derived)	Specimen Type	Collection Date Time:	Lab Result
1							
Lab Chemistry Details [LB01001_8_3]							
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_8_3] [A:2] ☒ CLINICAL CHEMISTRY					
2.*	Lab From Screening/Current Visit [Lab From Screening/Current Visit]	[SUPPLB_LBINRC_001_8_3] [A:2] ☒ [SUPPLB_LBINRC_CMP_001_8_3] ☐ OTHER LAB [D_LBNAM_001_8_3] Laboratory Name and Address: A200* [D_SUPPLB_LBUID_001_8_3] Lab ID A50*					
3.	Laboratory Name and Address (Derived) <i>[read-only]</i> [Vendor Name (DERIVED)]	[LBNAM_001_8_3] A200*					
4.	Lab ID (Derived) <i>[read-only]</i> [Lab ID (Derived)]	[SUPPLB_LBUID_001_8_3] A50*					
5.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_8_3] [A:1] ☒ SERUM					
6.*	Collection Date: [Collection Date Time:]	[LBDTC_001_8_3] (DD/MM/YYYY) Req / Req / Req (2020-2035)					
Lab Result [LB03001_8_3]							
#	Sponsor-Defined Identifier		Test		Result	Not Done:	LNMT
7.a			Magnesium_PX199				
Lab Result Entry [LB03001_8_3]							
7.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_8_3] N8					
7.2	Test: <i>[read-only]</i> [Test]	[LBTEST_001_8_3] [A:199] ☒ Magnesium_PX199					
7.3	Result: [Result]	[LBORRES_001_8_3] A20*					
7.4	Not Done: [Not Done:]	[LBSTAT_001_8_3] [A:1] ☒ NOT DONE					
7.5	LNMT <i>[read-only]</i> [LNMT]	[X_LNMTFLAG_CMP_001_8_3] [LBORNRHI_001_8_3] High A20* [LBORNRLO_001_8_3] Low A20* [LBORRESU_001_8_3] Unit A20* [X_LNMTFLAG_001_8_3] Flag A20*					

Key: [*] = Item is required [▢] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: LAB CHEMISTRY		
Type	RefName	Description
Item	LBCAT_001_8_3	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_8_3	Lab from initial/most recent visit
Item	D_LBNAM_001_8_3	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_8_3	Field needed for LNMT integration
Item	LBSPEC_001_8_3	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_8_3	Date of specimen collection.
Item	LBSPID_001_8_3	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_8_3	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_8_3	Used to indicate test was not done.
Item	LBORNRHI_001_8_3	LNMT field
Item	LBORNRLO_001_8_3	LNMT field
Item	LBORRESU_001_8_3	LNMT field
Item	X_LNMTFLAG_001_8_3	LNMT field

RDE Analytics: RD_LB001_8_3		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_8_3	LBCAT_001_8_3_C	VARCHAR2
	LBCAT_001_8_3	VARCHAR2
	LBCAT_001_8_3_ND	VARCHAR2
SUPPLB_LBINRC_001_8_3	SUPPLB_LBINRC_001_8_3_C	VARCHAR2
	SUPPLB_LBINRC_001_8_3	VARCHAR2
	SUPPLB_LBINRC_001_8_3_ND	VARCHAR2
SUPPLB_LBINRC_001_8_3 - D_LBNAM_001_8_3	D_LBNAM_001_8_3	VARCHAR2
SUPPLB_LBINRC_001_8_3 - D_SUPPLB_LBUID_001_8_3	D_SUPPLB_LBUID_001_8_3	VARCHAR2
LBNAM_001_8_3	LBNAM_001_8_3	VARCHAR2
	LBNAM_001_8_3_ND	VARCHAR2
SUPPLB_LBUID_001_8_3	SUPPLB_LBUID_001_8_3	VARCHAR2
	SUPPLB_LBUID_001_8_3_ND	VARCHAR2
LBSPEC_001_8_3	LBSPEC_001_8_3_C	VARCHAR2
	LBSPEC_001_8_3	VARCHAR2
	LBSPEC_001_8_3_ND	VARCHAR2
LBDTC_001_8_3	LBDTC_001_8_3	DATE
	LBDTC_001_8_3_DTS	VARCHAR2
	LBDTC_001_8_3_ND	VARCHAR2
RD_LB001_8_3_LB03001_8_3		
LBSPID_001_8_3	LBSPID_001_8_3	NUMBER
	LBSPID_001_8_3_ND	VARCHAR2
LBTEST_001_8_3	LBTEST_001_8_3_C	VARCHAR2
	LBTEST_001_8_3	VARCHAR2
	LBTEST_001_8_3_ND	VARCHAR2
LBORRES_001_8_3	LBORRES_001_8_3	VARCHAR2

	LBORRES_001_8_3_ND	VARCHAR2
LBSTAT_001_8_3	LBSTAT_001_8_3_C	VARCHAR2
	LBSTAT_001_8_3	VARCHAR2
	LBSTAT_001_8_3_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8_3	X_LNMTFLAG_CMP_001_8_3_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8_3 - LBORNRHI_001_8_3	LBORNRHI_001_8_3	VARCHAR2
X_LNMTFLAG_CMP_001_8_3 - LBORNRLO_001_8_3	LBORNRLO_001_8_3	VARCHAR2
X_LNMTFLAG_CMP_001_8_3 - LBORRESU_001_8_3	LBORRESU_001_8_3	VARCHAR2
X_LNMTFLAG_CMP_001_8_3 - X_LNMTFLAG_001_8_3	X_LNMTFLAG_001_8_3	VARCHAR2

C4221016: LOCALLY READ ECGs (LOCAL ECG) [EG001]		
Locally Read ECGs [EG01001]		
1.*	ECG Date: [ECG Date Time:]	[EGDTC_001] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)
2.*	Method: [ECG Method]	[EGMETHOD_001] [A:10] ☐ 12 LEAD STANDARD
3.*	Was ECG: [ECG Interpretation]	[EGORRES_INTTP_001] [A:1] ☐ [SUPPEG_EGCLSIG_CMP_001] ☐ ABNORMAL [SUPPEG_EGCLSIG_001] If abnormal, was the overall ECG clinically significant? [A:Y] ☐ [SUPPEG_EGCOM_CMP_001] ☐ YES [CO_EGCOM_001] Comments on significant findings: (If clinically significant, record on the [insert protocol specific requirement e.g. Adverse Event page, Medical History page, Sign and Symptoms of Disease page]) A200* [A:N] ☐ NO [A:2] ☐ INDETERMINATE [A:3] ☐ NORMAL [A:4] ☐ UNKNOWN [A:5] ☐ NOT EVALUABLE
ECG Results [EG02001]		
# ✓	ECG Test Name	Result* Unit
4.a	ECG MEAN HEART RATE	beats/min
4.b	QT INTERVAL NOT OTHERWISE SPECIFIED	msec
4.c	PR INTERVAL NOT OTHERWISE SPECIFIED	msec
4.d	QRS INTERVAL NOT OTHERWISE SPECIFIED	msec
4.e	QTcF NOT OTHERWISE SPECIFIED	msec
ECG Results Entry [EG02001]		
4.1 ☐	ECG Test Name: [ECG Test Name]	[EGTEST_001] [A:902] ☐ QT INTERVAL NOT OTHERWISE SPECIFIED [A:903] ☐ PR INTERVAL NOT OTHERWISE SPECIFIED [A:904] ☐ QRS INTERVAL NOT OTHERWISE SPECIFIED [A:128] ☐ ECG MEAN HEART RATE [A:909] ☐ QTcF NOT OTHERWISE SPECIFIED
4.2*	Result: [Result]	[EGORRES_001] A200*
4.3 ☐	Unit: [Unit]	[EGORRESU_001] [A:14] ☐ msec [A:114] ☐ beats/min
Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible ☐ = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LOCALLY READ ECGs

Type	RefName	Description
Form	EG001	EG001 - Centrally Read ECGs

Item	EGDTC_001	Date of ECG.
Item	EGMETHOD_001	ECG Method
Item	EGORRES_INTP_001	ECG Interpretation - Normal, Abnormal, Not Evaluable.
Item	SUPPEG_EGCLSIG_001	Whether ECG results were clinically significant. Need a rule as EGCLSIG is completed only if EGNABN = "ABNORMAL" or "INDETERMINATE"
Item	CO_EGCOM_001	Comments on Significant ECG Findings
Item	EGTEST_001	Name of ECG Measurement, test or examination. Long name for EGTESTCD.
Item	EGORRES_001	Result of the measurement or finding as originally received or collected.
Item	EGORRESU_001	Original units in which the data were collected.

RDE Analytics: RD_EG001		
Data Variable RefName	RD Column Name	Column Data Type
EGDTC_001	EGDTC_001	DATE
	EGDTC_001_DTS	VARCHAR2
	EGDTC_001_ND	VARCHAR2
EGMETHOD_001	EGMETHOD_001_C	VARCHAR2
	EGMETHOD_001	VARCHAR2
	EGMETHOD_001_ND	VARCHAR2
EGORRES_INTP_001	EGORRES_INTP_001_C	VARCHAR2
	EGORRES_INTP_001	VARCHAR2
	EGORRES_INTP_001_ND	VARCHAR2
EGORRES_INTP_001 - SUPPEG_EGCLSIG_001	SUPPEG_EGCLSIG_001_C	VARCHAR2
	SUPPEG_EGCLSIG_001	VARCHAR2
EGORRES_INTP_001 - CO_EGCOM_001	CO_EGCOM_001	VARCHAR2
RD_EG001_EG02001		
EGTEST_001	EGTEST_001_C	VARCHAR2
	EGTEST_001	VARCHAR2
	EGTEST_001_ND	VARCHAR2
EGORRES_001	EGORRES_001	VARCHAR2
	EGORRES_001_ND	VARCHAR2
EGORRESU_001	EGORRESU_001_C	VARCHAR2
	EGORRESU_001	VARCHAR2
	EGORRESU_001_ND	VARCHAR2

C4221016: TARGET LESIONS (TARGET) [TUTMM003_1]

TARGET LESIONS [TUTMM01003_1]

1.*

Were one or more target lesions assessed at this timepoint?
[Assessed]

[X_TRSTAT_TRALL_003_1]

[A:Y] ☐ YES
[A:N] ☐ NO

Target Lesions [TUTMM02003_1]

#	Lesion Number:	Disease Site:	Disease Sub-site:	Was lesion assessed	Date of Assessment	Method of Tumor Assessment	Diameter	Dimension Not Measurable
2.a	T1							
2.b	T2							
2.c	T3							
2.d	T4							
2.e	T5							

Target Lesions Entry [TUTMM02003_1]

2.1

Lesion Number:
[Lesion Number:]

[Y_TRLNKID_003_1]

[A:1] ☐ T1
[A:2] ☐ T2
[A:3] ☐ T3
[A:4] ☐ T4
[A:5] ☐ T5

2.2

Disease Site: [read-only]
[Disease Site:]

[TULOC_003_1]

[TULOC_CL_003_1]

2.3

Disease Sub-site: [read-only]
[Disease Sub-site:]

[SUPPTU_TMMSITE_003_1]

A60*

2.4

Was lesion assessed?
[Was lesion assessed]

[X_TRSTAT_003_1]

[A:Y] ☐ YES
[A:N] ☐ NO

2.5

Evaluation Date:
[Date of Assessment]

[Y_TRDTC_003_1] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

2.6

Procedure:
[Method of Tumor Assessment]

[Y_TRMETHOD_003_1]

[A:14] ☐ CT SCAN
[A:44] ☐ MRI
[A:75] ☐ PET/CT SCAN
[A:105] ☐ PHYSICAL EXAMINATION
[A:63] ☐ X-RAY

2.7

Diameter:
[Diameter]

[TRORRES_DIAMETER_003_1]

mm

2.8

If Not Measurable:
[Dimension Not Measurable]

[X_TORRES_DIAMETER_003_1]

[A:1] ☐ TOO SMALL TO MEASURE
[A:3] ☐ INEVALUABLE

Key: [*] = Item is required [♥] = Source verification required ☐ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Data Series Summary: TARGET LESIONS					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
2.8	X_TORRES_DIAMETER_003_1	dsTUTMM003_1	dstX_TORRES_DIAMETER	dsrX_TORRES_DIAMETER	Text

Codelist Values Tables: TARGET LESIONS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
TULOC_CL_003_1	String		BONE	28	cliLOC_BONE	TULOC_003_1

			LIVER	40	cliLOC_LIVER
			KIDNEY	55	cliLOC_KIDNEY
			BRAIN	71	cliLOC_BRAIN
			LUNG	76	cliLOC_LUNG
			SKIN	77	cliLOC_SKIN
			LYMPH NODE	108	cliLOC_LYMPH_NODE
			HEAD AND NECK	647	cliLOC_HEAD_AND_NECK
			CHEST	158	cliLOC_CHEST
			SPLEEN	68	cliLOC_SPLEEN
			THYROID GLAND	43	cliLOC_THYROID_GLAND
			MUSCLE	633	cliLOC_MUSCLE
			PELVIS	114	cliLOC_PELVIS
			ADRENAL GLAND	81	cliLOC_ADRENAL_GLAND
			OTHER	999	cliLOC_OTHER

RDE Analytics: RD_TUTMM003_1		
Data Variable RefName	RD Column Name	Column Data Type
X_TRSTAT_TRALL_003_1	X_TRSTAT_TRALL_003_1_C	VARCHAR2
	X_TRSTAT_TRALL_003_1	VARCHAR2
	X_TRSTAT_TRALL_003_1_ND	VARCHAR2
*RD_TUTMM003_1_TUTMM02003_1		
Y_TRLNKID_003_1	Y_TRLNKID_003_1_C	VARCHAR2
	Y_TRLNKID_003_1	VARCHAR2
	Y_TRLNKID_003_1_ND	VARCHAR2
TULOC_003_1	TULOC_003_1_C	VARCHAR2
	TULOC_003_1	VARCHAR2
	TULOC_003_1_ND	VARCHAR2
SUPPTU_TMMSITE_003_1	SUPPTU_TMMSITE_003_1	VARCHAR2
	SUPPTU_TMMSITE_003_1_ND	VARCHAR2
X_TRSTAT_003_1	X_TRSTAT_003_1_C	VARCHAR2
	X_TRSTAT_003_1	VARCHAR2
	X_TRSTAT_003_1_ND	VARCHAR2
Y_TRDTC_003_1	Y_TRDTC_003_1	DATE
	Y_TRDTC_003_1_DTS	VARCHAR2
	Y_TRDTC_003_1_ND	VARCHAR2
Y_TRMETHOD_003_1	Y_TRMETHOD_003_1_C	VARCHAR2
	Y_TRMETHOD_003_1	VARCHAR2
	Y_TRMETHOD_003_1_ND	VARCHAR2
TRORRES_DIAMETER_003_1	TRORRES_DIAMETER_003_1	FLOAT
	TRORRES_DIAMETER_003_1_ND	VARCHAR2
X_TORRES_DIAMETER_003_1	X_TORRES_DIAMETER_003_1_C	VARCHAR2
	X_TORRES_DIAMETER_003_1	VARCHAR2
	X_TORRES_DIAMETER_003_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: NON-TARGET LESIONS (NON TARGET) [TUTMM006_1]

NON-TARGET LESIONS [TUTMM01006_1]

1.*
✓

Were one or more non-target lesions assessed at this timepoint?
[Assessed]

[X_TRSTAT_TRALL_006_1]

[A:N] ☐ NO

[A:Y] ☐ YES

Non-Target Lesions [TUTMM02006_1]

# ✓	Lesion Number	Disease Site	Disease Sub-site	Was lesion assessed	Date of Assessment	Method of Tumor Assessment	Lesion Assessment Status
2.a	NT1						
2.b	NT2						
2.c	NT3						
2.d	NT4						
2.e	NT5						
2.f	NT6						
2.g	NT7						
2.h	NT8						
2.i	NT9						
2.j	NT10						

Non-Target Lesions Entry [TUTMM02006_1]

2.1
[Fixed]

Lesion Number:
[Lesion Number]

[Y_TRLNKID_006_1]

[Y_TRLNKID_CL_006_1] ▼

2.2

Disease Site: [read-only]
[Disease Site]

[TULOC_006_1]

[TULOC_CL_006_1] ▼

2.3

Disease Sub-site: [read-only]
[Disease Sub-site]

[SUPPTU_TMMSITE_006_1]

A60*

2.4
✓

Was lesion assessed?
[Was lesion assessed]

[X_TRSTAT_006_1]

[A:Y] ☐ YES

[A:N] ☐ NO

2.5
✓

Evaluation Date:
[Date of Assessment]

[Y_TRDTC_006_1] (DD/MM/YYYY)

Req ▼ / Req ▼ / Req ▼ (2020-2035)

2.6
✓

Procedure:
[Method of Tumor Assessment]

[Y_TRMETHOD_006_1]

[A:14] ☐ CT SCAN

[A:44] ☐ MRI

[A:75] ☐ PET/CT SCAN

[A:105] ☐ PHYSICAL EXAMINATION

[A:77] ☐ SCINTIGRAPHY

[A:63] ☐ X-RAY

2.7
✓

Lesion(s) Assessment:
[Lesion Assessment Status]

[TRORRES_TUMSTATE_006_1]

[A:1] ☐ PRESENT

[A:5] ☐ INCREASED

[A:2] ☐ ABSENT

[A:15] ☐ INEVALUABLE

[A:7] ☐ ABSENT LESION OR NORMAL LYMPH NODE

Key: [*] = Item is required [✓] = Source verification required [Fixed] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: NON-TARGET LESIONS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
Y_TRLNKID_CL_006_1	String		NT1	11	clTMMMLNKID_NT1	Y_TRLNKID_006_1

			NT2	12	cliTMMMLNKID_NT2	
			NT3	13	cliTMMMLNKID_NT3	
			NT4	14	cliTMMMLNKID_NT4	
			NT5	15	cliTMMMLNKID_NT5	
			NT6	16	cliTMMMLNKID_NT6	
			NT7	17	cliTMMMLNKID_NT7	
			NT8	18	cliTMMMLNKID_NT8	
			NT9	19	cliTMMMLNKID_NT9	
			NT10	20	cliTMMMLNKID_NT10	
TULOC_CL_006_1	String		LYMPH NODE	108	cliLOC_LYMPH_NODE	TULOC_006_1
			SKIN	77	cliLOC_SKIN	
			HEAD AND NECK	647	cliLOC_HEAD_AND_NECK	
			CHEST	158	cliLOC_CHEST	
			SPLEEN	68	cliLOC_SPLEEN	
			THYROID GLAND	43	cliLOC_THYROID_GLAND	
			MUSCLE	633	cliLOC_MUSCLE	
			PELVIS	114	cliLOC_PELVIS	
			ADRENAL GLAND	81	cliLOC_ADRENAL_GLAND	
			LUNG	76	cliLOC_LUNG	
			LIVER	40	cliLOC_LIVER	
			KIDNEY	55	cliLOC_KIDNEY	
			BONE	28	cliLOC_BONE	
			BRAIN	71	cliLOC_BRAIN	
			OTHER	999	cliLOC_OTHER	

RDE Analytics: RD_TUTMM006_1		
Data Variable RefName	RD Column Name	Column Data Type
X_TRSTAT_TRALL_006_1	X_TRSTAT_TRALL_006_1_C	VARCHAR2
	X_TRSTAT_TRALL_006_1	VARCHAR2
	X_TRSTAT_TRALL_006_1_ND	VARCHAR2
*RD_TUTMM006_1_TUTMM02006_1		
Y_TRLNKID_006_1	Y_TRLNKID_006_1_C	VARCHAR2
	Y_TRLNKID_006_1	VARCHAR2
	Y_TRLNKID_006_1_ND	VARCHAR2
TULOC_006_1	TULOC_006_1_C	VARCHAR2
	TULOC_006_1	VARCHAR2
	TULOC_006_1_ND	VARCHAR2
SUPPTU_TMMSITE_006_1	SUPPTU_TMMSITE_006_1	VARCHAR2
	SUPPTU_TMMSITE_006_1_ND	VARCHAR2
X_TRSTAT_006_1	X_TRSTAT_006_1_C	VARCHAR2
	X_TRSTAT_006_1	VARCHAR2
	X_TRSTAT_006_1_ND	VARCHAR2
Y_TRDTC_006_1	Y_TRDTC_006_1	DATE
	Y_TRDTC_006_1_DTS	VARCHAR2
	Y_TRDTC_006_1_ND	VARCHAR2
Y_TRMETHOD_006_1	Y_TRMETHOD_006_1_C	VARCHAR2
	Y_TRMETHOD_006_1	VARCHAR2

	Y_TRMETHOD_006_1_ND	VARCHAR2
TRORRES_TUMSTATE_006_1	TRORRES_TUMSTATE_006_1_C	VARCHAR2
	TRORRES_TUMSTATE_006_1	VARCHAR2
	TRORRES_TUMSTATE_006_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: NEW LESION PROMPT (NEW PRMPT) - Repeating Form [R_TUTMM002]		
#	Did this patient have any new lesions?	
1		
LESIONPRMT [R_TUTMM01002]		
1.*	Did this patient have any new lesions? [Did this patient have any new lesions?]	[R_TUANY3_002] [A:Y] ☐ YES [A:N] ☐ NO
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: NEW LESION PROMPT		
Type	RefName	Description
Form	R_TUTMM002	NEW LESION PROMPT

Data Series Summary: NEW LESION PROMPT					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
1.	R_TUANY3_002	dsR_TUTMM02	dstR_TUANY3_002	dsrR_TUANY3_002	Text

RDE Analytics: RD_R_TUTMM002		
Data Variable RefName	RD Column Name	Column Data Type
R_TUANY3_002	R_TUANY3_002_C	VARCHAR2
	R_TUANY3_002	VARCHAR2
	R_TUANY3_002_ND	VARCHAR2

C4221016: NEW LESION PROMPT (NEW PRMPT) [R_TUTMM002_1]		
LESIONPRMT [R_TUTMM01002_1]		
1.*	Did this patient have any new lesions? [Did this patient have any new lesions?]	[R_TUANY3_002_1] [A:Y] ☐ YES [A:N] ☐ NO
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: NEW LESION PROMPT		
Type	RefName	Description
Form	R_TUTMM002_1	NEW LESION PROMPT

Data Series Summary: NEW LESION PROMPT					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
1.	R_TUANY3_002_1	dsR_TUTMM02	dstR_TUANY3_002	dsrR_TUANY3_002_1	Text

RDE Analytics: RD_R_TUTMM002_1		
Data Variable RefName	RD Column Name	Column Data Type
R_TUANY3_002_1	R_TUANY3_002_1_C	VARCHAR2
	R_TUANY3_002_1	VARCHAR2
	R_TUANY3_002_1_ND	VARCHAR2

C4221016: NEW LESIONS (NEWLESION) [TUTMM005]						
NEW LESIONS [TUTMM02005]						
# ▼	Lesion Number	Disease Site	Disease Sub-site	Date of Assessment	Method of Tumor Assessment	Lesion Assessment Status
1.a	N1					
1.b	N2					
1.c	N3					
1.d	N4					
1.e	N5					
NEW LESIONS Entry [TUTMM02005]						
1.1 ☐	Lesion Number: [Lesion Number]	[Y_TRLNKID_005] [A:6] ☐ N1 [A:7] ☐ N2 [A:8] ☐ N3 [A:9] ☐ N4 [A:10] ☐ N5				
1.2 ▼	Disease Site: [Disease Site]	[TULOC_005] [A:76] ☐ LUNG [A:40] ☐ LIVER [A:108] ☐ LYMPH NODE [A:77] ☐ SKIN [A:28] ☐ BONE [A:71] ☐ BRAIN [A:647] ☐ HEAD AND NECK [A:158] ☐ CHEST [A:55] ☐ KIDNEY [A:68] ☐ SPLEEN [A:43] ☐ THYROID GLAND [A:633] ☐ MUSCLE [A:114] ☐ PELVIS [A:81] ☐ ADRENAL GLAND [A:999] ☐ [SUPPTU_TMMDISO_CMP_005] ☐ OTHER [SUPPTU_TMMDISO_005] If Disease Site Other is selected, specify: A40★				
1.3 ▼	Disease Sub-site: [Disease Sub-site]	[SUPPTU_TMMSITE_005] A60★				
1.4 ▼	Evaluation Date: [Date of Assessment]	[Y_TRDTC_005] (DD/MM/YYYY) Req / Req / Req (2020-2035)				
1.5 ▼	Procedure: [Method of Tumor Assessment]	[Y_TRMETHOD_005] [A:14] ☐ CT SCAN [A:44] ☐ MRI [A:63] ☐ X-RAY [A:77] ☐ SCINTIGRAPHY [A:105] ☐ PHYSICAL EXAMINATION [A:109] ☐ PET SCAN [A:999] ☐ [Y_SUPPTR_TMMPOTH_CMP_005] ☐ OTHER [Y_SUPPTR_TMMPOTH_005] If Procedure code OTHER is selected, specify: A60★				
1.6	Lesion(s) Assessment: [Lesion Assessment Status]	[TRORRES_TUMSTATE_005] [A:1] PRESENT				

[A:2]

ABSENT

[A:15]

INEVALUABLE

Key: [*] = Item is required [♥] = Source verification required [⊖] = Item is collapsible [⌘] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_TUTMM005		
Data Variable RefName	RD Column Name	Column Data Type
RD_TUTMM005_TUTMM02005		
Y_TRLNKID_005	Y_TRLNKID_005_C	VARCHAR2
	Y_TRLNKID_005	VARCHAR2
	Y_TRLNKID_005_ND	VARCHAR2
TULOC_005	TULOC_005_C	VARCHAR2
	TULOC_005	VARCHAR2
	TULOC_005_ND	VARCHAR2
TULOC_005 - SUPPTU_TMMDISO_005	SUPPTU_TMMDISO_005	VARCHAR2
SUPPTU_TMMSITE_005	SUPPTU_TMMSITE_005	VARCHAR2
	SUPPTU_TMMSITE_005_ND	VARCHAR2
Y_TRDTC_005	Y_TRDTC_005	DATE
	Y_TRDTC_005_DTS	VARCHAR2
	Y_TRDTC_005_ND	VARCHAR2
Y_TRMETHOD_005	Y_TRMETHOD_005_C	VARCHAR2
	Y_TRMETHOD_005	VARCHAR2
	Y_TRMETHOD_005_ND	VARCHAR2
Y_TRMETHOD_005 - Y_SUPPTR_TMMPOTH_005	Y_SUPPTR_TMMPOTH_005	VARCHAR2
TRORRES_TUMSTATE_005	TRORRES_TUMSTATE_005_C	VARCHAR2
	TRORRES_TUMSTATE_005	VARCHAR2
	TRORRES_TUMSTATE_005_ND	VARCHAR2

C4221016: INVESTIGATOR OVERALL OBJECTIVE TUMOR ASSESSMENT - RECIST (V1.1) (RECIST) [RSIOTA001]

Investigator Overall Objective Tumor Assessment-Recist (V1.1) [RSIOTA01001]

1.* ✔	Date of Tumor Assessment: [Investigator Assessment Date]	[RSDTC_001] (DD/MM/YYYY) Req / Req / Req (2020-2035)
2.* ✔	Target Lesions: [Assessment of Target Lesions]	[RSORRES_TRGRESP_001] [RSORRES_TRGRESP_CL_001]
3.* ✔	Non-Target Lesions: [Assessment of Non-Target Lesions]	[RSORRES_NTRGRESP_001] [RSORRES_NTRGRESP_CL_001]
4.* ✔	New Lesion: [New Lesion]	[RSORRES_NEWLPROG_001] [A:Y] ☐ YES [A:N] ☐ NO
5.* ✔	Overall: [Overall Tumor Assessment]	[RSORRES_OVRLRESP_001] [RSORRES_OVRLRESP_CL_001]

Key: [*] = Item is required [✔] = Source verification required
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: INVESTIGATOR OVERALL OBJECTIVE TUMOR ASSESSMENT - RECIST (V1.1)		
Type	RefName	Description
Form	RSIOTA001	INVESTIGATOR OVERALL OBJECTIVE TUMOR ASSESSMENT-RECIST (V1.1)

Data Series Summary: INVESTIGATOR OVERALL OBJECTIVE TUMOR ASSESSMENT - RECIST (V1.1)					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
2.	RSORRES_TRGRESP_001	dsRSIOTA001	dstRSORRES_TRGRESP_001	dsrRSORRES_TRGRESP_001	Text
5.	RSORRES_OVRLRESP_001	dsRSIOTA001	dstRSORRES_OVRLRESP_001	dsrRSORRES_OVRLRESP_001	Text
		IsRSIOTA	dstRSIOTA	dsrOVRLRESP	Text

Codelist Values Tables: INVESTIGATOR OVERALL OBJECTIVE TUMOR ASSESSMENT - RECIST (V1.1)						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
RSORRES_TRGRESP_CL_001	String		NO TARGET LESION AT BASELINE	0	cliIOTAA_NO_TARGET_LESION_AT_BASELINE	RSORRES_TRGRESP_001
			COMPLETE RESPONSE	1	cliIOTAA_COMPLETE_RESPONSE	
			PARTIAL RESPONSE	2	cliIOTAA_PARTIAL_RESPONSE	
			STABLE DISEASE	3	cliIOTAA_STABLE_DISEASE	
			PROGRESSIVE DISEASE	4	cliIOTAA_PROGRESSIVE_DISEASE	
			NOT EVALUABLE	7	cliIOTAB_NOT_EVALUABLE	
			NOT ASSESSED	5	cliIOTAB_NOT_ASSESSED	
RSORRES_NTRGRESP_CL_001	String		NO NON-TARGET LESION AT BASELINE	0	cliIOTAB_NO_NONTARGET_LESION_AT_BASELINE	RSORRES_NTRGRESP_001
			COMPLETE RESPONSE	1	cliIOTAB_COMPLETE_RESPONSE	
			PROGRESSIVE DISEASE	3	cliIOTAB_PROGRESSIVE_DISEASE	
			NO COMPLETE RESPONSE / NO PROGRESSIVE DISEASE	6	cliIOTAB_NO_COMPLETE_RESPONSE_NO_PROGRESSIVE_DISEASE	
			NOT ASSESSED	5	cliIOTAB_NOT_ASSESSED	
			NOT EVALUABLE	7	cliIOTAB_NOT_EVALUABLE	
RSORRES_OVRLRESP_CL_001	String		COMPLETE RESPONSE	1	cliIOTAA_COMPLETE_RESPONSE	RSORRES_OVRLRESP_001
			PARTIAL RESPONSE	2	cliIOTAA_PARTIAL_RESPONSE	
			STABLE DISEASE	3	cliIOTAA_STABLE_DISEASE	
			PROGRESSIVE DISEASE	4	cliIOTAA_PROGRESSIVE_DISEASE	
			NO COMPLETE RESPONSE / NO PROGRESSIVE DISEASE	7	cliIOTAA_NO_COMPLETE_RESPONSE_NO_PROGRESSIVE_DISEASE	
			NOT ASSESSED	5	cliIOTAA_NOT_ASSESSED	

			NOT EVALUABLE	9	cliIOTAA_NOT_EVALUABLE	
--	--	--	---------------	---	------------------------	--

RDE Analytics: RD_RSIOTA001		
Data Variable RefName	RD Column Name	Column Data Type
RSDTC_001	RSDTC_001	DATE
	RSDTC_001_DTS	VARCHAR2
	RSDTC_001_ND	VARCHAR2
RSORRES_TRGRES_001	RSORRES_TRGRES_001_C	VARCHAR2
	RSORRES_TRGRES_001	VARCHAR2
	RSORRES_TRGRES_001_ND	VARCHAR2
RSORRES_NTRGRES_001	RSORRES_NTRGRES_001_C	VARCHAR2
	RSORRES_NTRGRES_001	VARCHAR2
	RSORRES_NTRGRES_001_ND	VARCHAR2
RSORRES_NEWLPROG_001	RSORRES_NEWLPROG_001_C	VARCHAR2
	RSORRES_NEWLPROG_001	VARCHAR2
	RSORRES_NEWLPROG_001_ND	VARCHAR2
RSORRES_OVRLRESP_001	RSORRES_OVRLRESP_001_C	VARCHAR2
	RSORRES_OVRLRESP_001	VARCHAR2
	RSORRES_OVRLRESP_001_ND	VARCHAR2

C4221016: ADVERSE EVENT REPORT (AE) - Repeating Form [AE001]

#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Serious	Is AE a Result of a Medication Error	Relationship to Study Treatment	Study Treatment 1	Action Taken with Study Treatment 1	Relationship to Study Treatment 1	Study Treatment 2	Action Taken with Study Treatment 2	Relationship to Study Treatment 2	Study Treatment 3	Action Taken with Study Treatment 3	Relationship to Study Treatment 3	Toxicity Grade	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	D Lin To:
1																						
Adverse Event Report [AE01001]																						
Enter note text here																						
1.	Category: [read-only] [Category]	[AECAT_001] [AECAT_CL_001] v																				
2.	AE ID: [read-only] [AE Identifier]	[AESPID_001] A20*																				
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]	[AETERM_001] A100*																				
4.* ✓ 	Start Date: [Start Date]	[AESTDTC_001] (DD/MM/YYYY) Req v / Req v / Req v (2020-2035)																				
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]	[X_AEONGO_001] [A:Y] ☐ YES [A:N] ☐ [AEENDTC_CMP_001] v NO [AEENDTC_001] (DD/MM/YYYY) End Date: Req v / Req v / Req v (2020-2035)																				
6.* ✓	Is the adverse event serious? If Yes, NOTIFY [1] IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[AESER_001] [A:Y] ☐ [AESCONG_CMP_001] v YES [AESCONG_001] Is this serious event associated with congenital anomaly or birth defect? [A:Y] ☐ YES [A:N] ☐ NO [AESDTH_001] Did this serious event result in death? [A:Y] ☐ YES [A:N] ☐ NO [AESHOSP_001] Did this serious event require or prolong hospitalization? [A:Y] ☐ YES [A:N] ☐ NO [AESDISAB_001] Did this serious event result in persistent or significant disability/incapacity? [A:Y] ☐ YES [A:N] ☐ NO [AESLIFE_001] Is this serious event life threatening? [A:Y] ☐ YES [A:N] ☐ NO [AESMIE_001] Other medically important serious event [A:Y] ☐ YES [A:N] ☐ NO [A:N] ☐ NO																				
7.* ✓	Is this adverse event the result of a	[SUPPAE_AEMERES_001] [A:Y] ☐ YES																				

	study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	[A:N] ☐ NO
8.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001] [A:1] ☐ [SUPPAE_AERELNST_CMP_001] ☐ NOT RELATED [AERELNST_001] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:4] ☐ DISEASE UNDER STUDY [A:3] ☐ [SUPPAE_AERELT_CMP_001] ☐ OTHER [SUPPAE_AERELTXT_001] If Other, specify: A80★ [A:2] ☐ RELATED
9.	Study Treatment 1 Name [Binimetinib] : [read-only] [Study Treatment 1]	[SUPPAE_AETRT1_001] A50★
10.* ✓	Action Taken with Binimetinib: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001] [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
11.* ✓	Is this event related to Binimetinib? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
12.	Study Treatment 2 Name [Encorafenib] : [read-only] [Study Treatment 2]	[SUPPAE_AETRT2_001] A50★
13.* ✓	Action Taken with Encorafenib: [Action Taken with Study Treatment 2]	[SUPPAE_AEACN2_001] [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
14.* ✓	Is this event related to Encorafenib? [Relationship to Study Treatment 2]	[SUPPAE_AEREL2_001] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
15.	Study Treatment 3 Name [Pembrolizumab] : [read-only] [Study Treatment 3]	[SUPPAE_AETRT3_001] A50★
16.* ✓	Action Taken with Pembrolizumab: [Action Taken with Study Treatment 3]	[SUPPAE_AEACN3_001] [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN

		☐ [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
17.* ✓	Is this event related to Pembrolizumab? [Relationship to Study Treatment 3]	[SUPPAE_AEREL3_001] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
18.* ✓	Toxicity Grade: [Toxicity Grade]	[AETOXGR_001] [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5
19.* ✓	Was a Concomitant Medication given? If yes, record on the Concomitant Medications page [Concomitant Medication Given]	[SUPPAE_AECMGIV_001] [A:Y] ☐ YES [A:N] ☐ NO
20.* ✓	Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001] [A:Y] ☐ YES [A:N] ☐ NO
21.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
22.* ✓	Was this adverse event a dose limiting toxicity? [Dose Limiting Toxicity]	[SUPPAE_AEDOSTOX_001] [A:Y] ☐ YES [A:N] ☐ NO
23.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001] A255★
24.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001] A100★
25.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001] A8★
26.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001] A100★
27.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001] A8★
28.	High Level Term [hidden]	[AEHLT_001]

	[High Level Term]	A100★
29.	High Level Term Code [hidden] [High Level Term Code]	[AEHLTCD_001] A8★
30.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001] A100★
31.	High Level Group Term Code [hidden] [High Level Group Term Code]	[AEHLGTCD_001] A8★
32.	Primary System Organ Class [hidden] [Primary System Organ Class]	[AESOC_001] A100★
33.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[AESOCCD_001] A8★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: ADVERSE EVENT REPORT

Type	RefName	Description
Form	AE001	AE001 - Standard AE Page
Item	AECAT_001	Used to define a category of adverse event variables.
Item	AESPID_001	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001	Date when the adverse event started.
Item	X_AEONGO_001	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001	Date when the adverse event resolved.
Item	AESER_001	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	SUPPAE_AEMERES_001	Is this adverse event the result of a study/background medication error
Item	AEREL_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELTXT_001	Event Due to Other Specify
Item	SUPPAE_AETRT1_001	Study treatment 1
Item	SUPPAE_AEACN1_001	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT2_001	Study treatment 2
Item	SUPPAE_AEACN2_001	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL2_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT3_001	Study treatment 3
Item	SUPPAE_AEACN3_001	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL3_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AETOXGR_001	Description of the toxicity grade of the adverse event.
Item	SUPPAE_AECMGIV_001	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001	Non-Drug Treatment Given
Item	AEOUT_001	Description of the subject's status associated with an event.
Item	SUPPAE_AEDOSTOX_001	Indication of whether the adverse event was a dose limiting toxicity.

Item	D_COMPTERM2_001	Hidden Item needed for clear coding rule.
Item	AELLT_001	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTC_001	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCDC_001	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT

Item	Unique	Order #
AE001 (Repeating form)		
AE01001		
AESTDTC_001	None	1

Data Series Summary: ADVERSE EVENT REPORT

Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
18.	AETOXGR_001	IsAE	dstAE001	dsrAETOXGR_001	Text
21.	AEOUT_001	IsAE	dstAE001	dsrAEOUT_001	Text

Codelist Values Tables: ADVERSE EVENT REPORT

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
AECAT_CL_001	String		ADVERSE EVENT	1	cliAECAT_ADVERSE_EVENT	AECAT_001
			MALIGNANCY	2	cliAECAT_MALIGNANCY	
			SIGNIFICANT INFECTION	3	cliAECAT_SIGNIFICANT_INFECTION	
			NEUROLOGICAL DEFICIT	4	cliAECAT_NEUROLOGICAL_DEFICIT	
			COMPLICATIONS RELATED TO SURGERY	5	cliAECAT_COMPLICATIONS_RELATED_TO_SURGERY	
			EVENT DURING INFUSION	6	cliAECAT_EVENT_DURING_INFUSION	
			GASTROINTESTINAL RELATED EVENT	7	cliAECAT_GASTROINTESTINAL_RELATED_EVENT	
			INTERSTITIAL LUNG DISEASE	8	cliAECAT_INTERSTITIAL_LUNG_DISEASE	
			INFECTION	9	cliAECAT_INFECTION	
			INJECTION SITE REACTION	10	cliAECAT_INJECTION_SITE_REACTION	
			NEOPLASM	11	cliAECAT_NEOPLASM	
			MOTHER	12	cliAECAT_MOTHER	
			NEONATE	13	cliAECAT_NEONATE	
			VASOGENIC EDEMA	14	cliAECAT_VASOGENIC_EDEMA	
			SUICIDALITY	15	cliAECAT_SUICIDALITY	
			BLEEDING	16	cliAECAT_BLEEDING	
			TREATMENT AREA	17	cliAECAT_TREATMENT_AREA	
			OVERDOSE SIGNS/SYMPTOMS	18	cliAECAT_OVERDOSE_SIGNS_SYMPTOMS	
			HEMOPHILIA EVENT	19	cliAECAT_HEMOPHILIA_EVENT	
			COPD EXACERBATION	20	cliAECAT_COPD_EXACERBATION	
			MEDICATION ERROR	21	cliAECAT_MEDICATION_ERROR	

			NEWLY DIAGNOSED CHRONIC MEDICAL CONDITION	22	cliAECAT_NEWLY_DIAGNOSED_CHRONIC_MEDICAL_CONDITION
			INFUSION RELATED REACTION	23	cliAECAT_INFUSION_RELATED_REACTION
			ALLERGIC REACTION	24	cliAECAT_ALLERGIC_REACTION
			MULTIPLE SCLEROSIS	25	cliAECAT_MULTIPLE_SCLEROSIS
			IMMUNE RELATED	26	cliAECAT_IMMUNE_RELATED
			LYMPHOMA-RELATED B SYMPTOM	27	cliAECAT_LYMPHOMA_RELATED_B_SYMPTOM
			ACUTE CHEST SYNDROME	28	cliAECAT_ACUTE_CHEST_SYNDROME
			CUTANEOUS MANIFESTATION	29	cliAECAT_CUTANEOUS_MANIFESTATION
			ACUTE SKIN RASH	30	cliAECAT_ACUTE_SKIN_RASH
			HERPES INFECTION	31	cliAECAT_HERPES_INFECTION
			UNEXPLAINED SKIN RASH	32	cliAECAT_UNEXPLAINED_SKIN_RASH
			DIARRHEAL EPISODE	33	cliAECAT_DIARRHEAL_EPISODE
			METASTATIC MALIGNANCY	34	cliAECAT_METASTATIC_MALIGNANCY
			RENAL DISORDER	35	cliAECAT_RENAL_DISORDER
			RETROVIRAL INFECTION	36	cliAECAT_RETROVIRAL_INFECTION
			HYPOGLYCEMIC EVENT	37	cliAECAT_HYPOGLYCEMIC_EVENT
			GRAFT VERSUS HOST DISEASE	38	cliAECAT_GRAFT_VERSUS_HOST_DISEASE
			RESPIRATORY TRACT INFECTION	39	cliAECAT_RESPIRATORY_TRACT_INFECTION
			FLARE	40	cliAECAT_FLARE
			STUDY PROCEDURE RELATED INJURY	41	cliAECAT_STUDY_PROCEDURE_RELATED_INJURY

Coding Summary: ADVERSE EVENT REPORT		
Verbatim RefName: AETERM_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001	SOC	Term
AESOCCD_001	SOC	Code
AEHLGT_001	HLGT	Term
AEHLGTC_001	HLGT	Code
AEHLT_001	HLT	Term
AEHLTCD_001	HLT	Code
AEDECOD_001	PT	Term
AEPTCD_001	PT	Code
AELLT_001	LLT	Term
AELLTCD_001	LLT	Code

RDE Analytics: RD_AE001		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001	AECAT_001_C	VARCHAR2
	AECAT_001	VARCHAR2
	AECAT_001_ND	VARCHAR2
AESPID_001	AESPID_001	VARCHAR2
	AESPID_001_ND	VARCHAR2
AETERM_001	AETERM_001	VARCHAR2
	AETERM_001_ND	VARCHAR2
AESTDTC_001	AESTDTC_001	DATE
	AESTDTC_001_DTS	VARCHAR2

	AESTDTC_001_ND	VARCHAR2
X_AEONGO_001	X_AEONGO_001_C	VARCHAR2
	X_AEONGO_001	VARCHAR2
	X_AEONGO_001_ND	VARCHAR2
X_AEONGO_001 - AEENDTC_001	AEENDTC_001	DATE
	AEENDTC_001_DTS	VARCHAR2
AESER_001	AESER_001_C	VARCHAR2
	AESER_001	VARCHAR2
	AESER_001_ND	VARCHAR2
AESER_001 - AESCONG_001	AESCONG_001_C	VARCHAR2
	AESCONG_001	VARCHAR2
AESER_001 - AESDTH_001	AESDTH_001_C	VARCHAR2
	AESDTH_001	VARCHAR2
AESER_001 - AESHOSP_001	AESHOSP_001_C	VARCHAR2
	AESHOSP_001	VARCHAR2
AESER_001 - AESDISAB_001	AESDISAB_001_C	VARCHAR2
	AESDISAB_001	VARCHAR2
AESER_001 - AESLIFE_001	AESLIFE_001_C	VARCHAR2
	AESLIFE_001	VARCHAR2
AESER_001 - AESMIE_001	AESMIE_001_C	VARCHAR2
	AESMIE_001	VARCHAR2
SUPPAE_AEMERES_001	SUPPAE_AEMERES_001_C	VARCHAR2
	SUPPAE_AEMERES_001	VARCHAR2
	SUPPAE_AEMERES_001_ND	VARCHAR2
AEREL_001	AEREL_001_C	VARCHAR2
	AEREL_001	VARCHAR2
	AEREL_001_ND	VARCHAR2
AEREL_001 - AERELNST_001	AERELNST_001_C	VARCHAR2
	AERELNST_001	VARCHAR2
AEREL_001 - SUPPAE_AERELTXT_001	SUPPAE_AERELTXT_001	VARCHAR2
SUPPAE_AETRT1_001	SUPPAE_AETRT1_001	VARCHAR2
	SUPPAE_AETRT1_001_ND	VARCHAR2
SUPPAE_AEACN1_001	SUPPAE_AEACN1_001_C	VARCHAR2
	SUPPAE_AEACN1_001	VARCHAR2
	SUPPAE_AEACN1_001_ND	VARCHAR2
SUPPAE_AEREL1_001	SUPPAE_AEREL1_001_C	VARCHAR2
	SUPPAE_AEREL1_001	VARCHAR2
	SUPPAE_AEREL1_001_ND	VARCHAR2
SUPPAE_AETRT2_001	SUPPAE_AETRT2_001	VARCHAR2
	SUPPAE_AETRT2_001_ND	VARCHAR2
SUPPAE_AEACN2_001	SUPPAE_AEACN2_001_C	VARCHAR2
	SUPPAE_AEACN2_001	VARCHAR2
	SUPPAE_AEACN2_001_ND	VARCHAR2
SUPPAE_AEREL2_001	SUPPAE_AEREL2_001_C	VARCHAR2
	SUPPAE_AEREL2_001	VARCHAR2
	SUPPAE_AEREL2_001_ND	VARCHAR2
SUPPAE_AETRT3_001	SUPPAE_AETRT3_001	VARCHAR2

	SUPPAE_AETRT3_001_ND	VARCHAR2
SUPPAE_AEACN3_001	SUPPAE_AEACN3_001_C	VARCHAR2
	SUPPAE_AEACN3_001	VARCHAR2
	SUPPAE_AEACN3_001_ND	VARCHAR2
SUPPAE_AEREL3_001	SUPPAE_AEREL3_001_C	VARCHAR2
	SUPPAE_AEREL3_001	VARCHAR2
	SUPPAE_AEREL3_001_ND	VARCHAR2
AETOXGR_001	AETOXGR_001_C	VARCHAR2
	AETOXGR_001	VARCHAR2
	AETOXGR_001_ND	VARCHAR2
SUPPAE_AECMGIV_001	SUPPAE_AECMGIV_001_C	VARCHAR2
	SUPPAE_AECMGIV_001	VARCHAR2
	SUPPAE_AECMGIV_001_ND	VARCHAR2
SUPPAE_AENDGIV_001	SUPPAE_AENDGIV_001_C	VARCHAR2
	SUPPAE_AENDGIV_001	VARCHAR2
	SUPPAE_AENDGIV_001_ND	VARCHAR2
AEOUT_001	AEOUT_001_C	VARCHAR2
	AEOUT_001	VARCHAR2
	AEOUT_001_ND	VARCHAR2
SUPPAE_AEDOSTOX_001	SUPPAE_AEDOSTOX_001_C	VARCHAR2
	SUPPAE_AEDOSTOX_001	VARCHAR2
	SUPPAE_AEDOSTOX_001_ND	VARCHAR2
D_COMPTERM2_001	D_COMPTERM2_001	VARCHAR2
	D_COMPTERM2_001_ND	VARCHAR2
AELLT_001	AELLT_001	VARCHAR2
	AELLT_001_ND	VARCHAR2
AELLTCD_001	AELLTCD_001	VARCHAR2
	AELLTCD_001_ND	VARCHAR2
AEDECOD_001	AEDECOD_001	VARCHAR2
	AEDECOD_001_ND	VARCHAR2
AEPTCD_001	AEPTCD_001	VARCHAR2
	AEPTCD_001_ND	VARCHAR2
AEHLT_001	AEHLT_001	VARCHAR2
	AEHLT_001_ND	VARCHAR2
AEHLTCD_001	AEHLTCD_001	VARCHAR2
	AEHLTCD_001_ND	VARCHAR2
AEHLGT_001	AEHLGT_001	VARCHAR2
	AEHLGT_001_ND	VARCHAR2
AEHLGTCD_001	AEHLGTCD_001	VARCHAR2
	AEHLGTCD_001_ND	VARCHAR2
AESOC_001	AESOC_001	VARCHAR2
	AESOC_001_ND	VARCHAR2
AESOCCD_001	AESOCCD_001	VARCHAR2
	AESOCCD_001_ND	VARCHAR2

#	Sponsor-Defined Identifier	Category for Medication	Concomitant Medications Pre-specified	Name of Medication	Medication to Treat Adverse Event	Dose Description	Dose Unit	Route	Start Date	Ongoing
1										
Concomitant Medications [CM01001]										
1.	What is the medication identifier? <i>[read-only]</i> [Sponsor-Defined Identifier]		[CMSPID_001] A20★							
2.	Category: [Category for Medication]		[CMCAT_001] <i>[A:1]</i> ☐ GENERAL CONCOMITANT MEDICATIONS <i>[A:11]</i> ☐ STEROIDS							
3.	Concomitant Medications Pre-specified: <i>[read-only]</i> [Concomitant Medications Pre-specified]		[CMPRESP_001] <i>[A:N]</i> ☐ NO							
4.* ✓	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). [Name of Medication]		[CMTRT_001] A100★							
5.* ✓	Was this medication given to treat an Adverse Event? [Medication to Treat Adverse Event]		[SUPPCM_CMAER_001] <i>[A:Y]</i> ☐ [SUPPCM_CMAENO1_CMP_001] YES [SUPPCM_CMAENO1_001] AE Identifier: A20★ [SUPPCM_CMAENO2_001] AE Identifier: A20★ [SUPPCM_CMAENO3_001] AE Identifier: A20★ [SUPPCM_CMAENO4_001] AE Identifier: A20★ [SUPPCM_CMAENOS_001] AE Identifier: A20★ <i>[A:N]</i> ☐ NO							
6.	Dose: [Dose Description]		[X_CMDSTXT_001] A25★							
7.	Dose Unit: [Dose Unit]		[CMDOSU_001] [CMDOSU_CL_001]							
8.	Route: [Route]		[CMROUTE_001] [CMROUTE_CL_001]							
9.* ✓	Start Date: [Start Date]		[CMSTDTC_001] (DD/MM/YYYY) Req/Unk / Req/Unk / Req (1920-2035)							
10.* ✓	Ongoing? [Ongoing]		[X_CMONGO_001] <i>[A:Y]</i> ☐ YES <i>[A:N]</i> ☐ [X_CMENDTC_CMP_001] NO [CMENDTC_001] (DD/MM/YYYY) End Date: Req/Unk / Req/Unk / Req (2020-2035)							
11.	Comparison Term <i>[hidden]</i> [Comparison Term]		[D_COMPTERM1_001] A255★							

12.	Standardized Medication Name - Dictionary derived. <i>[hidden]</i> [Standardized Medication Name]	[CMDECOD_001] A300★
13.	Standardized Medication Code - Dictionary derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPCM_CMCODE_001] A11★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: CONCOMITANT MEDICATIONS		
Type	RefName	Description
Item	CMSPID_001	A sponsor-defined reference number.
Item	CMPRESP_001	Concomitant Medications Pre-specified
Item	CMTRT_001	Name of Medication
Item	SUPPCM_CMAER_001	Medication to treat Adverse Event
Item	X_CMDSTXT_001	The dose of medication per administration in character format
Item	CMDOSU_001	The unit associated with the medication taken
Item	CMROUTE_001	The route of administration of the medication
Item	CMSTDTC_001	Date the medication was first taken
Item	X_CMONGO_001	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001	Date the subject stopped taking the medication
Item	D_COMPTERM1_001	Hidden Item needed for clear coding rule.
Item	CMDECOD_001	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001	Standardized Medication Code - Dictionary derived

Codelist Values Tables: CONCOMITANT MEDICATIONS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CMDOSU_CL_001	String		INHALATION	67	cliUNIT_INHALATION	CMDOSU_001
			g	45	cliUNIT_g	
			mg	8	cliUNIT_mg	
			mg/g	659	cliUNIT_mg_g	
			mg/kg	163	cliUNIT_mg_kg	
			mg/mL	653	cliUNIT_mg_mL	
			kg	7	cliUNIT_kg	
CMROUTE_CL_001	String		INTRAVENOUS	70	cliROUTE_INTRAVENOUS	CMROUTE_001
			ORAL	84	cliROUTE_ORAL	
			TOPICAL	101	cliROUTE_TOPICAL	
			PARENTERAL	86	cliROUTE_PARENTERAL	
			UNKNOWN	108	cliROUTE_UNKNOWN	
			OTHER	130	cliROUTE_OTHER	
			OPHTHALMIC	83	cliROUTE_OPHTHALMIC	

Coding Summary: CONCOMITANT MEDICATIONS		
Verbatim RefName: CMTRT_001		
Dictionary: Pfizer WHODD Verbatim Type:		

Coding Item RefName	Level	Level Type
CMDECOD_001	PT	Term
SUPPCM_CMCODE_001	PT	Code

RDE Analytics: RD_CM001		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001	CMSPID_001	VARCHAR2
	CMSPID_001_ND	VARCHAR2
CMCAT_001	CMCAT_001_C	VARCHAR2
	CMCAT_001	VARCHAR2
	CMCAT_001_ND	VARCHAR2
CMPRESP_001	CMPRESP_001_C	VARCHAR2
	CMPRESP_001	VARCHAR2
	CMPRESP_001_ND	VARCHAR2
CMTRT_001	CMTRT_001	VARCHAR2
	CMTRT_001_ND	VARCHAR2
SUPPCM_CMAER_001	SUPPCM_CMAER_001_C	VARCHAR2
	SUPPCM_CMAER_001	VARCHAR2
	SUPPCM_CMAER_001_ND	VARCHAR2
SUPPCM_CMAER_001 - SUPPCM_CMAENO1_001	SUPPCM_CMAENO1_001	VARCHAR2
SUPPCM_CMAER_001 - SUPPCM_CMAENO2_001	SUPPCM_CMAENO2_001	VARCHAR2
SUPPCM_CMAER_001 - SUPPCM_CMAENO3_001	SUPPCM_CMAENO3_001	VARCHAR2
SUPPCM_CMAER_001 - SUPPCM_CMAENO4_001	SUPPCM_CMAENO4_001	VARCHAR2
SUPPCM_CMAER_001 - SUPPCM_CMAENO5_001	SUPPCM_CMAENO5_001	VARCHAR2
X_CMDSTXT_001	X_CMDSTXT_001	VARCHAR2
	X_CMDSTXT_001_ND	VARCHAR2
CMDOSU_001	CMDOSU_001_C	VARCHAR2
	CMDOSU_001	VARCHAR2
	CMDOSU_001_ND	VARCHAR2
CMROUTE_001	CMROUTE_001_C	VARCHAR2
	CMROUTE_001	VARCHAR2
	CMROUTE_001_ND	VARCHAR2
CMSTDTC_001	CMSTDTC_001	DATE
	CMSTDTC_001_DTS	VARCHAR2
	CMSTDTC_001_DTR	VARCHAR2
	CMSTDTC_001_ND	VARCHAR2
X_CMONGO_001	X_CMONGO_001_C	VARCHAR2
	X_CMONGO_001	VARCHAR2
	X_CMONGO_001_ND	VARCHAR2
X_CMONGO_001 - CMENDTC_001	CMENDTC_001	DATE
	CMENDTC_001_DTS	VARCHAR2
	CMENDTC_001_DTR	VARCHAR2
D_COMPTerm1_001	D_COMPTerm1_001	VARCHAR2
	D_COMPTerm1_001_ND	VARCHAR2
CMDECOD_001	CMDECOD_001	VARCHAR2
	CMDECOD_001_ND	VARCHAR2
SUPPCM_CMCODE_001	SUPPCM_CMCODE_001	VARCHAR2

	SUPPCM_CMCODE_001_ND	VARCHAR2
--	----------------------	----------

C4221016: Non-Drug Treatments - Procedures (NON DRUG) - Repeating Form [PR001]					
#	Category	Treatment	Non-Drug Treatment to Treat Adverse Event	Start Date	Ongoing?
1					
Non-Drug Treatment [PR01001]					
1.	Category: <i>[read-only]</i> [Category]		[PRCAT_001] [A:G] ☒ GENERAL NON-DRUG TREATMENT		
2.	Concomitant Non-drug Treatment Pre-specified: <i>[hidden]</i> [Con Non-Drug Treatments Pre-specified]		[PRPRESP_001] [A:N] ☒ NO		
3.*	Treatment: [Treatment]		[PRTRT_001] A100*		
4.* ✓	Was this Non-Drug Treatment given to treat an Adverse Event [Non-Drug Treatment to Treat Adverse Event]		[SUPPPR_PRAER_001] [A:Y] ☒ [SUPPPR_PRAEID1_CMP_001] ☐ YES [SUPPPR_PRAEID1_001] AE Identifier: A20* [SUPPPR_PRAEID2_001] AE Identifier: A20* [SUPPPR_PRAEID3_001] AE Identifier: A20* [SUPPPR_PRAEID4_001] AE Identifier: A20* [SUPPPR_PRAEID5_001] AE Identifier: A20* [A:N] ☒ NO		
5.* ✓ 📅	Start Date: [Start Date]		[PRSTDTC_001] (DD/MM/YYYY) Req/Unk ▼ / Req/Unk ▼ / Req <input checked="" type="button" value="▼"/> (2020-2035)		
6.* ✓	Ongoing? [Ongoing?]		[X_PRONGO_001] [A:Y] ☒ YES [A:N] ☒ [X_PRENDTC_CMP_001] ☐ NO [PRENDTC_001] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req/Unk ▼ / Req <input checked="" type="button" value="▼"/> (2020-2035)		
7.	Comparison Term <i>[hidden]</i> [Comparison Term]		[D_COMPTERM5_001] A255*		
8.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]		[SUPPPR_PRLLT_001] A100*		
9.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]		[SUPPPR_PRLLTCD_001] A8*		
10.	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]		[PRDECOD_001] A100*		
11.	Preferred Term Code <i>[hidden]</i>		[SUPPPR_PRPTCD_001]		

	[Preferred Term Code]	A8★
12.	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001] A100★
13.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPPR_PRHLTCD_001] A8★
14.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001] A100★
15.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTC_001] A8★
16.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001] A100★
17.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001] A8★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: Non-Drug Treatments - Procedures		
Type	RefName	Description
Form	PR001	PR001 - NON-DRUG TREATMENTS
Item	PRCAT_001	Category for non-drug treatments given prior to study start or during the study. Default To GENERAL NON_DRUG TREATMENT
Item	PRPRES_001	Concomitant non-drug treatments pre-specified
Item	PRTRT_001	Verbatim name of the treatment.
Item	PRSTDTC_001	Date the treatment was started
Item	X_PRONGO_001	Indicates the treatment is ongoing when no End Date is provided
Item	PRENDTC_001	Date the treatment was stopped.
Item	D_COMPTERM5_001	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLLTCD_001	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTC_001	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001	Dictionary-derived code for the primary System Organ Class.

Keys (navigation)/Uniqueness: Non-Drug Treatments - Procedures		
Item	Unique	Order #
PR001 (Repeating form)		
PR01001		
PRSTDTC_001	None	1

Coding Summary: Non-Drug Treatments - Procedures	

Verbatim RefName: PRTRT_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001	SOC	Term
SUPPPR_PRSOCCD_001	SOC	Code
SUPPPR_PRLGT_001	HLGT	Term
SUPPPR_PRLGTCD_001	HLGT	Code
SUPPPR_PRLT_001	HLT	Term
SUPPPR_PRLTCD_001	HLT	Code
PRDECOD_001	PT	Term
SUPPPR_PRPTCD_001	PT	Code
SUPPPR_PRLLT_001	LLT	Term
SUPPPR_PRLLTCD_001	LLT	Code

RDE Analytics: RD_PR001		
Data Variable RefName	RD Column Name	Column Data Type
PRCAT_001	PRCAT_001_C	VARCHAR2
	PRCAT_001	VARCHAR2
	PRCAT_001_ND	VARCHAR2
PRPRES_001	PRPRES_001_C	VARCHAR2
	PRPRES_001	VARCHAR2
	PRPRES_001_ND	VARCHAR2
PRTRT_001	PRTRT_001	VARCHAR2
	PRTRT_001_ND	VARCHAR2
SUPPPR_PRAER_001	SUPPPR_PRAER_001_C	VARCHAR2
	SUPPPR_PRAER_001	VARCHAR2
	SUPPPR_PRAER_001_ND	VARCHAR2
SUPPPR_PRAER_001 - SUPPPR_PRAEID1_001	SUPPPR_PRAEID1_001	VARCHAR2
SUPPPR_PRAER_001 - SUPPPR_PRAEID2_001	SUPPPR_PRAEID2_001	VARCHAR2
SUPPPR_PRAER_001 - SUPPPR_PRAEID3_001	SUPPPR_PRAEID3_001	VARCHAR2
SUPPPR_PRAER_001 - SUPPPR_PRAEID4_001	SUPPPR_PRAEID4_001	VARCHAR2
SUPPPR_PRAER_001 - SUPPPR_PRAEID5_001	SUPPPR_PRAEID5_001	VARCHAR2
PRSTDTC_001	PRSTDTC_001	DATE
	PRSTDTC_001_DTS	VARCHAR2
	PRSTDTC_001_DTR	VARCHAR2
	PRSTDTC_001_ND	VARCHAR2
X_PRONGO_001	X_PRONGO_001_C	VARCHAR2
	X_PRONGO_001	VARCHAR2
	X_PRONGO_001_ND	VARCHAR2
X_PRONGO_001 - PRENDTC_001	PRENDTC_001	DATE
	PRENDTC_001_DTS	VARCHAR2
	PRENDTC_001_DTR	VARCHAR2
D_COMPTERM5_001	D_COMPTERM5_001	VARCHAR2
	D_COMPTERM5_001_ND	VARCHAR2
SUPPPR_PRLLT_001	SUPPPR_PRLLT_001	VARCHAR2
	SUPPPR_PRLLT_001_ND	VARCHAR2
SUPPPR_PRLLTCD_001	SUPPPR_PRLLTCD_001	VARCHAR2

	SUPPPR_PRLTCD_001_ND	VARCHAR2
PRDECOD_001	PRDECOD_001	VARCHAR2
	PRDECOD_001_ND	VARCHAR2
SUPPPR_PRPTCD_001	SUPPPR_PRPTCD_001	VARCHAR2
	SUPPPR_PRPTCD_001_ND	VARCHAR2
SUPPPR_PRHLT_001	SUPPPR_PRHLT_001	VARCHAR2
	SUPPPR_PRHLT_001_ND	VARCHAR2
SUPPPR_PRHLTCD_001	SUPPPR_PRHLTCD_001	VARCHAR2
	SUPPPR_PRHLTCD_001_ND	VARCHAR2
SUPPPR_PRHLGT_001	SUPPPR_PRHLGT_001	VARCHAR2
	SUPPPR_PRHLGT_001_ND	VARCHAR2
SUPPPR_PRHLGTC_001	SUPPPR_PRHLGTC_001	VARCHAR2
	SUPPPR_PRHLGTC_001_ND	VARCHAR2
SUPPPR_PRSOC_001	SUPPPR_PRSOC_001	VARCHAR2
	SUPPPR_PRSOC_001_ND	VARCHAR2
SUPPPR_PRSOCCD_001	SUPPPR_PRSOCCD_001	VARCHAR2
	SUPPPR_PRSOCCD_001_ND	VARCHAR2

C4221016: MEDICATION ERROR (MED ERROR) - Repeating Form [AE001_1]												
#	Category	Medication Error	Drug Name	Incorrect package ID	Start Date	Is the medication error Still Ongoing	End Date & Time	Study Medication Errors Action	Concomitant Medication Given	Non-Drug Treatment Given	Caused Study Discontinuation	Medication Error Associated With AE
1												
Medication Error [AE01001_1]												
1.		Category: [read-only] [Category]	[AECAT_001_1] [A:21] ☐ MEDICATION ERROR									
2.* ✓		Medication Error: (If possible specify diagnosis, not individual symptoms) [Medication Error]	[AETERM_001_1] A100*									
3.* ✓		Drug Name: [Drug Name]	[SUPPAE_AETRNAM_001_1] A100*									
4.* ✓		If this is a dispensing error, record the incorrect package ID that was dispensed/administered to the subject: [Incorrect package ID]	[SUPPAE_AEIPKGID_001_1] A10*									
5.* ✓		Start Date: [Start Date]	[AESTDTC_001_1] (DD/MM/YYYY) Req / Req / Req (2020-2035)									
6.* ✓		Is the medication error still ongoing? [Is the medication error Still Ongoing]	[X_AEONGO_001_1] [A:Y] ☐ YES [A:N] ☐ NO									
7.* ✓		End Date: [End Date & Time]	[AEENDTC_001_1] (DD/MM/YYYY) Req/Unk / Req/Unk / Req (2020-2035)									
8.* ✓		Latest Action Taken with Study Treatment: [Study Medication Errors Action]	[SUPPAE_AEMEACN_001_1] [A:1] ☐ NO ACTION TAKEN [A:2] ☐ DOSE CORRECTED [A:3] ☐ TEMPORARILY STOPPED [A:4] ☐ PERMANENTLY DISCONTINUED									
9.* ✓		Was a Concomitant Medication given? If yes, record on the Concomitant Medications page [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_1] [A:Y] ☐ YES [A:N] ☐ NO									
10.* ✓		Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_1] [A:Y] ☐ YES [A:N] ☐ NO									
11.* ✓		Did the Medication Error cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001_1] [A:Y] ☐ YES [A:N] ☐ NO									
12.* ✓		Was this medication error associated with any adverse events? [Medication Error Associated With AE]	[SUPPAE_AEMEFL_001_1] [A:Y] ☐ [SUPPAE_AEMEFL_CMP_001_1] ☐ YES [SUPPAE_AEAENO1_001_1] AE ID:									

		A20★ [SUPPAE_AEAENO2_001_1] AE ID: A20★ [SUPPAE_AEAENO3_001_1] AE ID: A20★ [SUPPAE_AEAENO4_001_1] AE ID: A20★ [SUPPAE_AEAENO5_001_1] AE ID: A20★ [A:N] ☐ NO
13.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM2_001_1] A255★
14.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[AELLT_001_1] A100★
15.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[AELLTCD_001_1] A8★
16.	Dictionary-Derived Term <i>[hidden]</i> [Dictionary-Derived Term]	[AEDECOD_001_1] A100★
17.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[AEPTCD_001_1] A8★
18.	High Level Term <i>[hidden]</i> [High Level Term]	[AEHLT_001_1] A100★
19.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[AEHLTCD_001_1] A8★
20.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[AEHLGT_001_1] A100★
21.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[AEHLGTC_001_1] A8★
22.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001_1] A100★
23.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001_1] A8★

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: MEDICATION ERROR		
Type	RefName	Description
Form	AE001_1	AE001 - Standard AE Page
Item	AECAT_001_1	Used to define a category of adverse event variables.
Item	AETERM_001_1	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	SUPPAE_AETRRTNAM_001_1	Drug Name
Item	SUPPAE_AEIPKGID_001_1	Incorrect Package ID
Item	AESTDTC_001_1	Date when the adverse event started.
Item	X_AEONGO_001_1	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001_1	Date when the adverse event resolved.
Item	SUPPAE_AEMEACN_001_1	Changes made to the study treatment in response to the medication error adverse event.
Item	SUPPAE_AECMGIV_001_1	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_1	Non-Drug Treatment Given
Item	SUPPAE_AESUBJDC_001_1	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	SUPPAE_AEMEFL_001_1	Was this medication error associated with any adverse events
Item	D_COMPTERM2_001_1	Hidden Item needed for clear coding rule.
Item	AELLT_001_1	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_1	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_1	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_1	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_1	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_1	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_1	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_1	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_1	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_1	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: MEDICATION ERROR

Item	Unique	Order #
AE001_1 (Repeating form)		
AE01001_1		
AESTDTC_001_1	None	1

Coding Summary: MEDICATION ERROR		
Verbatim RefName: AETERM_001_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_1	SOC	Term
AESOCCD_001_1	SOC	Code
AEHLGT_001_1	HLGT	Term
AEHLGTCD_001_1	HLGT	Code
AEHLT_001_1	HLT	Term
AEHLTCD_001_1	HLT	Code
AEDECOD_001_1	PT	Term
AEPTCD_001_1	PT	Code
AELLT_001_1	LLT	Term

AELLTCD_001_1	LLT	Code
---------------	-----	------

RDE Analytics: RD_AE001_1		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_1	AECAT_001_1_C	VARCHAR2
	AECAT_001_1	VARCHAR2
	AECAT_001_1_ND	VARCHAR2
AETERM_001_1	AETERM_001_1	VARCHAR2
	AETERM_001_1_ND	VARCHAR2
SUPPAE_AETRRTNAM_001_1	SUPPAE_AETRRTNAM_001_1	VARCHAR2
	SUPPAE_AETRRTNAM_001_1_ND	VARCHAR2
SUPPAE_AEIPKGID_001_1	SUPPAE_AEIPKGID_001_1	VARCHAR2
	SUPPAE_AEIPKGID_001_1_ND	VARCHAR2
AESTDTC_001_1	AESTDTC_001_1	DATE
	AESTDTC_001_1_DTS	VARCHAR2
	AESTDTC_001_1_ND	VARCHAR2
X_AEONGO_001_1	X_AEONGO_001_1_C	VARCHAR2
	X_AEONGO_001_1	VARCHAR2
	X_AEONGO_001_1_ND	VARCHAR2
AEENDTC_001_1	AEENDTC_001_1	DATE
	AEENDTC_001_1_DTS	VARCHAR2
	AEENDTC_001_1_DTR	VARCHAR2
	AEENDTC_001_1_ND	VARCHAR2
SUPPAE_AEMEACN_001_1	SUPPAE_AEMEACN_001_1_C	VARCHAR2
	SUPPAE_AEMEACN_001_1	VARCHAR2
	SUPPAE_AEMEACN_001_1_ND	VARCHAR2
SUPPAE_AECMGIV_001_1	SUPPAE_AECMGIV_001_1_C	VARCHAR2
	SUPPAE_AECMGIV_001_1	VARCHAR2
	SUPPAE_AECMGIV_001_1_ND	VARCHAR2
SUPPAE_AENDGIV_001_1	SUPPAE_AENDGIV_001_1_C	VARCHAR2
	SUPPAE_AENDGIV_001_1	VARCHAR2
	SUPPAE_AENDGIV_001_1_ND	VARCHAR2
SUPPAE_AESUBJDC_001_1	SUPPAE_AESUBJDC_001_1_C	VARCHAR2
	SUPPAE_AESUBJDC_001_1	VARCHAR2
	SUPPAE_AESUBJDC_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1	SUPPAE_AEMEFL_001_1_C	VARCHAR2
	SUPPAE_AEMEFL_001_1	VARCHAR2
	SUPPAE_AEMEFL_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO1_001_1	SUPPAE_AEAENO1_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO2_001_1	SUPPAE_AEAENO2_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO3_001_1	SUPPAE_AEAENO3_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO4_001_1	SUPPAE_AEAENO4_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO5_001_1	SUPPAE_AEAENO5_001_1	VARCHAR2
D_COMPTERM2_001_1	D_COMPTERM2_001_1	VARCHAR2
	D_COMPTERM2_001_1_ND	VARCHAR2
AELLT_001_1	AELLT_001_1	VARCHAR2
	AELLT_001_1_ND	VARCHAR2

AELLTCD_001_1	AELLTCD_001_1	VARCHAR2
	AELLTCD_001_1_ND	VARCHAR2
AEDECOD_001_1	AEDECOD_001_1	VARCHAR2
	AEDECOD_001_1_ND	VARCHAR2
AEPTCD_001_1	AEPTCD_001_1	VARCHAR2
	AEPTCD_001_1_ND	VARCHAR2
AEHLT_001_1	AEHLT_001_1	VARCHAR2
	AEHLT_001_1_ND	VARCHAR2
AEHLTCD_001_1	AEHLTCD_001_1	VARCHAR2
	AEHLTCD_001_1_ND	VARCHAR2
AEHLGT_001_1	AEHLGT_001_1	VARCHAR2
	AEHLGT_001_1_ND	VARCHAR2
AEHLGTC_001_1	AEHLGTC_001_1	VARCHAR2
	AEHLGTC_001_1_ND	VARCHAR2
AESOC_001_1	AESOC_001_1	VARCHAR2
	AESOC_001_1_ND	VARCHAR2
AESOCCD_001_1	AESOCCD_001_1	VARCHAR2
	AESOCCD_001_1_ND	VARCHAR2

C4221016: RADIATION TREATMENT (RADIATION) - Repeating Form [PR001_1]							
#	Category	Lesion Number	Treatment	Site of Treatment	Start Date	Ongoing?	Subcategory
1							
Radiation Treatment [PR01001_1]							
1.	Category: <i>[read-only]</i> [Category]		[PRCAT_001_1] [A:18] ☒ ON-STUDY CANCER RADIATION THERAPY				
2.	Lesion Number [Lesion Number]	[SUPPPR_PRLSNUM_001_1] A3★					
3.*	Treatment: [Treatment]	[PRTRT_001_1] A100★					
4.	Concomitant Non-drug Treatment Pre-specified: <i>[hidden]</i> [Con Non-Drug Treatments Pre-specified]	[PRPRES_001_1] [A:N] ☐ NO					
5.*	Site of Treatment: [Site of Treatment]	[PRLOC_001_1] [PRLOC_CL_001_1] ▼					
6.*	Start Date: [Start Date]	[PRSTDTC_001_1] (DD/MM/YYYY) Req/Unk ▼ / Req/Unk ▼ / Req ▼ (1920-2035)					
7.*	Ongoing? [Ongoing?]	[X_PRONGO_001_1] [A:N] ☐ [X_PRENDTC_CMP_001_1] NO [PRENDTC_001_1] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req/Unk ▼ / Req ▼ (2020-2035)					
8.	Subcategory: [Subcategory]	[PRSCAT_001_1] [A:1] ☐ PALLIATIVE [A:2] ☐ CURATIVE IN INTENT					
9.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM5_001_1] A255★					
10.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[SUPPPR_PRLLT_001_1] A100★					
11.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[SUPPPR_PRLLTCD_001_1] A8★					
12.	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[PRDECOD_001_1] A100★					
13.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPPR_PRPTCD_001_1] A8★					
14.	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001_1] A100★					
15.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPPR_PRHLTCD_001_1] A8★					
16.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001_1] A100★					
17.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTC_001_1] A8★					

18.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001_1] A100★
19.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_1] A8★

Key: [*] = Item is required [✓] = Source verification required [🔑] = Key item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: RADIATION TREATMENT		
Type	RefName	Description
Form	PR001_1	PR001 - NON-DRUG TREATMENTS
Item	PRCAT_001_1	Category for non-drug treatments given prior to study start or during the study. Default To GENERAL NON_DRUG TREATMENT
Item	SUPPPR_PRLSNUM_001_1	Lesion Number
Item	PRTRT_001_1	Verbatim name of the treatment.
Item	PRPRES_001_1	Concomitant non-drug treatments pre-specified
Item	PRLOC_001_1	Body site of where the treatment was given.
Item	PRSTDTC_001_1	Date the treatment was started
Item	X_PRONGO_001_1	Indicates the treatment is ongoing when no End Date is provided
Item	PRENDTC_001_1	Date the treatment was stopped.
Item	PRSCAT_001_1	Subcategory
Item	D_COMPTERM5_001_1	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001_1	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLLTCD_001_1	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001_1	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001_1	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001_1	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001_1	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001_1	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTCD_001_1	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001_1	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001_1	Dictionary-derived code for the primary System Organ Class.

Keys (navigation)/Uniqueness: RADIATION TREATMENT		
Item	Unique	Order #
PR001_1 (Repeating form)		
PR01001_1		
PRSTDTC_001_1	None	1

Codelist Values Tables: RADIATION TREATMENT						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
PRLOC_CL_001_1	String		LUNG	76	cliLOC_LUNG	PRLOC_001_1
			LIVER	40	cliLOC_LIVER	
			LYMPH NODE	108	cliLOC_LYMPH_NODE	
			SKIN	77	cliLOC_SKIN	
			BONE	28	cliLOC_BONE	
			BRAIN	71	cliLOC_BRAIN	
			HEAD AND NECK	647	cliLOC_HEAD_AND_NECK	

			CHEST	158	cliLOC_CHEST
			KIDNEY	55	cliLOC_KIDNEY
			SPLEEN	68	cliLOC_SPLEEN
			THYROID GLAND	43	cliLOC_THYROID_GLAND
			MUSCLE	633	cliLOC_MUSCLE
			PELVIS	114	cliLOC_PELVIS
			ADRENAL GLAND	81	cliLOC_ADRENAL_GLAND
			OTHER	999	cliLOC_OTHER

Coding Summary: RADIATION TREATMENT		
Verbatim RefName: PRTRT_001_1 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001_1	SOC	Term
SUPPPR_PRSOCCD_001_1	SOC	Code
SUPPPR_PRHLGT_001_1	HLGT	Term
SUPPPR_PRHLGTC_001_1	HLGT	Code
SUPPPR_PRHLT_001_1	HLT	Term
SUPPPR_PRHLTCD_001_1	HLT	Code
PRDECOD_001_1	PT	Term
SUPPPR_PRPTCD_001_1	PT	Code
SUPPPR_PRLLT_001_1	LLT	Term
SUPPPR_PRLLTCD_001_1	LLT	Code

RDE Analytics: RD_PR001_1		
Data Variable RefName	RD Column Name	Column Data Type
PRCAT_001_1	PRCAT_001_1_C	VARCHAR2
	PRCAT_001_1	VARCHAR2
	PRCAT_001_1_ND	VARCHAR2
SUPPPR_PRLSNUM_001_1	SUPPPR_PRLSNUM_001_1	VARCHAR2
	SUPPPR_PRLSNUM_001_1_ND	VARCHAR2
PRTRT_001_1	PRTRT_001_1	VARCHAR2
	PRTRT_001_1_ND	VARCHAR2
PRPRES_001_1	PRPRES_001_1_C	VARCHAR2
	PRPRES_001_1	VARCHAR2
	PRPRES_001_1_ND	VARCHAR2
PRLOC_001_1	PRLOC_001_1_C	VARCHAR2
	PRLOC_001_1	VARCHAR2
	PRLOC_001_1_ND	VARCHAR2
PRSTDTC_001_1	PRSTDTC_001_1	DATE
	PRSTDTC_001_1_DTS	VARCHAR2
	PRSTDTC_001_1_DTR	VARCHAR2
	PRSTDTC_001_1_ND	VARCHAR2
X_PRONGO_001_1	X_PRONGO_001_1_C	VARCHAR2
	X_PRONGO_001_1	VARCHAR2
	X_PRONGO_001_1_ND	VARCHAR2
X_PRONGO_001_1 - PRENDTC_001_1	PRENDTC_001_1	DATE

	PRENDTC_001_1_DTS	VARCHAR2
	PRENDTC_001_1_DTR	VARCHAR2
PRSCAT_001_1	PRSCAT_001_1_C	VARCHAR2
	PRSCAT_001_1	VARCHAR2
	PRSCAT_001_1_ND	VARCHAR2
D_COMPTERM5_001_1	D_COMPTERM5_001_1	VARCHAR2
	D_COMPTERM5_001_1_ND	VARCHAR2
SUPPPR_PRLLT_001_1	SUPPPR_PRLLT_001_1	VARCHAR2
	SUPPPR_PRLLT_001_1_ND	VARCHAR2
SUPPPR_PRLTCD_001_1	SUPPPR_PRLTCD_001_1	VARCHAR2
	SUPPPR_PRLTCD_001_1_ND	VARCHAR2
PRDECOD_001_1	PRDECOD_001_1	VARCHAR2
	PRDECOD_001_1_ND	VARCHAR2
SUPPPR_PRPTCD_001_1	SUPPPR_PRPTCD_001_1	VARCHAR2
	SUPPPR_PRPTCD_001_1_ND	VARCHAR2
SUPPPR_PRHLT_001_1	SUPPPR_PRHLT_001_1	VARCHAR2
	SUPPPR_PRHLT_001_1_ND	VARCHAR2
SUPPPR_PRHLTCD_001_1	SUPPPR_PRHLTCD_001_1	VARCHAR2
	SUPPPR_PRHLTCD_001_1_ND	VARCHAR2
SUPPPR_PRHLGT_001_1	SUPPPR_PRHLGT_001_1	VARCHAR2
	SUPPPR_PRHLGT_001_1_ND	VARCHAR2
SUPPPR_PRHLGTC_001_1	SUPPPR_PRHLGTC_001_1	VARCHAR2
	SUPPPR_PRHLGTC_001_1_ND	VARCHAR2
SUPPPR_PRSOC_001_1	SUPPPR_PRSOC_001_1	VARCHAR2
	SUPPPR_PRSOC_001_1_ND	VARCHAR2
SUPPPR_PRSOCCD_001_1	SUPPPR_PRSOCCD_001_1	VARCHAR2
	SUPPPR_PRSOCCD_001_1_ND	VARCHAR2

C4221016: MOLECULAR BIOLOGY OF DISEASE (MBIO LOCAL) - Repeating Form [Z_MBIO001]												
#	Molecular Biology Of Disease											
1.	Schedule of Activities - Visit	Sample Collection Name:	Sample Collection Date	Sample Source:	Sample Site:	Sample Origin:	Sample Collection Procedure:	Analyte/Biomarker:	Analytical Method	Date Sample Analyzed:	Result Value:	Specific Gene Alteration:
1.1	Schedule of activities - visit: [read-only] [Schedule of Activities - Visit]		[Z_SOAVISIT_001] [A:104] ☐ SCREENING									
1.2	Sample Collection Name: [read-only] [Sample Collection Name:]		[Z_SAMPNAME_001] A80*									
1.3*	Sample Collection Date: [Sample Collection Date]		[Z_MBIOCDT_001] (DD/MM/YYYY) Req / / (2010-2035)									
1.4*	Sample Source: [Sample Source:]		[Z_MBIOSSR_001] [A:3] ☐ TISSUE ARCHIVED [A:2] ☐ TISSUE DE NOVO									
1.5*	Sample Site: [Sample Site:]		[Z_MBIOLOC_001] [A:76] ☐ LUNG [A:40] ☐ LIVER [A:108] ☐ LYMPH NODE [A:77] ☐ SKIN [A:28] ☐ BONE [A:71] ☐ BRAIN [A:647] ☐ HEAD AND NECK [A:158] ☐ CHEST [A:55] ☐ KIDNEY [A:68] ☐ SPLEEN [A:43] ☐ THYROID GLAND [A:633] ☐ MUSCLE [A:114] ☐ PELVIS [A:81] ☐ ADRENAL GLAND [A:999] ☐ [Z_MBIOLOCO_CMP_001] OTHER [Z_MBIOLOCO_001] Specify: A40*									
1.6*	Sample Origin: [Sample Origin:]		[Z_MBIOSOR_001] [A:1] ☐ PRIMARY [A:2] ☐ METASTATIC [A:3] ☐ UNKNOWN									
1.7*	Sample Collection Procedure: [Sample Collection Procedure:]		[Z_MBIOPRC_001] [A:2] ☐ CORE NEEDLE BIOPSY [A:7] ☐ RESECTION [A:13] ☐ UNKNOWN [A:16] ☐ [Z_MBIOPRCO_CMP_001] OTHER [Z_MBIOPRCO_001] Specify: A200*									
1.8	Analyte/Biomarker: [read-only] [Analyte/Biomarker:]		[Z_MBIOANL_001] [A:11] ☐ BRAF									

1.9* ✓	Analytical Method [Analytical Method]	[Z_MBIOMTH_001] [A:8] ☐ GENE SEQUENCING [A:9] ☐ QPCR
1.10* ✓	Date Time Sample Analyzed: [Date Sample Analyzed:]	[Z_MBIOADTC_001] (DD/MM/YYYY) Req / Req / Req (2010-2035)
1.11* ✓	Result Value: [Result Value:]	[Z_MBIOQLR_001] [A:1] ☐ POSITIVE [A:2] ☐ NEGATIVE
1.12* ✓	Specific Gene Alteration: [Specific Gene Alteration:]	[Z_MBIOGAL_001] [A:122] ☐ BRAF V600E [A:123] ☐ BRAF V600K [A:80] ☐ [Z_MBIOGAO_CMP_001] ☐ GENOTYPE, SPECIFY [Z_MBIOGAO_001] Specify: A80★

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_Z_MBIO001		
Data Variable RefName	RD Column Name	Column Data Type
RD_Z_MBIO001_Z_MBIO01001		
Z_SOAVISIT_001	Z_SOAVISIT_001_C	VARCHAR2
	Z_SOAVISIT_001	VARCHAR2
	Z_SOAVISIT_001_ND	VARCHAR2
Z_SAMPNAME_001	Z_SAMPNAME_001	VARCHAR2
	Z_SAMPNAME_001_ND	VARCHAR2
Z_MBIOCDT_001	Z_MBIOCDT_001	DATE
	Z_MBIOCDT_001_DTS	VARCHAR2
	Z_MBIOCDT_001_ND	VARCHAR2
Z_MBIOSSR_001	Z_MBIOSSR_001_C	VARCHAR2
	Z_MBIOSSR_001	VARCHAR2
	Z_MBIOSSR_001_ND	VARCHAR2
Z_MBIOLOC_001	Z_MBIOLOC_001_C	VARCHAR2
	Z_MBIOLOC_001	VARCHAR2
	Z_MBIOLOC_001_ND	VARCHAR2
Z_MBIOLOC_001 - Z_MBIOLOCO_001	Z_MBIOLOCO_001	VARCHAR2
Z_MBIOSOR_001	Z_MBIOSOR_001_C	VARCHAR2
	Z_MBIOSOR_001	VARCHAR2
	Z_MBIOSOR_001_ND	VARCHAR2
Z_MBIOPRC_001	Z_MBIOPRC_001_C	VARCHAR2
	Z_MBIOPRC_001	VARCHAR2
	Z_MBIOPRC_001_ND	VARCHAR2
Z_MBIOPRC_001 - Z_MBIOPRCO_001	Z_MBIOPRCO_001	VARCHAR2
Z_MBIOANL_001	Z_MBIOANL_001_C	VARCHAR2
	Z_MBIOANL_001	VARCHAR2
	Z_MBIOANL_001_ND	VARCHAR2
Z_MBIOMTH_001	Z_MBIOMTH_001_C	VARCHAR2

	Z_MBIOMTH_001	VARCHAR2
	Z_MBIOMTH_001_ND	VARCHAR2
Z_MBIOADTC_001	Z_MBIOADTC_001	DATE
	Z_MBIOADTC_001_DTS	VARCHAR2
	Z_MBIOADTC_001_ND	VARCHAR2
Z_MBIOQLR_001	Z_MBIOQLR_001_C	VARCHAR2
	Z_MBIOQLR_001	VARCHAR2
	Z_MBIOQLR_001_ND	VARCHAR2
Z_MBIOGAL_001	Z_MBIOGAL_001_C	VARCHAR2
	Z_MBIOGAL_001	VARCHAR2
	Z_MBIOGAL_001_ND	VARCHAR2
Z_MBIOGAL_001 - Z_MBIOGAO_001	Z_MBIOGAO_001	VARCHAR2

C4221016: MOLECULAR BIOLOGY OF DISEASE - TUMOR TISSUE COLLECTION (MBIO TISSU) [Z_MBIO002]										
Molecular Biology of Disease - Biomarker [Z_MBIO01002]										
# ✓	Was Sample Collected	Schedule of Activities - Visit	Specimen Collection Procedure Date	Sample Collection Name	Sample Source	Sample Site	Sample Origin	Sample Processing	Sample Collection Procedure	Other Collection P
1.a		SCREENING			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.b		SCREENING			TISSUE ARCHIVED			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.c		C2D1			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.d		C3D1			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.e		UNPL			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.f		UNPL			TISSUE ARCHIVED			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.g		EOT			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
Molecular Biology of Disease - Biomarker Entry [Z_MBIO01002]										
1.1 ✓	Was sample collected? [Was Sample Collected]			[Z_MBIOSMC_002] [A:Y] ☐ YES [A:N] ☐ NO						
1.2 ✓ ☐	Schedule of activities - visit: [Schedule of Activities - Visit]			[Z_SOAVISIT_002] [A:4] ☐ C2D1 [A:20] ☐ SCREENING [A:12] ☐ EOT [A:21] ☐ UNPL [A:5] ☐ C3D1						
1.3 ✓	Specimen collection procedure date: [Specimen Collection Procedure Date]			[Z_MBIOPDAT_002] (DD/MM/YYYY) Req / Req / Req (2010-2035)						
1.4	Sample collection name: <i>[read-only]</i> [Sample Collection Name]			[Z_SAMPNAME_002] A80*						
1.5 ✓ ☐	Sample source: [Sample Source]			[Z_MBIOSSR_002] [A:2] ☐ TISSUE DE NOVO [A:3] ☐ TISSUE ARCHIVED						
1.6 ✓	Anatomic site of tissue collection; [Sample Site]			[Z_MBIOLOC_002] [A:40] ☐ LIVER [A:76] ☐ LUNG [A:108] ☐ LYMPH NODE [A:77] ☐ SKIN [A:647] ☐ HEAD AND NECK [A:158] ☐ CHEST [A:55] ☐ KIDNEY [A:68] ☐ SPLEEN [A:43] ☐ THYROID GLAND [A:633] ☐ MUSCLE [A:114] ☐ PELVIS [A:81] ☐ ADRENAL GLAND [A:999] ☐ [Z_MBILOCO_CMP_002] ☐						

		OTHER [Z_MBILOCO_002] Other, specify: A40★
1.7 ✓	Tumor sample origin: [Sample Origin]	[Z_MBIOSOR_002] [A:16] ☐ PRIMARY [A:17] ☐ METASTATIC [A:18] ☐ UNKNOWN
1.8 ☐	Sample processing: [read-only] [Sample Processing]	[Z_MBIOPS_002] [A:4] ☐ FORMALIN FIXED AND PARAFFIN EMBEDDED
1.9 ✓	Sample collection procedure: [Sample Collection Procedure]	[Z_MBIOPRC_002] [A:2] ☐ CORE NEEDLE BIOPSY [A:7] ☐ RESECTION [A:13] ☐ UNKNOWN [A:16] ☐ OTHER
1.10 ✓	Other, specify: [Other Collection Procedure Specify]	[Z_MBIOPOS_002] A80★
1.11 ✓	Biopsy sample from: [Biopsy Sample From]	[Z_MBIOFRM_002] [A:2] ☐ SLIDES [A:5] ☐ FORMALIN FIXED AND PARAFFIN EMBEDDED BLOCK
1.12 ✓	Date slides cut at investigator site: [Date Slides Cut at Investigator Site]	[Z_MBIIDAT_002] (DD/MM/YYYY) Req / Req / Req (2020-2035)
1.13 ✓	Date specimen sent to lab: [Date Specimen Sent to Lab]	[Z_MBIOLDAT_002] (DD/MM/YYYY) Req / Req / Req (2020-2035)
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [☐] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

RDE Analytics: RD_Z_MBIO002		
Data Variable RefName	RD Column Name	Column Data Type
RD_Z_MBIO002_Z_MBIO01002		
Z_MBIOSMC_002	Z_MBIOSMC_002_C	VARCHAR2
	Z_MBIOSMC_002	VARCHAR2
	Z_MBIOSMC_002_ND	VARCHAR2
Z_SOAVISIT_002	Z_SOAVISIT_002_C	VARCHAR2
	Z_SOAVISIT_002	VARCHAR2
	Z_SOAVISIT_002_ND	VARCHAR2
Z_MBIOPDAT_002	Z_MBIOPDAT_002	DATE
	Z_MBIOPDAT_002_DTS	VARCHAR2
	Z_MBIOPDAT_002_ND	VARCHAR2
Z_SAMPNAME_002	Z_SAMPNAME_002	VARCHAR2
	Z_SAMPNAME_002_ND	VARCHAR2
Z_MBIOSSR_002	Z_MBIOSSR_002_C	VARCHAR2
	Z_MBIOSSR_002	VARCHAR2
	Z_MBIOSSR_002_ND	VARCHAR2
Z_MBIoloc_002	Z_MBIoloc_002_C	VARCHAR2
	Z_MBIoloc_002	VARCHAR2
	Z_MBIoloc_002_ND	VARCHAR2
Z_MBIoloc_002 - Z_MBIOLOCO_002	Z_MBIOLOCO_002	VARCHAR2
Z_MBIOSOR_002	Z_MBIOSOR_002_C	VARCHAR2

	Z_MBIOSOR_002	VARCHAR2
	Z_MBIOSOR_002_ND	VARCHAR2
Z_MBIOPS_002	Z_MBIOPS_002_C	VARCHAR2
	Z_MBIOPS_002	VARCHAR2
	Z_MBIOPS_002_ND	VARCHAR2
Z_MBIOPRC_002	Z_MBIOPRC_002_C	VARCHAR2
	Z_MBIOPRC_002	VARCHAR2
	Z_MBIOPRC_002_ND	VARCHAR2
Z_MBIOPOS_002	Z_MBIOPOS_002	VARCHAR2
	Z_MBIOPOS_002_ND	VARCHAR2
Z_MBIOFRM_002	Z_MBIOFRM_002_C	VARCHAR2
	Z_MBIOFRM_002	VARCHAR2
	Z_MBIOFRM_002_ND	VARCHAR2
Z_MBIOIDAT_002	Z_MBIOIDAT_002	DATE
	Z_MBIOIDAT_002_DTS	VARCHAR2
	Z_MBIOIDAT_002_ND	VARCHAR2
Z_MBIOLDAT_002	Z_MBIOLDAT_002	DATE
	Z_MBIOLDAT_002_DTS	VARCHAR2
	Z_MBIOLDAT_002_ND	VARCHAR2

C4221016: MOLECULAR BIOLOGY OF DISEASE - BIOMARKER - WHOLE BLOOD CONTROL (MBIO BLOOD) [Z_MBIO002_1]

Molecular Biology of Disease - Biomarker [Z_MBIO01002_1]

# ✓	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		C1D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_MBIO01002_1]

1.1

Was sample collected?
[Was Sample Collected]

[Z_MBIOSMC_002_1]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_1]

[A:3] ☐ C1D1

[A:21] ☐ UNPL

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_1]

A80★

1.4

Sample source:
[Sample Source]

[Z_MBIOSSR_002_1]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_MBIODTC_002_1] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

1.6

Tumor sample origin: [read-only]
[Sample Origin]

[Z_MBIOSOR_002_1]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_MBIOPS_002_1]

[A:2] ☐ FROZEN

1.8

Sample collection procedure: [read-only]
[Sample Collection Procedure]

[Z_MBIOPRC_002_1]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBIOLDAT_002_1] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

Key: [✓] = Source verification required [] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_Z_MBIO002_1		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_1_Z_MBIO01002_1		
Z_MBIOSMC_002_1	Z_MBIOSMC_002_1_C	VARCHAR2
	Z_MBIOSMC_002_1	VARCHAR2
	Z_MBIOSMC_002_1_ND	VARCHAR2
Z_SOAVISIT_002_1	Z_SOAVISIT_002_1_C	VARCHAR2
	Z_SOAVISIT_002_1	VARCHAR2
	Z_SOAVISIT_002_1_ND	VARCHAR2
Z_SAMPNAME_002_1	Z_SAMPNAME_002_1	VARCHAR2
	Z_SAMPNAME_002_1_ND	VARCHAR2
Z_MBIOSSR_002_1	Z_MBIOSSR_002_1_C	VARCHAR2
	Z_MBIOSSR_002_1	VARCHAR2
	Z_MBIOSSR_002_1_ND	VARCHAR2
Z_MBIODTC_002_1	Z_MBIODTC_002_1	DATE
	Z_MBIODTC_002_1_DTS	VARCHAR2
	Z_MBIODTC_002_1_ND	VARCHAR2
Z_MBIOSOR_002_1	Z_MBIOSOR_002_1_C	VARCHAR2

	Z_MBIOSOR_002_1	VARCHAR2
	Z_MBIOSOR_002_1_ND	VARCHAR2
Z_MBIOPS_002_1	Z_MBIOPS_002_1_C	VARCHAR2
	Z_MBIOPS_002_1	VARCHAR2
	Z_MBIOPS_002_1_ND	VARCHAR2
Z_MBIOPRC_002_1	Z_MBIOPRC_002_1_C	VARCHAR2
	Z_MBIOPRC_002_1	VARCHAR2
	Z_MBIOPRC_002_1_ND	VARCHAR2
Z_MBIOLDAT_002_1	Z_MBIOLDAT_002_1	DATE
	Z_MBIOLDAT_002_1_DTS	VARCHAR2
	Z_MBIOLDAT_002_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - CIRCULATING PROTEIN (MBIO PROTN) [Z_M BIO002_2]

Molecular Biology of Disease - Biomarker [Z_M BIO01002_2]

# ✓	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		C1D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		C1D8		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.c		C1D15		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.d		C2D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.e		C3D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.f		C5D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.g		C7D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.h		EOT		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.i		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_M BIO01002_2]

1.1

Was sample collected?
[Was Sample Collected]

[Z_M BIOSMC_002_2]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_2]

[Z_SOAVISIT_CL_002_2]

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_2]

A80*

1.4

Sample source:
[Sample Source]

[Z_M BIOSSR_002_2]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_M BIOCDTC_002_2] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

1.6

Tumor sample origin: [read-only]
[Sample Origin]

[Z_M BIOSOR_002_2]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_M BIOPS_002_2]

[A:2] ☐ FROZEN

1.8

Sample collection procedure: [read-only]
[Sample Collection Procedure]

[Z_M BIOPRC_002_2]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_M BIOLDAT_002_2] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

Key: [✓] = Source verification required [☐] = Fixed item [*] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: MOLECULAR BIOLOGY OF DISEASE - CIRCULATING PROTEIN						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
Z_SOAVISIT_CL_002_2	String		C1D1	3	cliSOAVISIT_3	Z_SOAVISIT_002_2
			C1D8	8	cliSOAVISIT_8	
			C1D15	9	cliSOAVISIT_9	
			C2D1	4	cliSOAVISIT_4	
			C3D1	5	cliSOAVISIT_5	
			C5D1	19	cliSOAVISIT_19	
			C7D1	22	cliSOAVISIT_22	
			EOT	12	cliSOAVISIT_12	
			UNPL	21	cliSOAVISIT_21	

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007.... 11/7/2024

RDE Analytics: RD_Z_MBIO002_2		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_2_Z_MBIO1002_2		
Z_MBIOSMC_002_2	Z_MBIOSMC_002_2_C	VARCHAR2
	Z_MBIOSMC_002_2	VARCHAR2
	Z_MBIOSMC_002_2_ND	VARCHAR2
Z_SOAVISIT_002_2	Z_SOAVISIT_002_2_C	VARCHAR2
	Z_SOAVISIT_002_2	VARCHAR2
	Z_SOAVISIT_002_2_ND	VARCHAR2
Z_SAMPNAME_002_2	Z_SAMPNAME_002_2	VARCHAR2
	Z_SAMPNAME_002_2_ND	VARCHAR2
Z_MBIOSSR_002_2	Z_MBIOSSR_002_2_C	VARCHAR2
	Z_MBIOSSR_002_2	VARCHAR2
	Z_MBIOSSR_002_2_ND	VARCHAR2
Z_MBI OCDTC_002_2	Z_MBI OCDTC_002_2	DATE
	Z_MBI OCDTC_002_2_DTS	VARCHAR2
	Z_MBI OCDTC_002_2_ND	VARCHAR2
Z_MBIOSOR_002_2	Z_MBIOSOR_002_2_C	VARCHAR2
	Z_MBIOSOR_002_2	VARCHAR2
	Z_MBIOSOR_002_2_ND	VARCHAR2
Z_MBIOPS_002_2	Z_MBIOPS_002_2_C	VARCHAR2
	Z_MBIOPS_002_2	VARCHAR2
	Z_MBIOPS_002_2_ND	VARCHAR2
Z_MBIOPRC_002_2	Z_MBIOPRC_002_2_C	VARCHAR2
	Z_MBIOPRC_002_2	VARCHAR2
	Z_MBIOPRC_002_2_ND	VARCHAR2
Z_MBIOLDAT_002_2	Z_MBIOLDAT_002_2	DATE
	Z_MBIOLDAT_002_2_DTS	VARCHAR2
	Z_MBIOLDAT_002_2_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - ctDNA BRAF V600E/K (MBIO CTDNA) [Z_MBio002_5]

Molecular Biology of Disease - Biomarker [Z_MBio01002_5]

# ▼	Was Sample Collected*	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		SCREENING		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_MBio01002_5]

1.1*
▼

Was sample collected?
[Was Sample Collected]

[Z_MBioSMC_002_5]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2
▼
☒

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_5]

[A:20] ☐ SCREENING

1.3

Sample collection name: *[read-only]*
[Sample Collection Name]

[Z_SAMPNAME_002_5]

A80★

1.4
▼
☒

Sample source:
[Sample Source]

[Z_MBioSSR_002_5]

[A:1] ☐ BLOOD

1.5
▼

Date Time of sample collection:
[Date of Sample Collection]

[Z_MBioCDTC_002_5] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2020-2035)

1.6
☒

Tumor sample origin: *[read-only]*
[Sample Origin]

[Z_MBioSOR_002_5]

[A:18] ☐ UNKNOWN

1.7
☒

Sample processing: *[read-only]*
[Sample Processing]

[Z_MBioPS_002_5]

[A:2] ☐ FROZEN

1.8
☒

Sample collection procedure: *[read-only]*
[Sample Collection Procedure]

[Z_MBioPRC_002_5]

[A:10] ☐ PERIPHERAL BLOOD

1.9
▼

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBioLDAT_002_5] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2020-2035)

Key: [*] = Item is required [▼] = Source verification required ☒ = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_Z_MBio002_5		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBio002_5_Z_MBio01002_5		
Z_MBioSMC_002_5	Z_MBioSMC_002_5_C	VARCHAR2
	Z_MBioSMC_002_5	VARCHAR2
	Z_MBioSMC_002_5_ND	VARCHAR2
Z_SOAVISIT_002_5	Z_SOAVISIT_002_5_C	VARCHAR2
	Z_SOAVISIT_002_5	VARCHAR2
	Z_SOAVISIT_002_5_ND	VARCHAR2
Z_SAMPNAME_002_5	Z_SAMPNAME_002_5	VARCHAR2
	Z_SAMPNAME_002_5_ND	VARCHAR2
Z_MBioSSR_002_5	Z_MBioSSR_002_5_C	VARCHAR2
	Z_MBioSSR_002_5	VARCHAR2
	Z_MBioSSR_002_5_ND	VARCHAR2
Z_MBioCDTC_002_5	Z_MBioCDTC_002_5	DATE
	Z_MBioCDTC_002_5_DTS	VARCHAR2
	Z_MBioCDTC_002_5_ND	VARCHAR2
Z_MBioSOR_002_5	Z_MBioSOR_002_5_C	VARCHAR2
	Z_MBioSOR_002_5	VARCHAR2

	Z_MBIOSOR_002_5_ND	VARCHAR2
Z_MBIOPS_002_5	Z_MBIOPS_002_5_C	VARCHAR2
	Z_MBIOPS_002_5	VARCHAR2
	Z_MBIOPS_002_5_ND	VARCHAR2
Z_MBIOPRC_002_5	Z_MBIOPRC_002_5_C	VARCHAR2
	Z_MBIOPRC_002_5	VARCHAR2
	Z_MBIOPRC_002_5_ND	VARCHAR2
Z_MBIOLDAT_002_5	Z_MBIOLDAT_002_5	DATE
	Z_MBIOLDAT_002_5_DTS	VARCHAR2
	Z_MBIOLDAT_002_5_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - IMMUNE CELL PROFILING (MBIO IMMUN) [Z_MBIO002_3]

Molecular Biology of Disease - Biomarker [Z_MBIO01002_3]

# ✓	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		C1D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		C1D8		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.c		C1D15		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.d		C2D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.e		C3D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.f		C5D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.g		C7D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.h		EOT		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.i		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_MBIO01002_3]

1.1

Was sample collected?
[Was Sample Collected]

[Z_MBIOSMC_002_3]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_3]

[Z_SOAVISIT_CL_002_3]

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_3]

A80*

1.4

Sample source:
[Sample Source]

[Z_MBIOSR_002_3]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_MBIOSDC_002_3] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

1.6

Tumor sample origin: [read-only]
[Sample Origin]

[Z_MBIOSOR_002_3]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_MBIOPS_002_3]

[A:2] ☐ FROZEN

1.8

Sample collection procedure: [read-only]
[Sample Collection Procedure]

[Z_MBIOPRC_002_3]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBIOLDAT_002_3] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

Key: [✓] = Source verification required [☐] = Fixed item [*] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: MOLECULAR BIOLOGY OF DISEASE - IMMUNE CELL PROFILING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
Z_SOAVISIT_CL_002_3	String		C1D1	3	cliSOAVISIT_3	Z_SOAVISIT_002_3
			C1D8	8	cliSOAVISIT_8	
			C1D15	9	cliSOAVISIT_9	
			C2D1	4	cliSOAVISIT_4	
			C3D1	5	cliSOAVISIT_5	
			C5D1	19	cliSOAVISIT_19	
			C7D1	22	cliSOAVISIT_22	
			EOT	12	cliSOAVISIT_12	
			UNPL	21	cliSOAVISIT_21	

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

RDE Analytics: RD_Z_MBIO002_3		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_3_Z_MBIO1002_3		
Z_MBIOSMC_002_3	Z_MBIOSMC_002_3_C	VARCHAR2
	Z_MBIOSMC_002_3	VARCHAR2
	Z_MBIOSMC_002_3_ND	VARCHAR2
Z_SOAVISIT_002_3	Z_SOAVISIT_002_3_C	VARCHAR2
	Z_SOAVISIT_002_3	VARCHAR2
	Z_SOAVISIT_002_3_ND	VARCHAR2
Z_SAMPNAME_002_3	Z_SAMPNAME_002_3	VARCHAR2
	Z_SAMPNAME_002_3_ND	VARCHAR2
Z_MBIOSSR_002_3	Z_MBIOSSR_002_3_C	VARCHAR2
	Z_MBIOSSR_002_3	VARCHAR2
	Z_MBIOSSR_002_3_ND	VARCHAR2
Z_MBI OCDTC_002_3	Z_MBI OCDTC_002_3	DATE
	Z_MBI OCDTC_002_3_DTS	VARCHAR2
	Z_MBI OCDTC_002_3_ND	VARCHAR2
Z_MBIOSOR_002_3	Z_MBIOSOR_002_3_C	VARCHAR2
	Z_MBIOSOR_002_3	VARCHAR2
	Z_MBIOSOR_002_3_ND	VARCHAR2
Z_MBIOPS_002_3	Z_MBIOPS_002_3_C	VARCHAR2
	Z_MBIOPS_002_3	VARCHAR2
	Z_MBIOPS_002_3_ND	VARCHAR2
Z_MBIOPRC_002_3	Z_MBIOPRC_002_3_C	VARCHAR2
	Z_MBIOPRC_002_3	VARCHAR2
	Z_MBIOPRC_002_3_ND	VARCHAR2
Z_MBIOLDAT_002_3	Z_MBIOLDAT_002_3	DATE
	Z_MBIOLDAT_002_3_DTS	VARCHAR2
	Z_MBIOLDAT_002_3_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - LONGITUDINAL ctDNA ANALYSIS (MBIO LDNA) [Z_M BIO002_6]

Molecular Biology of Disease - Biomarker [Z_M BIO01002_6]

# ✓	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		C1D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		C2D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.c		C4D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.d		C7D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.e		EOT		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.f		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_M BIO01002_6]

1.1

Was sample collected?
[Was Sample Collected]

[Z_M BIOSMC_002_6]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_6]

[Z_SOAVISIT_CL_002_6]

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_6]

A80★

1.4

Sample source:
[Sample Source]

[Z_M BIOSSR_002_6]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_M BIOCDTC_002_6] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

1.6

Tumor sample origin: [read-only]
[Sample Origin]

[Z_M BIOSOR_002_6]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_M BIOIPS_002_6]

[A:2] ☐ FROZEN

1.8

Sample collection procedure: [read-only]
[Sample Collection Procedure]

[Z_M BIOPRC_002_6]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_M BIOLDAT_002_6] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

Key: [✓] = Source verification required [] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: MOLECULAR BIOLOGY OF DISEASE - LONGITUDINAL ctDNA ANALYSIS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
Z_SOAVISIT_CL_002_6	String		C1D1	3	cliSOAVISIT_3	Z_SOAVISIT_002_6
			C2D1	4	cliSOAVISIT_4	
			C4D1	18	cliSOAVISIT_18	
			C7D1	22	cliSOAVISIT_22	
			EOT	12	cliSOAVISIT_12	
			UNPL	21	cliSOAVISIT_21	

RDE Analytics: RD_Z_M BIO002_6		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_M BIO002_6_Z_M BIO01002_6		
Z_M BIOSMC_002_6	Z_M BIOSMC_002_6_C	VARCHAR2
	Z_M BIOSMC_002_6	VARCHAR2
	Z_M BIOSMC_002_6_ND	VARCHAR2

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007.... 11/7/2024

Z_SOAVISIT_002_6	Z_SOAVISIT_002_6_C	VARCHAR2
	Z_SOAVISIT_002_6	VARCHAR2
	Z_SOAVISIT_002_6_ND	VARCHAR2
Z_SAMPNAME_002_6	Z_SAMPNAME_002_6	VARCHAR2
	Z_SAMPNAME_002_6_ND	VARCHAR2
Z_MBIOSSR_002_6	Z_MBIOSSR_002_6_C	VARCHAR2
	Z_MBIOSSR_002_6	VARCHAR2
	Z_MBIOSSR_002_6_ND	VARCHAR2
Z_MBIODTC_002_6	Z_MBIODTC_002_6	DATE
	Z_MBIODTC_002_6_DTS	VARCHAR2
	Z_MBIODTC_002_6_ND	VARCHAR2
Z_MBIOSOR_002_6	Z_MBIOSOR_002_6_C	VARCHAR2
	Z_MBIOSOR_002_6	VARCHAR2
	Z_MBIOSOR_002_6_ND	VARCHAR2
Z_MBIOPS_002_6	Z_MBIOPS_002_6_C	VARCHAR2
	Z_MBIOPS_002_6	VARCHAR2
	Z_MBIOPS_002_6_ND	VARCHAR2
Z_MBIOPRC_002_6	Z_MBIOPRC_002_6_C	VARCHAR2
	Z_MBIOPRC_002_6	VARCHAR2
	Z_MBIOPRC_002_6_ND	VARCHAR2
Z_MBIOLDAT_002_6	Z_MBIOLDAT_002_6	DATE
	Z_MBIOLDAT_002_6_DTS	VARCHAR2
	Z_MBIOLDAT_002_6_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - TCR SEQUENCING (MBIO TCR) [Z_MBIO002_4]

Molecular Biology of Disease - Biomarker [Z_MBIO01002_4]

# ✓	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		C1D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		C1D8		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.c		C1D15		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.d		C2D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.e		C3D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.f		C5D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.g		C7D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.h		EOT		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.i		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_MBIO01002_4]

1.1

Was sample collected?
[Was Sample Collected]

[Z_MBIOSMC_002_4]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_4]

[Z_SOAVISIT_CL_002_4]

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_4]

A80*

1.4

Sample source:
[Sample Source]

[Z_MBIOSR_002_4]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_MBIOSDC_002_4] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

1.6

Tumor sample origin: [read-only]
[Sample Origin]

[Z_MBIOSOR_002_4]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_MBIOPS_002_4]

[A:2] ☐ FROZEN

1.8

Sample collection procedure: [read-only]
[Sample Collection Procedure]

[Z_MBIOPRC_002_4]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBIOLDAT_002_4] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

Key: [✓] = Source verification required [☐] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: MOLECULAR BIOLOGY OF DISEASE - TCR SEQUENCING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
Z_SOAVISIT_CL_002_4	String		C1D1	3	cliSOAVISIT_3	Z_SOAVISIT_002_4
			C1D8	8	cliSOAVISIT_8	
			C1D15	9	cliSOAVISIT_9	
			C2D1	4	cliSOAVISIT_4	
			C3D1	5	cliSOAVISIT_5	
			C5D1	19	cliSOAVISIT_19	
			C7D1	22	cliSOAVISIT_22	
			EOT	12	cliSOAVISIT_12	
			UNPL	21	cliSOAVISIT_21	

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

RDE Analytics: RD_Z_MBIO002_4		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_4_Z_MBIO1002_4		
Z_MBIOSMC_002_4	Z_MBIOSMC_002_4_C	VARCHAR2
	Z_MBIOSMC_002_4	VARCHAR2
	Z_MBIOSMC_002_4_ND	VARCHAR2
Z_SOAVISIT_002_4	Z_SOAVISIT_002_4_C	VARCHAR2
	Z_SOAVISIT_002_4	VARCHAR2
	Z_SOAVISIT_002_4_ND	VARCHAR2
Z_SAMPNAME_002_4	Z_SAMPNAME_002_4	VARCHAR2
	Z_SAMPNAME_002_4_ND	VARCHAR2
Z_MBIOSSR_002_4	Z_MBIOSSR_002_4_C	VARCHAR2
	Z_MBIOSSR_002_4	VARCHAR2
	Z_MBIOSSR_002_4_ND	VARCHAR2
Z_MBI OCDTC_002_4	Z_MBI OCDTC_002_4	DATE
	Z_MBI OCDTC_002_4_DTS	VARCHAR2
	Z_MBI OCDTC_002_4_ND	VARCHAR2
Z_MBIOSOR_002_4	Z_MBIOSOR_002_4_C	VARCHAR2
	Z_MBIOSOR_002_4	VARCHAR2
	Z_MBIOSOR_002_4_ND	VARCHAR2
Z_MBIOPS_002_4	Z_MBIOPS_002_4_C	VARCHAR2
	Z_MBIOPS_002_4	VARCHAR2
	Z_MBIOPS_002_4_ND	VARCHAR2
Z_MBIOPRC_002_4	Z_MBIOPRC_002_4_C	VARCHAR2
	Z_MBIOPRC_002_4	VARCHAR2
	Z_MBIOPRC_002_4_ND	VARCHAR2
Z_MBIOLDAT_002_4	Z_MBIOLDAT_002_4	DATE
	Z_MBIOLDAT_002_4_DTS	VARCHAR2
	Z_MBIOLDAT_002_4_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: PK DOSING (MRD ENCO) - Repeating Form [EC001_5_1]

#	Treatment Name	Formulation:	Route:	Comparison Term	Row ID	Time Point Reference	Start Date Time:	Actual Dose:	Unit:
1									

PK DOSING [EC01001_5_1]

1.	Treatment Name [read-only] [Treatment Name]	[ECTRT_001_5_1] A100★							
2.	Formulation: [read-only] [Formulation:]	[ECDOSFRM_001_5_1] [A:11] ☐ CAPSULE							
3.	Route: [read-only] [Route:]	[ECROUTE_001_5_1] [A:84] ☐ ORAL							
4.	Standardized Medication Name - Dictionary Derived [hidden] [Standardized Medication Name]	[SUPPEC_ECDECOD_001_5_1] A100★							
5.	Standardized Medication Code - Dictionary Derived [hidden] [Standardized Medication Code]	[SUPPEC_ECCD_001_5_1] A11★							
6.	Comparison Term [read-only] [Comparison Term]	[D_COMPTERM4_001_5_1] A255★							
7.	Row ID [read-only] [Row ID]	[ECGRPID_001_5_1] [A:1] ☐ 1							
8.	Reference Time Point: [read-only] [Time Point Reference]	[ECTPTREF_001_5_1] [A:5] ☐ MOST RECENT DOSE							
9.* ✔	Start Date Time: [Start Date Time:]	[ECSTDTC_001_5_1] (DD/MM/YYYY hh:mm) Req / Req / Req (2020-2035) Req : Req 24-hour clock							
10.* ✔	Actual Dose: [Actual Dose:]	[ECDOSE_001_5_1] xxxxxx.							
11.	Unit: [read-only] [Unit:]	[ECDOSU_001_5_1] [A:8] ☐ mg							

Key: [*] = Item is required [✔] = Source verification required [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PK DOSING		
Type	RefName	Description
Form	EC001_5_1	PK DOSING
Section	EC01001_5_1	PK DOSING

Coding Summary: PK DOSING		
Verbatim RefName: ECTRT_001_5_1		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPEC_ECDECOD_001_5_1	PT	Term
SUPPEC_ECCD_001_5_1	PT	Code

RDE Analytics: RD_EC001_5_1		

Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_5_1	ECTRT_001_5_1	VARCHAR2
	ECTRT_001_5_1_ND	VARCHAR2
ECDOSFRM_001_5_1	ECDOSFRM_001_5_1_C	VARCHAR2
	ECDOSFRM_001_5_1	VARCHAR2
	ECDOSFRM_001_5_1_ND	VARCHAR2
ECROUTE_001_5_1	ECROUTE_001_5_1_C	VARCHAR2
	ECROUTE_001_5_1	VARCHAR2
	ECROUTE_001_5_1_ND	VARCHAR2
SUPPEC_ECDECOD_001_5_1	SUPPEC_ECDECOD_001_5_1	VARCHAR2
	SUPPEC_ECDECOD_001_5_1_ND	VARCHAR2
SUPPEC_ECCD_001_5_1	SUPPEC_ECCD_001_5_1	VARCHAR2
	SUPPEC_ECCD_001_5_1_ND	VARCHAR2
D_COMPTERM4_001_5_1	D_COMPTERM4_001_5_1	VARCHAR2
	D_COMPTERM4_001_5_1_ND	VARCHAR2
ECGRPID_001_5_1	ECGRPID_001_5_1_C	VARCHAR2
	ECGRPID_001_5_1	VARCHAR2
	ECGRPID_001_5_1_ND	VARCHAR2
ECTPTREF_001_5_1	ECTPTREF_001_5_1_C	VARCHAR2
	ECTPTREF_001_5_1	VARCHAR2
	ECTPTREF_001_5_1_ND	VARCHAR2
ECSTDTC_001_5_1	ECSTDTC_001_5_1	DATE
	ECSTDTC_001_5_1_DTS	VARCHAR2
	ECSTDTC_001_5_1_ND	VARCHAR2
ECDOSE_001_5_1	ECDOSE_001_5_1	FLOAT
	ECDOSE_001_5_1_ND	VARCHAR2
ECDOSU_001_5_1	ECDOSU_001_5_1_C	VARCHAR2
	ECDOSU_001_5_1	VARCHAR2
	ECDOSU_001_5_1_ND	VARCHAR2

C4221016: PK DOSING (MRD BINI) - Repeating Form [EC001_5_2]

#	Treatment Name	Formulation:	Route:	Comparison Term	Row ID	Time Point Reference	Start Date Time:	Actual Dose:	Unit:
1									

PK DOSING [EC01001_5_2]

1.	Treatment Name [read-only] [Treatment Name]	[ECTRT_001_5_2] A100★							
2.	Formulation: [read-only] [Formulation:]	[ECDOSFRM_001_5_2] [A:146] ☐ TABLET							
3.	Route: [read-only] [Route:]	[ECROUTE_001_5_2] [A:84] ☐ ORAL							
4.	Standardized Medication Name - Dictionary Derived [hidden] [Standardized Medication Name]	[SUPPEC_ECDECOD_001_5_2] A100★							
5.	Standardized Medication Code - Dictionary Derived [hidden] [Standardized Medication Code]	[SUPPEC_ECCD_001_5_2] A11★							
6.	Comparison Term [read-only] [Comparison Term]	[D_COMPTERM4_001_5_2] A255★							
7.	Row ID [read-only] [Row ID]	[ECGRPID_001_5_2] [A:1] ☐ 1							
8.	Reference Time Point: [read-only] [Time Point Reference]	[ECTPTREF_001_5_2] [A:5] ☐ MOST RECENT DOSE							
9.* ✔	Start Date Time: [Start Date Time:]	[ECSTDTC_001_5_2] (DD/MM/YYYY hh:mm) Req ▼ / Req ▼ / Req ▼ (2020-2035) Req ▼ : Req ▼ 24-hour clock							
10.* ✔	Actual Dose: [Actual Dose:]	[ECDOSE_001_5_2] xxxxxx.							
11.	Unit: [read-only] [Unit:]	[ECDOSU_001_5_2] [A:8] ☐ mg							

Key: [*] = Item is required [✔] = Source verification required [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PK DOSING		
Type	RefName	Description
Form	EC001_5_2	PK DOSING
Section	EC01001_5_2	PK DOSING

Coding Summary: PK DOSING			
Verbatim RefName: ECTRT_001_5_2			
Dictionary: Pfizer WHODD Verbatim Type:			
Coding Item RefName	Level	Level Type	
SUPPEC_ECDECOD_001_5_2	PT	Term	
SUPPEC_ECCD_001_5_2	PT	Code	

RDE Analytics: RD_EC001_5_2		

Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_5_2	ECTRT_001_5_2	VARCHAR2
	ECTRT_001_5_2_ND	VARCHAR2
ECDOSFRM_001_5_2	ECDOSFRM_001_5_2_C	VARCHAR2
	ECDOSFRM_001_5_2	VARCHAR2
	ECDOSFRM_001_5_2_ND	VARCHAR2
ECROUTE_001_5_2	ECROUTE_001_5_2_C	VARCHAR2
	ECROUTE_001_5_2	VARCHAR2
	ECROUTE_001_5_2_ND	VARCHAR2
SUPPEC_ECDECOD_001_5_2	SUPPEC_ECDECOD_001_5_2	VARCHAR2
	SUPPEC_ECDECOD_001_5_2_ND	VARCHAR2
SUPPEC_ECCD_001_5_2	SUPPEC_ECCD_001_5_2	VARCHAR2
	SUPPEC_ECCD_001_5_2_ND	VARCHAR2
D_COMPTERM4_001_5_2	D_COMPTERM4_001_5_2	VARCHAR2
	D_COMPTERM4_001_5_2_ND	VARCHAR2
ECGRPID_001_5_2	ECGRPID_001_5_2_C	VARCHAR2
	ECGRPID_001_5_2	VARCHAR2
	ECGRPID_001_5_2_ND	VARCHAR2
ECTPTREF_001_5_2	ECTPTREF_001_5_2_C	VARCHAR2
	ECTPTREF_001_5_2	VARCHAR2
	ECTPTREF_001_5_2_ND	VARCHAR2
ECSTDTC_001_5_2	ECSTDTC_001_5_2	DATE
	ECSTDTC_001_5_2_DTS	VARCHAR2
	ECSTDTC_001_5_2_ND	VARCHAR2
ECDOSE_001_5_2	ECDOSE_001_5_2	FLOAT
	ECDOSE_001_5_2_ND	VARCHAR2
ECDOSU_001_5_2	ECDOSU_001_5_2_C	VARCHAR2
	ECDOSU_001_5_2	VARCHAR2
	ECDOSU_001_5_2_ND	VARCHAR2

C4221016: NON-DRUG TREATMENTS- CANCER SURGERY (ON FU SURG) [PR001_3]**Non-Drug Treatments [PR01001_3]**

# ✓	Category	Con Non-Drug Treatments Pre-specified	Treatment*	Start Date*	Comparison Term	Lowest Level Term	Lowest Level Term Code	Dictionary Derived Term	Preferred Term Code	High Level Term	High Level Term Code	High Level Group
1.a		NO										
1.b		NO										
1.c		NO										
1.d		NO										
1.e		NO										
1.f		NO										
1.g		NO										
1.h		NO										
1.i		NO										
1.j		NO										

Non-Drug Treatments Entry [PR01001_3]

1.1	Category: <i>[read-only]</i> [Category]	[PRCAT_001_3] [A:7] ☐ ON-STUDY CANCER SURGERY
1.2	Concomitant Non-drug Treatment Pre-specified: <i>[read-only]</i> [Con Non-Drug Treatments Pre-specified]	[PRPRES_001_3] [A:N] ☐ NO
1.3*	Treatment: [Treatment]	[PRTRT_001_3] A100*
1.4*	Start Date: [Start Date]	[PRSTDTC_001_3] (DD/MM/YYYY) Req/Unk ☐ / Req/Unk ☐ / Req ☐ (2020-2035)
1.5	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM5_001_3] A255*
1.6	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[SUPPPR_PRLLT_001_3] A100*
1.7	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[SUPPPR_PRLTCD_001_3] A8*
1.8	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[PRDECOD_001_3] A100*
1.9	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPPR_PRPTCD_001_3] A8*
1.10	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001_3] A100*
1.11	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPPR_PRHLTCD_001_3] A8*
1.12	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001_3] A100*
1.13	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTC_001_3] A8*

1.14	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001_3] A100★
1.15	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_3] A8★
Key: [*] = Item is required [▼] = Source verification required [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: NON-DRUG TREATMENTS- CANCER SURGERY		
Type	RefName	Description
Item	PRCAT_001_3	Category for non-drug treatments given prior to study start or during the study. Default To GENERAL NON_DRUG TREATMENT
Item	D_COMPTERM5_001_3	Hidden Item needed for clear coding rule.

Coding Summary: NON-DRUG TREATMENTS- CANCER SURGERY			
Verbatim RefName: PRTRT_001_3 Dictionary: Pfizer MedDRA Verbatim Type:			
Coding Item RefName	Level	Level Type	
SUPPPR_PRSOC_001_3	SOC	Term	
SUPPPR_PRSOCCD_001_3	SOC	Code	
SUPPPR_PRLGT_001_3	HLGT	Term	
SUPPPR_PRLGTCD_001_3	HLGT	Code	
SUPPPR_PRLT_001_3	HLT	Term	
SUPPPR_PRLTCD_001_3	HLT	Code	
PRDECOD_001_3	PT	Term	
SUPPPR_PRPTCD_001_3	PT	Code	
SUPPPR_PRLLT_001_3	LLT	Term	
SUPPPR_PRLLTCD_001_3	LLT	Code	

RDE Analytics: RD_PR001_3		
Data Variable RefName	RD Column Name	Column Data Type
RD_PR001_3_PR01001_3		
PRCAT_001_3	PRCAT_001_3_C	VARCHAR2
	PRCAT_001_3	VARCHAR2
	PRCAT_001_3_ND	VARCHAR2
PRPRES_001_3	PRPRES_001_3_C	VARCHAR2
	PRPRES_001_3	VARCHAR2
	PRPRES_001_3_ND	VARCHAR2
PRTRT_001_3	PRTRT_001_3	VARCHAR2
	PRTRT_001_3_ND	VARCHAR2
PRSTDTC_001_3	PRSTDTC_001_3	DATE
	PRSTDTC_001_3_DTS	VARCHAR2
	PRSTDTC_001_3_DTR	VARCHAR2
	PRSTDTC_001_3_ND	VARCHAR2
D_COMPTERM5_001_3	D_COMPTERM5_001_3	VARCHAR2
	D_COMPTERM5_001_3_ND	VARCHAR2
SUPPPR_PRLLT_001_3	SUPPPR_PRLLT_001_3	VARCHAR2
	SUPPPR_PRLLT_001_3_ND	VARCHAR2
SUPPPR_PRLLTCD_001_3	SUPPPR_PRLLTCD_001_3	VARCHAR2

	SUPPPR_PRLTCD_001_3_ND	VARCHAR2
PRDECOD_001_3	PRDECOD_001_3	VARCHAR2
	PRDECOD_001_3_ND	VARCHAR2
SUPPPR_PRPTCD_001_3	SUPPPR_PRPTCD_001_3	VARCHAR2
	SUPPPR_PRPTCD_001_3_ND	VARCHAR2
SUPPPR_PRHLT_001_3	SUPPPR_PRHLT_001_3	VARCHAR2
	SUPPPR_PRHLT_001_3_ND	VARCHAR2
SUPPPR_PRHLTCD_001_3	SUPPPR_PRHLTCD_001_3	VARCHAR2
	SUPPPR_PRHLTCD_001_3_ND	VARCHAR2
SUPPPR_PRHLGT_001_3	SUPPPR_PRHLGT_001_3	VARCHAR2
	SUPPPR_PRHLGT_001_3_ND	VARCHAR2
SUPPPR_PRHLGTC_001_3	SUPPPR_PRHLGTC_001_3	VARCHAR2
	SUPPPR_PRHLGTC_001_3_ND	VARCHAR2
SUPPPR_PRSOC_001_3	SUPPPR_PRSOC_001_3	VARCHAR2
	SUPPPR_PRSOC_001_3_ND	VARCHAR2
SUPPPR_PRSOCCD_001_3	SUPPPR_PRSOCCD_001_3	VARCHAR2
	SUPPPR_PRSOCCD_001_3_ND	VARCHAR2

C4221016: PHARMACOKINETICS (POINT) (PK SAMPLE) [PC001]											
Pharmacokinetics (Point) [PC01001]											
1.	Collection: <i>[read-only]</i> [Point or Interval Collection]	[PCCAT_001] [A:1] ☐ POINT									
2.* ✓	Not Done? [Module Not Done]	[X_PCSTAT_PCALL_FRM_001] [A:1] ☐ NOT DONE [A:2] ☐ DONE									
Pharmacokinetics (Point) Time [PC02001]											
# ✓	Schedule of Activities - Visit	Time Post Dose	Reference Timepoint:	Sample Not Done	Date	Body Fluid / Matrix:	Unique Sample ID	Verbatim Text of Analyte	Analyte Preferred Term	Analyte WHODrug Code	Comparison Term
3.a	CYCLE 2 DAY 1	0 H	MOST RECENT DOSE			PLASMA	2				
3.b	CYCLE 2 DAY 1	1 H	MOST RECENT DOSE			PLASMA	3				
3.c	CYCLE 2 DAY 1	2 H	MOST RECENT DOSE			PLASMA	4				
3.d	CYCLE 2 DAY 1	4 H	MOST RECENT DOSE			PLASMA	5				
3.e	CYCLE 2 DAY 1	6 H	MOST RECENT DOSE			PLASMA	6				
3.f	CYCLE 2 DAY 1	8 H	MOST RECENT DOSE			PLASMA	7				
3.g	UNPLANNED	9001 H	MOST RECENT DOSE			PLASMA	10				
3.h	UNPLANNED	9002 H	MOST RECENT DOSE			PLASMA	11				
3.i	UNPLANNED	9003 H	MOST RECENT DOSE			PLASMA	12				
Pharmacokinetics (Point) Time Entry [PC02001]											
3.1 ✓ ☒	Schedule of Activities - Visit: [Schedule of Activities - Visit]	[PCVISIT_001] [A:104] ☐ CYCLE 2 DAY 1 [A:9001] ☐ UNPLANNED									
3.2 ✓ ☒	Time Post Dose: [Time Post Dose]	[PCTPT_001] [PCTPT_CL_001] ▼									
3.3 ✓ ☒	Reference Timepoint: [Reference Timepoint:]	[PCTPTREF_001] [A:5] ☐ MOST RECENT DOSE									
3.4 ✓	Sample Not Done: [Sample Not Done]	[X_PCSTAT_PCALL_SMP_001] [A:1] ☐ NOT DONE [A:2] ☐ DONE									
3.5 ✓	Date: [Date]	[PCDTC_001] (DD/MM/YYYY hh:mm) Req ▼ / Req ▼ / Req ▼ (2020-2035) Req ▼ : Req ▼ 24-hour clock									
3.6 ✓ ☒	Body Fluid / Matrix: [Body Fluid / Matrix:]	[PCSPEC_001] [A:27] ☐ PLASMA									
3.7 ✓ ☒	Unique Sample ID: [Unique Sample ID]	[PCSPID_001] [PCSPID_CL_001] ▼									
3.8	Analyte: <i>[hidden]</i> [Verbatim Text of Analyte]	[SUPPPC_PKTERM_001] A200★									
3.9	Analyte Preferred Term: <i>[hidden]</i> [Analyte Preferred Term]	[SUPPPC_PKDECOD_001] A80★									
3.10	Analyte WHODrug Code: <i>[hidden]</i> [Analyte WHODrug Code]	[SUPPPC_PKCODE_001] A11★									
3.11	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_PCCOMPT_001]									

		A255★
--	--	-------

Key: [*] = Item is required [✓] = Source verification required [📁] = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS (POINT)

Type	RefName	Description
Form	PC001	PHARMACOKINETICS (POINT)

Codelist Values Tables: PHARMACOKINETICS (POINT)						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
PCTPT_CL_001	String		0 H	15	cliTPT_0_H	PCTPT_001
			1 H	16	cliTPT_1_H	
			2 H	19	cliTPT_2_H	
			4 H	29	cliTPT_4_H	
			6 H	31	cliTPT_6_H	
			8 H	36	cliTPT_8_H	
			9001 H	62	cliTPT_9001_H	
			9002 H	63	cliTPT_9002_H	
			9003 H	64	cliTPT_9003_H	
PCSPID_CL_001	String		2	2	cliPKUSMID_2	PCSPID_001
			3	3	cliPKUSMID_3	
			4	4	cliPKUSMID_4	
			5	5	cliPKUSMID_5	
			6	6	cliPKUSMID_6	
			7	7	cliPKUSMID_7	
			10	10	cliPKUSMID_10	
			11	11	cliPKUSMID_11	
			12	12	cliPKUSMID_12	

Coding Summary: PHARMACOKINETICS (POINT)

Verbatim RefName: SUPPPC_PKTERM_001		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPC_PKDECOD_001	PT	Term
SUPPPC_PKCODE_001	PT	Code

RDE Analytics: RD_PC001		
Data Variable RefName	RD Column Name	Column Data Type
PCCAT_001	PCCAT_001_C	VARCHAR2
	PCCAT_001	VARCHAR2
	PCCAT_001_ND	VARCHAR2
X_PCSTAT_PCALL_FRM_001	X_PCSTAT_PCALL_FRM_001_C	VARCHAR2
	X_PCSTAT_PCALL_FRM_001	VARCHAR2
	X_PCSTAT_PCALL_FRM_001_ND	VARCHAR2

RD_PC001_PC02001		
PCVISIT_001	PCVISIT_001_C	VARCHAR2
	PCVISIT_001	VARCHAR2
	PCVISIT_001_ND	VARCHAR2
PCTPT_001	PCTPT_001_C	VARCHAR2
	PCTPT_001	VARCHAR2
	PCTPT_001_ND	VARCHAR2
PCTPTREF_001	PCTPTREF_001_C	VARCHAR2
	PCTPTREF_001	VARCHAR2
	PCTPTREF_001_ND	VARCHAR2
X_PCSTAT_PCALL_SMP_001	X_PCSTAT_PCALL_SMP_001_C	VARCHAR2
	X_PCSTAT_PCALL_SMP_001	VARCHAR2
	X_PCSTAT_PCALL_SMP_001_ND	VARCHAR2
PCDTC_001	PCDTC_001	DATE
	PCDTC_001_DTS	VARCHAR2
	PCDTC_001_ND	VARCHAR2
PCSPEC_001	PCSPEC_001_C	VARCHAR2
	PCSPEC_001	VARCHAR2
	PCSPEC_001_ND	VARCHAR2
PCSPID_001	PCSPID_001_C	VARCHAR2
	PCSPID_001	VARCHAR2
	PCSPID_001_ND	VARCHAR2
SUPPPC_PKTERM_001	SUPPPC_PKTERM_001	VARCHAR2
	SUPPPC_PKTERM_001_ND	VARCHAR2
SUPPPC_PKDECOD_001	SUPPPC_PKDECOD_001	VARCHAR2
	SUPPPC_PKDECOD_001_ND	VARCHAR2
SUPPPC_PKCODE_001	SUPPPC_PKCODE_001	VARCHAR2
	SUPPPC_PKCODE_001_ND	VARCHAR2
D_PCCOMPT_001	D_PCCOMPT_001	VARCHAR2
	D_PCCOMPT_001_ND	VARCHAR2

C4221016: ADVERSE EVENT REPORT -Ph3 (AE PH3) - Repeating Form [AE001_3]																					
#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Serious	Is AE a Result of a Medication Error	Relationship to Study Treatment	Study Treatment 1	Action Taken with Study Treatment 1	Relationship to Study Treatment 1	Study Treatment 2	Action Taken with Study Treatment 2	Relationship to Study Treatment 2	Study Treatment 3	Action Taken with Study Treatment 3	Relationship to Study Treatment 3	Toxicity Grade	Concomitant Medication Given	Non-Drug Treatment Given	Outcome
1																					
Adverse Event Report [AE01001_3]																					
1.	Category: [read-only] [Category]		[AECAT_001_3] [AECAT_CL_001_3] ▼																		
2.	AE ID: [read-only] [AE Identifier]		[AESPID_001_3] A20 ★																		
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]		[AETERM_001_3] A100 ★																		
4.* ✓	Start Date: [Start Date]		[AESTDTC_001_3] (DD/MM/YYYY) Req ▼ / Req ▼ / Req ▼ (2020-2035)																		
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]		[X_AEONGO_001_3] [A:Y] ☐ YES [A:N] ☒ [AEENDTC_CMP_001_3] ☐ NO [AEENDTC_001_3] (DD/MM/YYYY) End Date: Req ▼ / Req ▼ / Req ▼ (2020-2035)																		
6.* ✓	Is the adverse event serious? If Yes, NOTIFY [1] IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]		[AESER_001_3] [A:Y] ☒ [AESCONG_CMP_001_3] ☐ YES [AESCONG_001_3] Is this serious event associated with congenital anomaly or birth defect? [A:Y] ☐ YES [A:N] ☒ NO [AESDTH_001_3] Did this serious event result in death? [A:Y] ☐ YES [A:N] ☒ NO [AESHOSP_001_3] Did this serious event require or prolong hospitalization? [A:Y] ☐ YES [A:N] ☒ NO [AESDISAB_001_3] Did this serious event result in persistent or significant disability/incapacity? [A:Y] ☐ YES [A:N] ☒ NO [AESLIFE_001_3] Is this serious event life threatening? [A:Y] ☐ YES [A:N] ☒ NO [AESMIE_001_3] Other medically important serious event [A:Y] ☐ YES [A:N] ☒ NO [A:N] ☒ NO																		
7.* ✓	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of		[SUPPAE_AEMERES_001_3] [A:Y] ☐ YES [A:N] ☒ NO																		

	medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	
8.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001_3] [A:1] ☐ [SUPPAE_AERELNST_CMP_001_3] ☐ NOT RELATED [AERELNST_001_3] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:4] ☐ DISEASE UNDER STUDY [A:3] ☐ [SUPPAE_AERELT_CMP_001_3] ☐ OTHER [SUPPAE_AERELTXT_001_3] If Other, specify: A80 * [A:2] ☐ RELATED
9.	Study Treatment 1 Name [BINIMETINIB/PLACEBO] : [read-only] [Study Treatment 1]	[SUPPAE_AETRT1_001_3] A50 *
10.* ✓	Action Taken with Binimetinib/PLACEBO: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001_3] [SUPPAE_AEACN1_CL_001_3] v
11.* ✓	Is this event related to Binimetinib/Placebo? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001_3] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
12.	Study Treatment 2 Name [Encorafenib/Placebo] : [read-only] [Study Treatment 2]	[SUPPAE_AETRT2_001_3] A50 *
13.* ✓	Action Taken with Encorafenib/Placebo: [Action Taken with Study Treatment 2]	[SUPPAE_AEACN2_001_3] [SUPPAE_AEACN2_CL_001_3] v
14.* ✓	Is this event related to Encorafenib/Placebo? [Relationship to Study Treatment 2]	[SUPPAE_AEREL2_001_3] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
15.	Study Treatment 3 Name [Pembrolizumab] : [read-only] [Study Treatment 3]	[SUPPAE_AETRT3_001_3] A50 *
16.* ✓	Action Taken with Pembrolizumab: [Action Taken with Study Treatment 3]	[SUPPAE_AEACN3_001_3] [SUPPAE_AEACN3_CL_001_3] v
17.* ✓	Is this event related to Pembrolizumab? [Relationship to Study Treatment 3]	[SUPPAE_AEREL3_001_3] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
18.* ✓	Toxicity Grade: [Toxicity Grade]	[AETOXGR_001_3] [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5
19.* ✓	Was a Concomitant Medication given?	[SUPPAE_AECMGIV_001_3] [A:Y] ☐ YES [A:N] ☐ NO

	If yes, record on the Concomitant Medications page [Concomitant Medication Given]	☐
20.* ✓	Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_3] [A:Y] ☐ YES [A:N] ☐ NO
21.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001_3] [AEOUT_CL_001_3] v
22.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM2_001_3] A255★
23.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[AELLT_001_3] A100★
24.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[AELLTCD_001_3] A8★
25.	Dictionary-Derived Term <i>[hidden]</i> [Dictionary-Derived Term]	[AEDECOD_001_3] A100★
26.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[AEPTCD_001_3] A8★
27.	High Level Term <i>[hidden]</i> [High Level Term]	[AEHLT_001_3] A100★
28.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[AEHLTCD_001_3] A8★
29.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[AEHLGT_001_3] A100★
30.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[AEHLGTCD_001_3] A8★
31.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001_3] A100★
32.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001_3] A8★
Key: [*] = Item is required [✓] = Source verification required [⊞] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: ADVERSE EVENT REPORT -Ph3		
Type	RefName	Description

Form	AE001_3	AE001 - Standard AE Page
Item	AECAT_001_3	Used to define a category of adverse event variables.
Item	AESPID_001_3	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001_3	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001_3	Date when the adverse event started.
Item	X_AEONGO_001_3	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001_3	Date when the adverse event resolved.
Item	AESER_001_3	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	SUPPAE_AEMERES_001_3	Is this adverse event the result of a study/background medication error
Item	AEREL_001_3	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001_3	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELTXT_001_3	Event Due to Other Specify
Item	SUPPAE_AETRT1_001_3	Study treatment 1
Item	SUPPAE_AEACN1_001_3	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001_3	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT2_001_3	Study treatment 2
Item	SUPPAE_AEACN2_001_3	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL2_001_3	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT3_001_3	Study treatment 3
Item	SUPPAE_AEACN3_001_3	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL3_001_3	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AETOXGR_001_3	Description of the toxicity grade of the adverse event.
Item	SUPPAE_AECMGIV_001_3	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_3	Non-Drug Treatment Given
Item	AEOUT_001_3	Description of the subject's status associated with an event.
Item	D_COMPTERM2_001_3	Hidden Item needed for clear coding rule.
Item	AELLT_001_3	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_3	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_3	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_3	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_3	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_3	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_3	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTC_001_3	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_3	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_3	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Codelist Values Tables: ADVERSE EVENT REPORT -Ph3						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
AECAT_CL_001_3	String		ADVERSE EVENT	1	cliAECAT_ADVERSE_EVENT	AECAT_001_3
			MALIGNANCY	2	cliAECAT_MALIGNANCY	
			SIGNIFICANT INFECTION	3	cliAECAT_SIGNIFICANT_INFECTION	
			NEUROLOGICAL DEFICIT	4	cliAECAT_NEUROLOGICAL_DEFICIT	
			COMPLICATIONS RELATED TO SURGERY	5	cliAECAT_COMPLICATIONS_RELATED_TO_SURGERY	
			EVENT DURING INFUSION	6	cliAECAT_EVENT_DURING_INFUSION	
			GASTROINTESTINAL RELATED EVENT	7	cliAECAT_GASTROINTESTINAL_RELATED_EVENT	

			INTERSTITIAL LUNG DISEASE	8	cliAECAT_INTERSTITIAL_LUNG_DISEASE	
			INFECTION	9	cliAECAT_INFECTION	
			INJECTION SITE REACTION	10	cliAECAT_INJECTION_SITE_REACTION	
			NEOPLASM	11	cliAECAT_NEOPLASM	
			MOTHER	12	cliAECAT_MOTHER	
			NEONATE	13	cliAECAT_NEONATE	
			VASOGENIC EDEMA	14	cliAECAT_VASOGENIC_EDEMA	
			SUICIDALITY	15	cliAECAT_SUICIDALITY	
			BLEEDING	16	cliAECAT_BLEEDING	
			TREATMENT AREA	17	cliAECAT_TREATMENT_AREA	
			OVERDOSE SIGNS/SYMPTOMS	18	cliAECAT_OVERDOSE_SIGNS_SYMPTOMS	
			HEMOPHILIA EVENT	19	cliAECAT_HEMOPHILIA_EVENT	
			COPD EXACERBATION	20	cliAECAT_COPD_EXACERBATION	
			MEDICATION ERROR	21	cliAECAT_MEDICATION_ERROR	
			NEWLY DIAGNOSED CHRONIC MEDICAL CONDITION	22	cliAECAT_NEWLY_DIAGNOSED_CHRONIC_MEDICAL_CONDITION	
			INFUSION RELATED REACTION	23	cliAECAT_INFUSION_RELATED_REACTION	
			ALLERGIC REACTION	24	cliAECAT_ALLERGIC_REACTION	
			MULTIPLE SCLEROSIS	25	cliAECAT_MULTIPLE_SCLEROSIS	
			IMMUNE RELATED	26	cliAECAT_IMMUNE_RELATED	
			LYMPHOMA-RELATED B SYMPTOM	27	cliAECAT_LYMPHOMA_RELATED_B_SYMPTOM	
			ACUTE CHEST SYNDROME	28	cliAECAT_ACUTE_CHEST_SYNDROME	
			CUTANEOUS MANIFESTATION	29	cliAECAT_CUTANEOUS_MANIFESTATION	
			ACUTE SKIN RASH	30	cliAECAT_ACUTE_SKIN_RASH	
			HERPES INFECTION	31	cliAECAT_HERPES_INFECTION	
			UNEXPLAINED SKIN RASH	32	cliAECAT_UNEXPLAINED_SKIN_RASH	
			DIARRHEAL EPISODE	33	cliAECAT_DIARRHEAL_EPISODE	
			METASTATIC MALIGNANCY	34	cliAECAT_METASTATIC_MALIGNANCY	
			RENAL DISORDER	35	cliAECAT_RENAL_DISORDER	
			RETROVIRAL INFECTION	36	cliAECAT_RETROVIRAL_INFECTION	
			HYPOGLYCEMIC EVENT	37	cliAECAT_HYPOGLYCEMIC_EVENT	
			GRAFT VERSUS HOST DISEASE	38	cliAECAT_GRAFT_VERSUS_HOST_DISEASE	
			RESPIRATORY TRACT INFECTION	39	cliAECAT_RESPIRATORY_TRACT_INFECTION	
			FLARE	40	cliAECAT_FLARE	
			STUDY PROCEDURE RELATED INJURY	41	cliAECAT_STUDY_PROCEDURE_RELATED_INJURY	
SUPPAE_AEACN1_CL_001_3	String		DOSE NOT CHANGED	2	cliACN_DOSE_NOT_CHANGED	SUPPAE_AEACN1_001_3
			DOSE REDUCED	3	cliACN_DOSE_REDUCED	
			DRUG INTERRUPTED	4	cliACN_DRUG_INTERRUPTED	
			DRUG WITHDRAWN	5	cliACN_DRUG_WITHDRAWN	
			NOT APPLICABLE	6	cliACN_NOT_APPLICABLE	
			UNKNOWN	7	cliACN_UNKNOWN	
SUPPAE_AEACN2_CL_001_3	String		DOSE NOT CHANGED	2	cliACN_DOSE_NOT_CHANGED	SUPPAE_AEACN2_001_3
			DOSE REDUCED	3	cliACN_DOSE_REDUCED	
			DRUG INTERRUPTED	4	cliACN_DRUG_INTERRUPTED	
			DRUG WITHDRAWN	5	cliACN_DRUG_WITHDRAWN	
			NOT APPLICABLE	6	cliACN_NOT_APPLICABLE	
			UNKNOWN	7	cliACN_UNKNOWN	
SUPPAE_AEACN3_CL_001_3	String		DOSE NOT CHANGED	2	cliACN_DOSE_NOT_CHANGED	SUPPAE_AEACN3_001_3

			DOSE REDUCED	3	cliACN_DOSE_REDUCED	
			DRUG INTERRUPTED	4	cliACN_DRUG_INTERRUPTED	
			DRUG WITHDRAWN	5	cliACN_DRUG_WITHDRAWN	
			NOT APPLICABLE	6	cliACN_NOT_APPLICABLE	
			UNKNOWN	7	cliACN_UNKNOWN	
AEOUT_CL_001_3	String		FATAL	1	cliOUT_FATAL	AEOUT_001_3
			NOT RECOVERED/NOT RESOLVED	2	cliOUT_NOT_RECOVERED_NOT_RESOLVED	
			RECOVERED/RESOLVED	3	cliOUT_RECOVERED_RESOLVED	
			RECOVERED/RESOLVED WITH SEQUELAE	4	cliOUT_RECOVERED_RESOLVED_WITH_SEQUELAE	
			RECOVERING/RESOLVING	5	cliOUT_RECOVERING_RESOLVING	
			UNKNOWN	6	cliOUT_UNKNOWN	

Coding Summary: ADVERSE EVENT REPORT -Ph3		
Verbatim RefName: AETERM_001_3 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_3	SOC	Term
AESOCCD_001_3	SOC	Code
AEHLGT_001_3	HLGT	Term
AEHLGTD_001_3	HLGT	Code
AEHLT_001_3	HLT	Term
AEHLTCD_001_3	HLT	Code
AEDECOD_001_3	PT	Term
AEPTCD_001_3	PT	Code
AELLT_001_3	LLT	Term
AELLTCD_001_3	LLT	Code

RDE Analytics: RD_AE001_3		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_3	AECAT_001_3_C	VARCHAR2
	AECAT_001_3	VARCHAR2
	AECAT_001_3_ND	VARCHAR2
AESPID_001_3	AESPID_001_3	VARCHAR2
	AESPID_001_3_ND	VARCHAR2
AETERM_001_3	AETERM_001_3	VARCHAR2
	AETERM_001_3_ND	VARCHAR2
AESTDTC_001_3	AESTDTC_001_3	DATE
	AESTDTC_001_3_DTS	VARCHAR2
	AESTDTC_001_3_ND	VARCHAR2
X_AEONGO_001_3	X_AEONGO_001_3_C	VARCHAR2
	X_AEONGO_001_3	VARCHAR2
	X_AEONGO_001_3_ND	VARCHAR2
X_AEONGO_001_3 - AEENDTC_001_3	AEENDTC_001_3	DATE
	AEENDTC_001_3_DTS	VARCHAR2
AESER_001_3	AESER_001_3_C	VARCHAR2
	AESER_001_3	VARCHAR2
	AESER_001_3_ND	VARCHAR2

AESER_001_3 - AESCONG_001_3	AESCONG_001_3_C	VARCHAR2
	AESCONG_001_3	VARCHAR2
AESER_001_3 - AESDTH_001_3	AESDTH_001_3_C	VARCHAR2
	AESDTH_001_3	VARCHAR2
AESER_001_3 - AESHOSP_001_3	AESHOSP_001_3_C	VARCHAR2
	AESHOSP_001_3	VARCHAR2
AESER_001_3 - AESDISAB_001_3	AESDISAB_001_3_C	VARCHAR2
	AESDISAB_001_3	VARCHAR2
AESER_001_3 - AESLIFE_001_3	AESLIFE_001_3_C	VARCHAR2
	AESLIFE_001_3	VARCHAR2
AESER_001_3 - AESMIE_001_3	AESMIE_001_3_C	VARCHAR2
	AESMIE_001_3	VARCHAR2
SUPPAE_AEMERES_001_3	SUPPAE_AEMERES_001_3_C	VARCHAR2
	SUPPAE_AEMERES_001_3	VARCHAR2
	SUPPAE_AEMERES_001_3_ND	VARCHAR2
AEREL_001_3	AEREL_001_3_C	VARCHAR2
	AEREL_001_3	VARCHAR2
	AEREL_001_3_ND	VARCHAR2
AEREL_001_3 - AERELNST_001_3	AERELNST_001_3_C	VARCHAR2
	AERELNST_001_3	VARCHAR2
AEREL_001_3 - SUPPAE_AERELTXT_001_3	SUPPAE_AERELTXT_001_3	VARCHAR2
SUPPAE_AETRT1_001_3	SUPPAE_AETRT1_001_3	VARCHAR2
	SUPPAE_AETRT1_001_3_ND	VARCHAR2
SUPPAE_AEACN1_001_3	SUPPAE_AEACN1_001_3_C	VARCHAR2
	SUPPAE_AEACN1_001_3	VARCHAR2
	SUPPAE_AEACN1_001_3_ND	VARCHAR2
SUPPAE_AEREL1_001_3	SUPPAE_AEREL1_001_3_C	VARCHAR2
	SUPPAE_AEREL1_001_3	VARCHAR2
	SUPPAE_AEREL1_001_3_ND	VARCHAR2
SUPPAE_AETRT2_001_3	SUPPAE_AETRT2_001_3	VARCHAR2
	SUPPAE_AETRT2_001_3_ND	VARCHAR2
SUPPAE_AEACN2_001_3	SUPPAE_AEACN2_001_3_C	VARCHAR2
	SUPPAE_AEACN2_001_3	VARCHAR2
	SUPPAE_AEACN2_001_3_ND	VARCHAR2
SUPPAE_AEREL2_001_3	SUPPAE_AEREL2_001_3_C	VARCHAR2
	SUPPAE_AEREL2_001_3	VARCHAR2
	SUPPAE_AEREL2_001_3_ND	VARCHAR2
SUPPAE_AETRT3_001_3	SUPPAE_AETRT3_001_3	VARCHAR2
	SUPPAE_AETRT3_001_3_ND	VARCHAR2
SUPPAE_AEACN3_001_3	SUPPAE_AEACN3_001_3_C	VARCHAR2
	SUPPAE_AEACN3_001_3	VARCHAR2
	SUPPAE_AEACN3_001_3_ND	VARCHAR2
SUPPAE_AEREL3_001_3	SUPPAE_AEREL3_001_3_C	VARCHAR2
	SUPPAE_AEREL3_001_3	VARCHAR2
	SUPPAE_AEREL3_001_3_ND	VARCHAR2
AETOXGR_001_3	AETOXGR_001_3_C	VARCHAR2
	AETOXGR_001_3	VARCHAR2

	AETOXGR_001_3_ND	VARCHAR2
SUPPAE_AECMGIV_001_3	SUPPAE_AECMGIV_001_3_C	VARCHAR2
	SUPPAE_AECMGIV_001_3	VARCHAR2
	SUPPAE_AECMGIV_001_3_ND	VARCHAR2
SUPPAE_AENDGIV_001_3	SUPPAE_AENDGIV_001_3_C	VARCHAR2
	SUPPAE_AENDGIV_001_3	VARCHAR2
	SUPPAE_AENDGIV_001_3_ND	VARCHAR2
AEOUT_001_3	AEOUT_001_3_C	VARCHAR2
	AEOUT_001_3	VARCHAR2
	AEOUT_001_3_ND	VARCHAR2
D_COMPTERM2_001_3	D_COMPTERM2_001_3	VARCHAR2
	D_COMPTERM2_001_3_ND	VARCHAR2
AELLT_001_3	AELLT_001_3	VARCHAR2
	AELLT_001_3_ND	VARCHAR2
AELLTCD_001_3	AELLTCD_001_3	VARCHAR2
	AELLTCD_001_3_ND	VARCHAR2
AEDECOD_001_3	AEDECOD_001_3	VARCHAR2
	AEDECOD_001_3_ND	VARCHAR2
AEPTCD_001_3	AEPTCD_001_3	VARCHAR2
	AEPTCD_001_3_ND	VARCHAR2
AEHLT_001_3	AEHLT_001_3	VARCHAR2
	AEHLT_001_3_ND	VARCHAR2
AEHLTCD_001_3	AEHLTCD_001_3	VARCHAR2
	AEHLTCD_001_3_ND	VARCHAR2
AEHLGT_001_3	AEHLGT_001_3	VARCHAR2
	AEHLGT_001_3_ND	VARCHAR2
AEHLGTC_001_3	AEHLGTC_001_3	VARCHAR2
	AEHLGTC_001_3_ND	VARCHAR2
AESOC_001_3	AESOC_001_3	VARCHAR2
	AESOC_001_3_ND	VARCHAR2
AESOCCD_001_3	AESOCCD_001_3	VARCHAR2
	AESOCCD_001_3_ND	VARCHAR2

C4221016: MOLECULAR BIOLOGY OF DISEASE (Ph 3) (MBIO LOCA3) - Repeating Form [Z_MBIO001_1]												
#	Molecular Biology Of Disease											
1.	Schedule of Activities - Visit	Sample Collection Name:	Sample Collection Date	Sample Source:	Sample Site:	Sample Origin:	Sample Collection Procedure:	Analyte/Biomarker:	Analytical Method	Date Sample Analyzed:	Result Value:	Specific Gene Alteration:
1.1	Schedule of activities - visit: [read-only] [Schedule of Activities - Visit]		[Z_SOAVISIT_001_1] [A:104] ☐ SCREENING									
1.2	Sample Collection Name: [read-only] [Sample Collection Name:]		[Z_SAMPNAME_001_1] A80*									
1.3*	Sample Collection Date: [Sample Collection Date]		[Z_MBIOCDT_001_1] (DD/MM/YYYY) Req / / (2010-2035)									
1.4*	Sample Source: [Sample Source:]		[Z_MBIOSSR_001_1] [A:3] ☐ TISSUE ARCHIVED [A:2] ☐ TISSUE DE NOVO									
1.5*	Sample Site: [Sample Site:]		[Z_MBIOLOC_001_1] [A:76] ☐ LUNG [A:40] ☐ LIVER [A:108] ☐ LYMPH NODE [A:77] ☐ SKIN [A:28] ☐ BONE [A:71] ☐ BRAIN [A:647] ☐ HEAD AND NECK [A:158] ☐ CHEST [A:55] ☐ KIDNEY [A:68] ☐ SPLEEN [A:43] ☐ THYROID GLAND [A:633] ☐ MUSCLE [A:114] ☐ PELVIS [A:81] ☐ ADRENAL GLAND [A:999] ☐ [Z_MBIOLOCO_CMP_001_1] OTHER [Z_MBIOLOCO_001_1] Specify: A40*									
1.6*	Sample Origin: [Sample Origin:]		[Z_MBIOSOR_001_1] [A:1] ☐ PRIMARY [A:2] ☐ METASTATIC [A:3] ☐ UNKNOWN									
1.7*	Sample Collection Procedure: [Sample Collection Procedure:]		[Z_MBIOPRC_001_1] [A:2] ☐ CORE NEEDLE BIOPSY [A:7] ☐ RESECTION [A:13] ☐ UNKNOWN [A:16] ☐ [Z_MBIOPRCO_CMP_001_1] OTHER [Z_MBIOPRCO_001_1] Specify: A200*									
1.8	Analyte/Biomarker: [read-only] [Analyte/Biomarker:]		[Z_MBIOANL_001_1] [A:11] ☐ BRAF									

1.9* ✓	Analytical Method [Analytical Method]	[Z_MBIOMTH_001_1] [A:8] ☐ GENE SEQUENCING [A:9] ☐ QPCR
1.10* ✓	Date Time Sample Analyzed: [Date Sample Analyzed:]	[Z_MBIOADTC_001_1] (DD/MM/YYYY) Req / Req / Req (2010-2035)
1.11* ✓	Result Value: [Result Value:]	[Z_MBIOQLR_001_1] [A:1] ☐ POSITIVE [A:2] ☐ NEGATIVE
1.12* ✓	Specific Gene Alteration: [Specific Gene Alteration:]	[Z_MBIOGAL_001_1] [A:122] ☐ BRAF V600E [A:123] ☐ BRAF V600K [A:80] ☐ [Z_MBIOGAO_CMP_001_1] ☐ GENOTYPE, SPECIFY [Z_MBIOGAO_001_1] Specify: A80★

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_Z_MBIO001_1		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO001_1_Z_MBIO01001_1		
Z_SOAVISIT_001_1	Z_SOAVISIT_001_1_C	VARCHAR2
	Z_SOAVISIT_001_1	VARCHAR2
	Z_SOAVISIT_001_1_ND	VARCHAR2
Z_SAMPNAME_001_1	Z_SAMPNAME_001_1	VARCHAR2
	Z_SAMPNAME_001_1_ND	VARCHAR2
Z_MBIOCDT_001_1	Z_MBIOCDT_001_1	DATE
	Z_MBIOCDT_001_1_DTS	VARCHAR2
	Z_MBIOCDT_001_1_ND	VARCHAR2
Z_MBIOSR_001_1	Z_MBIOSR_001_1_C	VARCHAR2
	Z_MBIOSR_001_1	VARCHAR2
	Z_MBIOSR_001_1_ND	VARCHAR2
Z_MBIOLOC_001_1	Z_MBIOLOC_001_1_C	VARCHAR2
	Z_MBIOLOC_001_1	VARCHAR2
	Z_MBIOLOC_001_1_ND	VARCHAR2
Z_MBIOLOC_001_1 - Z_MBIOLOCO_001_1	Z_MBIOLOCO_001_1	VARCHAR2
Z_MBIOSOR_001_1	Z_MBIOSOR_001_1_C	VARCHAR2
	Z_MBIOSOR_001_1	VARCHAR2
	Z_MBIOSOR_001_1_ND	VARCHAR2
Z_MBIOPRC_001_1	Z_MBIOPRC_001_1_C	VARCHAR2
	Z_MBIOPRC_001_1	VARCHAR2
	Z_MBIOPRC_001_1_ND	VARCHAR2
Z_MBIOPRC_001_1 - Z_MBIOPRCO_001_1	Z_MBIOPRCO_001_1	VARCHAR2
Z_MBIOANL_001_1	Z_MBIOANL_001_1_C	VARCHAR2
	Z_MBIOANL_001_1	VARCHAR2
	Z_MBIOANL_001_1_ND	VARCHAR2
Z_MBIOMTH_001_1	Z_MBIOMTH_001_1_C	VARCHAR2

	Z_MBIOMTH_001_1	VARCHAR2
	Z_MBIOMTH_001_1_ND	VARCHAR2
Z_MBIOADTC_001_1	Z_MBIOADTC_001_1	DATE
	Z_MBIOADTC_001_1_DTS	VARCHAR2
	Z_MBIOADTC_001_1_ND	VARCHAR2
Z_MBIOQLR_001_1	Z_MBIOQLR_001_1_C	VARCHAR2
	Z_MBIOQLR_001_1	VARCHAR2
	Z_MBIOQLR_001_1_ND	VARCHAR2
Z_MBIOGAL_001_1	Z_MBIOGAL_001_1_C	VARCHAR2
	Z_MBIOGAL_001_1	VARCHAR2
	Z_MBIOGAL_001_1_ND	VARCHAR2
Z_MBIOGAL_001_1 - Z_MBIOGAO_001_1	Z_MBIOGAO_001_1	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - TUMOR TISSUE COLLECTION (Ph3) (MBIO TISS3) [Z_M BIO002_12]										
Molecular Biology of Disease - Biomarker [Z_M BIO01002_12]										
# ✓	Was Sample Collected	Schedule of Activities - Visit	Specimen Collection Procedure Date	Sample Collection Name	Sample Source	Sample Site	Sample Origin	Sample Processing	Sample Collection Procedure	Other Collection P
1.a		SCREENING			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.b		SCREENING			TISSUE ARCHIVED			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.c		C2D1			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.d		C3D1			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.e		EOT			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.f		UNPL			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.g		UNPL			TISSUE ARCHIVED			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.h		UNPL			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.i		UNPL			TISSUE ARCHIVED			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.j		UNPL			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.k		UNPL			TISSUE ARCHIVED			FORMALIN FIXED AND PARAFFIN EMBEDDED		

Molecular Biology of Disease - Biomarker Entry [Z_M BIO01002_12]	
1.1 ✓ Was sample collected? [Was Sample Collected]	[Z_MBIOSMC_002_12] [A:Y] ☐ YES [A:N] ☐ NO
1.2 ✓ Schedule of activities - visit: [Schedule of Activities - Visit]	[Z_SOAVISIT_002_12] [A:4] ☐ C2D1 [A:20] ☐ SCREENING [A:12] ☐ EOT [A:21] ☐ UNPL [A:5] ☐ C3D1
1.3 ✓ Specimen collection procedure date: [Specimen Collection Procedure Date]	[Z_MBIOPDAT_002_12] (DD/MM/YYYY) Req / Req / Req (2010-2035)
1.4 Sample collection name: <i>[read-only]</i> [Sample Collection Name]	[Z_SAMPNAME_002_12] A80★
1.5 ✓ Sample source: [Sample Source]	[Z_MBIOSSR_002_12] [A:2] ☐ TISSUE DE NOVO [A:3] ☐ TISSUE ARCHIVED
1.6 ✓ Anatomic site of tissue collection; [Sample Site]	[Z_MBIOLOC_002_12] [A:40] ☐ LIVER [A:76] ☐ LUNG

		[A:108] ☐ LYMPH NODE [A:77] ☐ SKIN [A:647] ☐ HEAD AND NECK [A:158] ☐ CHEST [A:55] ☐ KIDNEY [A:68] ☐ SPLEEN [A:43] ☐ THYROID GLAND [A:633] ☐ MUSCLE [A:114] ☐ PELVIS [A:81] ☐ ADRENAL GLAND [A:999] ☐ [Z_MBILOCO_CMP_002_12] ☐ OTHER [Z_MBILOCO_002_12] Other, specify: A40*
1.7 ✓	Tumor sample origin: [Sample Origin]	[Z_MBIOSOR_002_12] [A:16] ☐ PRIMARY [A:17] ☐ METASTATIC [A:18] ☐ UNKNOWN
1.8 ☐	Sample processing: <i>[read-only]</i> [Sample Processing]	[Z_MBIOPS_002_12] [A:4] ☐ FORMALIN FIXED AND PARAFFIN EMBEDDED
1.9 ✓	Sample collection procedure: [Sample Collection Procedure]	[Z_MBIOPRC_002_12] [A:2] ☐ CORE NEEDLE BIOPSY [A:7] ☐ RESECTION [A:13] ☐ UNKNOWN [A:16] ☐ OTHER
1.10 ✓	Other, specify: [Other Collection Procedure Specify]	[Z_MBIOPOS_002_12] A80*
1.11 ✓	Biopsy sample from: [Biopsy Sample From]	[Z_MBIOFRM_002_12] [A:2] ☐ SLIDES [A:5] ☐ FORMALIN FIXED AND PARAFFIN EMBEDDED BLOCK
1.12 ✓	Date slides cut at investigator site: [Date Slides Cut at Investigator Site]	[Z_MBIOIDAT_002_12] (DD/MM/YYYY) Req / Req / Req (2020-2035)
1.13 ✓	Date specimen sent to lab: [Date Specimen Sent to Lab]	[Z_MBIOLDAT_002_12] (DD/MM/YYYY) Req / Req / Req (2020-2035)
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible ☐ = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

RDE Analytics: RD_Z_MBIO002_12		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_12_Z_MBIO01002_12		
Z_MBIOSMC_002_12	Z_MBIOSMC_002_12_C	VARCHAR2
	Z_MBIOSMC_002_12	VARCHAR2
	Z_MBIOSMC_002_12_ND	VARCHAR2
Z_SOAVISIT_002_12	Z_SOAVISIT_002_12_C	VARCHAR2
	Z_SOAVISIT_002_12	VARCHAR2
	Z_SOAVISIT_002_12_ND	VARCHAR2
Z_MBIOPDAT_002_12	Z_MBIOPDAT_002_12	DATE
	Z_MBIOPDAT_002_12_DTS	VARCHAR2
	Z_MBIOPDAT_002_12_ND	VARCHAR2
Z_SAMPNAME_002_12	Z_SAMPNAME_002_12	VARCHAR2

	Z_SAMPNAME_002_12_ND	VARCHAR2
Z_MBIOSR_002_12	Z_MBIOSR_002_12_C	VARCHAR2
	Z_MBIOSR_002_12	VARCHAR2
	Z_MBIOSR_002_12_ND	VARCHAR2
Z_MBIOLOC_002_12	Z_MBIOLOC_002_12_C	VARCHAR2
	Z_MBIOLOC_002_12	VARCHAR2
	Z_MBIOLOC_002_12_ND	VARCHAR2
Z_MBIOLOC_002_12 - Z_MBIOLOCO_002_12	Z_MBIOLOCO_002_12	VARCHAR2
Z_MBIOSOR_002_12	Z_MBIOSOR_002_12_C	VARCHAR2
	Z_MBIOSOR_002_12	VARCHAR2
	Z_MBIOSOR_002_12_ND	VARCHAR2
Z_MBIOPS_002_12	Z_MBIOPS_002_12_C	VARCHAR2
	Z_MBIOPS_002_12	VARCHAR2
	Z_MBIOPS_002_12_ND	VARCHAR2
Z_MBIOPRC_002_12	Z_MBIOPRC_002_12_C	VARCHAR2
	Z_MBIOPRC_002_12	VARCHAR2
	Z_MBIOPRC_002_12_ND	VARCHAR2
Z_MBIOPOS_002_12	Z_MBIOPOS_002_12	VARCHAR2
	Z_MBIOPOS_002_12_ND	VARCHAR2
Z_MBIOFRM_002_12	Z_MBIOFRM_002_12_C	VARCHAR2
	Z_MBIOFRM_002_12	VARCHAR2
	Z_MBIOFRM_002_12_ND	VARCHAR2
Z_MBIOIDAT_002_12	Z_MBIOIDAT_002_12	DATE
	Z_MBIOIDAT_002_12_DTS	VARCHAR2
	Z_MBIOIDAT_002_12_ND	VARCHAR2
Z_MBIOLDAT_002_12	Z_MBIOLDAT_002_12	DATE
	Z_MBIOLDAT_002_12_DTS	VARCHAR2
	Z_MBIOLDAT_002_12_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - WHOLE BLOOD CONTROL (Ph3) (MBIO BLD3) [Z_M BIO002_18]

Molecular Biology of Disease - Biomarker [Z_M BIO01002_18]

# ✓	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		C1D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.c		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.d		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_M BIO01002_18]

1.1

Was sample collected?
[Was Sample Collected]

[Z_M BIOSMC_002_18]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_18]

[A:3] ☐ C1D1

[A:21] ☐ UNPL

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_18]

A80★

1.4

Sample source:
[Sample Source]

[Z_M BIOSSR_002_18]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_M BIOCDTC_002_18] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2020-2035)

1.6

Tumor sample origin:
[Sample Origin]

[Z_M BIOSOR_002_18]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_M BIOIPS_002_18]

[A:2] ☐ FROZEN

1.8

Sample collection procedure:
[Sample Collection Procedure]

[Z_M BIOIPRC_002_18]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_M BIOIDAT_002_18] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2020-2035)

Key: [✓] = Source verification required ☐ = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_Z_M BIO002_18		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_M BIO002_18_Z_M BIO01002_18		
Z_M BIOSMC_002_18	Z_M BIOSMC_002_18_C	VARCHAR2
	Z_M BIOSMC_002_18	VARCHAR2
	Z_M BIOSMC_002_18_ND	VARCHAR2
Z_SOAVISIT_002_18	Z_SOAVISIT_002_18_C	VARCHAR2
	Z_SOAVISIT_002_18	VARCHAR2
	Z_SOAVISIT_002_18_ND	VARCHAR2
Z_SAMPNAME_002_18	Z_SAMPNAME_002_18	VARCHAR2
	Z_SAMPNAME_002_18_ND	VARCHAR2
Z_M BIOSSR_002_18	Z_M BIOSSR_002_18_C	VARCHAR2
	Z_M BIOSSR_002_18	VARCHAR2
	Z_M BIOSSR_002_18_ND	VARCHAR2
Z_M BIOCDTC_002_18	Z_M BIOCDTC_002_18	DATE
	Z_M BIOCDTC_002_18_DTS	VARCHAR2

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007.... 11/7/2024

	Z_MBIOCDTC_002_18_ND	VARCHAR2
Z_MBIOSOR_002_18	Z_MBIOSOR_002_18_C	VARCHAR2
	Z_MBIOSOR_002_18	VARCHAR2
	Z_MBIOSOR_002_18_ND	VARCHAR2
Z_MBIOPS_002_18	Z_MBIOPS_002_18_C	VARCHAR2
	Z_MBIOPS_002_18	VARCHAR2
	Z_MBIOPS_002_18_ND	VARCHAR2
Z_MBIOPRC_002_18	Z_MBIOPRC_002_18_C	VARCHAR2
	Z_MBIOPRC_002_18	VARCHAR2
	Z_MBIOPRC_002_18_ND	VARCHAR2
Z_MBIOLDAT_002_18	Z_MBIOLDAT_002_18	DATE
	Z_MBIOLDAT_002_18_DTS	VARCHAR2
	Z_MBIOLDAT_002_18_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - CIRCULATING PROTEIN (Ph3) (MBIO PROT3) [Z_MBIO002_13]

Molecular Biology of Disease - Biomarker [Z_MBIO01002_13]

# ▼	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		C1D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		C1D8		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.c		C1D15		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.d		C2D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.e		C3D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.f		C5D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.g		C7D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.h		EOT		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.i		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.j		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.k		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_MBIO01002_13]

1.1

Was sample collected?
[Was Sample Collected]

[Z_MBIOSMC_002_13]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_13]

[Z_SOAVISIT_CL_002_13] ▼

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_13]

A80★

1.4

Sample source:
[Sample Source]

[Z_MBIOSSR_002_13]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_MBIOSDTC_002_13] (DD/MM/YYYY)

Req ▼ / Req ▼ / Req ▼ (2020-2035)

1.6

Tumor sample origin:
[Sample Origin]

[Z_MBIOSOR_002_13]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_MBIOPS_002_13]

[A:2] ☐ FROZEN

1.8

Sample collection procedure:
[Sample Collection Procedure]

[Z_MBIOPRC_002_13]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBIOLDAT_002_13] (DD/MM/YYYY)

Req ▼ / Req ▼ / Req ▼ (2020-2035)

Key: [▼] = Source verification required [] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: MOLECULAR BIOLOGY OF DISEASE - CIRCULATING PROTEIN (Ph3)						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
Z_SOAVISIT_CL_002_13	String		C1D1	3	cliSOAVISIT_3	Z_SOAVISIT_002_13
			C1D8	8	cliSOAVISIT_8	
			C1D15	9	cliSOAVISIT_9	
			C2D1	4	cliSOAVISIT_4	
			C3D1	5	cliSOAVISIT_5	
			C5D1	19	cliSOAVISIT_19	
			C7D1	22	cliSOAVISIT_22	

			EOT	12	cliSOAVISIT_12	
			UNPL	21	cliSOAVISIT_21	

RDE Analytics: RD_Z_MBIO002_13		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_13_Z_MBIO01002_13		
Z_MBIOSMC_002_13	Z_MBIOSMC_002_13_C	VARCHAR2
	Z_MBIOSMC_002_13	VARCHAR2
	Z_MBIOSMC_002_13_ND	VARCHAR2
Z_SOAVISIT_002_13	Z_SOAVISIT_002_13_C	VARCHAR2
	Z_SOAVISIT_002_13	VARCHAR2
	Z_SOAVISIT_002_13_ND	VARCHAR2
Z_SAMPNAME_002_13	Z_SAMPNAME_002_13	VARCHAR2
	Z_SAMPNAME_002_13_ND	VARCHAR2
Z_MBIOSSR_002_13	Z_MBIOSSR_002_13_C	VARCHAR2
	Z_MBIOSSR_002_13	VARCHAR2
	Z_MBIOSSR_002_13_ND	VARCHAR2
Z_MBIODTC_002_13	Z_MBIODTC_002_13	DATE
	Z_MBIODTC_002_13_DTS	VARCHAR2
	Z_MBIODTC_002_13_ND	VARCHAR2
Z_MBIOSOR_002_13	Z_MBIOSOR_002_13_C	VARCHAR2
	Z_MBIOSOR_002_13	VARCHAR2
	Z_MBIOSOR_002_13_ND	VARCHAR2
Z_MBIOPS_002_13	Z_MBIOPS_002_13_C	VARCHAR2
	Z_MBIOPS_002_13	VARCHAR2
	Z_MBIOPS_002_13_ND	VARCHAR2
Z_MBIOPRC_002_13	Z_MBIOPRC_002_13_C	VARCHAR2
	Z_MBIOPRC_002_13	VARCHAR2
	Z_MBIOPRC_002_13_ND	VARCHAR2
Z_MBIOLDAT_002_13	Z_MBIOLDAT_002_13	DATE
	Z_MBIOLDAT_002_13_DTS	VARCHAR2
	Z_MBIOLDAT_002_13_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - ctDNA BRAF V600E/K (Ph3) (MBIO CTDN3) [Z_MBIO002_16]

Molecular Biology of Disease - Biomarker [Z_MBIO01002_16]

# ▼	Was Sample Collected*	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		SCREENING		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_MBIO01002_16]

1.1*
▼

Was sample collected?
[Was Sample Collected]

[Z_MBIOSMC_002_16]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2
▼
☐

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_16]

[A:20] ☐ SCREENING

1.3

Sample collection name: *[read-only]*
[Sample Collection Name]

[Z_SAMPNAME_002_16]

A80★

1.4
▼
☐

Sample source:
[Sample Source]

[Z_MBIOSSR_002_16]

[A:1] ☐ BLOOD

1.5
▼

Date Time of sample collection:
[Date of Sample Collection]

[Z_MBIODTC_002_16] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2020-2035)

1.6
☐

Tumor sample origin:
[Sample Origin]

[Z_MBIOSOR_002_16]

[A:18] ☐ UNKNOWN

1.7
☐

Sample processing: *[read-only]*
[Sample Processing]

[Z_MBIOPS_002_16]

[A:2] ☐ FROZEN

1.8
☐

Sample collection procedure:
[Sample Collection Procedure]

[Z_MBIOPRC_002_16]

[A:10] ☐ PERIPHERAL BLOOD

1.9
▼

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBIOLDAT_002_16] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2020-2035)

Key: [*] = Item is required [▼] = Source verification required ☐ = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_Z_MBIO002_16		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_16_Z_MBIO01002_16		
Z_MBIOSMC_002_16	Z_MBIOSMC_002_16_C	VARCHAR2
	Z_MBIOSMC_002_16	VARCHAR2
	Z_MBIOSMC_002_16_ND	VARCHAR2
Z_SOAVISIT_002_16	Z_SOAVISIT_002_16_C	VARCHAR2
	Z_SOAVISIT_002_16	VARCHAR2
	Z_SOAVISIT_002_16_ND	VARCHAR2
Z_SAMPNAME_002_16	Z_SAMPNAME_002_16	VARCHAR2
	Z_SAMPNAME_002_16_ND	VARCHAR2
Z_MBIOSSR_002_16	Z_MBIOSSR_002_16_C	VARCHAR2
	Z_MBIOSSR_002_16	VARCHAR2
	Z_MBIOSSR_002_16_ND	VARCHAR2
Z_MBIODTC_002_16	Z_MBIODTC_002_16	DATE
	Z_MBIODTC_002_16_DTS	VARCHAR2
	Z_MBIODTC_002_16_ND	VARCHAR2
Z_MBIOSOR_002_16	Z_MBIOSOR_002_16_C	VARCHAR2
	Z_MBIOSOR_002_16	VARCHAR2

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

	Z_MBIOSOR_002_16_ND	VARCHAR2
Z_MBIOPS_002_16	Z_MBIOPS_002_16_C	VARCHAR2
	Z_MBIOPS_002_16	VARCHAR2
	Z_MBIOPS_002_16_ND	VARCHAR2
Z_MBIOPRC_002_16	Z_MBIOPRC_002_16_C	VARCHAR2
	Z_MBIOPRC_002_16	VARCHAR2
	Z_MBIOPRC_002_16_ND	VARCHAR2
Z_MBIOLDAT_002_16	Z_MBIOLDAT_002_16	DATE
	Z_MBIOLDAT_002_16_DTS	VARCHAR2
	Z_MBIOLDAT_002_16_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - IMMUNE CELL PROFILING (Ph3) (MBIO IMMU3) [Z_MBIO002_14]

Molecular Biology of Disease - Biomarker [Z_MBIO01002_14]

# ▼	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		C1D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		C1D8		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.c		C1D15		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.d		C2D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.e		C3D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.f		C5D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.g		C7D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.h		EOT		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.i		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.j		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.k		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_MBIO01002_14]

1.1

Was sample collected?
[Was Sample Collected]

[Z_MBIOSMC_002_14]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_14]

[Z_SOAVISIT_CL_002_14] ▼

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_14]

A80★

1.4

Sample source:
[Sample Source]

[Z_MBIOSSR_002_14]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_MBIODTC_002_14] (DD/MM/YYYY)

Req ▼ / Req ▼ / Req ▼ (2020-2035)

1.6

Tumor sample origin:
[Sample Origin]

[Z_MBIOSOR_002_14]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_MBIOPS_002_14]

[A:2] ☐ FROZEN

1.8

Sample collection procedure:
[Sample Collection Procedure]

[Z_MBIOPRC_002_14]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBIOLDAT_002_14] (DD/MM/YYYY)

Req ▼ / Req ▼ / Req ▼ (2020-2035)

Key: [▼] = Source verification required [] = Fixed Item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: MOLECULAR BIOLOGY OF DISEASE - IMMUNE CELL PROFILING (Ph3)						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
Z_SOAVISIT_CL_002_14	String		C1D1	3	diSOAVISIT_3	Z_SOAVISIT_002_14
			C1D8	8	diSOAVISIT_8	
			C1D15	9	diSOAVISIT_9	
			C2D1	4	diSOAVISIT_4	
			C3D1	5	diSOAVISIT_5	
			C5D1	19	diSOAVISIT_19	
			C7D1	22	diSOAVISIT_22	

			EOT	12	cliSOAVISIT_12	
			UNPL	21	cliSOAVISIT_21	

RDE Analytics: RD_Z_MBIO002_14		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_14_Z_MBIO01002_14		
Z_MBIOSMC_002_14	Z_MBIOSMC_002_14_C	VARCHAR2
	Z_MBIOSMC_002_14	VARCHAR2
	Z_MBIOSMC_002_14_ND	VARCHAR2
Z_SOAVISIT_002_14	Z_SOAVISIT_002_14_C	VARCHAR2
	Z_SOAVISIT_002_14	VARCHAR2
	Z_SOAVISIT_002_14_ND	VARCHAR2
Z_SAMPNAME_002_14	Z_SAMPNAME_002_14	VARCHAR2
	Z_SAMPNAME_002_14_ND	VARCHAR2
Z_MBIOSSR_002_14	Z_MBIOSSR_002_14_C	VARCHAR2
	Z_MBIOSSR_002_14	VARCHAR2
	Z_MBIOSSR_002_14_ND	VARCHAR2
Z_MBIODTC_002_14	Z_MBIODTC_002_14	DATE
	Z_MBIODTC_002_14_DTS	VARCHAR2
	Z_MBIODTC_002_14_ND	VARCHAR2
Z_MBIOSOR_002_14	Z_MBIOSOR_002_14_C	VARCHAR2
	Z_MBIOSOR_002_14	VARCHAR2
	Z_MBIOSOR_002_14_ND	VARCHAR2
Z_MBIOPS_002_14	Z_MBIOPS_002_14_C	VARCHAR2
	Z_MBIOPS_002_14	VARCHAR2
	Z_MBIOPS_002_14_ND	VARCHAR2
Z_MBIOPRC_002_14	Z_MBIOPRC_002_14_C	VARCHAR2
	Z_MBIOPRC_002_14	VARCHAR2
	Z_MBIOPRC_002_14_ND	VARCHAR2
Z_MBIOLDAT_002_14	Z_MBIOLDAT_002_14	DATE
	Z_MBIOLDAT_002_14_DTS	VARCHAR2
	Z_MBIOLDAT_002_14_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE-LONGITUDINAL ctDNA ANALYSIS (Ph3) (MBIO LDNA3) [Z_M BIO002_17]

Molecular Biology of Disease - Biomarker [Z_M BIO01002_17]

# ✓	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		C1D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		C2D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.c		C4D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.d		C7D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.e		EOT		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.f		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.g		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.h		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_M BIO01002_17]

1.1

Was sample collected?
[Was Sample Collected]

[Z_M BIOSMC_002_17]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_17]

[Z_SOAVISIT_CL_002_17] ▼

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_17]

A80*

1.4

Sample source:
[Sample Source]

[Z_M BIOSSR_002_17]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_M BIOCDTC_002_17] (DD/MM/YYYY)

Req ▼ / Req ▼ / Req ▼ (2020-2035)

1.6

Tumor sample origin:
[Sample Origin]

[Z_M BIOSOR_002_17]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_M BIOIPS_002_17]

[A:2] ☐ FROZEN

1.8

Sample collection procedure:
[Sample Collection Procedure]

[Z_M BIOPRC_002_17]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_M BIOLDAT_002_17] (DD/MM/YYYY)

Req ▼ / Req ▼ / Req ▼ (2020-2035)

Key: [✓] = Source verification required [🔒] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: MOLECULAR BIOLOGY OF DISEASE-LONGITUDINAL ctDNA ANALYSIS (Ph3)						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
Z_SOAVISIT_CL_002_17	String		C1D1	3	cliSOAVISIT_3	Z_SOAVISIT_002_17
			C2D1	4	cliSOAVISIT_4	
			C4D1	18	cliSOAVISIT_18	
			C7D1	22	cliSOAVISIT_22	
			EOT	12	cliSOAVISIT_12	
			UNPL	21	cliSOAVISIT_21	

RDE Analytics: RD_Z_M BIO002_17		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_M BIO002_17_Z_M BIO01002_17		
Z_M BIOSMC_002_17	Z_M BIOSMC_002_17_C	VARCHAR2

	Z_MBIOSMC_002_17	VARCHAR2
	Z_MBIOSMC_002_17_ND	VARCHAR2
Z_SOAVISIT_002_17	Z_SOAVISIT_002_17_C	VARCHAR2
	Z_SOAVISIT_002_17	VARCHAR2
	Z_SOAVISIT_002_17_ND	VARCHAR2
Z_SAMPNAME_002_17	Z_SAMPNAME_002_17	VARCHAR2
	Z_SAMPNAME_002_17_ND	VARCHAR2
Z_MBIOSSR_002_17	Z_MBIOSSR_002_17_C	VARCHAR2
	Z_MBIOSSR_002_17	VARCHAR2
	Z_MBIOSSR_002_17_ND	VARCHAR2
Z_MBI OCDTC_002_17	Z_MBI OCDTC_002_17	DATE
	Z_MBI OCDTC_002_17_DTS	VARCHAR2
	Z_MBI OCDTC_002_17_ND	VARCHAR2
Z_MBI OSOR_002_17	Z_MBI OSOR_002_17_C	VARCHAR2
	Z_MBI OSOR_002_17	VARCHAR2
	Z_MBI OSOR_002_17_ND	VARCHAR2
Z_MBI OPS_002_17	Z_MBI OPS_002_17_C	VARCHAR2
	Z_MBI OPS_002_17	VARCHAR2
	Z_MBI OPS_002_17_ND	VARCHAR2
Z_MBI OPRC_002_17	Z_MBI OPRC_002_17_C	VARCHAR2
	Z_MBI OPRC_002_17	VARCHAR2
	Z_MBI OPRC_002_17_ND	VARCHAR2
Z_MBI OLDAT_002_17	Z_MBI OLDAT_002_17	DATE
	Z_MBI OLDAT_002_17_DTS	VARCHAR2
	Z_MBI OLDAT_002_17_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE-LONGITUDINAL ctDNA ANALYSIS Ph3 (MBIOLDNAP3) [Z_MBIO002_21]

Molecular Biology of Disease - Biomarker [Z_MBIO01002_21]

# ▼	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		C1D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		C2D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.c		C5D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.d		C7D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.e		EOT		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.f		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.g		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.h		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_MBIO01002_21]

1.1

Was sample collected?
[Was Sample Collected]

[Z_MBIOSMC_002_21]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_21]

[Z_SOAVISIT_CL_002_21] ▼

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_21]

A80★

1.4

Sample source:
[Sample Source]

[Z_MBIOSSR_002_21]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_MBIODTC_002_21] (DD/MM/YYYY)

Req ▼ / Req ▼ / Req ▼ (2020-2035)

1.6

Tumor sample origin:
[Sample Origin]

[Z_MBIOSOR_002_21]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_MBIOPS_002_21]

[A:2] ☐ FROZEN

1.8

Sample collection procedure:
[Sample Collection Procedure]

[Z_MBIOPRC_002_21]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBIOLDAT_002_21] (DD/MM/YYYY)

Req ▼ / Req ▼ / Req ▼ (2020-2035)

Key: [▼] = Source verification required [🔒] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: MOLECULAR BIOLOGY OF DISEASE-LONGITUDINAL ctDNA ANALYSIS Ph3						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
Z_SOAVISIT_CL_002_21	String		C1D1	3	cliSOAVISIT_3	Z_SOAVISIT_002_21
			C2D1	4	cliSOAVISIT_4	
			C5D1	19	cliSOAVISIT_19	
			C7D1	22	cliSOAVISIT_22	
			EOT	12	cliSOAVISIT_12	
			UNPL	21	cliSOAVISIT_21	

RDE Analytics: RD_Z_MBIO002_21		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_21_Z_MBIO01002_21		
Z_MBIOSMC_002_21	Z_MBIOSMC_002_21_C	VARCHAR2

	Z_MBIOSMC_002_21	VARCHAR2
	Z_MBIOSMC_002_21_ND	VARCHAR2
Z_SOAVISIT_002_21	Z_SOAVISIT_002_21_C	VARCHAR2
	Z_SOAVISIT_002_21	VARCHAR2
	Z_SOAVISIT_002_21_ND	VARCHAR2
Z_SAMPNAME_002_21	Z_SAMPNAME_002_21	VARCHAR2
	Z_SAMPNAME_002_21_ND	VARCHAR2
Z_MBIOSSR_002_21	Z_MBIOSSR_002_21_C	VARCHAR2
	Z_MBIOSSR_002_21	VARCHAR2
	Z_MBIOSSR_002_21_ND	VARCHAR2
Z_MBIODTC_002_21	Z_MBIODTC_002_21	DATE
	Z_MBIODTC_002_21_DTS	VARCHAR2
	Z_MBIODTC_002_21_ND	VARCHAR2
Z_MBIOSOR_002_21	Z_MBIOSOR_002_21_C	VARCHAR2
	Z_MBIOSOR_002_21	VARCHAR2
	Z_MBIOSOR_002_21_ND	VARCHAR2
Z_MBIOPS_002_21	Z_MBIOPS_002_21_C	VARCHAR2
	Z_MBIOPS_002_21	VARCHAR2
	Z_MBIOPS_002_21_ND	VARCHAR2
Z_MBIOPRC_002_21	Z_MBIOPRC_002_21_C	VARCHAR2
	Z_MBIOPRC_002_21	VARCHAR2
	Z_MBIOPRC_002_21_ND	VARCHAR2
Z_MBIOLDAT_002_21	Z_MBIOLDAT_002_21	DATE
	Z_MBIOLDAT_002_21_DTS	VARCHAR2
	Z_MBIOLDAT_002_21_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - TCR SEQUENCING (Ph3) (MBIO TCR 3) [Z_M BIO002_15]

Molecular Biology of Disease - Biomarker [Z_M BIO01002_15]

#	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		C1D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		C1D8		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.c		C1D15		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.d		C2D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.e		C3D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.f		C5D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.g		C7D1		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.h		EOT		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.i		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.j		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.k		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_M BIO01002_15]

1.1

Was sample collected?
[Was Sample Collected]

[Z_M BIOSMC_002_15]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_15]

[Z_SOAVISIT_CL_002_15] ▼

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_15]

A80★

1.4

Sample source:
[Sample Source]

[Z_M BIOSSR_002_15]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_M BIOCDTC_002_15] (DD/MM/YYYY)

Req ▼ / Req ▼ / Req ▼ (2020-2035)

1.6

Tumor sample origin:
[Sample Origin]

[Z_M BIOSOR_002_15]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_M BIOIPS_002_15]

[A:2] ☐ FROZEN

1.8

Sample collection procedure:
[Sample Collection Procedure]

[Z_M BIOPRC_002_15]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_M BIOIDAT_002_15] (DD/MM/YYYY)

Req ▼ / Req ▼ / Req ▼ (2020-2035)

Key: [▼] = Source verification required [] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: MOLECULAR BIOLOGY OF DISEASE - TCR SEQUENCING (Ph3)						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
Z_SOAVISIT_CL_002_15	String		C1D1	3	cliSOAVISIT_3	Z_SOAVISIT_002_15
			C1D8	8	cliSOAVISIT_8	
			C1D15	9	cliSOAVISIT_9	
			C2D1	4	cliSOAVISIT_4	
			C3D1	5	cliSOAVISIT_5	
			C5D1	19	cliSOAVISIT_19	
			C7D1	22	cliSOAVISIT_22	

			EOT	12	cliSOAVISIT_12	
			UNPL	21	cliSOAVISIT_21	

RDE Analytics: RD_Z_MBIO002_15		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_15_Z_MBIO01002_15		
Z_MBIOSMC_002_15	Z_MBIOSMC_002_15_C	VARCHAR2
	Z_MBIOSMC_002_15	VARCHAR2
	Z_MBIOSMC_002_15_ND	VARCHAR2
Z_SOAVISIT_002_15	Z_SOAVISIT_002_15_C	VARCHAR2
	Z_SOAVISIT_002_15	VARCHAR2
	Z_SOAVISIT_002_15_ND	VARCHAR2
Z_SAMPNAME_002_15	Z_SAMPNAME_002_15	VARCHAR2
	Z_SAMPNAME_002_15_ND	VARCHAR2
Z_MBIOSSR_002_15	Z_MBIOSSR_002_15_C	VARCHAR2
	Z_MBIOSSR_002_15	VARCHAR2
	Z_MBIOSSR_002_15_ND	VARCHAR2
Z_MBIODTC_002_15	Z_MBIODTC_002_15	DATE
	Z_MBIODTC_002_15_DTS	VARCHAR2
	Z_MBIODTC_002_15_ND	VARCHAR2
Z_MBIOSOR_002_15	Z_MBIOSOR_002_15_C	VARCHAR2
	Z_MBIOSOR_002_15	VARCHAR2
	Z_MBIOSOR_002_15_ND	VARCHAR2
Z_MBIOPS_002_15	Z_MBIOPS_002_15_C	VARCHAR2
	Z_MBIOPS_002_15	VARCHAR2
	Z_MBIOPS_002_15_ND	VARCHAR2
Z_MBIOPRC_002_15	Z_MBIOPRC_002_15_C	VARCHAR2
	Z_MBIOPRC_002_15	VARCHAR2
	Z_MBIOPRC_002_15_ND	VARCHAR2
Z_MBIOLDAT_002_15	Z_MBIOLDAT_002_15	DATE
	Z_MBIOLDAT_002_15_DTS	VARCHAR2
	Z_MBIOLDAT_002_15_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: NON-DRUG TREATMENTS - FUP CANCER SURGERY (Ph3) (ONFUSURGP3) [PR001_3_1]**Non-Drug Treatments [PR01001_3_1]**

# ▼	Category	Con Non-Drug Treatments Pre-specified	Treatment*	Start Date*	Lesion Number*	Outcome of Procedure*	Comparison Term	Lowest Level Term	Lowest Level Term Code	Dictionary Derived Term	Preferred Term Code	High Level T
1.a		NO										
1.b		NO										
1.c		NO										
1.d		NO										
1.e		NO										
1.f		NO										
1.g		NO										
1.h		NO										
1.i		NO										
1.j		NO										

Non-Drug Treatments Entry [PR01001_3_1]

1.1	Category: <i>[hidden]</i> [Category]	[PRCAT_001_3_1] A50*
1.2	Concomitant Non-drug Treatment Pre-specified: <i>[read-only]</i> [Con Non-Drug Treatments Pre-specified]	[PRPRES_001_3_1] [A:N] ☐ NO
1.3*	Treatment: [Treatment]	[PRTRT_001_3_1] A100*
1.4*	Start Date: [Start Date]	[PRSTDTC_001_3_1] (DD/MM/YYYY) Req/Unk ▼ / Req/Unk ▼ / Req ▼ (2020-2035)
1.5*	Lesion Number [Lesion Number]	[SUPPPR_PRLSNUM_001_3_1] A3*
1.6*	Outcome of Procedure: [Outcome of Procedure]	[SUPPPR_PROUT_001_3_1] [A:2] ☐ RESECTED [A:4] ☐ PARTIALLY RESECTED [A:6] ☐ UNKNOWN
1.7	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM5_001_3_1] A255*
1.8	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[SUPPPR_PRLLT_001_3_1] A100*
1.9	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[SUPPPR_PRLLTCD_001_3_1] A8*
1.10	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[PRDECOD_001_3_1] A100*
1.11	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPPR_PRPTCD_001_3_1] A8*
1.12	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001_3_1] A100*
1.13	High Level Term Code <i>[hidden]</i>	[SUPPPR_PRHLTCD_001_3_1]

	[High Level Term Code]	A8★
1.14	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001_3_1] A100★
1.15	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTC_001_3_1] A8★
1.16	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001_3_1] A100★
1.17	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_3_1] A8★
Key: [*] = Item is required [▼] = Source verification required [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: NON-DRUG TREATMENTS - FUP CANCER SURGERY (Ph3)		
Type	RefName	Description
Item	PRCAT_001_3_1	Category for non-drug treatments given prior to study start or during the study. Default To GENERAL NON_DRUG TREATMENT
Item	SUPPPR_PRLSNUM_001_3_1	Lesion Number
Item	D_COMPTERM5_001_3_1	Hidden Item needed for clear coding rule.

Coding Summary: NON-DRUG TREATMENTS - FUP CANCER SURGERY (Ph3)		
Verbatim RefName: PRTRT_001_3_1 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001_3_1	SOC	Term
SUPPPR_PRSOCCD_001_3_1	SOC	Code
SUPPPR_PRHLGT_001_3_1	HLGT	Term
SUPPPR_PRHLGTC_001_3_1	HLGT	Code
SUPPPR_PRHLT_001_3_1	HLT	Term
SUPPPR_PRHLTCD_001_3_1	HLT	Code
PRDECOD_001_3_1	PT	Term
SUPPPR_PRPTCD_001_3_1	PT	Code
SUPPPR_PRLLT_001_3_1	LLT	Term
SUPPPR_PRLLTCD_001_3_1	LLT	Code

RDE Analytics: RD_PR001_3_1		
Data Variable RefName	RD Column Name	Column Data Type
RD_PR001_3_1_PR01001_3_1		
PRCAT_001_3_1	PRCAT_001_3_1	VARCHAR2
	PRCAT_001_3_1_ND	VARCHAR2
PRPRES_001_3_1	PRPRES_001_3_1_C	VARCHAR2
	PRPRES_001_3_1	VARCHAR2
	PRPRES_001_3_1_ND	VARCHAR2
PRTRT_001_3_1	PRTRT_001_3_1	VARCHAR2
	PRTRT_001_3_1_ND	VARCHAR2
PRSTDTC_001_3_1	PRSTDTC_001_3_1	DATE
	PRSTDTC_001_3_1_DTS	VARCHAR2
	PRSTDTC_001_3_1_DTR	VARCHAR2

	PRSTDTC_001_3_1_ND	VARCHAR2
SUPPPR_PRLSNUM_001_3_1	SUPPPR_PRLSNUM_001_3_1	VARCHAR2
	SUPPPR_PRLSNUM_001_3_1_ND	VARCHAR2
SUPPPR_PROUT_001_3_1	SUPPPR_PROUT_001_3_1_C	VARCHAR2
	SUPPPR_PROUT_001_3_1	VARCHAR2
	SUPPPR_PROUT_001_3_1_ND	VARCHAR2
D_COMPTERM5_001_3_1	D_COMPTERM5_001_3_1	VARCHAR2
	D_COMPTERM5_001_3_1_ND	VARCHAR2
SUPPPR_PRLLT_001_3_1	SUPPPR_PRLLT_001_3_1	VARCHAR2
	SUPPPR_PRLLT_001_3_1_ND	VARCHAR2
SUPPPR_PRLLTCD_001_3_1	SUPPPR_PRLLTCD_001_3_1	VARCHAR2
	SUPPPR_PRLLTCD_001_3_1_ND	VARCHAR2
PRDECOD_001_3_1	PRDECOD_001_3_1	VARCHAR2
	PRDECOD_001_3_1_ND	VARCHAR2
SUPPPR_PRPTCD_001_3_1	SUPPPR_PRPTCD_001_3_1	VARCHAR2
	SUPPPR_PRPTCD_001_3_1_ND	VARCHAR2
SUPPPR_PRHLT_001_3_1	SUPPPR_PRHLT_001_3_1	VARCHAR2
	SUPPPR_PRHLT_001_3_1_ND	VARCHAR2
SUPPPR_PRHLTCD_001_3_1	SUPPPR_PRHLTCD_001_3_1	VARCHAR2
	SUPPPR_PRHLTCD_001_3_1_ND	VARCHAR2
SUPPPR_PRHLGT_001_3_1	SUPPPR_PRHLGT_001_3_1	VARCHAR2
	SUPPPR_PRHLGT_001_3_1_ND	VARCHAR2
SUPPPR_PRHLGTC_001_3_1	SUPPPR_PRHLGTC_001_3_1	VARCHAR2
	SUPPPR_PRHLGTC_001_3_1_ND	VARCHAR2
SUPPPR_PRSOC_001_3_1	SUPPPR_PRSOC_001_3_1	VARCHAR2
	SUPPPR_PRSOC_001_3_1_ND	VARCHAR2
SUPPPR_PRSOCCD_001_3_1	SUPPPR_PRSOCCD_001_3_1	VARCHAR2
	SUPPPR_PRSOCCD_001_3_1_ND	VARCHAR2

C4221016: RESPONSE TO REGIMEN -Ph3 (FUP THPY) - Repeating Form [CM001_1_1]							
#	Regimen Number	Progression Occurred After Regimen			Response To Regimen		
1							
Overall Response [CM02001_1_1]							
1.* ✓	Regimen #: [Regimen Number]	[Y_RSREFID_001_1_1] A8★					
2.* ✓	Did progression occur after this regimen started? [Progression Occurred After Regimen]	[RSORRES_PDAFTRX_001_1_1] [A:Y] ☐ [RSORRES_PDARXDTX_CMP_001_1_1] ☐ YES [RSORRES_PDARXDTX_001_1_1] (DD/MM/YYYY) Date of documented progression: Req/Unk v / Req/Unk v / Req v (2020-2035) [A:N] ☐ NO [A:U] ☐ UNKNOWN					
	Sponsor-Defined Identifier	Category for Medication	Subcategory for Medication	Concomitant Medications Pre-specified	Name of Medication	Start Date	End Date
3. ✓							
Response To Regimen Entry [CM01001_1_1]							
3.1	What is the medication identifier? <i>[read-only]</i> [Sponsor-Defined Identifier]	[CMSPID_001_1_1] A20★					
3.2	Category: <i>[read-only]</i> [Category for Medication]	[CMCAT_001_1_1] [A:8] ☐ FOLLOW-UP CANCER THERAPY					
3.3	Subcategory: <i>[read-only]</i> [Subcategory for Medication]	[CMSCAT_001_1_1] [A:3] ☐ ADVANCED/METASTATIC					
3.4	Concomitant Medications Pre-specified: <i>[read-only]</i> [Concomitant Medications Pre-specified]	[CMPRESP_001_1_1] [A:N] ☐ NO					
3.5* ✓	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). [Name of Medication]	[CMTRT_001_1_1] A100★					
3.6* ✓	Start Date: [Start Date]	[CMSTDTC_001_1_1] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1920-2035)					
3.7* ✓	End Date: [End Date]	[CMENDTC_001_1_1] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1920-2035)					
3.8	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM1_001_1_1] A255★					
3.9	Standardized Medication Name - Dictionary derived. <i>[hidden]</i> [Standardized Medication Name]	[CMDECOD_001_1_1] A300★					
3.10	Standardized Medication Code - Dictionary derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPCM_CMCODE_001_1_1] A11★					
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.							

Study Object Descriptions: RESPONSE TO REGIMEN -Ph3		
Type	RefName	Description
Item	CMSPID_001_1_1	A sponsor-defined reference number.
Item	CMSCAT_001_1_1	A further categorization of medications/ treatment. Examples: CHEMOTHERAPY, HORMONAL THERAPY, ALTERNATIVE THERAPY.
Item	CMPRESP_001_1_1	Concomitant Medications Pre-specified
Item	CMTRT_001_1_1	Name of Medication
Item	CMSTDTC_001_1_1	Date the medication was first taken
Item	CMENDTC_001_1_1	Date the subject stopped taking the medication
Item	D_COMPTERM1_001_1_1	Hidden Item needed for clear coding rule.
Item	CMDECOD_001_1_1	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001_1_1	Standardized Medication Code - Dictionary derived

Coding Summary: RESPONSE TO REGIMEN -Ph3		
Verbatim RefName: CMTRT_001_1_1		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
CMDECOD_001_1_1	PT	Term
SUPPCM_CMCODE_001_1_1	PT	Code

RDE Analytics: RD_CM001_1_1		
Data Variable RefName	RD Column Name	Column Data Type
Y_RSREFID_001_1_1	Y_RSREFID_001_1_1	VARCHAR2
	Y_RSREFID_001_1_1_ND	VARCHAR2
RSORRES_PDAFTRX_001_1_1	RSORRES_PDAFTRX_001_1_1_C	VARCHAR2
	RSORRES_PDAFTRX_001_1_1	VARCHAR2
	RSORRES_PDAFTRX_001_1_1_ND	VARCHAR2
RSORRES_PDAFTRX_001_1_1 - RSORRES_PDARXDTC_001_1_1	RSORRES_PDARXDTC_001_1_1	DATE
	RSORRES_PDARXDTC_001_1_1_DTS	VARCHAR2
	RSORRES_PDARXDTC_001_1_1_DTR	VARCHAR2
RD_CM001_1_1_CM01001_1_1		
CMSPID_001_1_1	CMSPID_001_1_1	VARCHAR2
	CMSPID_001_1_1_ND	VARCHAR2
CMCAT_001_1_1	CMCAT_001_1_1_C	VARCHAR2
	CMCAT_001_1_1	VARCHAR2
	CMCAT_001_1_1_ND	VARCHAR2
CMSCAT_001_1_1	CMSCAT_001_1_1_C	VARCHAR2
	CMSCAT_001_1_1	VARCHAR2
	CMSCAT_001_1_1_ND	VARCHAR2
CMPRESP_001_1_1	CMPRESP_001_1_1_C	VARCHAR2
	CMPRESP_001_1_1	VARCHAR2
	CMPRESP_001_1_1_ND	VARCHAR2
CMTRT_001_1_1	CMTRT_001_1_1	VARCHAR2
	CMTRT_001_1_1_ND	VARCHAR2
CMSTDTC_001_1_1	CMSTDTC_001_1_1	DATE
	CMSTDTC_001_1_1_DTS	VARCHAR2
	CMSTDTC_001_1_1_DTR	VARCHAR2

	CMSTDTC_001_1_1_ND	VARCHAR2
CMENDTC_001_1_1	CMENDTC_001_1_1	DATE
	CMENDTC_001_1_1_DTS	VARCHAR2
	CMENDTC_001_1_1_DTR	VARCHAR2
	CMENDTC_001_1_1_ND	VARCHAR2
D_COMPTERM1_001_1_1	D_COMPTERM1_001_1_1	VARCHAR2
	D_COMPTERM1_001_1_1_ND	VARCHAR2
CMDECOD_001_1_1	CMDECOD_001_1_1	VARCHAR2
	CMDECOD_001_1_1_ND	VARCHAR2
SUPPCM_CMCODE_001_1_1	SUPPCM_CMCODE_001_1_1	VARCHAR2
	SUPPCM_CMCODE_001_1_1_ND	VARCHAR2

C4221016: PHARMACOKINETICS (POINT) (Ph3) (PK SMPL P3) [PC001_1]											
Pharmacokinetics (Point) [PC01001_1]											
1.	Collection: <i>[read-only]</i> [Point or Interval Collection]	[PCCAT_001_1] [A:1] ☐ POINT									
2.* ✓	Not Done? [Module Not Done]	[X_PCSTAT_PCALL_FRM_001_1] [A:1] ☐ NOT DONE [A:2] ☐ DONE									
Pharmacokinetics (Point) Time [PC02001_1]											
# ✓	Schedule of Activities - Visit	Time Post Dose	Reference Timepoint:	Sample Not Done	Date	Body Fluid / Matrix:	Unique Sample ID	Verbatim Text of Analyte	Analyte Preferred Term	Analyte WHODrug Code	Comparison Term
3.a	CYCLE 1 DAY 1	1 H 30 MIN	MOST RECENT DOSE			PLASMA	1				
3.b	CYCLE 2 DAY 1	0 H	MOST RECENT DOSE			PLASMA	2				
3.c	CYCLE 3 DAY 1	0 H	MOST RECENT DOSE			PLASMA	8				
3.d	CYCLE 4 DAY 1	0 H	MOST RECENT DOSE			PLASMA	9				
Pharmacokinetics (Point) Time Entry [PC02001_1]											
3.1 ☰	Schedule of Activities - Visit: [Schedule of Activities - Visit]	[PCVISIT_001_1] [A:103] ☐ CYCLE 1 DAY 1 [A:104] ☐ CYCLE 2 DAY 1 [A:105] ☐ CYCLE 3 DAY 1 [A:106] ☐ CYCLE 4 DAY 1									
3.2 ☰	Time Post Dose: [Time Post Dose]	[PCTPT_001_1] [A:65] ☐ 1 H 30 MIN [A:15] ☐ 0 H									
3.3 ☰	Reference Timepoint: [Reference Timepoint:]	[PCTPTREF_001_1] [A:5] ☐ MOST RECENT DOSE									
3.4 ✓	Sample Not Done: [Sample Not Done]	[X_PCSTAT_PCALL_SMP_001_1] [A:1] ☐ NOT DONE [A:2] ☐ DONE									
3.5 ✓	Date: [Date]	[PCDTC_001_1] (DD/MM/YYYY hh:mm) Req / Req / Req (2020-2035) Req : Req 24-hour clock									
3.6 ☰	Body Fluid / Matrix: [Body Fluid / Matrix:]	[PCSPEC_001_1] [A:27] ☐ PLASMA									
3.7 ☰	Unique Sample ID: [Unique Sample ID]	[PCSPID_001_1] [A:1] ☐ 1 [A:2] ☐ 2 [A:8] ☐ 8 [A:9] ☐ 9									
3.8	Analyte: <i>[hidden]</i> [Verbatim Text of Analyte]	[SUPPPC_PKTERM_001_1] A200★ 									
3.9	Analyte Preferred Term: <i>[hidden]</i> [Analyte Preferred Term]	[SUPPPC_PKDECOD_001_1] A80★ 									
3.10	Analyte WHODrug Code: <i>[hidden]</i> [Analyte WHODrug Code]	[SUPPPC_PKCODE_001_1] A11★ 									
3.11	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_PCCOMPT_001_1] A255★ 									

Key: [*] = Item is required [✓] = Source verification required [📋] = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS (POINT) (Ph3)		
Type	RefName	Description
Form	PC001_1	PHARMACOKINETICS (POINT)

Coding Summary: PHARMACOKINETICS (POINT) (Ph3)		
Verbatim RefName: SUPPPC_PKTERM_001_1 Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPC_PKDECOD_001_1	PT	Term
SUPPPC_PKCODE_001_1	PT	Code

RDE Analytics: RD_PC001_1		
Data Variable RefName	RD Column Name	Column Data Type
PCCAT_001_1	PCCAT_001_1_C	VARCHAR2
	PCCAT_001_1	VARCHAR2
	PCCAT_001_1_ND	VARCHAR2
X_PCSTAT_PCALL_FRM_001_1	X_PCSTAT_PCALL_FRM_001_1_C	VARCHAR2
	X_PCSTAT_PCALL_FRM_001_1	VARCHAR2
	X_PCSTAT_PCALL_FRM_001_1_ND	VARCHAR2
RD_PC001_1_PC02001_1		
PCVISIT_001_1	PCVISIT_001_1_C	VARCHAR2
	PCVISIT_001_1	VARCHAR2
	PCVISIT_001_1_ND	VARCHAR2
PCTPT_001_1	PCTPT_001_1_C	VARCHAR2
	PCTPT_001_1	VARCHAR2
	PCTPT_001_1_ND	VARCHAR2
PCTPTREF_001_1	PCTPTREF_001_1_C	VARCHAR2
	PCTPTREF_001_1	VARCHAR2
	PCTPTREF_001_1_ND	VARCHAR2
X_PCSTAT_PCALL_SMP_001_1	X_PCSTAT_PCALL_SMP_001_1_C	VARCHAR2
	X_PCSTAT_PCALL_SMP_001_1	VARCHAR2
	X_PCSTAT_PCALL_SMP_001_1_ND	VARCHAR2
PCDTC_001_1	PCDTC_001_1	DATE
	PCDTC_001_1_DTS	VARCHAR2
	PCDTC_001_1_ND	VARCHAR2
PCSPEC_001_1	PCSPEC_001_1_C	VARCHAR2
	PCSPEC_001_1	VARCHAR2
	PCSPEC_001_1_ND	VARCHAR2
PCSPID_001_1	PCSPID_001_1_C	VARCHAR2
	PCSPID_001_1	VARCHAR2
	PCSPID_001_1_ND	VARCHAR2
SUPPPC_PKTERM_001_1	SUPPPC_PKTERM_001_1	VARCHAR2
	SUPPPC_PKTERM_001_1_ND	VARCHAR2
SUPPPC_PKDECOD_001_1	SUPPPC_PKDECOD_001_1	VARCHAR2

	SUPPPC_PKDECOD_001_1_ND	VARCHAR2
SUPPPC_PKCODE_001_1	SUPPPC_PKCODE_001_1	VARCHAR2
	SUPPPC_PKCODE_001_1_ND	VARCHAR2
D_PCCOMPT_001_1	D_PCCOMPT_001_1	VARCHAR2
	D_PCCOMPT_001_1_ND	VARCHAR2

C4221016: MOLECULAR BIOLOGY OF DISEASE - TUMOR TISSUE COLLECTION UNPL (UNPL TISSU) [Z_MBIO002_19]										
Molecular Biology of Disease - Biomarker [Z_MBIO01002_19]										
#	Was Sample Collected	Schedule of Activities - Visit	Specimen Collection Procedure Date	Sample Collection Name	Sample Source	Sample Site	Sample Origin	Sample Processing	Sample Collection Procedure	Other Collection P
1.a		UNPL			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.b		UNPL			TISSUE ARCHIVED			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.c		UNPL			TISSUE DE NOVO			FORMALIN FIXED AND PARAFFIN EMBEDDED		
1.d		UNPL			TISSUE ARCHIVED			FORMALIN FIXED AND PARAFFIN EMBEDDED		
Molecular Biology of Disease - Biomarker Entry [Z_MBIO01002_19]										
1.1	Was sample collected? [Was Sample Collected]	[Z_MBIOSMC_002_19] [A:Y] ☐ YES [A:N] ☐ NO								
1.2	Schedule of activities - visit: [Schedule of Activities - Visit]	[Z_SOAVISIT_002_19] [A:21] ☐ UNPL								
1.3	Specimen collection procedure date: [Specimen Collection Procedure Date]	[Z_MBIOPDAT_002_19] (DD/MM/YYYY) Req / Req / Req (2010-2035)								
1.4	Sample collection name: <i>[read-only]</i> [Sample Collection Name]	[Z_SAMPNAME_002_19] A80*								
1.5	Sample source: [Sample Source]	[Z_MBIOSSR_002_19] [A:2] ☐ TISSUE DE NOVO [A:3] ☐ TISSUE ARCHIVED								
1.6	Anatomic site of tissue collection; [Sample Site]	[Z_MBIOLOC_002_19] [A:40] ☐ LIVER [A:76] ☐ LUNG [A:108] ☐ LYMPH NODE [A:77] ☐ SKIN [A:647] ☐ HEAD AND NECK [A:158] ☐ CHEST [A:55] ☐ KIDNEY [A:68] ☐ SPLEEN [A:43] ☐ THYROID GLAND [A:633] ☐ MUSCLE [A:114] ☐ PELVIS [A:81] ☐ ADRENAL GLAND [A:999] ☐ [Z_MBILOCO_CMP_002_19] ☐ OTHER [Z_MBILOCO_002_19] Other, specify: A40*								
1.7	Tumor sample origin: [Sample Origin]	[Z_MBIOSOR_002_19] [A:16] ☐ PRIMARY [A:17] ☐ METASTATIC [A:18] ☐ UNKNOWN								
1.8	Sample processing: <i>[read-only]</i> [Sample Processing]	[Z_MBIOPS_002_19] [A:4] ☐ FORMALIN FIXED AND PARAFFIN EMBEDDED								
1.9	Sample collection procedure: [Sample Collection Procedure]	[Z_MBIOPRC_002_19] [A:2] ☐ CORE NEEDLE BIOPSY								

		[A:7] RESECTION [A:16] OTHER [A:13] UNKNOWN
1.10 ✓	Other, specify: [Other Collection Procedure Specify]	[Z_MBIOPOS_002_19] A80*
1.11 ✓	Biopsy sample from: [Biopsy Sample From]	[Z_MBIOFRM_002_19] [A:2] SLIDES [A:5] FORMALIN FIXED AND PARAFFIN EMBEDDED BLOCK
1.12 ✓	Date slides cut at investigator site: [Date Slides Cut at Investigator Site]	[Z_MBIOIDAT_002_19] (DD/MM/YYYY) Req / Req / Req (2020-2035)
1.13 ✓	Date specimen sent to lab: [Date Specimen Sent to Lab]	[Z_MBIOLDAT_002_19] (DD/MM/YYYY) Req / Req / Req (2020-2035)
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

RDE Analytics: RD_Z_MBIO002_19		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_19_Z_MBIO01002_19		
Z_MBIOSMC_002_19	Z_MBIOSMC_002_19_C	VARCHAR2
	Z_MBIOSMC_002_19	VARCHAR2
	Z_MBIOSMC_002_19_ND	VARCHAR2
Z_SOAVISIT_002_19	Z_SOAVISIT_002_19_C	VARCHAR2
	Z_SOAVISIT_002_19	VARCHAR2
	Z_SOAVISIT_002_19_ND	VARCHAR2
Z_MBIOPDAT_002_19	Z_MBIOPDAT_002_19	DATE
	Z_MBIOPDAT_002_19_DTS	VARCHAR2
	Z_MBIOPDAT_002_19_ND	VARCHAR2
Z_SAMPNAME_002_19	Z_SAMPNAME_002_19	VARCHAR2
	Z_SAMPNAME_002_19_ND	VARCHAR2
Z_MBIOSSR_002_19	Z_MBIOSSR_002_19_C	VARCHAR2
	Z_MBIOSSR_002_19	VARCHAR2
	Z_MBIOSSR_002_19_ND	VARCHAR2
Z_MBIOLOC_002_19	Z_MBIOLOC_002_19_C	VARCHAR2
	Z_MBIOLOC_002_19	VARCHAR2
	Z_MBIOLOC_002_19_ND	VARCHAR2
Z_MBIOLOC_002_19 - Z_MBIOLOCO_002_19	Z_MBIOLOCO_002_19	VARCHAR2
Z_MBIOSOR_002_19	Z_MBIOSOR_002_19_C	VARCHAR2
	Z_MBIOSOR_002_19	VARCHAR2
	Z_MBIOSOR_002_19_ND	VARCHAR2
Z_MBIOPS_002_19	Z_MBIOPS_002_19_C	VARCHAR2
	Z_MBIOPS_002_19	VARCHAR2
	Z_MBIOPS_002_19_ND	VARCHAR2
Z_MBIOPRC_002_19	Z_MBIOPRC_002_19_C	VARCHAR2
	Z_MBIOPRC_002_19	VARCHAR2
	Z_MBIOPRC_002_19_ND	VARCHAR2
Z_MBIOPOS_002_19	Z_MBIOPOS_002_19	VARCHAR2

	Z_MBIOPOS_002_19_ND	VARCHAR2
Z_MBIOFRM_002_19	Z_MBIOFRM_002_19_C	VARCHAR2
	Z_MBIOFRM_002_19	VARCHAR2
	Z_MBIOFRM_002_19_ND	VARCHAR2
Z_MBIOIDAT_002_19	Z_MBIOIDAT_002_19	DATE
	Z_MBIOIDAT_002_19_DTS	VARCHAR2
	Z_MBIOIDAT_002_19_ND	VARCHAR2
Z_MBIOLDAT_002_19	Z_MBIOLDAT_002_19	DATE
	Z_MBIOLDAT_002_19_DTS	VARCHAR2
	Z_MBIOLDAT_002_19_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - IMMUNE CELL PROFILING UNPL (UNPL IMMUN) [Z_MBIO002_8]

Molecular Biology of Disease - Biomarker [Z_MBIO01002_8]

# ✓	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_MBIO01002_8]

1.1

Was sample collected?
[Was Sample Collected]

[Z_MBIOSMC_002_8]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_8]

[A:21] ☐ UNPL

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_8]

A80★

1.4

Sample source:
[Sample Source]

[Z_MBIOSSR_002_8]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_MBIODTC_002_8] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

1.6

Tumor sample origin:
[Sample Origin]

[Z_MBIOSOR_002_8]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_MBIOPS_002_8]

[A:2] ☐ FROZEN

1.8

Sample collection procedure:
[Sample Collection Procedure]

[Z_MBIOPRC_002_8]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBIOLDAT_002_8] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

Key: [✓] = Source verification required [] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_Z_MBIO002_8		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_8_Z_MBIO01002_8		
Z_MBIOSMC_002_8	Z_MBIOSMC_002_8_C	VARCHAR2
	Z_MBIOSMC_002_8	VARCHAR2
	Z_MBIOSMC_002_8_ND	VARCHAR2
Z_SOAVISIT_002_8	Z_SOAVISIT_002_8_C	VARCHAR2
	Z_SOAVISIT_002_8	VARCHAR2
	Z_SOAVISIT_002_8_ND	VARCHAR2
Z_SAMPNAME_002_8	Z_SAMPNAME_002_8	VARCHAR2
	Z_SAMPNAME_002_8_ND	VARCHAR2
Z_MBIOSSR_002_8	Z_MBIOSSR_002_8_C	VARCHAR2
	Z_MBIOSSR_002_8	VARCHAR2
	Z_MBIOSSR_002_8_ND	VARCHAR2
Z_MBIODTC_002_8	Z_MBIODTC_002_8	DATE
	Z_MBIODTC_002_8_DTS	VARCHAR2
	Z_MBIODTC_002_8_ND	VARCHAR2
Z_MBIOSOR_002_8	Z_MBIOSOR_002_8_C	VARCHAR2
	Z_MBIOSOR_002_8	VARCHAR2

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007.... 11/7/2024

	Z_MBIOSOR_002_8_ND	VARCHAR2
Z_MBIOPS_002_8	Z_MBIOPS_002_8_C	VARCHAR2
	Z_MBIOPS_002_8	VARCHAR2
	Z_MBIOPS_002_8_ND	VARCHAR2
Z_MBIOPRC_002_8	Z_MBIOPRC_002_8_C	VARCHAR2
	Z_MBIOPRC_002_8	VARCHAR2
	Z_MBIOPRC_002_8_ND	VARCHAR2
Z_MBIOLDAT_002_8	Z_MBIOLDAT_002_8	DATE
	Z_MBIOLDAT_002_8_DTS	VARCHAR2
	Z_MBIOLDAT_002_8_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - TCR SEQUENCING UNPL (UNPL TCR) [Z_MBIO002_9]

Molecular Biology of Disease - Biomarker [Z_MBIO01002_9]

# ✓	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_MBIO01002_9]

1.1

Was sample collected?
[Was Sample Collected]

[Z_MBIOSMC_002_9]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_9]

[A:21] ☐ UNPL

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_9]

A80★

1.4

Sample source:
[Sample Source]

[Z_MBIOSSR_002_9]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_MBIODTC_002_9] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

1.6

Tumor sample origin:
[Sample Origin]

[Z_MBIOSOR_002_9]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_MBIOPS_002_9]

[A:2] ☐ FROZEN

1.8

Sample collection procedure:
[Sample Collection Procedure]

[Z_MBIOPRC_002_9]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBIOLDAT_002_9] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

Key: [✓] = Source verification required [] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_Z_MBIO002_9		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_9_Z_MBIO01002_9		
Z_MBIOSMC_002_9	Z_MBIOSMC_002_9_C	VARCHAR2
	Z_MBIOSMC_002_9	VARCHAR2
	Z_MBIOSMC_002_9_ND	VARCHAR2
Z_SOAVISIT_002_9	Z_SOAVISIT_002_9_C	VARCHAR2
	Z_SOAVISIT_002_9	VARCHAR2
	Z_SOAVISIT_002_9_ND	VARCHAR2
Z_SAMPNAME_002_9	Z_SAMPNAME_002_9	VARCHAR2
	Z_SAMPNAME_002_9_ND	VARCHAR2
Z_MBIOSSR_002_9	Z_MBIOSSR_002_9_C	VARCHAR2
	Z_MBIOSSR_002_9	VARCHAR2
	Z_MBIOSSR_002_9_ND	VARCHAR2
Z_MBIODTC_002_9	Z_MBIODTC_002_9	DATE
	Z_MBIODTC_002_9_DTS	VARCHAR2
	Z_MBIODTC_002_9_ND	VARCHAR2
Z_MBIOSOR_002_9	Z_MBIOSOR_002_9_C	VARCHAR2
	Z_MBIOSOR_002_9	VARCHAR2

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

	Z_MBIOSOR_002_9_ND	VARCHAR2
Z_MBIOPS_002_9	Z_MBIOPS_002_9_C	VARCHAR2
	Z_MBIOPS_002_9	VARCHAR2
	Z_MBIOPS_002_9_ND	VARCHAR2
Z_MBIOPRC_002_9	Z_MBIOPRC_002_9_C	VARCHAR2
	Z_MBIOPRC_002_9	VARCHAR2
	Z_MBIOPRC_002_9_ND	VARCHAR2
Z_MBIOLDAT_002_9	Z_MBIOLDAT_002_9	DATE
	Z_MBIOLDAT_002_9_DTS	VARCHAR2
	Z_MBIOLDAT_002_9_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - CIRCULATING PROTEIN UNPL (UNPL PROT) [Z_M BIO002_7]

Molecular Biology of Disease - Biomarker [Z_M BIO01002_7]

# ✓	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_M BIO01002_7]

1.1

Was sample collected?
[Was Sample Collected]

[Z_M BIOSMC_002_7]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_7]

[A:21] ☐ UNPL

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_7]

A80★

1.4

Sample source:
[Sample Source]

[Z_M BIOSSR_002_7]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_M BIOCDTC_002_7] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

1.6

Tumor sample origin:
[Sample Origin]

[Z_M BIOSOR_002_7]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_M BIOIPS_002_7]

[A:2] ☐ FROZEN

1.8

Sample collection procedure:
[Sample Collection Procedure]

[Z_M BIOIPRC_002_7]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_M BIOLDAT_002_7] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

Key: [✓] = Source verification required [] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_Z_M BIO002_7		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_M BIO002_7_Z_M BIO01002_7		
Z_M BIOSMC_002_7	Z_M BIOSMC_002_7_C	VARCHAR2
	Z_M BIOSMC_002_7	VARCHAR2
	Z_M BIOSMC_002_7_ND	VARCHAR2
Z_SOAVISIT_002_7	Z_SOAVISIT_002_7_C	VARCHAR2
	Z_SOAVISIT_002_7	VARCHAR2
	Z_SOAVISIT_002_7_ND	VARCHAR2
Z_SAMPNAME_002_7	Z_SAMPNAME_002_7	VARCHAR2
	Z_SAMPNAME_002_7_ND	VARCHAR2
Z_M BIOSSR_002_7	Z_M BIOSSR_002_7_C	VARCHAR2
	Z_M BIOSSR_002_7	VARCHAR2
	Z_M BIOSSR_002_7_ND	VARCHAR2
Z_M BIOCDTC_002_7	Z_M BIOCDTC_002_7	DATE
	Z_M BIOCDTC_002_7_DTS	VARCHAR2
	Z_M BIOCDTC_002_7_ND	VARCHAR2
Z_M BIOSOR_002_7	Z_M BIOSOR_002_7_C	VARCHAR2
	Z_M BIOSOR_002_7	VARCHAR2

	Z_MBIOSOR_002_7_ND	VARCHAR2
Z_MBIOPS_002_7	Z_MBIOPS_002_7_C	VARCHAR2
	Z_MBIOPS_002_7	VARCHAR2
	Z_MBIOPS_002_7_ND	VARCHAR2
Z_MBIOPRC_002_7	Z_MBIOPRC_002_7_C	VARCHAR2
	Z_MBIOPRC_002_7	VARCHAR2
	Z_MBIOPRC_002_7_ND	VARCHAR2
Z_MBIOLDAT_002_7	Z_MBIOLDAT_002_7	DATE
	Z_MBIOLDAT_002_7_DTS	VARCHAR2
	Z_MBIOLDAT_002_7_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - LONGITUDINAL ctDNA ANALYSIS UNPL (UNPL LDNA) [Z_MBIO002_11]

Molecular Biology of Disease - Biomarker [Z_MBIO01002_11]

# ✓	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_MBIO01002_11]

1.1

Was sample collected?
[Was Sample Collected]

[Z_MBIOSMC_002_11]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_11]

[A:21] ☐ UNPL

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_11]

A80★

1.4

Sample source:
[Sample Source]

[Z_MBIOSSR_002_11]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_MBIOCDTC_002_11] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

1.6

Tumor sample origin:
[Sample Origin]

[Z_MBIOSOR_002_11]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_MBIOPS_002_11]

[A:2] ☐ FROZEN

1.8

Sample collection procedure:
[Sample Collection Procedure]

[Z_MBIOPRC_002_11]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBIOLDAT_002_11] (DD/MM/YYYY)

Req / Req / Req (2020-2035)

Key: [✓] = Source verification required [] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_Z_MBIO002_11		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_11_Z_MBIO01002_11		
Z_MBIOSMC_002_11	Z_MBIOSMC_002_11_C	VARCHAR2
	Z_MBIOSMC_002_11	VARCHAR2
	Z_MBIOSMC_002_11_ND	VARCHAR2
Z_SOAVISIT_002_11	Z_SOAVISIT_002_11_C	VARCHAR2
	Z_SOAVISIT_002_11	VARCHAR2
	Z_SOAVISIT_002_11_ND	VARCHAR2
Z_SAMPNAME_002_11	Z_SAMPNAME_002_11	VARCHAR2
	Z_SAMPNAME_002_11_ND	VARCHAR2
Z_MBIOSSR_002_11	Z_MBIOSSR_002_11_C	VARCHAR2
	Z_MBIOSSR_002_11	VARCHAR2
	Z_MBIOSSR_002_11_ND	VARCHAR2
Z_MBIOCDTC_002_11	Z_MBIOCDTC_002_11	DATE
	Z_MBIOCDTC_002_11_DTS	VARCHAR2
	Z_MBIOCDTC_002_11_ND	VARCHAR2
Z_MBIOSOR_002_11	Z_MBIOSOR_002_11_C	VARCHAR2
	Z_MBIOSOR_002_11	VARCHAR2

	Z_MBIOSOR_002_11_ND	VARCHAR2
Z_MBIOPS_002_11	Z_MBIOPS_002_11_C	VARCHAR2
	Z_MBIOPS_002_11	VARCHAR2
	Z_MBIOPS_002_11_ND	VARCHAR2
Z_MBIOPRC_002_11	Z_MBIOPRC_002_11_C	VARCHAR2
	Z_MBIOPRC_002_11	VARCHAR2
	Z_MBIOPRC_002_11_ND	VARCHAR2
Z_MBIOLDAT_002_11	Z_MBIOLDAT_002_11	DATE
	Z_MBIOLDAT_002_11_DTS	VARCHAR2
	Z_MBIOLDAT_002_11_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: MOLECULAR BIOLOGY OF DISEASE - BIOMARKER - WHOLE BLD CTRL UNPL (UNPL BLOOD) [Z_MBIO002_20]

Molecular Biology of Disease - Biomarker [Z_MBIO01002_20]

# ▼	Was Sample Collected	Schedule of Activities - Visit	Sample Collection Name	Sample Source	Date of Sample Collection	Sample Origin	Sample Processing	Sample Collection Procedure	Date Specimen Sent to Lab
1.a		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	
1.b		UNPL		BLOOD		UNKNOWN	FROZEN	PERIPHERAL BLOOD	

Molecular Biology of Disease - Biomarker Entry [Z_MBIO01002_20]

1.1

Was sample collected?
[Was Sample Collected]

[Z_MBIOSMC_002_20]

[A:Y] ☐ YES
[A:N] ☐ NO

1.2

Schedule of activities - visit:
[Schedule of Activities - Visit]

[Z_SOAVISIT_002_20]

[A:21] ☐ UNPL

1.3

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_20]

A80★

1.4

Sample source:
[Sample Source]

[Z_MBIOSSR_002_20]

[A:1] ☐ BLOOD

1.5

Date Time of sample collection:
[Date of Sample Collection]

[Z_MBIOCDTC_002_20] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2020-2035)

1.6

Tumor sample origin: [read-only]
[Sample Origin]

[Z_MBIOSOR_002_20]

[A:18] ☐ UNKNOWN

1.7

Sample processing: [read-only]
[Sample Processing]

[Z_MBIOPS_002_20]

[A:2] ☐ FROZEN

1.8

Sample collection procedure: [read-only]
[Sample Collection Procedure]

[Z_MBIOPRC_002_20]

[A:10] ☐ PERIPHERAL BLOOD

1.9

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBIOLDAT_002_20] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2020-2035)

Key: [▼] = Source verification required [] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_Z_MBIO002_20		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_20_Z_MBIO01002_20		
Z_MBIOSMC_002_20	Z_MBIOSMC_002_20_C	VARCHAR2
	Z_MBIOSMC_002_20	VARCHAR2
	Z_MBIOSMC_002_20_ND	VARCHAR2
Z_SOAVISIT_002_20	Z_SOAVISIT_002_20_C	VARCHAR2
	Z_SOAVISIT_002_20	VARCHAR2
	Z_SOAVISIT_002_20_ND	VARCHAR2
Z_SAMPNAME_002_20	Z_SAMPNAME_002_20	VARCHAR2
	Z_SAMPNAME_002_20_ND	VARCHAR2
Z_MBIOSSR_002_20	Z_MBIOSSR_002_20_C	VARCHAR2
	Z_MBIOSSR_002_20	VARCHAR2
	Z_MBIOSSR_002_20_ND	VARCHAR2
Z_MBIOCDTC_002_20	Z_MBIOCDTC_002_20	DATE
	Z_MBIOCDTC_002_20_DTS	VARCHAR2
	Z_MBIOCDTC_002_20_ND	VARCHAR2
Z_MBIOSOR_002_20	Z_MBIOSOR_002_20_C	VARCHAR2
	Z_MBIOSOR_002_20	VARCHAR2

	Z_MBIOSOR_002_20_ND	VARCHAR2
Z_MBIOPS_002_20	Z_MBIOPS_002_20_C	VARCHAR2
	Z_MBIOPS_002_20	VARCHAR2
	Z_MBIOPS_002_20_ND	VARCHAR2
Z_MBIOPRC_002_20	Z_MBIOPRC_002_20_C	VARCHAR2
	Z_MBIOPRC_002_20	VARCHAR2
	Z_MBIOPRC_002_20_ND	VARCHAR2
Z_MBIOLDAT_002_20	Z_MBIOLDAT_002_20	DATE
	Z_MBIOLDAT_002_20_DTS	VARCHAR2
	Z_MBIOLDAT_002_20_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: SURVIVAL FOLLOW-UP (SURVIVAL) [SSSRV001]		
Survival Follow-up [SSSRV01001]		
1.* ✔	Current Subject Status: [Subject Status At Follow-up]	[SSORRES_SURVSTAT_001] [A:3] ☐ DEAD [A:4] ☐ ALIVE [A:5] ☐ UNKNOWN
2.* ✔	Date Last Known To Be Alive: [Date Last Known To Be Alive]	[SUPPSS_SRVAVDT_001] (DD/MM/YYYY) Req/Unk / Req / Req (2020-2035)
Key: [*] = Item is required [✔] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: SURVIVAL FOLLOW-UP		
Type	RefName	Description
Form	SSSRV001	SURVIVAL FOLLOW-UP
Section	SSSRV01001	sctSRV206_01

RDE Analytics: RD_SSSRV001		
Data Variable RefName	RD Column Name	Column Data Type
SSORRES_SURVSTAT_001	SSORRES_SURVSTAT_001_C	VARCHAR2
	SSORRES_SURVSTAT_001	VARCHAR2
	SSORRES_SURVSTAT_001_ND	VARCHAR2
SUPPSS_SRVAVDT_001	SUPPSS_SRVAVDT_001	DATE
	SUPPSS_SRVAVDT_001_DTS	VARCHAR2
	SUPPSS_SRVAVDT_001_DTR	VARCHAR2
	SUPPSS_SRVAVDT_001_ND	VARCHAR2

C4221016: UNPLANNED VISIT (UNPL) [D_UPA001]		
Unplanned Assessments [D_UPA01001]		
1.*	Assessments [Assessments]	[D_UNPLASS_001] [A:2] ☐ CARDIAC FUNCTION EVALUATION [A:3] ☐ ECOG PERFORMANCE STATUS [A:4] ☐ LOCALLY READ ECGs - SINGLE [A:5] ☐ LOCALLY READ ECGs - TRIPLICATE [A:18] ☐ TRIPLICATE ECG UNPLANNED [A:6] ☐ OPHTHALMIC ASSESSMENTS - FUNDUS PHOTOGRAPHY UNP [A:7] ☐ OPHTHALMIC ASSESSMENTS - OPTICAL COHERENCE TOMOGRAPHY UNP [A:8] ☐ OPHTHALMIC ASSESSMENTS - SLIT LAMP UNP [A:9] ☐ OPHTHALMIC ASSESSMENTS - INTRAOCULAR PRESSURE ASSESSMENT UNP [A:10] ☐ VISUAL ACUITY - DISTANCE UNP [A:12] ☐ LAB - HEMATOLOGY [A:11] ☐ LAB - CHEMISTRY [A:13] ☐ LAB - ENDOCRINOLOGY [A:14] ☐ LAB - COAGULATION [A:15] ☐ LAB - FASTING GLUCOSE [A:16] ☐ VITAL SIGNS [A:17] ☐ TUMOR ASSESSMENTS [A:26] ☐ BANKED BIOSPECIMEN SAMPLE TRACKING [A:27] ☐ LAB CHEMISTRY - MAGNESIUM

RDE Analytics: RD_D_UPA001		
Data Variable RefName	RD Column Name	Column Data Type
D_UNPLASS_001	D_UNPLASS_001_ND	VARCHAR2
D_UNPLASS_001 - CARDIAC FUNCTION EVALUATION	*D_UNPLASS_001_CLIUNPLASSCARDIACFUNCTIONEVALUATION_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSCARDIACFUNCTIONEVALUATION	VARCHAR2
D_UNPLASS_001 - ECOG PERFORMANCE STATUS	*D_UNPLASS_001_CLIUNPLASSECOG_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSECOG	VARCHAR2
D_UNPLASS_001 - LOCALLY READ ECGs - SINGLE	*D_UNPLASS_001_CLIUNPLASSLOCALLYREADECGSINGLE_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLOCALLYREADECGSINGLE	VARCHAR2
D_UNPLASS_001 - LOCALLY READ ECGs - TRIPLICATE	*D_UNPLASS_001_CLIUNPLASSLOCALLYREADECGTRIPLICATE_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLOCALLYREADECGTRIPLICATE	VARCHAR2
D_UNPLASS_001 - TRIPLICATE ECG UNPLANNED	*D_UNPLASS_001_CLIUNPLASSTRIPLICATEEECGUNPLANNED_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSTRIPLICATEEECGUNPLANNED	VARCHAR2
D_UNPLASS_001 - OPHTHALMIC ASSESSMENTS - FUNDUS PHOTOGRAPHY UNP	*D_UNPLASS_001_CLIUNPLASSOAFPU_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSOAFPU	VARCHAR2
D_UNPLASS_001 - OPHTHALMIC ASSESSMENTS - OPTICAL COHERENCE TOMOGRAPHY UNP	*D_UNPLASS_001_CLIUNPLASSOACTU_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSOACTU	VARCHAR2
D_UNPLASS_001 - OPHTHALMIC ASSESSMENTS - SLIT LAMP UNP	*D_UNPLASS_001_CLIUNPLASSOASLU_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSOASLU	VARCHAR2
D_UNPLASS_001 - OPHTHALMIC ASSESSMENTS - INTRAOCULAR PRESSURE ASSESSMENT UNP	*D_UNPLASS_001_CLIUNPLASSOAIPAU_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSOAIPAU	VARCHAR2
D_UNPLASS_001 - VISUAL ACUITY - DISTANCE UNP	*D_UNPLASS_001_CLIUNPLASSVISUALACUITYDISTANCEUNP_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSVISUALACUITYDISTANCEUNP	VARCHAR2
D_UNPLASS_001 - LAB - HEMATOLOGY	*D_UNPLASS_001_CLIUNPLASSLABHEMATOLOGY_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLABHEMATOLOGY	VARCHAR2
D_UNPLASS_001 - LAB - CHEMISTRY	*D_UNPLASS_001_CLIUNPLASSLABCHEMISTRY_C	VARCHAR2

	*D_UNPLASS_001_CLIUNPLASSLABCHEMISTRY	VARCHAR2
D_UNPLASS_001 - LAB - ENDOCRINOLOGY	*D_UNPLASS_001_CLIUNPLASSLABENDOCRINOLOGY_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLABENDOCRINOLOGY	VARCHAR2
D_UNPLASS_001 - LAB - COAGULATION	*D_UNPLASS_001_CLIUNPLASSLABCOAGULATION_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLABCOAGULATION	VARCHAR2
D_UNPLASS_001 - LAB - FASTING GLUCOSE	*D_UNPLASS_001_CLIUNPLASSLABFASTINGGLUCOSE_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLABFASTINGGLUCOSE	VARCHAR2
D_UNPLASS_001 - VITAL SIGNS	*D_UNPLASS_001_CLIUNPLASSVITALSIGNS_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSVITALSIGNS	VARCHAR2
D_UNPLASS_001 - TUMOR ASSESSMENTS	*D_UNPLASS_001_CLIUNPLASSTUMORASSESSMENTS_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSTUMORASSESSMENTS	VARCHAR2
D_UNPLASS_001 - BANKED BIOSPECIMEN SAMPLE TRACKING	*D_UNPLASS_001_CLIUNPLASSBANKEDBIOSPECIMENSAMPLETRACKING_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSBANKEDBIOSPECIMENSAMPLETRACKING	VARCHAR2
D_UNPLASS_001 - LAB CHEMISTRY - MAGNESIUM	*D_UNPLASS_001_CLIUNPLASSLABCHEMISTRYMAGNESIUM_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLABCHEMISTRYMAGNESIUM	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: LOCALLY READ ECGs REPEATING (ECG UNP) - Repeating Form [EG001_3_2]						
#	ECG Method	Group ID	Sponsor-Defined Identifier	ECG Date Time:	ECG Interpretation	ECG Results
1						
Locally Read ECGs Repeating [EG01001_3_2]						
1.*	Method: [ECG Method]	[EGMETHOD_001_3_2] [A:10] ☐ 12 LEAD STANDARD				
2.	Group Identifier: [read-only] [Group ID]	[EGGRPID_001_3_2] [A:1] ☐ 1				
3.	Repeat Number: [Sponsor-Defined Identifier]	[EGSPID_001_3_2] [A:1] ☐ 1ST ECG READING [A:2] ☐ 2ND ECG READING [A:3] ☐ 3RD ECG READING				
4.*	ECG Date Time: [ECG Date Time:]	[EGDTC_001_3_2] (DD/MM/YYYY hh:mm) Req v / Req v / Req v (2020-2035) Req v : Req v 24-hour clock				
5.*	Was ECG: [ECG Interpretation]	[EGORRES_INTP_001_3_2] [A:1] ☐ [SUPPEG_EGCLSIG_CMP_001_3_2] ☐ ABNORMAL [SUPPEG_EGCLSIG_001_3_2] If abnormal, was the overall ECG clinically significant? [A:Y] ☐ [CO_EGCOM_CMP_001_3_2] ☐ YES [CO_EGCOM_001_3_2] Comments on significant findings: (If clinically significant, record on the [insert protocol specific requirement e.g. Adverse Event page, Medical History page, Sign and Symptoms of Disease page]) A200 * [A:N] ☐ NO [A:2] ☐ INDETERMINATE [A:3] ☐ NORMAL [A:4] ☐ UNKNOWN [A:5] ☐ NOT EVALUABLE				
ECG Results [EG02001_3_2]						
# ✓	ECG Test Name			Result*	Unit	
6.a	ECG MEAN HEART RATE				beats/min	
6.b	QT INTERVAL NOT OTHERWISE SPECIFIED				msec	
6.c	PR INTERVAL NOT OTHERWISE SPECIFIED				msec	
6.d	QRS INTERVAL NOT OTHERWISE SPECIFIED				msec	
6.e	QTcF NOT OTHERWISE SPECIFIED				msec	
ECG Results Entry [EG02001_3_2]						
6.1 ☐	ECG Test Name: [ECG Test Name]	[EGTEST_001_3_2] [A:902] ☐ QT INTERVAL NOT OTHERWISE SPECIFIED [A:903] ☐ PR INTERVAL NOT OTHERWISE SPECIFIED [A:904] ☐ QRS INTERVAL NOT OTHERWISE SPECIFIED [A:128] ☐ ECG MEAN HEART RATE [A:909] ☐ QTcF NOT OTHERWISE SPECIFIED				
6.2*	Result: [Result]	[EGORRES_001_3_2] A200 * 				
6.3	Unit:	[EGORRESU_001_3_2]				

[Unit]

[A:114]

beats/min

[A:14]

msec

Key: [*] = Item is required [✔] = Source verification required [□] = Item is collapsible = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: LOCALLY READ ECGs REPEATING		
Type	RefName	Description
Form	EG001_3_2	EG001 - LOCALLY READ ECGs
Item	EGMETHOD_001_3_2	ECG Method
Item	EGGRPID_001_3_2	An identifier used to tie a group of related records together in a single domain for a subject. For paper studies it should be pre-printed on the CRF, but for EDC numbers should be system generated.
Item	EGSPID_001_3_2	Sponsor-defined reference identifier. Used to order replicate assessments within a single grouping (EGGRPID). Must be unique within a group (e.g., 1, 2, 3), but may repeat across groups.
Item	EGDTC_001_3_2	Date of ECG.
Item	EGORRES_INTP_001_3_2	ECG Interpretation - Normal, Abnormal, Not Evaluable.
Item	SUPPEG_EGCLSIG_001_3_2	Whether ECG results were clinically significant. Need a rule as EGCLSIG is completed only if EGNABN = "ABNORMAL" or "INDETERMINATE"
Item	CO_EGCOM_001_3_2	Comments on Significant ECG Findings
Item	EGTEST_001_3_2	Name of ECG Measurement, test or examination. Long name for EGTESTCD.
Item	EGORRES_001_3_2	Result of the measurement or finding as originally received or collected.
Item	EGORRESU_001_3_2	Original units in which the data were collected.

RDE Analytics: RD_EG001_3_2		
Data Variable RefName	RD Column Name	Column Data Type
EGMETHOD_001_3_2	EGMETHOD_001_3_2_C	VARCHAR2
	EGMETHOD_001_3_2	VARCHAR2
	EGMETHOD_001_3_2_ND	VARCHAR2
EGGRPID_001_3_2	EGGRPID_001_3_2_C	VARCHAR2
	EGGRPID_001_3_2	VARCHAR2
	EGGRPID_001_3_2_ND	VARCHAR2
EGSPID_001_3_2	EGSPID_001_3_2_C	VARCHAR2
	EGSPID_001_3_2	VARCHAR2
	EGSPID_001_3_2_ND	VARCHAR2
EGDTC_001_3_2	EGDTC_001_3_2	DATE
	EGDTC_001_3_2_DTS	VARCHAR2
	EGDTC_001_3_2_ND	VARCHAR2
EGORRES_INTP_001_3_2	EGORRES_INTP_001_3_2_C	VARCHAR2
	EGORRES_INTP_001_3_2	VARCHAR2
	EGORRES_INTP_001_3_2_ND	VARCHAR2
EGORRES_INTP_001_3_2 - SUPPEG_EGCLSIG_001_3_2	SUPPEG_EGCLSIG_001_3_2_C	VARCHAR2
	SUPPEG_EGCLSIG_001_3_2	VARCHAR2
EGORRES_INTP_001_3_2 - CO_EGCOM_001_3_2	CO_EGCOM_001_3_2	VARCHAR2
RD_EG001_3_2_EG02001_3_2		
EGTEST_001_3_2	EGTEST_001_3_2_C	VARCHAR2
	EGTEST_001_3_2	VARCHAR2
	EGTEST_001_3_2_ND	VARCHAR2
EGORRES_001_3_2	EGORRES_001_3_2	VARCHAR2
	EGORRES_001_3_2_ND	VARCHAR2
EGORRESU_001_3_2	EGORRESU_001_3_2_C	VARCHAR2

	EGORRESU_001_3_2	VARCHAR2
	EGORRESU_001_3_2_ND	VARCHAR2

C4221016: INTRAOCULAR PRESSURE ASSESSMENT (TONOMETRY) [OEOIP001_1]

Intraocular Pressure Assessment [OEOIP01001_1]

1.*

Date of Exam:
[Intraocular Pressure Assessment Date]

[OEDTC_001_1] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2020-2035)

2.*

Type of Tonometry (Check (X) ONE only):
[Intraocular Pressure Method]

[OEMETHOD_001_1]

[A:303] ☐ TONOMETRY

Location [OEOIP02001_1]

# ✓	Anatomical Location	Eye Examined	Examination Completion Status*	Intraocular Pressure (mmHg)	Examination Result	AE Identifier
3.a	EYE	LEFT				
3.b	EYE	RIGHT				

Location Entry [OEOIP02001_1]

3.1

Anatomical Location [read-only]
[Anatomical Location]

[OELOC_001_1]

[A:44] ☐ EYE

3.2

Eye Examined [read-only]
[Eye Examined]

[OELAT_001_1]

[A:5] ☐ LEFT

[A:6] ☐ RIGHT

3.3*

Examination Completion Status
[Examination Completion Status]

[OESTAT_001_1]

[A:1] ☐ NOT DONE

[A:2] ☐ DONE

3.4

Intraocular Pressure (mmHg)
[Intraocular Pressure (mmHg)]

[OEORRRES_IOP_001_1]

3.5

Examination Result
[Examination Result]

[OENRIND_001_1]

[A:1] ☐ ABNORMAL

[A:3] ☐ NORMAL

3.6

AE Identifier:
[AE Identifier]

[OESPID_001_1]

Key: [*] = Item is required [✓] = Source verification required ☐ = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: INTRAOCULAR PRESSURE ASSESSMENT		
Type	RefName	Description
Form	OEOIP001_1	INTRAOCULAR PRESSURE ASSESSMENT
Section	OEOIP01001_1	sctOIP101_02

RDE Analytics: RD_OEOIP001_1		
Data Variable RefName	RD Column Name	Column Data Type
OEDTC_001_1	OEDTC_001_1	DATE
	OEDTC_001_1_DTS	VARCHAR2
	OEDTC_001_1_ND	VARCHAR2
OEMETHOD_001_1	OEMETHOD_001_1_C	VARCHAR2
	OEMETHOD_001_1	VARCHAR2
	OEMETHOD_001_1_ND	VARCHAR2
*RD_OEOIP001_1_OEOIP02001_1		
OELOC_001_1	OELOC_001_1_C	VARCHAR2
	OELOC_001_1	VARCHAR2
	OELOC_001_1_ND	VARCHAR2
OELAT_001_1	OELAT_001_1_C	VARCHAR2
	OELAT_001_1	VARCHAR2

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

	OELAT_001_1_ND	VARCHAR2
OESTAT_001_1	OESTAT_001_1_C	VARCHAR2
	OESTAT_001_1	VARCHAR2
	OESTAT_001_1_ND	VARCHAR2
OERRES_IOP_001_1	OERRES_IOP_001_1	FLOAT
	OERRES_IOP_001_1_ND	VARCHAR2
OENRIND_001_1	OENRIND_001_1_C	VARCHAR2
	OENRIND_001_1	VARCHAR2
	OENRIND_001_1_ND	VARCHAR2
OESPID_001_1	OESPID_001_1	VARCHAR2
	OESPID_001_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: OPHTHALMIC ASSESSMENTS - FUNDUS PHOTOGRAPHY UNP (FUNDUS UNP) [OEOP003]

Ophthalmic Assessments [OEOP01003]

1.

What is the category of the ophthalmic assessment? *[read-only]*
[Category]

[OECAT_003]
[A:8] ☐ FUNDOSCOPIC EXAMINATION

2.

What is the method used for the ophthalmic assessment? *[read-only]*
[Method]

[OEMETHOD_003]
[A:292] ☐ FUNDUS PHOTOGRAPHY

3.*

Actual Date of Visit/Collection/Exam
[Actual Date of Visit/Collection/Exam]

[OEDTC_003] (DD/MM/YYYY)
Req / Req / Req (2020-2035)

Examination Result [OEOP02003]

#	Eye Structure	Eye Examined	Examination Completion Status*	Examination Result	Clinically Significant	Description of Findings	AE Identifier
4.a	EYE, VITREOUS CHAMBER	LEFT					
4.b	EYE, VITREOUS CHAMBER	RIGHT					
4.c	RETINA MACULAR	LEFT					
4.d	RETINA MACULAR	RIGHT					
4.e	CHOROID	LEFT					
4.f	CHOROID	RIGHT					
4.g	OPTIC NERVE	LEFT					
4.h	OPTIC NERVE	RIGHT					
4.i	OPTIC DISC	LEFT					
4.j	OPTIC DISC	RIGHT					

Examination Result Entry [OEOP02003]

4.1

Eye Structure *[read-only]*
[Eye Structure]

[OELOC_003]
[A:588] ☐ EYE, VITREOUS CHAMBER
[A:851] ☐ RETINA MACULAR
[A:741] ☐ CHOROID
[A:112] ☐ OPTIC NERVE
[A:590] ☐ OPTIC DISC

4.2

Eye Examined: *[read-only]*
[Eye Examined]

[OELAT_003]
[A:5] ☐ LEFT
[A:6] ☐ RIGHT

4.3*

Examination Completion Status
[Examination Completion Status]

[OESTAT_003]
[A:1] ☐ NOT DONE
[A:2] ☐ DONE

4.4

Examination Result
[Examination Result]

[OENRIND_003]
[A:1] ☐ NORMAL
[A:2] ☐ ABNORMAL

4.5

If abnormal or any findings, clinically significant
[Clinically Significant]

[SUPPOE_OECLSIG_003]
[A:N] ☐ NO
[A:Y] ☐ YES

4.6

Description of Findings
[Description of Findings]

[X_OEORRES_INTP_003]
A80*

4.7

AE Identifier:
[AE Identifier]

[OESPID_003]
A20*

Key: [*] = Item is required ☐ = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_OEOP003		
Data Variable RefName	RD Column Name	Column Data Type

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007.... 11/7/2024

OECAT_003	OECAT_003_C	VARCHAR2
	OECAT_003	VARCHAR2
	OECAT_003_ND	VARCHAR2
OEMETHOD_003	OEMETHOD_003_C	VARCHAR2
	OEMETHOD_003	VARCHAR2
	OEMETHOD_003_ND	VARCHAR2
OEDTC_003	OEDTC_003	DATE
	OEDTC_003_DTS	VARCHAR2
	OEDTC_003_ND	VARCHAR2
RD_OEOPE003_OEOPE02003		
OELOC_003	OELOC_003_C	VARCHAR2
	OELOC_003	VARCHAR2
	OELOC_003_ND	VARCHAR2
OELAT_003	OELAT_003_C	VARCHAR2
	OELAT_003	VARCHAR2
	OELAT_003_ND	VARCHAR2
OESTAT_003	OESTAT_003_C	VARCHAR2
	OESTAT_003	VARCHAR2
	OESTAT_003_ND	VARCHAR2
OENRIND_003	OENRIND_003_C	VARCHAR2
	OENRIND_003	VARCHAR2
	OENRIND_003_ND	VARCHAR2
SUPPOE_OECLSIG_003	SUPPOE_OECLSIG_003_C	VARCHAR2
	SUPPOE_OECLSIG_003	VARCHAR2
	SUPPOE_OECLSIG_003_ND	VARCHAR2
X_OEORRES_INTP_003	X_OEORRES_INTP_003	VARCHAR2
	X_OEORRES_INTP_003_ND	VARCHAR2
OESPID_003	OESPID_003	VARCHAR2
	OESPID_003_ND	VARCHAR2

C4221016: OPHTHALMIC ASSESSMENTS- UNPLANNED OPTICAL COHERENCE TOMOGRAPHY (TOMOGRAPHY) [OEOP003_3]							
Ophthalmic Assessments [OEOP01003_3]							
1.	What is the category of the ophthalmic assessment? <i>[read-only]</i> [Category]	[OECAT_003_3] [A:9] ☐ OPTICAL COHERENCE TOMOGRAPHY ASSESSMENTS					
2.	What is the method used for the ophthalmic assessment? <i>[read-only]</i> [Method]	[OEMETHOD_003_3] [A:164] ☐ OPTICAL COHERENCE TOMOGRAPHY					
3.*	Actual Date of Visit/Collection/Exam [Actual Date of Visit/Collection/Exam]	[OEDTC_003_3] (DD/MM/YYYY) Req / Req / Req (2020-2035)					
Examination Result [OEOP02003_3]							
#	Eye Structure	Eye Examined	Examination Completion Status*	Examination Result	Clinically Significant	Description of Findings	AE Identifier
4.a	CENTER POINT	LEFT					
4.b	CENTER POINT	RIGHT					
4.c	CHOROID	LEFT					
4.d	CHOROID	RIGHT					
4.e	ELLIPSOID ZONE (EZ)	LEFT					
4.f	ELLIPSOID ZONE (EZ)	RIGHT					
4.g	EXTERNAL LIMITING MEMBRANE	LEFT					
4.h	EXTERNAL LIMITING MEMBRANE	RIGHT					
4.i	EYE, VITREOUS CHAMBER	LEFT					
4.j	EYE, VITREOUS CHAMBER	RIGHT					
4.k	INTERDIGITATION ZONE (IZ)	LEFT					
4.l	INTERDIGITATION ZONE (IZ)	RIGHT					
4.m	OUTERNUCLEAR LAYER	LEFT					
4.n	OUTERNUCLEAR LAYER	RIGHT					
4.o	RETINA MACULAR	LEFT					
4.p	RETINA MACULAR	RIGHT					
4.q	RETINA NON-MACULAR (PERIPHERAL)	LEFT					
4.r	RETINA NON-MACULAR (PERIPHERAL)	RIGHT					
4.s	RETINAL PIGMENTED EPITHELIAL LAYER	LEFT					
4.t	RETINAL PIGMENTED EPITHELIAL LAYER	RIGHT					
Examination Result Entry [OEOP02003_3]							
4.1	Eye Structure <i>[read-only]</i> [Eye Structure]	[OELOC_003_3] [OELOC_CL_003_3]					
4.2	Eye Examined: <i>[read-only]</i> [Eye Examined]	[OELAT_003_3] [A:5] ☐ LEFT [A:6] ☐ RIGHT					
4.3*	Examination Completion Status [Examination Completion Status]	[OESTAT_003_3] [A:1] ☐ NOT DONE [A:2] ☐ DONE					
4.4	Examination Result [Examination Result]	[OENRIND_003_3] [A:1] ☐ NORMAL [A:2] ☐ ABNORMAL					
4.5	If abnormal or any findings, clinically significant [Clinically Significant]	[SUPPOE_OECLSIG_003_3] [A:N] ☐ NO [A:Y] ☐ YES					
4.6	Description of Findings [Description of Findings]	[X_OEORRES_INTP_003_3] A80*					

4.7	AE Identifier: [AE Identifier]	[OESPID_003_3] A20★
Key: [*] = Item is required [E] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Codelist Values Tables: OPHTHALMIC ASSESSMENTS- UNPLANNED OPTICAL COHERENCE TOMOGRAPHY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
OELOC_CL_003_3	String		CENTER POINT	857	cliLOC_CENTER_POINT	OELOC_003_3
			CHOROID	741	cliLOC_CHOROID	
			ELLIPSOID ZONE (EZ)	855	cliLOC_ELLIPSOID_ZONE_EZ	
			EXTERNAL LIMITING MEMBRANE	854	cliLOC_EXTERNAL_LIMITING_MEMBRANE	
			EYE, VITREOUS CHAMBER	588	cliLOC_EYE_VITREOUS_CHAMBER	
			INTERDIGITATION ZONE (IZ)	856	cliLOC_INTERDIGITATION_ZONE_IZ	
			OUTERNUCLEAR LAYER	853	cliLOC_OUTERNUCLEAR_LAYER	
			RETINA MACULAR	851	cliLOC_RETINA_MACULAR	
			RETINA NON-MACULAR (PERIPHERAL)	852	cliLOC_RETINA_NONMACULAR_PERIPHERAL	
			RETINAL PIGMENTED EPITHELIAL LAYER	746	cliLOC_RETINAL_PIGMENTED_EPITHELIAL_LAYER	

RDE Analytics: RD_OEOPE003_3		
Data Variable RefName	RD Column Name	Column Data Type
OECAT_003_3	OECAT_003_3_C	VARCHAR2
	OECAT_003_3	VARCHAR2
	OECAT_003_3_ND	VARCHAR2
OEMETHOD_003_3	OEMETHOD_003_3_C	VARCHAR2
	OEMETHOD_003_3	VARCHAR2
	OEMETHOD_003_3_ND	VARCHAR2
OEDTC_003_3	OEDTC_003_3	DATE
	OEDTC_003_3_DTS	VARCHAR2
	OEDTC_003_3_ND	VARCHAR2
*RD_OEOPE003_3_OEOPE02003_3		
OELOC_003_3	OELOC_003_3_C	VARCHAR2
	OELOC_003_3	VARCHAR2
	OELOC_003_3_ND	VARCHAR2
OELAT_003_3	OELAT_003_3_C	VARCHAR2
	OELAT_003_3	VARCHAR2
	OELAT_003_3_ND	VARCHAR2
OESTAT_003_3	OESTAT_003_3_C	VARCHAR2
	OESTAT_003_3	VARCHAR2
	OESTAT_003_3_ND	VARCHAR2
OENRIND_003_3	OENRIND_003_3_C	VARCHAR2
	OENRIND_003_3	VARCHAR2
	OENRIND_003_3_ND	VARCHAR2
SUPPOE_OECLSIG_003_3	SUPPOE_OECLSIG_003_3_C	VARCHAR2
	SUPPOE_OECLSIG_003_3	VARCHAR2
	SUPPOE_OECLSIG_003_3_ND	VARCHAR2
X_OEORRES_INTP_003_3	X_OEORRES_INTP_003_3	VARCHAR2
	X_OEORRES_INTP_003_3_ND	VARCHAR2

OESPID_003_3	OESPID_003_3	VARCHAR2
	OESPID_003_3_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: OPHTHALMIC ASSESSMENTS - SLIT LAMP UNP (SLIT LAMP) [OEOP003_4]

Ophthalmic Assessments [OEOP01003_4]

1.

What is the category of the ophthalmic assessment? *[read-only]*
[Category]

[OECAT_003_4]
[A:11] ☐ SLIT-LAMP EXAMINATION

2.

What is the method used for the ophthalmic assessment? *[read-only]*
[Method]

[OEMETHOD_003_4]
[A:53] ☐ SLIT LAMP

3.*

Actual Date of Visit/Collection/Exam
[Actual Date of Visit/Collection/Exam]

[OEDTC_003_4] (DD/MM/YYYY)
Req / Req / Req (2020-2035)

Examination Result [OEOP02003_4]

#	Eye Structure	Eye Examined	Examination Completion Status*	Examination Result	Clinically Significant	Description of Findings	AE Identifier
4.a	EYELID	LEFT					
4.b	EYELID	RIGHT					
4.c	CORNEA	LEFT					
4.d	CORNEA	RIGHT					
4.e	PALPEBRAL CONJUNCTIVA	LEFT					
4.f	PALPEBRAL CONJUNCTIVA	RIGHT					
4.g	BULBAR CONJUNCTIVA	LEFT					
4.h	BULBAR CONJUNCTIVA	RIGHT					
4.i	IRIS	LEFT					
4.j	IRIS	RIGHT					
4.k	LENS	LEFT					
4.l	LENS	RIGHT					
4.m	EYE, ANTERIOR CHAMBER	LEFT					
4.n	EYE, ANTERIOR CHAMBER	RIGHT					

Examination Result Entry [OEOP02003_4]

4.1

Eye Structure *[read-only]*
[Eye Structure]

[OELOC_003_4]
[OELOC_CL_003_4]

4.2

Eye Examined: *[read-only]*
[Eye Examined]

[OELAT_003_4]
[A:5] ☐ LEFT
[A:6] ☐ RIGHT

4.3*

Examination Completion Status
[Examination Completion Status]

[OESTAT_003_4]
[A:1] ☐ NOT DONE
[A:2] ☐ DONE

4.4

Examination Result
[Examination Result]

[OENRIND_003_4]
[A:1] ☐ NORMAL
[A:2] ☐ ABNORMAL

4.5

If abnormal or any findings, clinically significant
[Clinically Significant]

[SUPPOE_OECLSIG_003_4]
[A:N] ☐ NO
[A:Y] ☐ YES

4.6

Description of Findings
[Description of Findings]

[X_OEORRES_INTP_003_4]
A80*

4.7

AE Identifier:
[AE Identifier]

[OESPID_003_4]
A20*

Key: [*] = Item is required ☐ = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: OPHTHALMIC ASSESSMENTS - SLIT LAMP UNP

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007.... 11/7/2024

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
OELOC_CL_003_4	String		EYELID	95	cliLOC_EYELID	OELOC_003_4
			CORNEA	21	cliLOC_CORNEA	
			PALPEBRAL CONJUNCTIVA	858	cliLOC_PALPEBRAL_CONJUNCTIVA	
			BULBAR CONJUNCTIVA	859	cliLOC_BULBAR_CONJUNCTIVA	
			IRIS	743	cliLOC_IRIS	
			LENS	106	cliLOC_LENS	
			EYE, ANTERIOR CHAMBER	587	cliLOC_EYE_ANTERIOR_CHAMBER	

RDE Analytics: RD_OEOPE003_4		
Data Variable RefName	RD Column Name	Column Data Type
OECAT_003_4	OECAT_003_4_C	VARCHAR2
	OECAT_003_4	VARCHAR2
	OECAT_003_4_ND	VARCHAR2
OEMETHOD_003_4	OEMETHOD_003_4_C	VARCHAR2
	OEMETHOD_003_4	VARCHAR2
	OEMETHOD_003_4_ND	VARCHAR2
OEDTC_003_4	OEDTC_003_4	DATE
	OEDTC_003_4_DTS	VARCHAR2
	OEDTC_003_4_ND	VARCHAR2
*RD_OEOPE003_4_OEOPE02003_4		
OELOC_003_4	OELOC_003_4_C	VARCHAR2
	OELOC_003_4	VARCHAR2
	OELOC_003_4_ND	VARCHAR2
OELAT_003_4	OELAT_003_4_C	VARCHAR2
	OELAT_003_4	VARCHAR2
	OELAT_003_4_ND	VARCHAR2
OESTAT_003_4	OESTAT_003_4_C	VARCHAR2
	OESTAT_003_4	VARCHAR2
	OESTAT_003_4_ND	VARCHAR2
OENRIND_003_4	OENRIND_003_4_C	VARCHAR2
	OENRIND_003_4	VARCHAR2
	OENRIND_003_4_ND	VARCHAR2
SUPPOE_OECLSIG_003_4	SUPPOE_OECLSIG_003_4_C	VARCHAR2
	SUPPOE_OECLSIG_003_4	VARCHAR2
	SUPPOE_OECLSIG_003_4_ND	VARCHAR2
X_OEORRES_INTP_003_4	X_OEORRES_INTP_003_4	VARCHAR2
	X_OEORRES_INTP_003_4_ND	VARCHAR2
OESPID_003_4	OESPID_003_4	VARCHAR2
	OESPID_003_4_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: VISUAL ACUITY - DISTANCE UNPL (VISUAL UNP) [OEOVA002_1]

Visual Acuity - Distance [OEOVA01002_1]

1.*
✓Date of Exam:
[Exam Date]

[OEDTC_002_1] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2020-2035)

Location Results [OEOVA02002_1]

# ✓	Anatomical Location*	Laterality*	Examination Completion Status*	Is the fraction result available?*	Unit*	Examination Result	Method
2.a	EYE	LEFT					
2.b	EYE	RIGHT					

Location Results Entry [OEOVA02002_1]

2.1*
Anatomical Location
[Anatomical Location]

[OELOC_002_1]
[A:44] ☐ EYE

2.2*
Laterality
[Laterality]

[OELAT_002_1]
[A:5] ☐ LEFT
[A:6] ☐ RIGHT

2.3*
Examination Completion Status
[Examination Completion Status]

[OESTAT_002_1]
[A:1] ☐ NOT DONE
[A:2] ☐ DONE

2.4*
Is the fraction result available?
[Is the fraction result available?]

[OEORRES_FRARES_002_1]
[A:Y] ☐ [OEORRES_SCORE_CMP_002_1] ☐
YES
[OEORRES_SCORE_002_1]
Visual Acuity Fractional Result

A6*

[A:N] ☐ NO

2.5*
Unit
[Unit]

[OEORRESU_002_1]
[A:13] ☐ m
[A:294] ☐ ft

2.6
Examination Result
[Examination Result]

[OENRIND_002_1]
[A:1] ☐ ABNORMAL
[A:3] ☐ NORMAL

2.7
Method [read-only]
[Method]

[OEMETHOD_002_1]
[A:1] ☐ SNELLEN

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: VISUAL ACUITY - DISTANCE UNPL		
Type	RefName	Description
Form	OEOVA002_1	VISUAL ACUITY - DISTANCE_LEFT_RIGHT EYE

RDE Analytics: RD_OEOVA002_1		
Data Variable RefName	RD Column Name	Column Data Type
OEDTC_002_1	OEDTC_002_1	DATE
	OEDTC_002_1_DTS	VARCHAR2
	OEDTC_002_1_ND	VARCHAR2
*RD_OEOVA002_1_OEOVA02002_1		
OELOC_002_1	OELOC_002_1_C	VARCHAR2
	OELOC_002_1	VARCHAR2
	OELOC_002_1_ND	VARCHAR2
OELAT_002_1	OELAT_002_1_C	VARCHAR2

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

	OELAT_002_1	VARCHAR2
	OELAT_002_1_ND	VARCHAR2
OESTAT_002_1	OESTAT_002_1_C	VARCHAR2
	OESTAT_002_1	VARCHAR2
	OESTAT_002_1_ND	VARCHAR2
OERRES_FRAES_002_1	OERRES_FRAES_002_1_C	VARCHAR2
	OERRES_FRAES_002_1	VARCHAR2
	OERRES_FRAES_002_1_ND	VARCHAR2
OERRES_FRAES_002_1 - OERRES_SCORE_002_1	OERRES_SCORE_002_1	VARCHAR2
OERRESU_002_1	OERRESU_002_1_C	VARCHAR2
	OERRESU_002_1	VARCHAR2
	OERRESU_002_1_ND	VARCHAR2
OENRIND_002_1	OENRIND_002_1_C	VARCHAR2
	OENRIND_002_1	VARCHAR2
	OENRIND_002_1_ND	VARCHAR2
OEMETHOD_002_1	OEMETHOD_002_1_C	VARCHAR2
	OEMETHOD_002_1	VARCHAR2
	OEMETHOD_002_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221016: DISPOSITION - TREATMENT Binimetinib (DISP BINI) [DS001_5_2]

Disposition - Treatment Binimetinib [DS01001_5_2]

1.

Subcategory: *[read-only]*
[Subcategory:]

[DSSCAT_001_5_2]

[A:67] ☐ BINIMETINIB

2.*

Date of Completion/Discontinuation/Death :
[Date of Completion/Discontinuation/Death :]

[DSSTDTC_001_5_2] (DD/MM/YYYY)

Req ☒ / Req ☒ / Req ☒ (2020-2035)

3.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_5_2]

[A:4] ☐ TREATMENT

4.*

Status:
[Status]

[DSDECOD_001_5_2]

[A:2] ☐ COMPLETED
[A:1] ☐ ADVERSE EVENT
[A:3] ☐ DEATH
[A:22] ☐ GLOBAL DETERIORATION OF HEALTH STATUS
[A:5] ☐ LOST TO FOLLOW-UP
[A:17] ☐ MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT
[A:9] ☐ PREGNANCY
[A:10] ☐ PROGRESSIVE DISEASE
[A:14] ☐ STUDY TERMINATED BY SPONSOR
[A:16] ☐ WITHDRAWAL BY SUBJECT
[A:11] ☐ PROTOCOL DEVIATION
[A:8] ☐ PHYSICIAN DECISION
[A:7] ☐ OTHER

5.

Specify Status:
[Specify Status]

[DSTERM_001_5_2]

A100*

6.*

Will the subject continue to the next phase of this study?
[Subject Continue]

[SUPPDS_DSCONT_001_5_2]

[A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_5_2] ☐
YES
[SUPPDS_DSNEXT_001_5_2]
If Yes, next phase:
[A:1] ☐ FOLLOW-UP
[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - TREATMENT Binimetinib		
Type	RefName	Description
Item	DSSTDTC_001_5_2	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5_2	Specify Status
Item	SUPPDS_DSNEXT_001_5_2	Next Phase of Study

Data Series Summary: DISPOSITION - TREATMENT Binimetinib					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
2.	DSSTDTC_001_5_2	IsDS	dstDSSTDTC	dsrDSSTDTC	DateTime

RDE Analytics: RD_DS001_5_2		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5_2	DSSCAT_001_5_2_C	VARCHAR2
	DSSCAT_001_5_2	VARCHAR2
	DSSCAT_001_5_2_ND	VARCHAR2
DSSTDTC_001_5_2	DSSTDTC_001_5_2	DATE

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

	DSSTDTC_001_5_2_DTS	VARCHAR2
	DSSTDTC_001_5_2_ND	VARCHAR2
SUPPDS_DSPHASE_001_5_2	SUPPDS_DSPHASE_001_5_2_C	VARCHAR2
	SUPPDS_DSPHASE_001_5_2	VARCHAR2
	SUPPDS_DSPHASE_001_5_2_ND	VARCHAR2
DSDECOD_001_5_2	DSDECOD_001_5_2_C	VARCHAR2
	DSDECOD_001_5_2	VARCHAR2
	DSDECOD_001_5_2_ND	VARCHAR2
DSTERM_001_5_2	DSTERM_001_5_2	VARCHAR2
	DSTERM_001_5_2_ND	VARCHAR2
SUPPDS_DSCONT_001_5_2	SUPPDS_DSCONT_001_5_2_C	VARCHAR2
	SUPPDS_DSCONT_001_5_2	VARCHAR2
	SUPPDS_DSCONT_001_5_2_ND	VARCHAR2
SUPPDS_DSCONT_001_5_2 - SUPPDS_DSNEXT_001_5_2	SUPPDS_DSNEXT_001_5_2_C	VARCHAR2
	SUPPDS_DSNEXT_001_5_2	VARCHAR2

C4221016: DISPOSITION - TREATMENT Encorafenib (DISP ENCO) [DS001_5_1]

Treatment Encorafenib [DS01001_5_1]

1.

Subcategory: *[read-only]*
[Subcategory:]

[DSSCAT_001_5_1]

[A:66] ☐ ENCORAFENIB

2.*

Completion/Discontinuation/Death :
[Completion/Discontinuation/Death :]

[DSSTDTC_001_5_1] (DD/MM/YYYY)

Req ☒ / Req ☒ / Req ☒ (2020-2035)

3.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_5_1]

[A:4] ☐ TREATMENT

4.*

Status:
[Status]

[DSDECOD_001_5_1]

[A:2] ☐ COMPLETED
[A:1] ☐ ADVERSE EVENT
[A:3] ☐ DEATH
[A:22] ☐ GLOBAL DETERIORATION OF HEALTH STATUS
[A:5] ☐ LOST TO FOLLOW-UP
[A:17] ☐ MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT
[A:9] ☐ PREGNANCY
[A:10] ☐ PROGRESSIVE DISEASE
[A:14] ☐ STUDY TERMINATED BY SPONSOR
[A:16] ☐ WITHDRAWAL BY SUBJECT
[A:11] ☐ PROTOCOL DEVIATION
[A:8] ☐ PHYSICIAN DECISION
[A:7] ☐ OTHER

5.

Specify Status:
[Specify Status]

[DSTERM_001_5_1]

A100*

6.*

Will the subject continue to the next phase of this study?
[Subject Continue]

[SUPPDS_DSCONT_001_5_1]

[A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_5_1] ☐
YES
[SUPPDS_DSNEXT_001_5_1]
If Yes, next phase:
[A:1] ☐ FOLLOW-UP
[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - TREATMENT Encorafenib		
Type	RefName	Description
Item	DSSTDTC_001_5_1	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5_1	Specify Status
Item	SUPPDS_DSNEXT_001_5_1	Next Phase of Study

Data Series Summary: DISPOSITION - TREATMENT Encorafenib					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
2.	DSSTDTC_001_5_1	IsDS	dstDSSTDTC	dsrDSSTDTC	DateTime

RDE Analytics: RD_DS001_5_1		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5_1	DSSCAT_001_5_1_C	VARCHAR2
	DSSCAT_001_5_1	VARCHAR2
	DSSCAT_001_5_1_ND	VARCHAR2
DSSTDTC_001_5_1	DSSTDTC_001_5_1	DATE

file:///C:/Users/NOBLEA05/AppData/Local/Apps/2.0/4H12KXV2.K05/K0VZ0D30.AXE/orac..90.0_919f856034ae8f10_0007....

11/7/2024

	DSSTDTC_001_5_1_DTS	VARCHAR2
	DSSTDTC_001_5_1_ND	VARCHAR2
SUPPDS_DSPHASE_001_5_1	SUPPDS_DSPHASE_001_5_1_C	VARCHAR2
	SUPPDS_DSPHASE_001_5_1	VARCHAR2
	SUPPDS_DSPHASE_001_5_1_ND	VARCHAR2
DSDECOD_001_5_1	DSDECOD_001_5_1_C	VARCHAR2
	DSDECOD_001_5_1	VARCHAR2
	DSDECOD_001_5_1_ND	VARCHAR2
DSTERM_001_5_1	DSTERM_001_5_1	VARCHAR2
	DSTERM_001_5_1_ND	VARCHAR2
SUPPDS_DSCONT_001_5_1	SUPPDS_DSCONT_001_5_1_C	VARCHAR2
	SUPPDS_DSCONT_001_5_1	VARCHAR2
	SUPPDS_DSCONT_001_5_1_ND	VARCHAR2
SUPPDS_DSCONT_001_5_1 - SUPPDS_DSNEXT_001_5_1	SUPPDS_DSNEXT_001_5_1_C	VARCHAR2
	SUPPDS_DSNEXT_001_5_1	VARCHAR2

C4221016: DISPOSITION - TREATMENT Pembrolizumab (DISP PEMB) [DS001_5]

Disposition - Treatment Pembrolizumab [DS01001_5]

1.

Subcategory: [read-only]
[Subcategory:]

[DSSCAT_001_5]
[A:65] ☐ PEMBROLIZUMAB

2.*
✓

Date of Completion/Discontinuation/Death :
[Date of Completion/Discontinuation/Death :]

[DSSTDTC_001_5] (DD/MM/YYYY)
Req ☒ / Req ☒ / Req ☒ (2020-2035)

3.

Phase of Disposition: [read-only]
[Disposition Phase]

[SUPPDS_DSPHASE_001_5]
[A:4] ☐ TREATMENT

4.*
✓

Status:
[Status]

[DSDECOD_001_5]
[A:2] ☐ COMPLETED
[A:1] ☐ ADVERSE EVENT
[A:3] ☐ DEATH
[A:22] ☐ GLOBAL DETERIORATION OF HEALTH STATUS
[A:5] ☐ LOST TO FOLLOW-UP
[A:17] ☐ MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT
[A:9] ☐ PREGNANCY
[A:10] ☐ PROGRESSIVE DISEASE
[A:14] ☐ STUDY TERMINATED BY SPONSOR
[A:16] ☐ WITHDRAWAL BY SUBJECT
[A:11] ☐ PROTOCOL DEVIATION
[A:8] ☐ PHYSICIAN DECISION
[A:7] ☐ OTHER

5.

Specify Status:
[Specify Status]

[DSTERM_001_5]
A100*

6.*
✓

Will the subject continue to the next phase of this study?
[Subject Continue]

[SUPPDS_DSCONT_001_5]
[A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_5] ☐
YES
[SUPPDS_DSNEXT_001_5]
If Yes, next phase:
[A:1] ☐ FOLLOW-UP
[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - TREATMENT Pembrolizumab		
Type	RefName	Description
Item	DSSTDTC_001_5	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5	Specify Status
Item	SUPPDS_DSNEXT_001_5	Next Phase of Study

Data Series Summary: DISPOSITION - TREATMENT Pembrolizumab					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
2.	DSSTDTC_001_5	IsDS	dstDSSTDTC	dsrDSSTDTC	DateTime

RDE Analytics: RD_DS001_5		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5	DSSCAT_001_5_C	VARCHAR2
	DSSCAT_001_5	VARCHAR2
	DSSCAT_001_5_ND	VARCHAR2
DSSTDTC_001_5	DSSTDTC_001_5	DATE

	DSSTDTC_001_5_DTS	VARCHAR2
	DSSTDTC_001_5_ND	VARCHAR2
SUPPDS_DSPHASE_001_5	SUPPDS_DSPHASE_001_5_C	VARCHAR2
	SUPPDS_DSPHASE_001_5	VARCHAR2
	SUPPDS_DSPHASE_001_5_ND	VARCHAR2
DSDECOD_001_5	DSDECOD_001_5_C	VARCHAR2
	DSDECOD_001_5	VARCHAR2
	DSDECOD_001_5_ND	VARCHAR2
DSTERM_001_5	DSTERM_001_5	VARCHAR2
	DSTERM_001_5_ND	VARCHAR2
SUPPDS_DSCONT_001_5	SUPPDS_DSCONT_001_5_C	VARCHAR2
	SUPPDS_DSCONT_001_5	VARCHAR2
	SUPPDS_DSCONT_001_5_ND	VARCHAR2
SUPPDS_DSCONT_001_5 - SUPPDS_DSNEXT_001_5	SUPPDS_DSNEXT_001_5_C	VARCHAR2
	SUPPDS_DSNEXT_001_5	VARCHAR2

C4221016: DISPOSITION - FOLLOW-UP (DISP FUP) [DS001_6]

Disposition - Follow-Up [DS01001_6]

1.*
✓

Date of Completion/Discontinuation/Death :
[Date of Completion/Discontinuation/Death :]

[DSSTDTC_001_6] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2020-2035)

2.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_6]
[A:1] ☐ FOLLOW-UP

3.*
✓

Status:
[Status]

[DSDECOD_001_6]
[DSDECOD_CL_001_6] ☐

4.
✓

Specify Status:
[Specify Status]

[DSTERM_001_6]
A100★

Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Item	DSSTDTC_001_6	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_6	Specify Status

Codelist Values Tables: DISPOSITION - FOLLOW-UP						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_6	String		DEATH	3	clINCOMPLT_DEATH	DSDECOD_001_6
			LOST TO FOLLOW-UP	5	clINCOMPLT_LOSTTOFOLLOWUP	
			STUDY TERMINATED BY SPONSOR	14	clINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	clINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			COMPLETED	2	clINCOMPLT_COMPLETED	
			OTHER	7	clINCOMPLT_OTHER	

RDE Analytics: RD_DS001_6		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_6	DSSTDTC_001_6	DATE
	DSSTDTC_001_6_DTS	VARCHAR2
	DSSTDTC_001_6_ND	VARCHAR2
SUPPDS_DSPHASE_001_6	SUPPDS_DSPHASE_001_6_C	VARCHAR2
	SUPPDS_DSPHASE_001_6	VARCHAR2
	SUPPDS_DSPHASE_001_6_ND	VARCHAR2
DSDECOD_001_6	DSDECOD_001_6_C	VARCHAR2
	DSDECOD_001_6	VARCHAR2
	DSDECOD_001_6_ND	VARCHAR2
DSTERM_001_6	DSTERM_001_6	VARCHAR2
	DSTERM_001_6_ND	VARCHAR2

C4221016: DEATH DETAILS (DEATH) [DD001]

Death Details [DD01001]

1.*	Date of Collection / Notification of Death: [Date of Collection / Notification of Death]	[DDDTC_001] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)
2.*	Date of Death: [Date / Time of Death]	[R_DDDTHDTC_001] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)
3.*	Primary cause of death: [Primary Cause of Death]	[DDORRES_PRCDTH_001] [A:1] ☐ DISEASE UNDER STUDY [A:2] ☐ STUDY TREATMENT TOXICITY [A:3] ☐ UNKNOWN [A:4] ☒ [X_DDORRES_PRCDTH_OTH_CMP_001] ☐ OTHER [X_DDORRES_PRCDTH_OTH_001] Primary cause of death, other specify: A100★

Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Data Series Summary: DEATH DETAILS					
Item No.	Data Variable RefName	Mapping RefName	Data Set Alias/RefName	Data Series Alias/RefName	Data Series Type
2.	R_DDDTHDTC_001	IsDD001	dstDDDTHTDC	dsrDDDTHTDC	DateTime

RDE Analytics: RD_DD001		
Data Variable RefName	RD Column Name	Column Data Type
DDDTC_001	DDDTC_001	DATE
	DDDTC_001_DTS	VARCHAR2
	DDDTC_001_ND	VARCHAR2
R_DDDTHDTC_001	R_DDDTHDTC_001	DATE
	R_DDDTHDTC_001_DTS	VARCHAR2
	R_DDDTHDTC_001_ND	VARCHAR2
DDORRES_PRCDTH_001	DDORRES_PRCDTH_001_C	VARCHAR2
	DDORRES_PRCDTH_001	VARCHAR2
	DDORRES_PRCDTH_001_ND	VARCHAR2
DDORRES_PRCDTH_001 - X_DDORRES_PRCDTH_OTH_001	X_DDORRES_PRCDTH_OTH_001	VARCHAR2

C4221016: WITHDRAWAL OF CONSENT (WOC) [DS001_7]		
Withdrawal Of Consent [DS01001_7]		
1.* ✓	Withdrawal of Consent Date : [Withdrawal of Consent Date :]	[DSSTDTC_001_7] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: WITHDRAWAL OF CONSENT		
Type	RefName	Description
Item	DSSTDTC_001_7	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_7		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_7	DSSTDTC_001_7	DATE
	DSSTDTC_001_7_DTS	VARCHAR2
	DSSTDTC_001_7_ND	VARCHAR2

C4221016: DISPOSITION -TREATMENT ENCORAFENIB/PLACEBO (Ph3) (DSP ENC P3) [DS001_5_3]

Disposition - Treatment Encorafenib/Placebo [DS01001_5_3]

1.	Subcategory: <i>[read-only]</i> [Subcategory:]	[DSSCAT_001_5_3] [A:76] ☐ ENCORAFENIB/PLACEBO
2.* ✓	Date of Completion/Discontinuation/Death : [Date of Completion/Discontinuation/Death :]	[DSSTDTC_001_5_3] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)
3.	Phase of Disposition: <i>[read-only]</i> [Disposition Phase]	[SUPPDS_DSPHASE_001_5_3] [A:4] ☐ TREATMENT
4.* ✓	Status: [Status]	[DSDECOD_001_5_3] [DSDECOD_CL_001_5_3] ☐
5. ✓	Specify Status: [Specify Status]	[DSTERM_001_5_3] A100*
6.* ✓	Will the subject continue to the next phase of this study? [Subject Continue]	[SUPPDS_DSCONT_001_5_3] [A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_5_3] ☐ YES [SUPPDS_DSNEXT_001_5_3] If Yes, next phase: [A:I] ☐ FOLLOW-UP [A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION -TREATMENT ENCORAFENIB/PLACEBO (Ph3)		
Type	RefName	Description
Item	DSSTDTC_001_5_3	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5_3	Specify Status
Item	SUPPDS_DSNEXT_001_5_3	Next Phase of Study

Codelist Values Tables: DISPOSITION -TREATMENT ENCORAFENIB/PLACEBO (Ph3)						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5_3	String		COMPLETED	2	cliNCOMPLT_COMPLETED	DSDECOD_001_5_3
			ADVERSE EVENT	1	cliNCOMPLT_ADVERSE_EVENT	
			DEATH	3	cliNCOMPLT_DEATH	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	cliNCOMPLT_GLOBALDETERIORATIONOFHEALTHSTATUS	
			LOST TO FOLLOW-UP	5	cliNCOMPLT_LOSTTOFOLLOWUP	
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	17	cliNCOMPLT_MEDICATIONERRORWITHOUTASSOCIATEDADVERSEEVENT	
			PREGNANCY	9	cliNCOMPLT_PREGNANCY	
			PROGRESSIVE DISEASE	10	cliNCOMPLT_PROGRESSIVEDISEASE	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_WITHDRAWAL_BY_SUBJECT	
			PROTOCOL DEVIATION	11	cliNCOMPLT_PROTOCOLDEVIATION	
			PHYSICIAN DECISION	8	cliNCOMPLT_PHYSICIAN_DECISION	
			OTHER	7	cliNCOMPLT_OTHER	

RDE Analytics: RD_DS001_5_3		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5_3	DSSCAT_001_5_3_C	VARCHAR2
	DSSCAT_001_5_3	VARCHAR2

	DSSCAT_001_5_3_ND	VARCHAR2
DSSTDTC_001_5_3	DSSTDTC_001_5_3	DATE
	DSSTDTC_001_5_3_DTS	VARCHAR2
	DSSTDTC_001_5_3_ND	VARCHAR2
SUPPDS_DSPHASE_001_5_3	SUPPDS_DSPHASE_001_5_3_C	VARCHAR2
	SUPPDS_DSPHASE_001_5_3	VARCHAR2
	SUPPDS_DSPHASE_001_5_3_ND	VARCHAR2
DSDECOD_001_5_3	DSDECOD_001_5_3_C	VARCHAR2
	DSDECOD_001_5_3	VARCHAR2
	DSDECOD_001_5_3_ND	VARCHAR2
DSTERM_001_5_3	DSTERM_001_5_3	VARCHAR2
	DSTERM_001_5_3_ND	VARCHAR2
SUPPDS_DSCONT_001_5_3	SUPPDS_DSCONT_001_5_3_C	VARCHAR2
	SUPPDS_DSCONT_001_5_3	VARCHAR2
	SUPPDS_DSCONT_001_5_3_ND	VARCHAR2
SUPPDS_DSCONT_001_5_3 - SUPPDS_DSNEXT_001_5_3	SUPPDS_DSNEXT_001_5_3_C	VARCHAR2
	SUPPDS_DSNEXT_001_5_3	VARCHAR2

C4221016: DISPOSITION -TREATMENT BINIMETINIB/PLACEBO (Ph3) (DSP BNI P3) [DS001_5_4]

Disposition - Treatment Binimetinib/Placebo [DS01001_5_4]

1.

Subcategory: *[read-only]*
[Subcategory:]

[DSSCAT_001_5_4]
[A:75] ☐ BINIMETINIB/PLACEBO

2.*
✓

Date of Completion/Discontinuation/Death :
[Date of Completion/Discontinuation/Death :]

[DSSTDTC_001_5_4] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2020-2035)

3.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_5_4]
[A:4] ☐ TREATMENT

4.*
✓

Status:
[Status]

[DSDECOD_001_5_4]
[DSDECOD_CL_001_5_4] ☐

5.

Specify Status:
[Specify Status]

[DSTERM_001_5_4]
A100*

6.*
✓

Will the subject continue to the next phase of this study?
[Subject Continue]

[SUPPDS_DSCONT_001_5_4]
[A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_5_4] ☐
YES
[SUPPDS_DSNEXT_001_5_4]
If Yes, next phase:
[A:I] ☐ FOLLOW-UP
[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION -TREATMENT BINIMETINIB/PLACEBO (Ph3)		
Type	RefName	Description
Item	DSSTDTC_001_5_4	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5_4	Specify Status
Item	SUPPDS_DSNEXT_001_5_4	Next Phase of Study

Codelist Values Tables: DISPOSITION -TREATMENT BINIMETINIB/PLACEBO (Ph3)						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5_4	String		COMPLETED	2	cliNCOMPLT_COMPLETED	DSDECOD_001_5_4
			ADVERSE EVENT	1	cliNCOMPLT_ADVERSE_EVENT	
			DEATH	3	cliNCOMPLT_DEATH	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	cliNCOMPLT_GLOBALDETERIORATIONOFHEALTHSTATUS	
			LOST TO FOLLOW-UP	5	cliNCOMPLT_LOSTTOFOLLOWUP	
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	17	cliNCOMPLT_MEDICATIONERRORWITHOUTASSOCIATEDADVERSEEVENT	
			PREGNANCY	9	cliNCOMPLT_PREGNANCY	
			PROGRESSIVE DISEASE	10	cliNCOMPLT_PROGRESSIVEDISEASE	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_WITHDRAWAL_BY_SUBJECT	
			PROTOCOL DEVIATION	11	cliNCOMPLT_PROTOCOLDEVIATION	
			PHYSICIAN DECISION	8	cliNCOMPLT_PHYSICIAN_DECISION	
			OTHER	7	cliNCOMPLT_OTHER	

RDE Analytics: RD_DS001_5_4		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5_4	DSSCAT_001_5_4_C	VARCHAR2
	DSSCAT_001_5_4	VARCHAR2

	DSSCAT_001_5_4_ND	VARCHAR2
DSSTDTC_001_5_4	DSSTDTC_001_5_4	DATE
	DSSTDTC_001_5_4_DTS	VARCHAR2
	DSSTDTC_001_5_4_ND	VARCHAR2
SUPPDS_DSPHASE_001_5_4	SUPPDS_DSPHASE_001_5_4_C	VARCHAR2
	SUPPDS_DSPHASE_001_5_4	VARCHAR2
	SUPPDS_DSPHASE_001_5_4_ND	VARCHAR2
DSDECOD_001_5_4	DSDECOD_001_5_4_C	VARCHAR2
	DSDECOD_001_5_4	VARCHAR2
	DSDECOD_001_5_4_ND	VARCHAR2
DSTERM_001_5_4	DSTERM_001_5_4	VARCHAR2
	DSTERM_001_5_4_ND	VARCHAR2
SUPPDS_DSCONT_001_5_4	SUPPDS_DSCONT_001_5_4_C	VARCHAR2
	SUPPDS_DSCONT_001_5_4	VARCHAR2
	SUPPDS_DSCONT_001_5_4_ND	VARCHAR2
SUPPDS_DSCONT_001_5_4 - SUPPDS_DSNEXT_001_5_4	SUPPDS_DSNEXT_001_5_4_C	VARCHAR2
	SUPPDS_DSNEXT_001_5_4	VARCHAR2

C4221016: DISPOSITION - FOLLOW-UP (Ph3) (DSP FUP P3) [DS001_6_1]		
Disposition - Follow-Up [DS01001_6_1]		
1.* ✓	Date of Completion/Discontinuation/Death : [Date of Completion/Discontinuation/Death :]	[DSSTDTC_001_6_1] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2020-2035)
2.	Phase of Disposition: [read-only] [Disposition Phase]	[SUPPDS_DSPHASE_001_6_1] [A:1] ☒ FOLLOW-UP
3.* ✓	Status: [Status]	[DSDECOD_001_6_1] [A:3] ☐ DEATH [A:5] ☐ LOST TO FOLLOW-UP [A:14] ☐ STUDY TERMINATED BY SPONSOR [A:16] ☐ WITHDRAWAL BY SUBJECT [A:7] ☐ OTHER
4. ✓	Specify Status: [Specify Status]	[DSTERM_001_6_1] A100*
Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: DISPOSITION - FOLLOW-UP (Ph3)		
Type	RefName	Description
Item	DSSTDTC_001_6_1	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_6_1	Specify Status

RDE Analytics: RD_DS001_6_1		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_6_1	DSSTDTC_001_6_1	DATE
	DSSTDTC_001_6_1_DTS	VARCHAR2
	DSSTDTC_001_6_1_ND	VARCHAR2
SUPPDS_DSPHASE_001_6_1	SUPPDS_DSPHASE_001_6_1_C	VARCHAR2
	SUPPDS_DSPHASE_001_6_1	VARCHAR2
	SUPPDS_DSPHASE_001_6_1_ND	VARCHAR2
DSDECOD_001_6_1	DSDECOD_001_6_1_C	VARCHAR2
	DSDECOD_001_6_1	VARCHAR2
	DSDECOD_001_6_1_ND	VARCHAR2
DSTERM_001_6_1	DSTERM_001_6_1	VARCHAR2
	DSTERM_001_6_1_ND	VARCHAR2

C4221016: TREATMENT UNBLINDED (UNBLIND) [DS001_8]

Treatment Unblinded [DS01001_8]

1.*
✓

Date of Treatment Unblinded:
[Date]

[DSSTDTC_001_8] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2020-2035)

2.*
✓

Phase of Disposition:
[Disposition Phase]

[SUPPDS_DSPHASE_001_8]

[A:1] ☐ FOLLOW-UP

[A:4] ☐ TREATMENT

3.*
✓

Primary Reason for Unblinding:
[Primary Reason for Unblinding]

[X_DSTERM_DSUNBL_001_8]

[A:1] ☐ SUBJECT SAFETY CONCERN

[A:2] ☐ STUDY PRIMARY OBJECTIVES MET

[A:999] ☐ [X_DSTERM_DSUNBLO_CMP_001_8] ☐

OTHER

[X_DSTERM_DSUNBLO_001_8]

If other, specify:

A100★

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: TREATMENT UNBLINDED		
Type	RefName	Description
Item	DSSTDTC_001_8	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_8		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_8	DSSTDTC_001_8	DATE
	DSSTDTC_001_8_DTS	VARCHAR2
	DSSTDTC_001_8_ND	VARCHAR2
SUPPDS_DSPHASE_001_8	SUPPDS_DSPHASE_001_8_C	VARCHAR2
	SUPPDS_DSPHASE_001_8	VARCHAR2
	SUPPDS_DSPHASE_001_8_ND	VARCHAR2
X_DSTERM_DSUNBL_001_8	X_DSTERM_DSUNBL_001_8_C	VARCHAR2
	X_DSTERM_DSUNBL_001_8	VARCHAR2
	X_DSTERM_DSUNBL_001_8_ND	VARCHAR2
X_DSTERM_DSUNBL_001_8 - X_DSTERM_DSUNBLO_001_8	X_DSTERM_DSUNBLO_001_8	VARCHAR2

C4221016: SUBJECT STATUS (SUB STATU) [X_DS_SLOPD001]

Subject Status [X_DS_SLOPD01001]

1. Subject Status *[read-only]*
[Subject Status]

[X_DS_STAT_001]
[X_DS_STAT_CL_001] ▼

2. Subject Status Date *[read-only]*
[Status Date]

[X_DS_DAT_001] (DD/MM/YYYY)
Req ▼ / Req ▼ / Req ▼ (2020-2035)

3. Subject Reason for Withdrawal *[hidden]*
[Subject Reason for Withdrawal]

[X_DS_WDRLREA_001]
[X_DS_WDRLREA_CL_001] ▼

4. Subject Withdrawal Timeframe *[hidden]*
[Subject Withdrawal Timeframe]

[X_DS_WDRLPHS_001]
[A:3] ☐ SCREENING
[A:4] ☐ TREATMENT
[A:1] ☐ FOLLOW-UP

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: SUBJECT STATUS		
Type	RefName	Description
Form	X_DS_SLOPD001	DS_SLOPD - Subject Status

Codelist Values Tables: SUBJECT STATUS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
X_DS_STAT_CL_001	String		SCREENED	1	cliDS_STAT_SCREENED	X_DS_STAT_001
			SCREEN FAIL	2	cliDS_STAT_SCREEN_FAIL	
			ENROLLED/RANDOMIZED	3	cliDS_STAT_ENROLLED_RANDOMIZED	
			DISCONTINUED	4	cliDS_STAT_DISCONTINUED	
			COMPLETED	5	cliDS_STAT_COMPLETED	
			FOLLOW-UP	6	cliDS_STAT_FOLLOW_UP	
X_DS_WDRLREA_CL_001	String		ADVERSE EVENT	1	cliINCOMPLT_ADVERSE_EVENT	X_DS_WDRLREA_001
			COMPLETED	2	cliINCOMPLT_COMPLETED	
			DEATH	3	cliINCOMPLT_DEATH	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	cliINCOMPLT_GLOBALDETERIORATIONOFHEALTHSTATUS	
			LOST TO FOLLOW-UP	5	cliINCOMPLT_LOSTTOFOLLOWUP	
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	17	cliINCOMPLT_MEDICATIONERRORWITHOUTASSOCIATEDADVERSEEVENT	
			OTHER	7	cliINCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cliINCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	cliINCOMPLT_PREGNANCY	
			PROGRESSIVE DISEASE	10	cliINCOMPLT_PROGRESSIVEDISEASE	
			PROTOCOL DEVIATION	11	cliINCOMPLT_PROTOCOLDEVIATION	
			SCREEN FAILURE	13	cliINCOMPLT_SCREEN_FAILURE	
			STUDY TERMINATED BY SPONSOR	14	cliINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliINCOMPLT_WITHDRAWAL_BY_SUBJECT	

RDE Analytics: RD_X_DS_SLOPD001		
Data Variable RefName	RD Column Name	Column Data Type
X_DS_STAT_001	X_DS_STAT_001_C	VARCHAR2
	X_DS_STAT_001	VARCHAR2
	X_DS_STAT_001_ND	VARCHAR2
X_DS_DAT_001	X_DS_DAT_001	DATE

	X_DS_DAT_001_DTS	VARCHAR2
	X_DS_DAT_001_ND	VARCHAR2
X_DS_WDRLREA_001	X_DS_WDRLREA_001_C	VARCHAR2
	X_DS_WDRLREA_001	VARCHAR2
	X_DS_WDRLREA_001_ND	VARCHAR2
X_DS_WDRLPHS_001	X_DS_WDRLPHS_001_C	VARCHAR2
	X_DS_WDRLPHS_001	VARCHAR2
	X_DS_WDRLPHS_001_ND	VARCHAR2

C4221016: CASEBOOK SIGNATURE FORM (INVSIG) [D_IS001]		
Casebook Signature Form [D_IS01001]		
1.*	Casebook Signature [Casebook Signature]	[D_INVSIG_001] [A:1]  Click Here to Enable
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_IS001		
Data Variable RefName	RD Column Name	Column Data Type
D_INVSIG_001	D_INVSIG_001_C	VARCHAR2
	D_INVSIG_001	VARCHAR2
	D_INVSIG_001_ND	VARCHAR2

InForm Special Properties For Study Design: C4221016			
InForm Special Property	Property Type	Data Object RefName	Data Object Path RefName
Screening	Visit	SYSSCR	SYSSCR
Enrollment	Visit	SYSENR	SYSENR
Screening	Form	D_INFSCR001	SYSSCR.D_INFSCR001
Enrollment	Form	D_INFENR001	SYSENR.D_INFENR001
Patient Identification	Form	DM001	SCR.DM001
Study Completion	Form	Unassigned	Unassigned
Reg Docs	Form	Unassigned	Unassigned
Visit Report	Form	Unassigned	Unassigned
Visit Approval	Form	Unassigned	Unassigned
Initials (Screening)	Item	D_SCRINIT_001	SYSSCR.D_INFSCR001.D_INFSCR01001.D_SCRINIT_001
DOB (Screening)	Item	D_SCRDOB_001	SYSSCR.D_INFSCR001.D_INFSCR01001.D_SCRDOB_001
Screening date (Screening)	Item	Unassigned	Unassigned
Patient No. (Enrollment)	Item	D_SUBJID_001	SCR.DM001.DM01001.D_SUBJID_001 SYSENR.D_INFENR001.D_INFENR01001.D_SUBJID_001
Initials (Patient Identification)	Item	Unassigned	Unassigned
Completion status (Study Completion)	Item	Unassigned	Unassigned
Drop out reason (Study Completion)	Item	Unassigned	Unassigned
DOV (Date of Visit)	Item	SVSTDTC_001	Week180.SV001.SV01001.SVSTDTC_001 CYCLE27_DAY1.SV001.SV01001.SVSTDTC_001 Week99.SV001.SV01001.SVSTDTC_001 Week120.SV001.SV01001.SVSTDTC_001 Week372.SV001.SV01001.SVSTDTC_001 CYCLE119_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE106_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE2_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE1_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE69_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE63_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE33_DAY1.SV001.SV01001.SVSTDTC_001 SCR.SV001.SV01001.SVSTDTC_001 CYCLE89_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE40_DAY1.SV001.SV01001.SVSTDTC_001 Week336.SV001.SV01001.SVSTDTC_001 CYCLE44_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE108_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE49_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE55_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE107_DAY1.SV001.SV01001.SVSTDTC_001 UNPL.SV001.SV01001.SVSTDTC_001 Week204.SV001.SV01001.SVSTDTC_001 CYCLE76_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE109_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE31_DAY1.SV001.SV01001.SVSTDTC_001 Week90.SV001.SV01001.SVSTDTC_001 CYCLE30_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE77_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE32_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE96_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE41_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE23_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE15_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE117_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE22_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE62_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE65_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE29_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE100_DAY1.SV001.SV01001.SVSTDTC_001 SURVIVAL_FUP.SV001.SV01001.SVSTDTC_001 CYCLE92_DAY1.SV001.SV01001.SVSTDTC_001 Week396.SV001.SV01001.SVSTDTC_001 Week9.SV001.SV01001.SVSTDTC_001 CYCLE91_DAY1.SV001.SV01001.SVSTDTC_001

			CYCLE11_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE66_DAY1.SV001.SV01001.SVSTDTC_001
			Week252.SV001.SV01001.SVSTDTC_001
			CYCLE19_DAY1.SV001.SV01001.SVSTDTC_001
			Week192.SV001.SV01001.SVSTDTC_001
			Week108.SV001.SV01001.SVSTDTC_001
			CYCLE16_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE103_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE104_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE102_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE61_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE24_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE38_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE57_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE72_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE70_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE2_DAY8.SV001.SV01001.SVSTDTC_001
			CYCLE130_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE136_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE18_DAY1.SV001.SV01001.SVSTDTC_001
			Week384.SV001.SV01001.SVSTDTC_001
			CYCLE67_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE54_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE86_DAY1.SV001.SV01001.SVSTDTC_001
			Week63.SV001.SV01001.SVSTDTC_001
			CYCLE1_DAY8.SV001.SV01001.SVSTDTC_001
			CYCLE2_DAY15.SV001.SV01001.SVSTDTC_001
			Week18.SV001.SV01001.SVSTDTC_001
			Week27.SV001.SV01001.SVSTDTC_001
			Week36.SV001.SV01001.SVSTDTC_001
			Week45.SV001.SV01001.SVSTDTC_001
			Week54.SV001.SV01001.SVSTDTC_001
			Week72.SV001.SV01001.SVSTDTC_001
			Week81.SV001.SV01001.SVSTDTC_001
			Week132.SV001.SV01001.SVSTDTC_001
			Week144.SV001.SV01001.SVSTDTC_001
			Week156.SV001.SV01001.SVSTDTC_001
			Week168.SV001.SV01001.SVSTDTC_001
			Week216.SV001.SV01001.SVSTDTC_001
			Week228.SV001.SV01001.SVSTDTC_001
			Week240.SV001.SV01001.SVSTDTC_001
			CYCLE1_DAY15.SV001.SV01001.SVSTDTC_001
			CYCLE5_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE36_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE37_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE35_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE17_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE98_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE133_DAY1.SV001.SV01001.SVSTDTC_001
			Week360.SV001.SV01001.SVSTDTC_001
			Week312.SV001.SV01001.SVSTDTC_001
			CYCLE81_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE64_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE105_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE79_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE80_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE78_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE141_DAY1.SV001.SV01001.SVSTDTC_001
			END_OF_TRT.SV001.SV01001.SVSTDTC_001
			CYCLE140_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE84_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE111_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE6_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE114_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE48_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE75_DAY1.SV001.SV01001.SVSTDTC_001
			Week348.SV001.SV01001.SVSTDTC_001
			Week324.SV001.SV01001.SVSTDTC_001
			CYCLE3_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE71_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE122_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE137_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE73_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE60_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE47_DAY1.SV001.SV01001.SVSTDTC_001
			CYCLE121_DAY1.SV001.SV01001.SVSTDTC_001

			CYCLE28_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE95_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE128_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE135_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE34_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE83_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE68_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE14_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE25_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE110_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE45_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE43_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE53_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE59_DAY1.SV001.SV01001.SVSTDTC_001 LONG_TERM_FUP.SV001.SV01001.SVSTDTC_001 CYCLE8_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE9_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE7_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE101_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE52_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE56_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE50_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE12_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE21_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE113_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE58_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE10_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE97_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE87_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE82_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE115_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE42_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE120_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE126_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE13_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE74_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE134_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE39_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE127_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE90_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE51_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE4_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE131_DAY1.SV001.SV01001.SVSTDTC_001 Week300.SV001.SV01001.SVSTDTC_001 CYCLE112_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE26_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE125_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE85_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE46_DAY1.SV001.SV01001.SVSTDTC_001 Week276.SV001.SV01001.SVSTDTC_001 CYCLE116_DAY1.SV001.SV01001.SVSTDTC_001 Week288.SV001.SV01001.SVSTDTC_001 CYCLE123_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE93_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE99_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE20_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE88_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE94_DAY1.SV001.SV01001.SVSTDTC_001 Week264.SV001.SV01001.SVSTDTC_001 CYCLE129_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE139_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE124_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE118_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE138_DAY1.SV001.SV01001.SVSTDTC_001 FOLLOW_UP.SV001.SV01001.SVSTDTC_001 CYCLE132_DAY1.SV001.SV01001.SVSTDTC_001 Week408.SV001.SV01001.SVSTDTC_001
Randomization field (Randomization)	Item	Unassigned	Unassigned

Personal/Protected Health Information Table: C4221016		
Item RefName	Section RefName	Form RefName
No items have been defined as "Personal/Protected Health Information".		
Please note: emails sent from the trial server by the InForm application are not encrypted. If you are subject to HIPAA requirements, you should identify and block all Personal/Protected Health Information items that may be included in email notifications.		

Unit Conversions For Study Design: C4221016

No unit conversion data.

Review States for Study: C4221016

No Review States have been defined.

In-place Revisions Summary Table: C4221016					
Deployment Instance: C4221016_UAT					
Data Object RefName	Type	Actual Change Path	Description	Study Version	Path
PRSCAT_001_1	Item	PR001_1.PR01001_1.PRSCAT_001_1	C4221016 - PPC18 - UIMS# 725425 UAT UIMS# 725427	C4221016 10.0.0	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 1.0.88	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 11.0.29	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 11.0.37	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 11.0.38	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 12.0.0	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 13.0.1	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 2.0.2	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 2.0.8	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 3.0.0	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 5.0.0	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 6.0.0	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 6.0.1	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 7.0.0	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 7.0.1	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 7.0.7	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 8.0.2	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 8.0.4	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 9.0.0	PR001_1.PR01001_1.PRSCAT_001_1
				C4221016 9.0.12	PR001_1.PR01001_1.PRSCAT_001_1

Custom Events for Study Design: C4221016

No custom events have been defined.