

Annotated Study Book for Study Design: C4221026

Study Design Version: 9.0

Protocol: C4221026

Sponsor Drug Name: PF-07263896

C4221026

Generated by Central Designer TM

July 17, 2025 11:05AM

C4221026: INFORM SCREENING (SCREEN) [D_INFSCR001]		
InForm Screening [D_INFSCR01001]		
1.	InForm Initials <i>[hidden]</i> [InForm Initials]	[D_SCRINIT_001] A3★
2.*	Birth Year: [Birth Year]	[D_SCRDOB_001] (YYYY) Req (1900-2005)
Key: [*] = Item is required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_INFSCR001		
Data Variable RefName	RD Column Name	Column Data Type
D_SCRINIT_001	D_SCRINIT_001	VARCHAR2
	D_SCRINIT_001_ND	VARCHAR2
D_SCRDOB_001	D_SCRDOB_001_DTS	VARCHAR2
	D_SCRDOB_001_ND	VARCHAR2

C4221026: INFORM ENROLLMENT (ENROLL) [D_INFENR001]		
InForm Enrollment [D_INFENR01001]		
1.*	Subject ID [Subject ID]	[D_SUBJID_001] N8
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_INFENR001		
Data Variable RefName	RD Column Name	Column Data Type
D_SUBJID_001	D_SUBJID_001	NUMBER
	D_SUBJID_001_ND	VARCHAR2

C4221026: DATE OF VISIT (DOV) [SV001]		
Date of Visit [SV01001]		
1.* ✓	Date of Visit [Date of Visit]	[SVSTDTC_001] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2022-2040)
2.	Erroneous Visit [Visit Error]	[D_SVERROR_001] [A:1] ☐ ERRONEOUS VISIT
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_SV001		
Data Variable RefName	RD Column Name	Column Data Type
SVSTDTC_001	SVSTDTC_001	DATE
	SVSTDTC_001_DTS	VARCHAR2
	SVSTDTC_001_ND	VARCHAR2
D_SVERROR_001	D_SVERROR_001_C	VARCHAR2
	D_SVERROR_001	VARCHAR2
	D_SVERROR_001_ND	VARCHAR2

C4221026: INFORMED CONSENT (MAIN IC) [DS001]

Informed Consent [DS01001]

1.*
✓

Consent Was:
[Consent Was:]

[SUPPDS_DSCSOBT_001]
[A:1] ☐ [DSSTDTC_CMP_001] ☐
OBTAINED
[DSSTDTC_001] (DD/MM/YYYY)
Date Written Consent Obtained
Req / Req / Req (2022-2040)
[A:2] ☐ NOT OBTAINED

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INFORMED CONSENT		
Type	RefName	Description
Item	DSSTDTC_001	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001		
Data Variable RefName	RD Column Name	Column Data Type
SUPPDS_DSCSOBT_001	SUPPDS_DSCSOBT_001_C	VARCHAR2
	SUPPDS_DSCSOBT_001	VARCHAR2
	SUPPDS_DSCSOBT_001_ND	VARCHAR2
SUPPDS_DSCSOBT_001 - DSSTDTC_001	DSSTDTC_001	DATE
	DSSTDTC_001_DTS	VARCHAR2

C4221026: INCLUSION/EXCLUSION CRITERIA (INEX) [IE002]		
	Inclusion Criterion Identifier	Inclusion Criterion Description
1. ✓		
Inclusion Criteria Not Met Entry [IE01002]		
1.1 ✓	Identifier of the Inclusion Criterion the subject did not meet: [Inclusion Criterion Identifier]	[IESPID_002] [A:1] ☐ 1 [A:2] ☐ 2 [A:3] ☐ 3 [A:4] ☐ 4
1.2	Description of the Inclusion Criterion the subject did not meet: <i>[read-only]</i> [Inclusion Criterion Description]	[IETEST_002] [A:0_1] ☐ Subject receiving treatment & deriving clinical benefit (as determined by PI) in an Enco/Bini Parent Study, w/ no ongoing NCI CTCAE v4.03 Grade >=3/intolerable Grade 2 AE related to treatment [A:0_2] ☐ Participant must agree to follow the reproductive criteria of the applicable Encorafenib/Binimetinib Continuation Sub-Study Protocol [A:0_3] ☐ Participant who are willing and able to comply with all scheduled visits, treatment plan, and other study procedures outlined in the applicable Encorafenib/Binimetinib Continuation Sub-Study Protocol [A:0_4] ☐ Capable of giving signed informed consent, which includes compliance with the requirements and restrictions listed in the ICD and in this protocol
	Exclusion Criterion Identifier	Exclusion Criterion Description
2. ✓		
Exclusion Criteria Met Entry [IE02002]		
2.1 ✓	Identifier of the Exclusion Criterion the subject met: [Exclusion Criterion Identifier]	[IESPID1_002] [A:1] ☐ 1
2.2	Description of the Exclusion Criterion the subject met: <i>[read-only]</i> [Exclusion Criterion Description]	[IETEST1_002] [A:0_1] ☐ Any medical reason that, in the opinion of the investigator or sponsor, precludes the participant from inclusion in the study
Key: [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_IE002		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE002_IE01002		
IESPID_002	IESPID_002_C	VARCHAR2
	IESPID_002	VARCHAR2
	IESPID_002_ND	VARCHAR2
IETEST_002	IETEST_002_C	VARCHAR2
	IETEST_002	VARCHAR2
	IETEST_002_ND	VARCHAR2
RD_IE002_IE02002		
IESPID1_002	IESPID1_002_C	VARCHAR2
	IESPID1_002	VARCHAR2
	IESPID1_002_ND	VARCHAR2
IETEST1_002	IETEST1_002_C	VARCHAR2
	IETEST1_002	VARCHAR2
	IETEST1_002_ND	VARCHAR2

C4221026: DEMOGRAPHY (DEMOG) [DM001]		
Demography [DM01001]		
1.* ✓	Subject ID [Subject ID]	[D_SUBJID_001] N8
2.* ✓	Birth Year: [Birth Year]	[BRTHDTC_001] (YYYY) Req ☒ (1900-2005)
3.* ✓	Sex: [Sex]	[SEX_001] [A:F] ☐ FEMALE [A:M] ☐ MALE
4.* ✓	Ethnicity: [Ethnicity]	[ETHNIC_001] [A:HISPANIC OR LATINO] ☐ HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN [A:NOT HISPANIC OR LATINO] ☐ NOT HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN [A:NOT REPORTED] ☐ NOT REPORTED
5.* ✓	Race: (Check X all that apply): [Race Of Subject]	[RACE_001] [A:1] ☐ BLACK OR AFRICAN AMERICAN [A:2] ☐ AMERICAN INDIAN OR ALASKA NATIVE [A:3] ☐ ASIAN [A:4] ☐ NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER [A:5] ☐ WHITE [A:6] ☐ NOT REPORTED [A:7] ☐ UNKNOWN
6. ✓	Racial Designation: [Racial Designation]	[SUPPDM_RACIALD_001] [SUPPDM_RACIALD_CL_001] v
7.* ✓	Has the subject previously taken part in a study involving this investigational product? [Participated in Previous Study]	[X_DMPYN_001] [A:Y] ☐ [X_DMPYN_CMP_001] v YES [X_DMPSTUDY_001] Previous Study Identifier: A20* [X_DMPSITE_001] Previous Site Identifier: A20* [X_DMPSUBJ_001] Previous Subject Identifier: A20*

Key: [*] = Item is required [✓] = Source verification required [v] = Item is collapsible [★] = ASCII Only
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DEMOGRAPHY		
Type	RefName	Description
Form	DM001	DM001 - Demography
Item	BRTHDTC_001	A subject's date of birth (with or without the time of birth). The complete Date of Birth is made from the temporal components of Birth Year, Birth Month, Birth Day and Birth Time. Mapped from InForm Screening.
Item	SEX_001	The assemblage of physical properties or qualities by which male is distinguished from female; the physical difference between male and female.
Item	ETHNIC_001	A social group characterized by a distinctive social and cultural tradition.

Item	RACE_001	An arbitrary classification based on physical characteristics; a group of persons related by common descent or heredity (U.S. Center for Disease Control).
Item	SUPPDM_RACIALD_001	Racial designation of the study participant. Optional for Data Collection
Item	X_DMPSTUDY_001	Previous Study Identifier. Format = ccccccc, e.g. B1570100
Item	X_DMPSITE_001	Previous Site Identifier. Format = nnnn, e.g. 2010.
Item	X_DMPSUBJ_001	Previous Subject Identifier. Format = nnnnnnnn, e.g. 20101001.

Codelist Values Tables: DEMOGRAPHY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
SUPPDM_RACIALD_CL_001	String		INDIAN SUBCONTINENT ASIAN	1	cliRACIALD_INDIAN_SUBCONTINENT_ASIAN	SUPPDM_RACIALD_001
			SOUTHEAST ASIAN	2	cliRACIALD_SOUTHEAST_ASIAN	
			FAR EAST ASIAN	3	cliRACIALD_FAR_EAST_ASIAN	
			JAPANESE AMERICAN	4	cliRACIALD_JAPANESE_AMERICAN	
			JAPANESE	5	cliRACIALD_JAPANESE	
			KOREAN	6	cliRACIALD_KOREAN	
			CHINESE	7	cliRACIALD_CHINESE	
			AFRICAN	8	cliRACIALD_AFRICAN	
			AFRICAN-AMERICAN	9	cliRACIALD_AFRICAN_AMERICAN	
			AFRICAN-CARIBBEAN	10	cliRACIALD_AFRICAN_CARIBBEAN	
			SAUDI ARABIAN	11	cliRACIALD_SAUDI_ARABIAN	
			MALAY	12	cliRACIALD_MALAY	
			FILIPINO	13	cliRACIALD_FILIPINO	
			VIETNAMESE	14	cliRACIALD_VIETNAMESE	
			AUSTRALIAN ABORIGINAL	15	cliRACIALD_AUSTRALIAN_ABORIGINAL	
			TORRES STRAIT ISLANDER	16	cliRACIALD_TORRES_STRAIT_ISLANDER	
			HAN CHINESE	17	cliRACIALD_HAN_CHINESE	
			NON-HAN CHINESE	18	cliRACIALD_NON_HAN_CHINESE	
			ASHKENAZI JEW	19	cliRACIALD_ASHKENAZI_JEW	
			OTHER	999	cliRACIALD_OTHER	

RDE Analytics: RD_DM001		
Data Variable RefName	RD Column Name	Column Data Type
D_SUBJID_001	D_SUBJID_001	NUMBER
	D_SUBJID_001_ND	VARCHAR2
BRTHDTC_001	BRTHDTC_001_DTS	VARCHAR2
	BRTHDTC_001_ND	VARCHAR2
SEX_001	SEX_001_C	VARCHAR2
	SEX_001	VARCHAR2
	SEX_001_ND	VARCHAR2
ETHNIC_001	ETHNIC_001_C	VARCHAR2
	ETHNIC_001	VARCHAR2

	ETHNIC_001_ND	VARCHAR2
RACE_001	RACE_001_ND	VARCHAR2
RACE_001 - BLACK OR AFRICAN AMERICAN	*RACE_001_CLIRACEBLACKORAFRICANAMERICAN_C	VARCHAR2
	*RACE_001_CLIRACEBLACKORAFRICANAMERICAN	VARCHAR2
RACE_001 - AMERICAN INDIAN OR ALASKA NATIVE	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE_C	VARCHAR2
	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE	VARCHAR2
RACE_001 - ASIAN	RACE_001_CLIRACEASIAN_C	VARCHAR2
	RACE_001_CLIRACEASIAN	VARCHAR2
RACE_001 - NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER_C	VARCHAR2
	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER	VARCHAR2
RACE_001 - WHITE	RACE_001_CLIRACEWHITE_C	VARCHAR2
	RACE_001_CLIRACEWHITE	VARCHAR2
RACE_001 - NOT REPORTED	*RACE_001_CLIRACENOTREPORTED_C	VARCHAR2
	*RACE_001_CLIRACENOTREPORTED	VARCHAR2
RACE_001 - UNKNOWN	RACE_001_CLIRACEUNKNOWN_C	VARCHAR2
	RACE_001_CLIRACEUNKNOWN	VARCHAR2
SUPPDM_RACIALD_001	SUPPDM_RACIALD_001_C	VARCHAR2
	SUPPDM_RACIALD_001	VARCHAR2
	SUPPDM_RACIALD_001_ND	VARCHAR2
X_DMPYN_001	X_DMPYN_001_C	VARCHAR2
	X_DMPYN_001	VARCHAR2
	X_DMPYN_001_ND	VARCHAR2
X_DMPYN_001 - X_DMPSTUDY_001	X_DMPSTUDY_001	VARCHAR2
X_DMPYN_001 - X_DMPSITE_001	X_DMPSITE_001	VARCHAR2
X_DMPYN_001 - X_DMPSUBJ_001	X_DMPSUBJ_001	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4221026: DISPOSITION - SCREENING (DISP SCR) [DS001_4]

Disposition - Screening [DS01001_4]

1.* ✓	Date of Completion/Discontinuation/Death [Date of Completion/Discontinuation/Death]	[DSSTDTC_001_4] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2022-2040)
2.* ✓	Phase of Disposition: [Disposition Phase]	[SUPPDS_DSPHASE_001_4] [A:3] ☒ SCREENING
3.* ✓	Status: [Status]	[DSDECOD_001_4] [DSDECOD_CL_001_4] v
4. ✓	Specify Status: [Specify Status]	[DSTERM_001_4] A100★
5.* ✓	Will the subject continue to the next phase of this study? [Subject Continue]	[SUPPDS_DSCONT_001_4] [A:Y] ☒ [SUPPDS_DSNEXT_CMP_001_4] ☐ YES [SUPPDS_DSNEXT_001_4] If Yes, next phase: [A:4] ☒ TREATMENT [A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - SCREENING		
Type	RefName	Description
Item	DSSTDTC_001_4	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_4	Specify Status
Item	SUPPDS_DSNEXT_001_4	Next Phase of Study

Codelist Values Tables: DISPOSITION - SCREENING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_4	String		ADVERSE EVENT	1	cliINCOMPLT_ADVERSE_EVENT	DSDECOD_001_4
			COMPLETED	2	cliINCOMPLT_COMPLETED	
			DEATH	3	cliINCOMPLT_DEATH	
			OTHER	7	cliINCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cliINCOMPLT_PHYSICIAN_DECISION	
			SCREEN FAILURE	13	cliINCOMPLT_SCREEN_FAILURE	
			STUDY TERMINATED BY SPONSOR	14	cliINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliINCOMPLT_WITHDRAWAL_BY_SUBJECT	

RDE Analytics: RD_DS001_4		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_4	DSSTDTC_001_4	DATE
	DSSTDTC_001_4_DTS	VARCHAR2

	DSSTDTC_001_4_ND	VARCHAR2
SUPPDS_DSPHASE_001_4	SUPPDS_DSPHASE_001_4_C	VARCHAR2
	SUPPDS_DSPHASE_001_4	VARCHAR2
	SUPPDS_DSPHASE_001_4_ND	VARCHAR2
DSDECOD_001_4	DSDECOD_001_4_C	VARCHAR2
	DSDECOD_001_4	VARCHAR2
	DSDECOD_001_4_ND	VARCHAR2
DSTERM_001_4	DSTERM_001_4	VARCHAR2
	DSTERM_001_4_ND	VARCHAR2
SUPPDS_DSCONT_001_4	SUPPDS_DSCONT_001_4_C	VARCHAR2
	SUPPDS_DSCONT_001_4	VARCHAR2
	SUPPDS_DSCONT_001_4_ND	VARCHAR2
SUPPDS_DSCONT_001_4 - SUPPDS_DSNEXT_001_4	SUPPDS_DSNEXT_001_4_C	VARCHAR2
	SUPPDS_DSNEXT_001_4	VARCHAR2

C4221026: MEDICAL HISTORY (MEDHX) [MH001]				
Medical History [MH01001]				
1.* ✓	Collection Date: [Medical History Collection Date]	[MHDTC_001] (DD/MM/YYYY) Req v / Req v / Req v (2022-2040)		
	Line/MH Number	Medical History Term	Start Date	Ongoing
2. ✓				
Medical History Details Entry [MH02001]				
2.1 🔍	Line/MH Number: [read-only] [Line/MH Number]	[MHSPID_001] N8		
2.2* ✓	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: [Medical History Term]	[MHTERM_001] A100★		
2.3 ✓	Start Date: [Start Date]	[MHSTDTC_001] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (2010-2040)		
2.4 ✓	Ongoing: [Ongoing]	[X_MHONGO_001] [A:Y] ☐ YES [A:N] ☐ [MHENDTC_CMP_001] v NO [MHENDTC_001] (DD/MM/YYYY) End Date: Req/Unk v / Req/Unk v / Req v (2022-2040)		
2.5	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM3_001] A200★		
2.6	Lowest Level Term [hidden] [Lowest Level Term]	[MHLT_001] A100★		
2.7	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[MHLTCD_001] A8★		
2.8	Dictionary Derived Term [hidden] [Dictionary Derived Term]	[MHDECOD_001] A100★		
2.9	Preferred Term Code [hidden] [Preferred Term Code]	[MHPTCD_001] A8★		
2.10	High Level Term [hidden] [High Level Term]	[MHHLT_001] A100★		
2.11	High Level Term Code [hidden] [High Level Term Code]	[MHHLTCD_001] A8★		
2.12	High Level Group Term [hidden] [High Level Group Term]	[MHHLGT_001] A100★		

2.13	High Level Group Term Code [hidden] [High Level Group Term Code]	[MHHLGTCD_001] A8★
2.14	Primary System Organ Class [hidden] [Primary System Organ Class]	[MHSOC_001] A100★
2.15	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[MHSOCCD_001] A8★

Key: [★] = Item is required [✓] = Source verification required [⊞] = Item is collapsible [🔑] = Key item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: MEDICAL HISTORY		
Type	RefName	Description
Form	MH001	GENERAL MEDICAL HISTORY
Item	MHSPID_001	A sponsor defined identifier which can be used for pre-printed numbers on the CRF. Populated as a sequential number
Item	MHTERM_001	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	MHSTDTC_001	Start Date of medical history event
Item	X_MHONGO_001	Indicates medical history event is ongoing when no end date is provided.
Item	MHENDTC_001	End Date of medical history event
Item	D_COMPTERM3_001	Hidden Item needed for clear coding rule.
Item	MHLLT_001	Lowest Level Term
Item	MHLLTCD_001	Lowest Level term
Item	MHDECOD_001	Dictionary Derived Term
Item	MHPTCD_001	Preferred Term Code
Item	MHHLT_001	High Level Term
Item	MHHLTCD_001	High Level Term Code
Item	MHHLGT_001	High Level Group Term
Item	MHHLGTCD_001	High Level Group Term Code
Item	MHSOC_001	Primary System Organ Class
Item	MHSOCCD_001	Primary System Organ Class Code

Keys (navigation)/Uniqueness: MEDICAL HISTORY		
Item	Unique	Order #
MH02001 (Repeating section)		
MHSPID_001	Individual	1

Coding Summary: MEDICAL HISTORY		
Verbatim RefName: MHTERM_001 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC_001	SOC	Term

MHSOCCD_001	SOC	Code
MHHLGT_001	HLGT	Term
MHHLGTCD_001	HLGT	Code
MHHLT_001	HLT	Term
MHHLTCD_001	HLT	Code
MHDECOD_001	PT	Term
MHPTCD_001	PT	Code
MHLLT_001	LLT	Term
MHLLTCD_001	LLT	Code

RDE Analytics: RD_MH001		
Data Variable RefName	RD Column Name	Column Data Type
MHDTC_001	MHDTC_001	DATE
	MHDTC_001_DTS	VARCHAR2
	MHDTC_001_ND	VARCHAR2
RD_MH001_MH02001		
MHSPID_001	MHSPID_001	NUMBER
	MHSPID_001_ND	VARCHAR2
MHTERM_001	MHTERM_001	VARCHAR2
	MHTERM_001_ND	VARCHAR2
MHSTDTC_001	MHSTDTC_001	DATE
	MHSTDTC_001_DTS	VARCHAR2
	MHSTDTC_001_DTR	VARCHAR2
	MHSTDTC_001_ND	VARCHAR2
X_MHONGO_001	X_MHONGO_001_C	VARCHAR2
	X_MHONGO_001	VARCHAR2
	X_MHONGO_001_ND	VARCHAR2
X_MHONGO_001 - MHENDTC_001	MHENDTC_001	DATE
	MHENDTC_001_DTS	VARCHAR2
	MHENDTC_001_DTR	VARCHAR2
D_COMPTerm3_001	D_COMPTerm3_001	VARCHAR2
	D_COMPTerm3_001_ND	VARCHAR2
MHLLT_001	MHLLT_001	VARCHAR2
	MHLLT_001_ND	VARCHAR2
MHLLTCD_001	MHLLTCD_001	VARCHAR2
	MHLLTCD_001_ND	VARCHAR2
MHDECOD_001	MHDECOD_001	VARCHAR2
	MHDECOD_001_ND	VARCHAR2
MHPTCD_001	MHPTCD_001	VARCHAR2
	MHPTCD_001_ND	VARCHAR2
MHHLT_001	MHHLT_001	VARCHAR2

	MHHLT_001_ND	VARCHAR2
MHHLTCD_001	MHHLTCD_001	VARCHAR2
	MHHLTCD_001_ND	VARCHAR2
MHHLGT_001	MHHLGT_001	VARCHAR2
	MHHLGT_001_ND	VARCHAR2
MHHLGTCD_001	MHHLGTCD_001	VARCHAR2
	MHHLGTCD_001_ND	VARCHAR2
MHSOC_001	MHSOC_001	VARCHAR2
	MHSOC_001_ND	VARCHAR2
MHSOCCD_001	MHSOCCD_001	VARCHAR2
	MHSOCCD_001_ND	VARCHAR2

C4221026: Trigger Form (TRIG) [R_TRIG001]

Trigger Form Details [R_TRIG01001]

1.*

Select appropriate response - Protocol version
[Trigger Response 1]

[R_TRIGRESP1_001]

[R_TRIGRESP1_CL_001]

2.*

Select appropriate response - Did subject meet all eligibility criteria?
[Trigger Response 2]

[R_TRIGRESP2_001]

[A:5] SUBJECT MET ALL ELIGIBILITY CRITERIA
[A:6] SUBJECT DID NOT MEET ALL ELIGIBILITY CRITERIA

3.*
✓

Select appropriate response - What drug combination is the subject currently taking?
[Trigger Response 10]

[R_TRIGRESP10_001]

[A:60] BINIMETINIB
[A:69] ENCORAFENIB
[A:70] ENCORAFENIB AND BINIMETINIB
[A:72] ENCORAFENIB, BINIMETINIB AND CETUXIMAB
[A:71] ENCORAFENIB AND CETUXIMAB
[A:73] ENCORAFENIB, BINIMETINIB AND RIBOCICLIB
[A:74] VEMURAFENIB
[A:75] ENCORAFENIB, BINIMETINIB AND PEMBROLIZUMAB
[A:76] PEMBROLIZUMAB
[A:77] NIVOLUMAB
[A:78] ENCORAFENIB AND PEMBROLIZUMAB

Key: [*] = Item is required [✓] = Source verification required

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Codelist Values Tables: Trigger Form						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
R_TRIGRESP1_CL_001	String		INITIAL PROTOCOL	1	cliTRIGRESP_INITIAL_PROTOCOL	R_TRIGRESP1_001
			PROTOCOL AMENDMENT 1 - 25SEP2024	2	cliTRIGRESP_PROTOCOL_AMENDMENT_1	

RDE Analytics: RD_R_TRIG001		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP1_001	R_TRIGRESP1_001_C	VARCHAR2
	R_TRIGRESP1_001	VARCHAR2
	R_TRIGRESP1_001_ND	VARCHAR2
R_TRIGRESP2_001	R_TRIGRESP2_001_C	VARCHAR2
	R_TRIGRESP2_001	VARCHAR2
	R_TRIGRESP2_001_ND	VARCHAR2
R_TRIGRESP10_001	R_TRIGRESP10_001_C	VARCHAR2
	R_TRIGRESP10_001	VARCHAR2
	R_TRIGRESP10_001_ND	VARCHAR2

C4221026: ADVERSE EVENT REPORT (AE BI) - Repeating Form [AE001]															
#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Relationship to Study Treatment	Is AE a Result of a Medication Error	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation	Action Taken with Study Treatment 1	Relationship to Study Treatment 1
1															
Adverse Event Report [AE01001]															
1.	Category: [read-only] [Category]	[AECAT_001] [A:1] ☐ ADVERSE EVENT													
2.	AE ID: [read-only] [AE Identifier]	[AESPID_001] A20★													
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]	[AETERM_001] A100★													
4.* ✓ 👁	Start Date: [Start Date]	[AESTDTC_001] (DD/MM/YYYY) Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040)													
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]	[X_AEONGO_001] [A:Y] ☐ YES [A:N] ☐ [AEENDTC_CMP_001] ☒ NO [AEENDTC_001] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040)													
6.* ✓	Toxicity Grade: [Toxicity Grade]	[AETOXGR_001] [A:1] ☐ 0 [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5													
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important	[AESER_001] [A:Y] ☐ [AESCONG_CMP_001] ☒ YES [AESCONG_001] Is this serious event associated with congenital anomaly or birth defect? [A:N] ☐ NO [A:Y] ☐ YES [AESDTH_001] Did this serious event result in death? [A:N] ☐ NO [A:Y] ☐ YES [AESHOSP_001] Did this serious event require or prolong hospitalization? [A:N] ☐ NO [A:Y] ☐ YES [AESDISAB_001] Did this serious event result in persistent or significant disability/incapacity?													

	medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[A:N] ☐ NO [A:Y] ☐ YES [AESLIFE_001] Is this serious event life threatening? [A:N] ☐ NO [A:Y] ☐ YES [AESMIE_001] Other medically important serious event [A:N] ☐ NO [A:Y] ☐ YES [A:N] ☐ NO
8.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001] [A:1] ☐ [SUPPAE_AERELNST_CMP_001] ☐ NOT RELATED [AERELNST_001] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [SUPPAE_AERELT_CMP_001] ☐ OTHER [AERELTXT_001] If Other, specify: A80 ★ [A:2] ☐ RELATED
9.* ✓	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	[SUPPAE_AEMERES_001] [A:N] ☐ NO [A:Y] ☐ YES
10.* ✓	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001] [A:Y] ☐ YES [A:N] ☐ NO
11.* ✓	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001] [A:Y] ☐ YES [A:N] ☐ NO
12.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
13.* ✓	Did the adverse event cause the subject to be discontinued from	[SUPPAE_AESUBJDC_001] [A:Y] ☐ YES [A:N] ☐ NO

	the study? [Caused Study Discontinuation]	
14.	Study Treatment 1 Name Binimetinib: [hidden] [Study Treatment 1]	[SUPPAE_AETRT1_001] A50★
15.* ✓	Latest Action Taken with Binimetinib: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
16.* ✓	Is this event related to Binimetinib ? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
17.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001] A200★
18.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001] A100★
19.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001] A8★
20.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001] A100★
21.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001] A8★
22.	High Level Term [hidden] [High Level Term]	[AEHLT_001] A100★
23.	High Level Term Code [hidden] [High Level Term Code]	[AEHLTCD_001] A8★
24.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001] A100★
25.	High Level Group Term Code [hidden] [High Level Group]	[AEHLGTCD_001] A8★

	Term Code]	
26.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001] A100★
27.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001] A8★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: ADVERSE EVENT REPORT		
Type	RefName	Description
Form	AE001	AE001 - Standard AE Page
Item	AECAT_001	Used to define a category of adverse event variables.
Item	AESPID_001	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001	Date when the adverse event started.
Item	X_AEONGO_001	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001	Date when the adverse event resolved.
Item	AETOXGR_001	Description of the toxicity grade of the adverse event.
Item	AESER_001	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	AEREL_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	AERELTXT_001	Event Due to Other Specify
Item	SUPPAE_AEMERES_001	Is this adverse event the result of a study/background medication error
Item	SUPPAE_AECMGIV_001	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001	Non-Drug Treatment Given
Item	AEOUT_001	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	SUPPAE_AETRT1_001	Study treatment 1
Item	SUPPAE_AEACN1_001	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	D_COMPTERM2_001	Hidden Item needed for clear coding rule.
Item	AELLT_001	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001	Dictionary-derived code for the High Level Term for the primary System Organ Class.

Item	AEHLGT_001	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT		
Item	Unique	Order #
AE001 (Repeating form)		
AE01001		
AESTDTC_001	None	1

Coding Summary: ADVERSE EVENT REPORT		
Verbatim RefName: AETERM_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001	SOC	Term
AESOCCD_001	SOC	Code
AEHLGT_001	HLGT	Term
AEHLGTCD_001	HLGT	Code
AEHLT_001	HLT	Term
AEHLTCD_001	HLT	Code
AEDECOD_001	PT	Term
AEPTCD_001	PT	Code
AELLT_001	LLT	Term
AELLTCD_001	LLT	Code

RDE Analytics: RD_AE001		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001	AECAT_001_C	VARCHAR2
	AECAT_001	VARCHAR2
	AECAT_001_ND	VARCHAR2
AESPID_001	AESPID_001	VARCHAR2
	AESPID_001_ND	VARCHAR2
AETERM_001	AETERM_001	VARCHAR2
	AETERM_001_ND	VARCHAR2
AESTDTC_001	AESTDTC_001	DATE
	AESTDTC_001_DTS	VARCHAR2
	AESTDTC_001_DTR	VARCHAR2
	AESTDTC_001_ND	VARCHAR2
X_AEONGO_001	X_AEONGO_001_C	VARCHAR2
	X_AEONGO_001	VARCHAR2

	X_AEONGO_001_ND	VARCHAR2
X_AEONGO_001 - AEENDTC_001	AEENDTC_001	DATE
	AEENDTC_001_DTS	VARCHAR2
	AEENDTC_001_DTR	VARCHAR2
AETOXGR_001	AETOXGR_001_C	VARCHAR2
	AETOXGR_001	VARCHAR2
	AETOXGR_001_ND	VARCHAR2
AESER_001	AESER_001_C	VARCHAR2
	AESER_001	VARCHAR2
	AESER_001_ND	VARCHAR2
AESER_001 - AESCONG_001	AESCONG_001_C	VARCHAR2
	AESCONG_001	VARCHAR2
AESER_001 - AESDTH_001	AESDTH_001_C	VARCHAR2
	AESDTH_001	VARCHAR2
AESER_001 - AESHOSP_001	AESHOSP_001_C	VARCHAR2
	AESHOSP_001	VARCHAR2
AESER_001 - AESDISAB_001	AESDISAB_001_C	VARCHAR2
	AESDISAB_001	VARCHAR2
AESER_001 - AESLIFE_001	AESLIFE_001_C	VARCHAR2
	AESLIFE_001	VARCHAR2
AESER_001 - AESMIE_001	AESMIE_001_C	VARCHAR2
	AESMIE_001	VARCHAR2
AEREL_001	AEREL_001_C	VARCHAR2
	AEREL_001	VARCHAR2
	AEREL_001_ND	VARCHAR2
AEREL_001 - AERELNST_001	AERELNST_001_C	VARCHAR2
	AERELNST_001	VARCHAR2
AEREL_001 - AERELTXT_001	AERELTXT_001	VARCHAR2
SUPPAE_AEMERES_001	SUPPAE_AEMERES_001_C	VARCHAR2
	SUPPAE_AEMERES_001	VARCHAR2
	SUPPAE_AEMERES_001_ND	VARCHAR2
SUPPAE_AECMGIV_001	SUPPAE_AECMGIV_001_C	VARCHAR2
	SUPPAE_AECMGIV_001	VARCHAR2
	SUPPAE_AECMGIV_001_ND	VARCHAR2
SUPPAE_AENDGIV_001	SUPPAE_AENDGIV_001_C	VARCHAR2
	SUPPAE_AENDGIV_001	VARCHAR2
	SUPPAE_AENDGIV_001_ND	VARCHAR2
AEOUT_001	AEOUT_001_C	VARCHAR2
	AEOUT_001	VARCHAR2
	AEOUT_001_ND	VARCHAR2
SUPPAE_AESUBJDC_001	SUPPAE_AESUBJDC_001_C	VARCHAR2

	SUPPAE_AESUBJDC_001	VARCHAR2
	SUPPAE_AESUBJDC_001_ND	VARCHAR2
SUPPAE_AETRT1_001	SUPPAE_AETRT1_001	VARCHAR2
	SUPPAE_AETRT1_001_ND	VARCHAR2
SUPPAE_AEACN1_001	SUPPAE_AEACN1_001_C	VARCHAR2
	SUPPAE_AEACN1_001	VARCHAR2
	SUPPAE_AEACN1_001_ND	VARCHAR2
SUPPAE_AEREL1_001	SUPPAE_AEREL1_001_C	VARCHAR2
	SUPPAE_AEREL1_001	VARCHAR2
	SUPPAE_AEREL1_001_ND	VARCHAR2
D_COMPTerm2_001	D_COMPTerm2_001	VARCHAR2
	D_COMPTerm2_001_ND	VARCHAR2
AELLT_001	AELLT_001	VARCHAR2
	AELLT_001_ND	VARCHAR2
AELLTCD_001	AELLTCD_001	VARCHAR2
	AELLTCD_001_ND	VARCHAR2
AEDECOD_001	AEDECOD_001	VARCHAR2
	AEDECOD_001_ND	VARCHAR2
AEPTCD_001	AEPTCD_001	VARCHAR2
	AEPTCD_001_ND	VARCHAR2
AEHLT_001	AEHLT_001	VARCHAR2
	AEHLT_001_ND	VARCHAR2
AEHLTCD_001	AEHLTCD_001	VARCHAR2
	AEHLTCD_001_ND	VARCHAR2
AEHLGT_001	AEHLGT_001	VARCHAR2
	AEHLGT_001_ND	VARCHAR2
AEHLGTCD_001	AEHLGTCD_001	VARCHAR2
	AEHLGTCD_001_ND	VARCHAR2
AESOC_001	AESOC_001	VARCHAR2
	AESOC_001_ND	VARCHAR2
AESOCCD_001	AESOCCD_001	VARCHAR2
	AESOCCD_001_ND	VARCHAR2

C4221026: ADVERSE EVENT REPORT (AE EN) - Repeating Form [AE001_2]															
#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Relationship to Study Treatment	Is AE a Result of a Medication Error	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation	Action Taken with Study Treatment 1	Relationship to Study Treatment 1
1															
Adverse Event Report [AE01001_2]															
1.	Category: [read-only] [Category]	[AECAT_001_2] [A:1] ☐ ADVERSE EVENT													
2.	AE ID: [read-only] [AE Identifier]	[AESPID_001_2] A20*													
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]	[AETERM_001_2] A100*													
4.* ✓ 🔍	Start Date: [Start Date]	[AESTDTC_001_2] (DD/MM/YYYY) Req/Unk v / Req v / Req v (2022-2040)													
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]	[X_AEONGO_001_2] [A:N] ☐ [AEENDTC_CMP_001_2] v NO [A:ENDTC_001_2] (DD/MM/YYYY) End Date: Req/Unk v / Req v / Req v (2022-2040) [A:Y] ☐ YES													
6.* ✓	Toxicity Grade: [Toxicity Grade]	[AETOXGR_001_2] [A:1] ☐ 0 [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5													
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important	[AESER_001_2] [A:N] ☐ NO [A:Y] ☐ [AESCONG_CMP_001_2] v YES [A:ESCONG_001_2] Is this serious event associated with congenital anomaly or birth defect? [A:N] ☐ NO [A:Y] ☐ YES [A:ESDTH_001_2] Did this serious event result in death? [A:N] ☐ NO [A:Y] ☐ YES [A:ESHOSP_001_2] Did this serious event require or prolong hospitalization? [A:N] ☐ NO [A:Y] ☐ YES													

	medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[AESDISAB_001_2] Did this serious event result in persistent or significant disability/incapacity? [A:N] ☐ NO [A:Y] ☐ YES [AESLIFE_001_2] Is this serious event life threatening? [A:N] ☐ NO [A:Y] ☐ YES [AESMIE_001_2] Other medically important serious event [A:N] ☐ NO [A:Y] ☐ YES
8.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001_2] [A:1] ☐ [SUPPAE_AERELNST_CMP_001_2] ☐ NOT RELATED [AERELNST_001_2] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [SUPPAE_AERELT_CMP_001_2] ☐ OTHER [SUPPAE_AERELTXT_001_2] If Other, specify: A80 ★ [A:2] ☐ RELATED
9.* ✓	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	[SUPPAE_AEMERES_001_2] [A:N] ☐ NO [A:Y] ☐ YES
10.* ✓	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_2] [A:Y] ☐ YES [A:N] ☐ NO
11.* ✓	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_2] [A:Y] ☐ YES [A:N] ☐ NO
12.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001_2] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
13.* ✓	Did the adverse event cause the subject to be	[SUPPAE_AESUBJDC_001_2] [A:Y] ☐ YES

	discontinued from the study? [Caused Study Discontinuation]	[A:N] ☐ NO
14.	Study Treatment 1 Name: Encorafenib [hidden] [Study Treatment 1]	[SUPPAE_AETRT1_001_2] A50★
15.* ✓	Action Taken with Encorafenib: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001_2] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
16.* ✓	Is this event related to Encorafenib? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001_2] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
17.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001_2] A200★
18.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001_2] A100★
19.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001_2] A8★
20.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001_2] A100★
21.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001_2] A8★
22.	High Level Term [hidden] [High Level Term]	[AEHLT_001_2] A100★
23.	High Level Term Code [hidden] [High Level Term Code]	[AEHLTCD_001_2] A8★
24.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001_2] A100★
25.	High Level Group Term Code [hidden]	[AEHLGTCD_001_2]

	[High Level Group Term Code]	A8★
26.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001_2] A100★
27.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001_2] A8★

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ADVERSE EVENT REPORT		
Type	RefName	Description
Form	AE001_2	AE001 - Standard AE Page
Item	AECAT_001_2	Used to define a category of adverse event variables.
Item	AESPID_001_2	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001_2	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001_2	Date when the adverse event started.
Item	X_AEONGO_001_2	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001_2	Date when the adverse event resolved.
Item	AETOXGR_001_2	Description of the toxicity grade of the adverse event.
Item	AESER_001_2	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	AEREL_001_2	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001_2	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELTXT_001_2	Event Due to Other Specify
Item	SUPPAE_AEMERES_001_2	Is this adverse event the result of a study/background medication error
Item	SUPPAE_AECMGIV_001_2	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_2	Non-Drug Treatment Given
Item	AEOUT_001_2	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001_2	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	SUPPAE_AETRT1_001_2	Study treatment 1
Item	SUPPAE_AEACN1_001_2	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001_2	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	D_COMPTERM2_001_2	Hidden Item needed for clear coding rule.
Item	AELLT_001_2	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_2	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_2	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_2	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_2	Dictionary-derived text description of the High Level Term for the primary System Organ Class.

Item	AEHLTCD_001_2	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_2	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_2	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_2	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_2	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT		
Item	Unique	Order #
AE001_2 (Repeating form)		
AE01001_2		
AESTDTC_001_2	None	1

Coding Summary: ADVERSE EVENT REPORT		
Verbatim RefName: AETERM_001_2 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_2	SOC	Term
AESOCCD_001_2	SOC	Code
AEHLGT_001_2	HLGT	Term
AEHLGTCD_001_2	HLGT	Code
AEHLT_001_2	HLT	Term
AEHLTCD_001_2	HLT	Code
AEDECOD_001_2	PT	Term
AEPTCD_001_2	PT	Code
AELLT_001_2	LLT	Term
AELLTCD_001_2	LLT	Code

RDE Analytics: RD_AE001_2		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_2	AECAT_001_2_C	VARCHAR2
	AECAT_001_2	VARCHAR2
	AECAT_001_2_ND	VARCHAR2
AESPID_001_2	AESPID_001_2	VARCHAR2
	AESPID_001_2_ND	VARCHAR2
AETERM_001_2	AETERM_001_2	VARCHAR2
	AETERM_001_2_ND	VARCHAR2
AESTDTC_001_2	AESTDTC_001_2	DATE
	AESTDTC_001_2_DTS	VARCHAR2
	AESTDTC_001_2_DTR	VARCHAR2
	AESTDTC_001_2_ND	VARCHAR2
X_AEONGO_001_2	X_AEONGO_001_2_C	VARCHAR2

	X_AEONGO_001_2	VARCHAR2
	X_AEONGO_001_2_ND	VARCHAR2
X_AEONGO_001_2 - AEENDTC_001_2	AEENDTC_001_2	DATE
	AEENDTC_001_2_DTS	VARCHAR2
	AEENDTC_001_2_DTR	VARCHAR2
AETOXGR_001_2	AETOXGR_001_2_C	VARCHAR2
	AETOXGR_001_2	VARCHAR2
	AETOXGR_001_2_ND	VARCHAR2
AESER_001_2	AESER_001_2_C	VARCHAR2
	AESER_001_2	VARCHAR2
	AESER_001_2_ND	VARCHAR2
AESER_001_2 - AESCONG_001_2	AESCONG_001_2_C	VARCHAR2
	AESCONG_001_2	VARCHAR2
AESER_001_2 - AESDTH_001_2	AESDTH_001_2_C	VARCHAR2
	AESDTH_001_2	VARCHAR2
AESER_001_2 - AESHOSP_001_2	AESHOSP_001_2_C	VARCHAR2
	AESHOSP_001_2	VARCHAR2
AESER_001_2 - AESDISAB_001_2	AESDISAB_001_2_C	VARCHAR2
	AESDISAB_001_2	VARCHAR2
AESER_001_2 - AESLIFE_001_2	AESLIFE_001_2_C	VARCHAR2
	AESLIFE_001_2	VARCHAR2
AESER_001_2 - AESMIE_001_2	AESMIE_001_2_C	VARCHAR2
	AESMIE_001_2	VARCHAR2
AEREL_001_2	AEREL_001_2_C	VARCHAR2
	AEREL_001_2	VARCHAR2
	AEREL_001_2_ND	VARCHAR2
AEREL_001_2 - AERELNST_001_2	AERELNST_001_2_C	VARCHAR2
	AERELNST_001_2	VARCHAR2
AEREL_001_2 - SUPPAE_AERELTXT_001_2	SUPPAE_AERELTXT_001_2	VARCHAR2
SUPPAE_AEMERES_001_2	SUPPAE_AEMERES_001_2_C	VARCHAR2
	SUPPAE_AEMERES_001_2	VARCHAR2
	SUPPAE_AEMERES_001_2_ND	VARCHAR2
SUPPAE_AECMGIV_001_2	SUPPAE_AECMGIV_001_2_C	VARCHAR2
	SUPPAE_AECMGIV_001_2	VARCHAR2
	SUPPAE_AECMGIV_001_2_ND	VARCHAR2
SUPPAE_AENDGIV_001_2	SUPPAE_AENDGIV_001_2_C	VARCHAR2
	SUPPAE_AENDGIV_001_2	VARCHAR2
	SUPPAE_AENDGIV_001_2_ND	VARCHAR2
AEOUT_001_2	AEOUT_001_2_C	VARCHAR2
	AEOUT_001_2	VARCHAR2
	AEOUT_001_2_ND	VARCHAR2

SUPPAE_AESUBJDC_001_2	SUPPAE_AESUBJDC_001_2_C	VARCHAR2
	SUPPAE_AESUBJDC_001_2	VARCHAR2
	SUPPAE_AESUBJDC_001_2_ND	VARCHAR2
SUPPAE_AETRT1_001_2	SUPPAE_AETRT1_001_2	VARCHAR2
	SUPPAE_AETRT1_001_2_ND	VARCHAR2
SUPPAE_AEACN1_001_2	SUPPAE_AEACN1_001_2_C	VARCHAR2
	SUPPAE_AEACN1_001_2	VARCHAR2
	SUPPAE_AEACN1_001_2_ND	VARCHAR2
SUPPAE_AEREL1_001_2	SUPPAE_AEREL1_001_2_C	VARCHAR2
	SUPPAE_AEREL1_001_2	VARCHAR2
	SUPPAE_AEREL1_001_2_ND	VARCHAR2
D_COMPTERM2_001_2	D_COMPTERM2_001_2	VARCHAR2
	D_COMPTERM2_001_2_ND	VARCHAR2
AELLT_001_2	AELLT_001_2	VARCHAR2
	AELLT_001_2_ND	VARCHAR2
AELLTCD_001_2	AELLTCD_001_2	VARCHAR2
	AELLTCD_001_2_ND	VARCHAR2
AEDECOD_001_2	AEDECOD_001_2	VARCHAR2
	AEDECOD_001_2_ND	VARCHAR2
AEPTCD_001_2	AEPTCD_001_2	VARCHAR2
	AEPTCD_001_2_ND	VARCHAR2
AEHLT_001_2	AEHLT_001_2	VARCHAR2
	AEHLT_001_2_ND	VARCHAR2
AEHLTCD_001_2	AEHLTCD_001_2	VARCHAR2
	AEHLTCD_001_2_ND	VARCHAR2
AEHLGT_001_2	AEHLGT_001_2	VARCHAR2
	AEHLGT_001_2_ND	VARCHAR2
AEHLGTCD_001_2	AEHLGTCD_001_2	VARCHAR2
	AEHLGTCD_001_2_ND	VARCHAR2
AESOC_001_2	AESOC_001_2	VARCHAR2
	AESOC_001_2_ND	VARCHAR2
AESOCCD_001_2	AESOCCD_001_2	VARCHAR2
	AESOCCD_001_2_ND	VARCHAR2

C4221026: ADVERSE EVENT REPORT (AE EN BI) - Repeating Form [AE001_3]																
#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Relationship to Study Treatment	Action Taken with Study Treatment 1	Relationship to Study Treatment 1	Action Taken with Study Treatment 2	Relationship to Study Treatment 2	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation
1																
Adverse Event Report [AE01001_3]																
1.	Category: [read-only] [Category]	[AECAT_001_3] [A:1] ☐ ADVERSE EVENT														
2.	AE ID: [read-only] [AE Identifier]	[AESPID_001_3] A20★														
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]	[AETERM_001_3] A100★														
4.* ✓ 📅	Start Date: [Start Date]	[AESTDTC_001_3] (DD/MM/YYYY) Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040)														
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]	[X_AEONGO_001_3] [A:N] ☐ [AEENDTC_CMP_001_3] ☒ NO [AEENDTC_001_3] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040) [A:Y] ☐ YES														
6.* ✓	Toxicity Grade: [Toxicity Grade]	[AETOXGR_001_3] [A:1] ☐ 0 [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5														
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important	[AESER_001_3] [A:N] ☐ NO [A:Y] ☐ [AESCONG_CMP_001_3] ☒ YES [AESCONG_001_3] Is this serious event associated with congenital anomaly or birth defect? [A:N] ☐ NO [A:Y] ☐ YES [AESDTH_001_3] Did this serious event result in death? [A:N] ☐ NO [A:Y] ☐ YES [AESHOSP_001_3] Did this serious event require or prolong hospitalization? [A:N] ☐ NO [A:Y] ☐ YES														

	medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[AESDISAB_001_3] Did this serious event result in persistent or significant disability/incapacity? [A:N] ☐ NO [A:Y] ☐ YES [AESLIFE_001_3] Is this serious event life threatening? [A:N] ☐ NO [A:Y] ☐ YES [AESMIE_001_3] Other medically important serious event [A:N] ☐ NO [A:Y] ☐ YES
8.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001_3] [A:1] ☐ [SUPPAE_AERELNST_CMP_001_3] ☐ NOT RELATED [AERELNST_001_3] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [SUPPAE_AERELT_CMP_001_3] ☐ OTHER [SUPPAE_AERELTXT_001_3] If Other, specify: A80 ★ [A:2] ☐ RELATED
9.	Study Treatment 1 Name Encorafenib: [hidden] [Study Treatment 1]	[SUPPAE_AETRT1_001_3] A50 ★
10.* ✓	Latest Action Taken with Encorafenib: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001_3] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
11.* ✓	Is this event related to Encorafenib? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001_3] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
12.	Study Treatment 2 Name Binimetinib: [hidden] [Study Treatment 2]	[SUPPAE_AETRT2_001_3] A50 ★
13.* ✓	Latest Action Taken with Binimetinib: [Action Taken with Study Treatment 2]	[SUPPAE_AEACN2_001_3] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED

		[A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
14.* ✓	Is this event related to Binimetinib? [Relationship to Study Treatment 2]	[SUPPAE_AEREL2_001_3] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
15.* ✓	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_3] [A:Y] ☐ YES [A:N] ☐ NO
16.* ✓	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_3] [A:Y] ☐ YES [A:N] ☐ NO
17.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001_3] [A:1] ☐ FATAL [A:3] ☐ RECOVERED/RESOLVED [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
18.* ✓	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001_3] [A:Y] ☐ YES [A:N] ☐ NO
19.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001_3] A200 ★
20.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001_3] A100 ★
21.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001_3] A8 ★
22.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001_3] A100 ★
23.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001_3] A8 ★
24.	High Level Term [hidden] [High Level Term]	[AEHLT_001_3] A100 ★
25.	High Level Term	[AEHLTCD_001_3]

	Code [hidden] [High Level Term Code]	A8★
26.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001_3] A100★
27.	High Level Group Term Code [hidden] [High Level Group Term Code]	[AEHLGTCD_001_3] A8★
28.	Primary System Organ Class [hidden] [Primary System Organ Class]	[AESOC_001_3] A100★
29.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[AESOCCD_001_3] A8★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: ADVERSE EVENT REPORT

Type	RefName	Description
Form	AE001_3	AE001 - Standard AE Page
Item	AECAT_001_3	Used to define a category of adverse event variables.
Item	AESPID_001_3	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001_3	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001_3	Date when the adverse event started.
Item	X_AEONGO_001_3	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001_3	Date when the adverse event resolved.
Item	AETOXGR_001_3	Description of the toxicity grade of the adverse event.
Item	AESER_001_3	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	AEREL_001_3	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001_3	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELTXT_001_3	Event Due to Other Specify
Item	SUPPAE_AETRT1_001_3	Study treatment 1
Item	SUPPAE_AEACN1_001_3	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001_3	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT2_001_3	Study treatment 2
Item	SUPPAE_AEACN2_001_3	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL2_001_3	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AECMGIV_001_3	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_3	Non-Drug Treatment Given

Item	AEOUT_001_3	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001_3	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	D_COMPTERM2_001_3	Hidden Item needed for clear coding rule.
Item	AELLT_001_3	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_3	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_3	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_3	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_3	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_3	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_3	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_3	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_3	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_3	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT		
Item	Unique	Order #
AE001_3 (Repeating form)		
AE01001_3		
AESTDTC_001_3	None	1

Coding Summary: ADVERSE EVENT REPORT		
Verbatim RefName: AETERM_001_3		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_3	SOC	Term
AESOCCD_001_3	SOC	Code
AEHLGT_001_3	HLGT	Term
AEHLGTCD_001_3	HLGT	Code
AEHLT_001_3	HLT	Term
AEHLTCD_001_3	HLT	Code
AEDECOD_001_3	PT	Term
AEPTCD_001_3	PT	Code
AELLT_001_3	LLT	Term
AELLTCD_001_3	LLT	Code

RDE Analytics: RD_AE001_3		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_3	AECAT_001_3_C	VARCHAR2
	AECAT_001_3	VARCHAR2
	AECAT_001_3_ND	VARCHAR2

AESPID_001_3	AESPID_001_3	VARCHAR2
	AESPID_001_3_ND	VARCHAR2
AETERM_001_3	AETERM_001_3	VARCHAR2
	AETERM_001_3_ND	VARCHAR2
AESTDTC_001_3	AESTDTC_001_3	DATE
	AESTDTC_001_3_DTS	VARCHAR2
	AESTDTC_001_3_DTR	VARCHAR2
	AESTDTC_001_3_ND	VARCHAR2
X_AEONGO_001_3	X_AEONGO_001_3_C	VARCHAR2
	X_AEONGO_001_3	VARCHAR2
	X_AEONGO_001_3_ND	VARCHAR2
X_AEONGO_001_3 - AEENDTC_001_3	AEENDTC_001_3	DATE
	AEENDTC_001_3_DTS	VARCHAR2
	AEENDTC_001_3_DTR	VARCHAR2
AETOXGR_001_3	AETOXGR_001_3_C	VARCHAR2
	AETOXGR_001_3	VARCHAR2
	AETOXGR_001_3_ND	VARCHAR2
AESER_001_3	AESER_001_3_C	VARCHAR2
	AESER_001_3	VARCHAR2
	AESER_001_3_ND	VARCHAR2
AESER_001_3 - AESCONG_001_3	AESCONG_001_3_C	VARCHAR2
	AESCONG_001_3	VARCHAR2
AESER_001_3 - AESDTH_001_3	AESDTH_001_3_C	VARCHAR2
	AESDTH_001_3	VARCHAR2
AESER_001_3 - AESHOSP_001_3	AESHOSP_001_3_C	VARCHAR2
	AESHOSP_001_3	VARCHAR2
AESER_001_3 - AESDISAB_001_3	AESDISAB_001_3_C	VARCHAR2
	AESDISAB_001_3	VARCHAR2
AESER_001_3 - AESLIFE_001_3	AESLIFE_001_3_C	VARCHAR2
	AESLIFE_001_3	VARCHAR2
AESER_001_3 - AESMIE_001_3	AESMIE_001_3_C	VARCHAR2
	AESMIE_001_3	VARCHAR2
AEREL_001_3	AEREL_001_3_C	VARCHAR2
	AEREL_001_3	VARCHAR2
	AEREL_001_3_ND	VARCHAR2
AEREL_001_3 - AERELNST_001_3	AERELNST_001_3_C	VARCHAR2
	AERELNST_001_3	VARCHAR2
AEREL_001_3 - SUPPAE_AERELTXT_001_3	SUPPAE_AERELTXT_001_3	VARCHAR2
SUPPAE_AETRT1_001_3	SUPPAE_AETRT1_001_3	VARCHAR2
	SUPPAE_AETRT1_001_3_ND	VARCHAR2
SUPPAE_AEACN1_001_3	SUPPAE_AEACN1_001_3_C	VARCHAR2

	SUPPAE_AEACN1_001_3	VARCHAR2
	SUPPAE_AEACN1_001_3_ND	VARCHAR2
SUPPAE_AEREL1_001_3	SUPPAE_AEREL1_001_3_C	VARCHAR2
	SUPPAE_AEREL1_001_3	VARCHAR2
	SUPPAE_AEREL1_001_3_ND	VARCHAR2
SUPPAE_AETRT2_001_3	SUPPAE_AETRT2_001_3	VARCHAR2
	SUPPAE_AETRT2_001_3_ND	VARCHAR2
SUPPAE_AEACN2_001_3	SUPPAE_AEACN2_001_3_C	VARCHAR2
	SUPPAE_AEACN2_001_3	VARCHAR2
	SUPPAE_AEACN2_001_3_ND	VARCHAR2
SUPPAE_AEREL2_001_3	SUPPAE_AEREL2_001_3_C	VARCHAR2
	SUPPAE_AEREL2_001_3	VARCHAR2
	SUPPAE_AEREL2_001_3_ND	VARCHAR2
SUPPAE_AECMGIV_001_3	SUPPAE_AECMGIV_001_3_C	VARCHAR2
	SUPPAE_AECMGIV_001_3	VARCHAR2
	SUPPAE_AECMGIV_001_3_ND	VARCHAR2
SUPPAE_AENDGIV_001_3	SUPPAE_AENDGIV_001_3_C	VARCHAR2
	SUPPAE_AENDGIV_001_3	VARCHAR2
	SUPPAE_AENDGIV_001_3_ND	VARCHAR2
AEOUT_001_3	AEOUT_001_3_C	VARCHAR2
	AEOUT_001_3	VARCHAR2
	AEOUT_001_3_ND	VARCHAR2
SUPPAE_AESUBJDC_001_3	SUPPAE_AESUBJDC_001_3_C	VARCHAR2
	SUPPAE_AESUBJDC_001_3	VARCHAR2
	SUPPAE_AESUBJDC_001_3_ND	VARCHAR2
D_COMPTerm2_001_3	D_COMPTerm2_001_3	VARCHAR2
	D_COMPTerm2_001_3_ND	VARCHAR2
AELLT_001_3	AELLT_001_3	VARCHAR2
	AELLT_001_3_ND	VARCHAR2
AELLTCD_001_3	AELLTCD_001_3	VARCHAR2
	AELLTCD_001_3_ND	VARCHAR2
AEDECOD_001_3	AEDECOD_001_3	VARCHAR2
	AEDECOD_001_3_ND	VARCHAR2
AEPTCD_001_3	AEPTCD_001_3	VARCHAR2
	AEPTCD_001_3_ND	VARCHAR2
AEHLT_001_3	AEHLT_001_3	VARCHAR2
	AEHLT_001_3_ND	VARCHAR2
AEHLTCD_001_3	AEHLTCD_001_3	VARCHAR2
	AEHLTCD_001_3_ND	VARCHAR2
AEHLGT_001_3	AEHLGT_001_3	VARCHAR2
	AEHLGT_001_3_ND	VARCHAR2

AEHLGTC_D_001_3	AEHLGTC_D_001_3	VARCHAR2
	AEHLGTC_D_001_3_ND	VARCHAR2
AESOC_001_3	AESOC_001_3	VARCHAR2
	AESOC_001_3_ND	VARCHAR2
AESOCCD_001_3	AESOCCD_001_3	VARCHAR2
	AESOCCD_001_3_ND	VARCHAR2

C4221026: ADVERSE EVENT REPORT (AE EN C) - Repeating Form [AE001_4]																
#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Relationship to Study Treatment	Action Taken with Study Treatment 1	Relationship to Study Treatment 1	Action Taken with Study Treatment 2	Relationship to Study Treatment 2	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation
1																
Adverse Event Report [AE01001_4]																
1.	Category: [read-only] [Category]	[AECAT_001_4] [A:1] ☐ ADVERSE EVENT														
2.	AE ID: [read-only] [AE Identifier]	[AESPID_001_4] A20*														
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]	[AETERM_001_4] A100*														
4.* ✓ 🖱	Start Date: [Start Date]	[AESTDTC_001_4] (DD/MM/YYYY) Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040)														
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]	[X_AEONGO_001_4] [A:N] ☐ [AEENDTC_CMP_001_4] ☐ NO [AEENDTC_001_4] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040) [A:Y] ☐ YES														
6.* ✓	Toxicity Grade: [Toxicity Grade]	[AETOXGR_001_4] [A:1] ☐ 0 [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5														
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important	[AESER_001_4] [A:N] ☐ NO [A:Y] ☐ [AESCONG_CMP_001_4] ☐ YES [AESCONG_001_4] Is this serious event associated with congenital anomaly or birth defect? [A:N] ☐ NO [A:Y] ☐ YES [AESDTH_001_4] Did this serious event result in death? [A:N] ☐ NO [A:Y] ☐ YES [AESHOSP_001_4] Did this serious event require or prolong hospitalization? [A:N] ☐ NO [A:Y] ☐ YES														

	medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[AESDISAB_001_4] Did this serious event result in persistent or significant disability/incapacity? [A:N] ☐ NO [A:Y] ☐ YES [AESLIFE_001_4] Is this serious event life threatening? [A:N] ☐ NO [A:Y] ☐ YES [AESMIE_001_4] Other medically important serious event [A:N] ☐ NO [A:Y] ☐ YES
8.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001_4] [A:1] ☐ [SUPPAE_AERELNST_CMP_001_4] ☐ NOT RELATED [AERELNST_001_4] If Not Related to study treatment(s), this event is due to: [A:3] ☐ [SUPPAE_AERELT_CMP_001_4] ☐ OTHER [SUPPAE_AERELTXT_001_4] If Other, specify: A80★
9.	Study Treatment 1 Name Encorafenib: [hidden] [Study Treatment 1]	[SUPPAE_AETRT1_001_4] A50★
10.* ✓	Latest Action Taken with Encorafenib: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001_4] [A:1] ☐ DOSE INCREASED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:2] ☐ DOSE NOT CHANGED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
11.* ✓	Is this event related to Encorafenib? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001_4] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
12.	Study Treatment 2 Name Cetuximab: [hidden] [Study Treatment 2]	[SUPPAE_AETRT2_001_4] A50★
13.* ✓	Latest Action Taken with Cetuximab: [Action Taken with Study Treatment 2]	[SUPPAE_AEACN2_001_4] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED

		[A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
14.* ✓	Is this event related to Cetuximab? [Relationship to Study Treatment 2]	[SUPPAE_AEREL2_001_4] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
15.* ✓	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_4] [A:Y] ☐ YES [A:N] ☐ NO
16.* ✓	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_4] [A:Y] ☐ YES [A:N] ☐ NO
17.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001_4] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
18.* ✓	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001_4] [A:Y] ☐ YES [A:N] ☐ NO
19.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001_4] A200 ★
20.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001_4] A100 ★
21.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001_4] A8 ★
22.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001_4] A100 ★
23.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001_4] A8 ★
24.	High Level Term [hidden] [High Level Term]	[AEHLT_001_4] A100 ★
25.	High Level Term	[AEHLTCD_001_4]

	Code [hidden] [High Level Term Code]	A8★
26.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001_4] A100★
27.	High Level Group Term Code [hidden] [High Level Group Term Code]	[AEHLGTC_001_4] A8★
28.	Primary System Organ Class [hidden] [Primary System Organ Class]	[AESOC_001_4] A100★
29.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[AESOCCD_001_4] A8★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: ADVERSE EVENT REPORT

Type	RefName	Description
Form	AE001_4	AE001 - Standard AE Page
Item	AECAT_001_4	Used to define a category of adverse event variables.
Item	AESPID_001_4	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001_4	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001_4	Date when the adverse event started.
Item	X_AEONGO_001_4	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001_4	Date when the adverse event resolved.
Item	AETOXGR_001_4	Description of the toxicity grade of the adverse event.
Item	AESER_001_4	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	AEREL_001_4	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001_4	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELTXT_001_4	Event Due to Other Specify
Item	SUPPAE_AETRT1_001_4	Study treatment 1
Item	SUPPAE_AEACN1_001_4	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001_4	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT2_001_4	Study treatment 2
Item	SUPPAE_AEACN2_001_4	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL2_001_4	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AECMGIV_001_4	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_4	Non-Drug Treatment Given

Item	AEOUT_001_4	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001_4	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	D_COMPTERM2_001_4	Hidden Item needed for clear coding rule.
Item	AELLT_001_4	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_4	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_4	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_4	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_4	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_4	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_4	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_4	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_4	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_4	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT		
Item	Unique	Order #
AE001_4 (Repeating form)		
AE01001_4		
AESTDTC_001_4	None	1

Coding Summary: ADVERSE EVENT REPORT		
Verbatim RefName: AETERM_001_4		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_4	SOC	Term
AESOCCD_001_4	SOC	Code
AEHLGT_001_4	HLGT	Term
AEHLGTCD_001_4	HLGT	Code
AEHLT_001_4	HLT	Term
AEHLTCD_001_4	HLT	Code
AEDECOD_001_4	PT	Term
AEPTCD_001_4	PT	Code
AELLT_001_4	LLT	Term
AELLTCD_001_4	LLT	Code

RDE Analytics: RD_AE001_4		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_4	AECAT_001_4_C	VARCHAR2
	AECAT_001_4	VARCHAR2
	AECAT_001_4_ND	VARCHAR2

AESPID_001_4	AESPID_001_4	VARCHAR2
	AESPID_001_4_ND	VARCHAR2
AETERM_001_4	AETERM_001_4	VARCHAR2
	AETERM_001_4_ND	VARCHAR2
AESTDTC_001_4	AESTDTC_001_4	DATE
	AESTDTC_001_4_DTS	VARCHAR2
	AESTDTC_001_4_DTR	VARCHAR2
	AESTDTC_001_4_ND	VARCHAR2
X_AEONGO_001_4	X_AEONGO_001_4_C	VARCHAR2
	X_AEONGO_001_4	VARCHAR2
	X_AEONGO_001_4_ND	VARCHAR2
X_AEONGO_001_4 - AEENDTC_001_4	AEENDTC_001_4	DATE
	AEENDTC_001_4_DTS	VARCHAR2
	AEENDTC_001_4_DTR	VARCHAR2
AETOXGR_001_4	AETOXGR_001_4_C	VARCHAR2
	AETOXGR_001_4	VARCHAR2
	AETOXGR_001_4_ND	VARCHAR2
AESER_001_4	AESER_001_4_C	VARCHAR2
	AESER_001_4	VARCHAR2
	AESER_001_4_ND	VARCHAR2
AESER_001_4 - AESCONG_001_4	AESCONG_001_4_C	VARCHAR2
	AESCONG_001_4	VARCHAR2
AESER_001_4 - AESDTH_001_4	AESDTH_001_4_C	VARCHAR2
	AESDTH_001_4	VARCHAR2
AESER_001_4 - AESHOSP_001_4	AESHOSP_001_4_C	VARCHAR2
	AESHOSP_001_4	VARCHAR2
AESER_001_4 - AESDISAB_001_4	AESDISAB_001_4_C	VARCHAR2
	AESDISAB_001_4	VARCHAR2
AESER_001_4 - AESLIFE_001_4	AESLIFE_001_4_C	VARCHAR2
	AESLIFE_001_4	VARCHAR2
AESER_001_4 - AESMIE_001_4	AESMIE_001_4_C	VARCHAR2
	AESMIE_001_4	VARCHAR2
AEREL_001_4	AEREL_001_4_C	VARCHAR2
	AEREL_001_4	VARCHAR2
	AEREL_001_4_ND	VARCHAR2
AEREL_001_4 - AERELNST_001_4	AERELNST_001_4_C	VARCHAR2
	AERELNST_001_4	VARCHAR2
AEREL_001_4 - SUPPAE_AERELTXT_001_4	SUPPAE_AERELTXT_001_4	VARCHAR2
SUPPAE_AETRT1_001_4	SUPPAE_AETRT1_001_4	VARCHAR2
	SUPPAE_AETRT1_001_4_ND	VARCHAR2
SUPPAE_AEACN1_001_4	SUPPAE_AEACN1_001_4_C	VARCHAR2

	SUPPAE_AEACN1_001_4	VARCHAR2
	SUPPAE_AEACN1_001_4_ND	VARCHAR2
SUPPAE_AEREL1_001_4	SUPPAE_AEREL1_001_4_C	VARCHAR2
	SUPPAE_AEREL1_001_4	VARCHAR2
	SUPPAE_AEREL1_001_4_ND	VARCHAR2
SUPPAE_AETRT2_001_4	SUPPAE_AETRT2_001_4	VARCHAR2
	SUPPAE_AETRT2_001_4_ND	VARCHAR2
SUPPAE_AEACN2_001_4	SUPPAE_AEACN2_001_4_C	VARCHAR2
	SUPPAE_AEACN2_001_4	VARCHAR2
	SUPPAE_AEACN2_001_4_ND	VARCHAR2
SUPPAE_AEREL2_001_4	SUPPAE_AEREL2_001_4_C	VARCHAR2
	SUPPAE_AEREL2_001_4	VARCHAR2
	SUPPAE_AEREL2_001_4_ND	VARCHAR2
SUPPAE_AECMGIV_001_4	SUPPAE_AECMGIV_001_4_C	VARCHAR2
	SUPPAE_AECMGIV_001_4	VARCHAR2
	SUPPAE_AECMGIV_001_4_ND	VARCHAR2
SUPPAE_AENDGIV_001_4	SUPPAE_AENDGIV_001_4_C	VARCHAR2
	SUPPAE_AENDGIV_001_4	VARCHAR2
	SUPPAE_AENDGIV_001_4_ND	VARCHAR2
AEOUT_001_4	AEOUT_001_4_C	VARCHAR2
	AEOUT_001_4	VARCHAR2
	AEOUT_001_4_ND	VARCHAR2
SUPPAE_AESUBJDC_001_4	SUPPAE_AESUBJDC_001_4_C	VARCHAR2
	SUPPAE_AESUBJDC_001_4	VARCHAR2
	SUPPAE_AESUBJDC_001_4_ND	VARCHAR2
D_COMPTERM2_001_4	D_COMPTERM2_001_4	VARCHAR2
	D_COMPTERM2_001_4_ND	VARCHAR2
AELLT_001_4	AELLT_001_4	VARCHAR2
	AELLT_001_4_ND	VARCHAR2
AELLTCD_001_4	AELLTCD_001_4	VARCHAR2
	AELLTCD_001_4_ND	VARCHAR2
AEDECOD_001_4	AEDECOD_001_4	VARCHAR2
	AEDECOD_001_4_ND	VARCHAR2
AEPTCD_001_4	AEPTCD_001_4	VARCHAR2
	AEPTCD_001_4_ND	VARCHAR2
AEHLT_001_4	AEHLT_001_4	VARCHAR2
	AEHLT_001_4_ND	VARCHAR2
AEHLTCD_001_4	AEHLTCD_001_4	VARCHAR2
	AEHLTCD_001_4_ND	VARCHAR2
AEHLGT_001_4	AEHLGT_001_4	VARCHAR2
	AEHLGT_001_4_ND	VARCHAR2

AEHLGTC_D_001_4	AEHLGTC_D_001_4	VARCHAR2
	AEHLGTC_D_001_4_ND	VARCHAR2
AESOC_001_4	AESOC_001_4	VARCHAR2
	AESOC_001_4_ND	VARCHAR2
AESOCCD_001_4	AESOCCD_001_4	VARCHAR2
	AESOCCD_001_4_ND	VARCHAR2

C4221026: ADVERSE EVENT REPORT (AE EN BI C) - Repeating Form [AE001_5]																		
#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Relationship to Study Treatment	Action Taken with Study Treatment 1	Relationship to Study Treatment 1	Action Taken with Study Treatment:	Relationship to Study Treatment:	Action Taken with Study Treatment:	Relationship to Study Treatment:	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation
1																		
Adverse Event Report [AE01001_5]																		
1.	Category: [read-only] [Category]	[AECAT_001_5] [A:1] ☐ ADVERSE EVENT																
2.	AE ID: [read-only] [AE Identifier]	[AESPID_001_5] A20★																
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]	[AETERM_001_5] A100★																
4.* ✓ 👁	Start Date: [Start Date]	[AESTDTC_001_5] (DD/MM/YYYY) Req/Unk v / Req v / Req v (2022-2040)																
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]	[X_AEONGO_001_5] [A:Y] ☒ YES [A:N] ☐ [AEENDTC_CMP_001_5] ☐ NO [AEENDTC_001_5] (DD/MM/YYYY) End Date: Req/Unk v / Req v / Req v (2022-2040)																
6.* ✓	Toxicity Grade: [Toxicity Grade]	[AETOXGR_001_5] [A:1] ☐ 0 [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5																
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital	[AESER_001_5] [A:Y] ☐ [AESCONG_CMP_001_5] ☐ YES [AESCONG_001_5] Is this serious event associated with congenital anomaly or birth defect? [A:N] ☐ NO [A:Y] ☐ YES [AESDTH_001_5] Did this serious event result in death? [A:N] ☐ NO [A:Y] ☐ YES [AESHOSP_001_5] Did this serious event require or prolong hospitalization? [A:N] ☐ NO [A:Y] ☐ YES																

	anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[AESDISAB_001_5] Did this serious event result in persistent or significant disability/incapacity? [A:N] ☐ NO [A:Y] ☐ YES [AESLIFE_001_5] Is this serious event life threatening? [A:N] ☐ NO [A:Y] ☐ YES [AESMIE_001_5] Other medically important serious event [A:N] ☐ NO [A:Y] ☐ YES [A:N] ☐ NO
8.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001_5] [A:1] ☐ [SUPPAE_AERELNST_CMP_001_5] ☐ NOT RELATED [AERELNST_001_5] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [SUPPAE_AERELT_CMP_001_5] ☐ OTHER [SUPPAE_AERELT_001_5] If Other, specify: A80★ [A:2] ☐ RELATED
9.	Study Treatment 1 Name Encorafenib: [hidden] [Study Treatment 1]	[SUPPAE_AETRT1_001_5] A50★
10.* ✓	Latest Action Taken with Encorafenib: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001_5] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
11.* ✓	Is this event related to Encorafenib? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001_5] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
12.	Study Treatment 2 Binimetinib: [hidden] [Study Treatment 2]	[SUPPAE_AETRT2_001_5] A50★
13.* ✓	Latest Action Taken with Binimetinib: [Action Taken with Study Treatment:]	[SUPPAE_AEACN2_001_5] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED

		[A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
14.* ✓	Is this event related to Binimetinib? [Relationship to Study Treatment:]	[SUPPAE_AEREL2_001_5] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
15.	Study Treatment 3 Name Cetuximab: [hidden] [Study Treatment 3]	[SUPPAE_AETRT3_001_5] A50★
16.* ✓	Latest Action Taken with Cetuximab: [Action Taken with Study Treatment:]	[SUPPAE_AEACN3_001_5] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
17.* ✓	Is this event related to Cetuximab? [Relationship to Study Treatment:]	[SUPPAE_AEREL3_001_5] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
18.* ✓	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_5] [A:Y] ☐ YES [A:N] ☐ NO
19.* ✓	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_5] [A:Y] ☐ YES [A:N] ☐ NO
20.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001_5] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
21.* ✓	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001_5] [A:Y] ☐ YES [A:N] ☐ NO
22.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001_5] A200★
23.	Lowest Level Term	[AELLT_001_5]

	[hidden] [Lowest Level Term]	A100★
24.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001_5] A8★
25.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001_5] A100★
26.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001_5] A8★
27.	High Level Term [hidden] [High Level Term]	[AEHLT_001_5] A100★
28.	High Level Term Code [hidden] [High Level Term Code]	[AEHLTCD_001_5] A8★
29.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001_5] A100★
30.	High Level Group Term Code [hidden] [High Level Group Term Code]	[AEHLGTCD_001_5] A8★
31.	Primary System Organ Class [hidden] [Primary System Organ Class]	[AESOC_001_5] A100★
32.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[AESOCCD_001_5] A8★

Key: [★] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ADVERSE EVENT REPORT

Type	RefName	Description
Form	AE001_5	AE001 - Standard AE Page
Item	AECAT_001_5	Used to define a category of adverse event variables.
Item	AESPID_001_5	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001_5	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001_5	Date when the adverse event started.
Item	X_AEONGO_001_5	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001_5	Date when the adverse event resolved.

Item	AETOXGR_001_5	Description of the toxicity grade of the adverse event.
Item	AESER_001_5	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	AEREL_001_5	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001_5	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELT_001_5	Event Due to Other Specify
Item	SUPPAE_AETRT1_001_5	Study treatment 1
Item	SUPPAE_AEACN1_001_5	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001_5	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT2_001_5	Study treatment 2
Item	SUPPAE_AEACN2_001_5	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL2_001_5	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT3_001_5	Study Treatment 3
Item	SUPPAE_AEACN3_001_5	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL3_001_5	Relationship to Study Treatment 3
Item	SUPPAE_AECMGIV_001_5	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_5	Non-Drug Treatment Given
Item	AEOUT_001_5	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001_5	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	D_COMPTerm2_001_5	Hidden Item needed for clear coding rule.
Item	AELLT_001_5	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_5	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_5	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_5	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_5	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_5	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_5	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_5	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_5	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCOD_001_5	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT

Item	Unique	Order #
AE001_5 (Repeating form)		
AE01001_5		
AESTDTC_001_5	None	1

Coding Summary: ADVERSE EVENT REPORT

Verbatim RefName: AETERM_001_5		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type

AESOC_001_5	SOC	Term
AESOCCD_001_5	SOC	Code
AEHLGT_001_5	HLGT	Term
AEHLGTC_001_5	HLGT	Code
AEHLT_001_5	HLT	Term
AEHLTCD_001_5	HLT	Code
AEDECOD_001_5	PT	Term
AEPTCD_001_5	PT	Code
AELLT_001_5	LLT	Term
AELLTCD_001_5	LLT	Code

RDE Analytics: RD_AE001_5		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_5	AECAT_001_5_C	VARCHAR2
	AECAT_001_5	VARCHAR2
	AECAT_001_5_ND	VARCHAR2
AESPID_001_5	AESPID_001_5	VARCHAR2
	AESPID_001_5_ND	VARCHAR2
AETERM_001_5	AETERM_001_5	VARCHAR2
	AETERM_001_5_ND	VARCHAR2
AESTDTC_001_5	AESTDTC_001_5	DATE
	AESTDTC_001_5_DTS	VARCHAR2
	AESTDTC_001_5_DTR	VARCHAR2
	AESTDTC_001_5_ND	VARCHAR2
X_AEONGO_001_5	X_AEONGO_001_5_C	VARCHAR2
	X_AEONGO_001_5	VARCHAR2
	X_AEONGO_001_5_ND	VARCHAR2
X_AEONGO_001_5 - AEENDTC_001_5	AEENDTC_001_5	DATE
	AEENDTC_001_5_DTS	VARCHAR2
	AEENDTC_001_5_DTR	VARCHAR2
AETOXGR_001_5	AETOXGR_001_5_C	VARCHAR2
	AETOXGR_001_5	VARCHAR2
	AETOXGR_001_5_ND	VARCHAR2
AESER_001_5	AESER_001_5_C	VARCHAR2
	AESER_001_5	VARCHAR2
	AESER_001_5_ND	VARCHAR2
AESER_001_5 - AESCONG_001_5	AESCONG_001_5_C	VARCHAR2
	AESCONG_001_5	VARCHAR2
AESER_001_5 - AESDTH_001_5	AESDTH_001_5_C	VARCHAR2
	AESDTH_001_5	VARCHAR2
AESER_001_5 - AESHOSP_001_5	AESHOSP_001_5_C	VARCHAR2

	AESHOSP_001_5	VARCHAR2
AESER_001_5 - AESDISAB_001_5	AESDISAB_001_5_C	VARCHAR2
	AESDISAB_001_5	VARCHAR2
AESER_001_5 - AESLIFE_001_5	AESLIFE_001_5_C	VARCHAR2
	AESLIFE_001_5	VARCHAR2
AESER_001_5 - AESMIE_001_5	AESMIE_001_5_C	VARCHAR2
	AESMIE_001_5	VARCHAR2
AEREL_001_5	AEREL_001_5_C	VARCHAR2
	AEREL_001_5	VARCHAR2
	AEREL_001_5_ND	VARCHAR2
AEREL_001_5 - AERELNST_001_5	AERELNST_001_5_C	VARCHAR2
	AERELNST_001_5	VARCHAR2
AEREL_001_5 - SUPPAE_AERELT_001_5	SUPPAE_AERELT_001_5	VARCHAR2
SUPPAE_AETRT1_001_5	SUPPAE_AETRT1_001_5	VARCHAR2
	SUPPAE_AETRT1_001_5_ND	VARCHAR2
SUPPAE_AEACN1_001_5	SUPPAE_AEACN1_001_5_C	VARCHAR2
	SUPPAE_AEACN1_001_5	VARCHAR2
	SUPPAE_AEACN1_001_5_ND	VARCHAR2
SUPPAE_AEREL1_001_5	SUPPAE_AEREL1_001_5_C	VARCHAR2
	SUPPAE_AEREL1_001_5	VARCHAR2
	SUPPAE_AEREL1_001_5_ND	VARCHAR2
SUPPAE_AETRT2_001_5	SUPPAE_AETRT2_001_5	VARCHAR2
	SUPPAE_AETRT2_001_5_ND	VARCHAR2
SUPPAE_AEACN2_001_5	SUPPAE_AEACN2_001_5_C	VARCHAR2
	SUPPAE_AEACN2_001_5	VARCHAR2
	SUPPAE_AEACN2_001_5_ND	VARCHAR2
SUPPAE_AEREL2_001_5	SUPPAE_AEREL2_001_5_C	VARCHAR2
	SUPPAE_AEREL2_001_5	VARCHAR2
	SUPPAE_AEREL2_001_5_ND	VARCHAR2
SUPPAE_AETRT3_001_5	SUPPAE_AETRT3_001_5	VARCHAR2
	SUPPAE_AETRT3_001_5_ND	VARCHAR2
SUPPAE_AEACN3_001_5	SUPPAE_AEACN3_001_5_C	VARCHAR2
	SUPPAE_AEACN3_001_5	VARCHAR2
	SUPPAE_AEACN3_001_5_ND	VARCHAR2
SUPPAE_AEREL3_001_5	SUPPAE_AEREL3_001_5_C	VARCHAR2
	SUPPAE_AEREL3_001_5	VARCHAR2
	SUPPAE_AEREL3_001_5_ND	VARCHAR2
SUPPAE_AECMGIV_001_5	SUPPAE_AECMGIV_001_5_C	VARCHAR2
	SUPPAE_AECMGIV_001_5	VARCHAR2
	SUPPAE_AECMGIV_001_5_ND	VARCHAR2
SUPPAE_AENDGIV_001_5	SUPPAE_AENDGIV_001_5_C	VARCHAR2

	SUPPAE_AENDGIV_001_5	VARCHAR2
	SUPPAE_AENDGIV_001_5_ND	VARCHAR2
AEOUT_001_5	AEOUT_001_5_C	VARCHAR2
	AEOUT_001_5	VARCHAR2
	AEOUT_001_5_ND	VARCHAR2
SUPPAE_AESUBJDC_001_5	SUPPAE_AESUBJDC_001_5_C	VARCHAR2
	SUPPAE_AESUBJDC_001_5	VARCHAR2
	SUPPAE_AESUBJDC_001_5_ND	VARCHAR2
D_COMPTerm2_001_5	D_COMPTerm2_001_5	VARCHAR2
	D_COMPTerm2_001_5_ND	VARCHAR2
AELLT_001_5	AELLT_001_5	VARCHAR2
	AELLT_001_5_ND	VARCHAR2
AELLTCD_001_5	AELLTCD_001_5	VARCHAR2
	AELLTCD_001_5_ND	VARCHAR2
AEDECOD_001_5	AEDECOD_001_5	VARCHAR2
	AEDECOD_001_5_ND	VARCHAR2
AEPTCD_001_5	AEPTCD_001_5	VARCHAR2
	AEPTCD_001_5_ND	VARCHAR2
AEHLT_001_5	AEHLT_001_5	VARCHAR2
	AEHLT_001_5_ND	VARCHAR2
AEHLTCD_001_5	AEHLTCD_001_5	VARCHAR2
	AEHLTCD_001_5_ND	VARCHAR2
AEHLGT_001_5	AEHLGT_001_5	VARCHAR2
	AEHLGT_001_5_ND	VARCHAR2
AEHLGTCD_001_5	AEHLGTCD_001_5	VARCHAR2
	AEHLGTCD_001_5_ND	VARCHAR2
AESOC_001_5	AESOC_001_5	VARCHAR2
	AESOC_001_5_ND	VARCHAR2
AESOCCD_001_5	AESOCCD_001_5	VARCHAR2
	AESOCCD_001_5_ND	VARCHAR2

C4221026: TREATMENT [BINIMETINIB] (TRT-BINI) - Repeating Form [EC001_4]								
#	Treatment Name	Formulation:	Route:	Start Date:	End Date:	Reason for Changed/Missed Dose	Total Daily Dose	Unit:
1								
TREATMENT [BINIMETINIB] [EC01001_4]								
1.	Treatment Name <i>[read-only]</i> [Treatment Name]	[ECTRT_001_4] A100★						
2.*	Formulation: [Formulation:]	[ECDOSFRM_001_4] [A:146] ☒ TABLET						
3.* ✓	Route: [Route:]	[ECROUTE_001_4] [A:84] ☒ ORAL						
4.* ✓	Start Date: [Start Date:]	[ECSTDTC_001_4] (DD/MM/YYYY) Req / Req / Req (2022-2040)						
5.* ✓	End Date: [End Date:]	[ECENDTC_001_4] (DD/MM/YYYY) Req / Req / Req (2022-2040)						
6.* ✓	Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]	[SUPPEC_MISDOST_001_4] [A:1] ☐ ADVERSE EVENT [A:999] ☒ [SUPPEC_MISDOSO_CMP_001_4] ☐ OTHER [SUPPEC_MISDOSO_001_4] If Other, please specify: A200★						
7.* ✓	Total Daily Dose: [Total Daily Dose]	[ECDOSTOT_001_4] xxxxxx.						
8.*	Unit: [Unit:]	[ECDOSU_001_4] [A:8] ☒ mg						
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.								

RDE Analytics: RD_EC001_4		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_4	ECTRT_001_4	VARCHAR2
	ECTRT_001_4_ND	VARCHAR2
ECDOSFRM_001_4	ECDOSFRM_001_4_C	VARCHAR2
	ECDOSFRM_001_4	VARCHAR2
	ECDOSFRM_001_4_ND	VARCHAR2
ECROUTE_001_4	ECROUTE_001_4_C	VARCHAR2
	ECROUTE_001_4	VARCHAR2
	ECROUTE_001_4_ND	VARCHAR2
ECSTDTC_001_4	ECSTDTC_001_4	DATE
	ECSTDTC_001_4_DTS	VARCHAR2

	ECSTDTC_001_4_ND	VARCHAR2
ECENDTC_001_4	ECENDTC_001_4	DATE
	ECENDTC_001_4_DTS	VARCHAR2
	ECENDTC_001_4_ND	VARCHAR2
SUPPEC_MISDOST_001_4	SUPPEC_MISDOST_001_4_C	VARCHAR2
	SUPPEC_MISDOST_001_4	VARCHAR2
	SUPPEC_MISDOST_001_4_ND	VARCHAR2
SUPPEC_MISDOST_001_4 - SUPPEC_MISDOS0_001_4	SUPPEC_MISDOS0_001_4	VARCHAR2
ECDOSTOT_001_4	ECDOSTOT_001_4	FLOAT
	ECDOSTOT_001_4_ND	VARCHAR2
ECDOSU_001_4	ECDOSU_001_4_C	VARCHAR2
	ECDOSU_001_4	VARCHAR2
	ECDOSU_001_4_ND	VARCHAR2

C4221026: TREATMENT [ENCORAFENIB] (TRT-ENCO) - Repeating Form [EC001_4_1]									
#	Treatment Name	Formulation:	Route:	Start Date:	End Date:	Reason for Changed/Missed Dose	Actual Dose	Unit:	Frequency:
1									
TREATMENT [ENCORAFENIB] [EC01001_4_1]									
1.	Treatment Name [read-only] [Treatment Name]	[ECTRT_001_4_1] A100★							
2.*	Formulation: [Formulation:]	[ECDOSFRM_001_4_1] [A:11] ☐ CAPSULE							
3.* ✓	Route: [Route:]	[ECROUTE_001_4_1] [A:84] ☐ ORAL							
4.* ✓	Start Date: [Start Date:]	[ECSTDTC_001_4_1] (DD/MM/YYYY) Req / Req / Req (2022-2040)							
5.* ✓	End Date: [End Date:]	[ECENDTC_001_4_1] (DD/MM/YYYY) Req / Req / Req (2022-2040)							
6.* ✓	Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]	[SUPPEC_MISDOST_001_4_1] [A:1] ☐ ADVERSE EVENT [A:999] ☐ [SUPPEC_MISDOSO_CMP_001_4_1] ☐ OTHER [SUPPEC_MISDOSO_001_4_1] If Other, please specify: A200★							
7.* ✓	Actual Dose: [Actual Dose]	[ECDOSE_001_4_1] xxxxxx.							
8.*	Unit: [Unit:]	[ECDOSU_001_4_1] [A:8] ☐ mg							
9.* ✓	Frequency: [Frequency:]	[ECDOSFRQ_001_4_1] [A:49] ☐ QD							
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.									

RDE Analytics: RD_EC001_4_1		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_4_1	ECTRT_001_4_1	VARCHAR2
	ECTRT_001_4_1_ND	VARCHAR2
ECDOSFRM_001_4_1	ECDOSFRM_001_4_1_C	VARCHAR2
	ECDOSFRM_001_4_1	VARCHAR2
	ECDOSFRM_001_4_1_ND	VARCHAR2
ECROUTE_001_4_1	ECROUTE_001_4_1_C	VARCHAR2
	ECROUTE_001_4_1	VARCHAR2
	ECROUTE_001_4_1_ND	VARCHAR2

ECSTDTC_001_4_1	ECSTDTC_001_4_1	DATE
	ECSTDTC_001_4_1_DTS	VARCHAR2
	ECSTDTC_001_4_1_ND	VARCHAR2
ECENDTC_001_4_1	ECENDTC_001_4_1	DATE
	ECENDTC_001_4_1_DTS	VARCHAR2
	ECENDTC_001_4_1_ND	VARCHAR2
SUPPEC_MISDOST_001_4_1	SUPPEC_MISDOST_001_4_1_C	VARCHAR2
	SUPPEC_MISDOST_001_4_1	VARCHAR2
	SUPPEC_MISDOST_001_4_1_ND	VARCHAR2
SUPPEC_MISDOST_001_4_1 - SUPPEC_MISDOSO_001_4_1	SUPPEC_MISDOSO_001_4_1	VARCHAR2
ECDOSE_001_4_1	ECDOSE_001_4_1	FLOAT
	ECDOSE_001_4_1_ND	VARCHAR2
ECDOSU_001_4_1	ECDOSU_001_4_1_C	VARCHAR2
	ECDOSU_001_4_1	VARCHAR2
	ECDOSU_001_4_1_ND	VARCHAR2
ECDOSFRQ_001_4_1	ECDOSFRQ_001_4_1_C	VARCHAR2
	ECDOSFRQ_001_4_1	VARCHAR2
	ECDOSFRQ_001_4_1_ND	VARCHAR2

C4221026: PARENTERAL - [CETUXIMAB] (TRT-CETUX) [EC001_3]

Parenteral Treatment [EC01001_3]

1. Treatment Name: [read-only] [Treatment Name]

[ECTRT_001_3]

A100★

	Formulation	Route	Start Date Time	End Date Time	Reason for Changed/Missed Dose	Actual Dose	Unit
2. ✓							

Parenteral Treatment Details Entry [EC02001_3]

2.1* Formulation: [Formulation]

[ECDOSFRM_001_3]

[A:66] ☒ INJECTION

2.2* Route: [Route]

[ECROUTE_001_3]

[A:70] ☒ INTRAVENOUS

2.3* Start Date Time: [Start Date Time]

[ECSTDTC_001_3] (DD/MM/YYYY hh:mm)

Req / Req / Req (2022-2040)

Req : Req 24-hour clock

2.4* End Date Time: [End Date Time]

[ECENDTC_001_3] (DD/MM/YYYY hh:mm)

Req / Req / Req (2022-2040)

Req : Req 24-hour clock

2.5 Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]

[SUPPEC_MISDOST_001_3]

[A:1] ☒ ADVERSE EVENT

[A:999] ☒ [SUPPEC_MISDOSO_CMP_001_3] ☐

OTHER

[SUPPEC_MISDOSO_001_3]

If Other, please specify:

A200★

2.6* Actual Dose: [Actual Dose]

[ECDOSE_001_3]

xxxxxx.

2.7* Unit: [Unit]

[ECDOSU_001_3]

[A:8] ☒ mg

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_EC001_3		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_3	ECTRT_001_3	VARCHAR2
	ECTRT_001_3_ND	VARCHAR2
RD_EC001_3_EC02001_3		
ECDOSFRM_001_3	ECDOSFRM_001_3_C	VARCHAR2
	ECDOSFRM_001_3	VARCHAR2
	ECDOSFRM_001_3_ND	VARCHAR2

file:///C:/Users/SURESRO8/AppData/Local/Apps/2.0/YH3HXBME.3HB/99OHV5JV.TKA/orac..90.0 919f856034ae8f10_00... 17-07-2025

ECROUTE_001_3	ECROUTE_001_3_C	VARCHAR2
	ECROUTE_001_3	VARCHAR2
	ECROUTE_001_3_ND	VARCHAR2
ECSTDTC_001_3	ECSTDTC_001_3	DATE
	ECSTDTC_001_3_DTS	VARCHAR2
	ECSTDTC_001_3_ND	VARCHAR2
ECENDTC_001_3	ECENDTC_001_3	DATE
	ECENDTC_001_3_DTS	VARCHAR2
	ECENDTC_001_3_ND	VARCHAR2
SUPPEC_MISDOST_001_3	SUPPEC_MISDOST_001_3_C	VARCHAR2
	SUPPEC_MISDOST_001_3	VARCHAR2
	SUPPEC_MISDOST_001_3_ND	VARCHAR2
SUPPEC_MISDOST_001_3 - SUPPEC_MISDOSO_001_3	SUPPEC_MISDOSO_001_3	VARCHAR2
ECDOSE_001_3	ECDOSE_001_3	FLOAT
	ECDOSE_001_3_ND	VARCHAR2
ECDOSU_001_3	ECDOSU_001_3_C	VARCHAR2
	ECDOSU_001_3	VARCHAR2
	ECDOSU_001_3_ND	VARCHAR2

C4221026: MEDICATION ERROR (MED ERROR) - Repeating Form [AE001_1]												
#	Category	Medication Error	Start Date	End Date	Is the medication error Still Ongoing	Medication Error Associated With AE	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation	Drug Name	Study Medication Errors Action
1												
Medication Error [AE01001_1]												
1.	Category: [read-only] [Category]	[AECAT_001_1] [A:21] ☐ MEDICATION ERROR										
2.* ✓	Medication Error: (If possible specify diagnosis, not individual symptoms) [Medication Error]	[AETERM_001_1] A100★										
3.* ✓ 🖱	Start Date: [Start Date]	[AESTDTC_001_1] (DD/MM/YYYY) Req / Req / Req (2022-2040)										
4.* ✓	End Date: [End Date]	[AEENDTC_001_1] (DD/MM/YYYY) Req/Unk / Req/Unk / Req (2022-2040)										
5.* ✓	Is the medication error still ongoing? [Is the medication error Still Ongoing]	[X_AEONGO_001_1] [A:N] ☐ NO [A:Y] ☐ YES										
6. ✓	Was this medication error associated with any adverse events? [Medication Error Associated With AE]	[SUPPAE_AEMEFL_001_1] [A:Y] ☐ [SUPPAE_AEMEFL_CMP_001_1] ☐ YES [SUPPAE_AEAENO1_001_1] AE ID: A20★ [SUPPAE_AEAENO2_001_1] AE ID: A20★ [SUPPAE_AEAENO3_001_1] AE ID: A20★ [SUPPAE_AEAENO4_001_1] AE ID: A20★ [SUPPAE_AEAENO5_001_1] AE ID: A20★ [A:N] ☐ NO										
7. ✓	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_1] [A:Y] ☐ YES [A:N] ☐ NO										
8. ✓	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_1] [A:Y] ☐ YES [A:N] ☐ NO										
9.* ✓	What was the outcome of this	[AEOUT_001_1] [AEOUT_CL_001_1]										

	medication error?: [Outcome]	
10.* ✓	Did the Medication Error cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001_1] [A:Y] ☐ YES [A:N] ☐ NO
11.* ✓	Drug Name: [Drug Name]	[SUPPAE_AETRRTNAM_001_1] A100★
12.* ✓	Latest Action Taken with Study Treatment: [Study Medication Errors Action]	[SUPPAE_AEMEACN_001_1] [A:1] ☐ NO ACTION TAKEN [A:2] ☐ DOSE CORRECTED [A:3] ☐ TEMPORARILY STOPPED [A:4] ☐ PERMANENTLY DISCONTINUED
13.	Comparison Term [hidden] [Comparison Term]	[D_COMPTerm2_001_1] A200★
14.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001_1] A100★
15.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001_1] A8★
16.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001_1] A100★
17.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001_1] A8★
18.	High Level Term [hidden] [High Level Term]	[AEHLT_001_1] A100★
19.	High Level Term Code [hidden] [High Level Term Code]	[AEHLTCD_001_1] A8★
20.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001_1] A100★
21.	High Level Group Term Code [hidden] [High Level Group Term Code]	[AEHLGTCD_001_1] A8★
22.	Primary System Organ Class	[AESOC_001_1]

	[hidden] [Primary System Organ Class]	A100★
23.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[AESOCCD_001_1] A8★

Key: [★] = Item is required [✔] = Source verification required [⊞] = Item is collapsible [🔑] = Key item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: MEDICATION ERROR		
Type	RefName	Description
Form	AE001_1	AE001 - Standard AE Page
Item	AECAT_001_1	Used to define a category of adverse event variables.
Item	AETERM_001_1	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001_1	Date when the adverse event started.
Item	AEENDTC_001_1	Date when the adverse event resolved.
Item	X_AEONGO_001_1	Indicates AE is ongoing when no End Date is provided.
Item	SUPPAE_AEMEFL_001_1	Was this medication error associated with any adverse events
Item	SUPPAE_AECMGIV_001_1	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_1	Non-Drug Treatment Given
Item	AEOUT_001_1	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001_1	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	SUPPAE_AETRRTNAM_001_1	Drug Name
Item	SUPPAE_AEMEACN_001_1	Changes made to the study treatment in response to the medication error adverse event.
Item	D_COMPTERM2_001_1	Hidden Item needed for clear coding rule.
Item	AELLT_001_1	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_1	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_1	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_1	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_1	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_1	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_1	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_1	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_1	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_1	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: MEDICATION ERROR		
Item	Unique	Order #
AE001_1 (Repeating form)		
AE01001_1		

AESTDTC_001_1	None	1
---------------	------	---

Codelist Values Tables: MEDICATION ERROR						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
AEOUT_CL_001_1	String		FATAL	1	cliOUT_FATAL	AEOUT_001_1
			NOT RECOVERED/NOT RESOLVED	2	cliOUT_NOT_RECOVERED_NOT_RESOLVED	
			RECOVERED/RESOLVED	3	cliOUT_RECOVERED_RESOLVED	
			RECOVERED/RESOLVED WITH SEQUELAE	4	cliOUT_RECOVERED_RESOLVED_WITH_SEQUELAE	
			RECOVERING/RESOLVING	5	cliOUT_RECOVERING_RESOLVING	
			UNKNOWN	6	cliOUT_UNKNOWN	

Coding Summary: MEDICATION ERROR		
Verbatim RefName: AETERM_001_1 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_1	SOC	Term
AESOCCD_001_1	SOC	Code
AEHLGT_001_1	HLGT	Term
AEHLGTC_001_1	HLGT	Code
AEHLT_001_1	HLT	Term
AEHLTCD_001_1	HLT	Code
AEDECOD_001_1	PT	Term
AEPTCD_001_1	PT	Code
AELLT_001_1	LLT	Term
AELLTCD_001_1	LLT	Code

RDE Analytics: RD_AE001_1		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_1	AECAT_001_1_C	VARCHAR2
	AECAT_001_1	VARCHAR2
	AECAT_001_1_ND	VARCHAR2
AETERM_001_1	AETERM_001_1	VARCHAR2
	AETERM_001_1_ND	VARCHAR2
AESTDTC_001_1	AESTDTC_001_1	DATE
	AESTDTC_001_1_DTS	VARCHAR2
	AESTDTC_001_1_ND	VARCHAR2
AEENDTC_001_1	AEENDTC_001_1	DATE
	AEENDTC_001_1_DTS	VARCHAR2
	AEENDTC_001_1_DTR	VARCHAR2
	AEENDTC_001_1_ND	VARCHAR2
X_AEONGO_001_1	X_AEONGO_001_1_C	VARCHAR2

	X_AEONGO_001_1	VARCHAR2
	X_AEONGO_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1	SUPPAE_AEMEFL_001_1_C	VARCHAR2
	SUPPAE_AEMEFL_001_1	VARCHAR2
	SUPPAE_AEMEFL_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO1_001_1	SUPPAE_AEAENO1_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO2_001_1	SUPPAE_AEAENO2_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO3_001_1	SUPPAE_AEAENO3_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO4_001_1	SUPPAE_AEAENO4_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO5_001_1	SUPPAE_AEAENO5_001_1	VARCHAR2
SUPPAE_AECMGIV_001_1	SUPPAE_AECMGIV_001_1_C	VARCHAR2
	SUPPAE_AECMGIV_001_1	VARCHAR2
	SUPPAE_AECMGIV_001_1_ND	VARCHAR2
SUPPAE_AENDGIV_001_1	SUPPAE_AENDGIV_001_1_C	VARCHAR2
	SUPPAE_AENDGIV_001_1	VARCHAR2
	SUPPAE_AENDGIV_001_1_ND	VARCHAR2
AEOUT_001_1	AEOUT_001_1_C	VARCHAR2
	AEOUT_001_1	VARCHAR2
	AEOUT_001_1_ND	VARCHAR2
SUPPAE_AESUBJDC_001_1	SUPPAE_AESUBJDC_001_1_C	VARCHAR2
	SUPPAE_AESUBJDC_001_1	VARCHAR2
	SUPPAE_AESUBJDC_001_1_ND	VARCHAR2
SUPPAE_AETRRTNAM_001_1	SUPPAE_AETRRTNAM_001_1	VARCHAR2
	SUPPAE_AETRRTNAM_001_1_ND	VARCHAR2
SUPPAE_AEMEACN_001_1	SUPPAE_AEMEACN_001_1_C	VARCHAR2
	SUPPAE_AEMEACN_001_1	VARCHAR2
	SUPPAE_AEMEACN_001_1_ND	VARCHAR2
D_COMPTerm2_001_1	D_COMPTerm2_001_1	VARCHAR2
	D_COMPTerm2_001_1_ND	VARCHAR2
AELLT_001_1	AELLT_001_1	VARCHAR2
	AELLT_001_1_ND	VARCHAR2
AELLTCD_001_1	AELLTCD_001_1	VARCHAR2
	AELLTCD_001_1_ND	VARCHAR2
AEDECOD_001_1	AEDECOD_001_1	VARCHAR2
	AEDECOD_001_1_ND	VARCHAR2
AEPTCD_001_1	AEPTCD_001_1	VARCHAR2
	AEPTCD_001_1_ND	VARCHAR2
AEHLT_001_1	AEHLT_001_1	VARCHAR2
	AEHLT_001_1_ND	VARCHAR2
AEHLTCD_001_1	AEHLTCD_001_1	VARCHAR2
	AEHLTCD_001_1_ND	VARCHAR2

AEHLGT_001_1	AEHLGT_001_1	VARCHAR2
	AEHLGT_001_1_ND	VARCHAR2
AEHLGTCD_001_1	AEHLGTCD_001_1	VARCHAR2
	AEHLGTCD_001_1_ND	VARCHAR2
AESOC_001_1	AESOC_001_1	VARCHAR2
	AESOC_001_1_ND	VARCHAR2
AESOCCD_001_1	AESOCCD_001_1	VARCHAR2
	AESOCCD_001_1_ND	VARCHAR2

C4221026: TREATMENT [RIBOCICLIB] (TRT-RIBO) - Repeating Form [EC001_4_2]									
#	Treatment Name	Formulation:	Route:	Start Date:	End Date:	Reason for Changed/Missed Dose	Actual Dose	Unit:	Frequency:
1									
Treatment - Ribociclib [EC01001_4_2]									
1.	Treatment Name <i>[read-only]</i> [Treatment Name]	[ECTRT_001_4_2] A100★							
2.* ✓	Formulation: [Formulation:]	[ECDOSFRM_001_4_2] [A:11] ☐ CAPSULE [A:146] ☐ TABLET							
3.* ✓	Route: [Route:]	[ECROUTE_001_4_2] [A:84] ☐ ORAL							
4.* ✓	Start Date: [Start Date:]	[ECSTDTC_001_4_2] (DD/MM/YYYY) Req / Req / Req (2022-2040)							
5.* ✓	End Date: [End Date:]	[ECENDTC_001_4_2] (DD/MM/YYYY) Req / Req / Req (2022-2040)							
6.* ✓	Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]	[SUPPEC_MISDOST_001_4_2] [A:1] ☐ ADVERSE EVENT [A:999] ☐ [SUPPEC_MISDOSO_CMP_001_4_2] ☐ OTHER [SUPPEC_MISDOSO_001_4_2] If Other, please specify: A200★							
7.* ✓	Actual Dose: [Actual Dose]	[ECDOSE_001_4_2] xxxxxx.							
8.*	Unit: [Unit:]	[ECDOSU_001_4_2] [A:8] ☐ mg							
9.* ✓	Frequency: [Frequency:]	[ECDOSFRQ_001_4_2] [A:49] ☐ QD							
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.									

RDE Analytics: RD_EC001_4_2		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_4_2	ECTRT_001_4_2	VARCHAR2
	ECTRT_001_4_2_ND	VARCHAR2
ECDOSFRM_001_4_2	ECDOSFRM_001_4_2_C	VARCHAR2
	ECDOSFRM_001_4_2	VARCHAR2
	ECDOSFRM_001_4_2_ND	VARCHAR2
ECROUTE_001_4_2	ECROUTE_001_4_2_C	VARCHAR2
	ECROUTE_001_4_2	VARCHAR2

	ECROUTE_001_4_2_ND	VARCHAR2
ECSTDTC_001_4_2	ECSTDTC_001_4_2	DATE
	ECSTDTC_001_4_2_DTS	VARCHAR2
	ECSTDTC_001_4_2_ND	VARCHAR2
ECENDTC_001_4_2	ECENDTC_001_4_2	DATE
	ECENDTC_001_4_2_DTS	VARCHAR2
	ECENDTC_001_4_2_ND	VARCHAR2
SUPPEC_MISDOST_001_4_2	SUPPEC_MISDOST_001_4_2_C	VARCHAR2
	SUPPEC_MISDOST_001_4_2	VARCHAR2
	SUPPEC_MISDOST_001_4_2_ND	VARCHAR2
SUPPEC_MISDOST_001_4_2 - SUPPEC_MISDOSO_001_4_2	SUPPEC_MISDOSO_001_4_2	VARCHAR2
ECDOSE_001_4_2	ECDOSE_001_4_2	FLOAT
	ECDOSE_001_4_2_ND	VARCHAR2
ECDOSU_001_4_2	ECDOSU_001_4_2_C	VARCHAR2
	ECDOSU_001_4_2	VARCHAR2
	ECDOSU_001_4_2_ND	VARCHAR2
ECDOSFRQ_001_4_2	ECDOSFRQ_001_4_2_C	VARCHAR2
	ECDOSFRQ_001_4_2	VARCHAR2
	ECDOSFRQ_001_4_2_ND	VARCHAR2

C4221026: ADVERSE EVENT REPORT (AE EN BI R) - Repeating Form [AE001_6]																		
#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Relationship to Study Treatment	Action Taken with Study Treatment 1	Relationship to Study Treatment 1	Action Taken with Study Treatment:	Relationship to Study Treatment:	Action Taken with Study Treatment:	Relationship to Study Treatment:	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation
1																		
Adverse Event Report [AE01001_6]																		
1.	Category: [read-only] [Category]		[AECAT_001_6] [A:1] ☐ ADVERSE EVENT															
2.	AE ID: [read-only] [AE Identifier]		[AESPID_001_6] A20★															
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]		[AETERM_001_6] A100★															
4.* ✓	Start Date: [Start Date]		[AESTDTC_001_6] (DD/MM/YYYY) Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040)															
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]		[X_AEONGO_001_6] [A:Y] ☐ YES [A:N] ☐ [AEENDTC_CMP_001_6] ☐ NO [AEENDTC_001_6] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040)															
6.* ✓	Toxicity Grade: [Toxicity Grade]		[AETOXGR_001_6] [A:1] ☐ 0 [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5															
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth		[AESER_001_6] [A:Y] ☐ [AESCONG_CMP_001_6] ☐ YES [AESCONG_001_6] Is this serious event associated with congenital anomaly or birth defect? [A:N] ☐ NO [A:Y] ☐ YES [AESDTH_001_6] Did this serious event result in death? [A:N] ☐ NO [A:Y] ☐ YES [AESHOSP_001_6] Did this serious event require or prolong hospitalization? [A:N] ☐ NO [A:Y] ☐ YES [AESDISAB_001_6]															

	defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	Did this serious event result in persistent or significant disability/incapacity? [A:N] ☐ NO [A:Y] ☐ YES [AESLIFE_001_6] Is this serious event life threatening? [A:N] ☐ NO [A:Y] ☐ YES [AESMIE_001_6] Other medically important serious event [A:N] ☐ NO [A:Y] ☐ YES [A:N] ☐ NO
8.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001_6] [A:1] ☐ [SUPPAE_AERELNST_CMP_001_6] ☐ NOT RELATED [AERELNST_001_6] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [SUPPAE_AERELT_CMP_001_6] ☐ OTHER [SUPPAE_AERELT_001_6] If Other, specify: A80★ [A:2] ☐ RELATED
9.	Study Treatment 1 Name Encorafenib: [hidden] [Study Treatment 1]	[SUPPAE_AETRT1_001_6] A50★
10.* ✓	Latest Action Taken with Encorafenib: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001_6] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
11.* ✓	Is this event related to Encorafenib? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001_6] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
12.	Study Treatment 2 Binimetinib: [hidden] [Study Treatment 2]	[SUPPAE_AETRT2_001_6] A50★
13.* ✓	Latest Action Taken with Binimetinib: [Action Taken with Study Treatment:]	[SUPPAE_AEACN2_001_6] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED

		[A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
14.* ✓	Is this event related to Binimetinib? [Relationship to Study Treatment:]	[SUPPAE_AEREL2_001_6] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
15.	Study Treatment 3 Name Ribociclib: [hidden] [Study Treatment 3]	[SUPPAE_AETRT3_001_6] A50★
16.* ✓	Latest Action Taken with Ribociclib: [Action Taken with Study Treatment:]	[SUPPAE_AEACN3_001_6] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
17.* ✓	Is this event related to Ribociclib? [Relationship to Study Treatment:]	[SUPPAE_AEREL3_001_6] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
18.* ✓	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_6] [A:Y] ☐ YES [A:N] ☐ NO
19.* ✓	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_6] [A:Y] ☐ YES [A:N] ☐ NO
20.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001_6] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
21.* ✓	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001_6] [A:Y] ☐ YES [A:N] ☐ NO
22.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001_6] A200★
23.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001_6] A100★

24.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[AELLTCD_001_6] A8★
25.	Dictionary-Derived Term <i>[hidden]</i> [Dictionary-Derived Term]	[AEDECOD_001_6] A100★
26.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[AEPTCD_001_6] A8★
27.	High Level Term <i>[hidden]</i> [High Level Term]	[AEHLT_001_6] A100★
28.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[AEHLTCD_001_6] A8★
29.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[AEHLGT_001_6] A100★
30.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[AEHLGTC_001_6] A8★
31.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001_6] A100★
32.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001_6] A8★
Key: [★] = Item is required [▼] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: ADVERSE EVENT REPORT

Type	RefName	Description
Form	AE001_6	AE001 - Standard AE Page
Item	AECAT_001_6	Used to define a category of adverse event variables.
Item	AESPID_001_6	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001_6	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001_6	Date when the adverse event started.
Item	X_AEONGO_001_6	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001_6	Date when the adverse event resolved.
Item	AETOXGR_001_6	Description of the toxicity grade of the adverse event.
Item	AESER_001_6	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.

Item	AEREL_001_6	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001_6	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELT_001_6	Event Due to Other Specify
Item	SUPPAE_AETRT1_001_6	Study treatment 1
Item	SUPPAE_AEACN1_001_6	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001_6	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT2_001_6	Study treatment 2
Item	SUPPAE_AEACN2_001_6	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL2_001_6	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT3_001_6	Study Treatment 3
Item	SUPPAE_AEACN3_001_6	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL3_001_6	Relationship to Study Treatment 3
Item	SUPPAE_AECMGIV_001_6	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_6	Non-Drug Treatment Given
Item	AEOUT_001_6	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001_6	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	D_COMPTerm2_001_6	Hidden Item needed for clear coding rule.
Item	AELLT_001_6	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_6	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_6	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_6	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_6	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_6	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_6	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_6	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_6	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_6	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Coding Summary: ADVERSE EVENT REPORT

Verbatim RefName: AETERM_001_6		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_6	SOC	Term
AESOCCD_001_6	SOC	Code
AEHLGT_001_6	HLGT	Term
AEHLGTCD_001_6	HLGT	Code
AEHLT_001_6	HLT	Term
AEHLTCD_001_6	HLT	Code
AEDECOD_001_6	PT	Term
AEPTCD_001_6	PT	Code

AELLT_001_6	LLT	Term
AELLTCD_001_6	LLT	Code

RDE Analytics: RD_AE001_6		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_6	AECAT_001_6_C	VARCHAR2
	AECAT_001_6	VARCHAR2
	AECAT_001_6_ND	VARCHAR2
AESPID_001_6	AESPID_001_6	VARCHAR2
	AESPID_001_6_ND	VARCHAR2
AETERM_001_6	AETERM_001_6	VARCHAR2
	AETERM_001_6_ND	VARCHAR2
AESTDTC_001_6	AESTDTC_001_6	DATE
	AESTDTC_001_6_DTS	VARCHAR2
	AESTDTC_001_6_DTR	VARCHAR2
	AESTDTC_001_6_ND	VARCHAR2
X_AEONGO_001_6	X_AEONGO_001_6_C	VARCHAR2
	X_AEONGO_001_6	VARCHAR2
	X_AEONGO_001_6_ND	VARCHAR2
X_AEONGO_001_6 - AEENDTC_001_6	AEENDTC_001_6	DATE
	AEENDTC_001_6_DTS	VARCHAR2
	AEENDTC_001_6_DTR	VARCHAR2
AETOXGR_001_6	AETOXGR_001_6_C	VARCHAR2
	AETOXGR_001_6	VARCHAR2
	AETOXGR_001_6_ND	VARCHAR2
AESER_001_6	AESER_001_6_C	VARCHAR2
	AESER_001_6	VARCHAR2
	AESER_001_6_ND	VARCHAR2
AESER_001_6 - AESCONG_001_6	AESCONG_001_6_C	VARCHAR2
	AESCONG_001_6	VARCHAR2
AESER_001_6 - AESDTH_001_6	AESDTH_001_6_C	VARCHAR2
	AESDTH_001_6	VARCHAR2
AESER_001_6 - AESHOSP_001_6	AESHOSP_001_6_C	VARCHAR2
	AESHOSP_001_6	VARCHAR2
AESER_001_6 - AESDISAB_001_6	AESDISAB_001_6_C	VARCHAR2
	AESDISAB_001_6	VARCHAR2
AESER_001_6 - AESLIFE_001_6	AESLIFE_001_6_C	VARCHAR2
	AESLIFE_001_6	VARCHAR2
AESER_001_6 - AESMIE_001_6	AESMIE_001_6_C	VARCHAR2
	AESMIE_001_6	VARCHAR2
AEREL_001_6	AEREL_001_6_C	VARCHAR2

	AEREL_001_6	VARCHAR2
	AEREL_001_6_ND	VARCHAR2
AEREL_001_6 - AERELNST_001_6	AERELNST_001_6_C	VARCHAR2
	AERELNST_001_6	VARCHAR2
AEREL_001_6 - SUPPAE_AERELT_001_6	SUPPAE_AERELT_001_6	VARCHAR2
SUPPAE_AETRT1_001_6	SUPPAE_AETRT1_001_6	VARCHAR2
	SUPPAE_AETRT1_001_6_ND	VARCHAR2
SUPPAE_AEACN1_001_6	SUPPAE_AEACN1_001_6_C	VARCHAR2
	SUPPAE_AEACN1_001_6	VARCHAR2
	SUPPAE_AEACN1_001_6_ND	VARCHAR2
SUPPAE_AEREL1_001_6	SUPPAE_AEREL1_001_6_C	VARCHAR2
	SUPPAE_AEREL1_001_6	VARCHAR2
	SUPPAE_AEREL1_001_6_ND	VARCHAR2
SUPPAE_AETRT2_001_6	SUPPAE_AETRT2_001_6	VARCHAR2
	SUPPAE_AETRT2_001_6_ND	VARCHAR2
SUPPAE_AEACN2_001_6	SUPPAE_AEACN2_001_6_C	VARCHAR2
	SUPPAE_AEACN2_001_6	VARCHAR2
	SUPPAE_AEACN2_001_6_ND	VARCHAR2
SUPPAE_AEREL2_001_6	SUPPAE_AEREL2_001_6_C	VARCHAR2
	SUPPAE_AEREL2_001_6	VARCHAR2
	SUPPAE_AEREL2_001_6_ND	VARCHAR2
SUPPAE_AETRT3_001_6	SUPPAE_AETRT3_001_6	VARCHAR2
	SUPPAE_AETRT3_001_6_ND	VARCHAR2
SUPPAE_AEACN3_001_6	SUPPAE_AEACN3_001_6_C	VARCHAR2
	SUPPAE_AEACN3_001_6	VARCHAR2
	SUPPAE_AEACN3_001_6_ND	VARCHAR2
SUPPAE_AEREL3_001_6	SUPPAE_AEREL3_001_6_C	VARCHAR2
	SUPPAE_AEREL3_001_6	VARCHAR2
	SUPPAE_AEREL3_001_6_ND	VARCHAR2
SUPPAE_AECMGIV_001_6	SUPPAE_AECMGIV_001_6_C	VARCHAR2
	SUPPAE_AECMGIV_001_6	VARCHAR2
	SUPPAE_AECMGIV_001_6_ND	VARCHAR2
SUPPAE_AENDGIV_001_6	SUPPAE_AENDGIV_001_6_C	VARCHAR2
	SUPPAE_AENDGIV_001_6	VARCHAR2
	SUPPAE_AENDGIV_001_6_ND	VARCHAR2
AEOUT_001_6	AEOUT_001_6_C	VARCHAR2
	AEOUT_001_6	VARCHAR2
	AEOUT_001_6_ND	VARCHAR2
SUPPAE_AESUBJDC_001_6	SUPPAE_AESUBJDC_001_6_C	VARCHAR2
	SUPPAE_AESUBJDC_001_6	VARCHAR2
	SUPPAE_AESUBJDC_001_6_ND	VARCHAR2

D_COMPTERM2_001_6	D_COMPTERM2_001_6	VARCHAR2
	D_COMPTERM2_001_6_ND	VARCHAR2
AELLT_001_6	AELLT_001_6	VARCHAR2
	AELLT_001_6_ND	VARCHAR2
AELLTCD_001_6	AELLTCD_001_6	VARCHAR2
	AELLTCD_001_6_ND	VARCHAR2
AEDECOD_001_6	AEDECOD_001_6	VARCHAR2
	AEDECOD_001_6_ND	VARCHAR2
AEPTCD_001_6	AEPTCD_001_6	VARCHAR2
	AEPTCD_001_6_ND	VARCHAR2
AEHLT_001_6	AEHLT_001_6	VARCHAR2
	AEHLT_001_6_ND	VARCHAR2
AEHLTCD_001_6	AEHLTCD_001_6	VARCHAR2
	AEHLTCD_001_6_ND	VARCHAR2
AEHLGT_001_6	AEHLGT_001_6	VARCHAR2
	AEHLGT_001_6_ND	VARCHAR2
AEHLGTCD_001_6	AEHLGTCD_001_6	VARCHAR2
	AEHLGTCD_001_6_ND	VARCHAR2
AESOC_001_6	AESOC_001_6	VARCHAR2
	AESOC_001_6_ND	VARCHAR2
AESOCCD_001_6	AESOCCD_001_6	VARCHAR2
	AESOCCD_001_6_ND	VARCHAR2

C4221026: ADVERSE EVENT REPORT (AE V) - Repeating Form [AE001_7]															
#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Relationship to Study Treatment	Is AE a Result of a Medication Error	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation	Action Taken with Study Treatment 1	Relationship to Study Treatment 1
1															
Adverse Event Report [AE01001_7]															
1.	Category: <i>[read-only]</i> [Category]				[AECAT_001_7] [A:1] ☐ ADVERSE EVENT										
2.	AE ID: <i>[read-only]</i> [AE Identifier]				[AESPID_001_7] A20★										
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]				[AETERM_001_7] A100★										
4.* ✓ 	Start Date: [Start Date]				[AESTDTC_001_7] (DD/MM/YYYY) Req/Unk v / Req v / Req v (2022-2040)										
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]				[X_AEONGO_001_7] [A:Y] ☐ YES [A:N] ☐ [AEENDTC_CMP_001_7] ☐ NO [AEENDTC_001_7] (DD/MM/YYYY) End Date: Req/Unk v / Req v / Req v (2022-2040)										
6.* ✓	Toxicity Grade: [Toxicity Grade]				[AETOXGR_001_7] [A:1] ☐ 0 [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5										
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]				[AESER_001_7] [A:Y] ☐ [AESCING_CMP_001_7] ☐ YES [AESCING_001_7] Is this serious event associated with congenital anomaly or birth defect? [A:N] ☐ NO [A:Y] ☐ YES [AESDTH_001_7] Did this serious event result in death? [A:N] ☐ NO [A:Y] ☐ YES [AESHOSP_001_7] Did this serious event require or prolong hospitalization? [A:N] ☐ NO [A:Y] ☐ YES [AESDISAB_001_7] Did this serious event result in persistent or significant disability/incapacity? [A:N] ☐ NO [A:Y] ☐ YES										

		[AESLIFE_001_7] Is this serious event life threatening? [A:N] ☐ NO [A:Y] ☐ YES [AESMIE_001_7] Other medically important serious event [A:N] ☐ NO [A:Y] ☐ YES [A:N] ☐ NO
8.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001_7] [A:1] ☐ [SUPPAE_AERELNST_CMP_001_7] ☐ NOT RELATED [AERELNST_001_7] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [SUPPAE_AERELT_CMP_001_7] ☐ OTHER [SUPPAE_AERELTXT_001_7] If Other, specify: A80★ [A:2] ☐ RELATED
9.* ✓	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	[SUPPAE_AEMERES_001_7] [A:N] ☐ NO [A:Y] ☐ YES
10.* ✓	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_7] [A:Y] ☐ YES [A:N] ☐ NO
11.* ✓	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_7] [A:Y] ☐ YES [A:N] ☐ NO
12.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001_7] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
13.* ✓	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001_7] [A:Y] ☐ YES [A:N] ☐ NO
14.	Study Treatment 1 Name Vemurafenib: [hidden] [Study Treatment 1]	[SUPPAE_AETRT1_001_7] A50★
15.* ✓	Latest Action Taken with Vemurafenib: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001_7] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED

		[A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
16.* ✓	Is this event related to Vemurafenib? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001_7] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
17.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001_7] A200★
18.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001_7] A100★
19.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001_7] A8★
20.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001_7] A100★
21.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001_7] A8★
22.	High Level Term [hidden] [High Level Term]	[AEHLT_001_7] A100★
23.	High Level Term Code [hidden] [High Level Term Code]	[AEHLTCD_001_7] A8★
24.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001_7] A100★
25.	High Level Group Term Code [hidden] [High Level Group Term Code]	[AEHLGTCD_001_7] A8★
26.	Primary System Organ Class [hidden] [Primary System Organ Class]	[AESOC_001_7] A100★
27.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[AESOCCD_001_7] A8★

Key: [★] = Item is required [✓] = Source verification required [□] = Item is collapsible [🔑] = Key item [★] = ASCII Only
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ADVERSE EVENT REPORT

Type	RefName	Description
Form	AE001_7	AE001 - Standard AE Page
Item	AECAT_001_7	Used to define a category of adverse event variables.

Item	AESPID_001_7	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001_7	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001_7	Date when the adverse event started.
Item	X_AEONGO_001_7	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001_7	Date when the adverse event resolved.
Item	AETOXGR_001_7	Description of the toxicity grade of the adverse event.
Item	AESER_001_7	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	AEREL_001_7	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001_7	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELTXT_001_7	Event Due to Other Specify
Item	SUPPAE_AEMERES_001_7	Is this adverse event the result of a study/background medication error
Item	SUPPAE_AECMGIV_001_7	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_7	Non-Drug Treatment Given
Item	AEOUT_001_7	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001_7	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	SUPPAE_AETRT1_001_7	Study treatment 1
Item	SUPPAE_AEACN1_001_7	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001_7	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	D_COMPTERM2_001_7	Hidden Item needed for clear coding rule.
Item	AELLT_001_7	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_7	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_7	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_7	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_7	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_7	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_7	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTC_001_7	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_7	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOC_001_7	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT

Item	Unique	Order #
AE001_7 (Repeating form)		
AE01001_7		
AESTDTC_001_7	None	1

Coding Summary: ADVERSE EVENT REPORT

Verbatim RefName: D_COMPTERM2_001_7		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type

AESOC_001_7	SOC	Term
AESOCCD_001_7	SOC	Code
AEHLGT_001_7	HLGT	Term
AEHLGTC_001_7	HLGT	Code
AEHLT_001_7	HLT	Term
AEHLTCD_001_7	HLT	Code
AEDECOD_001_7	PT	Term
AEPTCD_001_7	PT	Code
AELLT_001_7	LLT	Term
AELLTCD_001_7	LLT	Code

RDE Analytics: RD_AE001_7		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_7	AECAT_001_7_C	VARCHAR2
	AECAT_001_7	VARCHAR2
	AECAT_001_7_ND	VARCHAR2
AESPID_001_7	AESPID_001_7	VARCHAR2
	AESPID_001_7_ND	VARCHAR2
AETERM_001_7	AETERM_001_7	VARCHAR2
	AETERM_001_7_ND	VARCHAR2
AESTDTC_001_7	AESTDTC_001_7	DATE
	AESTDTC_001_7_DTS	VARCHAR2
	AESTDTC_001_7_DTR	VARCHAR2
	AESTDTC_001_7_ND	VARCHAR2
X_AEONGO_001_7	X_AEONGO_001_7_C	VARCHAR2
	X_AEONGO_001_7	VARCHAR2
	X_AEONGO_001_7_ND	VARCHAR2
X_AEONGO_001_7 - AEENDTC_001_7	AEENDTC_001_7	DATE
	AEENDTC_001_7_DTS	VARCHAR2
	AEENDTC_001_7_DTR	VARCHAR2
AETOXGR_001_7	AETOXGR_001_7_C	VARCHAR2
	AETOXGR_001_7	VARCHAR2
	AETOXGR_001_7_ND	VARCHAR2
AESER_001_7	AESER_001_7_C	VARCHAR2
	AESER_001_7	VARCHAR2
	AESER_001_7_ND	VARCHAR2
AESER_001_7 - AESCONG_001_7	AESCONG_001_7_C	VARCHAR2
	AESCONG_001_7	VARCHAR2
AESER_001_7 - AESDTH_001_7	AESDTH_001_7_C	VARCHAR2
	AESDTH_001_7	VARCHAR2
AESER_001_7 - AESHOSP_001_7	AESHOSP_001_7_C	VARCHAR2

	AESHOSP_001_7	VARCHAR2
AESER_001_7 - AESDISAB_001_7	AESDISAB_001_7_C	VARCHAR2
	AESDISAB_001_7	VARCHAR2
AESER_001_7 - AESLIFE_001_7	AESLIFE_001_7_C	VARCHAR2
	AESLIFE_001_7	VARCHAR2
AESER_001_7 - AESMIE_001_7	AESMIE_001_7_C	VARCHAR2
	AESMIE_001_7	VARCHAR2
AEREL_001_7	AEREL_001_7_C	VARCHAR2
	AEREL_001_7	VARCHAR2
	AEREL_001_7_ND	VARCHAR2
AEREL_001_7 - AERELNST_001_7	AERELNST_001_7_C	VARCHAR2
	AERELNST_001_7	VARCHAR2
AEREL_001_7 - SUPPAE_AERELTXT_001_7	SUPPAE_AERELTXT_001_7	VARCHAR2
SUPPAE_AEMERES_001_7	SUPPAE_AEMERES_001_7_C	VARCHAR2
	SUPPAE_AEMERES_001_7	VARCHAR2
	SUPPAE_AEMERES_001_7_ND	VARCHAR2
SUPPAE_AECMGIV_001_7	SUPPAE_AECMGIV_001_7_C	VARCHAR2
	SUPPAE_AECMGIV_001_7	VARCHAR2
	SUPPAE_AECMGIV_001_7_ND	VARCHAR2
SUPPAE_AENDGIV_001_7	SUPPAE_AENDGIV_001_7_C	VARCHAR2
	SUPPAE_AENDGIV_001_7	VARCHAR2
	SUPPAE_AENDGIV_001_7_ND	VARCHAR2
AEOUT_001_7	AEOUT_001_7_C	VARCHAR2
	AEOUT_001_7	VARCHAR2
	AEOUT_001_7_ND	VARCHAR2
SUPPAE_AESUBJDC_001_7	SUPPAE_AESUBJDC_001_7_C	VARCHAR2
	SUPPAE_AESUBJDC_001_7	VARCHAR2
	SUPPAE_AESUBJDC_001_7_ND	VARCHAR2
SUPPAE_AETRT1_001_7	SUPPAE_AETRT1_001_7	VARCHAR2
	SUPPAE_AETRT1_001_7_ND	VARCHAR2
SUPPAE_AEACN1_001_7	SUPPAE_AEACN1_001_7_C	VARCHAR2
	SUPPAE_AEACN1_001_7	VARCHAR2
	SUPPAE_AEACN1_001_7_ND	VARCHAR2
SUPPAE_AEREL1_001_7	SUPPAE_AEREL1_001_7_C	VARCHAR2
	SUPPAE_AEREL1_001_7	VARCHAR2
	SUPPAE_AEREL1_001_7_ND	VARCHAR2
D_COMPTerm2_001_7	D_COMPTerm2_001_7	VARCHAR2
	D_COMPTerm2_001_7_ND	VARCHAR2
AELLT_001_7	AELLT_001_7	VARCHAR2
	AELLT_001_7_ND	VARCHAR2
AELLTCD_001_7	AELLTCD_001_7	VARCHAR2

	AELLTCD_001_7_ND	VARCHAR2
AEDECOD_001_7	AEDECOD_001_7	VARCHAR2
	AEDECOD_001_7_ND	VARCHAR2
AEPTCD_001_7	AEPTCD_001_7	VARCHAR2
	AEPTCD_001_7_ND	VARCHAR2
AEHLT_001_7	AEHLT_001_7	VARCHAR2
	AEHLT_001_7_ND	VARCHAR2
AEHLTCD_001_7	AEHLTCD_001_7	VARCHAR2
	AEHLTCD_001_7_ND	VARCHAR2
AEHLGT_001_7	AEHLGT_001_7	VARCHAR2
	AEHLGT_001_7_ND	VARCHAR2
AEHLGTCD_001_7	AEHLGTCD_001_7	VARCHAR2
	AEHLGTCD_001_7_ND	VARCHAR2
AESOC_001_7	AESOC_001_7	VARCHAR2
	AESOC_001_7_ND	VARCHAR2
AESOCCD_001_7	AESOCCD_001_7	VARCHAR2
	AESOCCD_001_7_ND	VARCHAR2

C4221026: TREATMENT [VEMURAFENIB] (TRT-VEMU) - Repeating Form [EC001_4_3]

#	Treatment Name	Formulation:	Route:	Start Date:	End Date:	Reason for Changed/Missed Dose	Total Daily Dose	Unit:
1								
Treatment - Vemurafenib [EC01001_4_3]								
1.	Treatment Name [read-only] [Treatment Name]	[ECTRT_001_4_3] A100★						
2.* ✓	Formulation: [Formulation:]	[ECDOSFRM_001_4_3] [A:11] ☐ CAPSULE [A:146] ☐ TABLET						
3.* ✓	Route: [Route:]	[ECROUTE_001_4_3] [A:84] ☐ ORAL						
4.* ✓	Start Date: [Start Date:]	[ECSTDTC_001_4_3] (DD/MM/YYYY) Req / Req / Req (2022-2040)						
5.* ✓	End Date: [End Date:]	[ECENDTC_001_4_3] (DD/MM/YYYY) Req / Req / Req (2022-2040)						
6.* ✓	Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]	[SUPPEC_MISDOST_001_4_3] [A:1] ☐ ADVERSE EVENT [A:999] ☐ [SUPPEC_MISDOSO_CMP_001_4_3] ☐ OTHER [SUPPEC_MISDOSO_001_4_3] If Other, please specify: A200★						
7.* ✓	Total Daily Dose: [Total Daily Dose]	[ECDOSTOT_001_4_3] xxxxxx.						
8.*	Unit: [Unit:]	[ECDOSU_001_4_3] [A:8] ☐ mg						
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.								

RDE Analytics: RD_EC001_4_3		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_4_3	ECTRT_001_4_3	VARCHAR2
	ECTRT_001_4_3_ND	VARCHAR2
ECDOSFRM_001_4_3	ECDOSFRM_001_4_3_C	VARCHAR2
	ECDOSFRM_001_4_3	VARCHAR2
	ECDOSFRM_001_4_3_ND	VARCHAR2
ECROUTE_001_4_3	ECROUTE_001_4_3_C	VARCHAR2
	ECROUTE_001_4_3	VARCHAR2
	ECROUTE_001_4_3_ND	VARCHAR2
ECSTDTC_001_4_3	ECSTDTC_001_4_3	DATE

	ECSTDTC_001_4_3_DTS	VARCHAR2
	ECSTDTC_001_4_3_ND	VARCHAR2
ECENDTC_001_4_3	ECENDTC_001_4_3	DATE
	ECENDTC_001_4_3_DTS	VARCHAR2
	ECENDTC_001_4_3_ND	VARCHAR2
SUPPEC_MISDOST_001_4_3	SUPPEC_MISDOST_001_4_3_C	VARCHAR2
	SUPPEC_MISDOST_001_4_3	VARCHAR2
	SUPPEC_MISDOST_001_4_3_ND	VARCHAR2
SUPPEC_MISDOST_001_4_3 - SUPPEC_MISDOSO_001_4_3	SUPPEC_MISDOSO_001_4_3	VARCHAR2
ECDOSTOT_001_4_3	ECDOSTOT_001_4_3	FLOAT
	ECDOSTOT_001_4_3_ND	VARCHAR2
ECDOSU_001_4_3	ECDOSU_001_4_3_C	VARCHAR2
	ECDOSU_001_4_3	VARCHAR2
	ECDOSU_001_4_3_ND	VARCHAR2

C4221026: ADVERSE EVENT REPORT (AE EN BI P) - Repeating Form [AE001_8]																		
#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Relationship to Study Treatment	Action Taken with Study Treatment 1	Relationship to Study Treatment 1	Action Taken with Study Treatment 2	Relationship to Study Treatment 2	Action Taken with Study Treatment 3	Relationship to Study Treatment 3	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation
1																		
Adverse Event Report [AE01001_8]																		
1.	Category: [read-only] [Category]		[AECAT_001_8] [A:1] ☐ ADVERSE EVENT															
2.	AE ID: [read-only] [AE Identifier]		[AESPID_001_8] A20★															
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]		[AETERM_001_8] A100★															
4.* ✓ 👁	Start Date: [Start Date]		[AESTDTC_001_8] (DD/MM/YYYY) Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040)															
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]		[X_AEONGO_001_8] [A:Y] ☒ YES [A:N] ☐ [AEENDTC_CMP_001_8] ☐ NO [AEENDTC_001_8] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040)															
6.* ✓	Toxicity Grade: [Toxicity Grade]		[AETOXGR_001_8] [A:1] ☐ 0 [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5															
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital		[AESER_001_8] [A:Y] ☒ [AESCONG_CMP_001_8] ☐ YES [AESCONG_001_8] Is this serious event associated with congenital anomaly or birth defect? [A:N] ☐ NO [A:Y] ☐ YES [AESDTH_001_8] Did this serious event result in death? [A:N] ☐ NO [A:Y] ☐ YES [AESHOSP_001_8] Did this serious event require or prolong hospitalization? [A:N] ☐ NO [A:Y] ☐ YES															

	anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[AESDISAB_001_8] Did this serious event result in persistent or significant disability/incapacity? [A:N] ☐ NO [A:Y] ☐ YES [AESLIFE_001_8] Is this serious event life threatening? [A:N] ☐ NO [A:Y] ☐ YES [AESMIE_001_8] Other medically important serious event [A:N] ☐ NO [A:Y] ☐ YES [A:N] ☐ NO
8.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001_8] [A:1] ☐ [SUPPAE_AERELNST_CMP_001_8] ☐ NOT RELATED [AERELNST_001_8] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [SUPPAE_AERELT_CMP_001_8] ☐ OTHER [AERELTXT_001_8] If Other, specify: A80★ [A:2] ☐ RELATED
9.	Study Treatment 1 Name Encorafenib: [hidden] [Study Treatment 1]	[SUPPAE_AETRT1_001_8] A50★
10.* ✓	Action Taken with Encorafenib: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001_8] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
11.* ✓	Is this event related to Encorafenib ? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001_8] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
12.	Study Treatment 2 Name Binimetnib: [hidden] [Study Treatment 2]	[SUPPAE_AETRT2_001_8] A50★
13.* ✓	Action Taken with Binimetnib: [Action Taken with Study Treatment 2]	[SUPPAE_AEACN2_001_8] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED

		[A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
14.* ✓	Is this event related to Binimetinib? [Relationship to Study Treatment 2]	[SUPPAE_AEREL2_001_8] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
15.	Study Treatment 3 Name Pembrolizumab : [hidden] [Study Treatment 3]	[SUPPAE_AETRT3_001_8] A50★
16.* ✓	Action Taken with Pembrolizumab: [Action Taken with Study Treatment 3]	[SUPPAE_AEACN3_001_8] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
17.* ✓	Is this event related to Pembrolizumab? [Relationship to Study Treatment 3]	[SUPPAE_AEREL3_001_8] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
18.* ✓	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_8] [A:N] ☐ NO [A:Y] ☐ YES
19.* ✓	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_8] [A:N] ☐ NO [A:Y] ☐ YES
20.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001_8] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
21.* ✓	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001_8] [A:Y] ☐ YES [A:N] ☐ NO
22.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001_8] A200★

23.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[AELLT_001_8] A100★
24.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[AELLTCD_001_8] A8★
25.	Dictionary-Derived Term <i>[hidden]</i> [Dictionary-Derived Term]	[AEDECOD_001_8] A100★
26.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[AEPTCD_001_8] A8★
27.	High Level Term <i>[hidden]</i> [High Level Term]	[AEHLT_001_8] A100★
28.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[AEHLTCD_001_8] A8★
29.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[AEHLGT_001_8] A100★
30.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[AEHLGTC_001_8] A8★
31.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001_8] A100★
32.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001_8] A8★

Key: [★] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ADVERSE EVENT REPORT

Type	RefName	Description
Form	AE001_8	AE001 - Standard AE Page
Item	AECAT_001_8	Used to define a category of adverse event variables.
Item	AESPID_001_8	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001_8	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001_8	Date when the adverse event started.
Item	X_AEONGO_001_8	Indicates AE is ongoing when no End Date is provided.

Item	AEENDTC_001_8	Date when the adverse event resolved.
Item	AETOXGR_001_8	Description of the toxicity grade of the adverse event.
Item	AESER_001_8	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	AEREL_001_8	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001_8	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	AERELTXT_001_8	Event Due to Other Specify
Item	SUPPAE_AETRT1_001_8	Study treatment 1
Item	SUPPAE_AEACN1_001_8	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001_8	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT2_001_8	Study treatment 2
Item	SUPPAE_AEACN2_001_8	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL2_001_8	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT3_001_8	Study treatment 3
Item	SUPPAE_AEACN3_001_8	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL3_001_8	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AECMGIV_001_8	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_8	Non-Drug Treatment Given
Item	AEOUT_001_8	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001_8	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	D_COMPTERM2_001_8	Hidden Item needed for clear coding rule.
Item	AELLT_001_8	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_8	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_8	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_8	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_8	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_8	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_8	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_8	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_8	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_8	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT		
Item	Unique	Order #
AE001_8 (Repeating form)		
AE01001_8		
AESTDTC_001_8	None	1

Coding Summary: ADVERSE EVENT REPORT		
Verbatim RefName: AETERM_001_8		
Dictionary: Pfizer MedDRA Verbatim Type:		

Coding Item RefName	Level	Level Type
AESOC_001_8	SOC	Term
AESOCCD_001_8	SOC	Code
AEHLGT_001_8	HLGT	Term
AEHLGTC_001_8	HLGT	Code
AEHLT_001_8	HLT	Term
AEHLTCD_001_8	HLT	Code
AEDECOD_001_8	PT	Term
AEPTCD_001_8	PT	Code
AELLT_001_8	LLT	Term
AELLTCD_001_8	LLT	Code

RDE Analytics: RD_AE001_8		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_8	AECAT_001_8_C	VARCHAR2
	AECAT_001_8	VARCHAR2
	AECAT_001_8_ND	VARCHAR2
AESPID_001_8	AESPID_001_8	VARCHAR2
	AESPID_001_8_ND	VARCHAR2
AETERM_001_8	AETERM_001_8	VARCHAR2
	AETERM_001_8_ND	VARCHAR2
AESTDTC_001_8	AESTDTC_001_8	DATE
	AESTDTC_001_8_DTS	VARCHAR2
	AESTDTC_001_8_DTR	VARCHAR2
	AESTDTC_001_8_ND	VARCHAR2
X_AEONGO_001_8	X_AEONGO_001_8_C	VARCHAR2
	X_AEONGO_001_8	VARCHAR2
	X_AEONGO_001_8_ND	VARCHAR2
X_AEONGO_001_8 - AEENDTC_001_8	AEENDTC_001_8	DATE
	AEENDTC_001_8_DTS	VARCHAR2
	AEENDTC_001_8_DTR	VARCHAR2
AETOXGR_001_8	AETOXGR_001_8_C	VARCHAR2
	AETOXGR_001_8	VARCHAR2
	AETOXGR_001_8_ND	VARCHAR2
AESER_001_8	AESER_001_8_C	VARCHAR2
	AESER_001_8	VARCHAR2
	AESER_001_8_ND	VARCHAR2
AESER_001_8 - AESCONG_001_8	AESCONG_001_8_C	VARCHAR2
	AESCONG_001_8	VARCHAR2
AESER_001_8 - AESDTH_001_8	AESDTH_001_8_C	VARCHAR2
	AESDTH_001_8	VARCHAR2

AESER_001_8 - AESHOSP_001_8	AESHOSP_001_8_C	VARCHAR2
	AESHOSP_001_8	VARCHAR2
AESER_001_8 - AESDISAB_001_8	AESDISAB_001_8_C	VARCHAR2
	AESDISAB_001_8	VARCHAR2
AESER_001_8 - AESLIFE_001_8	AESLIFE_001_8_C	VARCHAR2
	AESLIFE_001_8	VARCHAR2
AESER_001_8 - AESMIE_001_8	AESMIE_001_8_C	VARCHAR2
	AESMIE_001_8	VARCHAR2
AEREL_001_8	AEREL_001_8_C	VARCHAR2
	AEREL_001_8	VARCHAR2
	AEREL_001_8_ND	VARCHAR2
AEREL_001_8 - AERELNST_001_8	AERELNST_001_8_C	VARCHAR2
	AERELNST_001_8	VARCHAR2
AEREL_001_8 - AERELTXT_001_8	AERELTXT_001_8	VARCHAR2
SUPPAE_AETRT1_001_8	SUPPAE_AETRT1_001_8	VARCHAR2
	SUPPAE_AETRT1_001_8_ND	VARCHAR2
SUPPAE_AEACN1_001_8	SUPPAE_AEACN1_001_8_C	VARCHAR2
	SUPPAE_AEACN1_001_8	VARCHAR2
	SUPPAE_AEACN1_001_8_ND	VARCHAR2
SUPPAE_AEREL1_001_8	SUPPAE_AEREL1_001_8_C	VARCHAR2
	SUPPAE_AEREL1_001_8	VARCHAR2
	SUPPAE_AEREL1_001_8_ND	VARCHAR2
SUPPAE_AETRT2_001_8	SUPPAE_AETRT2_001_8	VARCHAR2
	SUPPAE_AETRT2_001_8_ND	VARCHAR2
SUPPAE_AEACN2_001_8	SUPPAE_AEACN2_001_8_C	VARCHAR2
	SUPPAE_AEACN2_001_8	VARCHAR2
	SUPPAE_AEACN2_001_8_ND	VARCHAR2
SUPPAE_AEREL2_001_8	SUPPAE_AEREL2_001_8_C	VARCHAR2
	SUPPAE_AEREL2_001_8	VARCHAR2
	SUPPAE_AEREL2_001_8_ND	VARCHAR2
SUPPAE_AETRT3_001_8	SUPPAE_AETRT3_001_8	VARCHAR2
	SUPPAE_AETRT3_001_8_ND	VARCHAR2
SUPPAE_AEACN3_001_8	SUPPAE_AEACN3_001_8_C	VARCHAR2
	SUPPAE_AEACN3_001_8	VARCHAR2
	SUPPAE_AEACN3_001_8_ND	VARCHAR2
SUPPAE_AEREL3_001_8	SUPPAE_AEREL3_001_8_C	VARCHAR2
	SUPPAE_AEREL3_001_8	VARCHAR2
	SUPPAE_AEREL3_001_8_ND	VARCHAR2
SUPPAE_AECMGIV_001_8	SUPPAE_AECMGIV_001_8_C	VARCHAR2
	SUPPAE_AECMGIV_001_8	VARCHAR2
	SUPPAE_AECMGIV_001_8_ND	VARCHAR2

SUPPAE_AENDGIV_001_8	SUPPAE_AENDGIV_001_8_C	VARCHAR2
	SUPPAE_AENDGIV_001_8	VARCHAR2
	SUPPAE_AENDGIV_001_8_ND	VARCHAR2
AEOUT_001_8	AEOUT_001_8_C	VARCHAR2
	AEOUT_001_8	VARCHAR2
	AEOUT_001_8_ND	VARCHAR2
SUPPAE_AESUBJDC_001_8	SUPPAE_AESUBJDC_001_8_C	VARCHAR2
	SUPPAE_AESUBJDC_001_8	VARCHAR2
	SUPPAE_AESUBJDC_001_8_ND	VARCHAR2
D_COMPTerm2_001_8	D_COMPTerm2_001_8	VARCHAR2
	D_COMPTerm2_001_8_ND	VARCHAR2
AELLT_001_8	AELLT_001_8	VARCHAR2
	AELLT_001_8_ND	VARCHAR2
AELLTCD_001_8	AELLTCD_001_8	VARCHAR2
	AELLTCD_001_8_ND	VARCHAR2
AEDECOD_001_8	AEDECOD_001_8	VARCHAR2
	AEDECOD_001_8_ND	VARCHAR2
AEPTCD_001_8	AEPTCD_001_8	VARCHAR2
	AEPTCD_001_8_ND	VARCHAR2
AEHLT_001_8	AEHLT_001_8	VARCHAR2
	AEHLT_001_8_ND	VARCHAR2
AEHLTCD_001_8	AEHLTCD_001_8	VARCHAR2
	AEHLTCD_001_8_ND	VARCHAR2
AEHLGT_001_8	AEHLGT_001_8	VARCHAR2
	AEHLGT_001_8_ND	VARCHAR2
AEHLGTCD_001_8	AEHLGTCD_001_8	VARCHAR2
	AEHLGTCD_001_8_ND	VARCHAR2
AESOC_001_8	AESOC_001_8	VARCHAR2
	AESOC_001_8_ND	VARCHAR2
AESOCCD_001_8	AESOCCD_001_8	VARCHAR2
	AESOCCD_001_8_ND	VARCHAR2

C4221026: ADVERSE EVENT REPORT (AE P) - Repeating Form [AE001_9]															
#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Relationship to Study Treatment	Is AE a Result of a Medication Error	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation	Action Taken with Study Treatment 1	Relationship to Study Treatment 1
1															
Adverse Event Report [AE01001_9]															
1.	Category: [read-only] [Category]	[AECAT_001_9] [A:1] ☐ ADVERSE EVENT													
2.	AE ID: [read-only] [AE Identifier]	[AESPID_001_9] A20★													
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]	[AETERM_001_9] A100★													
4.* ✓ 🔍	Start Date: [Start Date]	[AESTDTC_001_9] (DD/MM/YYYY) Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040)													
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]	[X_AEONGO_001_9] [A:Y] ☐ YES [A:N] ☐ [AESDTC_001_9] ☐ NO [AEENDTC_001_9] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040)													
6.* ✓	Toxicity Grade: [Toxicity Grade]	[AETOXGR_001_9] [A:1] ☐ 0 [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5													
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important	[AESER_001_9] [A:Y] ☐ [AESCONG_CMP_001_9] ☐ YES [AESCONG_001_9] Is this serious event associated with congenital anomaly or birth defect? [A:N] ☐ NO [A:Y] ☐ YES [AESDTH_001_9] Did this serious event result in death? [A:N] ☐ NO [A:Y] ☐ YES [AESHOSP_001_9] Did this serious event require or prolong hospitalization? [A:N] ☐ NO [A:Y] ☐ YES [AESDISAB_001_9] Did this serious event result in persistent or significant disability/incapacity?													

	medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[A:N] ☐ NO [A:Y] ☐ YES [AESLIFE_001_9] Is this serious event life threatening? [A:N] ☐ NO [A:Y] ☐ YES [AESMIE_001_9] Other medically important serious event [A:N] ☐ NO [A:Y] ☐ YES [A:N] ☐ NO
8.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001_9] [A:1] ☐ [SUPPAE_AERELNST_CMP_001_9] ☐ NOT RELATED [AERELNST_001_9] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [SUPPAE_AERELT_CMP_001_9] ☐ OTHER [AERELTXT_001_9] If Other, specify: A80 ★ [A:2] ☐ RELATED
9.* ✓	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	[SUPPAE_AEMERES_001_9] [A:N] ☐ NO [A:Y] ☐ YES
10.* ✓	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_9] [A:Y] ☐ YES [A:N] ☐ NO
11.* ✓	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_9] [A:Y] ☐ YES [A:N] ☐ NO
12.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001_9] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
13.* ✓	Did the adverse event cause the subject to be discontinued from	[SUPPAE_AESUBJDC_001_9] [A:Y] ☐ YES [A:N] ☐ NO

	the study? [Caused Study Discontinuation]	
14.	Study Treatment 3 Name Pembrolizumab: [hidden] [Study Treatment 1]	[SUPPAE_AETRT1_001_9] A50★
15.* ✓	Action Taken with Pembrolizumab: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001_9] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
16.* ✓	Is this event related to Pembrolizumab? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001_9] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
17.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001_9] A200★
18.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001_9] A100★
19.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001_9] A8★
20.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001_9] A100★
21.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001_9] A8★
22.	High Level Term [hidden] [High Level Term]	[AEHLT_001_9] A100★
23.	High Level Term Code [hidden] [High Level Term Code]	[AEHLTCD_001_9] A8★
24.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001_9] A100★
25.	High Level Group Term Code [hidden]	[AEHLGTCD_001_9]

	[High Level Group Term Code]	A8★
26.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001_9] A100★
27.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001_9] A8★

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ADVERSE EVENT REPORT		
Type	RefName	Description
Form	AE001_9	AE001 - Standard AE Page
Item	AECAT_001_9	Used to define a category of adverse event variables.
Item	AESPID_001_9	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001_9	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001_9	Date when the adverse event started.
Item	X_AEONGO_001_9	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001_9	Date when the adverse event resolved.
Item	AETOXGR_001_9	Description of the toxicity grade of the adverse event.
Item	AESER_001_9	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	AEREL_001_9	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001_9	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	AERELTXT_001_9	Event Due to Other Specify
Item	SUPPAE_AEMERES_001_9	Is this adverse event the result of a study/background medication error
Item	SUPPAE_AECMGIV_001_9	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_9	Non-Drug Treatment Given
Item	AEOUT_001_9	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001_9	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	SUPPAE_AETRT1_001_9	Study treatment 1
Item	SUPPAE_AEACN1_001_9	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001_9	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	D_COMPTERM2_001_9	Hidden Item needed for clear coding rule.
Item	AELLT_001_9	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_9	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_9	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_9	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_9	Dictionary-derived text description of the High Level Term for the primary System Organ Class.

Item	AEHLTCD_001_9	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_9	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_9	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_9	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_9	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT		
Item	Unique	Order #
AE001_9 (Repeating form)		
AE01001_9		
AESTDTC_001_9	None	1

Coding Summary: ADVERSE EVENT REPORT		
Verbatim RefName: AETERM_001_9 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_9	SOC	Term
AESOCCD_001_9	SOC	Code
AEHLGT_001_9	HLGT	Term
AEHLGTCD_001_9	HLGT	Code
AEHLT_001_9	HLT	Term
AEHLTCD_001_9	HLT	Code
AEDECOD_001_9	PT	Term
AEPTCD_001_9	PT	Code
AELLT_001_9	LLT	Term
AELLTCD_001_9	LLT	Code

RDE Analytics: RD_AE001_9		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_9	AECAT_001_9_C	VARCHAR2
	AECAT_001_9	VARCHAR2
	AECAT_001_9_ND	VARCHAR2
AESPID_001_9	AESPID_001_9	VARCHAR2
	AESPID_001_9_ND	VARCHAR2
AETERM_001_9	AETERM_001_9	VARCHAR2
	AETERM_001_9_ND	VARCHAR2
AESTDTC_001_9	AESTDTC_001_9	DATE
	AESTDTC_001_9_DTS	VARCHAR2
	AESTDTC_001_9_DTR	VARCHAR2
	AESTDTC_001_9_ND	VARCHAR2
X_AEONGO_001_9	X_AEONGO_001_9_C	VARCHAR2

	X_AEONGO_001_9	VARCHAR2
	X_AEONGO_001_9_ND	VARCHAR2
X_AEONGO_001_9 - AEENDTC_001_9	AEENDTC_001_9	DATE
	AEENDTC_001_9_DTS	VARCHAR2
	AEENDTC_001_9_DTR	VARCHAR2
AETOXGR_001_9	AETOXGR_001_9_C	VARCHAR2
	AETOXGR_001_9	VARCHAR2
	AETOXGR_001_9_ND	VARCHAR2
AESER_001_9	AESER_001_9_C	VARCHAR2
	AESER_001_9	VARCHAR2
	AESER_001_9_ND	VARCHAR2
AESER_001_9 - AESCONG_001_9	AESCONG_001_9_C	VARCHAR2
	AESCONG_001_9	VARCHAR2
AESER_001_9 - AESDTH_001_9	AESDTH_001_9_C	VARCHAR2
	AESDTH_001_9	VARCHAR2
AESER_001_9 - AESHOSP_001_9	AESHOSP_001_9_C	VARCHAR2
	AESHOSP_001_9	VARCHAR2
AESER_001_9 - AESDISAB_001_9	AESDISAB_001_9_C	VARCHAR2
	AESDISAB_001_9	VARCHAR2
AESER_001_9 - AESLIFE_001_9	AESLIFE_001_9_C	VARCHAR2
	AESLIFE_001_9	VARCHAR2
AESER_001_9 - AESMIE_001_9	AESMIE_001_9_C	VARCHAR2
	AESMIE_001_9	VARCHAR2
AEREL_001_9	AEREL_001_9_C	VARCHAR2
	AEREL_001_9	VARCHAR2
	AEREL_001_9_ND	VARCHAR2
AEREL_001_9 - AERELNST_001_9	AERELNST_001_9_C	VARCHAR2
	AERELNST_001_9	VARCHAR2
AEREL_001_9 - AERELTXT_001_9	AERELTXT_001_9	VARCHAR2
SUPPAE_AEMERES_001_9	SUPPAE_AEMERES_001_9_C	VARCHAR2
	SUPPAE_AEMERES_001_9	VARCHAR2
	SUPPAE_AEMERES_001_9_ND	VARCHAR2
SUPPAE_AECMGIV_001_9	SUPPAE_AECMGIV_001_9_C	VARCHAR2
	SUPPAE_AECMGIV_001_9	VARCHAR2
	SUPPAE_AECMGIV_001_9_ND	VARCHAR2
SUPPAE_AENDGIV_001_9	SUPPAE_AENDGIV_001_9_C	VARCHAR2
	SUPPAE_AENDGIV_001_9	VARCHAR2
	SUPPAE_AENDGIV_001_9_ND	VARCHAR2
AEOUT_001_9	AEOUT_001_9_C	VARCHAR2
	AEOUT_001_9	VARCHAR2
	AEOUT_001_9_ND	VARCHAR2

SUPPAE_AESUBJDC_001_9	SUPPAE_AESUBJDC_001_9_C	VARCHAR2
	SUPPAE_AESUBJDC_001_9	VARCHAR2
	SUPPAE_AESUBJDC_001_9_ND	VARCHAR2
SUPPAE_AETRT1_001_9	SUPPAE_AETRT1_001_9	VARCHAR2
	SUPPAE_AETRT1_001_9_ND	VARCHAR2
SUPPAE_AEACN1_001_9	SUPPAE_AEACN1_001_9_C	VARCHAR2
	SUPPAE_AEACN1_001_9	VARCHAR2
	SUPPAE_AEACN1_001_9_ND	VARCHAR2
SUPPAE_AEREL1_001_9	SUPPAE_AEREL1_001_9_C	VARCHAR2
	SUPPAE_AEREL1_001_9	VARCHAR2
	SUPPAE_AEREL1_001_9_ND	VARCHAR2
D_COMPTerm2_001_9	D_COMPTerm2_001_9	VARCHAR2
	D_COMPTerm2_001_9_ND	VARCHAR2
AELLT_001_9	AELLT_001_9	VARCHAR2
	AELLT_001_9_ND	VARCHAR2
AELLTCD_001_9	AELLTCD_001_9	VARCHAR2
	AELLTCD_001_9_ND	VARCHAR2
AEDECOD_001_9	AEDECOD_001_9	VARCHAR2
	AEDECOD_001_9_ND	VARCHAR2
AEPTCD_001_9	AEPTCD_001_9	VARCHAR2
	AEPTCD_001_9_ND	VARCHAR2
AEHLT_001_9	AEHLT_001_9	VARCHAR2
	AEHLT_001_9_ND	VARCHAR2
AEHLTCD_001_9	AEHLTCD_001_9	VARCHAR2
	AEHLTCD_001_9_ND	VARCHAR2
AEHLGT_001_9	AEHLGT_001_9	VARCHAR2
	AEHLGT_001_9_ND	VARCHAR2
AEHLGTCD_001_9	AEHLGTCD_001_9	VARCHAR2
	AEHLGTCD_001_9_ND	VARCHAR2
AESOC_001_9	AESOC_001_9	VARCHAR2
	AESOC_001_9_ND	VARCHAR2
AESOCCD_001_9	AESOCCD_001_9	VARCHAR2
	AESOCCD_001_9_ND	VARCHAR2

C4221026: ADVERSE EVENT REPORT (AE NI) - Repeating Form [AE001_10]															
#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Relationship to Study Treatment	Is AE a Result of a Medication Error	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation	Action Taken with Study Treatment 1	Relationship to Study Treatment 1
1															
Adverse Event Report [AE01001_10]															
1.	Category: [read-only] [Category]	[AECAT_001_10] [A:1] ☐ ADVERSE EVENT													
2.	AE ID: [read-only] [AE Identifier]	[AESPID_001_10] A20★													
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]	[AETERM_001_10] A100★													
4.* ✓ 🔍	Start Date: [Start Date]	[AESTDTC_001_10] (DD/MM/YYYY) Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040)													
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]	[X_AEONGO_001_10] [A:Y] ☐ YES [A:N] ☐ [AEENDTC_CMP_001_10] ☐ NO [AEENDTC_001_10] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040)													
6.* ✓	Toxicity Grade: [Toxicity Grade]	[AETOXGR_001_10] [A:1] ☐ 0 [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5													
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important	[AESER_001_10] [A:Y] ☐ [AESCONG_CMP_001_10] ☐ YES [AESCONG_001_10] Is this serious event associated with congenital anomaly or birth defect? [A:Y] ☐ YES [A:N] ☐ NO [AESDTH_001_10] Did this serious event result in death? [A:N] ☐ NO [A:Y] ☐ YES [AESHOSP_001_10] Did this serious event require or prolong hospitalization? [A:N] ☐ NO [A:Y] ☐ YES [AESDISAB_001_10] Did this serious event result in persistent or significant disability/incapacity?													

	medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[A:N] ☐ NO [A:Y] ☐ YES [AESLIFE_001_10] Is this serious event life threatening? [A:N] ☐ NO [A:Y] ☐ YES [AESMIE_001_10] Other medically important serious event [A:N] ☐ NO [A:Y] ☐ YES [A:N] ☐ NO
8.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001_10] [A:1] ☐ [SUPPAE_AERELNST_CMP_001_10] ☐ NOT RELATED [AERELNST_001_10] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [SUPPAE_AERELT_CMP_001_10] ☐ OTHER [AERELTXT_001_10] If Other, specify: A80 ★ [A:2] ☐ RELATED
9.* ✓	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	[SUPPAE_AEMERES_001_10] [A:N] ☐ NO [A:Y] ☐ YES
10.* ✓	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_10] [A:Y] ☐ YES [A:N] ☐ NO
11.* ✓	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_10] [A:Y] ☐ YES [A:N] ☐ NO
12.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001_10] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
13.* ✓	Did the adverse event cause the subject to be discontinued from	[SUPPAE_AESUBJDC_001_10] [A:Y] ☐ YES [A:N] ☐ NO

	the study? [Caused Study Discontinuation]	
14.	Study Treatment 1 Name Nivolumab: [hidden] [Study Treatment 1]	[SUPPAE_AETRT1_001_10] A50★
15.* ✓	Action Taken with Nivolumab: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001_10] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
16.* ✓	Is this event related to Nivolumab ? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001_10] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
17.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001_10] A200★
18.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001_10] A100★
19.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001_10] A8★
20.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001_10] A100★
21.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001_10] A8★
22.	High Level Term [hidden] [High Level Term]	[AEHLT_001_10] A100★
23.	High Level Term Code [hidden] [High Level Term Code]	[AEHLTCD_001_10] A8★
24.	High Level Group Term [hidden] [High Level Group Term]	[AEHLGT_001_10] A100★
25.	High Level Group Term Code [hidden] [High Level Group]	[AEHLGTCD_001_10] A8★

	Term Code]	
26.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001_10] A100★
27.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001_10] A8★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: ADVERSE EVENT REPORT		
Type	RefName	Description
Form	AE001_10	AE001 - Standard AE Page
Item	AECAT_001_10	Used to define a category of adverse event variables.
Item	AESPID_001_10	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001_10	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001_10	Date when the adverse event started.
Item	X_AEONGO_001_10	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001_10	Date when the adverse event resolved.
Item	AETOXGR_001_10	Description of the toxicity grade of the adverse event.
Item	AESER_001_10	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	AEREL_001_10	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001_10	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	AERELTXT_001_10	Event Due to Other Specify
Item	SUPPAE_AEMERES_001_10	Is this adverse event the result of a study/background medication error
Item	SUPPAE_AECMGIV_001_10	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_10	Non-Drug Treatment Given
Item	AEOUT_001_10	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001_10	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	SUPPAE_AETRT1_001_10	Study treatment 1
Item	SUPPAE_AEACN1_001_10	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001_10	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	D_COMPTerm2_001_10	Hidden Item needed for clear coding rule.
Item	AELLT_001_10	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_10	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_10	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_10	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_10	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_10	Dictionary-derived code for the High Level Term for the primary System Organ Class.

Item	AEHLGT_001_10	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_10	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_10	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_10	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT		
Item	Unique	Order #
AE001_10 (Repeating form)		
AE01001_10		
AESTDTC_001_10	None	1

Coding Summary: ADVERSE EVENT REPORT		
Verbatim RefName: AETERM_001_10		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_10	SOC	Term
AESOCCD_001_10	SOC	Code
AEHLGT_001_10	HLGT	Term
AEHLGTCD_001_10	HLGT	Code
AEHLT_001_10	HLT	Term
AEHLTCD_001_10	HLT	Code
AEDECOD_001_10	PT	Term
AEPTCD_001_10	PT	Code
AELLT_001_10	LLT	Term
AELLTCD_001_10	LLT	Code

RDE Analytics: RD_AE001_10		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_10	AECAT_001_10_C	VARCHAR2
	AECAT_001_10	VARCHAR2
	AECAT_001_10_ND	VARCHAR2
AESPID_001_10	AESPID_001_10	VARCHAR2
	AESPID_001_10_ND	VARCHAR2
AETERM_001_10	AETERM_001_10	VARCHAR2
	AETERM_001_10_ND	VARCHAR2
AESTDTC_001_10	AESTDTC_001_10	DATE
	AESTDTC_001_10_DTS	VARCHAR2
	AESTDTC_001_10_DTR	VARCHAR2
	AESTDTC_001_10_ND	VARCHAR2
X_AEONGO_001_10	X_AEONGO_001_10_C	VARCHAR2
	X_AEONGO_001_10	VARCHAR2

	X_AEONGO_001_10_ND	VARCHAR2
X_AEONGO_001_10 - AEENDTC_001_10	AEENDTC_001_10	DATE
	AEENDTC_001_10_DTS	VARCHAR2
	AEENDTC_001_10_DTR	VARCHAR2
AETOXGR_001_10	AETOXGR_001_10_C	VARCHAR2
	AETOXGR_001_10	VARCHAR2
	AETOXGR_001_10_ND	VARCHAR2
AESER_001_10	AESER_001_10_C	VARCHAR2
	AESER_001_10	VARCHAR2
	AESER_001_10_ND	VARCHAR2
AESER_001_10 - AESCONG_001_10	AESCONG_001_10_C	VARCHAR2
	AESCONG_001_10	VARCHAR2
AESER_001_10 - AESDTH_001_10	AESDTH_001_10_C	VARCHAR2
	AESDTH_001_10	VARCHAR2
AESER_001_10 - AESHOSP_001_10	AESHOSP_001_10_C	VARCHAR2
	AESHOSP_001_10	VARCHAR2
AESER_001_10 - AESDISAB_001_10	AESDISAB_001_10_C	VARCHAR2
	AESDISAB_001_10	VARCHAR2
AESER_001_10 - AESLIFE_001_10	AESLIFE_001_10_C	VARCHAR2
	AESLIFE_001_10	VARCHAR2
AESER_001_10 - AESMIE_001_10	AESMIE_001_10_C	VARCHAR2
	AESMIE_001_10	VARCHAR2
AEREL_001_10	AEREL_001_10_C	VARCHAR2
	AEREL_001_10	VARCHAR2
	AEREL_001_10_ND	VARCHAR2
AEREL_001_10 - AERELNST_001_10	AERELNST_001_10_C	VARCHAR2
	AERELNST_001_10	VARCHAR2
AEREL_001_10 - AERELTXT_001_10	AERELTXT_001_10	VARCHAR2
SUPPAE_AEMERES_001_10	SUPPAE_AEMERES_001_10_C	VARCHAR2
	SUPPAE_AEMERES_001_10	VARCHAR2
	SUPPAE_AEMERES_001_10_ND	VARCHAR2
SUPPAE_AECMGIV_001_10	SUPPAE_AECMGIV_001_10_C	VARCHAR2
	SUPPAE_AECMGIV_001_10	VARCHAR2
	SUPPAE_AECMGIV_001_10_ND	VARCHAR2
SUPPAE_AENDGIV_001_10	SUPPAE_AENDGIV_001_10_C	VARCHAR2
	SUPPAE_AENDGIV_001_10	VARCHAR2
	SUPPAE_AENDGIV_001_10_ND	VARCHAR2
AEOUT_001_10	AEOUT_001_10_C	VARCHAR2
	AEOUT_001_10	VARCHAR2
	AEOUT_001_10_ND	VARCHAR2
SUPPAE_AESUBJDC_001_10	SUPPAE_AESUBJDC_001_10_C	VARCHAR2

	SUPPAE_AESUBJDC_001_10	VARCHAR2
	SUPPAE_AESUBJDC_001_10_ND	VARCHAR2
SUPPAE_AETRT1_001_10	SUPPAE_AETRT1_001_10	VARCHAR2
	SUPPAE_AETRT1_001_10_ND	VARCHAR2
SUPPAE_AEACN1_001_10	SUPPAE_AEACN1_001_10_C	VARCHAR2
	SUPPAE_AEACN1_001_10	VARCHAR2
	SUPPAE_AEACN1_001_10_ND	VARCHAR2
SUPPAE_AEREL1_001_10	SUPPAE_AEREL1_001_10_C	VARCHAR2
	SUPPAE_AEREL1_001_10	VARCHAR2
	SUPPAE_AEREL1_001_10_ND	VARCHAR2
D_COMPTerm2_001_10	D_COMPTerm2_001_10	VARCHAR2
	D_COMPTerm2_001_10_ND	VARCHAR2
AELLT_001_10	AELLT_001_10	VARCHAR2
	AELLT_001_10_ND	VARCHAR2
AELLTCD_001_10	AELLTCD_001_10	VARCHAR2
	AELLTCD_001_10_ND	VARCHAR2
AEDECOD_001_10	AEDECOD_001_10	VARCHAR2
	AEDECOD_001_10_ND	VARCHAR2
AEPTCD_001_10	AEPTCD_001_10	VARCHAR2
	AEPTCD_001_10_ND	VARCHAR2
AEHLT_001_10	AEHLT_001_10	VARCHAR2
	AEHLT_001_10_ND	VARCHAR2
AEHLTCD_001_10	AEHLTCD_001_10	VARCHAR2
	AEHLTCD_001_10_ND	VARCHAR2
AEHLGT_001_10	AEHLGT_001_10	VARCHAR2
	AEHLGT_001_10_ND	VARCHAR2
AEHLGTCD_001_10	AEHLGTCD_001_10	VARCHAR2
	AEHLGTCD_001_10_ND	VARCHAR2
AESOC_001_10	AESOC_001_10	VARCHAR2
	AESOC_001_10_ND	VARCHAR2
AESOCCD_001_10	AESOCCD_001_10	VARCHAR2
	AESOCCD_001_10_ND	VARCHAR2

C4221026: PARENTERAL - [PEMBROLIZUMAB] (TRT PEMB) [EC001_3_1]							
Parenteral Treatment [EC01001_3_1]							
1.	Treatment Name: [read-only] [Treatment Name]	[ECTRT_001_3_1] A100★					
2.	Formulation	Route	Start Date Time	End Date Time	Reason for Changed/Missed Dose	Actual Dose	Unit
✓							
Parenteral Treatment Details Entry [EC02001_3_1]							
2.1	Formulation: [read-only] [Formulation]	[ECDOSFRM_001_3_1] [A:66] ☐ INJECTION					
2.2	Route: [read-only] [Route]	[ECROUTE_001_3_1] [A:70] ☐ INTRAVENOUS					
2.3*	Start Date Time: [Start Date Time]	[ECSTDTC_001_3_1] (DD/MM/YYYY hh:mm) Req / Req / Req (2022-2040) Req : Req 24-hour clock					
2.4*	End Date Time: [End Date Time]	[ECENDTC_001_3_1] (DD/MM/YYYY hh:mm) Req / Req / Req (2022-2040) Req : Req 24-hour clock					
2.5	Reason for Changed or Missed Dose: [Reason for Changed/Missed Dose]	[SUPPEC_MISDOST_001_3_1] [A:1] ☐ ADVERSE EVENT [A:999] ☐ [SUPPEC_MISDOSO_CMP_001_3_1] ☐ OTHER [SUPPEC_MISDOSO_001_3_1] If Other, please specify: A200★					
2.6*	Actual Dose: [Actual Dose]	[ECDOSE_001_3_1] xxxxxx.					
2.7	Unit: [read-only] [Unit]	[ECDOSU_001_3_1] [A:8] ☐ mg					
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.							

RDE Analytics: RD_EC001_3_1		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_3_1	ECTRT_001_3_1	VARCHAR2
	ECTRT_001_3_1_ND	VARCHAR2
RD_EC001_3_1_EC02001_3_1		
ECDOSFRM_001_3_1	ECDOSFRM_001_3_1_C	VARCHAR2
	ECDOSFRM_001_3_1	VARCHAR2
	ECDOSFRM_001_3_1_ND	VARCHAR2

ECROUTE_001_3_1	ECROUTE_001_3_1_C	VARCHAR2
	ECROUTE_001_3_1	VARCHAR2
	ECROUTE_001_3_1_ND	VARCHAR2
ECSTDTC_001_3_1	ECSTDTC_001_3_1	DATE
	ECSTDTC_001_3_1_DTS	VARCHAR2
	ECSTDTC_001_3_1_ND	VARCHAR2
ECENDTC_001_3_1	ECENDTC_001_3_1	DATE
	ECENDTC_001_3_1_DTS	VARCHAR2
	ECENDTC_001_3_1_ND	VARCHAR2
SUPPEC_MISDOST_001_3_1	SUPPEC_MISDOST_001_3_1_C	VARCHAR2
	SUPPEC_MISDOST_001_3_1	VARCHAR2
	SUPPEC_MISDOST_001_3_1_ND	VARCHAR2
SUPPEC_MISDOST_001_3_1 - SUPPEC_MISDOSO_001_3_1	SUPPEC_MISDOSO_001_3_1	VARCHAR2
ECDOSE_001_3_1	ECDOSE_001_3_1	FLOAT
	ECDOSE_001_3_1_ND	VARCHAR2
ECDOSU_001_3_1	ECDOSU_001_3_1_C	VARCHAR2
	ECDOSU_001_3_1	VARCHAR2
	ECDOSU_001_3_1_ND	VARCHAR2

C4221026: PARENTERAL - [NIVOLUMAB] (TRT NIVO) [EC001_3_2]

Parenteral Treatment [EC01001_3_2]

1.

Treatment Name: [read-only]
[Treatment Name]

ECTRT_001_3_2

A100★

	Formulation	Route	Start Date Time	End Date Time	Reason for Changed/Missed Dose	Actual Dose	Unit
2. ✓							

Parenteral Treatment Details Entry [EC02001_3_2]

2.1

Formulation: [read-only]
[Formulation]

ECDOSFRM_001_3_2

[A:66] ☐ INJECTION

2.2

Route: [read-only]
[Route]

ECROUTE_001_3_2

[A:70] ☐ INTRAVENOUS

2.3★
✓

Start Date Time:
[Start Date Time]

ECSTDT_001_3_2 (DD/MM/YYYY hh:mm)

Req / Req / Req (2022-2040)

Req : Req 24-hour clock

2.4★
✓

End Date Time:
[End Date Time]

ECENDTC_001_3_2 (DD/MM/YYYY hh:mm)

Req / Req / Req (2022-2040)

Req : Req 24-hour clock

2.5
✓

Reason for Changed or Missed Dose:
[Reason for Changed/Missed Dose]

SUPPEC_MISDOST_001_3_2

[A:1] ☐ ADVERSE EVENT

[A:999] ☐ [SUPPEC_MISDOSO_CMP_001_3_2] ☐

OTHER

SUPPEC_MISDOSO_001_3_2

If Other, please specify:

A200★

2.6★
✓

Actual Dose:
[Actual Dose]

ECDOSE_001_3_2

xxxxxx.

2.7

Unit: [read-only]
[Unit]

ECDOSU_001_3_2

[A:8] ☐ mg

Key: [★] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_EC001_3_2		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_3_2	ECTRT_001_3_2	VARCHAR2
	ECTRT_001_3_2_ND	VARCHAR2
RD_EC001_3_2_EC02001_3_2		
ECDOSFRM_001_3_2	ECDOSFRM_001_3_2_C	VARCHAR2
	ECDOSFRM_001_3_2	VARCHAR2
	ECDOSFRM_001_3_2_ND	VARCHAR2

file:///C:/Users/SURESRO8/AppData/Local/Apps/2.0/YH3HXBME.3HB/99OHV5JV.TKA/orac..90.0_919f856034ae8f10_00... 17-07-2025

ECROUTE_001_3_2	ECROUTE_001_3_2_C	VARCHAR2
	ECROUTE_001_3_2	VARCHAR2
	ECROUTE_001_3_2_ND	VARCHAR2
ECSTDTC_001_3_2	ECSTDTC_001_3_2	DATE
	ECSTDTC_001_3_2_DTS	VARCHAR2
	ECSTDTC_001_3_2_ND	VARCHAR2
ECENDTC_001_3_2	ECENDTC_001_3_2	DATE
	ECENDTC_001_3_2_DTS	VARCHAR2
	ECENDTC_001_3_2_ND	VARCHAR2
SUPPEC_MISDOST_001_3_2	SUPPEC_MISDOST_001_3_2_C	VARCHAR2
	SUPPEC_MISDOST_001_3_2	VARCHAR2
	SUPPEC_MISDOST_001_3_2_ND	VARCHAR2
SUPPEC_MISDOST_001_3_2 - SUPPEC_MISDOSO_001_3_2	SUPPEC_MISDOSO_001_3_2	VARCHAR2
ECDOSE_001_3_2	ECDOSE_001_3_2	FLOAT
	ECDOSE_001_3_2_ND	VARCHAR2
ECDOSU_001_3_2	ECDOSU_001_3_2_C	VARCHAR2
	ECDOSU_001_3_2	VARCHAR2
	ECDOSU_001_3_2_ND	VARCHAR2

C4221026: ADVERSE EVENT REPORT (AE EN P) - Repeating Form [AE001_11]																
#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Relationship to Study Treatment	Action Taken with Study Treatment 1	Relationship to Study Treatment 1	Action Taken with Study Treatment 2	Relationship to Study Treatment 2	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation
1																
Adverse Event Report [AE01001_11]																
1.	Category: [read-only] [Category]	[AECAT_001_11] [A:1] ☐ ADVERSE EVENT														
2.	AE ID: [read-only] [AE Identifier]	[AESPID_001_11] A20★														
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]	[AETERM_001_11] A100★														
4.* ✓ 🖱	Start Date: [Start Date]	[AESTDTC_001_11] (DD/MM/YYYY) Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040)														
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]	[X_AEONGO_001_11] [A:N] ☐ [AEENDTC_CMP_001_11] ☒ NO [AEENDTC_001_11] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req ▼ / Req ▼ (2022-2040) [A:Y] ☐ YES														
6.* ✓	Toxicity Grade: [Toxicity Grade]	[AETOXGR_001_11] [A:1] ☐ 0 [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5														
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important	[AESER_001_11] [A:N] ☐ NO [A:Y] ☐ [AESCONG_CMP_001_11] ☒ YES [AESCONG_001_11] Is this serious event associated with congenital anomaly or birth defect? [A:N] ☐ NO [A:Y] ☐ YES [AESDTH_001_11] Did this serious event result in death? [A:N] ☐ NO [A:Y] ☐ YES [AESHOSP_001_11] Did this serious event require or prolong hospitalization? [A:N] ☐ NO [A:Y] ☐ YES														

	medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]	[AESDISAB_001_11] Did this serious event result in persistent or significant disability/incapacity? [A:N] ☐ NO [A:Y] ☐ YES [AESLIFE_001_11] Is this serious event life threatening? [A:N] ☐ NO [A:Y] ☐ YES [AESMIE_001_11] Other medically important serious event [A:N] ☐ NO [A:Y] ☐ YES
8.* ✓	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001_11] [A:1] ☐ [SUPPAE_AERELNST_CMP_001_11] ☐ NOT RELATED [AERELNST_001_11] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [SUPPAE_AERELT_CMP_001_11] ☐ OTHER [AERELTXT_001_11] If Other, specify: A80 ★ [A:2] ☐ RELATED
9.	Study Treatment 1 Name Encorafenib: [hidden] [Study Treatment 1]	[SUPPAE_AETRT1_001_11] A50 ★
10.* ✓	Action Taken with Encorafenib: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001_11] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
11.* ✓	Is this event related to Encorafenib? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001_11] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
12.	Study Treatment 2 Name Pembrolizumab: [hidden] [Study Treatment 2]	[SUPPAE_AETRT2_001_11] A50 ★
13.* ✓	Action Taken with Pembrolizumab: [Action Taken with Study Treatment 2]	[SUPPAE_AEACN2_001_11] [A:1] ☐ DOSE INCREASED [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED

		[A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
14.* ✓	Is this event related to Pembrolizumab? [Relationship to Study Treatment 2]	[SUPPAE_AEREL2_001_11] [A:2] ☐ RELATED [A:1] ☐ NOT RELATED
15.* ✓	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_11] [A:Y] ☐ YES [A:N] ☐ NO
16.* ✓	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_11] [A:Y] ☐ YES [A:N] ☐ NO
17.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001_11] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
18.* ✓	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001_11] [A:Y] ☐ YES [A:N] ☐ NO
19.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001_11] A200 ★
20.	Lowest Level Term [hidden] [Lowest Level Term]	[AELLT_001_11] A100 ★
21.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[AELLTCD_001_11] A8 ★
22.	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[AEDECOD_001_11] A100 ★
23.	Preferred Term Code [hidden] [Preferred Term Code]	[AEPTCD_001_11] A8 ★
24.	High Level Term [hidden] [High Level Term]	[AEHLT_001_11] A100 ★

25.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[AEHLTCD_001_11] A8★
26.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[AEHLGT_001_11] A100★
27.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[AEHLGTCD_001_11] A8★
28.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001_11] A100★
29.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001_11] A8★

Key: [★] = Item is required [✓] = Source verification required [] = Item is collapsible [🔑] = Key item [★] = ASCII Only
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ADVERSE EVENT REPORT

Type	RefName	Description
Form	AE001_11	AE001 - Standard AE Page
Item	AECAT_001_11	Used to define a category of adverse event variables.
Item	AESPID_001_11	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001_11	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001_11	Date when the adverse event started.
Item	X_AEONGO_001_11	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001_11	Date when the adverse event resolved.
Item	AETOXGR_001_11	Description of the toxicity grade of the adverse event.
Item	AESER_001_11	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	AEREL_001_11	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001_11	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	AERELTXT_001_11	Event Due to Other Specify
Item	SUPPAE_AETRT1_001_11	Study treatment 1
Item	SUPPAE_AEACN1_001_11	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001_11	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT2_001_11	Study treatment 2
Item	SUPPAE_AEACN2_001_11	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL2_001_11	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AECMGIV_001_11	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_11	Non-Drug Treatment Given

Item	AEOUT_001_11	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001_11	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	D_COMPTERM2_001_11	Hidden Item needed for clear coding rule.
Item	AELLT_001_11	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_11	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_11	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_11	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_11	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_11	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_11	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_11	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_11	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_11	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT		
Item	Unique	Order #
AE001_11 (Repeating form)		
AE01001_11		
AESTDTC_001_11	None	1

Coding Summary: ADVERSE EVENT REPORT		
Verbatim RefName: AETERM_001_11		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_11	SOC	Term
AESOCCD_001_11	SOC	Code
AEHLGT_001_11	HLGT	Term
AEHLGTCD_001_11	HLGT	Code
AEHLT_001_11	HLT	Term
AEHLTCD_001_11	HLT	Code
AEDECOD_001_11	PT	Term
AEPTCD_001_11	PT	Code
AELLT_001_11	LLT	Term
AELLTCD_001_11	LLT	Code

RDE Analytics: RD_AE001_11		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_11	AECAT_001_11_C	VARCHAR2
	AECAT_001_11	VARCHAR2
	AECAT_001_11_ND	VARCHAR2

AESPID_001_11	AESPID_001_11	VARCHAR2
	AESPID_001_11_ND	VARCHAR2
AETERM_001_11	AETERM_001_11	VARCHAR2
	AETERM_001_11_ND	VARCHAR2
AESTDTC_001_11	AESTDTC_001_11	DATE
	AESTDTC_001_11_DTS	VARCHAR2
	AESTDTC_001_11_DTR	VARCHAR2
	AESTDTC_001_11_ND	VARCHAR2
X_AEONGO_001_11	X_AEONGO_001_11_C	VARCHAR2
	X_AEONGO_001_11	VARCHAR2
	X_AEONGO_001_11_ND	VARCHAR2
X_AEONGO_001_11 - AEENDTC_001_11	AEENDTC_001_11	DATE
	AEENDTC_001_11_DTS	VARCHAR2
	AEENDTC_001_11_DTR	VARCHAR2
AETOXGR_001_11	AETOXGR_001_11_C	VARCHAR2
	AETOXGR_001_11	VARCHAR2
	AETOXGR_001_11_ND	VARCHAR2
AESER_001_11	AESER_001_11_C	VARCHAR2
	AESER_001_11	VARCHAR2
	AESER_001_11_ND	VARCHAR2
AESER_001_11 - AESCONG_001_11	AESCONG_001_11_C	VARCHAR2
	AESCONG_001_11	VARCHAR2
AESER_001_11 - AESDTH_001_11	AESDTH_001_11_C	VARCHAR2
	AESDTH_001_11	VARCHAR2
AESER_001_11 - AESHOSP_001_11	AESHOSP_001_11_C	VARCHAR2
	AESHOSP_001_11	VARCHAR2
AESER_001_11 - AESDISAB_001_11	AESDISAB_001_11_C	VARCHAR2
	AESDISAB_001_11	VARCHAR2
AESER_001_11 - AESLIFE_001_11	AESLIFE_001_11_C	VARCHAR2
	AESLIFE_001_11	VARCHAR2
AESER_001_11 - AESMIE_001_11	AESMIE_001_11_C	VARCHAR2
	AESMIE_001_11	VARCHAR2
AEREL_001_11	AEREL_001_11_C	VARCHAR2
	AEREL_001_11	VARCHAR2
	AEREL_001_11_ND	VARCHAR2
AEREL_001_11 - AERELNST_001_11	AERELNST_001_11_C	VARCHAR2
	AERELNST_001_11	VARCHAR2
AEREL_001_11 - AERELTXT_001_11	AERELTXT_001_11	VARCHAR2
SUPPAE_AETRT1_001_11	SUPPAE_AETRT1_001_11	VARCHAR2
	SUPPAE_AETRT1_001_11_ND	VARCHAR2
SUPPAE_AEACN1_001_11	SUPPAE_AEACN1_001_11_C	VARCHAR2

	SUPPAE_AEACN1_001_11	VARCHAR2
	SUPPAE_AEACN1_001_11_ND	VARCHAR2
SUPPAE_AEREL1_001_11	SUPPAE_AEREL1_001_11_C	VARCHAR2
	SUPPAE_AEREL1_001_11	VARCHAR2
	SUPPAE_AEREL1_001_11_ND	VARCHAR2
SUPPAE_AETRT2_001_11	SUPPAE_AETRT2_001_11	VARCHAR2
	SUPPAE_AETRT2_001_11_ND	VARCHAR2
SUPPAE_AEACN2_001_11	SUPPAE_AEACN2_001_11_C	VARCHAR2
	SUPPAE_AEACN2_001_11	VARCHAR2
	SUPPAE_AEACN2_001_11_ND	VARCHAR2
SUPPAE_AEREL2_001_11	SUPPAE_AEREL2_001_11_C	VARCHAR2
	SUPPAE_AEREL2_001_11	VARCHAR2
	SUPPAE_AEREL2_001_11_ND	VARCHAR2
SUPPAE_AECMGIV_001_11	SUPPAE_AECMGIV_001_11_C	VARCHAR2
	SUPPAE_AECMGIV_001_11	VARCHAR2
	SUPPAE_AECMGIV_001_11_ND	VARCHAR2
SUPPAE_AENDGIV_001_11	SUPPAE_AENDGIV_001_11_C	VARCHAR2
	SUPPAE_AENDGIV_001_11	VARCHAR2
	SUPPAE_AENDGIV_001_11_ND	VARCHAR2
AEOUT_001_11	AEOUT_001_11_C	VARCHAR2
	AEOUT_001_11	VARCHAR2
	AEOUT_001_11_ND	VARCHAR2
SUPPAE_AESUBJDC_001_11	SUPPAE_AESUBJDC_001_11_C	VARCHAR2
	SUPPAE_AESUBJDC_001_11	VARCHAR2
	SUPPAE_AESUBJDC_001_11_ND	VARCHAR2
D_COMPTerm2_001_11	D_COMPTerm2_001_11	VARCHAR2
	D_COMPTerm2_001_11_ND	VARCHAR2
AELLT_001_11	AELLT_001_11	VARCHAR2
	AELLT_001_11_ND	VARCHAR2
AELLTCD_001_11	AELLTCD_001_11	VARCHAR2
	AELLTCD_001_11_ND	VARCHAR2
AEDECOD_001_11	AEDECOD_001_11	VARCHAR2
	AEDECOD_001_11_ND	VARCHAR2
AEPTCD_001_11	AEPTCD_001_11	VARCHAR2
	AEPTCD_001_11_ND	VARCHAR2
AEHLT_001_11	AEHLT_001_11	VARCHAR2
	AEHLT_001_11_ND	VARCHAR2
AEHLTCD_001_11	AEHLTCD_001_11	VARCHAR2
	AEHLTCD_001_11_ND	VARCHAR2
AEHLGT_001_11	AEHLGT_001_11	VARCHAR2
	AEHLGT_001_11_ND	VARCHAR2

AEHLGTC_D_001_11	AEHLGTC_D_001_11	VARCHAR2
	AEHLGTC_D_001_11_ND	VARCHAR2
AESOC_001_11	AESOC_001_11	VARCHAR2
	AESOC_001_11_ND	VARCHAR2
AESOCCD_001_11	AESOCCD_001_11	VARCHAR2
	AESOCCD_001_11_ND	VARCHAR2

C4221026: DISPOSITION - TREATMENT [BINIMETINIB] (DISP-BINI) [DS001_5]

DISPOSITION - TREATMENT [BINIMETINIB] [DS01001_5]

1.

Subcategory: [read-only]
[Subcategory:]

[DSSCAT_001_5]
[A:60] ☐ BINIMETINIB

2.*

Date of Completion/Discontinuation/Death :
[Date of Completion/Discontinuation/Death :]

[DSSTDTC_001_5] (DD/MM/YYYY)
Req / Req / Req (2022-2040)

3.

Phase of Disposition: [read-only]
[Disposition Phase]

[SUPPDS_DSPHASE_001_5]
[A:4] ☐ TREATMENT

4.*

Status:
[Status]

[DSDECOD_001_5]
[DSDECOD_CL_001_5]

5.

Specify Status:
[Specify Status]

[DSTERM_001_5]
A100★

6.*

Will the subject continue to the next phase of this study?
[Subject Continue]

[SUPPDS_DSCONT_001_5]
[A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_5] ☐
YES
[SUPPDS_DSNEXT_001_5]
If Yes, next phase:
[A:1] ☐ FOLLOW-UP
[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - TREATMENT [BINIMETINIB]		
Type	RefName	Description
Item	DSSTDTC_001_5	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5	Specify Status
Item	SUPPDS_DSNEXT_001_5	Next Phase of Study

Codelist Values Tables: DISPOSITION - TREATMENT [BINIMETINIB]						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5	String		ADVERSE EVENT	1	cliNCOMPLT_ADVERSE_EVENT	DSDECOD_001_5
			DEATH	3	cliNCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	cliNCOMPLT_LOSTTOFOLLOWUP	
			PHYSICIAN DECISION	8	cliNCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	cliNCOMPLT_PREGNANCY	
			PROGRESSIVE DISEASE	10	cliNCOMPLT_PROGRESSIVEDISEASE	
			PROTOCOL DEVIATION	11	cliNCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_WITHDRAWAL_BY_SUBJECT	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	cliNCOMPLT_GLOBALDETERIORATIONOFHEALTHSTATUS	
			REFUSED FURTHER TREATMENT	24	cliNCOMPLT_REFUSEDFURTHERTREATMENT	

		OTHER	7	clinCOMPLT_OTHER	
--	--	-------	---	------------------	--

RDE Analytics: RD_DS001_5		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5	DSSCAT_001_5_C	VARCHAR2
	DSSCAT_001_5	VARCHAR2
	DSSCAT_001_5_ND	VARCHAR2
DSSTDTC_001_5	DSSTDTC_001_5	DATE
	DSSTDTC_001_5_DTS	VARCHAR2
	DSSTDTC_001_5_ND	VARCHAR2
SUPPDS_DSPHASE_001_5	SUPPDS_DSPHASE_001_5_C	VARCHAR2
	SUPPDS_DSPHASE_001_5	VARCHAR2
	SUPPDS_DSPHASE_001_5_ND	VARCHAR2
DSDECOD_001_5	DSDECOD_001_5_C	VARCHAR2
	DSDECOD_001_5	VARCHAR2
	DSDECOD_001_5_ND	VARCHAR2
DSTERM_001_5	DSTERM_001_5	VARCHAR2
	DSTERM_001_5_ND	VARCHAR2
SUPPDS_DSCONT_001_5	SUPPDS_DSCONT_001_5_C	VARCHAR2
	SUPPDS_DSCONT_001_5	VARCHAR2
	SUPPDS_DSCONT_001_5_ND	VARCHAR2
SUPPDS_DSCONT_001_5 - SUPPDS_DSNEXT_001_5	SUPPDS_DSNEXT_001_5_C	VARCHAR2
	SUPPDS_DSNEXT_001_5	VARCHAR2

C4221026: DISPOSITION - TREATMENT [ENCORAFENIB] (DISP-ENCO) [DS001_5_1]

DISPOSITION - TREATMENT [ENCORAFENIB] [DS01001_5_1]

1.

Subcategory: *[read-only]*
[Subcategory:]

[DSSCAT_001_5_1]

[A:69] ☐ ENCORAFENIB

2.*

Date of Completion/Discontinuation/Death :
[Date of Completion/Discontinuation/Death :]

[DSSTDTC_001_5_1] (DD/MM/YYYY)

Req / Req / Req (2022-2040)

3.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_5_1]

[A:4] ☐ TREATMENT

4.*

Status:
[Status]

[DSDECOD_001_5_1]

[DSDECOD_CL_001_5_1]

5.

Specify Status:
[Specify Status]

[DSTERM_001_5_1]

A100★

6.*

Will the subject continue to the next phase of this study?
[Subject Continue]

[SUPPDS_DSCONT_001_5_1]

[A:N] ☐ NO

[A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_5_1] ☐

YES

[SUPPDS_DSNEXT_001_5_1]

If Yes, next phase:

[A:1] ☐ FOLLOW-UP

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - TREATMENT [ENCORAFENIB]		
Type	RefName	Description
Item	DSSTDTC_001_5_1	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5_1	Specify Status
Item	SUPPDS_DSNEXT_001_5_1	Next Phase of Study

Codelist Values Tables: DISPOSITION - TREATMENT [ENCORAFENIB]						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5_1	String		ADVERSE EVENT	1	clinCOMPLT_ADVERSE_EVENT	DSDECOD_001_5_1
			DEATH	3	clinCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	clinCOMPLT_LOSTTOFOLLOWUP	
			PHYSICIAN DECISION	8	clinCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	clinCOMPLT_PREGNANCY	
			PROGRESSIVE DISEASE	10	clinCOMPLT_PROGRESSIVE_DISEASE	
			PROTOCOL DEVIATION	11	clinCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	clinCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	clinCOMPLT_WITHDRAWAL_BY_SUBJECT	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	clinCOMPLT_GLOBALDETERIORATIONOFHEALTHSTATUS	
			REFUSED FURTHER TREATMENT	24	clinCOMPLT_REFUSEDFURTHERTREATMENT	

		OTHER	7	clinCOMPLT_OTHER	
--	--	-------	---	------------------	--

RDE Analytics: RD_DS001_5_1		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5_1	DSSCAT_001_5_1_C	VARCHAR2
	DSSCAT_001_5_1	VARCHAR2
	DSSCAT_001_5_1_ND	VARCHAR2
DSSTDTC_001_5_1	DSSTDTC_001_5_1	DATE
	DSSTDTC_001_5_1_DTS	VARCHAR2
	DSSTDTC_001_5_1_ND	VARCHAR2
SUPPDS_DSPHASE_001_5_1	SUPPDS_DSPHASE_001_5_1_C	VARCHAR2
	SUPPDS_DSPHASE_001_5_1	VARCHAR2
	SUPPDS_DSPHASE_001_5_1_ND	VARCHAR2
DSDECOD_001_5_1	DSDECOD_001_5_1_C	VARCHAR2
	DSDECOD_001_5_1	VARCHAR2
	DSDECOD_001_5_1_ND	VARCHAR2
DSTERM_001_5_1	DSTERM_001_5_1	VARCHAR2
	DSTERM_001_5_1_ND	VARCHAR2
SUPPDS_DSCONT_001_5_1	SUPPDS_DSCONT_001_5_1_C	VARCHAR2
	SUPPDS_DSCONT_001_5_1	VARCHAR2
	SUPPDS_DSCONT_001_5_1_ND	VARCHAR2
SUPPDS_DSCONT_001_5_1 - SUPPDS_DSNEXT_001_5_1	SUPPDS_DSNEXT_001_5_1_C	VARCHAR2
	SUPPDS_DSNEXT_001_5_1	VARCHAR2

C4221026: DISPOSITION - TREATMENT [CETUXIMAB] (DISP-CETUX) [DS001_5_2]

Disposition - Treatment [CETUXIMAB] [DS01001_5_2]

1.

Subcategory: [read-only]
[Subcategory:]

[DSSCAT_001_5_2]
[A:70] ☐ CETUXIMAB

2.*
✓

Date of Completion/Discontinuation/Death :
[Date of Completion/Discontinuation/Death :]

[DSSTDTC_001_5_2] (DD/MM/YYYY)
Req / Req / Req (2022-2040)

3.

Phase of Disposition: [read-only]
[Disposition Phase]

[SUPPDS_DSPHASE_001_5_2]
[A:4] ☐ TREATMENT

4.*
✓

Status:
[Status]

[DSDECOD_001_5_2]
[DSDECOD_CL_001_5_2]

5.
✓

Specify Status:
[Specify Status]

[DSTERM_001_5_2]
A100★

6.*
✓

Will the subject continue to the next phase of this study?
[Subject Continue]

[SUPPDS_DSCONT_001_5_2]
[A:N] ☐ NO
[A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_5_2] ☐
YES
[SUPPDS_DSNEXT_001_5_2]
If Yes, next phase:
[A:1] ☐ FOLLOW-UP

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - TREATMENT [CETUXIMAB]		
Type	RefName	Description
Item	DSSTDTC_001_5_2	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5_2	Specify Status
Item	SUPPDS_DSNEXT_001_5_2	Next Phase of Study

Codelist Values Tables: DISPOSITION - TREATMENT [CETUXIMAB]						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5_2	String		ADVERSE EVENT	1	cliNCOMPLT_ADVERSEEVENT	DSDECOD_001_5_2
			DEATH	3	cliNCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	cliNCOMPLT_LOSTTOFOLLOWUP	
			PHYSICIAN DECISION	8	cliNCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	cliNCOMPLT_PREGNANCY	
			PROGRESSIVE DISEASE	10	cliNCOMPLT_PROGRESSIVEDISEASE	
			PROTOCOL DEVIATION	11	cliNCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_WITHDRAWAL_BY_SUBJECT	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	cliNCOMPLT_GLOBALDETERIORATIONOFHEALTHSTATUS	
			REFUSED FURTHER TREATMENT	24	cliNCOMPLT_REFUSEDFURTHERTREATMENT	

		OTHER	7	clinCOMPLT_OTHER	
--	--	-------	---	------------------	--

RDE Analytics: RD_DS001_5_2		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5_2	DSSCAT_001_5_2_C	VARCHAR2
	DSSCAT_001_5_2	VARCHAR2
	DSSCAT_001_5_2_ND	VARCHAR2
DSSTDTC_001_5_2	DSSTDTC_001_5_2	DATE
	DSSTDTC_001_5_2_DTS	VARCHAR2
	DSSTDTC_001_5_2_ND	VARCHAR2
SUPPDS_DSPHASE_001_5_2	SUPPDS_DSPHASE_001_5_2_C	VARCHAR2
	SUPPDS_DSPHASE_001_5_2	VARCHAR2
	SUPPDS_DSPHASE_001_5_2_ND	VARCHAR2
DSDECOD_001_5_2	DSDECOD_001_5_2_C	VARCHAR2
	DSDECOD_001_5_2	VARCHAR2
	DSDECOD_001_5_2_ND	VARCHAR2
DSTERM_001_5_2	DSTERM_001_5_2	VARCHAR2
	DSTERM_001_5_2_ND	VARCHAR2
SUPPDS_DSCONT_001_5_2	SUPPDS_DSCONT_001_5_2_C	VARCHAR2
	SUPPDS_DSCONT_001_5_2	VARCHAR2
	SUPPDS_DSCONT_001_5_2_ND	VARCHAR2
SUPPDS_DSCONT_001_5_2 - SUPPDS_DSNEXT_001_5_2	SUPPDS_DSNEXT_001_5_2_C	VARCHAR2
	SUPPDS_DSNEXT_001_5_2	VARCHAR2

C4221026: DISPOSITION - TREATMENT [RIBOCICLIB] (DISP-RIBO) [DS001_5_3]

Disposition - Treatment [Ribociclib] [DS01001_5_3]

1.

Subcategory: *[read-only]*
[Subcategory:]

[DSSCAT_001_5_3]

[A:71] ☐ RIBOCICLIB

2.*

Date of Completion/Discontinuation/Death :
[Date of Completion/Discontinuation/Death :]

[DSSTDTC_001_5_3] (DD/MM/YYYY)

Req / Req / Req (2022-2040)

3.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_5_3]

[A:4] ☐ TREATMENT

4.*

Status:
[Status]

[DSDECOD_001_5_3]

[DSDECOD_CL_001_5_3]

5.

Specify Status:
[Specify Status]

[DSTERM_001_5_3]

A100★

6.*

Will the subject continue to the next phase of this study?
[Subject Continue]

[SUPPDS_DSCONT_001_5_3]

[A:N] ☐ NO

[A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_5_3] ☐

YES

[SUPPDS_DSNEXT_001_5_3]

If Yes, next phase:

[A:1] ☐ FOLLOW-UP

Key: [*] = Item is required [✓] = Source verification required [⊞] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - TREATMENT [RIBOCICLIB]		
Type	RefName	Description
Item	DSSTDTC_001_5_3	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5_3	Specify Status
Item	SUPPDS_DSNEXT_001_5_3	Next Phase of Study

Codelist Values Tables: DISPOSITION - TREATMENT [RIBOCICLIB]						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5_3	String		ADVERSE EVENT	1	cliNCOMPLT_ADVERSEEVENT	DSDECOD_001_5_3
			DEATH	3	cliNCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	cliNCOMPLT_LOSTTOFOLLOWUP	
			PHYSICIAN DECISION	8	cliNCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	cliNCOMPLT_PREGNANCY	
			PROGRESSIVE DISEASE	10	cliNCOMPLT_PROGRESSIVEDISEASE	
			PROTOCOL DEVIATION	11	cliNCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_WITHDRAWAL_BY_SUBJECT	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	cliNCOMPLT_GLOBALDETERIORATIONOFHEALTHSTATUS	
			REFUSED FURTHER TREATMENT	24	cliNCOMPLT_REFUSEDFURTHERTREATMENT	

		OTHER	7	clinCOMPLT_OTHER	
--	--	-------	---	------------------	--

RDE Analytics: RD_DS001_5_3		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5_3	DSSCAT_001_5_3_C	VARCHAR2
	DSSCAT_001_5_3	VARCHAR2
	DSSCAT_001_5_3_ND	VARCHAR2
DSSTDTC_001_5_3	DSSTDTC_001_5_3	DATE
	DSSTDTC_001_5_3_DTS	VARCHAR2
	DSSTDTC_001_5_3_ND	VARCHAR2
SUPPDS_DSPHASE_001_5_3	SUPPDS_DSPHASE_001_5_3_C	VARCHAR2
	SUPPDS_DSPHASE_001_5_3	VARCHAR2
	SUPPDS_DSPHASE_001_5_3_ND	VARCHAR2
DSDECOD_001_5_3	DSDECOD_001_5_3_C	VARCHAR2
	DSDECOD_001_5_3	VARCHAR2
	DSDECOD_001_5_3_ND	VARCHAR2
DSTERM_001_5_3	DSTERM_001_5_3	VARCHAR2
	DSTERM_001_5_3_ND	VARCHAR2
SUPPDS_DSCONT_001_5_3	SUPPDS_DSCONT_001_5_3_C	VARCHAR2
	SUPPDS_DSCONT_001_5_3	VARCHAR2
	SUPPDS_DSCONT_001_5_3_ND	VARCHAR2
SUPPDS_DSCONT_001_5_3 - SUPPDS_DSNEXT_001_5_3	SUPPDS_DSNEXT_001_5_3_C	VARCHAR2
	SUPPDS_DSNEXT_001_5_3	VARCHAR2

C4221026: DISPOSITION - FOLLOW-UP (DISP FUP) [DS001_6]

DISPOSITION - FOLLOW-UP [DS01001_6]

1.* ✓	Date of Completion/Discontinuation/Death : [Date of Completion/Discontinuation/Death :]	[DSSTDTC_001_6] (DD/MM/YYYY) Req / Req / Req (2022-2040)
2.* ✓	Phase of Disposition: [Disposition Phase]	[SUPPDS_DSPHASE_001_6] [A:1] ☐ FOLLOW-UP
3.* ✓	Status: [Status]	[DSDECOD_001_6] [DSDECOD_CL_001_6]
4. ✓	Specify Status: [Specify Status]	[DSTERM_001_6] A100★

Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Item	DSSTDTC_001_6	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_6	Specify Status

Codelist Values Tables: DISPOSITION - FOLLOW-UP						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_6	String		WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_WITHDRAWAL_BY_SUBJECT	DSDECOD_001_6
			LOST TO FOLLOW-UP	5	cliNCOMPLT_LOSTTOFOLLOWUP	
			DEATH	3	cliNCOMPLT_DEATH	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			PREGNANCY	9	cliNCOMPLT_PREGNANCY	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	cliNCOMPLT_GLOBALDETERIORATIONOFHEALTHSTATUS	
			PROGRESSIVE DISEASE	10	cliNCOMPLT_PROGRESSIVEDISEASE	
			UNACCEPTABLE TOXICITY	23	cliNCOMPLT_UNACCEPTABLE_TOXICITY	
			OTHER	7	cliNCOMPLT_OTHER	
			COMPLETED	2	cliNCOMPLT_COMPLETED	

RDE Analytics: RD_DS001_6		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_6	DSSTDTC_001_6	DATE
	DSSTDTC_001_6_DTS	VARCHAR2
	DSSTDTC_001_6_ND	VARCHAR2
SUPPDS_DSPHASE_001_6	SUPPDS_DSPHASE_001_6_C	VARCHAR2
	SUPPDS_DSPHASE_001_6	VARCHAR2
	SUPPDS_DSPHASE_001_6_ND	VARCHAR2
DSDECOD_001_6	DSDECOD_001_6_C	VARCHAR2

	DSDECOD_001_6	VARCHAR2
	DSDECOD_001_6_ND	VARCHAR2
DSTERM_001_6	DSTERM_001_6	VARCHAR2
	DSTERM_001_6_ND	VARCHAR2

C4221026: DEATH DETAILS (DTH DTL) [DD002]

Death Details [DD01002]

1.*
✓

Date of Collection / Notification of Death:
[Date of Collection / Notification of Death]

[DDUTC_002] (DD/MM/YYYY)
Req / Req / Req (2022-2040)

2.*
✓

Date of Death:
[Date of Death]

[R_DDDTHUTC_002] (DD/MM/YYYY)
Req/Unk / Req/Unk / Req (2022-2040)

Death Details [DD02002]

3.*
✓

Cause of Death Status:
[Cause of Death Status]

[DDTEST_002]
[A:1] ☒ PRIMARY CAUSE OF DEATH

4.*
✓

Cause of Death Category:
[Cause of Death Category]

[D_DDORRES_PRCPTH_002]
[A:1] ☒ DISEASE UNDER STUDY
[A:2] ☒ STUDY TREATMENT TOXICITY
[A:3] ☒ UNKNOWN
[A:4] ☒ **[D_DDORRES_PRCPTH_OTH_CMP_002]** ☐
OTHER
[D_DDORRES_PRCPTH_OTH_002]
Cause of Death Category, Other Specify:

A100★

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DEATH DETAILS		
Type	RefName	Description
Form	DD002	DEATH DETAILS CODED

RDE Analytics: RD_DD002		
Data Variable RefName	RD Column Name	Column Data Type
DDUTC_002	DDUTC_002	DATE
	DDUTC_002_DTS	VARCHAR2
	DDUTC_002_ND	VARCHAR2
R_DDDTHUTC_002	R_DDDTHUTC_002	DATE
	R_DDDTHUTC_002_DTS	VARCHAR2
	R_DDDTHUTC_002_DTR	VARCHAR2
	R_DDDTHUTC_002_ND	VARCHAR2
DDTEST_002	DDTEST_002_C	VARCHAR2
	DDTEST_002	VARCHAR2
	DDTEST_002_ND	VARCHAR2
D_DDORRES_PRCPTH_002	D_DDORRES_PRCPTH_002_C	VARCHAR2
	D_DDORRES_PRCPTH_002	VARCHAR2
	D_DDORRES_PRCPTH_002_ND	VARCHAR2
D_DDORRES_PRCPTH_002 - D_DDORRES_PRCPTH_OTH_002	D_DDORRES_PRCPTH_OTH_002	VARCHAR2

C4221026: WITHDRAWAL OF CONSENT (WOC) [DS001_7]		
Withdrawal Of Consent [DS01001_7]		
1.* ✓	Withdrawal of Consent Date : [Withdrawal of Consent Date :]	[DSSTDTC_001_7] (DD/MM/YYYY) Req  / Req  / Req  (2022-2040)
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: WITHDRAWAL OF CONSENT		
Type	RefName	Description
Item	DSSTDTC_001_7	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_7		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_7	DSSTDTC_001_7	DATE
	DSSTDTC_001_7_DTS	VARCHAR2
	DSSTDTC_001_7_ND	VARCHAR2

C4221026: DISPOSITION - TREATMENT [VEMURAFENIB] (DISP-VEMU) [DS001_5_4]

Disposition - Treatment [Vemurafenib] [DS01001_5_4]

1.

Subcategory: *[read-only]*
[Subcategory]

[DSSCAT_001_5_4]

[A:98] ☐ VEMURAFENIB

2.*

Date of Completion/Discontinuation/Death:
✓ [Date]

[DSSTDTC_001_5_4] (DD/MM/YYYY)

Req / Req / Req (2022-2040)

3.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_5_4]

[A:4] ☐ TREATMENT

4.*

Status:
✓ [Status]

[DSDECOD_001_5_4]

[DSDECOD_CL_001_5_4]

5.

Specify Status:
✓ [Specify Status]

[DSTERM_001_5_4]

A100★

6.*

Will the subject continue to the next phase of this study?
✓ [Subject Continue]

[SUPPDS_DSCONT_001_5_4]

[A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_5_4] ☐

YES

[SUPPDS_DSNEXT_001_5_4]

If Yes, next phase:

[A:1] ☐ FOLLOW-UP

[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - TREATMENT [VEMURAFENIB]		
Type	RefName	Description
Item	DSSTDTC_001_5_4	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5_4	Specify Status
Item	SUPPDS_DSNEXT_001_5_4	Next Phase of Study

Codelist Values Tables: DISPOSITION - TREATMENT [VEMURAFENIB]						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5_4	String		ADVERSE EVENT	1	clinCOMPLT_ADVERSE_EVENT	DSDECOD_001_5_4
			DEATH	3	clinCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	clinCOMPLT_LOSTTOFOLLOWUP	
			PHYSICIAN DECISION	8	clinCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	clinCOMPLT_PREGNANCY	
			PROGRESSIVE DISEASE	10	clinCOMPLT_PROGRESSIVEDISEASE	
			PROTOCOL DEVIATION	11	clinCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	clinCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	clinCOMPLT_WITHDRAWAL_BY_SUBJECT	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	clinCOMPLT_GLOBAL_DETERIORATION_OF_HEALTH_STATUS	
			REFUSED FURTHER TREATMENT	24	clinCOMPLT_REFUSEDFURTHERTREATMENT	

		OTHER	7	clinCOMPLT_OTHER	
--	--	-------	---	------------------	--

RDE Analytics: RD_DS001_5_4		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5_4	DSSCAT_001_5_4_C	VARCHAR2
	DSSCAT_001_5_4	VARCHAR2
	DSSCAT_001_5_4_ND	VARCHAR2
DSSTDTC_001_5_4	DSSTDTC_001_5_4	DATE
	DSSTDTC_001_5_4_DTS	VARCHAR2
	DSSTDTC_001_5_4_ND	VARCHAR2
SUPPDS_DSPHASE_001_5_4	SUPPDS_DSPHASE_001_5_4_C	VARCHAR2
	SUPPDS_DSPHASE_001_5_4	VARCHAR2
	SUPPDS_DSPHASE_001_5_4_ND	VARCHAR2
DSDECOD_001_5_4	DSDECOD_001_5_4_C	VARCHAR2
	DSDECOD_001_5_4	VARCHAR2
	DSDECOD_001_5_4_ND	VARCHAR2
DSTERM_001_5_4	DSTERM_001_5_4	VARCHAR2
	DSTERM_001_5_4_ND	VARCHAR2
SUPPDS_DSCONT_001_5_4	SUPPDS_DSCONT_001_5_4_C	VARCHAR2
	SUPPDS_DSCONT_001_5_4	VARCHAR2
	SUPPDS_DSCONT_001_5_4_ND	VARCHAR2
SUPPDS_DSCONT_001_5_4 - SUPPDS_DSNEXT_001_5_4	SUPPDS_DSNEXT_001_5_4_C	VARCHAR2
	SUPPDS_DSNEXT_001_5_4	VARCHAR2

C4221026: DISPOSITION - TREATMENT [PEMBROLIZUMAB] (DISP PEMB) [DS001_5_5]

DISPOSITION - TREATMENT [PEMBROLIZUMAB] [DS01001_5_5]

1.	Subcategory: <i>[read-only]</i> [Subcategory:]	[DSSCAT_001_5_5] [A:78] ☐ PEMBROLIZUMAB
2.* ✓	Date of Completion/Discontinuation/Death : [Date of Completion/Discontinuation/Death :]	[DSSTDTC_001_5_5] (DD/MM/YYYY) Req / Req / Req (2022-2040)
3.	Phase of Disposition: <i>[read-only]</i> [Disposition Phase]	[SUPPDS_DSPHASE_001_5_5] [A:4] ☐ TREATMENT
4.* ✓	Status: [Status]	[DSDECOD_001_5_5] [DSDECOD_CL_001_5_5]
5. ✓	Specify Status: [Specify Status]	[DSTERM_001_5_5] A100★
6.* ✓	Will the subject continue to the next phase of this study? [Subject Continue]	[SUPPDS_DSCONT_001_5_5] [A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_5_5] ☐ YES [SUPPDS_DSNEXT_001_5_5] If Yes, next phase: [A:1] ☐ FOLLOW-UP [A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - TREATMENT [PEMBROLIZUMAB]		
Type	RefName	Description
Item	DSSTDTC_001_5_5	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5_5	Specify Status
Item	SUPPDS_DSNEXT_001_5_5	Next Phase of Study

Codelist Values Tables: DISPOSITION - TREATMENT [PEMBROLIZUMAB]						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5_5	String		ADVERSE EVENT	1	cliNCOMPLT_ADVERSE_EVENT	DSDECOD_001_5_5
			COMPLETED	2	cliNCOMPLT_COMPLETED	
			DEATH	3	cliNCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	cliNCOMPLT_LOSTTOFOLLOWUP	
			PHYSICIAN DECISION	8	cliNCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	cliNCOMPLT_PREGNANCY	
			PROGRESSIVE DISEASE	10	cliNCOMPLT_PROGRESSIVEDISEASE	
			PROTOCOL DEVIATION	11	cliNCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_WITHDRAWAL_BY_SUBJECT	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	cliNCOMPLT_GLOBALDETERIORATIONOFHEALTHSTATUS	

		REFUSED FURTHER TREATMENT	24	clinCOMPLT_REFUSED FURTHER TREATMENT
		OTHER	7	clinCOMPLT_OTHER

RDE Analytics: RD_DS001_5_5		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5_5	DSSCAT_001_5_5_C	VARCHAR2
	DSSCAT_001_5_5	VARCHAR2
	DSSCAT_001_5_5_ND	VARCHAR2
DSSTDTC_001_5_5	DSSTDTC_001_5_5	DATE
	DSSTDTC_001_5_5_DTS	VARCHAR2
	DSSTDTC_001_5_5_ND	VARCHAR2
SUPPDS_DSPHASE_001_5_5	SUPPDS_DSPHASE_001_5_5_C	VARCHAR2
	SUPPDS_DSPHASE_001_5_5	VARCHAR2
	SUPPDS_DSPHASE_001_5_5_ND	VARCHAR2
DSDECOD_001_5_5	DSDECOD_001_5_5_C	VARCHAR2
	DSDECOD_001_5_5	VARCHAR2
	DSDECOD_001_5_5_ND	VARCHAR2
DSTERM_001_5_5	DSTERM_001_5_5	VARCHAR2
	DSTERM_001_5_5_ND	VARCHAR2
SUPPDS_DSCONT_001_5_5	SUPPDS_DSCONT_001_5_5_C	VARCHAR2
	SUPPDS_DSCONT_001_5_5	VARCHAR2
	SUPPDS_DSCONT_001_5_5_ND	VARCHAR2
SUPPDS_DSCONT_001_5_5 - SUPPDS_DSNEXT_001_5_5	SUPPDS_DSNEXT_001_5_5_C	VARCHAR2
	SUPPDS_DSNEXT_001_5_5	VARCHAR2

C4221026: DISPOSITION - TREATMENT [NIVOLUMAB] (DISP NIVO) [DS001_5_6]

DISPOSITION - TREATMENT [NIVOLUMAB] [DS01001_5_6]

1.

Subcategory: *[read-only]*
[Subcategory:]

[DSSCAT_001_5_6]

[A:89] ☐ NIVOLUMAB

2.*

✓

Date of Completion/Discontinuation/Death :
[Date of Completion/Discontinuation/Death :]

[DSSTDTC_001_5_6] (DD/MM/YYYY)

Req / Req / Req (2022-2040)

3.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_5_6]

[A:4] ☐ TREATMENT

4.*

✓

Status:
[Status]

[DSDECOD_001_5_6]

[DSDECOD_CL_001_5_6]

5.

✓

Specify Status:
[Specify Status]

[DSTERM_001_5_6]

A100★

6.*

✓

Will the subject continue to the next phase of this study?
[Subject Continue]

[SUPPDS_DSCONT_001_5_6]

[A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_5_6] ☐

YES

[SUPPDS_DSNEXT_001_5_6]

If Yes, next phase:

[A:1] ☐ FOLLOW-UP

[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - TREATMENT [NIVOLUMAB]		
Type	RefName	Description
Item	DSSTDTC_001_5_6	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5_6	Specify Status
Item	SUPPDS_DSNEXT_001_5_6	Next Phase of Study

Codelist Values Tables: DISPOSITION - TREATMENT [NIVOLUMAB]						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5_6	String		ADVERSE EVENT	1	cliNCOMPLT_ADVERSE_EVENT	DSDECOD_001_5_6
			COMPLETED	2	cliNCOMPLT_COMPLETED	
			DEATH	3	cliNCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	cliNCOMPLT_LOSTTOFOLLOWUP	
			PHYSICIAN DECISION	8	cliNCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	cliNCOMPLT_PREGNANCY	
			PROGRESSIVE DISEASE	10	cliNCOMPLT_PROGRESSIVEDISEASE	
			PROTOCOL DEVIATION	11	cliNCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_WITHDRAWAL_BY_SUBJECT	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	cliNCOMPLT_GLOBAL_DETERIORATION_OF_HEALTH_STATUS	

file:///C:/Users/SURESR08/AppData/Local/Apps/2.0/YH3HXBME.3HB/99OHV5JV.TKA/orac..90.0 919f856034ae8f10_00...

17-07-2025

		REFUSED FURTHER TREATMENT	24	clinCOMPLT_REFUSED FURTHER TREATMENT	
		OTHER	7	clinCOMPLT_OTHER	

RDE Analytics: RD_DS001_5_6		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5_6	DSSCAT_001_5_6_C	VARCHAR2
	DSSCAT_001_5_6	VARCHAR2
	DSSCAT_001_5_6_ND	VARCHAR2
DSSTDTC_001_5_6	DSSTDTC_001_5_6	DATE
	DSSTDTC_001_5_6_DTS	VARCHAR2
	DSSTDTC_001_5_6_ND	VARCHAR2
SUPPDS_DSPHASE_001_5_6	SUPPDS_DSPHASE_001_5_6_C	VARCHAR2
	SUPPDS_DSPHASE_001_5_6	VARCHAR2
	SUPPDS_DSPHASE_001_5_6_ND	VARCHAR2
DSDECOD_001_5_6	DSDECOD_001_5_6_C	VARCHAR2
	DSDECOD_001_5_6	VARCHAR2
	DSDECOD_001_5_6_ND	VARCHAR2
DSTERM_001_5_6	DSTERM_001_5_6	VARCHAR2
	DSTERM_001_5_6_ND	VARCHAR2
SUPPDS_DSCONT_001_5_6	SUPPDS_DSCONT_001_5_6_C	VARCHAR2
	SUPPDS_DSCONT_001_5_6	VARCHAR2
	SUPPDS_DSCONT_001_5_6_ND	VARCHAR2
SUPPDS_DSCONT_001_5_6 - SUPPDS_DSNEXT_001_5_6	SUPPDS_DSNEXT_001_5_6_C	VARCHAR2
	SUPPDS_DSNEXT_001_5_6	VARCHAR2

C4221026: SUBJECT STATUS (SUB STATU) [X_DS_SLOPD001]		
Subject Status [X_DS_SLOPD01001]		
1.	Subject Status <i>[read-only]</i> [Subject Status]	[X_DS_STAT_001] [X_DS_STAT_CL_001] 
2.	Subject Status Date <i>[read-only]</i> [Status Date]	[X_DS_DAT_001] (DD/MM/YYYY) Req  / Req  / Req  (2022-2040)
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: SUBJECT STATUS		
Type	RefName	Description
Form	X_DS_SLOPD001	DS_SLOPD - Subject Status

Codelist Values Tables: SUBJECT STATUS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
X_DS_STAT_CL_001	String		SCREENED	1	cliDS_STAT_SCREENED	X_DS_STAT_001
			SCREEN FAIL	2	cliDS_STAT_SCREEN_FAIL	
			ENROLLED/RANDOMIZED	3	cliDS_STAT_ENROLLED_RANDOMIZED	
			DISCONTINUED	4	cliDS_STAT_DISCONTINUED	
			COMPLETED	5	cliDS_STAT_COMPLETED	
			FOLLOW-UP	6	cliDS_STAT_FOLLOW_UP	

RDE Analytics: RD_X_DS_SLOPD001		
Data Variable RefName	RD Column Name	Column Data Type
X_DS_STAT_001	X_DS_STAT_001_C	VARCHAR2
	X_DS_STAT_001	VARCHAR2
	X_DS_STAT_001_ND	VARCHAR2
X_DS_DAT_001	X_DS_DAT_001	DATE
	X_DS_DAT_001_DTS	VARCHAR2
	X_DS_DAT_001_ND	VARCHAR2

C4221026: CASEBOOK SIGNATURE FORM (INVSIG) [D_IS001]		
Casebook Signature Form [D_IS01001]		
1.*	Casebook Signature [Casebook Signature]	[D_INVSIG_001] [A:1]  Click Here to Enable
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_IS001		
Data Variable RefName	RD Column Name	Column Data Type
D_INVSIG_001	D_INVSIG_001_C	VARCHAR2
	D_INVSIG_001	VARCHAR2
	D_INVSIG_001_ND	VARCHAR2

InForm Special Properties For Study Design: C4221026			
InForm Special Property	Property Type	Data Object RefName	Data Object Path RefName
Screening	Visit	SYSSCR	SYSSCR
Enrollment	Visit	SYSENR	SYSENR
Screening	Form	D_INFSCR001	SYSSCR.D_INFSCR001
Enrollment	Form	D_INFENR001	SYSENR.D_INFENR001
Patient Identification	Form	DM001	SCR.DM001
Study Completion	Form	Unassigned	Unassigned
Reg Docs	Form	Unassigned	Unassigned
Visit Report	Form	Unassigned	Unassigned
Visit Approval	Form	Unassigned	Unassigned
Initials (Screening)	Item	D_SCRINIT_001	SYSSCR.D_INFSCR001.D_INFSCR01001.D_SCRINIT_001
DOB (Screening)	Item	D_SCRDOB_001	SYSSCR.D_INFSCR001.D_INFSCR01001.D_SCRDOB_001
Screening date (Screening)	Item	Unassigned	Unassigned
Patient No. (Enrollment)	Item	D_SUBJID_001	SCR.DM001.DM01001.D_SUBJID_001 SYSENR.D_INFENR001.D_INFENR01001.D_SUBJID_001
Initials (Patient Identification)	Item	Unassigned	Unassigned
Completion status (Study Completion)	Item	Unassigned	Unassigned
Drop out reason (Study Completion)	Item	Unassigned	Unassigned
DOV (Date of Visit)	Item	SVSTDTC_001	SCR.SV001.SV01001.SVSTDTC_001
Randomization field (Randomization)	Item	Unassigned	Unassigned

Personal/Protected Health Information Table: C4221026		
Item RefName	Section RefName	Form RefName
No items have been defined as "Personal/Protected Health Information".		
Please note: emails sent from the trial server by the InForm application are not encrypted. If you are subject to HIPAA requirements, you should identify and block all Personal/Protected Health Information items that may be included in email notifications.		

Unit Conversions For Study Design: C4221026

No unit conversion data.

Review States for Study: C4221026

No Review States have been defined.

In-place Revisions Summary Table: C4221026						
Deployment Instance: UAT						
Data Object RefName	Type	Actual Change Path	Description	Study Version	Path	
R_TRIGRESP10_001	Item	R_TRIG001.R_TRIG01001.R_TRIGRESP10_001		C4221026 3.0.0 C4221026 4.0.26 C4221026 6.0.1 C4221026 6.0.2 C4221026 6.0.5 C4221026 6.0.6 C4221026 6.0.8 C4221026 7.0.0 C4221026 7.0.2 C4221026 8.0.0	R_TRIG001.R_TRIG01001.R_TRIGRESP10_001 R_TRIG001.R_TRIG01001.R_TRIGRESP10_001 R_TRIG001.R_TRIG01001.R_TRIGRESP10_001 R_TRIG001.R_TRIG01001.R_TRIGRESP10_001 R_TRIG001.R_TRIG01001.R_TRIGRESP10_001 R_TRIG001.R_TRIG01001.R_TRIGRESP10_001 R_TRIG001.R_TRIG01001.R_TRIGRESP10_001 R_TRIG001.R_TRIG01001.R_TRIGRESP10_001 R_TRIG001.R_TRIG01001.R_TRIGRESP10_001 R_TRIG001.R_TRIG01001.R_TRIGRESP10_001 R_TRIG001.R_TRIG01001.R_TRIGRESP10_001	

Custom Events for Study Design: C4221026

No custom events have been defined.