

Annotated Study Book for Study Design: C4591076

Study Design Version: 4.0

Protocol: C4591076

Sponsor Drug Name: PF-07302048

C4591076

Generated by Central Designer TM

October 23, 2025 12:33PM

C4591076: INFORM SCREENING (SCREEN) [D_INFSCR001]		
InForm Screening [D_INFSCR01001]		
1.	InForm Initials <i>[hidden]</i> [InForm Initials]	[D_SCRINIT_001] A3★
2.*	Age: [Age]	[D_AGE_001] xx.
3.	Age Unit: <i>[read-only]</i> [Age Unit]	[D_AGEU_001] [A:5] YEARS
Key: [*] = Item is required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_INFSCR001		
Data Variable RefName	RD Column Name	Column Data Type
D_SCRINIT_001	D_SCRINIT_001	VARCHAR2
	D_SCRINIT_001_ND	VARCHAR2
D_AGE_001	D_AGE_001	FLOAT
	D_AGE_001_ND	VARCHAR2
D_AGEU_001	D_AGEU_001_C	VARCHAR2
	D_AGEU_001	VARCHAR2
	D_AGEU_001_ND	VARCHAR2

C4591076: INFORM ENROLLMENT (ENROLL) [D_INFENR001]		
InForm Enrollment [D_INFENR01001]		
1.*	Subject Identifier: [Subject Identifier]	D_DSUBJID_001 1001 <= N4 <= 9999
2.	Subject ID <i>[read-only]</i> [Subject ID]	D_SUBJID_001 N8
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_INFENR001		
Data Variable RefName	RD Column Name	Column Data Type
D_DSUBJID_001	D_DSUBJID_001	NUMBER
	D_DSUBJID_001_ND	VARCHAR2
D_SUBJID_001	D_SUBJID_001	NUMBER
	D_SUBJID_001_ND	VARCHAR2

C4591076: TRIGGER FORM- COHORT SELECTION (COHORT) [R_TRIG001_5]		
Trigger Form Details [R_TRIG01001_5]		
1.*	Is the participant part of Cohort 2? [Trigger Response 1]	[R_TRIGRESP1_001_5] [R_TRIGRESP1_CL_001_5] 
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Codelist Values Tables: TRIGGER FORM- COHORT SELECTION					
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName
R_TRIGRESP1_CL_001_5	String		Yes, the participant is part of Cohort 2	1	cliTRIGRESP_Yes_Part_Of_Cohort2
			No, the participant is NOT part of Cohort 2	2	cliTRIGRESP_No_Not_Part_Of_Cohort2
					R_TRIGRESP1_001_5

RDE Analytics: RD_R_TRIG001_5		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP1_001_5	R_TRIGRESP1_001_5_C	VARCHAR2
	R_TRIGRESP1_001_5	VARCHAR2
	R_TRIGRESP1_001_5_ND	VARCHAR2

C4591076: DATE OF VISIT (DOV) [SV001]		
Date of Visit [SV01001]		
1.*	Date of Visit: [Date of Visit]	[SVSTDTC_001] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2026)
2.*	Contact Mode: [Contact Mode]	[X_SVCNTMOD_001] [A:1] ☐ IN PERSON, ONSITE [A:3] ☐ REMOTE AUDIO VIDEO
3.	Erroneous Visit: [Visit Error]	[D_SVERROR_001] [A:1] ☐ ERRONEOUS VISIT
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_SV001		
Data Variable RefName	RD Column Name	Column Data Type
SVSTDTC_001	SVSTDTC_001	DATE
	SVSTDTC_001_DTS	VARCHAR2
	SVSTDTC_001_ND	VARCHAR2
X_SVCNTMOD_001	X_SVCNTMOD_001_C	VARCHAR2
	X_SVCNTMOD_001	VARCHAR2
	X_SVCNTMOD_001_ND	VARCHAR2
D_SVERROR_001	D_SVERROR_001_C	VARCHAR2
	D_SVERROR_001	VARCHAR2
	D_SVERROR_001_ND	VARCHAR2

C4591076: TRIGGER FORM - PROTOCOL VERSION (PROT VRSN) [R_TRIG001]			
Trigger Form Details [R_TRIG01001]			
1.*	Select appropriate response - Protocol version: [Trigger Response 1]	[R_TRIGRESP1_001] [R_TRIGRESP1_CL_001] 	
2.*	Select appropriate response - Did subject meet all eligibility criteria? [Trigger Response 2]	[R_TRIGRESP2_001] [A:5] ☐ SUBJECT MET ALL ELIGIBILITY CRITERIA [A:6] ☐ SUBJECT DID NOT MEET ALL ELIGIBILITY CRITERIA	
3.*	Select appropriate response - Select Age range? [Trigger Response 3]	[R_TRIGRESP3_001] [A:7] ☐ 18 to 64 years [A:8] ☐ 65 years and over [A:9] ☐ 12 to 17 years	
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.			

Codelist Values Tables: TRIGGER FORM - PROTOCOL VERSION						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
R_TRIGRESP1_CL_001	String		Initial Version - 31MAY2025	0	cliTRIGRESP_Initial_Version	R_TRIGRESP1_001
			Protocol Amendment 1 - 26AUG2025	1	cliTRIGRESP_Protocol_Amendment1_26AUG2025	

RDE Analytics: RD_R_TRIG001		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP1_001	R_TRIGRESP1_001_C	VARCHAR2
	R_TRIGRESP1_001	VARCHAR2
	R_TRIGRESP1_001_ND	VARCHAR2
R_TRIGRESP2_001	R_TRIGRESP2_001_C	VARCHAR2
	R_TRIGRESP2_001	VARCHAR2
	R_TRIGRESP2_001_ND	VARCHAR2
R_TRIGRESP3_001	R_TRIGRESP3_001_C	VARCHAR2
	R_TRIGRESP3_001	VARCHAR2
	R_TRIGRESP3_001_ND	VARCHAR2

C4591076: DEMOGRAPHY (DEMOG) [DM001]		
Demography [DM01001]		
1.	Subject Identifier: [Subject Identifier]	[D_DSUBJID1_001] 1001 <= N4 <= 9999
2.	Subject ID <i>[read-only]</i> [Subject ID]	[D_SUBJID_001] N8
3.*	Age: [Age]	[R_AGE_001] xx.
4.	Age Unit: <i>[read-only]</i> [Age Unit]	[R_AGEU_001] [A:5] ☐ YEARS
5.*	Sex: [Sex]	[SEX_001] [A:F] ☐ FEMALE [A:M] ☐ MALE
6.*	Ethnicity: [Ethnicity]	[ETHNIC_001] [A:HISPANIC OR LATINO] ☐ HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN [A:NOT HISPANIC OR LATINO] ☐ NOT HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN [A:NOT REPORTED] ☐ NOT REPORTED
7.*	Race: (Check all that apply) [Race Of Subject]	[RACE_001] [A:1] ☐ BLACK OR AFRICAN AMERICAN [A:2] ☐ AMERICAN INDIAN OR ALASKA NATIVE [A:3] ☐ ASIAN [A:4] ☐ NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER [A:5] ☐ WHITE [A:6] ☐ NOT REPORTED [A:7] ☐ UNKNOWN
8.*	Has the subject previously taken part in a study involving this investigational product? [Participated in Previous Study]	[X_DMPYN_001] [A:Y] ☐ [X_DMPFYN_CMP_001] ☐ YES [X_DMPFSTDY_001] First Study Identifier: A20* [X_DMPFSITE_001] First Site Identifier: A20* [X_DMPFSUBJ_001] First Subject Identifier: A20* [X_DMPMYN_001] Has the subject previously taken part in more than one study in this drug program Pfizer C459? If Yes, please provide the most recent study details: [A:N] ☐ NO [A:Y] ☐ [X_DMPYN_CMP_001] ☐ YES [X_DMPSTUDY_001] Most Recent Study Identifier: A20* [X_DMPSITE_001] Most Recent Site Identifier: A20* [X_DMPSUBJ_001] Most Recent Subject Identifier: A20* [A:N] ☐ NO
9.*	Was the subject screened previously in current study? [Screened Previously in Current Study]	[X_DMRYN_001] [A:Y] ☐ [X_DMRYN_CMP_001] ☐ YES

Study Object Descriptions: DEMOGRAPHY		
Type	RefName	Description
Form	DM001	DM001 - Demography
Item	SEX_001	The assemblage of physical properties or qualities by which male is distinguished from female; the physical difference between male and female.
Item	ETHNIC_001	A social group characterized by a distinctive social and cultural tradition.
Item	RACE_001	An arbitrary classification based on physical characteristics; a group of persons related by common descent or heredity (U.S. Center for Disease Control).
Item	X_DMPSTUDY_001	Previous Study Identifier. Format = ccccccc, e.g. B1570100
Item	X_DMPSITE_001	Previous Site Identifier. Format = nnnn, e.g. 2010.
Item	X_DMPSUBJ_001	Previous Subject Identifier. Format = nnnnnnn, e.g. 20101001.

file:///C:/Users/angelm31/AppData/Local/Apps/2.0/AX9PJ5GO.TCM/4409YYKQ.KNQ/orac..90.0 919f856034ae8f10 0007.... 10/23/2025

RACE_001 - NOT REPORTED	*RACE_001_CLIRACENOTREPORTED_C	VARCHAR2
	*RACE_001_CLIRACENOTREPORTED	VARCHAR2
RACE_001 - UNKNOWN	RACE_001_CLIRACEUNKNOWN_C	VARCHAR2
	RACE_001_CLIRACEUNKNOWN	VARCHAR2
X_DMPYN_001	X_DMPYN_001_C	VARCHAR2
	X_DMPYN_001	VARCHAR2
	X_DMPYN_001_ND	VARCHAR2
X_DMPYN_001 - X_DMPSTDY_001	X_DMPSTDY_001	VARCHAR2
X_DMPYN_001 - X_DMPFSITE_001	X_DMPFSITE_001	VARCHAR2
X_DMPYN_001 - X_DMPFSUBJ_001	X_DMPFSUBJ_001	VARCHAR2
X_DMPYN_001 - X_DMPMYN_001	X_DMPMYN_001_C	VARCHAR2
	X_DMPMYN_001	VARCHAR2
X_DMPYN_001 - X_DMPSTUDY_001	X_DMPSTUDY_001	VARCHAR2
X_DMPYN_001 - X_DMPSITE_001	X_DMPSITE_001	VARCHAR2
X_DMPYN_001 - X_DMPSUBJ_001	X_DMPSUBJ_001	VARCHAR2
X_DMRYN_001	X_DMRYN_001_C	VARCHAR2
	X_DMRYN_001	VARCHAR2
	X_DMRYN_001_ND	VARCHAR2
X_DMRYN_001 - X_DMRSITE_001	X_DMRSITE_001	VARCHAR2
X_DMRYN_001 - X_DMRSUBJ_001	X_DMRSUBJ_001	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: INFORMED CONSENT (IC) [DS001]

Main Informed Consent [DS01001]

1.*

Consent Was:
[Consent Was]

[SUPPDS_DSCSOBT_001]

[A:1]  [DSSTDTC_CMP_001] 

OBTAINED

[DSSTDTC_001] (DD/MM/YYYY)

Date of Written Consent Obtained:

Req  / Req  / Req  (2025-2026)

Key: [*] = Item is required [] = Item is collapsible

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INFORMED CONSENT		
Type	RefName	Description
Item	DSSTDTC_001	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001		
Data Variable RefName	RD Column Name	Column Data Type
SUPPDS_DSCSOBT_001	SUPPDS_DSCSOBT_001_C	VARCHAR2
	SUPPDS_DSCSOBT_001	VARCHAR2
	SUPPDS_DSCSOBT_001_ND	VARCHAR2
SUPPDS_DSCSOBT_001 - DSSTDTC_001	DSSTDTC_001	DATE
	DSSTDTC_001_DTS	VARCHAR2

C4591076: INCLUSION/EXCLUSION CRITERIA (INEX) [IE002]		
Inclusion Criterion Identifier		Inclusion Criterion Description
1.		
Inclusion Criteria Not Met Entry [IE01002]		
1.1*	Identifier of the Inclusion Criterion the subject did not meet: [Inclusion Criterion Identifier]	[IESPID_002] [IESPID_CL_002] ▼
1.2	Description of the Inclusion Criterion the subject did not meet: <i>[read-only]</i> [Inclusion Criterion Description]	[IETEST_002] [IETEST_CL_002] ▼
Exclusion Criterion Identifier		Exclusion Criterion Description
2.		
Exclusion Criteria Met Entry [IE02002]		
2.1*	Identifier of the Exclusion Criterion the subject met: [Exclusion Criterion Identifier]	[IESPID1_002] [IESPID1_CL_002] ▼
2.2	Description of the Exclusion Criterion the subject met: <i>[read-only]</i> [Exclusion Criterion Description]	[IETEST1_002] [IETEST1_CL_002] ▼
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
IESPID_CL_002	String		1	1	cliIESPID_1	IESPID_002
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
IETEST_CL_002	String		Participants >=18 years of age at Visit 1 (Day 1).	0_1	cliIETEST_Inclusion_Description_1	IETEST_002
			Participants willing and able to comply with all scheduled visits/contacts, investigational plan, laboratory tests, and other study procedures.	0_2	cliIETEST_Inclusion_Description_2	
			Participants who are determined by medical history, physical examination (if indicated), and clinical judgement of the investigator to be eligible for inclusion in the study.	0_3	cliIETEST_Inclusion_Description_3	
			Participants who received a COVID-19 vaccine containing Omicron KP.2 >175 days, with no other COVID-19 vaccine/physician-confirmed COVID-19 disease since vaccination through enrollment in the study.	0_4	cliIETEST_Inclusion_Description_4	
			Participants 18 through 64 years of age only: Have at least 1 underlying medical condition that increases their risk of severe COVID-19 as listed in the protocol.	0_5	cliIETEST_Inclusion_Description_5	
			Capable of giving signed informed consent as described in Appendix 1 Section 10.1.3, which includes compliance with the requirements and restrictions listed in the ICD and in this protocol.	0_6	cliIETEST_Inclusion_Description_6	
			Cohort 1: Participants >= 18 years of age at Visit 1 (Day 1). Cohort 2: Participants >= 12 years of age at Visit 201 (Day 1).	1_1	cliIETEST_Inclusion_Description_1_A1	
			Cohort 1: Participants who received a COVID-19 vaccine containing Omicron KP.2 >175 days with no other COVID-19 vaccine/physician-confirmed COVID-19 disease since vaccination through enrollment.	1_4	cliIETEST_Inclusion_Description_4_A1	
			Cohort 1: Pts 18 - 64 yrs only, Cohort 2: Pts 12-64 yrs only: Have at least 1 underlying medical condition that increases their risk of severe COVID-19 as listed in the protocol.	1_5	cliIETEST_Inclusion_Description_5_A1	
			Capable of giving signed informed consent and assent as described in Appendix 1 Section 10.1.3, which includes compliance with the requirements and restrictions listed in the ICD and in this protocol.	1_6	cliIETEST_Inclusion_Description_6_A1	
IESPID1_CL_002	String		1	1	cliIESPID_1	IESPID1_002
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	

		6	6	cliIESPID_6	
		7	7	cliIESPID_7	
		8	8	cliIESPID_8	
		9	9	cliIESPID_9	
		10	10	cliIESPID_10	
		11	11	cliIESPID_11	
		12	12	cliIESPID_12	
		13	13	cliIESPID_13	
IETEST1_CL_002	String	Any medical/psychiatric condition including recent/active suicidal ideation/behavior or lab abnormality that increases risk of study participation and make the participant inappropriate for the study.	0_1	cliIETEST_Exclusion_Description_1	IETEST1_002
		History of severe adverse reaction associated with a vaccine and/or severe allergic reaction (eg, anaphylaxis) to any component of the study intervention(s).	0_2	cliIETEST_Exclusion_Description_2	
		Immunocompromised individuals with known or suspected immunodeficiency, as determined by history and/or laboratory/physical examination.	0_3	cliIETEST_Exclusion_Description_3	
		Bleeding diathesis or condition associated with prolonged bleeding that would, in the opinion of the investigator, contraindicate intramuscular injection.	0_4	cliIETEST_Exclusion_Description_4	
		Individuals who are pregnant or breastfeeding.	0_5	cliIETEST_Exclusion_Description_5	
		History of myocarditis or pericarditis.	0_6	cliIETEST_Exclusion_Description_6	
		Receipt of treatment with known systemic immunosuppressant medications (including cytotoxic agents or radiotherapy) within 60 days before enrollment or planned receipt through conclusion to the study.	0_7	cliIETEST_Exclusion_Description_7	
		Receipt of any blood/plasma products, immunoglobulin or monoclonal antibodies, or those that are considered immunosuppressive, from 60 days before study intervention administration/throughout the study.	0_8	cliIETEST_Exclusion_Description_8	
		Receipt of systemic corticosteroids, >=20mg/day of prednisone or equivalent, administered for >=14 days, within 28 days before enrollment or planned receipt through conclusion of the study.	0_9	cliIETEST_Exclusion_Description_9	
		Participation in other studies involving investigational drug(s), vaccines, or medical devices within 28 days before enrollment and/or during study participation.	0_10	cliIETEST_Exclusion_Description_10	
		Investigator site staff and their family members, site staff supervised by investigator, and sponsor/sponsor delegate employees directly involved in conduct of the study and their family members.	0_11	cliIETEST_Exclusion_Description_11	
		Any medical/psychiatric condition including recent/active suicidal ideation/behavior or lab abnormality that increases risk of study participation make the participant inappropriate for the study.	1_1	cliIETEST_Exclusion_Description_1_A1	
		Immunocompromised individuals with known or suspected immunodeficiency, as determined by history and/or laboratory/physical examination.	1_3	cliIETEST_Exclusion_Description_3_A1	
		For Cohort 2: Underlying medical condition wherein the participant would be considered for a second dose of COVID-19 vaccine to protect against the risk of severe COVID-19 based on standard of care.	1_10	cliIETEST_Exclusion_Description_10_A1	
		For Cohort 2: Receipt of a COVID-19 vaccine or a confirmed case of COVID-19 less than 5 months (150 days) prior to study enrollment.	1_11	cliIETEST_Exclusion_Description_11_A1	
		Participation in other studies involving investigational drug(s), vaccines, or medical devices within 28 days before enrollment and/or during study participation.	1_12	cliIETEST_Exclusion_Description_12_A1	
		Investigator site staff and their family members, site staff supervised by investigator, and sponsor/sponsor delegate employees directly involved in conduct of the study and their family members.	1_13	cliIETEST_Exclusion_Description_13_A1	

RDE Analytics: RD_IE002		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE002_IE01002		
IESPID_002	IESPID_002_C	VARCHAR2
	IESPID_002	VARCHAR2
	IESPID_002_ND	VARCHAR2
IETEST_002	IETEST_002_C	VARCHAR2
	IETEST_002	VARCHAR2
	IETEST_002_ND	VARCHAR2
RD_IE002_IE02002		
IESPID1_002	IESPID1_002_C	VARCHAR2
	IESPID1_002	VARCHAR2

	IESPID1_002_ND	VARCHAR2
IETEST1_002	IETEST1_002_C	VARCHAR2
	IETEST1_002	VARCHAR2
	IETEST1_002_ND	VARCHAR2

C4591076: DISPOSITION - SCREENING (DISP SCR) [DS001_4]

Disposition - Screening [DS01001_4]

1.*

Date of Completion/Discontinuation/Death:
[Date]

[DSSTDTC_001_4] (DD/MM/YYYY)

Req / Req / Req (2025-2026)

2.*

Status:
[Status]

[DSDECOD_001_4]

[DSDECOD_CL_001_4]

3.

Specify Status:
[Specify Status]

[DSTERM_001_4]

A100*

4.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_4]

[A:3] ☐ SCREENING

[A:41] ☐ REPEAT SCREENING 1

Key: [*] = Item is required [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - SCREENING		
Type	RefName	Description
Item	DSSTDTC_001_4	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_4	Specify Status

Codelist Values Tables: DISPOSITION - SCREENING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_4	String		ADVERSE EVENT	1	cliNCOMPLT_ADVERSE_EVENT	DSDECOD_001_4
			COMPLETED	2	cliNCOMPLT_COMPLETED	
			DEATH	3	cliNCOMPLT_DEATH	
			OTHER	7	cliNCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cliNCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	cliNCOMPLT_PREGNANCY	
			SCREEN FAILURE	13	cliNCOMPLT_SCREEN_FAILURE	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_WITHDRAWAL_BY_SUBJECT	
			MET ELIGIBILITY CRITERIA BUT NOT NEEDED	32	cliNCOMPLT_MET_ELIGIBILITY_CRITERIA_BUT_NOT_NEEDED	

RDE Analytics: RD_DS001_4		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_4	DSSTDTC_001_4	DATE
	DSSTDTC_001_4_DTS	VARCHAR2
	DSSTDTC_001_4_ND	VARCHAR2
DSDECOD_001_4	DSDECOD_001_4_C	VARCHAR2
	DSDECOD_001_4	VARCHAR2
	DSDECOD_001_4_ND	VARCHAR2
DSTERM_001_4	DSTERM_001_4	VARCHAR2
	DSTERM_001_4_ND	VARCHAR2
SUPPDS_DSPHASE_001_4	SUPPDS_DSPHASE_001_4_C	VARCHAR2
	SUPPDS_DSPHASE_001_4	VARCHAR2
	SUPPDS_DSPHASE_001_4_ND	VARCHAR2

C4591076: RANDOMIZATION (RAND) [DS001_3]		
Randomization [DS01001_3]		
1.*	Date of Randomization: [Date]	[DSSTDTC_001_3] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2026)
2.*	Randomization Number: [Reference ID]	[DSREFID_001_3] A20★
Key: [*] = Item is required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: RANDOMIZATION		
Type	RefName	Description
Item	DSSTDTC_001_3	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_3		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_3	DSSTDTC_001_3	DATE
	DSSTDTC_001_3_DTS	VARCHAR2
	DSSTDTC_001_3_ND	VARCHAR2
DSREFID_001_3	DSREFID_001_3	VARCHAR2
	DSREFID_001_3_ND	VARCHAR2

C4591076: GENERAL MEDICAL HISTORY (MEDHX) [MH001]				
	Line/MH Number	Medical History Term	Start Date Time	Ongoing
1.				
Medical History Details Entry [MH02001]				
1.1	Line/MH Number: <i>[read-only]</i> [Line/MH Number]	[MHSPID_001] N8		
1.2*	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: [Medical History Term]	[MHTERM_001] A100*		
1.3*	Start Date Time: [Start Date Time]	[MHSTDT_001] (DD/MM/YYYY hh:mm) Req/Unk v / Req/Unk v / Req v (1920-2025) NReq v : NReq v 24-hour clock		
1.4*	Ongoing: [Ongoing]	[X_MHONGO_001] [A:Y] ☐ YES [A:N] ☐ [MHENDTC_CMP_001] ☐ NO [MHENDTC_001] (DD/MM/YYYY) End Date: Req/Unk v / Req/Unk v / Req v (1920-2025)		
1.5	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM3_001] A200*		
1.6	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[MHLLT_001] A100*		
1.7	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[MHLLTCD_001] A8*		
1.8	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[MHDECOD_001] A100*		
1.9	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[MHPTCD_001] A8*		
1.10	High Level Term <i>[hidden]</i> [High Level Term]	[MHHLT_001] A100*		
1.11	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[MHHLTCD_001] A8*		
1.12	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[MHHLGT_001] A100*		
1.13	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[MHHLGTCD_001] A8*		
1.14	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[MHSOC_001] A100*		
1.15	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[MHSOCCD_001] A8*		
Key: [*] = Item is required [☐] = Item is collapsible [] = Key item [*] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.				

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: GENERAL MEDICAL HISTORY		
Type	RefName	Description
Form	MH001	GENERAL MEDICAL HISTORY
Item	MHSPID_001	A sponsor defined identifier which can be used for pre-printed numbers on the CRF. Populated as a sequential number
Item	MHTERM_001	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	MHSTDTC_001	Start Date of medical history event
Item	X_MHONGO_001	Indicates medical history event is ongoing when no end date is provided.
Item	MHENDTC_001	End Date of medical history event
Item	D_COMPTERM3_001	Hidden Item needed for clear coding rule.
Item	MHLLT_001	Lowest Level Term
Item	MHLLTCD_001	Lowest Level term
Item	MHDECOD_001	Dictionary Derived Term
Item	MHPTCD_001	Preferred Term Code
Item	MHHLT_001	High Level Term
Item	MHHLTCD_001	High Level Term Code
Item	MHHLGT_001	High Level Group Term
Item	MHHLGTC_001	High Level Group Term Code
Item	MHSOC_001	Primary System Organ Class
Item	MHSOCCD_001	Primary System Organ Class Code

Keys (navigation)/Uniqueness: GENERAL MEDICAL HISTORY		
Item	Unique	Order #
MH02001 (Repeating section)		
MHSPID_001	Individual	1

Coding Summary: GENERAL MEDICAL HISTORY		
Verbatim RefName: D_COMPTERM3_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC_001	SOC	Term
MHSOCCD_001	SOC	Code
MHHLGT_001	HLGT	Term
MHHLGTC_001	HLGT	Code
MHHLT_001	HLT	Term
MHHLTCD_001	HLT	Code
MHDECOD_001	PT	Term
MHPTCD_001	PT	Code
MHLLT_001	LLT	Term
MHLLTCD_001	LLT	Code

RDE Analytics: RD_MH001		
Data Variable RefName	RD Column Name	Column Data Type
RD_MH001_MH02001		
MHSPID_001	MHSPID_001	NUMBER
	MHSPID_001_ND	VARCHAR2

MHTERM_001	MHTERM_001	VARCHAR2
	MHTERM_001_ND	VARCHAR2
MHSTDTC_001	MHSTDTC_001	DATE
	MHSTDTC_001_DTS	VARCHAR2
	MHSTDTC_001_DTR	VARCHAR2
	MHSTDTC_001_ND	VARCHAR2
X_MHONGO_001	X_MHONGO_001_C	VARCHAR2
	X_MHONGO_001	VARCHAR2
	X_MHONGO_001_ND	VARCHAR2
X_MHONGO_001 - MHENDTC_001	MHENDTC_001	DATE
	MHENDTC_001_DTS	VARCHAR2
	MHENDTC_001_DTR	VARCHAR2
D_COMPTERM3_001	D_COMPTERM3_001	VARCHAR2
	D_COMPTERM3_001_ND	VARCHAR2
MHLLT_001	MHLLT_001	VARCHAR2
	MHLLT_001_ND	VARCHAR2
MHLLTCD_001	MHLLTCD_001	VARCHAR2
	MHLLTCD_001_ND	VARCHAR2
MHDECOD_001	MHDECOD_001	VARCHAR2
	MHDECOD_001_ND	VARCHAR2
MHPTCD_001	MHPTCD_001	VARCHAR2
	MHPTCD_001_ND	VARCHAR2
MHHLT_001	MHHLT_001	VARCHAR2
	MHHLT_001_ND	VARCHAR2
MHHLTCD_001	MHHLTCD_001	VARCHAR2
	MHHLTCD_001_ND	VARCHAR2
MHHLGT_001	MHHLGT_001	VARCHAR2
	MHHLGT_001_ND	VARCHAR2
MHHLGTCD_001	MHHLGTCD_001	VARCHAR2
	MHHLGTCD_001_ND	VARCHAR2
MHSOC_001	MHSOC_001	VARCHAR2
	MHSOC_001_ND	VARCHAR2
MHSOCCD_001	MHSOCCD_001	VARCHAR2
	MHSOCCD_001_ND	VARCHAR2

C4591076: LOCALLY READ ECGs REPEATING (LOCALECGR) - Repeating Form [EG001_3]

#	ECG Date Time	ECG Interpretation	ECG Results	ECG Findings
1				

Locally Read ECGs Repeating [EG01001_3]

1.*	ECG Date Time: [ECG Date Time]	[EGDTC_001_3] (DD/MM/YYYY hh:mm) Req v / Req v / Req v (2025-2026) Req v : Req v 24-hour clock		
2.*	Was ECG: [ECG Interpretation]	[EGORRES_INTP_001_3] [A:1] ☐ [EGCLSIG_CMP_001_3] ☐ ABNORMAL [EGCLSIG_001_3] If abnormal, was the overall ECG clinically significant? [A:Y] ☐ YES [A:N] ☐ NO [A:2] ☐ INDETERMINATE [A:3] ☐ NORMAL [A:4] ☐ UNKNOWN		

ECG Results [EG02001_3]

#	ECG Test Name	Result*	Unit
3.a	ECG MEAN HEART RATE		beats/min

ECG Results Entry [EG02001_3]

3.1	ECG Test Name: [ECG Test Name]	[EGTEST_001_3] [A:128] ☐ ECG MEAN HEART RATE	
3.2*	Result: [Result]	[EGORRES_001_3] A200*	
3.3	Unit: [Unit]	[EGORRESU_001_3] [A:114] ☐ beats/min	

Findings

4.	
----	--

ECG Findings Entry [EG03001_3]

4.1*	Findings: [Findings]	[EGORRES_EGTESTCD_EGFIND_001_3] [EGORRES_EGTESTCD_EGFIND_CL_001_3] v
------	-------------------------	---

Key: [*] = Item is required [☐] = Item is collapsible [] = Fixed item [*] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: LOCALLY READ ECGs REPEATING		
Type	RefName	Description
Form	EG001_3	EG001 - LOCALLY READ ECGs
Item	EGDTC_001_3	Date of ECG.
Item	EGORRES_INTP_001_3	ECG Interpretation - Normal, Abnormal, Not Evaluable.
Item	EGCLSIG_001_3	Whether ECG results were clinically significant. Need a rule as EGCLSIG is completed only if EGNABN = "ABNORMAL" or "INDETERMINATE"
Item	EGTEST_001_3	Name of ECG Measurement, test or examination. Long name for EGTESTCD.
Item	EGORRES_001_3	Result of the measurement or finding as originally received or collected.
Item	EGORRESU_001_3	Original units in which the data were collected.
Item	EGORRES_EGTESTCD_EGFIND_001_3	Result of findings or interpretation.

Codelist Values Tables: LOCALLY READ ECGs REPEATING			

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
EGORRES_EGTESTCD_EGFIND_CL_001_3	String		SINUS TACHYCARDIA	1	cliEGSTRESC_SINUS_TACHYCARDIA	EGORRES_EGTESTCD_EGFIND_001_3
			SINUS BRADYCARDIA	2	cliEGSTRESC_SINUS_BRADYCARDIA	
			PRE-EXCITATION	3	cliEGSTRESC_PRE_EXCITATION	
			AV NODE RE-ENTRY	4	cliEGSTRESC_AV_NODE_RE_ENTRY	
			JUNCTIONAL TACHYCARDIA	5	cliEGSTRESC_JUNCTIONAL_TACHYCARDIA	
			SUPRAVENTRICULAR TACHYCARDIA	6	cliEGSTRESC_SUPRAVENTRICULAR_TACHYCARDIA	
			WOLFF-PARKINSON-WHITE SYNDROME	7	cliEGSTRESC_WOLFF_PARKINSON_WHITE_SYNDROME	
			ATRIAL TACHYCARDIA	8	cliEGSTRESC_ATRIAL_TACHYCARDIA	
			ATRIAL FIBRILLATION	9	cliEGSTRESC_ATRIAL_FIBRILLATION	
			3RD DEGREE AV BLOCK	10	cliEGSTRESC_3RD_DEGREE_AV_BLOCK	
			TORSADES DE POINTES	11	cliEGSTRESC_TORSADES_DE_POINTES	
			VENTRICULAR FIBRILLATION	12	cliEGSTRESC_VENTRICULAR_FIBRILLATION	
			VENTRICULAR FLUTTER	13	cliEGSTRESC_VENTRICULAR_FLUTTER	
			VENTRICULAR TACHYCARDIA	14	cliEGSTRESC_VENTRICULAR_TACHYCARDIA	
			ATRIAL FLUTTER	15	cliEGSTRESC_ATRIAL_FLUTTER	
			R ON T PHENOMENON	16	cliEGSTRESC_R_ON_T_PHENOMENON	
			1ST DEGREE AV BLOCK	17	cliEGSTRESC_1ST_DEGREE_AV_BLOCK	
			2ND DEGREE AV BLOCK	18	cliEGSTRESC_2ND_DEGREE_AV_BLOCK	
			VENTRICULAR TACHYCARDIA, MONOMORPHIC	19	cliEGSTRESC_VENTRICULAR_TACHYCARDIA_MONOMORPHIC	
			VENTRICULAR TACHYCARDIA, POLYMORPHIC	20	cliEGSTRESC_VENTRICULAR_TACHYCARDIA_POLYMORPHIC	
			SINUS ARRHYTHMIA	21	cliEGSTRESC_SINUS_ARRHYTHMIA	
			WANDERING ATRIAL PACEMAKER	22	cliEGSTRESC_WANDERING_ATRIAL_PACEMAKER	
			SINUS ARREST/PAUSE	23	cliEGSTRESC_SINUS_ARREST_PAUSE	
			ST ELEVATION	24	cliEGSTRESC_ST_ELEVATION	
			ST ELEVATION PERICARDITIS	25	cliEGSTRESC_ST_ELEVATION_PERICARDITIS	
			J POINT ELEVATION	26	cliEGSTRESC_J_POINT_ELEVATION	
			NON-SPECIFIC ST-T CHANGES	27	cliEGSTRESC_NON_SPECIFIC_ST_T_CHANGES	
			NOTCHED T WAVES	28	cliEGSTRESC_NOTCHED_T_WAVES	
			POOR R WAVE PROGRESSION	29	cliEGSTRESC_POOR_R_WAVE_PROGRESSION	
			PROLONGED QT	30	cliEGSTRESC_PROLONGED_QT	
			ELECTRICAL ALTERNANS	31	cliEGSTRESC_ELECTRICAL_ALTERNANS	
			SINOATRIAL EXIT BLOCK	32	cliEGSTRESC_SINOATRIAL_EXIT_BLOCK	
			ATRIAL ENLARGEMENT	33	cliEGSTRESC_ATRIAL_ENLARGEMENT	
			LEFT ATRIAL ABNORMALITY	34	cliEGSTRESC_LEFT_ATRIAL_ABNORMALITY	
			RIGHT ATRIAL ABNORMALITY	35	cliEGSTRESC_RIGHT_ATRIAL_ABNORMALITY	
			ECTOPIC VENTRICULAR RHYTHM	36	cliEGSTRESC_ECTOPIC_VENTRICULAR_RHYTHM	
			PREMATURE VENTRICULAR COMPLEX INTERPOLATED	37	cliEGSTRESC_PREMATURE_VENTRICULAR_COMPLEX_INTERPOLATED	
			2:1 AV BLOCK	38	cliEGSTRESC_2_1_AV_BLOCK	
			ATRIOVENTRICULAR DISSOCIATION	39	cliEGSTRESC_ATRIOVENTRICULAR DISSOCIATION	
			BIFASCICULAR BLOCK	40	cliEGSTRESC_BIFASCICULAR_BLOCK	
			INCOMPLETE LEFT BUNDLE BRANCH BLOCK	41	cliEGSTRESC_INCOMPLETE_LEFT_BUNDLE_BRANCH_BLOCK	
			INCOMPLETE RIGHT BUNDLE BRANCH BLOCK	42	cliEGSTRESC_INCOMPLETE_RIGHT_BUNDLE_BRANCH_BLOCK	
			NEW POSTERIOR WALL MYOCARDIAL INFARCTION	43	cliEGSTRESC_NEW_POSTERIOR_WALL_MYOCARDIAL_INFARCTION	
			MULTIFOCAL ATRIAL TACHYCARDIA	44	cliEGSTRESC_MULTIFOCAL_ATRIAL_TACHYCARDIA	
			JUNCTIONAL RHYTHM	45	cliEGSTRESC_JUNCTIONAL_RHYTHM	
			SUSTAINED VENTRICULAR TACHYCARDIA	46	cliEGSTRESC_SUSTAINED_VENTRICULAR_TACHYCARDIA	

NON-SUSTAINED VENTRICULAR TACHYCARDIA	47	cliEGSTRESC_NON_SUSTAINED_VENTRICULAR_TACHYCARDIA
BRUGADA SYNDROME PATTERN	48	cliEGSTRESC_BRUGADA_SYNDROME_PATTERN
VENTRICULAR TRIGEMINY	49	cliEGSTRESC_VENTRICULAR_TRIGEMINY
ACUTE EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION	50	cliEGSTRESC_ACUTE_EXTENSIVE_ANT_WALL_MYOCARD_INFARCTION
EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION	51	cliEGSTRESC_EXTENSIVE_ANT_WALL_MYOCARD_INFARCTION
QTCF PROLONGATION	52	cliEGSTRESC_QTCF_PROLONGATION
BIVENTRICULAR HYPERTROPHY	53	cliEGSTRESC_BIVENTRICULAR_HYPERTROPHY
VENTRICULAR BIGEMINY	54	cliEGSTRESC_VENTRICULAR_BIGEMINY
ACUTE ANTERIOR WALL MYOCARDIAL INFARCTION	55	cliEGSTRESC_ACUTE_ANTERIOR_WALL_MYOCARDIAL_INFARCTION
ACUTE INFERIOR WALL MYOCARDIAL INFARCTION	56	cliEGSTRESC_ACUTE_INFERIOR_WALL_MYOCARDIAL_INFARCTION
ACUTE LATERAL WALL MYOCARDIAL INFARCTION	57	cliEGSTRESC_ACUTE_LATERAL_WALL_MYOCARDIAL_INFARCTION
ACUTE POSTERIOR WALL MYOCARDIAL INFARCTION	58	cliEGSTRESC_ACUTE_POSTERIOR_WALL_MYOCARDIAL_INFARCTION
ANTERIOR WALL MYOCARDIAL INFARCTION	59	cliEGSTRESC_ANTERIOR_WALL_MYOCARDIAL_INFARCTION
INFERIOR WALL MYOCARDIAL INFARCTION	60	cliEGSTRESC_INFERIOR_WALL_MYOCARDIAL_INFARCTION
INTRAATRIAL CONDUCTION DELAY	61	cliEGSTRESC_INTRAATRIAL_CONDUCTION_DELAY
JUNCTIONAL BRADYCARDIA	62	cliEGSTRESC_JUNCTIONAL_BRADYCARDIA
LATERAL WALL MYOCARDIAL INFARCTION	63	cliEGSTRESC_LATERAL_WALL_MYOCARDIAL_INFARCTION
LEFT VENTRICULAR HYPERTROPHY	64	cliEGSTRESC_LEFT_VENTRICULAR_HYPERTROPHY
RIGHT VENTRICULAR HYPERTROPHY	65	cliEGSTRESC_RIGHT_VENTRICULAR_HYPERTROPHY
LOW QRS VOLTAGE	66	cliEGSTRESC_LOW_QRS_VOLTAGE
NON Q WAVE MYOCARDIAL INFARCTION	67	cliEGSTRESC_NON_Q_WAVE_MYOCARDIAL_INFARCTION
POSTERIOR WALL MYOCARDIAL INFARCTION	68	cliEGSTRESC_POSTERIOR_WALL_MYOCARDIAL_INFARCTION
SEPTAL MYOCARDIAL INFARCTION	69	cliEGSTRESC_SEPTAL_MYOCARDIAL_INFARCTION
T WAVE INVERSION	70	cliEGSTRESC_T_WAVE_INVERSION
T WAVE PEAKED	71	cliEGSTRESC_T_WAVE_PEAKED
T WAVES BIPHASIC	72	cliEGSTRESC_T_WAVES_BIPHASIC
T WAVES FLAT	73	cliEGSTRESC_T_WAVES_FLAT
WIDE QRS TACHYCARDIA	74	cliEGSTRESC_WIDE_QRS_TACHYCARDIA
Q AXIS, LEFT AXIS DEVIATION	75	cliEGSTRESC_Q_AXIS_LEFT_AXIS_DEVIATION
Q AXIS, RIGHT AXIS DEVIATION	76	cliEGSTRESC_Q_AXIS_RIGHT_AXIS_DEVIATION
AV MOBITZ I	77	cliEGSTRESC_AV_MOBITZ_I
AV MOBITZ II	78	cliEGSTRESC_AV_MOBITZ_II
PACED RHYTHM	79	cliEGSTRESC_PACED_RHYTHM
BORDERLINE QTCB	80	cliEGSTRESC_BORDERLINE_QTCB
BORDERLINE QTCF	81	cliEGSTRESC_BORDERLINE_QTCF
LEFT VENTRICULAR CONDUCTION DELAY	82	cliEGSTRESC_LEFT_VENTRICULAR_CONDUCTION_DELAY
PACED ATRIAL AND VENTRICULAR RHYTHM	83	cliEGSTRESC_PACED_ATRIAL_AND_VENTRICULAR_RHYTHM
PACED ATRIAL RHYTHM	84	cliEGSTRESC_PACED_ATRIAL_RHYTHM
PACED VENTRICULAR RHYTHM	85	cliEGSTRESC_PACED_VENTRICULAR_RHYTHM
RIGHT VENTRICULAR CONDUCTION DELAY	86	cliEGSTRESC_RIGHT_VENTRICULAR_CONDUCTION_DELAY
RSR PRIME	87	cliEGSTRESC_RSR_PRIME
BRADYCARDIA	88	cliEGSTRESC_BRADYCARDIA
P WAVE ABNORMALITY	89	cliEGSTRESC_P_WAVE_ABNORMALITY
P WAVE NOTCHED	90	cliEGSTRESC_P_WAVE_NOTCHED
PAROXYSMAL VENTRICULAR TACHYCARDIA	91	cliEGSTRESC_PAROXYSMAL_VENTRICULAR_TACHYCARDIA
QRS COMPLEX ABNORMALITY	92	cliEGSTRESC_QRS_COMPLEX_ABNORMALITY

QTCB PROLONGATION	93	cliEGSTRESC_QTCB_PROLONGATION
R WAVE NOTCHED	94	cliEGSTRESC_R_WAVE_NOTCHED
TACHYCARDIA	95	cliEGSTRESC_TACHYCARDIA
VENTRICULAR ESCAPE BEAT	96	cliEGSTRESC_VENTRICULAR_ESCAPE_BEAT
ECTOPIC ATRIAL RHYTHM	97	cliEGSTRESC_ECTOPIC_ATRIAL_RHYTHM
SHORT PR INTERVAL	98	cliEGSTRESC_SHORT_PR_INTERVAL
ISORHYTHMIC DISSOCIATION	99	cliEGSTRESC_ISORHYTHMIC_DISSOCIATION
PAROXYSMAL AV BLOCK	100	cliEGSTRESC_PAROXYSMAL_AV_BLOCK
PREMATURE VENTRICULAR COMPLEX	101	cliEGSTRESC_PREMATURE_VENTRICULAR_COMPLEX
PREMATURE ATRIAL COMPLEXES	102	cliEGSTRESC_PREMATURE_ATRIAL_COMPLEXES
DELTA WAVE	103	cliEGSTRESC_DELTA_WAVE
VENTRICULAR COUPLET	104	cliEGSTRESC_VENTRICULAR_COUPLET
AV RE-ENTRANT TACHYCARDIA	105	cliEGSTRESC_AV_RE_ENTRANT_TACHYCARDIA
ACCELERATED IDIOVENTRICULAR RHYTHM	106	cliEGSTRESC_ACCELERATED_IDIOVENTRICULAR_RHYTHM
LEFT ANTERIOR FASCICULAR BLOCK	107	cliEGSTRESC_LEFT_ANTERIOR_FASCICULAR_BLOCK
LEFT POSTERIOR FASCICULAR BLOCK	108	cliEGSTRESC_LEFT_POSTERIOR_FASCICULAR_BLOCK
LEFT BUNDLE BRANCH BLOCK	109	cliEGSTRESC_LEFT_BUNDLE_BRANCH_BLOCK
RIGHT BUNDLE BRANCH BLOCK	110	cliEGSTRESC_RIGHT_BUNDLE_BRANCH_BLOCK
INTRAVENTRICULAR CONDUCTION DELAY, NONSPECIFIC	111	cliEGSTRESC_INTRAVENTRICULAR_CONDUCT_DELAY_NONSPECIFIC
ST DEPRESSION	112	cliEGSTRESC_ST_DEPRESSION
LATE R WAVE TRANSITION	113	cliEGSTRESC_LATE_R_WAVE_TRANSITION
LEFT VENTRICULAR HYPERTROPHY WITH STRAIN	114	cliEGSTRESC_LEFT_VENTRICULAR_HYPERTROPHY_WITH_STRAIN
MYOCARDIAL INFARCTION	115	cliEGSTRESC_MYOCARDIAL_INFARCTION
NEW ANTERIOR WALL MYOCARDIAL INFARCTION	116	cliEGSTRESC_NEW_ANTERIOR_WALL_MYOCARDIAL_INFARCTION
NEW ANTEROLATERAL WALL MYOCARDIAL INFARCTION	117	cliEGSTRESC_NEW_ANTEROLATERAL_WALL_MYOCARD_INFARCTION
NEW ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	118	cliEGSTRESC_NEW_ANTEROSEPTAL_WALL_MYOCARDIAL_INFARCTION
NEW EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION	119	cliEGSTRESC_NEW_EXTENSIVE_ANT_WALL_MYOCARD_INFARCTION
NEW HIGH LATERAL WALL MYOCARDIAL INFARCTION	120	cliEGSTRESC_NEW_HIGH_LATERAL_WALL_MYOCARDIAL_INFARCTION
NEW INFERIOR WALL MYOCARDIAL INFARCTION	121	cliEGSTRESC_NEW_INFERIOR_WALL_MYOCARDIAL_INFARCTION
NEW LATERAL WALL MYOCARDIAL INFARCTION	122	cliEGSTRESC_NEW_LATERAL_WALL_MYOCARDIAL_INFARCTION
NEW MYOCARDIAL INFARCTION	123	cliEGSTRESC_NEW_MYOCARDIAL_INFARCTION
NEW SEPTAL WALL MYOCARDIAL INFARCTION	124	cliEGSTRESC_NEW_SEPTAL_WALL_MYOCARDIAL_INFARCTION
NON-SUSTAINED ATRIAL TACHYCARDIA	125	cliEGSTRESC_NON_SUSTAINED_ATRIAL_TACHYCARDIA
NORMAL SINUS RHYTHM	126	cliEGSTRESC_NORMAL_SINUS_RHYTHM
NORTHWEST AXIS	127	cliEGSTRESC_NORTHWEST_AXIS
OLD OR AGE INDETERMINATE ANTERIOR WALL MYOCARDIAL INFARCTION	128	cliEGSTRESC_OLD_OR_AGE_INDT_ANTERIOR_WALL_MYOC_INFAR
OLD OR AGE INDETERMINATE ANTEROLATERAL WALL MYOCARDIAL INFARCTION	129	cliEGSTRESC_OLD_OR_AGE_INDT_ANTEROLAT_WALL_MYOC_INFAR
OLD OR AGE INDETERMINATE ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	130	cliEGSTRESC_OLD_OR_AGE_INDT_ANTEROSEP_WALL_MYOC_INFAR
OLD OR AGE INDETERMINATE EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION	131	cliEGSTRESC_OLD_OR_AGE_INDT_EXTENS_ANT_WALL_MYOC_INFAR
OLD OR AGE INDETERMINATE HIGH LATERAL WALL MYOCARDIAL INFARCTION	132	cliEGSTRESC_OLD_OR_AGE_INDT_HIGH_LAT_WALL_MYOC_INFAR
OLD OR AGE INDETERMINATE INFERIOR WALL MYOCARDIAL INFARCTION	133	cliEGSTRESC_OLD_OR_AGE_INDT_INFERIOR_WALL_MYOC_INFAR

OLD OR AGE INDETERMINATE LATERAL WALL MYOCARDIAL INFARCTION	134	cliEGSTRESC_OLD_OR_AGE_INDT_LAT_WALL_MYOC_INFAR
OLD OR AGE INDETERMINATE POSTERIOR WALL MYOCARDIAL INFARCTION	135	cliEGSTRESC_OLD_OR_AGE_INDT_POSTERIOR_WALL_MYOC_INFAR
OLD OR AGE INDETERMINATE SEPTAL WALL MYOCARDIAL INFARCTION	136	cliEGSTRESC_OLD_OR_AGE_INDT_SEPTAL_WALL_MYOC_INFAR
OLD OR AGE INDETERMINATE WALL MYOCARDIAL INFARCTION	137	cliEGSTRESC_OLD_OR_AGE_INDETERMINATE_WALL_MYOC_INFAR
PREMATURE ATRIAL COMPLEXES BLOCKED	138	cliEGSTRESC_PREMATURE_ATRIAL_COMPLEXES_BLOCKED
PREMATURE ATRIAL COMPLEXES MULTIFOCAL	139	cliEGSTRESC_PREMATURE_ATRIAL_COMPLEXES_MULTIFOCAL
PREMATURE ATRIAL COMPLEXES UNIFOCAL	140	cliEGSTRESC_PREMATURE_ATRIAL_COMPLEXES_UNIFOCAL
PREMATURE VENTRICULAR COMPLEXES MULTIFOCAL	141	cliEGSTRESC_PREMATURE_VENTRICULAR_COMPLEXES_MULTIFOCAL
PREMATURE VENTRICULAR COMPLEXES UNIFOCAL	142	cliEGSTRESC_PREMATURE_VENTRICULAR_COMPLEXES_UNIFOCAL
QTC PROLONGATION	143	cliEGSTRESC_QTC_PROLONGATION
REPOLARIZATION ABNORMALITY	144	cliEGSTRESC_REPOLARIZATION_ABNORMALITY
REPOLARIZATION ABNORMALITY SECONDARY TO VENTRICULAR HYPERTROPHY	145	cliEGSTRESC_REPOLAR_ABN_SECONDARY_TO_VENTR_HYPERTROPHY
SHORT QTC INTERVAL	146	cliEGSTRESC_SHORT_QTC_INTERVAL
SINUS RHYTHM	147	cliEGSTRESC_SINUS_RHYTHM
T WAVE ALTERNANS	148	cliEGSTRESC_T_WAVE_ALTERNANS
VENTRICULAR PARASYSTOLE	149	cliEGSTRESC_VENTRICULAR_PARASYSTOLE
ACUTE ANTEROLATERAL WALL MYOCARDIAL INFARCTION	150	cliEGSTRESC_ACUTE_ANTEROLATERAL_WALL_MYOC_INFAR
ACUTE ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	151	cliEGSTRESC_ACUTE_ANTEROSEPTAL_WALL_MYOC_INFAR
ACUTE HIGH LATERAL WALL MYOCARDIAL INFARCTION	152	cliEGSTRESC_ACUTE_HIGH_LATERAL_WALL_MYOC_INFAR
ACUTE MYOCARDIAL INFARCTION	153	cliEGSTRESC_ACUTE_MYOCARDIAL_INFARCTION
ACUTE RIGHT VENTRICULAR WALL MYOCARDIAL INFARCTION	154	cliEGSTRESC_ACUTE_RIGHT_VENTRICULAR_WALL_MYOC_INFAR
ACUTE SEPTAL WALL MYOCARDIAL INFARCTION	155	cliEGSTRESC_ACUTE_SEPTAL_WALL_MYOCARDIAL_INFARCTION
ADVANCED/HIGH GRADE AV BLOCK	156	cliEGSTRESC_ADVANCED_HIGH_GRADE_AV_BLOCK
ANTEROLATERAL WALL MYOCARDIAL INFARCTION	157	cliEGSTRESC_ANTEROLATERAL_WALL_MYOCARDIAL_INFARCTION
ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	158	cliEGSTRESC_ANTEROSEPTAL_WALL_MYOCARDIAL_INFARCTION
ATRIAL BIGEMINY	159	cliEGSTRESC_ATRIAL_BIGEMINY
ATRIAL COUPLETS	160	cliEGSTRESC_ATRIAL_COUPLETS
ATRIAL TRIGEMINY	161	cliEGSTRESC_ATRIAL_TRIGEMINY
DEXTROCARDIA	162	cliEGSTRESC_DEXTROCARDIA
EARLY R WAVE TRANSITION	163	cliEGSTRESC_EARLY_R_WAVE_TRANSITION
EARLY REPOLARIZATION	164	cliEGSTRESC_EARLY_REPOLARIZATION
FUSION COMPLEX	165	cliEGSTRESC_FUSION_COMPLEX
HIGH LATERAL WALL MYOCARDIAL INFARCTION	166	cliEGSTRESC_HIGH_LATERAL_WALL_MYOCARDIAL_INFARCTION
IDIOVENTRICULAR RHYTHM	167	cliEGSTRESC_IDIOVENTRICULAR_RHYTHM
INDETERMINATE QRS AXIS	168	cliEGSTRESC_INDETERMINATE_QRS_AXIS
JUNCTIONAL PREMATURE COMPLEX	169	cliEGSTRESC_JUNCTIONAL_PREMATURE_COMPLEX
SHORT QTCB	170	cliEGSTRESC_SHORT_QTCB
SHORT QTCF	171	cliEGSTRESC_SHORT_QTCF
U WAVE ABNORMALITY	172	cliEGSTRESC_U_WAVE_ABNORMALITY
BASELINE WANDER	173	cliEGSTRESC_BASELINE_WANDER
MUSCLE TREMOR	174	cliEGSTRESC_MUSCLE_TREMOR

AC NOISE	175	clIEGSTRESC_AC_NOISE
LIMB ELECTRODES INTERCHANGED	176	clIEGSTRESC_LIMB_ELECTRODES_INTERCHANGED
LIMB ELECTRODE(S) DISCONNECTED	177	clIEGSTRESC_LIMB_ELECTRODE_S_DISCONNECTED
PRECORDIAL ELECTRODES INTERCHANGED	178	clIEGSTRESC_PRECORDIAL_ELECTRODES_INTERCHANGED
PRECORDIAL ELECTRODE V1 DISCONNECTED	179	clIEGSTRESC_PRECORDIAL_ELECTRODE_V1_DISCONNECTED
PRECORDIAL ELECTRODE V2 DISCONNECTED	180	clIEGSTRESC_PRECORDIAL_ELECTRODE_V2_DISCONNECTED
PRECORDIAL ELECTRODE V3 DISCONNECTED	181	clIEGSTRESC_PRECORDIAL_ELECTRODE_V3_DISCONNECTED
PRECORDIAL ELECTRODE V4 DISCONNECTED	182	clIEGSTRESC_PRECORDIAL_ELECTRODE_V4_DISCONNECTED
PRECORDIAL ELECTRODE V5 DISCONNECTED	183	clIEGSTRESC_PRECORDIAL_ELECTRODE_V5_DISCONNECTED
PRECORDIAL ELECTRODE V6 DISCONNECTED	184	clIEGSTRESC_PRECORDIAL_ELECTRODE_V6_DISCONNECTED
ALL PRECORDIAL ELECTRODES DISCONNECTED	185	clIEGSTRESC_ALL_PRECORDIAL_ELECTRODES_DISCONNECTED
PRECORDIAL ELECTRODE(S) POSITIONED INCORRECTLY	186	clIEGSTRESC_PRECORDIAL_ELECTRODE_S_POSITION_INCORRECTLY
QUALITY PROBLEM NOT OTHERWISE SPECIFIED	187	clIEGSTRESC_QUALITY_PROBLEM_NOT_OTHERWISE_SPECIFIED
ARTIFACT	188	clIEGSTRESC_ARTIFACT
NO ECG WAVEFORMS PRESENT	189	clIEGSTRESC_NO_ECG_WAVEFORMS_PRESENT
60 HZ NOISE	190	clIEGSTRESC_60_HZ_NOISE
50 HZ NOISE	191	clIEGSTRESC_50_HZ_NOISE
LOW AMPLITUDE SIGNAL	192	clIEGSTRESC_LOW_AMPLITUDE_SIGNAL
INCOMPLETE ECG	193	clIEGSTRESC_INCOMPLETE_ECG
INCORRECTLY SCALED ECG	194	clIEGSTRESC_INCORRECTLY_SCALED_ECG
INCOMPLETELY DIGITIZED ECG LEAD(S)	195	clIEGSTRESC_INCOMPLETELY_DIGITIZED_ECG_LEAD_S_
UNABLE TO DIGITIZE ECG LEADS	196	clIEGSTRESC_UNABLE_TO_DIGITIZE_ECG_LEADS
INVALID ECG WAVEFORMS	197	clIEGSTRESC_INVALID_ECG_WAVEFORMS
POOR QUALITY ECG	198	clIEGSTRESC_POOR_QUALITY_ECG
SUSPECT LIMB ELECTRODES REVERSED, INTERPRETATION ASSUMES NO REVERSAL	199	clIEGSTRESC_SUSPECT_LIMB_ELECTR_REVERSED_INTERP_NO_REVE
SUSPECT LIMB ELECTRODES REVERSED, INTERPRETATION ASSUMES REVERSAL	200	clIEGSTRESC_SUSPECT_LIMB_ELECTR_REVERSED_INTERP_REVERS
ECG ACQUIRED WITH PRECORDIAL ELECTRODES PLACED ON RIGHT CHEST	201	clIEGSTRESC_ECG_ACQUIRED_PRECORDIAL_ELECTR_PLACED_RIGHT
OTHER INCORRECT ELECTRODE PLACEMENT	202	clIEGSTRESC_OTHER_INCORRECT_ELECTRODE_PLACEMENT
INSUFFICIENT NUMBER OF BEATS TO COMPLETELY EVALUATE ECG	203	clIEGSTRESC_INSUFF_NUMBER_OF_BEATS_TO_COMPLET_EVAL_ECG
ECG EVALUATION NOT PERFORMED DUE TO UNKNOWN ECG AMPLITUDE GAIN OR RECD SPEE	204	clIEGSTRESC_ECG_EVAL_NOT_PERF_UNK_ECG_AMP_GAIN_OR_RECD
INCOMPLETE MEASUREMENTS DUE TO TRUNCATION OF QRS COMPLEXES	205	clIEGSTRESC_INCOMP_MEASURS_TRUNCATION_OF_QRS_COMPLEXES
ECG EVALUATION NOT PERFORMED DUE TO POOR QUALITY OF PRINTED ECG	206	clIEGSTRESC_ECG_EVAL_NOT_PERF_POOR_QUAL_PRINTED_ECG
ECG EVALUATION NOT PERFORMED DUE TO CORRUPTED DIGITAL ECG FILE	207	clIEGSTRESC_ECG_EVAL_NOT_PERF_CORRUPT_DIGITAL_ECG_FILE
ABERRANTLY CONDUCTED COMPLEXES	208	clIEGSTRESC_ABERRANTLY_CONDUCTED_COMPLEXES
ASYSTOLE	209	clIEGSTRESC_ASYSTOLE
CV ENDPOINTS ISCHEMIC ECG CHANGES	210	clIEGSTRESC_CV_ENDPOINTS_ISCHEMIC_ECG_CHANGES
JUNCTIONAL ESCAPE COMPLEXES	211	clIEGSTRESC_JUNCTIONAL_ESCAPE_COMPLEXES
LOW VOLTAGE - LIMB LEADS ONLY	212	clIEGSTRESC_LOW_VOLTAGE_LIMB_LEADS_ONLY
NON-DIAGNOSTIC Q WAVES	213	clIEGSTRESC_NON_DIAGNOSTIC_Q_WAVES
OLD OR AGE UNDETERMINED RIGHT VENTRICULAR MYOCARDIAL INFARCTION	214	clIEGSTRESC_OLD_OR_AGE_UNDETER_RIGHT_VENTR_MYOC_INFAR
PR SEGMENT DEPRESSION	215	clIEGSTRESC_PR_SEGMENT_DEPRESSION

		PROLONGED ST SEGMENT	216	cliEGSTRESC_PROLONGED_ST_SEGMENT
		SHORT ST SEGMENT	217	cliEGSTRESC_SHORT_ST_SEGMENT
		UNDETERMINED RHYTHM	218	cliEGSTRESC_UNDETERMINED_RHYTHM
		ATRIAL TACHYCARDIA WITH AV BLOCK	219	cliEGSTRESC_ATRIAL_TACHYCARDIA_WITH_AV_BLOCK
		PAUSE	220	cliEGSTRESC_PAUSE
		PAUSE GREATER THAN 3.0 SECONDS	221	cliEGSTRESC_PAUSE_GREATER_THAN_3D0_SECONDS
		SUPRAVENTRICULAR COUPLET	222	cliEGSTRESC_SUPRAVENTRICULAR_COUPLET
		UNDETERMINED SUPRAVENTRICULAR RHYTHM	223	cliEGSTRESC_UNDETERMINED_SUPRAVENTRICULAR_RHYTHM
		VOLTAGE CRITERIA SUGGESTING LEFT VENTRICULAR HYPERTROPHY, WITHOUT SECONDARY ECG	224	cliEGSTRESC_VOLT_CRIT_LEFT_VENTR_HYPERTROPHY_WO_SECOND

RDE Analytics: RD_EG001_3		
Data Variable RefName	RD Column Name	Column Data Type
EGDTC_001_3	EGDTC_001_3	DATE
	EGDTC_001_3_DTS	VARCHAR2
	EGDTC_001_3_ND	VARCHAR2
EGORRES_INTP_001_3	EGORRES_INTP_001_3_C	VARCHAR2
	EGORRES_INTP_001_3	VARCHAR2
	EGORRES_INTP_001_3_ND	VARCHAR2
EGORRES_INTP_001_3 - EGCLSIG_001_3	EGCLSIG_001_3_C	VARCHAR2
	EGCLSIG_001_3	VARCHAR2
RD_EG001_3_EG02001_3		
EGTEST_001_3	EGTEST_001_3_C	VARCHAR2
	EGTEST_001_3	VARCHAR2
	EGTEST_001_3_ND	VARCHAR2
EGORRES_001_3	EGORRES_001_3	VARCHAR2
	EGORRES_001_3_ND	VARCHAR2
EGORRESU_001_3	EGORRESU_001_3_C	VARCHAR2
	EGORRESU_001_3	VARCHAR2
	EGORRESU_001_3_ND	VARCHAR2
RD_EG001_3_EG03001_3		
EGORRES_EGTESTCD_EGFIND_001_3	*EGORRES_EGTESTCD_EGFIND_001_3_C	VARCHAR2
	*EGORRES_EGTESTCD_EGFIND_001_3	VARCHAR2
	*EGORRES_EGTESTCD_EGFIND_001_3_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: TRIGGER FORM - IOCBP EVAL (IOCBP EVAL) [R_TRIG001_1]		
Trigger Form [R_TRIG01001_1]		
1.*	Select appropriate response - Is the participant Biologically capable of childbirth: [Trigger Response 4]	[R_TRIGRESP4_001_1] [A:10] ☐ Participant is an individual who is biologically capable of having children [A:11] ☐ Participant is not of childbearing potential
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_R_TRIG001_1		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP4_001_1	R_TRIGRESP4_001_1_C	VARCHAR2
	R_TRIGRESP4_001_1	VARCHAR2
	R_TRIGRESP4_001_1_ND	VARCHAR2

C4591076: PRIOR MEDICATIONS - PRIOR COVID-19 VACCINES (PRIOR CMVX) - Repeating Form [CM001_2]

#	Sponsor-Defined Identifier	Category for Medication	Name of Medication	Dose Description	Dose Unit	Start Date
1						

Concomitant Treatment [CM01001_2]

1.

What is the medication identifier? *[read-only]*
[Sponsor-Defined Identifier]

[CMSPID_001_2]
A20★

2.

Category: *[read-only]*
[Category for Medication]

[CMCAT_001_2]
[A:3] ☐ VACCINATIONS

3.*

Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation).
[Name of Medication]

[CMTRT_001_2]
A100★

4.*

Dose:
[Dose Description]

[X_CMDSTXT_001_2]
A25★

5.*

Dose Unit:
[Dose Unit]

[CMDOSU_001_2]
[A:9] ☐ mL
[A:43] ☐ ug

6.*

Start Date:
[Start Date]

[CMSTDTC_001_2] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2020-2026)

7.

Comparison Term *[hidden]*
[Comparison Term]

[D_COMPTERM1_001_2]
A200★

8.

Standardized Medication Name - Dictionary derived *[hidden]*
[Standardized Medication Name]

[CMDECOD_001_2]
A300★

9.

Standardized Medication Code - Dictionary derived *[hidden]*
[Standardized Medication Code]

[SUPPCM_CMCODE_001_2]
A11★

Key: [*] = Item is required [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PRIOR MEDICATIONS - PRIOR COVID-19 VACCINES		
Type	RefName	Description
Item	CMSPID_001_2	A sponsor-defined reference number.
Item	CMTRT_001_2	Name of Medication
Item	X_CMDSTXT_001_2	The dose of medication per administration in character format
Item	CMDOSU_001_2	The unit associated with the medication taken
Item	CMSTDTC_001_2	Date the medication was first taken
Item	D_COMPTERM1_001_2	Hidden Item needed for clear coding rule.
Item	CMDECOD_001_2	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001_2	Standardized Medication Code - Dictionary derived

Coding Summary: PRIOR MEDICATIONS - PRIOR COVID-19 VACCINES		
Verbatim RefName: D_COMPTERM1_001_2 Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type

CMDECOD_001_2	PT	Term
SUPPCM_CMCODE_001_2	PT	Code

RDE Analytics: RD_CM001_2		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001_2	CMSPID_001_2	VARCHAR2
	CMSPID_001_2_ND	VARCHAR2
CMCAT_001_2	CMCAT_001_2_C	VARCHAR2
	CMCAT_001_2	VARCHAR2
	CMCAT_001_2_ND	VARCHAR2
CMTRT_001_2	CMTRT_001_2	VARCHAR2
	CMTRT_001_2_ND	VARCHAR2
X_CMDSTXT_001_2	X_CMDSTXT_001_2	VARCHAR2
	X_CMDSTXT_001_2_ND	VARCHAR2
CMDOSU_001_2	CMDOSU_001_2_C	VARCHAR2
	CMDOSU_001_2	VARCHAR2
	CMDOSU_001_2_ND	VARCHAR2
CMSTDTC_001_2	CMSTDTC_001_2	DATE
	CMSTDTC_001_2_DTS	VARCHAR2
	CMSTDTC_001_2_ND	VARCHAR2
D_COMPTerm1_001_2	D_COMPTerm1_001_2	VARCHAR2
	D_COMPTerm1_001_2_ND	VARCHAR2
CMDECOD_001_2	CMDECOD_001_2	VARCHAR2
	CMDECOD_001_2_ND	VARCHAR2
SUPPCM_CMCODE_001_2	SUPPCM_CMCODE_001_2	VARCHAR2
	SUPPCM_CMCODE_001_2_ND	VARCHAR2

C4591076: LAB URINALYSIS- PREGNACY TEST (LAB URIN) [LB001_5]

LAB URINALYSIS [LB01001_5]

1.

Lab Panel: *[read-only]*
[Category for Lab Test]

[LBCAT_001_5]
[A:3] ☐ URINALYSIS

2.

Lab Sub-Panel: *[read-only]*
[Subcategory for Lab Test]

[LBSCAT_001_5]
[A:17] ☐ PREGNANCY

3.*

Collection Date Time:
[Collection Date Time]

[LBDTC_001_5] (DD/MM/YYYY hh:mm)
Req / Req / Req (2025-2026)
Req : Req 24-hour clock

4.

Laboratory Name and Address: *[read-only]*
[Vendor Name]

[LBNAM_001_5]
A200★

5.

Specimen Type: *[read-only]*
[Specimen Type]

[LBSPEC_001_5]
[A:40] ☐ URINE

LAB RESULT [LB03001_5]

#	Test	Result	Result	Not Done:	Sponsor-Defined Identifier
6.a	Choriogonadotropin Beta_PX113				

LAB RESULT Entry [LB03001_5]

6.1

Test: *[read-only]*
 [Test]

[LBTEST_001_5]
[A:113] ☐ Choriogonadotropin Beta_PX113

6.2

Result:
[Result]

[D_LBORRES_001_5]
[A:4] ☐ NEGATIVE
[A:5] ☐ POSITIVE

6.3

Result: *[read-only]*
[Result]

[LBORRES_001_5]
A30★

6.4

Not Done:
[Not Done:]

[LBSTAT_001_5]
[A:1] ☐ NOT DONE

6.5

Sponsor ID: *[read-only]*
[Sponsor-Defined Identifier]

[LBSPID_001_5]
N8

Key: [*] = Item is required = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: LAB URINALYSIS- PREGNACY TEST		
Type	RefName	Description
Item	LBCAT_001_5	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSCAT_001_5	Used to define a sub-category of related laboratory records (e.g. Electrolytes, Liver Function).
Item	LBDTC_001_5	Date of specimen collection.
Item	LBSPEC_001_5	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBTEST_001_5	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	D_LBORRES_001_5	Result of the measurement or finding as originally received or collected.
Item	LBSTAT_001_5	Used to indicate test was not done.
Item	LBSPID_001_5	Sponsor-defined reference number. This is the Pfizer PXC0DE.

RDE Analytics: RD_LB001_5			
Data Variable	RefName	RD Column Name	Column Data Type
LBCAT_001_5		LBCAT_001_5_C	VARCHAR2
		LBCAT_001_5	VARCHAR2

file:///C:/Users/angelm31/AppData/Local/Apps/2.0/AX9PJ5GO.TCM/4409YYKQ.KNQ/orac..90.0_919f856034ae8f10_0007....

10/23/2025

	LBCAT_001_5_ND	VARCHAR2
LBSCAT_001_5	LBSCAT_001_5_C	VARCHAR2
	LBSCAT_001_5	VARCHAR2
	LBSCAT_001_5_ND	VARCHAR2
LBDTC_001_5	LBDTC_001_5	DATE
	LBDTC_001_5_DTS	VARCHAR2
	LBDTC_001_5_ND	VARCHAR2
LBNAM_001_5	LBNAM_001_5	VARCHAR2
	LBNAM_001_5_ND	VARCHAR2
LBSPEC_001_5	LBSPEC_001_5_C	VARCHAR2
	LBSPEC_001_5	VARCHAR2
	LBSPEC_001_5_ND	VARCHAR2
RD_LB001_5_LB03001_5		
LBTEST_001_5	LBTEST_001_5_C	VARCHAR2
	LBTEST_001_5	VARCHAR2
	LBTEST_001_5_ND	VARCHAR2
D_LBORRES_001_5	D_LBORRES_001_5_C	VARCHAR2
	D_LBORRES_001_5	VARCHAR2
	D_LBORRES_001_5_ND	VARCHAR2
LBORRES_001_5	LBORRES_001_5	VARCHAR2
	LBORRES_001_5_ND	VARCHAR2
LBSTAT_001_5	LBSTAT_001_5_C	VARCHAR2
	LBSTAT_001_5	VARCHAR2
	LBSTAT_001_5_ND	VARCHAR2
LBSPID_001_5	LBSPID_001_5	NUMBER
	LBSPID_001_5_ND	VARCHAR2

C4591076: VITAL SIGNS (VITALS) [VS001]

Vital Signs - I [VS01001]

1.

Category for Vital Signs: *[read-only]*
[Category for Vital Signs]

[VSCAT_001]
[A:1] ☐ VITAL SIGNS

2.*

Date:
[Date]

[VSDTC_001] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2025-2026)

3.*

Weight:
[Weight]

[VSORRES_WEIGHT_001]
xxxxx.

4.*

Unit:
[Weight Unit]

[VSORRESU_WEIGHT_001]
[A:9] ☐ kg
[A:11] ☐ LB

5.*

Height:
[Height]

[VSORRES_HEIGHT_001]
xxxxx.

6.*

Unit:
[Height Unit]

[VSORRESU_HEIGHT_001]
[A:5] ☐ cm
[A:8] ☐ in

7.

Body Mass Index: *[read-only]*
[Body Mass Index]

[VSORRES_BMI_001]
xxxx.

Vital Signs - II [VS02001]

#

Record Identifier

Temperature*

Temperature Unit*

8.a

1

Vital Signs - II Entry [VS02001]

8.1

Record Identifier: *[read-only]*
[Record Identifier]

[VSSPID_001]
[A:1] ☐ 1

8.2*

Temperature:
[Temperature]

[VSORRES_TEMP_001]
xxxx.

8.3*

Unit:
[Temperature Unit]

[VSORRESU_TEMP_001]
[A:4] ☐ C
[A:6] ☐ F

Key: [*] = Item is required ☐ = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS		
Type	RefName	Description
Form	VS001	VS001 - Vital Signs - Wide Format
Item	VSDTC_001	The date the measurement was performed.
Item	VSORRES_WEIGHT_001	Weight
Item	VSORRESU_WEIGHT_001	Weight Unit
Item	VSORRES_HEIGHT_001	Height
Item	VSORRESU_HEIGHT_001	Height Unit
Item	VSORRES_BMI_001	Body Mass Index in kg/m2.
Item	VSSPID_001	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_TEMP_001	Temperature
Item	VSORRESU_TEMP_001	Temperature Unit

RDE Analytics: RD_VS001		
Data Variable RefName	RD Column Name	Column Data Type

file:///C:/Users/angelm31/AppData/Local/Apps/2.0/AX9PJ5GO.TCM/4409YYKQ.KNQ/orac..90.0_919f856034ae8f10_0007....

10/23/2025

VSCAT_001	VSCAT_001_C	VARCHAR2
	VSCAT_001	VARCHAR2
	VSCAT_001_ND	VARCHAR2
VSDTC_001	VSDTC_001	DATE
	VSDTC_001_DTS	VARCHAR2
	VSDTC_001_ND	VARCHAR2
VSORRES_WEIGHT_001	VSORRES_WEIGHT_001	FLOAT
	VSORRES_WEIGHT_001_ND	VARCHAR2
VSORRESU_WEIGHT_001	VSORRESU_WEIGHT_001_C	VARCHAR2
	VSORRESU_WEIGHT_001	VARCHAR2
	VSORRESU_WEIGHT_001_ND	VARCHAR2
VSORRES_HEIGHT_001	VSORRES_HEIGHT_001	FLOAT
	VSORRES_HEIGHT_001_ND	VARCHAR2
VSORRESU_HEIGHT_001	VSORRESU_HEIGHT_001_C	VARCHAR2
	VSORRESU_HEIGHT_001	VARCHAR2
	VSORRESU_HEIGHT_001_ND	VARCHAR2
VSORRES_BMI_001	VSORRES_BMI_001	FLOAT
	VSORRES_BMI_001_ND	VARCHAR2
RD_VS001_VS02001		
VSSPID_001	VSSPID_001_C	VARCHAR2
	VSSPID_001	VARCHAR2
	VSSPID_001_ND	VARCHAR2
VSORRES_TEMP_001	VSORRES_TEMP_001	FLOAT
	VSORRES_TEMP_001_ND	VARCHAR2
VSORRESU_TEMP_001	VSORRESU_TEMP_001_C	VARCHAR2
	VSORRESU_TEMP_001	VARCHAR2
	VSORRESU_TEMP_001_ND	VARCHAR2

C4591076: VITAL SIGNS (VITALS) [VS001_3]

Vital Signs - I [VS01001_3]

1.

Category for Vital Signs: *[read-only]*
[Category for Vital Signs]

[VSCAT_001_3]
[A:1] ☒ VITAL SIGNS

2.*

Date:
[Date]

[VSDTC_001_3] (DD/MM/YYYY)
Req ☒ / Req ☒ / Req ☒ (2025-2026)

3.*

Weight:
[Weight]

[VSORRES_WEIGHT_001_3]
xxxxx.

4.*

Unit:
[Weight Unit]

[VSORRESU_WEIGHT_001_3]
[A:9] ☒ kg
[A:11] ☒ LB

5.*

Height:
[Height]

[VSORRES_HEIGHT_001_3]
xxxxx.

6.*

Unit:
[Height Unit]

[VSORRESU_HEIGHT_001_3]
[A:5] ☒ cm
[A:8] ☒ in

7.

Body Mass Index: *[read-only]*
[Body Mass Index]

[VSORRES_BMI_001_3]
xxxx.

Vital Signs - II [VS02001_3]

#	Record Identifier	Temperature*	Temperature Unit*	Systolic Blood Pressure*	Diastolic Blood Pressure*	Pulse*
8.a	1					

Vital Signs - II Entry [VS02001_3]

8.1

Record Identifier: *[read-only]*
[Record Identifier]

[VSSPID_001_3]
[A:1] ☒ 1

8.2*

Temperature:
[Temperature]

[VSORRES_TEMP_001_3]
xxxx.

8.3*

Unit:
[Temperature Unit]

[VSORRESU_TEMP_001_3]
[A:4] ☒ C
[A:6] ☒ F

8.4*

Systolic BP in mmHg:
[Systolic Blood Pressure]

[VSORRES_SYSBP_001_3]
N3

8.5*

Diastolic BP in mmHg:
[Diastolic Blood Pressure]

[VSORRES_DIABP_001_3]
N3

8.6*

Pulse in beats/minute:
[Pulse]

[VSORRES_PULSE_001_3]
N3

Key: [*] = Item is required = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS

Type	RefName	Description
Form	VS001_3	VS001 - Vital Signs - Wide Format
Item	VSDTC_001_3	The date the measurement was performed.
Item	VSORRES_WEIGHT_001_3	Weight
Item	VSORRESU_WEIGHT_001_3	Weight Unit
Item	VSORRES_HEIGHT_001_3	Height
Item	VSORRESU_HEIGHT_001_3	Height Unit
Item	VSORRES_BMI_001_3	Body Mass Index in kg/m2.
Item	VSSPID_001_3	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a

file:///C:/Users/angelm31/AppData/Local/Apps/2.0/AX9PJ5GO.TCM/4409YYKQ.KNQ/orac..90.0_919f856034ae8f10_0007....

10/23/2025

		project level.
Item	VSORRES_TEMP_001_3	Temperature
Item	VSORRESU_TEMP_001_3	Temperature Unit
Item	VSORRES_SYSBP_001_3	Systolic Blood Pressure collected in mmHg
Item	VSORRES_DIABP_001_3	Diastolic Blood Pressure in mmHg
Item	VSORRES_PULSE_001_3	Pulse Rate in beats/minute.

RDE Analytics: RD_VS001_3		
Data Variable RefName	RD Column Name	Column Data Type
VSCAT_001_3	VSCAT_001_3_C	VARCHAR2
	VSCAT_001_3	VARCHAR2
	VSCAT_001_3_ND	VARCHAR2
VSDTC_001_3	VSDTC_001_3	DATE
	VSDTC_001_3_DTS	VARCHAR2
	VSDTC_001_3_ND	VARCHAR2
VSORRES_WEIGHT_001_3	VSORRES_WEIGHT_001_3	FLOAT
	VSORRES_WEIGHT_001_3_ND	VARCHAR2
VSORRESU_WEIGHT_001_3	VSORRESU_WEIGHT_001_3_C	VARCHAR2
	VSORRESU_WEIGHT_001_3	VARCHAR2
	VSORRESU_WEIGHT_001_3_ND	VARCHAR2
VSORRES_HEIGHT_001_3	VSORRES_HEIGHT_001_3	FLOAT
	VSORRES_HEIGHT_001_3_ND	VARCHAR2
VSORRESU_HEIGHT_001_3	VSORRESU_HEIGHT_001_3_C	VARCHAR2
	VSORRESU_HEIGHT_001_3	VARCHAR2
	VSORRESU_HEIGHT_001_3_ND	VARCHAR2
VSORRES_BMI_001_3	VSORRES_BMI_001_3	FLOAT
	VSORRES_BMI_001_3_ND	VARCHAR2
RD_VS001_3_VS02001_3		
VSSPID_001_3	VSSPID_001_3_C	VARCHAR2
	VSSPID_001_3	VARCHAR2
	VSSPID_001_3_ND	VARCHAR2
VSORRES_TEMP_001_3	VSORRES_TEMP_001_3	FLOAT
	VSORRES_TEMP_001_3_ND	VARCHAR2
VSORRESU_TEMP_001_3	VSORRESU_TEMP_001_3_C	VARCHAR2
	VSORRESU_TEMP_001_3	VARCHAR2
	VSORRESU_TEMP_001_3_ND	VARCHAR2
VSORRES_SYSBP_001_3	VSORRES_SYSBP_001_3	NUMBER
	VSORRES_SYSBP_001_3_ND	VARCHAR2
VSORRES_DIABP_001_3	VSORRES_DIABP_001_3	NUMBER
	VSORRES_DIABP_001_3_ND	VARCHAR2
VSORRES_PULSE_001_3	VSORRES_PULSE_001_3	NUMBER
	VSORRES_PULSE_001_3_ND	VARCHAR2

C4591076: VACCINATION (VACIN TRT) [EC001_2]	
Vaccination [EC01001_2]	
1.* Was there a temporary delay of vaccination? [Temporary Delay of Vaccination]	[SUPPEC_ECTDV_001_2] [A:Y] ☐ [SUPPEC_ECTDV_CMP_001_2] ☐ YES [SUPPEC_FDDTC_001_2] (DD/MM/YYYY) Date of First Delay: Req / Req / Req (2025-2026) [ECADJ_TDV_001_2] Reason(s) for Temporary Delay of Vaccination: [A:3] ☐ RECENT NON-STUDY VACCINATION [A:6] ☐ RECENT SYSTEMIC CORTICOSTEROID TREATMENT [A:10] ☐ FEVER OR ACUTE ILLNESS [A:12] ☐ ANTICIPATED NON-STUDY VACCINATION [A:14] ☐ POSITIVE SARS-COV-2 TEST [A:N] ☐ NO
2. Treatment Name: [read-only] [Treatment Name]	[ECTRT_001_2] A100★
3. Formulation: [read-only] [Formulation]	[ECDOFRM_001_2] [A:66] ☐ INJECTION
4.* Dose Date Time: [Dose Date/Time]	[ECSTDTC_001_2] (DD/MM/YYYY hh:mm) Req / Req / Req (2025-2026) Req : Req 24-hour clock
5. Anatomical Location: [read-only] [Anatomical Location]	[ECLOC_001_2] [A:744] ☐ DELTOID MUSCLE
6.* Body Side: [Body Side]	[ECLAT_001_2] [A:5] ☐ LEFT [A:6] ☐ RIGHT
7. Route: [read-only] [Route]	[ECROUTE_001_2] [A:50] ☐ INTRAMUSCULAR
8.* Treatment Label ID: [Treatment Label ID]	[ECREFID_001_2] A20★
9. Actual Dose: [read-only] [Actual Dose]	[X_ECDOSE_001_2] xxxxxx.
10. Unit: [read-only] [Unit]	[ECDOSU_001_2] [A:43] ☐ ug
11. Timeframe Subject Was Observed [read-only] [Timeframe Subject Was Observed]	[SUPPEC_ECOBSVT_001_2] [A:2] ☐ 30 MINUTES
12.* Was the subject observed for at least 30 minutes after investigational product administration? [Observed Post Dose For Specified Time]	[SUPPEC_ECOBSV_001_2] [A:Y] ☐ YES [A:N] ☐ [SUPPEC_ECOBSVD_CMP_001_2] ☐ NO [SUPPEC_ECOBSVD_001_2] If No, specify reason: A200★
Key: [*] = Item is required [] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.	

Study Object Descriptions: VACCINATION

Type	RefName	Description
Item	SUPPEC_ECOBSVD_001_2	If No, specify reason:

RDE Analytics: RD_EC001_2		
Data Variable RefName	RD Column Name	Column Data Type
SUPPEC_ECTDV_001_2	SUPPEC_ECTDV_001_2_C	VARCHAR2
	SUPPEC_ECTDV_001_2	VARCHAR2
	SUPPEC_ECTDV_001_2_ND	VARCHAR2
SUPPEC_ECTDV_001_2 - SUPPEC_FDDTC_001_2	SUPPEC_FDDTC_001_2	DATE
	SUPPEC_FDDTC_001_2_DTS	VARCHAR2
SUPPEC_ECTDV_001_2 - RECENT NON-STUDY VACCINATION	*ECADJ_TDV_001_2_CLITDVARECENTNONSTUDYVACCINATION_C	VARCHAR2
	*ECADJ_TDV_001_2_CLITDVARECENTNONSTUDYVACCINATION	VARCHAR2
SUPPEC_ECTDV_001_2 - RECENT SYSTEMIC CORTICOSTEROID TREATMENT	*ECADJ_TDV_001_2_CLITDVARECENTSYSTEMICCORTICOSTEROIDTREATMENT_C	VARCHAR2
	*ECADJ_TDV_001_2_CLITDVARECENTSYSTEMICCORTICOSTEROIDTREATMENT	VARCHAR2
SUPPEC_ECTDV_001_2 - FEVER OR ACUTE ILLNESS	*ECADJ_TDV_001_2_CLITDVAFEVERORACUTEILLNESS_C	VARCHAR2
	*ECADJ_TDV_001_2_CLITDVAFEVERORACUTEILLNESS	VARCHAR2
SUPPEC_ECTDV_001_2 - ANTICIPATED NON-STUDY VACCINATION	*ECADJ_TDV_001_2_CLITDVAANTICIPATEDNONSTUDYVACCINATION_C	VARCHAR2
	*ECADJ_TDV_001_2_CLITDVAANTICIPATEDNONSTUDYVACCINATION	VARCHAR2
SUPPEC_ECTDV_001_2 - POSITIVE SARS-COV-2 TEST	*ECADJ_TDV_001_2_CLITDVAPOSITIVESARSCOV2TEST_C	VARCHAR2
	*ECADJ_TDV_001_2_CLITDVAPOSITIVESARSCOV2TEST	VARCHAR2
ECTRT_001_2	ECTRT_001_2	VARCHAR2
	ECTRT_001_2_ND	VARCHAR2
ECDOSFRM_001_2	ECDOSFRM_001_2_C	VARCHAR2
	ECDOSFRM_001_2	VARCHAR2
	ECDOSFRM_001_2_ND	VARCHAR2
ECSTDTC_001_2	ECSTDTC_001_2	DATE
	ECSTDTC_001_2_DTS	VARCHAR2
	ECSTDTC_001_2_ND	VARCHAR2
ECLOC_001_2	ECLOC_001_2_C	VARCHAR2
	ECLOC_001_2	VARCHAR2
	ECLOC_001_2_ND	VARCHAR2
ECLAT_001_2	ECLAT_001_2_C	VARCHAR2
	ECLAT_001_2	VARCHAR2
	ECLAT_001_2_ND	VARCHAR2
ECROUTE_001_2	ECROUTE_001_2_C	VARCHAR2
	ECROUTE_001_2	VARCHAR2
	ECROUTE_001_2_ND	VARCHAR2
ECREFID_001_2	ECREFID_001_2	VARCHAR2
	ECREFID_001_2_ND	VARCHAR2
X_ECDOSE_001_2	X_ECDOSE_001_2	FLOAT
	X_ECDOSE_001_2_ND	VARCHAR2
ECDOSU_001_2	ECDOSU_001_2_C	VARCHAR2
	ECDOSU_001_2	VARCHAR2
	ECDOSU_001_2_ND	VARCHAR2
SUPPEC_ECOBSVT_001_2	SUPPEC_ECOBSVT_001_2_C	VARCHAR2

	SUPPEC_ECOBSVT_001_2	VARCHAR2
	SUPPEC_ECOBSVT_001_2_ND	VARCHAR2
SUPPEC_ECOBSV_001_2	SUPPEC_ECOBSV_001_2_C	VARCHAR2
	SUPPEC_ECOBSV_001_2	VARCHAR2
	SUPPEC_ECOBSV_001_2_ND	VARCHAR2
SUPPEC_ECOBSV_001_2 - SUPPEC_ECOBSVD_001_2	SUPPEC_ECOBSVD_001_2	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: SUMMARY OF REACTOGENICITY IMMEDIATE EVENTS (SUMREACTIE) [CESOR019_1]		
Summary of Reactogenicity [CESOR01019_1]		
1.	Injection Site Location: [read-only] [Injection Site Location]	[X_CELOC_019_1] [A:744] ☐ DELTOID MUSCLE
2.*	Injection Site Body Side: [Injection Site Body Side]	[X_CELAT_019_1] [A:5] ☐ LEFT [A:6] ☐ RIGHT
3.*	Did the participant have a reactogenicity event that was immediate within 30 mins after intervention administration? [Did the participant have a reactogenicity event that was immediate within 30 mins after intervention administration]	[R_SORIMMED_019_1] [A:Y] ☐ YES [A:N] ☐ NO
	Reaction	Start Date Time of Immediate Event
4.		
Immediate Event Entry [CESOR02019_1]		
4.1*	Reaction: [Reaction]	[CETERM_IMM_019_1] [CETERM_IMM_CL_019_1] v
4.2*	Start Date Time of Immediate Event: [Start Date Time of Immediate Event]	[CESTDTC_019_1] (DD/MM/YYYY hh:mm) Req v / Req v / Req v (2025-2026) Req v : Req v 24-hour clock
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Codelist Values Tables: SUMMARY OF REACTOGENICITY IMMEDIATE EVENTS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM_IMM_CL_019_1	String		REDNESS	1	cliSORB_REDNESS	CETERM_IMM_019_1
			SWELLING	2	cliSORB_SWELLING	
			HEADACHE	3	cliSORB_HEADACHE	
			FEVER	4	cliSORB_FEVER	
			PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
			CHILLS	12	cliSORB_CHILLS	
			MUSCLE PAIN	9	cliSORB_MUSCLE_PAIN	
			JOINT PAIN	8	cliSORB_JOINT_PAIN	
			FATIGUE	7	cliSORB_FATIGUE	
			DIARRHEA	6	cliSORB_DIARRHEA	
			VOMITING	11	cliSORB_VOMITING	

RDE Analytics: RD_CESOR019_1		
Data Variable RefName	RD Column Name	Column Data Type
X_CELOC_019_1	X_CELOC_019_1_C	VARCHAR2
	X_CELOC_019_1	VARCHAR2
	X_CELOC_019_1_ND	VARCHAR2
X_CELAT_019_1	X_CELAT_019_1_C	VARCHAR2
	X_CELAT_019_1	VARCHAR2
	X_CELAT_019_1_ND	VARCHAR2
R_SORIMMED_019_1	R_SORIMMED_019_1_C	VARCHAR2
	R_SORIMMED_019_1	VARCHAR2
	R_SORIMMED_019_1_ND	VARCHAR2
*RD_CESOR019_1_CESOR02019_1		

CETERM_IMM_019_1	CETERM_IMM_019_1_C	VARCHAR2
	CETERM_IMM_019_1	VARCHAR2
	CETERM_IMM_019_1_ND	VARCHAR2
CESTDTC_019_1	CESTDTC_019_1	DATE
	CESTDTC_019_1_DTS	VARCHAR2
	CESTDTC_019_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: SUMMARY OF REACTOGENICITY (SUMREACT) [CESOR019]		
Summary of Reactogenicity [CESOR01019]		
1.	Injection Site Location: <i>[read-only]</i> [Injection Site Location]	[X_CELCLOC_019] [A:744] ☐ DELTOID MUSCLE
2.*	Injection Site Body Side: [Injection Site Body Side]	[X_CELAT_019] [A:5] ☐ LEFT [A:6] ☐ RIGHT
3.*	Did the participant report a diary entry, reactogenicity event for each day of the planned e-diary period? [Did the participant report a diary entry, reactogenicity event for each day of the planned e-diary period]	[SUPPCE_DIARYCMP_019] [A:Y] ☐ YES [A:N] ☐ [SUPPCE_RSNOTRPT_CMP_019] ☐ NO [SUPPCE_RSNOTRPT_019] If No, provide the main reason it was not reported by the participant: [A:1] ☐ SUBJECT FELT TOO ILL [A:2] ☐ SUBJECT REFUSED [A:3] ☐ TECHNICAL ISSUES [A:4] ☐ HOSPITALIZATION [A:5] ☐ EVENT RESOLUTION [A:6] ☐ SUBJECT FORGOT [A:7] ☐ [SUPPCE_RSNOTRPO_CMP_019] ☐ OTHER [SUPPCE_RSNOTRPO_019] If Other, specify: A80 ★
4.*	Did the participant withdraw from treatment/study due to a reactogenicity event that started during the planned e-diary period? [Did the participant withdraw from treatment/study due to a reactogenicity event that started during the planned e-diary period]	[R_SORWDRAW_019] [A:Y] ☐ YES [A:N] ☐ NO
5.*	Did the participant require hospitalization or other medical attention for a reactogenicity event that started during the planned e-diary period? [Did the participant require hospitalization or other medical attention for a reactogenicity event that started during the planned e-diary period]	[R_SORMEDAT_019] [A:Y] ☐ YES [A:N] ☐ NO
6.*	Did the participant have a reactogenicity event that was also a serious adverse event? [Did the participant have a reactogenicity event that was also a serious adverse event]	[R_SORRSAE_019] [A:Y] ☐ YES [A:N] ☐ NO
7.*	Were fever, local reactions or systemic symptoms present on the last day the Subject Diary/Participant Reported Reactogenicity form was completed during the planned e-diary period? [Were fever, local reactions or systemic symptoms present on the last day the Subject Diary/PRR form was completed during the planned e-diary period]	[R_SORSLDAP_019] [A:Y] ☐ YES [A:N] ☐ NO
Reaction		
8.		
Withdrawal Event Entry [CESOR03019]		
8.1*	Reaction: [Reaction]	[CETERM_WDRAW_019] [CETERM_WDRAW_CL_019] v
	Reaction	Type of Healthcare
9.		Start Date of Encounter
Hospitalization or Other Medical Attention Entry [CESOR04019]		

9.1*	Reaction: [Reaction]	[Y_CETERM_HOINDC_019] [Y_CETERM_HOINDC_CL_019] ▼		
9.2*	Type of Healthcare: [Type of Healthcare]	[HOTERM_019] [A:1] ☐ HEALTHCARE PROFESSIONAL [A:2] ☐ EMERGENCY ROOM [A:3] ☐ HOSPITALIZED		
9.3*	Start Date of Encounter: [Start Date of Encounter]	[HOSTDTC_019] (DD/MM/YYYY) Req ▼ / Req ▼ / Req ▼ (2025-2026)		
	Reaction	AE ID	AE ID	AE ID
10.				
Serious Adverse Event Entry [CESOR05019]				
10.1*	Reaction: [Reaction]	[CETERM_SAE_019] [CETERM_SAE_CL_019] ▼		
10.2*	AE ID: [AE ID]	[CESPID_019] A20*		
10.3	AE ID: [AE ID]	[X_CESPID1_019] A20*		
10.4	AE ID: [AE ID]	[X_CESPID2_019] A20*		
	Reaction	Ongoing		
11.				
Ongoing on Last Day Entry [CESOR06019]				
11.1*	Reaction: [Reaction]	[CETERM_ONGO_019] [CETERM_ONGO_CL_019] ▼		
11.2*	Ongoing? [Ongoing]	[X_CEONGO_019] [A:Y] ☐ YES [A:N] ☐ [CEENDTC_CMP_019] ☐ NO [CEENDTC_019] (DD/MM/YYYY) If No, Enter Stop Date: Req ▼ / Req ▼ / Req ▼ (2025-2026)		
Key: [*] = Item is required ☐ = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.				

Codelist Values Tables: SUMMARY OF REACTOGENICITY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM_WDRAW_CL_019	String		REDNESS	1	cliSORB_REDNESS	CETERM_WDRAW_019
			SWELLING	2	cliSORB_SWELLING	
			HEADACHE	3	cliSORB_HEADACHE	
			FEVER	4	cliSORB_FEVER	
			CHILLS	12	cliSORB_CHILLS	
			FATIGUE	7	cliSORB_FATIGUE	
			JOINT PAIN	8	cliSORB_JOINT_PAIN	
			MUSCLE PAIN	9	cliSORB_MUSCLE_PAIN	
			PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
			VOMITING	11	cliSORB_VOMITING	
			DIARRHEA	6	cliSORB_DIARRHEA	
Y_CETERM_HOINDC_CL_019	String		REDNESS	1	cliSORB_REDNESS	Y_CETERM_HOINDC_019
			SWELLING	2	cliSORB_SWELLING	

			HEADACHE	3	cliSORB_HEADACHE	
			FEVER	4	cliSORB_FEVER	
			CHILLS	12	cliSORB_CHILLS	
			FATIGUE	7	cliSORB_FATIGUE	
			JOINT PAIN	8	cliSORB_JOINT_PAIN	
			MUSCLE PAIN	9	cliSORB_MUSCLE_PAIN	
			PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
			DIARRHEA	6	cliSORB_DIARRHEA	
			VOMITING	11	cliSORB_VOMITING	
CETERM_SAE_CL_019	String		REDNESS	1	cliSORB_REDNESS	CETERM_SAE_019
			SWELLING	2	cliSORB_SWELLING	
			HEADACHE	3	cliSORB_HEADACHE	
			FEVER	4	cliSORB_FEVER	
			CHILLS	12	cliSORB_CHILLS	
			FATIGUE	7	cliSORB_FATIGUE	
			JOINT PAIN	8	cliSORB_JOINT_PAIN	
			MUSCLE PAIN	9	cliSORB_MUSCLE_PAIN	
			PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
			DIARRHEA	6	cliSORB_DIARRHEA	
			VOMITING	11	cliSORB_VOMITING	
CETERM_ONGO_CL_019	String		REDNESS	1	cliSORB_REDNESS	CETERM_ONGO_019
			SWELLING	2	cliSORB_SWELLING	
			HEADACHE	3	cliSORB_HEADACHE	
			FEVER	4	cliSORB_FEVER	
			CHILLS	12	cliSORB_CHILLS	
			FATIGUE	7	cliSORB_FATIGUE	
			JOINT PAIN	8	cliSORB_JOINT_PAIN	
			MUSCLE PAIN	9	cliSORB_MUSCLE_PAIN	
			PAIN AT INJECTION SITE	10	cliSORB_PAIN_AT_INJECTION_SITE	
			DIARRHEA	6	cliSORB_DIARRHEA	
			VOMITING	11	cliSORB_VOMITING	

RDE Analytics: RD_CESOR019		
Data Variable RefName	RD Column Name	Column Data Type
X_CELOC_019	X_CELOC_019_C	VARCHAR2
	X_CELOC_019	VARCHAR2
	X_CELOC_019_ND	VARCHAR2
X_CELAT_019	X_CELAT_019_C	VARCHAR2
	X_CELAT_019	VARCHAR2
	X_CELAT_019_ND	VARCHAR2
SUPPCE_DIARYCMP_019	SUPPCE_DIARYCMP_019_C	VARCHAR2
	SUPPCE_DIARYCMP_019	VARCHAR2
	SUPPCE_DIARYCMP_019_ND	VARCHAR2
SUPPCE_DIARYCMP_019 - SUPPCE_RSNOTRPT_019	SUPPCE_RSNOTRPT_019_C	VARCHAR2
	SUPPCE_RSNOTRPT_019	VARCHAR2
SUPPCE_DIARYCMP_019 - SUPPCE_RSNOTRPO_019	SUPPCE_RSNOTRPO_019	VARCHAR2
R_SORWDRAW_019	R_SORWDRAW_019_C	VARCHAR2

R_SORMEDAT_019	R_SORWDRAW_019	VARCHAR2
	R_SORWDRAW_019_ND	VARCHAR2
	R_SORMEDAT_019_C	VARCHAR2
	R_SORMEDAT_019	VARCHAR2
R_SORRSAT_019	R_SORMEDAT_019_ND	VARCHAR2
	R_SORRSAT_019_C	VARCHAR2
	R_SORRSAT_019	VARCHAR2
	R_SORRSAT_019_ND	VARCHAR2
R_SORSLDAY_019	R_SORSLDAY_019_C	VARCHAR2
	R_SORSLDAY_019	VARCHAR2
	R_SORSLDAY_019_ND	VARCHAR2
RD_CESOR019_CESOR03019		
CETERM_WDRAW_019	CETERM_WDRAW_019_C	VARCHAR2
	CETERM_WDRAW_019	VARCHAR2
	CETERM_WDRAW_019_ND	VARCHAR2
RD_CESOR019_CESOR04019		
Y_CETERM_HOINDC_019	Y_CETERM_HOINDC_019_C	VARCHAR2
	Y_CETERM_HOINDC_019	VARCHAR2
	Y_CETERM_HOINDC_019_ND	VARCHAR2
HOTERM_019	HOTERM_019_C	VARCHAR2
	HOTERM_019	VARCHAR2
	HOTERM_019_ND	VARCHAR2
HOSTDTC_019	HOSTDTC_019	DATE
	HOSTDTC_019_DTS	VARCHAR2
	HOSTDTC_019_ND	VARCHAR2
RD_CESOR019_CESOR05019		
CETERM_SAE_019	CETERM_SAE_019_C	VARCHAR2
	CETERM_SAE_019	VARCHAR2
	CETERM_SAE_019_ND	VARCHAR2
CESPID_019	CESPID_019	VARCHAR2
	CESPID_019_ND	VARCHAR2
X_CESPID1_019	X_CESPID1_019	VARCHAR2
	X_CESPID1_019_ND	VARCHAR2
X_CESPID2_019	X_CESPID2_019	VARCHAR2
	X_CESPID2_019_ND	VARCHAR2
RD_CESOR019_CESOR06019		
CETERM_ONGO_019	CETERM_ONGO_019_C	VARCHAR2
	CETERM_ONGO_019	VARCHAR2
	CETERM_ONGO_019_ND	VARCHAR2
X_CEONGO_019	X_CEONGO_019_C	VARCHAR2
	X_CEONGO_019	VARCHAR2
	X_CEONGO_019_ND	VARCHAR2
X_CEONGO_019 - CEENDTC_019	CEENDTC_019	DATE
	CEENDTC_019_DTS	VARCHAR2

C4591076: DATE OF VISIT - ILLNESS (DOV ILL) [SV001_1]		
Date of Visit [SV01001]		
1.*	Date of Visit: [Date of Visit]	[SVSTDTC_001] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2026)
2.*	Contact Mode: [Contact Mode]	[X_SVCNTMOD_001] [A:1] ☐ IN PERSON, ONSITE [A:3] ☐ REMOTE AUDIO VIDEO
3.	Erroneous Visit: [Visit Error]	[D_SVERROR_001] [A:1] ☐ ERRONEOUS VISIT
COVID-19 Illness Visit [SV02001_1]		
4.	COVID-19 Illness Visit <i>[read-only]</i> [COVID-19 Illness Visit]	[D_RIVISIT_001_1] [D_RIVISIT_CL_001_1] ☐
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Codelist Values Tables: DATE OF VISIT - ILLNESS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
D_RIVISIT_CL_001_1	String		COVID_A	101	cliD_RIVISIT_COVID_A	D_RIVISIT_001_1
			COVID_B	102	cliD_RIVISIT_COVID_B	
			COVID_C	103	cliD_RIVISIT_COVID_C	
			COVID_D	104	cliD_RIVISIT_COVID_D	
			COVID_E	105	cliD_RIVISIT_COVID_E	
			COVID_F	106	cliD_RIVISIT_COVID_F	
			COVID_G	107	cliD_RIVISIT_COVID_G	
			COVID_H	108	cliD_RIVISIT_COVID_H	
			COVID_I	109	cliD_RIVISIT_COVID_I	
			COVID_J	110	cliD_RIVISIT_COVID_J	
			COVID_K	111	cliD_RIVISIT_COVID_K	
			COVID_L	112	cliD_RIVISIT_COVID_L	
			COVID_M	113	cliD_RIVISIT_COVID_M	
			COVID_N	114	cliD_RIVISIT_COVID_N	
			COVID_O	115	cliD_RIVISIT_COVID_O	
			COVID_P	116	cliD_RIVISIT_COVID_P	
			COVID_Q	117	cliD_RIVISIT_COVID_Q	
			COVID_R	118	cliD_RIVISIT_COVID_R	
			COVID_S	119	cliD_RIVISIT_COVID_S	
			COVID_T	120	cliD_RIVISIT_COVID_T	
			COVID_U	121	cliD_RIVISIT_COVID_U	
			COVID_V	122	cliD_RIVISIT_COVID_V	
			COVID_W	123	cliD_RIVISIT_COVID_W	
			COVID_X	124	cliD_RIVISIT_COVID_X	
			COVID_Y	125	cliD_RIVISIT_COVID_Y	
			COVID_Z	126	cliD_RIVISIT_COVID_Z	

RDE Analytics: RD_SV001_1		
Data Variable RefName	RD Column Name	Column Data Type
SVSTDTC_001	SVSTDTC_001	DATE
	SVSTDTC_001_DTS	VARCHAR2

	SVSTDTC_001_ND	VARCHAR2
X_SVCNTMOD_001	X_SVCNTMOD_001_C	VARCHAR2
	X_SVCNTMOD_001	VARCHAR2
	X_SVCNTMOD_001_ND	VARCHAR2
D_SVERROR_001	D_SVERROR_001_C	VARCHAR2
	D_SVERROR_001	VARCHAR2
	D_SVERROR_001_ND	VARCHAR2
D_RIVISIT_001_1	D_RIVISIT_001_1_C	VARCHAR2
	D_RIVISIT_001_1	VARCHAR2
	D_RIVISIT_001_1_ND	VARCHAR2

C4591076: SIGNS AND SYMPTOMS OF POTENTIAL COVID-19 (SOD) [CESOD006_1]		
Signs and Symptoms [CESOD01006_1]		
1.*	Date of Assessment: [Date of Assessment]	[Y_CEDTC_006_1] (DD/MM/YYYY) Req / Req / Req (2025-2026)
2.*	Date of First Symptom Started: [First Symptom Started Date]	[FAORRES_FSSDTC_006_1] (DD/MM/YYYY) Req/Unk / Req / Req (2025-2026)
3.*	Symptoms Ongoing? [Symptoms Ongoing]	[X_FAONGO_006_1] [A:Y] ☐ YES [A:N] ☐ [FAORRES_LSRDTC_CMP_006_1] ☐ NO [FAORRES_LSRDTC_006_1] (DD/MM/YYYY) Date of Last Symptom Resolved: Req/Unk / Req / Req (2025-2026)
Symptoms [CESOD02006_1]		
#	Event Pre-specified	Symptoms
4.a	YES	FEVER
4.b	YES	NEW OR INCREASED COUGH
4.c	YES	NEW OR INCREASED SHORTNESS OF BREATH
4.d	YES	CHILLS
4.e	YES	NEW OR INCREASED MUSCLE PAIN
4.f	YES	NEW LOSS OF TASTE OR SMELL
4.g	YES	SORE THROAT
4.h	YES	DIARRHEA
4.i	YES	VOMITING
Symptoms Entry [CESOD02006_1]		
4.1	Event Pre-specified: <i>[hidden]</i> [Event Pre-specified]	[CEPRES_006_1] [A:Y] ☐ YES
4.2	Symptoms: <i>[read-only]</i> [Symptoms]	[CETERM_006_1] [CETERM_CL_006_1]
4.3*	Was symptom present? [Symptom Present]	[CEOCCUR_006_1] [A:Y] ☐ YES [A:N] ☐ NO
Symptoms - Other		
5.		
Symptoms - Other Entry [CESOD03006_1]		
5.1	Symptoms - Other Text: [Symptoms - Other]	[CETERM1_006_1] A80*
5.2	Comparison Term: <i>[hidden]</i> [Comparison Term]	[D_COMPTERM_006_1] A200*
5.3	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[CELLT_006_1] A100*
5.4	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[CELLTCD_006_1] A8*
5.5	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[CEDECOD_006_1] A100*

5.6	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	<u>[CEPTCD_006_1]</u> A8★
5.7	High Level Term <i>[hidden]</i> [High Level Term]	<u>[CEHLT_006_1]</u> A100★
5.8	High Level Term Code <i>[hidden]</i> [High Level Term Code]	<u>[CEHLTCD_006_1]</u> A8★
5.9	High Level Group Term <i>[hidden]</i> [High Level Group Term]	<u>[CEHLGT_006_1]</u> A100★
5.10	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	<u>[CEHLGTCD_006_1]</u> A8★
5.11	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	<u>[CESOC_006_1]</u> A100★
5.12	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	<u>[CESOCCD_006_1]</u> A8★
Key: [*] = Item is required [☐] = Item is collapsible [▣] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Codelist Values Tables: SIGNS AND SYMPTOMS OF POTENTIAL COVID-19						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM_CL_006_1	String		FEVER	5	cliSODSYMP_FEVER	CETERM_006_1
			NEW OR INCREASED COUGH	79	cliSODSYMP_NEW_OR_INCREASED_COUGH	
			NEW OR INCREASED SHORTNESS OF BREATH	85	cliSODSYMP_NEW_OR_INCREASED_SHORTNESS_OF_BREATH	
			CHILLS	24	cliSODSYMP_CHILLS	
			NEW OR INCREASED MUSCLE PAIN	96	cliSODSYMP_NEW_OR_INCREASED_MUSCLE_PAIN	
			NEW LOSS OF TASTE OR SMELL	97	cliSODSYMP_NEW_LOSS_OF_TASTE_OR_SMELL	
			SORE THROAT	110	cliSODSYMP_SORE_THROAT	
			DIARRHEA	98	cliSODSYMP_DIARRHEA	
			VOMITING	7	cliSODSYMP_VOMITING	

Coding Summary: SIGNS AND SYMPTOMS OF POTENTIAL COVID-19			
Verbatim RefName: D_COMPTERM_006_1 Dictionary: Pfizer MedDRA Verbatim Type:			
Coding Item RefName	Level	Level Type	
CESOC_006_1	SOC	Term	
CESOCCD_006_1	SOC	Code	
CEHLGT_006_1	HLGT	Term	
CEHLGTCD_006_1	HLGT	Code	
CEHLT_006_1	HLT	Term	
CEHLTCD_006_1	HLT	Code	
CEDECOD_006_1	PT	Term	
CEPTCD_006_1	PT	Code	
CELLT_006_1	LLT	Term	
CELLTCD_006_1	LLT	Code	

RDE Analytics: RD_CESOD006_1		

Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006_1	Y_CEDTC_006_1	DATE
	Y_CEDTC_006_1_DTS	VARCHAR2
	Y_CEDTC_006_1_ND	VARCHAR2
FAORRES_FSSDTC_006_1	FAORRES_FSSDTC_006_1	DATE
	FAORRES_FSSDTC_006_1_DTS	VARCHAR2
	FAORRES_FSSDTC_006_1_DTR	VARCHAR2
	FAORRES_FSSDTC_006_1_ND	VARCHAR2
X_FAONGO_006_1	X_FAONGO_006_1_C	VARCHAR2
	X_FAONGO_006_1	VARCHAR2
	X_FAONGO_006_1_ND	VARCHAR2
X_FAONGO_006_1 - FAORRES_LSRDTC_006_1	FAORRES_LSRDTC_006_1	DATE
	FAORRES_LSRDTC_006_1_DTS	VARCHAR2
	FAORRES_LSRDTC_006_1_DTR	VARCHAR2
*RD_CESOD006_1_CESOD02006_1		
CEPRES_006_1	CEPRES_006_1_C	VARCHAR2
	CEPRES_006_1	VARCHAR2
	CEPRES_006_1_ND	VARCHAR2
CETERM_006_1	CETERM_006_1_C	VARCHAR2
	CETERM_006_1	VARCHAR2
	CETERM_006_1_ND	VARCHAR2
CEOCCUR_006_1	CEOCCUR_006_1_C	VARCHAR2
	CEOCCUR_006_1	VARCHAR2
	CEOCCUR_006_1_ND	VARCHAR2
*RD_CESOD006_1_CESOD03006_1		
CETERM1_006_1	CETERM1_006_1	VARCHAR2
	CETERM1_006_1_ND	VARCHAR2
D_COMPTERM_006_1	D_COMPTERM_006_1	VARCHAR2
	D_COMPTERM_006_1_ND	VARCHAR2
CELLT_006_1	CELLT_006_1	VARCHAR2
	CELLT_006_1_ND	VARCHAR2
CELLTCD_006_1	CELLTCD_006_1	VARCHAR2
	CELLTCD_006_1_ND	VARCHAR2
CEDECOD_006_1	CEDECOD_006_1	VARCHAR2
	CEDECOD_006_1_ND	VARCHAR2
CEPTCD_006_1	CEPTCD_006_1	VARCHAR2
	CEPTCD_006_1_ND	VARCHAR2
CEHLT_006_1	CEHLT_006_1	VARCHAR2
	CEHLT_006_1_ND	VARCHAR2
CEHLTCD_006_1	CEHLTCD_006_1	VARCHAR2
	CEHLTCD_006_1_ND	VARCHAR2
CEHLGT_006_1	CEHLGT_006_1	VARCHAR2
	CEHLGT_006_1_ND	VARCHAR2
CEHLGTCD_006_1	CEHLGTCD_006_1	VARCHAR2
	CEHLGTCD_006_1_ND	VARCHAR2
CESOC_006_1	CESOC_006_1	VARCHAR2
	CESOC_006_1_ND	VARCHAR2

CESOCCD_006_1	CESOCCD_006_1	VARCHAR2
	CESOCCD_006_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: Microbiology Specimen - COVID TEST (COVID TEST) - Repeating Form [MBMIB002]								
#	Date of Collection	Specimen Type	Specimen Location	Assay Code and Description	Device Type	Trade Name	Result	Comments/Findings
1								
Microbiology Specimen [MBMIB01002]								
1.*	Actual Date of Collection: [Date of Collection]	[Y_MBDTC_002] (DD/MM/YYYY) Req v / Req v / Req v (2025-2026)						
2.*	Specimen Type: [Specimen Type]	[MBSPEC_002] [A:29] ☐ SALIVA [A:84] ☐ SWABBED MATERIAL						
3.*	Specimen Sample Location: [Specimen Location]	[MBLOC_002] [A:286] ☐ THROAT [A:63] ☐ NASAL CAVITY [A:60] ☐ ORAL CAVITY						
4.	Assay Code and Description: <i>[read-only]</i> [Assay Code and Description]	[MBTEST_002] [A:18] ☐ SEVERE ACUTE RESP SYNDROME CORONAVIRUS 2						
5.	Device Type: <i>[read-only]</i> [Device Type]	[DIVAL_DEVTYPE_002] [A:2] ☐ SARS-COV-2 DIAGNOSTIC TEST						
6.*	Trade Name: [Trade Name]	[DIVAL_TRADENAM_002] [A:34] ☐ ABBOTT MOLECULAR REALTIME SARS-COV-2 ASSAY [A:44] ☐ CEPHEID XPERT XPRESS SARS-COV-2 TEST [A:68] ☐ ROCHE MOLECULAR SYSTEMS COBAS SARS-COV-2 [A:999] ☐ OTHER						
7.*	Test Result: [Result]	[MBORRES_002] [A:1] ☐ POSITIVE [A:2] ☐ NEGATIVE [A:3] ☐ INDETERMINATE						
8.	Comments/Findings/Details: [Comments/Findings]	[CO_MBSUMM_002] A200★						
Key: [*] = Item is required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.								

RDE Analytics: RD_MBMIB002		
Data Variable RefName	RD Column Name	Column Data Type
Y_MBDTC_002	Y_MBDTC_002	DATE
	Y_MBDTC_002_DTS	VARCHAR2
	Y_MBDTC_002_ND	VARCHAR2
MBSPEC_002	MBSPEC_002_C	VARCHAR2
	MBSPEC_002	VARCHAR2
	MBSPEC_002_ND	VARCHAR2
MBLOC_002	MBLOC_002_C	VARCHAR2
	MBLOC_002	VARCHAR2
	MBLOC_002_ND	VARCHAR2
MBTEST_002	MBTEST_002_C	VARCHAR2
	MBTEST_002	VARCHAR2
	MBTEST_002_ND	VARCHAR2
DIVAL_DEVTYPE_002	DIVAL_DEVTYPE_002_C	VARCHAR2
	DIVAL_DEVTYPE_002	VARCHAR2
	DIVAL_DEVTYPE_002_ND	VARCHAR2

DIVAL_TRADENAM_002	DIVAL_TRADENAM_002_C	VARCHAR2
	DIVAL_TRADENAM_002	VARCHAR2
	DIVAL_TRADENAM_002_ND	VARCHAR2
MBORRES_002	MBORRES_002_C	VARCHAR2
	MBORRES_002	VARCHAR2
	MBORRES_002_ND	VARCHAR2
CO_MBSUMM_002	CO_MBSUMM_002	VARCHAR2
	CO_MBSUMM_002_ND	VARCHAR2

C4591076: ILLNESS DETAILS (ILLDETAILS) [CEIDT008]		
Illness Details [CEIDT01008]		
1.	Category of Clinical Event: [read-only] [Category of Clinical Event]	[CECAT_008] [A:2] ☐ POTENTIAL COVID-19 ILLNESS
2.*	Illness Diagnosis: [Diagnosis Term]	[CETERM_008] A100 ★
3.*	Date of Event Collection: [Date of Event Collection]	[CEDTC_008] (DD/MM/YYYY) Req / Req / Req (2025-2026)
4.	Comparison Term: [hidden] [Comparison Term]	[D_COMPTERM_008] A200 ★
5.	Lowest Level Term [hidden] [Lowest Level Term]	[CELLT_008] A100 ★
6.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[CELLTCD_008] A8 ★
7.	Dictionary Derived Term [hidden] [Dictionary Derived Term]	[CEDECOD_008] A100 ★
8.	Preferred Term Code [hidden] [Preferred Term Code]	[CEPTCD_008] A8 ★
9.	High Level Term [hidden] [High Level Term]	[CEHLT_008] A100 ★
10.	High Level Term Code [hidden] [High Level Term Code]	[CEHLTCD_008] A8 ★
11.	High Level Group Term [hidden] [High Level Group Term]	[CEHLGT_008] A100 ★
12.	High Level Group Term Code [hidden] [High Level Group Term Code]	[CEHLGTCD_008] A8 ★
13.	Primary System Organ Class [hidden] [Primary System Organ Class]	[CESOC_008] A100 ★
14.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[CESOCCD_008] A8 ★
Key: [*] = Item is required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Coding Summary: ILLNESS DETAILS		
Verbatim RefName: D_COMPTERM_008		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
CESOC_008	SOC	Term
CESOCCD_008	SOC	Code
CEHLGT_008	HLGT	Term
CEHLGTCD_008	HLGT	Code
CEHLT_008	HLT	Term

CEHLTCD_008	HLT	Code
CEDECOD_008	PT	Term
CEPTCD_008	PT	Code
CELLT_008	LLT	Term
CELLTCD_008	LLT	Code

RDE Analytics: RD_CEIDT008		
Data Variable RefName	RD Column Name	Column Data Type
CECAT_008	CECAT_008_C	VARCHAR2
	CECAT_008	VARCHAR2
	CECAT_008_ND	VARCHAR2
CETERM_008	CETERM_008	VARCHAR2
	CETERM_008_ND	VARCHAR2
CEDTC_008	CEDTC_008	DATE
	CEDTC_008_DTS	VARCHAR2
	CEDTC_008_ND	VARCHAR2
D_COMPTERM_008	D_COMPTERM_008	VARCHAR2
	D_COMPTERM_008_ND	VARCHAR2
CELLT_008	CELLT_008	VARCHAR2
	CELLT_008_ND	VARCHAR2
CELLTCD_008	CELLTCD_008	VARCHAR2
	CELLTCD_008_ND	VARCHAR2
CEDECOD_008	CEDECOD_008	VARCHAR2
	CEDECOD_008_ND	VARCHAR2
CEPTCD_008	CEPTCD_008	VARCHAR2
	CEPTCD_008_ND	VARCHAR2
CEHLT_008	CEHLT_008	VARCHAR2
	CEHLT_008_ND	VARCHAR2
CEHLTCD_008	CEHLTCD_008	VARCHAR2
	CEHLTCD_008_ND	VARCHAR2
CEHLGT_008	CEHLGT_008	VARCHAR2
	CEHLGT_008_ND	VARCHAR2
CEHLGTCD_008	CEHLGTCD_008	VARCHAR2
	CEHLGTCD_008_ND	VARCHAR2
CESOC_008	CESOC_008	VARCHAR2
	CESOC_008_ND	VARCHAR2
CESOCCD_008	CESOCCD_008	VARCHAR2
	CESOCCD_008_ND	VARCHAR2

C4591076: HEALTH CARE UTILIZATION (HLTHCARE) [HOHCU002]

Health Care Utilization [HOHCU01002]

1. Evaluation Interval: [read-only]
[Evaluation Interval]

[Y_HOEVINTX_002]
[A:34] ☐ SINCE THE START OF THE ACUTE ILLNESS EPISODE

2. Disease Name: [read-only]
[Disease Name]

[SUPPHO_HCUIDIS_002]
[A:15] ☐ ACUTE ILLNESS

Health Care Utilization [HOHCU02002]

#	Pre-Specified	Type of Practitioner	Occurrence of Visits or Contacts*
3.a	YES	SPECIALIST	
3.b	YES	EMERGENCY ROOM	
3.c	YES	PRIMARY CARE PHYSICIAN	
3.d	YES	URGENT CARE	
3.e	YES	TELEPHONE CONSULTATION	
3.f	YES	OTHER	

Health Care Utilization Entry [HOHCU02002]

3.1  Pre-Specified: [read-only]
[Pre-Specified]

[HOPRESP_002]
[A:Y] ☐ YES

3.2  Physician or Healthcare Professional: [read-only]
[Type of Practitioner]

[HOTERM_002]
[A:2] ☐ EMERGENCY ROOM
[A:3] ☐ PRIMARY CARE PHYSICIAN
[A:29] ☐ SPECIALIST
[A:47] ☐ URGENT CARE
[A:48] ☐ TELEPHONE CONSULTATION
[A:999] ☐ OTHER

3.3* Occurrence of Visits or Contacts:
[Occurrence of Visits or Contacts]

[HOOCUR_002]
[A:Y] ☐ [FAORRES_NUMBER_CMP_002] 
YES
[FAORRES_NUMBER_002]
Number of Visits or Contacts:

[A:N] ☐ NO

Health Care Utilization Other [HOHCU03002]

4. Other Type of Practitioner Specify:
[Other Type of Practitioner Specify]

[X_HOTERM_HCUTERM_002]
A80*

Health Care Utilization [HOHCU04002]

5.* Has the subject been hospitalized due to this illness?
[Been Hospitalized]

[X_HOTERM_HCUHSP_002]
[A:Y] ☐ [X_HOTERM_HCUICU_CMP_002] 
YES
[X_HOTERM_HCUICU_002]
Has the subject been in intensive care due to this illness or its sequelae?
[A:Y] ☐ YES
[A:N] ☐ NO
[A:N] ☐ NO

Key: [*] = Item is required [] = Item is collapsible [] = Fixed item [*] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_HOHCU002		
Data Variable RefName	RD Column Name	Column Data Type
Y_HOEVINTX_002	Y_HOEVINTX_002_C	VARCHAR2
	Y_HOEVINTX_002	VARCHAR2

file:///C:/Users/angelm31/AppData/Local/Apps/2.0/AX9PJ5GO.TCM/4409YYKQ.KNQ/orac..90.0_919f856034ae8f10_0007.... 10/23/2025

	Y_HOEVINTX_002_ND	VARCHAR2
SUPPHO_HCUIDIS_002	SUPPHO_HCUIDIS_002_C	VARCHAR2
	SUPPHO_HCUIDIS_002	VARCHAR2
	SUPPHO_HCUIDIS_002_ND	VARCHAR2
X_HOTERM_HCUTERM_002	X_HOTERM_HCUTERM_002	VARCHAR2
	X_HOTERM_HCUTERM_002_ND	VARCHAR2
X_HOTERM_HCUHSP_002	X_HOTERM_HCUHSP_002_C	VARCHAR2
	X_HOTERM_HCUHSP_002	VARCHAR2
	X_HOTERM_HCUHSP_002_ND	VARCHAR2
X_HOTERM_HCUHSP_002 - X_HOTERM_HCUICU_002	X_HOTERM_HCUICU_002_C	VARCHAR2
	X_HOTERM_HCUICU_002	VARCHAR2
RD_HOHCU002_HOHCU02002		
HOPRESP_002	HOPRESP_002_C	VARCHAR2
	HOPRESP_002	VARCHAR2
	HOPRESP_002_ND	VARCHAR2
HOTERM_002	HOTERM_002_C	VARCHAR2
	HOTERM_002	VARCHAR2
	HOTERM_002_ND	VARCHAR2
HOCCUR_002	HOCCUR_002_C	VARCHAR2
	HOCCUR_002	VARCHAR2
	HOCCUR_002_ND	VARCHAR2
HOCCUR_002 - FAORRES_NUMBER_002	FAORRES_NUMBER_002	NUMBER

C4591076: Hospitalization Details (HOSP) - Repeating Form [HOHOS007]

#	Hospitalization Category	Hospitalization Term	Admission Date	Ongoing	Procedure	Did Procedure Occur
1						

Hospitalization Details [HOHOS01007]

1.

Hospitalization Category: *[read-only]*
[Hospitalization Category]

[Y_HOCAT_007]
[A:3] ☒ HOSPITALIZATION STATUS

2.*

Hospitalization Term:
[Hospitalization Term]

[HOTERM_007]
[A:9] ☒ ICU
[A:10] ☒ HOSPITAL

3.*

Admission Date:
[Admission Date]

[HOSTDTC_007] (DD/MM/YYYY)
Req / Req / Req (2025-2026)

4.*

Ongoing?
[Ongoing]

[X_HOONGO_007]
[A:Y] ☒ YES
[A:N] ☒ [HOENDTC_CMP_007] ☐
NO
[HOENDTC_007] (DD/MM/YYYY)
Discharge Date:
Req / Req / Req (2025-2026)

5.

Procedure: *[read-only]*
[Procedure]

[PRTRT_007]
[A:58] ☒ MECHANICAL VENTILATION

6.*

Did Procedure occur?
[Did Procedure Occur]

[PROCCUR_007]
[A:Y] ☒ [SUPPPR_VENTYPE_CMP_007] ☐
YES
[SUPPPR_VENTYPE_007]
Type of Mechanical Ventilation:
[A:1] ☒ INTUBATION
[A:2] ☒ NON-INVASIVE POSITIVE PRESSURE VENTILATION
[PRSTDTC_007] (DD/MM/YYYY hh:mm)
Start Date Time:
Req / Req / Req (2025-2026)
Req : Req 24-hour clock
[X_PROONGO_007]
Ongoing?
[A:Y] ☒ YES
[A:N] ☒ [PRENDTC_CMP_007] ☐
NO
[PRENDTC_007] (DD/MM/YYYY hh:mm)
End Date Time:
Req / Req / Req (2025-2026)
Req : Req 24-hour clock
[A:N] ☒ NO

Key: [*] = Item is required [☐] = Item is collapsible

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_HOHOS007		
Data Variable RefName	RD Column Name	Column Data Type
Y_HOCAT_007	Y_HOCAT_007_C	VARCHAR2
	Y_HOCAT_007	VARCHAR2
	Y_HOCAT_007_ND	VARCHAR2
HOTERM_007	HOTERM_007_C	VARCHAR2
	HOTERM_007	VARCHAR2
	HOTERM_007_ND	VARCHAR2
HOSTDTC_007	HOSTDTC_007	DATE

	HOSTDTC_007_DTS	VARCHAR2
	HOSTDTC_007_ND	VARCHAR2
X_HOONGO_007	X_HOONGO_007_C	VARCHAR2
	X_HOONGO_007	VARCHAR2
	X_HOONGO_007_ND	VARCHAR2
X_HOONGO_007 - HOENDTC_007	HOENDTC_007	DATE
	HOENDTC_007_DTS	VARCHAR2
PRTRT_007	PRTRT_007_C	VARCHAR2
	PRTRT_007	VARCHAR2
	PRTRT_007_ND	VARCHAR2
PROCCUR_007	PROCCUR_007_C	VARCHAR2
	PROCCUR_007	VARCHAR2
	PROCCUR_007_ND	VARCHAR2
PROCCUR_007 - SUPPPR_VENTYPE_007	SUPPPR_VENTYPE_007_C	VARCHAR2
	SUPPPR_VENTYPE_007	VARCHAR2
PROCCUR_007 - PRSTDTC_007	PRSTDTC_007	DATE
	PRSTDTC_007_DTS	VARCHAR2
PROCCUR_007 - X_PRONGO_007	X_PRONGO_007_C	VARCHAR2
	X_PRONGO_007	VARCHAR2
PROCCUR_007 - PRENDTC_007	PRENDTC_007	DATE
	PRENDTC_007_DTS	VARCHAR2

C4591076: VITAL SIGNS - REPEATING - COVID (VITALS COV) - Repeating Form [VS001_2]

#	Category for Vital Signs	Date	Vital Signs - II
1			

Vital Signs - I [VS01001_2]

1.	Category for Vital Signs: <i>[read-only]</i> [Category for Vital Signs]	[VSCAT_001_2] [A:1] ☐ VITAL SIGNS
2.*	Date: [Date]	[VSDTC_001_2] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2026)

Vital Signs - II [VS02001_2]

#	Record Identifier	Systolic Blood Pressure*	Diastolic Blood Pressure*	Heart Rate in beats/minute*	Respiratory Rate in respirations/minute*	Oxygen Saturation*
3.a	1					

Vital Signs - II Entry [VS02001_2]

3.1	Record Identifier: <i>[read-only]</i> ☐ [Record Identifier]	[VSSPID_001_2] [A:1] ☐ 1
3.2*	Systolic BP in mmHg: [Systolic Blood Pressure]	[VSORRES_SYSBP_001_2] N3
3.3*	Diastolic BP in mmHg: [Diastolic Blood Pressure]	[VSORRES_DIABP_001_2] N3
3.4*	Heart Rate in beats/minute: [Heart Rate in beats/minute]	[VSORRES_HR_001_2] N3
3.5*	Respiratory Rate in respirations/minute: [Respiratory Rate in respirations/minute]	[VSORRES_RESP_001_2] N3
3.6*	SPO2 Pulse Oximetry %: [Oxygen Saturation]	[VSORRES_OXYSAT_001_2] xxxxx.

Key: [*] = Item is required ☐ = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS - REPEATING - COVID		
Type	RefName	Description
Form	VS001_2	VS001 - Vital Signs - Wide Format
Item	VSDTC_001_2	The date the measurement was performed.
Item	VSSPID_001_2	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_SYSBP_001_2	Systolic Blood Pressure collected in mmHg
Item	VSORRES_DIABP_001_2	Diastolic Blood Pressure in mmHg
Item	VSORRES_HR_001_2	Heart Rate in beats/minute
Item	VSORRES_RESP_001_2	Respiratory Rate in respirations/minute.

RDE Analytics: RD_VS001_2		
Data Variable RefName	RD Column Name	Column Data Type
VSCAT_001_2	VSCAT_001_2_C	VARCHAR2
	VSCAT_001_2	VARCHAR2
	VSCAT_001_2_ND	VARCHAR2
VSDTC_001_2	VSDTC_001_2	DATE
	VSDTC_001_2_DTS	VARCHAR2
	VSDTC_001_2_ND	VARCHAR2
RD_VS001_2_VS02001_2		

VSSPID_001_2	VSSPID_001_2_C	VARCHAR2
	VSSPID_001_2	VARCHAR2
	VSSPID_001_2_ND	VARCHAR2
VSORRES_SYSBP_001_2	VSORRES_SYSBP_001_2	NUMBER
	VSORRES_SYSBP_001_2_ND	VARCHAR2
VSORRES_DIABP_001_2	VSORRES_DIABP_001_2	NUMBER
	VSORRES_DIABP_001_2_ND	VARCHAR2
VSORRES_HR_001_2	VSORRES_HR_001_2	NUMBER
	VSORRES_HR_001_2_ND	VARCHAR2
VSORRES_RESP_001_2	VSORRES_RESP_001_2	NUMBER
	VSORRES_RESP_001_2_ND	VARCHAR2
VSORRES_OXYSAT_001_2	VSORRES_OXYSAT_001_2	FLOAT
	VSORRES_OXYSAT_001_2_ND	VARCHAR2

C4591076: OXYGENATION PARAMETERS - OXYGEN (OXYGEN) - Repeating Form [LBOXY004]			
#	Date Time of Assessment	Arterial Blood Gases PaO2	FiO2 (Fraction of Inhaled Oxygen)
1			
Oxygenation Parameters [LBOXY01004]			
1.*	Date Time of Assessment: [Date Time of Assessment]	[LBDTC_004] (DD/MM/YYYY hh:mm) Req v / Req v / Req v (2025-2026) Req/Unk v : Req/Unk v 24-hour clock	
2.*	Arterial Blood Gases PaO2 (mmHg): [Arterial Blood Gases PaO2]	[LBORRES_PO2_004] N4	
3.*	FiO2 (Fraction of Inhaled Oxygen): [FiO2 (Fraction of Inhaled Oxygen)]	[LBORRES_FIO2_004] xxx.	
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.			

RDE Analytics: RD_LBOXY004			
Data Variable RefName	RD Column Name	Column Data Type	
LBDTC_004	LBDTC_004	DATE	
	LBDTC_004_DTS	VARCHAR2	
	LBDTC_004_DTR	VARCHAR2	
	LBDTC_004_ND	VARCHAR2	
LBORRES_PO2_004	LBORRES_PO2_004	NUMBER	
	LBORRES_PO2_004_ND	VARCHAR2	
LBORRES_FIO2_004	LBORRES_FIO2_004	FLOAT	
	LBORRES_FIO2_004_ND	VARCHAR2	

C4591076: CONCOMITANT MEDICATIONS - VASOPRESSORS (VASOPRESS) - Repeating Form [CM001_3]

#	Sponsor-Defined Identifier	Category for Medication	Concomitant Medications Pre-specified	Name of Medication	Start Date	Ongoing
1						

Concomitant Treatment [CM01001_3]

1.	What is the medication identifier? <i>[read-only]</i> [Sponsor-Defined Identifier]	[CMSPID_001_3] A20★				
2.	Category: <i>[read-only]</i> [Category for Medication]	[CMCAT_001_3] [A:46] ☐ VASOPRESSORS				
3.	Concomitant Medications Pre-specified: <i>[read-only]</i> [Concomitant Medications Pre-specified]	[CMPRESP_001_3] [A:Y] ☐ YES				
4.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [Name of Medication]	[CMTRT1_001_3] [CMTRT1_CL_001_3] v				
5.*	Start Date: [Start Date]	[CMSTDTC_001_3] (DD/MM/YYYY) Req v / Req v / Req v (2025-2026)				
6.*	Ongoing? [Ongoing]	[X_CMONGO_001_3] [A:Y] ☐ YES [A:N] ☐ [X_CMENDTC_CMP_001_3] v NO [CMENDTC_001_3] (DD/MM/YYYY) End Date: Req v / Req v / Req v (2025-2026)				
7.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM1_001_3] A200★				
8.	Standardized Medication Name - Dictionary derived <i>[hidden]</i> [Standardized Medication Name]	[CMDECOD_001_3] A300★				
9.	Standardized Medication Code - Dictionary derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPCM_CMCODE_001_3] A11★				

Key: [*] = Item is required [] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: CONCOMITANT MEDICATIONS - VASOPRESSORS		
Type	RefName	Description
Item	CMSPID_001_3	A sponsor-defined reference number.
Item	CMPRESP_001_3	Concomitant Medications Pre-specified
Item	CMSTDTC_001_3	Date the medication was first taken
Item	X_CMONGO_001_3	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001_3	Date the subject stopped taking the medication
Item	D_COMPTERM1_001_3	Hidden Item needed for clear coding rule.
Item	CMDECOD_001_3	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001_3	Standardized Medication Code - Dictionary derived

Codelist Values Tables: CONCOMITANT MEDICATIONS - VASOPRESSORS						

Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CMTRT1_CL_001_3	String		DOPAMINE	13	cliCMTRT_DOPAMINE	CMTRT1_001_3
			DOBUTAMINE	14	cliCMTRT_DOBUTAMINE	
			NOREPINEPHRINE	15	cliCMTRT_NOREPINEPHRINE	
			EPINEPHRINE	16	cliCMTRT_EPINEPHRINE	
			VASOPRESSIN	17	cliCMTRT_VASOPRESSIN	
			TERLIPRESSIN	18	cliCMTRT_TERLIPRESSIN	
			PHENYLEPHRINE	19	cliCMTRT_PHENYLEPHRINE	

Coding Summary: CONCOMITANT MEDICATIONS - VASOPRESSORS		
Verbatim RefName: D_COMPTERM1_001_3		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
CMDECOD_001_3	PT	Term
SUPPCM_CMCODE_001_3	PT	Code

RDE Analytics: RD_CM001_3		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001_3	CMSPID_001_3	VARCHAR2
	CMSPID_001_3_ND	VARCHAR2
CMCAT_001_3	CMCAT_001_3_C	VARCHAR2
	CMCAT_001_3	VARCHAR2
	CMCAT_001_3_ND	VARCHAR2
CMPRESP_001_3	CMPRESP_001_3_C	VARCHAR2
	CMPRESP_001_3	VARCHAR2
	CMPRESP_001_3_ND	VARCHAR2
CMTRT1_001_3	CMTRT1_001_3_C	VARCHAR2
	CMTRT1_001_3	VARCHAR2
	CMTRT1_001_3_ND	VARCHAR2
CMSTDTC_001_3	CMSTDTC_001_3	DATE
	CMSTDTC_001_3_DTS	VARCHAR2
	CMSTDTC_001_3_ND	VARCHAR2
X_CMONGO_001_3	X_CMONGO_001_3_C	VARCHAR2
	X_CMONGO_001_3	VARCHAR2
	X_CMONGO_001_3_ND	VARCHAR2
X_CMONGO_001_3 - CMENDTC_001_3	CMENDTC_001_3	DATE
	CMENDTC_001_3_DTS	VARCHAR2
D_COMPTERM1_001_3	D_COMPTERM1_001_3	VARCHAR2
	D_COMPTERM1_001_3_ND	VARCHAR2
CMDECOD_001_3	CMDECOD_001_3	VARCHAR2
	CMDECOD_001_3_ND	VARCHAR2
SUPPCM_CMCODE_001_3	SUPPCM_CMCODE_001_3	VARCHAR2
	SUPPCM_CMCODE_001_3_ND	VARCHAR2

C4591076: ILLNESS DETAILS - SEVERE (ILL SEVERE) - Repeating Form [CEIDT008_1]							
#	Category of Clinical Event	Subcategory of Clinical Event	Diagnosis Term	Toxicity Grade	Date of Event Collection	Start Date	Ongoing
1							
Illness Details [CEIDT01008_1]							
1.	Category of Clinical Event: <i>[read-only]</i> [Category of Clinical Event]	[CECAT_008_1] [A:4] ☐ SEVERE COVID-19 ILLNESS					
2.*	Subcategory of Clinical Event: [Subcategory of Clinical Event]	[CESCAT_008_1] [A:1] ☐ SIGNIFICANT ACUTE RENAL DYSFUNCTION [A:2] ☐ SIGNIFICANT ACUTE HEPATIC DYSFUNCTION [A:3] ☐ SIGNIFICANT ACUTE NEUROLOGIC DYSFUNCTION					
3.*	Diagnosis: [Diagnosis Term]	[CETERM_008_1] A100 ★					
4.*	Toxicity Grade: [Toxicity Grade]	[CETOXGR_008_1] [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4					
5.*	Date of Event Collection: [Date of Event Collection]	[CEDTC_008_1] (DD/MM/YYYY) Req / / (2025-2026)					
6.*	Start Date: [Start Date]	[CESTDTC_008_1] (DD/MM/YYYY) Req / / (2025-2026)					
7.*	Ongoing?: [Ongoing]	[X_CEONGO_008_1] [A:Y] ☐ YES [A:N] ☐ [CEENDTC_CMP_008_1] ☐ NO [CEENDTC_008_1] (DD/MM/YYYY) End Date: / / (2025-2026)					
8.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM_008_1] A200 ★					
9.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[CELLT_008_1] A100 ★					
10.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[CELLTCD_008_1] A8 ★					
11.	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[CEDECOD_008_1] A100 ★					
12.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[CEPTCD_008_1] A8 ★					
13.	High Level Term <i>[hidden]</i> [High Level Term]	[CEHLT_008_1] A100 ★					
14.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[CEHLTCD_008_1] A8 ★					
15.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[CEHLGT_008_1] A100 ★					
16.	High Level Group Term Code <i>[hidden]</i>	[CEHLGTCD_008_1]					

	[High Level Group Term Code]	A8★
17.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	CESOC_008_1 A100★
18.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	CESOCCD_008_1 A8★

Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Coding Summary: ILLNESS DETAILS - SEVERE		
Verbatim RefName: D_COMPTERM_008_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
CESOC_008_1	SOC	Term
CESOCCD_008_1	SOC	Code
CEHLGT_008_1	HLGT	Term
CEHLGTCD_008_1	HLGT	Code
CEHLT_008_1	HLT	Term
CEHLTCD_008_1	HLT	Code
CEDECOD_008_1	PT	Term
CEPTCD_008_1	PT	Code
CELLT_008_1	LLT	Term
CELLTCD_008_1	LLT	Code

RDE Analytics: RD_CEIDT008_1		
Data Variable RefName	RD Column Name	Column Data Type
CECAT_008_1	CECAT_008_1_C	VARCHAR2
	CECAT_008_1	VARCHAR2
	CECAT_008_1_ND	VARCHAR2
CESCAT_008_1	CESCAT_008_1_C	VARCHAR2
	CESCAT_008_1	VARCHAR2
	CESCAT_008_1_ND	VARCHAR2
CETERM_008_1	CETERM_008_1	VARCHAR2
	CETERM_008_1_ND	VARCHAR2
CETOXGR_008_1	CETOXGR_008_1_C	VARCHAR2
	CETOXGR_008_1	VARCHAR2
	CETOXGR_008_1_ND	VARCHAR2
CEDTC_008_1	CEDTC_008_1	DATE
	CEDTC_008_1_DTS	VARCHAR2
	CEDTC_008_1_ND	VARCHAR2
CESTDTC_008_1	CESTDTC_008_1	DATE
	CESTDTC_008_1_DTS	VARCHAR2
	CESTDTC_008_1_ND	VARCHAR2
X_CEONGO_008_1	X_CEONGO_008_1_C	VARCHAR2
	X_CEONGO_008_1	VARCHAR2
	X_CEONGO_008_1_ND	VARCHAR2
X_CEONGO_008_1 - CEENDTC_008_1	CEENDTC_008_1	DATE

	CEENDTC_008_1_DTS	VARCHAR2
D_COMPTERM_008_1	D_COMPTERM_008_1	VARCHAR2
	D_COMPTERM_008_1_ND	VARCHAR2
CELLT_008_1	CELLT_008_1	VARCHAR2
	CELLT_008_1_ND	VARCHAR2
CELLTCD_008_1	CELLTCD_008_1	VARCHAR2
	CELLTCD_008_1_ND	VARCHAR2
CEDECOD_008_1	CEDECOD_008_1	VARCHAR2
	CEDECOD_008_1_ND	VARCHAR2
CEPTCD_008_1	CEPTCD_008_1	VARCHAR2
	CEPTCD_008_1_ND	VARCHAR2
CEHLT_008_1	CEHLT_008_1	VARCHAR2
	CEHLT_008_1_ND	VARCHAR2
CEHLTCD_008_1	CEHLTCD_008_1	VARCHAR2
	CEHLTCD_008_1_ND	VARCHAR2
CEHLGT_008_1	CEHLGT_008_1	VARCHAR2
	CEHLGT_008_1_ND	VARCHAR2
CEHLGTC_008_1	CEHLGTC_008_1	VARCHAR2
	CEHLGTC_008_1_ND	VARCHAR2
CESOC_008_1	CESOC_008_1	VARCHAR2
	CESOC_008_1_ND	VARCHAR2
CESOCCD_008_1	CESOCCD_008_1	VARCHAR2
	CESOCCD_008_1_ND	VARCHAR2

C4591076: NON-DRUG TREATMENTS - RESPIRATORY (RESP TX) - Repeating Form [PR001_4]					
#	Treatment Identifier	Con Non-Drug Treatments Pre-specified	Treatment	Start Date	Ongoing
1					
Non-Drug Treatments [PR01001_4]					
1.	What is the treatment Identifier? <i>[read-only]</i> [Treatment Identifier]	[PRSPID_001_4] A20 ★			
2.	Concomitant Non-drug Treatment Pre-specified: <i>[read-only]</i> [Con Non-Drug Treatments Pre-specified]	[PRPRES_001_4] [A:Y] ☐ YES			
3.*	Treatment: [Treatment]	[PRTRT1_001_4] [A:6] ☐ Noninvasive Positive Pressure Ventilation (NIPPV) or BIPAP [A:7] ☐ Continuous Positive Airway Pressure (CPAP) [A:8] ☐ Mechanical Ventilation [A:9] ☐ Extracorporeal Membrane Oxygenation (ECMO) [A:10] ☐ High Flow Oxygen Therapy			
4.*	Start Date: [Start Date]	[PRSTDTC_001_4] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (2025-2026)			
5.*	Ongoing? [Ongoing]	[X_PRONGO_001_4] [A:Y] ☐ YES [A:N] ☐ [PRENDTC_CMP_001_4] ☐ NO [PRENDTC_001_4] (DD/MM/YYYY) End Date: Req/Unk v / Req/Unk v / Req v (2025-2026)			
6.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM5_001_4] A200 ★			
7.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[SUPPPR_PRLLT_001_4] A100 ★			
8.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[SUPPPR_PRLTCD_001_4] A8 ★			
9.	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[PRDECOD_001_4] A100 ★			
10.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPPR_PRPTCD_001_4] A8 ★			
11.	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001_4] A100 ★			
12.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPPR_PRHLTCD_001_4] A8 ★			
13.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001_4] A100 ★			
14.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTC_001_4] A8 ★			
15.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001_4] A100 ★			
16.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_4] A8 ★			

Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: NON-DRUG TREATMENTS - RESPIRATORY		
Type	RefName	Description
Form	PR001_4	PR001 - NON-DRUG TREATMENTS
Item	PRPRESP_001_4	Concomitant non-drug treatments pre-specified
Item	PRSTDTC_001_4	Date the treatment was started
Item	X_PRONGO_001_4	Indicates the treatment is ongoing when no End Date is provided
Item	PRENDTC_001_4	Date the treatment was stopped.
Item	D_COMPTERM5_001_4	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001_4	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLLCD_001_4	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001_4	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001_4	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001_4	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRLHLC_001_4	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRLHGT_001_4	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRLHGC_001_4	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001_4	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCC_001_4	Dictionary-derived code for the primary System Organ Class.

Coding Summary: NON-DRUG TREATMENTS - RESPIRATORY

Verbatim RefName: D_COMPTERM5_001_4		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001_4	SOC	Term
SUPPPR_PRSOCC_001_4	SOC	Code
SUPPPR_PRLHGT_001_4	HLGT	Term
SUPPPR_PRLHGC_001_4	HLGT	Code
SUPPPR_PRHLT_001_4	HLT	Term
SUPPPR_PRLHLC_001_4	HLT	Code
PRDECOD_001_4	PT	Term
SUPPPR_PRPTCD_001_4	PT	Code
SUPPPR_PRLLT_001_4	LLT	Term
SUPPPR_PRLLCD_001_4	LLT	Code

RDE Analytics: RD_PR001_4		
Data Variable RefName	RD Column Name	Column Data Type
PRSPID_001_4	PRSPID_001_4	VARCHAR2
	PRSPID_001_4_ND	VARCHAR2
PRPRESP_001_4	PRPRESP_001_4_C	VARCHAR2
	PRPRESP_001_4	VARCHAR2
	PRPRESP_001_4_ND	VARCHAR2
PRTRT1_001_4	PRTRT1_001_4_C	VARCHAR2
	PRTRT1_001_4	VARCHAR2
	PRTRT1_001_4_ND	VARCHAR2

PRSTDTC_001_4	PRSTDTC_001_4	DATE
	PRSTDTC_001_4_DTS	VARCHAR2
	PRSTDTC_001_4_DTR	VARCHAR2
	PRSTDTC_001_4_ND	VARCHAR2
X_PRONGO_001_4	X_PRONGO_001_4_C	VARCHAR2
	X_PRONGO_001_4	VARCHAR2
	X_PRONGO_001_4_ND	VARCHAR2
X_PRONGO_001_4 - PRENDTC_001_4	PRENDTC_001_4	DATE
	PRENDTC_001_4_DTS	VARCHAR2
	PRENDTC_001_4_DTR	VARCHAR2
D_COMPTERM5_001_4	D_COMPTERM5_001_4	VARCHAR2
	D_COMPTERM5_001_4_ND	VARCHAR2
SUPPPR_PRLLT_001_4	SUPPPR_PRLLT_001_4	VARCHAR2
	SUPPPR_PRLLT_001_4_ND	VARCHAR2
SUPPPR_PRLTCD_001_4	SUPPPR_PRLTCD_001_4	VARCHAR2
	SUPPPR_PRLTCD_001_4_ND	VARCHAR2
PRDECOD_001_4	PRDECOD_001_4	VARCHAR2
	PRDECOD_001_4_ND	VARCHAR2
SUPPPR_PRPTCD_001_4	SUPPPR_PRPTCD_001_4	VARCHAR2
	SUPPPR_PRPTCD_001_4_ND	VARCHAR2
SUPPPR_PRHLT_001_4	SUPPPR_PRHLT_001_4	VARCHAR2
	SUPPPR_PRHLT_001_4_ND	VARCHAR2
SUPPPR_PRHLTCD_001_4	SUPPPR_PRHLTCD_001_4	VARCHAR2
	SUPPPR_PRHLTCD_001_4_ND	VARCHAR2
SUPPPR_PRLGHT_001_4	SUPPPR_PRLGHT_001_4	VARCHAR2
	SUPPPR_PRLGHT_001_4_ND	VARCHAR2
SUPPPR_PRLGTC_001_4	SUPPPR_PRLGTC_001_4	VARCHAR2
	SUPPPR_PRLGTC_001_4_ND	VARCHAR2
SUPPPR_PRSOC_001_4	SUPPPR_PRSOC_001_4	VARCHAR2
	SUPPPR_PRSOC_001_4_ND	VARCHAR2
SUPPPR_PRSOCCD_001_4	SUPPPR_PRSOCCD_001_4	VARCHAR2
	SUPPPR_PRSOCCD_001_4_ND	VARCHAR2

C4591076: CONCOMITANT MEDICATIONS - COVID - 19 (CM COV 19) - Repeating Form [CM001_4]

#	Sponsor-Defined Identifier	Category for Medication	Name of Medication	Start Date	Ongoing
1					

Concomitant Treatment [CM01001_4]

1.

What is the medication identifier? *[read-only]*
[Sponsor-Defined Identifier]

[CMSPID_001_4]
A20★

2.

Category: *[read-only]*
[Category for Medication]

[CMCAT_001_4]
[A:1] ☐ GENERAL CONCOMITANT MEDICATIONS

3.*

Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation).
[Name of Medication]

[CMTRT_001_4]
A100★

4.*

Start Date:
[Start Date]

[CMSTDTC_001_4] (DD/MM/YYYY)
Req / Req / Req (2025-2026)

5.*

Ongoing?
[Ongoing]

[X_CMONGO_001_4]
[A:Y] ☐ YES
[A:N] ☐ [X_CMENDTC_CMP_001_4] ☐
NO
[CMENDTC_001_4] (DD/MM/YYYY)
End Date:
Req / Req / Req (2025-2026)

6.

Comparison Term *[hidden]*
[Comparison Term]

[D_COMPTERM1_001_4]
A200★

7.

Standardized Medication Name - Dictionary derived *[hidden]*
[Standardized Medication Name]

[CMDECOD_001_4]
A300★

8.

Standardized Medication Code - Dictionary derived *[hidden]*
[Standardized Medication Code]

[SUPPCM_CMCODE_001_4]
A11★

Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: CONCOMITANT MEDICATIONS - COVID - 19

Type	RefName	Description
Item	CMSPID_001_4	A sponsor-defined reference number.
Item	CMTRT_001_4	Name of Medication
Item	CMSTDTC_001_4	Date the medication was first taken
Item	X_CMONGO_001_4	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001_4	Date the subject stopped taking the medication
Item	D_COMPTERM1_001_4	Hidden Item needed for clear coding rule.
Item	CMDECOD_001_4	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001_4	Standardized Medication Code - Dictionary derived

Coding Summary: CONCOMITANT MEDICATIONS - COVID - 19

Verbatim RefName: D_COMPTERM1_001_4
Dictionary: Pfizer WHODD Verbatim Type:

Coding Item RefName	Level	Level Type
CMDECOD_001_4	PT	Term
SUPPCM_CMCODE_001_4	PT	Code

RDE Analytics: RD_CM001_4		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001_4	CMSPID_001_4	VARCHAR2
	CMSPID_001_4_ND	VARCHAR2
CMCAT_001_4	CMCAT_001_4_C	VARCHAR2
	CMCAT_001_4	VARCHAR2
	CMCAT_001_4_ND	VARCHAR2
CMTRT_001_4	CMTRT_001_4	VARCHAR2
	CMTRT_001_4_ND	VARCHAR2
CMSTDTC_001_4	CMSTDTC_001_4	DATE
	CMSTDTC_001_4_DTS	VARCHAR2
	CMSTDTC_001_4_ND	VARCHAR2
X_CMONGO_001_4	X_CMONGO_001_4_C	VARCHAR2
	X_CMONGO_001_4	VARCHAR2
	X_CMONGO_001_4_ND	VARCHAR2
X_CMONGO_001_4 - CMENDTC_001_4	CMENDTC_001_4	DATE
	CMENDTC_001_4_DTS	VARCHAR2
D_COMPTerm1_001_4	D_COMPTerm1_001_4	VARCHAR2
	D_COMPTerm1_001_4_ND	VARCHAR2
CMDECOD_001_4	CMDECOD_001_4	VARCHAR2
	CMDECOD_001_4_ND	VARCHAR2
SUPPCM_CMCODE_001_4	SUPPCM_CMCODE_001_4	VARCHAR2
	SUPPCM_CMCODE_001_4_ND	VARCHAR2

C4591076: LOCAL LABORATORY DATA - REPEATING CHEMISTRY (LAB CHEM) - Repeating Form [LB001_4]

#	Category for Lab Test	Vendor Name	Specimen Type	Collection Date Time	LAB RESULT
1					

LOCAL LABORATORY DATA - REPEATING [LB01001_4]

1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_4] [A:2] ☐ CLINICAL CHEMISTRY			
2.	Laboratory Name and Address: [Vendor Name]	[LBNAM_001_4] A200★			
3.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_4] [A:7] ☐ BLOOD			
4.*	Collection Date Time: [Collection Date Time]	[LBDTC_001_4] (DD/MM/YYYY hh:mm) Req v / Req v / Req v (2025-2026) Req/Unk v : Req/Unk v 24-hour clock			

LAB RESULT [LB03001_4]

#	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
5.a		C Reactive Protein_PX329			
5.b		Alanine Aminotransferase_PX30			
5.c		Aspartate Aminotransferase_PX28			
5.d		Alkaline Phosphatase_PX35			
5.e		Bilirubin_PX21			
5.f		Nitrogen_PX47			
5.g		Creatinine_PX48			

LAB RESULT Entry [LB03001_4]

5.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_4] N8			
5.2	Test: <i>[read-only]</i> [Test]	[LBTEST_001_4] [LBTEST_CL_001_4] v			
5.3	Result: [Result]	[LBORRES_001_4] A30★			
5.4	Not Done: [Not Done:]	[LBSTAT_001_4] [A:1] ☐ NOT DONE			
5.5	LNMT [LNMT]	[X_LNMTFLAG_CMP_001_4] [LBORNRLO_001_4] Low A20★ [LBORNRHI_001_4] High A20★ [LBORRESU_001_4] Unit [A:126] ☐ mg/L [A:137] ☐ mg/dL [A:41] ☐ g/L [A:300] ☐ U/L			

Key: [*] = Item is required = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: LOCAL LABORATORY DATA - REPEATING CHEMISTRY

Type	RefName	Description
Item	LBCAT_001_4	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSPEC_001_4	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_4	Date of specimen collection.
Item	LBORNRLO_001_4	LNMT field
Item	LBORNRHI_001_4	LNMT field
Item	LBORRESU_001_4	LNMT field

Codelist Values Tables: LOCAL LABORATORY DATA - REPEATING CHEMISTRY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_4	String		C Reactive Protein_PX329	329	cliLBTEST_C_Reactive_Protein_PX329	LBTEST_001_4
			Alanine Aminotransferase_PX30	30	cliLBTEST_Alanine_Aminotransferase_PX30	
			Aspartate Aminotransferase_PX28	28	cliLBTEST_Aspartate_Aminotransferase_PX28	
			Alkaline Phosphatase_PX35	35	cliLBTEST_Alkaline_Phosphatase_PX35	
			Bilirubin_PX21	21	cliLBTEST_Bilirubin_PX21	
			Nitrogen_PX47	47	cliLBTEST_Nitrogen_PX47	
			Creatinine_PX48	48	cliLBTEST_Creatinine_PX48	

RDE Analytics: RD_LB001_4		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_4	LBCAT_001_4_C	VARCHAR2
	LBCAT_001_4	VARCHAR2
	LBCAT_001_4_ND	VARCHAR2
LBNAM_001_4	LBNAM_001_4	VARCHAR2
	LBNAM_001_4_ND	VARCHAR2
LBSPEC_001_4	LBSPEC_001_4_C	VARCHAR2
	LBSPEC_001_4	VARCHAR2
	LBSPEC_001_4_ND	VARCHAR2
LBDTC_001_4	LBDTC_001_4	DATE
	LBDTC_001_4_DTS	VARCHAR2
	LBDTC_001_4_DTR	VARCHAR2
	LBDTC_001_4_ND	VARCHAR2
RD_LB001_4_LB03001_4		
LBSPID_001_4	LBSPID_001_4	NUMBER
	LBSPID_001_4_ND	VARCHAR2
LBTEST_001_4	LBTEST_001_4_C	VARCHAR2
	LBTEST_001_4	VARCHAR2
	LBTEST_001_4_ND	VARCHAR2
LBORRES_001_4	LBORRES_001_4	VARCHAR2
	LBORRES_001_4_ND	VARCHAR2
LBSTAT_001_4	LBSTAT_001_4_C	VARCHAR2
	LBSTAT_001_4	VARCHAR2
	LBSTAT_001_4_ND	VARCHAR2
X_LNMTFLAG_CMP_001_4	X_LNMTFLAG_CMP_001_4_ND	VARCHAR2
X_LNMTFLAG_CMP_001_4 - LBORNRLO_001_4	LBORNRLO_001_4	VARCHAR2
X_LNMTFLAG_CMP_001_4 - LBORNRHI_001_4	LBORNRHI_001_4	VARCHAR2
X_LNMTFLAG_CMP_001_4 - LBORRESU_001_4	LBORRESU_001_4_C	VARCHAR2

	LBORRESU_001_4	VARCHAR2
--	----------------	----------

C4591076: LOCAL LABORATORY DATA - REPEATING HEMATOLOGY (LAB HEM) - Repeating Form [LB001_4_1]					
#	Category for Lab Test	Vendor Name	Specimen Type	Collection Date Time	LAB RESULT
1					
LOCAL LABORATORY DATA - REPEATING [LB01001_4_1]					
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_4_1] [A:1] ☐ HEMATOLOGY			
2.*	Laboratory Name and Address: [Vendor Name]	[LBNAM_001_4_1] A200★			
3.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_4_1] [A:7] ☐ BLOOD			
4.*	Collection Date Time: [Collection Date Time]	[LBDTC_001_4_1] (DD/MM/YYYY hh:mm) Req v / Req v / Req v (2025-2026) Req/Unk v : Req/Unk v 24-hour clock			
LAB RESULT [LB03001_4_1]					
#	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
5.a		Hemoglobin_PX1			
5.b		Hematocrit_PX2			
5.c		Erythrocytes_PX3			
5.d		Platelets_PX5			
5.e		Leukocytes_PX7			
5.f		Neutrophils_PX608			
5.g		Eosinophils_PX609			
5.h		Monocytes_PX612			
5.i		Basophils_PX610			
5.j		Lymphocytes_PX611			
LAB RESULT Entry [LB03001_4_1]					
5.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_4_1] N8			
5.2	Test: <i>[read-only]</i> [Test]	[LBTEST_001_4_1] [LBTEST_CL_001_4_1] v			
5.3	Result: [Result]	[LBORRES_001_4_1] A30★			
5.4	Not Done: [Not Done:]	[LBSTAT_001_4_1] [A:1] ☐ NOT DONE			
5.5	LNMT [LNMT]	[X_LNMTFLAG_CMP_001_4_1] [LBORNLO_001_4_1] Low A20★ [LBORNRI_001_4_1] High A20★ [LBORRESU_001_4_1] Unit [LBORRESU_CL_001_4_1] v			
Key: [*] = Item is required v = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.					

Study Object Descriptions: LOCAL LABORATORY DATA - REPEATING HEMATOLOGY

Type	RefName	Description
Item	LBCAT_001_4_1	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSPEC_001_4_1	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_4_1	Date of specimen collection.
Item	LBORNRLO_001_4_1	LNMT field
Item	LBORNRHI_001_4_1	LNMT field
Item	LBORRESU_001_4_1	LNMT field

Codelist Values Tables: LOCAL LABORATORY DATA - REPEATING HEMATOLOGY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_4_1	String		Hemoglobin_PX1	1	cliLBTEST_Hemoglobin_PX1	LBTEST_001_4_1
			Hematocrit_PX2	2	cliLBTEST_Hematocrit_PX2	
			Erythrocytes_PX3	3	cliLBTEST_Erythrocytes_PX3	
			Platelets_PX5	5	cliLBTEST_Platelets_PX5	
			Leukocytes_PX7	7	cliLBTEST_Leukocytes_PX7	
			Neutrophils_PX608	608	cliLBTEST_Neutrophils_PX608	
			Eosinophils_PX609	609	cliLBTEST_Eosinophils_PX609	
			Monocytes_PX612	612	cliLBTEST_Monocytes_PX612	
			Basophils_PX610	610	cliLBTEST_Basophils_PX610	
			Lymphocytes_PX611	611	cliLBTEST_Lymphocytes_PX611	
LBORRESU_CL_001_4_1	String		g/L	41	cliUNIT_g_L	LBORRESU_001_4_1
			g/dL	128	cliUNIT_g_dL	
			L/L	475	cliUNIT_L_L	
			%	5	cliUNIT_perc	
			10^12/L	413	cliUNIT_10p12_L	
			10^6/cu mm	649	cliUNIT_10p6_cu_mm	
			/uL	309	cliUNIT_peruL	
			10^9/L	426	cliUNIT_10p9_L	
			10^3/uL	658	cliUNIT_10p3_uL	

RDE Analytics: RD_LB001_4_1		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_4_1	LBCAT_001_4_1_C	VARCHAR2
	LBCAT_001_4_1	VARCHAR2
	LBCAT_001_4_1_ND	VARCHAR2
LBNAM_001_4_1	LBNAM_001_4_1	VARCHAR2
	LBNAM_001_4_1_ND	VARCHAR2
LBSPEC_001_4_1	LBSPEC_001_4_1_C	VARCHAR2
	LBSPEC_001_4_1	VARCHAR2
	LBSPEC_001_4_1_ND	VARCHAR2
LBDTC_001_4_1	LBDTC_001_4_1	DATE
	LBDTC_001_4_1_DTS	VARCHAR2
	LBDTC_001_4_1_DTR	VARCHAR2
	LBDTC_001_4_1_ND	VARCHAR2
RD_LB001_4_1_LB03001_4_1		
LBSPID_001_4_1	LBSPID_001_4_1	NUMBER
	LBSPID_001_4_1_ND	VARCHAR2

LBTEST_001_4_1	LBTEST_001_4_1_C	VARCHAR2
	LBTEST_001_4_1	VARCHAR2
	LBTEST_001_4_1_ND	VARCHAR2
LBORRES_001_4_1	LBORRES_001_4_1	VARCHAR2
	LBORRES_001_4_1_ND	VARCHAR2
LBSTAT_001_4_1	LBSTAT_001_4_1_C	VARCHAR2
	LBSTAT_001_4_1	VARCHAR2
	LBSTAT_001_4_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_4_1	X_LNMTFLAG_CMP_001_4_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_4_1 - LBORNRO_001_4_1	LBORNRO_001_4_1	VARCHAR2
X_LNMTFLAG_CMP_001_4_1 - LBORNRI_001_4_1	LBORNRI_001_4_1	VARCHAR2
X_LNMTFLAG_CMP_001_4_1 - LBORRESU_001_4_1	LBORRESU_001_4_1_C	VARCHAR2
	LBORRESU_001_4_1	VARCHAR2

C4591076: IMAGING (IMAGING) - Repeating Form [PRCAR078_1]						
#	Date of Assessment	AE ID	Location of Assessment	Type of Imaging Exam	Assessment	Have there been any significant changes in Imaging findings since the previous assessment
1						
CLINICAL ASSESSMENT OF RADIOGRAPHS - IMAGING [PRCAR01078_1]						
1.*	Date of Assessment: [Date of Assessment]			[Y_PRDTC_078_1] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2026)		
2.*	Associated Adverse Event: [AE ID]			[Y_PRLNKID_078_1] A50*		
3.*	Location of Assessment: [Location of Assessment]			[Y_PRLOC_078_1] [Y_PRLOC_CL_078_1] v		
4.*	Type of Imaging Exam: [Type of Imaging Exam]			[Y_PRTRT_078_1] [Y_PRTRT_CL_078_1] v		
5.*	Assessment: [Assessment]			[FAORRES_INTP_078_1] [A:1] ☐ [FAORRES_SPFI_CMP_078_1] ☐ ABNORMAL [FAORRES_SPFI_078_1] If abnormal, specify findings: A200* [A:2] ☐ INDETERMINATE [A:3] ☐ NORMAL [A:4] ☐ NOT EVALUABLE		
6.*	Have there been any significant changes in Imaging findings since the previous assessment? [Have there been any significant changes in Imaging findings since the previous assessment]			[FAORRES_CSIGCHGL_078_1] [A:1] ☐ [FAORRES_SPCH_CMP_078_1] ☐ YES [FAORRES_SPCH_078_1] If YES, specify: A200* [A:2] ☐ NO [A:0] ☐ NO PREVIOUS ASSESSMENT		
Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.						

Codelist Values Tables: IMAGING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
Y_PRLOC_CL_078_1	String		ABDOMINAL CAVITY	80	cliLOC_ABDOMEN_CAVITY	Y_PRLOC_078_1
			HEAD	58	cliLOC_HEAD	
			NECK	153	cliLOC_NECK	
			PELVIS	114	cliLOC_PELVIS	
			THORAX	125	cliLOC_THORAX	
			LIMB	67	cliLOC_LIMB	
			LIMB, LOWER	357	cliLOC_LIMB_LOWER	
			LIMB, UPPER	358	cliLOC_LIMB_UPPER	
Y_PRTRT_CL_078_1	String		CT SCAN	1	cliCARQ_CT_SCAN	Y_PRTRT_078_1
			ULTRASOUND	2	cliCARQ_ULTRASOUND	
			MRI	3	cliCARQ_MRI	
			MAGNETIC RESONANCE CHOLANGIOPANCREATOGRAPHY	4	cliCARQ_MAGNETIC_RESONANCE_CHOLANGIOPANCREATOGRAPHY	

		ENDOSCOPIC RETROGRADE CHOLANGIOPANCREATOGRAPHY	5	cliCARQ_ENDOSCOPIC_RETROGRADE_CHOLANGIOPANCREATOGRAPHY
		ELASTOGRAPHY	6	cliCARQ_ELASTOGRAPHY
		NUCLEAR RADIOLOGY	7	cliCARQ_NUCLEAR_RADIOLOGY
		X-RAY	8	cliCARQ_X_RAY

RDE Analytics: RD_PRCAR078_1		
Data Variable RefName	RD Column Name	Column Data Type
Y_PRDTC_078_1	Y_PRDTC_078_1	DATE
	Y_PRDTC_078_1_DTS	VARCHAR2
	Y_PRDTC_078_1_ND	VARCHAR2
Y_PRLNKID_078_1	Y_PRLNKID_078_1	VARCHAR2
	Y_PRLNKID_078_1_ND	VARCHAR2
Y_PRLOC_078_1	Y_PRLOC_078_1_C	VARCHAR2
	Y_PRLOC_078_1	VARCHAR2
	Y_PRLOC_078_1_ND	VARCHAR2
Y_PRTRT_078_1	Y_PRTRT_078_1_C	VARCHAR2
	Y_PRTRT_078_1	VARCHAR2
	Y_PRTRT_078_1_ND	VARCHAR2
FAORRES_INTP_078_1	FAORRES_INTP_078_1_C	VARCHAR2
	FAORRES_INTP_078_1	VARCHAR2
	FAORRES_INTP_078_1_ND	VARCHAR2
FAORRES_INTP_078_1 - FAORRES_SPFI_078_1	FAORRES_SPFI_078_1	VARCHAR2
FAORRES_CSIGCHGL_078_1	FAORRES_CSIGCHGL_078_1_C	VARCHAR2
	FAORRES_CSIGCHGL_078_1	VARCHAR2
	FAORRES_CSIGCHGL_078_1_ND	VARCHAR2
FAORRES_CSIGCHGL_078_1 - FAORRES_SPCH_078_1	FAORRES_SPCH_078_1	VARCHAR2

C4591076: TRIGGER FORM – MIS-C CASE CRITERIA (MISC CASE) [R_TRIG001_2]		
Trigger Form [R_TRIG01001_2]		
1.*	Select appropriate response - Reason for subject hospitalized [Trigger Response 5]	[R_TRIGRESP5_001_2] [A:1] ☐ Yes - the subject is hospitalized for confirmed case of MISC [A:2] ☐ Yes - the subject is hospitalized for suspected case of MISC [A:3] ☐ No - the subject is hospitalized for alternate diagnosis
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_R_TRIG001_2		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP5_001_2	R_TRIGRESP5_001_2_C	VARCHAR2
	R_TRIGRESP5_001_2	VARCHAR2
	R_TRIGRESP5_001_2_ND	VARCHAR2

C4591076: TRIGGER FORM – MIS-C INCLUSION (MISC INCL) [R_TRIG001_3]		
Trigger Form [R_TRIG01001_3]		
1.*	Select appropriate response - Does the subject have Fever >38.0°C for >=24 hours, or report of subjective fever lasting >=24 hours? [Trigger Response 3]	[R_TRIGRESP3_001_3] [A:1] ☐ Yes - Subject has Fever >= 38.0°C for >= 24 hours [A:2] ☐ Yes - Subject has subjective Fever for >=24 hours [A:3] ☐ No - Subject does not have Fever for >=24 hours
2.*	Select appropriate response - Does the subject Laboratory markers show one or more inflammation? [Trigger Response 4]	[R_TRIGRESP4_001_3] [A:1] ☐ Yes - Laboratory marker test results show inflammation [A:2] ☐ No - Laboratory marker test results does not show inflammation
3.*	Select appropriate response - Evidence of clinically severe illness requiring hospitalization, with multisystem (>=2) organ involvement? [Trigger Response 5]	[R_TRIGRESP5_001_3] [A:10] ☐ Yes - Subject is hospitalized with evidence of severe illness in 2 or more organ systems [A:11] ☐ No - Subject is hospitalized with evidence of severe illness WITHOUT 2 or more organ systems
4.*	Select appropriate response - Positive for current or recent SARS-COV-2 infection by [Trigger Response 6]	[R_TRIGRESP6_001_3] [A:15] ☐ SARS-COV-2 infection tested by RT-PCR test [A:16] ☐ SARS-COV-2 infection tested by Serology test [A:17] ☐ SARS-COV-2 infection tested by Antigen test
5.*	Select appropriate response - COVID-19 exposure within the 4 weeks prior to the onset of symptoms [Trigger Response 7]	[R_TRIGRESP7_001_3] [A:1] ☐ Yes - Subject confirms exposure to COVID-19 within 4 weeks of symptom onset [A:2] ☐ No - Subject is unaware of exposure to COVID-19 within 4 weeks of symptom onset
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_R_TRIG001_3		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP3_001_3	R_TRIGRESP3_001_3_C	VARCHAR2
	R_TRIGRESP3_001_3	VARCHAR2
	R_TRIGRESP3_001_3_ND	VARCHAR2
R_TRIGRESP4_001_3	R_TRIGRESP4_001_3_C	VARCHAR2
	R_TRIGRESP4_001_3	VARCHAR2
	R_TRIGRESP4_001_3_ND	VARCHAR2
R_TRIGRESP5_001_3	R_TRIGRESP5_001_3_C	VARCHAR2
	R_TRIGRESP5_001_3	VARCHAR2
	R_TRIGRESP5_001_3_ND	VARCHAR2
R_TRIGRESP6_001_3	R_TRIGRESP6_001_3_C	VARCHAR2
	R_TRIGRESP6_001_3	VARCHAR2
	R_TRIGRESP6_001_3_ND	VARCHAR2
R_TRIGRESP7_001_3	R_TRIGRESP7_001_3_C	VARCHAR2
	R_TRIGRESP7_001_3	VARCHAR2
	R_TRIGRESP7_001_3_ND	VARCHAR2

C4591076: TRIGGER FORM – MIS-C ILLNESS SYMPTOMS (MISC ILL) [R_TRIG001_4]

Trigger Form [R_TRIG01001_4]	
1. Select appropriate response - As response to evidence of clinically severe illness requiring hospitalization, with multisystem (>=2) organ involvement is yes, then select applicable organ system [Trigger Response 5]	[R_TRIGRESP5_001_4] [A:1] ☐ Subject has Cardiac Symptoms
2. Select appropriate response - As response to evidence of clinically severe illness requiring hospitalization, with multisystem (>=2) organ involvement is yes, then select applicable organ system [Trigger Response 6]	[R_TRIGRESP6_001_4] [A:1] ☐ Subject has Renal Symptoms
3. Select appropriate response - As response to evidence of clinically severe illness requiring hospitalization, with multisystem (>=2) organ involvement is yes, then select applicable organ system [Trigger Response 7]	[R_TRIGRESP7_001_4] [A:1] ☐ Subject has Respiratory Symptoms
4. Select appropriate response - As response to evidence of clinically severe illness requiring hospitalization, with multisystem (>=2) organ involvement is yes, then select applicable organ system [Trigger Response 8]	[R_TRIGRESP8_001_4] [A:1] ☐ Subject has Hematologic Symptoms
5. Select appropriate response - As response to evidence of clinically severe illness requiring hospitalization, with multisystem (>=2) organ involvement is yes, then select applicable organ system [Trigger Response 9]	[R_TRIGRESP9_001_4] [A:1] ☐ Subject has Gastrointestinal Symptoms
6. Select appropriate response - As response to evidence of clinically severe illness requiring hospitalization, with multisystem (>=2) organ involvement is yes, then select applicable organ system [Trigger Response 10]	[R_TRIGRESP10_001_4] [A:1] ☐ Subject has Dermatologic Symptoms
7. Select appropriate response - As response to evidence of clinically severe illness requiring hospitalization, with multisystem (>=2) organ involvement is yes, then select applicable organ system [Trigger Response 11]	[R_TRIGRESP11_001_4] [A:1] ☐ Subject has Neurological Symptoms
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.	

RDE Analytics: RD_R_TRIG001_4		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP5_001_4	R_TRIGRESP5_001_4_C	VARCHAR2
	R_TRIGRESP5_001_4	VARCHAR2
	R_TRIGRESP5_001_4_ND	VARCHAR2
R_TRIGRESP6_001_4	R_TRIGRESP6_001_4_C	VARCHAR2
	R_TRIGRESP6_001_4	VARCHAR2
	R_TRIGRESP6_001_4_ND	VARCHAR2
R_TRIGRESP7_001_4	R_TRIGRESP7_001_4_C	VARCHAR2
	R_TRIGRESP7_001_4	VARCHAR2
	R_TRIGRESP7_001_4_ND	VARCHAR2
R_TRIGRESP8_001_4	R_TRIGRESP8_001_4_C	VARCHAR2
	R_TRIGRESP8_001_4	VARCHAR2
	R_TRIGRESP8_001_4_ND	VARCHAR2

R_TRIGRESP9_001_4	R_TRIGRESP9_001_4_C	VARCHAR2
	R_TRIGRESP9_001_4	VARCHAR2
	R_TRIGRESP9_001_4_ND	VARCHAR2
R_TRIGRESP10_001_4	R_TRIGRESP10_001_4_C	VARCHAR2
	R_TRIGRESP10_001_4	VARCHAR2
	R_TRIGRESP10_001_4_ND	VARCHAR2
R_TRIGRESP11_001_4	R_TRIGRESP11_001_4_C	VARCHAR2
	R_TRIGRESP11_001_4	VARCHAR2
	R_TRIGRESP11_001_4_ND	VARCHAR2

#	Sponsor-Defined Identifier	Category for Medication	Name of Medication	Dose Description	Dose Unit	Dose Frequency	Route	Start Date	Ongoing
1									
Concomitant Treatment [CM01001_5]									
1.	What is the medication identifier? <i>[read-only]</i> [Sponsor-Defined Identifier]	[CMSPID_001_5] A20★							
2.	Category: <i>[read-only]</i> [Category for Medication]	[CMCAT_001_5] [A:1] ☐ GENERAL CONCOMITANT MEDICATIONS							
3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). [Name of Medication]	[CMTRT_001_5] A100★							
4.*	Dose: [Dose Description]	[X_CMDSTXT_001_5] A25★							
5.*	Dose Unit: [Dose Unit]	[CMDOSU_001_5] [CMDOSU_CL_001_5] ▼							
6.*	Dose Frequency: [Dose Frequency]	[CMDOSFRQ_001_5] [CMDOSFRQ_CL_001_5] ▼							
7.*	Route: [Route]	[CMROUTE_001_5] [CMROUTE_CL_001_5] ▼							
8.*	Start Date: [Start Date]	[CMSTDTC_001_5] (DD/MM/YYYY) Req ▼ / Req ▼ / Req ▼ (2025-2026)							
9.*	Ongoing? [Ongoing]	[X_CMONGO_001_5] [A:Y] ☐ YES [A:N] ☐ [X_CMENDTC_CMP_001_5] ☐ NO [CMENDTC_001_5] (DD/MM/YYYY) End Date: Req ▼ / Req ▼ / Req ▼ (2025-2026)							
10.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM1_001_5] A200★							
11.	Standardized Medication Name - Dictionary derived <i>[hidden]</i> [Standardized Medication Name]	[CMDECOD_001_5] A300★							
12.	Standardized Medication Code - Dictionary derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPCM_CMCODE_001_5] A11★							
Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.									

Study Object Descriptions: CONCOMITANT MEDICATIONS-MIS-C

Type	RefName	Description
Item	CMSPID_001_5	A sponsor-defined reference number.
Item	CMTRT_001_5	Name of Medication
Item	X_CMDSTXT_001_5	The dose of medication per administration in character format
Item	CMDOSU_001_5	The unit associated with the medication taken

Item	CMDOSFRQ_001_5	How often the medication was taken
Item	CMROUTE_001_5	The route of administration of the medication
Item	CMSTDTC_001_5	Date the medication was first taken
Item	X_CMONGO_001_5	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001_5	Date the subject stopped taking the medication
Item	D_COMPTERM1_001_5	Hidden Item needed for clear coding rule.
Item	CMDECOD_001_5	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001_5	Standardized Medication Code - Dictionary derived

Codelist Values Tables: CONCOMITANT MEDICATIONS-MIS-C						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CMDOSU_CL_001_5	String		mg	8	cliUNIT_mg	CMDOSU_001_5
			mL	9	cliUNIT_mL	
			ug	43	cliUNIT_ug	
			g	45	cliUNIT_g	
			mg/day	162	cliUNIT_mg_day	
			mg/kg	163	cliUNIT_mg_kg	
			g/kg	204	cliUNIT_g_kg	
			ug/day	289	cliUNIT_ug_day	
			g/kg/day	330	cliUNIT_g_kg_day	
			mg/kg/day	345	cliUNIT_mg_kg_day	
			mL/kg	363	cliUNIT_mL_kg	
			mL/kg/day	364	cliUNIT_mL_kg_day	
			ug/kg/day	399	cliUNIT_ug_kg_day	
CMDOSFRQ_CL_001_5	String		UNKNOWN	1	cliFREQ_UNKNOWN	CMDOSFRQ_001_5
			BID	3	cliFREQ_BID	
			PRN	6	cliFREQ_PRN	
			TID	32	cliFREQ_TID	
			QID	35	cliFREQ_QID	
			ONCE	43	cliFREQ_ONCE	
			QD	49	cliFREQ_QD	
CMROUTE_CL_001_5	String		AURICULAR (OTIC)	1	cliROUTE_AURICULAR_OTIC	CMROUTE_001_5
			CUTANEOUS	4	cliROUTE_CUTANEOUS	
			INTRA-ARTICULAR	20	cliROUTE_INTRA_ARTICULAR	
			INTRABILIARY	21	cliROUTE_INTRABILIARY	
			INTRADERMAL	35	cliROUTE_INTRADERMAL	
			INTRAVENOUS	70	cliROUTE_INTRAVENOUS	
			NASAL	79	cliROUTE_NASAL	
			OPHTHALMIC	83	cliROUTE_OPHTHALMIC	
			ORAL	84	cliROUTE_ORAL	
			RECTAL	92	cliROUTE_RECTAL	
			RESPIRATORY (INHALATION)	93	cliROUTE_RESPIRATORY_INHALATION_	
			SUBCUTANEOUS	98	cliROUTE_SUBCUTANEOUS	
			SUBLINGUAL	99	cliROUTE_SUBLINGUAL	
			TOPICAL	101	cliROUTE_TOPICAL	

Coding Summary: CONCOMITANT MEDICATIONS-MIS-C

Verbatim RefName: D_COMPTERM1_001_5		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
CMDECOD_001_5	PT	Term
SUPPCM_CMCODE_001_5	PT	Code

RDE Analytics: RD_CM001_5		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001_5	CMSPID_001_5	VARCHAR2
	CMSPID_001_5_ND	VARCHAR2
CMCAT_001_5	CMCAT_001_5_C	VARCHAR2
	CMCAT_001_5	VARCHAR2
	CMCAT_001_5_ND	VARCHAR2
CMTRT_001_5	CMTRT_001_5	VARCHAR2
	CMTRT_001_5_ND	VARCHAR2
X_CMDSTXT_001_5	X_CMDSTXT_001_5	VARCHAR2
	X_CMDSTXT_001_5_ND	VARCHAR2
CMDOSU_001_5	CMDOSU_001_5_C	VARCHAR2
	CMDOSU_001_5	VARCHAR2
	CMDOSU_001_5_ND	VARCHAR2
CMDOSFRQ_001_5	CMDOSFRQ_001_5_C	VARCHAR2
	CMDOSFRQ_001_5	VARCHAR2
	CMDOSFRQ_001_5_ND	VARCHAR2
CMROUTE_001_5	CMROUTE_001_5_C	VARCHAR2
	CMROUTE_001_5	VARCHAR2
	CMROUTE_001_5_ND	VARCHAR2
CMSTDTC_001_5	CMSTDTC_001_5	DATE
	CMSTDTC_001_5_DTS	VARCHAR2
	CMSTDTC_001_5_ND	VARCHAR2
X_CMONGO_001_5	X_CMONGO_001_5_C	VARCHAR2
	X_CMONGO_001_5	VARCHAR2
	X_CMONGO_001_5_ND	VARCHAR2
X_CMONGO_001_5 - CMENDTC_001_5	CMENDTC_001_5	DATE
	CMENDTC_001_5_DTS	VARCHAR2
D_COMPTERM1_001_5	D_COMPTERM1_001_5	VARCHAR2
	D_COMPTERM1_001_5_ND	VARCHAR2
CMDECOD_001_5	CMDECOD_001_5	VARCHAR2
	CMDECOD_001_5_ND	VARCHAR2
SUPPCM_CMCODE_001_5	SUPPCM_CMCODE_001_5	VARCHAR2
	SUPPCM_CMCODE_001_5_ND	VARCHAR2

C4591076: NON-DRUG TREATMENTS – MIS-C (NONDRG TX) - Repeating Form [PR001_5]				
#	Treatment Identifier	Treatment	Start Date	Ongoing
1				
Non-Drug Treatments [PR01001_5]				
1.	What is the treatment Identifier? <i>[read-only]</i> [Treatment Identifier]	[PRSPID_001_5] A20★		
2.*	Treatment: [Treatment]	[PRTRT_001_5] A100★		
3.*	Start Date: [Start Date]	[PRSTDTC_001_5] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (2025-2026)		
4.*	Ongoing? [Ongoing]	[X_PRONGO_001_5] [A:Y] ☐ YES [A:N] ☐ [PRENDTC_CMP_001_5] v NO [PRENDTC_001_5] (DD/MM/YYYY) End Date: Req/Unk v / Req/Unk v / Req v (2025-2026)		
5.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM5_001_5] A200★		
6.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[SUPPPR_PRLLT_001_5] A100★		
7.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[SUPPPR_PRLTCD_001_5] A8★		
8.	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[PRDECOD_001_5] A100★		
9.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPPR_PRPTCD_001_5] A8★		
10.	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001_5] A100★		
11.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPPR_PRHLTCD_001_5] A8★		
12.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001_5] A100★		
13.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTC_001_5] A8★		
14.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001_5] A100★		
15.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_5] A8★		
Key: [*] = Item is required [v] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.				

Study Object Descriptions: NON-DRUG TREATMENTS – MIS-C

Type	RefName	Description
Form	PR001_5	PR001 - NON-DRUG TREATMENTS
Item	PRTRT_001_5	Verbatim name of the treatment.
Item	PRSTDTC_001_5	Date the treatment was started
Item	X_PRONGO_001_5	Indicates the treatment is ongoing when no End Date is provided
Item	PRENDTC_001_5	Date the treatment was stopped.
Item	D_COMPTERM5_001_5	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001_5	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLLTCD_001_5	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001_5	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001_5	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001_5	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001_5	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001_5	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTCD_001_5	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001_5	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001_5	Dictionary-derived code for the primary System Organ Class.

Coding Summary: NON-DRUG TREATMENTS – MIS-C

Verbatim RefName: D_COMPTERM5_001_5		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001_5	SOC	Term
SUPPPR_PRSOCCD_001_5	SOC	Code
SUPPPR_PRHLGT_001_5	HLGT	Term
SUPPPR_PRHLGTCD_001_5	HLGT	Code
SUPPPR_PRHLT_001_5	HLT	Term
SUPPPR_PRHLTCD_001_5	HLT	Code
PRDECOD_001_5	PT	Term
SUPPPR_PRPTCD_001_5	PT	Code
SUPPPR_PRLLT_001_5	LLT	Term
SUPPPR_PRLLTCD_001_5	LLT	Code

RDE Analytics: RD_PR001_5		
Data Variable RefName	RD Column Name	Column Data Type
PRSPID_001_5	PRSPID_001_5	VARCHAR2
	PRSPID_001_5_ND	VARCHAR2
PRTRT_001_5	PRTRT_001_5	VARCHAR2
	PRTRT_001_5_ND	VARCHAR2
PRSTDTC_001_5	PRSTDTC_001_5	DATE
	PRSTDTC_001_5_DTS	VARCHAR2
	PRSTDTC_001_5_DTR	VARCHAR2
	PRSTDTC_001_5_ND	VARCHAR2
X_PRONGO_001_5	X_PRONGO_001_5_C	VARCHAR2
	X_PRONGO_001_5	VARCHAR2
	X_PRONGO_001_5_ND	VARCHAR2
X_PRONGO_001_5 - PRENDTC_001_5	PRENDTC_001_5	DATE

	PRENDTC_001_5_DTS	VARCHAR2
	PRENDTC_001_5_DTR	VARCHAR2
D_COMPTERM5_001_5	D_COMPTERM5_001_5	VARCHAR2
	D_COMPTERM5_001_5_ND	VARCHAR2
SUPPPR_PRLLT_001_5	SUPPPR_PRLLT_001_5	VARCHAR2
	SUPPPR_PRLLT_001_5_ND	VARCHAR2
SUPPPR_PRLLTCD_001_5	SUPPPR_PRLLTCD_001_5	VARCHAR2
	SUPPPR_PRLLTCD_001_5_ND	VARCHAR2
PRDECOD_001_5	PRDECOD_001_5	VARCHAR2
	PRDECOD_001_5_ND	VARCHAR2
SUPPPR_PRPTCD_001_5	SUPPPR_PRPTCD_001_5	VARCHAR2
	SUPPPR_PRPTCD_001_5_ND	VARCHAR2
SUPPPR_PRHLT_001_5	SUPPPR_PRHLT_001_5	VARCHAR2
	SUPPPR_PRHLT_001_5_ND	VARCHAR2
SUPPPR_PRHLTCD_001_5	SUPPPR_PRHLTCD_001_5	VARCHAR2
	SUPPPR_PRHLTCD_001_5_ND	VARCHAR2
SUPPPR_PRLGT_001_5	SUPPPR_PRLGT_001_5	VARCHAR2
	SUPPPR_PRLGT_001_5_ND	VARCHAR2
SUPPPR_PRLGTCD_001_5	SUPPPR_PRLGTCD_001_5	VARCHAR2
	SUPPPR_PRLGTCD_001_5_ND	VARCHAR2
SUPPPR_PRSOC_001_5	SUPPPR_PRSOC_001_5	VARCHAR2
	SUPPPR_PRSOC_001_5_ND	VARCHAR2
SUPPPR_PRSOCCD_001_5	SUPPPR_PRSOCCD_001_5	VARCHAR2
	SUPPPR_PRSOCCD_001_5_ND	VARCHAR2

C4591076: SIGNS AND SYMPTOMS OF MIS-C FEVER (SOD FEVER) [CESOD006_2]

Signs and Symptoms [CESOD01006_2]

1.*

Date of Assessment:
[Date of Assessment]

[Y_CEDTC_006_2] (DD/MM/YYYY)
Req / Req / Req (2025-2026)

2.*

Date of First Symptom Started:
[First Symptom Started Date]

[FAORRES_FSSDTC_006_2] (DD/MM/YYYY)
Req/Unk / Req / Req (2025-2026)

3.*

Symptoms Ongoing?
[Symptoms Ongoing]

[X_FAONGO_006_2]
[A:Y] ☐ YES
[A:N] ☐ [FAORRES_LSRDTC_CMP_006_2] ☐
NO
[FAORRES_LSRDTC_006_2] (DD/MM/YYYY)
Date of Last Symptom Resolved:
Req/Unk / Req / Req (2025-2026)

Symptoms [CESOD02006_2]

#	Event Pre-specified	Symptoms	Symptom Present*
4.a	YES	FEVER	

Symptoms Entry [CESOD02006_2]

4.1

Event Pre-specified: *[hidden]*
[Event Pre-specified]

[CEPRES_006_2]
[A:Y] ☐ YES

4.2

Symptoms: *[read-only]*
[Symptoms]

[CETERM_006_2]
[A:5] ☐ FEVER

4.3*

Was symptom present?
[Symptom Present]

[CEOCCUR_006_2]
[A:Y] ☐ YES
[A:N] ☐ NO

Key: [*] = Item is required [☐] = Item is collapsible [] = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_CESOD006_2		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006_2	Y_CEDTC_006_2	DATE
	Y_CEDTC_006_2_DTS	VARCHAR2
	Y_CEDTC_006_2_ND	VARCHAR2
FAORRES_FSSDTC_006_2	FAORRES_FSSDTC_006_2	DATE
	FAORRES_FSSDTC_006_2_DTS	VARCHAR2
	FAORRES_FSSDTC_006_2_DTR	VARCHAR2
	FAORRES_FSSDTC_006_2_ND	VARCHAR2
X_FAONGO_006_2	X_FAONGO_006_2_C	VARCHAR2
	X_FAONGO_006_2	VARCHAR2
	X_FAONGO_006_2_ND	VARCHAR2
X_FAONGO_006_2 - FAORRES_LSRDTC_006_2	FAORRES_LSRDTC_006_2	DATE
	FAORRES_LSRDTC_006_2_DTS	VARCHAR2
	FAORRES_LSRDTC_006_2_DTR	VARCHAR2
*RD_CESOD006_2_CESOD02006_2		
CEPRES_006_2	CEPRES_006_2_C	VARCHAR2
	CEPRES_006_2	VARCHAR2
	CEPRES_006_2_ND	VARCHAR2
CETERM_006_2	CETERM_006_2_C	VARCHAR2
	CETERM_006_2	VARCHAR2
	CETERM_006_2_ND	VARCHAR2

file:///C:/Users/angelm31/AppData/Local/Apps/2.0/AX9PJ5GO.TCM/4409YYKQ.KNQ/orac..90.0_919f856034ae8f10_0007....

10/23/2025

CEOCCUR_006_2	CEOCCUR_006_2_C	VARCHAR2
	CEOCCUR_006_2	VARCHAR2
	CEOCCUR_006_2_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: SIGNS AND SYMPTOMS OF MIS-C CARDIAC (SOD CARDIO) [CESOD006_3]			
Signs and Symptoms [CESOD01006_3]			
1.*	Date of Assessment: [Date of Assessment]	[Y_CEDTC_006_3] (DD/MM/YYYY) Req v / Req v / Req v (2025-2026)	
2.*	Date of First Symptom Started: [First Symptom Started Date]	[FAORRES_FSSDTC_006_3] (DD/MM/YYYY) Req/Unk v / Req v / Req v (2025-2026)	
3.*	Symptoms Ongoing? [Symptoms Ongoing]	[X_FAONGO_006_3] [A:Y] ☐ YES [A:N] ☐ [FAORRES_LSRDTC_CMP_006_3] ☐ NO [FAORRES_LSRDTC_006_3] (DD/MM/YYYY) Date of Last Symptom Resolved: Req/Unk v / Req v / Req v (2025-2026)	
Symptoms [CESOD02006_3]			
#	Event Pre-specified	Symptoms	Symptom Present*
4.a	YES	SHOCK	
4.b	YES	ELEVATED TROPONIN	
4.c	YES	ELEVATED BNP / NT-PROBNP	
4.d	YES	VENTRICULAR ARRHYTHMIA	
4.e	YES	SUPRAVENTRICULAR ARRHYTHMIA	
4.f	YES	CONGESTIVE HEART FAILURE	
4.g	YES	MYOCARDITIS	
4.h	YES	PERICARDITIS	
Symptoms Entry [CESOD02006_3]			
4.1	Event Pre-specified: [hidden] [Event Pre-specified]	[CEPRES_006_3] [A:Y] ☐ YES	
4.2	Symptoms: [read-only] [Symptoms]	[CETERM_006_3] [CETERM_CL_006_3] v	
4.3*	Was symptom present? [Symptom Present]	[CEOCCUR_006_3] [A:Y] ☐ YES [A:N] ☐ NO	
Symptoms - Other			
5.			
Symptoms - Other Entry [CESOD03006_3]			
5.1	Symptoms - Other Text: [Symptoms - Other]	[CETERM1_006_3] A80*	
5.2	Comparison Term: [hidden] [Comparison Term]	[D_COMPTERM_006_3] A200*	
5.3	Lowest Level Term [hidden] [Lowest Level Term]	[CELLT_006_3] A100*	
5.4	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[CELLTCD_006_3] A8*	
5.5	Dictionary Derived Term [hidden] [Dictionary Derived Term]	[CEDECOD_006_3] A100*	
5.6	Preferred Term Code [hidden] [Preferred Term Code]	[CEPTCD_006_3]	

		A8★
5.7	High Level Term <i>[hidden]</i> [High Level Term]	[CEHLT_006_3] A100★
5.8	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[CEHLTCD_006_3] A8★
5.9	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[CEHLGT_006_3] A100★
5.10	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[CEHLGTCD_006_3] A8★
5.11	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[CESOC_006_3] A100★
5.12	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[CESOCCD_006_3] A8★
Key: [*] = Item is required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Codelist Values Tables: SIGNS AND SYMPTOMS OF MIS-C CARDIAC						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM_CL_006_3	String		SHOCK	149	cliSODSYMP_SHOCK	CETERM_006_3
			ELEVATED TROPONIN	150	cliSODSYMP_ELEVATED_TROPONIN	
			ELEVATED BNP / NT-PROBNP	151	cliSODSYMP_ELEVATED_BNP_NT_PROBNP	
			VENTRICULAR ARRHYTHMIA	153	cliSODSYMP_VENTRICULAR_ARRHYTHMIA	
			SUPRAVENTRICULAR ARRHYTHMIA	154	cliSODSYMP_SUPRAVENTRICULAR_ARRHYTHMIA	
			CONGESTIVE HEART FAILURE	155	cliSODSYMP_CONGESTIVE_HEART_FAILURE	
			MYOCARDITIS	139	cliSODSYMP_MYOCARDITIS	
			PERICARDITIS	141	cliSODSYMP_PERICARDITIS	

Coding Summary: SIGNS AND SYMPTOMS OF MIS-C CARDIAC		
Verbatim RefName: D_COMPTERM_006_3 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
CESOC_006_3	SOC	Term
CESOCCD_006_3	SOC	Code
CEHLGT_006_3	HLGT	Term
CEHLGTCD_006_3	HLGT	Code
CEHLT_006_3	HLT	Term
CEHLTCD_006_3	HLT	Code
CEDECOD_006_3	PT	Term
CEPTCD_006_3	PT	Code
CELLT_006_3	LLT	Term
CELLTCD_006_3	LLT	Code

RDE Analytics: RD_CESOD006_3		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006_3	Y_CEDTC_006_3	DATE

	Y_CEDTC_006_3_DTS	VARCHAR2
	Y_CEDTC_006_3_ND	VARCHAR2
FAORRES_FSSDTC_006_3	FAORRES_FSSDTC_006_3	DATE
	FAORRES_FSSDTC_006_3_DTS	VARCHAR2
	FAORRES_FSSDTC_006_3_DTR	VARCHAR2
	FAORRES_FSSDTC_006_3_ND	VARCHAR2
X_FAONGO_006_3	X_FAONGO_006_3_C	VARCHAR2
	X_FAONGO_006_3	VARCHAR2
	X_FAONGO_006_3_ND	VARCHAR2
X_FAONGO_006_3 - FAORRES_LSRDTC_006_3	FAORRES_LSRDTC_006_3	DATE
	FAORRES_LSRDTC_006_3_DTS	VARCHAR2
	FAORRES_LSRDTC_006_3_DTR	VARCHAR2
*RD_CESOD006_3_CESOD02006_3		
CEPRES_006_3	CEPRES_006_3_C	VARCHAR2
	CEPRES_006_3	VARCHAR2
	CEPRES_006_3_ND	VARCHAR2
CETERM_006_3	CETERM_006_3_C	VARCHAR2
	CETERM_006_3	VARCHAR2
	CETERM_006_3_ND	VARCHAR2
CEOCCUR_006_3	CEOCCUR_006_3_C	VARCHAR2
	CEOCCUR_006_3	VARCHAR2
	CEOCCUR_006_3_ND	VARCHAR2
*RD_CESOD006_3_CESOD03006_3		
CETERM1_006_3	CETERM1_006_3	VARCHAR2
	CETERM1_006_3_ND	VARCHAR2
D_COMPTerm_006_3	D_COMPTerm_006_3	VARCHAR2
	D_COMPTerm_006_3_ND	VARCHAR2
CELLT_006_3	CELLT_006_3	VARCHAR2
	CELLT_006_3_ND	VARCHAR2
CELLTCD_006_3	CELLTCD_006_3	VARCHAR2
	CELLTCD_006_3_ND	VARCHAR2
CEDECOD_006_3	CEDECOD_006_3	VARCHAR2
	CEDECOD_006_3_ND	VARCHAR2
CEPTCD_006_3	CEPTCD_006_3	VARCHAR2
	CEPTCD_006_3_ND	VARCHAR2
CEHLT_006_3	CEHLT_006_3	VARCHAR2
	CEHLT_006_3_ND	VARCHAR2
CEHLTCD_006_3	CEHLTCD_006_3	VARCHAR2
	CEHLTCD_006_3_ND	VARCHAR2
CEHLGT_006_3	CEHLGT_006_3	VARCHAR2
	CEHLGT_006_3_ND	VARCHAR2
CEHLGTC_006_3	CEHLGTC_006_3	VARCHAR2
	CEHLGTC_006_3_ND	VARCHAR2
CESOC_006_3	CESOC_006_3	VARCHAR2
	CESOC_006_3_ND	VARCHAR2
CESOCCD_006_3	CESOCCD_006_3	VARCHAR2
	CESOCCD_006_3_ND	VARCHAR2

Key: [*] = The column and/or table name in the actual RDE extract may be different.

C4591076: SIGNS AND SYMPTOMS OF MIS-C RENAL (SOD RENAL) [CESOD006_4]		
Signs and Symptoms [CESOD01006_4]		
1.*	Date of Assessment: [Date of Assessment]	[Y_CEDTC_006_4] (DD/MM/YYYY) Req v / Req v / Req v (2025-2026)
2.*	Date of First Symptom Started: [First Symptom Started Date]	[FAORRES_FSSDTC_006_4] (DD/MM/YYYY) Req/Unk v / Req v / Req v (2025-2026)
3.*	Symptoms Ongoing? [Symptoms Ongoing]	[X_FAONGO_006_4] [A:Y] ☐ YES [A:N] ☐ [FAORRES_LSRDTC_CMP_006_4] ☐ NO [FAORRES_LSRDTC_006_4] (DD/MM/YYYY) Date of Last Symptom Resolved: Req/Unk v / Req v / Req v (2025-2026)
Symptoms [CESOD02006_4]		
#	Event Pre-specified	Symptoms
4.a	YES	ACUTE KIDNEY INJURY
Symptoms Entry [CESOD02006_4]		
4.1	Event Pre-specified: [hidden] [Event Pre-specified]	[CEPRES_006_4] [A:Y] ☐ YES
4.2	Symptoms: [read-only] [Symptoms]	[CETERM_006_4] [A:156] ☐ ACUTE KIDNEY INJURY
4.3*	Was symptom present? [Symptom Present]	[CEOCCUR_006_4] [A:Y] ☐ YES [A:N] ☐ NO
Symptoms - Other		
Symptoms - Other Entry [CESOD03006_4]		
5.1	Symptoms - Other Text: [Symptoms - Other]	[CETERM1_006_4] A80*
5.2	Comparison Term: [hidden] [Comparison Term]	[D_COMPTERM_006_4] A200*
5.3	Lowest Level Term [hidden] [Lowest Level Term]	[CELLT_006_4] A100*
5.4	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[CELLTCD_006_4] A8*
5.5	Dictionary Derived Term [hidden] [Dictionary Derived Term]	[CEDECOD_006_4] A100*
5.6	Preferred Term Code [hidden] [Preferred Term Code]	[CEPTCD_006_4] A8*
5.7	High Level Term [hidden] [High Level Term]	[CEHLT_006_4] A100*
5.8	High Level Term Code [hidden] [High Level Term Code]	[CEHLTCD_006_4] A8*
5.9	High Level Group Term [hidden] [High Level Group Term]	[CEHLGT_006_4] A100*

5.10	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[CEHLGTCD_006_4] A8★
5.11	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[CESOC_006_4] A100★
5.12	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[CESOCCD_006_4] A8★

Key: [*] = Item is required [] = Item is collapsible [] = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Coding Summary: SIGNS AND SYMPTOMS OF MIS-C RENAL		
Verbatim RefName: D_COMPTERM_006_4 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
CESOC_006_4	SOC	Term
CESOCCD_006_4	SOC	Code
CEHLGT_006_4	HLGT	Term
CEHLGTCD_006_4	HLGT	Code
CEHLT_006_4	HLT	Term
CEHLTCD_006_4	HLT	Code
CEDECOD_006_4	PT	Term
CEPTCD_006_4	PT	Code
CELLT_006_4	LLT	Term
CELLTCD_006_4	LLT	Code

RDE Analytics: RD_CESOD006_4		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006_4	Y_CEDTC_006_4	DATE
	Y_CEDTC_006_4_DTS	VARCHAR2
	Y_CEDTC_006_4_ND	VARCHAR2
FAORRES_FSSDTC_006_4	FAORRES_FSSDTC_006_4	DATE
	FAORRES_FSSDTC_006_4_DTS	VARCHAR2
	FAORRES_FSSDTC_006_4_DTR	VARCHAR2
	FAORRES_FSSDTC_006_4_ND	VARCHAR2
X_FAONGO_006_4	X_FAONGO_006_4_C	VARCHAR2
	X_FAONGO_006_4	VARCHAR2
	X_FAONGO_006_4_ND	VARCHAR2
X_FAONGO_006_4 - FAORRES_LSRDTC_006_4	FAORRES_LSRDTC_006_4	DATE
	FAORRES_LSRDTC_006_4_DTS	VARCHAR2
	FAORRES_LSRDTC_006_4_DTR	VARCHAR2
*RD_CESOD006_4_CESOD02006_4		
CEPRES_006_4	CEPRES_006_4_C	VARCHAR2
	CEPRES_006_4	VARCHAR2
	CEPRES_006_4_ND	VARCHAR2
CETERM_006_4	CETERM_006_4_C	VARCHAR2
	CETERM_006_4	VARCHAR2
	CETERM_006_4_ND	VARCHAR2

CEOCCUR_006_4	CEOCCUR_006_4_C	VARCHAR2
	CEOCCUR_006_4	VARCHAR2
	CEOCCUR_006_4_ND	VARCHAR2
*RD_CESOD006_4_CESOD03006_4		
CETERM1_006_4	CETERM1_006_4	VARCHAR2
	CETERM1_006_4_ND	VARCHAR2
D_COMPTERM_006_4	D_COMPTERM_006_4	VARCHAR2
	D_COMPTERM_006_4_ND	VARCHAR2
CELLT_006_4	CELLT_006_4	VARCHAR2
	CELLT_006_4_ND	VARCHAR2
CELLTCD_006_4	CELLTCD_006_4	VARCHAR2
	CELLTCD_006_4_ND	VARCHAR2
CEDECOD_006_4	CEDECOD_006_4	VARCHAR2
	CEDECOD_006_4_ND	VARCHAR2
CEPTCD_006_4	CEPTCD_006_4	VARCHAR2
	CEPTCD_006_4_ND	VARCHAR2
CEHLT_006_4	CEHLT_006_4	VARCHAR2
	CEHLT_006_4_ND	VARCHAR2
CEHLTCD_006_4	CEHLTCD_006_4	VARCHAR2
	CEHLTCD_006_4_ND	VARCHAR2
CEHLGT_006_4	CEHLGT_006_4	VARCHAR2
	CEHLGT_006_4_ND	VARCHAR2
CEHLGTC_006_4	CEHLGTC_006_4	VARCHAR2
	CEHLGTC_006_4_ND	VARCHAR2
CESOC_006_4	CESOC_006_4	VARCHAR2
	CESOC_006_4_ND	VARCHAR2
CESOCCD_006_4	CESOCCD_006_4	VARCHAR2
	CESOCCD_006_4_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: SIGNS AND SYMPTOMS OF MIS-C RESPIRATORY (SOD RESP) [CESOD006_5]

Signs and Symptoms [CESOD01006_5]

1.*

Date of Assessment:

[Date of Assessment]

[Y_CEDTC_006_5] (DD/MM/YYYY)

Req / Req / Req (2025-2026)

2.*

Date of First Symptom Started:

[First Symptom Started Date]

[FAORRES_FSSDTC_006_5] (DD/MM/YYYY)

Req/Unk / Req / Req (2025-2026)

3.*

Symptoms Ongoing?

[Symptoms Ongoing]

[X_FAONGO_006_5]

[A:Y] YES

[A:N] [FAORRES_LSRDTC_CMP_006_5]

NO

[FAORRES_LSRDTC_006_5] (DD/MM/YYYY)

Date of Last Symptom Resolved:

Req/Unk / Req / Req (2025-2026)

Symptoms [CESOD02006_5]

#

Event Pre-specified

Symptoms

Symptom Present*

4.a

YES

COUGH

4.b

YES

SHORTNESS OF BREATH

4.c

YES

CHEST PAIN

4.d

YES

TIGHTNESS

4.e

YES

PNEUMONIA

4.f

YES

ATELECTASIS

4.g

YES

PLEURAL EFFUSION

4.h

YES

ACUTE RESPIRATORY DISTRESS SYNDROME

4.i

YES

PULMONARY EMBOLISM

Symptoms Entry [CESOD02006_5]

4.1

Event Pre-specified: *[hidden]*

[Event Pre-specified]

[CEPRES_006_5]

[A:Y] YES

4.2

Symptoms: *[read-only]*

[Symptoms]

[CETERM_006_5]

[CETERM_CL_006_5]

4.3*

Was symptom present?

[Symptom Present]

[CEOCCUR_006_5]

[A:Y] YES

[A:N] NO

Symptoms - Other

5.

Symptoms - Other Entry [CESOD03006_5]

5.1

Symptoms - Other Text:

[Symptoms - Other]

[CETERM1_006_5]

A80*

5.2

Comparison Term: *[hidden]*

[Comparison Term]

[D_COMPTERM_006_5]

A200*

5.3

Lowest Level Term *[hidden]*

[Lowest Level Term]

[CELLT_006_5]

A100*

5.4

Lowest Level Term Code *[hidden]*

[Lowest Level Term Code]

[CELLTCD_006_5]

A8*

5.5

Dictionary Derived Term *[hidden]*

[Dictionary Derived Term]

[CEDECOD_006_5]

A100*

file:///C:/Users/angelm31/AppData/Local/Apps/2.0/AX9PJ5GO.TCM/4409YYKQ.KNQ/orac..90.0_919f856034ae8f10_0007.... 10/23/2025

5.6	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	<u>[CEPTCD_006_5]</u> A8★
5.7	High Level Term <i>[hidden]</i> [High Level Term]	<u>[CEHLT_006_5]</u> A100★
5.8	High Level Term Code <i>[hidden]</i> [High Level Term Code]	<u>[CEHLTCD_006_5]</u> A8★
5.9	High Level Group Term <i>[hidden]</i> [High Level Group Term]	<u>[CEHLGT_006_5]</u> A100★
5.10	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	<u>[CEHLGTCD_006_5]</u> A8★
5.11	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	<u>[CESOC_006_5]</u> A100★
5.12	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	<u>[CESOCCD_006_5]</u> A8★
Key: [*] = Item is required [▢] = Item is collapsible [▣] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Codelist Values Tables: SIGNS AND SYMPTOMS OF MIS-C RESPIRATORY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM_CL_006_5	String		COUGH	3	cliSODSYMP_COUGH	CETERM_006_5
			SHORTNESS OF BREATH	112	cliSODSYMP_SHORTNESS_OF_BREATH	
			CHEST PAIN	158	cliSODSYMP_CHEST_PAIN	
			TIGHTNESS	159	cliSODSYMP_TIGHTNESS	
			PNEUMONIA	160	cliSODSYMP_PNEUMONIA	
			ATELECTASIS	161	cliSODSYMP_ATELECTASIS	
			PLEURAL EFFUSION	162	cliSODSYMP_PLEURAL_EFFUSION	
			ACUTE RESPIRATORY DISTRESS SYNDROME	163	cliSODSYMP_ACUTE_RESPIRATORY_DISTRESS_SYNDROME	
			PULMONARY EMBOLISM	164	cliSODSYMP_PULMONARY_EMBOLISM	

Coding Summary: SIGNS AND SYMPTOMS OF MIS-C RESPIRATORY			
Verbatim RefName: D_COMPTERM_006_5 Dictionary: Pfizer MedDRA Verbatim Type:			
Coding Item RefName	Level	Level Type	
CESOC_006_5	SOC	Term	
CESOCCD_006_5	SOC	Code	
CEHLGT_006_5	HLGT	Term	
CEHLGTCD_006_5	HLGT	Code	
CEHLT_006_5	HLT	Term	
CEHLTCD_006_5	HLT	Code	
CEDECOD_006_5	PT	Term	
CEPTCD_006_5	PT	Code	
CELLT_006_5	LLT	Term	
CELLTCD_006_5	LLT	Code	

RDE Analytics: RD_CESOD006_5		

Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006_5	Y_CEDTC_006_5	DATE
	Y_CEDTC_006_5_DTS	VARCHAR2
	Y_CEDTC_006_5_ND	VARCHAR2
FAORRES_FSSDTC_006_5	FAORRES_FSSDTC_006_5	DATE
	FAORRES_FSSDTC_006_5_DTS	VARCHAR2
	FAORRES_FSSDTC_006_5_DTR	VARCHAR2
	FAORRES_FSSDTC_006_5_ND	VARCHAR2
X_FAONGO_006_5	X_FAONGO_006_5_C	VARCHAR2
	X_FAONGO_006_5	VARCHAR2
	X_FAONGO_006_5_ND	VARCHAR2
X_FAONGO_006_5 - FAORRES_LSRDTC_006_5	FAORRES_LSRDTC_006_5	DATE
	FAORRES_LSRDTC_006_5_DTS	VARCHAR2
	FAORRES_LSRDTC_006_5_DTR	VARCHAR2
*RD_CESOD006_5_CESOD02006_5		
CEPRES_006_5	CEPRES_006_5_C	VARCHAR2
	CEPRES_006_5	VARCHAR2
	CEPRES_006_5_ND	VARCHAR2
CETERM_006_5	CETERM_006_5_C	VARCHAR2
	CETERM_006_5	VARCHAR2
	CETERM_006_5_ND	VARCHAR2
CEOCCUR_006_5	CEOCCUR_006_5_C	VARCHAR2
	CEOCCUR_006_5	VARCHAR2
	CEOCCUR_006_5_ND	VARCHAR2
*RD_CESOD006_5_CESOD03006_5		
CETERM1_006_5	CETERM1_006_5	VARCHAR2
	CETERM1_006_5_ND	VARCHAR2
D_COMPTERM_006_5	D_COMPTERM_006_5	VARCHAR2
	D_COMPTERM_006_5_ND	VARCHAR2
CELLT_006_5	CELLT_006_5	VARCHAR2
	CELLT_006_5_ND	VARCHAR2
CELLTCD_006_5	CELLTCD_006_5	VARCHAR2
	CELLTCD_006_5_ND	VARCHAR2
CEDECOD_006_5	CEDECOD_006_5	VARCHAR2
	CEDECOD_006_5_ND	VARCHAR2
CEPTCD_006_5	CEPTCD_006_5	VARCHAR2
	CEPTCD_006_5_ND	VARCHAR2
CEHLT_006_5	CEHLT_006_5	VARCHAR2
	CEHLT_006_5_ND	VARCHAR2
CEHLTCD_006_5	CEHLTCD_006_5	VARCHAR2
	CEHLTCD_006_5_ND	VARCHAR2
CEHLGT_006_5	CEHLGT_006_5	VARCHAR2
	CEHLGT_006_5_ND	VARCHAR2
CEHLGTCD_006_5	CEHLGTCD_006_5	VARCHAR2
	CEHLGTCD_006_5_ND	VARCHAR2
CESOC_006_5	CESOC_006_5	VARCHAR2
	CESOC_006_5_ND	VARCHAR2

CESOCCD_006_5	CESOCCD_006_5	VARCHAR2
	CESOCCD_006_5_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: SIGNS AND SYMPTOMS OF MIS-C HEMATOLOGIC (SOD HEM) [CESOD006_6]			
Signs and Symptoms [CESOD01006_6]			
1.*	Date of Assessment: [Date of Assessment]	[Y_CEDTC_006_6] (DD/MM/YYYY) Req / Req / Req (2025-2026)	
2.*	Date of First Symptom Started: [First Symptom Started Date]	[FAORRES_FSSDTC_006_6] (DD/MM/YYYY) Req/Unk / Req / Req (2025-2026)	
3.*	Symptoms Ongoing? [Symptoms Ongoing]	[X_FAONGO_006_6] [A:Y] ☐ YES [A:N] ☐ [FAORRES_LSRDTC_CMP_006_6] ☐ NO [FAORRES_LSRDTC_006_6] (DD/MM/YYYY) Date of Last Symptom Resolved: Req/Unk / Req / Req (2025-2026)	
Symptoms [CESOD02006_6]			
#	Event Pre-specified	Symptoms	Symptom Present*
4.a	YES	ELEVATED D-DIMERS	
4.b	YES	THROMBOPHILIA	
4.c	YES	THROMBOCYTOPENIA	
Symptoms Entry [CESOD02006_6]			
4.1	Event Pre-specified: <i>[hidden]</i> ☐ [Event Pre-specified]	[CEPRES_006_6] [A:Y] ☐ YES	
4.2	Symptoms: <i>[read-only]</i> ☐ [Symptoms]	[CETERM_006_6] [A:172] ☐ ELEVATED D-DIMERS [A:173] ☐ THROMBOPHILIA [A:174] ☐ THROMBOCYTOPENIA	
4.3*	Was symptom present? [Symptom Present]	[CEOCCUR_006_6] [A:Y] ☐ YES [A:N] ☐ NO	
Symptoms - Other			
5.			
Symptoms - Other Entry [CESOD03006_6]			
5.1	Symptoms - Other Text: [Symptoms - Other]	[CETERM1_006_6] A80*	
5.2	Comparison Term: <i>[hidden]</i> [Comparison Term]	[D_COMPTERM_006_6] A200*	
5.3	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[CELLT_006_6] A100*	
5.4	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[CELLTCD_006_6] A8*	
5.5	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[CEDECOD_006_6] A100*	
5.6	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[CEPTCD_006_6] A8*	
5.7	High Level Term <i>[hidden]</i> [High Level Term]	[CEHLT_006_6] A100*	

5.8	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[CEHLTCD_006_6] A8★
5.9	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[CEHLGT_006_6] A100★
5.10	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[CEHLGTC_006_6] A8★
5.11	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[CESOC_006_6] A100★
5.12	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[CESOCCD_006_6] A8★
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Coding Summary: SIGNS AND SYMPTOMS OF MIS-C HEMATOLOGIC		
Verbatim RefName: D_COMPTERM_006_6 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
CESOC_006_6	SOC	Term
CESOCCD_006_6	SOC	Code
CEHLGT_006_6	HLGT	Term
CEHLGTC_006_6	HLGT	Code
CEHLT_006_6	HLT	Term
CEHLTCD_006_6	HLT	Code
CEDECOD_006_6	PT	Term
CEPTCD_006_6	PT	Code
CELLT_006_6	LLT	Term
CELLTCD_006_6	LLT	Code

RDE Analytics: RD_CESOD006_6		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006_6	Y_CEDTC_006_6	DATE
	Y_CEDTC_006_6_DTS	VARCHAR2
	Y_CEDTC_006_6_ND	VARCHAR2
FAORRES_FSSDTC_006_6	FAORRES_FSSDTC_006_6	DATE
	FAORRES_FSSDTC_006_6_DTS	VARCHAR2
	FAORRES_FSSDTC_006_6_DTR	VARCHAR2
	FAORRES_FSSDTC_006_6_ND	VARCHAR2
X_FAONGO_006_6	X_FAONGO_006_6_C	VARCHAR2
	X_FAONGO_006_6	VARCHAR2
	X_FAONGO_006_6_ND	VARCHAR2
X_FAONGO_006_6 - FAORRES_LSRDTC_006_6	FAORRES_LSRDTC_006_6	DATE
	FAORRES_LSRDTC_006_6_DTS	VARCHAR2
	FAORRES_LSRDTC_006_6_DTR	VARCHAR2
*RD_CESOD006_6_CESOD02006_6		
CEPRES_006_6	CEPRES_006_6_C	VARCHAR2
	CEPRES_006_6	VARCHAR2

	CEPRES_006_6_ND	VARCHAR2
CETERM_006_6	CETERM_006_6_C	VARCHAR2
	CETERM_006_6	VARCHAR2
	CETERM_006_6_ND	VARCHAR2
CEOCCUR_006_6	CEOCCUR_006_6_C	VARCHAR2
	CEOCCUR_006_6	VARCHAR2
	CEOCCUR_006_6_ND	VARCHAR2
*RD_CESOD006_6_CESOD03006_6		
CETERM1_006_6	CETERM1_006_6	VARCHAR2
	CETERM1_006_6_ND	VARCHAR2
D_COMPTERM_006_6	D_COMPTERM_006_6	VARCHAR2
	D_COMPTERM_006_6_ND	VARCHAR2
CELLT_006_6	CELLT_006_6	VARCHAR2
	CELLT_006_6_ND	VARCHAR2
CELLTCD_006_6	CELLTCD_006_6	VARCHAR2
	CELLTCD_006_6_ND	VARCHAR2
CEDECOD_006_6	CEDECOD_006_6	VARCHAR2
	CEDECOD_006_6_ND	VARCHAR2
CEPTCD_006_6	CEPTCD_006_6	VARCHAR2
	CEPTCD_006_6_ND	VARCHAR2
CEHLT_006_6	CEHLT_006_6	VARCHAR2
	CEHLT_006_6_ND	VARCHAR2
CEHLTCD_006_6	CEHLTCD_006_6	VARCHAR2
	CEHLTCD_006_6_ND	VARCHAR2
CEHLGT_006_6	CEHLGT_006_6	VARCHAR2
	CEHLGT_006_6_ND	VARCHAR2
CEHLGTCD_006_6	CEHLGTCD_006_6	VARCHAR2
	CEHLGTCD_006_6_ND	VARCHAR2
CESOC_006_6	CESOC_006_6	VARCHAR2
	CESOC_006_6_ND	VARCHAR2
CESOCCD_006_6	CESOCCD_006_6	VARCHAR2
	CESOCCD_006_6_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: SIGNS AND SYMPTOMS OF MIS-C GASTROINTESTINAL (SOD GI) [CESOD006_7]			
Signs and Symptoms [CESOD01006_7]			
1.*	Date of Assessment: [Date of Assessment]	[Y_CEDTC_006_7] (DD/MM/YYYY) Req v / Req v / Req v (2025-2026)	
2.*	Date of First Symptom Started: [First Symptom Started Date]	[FAORRES_FSSDTC_006_7] (DD/MM/YYYY) Req/Unk v / Req v / Req v (2025-2026)	
3.*	Symptoms Ongoing? [Symptoms Ongoing]	[X_FAONGO_006_7] [A:Y] ☐ YES [A:N] ☐ [FAORRES_LSRDTC_CMP_006_7] ☐ NO [FAORRES_LSRDTC_006_7] (DD/MM/YYYY) Date of Last Symptom Resolved: Req/Unk v / Req v / Req v (2025-2026)	
Symptoms [CESOD02006_7]			
#	Event Pre-specified	Symptoms	Symptom Present*
4.a	YES	ABDOMINAL PAIN	
4.b	YES	VOMITING	
4.c	YES	DIARRHEA	
4.d	YES	MESENTERIC LYMPHADENOPATHY	
4.e	YES	ELEVATED BILIRUBIN	
4.f	YES	ELEVATED LIVER ENZYME	
Symptoms Entry [CESOD02006_7]			
4.1	Event Pre-specified: [hidden] [Event Pre-specified]	[CEPRES_006_7] [A:Y] ☐ YES	
4.2	Symptoms: [read-only] [Symptoms]	[CETERM_006_7] [CETERM_CL_006_7] v	
4.3*	Was symptom present? [Symptom Present]	[CEOCCUR_006_7] [A:Y] ☐ YES [A:N] ☐ NO	
Symptoms - Other			
5.			
Symptoms - Other Entry [CESOD03006_7]			
5.1	Symptoms - Other Text: [Symptoms - Other]	[CETERM1_006_7] A80*	
5.2	Comparison Term: [hidden] [Comparison Term]	[D_COMPTERM_006_7] A200*	
5.3	Lowest Level Term [hidden] [Lowest Level Term]	[CELLT_006_7] A100*	
5.4	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[CELLTCD_006_7] A8*	
5.5	Dictionary Derived Term [hidden] [Dictionary Derived Term]	[CEDECOD_006_7] A100*	
5.6	Preferred Term Code [hidden] [Preferred Term Code]	[CEPTCD_006_7] A8*	
5.7	High Level Term [hidden] [High Level Term]	[CEHLT_006_7]	

		A100★
5.8	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[CEHLTCD_006_7] A8★
5.9	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[CEHLGT_006_7] A100★
5.10	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[CEHLGTCD_006_7] A8★
5.11	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[CESOC_006_7] A100★
5.12	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[CESOCCD_006_7] A8★
Key: [*] = Item is required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Codelist Values Tables: SIGNS AND SYMPTOMS OF MIS-C GASTROINTESTINAL						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM_CL_006_7	String		ABDOMINAL PAIN	1	cliSODSYMP_ABDOMINAL_PAIN	CETERM_006_7
			VOMITING	7	cliSODSYMP_VOMITING	
			DIARRHEA	98	cliSODSYMP_DIARRHEA	
			MESENTERIC LYMPHADENOPATHY	165	cliSODSYMP_MESENTERIC_LYMPHADENOPATHY	
			ELEVATED BILIRUBIN	166	cliSODSYMP_ELEVATED_BILIRUBIN	
			ELEVATED LIVER ENZYME	167	cliSODSYMP_ELEVATED_LIVER_ENZYME	

Coding Summary: SIGNS AND SYMPTOMS OF MIS-C GASTROINTESTINAL			
Verbatim RefName: D_COMPTERM_006_7			
Dictionary: Pfizer MedDRA Verbatim Type:			
Coding Item RefName		Level	Level Type
CESOC_006_7		SOC	Term
CESOCCD_006_7		SOC	Code
CEHLGT_006_7		HLGT	Term
CEHLGTCD_006_7		HLGT	Code
CEHLT_006_7		HLT	Term
CEHLTCD_006_7		HLT	Code
CEDECOD_006_7		PT	Term
CEPTCD_006_7		PT	Code
CELLT_006_7		LLT	Term
CELLTCD_006_7		LLT	Code

RDE Analytics: RD_CESOD006_7		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006_7	Y_CEDTC_006_7	DATE
	Y_CEDTC_006_7_DTS	VARCHAR2
	Y_CEDTC_006_7_ND	VARCHAR2
FAORRES_FSSDTC_006_7	FAORRES_FSSDTC_006_7	DATE
	FAORRES_FSSDTC_006_7_DTS	VARCHAR2

	FAORRES_FSSDTC_006_7_DTR	VARCHAR2
	FAORRES_FSSDTC_006_7_ND	VARCHAR2
X_FAONGO_006_7	X_FAONGO_006_7_C	VARCHAR2
	X_FAONGO_006_7	VARCHAR2
	X_FAONGO_006_7_ND	VARCHAR2
X_FAONGO_006_7 - FAORRES_LSRDTC_006_7	FAORRES_LSRDTC_006_7	DATE
	FAORRES_LSRDTC_006_7_DTS	VARCHAR2
	FAORRES_LSRDTC_006_7_DTR	VARCHAR2
*RD_CESOD006_7_CESOD02006_7		
CEPRES_006_7	CEPRES_006_7_C	VARCHAR2
	CEPRES_006_7	VARCHAR2
	CEPRES_006_7_ND	VARCHAR2
CETERM_006_7	CETERM_006_7_C	VARCHAR2
	CETERM_006_7	VARCHAR2
	CETERM_006_7_ND	VARCHAR2
CEOCCUR_006_7	CEOCCUR_006_7_C	VARCHAR2
	CEOCCUR_006_7	VARCHAR2
	CEOCCUR_006_7_ND	VARCHAR2
*RD_CESOD006_7_CESOD03006_7		
CETERM1_006_7	CETERM1_006_7	VARCHAR2
	CETERM1_006_7_ND	VARCHAR2
D_COMPTerm_006_7	D_COMPTerm_006_7	VARCHAR2
	D_COMPTerm_006_7_ND	VARCHAR2
CELLT_006_7	CELLT_006_7	VARCHAR2
	CELLT_006_7_ND	VARCHAR2
CELLTCD_006_7	CELLTCD_006_7	VARCHAR2
	CELLTCD_006_7_ND	VARCHAR2
CEDECOD_006_7	CEDECOD_006_7	VARCHAR2
	CEDECOD_006_7_ND	VARCHAR2
CEPTCD_006_7	CEPTCD_006_7	VARCHAR2
	CEPTCD_006_7_ND	VARCHAR2
CEHLT_006_7	CEHLT_006_7	VARCHAR2
	CEHLT_006_7_ND	VARCHAR2
CEHLTCD_006_7	CEHLTCD_006_7	VARCHAR2
	CEHLTCD_006_7_ND	VARCHAR2
CEHLGT_006_7	CEHLGT_006_7	VARCHAR2
	CEHLGT_006_7_ND	VARCHAR2
CEHLGTC_006_7	CEHLGTC_006_7	VARCHAR2
	CEHLGTC_006_7_ND	VARCHAR2
CESOC_006_7	CESOC_006_7	VARCHAR2
	CESOC_006_7_ND	VARCHAR2
CESOCCD_006_7	CESOCCD_006_7	VARCHAR2
	CESOCCD_006_7_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: SIGNS AND SYMPTOMS OF MIS-C DERMATOLOGIC (SOD DERMA) [CESOD006_8]		
Signs and Symptoms [CESOD01006_8]		
1.*	Date of Assessment: [Date of Assessment]	[Y_CEDTC_006_8] (DD/MM/YYYY) Req / Req / Req (2025-2026)
2.*	Date of First Symptom Started: [First Symptom Started Date]	[FAORRES_FSSDTC_006_8] (DD/MM/YYYY) Req / Req / Req (2025-2026)
3.*	Symptoms Ongoing? [Symptoms Ongoing]	[X_FAONGO_006_8] [A:Y] ☐ YES [A:N] ☐ [FAORRES_LSRDTC_CMP_006_8] ☐ NO [FAORRES_LSRDTC_006_8] (DD/MM/YYYY) Date of Last Symptom Resolved: Req / Req / Req (2025-2026)
Symptoms [CESOD02006_8]		
#	Event Pre-specified	Symptoms
4.a	YES	CHEST PAIN
4.b	YES	HEART PALPITATIONS
4.c	YES	SHORTNESS OF BREATH
Symptoms Entry [CESOD02006_8]		
4.1	Event Pre-specified: <i>[hidden]</i> [Event Pre-specified]	[CEPRES_006_8] [A:Y] ☐ YES
4.2	Symptoms: <i>[read-only]</i> [Symptoms]	[CETERM_006_8] [A:158] ☐ CHEST PAIN [A:197] ☐ HEART PALPITATIONS [A:112] ☐ SHORTNESS OF BREATH
4.3*	Was symptom present? [Symptom Present]	[CEOCCUR_006_8] [A:Y] ☐ YES [A:N] ☐ NO
Symptoms - Other		
5.		
Symptoms - Other Entry [CESOD03006_8]		
5.1	Symptoms - Other Text: [Symptoms - Other]	[CETERM1_006_8] A80*
5.2	Comparison Term: <i>[hidden]</i> [Comparison Term]	[D_COMPTERM_006_8] A200*
5.3	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[CELLT_006_8] A100*
5.4	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[CELLTCD_006_8] A8*
5.5	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[CEDECOD_006_8] A100*
5.6	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[CEPTCD_006_8] A8*
5.7	High Level Term <i>[hidden]</i> [High Level Term]	[CEHLT_006_8] A100*

5.8	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[CEHLTCD_006_8] A8★
5.9	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[CEHLGT_006_8] A100★
5.10	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[CEHLGTC_006_8] A8★
5.11	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[CESOC_006_8] A100★
5.12	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[CESOCCD_006_8] A8★
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Coding Summary: SIGNS AND SYMPTOMS OF MIS-C DERMATOLOGIC		
Verbatim RefName: D_COMPTERM_006_8 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
CESOC_006_8	SOC	Term
CESOCCD_006_8	SOC	Code
CEHLGT_006_8	HLGT	Term
CEHLGTC_006_8	HLGT	Code
CEHLT_006_8	HLT	Term
CEHLTCD_006_8	HLT	Code
CEDECOD_006_8	PT	Term
CEPTCD_006_8	PT	Code
CELLT_006_8	LLT	Term
CELLTCD_006_8	LLT	Code

RDE Analytics: RD_CESOD006_8		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006_8	Y_CEDTC_006_8	DATE
	Y_CEDTC_006_8_DTS	VARCHAR2
	Y_CEDTC_006_8_ND	VARCHAR2
FAORRES_FSSDTC_006_8	FAORRES_FSSDTC_006_8	DATE
	FAORRES_FSSDTC_006_8_DTS	VARCHAR2
	FAORRES_FSSDTC_006_8_ND	VARCHAR2
X_FAONGO_006_8	X_FAONGO_006_8_C	VARCHAR2
	X_FAONGO_006_8	VARCHAR2
	X_FAONGO_006_8_ND	VARCHAR2
X_FAONGO_006_8 - FAORRES_LSRDTC_006_8	FAORRES_LSRDTC_006_8	DATE
	FAORRES_LSRDTC_006_8_DTS	VARCHAR2
*RD_CESOD006_8_CESOD02006_8		
CEPRES_006_8	CEPRES_006_8_C	VARCHAR2
	CEPRES_006_8	VARCHAR2
	CEPRES_006_8_ND	VARCHAR2
CETERM_006_8	CETERM_006_8_C	VARCHAR2

	CETERM_006_8	VARCHAR2
	CETERM_006_8_ND	VARCHAR2
CEOCCUR_006_8	CEOCCUR_006_8_C	VARCHAR2
	CEOCCUR_006_8	VARCHAR2
	CEOCCUR_006_8_ND	VARCHAR2
*RD_CESOD006_8_CESOD03006_8		
CETERM1_006_8	CETERM1_006_8	VARCHAR2
	CETERM1_006_8_ND	VARCHAR2
D_COMPTERM_006_8	D_COMPTERM_006_8	VARCHAR2
	D_COMPTERM_006_8_ND	VARCHAR2
CELLT_006_8	CELLT_006_8	VARCHAR2
	CELLT_006_8_ND	VARCHAR2
CELLTCD_006_8	CELLTCD_006_8	VARCHAR2
	CELLTCD_006_8_ND	VARCHAR2
CEDECOD_006_8	CEDECOD_006_8	VARCHAR2
	CEDECOD_006_8_ND	VARCHAR2
CEPTCD_006_8	CEPTCD_006_8	VARCHAR2
	CEPTCD_006_8_ND	VARCHAR2
CEHLT_006_8	CEHLT_006_8	VARCHAR2
	CEHLT_006_8_ND	VARCHAR2
CEHLTCD_006_8	CEHLTCD_006_8	VARCHAR2
	CEHLTCD_006_8_ND	VARCHAR2
CEHLGT_006_8	CEHLGT_006_8	VARCHAR2
	CEHLGT_006_8_ND	VARCHAR2
CEHLGTCD_006_8	CEHLGTCD_006_8	VARCHAR2
	CEHLGTCD_006_8_ND	VARCHAR2
CESOC_006_8	CESOC_006_8	VARCHAR2
	CESOC_006_8_ND	VARCHAR2
CESOCCD_006_8	CESOCCD_006_8	VARCHAR2
	CESOCCD_006_8_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: SIGNS AND SYMPTOMS OF MIS-C DERMATOLOGIC (SOD DERMA) [CESOD006_10]		
Signs and Symptoms [CESOD01006_10]		
1.*	Date of Assessment: [Date of Assessment]	[Y_CEDTC_006_10] (DD/MM/YYYY) Req / Req / Req (2025-2026)
2.*	Date of First Symptom Started: [First Symptom Started Date]	[FAORRES_FSSDTC_006_10] (DD/MM/YYYY) Req / Req / Req (2025-2026)
3.*	Symptoms Ongoing? [Symptoms Ongoing]	[X_FAONGO_006_10] [A:Y] ☐ YES [A:N] ☐ [FAORRES_LSRDTC_CMP_006_10] ☐ NO [FAORRES_LSRDTC_006_10] (DD/MM/YYYY) Date of Last Symptom Resolved: Req / Req / Req (2025-2026)
Symptoms [CESOD02006_10]		
#	Event Pre-specified	Symptoms
4.a	YES	RASH
4.b	YES	MUCOCUTANEOUS LESIONS
Symptoms Entry [CESOD02006_10]		
4.1	Event Pre-specified: <i>[hidden]</i> [Event Pre-specified]	[CEPRES_006_10] [A:Y] ☐ YES
4.2	Symptoms: <i>[read-only]</i> [Symptoms]	[CETERM_006_10] [A:99] ☐ RASH [A:171] ☐ MUCOCUTANEOUS LESIONS
4.3*	Was symptom present? [Symptom Present]	[CEOCCUR_006_10] [A:Y] ☐ YES [A:N] ☐ NO
Symptoms - Other		
5.		
Symptoms - Other Entry [CESOD03006_10]		
5.1	Symptoms - Other Text: [Symptoms - Other]	[CETERM1_006_10] A80*
5.2	Comparison Term: <i>[hidden]</i> [Comparison Term]	[D_COMPTERM_006_10] A200*
5.3	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[CELLT_006_10] A100*
5.4	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[CELLTCD_006_10] A8*
5.5	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[CEDECOD_006_10] A100*
5.6	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[CEPTCD_006_10] A8*
5.7	High Level Term <i>[hidden]</i> [High Level Term]	[CEHLT_006_10] A100*
5.8	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[CEHLTCD_006_10] A8*

5.9	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[CEHLGT_006_10] A100★
5.10	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[CEHLGTCD_006_10] A8★
5.11	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[CESOC_006_10] A100★
5.12	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[CESOCCD_006_10] A8★
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Coding Summary: SIGNS AND SYMPTOMS OF MIS-C DERMATOLOGIC		
Verbatim RefName: D_COMPTERM_006_10		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
CESOC_006_10	SOC	Term
CESOCCD_006_10	SOC	Code
CEHLGT_006_10	HLGT	Term
CEHLGTCD_006_10	HLGT	Code
CEHLT_006_10	HLT	Term
CEHLTCD_006_10	HLT	Code
CEDECOD_006_10	PT	Term
CEPTCD_006_10	PT	Code
CELLT_006_10	LLT	Term
CELLTCD_006_10	LLT	Code

RDE Analytics: RD_CESOD006_10		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006_10	Y_CEDTC_006_10	DATE
	Y_CEDTC_006_10_DTS	VARCHAR2
	Y_CEDTC_006_10_ND	VARCHAR2
FAORRES_FSSDTC_006_10	FAORRES_FSSDTC_006_10	DATE
	FAORRES_FSSDTC_006_10_DTS	VARCHAR2
	FAORRES_FSSDTC_006_10_ND	VARCHAR2
X_FAONGO_006_10	X_FAONGO_006_10_C	VARCHAR2
	X_FAONGO_006_10	VARCHAR2
	X_FAONGO_006_10_ND	VARCHAR2
X_FAONGO_006_10 - FAORRES_LSRDTC_006_10	FAORRES_LSRDTC_006_10	DATE
	FAORRES_LSRDTC_006_10_DTS	VARCHAR2
*RD_CESOD006_10_CESOD02006_10		
CEPRES_006_10	CEPRES_006_10_C	VARCHAR2
	CEPRES_006_10	VARCHAR2
	CEPRES_006_10_ND	VARCHAR2
CETERM_006_10	CETERM_006_10_C	VARCHAR2
	CETERM_006_10	VARCHAR2
	CETERM_006_10_ND	VARCHAR2

CEOCCUR_006_10	CEOCCUR_006_10_C	VARCHAR2
	CEOCCUR_006_10	VARCHAR2
	CEOCCUR_006_10_ND	VARCHAR2
*RD_CESOD006_10_CESOD03006_10		
CETERM1_006_10	CETERM1_006_10	VARCHAR2
	CETERM1_006_10_ND	VARCHAR2
D_COMPTERM_006_10	D_COMPTERM_006_10	VARCHAR2
	D_COMPTERM_006_10_ND	VARCHAR2
CELLT_006_10	CELLT_006_10	VARCHAR2
	CELLT_006_10_ND	VARCHAR2
CELLTCD_006_10	CELLTCD_006_10	VARCHAR2
	CELLTCD_006_10_ND	VARCHAR2
CEDECOD_006_10	CEDECOD_006_10	VARCHAR2
	CEDECOD_006_10_ND	VARCHAR2
CEPTCD_006_10	CEPTCD_006_10	VARCHAR2
	CEPTCD_006_10_ND	VARCHAR2
CEHLT_006_10	CEHLT_006_10	VARCHAR2
	CEHLT_006_10_ND	VARCHAR2
CEHLTCD_006_10	CEHLTCD_006_10	VARCHAR2
	CEHLTCD_006_10_ND	VARCHAR2
CEHLGT_006_10	CEHLGT_006_10	VARCHAR2
	CEHLGT_006_10_ND	VARCHAR2
CEHLGTCD_006_10	CEHLGTCD_006_10	VARCHAR2
	CEHLGTCD_006_10_ND	VARCHAR2
CESOC_006_10	CESOC_006_10	VARCHAR2
	CESOC_006_10_ND	VARCHAR2
CESOCCD_006_10	CESOCCD_006_10	VARCHAR2
	CESOCCD_006_10_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: SIGNS AND SYMPTOMS OF MIS-C NEUROLOGICAL (SOD NEURO) [CESOD006_9]			
Signs and Symptoms [CESOD01006_9]			
1.*	Date of Assessment: [Date of Assessment]	[Y_CEDTC_006_9] (DD/MM/YYYY) Req / Req / Req (2025-2026)	
2.*	Date of First Symptom Started: [First Symptom Started Date]	[FAORRES_FSSDTC_006_9] (DD/MM/YYYY) Req / Req / Req (2025-2026)	
3.*	Symptoms Ongoing? [Symptoms Ongoing]	[X_FAONGO_006_9] [A:Y] ☐ YES [A:N] ☐ [FAORRES_LSRDTC_CMP_006_9] ☐ NO [FAORRES_LSRDTC_006_9] (DD/MM/YYYY) Date of Last Symptom Resolved: Req / Req / Req (2025-2026)	
Symptoms [CESOD02006_9]			
#	Event Pre-specified	Symptoms	Symptom Present*
4.a	YES	HEADACHE	
4.b	YES	MENTAL STATUS CHANGES	
4.c	YES	SYNCOPE/NEAR SYNCOPE	
4.d	YES	CEREBROVASCULAR ACCIDENT	
4.e	YES	ASEPTIC MENINGITIS	
4.f	YES	ENCEPHALOPATHY	
Symptoms Entry [CESOD02006_9]			
4.1	Event Pre-specified: <i>[hidden]</i> [Event Pre-specified]	[CEPRES_006_9] [A:Y] ☐ YES	
4.2	Symptoms: <i>[read-only]</i> [Symptoms]	[CETERM_006_9] [CETERM_CL_006_9]	
4.3*	Was symptom present? [Symptom Present]	[CEOCCUR_006_9] [A:Y] ☐ YES [A:N] ☐ NO	
Symptoms - Other			
5.			
Symptoms - Other Entry [CESOD03006_9]			
5.1	Symptoms - Other Text: [Symptoms - Other]	[CETERM1_006_9] A80*	
5.2	Comparison Term: <i>[hidden]</i> [Comparison Term]	[D_COMPTERM_006_9] A200*	
5.3	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[CELLT_006_9] A100*	
5.4	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[CELLTCD_006_9] A8*	
5.5	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[CEDECOD_006_9] A100*	
5.6	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[CEPTCD_006_9] A8*	
5.7	High Level Term <i>[hidden]</i> [High Level Term]	[CEHLT_006_9]	

		A100★
5.8	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[CEHLTCD_006_9] A8★
5.9	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[CEHLGT_006_9] A100★
5.10	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[CEHLGTCD_006_9] A8★
5.11	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[CESOC_006_9] A100★
5.12	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[CESOCCD_006_9] A8★
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Codelist Values Tables: SIGNS AND SYMPTOMS OF MIS-C NEUROLOGICAL						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM_CL_006_9	String		HEADACHE	109	cliSODSYMP_HEADACHE	CETERM_006_9
			MENTAL STATUS CHANGES	20	cliSODSYMP_MENTAL_STATUS_CHANGES	
			SYNCOPE/NEAR SYNCOPE	168	cliSODSYMP_SYNCOPE_NEAR_SYNCOPE	
			CEREBROVASCULAR ACCIDENT	169	cliSODSYMP_CEREBROVASCULAR_ACCIDENT	
			ASEPTIC MENINGITIS	170	cliSODSYMP_ASEPTIC_MENINGITIS	
			ENCEPHALOPATHY	129	cliSODSYMP_ENCEPHALOPATHY	

Coding Summary: SIGNS AND SYMPTOMS OF MIS-C NEUROLOGICAL			
Verbatim RefName: D_COMPTERM_006_9			
Dictionary: Pfizer MedDRA Verbatim Type:			
Coding Item RefName	Level	Level Type	
CESOC_006_9	SOC	Term	
CESOCCD_006_9	SOC	Code	
CEHLGT_006_9	HLGT	Term	
CEHLGTCD_006_9	HLGT	Code	
CEHLT_006_9	HLT	Term	
CEHLTCD_006_9	HLT	Code	
CEDECOD_006_9	PT	Term	
CEPTCD_006_9	PT	Code	
CELLT_006_9	LLT	Term	
CELLTCD_006_9	LLT	Code	

RDE Analytics: RD_CESOD006_9		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006_9	Y_CEDTC_006_9	DATE
	Y_CEDTC_006_9_DTS	VARCHAR2
	Y_CEDTC_006_9_ND	VARCHAR2
FAORRES_FSSDTC_006_9	FAORRES_FSSDTC_006_9	DATE
	FAORRES_FSSDTC_006_9_DTS	VARCHAR2

	FAORRES_FSSDTC_006_9_ND	VARCHAR2
X_FAONGO_006_9	X_FAONGO_006_9_C	VARCHAR2
	X_FAONGO_006_9	VARCHAR2
	X_FAONGO_006_9_ND	VARCHAR2
X_FAONGO_006_9 - FAORRES_LSRDTC_006_9	FAORRES_LSRDTC_006_9	DATE
	FAORRES_LSRDTC_006_9_DTS	VARCHAR2
*RD_CESOD006_9_CESOD02006_9		
CEPRES_006_9	CEPRES_006_9_C	VARCHAR2
	CEPRES_006_9	VARCHAR2
	CEPRES_006_9_ND	VARCHAR2
CETERM_006_9	CETERM_006_9_C	VARCHAR2
	CETERM_006_9	VARCHAR2
	CETERM_006_9_ND	VARCHAR2
CEOCCUR_006_9	CEOCCUR_006_9_C	VARCHAR2
	CEOCCUR_006_9	VARCHAR2
	CEOCCUR_006_9_ND	VARCHAR2
*RD_CESOD006_9_CESOD03006_9		
CETERM1_006_9	CETERM1_006_9	VARCHAR2
	CETERM1_006_9_ND	VARCHAR2
D_COMPTERM_006_9	D_COMPTERM_006_9	VARCHAR2
	D_COMPTERM_006_9_ND	VARCHAR2
CELLT_006_9	CELLT_006_9	VARCHAR2
	CELLT_006_9_ND	VARCHAR2
CELLTCD_006_9	CELLTCD_006_9	VARCHAR2
	CELLTCD_006_9_ND	VARCHAR2
CEDECOD_006_9	CEDECOD_006_9	VARCHAR2
	CEDECOD_006_9_ND	VARCHAR2
CEPTCD_006_9	CEPTCD_006_9	VARCHAR2
	CEPTCD_006_9_ND	VARCHAR2
CEHLT_006_9	CEHLT_006_9	VARCHAR2
	CEHLT_006_9_ND	VARCHAR2
CEHLTCD_006_9	CEHLTCD_006_9	VARCHAR2
	CEHLTCD_006_9_ND	VARCHAR2
CEHLGT_006_9	CEHLGT_006_9	VARCHAR2
	CEHLGT_006_9_ND	VARCHAR2
CEHLGTCD_006_9	CEHLGTCD_006_9	VARCHAR2
	CEHLGTCD_006_9_ND	VARCHAR2
CESOC_006_9	CESOC_006_9	VARCHAR2
	CESOC_006_9_ND	VARCHAR2
CESOCCD_006_9	CESOCCD_006_9	VARCHAR2
	CESOCCD_006_9_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: LAB CHEMISTRY - BIOMARKER (LAB CHEM R) - Repeating Form [LB001_8_1]

#	Category for Lab Test	Vendor Name	Specimen Type	Collection Date	LAB RESULT
1					

LAB CHEMISTRY [LB01001_8_1]

1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_8_1] [A:2] ☒ CLINICAL CHEMISTRY			
2.	Laboratory Name and Address: [Vendor Name]	[LBNAM_001_8_1] A200★			
3.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_8_1] [A:7] ☒ BLOOD			
4.*	Collection Date: [Collection Date]	[LBDTC_001_8_1] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2025-2026)			

LAB RESULT [LB03001_8_1]

#	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
5.a		Albumin_PX25			
5.b		Lactate Dehydrogenase_PX32			
5.c		Fibrinogen_PX136			
5.d		Ferritin_PX362			
5.e		Interleukin 6_PX779			
5.f		D Dimer_PX1588			
5.g		Procalcitonin_PX3257			

LAB RESULT Entry [LB03001_8_1]

5.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_8_1] N8			
5.2	Test: <i>[read-only]</i>  [Test]	[LBTEST_001_8_1] [LBTEST_CL_001_8_1] ☒			
5.3	Result: [Result]	[LBORRES_001_8_1] A30★			
5.4	Not Done: [Not Done:]	[LBSTAT_001_8_1] [A:1] ☒ NOT DONE			
5.5	LNMT [LNMT]	[X_LNMTFLAG_CMP_001_8_1] [LBORNRLO_001_8_1] Low A20★ [LBORNRHI_001_8_1] High A20★ [LBORRESU_001_8_1] Unit [A:126] ☒ mg/L [A:137] ☒ mg/dL [A:41] ☒ g/L [A:300] ☒ U/L			

Key: [*] = Item is required  = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: LAB CHEMISTRY - BIOMARKER		
Type	RefName	Description

Item	LBCAT_001_8_1	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSPEC_001_8_1	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_8_1	Date of specimen collection.
Item	LBSPID_001_8_1	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_8_1	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_8_1	Used to indicate test was not done.
Item	LBORNRO_001_8_1	LNMT field
Item	LBORNRHI_001_8_1	LNMT field
Item	LBORRESU_001_8_1	LNMT field

Codelist Values Tables: LAB CHEMISTRY - BIOMARKER						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_8_1	String		Albumin_PX25	25	cliLBTEST_Albumin_PX25	LBTEST_001_8_1
			Lactate Dehydrogenase_PX32	32	cliLBTEST_Lactate_Dehydrogenase_PX32	
			Fibrinogen_PX136	136	cliLBTEST_Fibrinogen_PX136	
			Ferritin_PX362	362	cliLBTEST_Ferritin_PX362	
			Interleukin 6_PX779	779	cliLBTEST_Interleukin_6_PX779	
			D Dimer_PX1588	1588	cliLBTEST_D_Dimer_PX1588	
			Procalcitonin_PX3257	3257	cliLBTEST_Procalcitonin_PX3257	

RDE Analytics: RD_LB001_8_1		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_8_1	LBCAT_001_8_1_C	VARCHAR2
	LBCAT_001_8_1	VARCHAR2
	LBCAT_001_8_1_ND	VARCHAR2
LBNAM_001_8_1	LBNAM_001_8_1	VARCHAR2
	LBNAM_001_8_1_ND	VARCHAR2
LBSPEC_001_8_1	LBSPEC_001_8_1_C	VARCHAR2
	LBSPEC_001_8_1	VARCHAR2
	LBSPEC_001_8_1_ND	VARCHAR2
LBDTC_001_8_1	LBDTC_001_8_1	DATE
	LBDTC_001_8_1_DTS	VARCHAR2
	LBDTC_001_8_1_ND	VARCHAR2
RD_LB001_8_1_LB03001_8_1		
LBSPID_001_8_1	LBSPID_001_8_1	NUMBER
	LBSPID_001_8_1_ND	VARCHAR2
LBTEST_001_8_1	LBTEST_001_8_1_C	VARCHAR2
	LBTEST_001_8_1	VARCHAR2
	LBTEST_001_8_1_ND	VARCHAR2
LBORRES_001_8_1	LBORRES_001_8_1	VARCHAR2
	LBORRES_001_8_1_ND	VARCHAR2
LBSTAT_001_8_1	LBSTAT_001_8_1_C	VARCHAR2
	LBSTAT_001_8_1	VARCHAR2
	LBSTAT_001_8_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8_1	X_LNMTFLAG_CMP_001_8_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8_1 - LBORNRO_001_8_1	LBORNRO_001_8_1	VARCHAR2
X_LNMTFLAG_CMP_001_8_1 - LBORNRHI_001_8_1	LBORNRHI_001_8_1	VARCHAR2

X_LNMTFLAG_CMP_001_8_1 - LBORRESU_001_8_1	LBORRESU_001_8_1_C	VARCHAR2
	LBORRESU_001_8_1	VARCHAR2

C4591076: LABORATORY DATA - HEMATOLOGY BIOMARKER (LAB HEM R) - Repeating Form [LB001_9]

#	Category for Lab Test	Vendor Name	Specimen Type	Collection Date Time	LAB RESULT
1					

LABORATORY DATA - HEMATOLOGY [LB01001_9]

1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_9] [A:1] ☐ HEMATOLOGY
2.	Laboratory Name and Address: [Vendor Name]	[LBNAM_001_9] A200 ★
3.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_9] [A:7] ☐ BLOOD
4.*	Collection Date Time: [Collection Date Time]	[LBDTC_001_9] (DD/MM/YYYY hh:mm) Req ☐ / Req ☐ / Req ☐ (2025-2026) Req/Unk ☐ : Req/Unk ☐ 24-hour clock

LAB RESULT [LB03001_9]

#	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
5.a		Erythrocyte Sedimentation Rate_PX14			

LAB RESULT Entry [LB03001_9]

5.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_9] N8
5.2	Test: <i>[read-only]</i> [Test]	[LBTEST_001_9] [A:14] ☐ Erythrocyte Sedimentation Rate_PX14
5.3	Result: [Result]	[LBORRES_001_9] A30 ★
5.4	Not Done: [Not Done:]	[LBSTAT_001_9] [A:1] ☐ NOT DONE
5.5	LNMT [LNMT]	[X_LNMTFLAG_CMP_001_9] [LBORNRHI_001_9] High A20 ★ [LBORNRLO_001_9] Low A20 ★ [LBORRESU_001_9] Unit [LBORRESU_CL_001_9] ☐

Key: [*] = Item is required ☐ = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: LABORATORY DATA - HEMATOLOGY BIOMARKER		
Type	RefName	Description
Item	LBCAT_001_9	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSPEC_001_9	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_9	Date of specimen collection.
Item	LBSPID_001_9	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_9	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_9	Used to indicate test was not done.
Item	LBORNRHI_001_9	LNMT field
Item	LBORNRLO_001_9	LNMT field

file:///C:/Users/angelm31/AppData/Local/Apps/2.0/AX9PJ5GO.TCM/4409YYKQ.KNQ/orac..90.0_919f856034ae8f10_0007.... 10/23/2025

Item	LBORRESU_001_9	LNMT field
------	----------------	------------

Codelist Values Tables: LABORATORY DATA - HEMATOLOGY BIOMARKER						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBORRESU_CL_001_9	String		g/L	41	cliUNIT_g_L	LBORRESU_001_9
			g/dL	128	cliUNIT_g_dL	
			L/L	475	cliUNIT_L_L	
			%	5	cliUNIT_perc	
			10^12/L	413	cliUNIT_10p12_L	
			10^6/cu mm	649	cliUNIT_10p6_cu_mm	
			/uL	309	cliUNIT_peruL	
			10^9/L	426	cliUNIT_10p9_L	
			10^3/uL	658	cliUNIT_10p3_uL	

RDE Analytics: RD_LB001_9		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_9	LBCAT_001_9_C	VARCHAR2
	LBCAT_001_9	VARCHAR2
	LBCAT_001_9_ND	VARCHAR2
LBNAM_001_9	LBNAM_001_9	VARCHAR2
	LBNAM_001_9_ND	VARCHAR2
LBSPEC_001_9	LBSPEC_001_9_C	VARCHAR2
	LBSPEC_001_9	VARCHAR2
	LBSPEC_001_9_ND	VARCHAR2
LBDTC_001_9	LBDTC_001_9	DATE
	LBDTC_001_9_DTS	VARCHAR2
	LBDTC_001_9_DTR	VARCHAR2
	LBDTC_001_9_ND	VARCHAR2
RD_LB001_9_LB03001_9		
LBSPID_001_9	LBSPID_001_9	NUMBER
	LBSPID_001_9_ND	VARCHAR2
LBTEST_001_9	LBTEST_001_9_C	VARCHAR2
	LBTEST_001_9	VARCHAR2
	LBTEST_001_9_ND	VARCHAR2
LBORRES_001_9	LBORRES_001_9	VARCHAR2
	LBORRES_001_9_ND	VARCHAR2
LBSTAT_001_9	LBSTAT_001_9_C	VARCHAR2
	LBSTAT_001_9	VARCHAR2
	LBSTAT_001_9_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9	X_LNMTFLAG_CMP_001_9_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9 - LBORNRHI_001_9	LBORNRHI_001_9	VARCHAR2
X_LNMTFLAG_CMP_001_9 - LBORNRLO_001_9	LBORNRLO_001_9	VARCHAR2
X_LNMTFLAG_CMP_001_9 - LBORRESU_001_9	LBORRESU_001_9_C	VARCHAR2
	LBORRESU_001_9	VARCHAR2

C4591076: Microbiology Specimen - SEROLOGY (COV19 SERO) - Repeating Form [MBMIB002_2]						
#	Date of Collection	Specimen Type	Assay Code and Description	Device Type	Result	Comments/Findings
1						
Microbiology Specimen [MBMIB01002_2]						
1.*	Actual Date of Collection: [Date of Collection]	[Y_MBDTC_002_2] (DD/MM/YYYY) Req v / Req v / Req v (2025-2026)				
2.*	Specimen Type: [Specimen Type]	[MBSPEC_002_2] [A:29] ☐ SALIVA [A:84] ☐ SWABBED MATERIAL				
3.	Assay Code and Description: <i>[read-only]</i> [Assay Code and Description]	[MBTEST_002_2] [A:18] ☐ SEVERE ACUTE RESP SYNDROME CORONAVIRUS 2				
4.	Device Type: <i>[read-only]</i> [Device Type]	[DIVAL_DEVTYPE_002_2] [A:2] ☐ SARS-COV-2 DIAGNOSTIC TEST				
5.*	Test Result: [Result]	[MBORRES_002_2] [A:1] ☐ POSITIVE [A:2] ☐ NEGATIVE [A:3] ☐ INDETERMINATE				
6.	Comments/Findings/Details: [Comments/Findings]	[CO_MBSUMM_002_2] A200 ★				
Key: [*] = Item is required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.						

RDE Analytics: RD_MBMIB002_2		
Data Variable RefName	RD Column Name	Column Data Type
Y_MBDTC_002_2	Y_MBDTC_002_2	DATE
	Y_MBDTC_002_2_DTS	VARCHAR2
	Y_MBDTC_002_2_ND	VARCHAR2
MBSPEC_002_2	MBSPEC_002_2_C	VARCHAR2
	MBSPEC_002_2	VARCHAR2
	MBSPEC_002_2_ND	VARCHAR2
MBTEST_002_2	MBTEST_002_2_C	VARCHAR2
	MBTEST_002_2	VARCHAR2
	MBTEST_002_2_ND	VARCHAR2
DIVAL_DEVTYPE_002_2	DIVAL_DEVTYPE_002_2_C	VARCHAR2
	DIVAL_DEVTYPE_002_2	VARCHAR2
	DIVAL_DEVTYPE_002_2_ND	VARCHAR2
MBORRES_002_2	MBORRES_002_2_C	VARCHAR2
	MBORRES_002_2	VARCHAR2
	MBORRES_002_2_ND	VARCHAR2
CO_MBSUMM_002_2	CO_MBSUMM_002_2	VARCHAR2
	CO_MBSUMM_002_2_ND	VARCHAR2

C4591076: Microbiology Specimen - SEROLOGY (COV19 SERO) - Repeating Form [MBMIB002_3]						
#	Date of Collection	Specimen Type	Assay Code and Description	Device Type	Result	Comments/Findings
1						
Microbiology Specimen [MBMIB01002_3]						
1.*	Actual Date of Collection: [Date of Collection]	[Y_MBDTC_002_3] (DD/MM/YYYY) Req / Req / Req (2025-2026)				
2.*	Specimen Type: [Specimen Type]	[MBSPEC_002_3] [A:33] ☐ SERUM [A:7] ☐ BLOOD [A:27] ☐ PLASMA				
3.	Assay Code and Description: <i>[read-only]</i> [Assay Code and Description]	[MBTEST_002_3] [A:18] ☐ SEVERE ACUTE RESP SYNDROME CORONAVIRUS 2				
4.	Device Type: <i>[read-only]</i> [Device Type]	[DIVAL_DEVTYPE_002_3] [A:2] ☐ SARS-COV-2 DIAGNOSTIC TEST				
5.*	Test Result: [Result]	[MBORRES_002_3] [A:1] ☐ POSITIVE [A:2] ☐ NEGATIVE [A:3] ☐ INDETERMINATE				
6.	Comments/Findings/Details: [Comments/Findings]	[CO_MBSUMM_002_3] A200 ★				
Key: [*] = Item is required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.						

RDE Analytics: RD_MBMIB002_3		
Data Variable RefName	RD Column Name	Column Data Type
Y_MBDTC_002_3	Y_MBDTC_002_3	DATE
	Y_MBDTC_002_3_DTS	VARCHAR2
	Y_MBDTC_002_3_ND	VARCHAR2
MBSPEC_002_3	MBSPEC_002_3_C	VARCHAR2
	MBSPEC_002_3	VARCHAR2
	MBSPEC_002_3_ND	VARCHAR2
MBTEST_002_3	MBTEST_002_3_C	VARCHAR2
	MBTEST_002_3	VARCHAR2
	MBTEST_002_3_ND	VARCHAR2
DIVAL_DEVTYPE_002_3	DIVAL_DEVTYPE_002_3_C	VARCHAR2
	DIVAL_DEVTYPE_002_3	VARCHAR2
	DIVAL_DEVTYPE_002_3_ND	VARCHAR2
MBORRES_002_3	MBORRES_002_3_C	VARCHAR2
	MBORRES_002_3	VARCHAR2
	MBORRES_002_3_ND	VARCHAR2
CO_MBSUMM_002_3	CO_MBSUMM_002_3	VARCHAR2
	CO_MBSUMM_002_3_ND	VARCHAR2

C4591076: TRIGGER FORM – MIS-C INCLUSION (MISC INCL) [R_TRIG001_6]		
Trigger Form [R_TRIG01001_6]		
1.*	Select appropriate response - Does the subject have Fever >38.0°C or report of subjective fever lasting? [Trigger Response 3]	[R_TRIGRESP3_001_6] [A:1] ☐ Yes - Subject has Fever >= 38.0°C [A:2] ☐ Yes - Subject has subjective Fever [A:3] ☐ No - Subject does not have Fever
2.*	Select appropriate response - Does the subject Laboratory markers show one or more inflammation? [Trigger Response 4]	[R_TRIGRESP4_001_6] [A:1] ☐ Yes - Laboratory marker test results show evidence of systemic inflammation (Elevated C-reactive protein >= 3.0 mg/dl (30 mg/L)) [A:2] ☐ No - No laboratory marker test results does not show evidence of systemic inflammation (C-reactive protein < 3.0 mg/dl (30 mg/L))
3.*	Select appropriate response - Evidence of clinically severe illness requiring hospitalization or resulting in death, with multisystem (>=2) organ involvement? [Trigger Response 5]	[R_TRIGRESP5_001_6] [A:10] ☐ Yes – Event resulted in hospitalization or death with evidence of severe illness in 2 or more organ systems [A:11] ☐ No – Event resulted in hospitalization or death WITHOUT evidence of severe illness in 2 or more organ systems
4.*	Select appropriate response - Positive for current or recent SARS-COV-2 infection by [Trigger Response 6]	[R_TRIGRESP6_001_6] [A:15] ☐ SARS-COV-2 infection tested by RT-PCR test [A:16] ☐ SARS-COV-2 infection tested by Serology test [A:17] ☐ SARS-COV-2 infection tested by Antigen test
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_R_TRIG001_6		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP3_001_6	R_TRIGRESP3_001_6_C	VARCHAR2
	R_TRIGRESP3_001_6	VARCHAR2
	R_TRIGRESP3_001_6_ND	VARCHAR2
R_TRIGRESP4_001_6	R_TRIGRESP4_001_6_C	VARCHAR2
	R_TRIGRESP4_001_6	VARCHAR2
	R_TRIGRESP4_001_6_ND	VARCHAR2
R_TRIGRESP5_001_6	R_TRIGRESP5_001_6_C	VARCHAR2
	R_TRIGRESP5_001_6	VARCHAR2
	R_TRIGRESP5_001_6_ND	VARCHAR2
R_TRIGRESP6_001_6	R_TRIGRESP6_001_6_C	VARCHAR2
	R_TRIGRESP6_001_6	VARCHAR2
	R_TRIGRESP6_001_6_ND	VARCHAR2

C4591076: SIGNS AND SYMPTOMS OF MIS-C CARDIAC (SOD CARDIO) [CESOD006_11]			
Signs and Symptoms [CESOD01006_11]			
1.*	Date of Assessment: [Date of Assessment]	[Y_CEDTC_006_11] (DD/MM/YYYY) Req v / Req v / Req v (2025-2026)	
2.*	Date of First Symptom Started: [First Symptom Started Date]	[FAORRES_FSSDTC_006_11] (DD/MM/YYYY) Req/Unk v / Req v / Req v (2025-2026)	
3.*	Symptoms Ongoing? [Symptoms Ongoing]	[X_FAONGO_006_11] [A:Y] ☐ YES [A:N] ☐ [FAORRES_LSRDTC_CMP_006_11] ☐ NO [FAORRES_LSRDTC_006_11] (DD/MM/YYYY) Date of Last Symptom Resolved: Req/Unk v / Req v / Req v (2025-2026)	
Symptoms [CESOD02006_11]			
#	Event Pre-specified	Symptoms	Symptom Present*
4.a	YES	SHOCK	
4.b	YES	ELEVATED TROPONIN	
4.c	YES	LEFT VENTRICULAR EJECTION FRACTION DECREASED	
4.d	YES	CORONARY ARTERY DILATATION	
4.e	YES	CORONARY ARTERY ANEURYSM	
4.f	YES	CORONARY ARTERY ECTASIA	
Symptoms Entry [CESOD02006_11]			
4.1	Event Pre-specified: <i>[hidden]</i> [Event Pre-specified]	[CEPRES_006_11] [A:Y] ☐ YES	
4.2	Symptoms: <i>[read-only]</i> [Symptoms]	[CETERM_006_11] [CETERM_CL_006_11] v	
4.3*	Was symptom present? [Symptom Present]	[CEOCCUR_006_11] [A:Y] ☐ YES [A:N] ☐ NO	
Symptoms - Other			
5.			
Symptoms - Other Entry [CESOD03006_11]			
5.1	Symptoms - Other Text: [Symptoms - Other]	[CETERM1_006_11] A80*	
5.2	Comparison Term: <i>[hidden]</i> [Comparison Term]	[D_COMPTERM_006_11] A200*	
5.3	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[CELLT_006_11] A100*	
5.4	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[CELLTCD_006_11] A8*	
5.5	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[CEDECOD_006_11] A100*	
5.6	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[CEPTCD_006_11] A8*	
5.7	High Level Term <i>[hidden]</i> [High Level Term]	[CEHLT_006_11]	

		A100★
5.8	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[CEHLTCD_006_11] A8★
5.9	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[CEHLGT_006_11] A100★
5.10	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[CEHLGTCD_006_11] A8★
5.11	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[CESOC_006_11] A100★
5.12	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[CESOCCD_006_11] A8★
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Codelist Values Tables: SIGNS AND SYMPTOMS OF MIS-C CARDIAC						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM_CL_006_11	String		SHOCK	149	cliSODSYMP_SHOCK	CETERM_006_11
			ELEVATED TROPONIN	150	cliSODSYMP_ELEVATED_TROPONIN	
			LEFT VENTRICULAR EJECTION FRACTION DECREASED	228	cliSODSYMP_LEFT_VENTRICULAR_EJECTION_FRACTION_DECREASED	
			CORONARY ARTERY DILATATION	229	cliSODSYMP_CORONARY_ARTERY_DILATATION	
			CORONARY ARTERY ANEURYSM	230	cliSODSYMP_CORONARY_ARTERY_ANEURYSM	
			CORONARY ARTERY ECTASIA	231	cliSODSYMP_CORONARY_ARTERY_ECTASIA	

Coding Summary: SIGNS AND SYMPTOMS OF MIS-C CARDIAC			
Verbatim RefName: D_COMPTERM_006_11			
Dictionary: Pfizer MedDRA Verbatim Type:			
Coding Item RefName	Level	Level Type	
CESOC_006_11	SOC	Term	
CESOCCD_006_11	SOC	Code	
CEHLGT_006_11	HLGT	Term	
CEHLGTCD_006_11	HLGT	Code	
CEHLT_006_11	HLT	Term	
CEHLTCD_006_11	HLT	Code	
CEDECOD_006_11	PT	Term	
CEPTCD_006_11	PT	Code	
CELLT_006_11	LLT	Term	
CELLTCD_006_11	LLT	Code	

RDE Analytics: RD_CESOD006_11		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006_11	Y_CEDTC_006_11	DATE
	Y_CEDTC_006_11_DTS	VARCHAR2
	Y_CEDTC_006_11_ND	VARCHAR2
FAORRES_FSSDTC_006_11	FAORRES_FSSDTC_006_11	DATE
	FAORRES_FSSDTC_006_11_DTS	VARCHAR2

	FAORRES_FSSDTC_006_11_DTR	VARCHAR2
	FAORRES_FSSDTC_006_11_ND	VARCHAR2
X_FAONGO_006_11	X_FAONGO_006_11_C	VARCHAR2
	X_FAONGO_006_11	VARCHAR2
	X_FAONGO_006_11_ND	VARCHAR2
X_FAONGO_006_11 - FAORRES_LSRDTC_006_11	FAORRES_LSRDTC_006_11	DATE
	FAORRES_LSRDTC_006_11_DTS	VARCHAR2
	FAORRES_LSRDTC_006_11_DTR	VARCHAR2
*RD_CESOD006_11_CESOD02006_11		
CEPRES_006_11	CEPRES_006_11_C	VARCHAR2
	CEPRES_006_11	VARCHAR2
	CEPRES_006_11_ND	VARCHAR2
CETERM_006_11	CETERM_006_11_C	VARCHAR2
	CETERM_006_11	VARCHAR2
	CETERM_006_11_ND	VARCHAR2
CEOCCUR_006_11	CEOCCUR_006_11_C	VARCHAR2
	CEOCCUR_006_11	VARCHAR2
	CEOCCUR_006_11_ND	VARCHAR2
*RD_CESOD006_11_CESOD03006_11		
CETERM1_006_11	CETERM1_006_11	VARCHAR2
	CETERM1_006_11_ND	VARCHAR2
D_COMPTERM_006_11	D_COMPTERM_006_11	VARCHAR2
	D_COMPTERM_006_11_ND	VARCHAR2
CELLT_006_11	CELLT_006_11	VARCHAR2
	CELLT_006_11_ND	VARCHAR2
CELLTCD_006_11	CELLTCD_006_11	VARCHAR2
	CELLTCD_006_11_ND	VARCHAR2
CEDECOD_006_11	CEDECOD_006_11	VARCHAR2
	CEDECOD_006_11_ND	VARCHAR2
CEPTCD_006_11	CEPTCD_006_11	VARCHAR2
	CEPTCD_006_11_ND	VARCHAR2
CEHLT_006_11	CEHLT_006_11	VARCHAR2
	CEHLT_006_11_ND	VARCHAR2
CEHLTCD_006_11	CEHLTCD_006_11	VARCHAR2
	CEHLTCD_006_11_ND	VARCHAR2
CEHLGT_006_11	CEHLGT_006_11	VARCHAR2
	CEHLGT_006_11_ND	VARCHAR2
CEHLGTC_006_11	CEHLGTC_006_11	VARCHAR2
	CEHLGTC_006_11_ND	VARCHAR2
CESOC_006_11	CESOC_006_11	VARCHAR2
	CESOC_006_11_ND	VARCHAR2
CESOCCD_006_11	CESOCCD_006_11	VARCHAR2
	CESOCCD_006_11_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: SIGNS AND SYMPTOMS OF MIS-C GASTROINTESTINAL (SOD GI) [CESOD006_12]			
Signs and Symptoms [CESOD01006_12]			
1.*	Date of Assessment: [Date of Assessment]	[Y_CEDTC_006_12] (DD/MM/YYYY) Req / Req / Req (2025-2026)	
2.*	Date of First Symptom Started: [First Symptom Started Date]	[FAORRES_FSSDTC_006_12] (DD/MM/YYYY) Req/Unk / Req / Req (2025-2026)	
3.*	Symptoms Ongoing? [Symptoms Ongoing]	[X_FAONGO_006_12] [A:Y] ☐ YES [A:N] ☐ [FAORRES_LSRDTC_CMP_006_12] ☐ NO [FAORRES_LSRDTC_006_12] (DD/MM/YYYY) Date of Last Symptom Resolved: Req/Unk / Req / Req (2025-2026)	
Symptoms [CESOD02006_12]			
#	Event Pre-specified	Symptoms	Symptom Present*
4.a	YES	ABDOMINAL PAIN	
4.b	YES	VOMITING	
4.c	YES	DIARRHEA	
Symptoms Entry [CESOD02006_12]			
4.1	Event Pre-specified: <i>[hidden]</i> [Event Pre-specified]	[CEPRES_006_12] [A:Y] ☐ YES	
4.2	Symptoms: <i>[read-only]</i> [Symptoms]	[CETERM_006_12] [A:1] ☐ ABDOMINAL PAIN [A:7] ☐ VOMITING [A:98] ☐ DIARRHEA	
4.3*	Was symptom present? [Symptom Present]	[CEOCCUR_006_12] [A:Y] ☐ YES [A:N] ☐ NO	
Symptoms - Other			
5.			
Symptoms - Other Entry [CESOD03006_12]			
5.1	Symptoms - Other Text: [Symptoms - Other]	[CETERM1_006_12] A80*	
5.2	Comparison Term: <i>[hidden]</i> [Comparison Term]	[D_COMPTERM_006_12] A200*	
5.3	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[CELLT_006_12] A100*	
5.4	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[CELLTCD_006_12] A8*	
5.5	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[CEDECOD_006_12] A100*	
5.6	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[CEPTCD_006_12] A8*	
5.7	High Level Term <i>[hidden]</i> [High Level Term]	[CEHLT_006_12] A100*	

5.8	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[CEHLTCD_006_12] A8★
5.9	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[CEHLGT_006_12] A100★
5.10	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[CEHLGTC_006_12] A8★
5.11	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[CESOC_006_12] A100★
5.12	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[CESOCCD_006_12] A8★
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Coding Summary: SIGNS AND SYMPTOMS OF MIS-C GASTROINTESTINAL		
Verbatim RefName: D_COMPTERM_006_12 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
CESOC_006_12	SOC	Term
CESOCCD_006_12	SOC	Code
CEHLGT_006_12	HLGT	Term
CEHLGTC_006_12	HLGT	Code
CEHLT_006_12	HLT	Term
CEHLTCD_006_12	HLT	Code
CEDECOD_006_12	PT	Term
CEPTCD_006_12	PT	Code
CELLT_006_12	LLT	Term
CELLTCD_006_12	LLT	Code

RDE Analytics: RD_CESOD006_12		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006_12	Y_CEDTC_006_12	DATE
	Y_CEDTC_006_12_DTS	VARCHAR2
	Y_CEDTC_006_12_ND	VARCHAR2
FAORRES_FSSDTC_006_12	FAORRES_FSSDTC_006_12	DATE
	FAORRES_FSSDTC_006_12_DTS	VARCHAR2
	FAORRES_FSSDTC_006_12_DTR	VARCHAR2
	FAORRES_FSSDTC_006_12_ND	VARCHAR2
X_FAONGO_006_12	X_FAONGO_006_12_C	VARCHAR2
	X_FAONGO_006_12	VARCHAR2
	X_FAONGO_006_12_ND	VARCHAR2
X_FAONGO_006_12 - FAORRES_LSRDTC_006_12	FAORRES_LSRDTC_006_12	DATE
	FAORRES_LSRDTC_006_12_DTS	VARCHAR2
	FAORRES_LSRDTC_006_12_DTR	VARCHAR2
*RD_CESOD006_12_CESOD02006_12		
CEPRES_006_12	CEPRES_006_12_C	VARCHAR2
	CEPRES_006_12	VARCHAR2

	CEPRES_006_12_ND	VARCHAR2
CETERM_006_12	CETERM_006_12_C	VARCHAR2
	CETERM_006_12	VARCHAR2
	CETERM_006_12_ND	VARCHAR2
CEOCCUR_006_12	CEOCCUR_006_12_C	VARCHAR2
	CEOCCUR_006_12	VARCHAR2
	CEOCCUR_006_12_ND	VARCHAR2
*RD_CESOD006_12_CESOD03006_12		
CETERM1_006_12	CETERM1_006_12	VARCHAR2
	CETERM1_006_12_ND	VARCHAR2
D_COMPTERM_006_12	D_COMPTERM_006_12	VARCHAR2
	D_COMPTERM_006_12_ND	VARCHAR2
CELLT_006_12	CELLT_006_12	VARCHAR2
	CELLT_006_12_ND	VARCHAR2
CELLTCD_006_12	CELLTCD_006_12	VARCHAR2
	CELLTCD_006_12_ND	VARCHAR2
CEDECOD_006_12	CEDECOD_006_12	VARCHAR2
	CEDECOD_006_12_ND	VARCHAR2
CEPTCD_006_12	CEPTCD_006_12	VARCHAR2
	CEPTCD_006_12_ND	VARCHAR2
CEHLT_006_12	CEHLT_006_12	VARCHAR2
	CEHLT_006_12_ND	VARCHAR2
CEHLTCD_006_12	CEHLTCD_006_12	VARCHAR2
	CEHLTCD_006_12_ND	VARCHAR2
CEHLGT_006_12	CEHLGT_006_12	VARCHAR2
	CEHLGT_006_12_ND	VARCHAR2
CEHLGTCD_006_12	CEHLGTCD_006_12	VARCHAR2
	CEHLGTCD_006_12_ND	VARCHAR2
CESOC_006_12	CESOC_006_12	VARCHAR2
	CESOC_006_12_ND	VARCHAR2
CESOCCD_006_12	CESOCCD_006_12	VARCHAR2
	CESOCCD_006_12_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: SIGNS AND SYMPTOMS OF MIS-C DERMATOLOGIC (SOD DERMA) [CESOD006_13]			
Signs and Symptoms [CESOD01006_13]			
1.*	Date of Assessment: [Date of Assessment]	[Y_CEDTC_006_13] (DD/MM/YYYY) Req / Req / Req (2025-2026)	
2.*	Date of First Symptom Started: [First Symptom Started Date]	[FAORRES_FSSDTC_006_13] (DD/MM/YYYY) Req / Req / Req (2025-2026)	
3.*	Symptoms Ongoing? [Symptoms Ongoing]	[X_FAONGO_006_13] [A:Y] ☐ YES [A:N] ☐ [FAORRES_LSRDTC_CMP_006_13] ☐ NO [FAORRES_LSRDTC_006_13] (DD/MM/YYYY) Date of Last Symptom Resolved: Req / Req / Req (2025-2026)	
Symptoms [CESOD02006_13]			
#	Event Pre-specified	Symptoms	Symptom Present*
4.a	YES	RASH	
4.b	YES	INFLAMMATION OF ORAL MUCOSA	
4.c	YES	CONJUNCTIVITIS	
4.d	YES	CONJUNCTIVAL INJECTION	
4.e	YES	ERYTHEMA	
4.f	YES	EDEMA	
4.g	YES	DESQUAMATION	
Symptoms Entry [CESOD02006_13]			
4.1	Event Pre-specified: <i>[hidden]</i> [Event Pre-specified]	[CEPRES_006_13] [A:Y] ☐ YES	
4.2	Symptoms: <i>[read-only]</i> [Symptoms]	[CETERM_006_13] [CETERM_CL_006_13]	
4.3*	Was symptom present? [Symptom Present]	[CEOCCUR_006_13] [A:Y] ☐ YES [A:N] ☐ NO	
Symptoms - Other			
5.			
Symptoms - Other Entry [CESOD03006_13]			
5.1	Symptoms - Other Text: [Symptoms - Other]	[CETERM1_006_13] A80*	
5.2	Comparison Term: <i>[hidden]</i> [Comparison Term]	[D_COMPTERM_006_13] A200*	
5.3	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[CELLT_006_13] A100*	
5.4	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[CELLTCD_006_13] A8*	
5.5	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[CEDECOD_006_13] A100*	
5.6	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[CEPTCD_006_13] A8*	

5.7	High Level Term <i>[hidden]</i> [High Level Term]	[CEHLT_006_13] A100★
5.8	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[CEHLTCD_006_13] A8★
5.9	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[CEHLGT_006_13] A100★
5.10	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[CEHLGTCD_006_13] A8★
5.11	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[CESOC_006_13] A100★
5.12	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[CESOCCD_006_13] A8★
Key: [*] = Item is required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Codelist Values Tables: SIGNS AND SYMPTOMS OF MIS-C DERMATOLOGIC						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM_CL_006_13	String		RASH	99	cliSODSYMP_RASH	CETERM_006_13
			INFLAMMATION OF ORAL MUCOSA	235	cliSODSYMP_INFLAMMATION_OF_ORAL_MUCOSA	
			CONJUNCTIVITIS	142	cliSODSYMP_CONJUNCTIVITIS	
			CONJUNCTIVAL INJECTION	232	cliSODSYMP_CONJUNCTIVAL_INJECTION	
			ERYTHEMA	6	cliSODSYMP_ERYTHEMA	
			EDEMA	233	cliSODSYMP_EDEMA	
			DESQUAMATION	234	cliSODSYMP_DESQUAMATION	

Coding Summary: SIGNS AND SYMPTOMS OF MIS-C DERMATOLOGIC			
Verbatim RefName: D_COMPTERM_006_13 Dictionary: Pfizer MedDRA Verbatim Type:			
Coding Item RefName	Level	Level Type	
CESOC_006_13	SOC	Term	
CESOCCD_006_13	SOC	Code	
CEHLGT_006_13	HLGT	Term	
CEHLGTCD_006_13	HLGT	Code	
CEHLT_006_13	HLT	Term	
CEHLTCD_006_13	HLT	Code	
CEDECOD_006_13	PT	Term	
CEPTCD_006_13	PT	Code	
CELLT_006_13	LLT	Term	
CELLTCD_006_13	LLT	Code	

RDE Analytics: RD_CESOD006_13		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006_13	Y_CEDTC_006_13	DATE
	Y_CEDTC_006_13_DTS	VARCHAR2
	Y_CEDTC_006_13_ND	VARCHAR2

FAORRES_FSSDTC_006_13	FAORRES_FSSDTC_006_13	DATE
	FAORRES_FSSDTC_006_13_DTS	VARCHAR2
	FAORRES_FSSDTC_006_13_ND	VARCHAR2
X_FAONGO_006_13	X_FAONGO_006_13_C	VARCHAR2
	X_FAONGO_006_13	VARCHAR2
	X_FAONGO_006_13_ND	VARCHAR2
X_FAONGO_006_13 - FAORRES_LSRDTC_006_13	FAORRES_LSRDTC_006_13	DATE
	FAORRES_LSRDTC_006_13_DTS	VARCHAR2
*RD_CESOD006_13_CESOD02006_13		
CEPRES_006_13	CEPRES_006_13_C	VARCHAR2
	CEPRES_006_13	VARCHAR2
	CEPRES_006_13_ND	VARCHAR2
CETERM_006_13	CETERM_006_13_C	VARCHAR2
	CETERM_006_13	VARCHAR2
	CETERM_006_13_ND	VARCHAR2
CEOCCUR_006_13	CEOCCUR_006_13_C	VARCHAR2
	CEOCCUR_006_13	VARCHAR2
	CEOCCUR_006_13_ND	VARCHAR2
*RD_CESOD006_13_CESOD03006_13		
CETERM1_006_13	CETERM1_006_13	VARCHAR2
	CETERM1_006_13_ND	VARCHAR2
D_COMPTerm_006_13	D_COMPTerm_006_13	VARCHAR2
	D_COMPTerm_006_13_ND	VARCHAR2
CELLT_006_13	CELLT_006_13	VARCHAR2
	CELLT_006_13_ND	VARCHAR2
CELLTCD_006_13	CELLTCD_006_13	VARCHAR2
	CELLTCD_006_13_ND	VARCHAR2
CEDECOD_006_13	CEDECOD_006_13	VARCHAR2
	CEDECOD_006_13_ND	VARCHAR2
CEPTCD_006_13	CEPTCD_006_13	VARCHAR2
	CEPTCD_006_13_ND	VARCHAR2
CEHLT_006_13	CEHLT_006_13	VARCHAR2
	CEHLT_006_13_ND	VARCHAR2
CEHLTCD_006_13	CEHLTCD_006_13	VARCHAR2
	CEHLTCD_006_13_ND	VARCHAR2
CEHLGT_006_13	CEHLGT_006_13	VARCHAR2
	CEHLGT_006_13_ND	VARCHAR2
CEHLGTC_006_13	CEHLGTC_006_13	VARCHAR2
	CEHLGTC_006_13_ND	VARCHAR2
CESOC_006_13	CESOC_006_13	VARCHAR2
	CESOC_006_13_ND	VARCHAR2
CESOCCD_006_13	CESOCCD_006_13	VARCHAR2
	CESOCCD_006_13_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: LAB CHEMISTRY - BIOMARKER (LAB CHEM R) - Repeating Form [LB001_8_2]

#	Category for Lab Test	Vendor Name	Specimen Type	Collection Date	LAB RESULT
1					

LAB CHEMISTRY [LB01001_8_2]

1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_8_2] [A:2] ☐ CLINICAL CHEMISTRY			
2.	Laboratory Name and Address: [Vendor Name]	[LBNAM_001_8_2] A200 ★			
3.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_8_2] [A:7] ☐ BLOOD			
4.*	Collection Date: [Collection Date]	[LBDTC_001_8_2] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2026)			

LAB RESULT [LB03001_8_2]

#	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
5.a		C Reactive Protein_PX329			

LAB RESULT Entry [LB03001_8_2]

5.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_8_2] N8			
5.2	Test: <i>[read-only]</i>  [Test]	[LBTEST_001_8_2] [A:329] ☐ C Reactive Protein_PX329			
5.3	Result: [Result]	[LBORRES_001_8_2] A30 ★			
5.4	Not Done: [Not Done:]	[LBSTAT_001_8_2] [A:1] ☐ NOT DONE			
5.5	LNMT [LNMT]	[X_LNMTFLAG_CMP_001_8_2] [LBORNRLO_001_8_2] Low A20 ★ [LBORNRHI_001_8_2] High A20 ★ [LBORRESU_001_8_2] Unit [A:126] ☐ mg/L [A:137] ☐ mg/dL [A:41] ☐ g/L [A:300] ☐ U/L			

Key: [*] = Item is required  = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: LAB CHEMISTRY - BIOMARKER		
Type	RefName	Description
Item	LBCAT_001_8_2	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSPEC_001_8_2	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_8_2	Date of specimen collection.
Item	LBSPID_001_8_2	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_8_2	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_8_2	Used to indicate test was not done.

Item	LBORNRLO_001_8_2	LNMT field
Item	LBORNRHI_001_8_2	LNMT field
Item	LBORRESU_001_8_2	LNMT field

RDE Analytics: RD_LB001_8_2		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_8_2	LBCAT_001_8_2_C	VARCHAR2
	LBCAT_001_8_2	VARCHAR2
	LBCAT_001_8_2_ND	VARCHAR2
LBNAM_001_8_2	LBNAM_001_8_2	VARCHAR2
	LBNAM_001_8_2_ND	VARCHAR2
LBSPEC_001_8_2	LBSPEC_001_8_2_C	VARCHAR2
	LBSPEC_001_8_2	VARCHAR2
	LBSPEC_001_8_2_ND	VARCHAR2
LBDTC_001_8_2	LBDTC_001_8_2	DATE
	LBDTC_001_8_2_DTS	VARCHAR2
	LBDTC_001_8_2_ND	VARCHAR2
RD_LB001_8_2_LB03001_8_2		
LBSPID_001_8_2	LBSPID_001_8_2	NUMBER
	LBSPID_001_8_2_ND	VARCHAR2
LBTEST_001_8_2	LBTEST_001_8_2_C	VARCHAR2
	LBTEST_001_8_2	VARCHAR2
	LBTEST_001_8_2_ND	VARCHAR2
LBORRES_001_8_2	LBORRES_001_8_2	VARCHAR2
	LBORRES_001_8_2_ND	VARCHAR2
LBSTAT_001_8_2	LBSTAT_001_8_2_C	VARCHAR2
	LBSTAT_001_8_2	VARCHAR2
	LBSTAT_001_8_2_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8_2	X_LNMTFLAG_CMP_001_8_2_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8_2 - LBORNRLO_001_8_2	LBORNRLO_001_8_2	VARCHAR2
X_LNMTFLAG_CMP_001_8_2 - LBORNRHI_001_8_2	LBORNRHI_001_8_2	VARCHAR2
X_LNMTFLAG_CMP_001_8_2 - LBORRESU_001_8_2	LBORRESU_001_8_2_C	VARCHAR2
	LBORRESU_001_8_2	VARCHAR2

C4591076: LABORATORY DATA - HEMATOLOGY BIOMARKER (LAB HEM R) - Repeating Form [LB001_9_1]

#	Category for Lab Test	Vendor Name	Specimen Type	Collection Date Time	LAB RESULT
1					

LABORATORY DATA - HEMATOLOGY [LB01001_9_1]

1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_9_1] [A:1] ☒ HEMATOLOGY			
2.	Laboratory Name and Address: [Vendor Name]	[LBNAM_001_9_1] A200 ★			
3.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_9_1] [A:7] ☒ BLOOD			
4.*	Collection Date Time: [Collection Date Time]	[LBDTC_001_9_1] (DD/MM/YYYY hh:mm) Req ☒ / Req ☒ / Req ☒ (2025-2026) Req/Unk ☒ : Req/Unk ☒ 24-hour clock			

LAB RESULT [LB03001_9_1]

#	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
5.a		Platelets_PX5			
5.b		Lymphocyte Marker CD3 (Absolute)_PX5024			

LAB RESULT Entry [LB03001_9_1]

5.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_9_1] N8			
5.2	Test: <i>[read-only]</i> [Test]	[LBTEST_001_9_1] [A:5] ☒ Platelets_PX5 [A:5024] ☒ Lymphocyte Marker CD3 (Absolute)_PX5024			
5.3	Result: [Result]	[LBORRES_001_9_1] A30 ★			
5.4	Not Done: [Not Done:]	[LBSTAT_001_9_1] [A:1] ☒ NOT DONE			
5.5	LNMT [LNMT]	[X_LNMTFLAG_CMP_001_9_1] [LBORNRHI_001_9_1] High A20 ★ [LBORNRLO_001_9_1] Low A20 ★ [LBORRESU_001_9_1] Unit [LBORRESU_CL_001_9_1] v			

Key: [*] = Item is required ☒ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: LABORATORY DATA - HEMATOLOGY BIOMARKER		
Type	RefName	Description
Item	LBCAT_001_9_1	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSPEC_001_9_1	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_9_1	Date of specimen collection.
Item	LBSPID_001_9_1	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_9_1	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_9_1	Used to indicate test was not done.

Item	LBORNRHI_001_9_1	LNMT field
Item	LBORNRLO_001_9_1	LNMT field
Item	LBORRESU_001_9_1	LNMT field

Codelist Values Tables: LABORATORY DATA - HEMATOLOGY BIOMARKER							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	
LBORRESU_CL_001_9_1	String		g/L	41	cliUNIT_g_L	LBORRESU_001_9_1	
			g/dL	128	cliUNIT_g_dL		
			L/L	475	cliUNIT_L_L		
			%	5	cliUNIT_perc		
			10^12/L	413	cliUNIT_10p12_L		
			10^6/cu mm	649	cliUNIT_10p6_cu_mm		
			/uL	309	cliUNIT_peruL		
			10^9/L	426	cliUNIT_10p9_L		
			10^3/uL	658	cliUNIT_10p3_uL		

RDE Analytics: RD_LB001_9_1		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_9_1	LBCAT_001_9_1_C	VARCHAR2
	LBCAT_001_9_1	VARCHAR2
	LBCAT_001_9_1_ND	VARCHAR2
LBNAM_001_9_1	LBNAM_001_9_1	VARCHAR2
	LBNAM_001_9_1_ND	VARCHAR2
LBSPEC_001_9_1	LBSPEC_001_9_1_C	VARCHAR2
	LBSPEC_001_9_1	VARCHAR2
	LBSPEC_001_9_1_ND	VARCHAR2
LBDTC_001_9_1	LBDTC_001_9_1	DATE
	LBDTC_001_9_1_DTS	VARCHAR2
	LBDTC_001_9_1_DTR	VARCHAR2
	LBDTC_001_9_1_ND	VARCHAR2
RD_LB001_9_1_LB03001_9_1		
LBSPID_001_9_1	LBSPID_001_9_1	NUMBER
	LBSPID_001_9_1_ND	VARCHAR2
LBTEST_001_9_1	LBTEST_001_9_1_C	VARCHAR2
	LBTEST_001_9_1	VARCHAR2
	LBTEST_001_9_1_ND	VARCHAR2
LBORRES_001_9_1	LBORRES_001_9_1	VARCHAR2
	LBORRES_001_9_1_ND	VARCHAR2
LBSTAT_001_9_1	LBSTAT_001_9_1_C	VARCHAR2
	LBSTAT_001_9_1	VARCHAR2
	LBSTAT_001_9_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9_1	X_LNMTFLAG_CMP_001_9_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9_1 - LBORNRI_001_9_1	LBORNRI_001_9_1	VARCHAR2
X_LNMTFLAG_CMP_001_9_1 - LBORNRL0_001_9_1	LBORNRL0_001_9_1	VARCHAR2
X_LNMTFLAG_CMP_001_9_1 - LBORRESU_001_9_1	LBORRESU_001_9_1_C	VARCHAR2
	LBORRESU_001_9_1	VARCHAR2

C4591076: TRIGGER FORM – MIS-C ILLNESS SYMPTOMS (MISC ILL) [R_TRIG001_7]		
Trigger Form [R_TRIG01001_7]		
1.	Select appropriate response - As response to evidence of clinically severe illness requiring hospitalization, with multisystem (>=2) organ involvement is yes, then select applicable organ system [Trigger Response 5]	[R_TRIGRESP5_001_7] [A:1] ☐ Subject has Cardiac Symptoms
2.	Select appropriate response - As response to evidence of clinically severe illness requiring hospitalization, with multisystem (>=2) organ involvement is yes, then select applicable organ system [Trigger Response 8]	[R_TRIGRESP8_001_7] [A:1] ☐ Subject has Hematologic Symptoms
3.	Select appropriate response - As response to evidence of clinically severe illness requiring hospitalization, with multisystem (>=2) organ involvement is yes, then select applicable organ system [Trigger Response 9]	[R_TRIGRESP9_001_7] [A:1] ☐ Subject has Gastrointestinal Symptoms
4.	Select appropriate response - As response to evidence of clinically severe illness requiring hospitalization, with multisystem (>=2) organ involvement is yes, then select applicable organ system [Trigger Response 10]	[R_TRIGRESP10_001_7] [A:1] ☐ Subject has Dermatologic Symptoms
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_R_TRIG001_7		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP5_001_7	R_TRIGRESP5_001_7_C	VARCHAR2
	R_TRIGRESP5_001_7	VARCHAR2
	R_TRIGRESP5_001_7_ND	VARCHAR2
R_TRIGRESP8_001_7	R_TRIGRESP8_001_7_C	VARCHAR2
	R_TRIGRESP8_001_7	VARCHAR2
	R_TRIGRESP8_001_7_ND	VARCHAR2
R_TRIGRESP9_001_7	R_TRIGRESP9_001_7_C	VARCHAR2
	R_TRIGRESP9_001_7	VARCHAR2
	R_TRIGRESP9_001_7_ND	VARCHAR2
R_TRIGRESP10_001_7	R_TRIGRESP10_001_7_C	VARCHAR2
	R_TRIGRESP10_001_7	VARCHAR2
	R_TRIGRESP10_001_7_ND	VARCHAR2

C4591076: DATE OF VISIT- REPEAT SWABS (DOV RSWAB) [SV001_2]		
Date of Visit [SV01001]		
1.*	Date of Visit: [Date of Visit]	[SVSTDTC_001] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2026)
2.*	Contact Mode: [Contact Mode]	[X_SVCNTMOD_001] [A:1] ☐ IN PERSON, ONSITE [A:3] ☐ REMOTE AUDIO VIDEO
3.	Erroneous Visit: [Visit Error]	[D_SVERROR_001] [A:1] ☐ ERRONEOUS VISIT
COVID Illness Visit [SV02001_2]		
4.*	COVID-19 Illness Visit [COVID-19 Illness Visit]	[D_RIVISIT_001_2] [D_RIVISIT_CL_001_2] ☐
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Codelist Values Tables: DATE OF VISIT- REPEAT SWABS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
D_RIVISIT_CL_001_2	String		COVID_AR1	201	cliD_RIVISIT_COVID_AR1	D_RIVISIT_001_2
			COVID_AR2	202	cliD_RIVISIT_COVID_AR2	
			COVID_BR1	203	cliD_RIVISIT_COVID_BR1	
			COVID_BR2	204	cliD_RIVISIT_COVID_BR2	
			COVID_CR1	205	cliD_RIVIST_COVID_CR1	
			COVID_CR2	206	cliD_RIVIST_COVID_CR2	
			COVID_DR1	207	cliD_RIVIST_COVID_DR1	
			COVID_DR2	208	cliD_RIVIST_COVID_DR2	
			COVID_ER1	209	cliD_RIVIST_COVID_ER1	
			COVID_ER2	210	cliD_RIVIST_COVID_ER2	
			COVID_FR1	211	cliD_RIVIST_COVID_FR1	
			COVID_FR2	212	cliD_RIVIST_COVID_FR2	
			COVID_GR1	213	cliD_RIVIST_COVID_GR1	
			COVID_GR2	214	cliD_RIVIST_COVID_GR2	
			COVID_HR1	215	cliD_RIVIST_COVID_HR1	
			COVID_HR2	216	cliD_RIVIST_COVID_HR2	
			COVID_IR1	217	cliD_RIVIST_COVID_IR1	
			COVID_IR2	218	cliD_RIVIST_COVID_IR2	
			COVID_JR1	219	cliD_RIVIST_COVID_JR1	
			COVID_JR2	220	cliD_RIVIST_COVID_JR2	
			COVID_KR1	221	cliD_RIVIST_COVID_KR1	
			COVID_KR2	222	cliD_RIVIST_COVID_KR2	
			COVID_LR1	223	cliD_RIVIST_COVID_LR1	
			COVID_LR2	224	cliD_RIVIST_COVID_LR2	
			COVID_MR1	225	cliD_RIVIST_COVID_MR1	
			COVID_MR2	226	cliD_RIVIST_COVID_MR2	
			COVID_NR1	227	cliD_RIVIST_COVID_NR1	
			COVID_NR2	228	cliD_RIVIST_COVID_NR2	
			COVID_OR1	229	cliD_RIVIST_COVID_OR1	
			COVID_OR2	230	cliD_RIVIST_COVID_OR2	
			COVID_PR1	231	cliD_RIVIST_COVID_PR1	

			COVID_PR2	232	cliD_RIVIST_COVID_PR2
			COVID_QR1	233	cliD_RIVIST_COVID_QR1
			COVID_QR2	234	cliD_RIVIST_COVID_QR2
			COVID_RR1	235	cliD_RIVIST_COVID_RR1
			COVID_RR2	236	cliD_RIVIST_COVID_RR2
			COVID_SR1	237	cliD_RIVIST_COVID_SR1
			COVID_SR2	238	cliD_RIVIST_COVID_SR2
			COVID_TR1	239	cliD_RIVIST_COVID_TR1
			COVID_TR2	240	cliD_RIVIST_COVID_TR2
			COVID_UR1	241	cliD_RIVIST_COVID_UR1
			COVID_UR2	242	cliD_RIVIST_COVID_UR2
			COVID_VR1	243	cliD_RIVIST_COVID_VR1
			COVID_VR2	244	cliD_RIVIST_COVID_VR2
			COVID_WR1	245	cliD_RIVIST_COVID_WR1
			COVID_WR2	246	cliD_RIVIST_COVID_WR2
			COVID_XR1	247	cliD_RIVIST_COVID_XR1
			COVID_XR2	248	cliD_RIVIST_COVID_XR2
			COVID_YR1	249	cliD_RIVIST_COVID_YR1
			COVID_YR2	250	cliD_RIVIST_COVID_YR2
			COVID_ZR1	251	cliD_RIVIST_COVID_ZR1
			COVID_ZR2	252	cliD_RIVIST_COVID_ZR2

RDE Analytics: RD_SV001_2		
Data Variable RefName	RD Column Name	Column Data Type
SVSTDTC_001	SVSTDTC_001	DATE
	SVSTDTC_001_DTS	VARCHAR2
	SVSTDTC_001_ND	VARCHAR2
X_SVCNTMOD_001	X_SVCNTMOD_001_C	VARCHAR2
	X_SVCNTMOD_001	VARCHAR2
	X_SVCNTMOD_001_ND	VARCHAR2
D_SVERROR_001	D_SVERROR_001_C	VARCHAR2
	D_SVERROR_001	VARCHAR2
	D_SVERROR_001_ND	VARCHAR2
D_RIVISIT_001_2	D_RIVISIT_001_2_C	VARCHAR2
	D_RIVISIT_001_2	VARCHAR2
	D_RIVISIT_001_2_ND	VARCHAR2

C4591076: SIGNS AND SYMPTOMS OF POTENTIAL CARDIAC DISEASE (SODCARDIAC) [CESOD006]			
Signs and Symptoms [CESOD01006]			
1.*	Date of Assessment: [Date of Assessment]	[Y_CEDTC_006] (DD/MM/YYYY) Req / Req / Req (2025-2026)	
2.*	Date of First Symptom Started: [First Symptom Started Date]	[FAORRES_FSSDTC_006] (DD/MM/YYYY) Req / Req / Req (2025-2026)	
3.*	Symptoms Ongoing? [Symptoms Ongoing]	[X_FAONGO_006] [A:Y] ☐ YES [A:N] ☐ [FAORRES_LSRDTC_CMP_006] NO [FAORRES_LSRDTC_006] (DD/MM/YYYY) Date of Last Symptom Resolved: Req / Req / Req (2025-2026)	
4.*	AE ID: [AE Identifier]	[CESPID_006] A20*	
Symptoms [CESOD02006]			
#	Event Pre-specified	Symptoms	Symptom Present*
5.a	YES	CHEST PAIN	
5.b	YES	HEART PALPITATIONS	
5.c	YES	SHORTNESS OF BREATH	
Symptoms Entry [CESOD02006]			
5.1	Event Pre-specified: <i>[hidden]</i> [Event Pre-specified]	[CEPRESP_006] [A:Y] ☐ YES	
5.2	Symptoms: <i>[read-only]</i> [Symptoms]	[CETERM_006] [A:158] ☐ CHEST PAIN [A:197] ☐ HEART PALPITATIONS [A:112] ☐ SHORTNESS OF BREATH	
5.3*	Was symptom present? [Symptom Present]	[CEOCCUR_006] [A:Y] ☐ YES [A:N] ☐ NO	
Symptoms - Other			
6.			
Symptoms - Other Entry [CESOD03006]			
6.1	Symptoms - Other Text: [Symptoms - Other]	[CETERM1_006] A80*	
6.2	Comparison Term: <i>[hidden]</i> [Comparison Term]	[D_COMPTERM_006] A200*	
6.3	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[CELLT_006] A100*	
6.4	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[CELLTCD_006] A8*	
6.5	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[CEDECOD_006] A100*	
6.6	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[CEPTCD_006] A8*	
6.7	High Level Term <i>[hidden]</i>	[CEHLT_006]	

	[High Level Term]	A100★
6.8	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[CEHLTCD_006] A8★
6.9	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[CEHLGT_006] A100★
6.10	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[CEHLGTCD_006] A8★
6.11	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[CESOC_006] A100★
6.12	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[CESOCCD_006] A8★
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Coding Summary: SIGNS AND SYMPTOMS OF POTENTIAL CARDIAC DISEASE

Verbatim RefName: D_COMPTERM_006 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
CESOC_006	SOC	Term
CESOCCD_006	SOC	Code
CEHLGT_006	HLGT	Term
CEHLGTCD_006	HLGT	Code
CEHLT_006	HLT	Term
CEHLTCD_006	HLT	Code
CEDECOD_006	PT	Term
CEPTCD_006	PT	Code
CELLT_006	LLT	Term
CELLTCD_006	LLT	Code

RDE Analytics: RD_CESOD006		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_006	Y_CEDTC_006	DATE
	Y_CEDTC_006_DTS	VARCHAR2
	Y_CEDTC_006_ND	VARCHAR2
FAORRES_FSSDTC_006	FAORRES_FSSDTC_006	DATE
	FAORRES_FSSDTC_006_DTS	VARCHAR2
	FAORRES_FSSDTC_006_ND	VARCHAR2
X_FAONGO_006	X_FAONGO_006_C	VARCHAR2
	X_FAONGO_006	VARCHAR2
	X_FAONGO_006_ND	VARCHAR2
X_FAONGO_006 - FAORRES_LSRDTC_006	FAORRES_LSRDTC_006	DATE
	FAORRES_LSRDTC_006_DTS	VARCHAR2
CESPID_006	CESPID_006	VARCHAR2
	CESPID_006_ND	VARCHAR2
RD_CESOD006_CESOD02006		

CEPRESP_006	CEPRESP_006_C	VARCHAR2
	CEPRESP_006	VARCHAR2
	CEPRESP_006_ND	VARCHAR2
CETERM_006	CETERM_006_C	VARCHAR2
	CETERM_006	VARCHAR2
	CETERM_006_ND	VARCHAR2
CEOCCUR_006	CEOCCUR_006_C	VARCHAR2
	CEOCCUR_006	VARCHAR2
	CEOCCUR_006_ND	VARCHAR2
RD_CESOD006_CESOD03006		
CETERM1_006	CETERM1_006	VARCHAR2
	CETERM1_006_ND	VARCHAR2
D_COMPTerm_006	D_COMPTerm_006	VARCHAR2
	D_COMPTerm_006_ND	VARCHAR2
CELLT_006	CELLT_006	VARCHAR2
	CELLT_006_ND	VARCHAR2
CELLTCD_006	CELLTCD_006	VARCHAR2
	CELLTCD_006_ND	VARCHAR2
CEDECOD_006	CEDECOD_006	VARCHAR2
	CEDECOD_006_ND	VARCHAR2
CEPTCD_006	CEPTCD_006	VARCHAR2
	CEPTCD_006_ND	VARCHAR2
CEHLT_006	CEHLT_006	VARCHAR2
	CEHLT_006_ND	VARCHAR2
CEHLTCD_006	CEHLTCD_006	VARCHAR2
	CEHLTCD_006_ND	VARCHAR2
CEHLGT_006	CEHLGT_006	VARCHAR2
	CEHLGT_006_ND	VARCHAR2
CEHLGTCD_006	CEHLGTCD_006	VARCHAR2
	CEHLGTCD_006_ND	VARCHAR2
CESOC_006	CESOC_006	VARCHAR2
	CESOC_006_ND	VARCHAR2
CESOCCD_006	CESOCCD_006	VARCHAR2
	CESOCCD_006_ND	VARCHAR2

C4591076: LAB CHEMISTRY - TROPONIN (LAB TROPO) - Repeating Form [LB001_8]					
#	Category for Lab Test	Vendor Name	Specimen Type	Collection Date Time	LAB RESULT
1					
LAB CHEMISTRY [LB01001_8]					
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_8] [A:2] ☒ CLINICAL CHEMISTRY			
2.	Laboratory Name and Address: <i>[read-only]</i> [Vendor Name]	[LBNAM_001_8] A200★			
3.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_8] [A:7] ☒ BLOOD			
4.*	Collection Date Time: [Collection Date Time]	[LBDTC_001_8] (DD/MM/YYYY hh:mm) Req / Req / Req (2025-2026) Req : Req 24-hour clock			
LAB RESULT [LB03001_8]					
#	Sponsor-Defined Identifier	Test	Result	Clinically Significant	Not Done: LNMT
5.a		Troponin I_PX1580			
5.b		Troponin T_PX1139			
LAB RESULT Entry [LB03001_8]					
5.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_8] N8			
5.2	Test: <i>[read-only]</i> [Test]	[LBTEST_001_8] [A:1580] ☒ Troponin I_PX1580 [A:1139] ☒ Troponin T_PX1139			
5.3	Result: [Result]	[LBORRES_001_8] A30★			
5.4	Clinically Significant? [Clinically Significant]	[LBCLSIG_001_8] [A:Y] ☒ [CO_LBCOM_CMP_001_8] YES [CO_LBCOM_001_8] Comment on Significant Finding: A200★ [A:N] ☒ NO			
5.5	Not Done: [Not Done:]	[LBSTAT_001_8] [A:1] ☒ NOT DONE			
5.6	LNMT [LNMT]	[X_LNMTFLAG_CMP_001_8] [LBORNRLO_001_8] Low A20★ [LBORNRHI_001_8] High A20★ [LBORRESU_001_8] Unit [LBORRESU_CL_001_8]			
Key: [*] = Item is required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.					

Study Object Descriptions: LAB CHEMISTRY - TROPONIN		
Type	RefName	Description
Item	LBCAT_001_8	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSPEC_001_8	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_8	Date of specimen collection.
Item	LBSPID_001_8	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_8	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBCLSIG_001_8	Whether lab test result(s) were clinically significant.
Item	CO_LBCOM_001_8	Investigator comment on lab test results of clinical significance.
Item	LBSTAT_001_8	Used to indicate test was not done.
Item	LBORNRLO_001_8	LNMT field
Item	LBORNRHI_001_8	LNMT field
Item	LBORRESU_001_8	LNMT field

Codelist Values Tables: LAB CHEMISTRY - TROPONIN						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBORRESU_CL_001_8	String		ng/mL	647	cliUNIT_ng_mL	LBORRESU_001_8
			ng/L	148	cliUNIT_ng_L	
			ng/dL	147	cliUNIT_ng_dL	
			pg/mL	686	cliUNIT_pg_mL	
			ug/L	144	cliUNIT_ug_L	
			ug/dL	395	cliUNIT_ug_dL	

RDE Analytics: RD_LB001_8		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_8	LBCAT_001_8_C	VARCHAR2
	LBCAT_001_8	VARCHAR2
	LBCAT_001_8_ND	VARCHAR2
LBNAM_001_8	LBNAM_001_8	VARCHAR2
	LBNAM_001_8_ND	VARCHAR2
LBSPEC_001_8	LBSPEC_001_8_C	VARCHAR2
	LBSPEC_001_8	VARCHAR2
	LBSPEC_001_8_ND	VARCHAR2
LBDTC_001_8	LBDTC_001_8	DATE
	LBDTC_001_8_DTS	VARCHAR2
	LBDTC_001_8_ND	VARCHAR2
RD_LB001_8_LB03001_8		
LBSPID_001_8	LBSPID_001_8	NUMBER
	LBSPID_001_8_ND	VARCHAR2
LBTEST_001_8	LBTEST_001_8_C	VARCHAR2
	LBTEST_001_8	VARCHAR2
	LBTEST_001_8_ND	VARCHAR2
LBORRES_001_8	LBORRES_001_8	VARCHAR2
	LBORRES_001_8_ND	VARCHAR2
LBCLSIG_001_8	LBCLSIG_001_8_C	VARCHAR2
	LBCLSIG_001_8	VARCHAR2
	LBCLSIG_001_8_ND	VARCHAR2

LBCLSIG_001_8 - CO_LBCOM_001_8	CO_LBCOM_001_8	VARCHAR2
LBSTAT_001_8	LBSTAT_001_8_C	VARCHAR2
	LBSTAT_001_8	VARCHAR2
	LBSTAT_001_8_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8	X_LNMTFLAG_CMP_001_8_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8 - LBORNRLO_001_8	LBORNRLO_001_8	VARCHAR2
X_LNMTFLAG_CMP_001_8 - LBORNRHI_001_8	LBORNRHI_001_8	VARCHAR2
X_LNMTFLAG_CMP_001_8 - LBORRESU_001_8	LBORRESU_001_8_C	VARCHAR2
	LBORRESU_001_8	VARCHAR2

C4591076: IMAGING - CAR (IMAGINGCAR) - Repeating Form [PRCAR078]

#	Date of Assessment	AE ID	Location of Assessment	Type of Imaging Exam	Assessment	Have there been any significant changes in Imaging findings since the previous assessment
1						

CLINICAL ASSESSMENT OF RADIOGRAPHS - IMAGING [PRCAR01078]

1.*	Date of Assessment: [Date of Assessment]	[Y_PRDTC_078] (DD/MM/YYYY) Req v / Req v / Req v (2025-2026)
2.*	Associated Adverse Event: [AE ID]	[Y_PRLNKID_078] A50★
3.*	Location of Assessment: [Location of Assessment]	[Y_PRLOC_078] [Y_PRLOC_CL_078] v
4.*	Type of Imaging Exam: [Type of Imaging Exam]	[Y_PRTRT_078] [Y_PRTRT_CL_078] v
5.*	Assessment: [Assessment]	[FAORRES_INTP_078] [A:1] ☐ [FAORRES_SPFI_CMP_078] ☐ ABNORMAL [FAORRES_SPFI_078] If abnormal, specify findings: A200★ [A:2] ☐ INDETERMINATE [A:3] ☐ NORMAL [A:4] ☐ NOT EVALUABLE
6.*	Have there been any significant changes in Imaging findings since the previous assessment? [Have there been any significant changes in Imaging findings since the previous assessment]	[FAORRES_CSIGCHGL_078] [A:1] ☐ [FAORRES_SPCH_CMP_078] ☐ YES [FAORRES_SPCH_078] If YES, specify: A200★ [A:2] ☐ NO [A:0] ☐ NO PREVIOUS ASSESSMENT

Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Codelist Values Tables: IMAGING - CAR						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
Y_PRLOC_CL_078	String		ABDOMINAL CAVITY	80	cliLOC ABDOMEN_CAVITY	Y_PRLOC_078
			HEAD	58	cliLOC_HEAD	
			NECK	153	cliLOC_NECK	
			PELVIS	114	cliLOC_PELVIS	
			THORAX	125	cliLOC_THORAX	
			LIMB	67	cliLOC_LIMB	
			LIMB, LOWER	357	cliLOC_LIMB_LOWER	
			LIMB, UPPER	358	cliLOC_LIMB_UPPER	
Y_PRTRT_CL_078	String		CT SCAN	1	cliCARQ_CT_SCAN	Y_PRTRT_078
			ULTRASOUND	2	cliCARQ_ULTRASOUND	
			MRI	3	cliCARQ_MRI	
			MAGNETIC RESONANCE CHOLANGIOPANCREATOGRAPHY	4	cliCARQ_MAGNETIC_RESONANCE_CHOLANGIOPANCREATOGRAPHY	

		ENDOSCOPIC RETROGRADE CHOLANGIOPANCREATOGRAPHY	5	cliCARQ_ENDOSCOPIC_RETROGRADE_CHOLANGIOPANCREATOGRAPHY
		ELASTOGRAPHY	6	cliCARQ_ELASTOGRAPHY
		NUCLEAR RADIOLOGY	7	cliCARQ_NUCLEAR_RADIOLOGY
		X-RAY	8	cliCARQ_X_RAY

RDE Analytics: RD_PRCAR078		
Data Variable RefName	RD Column Name	Column Data Type
Y_PRDTC_078	Y_PRDTC_078	DATE
	Y_PRDTC_078_DTS	VARCHAR2
	Y_PRDTC_078_ND	VARCHAR2
Y_PRLNKID_078	Y_PRLNKID_078	VARCHAR2
	Y_PRLNKID_078_ND	VARCHAR2
Y_PRLOC_078	Y_PRLOC_078_C	VARCHAR2
	Y_PRLOC_078	VARCHAR2
	Y_PRLOC_078_ND	VARCHAR2
Y_PRTRT_078	Y_PRTRT_078_C	VARCHAR2
	Y_PRTRT_078	VARCHAR2
	Y_PRTRT_078_ND	VARCHAR2
FAORRES_INTP_078	FAORRES_INTP_078_C	VARCHAR2
	FAORRES_INTP_078	VARCHAR2
	FAORRES_INTP_078_ND	VARCHAR2
FAORRES_INTP_078 - FAORRES_SPFI_078	FAORRES_SPFI_078	VARCHAR2
FAORRES_CSIGCHGL_078	FAORRES_CSIGCHGL_078_C	VARCHAR2
	FAORRES_CSIGCHGL_078	VARCHAR2
	FAORRES_CSIGCHGL_078_ND	VARCHAR2
FAORRES_CSIGCHGL_078 - FAORRES_SPCH_078	FAORRES_SPCH_078	VARCHAR2

C4591076: CARDIAC FUNCTION EVALUATION (ECHOREP) - Repeating Form [CVECH003_1]											
#	Method	Date Time of Evaluation	Right Ventricular Function	LVEF (%)	LVEF Lower Limit Of Normal	Pericardial Effusion	Intracavitary Thrombus	Clinical Interpretation	Comments/Findings/Details	Clinically Significant	Cardiac Function Results
1											
Cardiac Function Evaluation [CVECH01003_1]											
1.	Method: [read-only] [Method]			[CVMETHOD_003_1] [A:106] ☐ ECHOCARDIOGRAPHY							
2.*	Date Time of Evaluation: [Date Time of Evaluation]			[CVDTC_003_1] (DD/MM/YYYY hh:mm) Req / Req / Req (2025-2026) Req : Req 24-hour clock							
3.*	Right Ventricular Function: [Right Ventricular Function]			[CVORRES_RVF_003_1] [A:1] ☐ ABNORMAL [A:3] ☐ NORMAL							
4.*	LVEF (%): [LVEF (%)]			[CVORRES_LVEF_003_1] A5★							
5.*	LVEF Lower Limit Of Normal: [LVEF Lower Limit Of Normal]			[SUPPCV_ECHLVLL_003_1] xxxx.							
6.*	Pericardial Effusion: [Pericardial Effusion]			[CVORRES_PEFFIND_003_1] [A:1] ☐ ABSENT [A:2] ☐ PRESENT							
7.*	Intracavitary Thrombus: [Intracavitary Thrombus]			[CVORRES_ICTHBIND_003_1] [A:1] ☐ ABSENT [A:2] ☐ PRESENT							
8.*	Clinical Interpretation: [Clinical Interpretation]			[CVORRES_INTP_003_1] [A:1] ☐ ABNORMAL [A:3] ☐ NORMAL							
9.	Comments: [Comments/Findings/Details]			[CO_CVCOM_003_1] A200★							
10.*	Clinically Significant: [Clinically Significant]			[CVCLSIG_003_1] [A:N] ☐ NO [A:Y] ☐ YES							
Cardiac Function Results [CVECH02003_1]											
#	Test								Result	Unit	
11.a	End Diastolic Interventricular Septal Wall Thickness									%	
11.b	End Diastolic Interventricular Septal Wall Thickness									mm	
11.c	Left Atrial Diameter, Anterior-Posterior									mm	
11.d	Left Atrial Diameter, Medio-Lateral									mm	
11.e	Left Atrial Diameter, Superior-Inferior									mm	
11.f	End Diastolic Left Ventricular Posterior Wall Thickness									mm	
11.g	Left Ventricular Stroke Volume									mL	
11.h	Left Ventricular Fractional Shortening									%	
11.i	Left Ventricular End Systolic Diameter									mm	
11.j	Left Ventricular End Systolic Volume									mL	
11.k	Left Ventricular End Diastolic Diameter									mm	
11.l	Left Ventricular End Diastolic Volume									mL	
11.m	Left Ventricular Mass									g	
11.n	E/A Ratio									mm	
11.o	E/E' Ratio									mm	

11.p	Left Atrial Diameter, Anterior-Posterior		mm
11.q	Left Atrial Diameter, Medio-Lateral		%
11.r	Left Atrial Diameter, Superior-Inferior		mm
11.s	Left Ventricular End Systolic Diameter		mm
11.t	Left Ventricular End Systolic Volume		%
11.u	Left Ventricular End Diastolic Diameter		mL
11.v	Left Ventricular End Diastolic Volume		mm
11.w	Left Ventricular Mass		g
11.x	E/A Ratio		%
Cardiac Function Results Entry [CVECH02003_1]			
11.1	Test: [Test]	[R_ECHTEST_003_1] [R_ECHTEST_CL_003_1]	
11.2	Result: [Result]	[CVORRES_003_1] xxxxxx.	
11.3	Unit: [Unit]	[CVORRESU_003_1] [A:6] mm [A:9] mL [A:45] g [A:5] %	
Key: [*] = Item is required [F] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.			

Codelist Values Tables: CARDIAC FUNCTION EVALUATION						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
R_ECHTEST_CL_003_1	String		End Diastolic Interventricular Septal Wall Thickness	2	cliECHRTEST_END_DIA_INTERVENTRICULAR_SEPTAL_WALL_THIC	R_ECHTEST_003_1
			Left Atrial Diameter, Anterior-Posterior	3	cliECHRTEST_LEFT_ATRIAL_DIAMETER_ANTERIOR_POSTERIOR	
			Left Atrial Diameter, Medio-Lateral	4	cliECHRTEST_LEFT_ATRIAL_DIAMETER_MEDIO_LATERAL	
			Left Atrial Diameter, Superior-Inferior	5	cliECHRTEST_LEFT_ATRIAL_DIAMETER_SUPERIOR_INFERIOR	
			Left Ventricular End Systolic Diameter	6	cliECHRTEST_LEFT_VENTRICULAR_END_SYSTOLIC_DIAMETER	
			Left Ventricular End Systolic Volume	7	cliECHRTEST_LEFT_VENTRICULAR_END_SYSTOLIC_VOLUME	
			Left Ventricular End Diastolic Diameter	8	cliECHRTEST_LEFT_VENTRICULAR_END_DIASTOLIC_DIAMETER	
			Left Ventricular End Diastolic Volume	9	cliECHRTEST_LEFT_VENTRICULAR_END_DIASTOLIC_VOLUME	
			Left Ventricular Mass	10	cliECHRTEST_LEFT_VENTRICULAR_MASS	
			E/A Ratio	11	cliECHRTEST_EA_RATIO	
			E/E' Ratio	12	cliECHRTEST_EE_RATIO	
			End Diastolic Left Ventricular Posterior Wall Thickness	13	cliECHRTEST_END_DIASTOLIC_LEFT_VENT_POST_WALL_THICKNESS	
			Left Ventricular Fractional Shortening	15	cliECHRTEST_LEFT_VENTRICULAR_FRACTIONAL_SHORTENING	
			Left Ventricular Stroke Volume	16	cliECHRTEST_STROKE_VOLUME	

RDE Analytics: RD_CVECH003_1		
Data Variable RefName	RD Column Name	Column Data Type
CVMETHOD_003_1	CVMETHOD_003_1_C	VARCHAR2
	CVMETHOD_003_1	VARCHAR2
	CVMETHOD_003_1_ND	VARCHAR2
CVDTC_003_1	CVDTC_003_1	DATE
	CVDTC_003_1_DTS	VARCHAR2
	CVDTC_003_1_ND	VARCHAR2
CVORRES_RVF_003_1	CVORRES_RVF_003_1_C	VARCHAR2

	CVORRES_RVF_003_1	VARCHAR2
	CVORRES_RVF_003_1_ND	VARCHAR2
CVORRES_LVEF_003_1	CVORRES_LVEF_003_1	VARCHAR2
	CVORRES_LVEF_003_1_ND	VARCHAR2
SUPPCV_ECHLVLL_003_1	SUPPCV_ECHLVLL_003_1	FLOAT
	SUPPCV_ECHLVLL_003_1_ND	VARCHAR2
CVORRES_PEFFIND_003_1	CVORRES_PEFFIND_003_1_C	VARCHAR2
	CVORRES_PEFFIND_003_1	VARCHAR2
	CVORRES_PEFFIND_003_1_ND	VARCHAR2
CVORRES_ICTHBIND_003_1	CVORRES_ICTHBIND_003_1_C	VARCHAR2
	CVORRES_ICTHBIND_003_1	VARCHAR2
	CVORRES_ICTHBIND_003_1_ND	VARCHAR2
CVORRES_INTP_003_1	CVORRES_INTP_003_1_C	VARCHAR2
	CVORRES_INTP_003_1	VARCHAR2
	CVORRES_INTP_003_1_ND	VARCHAR2
CO_CVCOM_003_1	CO_CVCOM_003_1	VARCHAR2
	CO_CVCOM_003_1_ND	VARCHAR2
CVCLSIG_003_1	CVCLSIG_003_1_C	VARCHAR2
	CVCLSIG_003_1	VARCHAR2
	CVCLSIG_003_1_ND	VARCHAR2
*RD_CVECH003_1_CVECH02003_1		
R_ECHTEST_003_1	R_ECHTEST_003_1_C	VARCHAR2
	R_ECHTEST_003_1	VARCHAR2
	R_ECHTEST_003_1_ND	VARCHAR2
CVORRES_003_1	CVORRES_003_1	FLOAT
	CVORRES_003_1_ND	VARCHAR2
CVORRESU_003_1	CVORRESU_003_1_C	VARCHAR2
	CVORRESU_003_1	VARCHAR2
	CVORRESU_003_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: ADVERSE EVENT REPORT (AE) - Repeating Form [AE001]															
#	Category	AE Identifier	Adverse Event	Start Date Time	Is the Adverse Event Still Ongoing	Date Site Aware of AE	Toxicity Grade	Serious	Is AE a Result of a Medication Error	Relationship to Study Treatment	Action Taken with Study Treatment	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation
1															
Adverse Event Report [AE01001]															
1.*	Category: [Category]					[AECAT_001] [A:1] ☐ ADVERSE EVENT [A:43] ☐ AE OF SPECIAL INTEREST									
2.	AE ID: [read-only] [AE Identifier]					[AESPID_001] A20*									
3.*	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]					[AETERM_001] A100*									
4.*	Start Date Time: [Start Date Time]					[AESTDTC_001] (DD/MM/YYYY hh:mm) Req / Req / Req (2025-2026) Req/Unk : Req/Unk 24-hour clock									
5.*	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]					[X_AEONGO_001] [A:N] ☐ [AEENDTC_CMP_001] ☐ NO [AEENDTC_001] (DD/MM/YYYY hh:mm) End Date Time: Req / Req / Req (2025-2026) Req/Unk : Req/Unk 24-hour clock [A:Y] ☐ YES									
6.*	Date site aware of adverse event: [Date Site Aware of AE]					[SUPPAE_AESAWDTC_001] (DD/MM/YYYY) Req / Req / Req (2025-2026)									
7.*	Toxicity Grade: [Toxicity Grade]					[AETOXGR_001] [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4									
8.*	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]					[AESER_001] [A:N] ☐ [D_AENSREP_CMP_001] ☐ NO [D_AENSREP_001] Is this non-serious event reportable? [A:N] ☐ NO [A:Y] ☐ YES [A:Y] ☐ [AESCONG_CMP_001] ☐ YES [AESCONG_001] Is this serious event associated with congenital anomaly or birth defect? [A:N] ☐ NO [A:Y] ☐ YES [AESDTH_001] Did this serious event result in death? [A:N] ☐ NO [A:Y] ☐ YES [AESHOSP_001] Did this serious event require or prolong hospitalization? [A:N] ☐ NO [A:Y] ☐ [AEHOSP_CMP_001] ☐ YES [D_SAEADMITDTC_001] (DD/MM/YYYY) Hospital Admission Date: Req / Req / Req (2025-2026)									

		[D_SAEDISCHDTC_001] (DD/MM/YYYY) Hospital Discharge Date: Req / Req / Req (2025-2026) [AESDISAB_001] Did this serious event result in persistent or significant disability/incapacity? [A:N] ☐ NO [A:Y] ☐ YES [AESLIFE_001] Is this serious event life threatening? [A:N] ☐ NO [A:Y] ☐ YES [AESMIE_001] Other medically important serious event: [A:N] ☐ NO [A:Y] ☐ YES
9.*	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	[SUPPAE_AEMERES_001] [A:N] ☐ NO [A:Y] ☐ YES
10.*	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001] [A:1] ☐ [SUPPAE_AERELNST_CMP_001] ☐ NOT RELATED [AERELNST_001] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:3] ☐ [SUPPAE_AERELT_CMP_001] ☐ OTHER [SUPPAE_AERELTXT_001] If Other, specify: A80★ [A:2] ☐ RELATED
11.*	Latest Action Taken with Study Treatment: [Action Taken with Study Treatment]	[AEACN_001] [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE
12.*	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001] [A:N] ☐ NO [A:Y] ☐ YES
13.*	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001] [A:Y] ☐ YES [A:N] ☐ NO
14.*	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
15.*	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001] [A:Y] ☐ YES [A:N] ☐ NO
16.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM2_001] A200★

17.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[AELLT_001] A100★
18.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[AELLTCD_001] A8★
19.	Dictionary-Derived Term <i>[hidden]</i> [Dictionary-Derived Term]	[AEDECOD_001] A100★
20.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[AEPTCD_001] A8★
21.	High Level Term <i>[hidden]</i> [High Level Term]	[AEHLT_001] A100★
22.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[AEHLTCD_001] A8★
23.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[AEHLGT_001] A100★
24.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[AEHLGTC_001] A8★
25.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001] A100★
26.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001] A8★

Key: [*] = Item is required [] = Item is collapsible [🔑] = Key item [★] = ASCII Only
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ADVERSE EVENT REPORT

Type	RefName	Description
Form	AE001	AE001 - Standard AE Page
Item	AECAT_001	Used to define a category of adverse event variables.
Item	AESPID_001	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001	Date when the adverse event started.
Item	X_AEONGO_001	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001	Date when the adverse event resolved.
Item	SUPPAE_AESAWDTC_001	Date when the site became aware of the adverse event.
Item	AETOXGR_001	Description of the toxicity grade of the adverse event.
Item	AESER_001	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	SUPPAE_AEMERES_001	Is this adverse event the result of a study/background medication error
Item	AEREL_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELTXT_001	Event Due to Other Specify
Item	AEACN_001	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AECMGIV_001	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001	Non-Drug Treatment Given
Item	AEOUT_001	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001	Indication of whether the adverse event caused the subject to discontinue from the study.

Item	D_COMPTERM2_001	Hidden Item needed for clear coding rule.
Item	AELLT_001	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT

Item	Unique	Order #
AE001 (Repeating form)		
AE01001		
AESTDTC_001	None	1

Coding Summary: ADVERSE EVENT REPORT

Verbatim RefName: D_COMPTERM2_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001	SOC	Term
AESOCCD_001	SOC	Code
AEHLGT_001	HLGT	Term
AEHLGTCD_001	HLGT	Code
AEHLT_001	HLT	Term
AEHLTCD_001	HLT	Code
AEDECOD_001	PT	Term
AEPTCD_001	PT	Code
AELLT_001	LLT	Term
AELLTCD_001	LLT	Code

RDE Analytics: RD_AE001

Data Variable RefName	RD Column Name	Column Data Type
AECAT_001	AECAT_001_C	VARCHAR2
	AECAT_001	VARCHAR2
	AECAT_001_ND	VARCHAR2
AESPID_001	AESPID_001	VARCHAR2
	AESPID_001_ND	VARCHAR2
AETERM_001	AETERM_001	VARCHAR2
	AETERM_001_ND	VARCHAR2
AESTDTC_001	AESTDTC_001	DATE
	AESTDTC_001_DTS	VARCHAR2
	AESTDTC_001_DTR	VARCHAR2
	AESTDTC_001_ND	VARCHAR2

X_AEONGO_001	X_AEONGO_001_C	VARCHAR2
	X_AEONGO_001	VARCHAR2
	X_AEONGO_001_ND	VARCHAR2
X_AEONGO_001 - AEENDTC_001	AEENDTC_001	DATE
	AEENDTC_001_DTS	VARCHAR2
	AEENDTC_001_DTR	VARCHAR2
SUPPAE_AESAWDTC_001	SUPPAE_AESAWDTC_001	DATE
	SUPPAE_AESAWDTC_001_DTS	VARCHAR2
	SUPPAE_AESAWDTC_001_ND	VARCHAR2
AETOXGR_001	AETOXGR_001_C	VARCHAR2
	AETOXGR_001	VARCHAR2
	AETOXGR_001_ND	VARCHAR2
AESER_001	AESER_001_C	VARCHAR2
	AESER_001	VARCHAR2
	AESER_001_ND	VARCHAR2
AESER_001 - D_AENSREP_001	D_AENSREP_001_C	VARCHAR2
	D_AENSREP_001	VARCHAR2
AESER_001 - AESCONG_001	AESCONG_001_C	VARCHAR2
	AESCONG_001	VARCHAR2
AESER_001 - AESDTH_001	AESDTH_001_C	VARCHAR2
	AESDTH_001	VARCHAR2
AESER_001 - AESHOSP_001	AESHOSP_001_C	VARCHAR2
	AESHOSP_001	VARCHAR2
AESER_001 - D_SAEADMITDTC_001	D_SAEADMITDTC_001	DATE
	D_SAEADMITDTC_001_DTS	VARCHAR2
AESER_001 - D_SAEDISCHDTC_001	D_SAEDISCHDTC_001	DATE
	D_SAEDISCHDTC_001_DTS	VARCHAR2
AESER_001 - AESDISAB_001	AESDISAB_001_C	VARCHAR2
	AESDISAB_001	VARCHAR2
AESER_001 - AESLIFE_001	AESLIFE_001_C	VARCHAR2
	AESLIFE_001	VARCHAR2
AESER_001 - AESMIE_001	AESMIE_001_C	VARCHAR2
	AESMIE_001	VARCHAR2
SUPPAE_AEMERES_001	SUPPAE_AEMERES_001_C	VARCHAR2
	SUPPAE_AEMERES_001	VARCHAR2
	SUPPAE_AEMERES_001_ND	VARCHAR2
AEREL_001	AEREL_001_C	VARCHAR2
	AEREL_001	VARCHAR2
	AEREL_001_ND	VARCHAR2
AEREL_001 - AERELNST_001	AERELNST_001_C	VARCHAR2
	AERELNST_001	VARCHAR2
AEREL_001 - SUPPAE_AERELTXT_001	SUPPAE_AERELTXT_001	VARCHAR2
AEACN_001	AEACN_001_C	VARCHAR2
	AEACN_001	VARCHAR2
	AEACN_001_ND	VARCHAR2
SUPPAE_AECMGIV_001	SUPPAE_AECMGIV_001_C	VARCHAR2
	SUPPAE_AECMGIV_001	VARCHAR2

	SUPPAE_AECMGIV_001_ND	VARCHAR2
SUPPAE_AENDGIV_001	SUPPAE_AENDGIV_001_C	VARCHAR2
	SUPPAE_AENDGIV_001	VARCHAR2
	SUPPAE_AENDGIV_001_ND	VARCHAR2
AEOUT_001	AEOUT_001_C	VARCHAR2
	AEOUT_001	VARCHAR2
	AEOUT_001_ND	VARCHAR2
SUPPAE_AESUBJDC_001	SUPPAE_AESUBJDC_001_C	VARCHAR2
	SUPPAE_AESUBJDC_001	VARCHAR2
	SUPPAE_AESUBJDC_001_ND	VARCHAR2
D_COMPTERM2_001	D_COMPTERM2_001	VARCHAR2
	D_COMPTERM2_001_ND	VARCHAR2
AELLT_001	AELLT_001	VARCHAR2
	AELLT_001_ND	VARCHAR2
AELLTCD_001	AELLTCD_001	VARCHAR2
	AELLTCD_001_ND	VARCHAR2
AEDECOD_001	AEDECOD_001	VARCHAR2
	AEDECOD_001_ND	VARCHAR2
AEPTCD_001	AEPTCD_001	VARCHAR2
	AEPTCD_001_ND	VARCHAR2
AEHLT_001	AEHLT_001	VARCHAR2
	AEHLT_001_ND	VARCHAR2
AEHLTCD_001	AEHLTCD_001	VARCHAR2
	AEHLTCD_001_ND	VARCHAR2
AEHLGT_001	AEHLGT_001	VARCHAR2
	AEHLGT_001_ND	VARCHAR2
AEHLGTCD_001	AEHLGTCD_001	VARCHAR2
	AEHLGTCD_001_ND	VARCHAR2
AESOC_001	AESOC_001	VARCHAR2
	AESOC_001_ND	VARCHAR2
AESOCCD_001	AESOCCD_001	VARCHAR2
	AESOCCD_001_ND	VARCHAR2

C4591076: MEDICATION ERROR (MED ERROR) - Repeating Form [AE001_1]									
#	Category	Medication Error	Incorrect package ID	Start Date	End Date	Study Medication Errors Action	Concomitant Medication Given	Non-Drug Treatment Given	Medication Error Associated With AE
1									
Medication Error Report [AE01001_1]									
1.	Category: [read-only] [Category]	[AECAT_001_1] [A:21] ☒ MEDICATION ERROR							
2.*	Medication Error: (If possible specify diagnosis, not individual symptoms) (Type of medication error) [Medication Error]	[AETERM_001_1] A100*							
3.	If this is a dispensing error, record the incorrect package ID that was dispensed/administered to the subject: [Incorrect package ID]	[SUPPAE_AEIPKGID_001_1] A20*							
4.*	Start Date: [Start Date]	[AESTDTC_001_1] (DD/MM/YYYY) Req / Req / Req (2025-2026)							
5.*	End Date: [End Date]	[AEENDTC_001_1] (DD/MM/YYYY) Req / Req / Req (2025-2026)							
6.*	Latest Action Taken with Study Treatment: [Study Medication Errors Action]	[SUPPAE_AEMEACN_001_1] [A:1] ☒ NO ACTION TAKEN [A:4] ☐ PERMANENTLY DISCONTINUED							
7.*	Was a Concomitant Medication given? [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_1] [A:Y] ☐ YES [A:N] ☒ NO							
8.*	Was a Non-Drug Treatment given? [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_1] [A:Y] ☐ YES [A:N] ☒ NO							
9.*	Was this medication error associated with any adverse events? [Medication Error Associated With AE]	[SUPPAE_AEMEFL_001_1] [A:Y] ☒ [SUPPAE_AEMEFL_CMP_001_1] YES [R_SUPPAE_AEAENO1_001_1] AE ID: A20* [R_SUPPAE_AEAENO2_001_1] AE ID: A20* [R_SUPPAE_AEAENO3_001_1] AE ID: A20* [R_SUPPAE_AEAENO4_001_1] AE ID: A20* [R_SUPPAE_AEAENOS_001_1] AE ID: A20* [A:N] ☐ NO							
10.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM2_001_1] A200*							

11.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[AELLT_001_1] A100★
12.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[AELLTCD_001_1] A8★
13.	Dictionary-Derived Term <i>[hidden]</i> [Dictionary-Derived Term]	[AEDECOD_001_1] A100★
14.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[AEPTCD_001_1] A8★
15.	High Level Term <i>[hidden]</i> [High Level Term]	[AEHLT_001_1] A100★
16.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[AEHLTCD_001_1] A8★
17.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[AEHLGT_001_1] A100★
18.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[AEHLGTCD_001_1] A8★
19.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001_1] A100★
20.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001_1] A8★
Key: [*] = Item is required [] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: MEDICATION ERROR

Type	RefName	Description
Form	AE001_1	AE001 - Standard AE Page
Item	AECAT_001_1	Used to define a category of adverse event variables.
Item	AETERM_001_1	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	SUPPAE_AEIPKGID_001_1	Incorrect Package ID
Item	AESTDTC_001_1	Date when the adverse event started.
Item	AEENDTC_001_1	Date when the adverse event resolved.
Item	SUPPAE_AEMEACN_001_1	Changes made to the study treatment in response to the medication error adverse event.
Item	SUPPAE_AECMGIV_001_1	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_1	Non-Drug Treatment Given
Item	SUPPAE_AEMEFL_001_1	Was this medication error associated with any adverse events
Item	D_COMPTERM2_001_1	Hidden Item needed for clear coding rule.
Item	AELLT_001_1	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_1	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_1	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes

Item	AEPTCD_001_1	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_1	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_1	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_1	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_1	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_1	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_1	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: MEDICATION ERROR		
Item	Unique	Order #
AE001_1 (Repeating form)		
AE01001_1		
AESTDTC_001_1	None	1

Coding Summary: MEDICATION ERROR		
Verbatim RefName: D_COMPTERM2_001_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_1	SOC	Term
AESOCCD_001_1	SOC	Code
AEHLGT_001_1	HLGT	Term
AEHLGTCD_001_1	HLGT	Code
AEHLT_001_1	HLT	Term
AEHLTCD_001_1	HLT	Code
AEDECOD_001_1	PT	Term
AEPTCD_001_1	PT	Code
AELLT_001_1	LLT	Term
AELLTCD_001_1	LLT	Code

RDE Analytics: RD_AE001_1		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_1	AECAT_001_1_C	VARCHAR2
	AECAT_001_1	VARCHAR2
	AECAT_001_1_ND	VARCHAR2
AETERM_001_1	AETERM_001_1	VARCHAR2
	AETERM_001_1_ND	VARCHAR2
SUPPAE_AEIPKGID_001_1	SUPPAE_AEIPKGID_001_1	VARCHAR2
	SUPPAE_AEIPKGID_001_1_ND	VARCHAR2
AESTDTC_001_1	AESTDTC_001_1	DATE
	AESTDTC_001_1_DTS	VARCHAR2
	AESTDTC_001_1_ND	VARCHAR2
AEENDTC_001_1	AEENDTC_001_1	DATE
	AEENDTC_001_1_DTS	VARCHAR2
	AEENDTC_001_1_ND	VARCHAR2
SUPPAE_AEMEACN_001_1	SUPPAE_AEMEACN_001_1_C	VARCHAR2
	SUPPAE_AEMEACN_001_1	VARCHAR2
	SUPPAE_AEMEACN_001_1_ND	VARCHAR2

SUPPAE_AECMGIV_001_1	SUPPAE_AECMGIV_001_1_C	VARCHAR2
	SUPPAE_AECMGIV_001_1	VARCHAR2
	SUPPAE_AECMGIV_001_1_ND	VARCHAR2
SUPPAE_AENDGIV_001_1	SUPPAE_AENDGIV_001_1_C	VARCHAR2
	SUPPAE_AENDGIV_001_1	VARCHAR2
	SUPPAE_AENDGIV_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1	SUPPAE_AEMEFL_001_1_C	VARCHAR2
	SUPPAE_AEMEFL_001_1	VARCHAR2
	SUPPAE_AEMEFL_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO1_001_1	R_SUPPAE_AEAENO1_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO2_001_1	R_SUPPAE_AEAENO2_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO3_001_1	R_SUPPAE_AEAENO3_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO4_001_1	R_SUPPAE_AEAENO4_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - R_SUPPAE_AEAENO5_001_1	R_SUPPAE_AEAENO5_001_1	VARCHAR2
D_COMPTERM2_001_1	D_COMPTERM2_001_1	VARCHAR2
	D_COMPTERM2_001_1_ND	VARCHAR2
AELLT_001_1	AELLT_001_1	VARCHAR2
	AELLT_001_1_ND	VARCHAR2
AELLTCD_001_1	AELLTCD_001_1	VARCHAR2
	AELLTCD_001_1_ND	VARCHAR2
AEDECOD_001_1	AEDECOD_001_1	VARCHAR2
	AEDECOD_001_1_ND	VARCHAR2
AEPTCD_001_1	AEPTCD_001_1	VARCHAR2
	AEPTCD_001_1_ND	VARCHAR2
AEHLT_001_1	AEHLT_001_1	VARCHAR2
	AEHLT_001_1_ND	VARCHAR2
AEHLTCD_001_1	AEHLTCD_001_1	VARCHAR2
	AEHLTCD_001_1_ND	VARCHAR2
AEHLGT_001_1	AEHLGT_001_1	VARCHAR2
	AEHLGT_001_1_ND	VARCHAR2
AEHLGTCD_001_1	AEHLGTCD_001_1	VARCHAR2
	AEHLGTCD_001_1_ND	VARCHAR2
AESOC_001_1	AESOC_001_1	VARCHAR2
	AESOC_001_1_ND	VARCHAR2
AESOCCD_001_1	AESOCCD_001_1	VARCHAR2
	AESOCCD_001_1_ND	VARCHAR2

C4591076: CONCOMITANT MEDICATIONS - GENERAL CONCOMITANT MEDICATIONS (GEN CONMED) - Repeating Form [CM001_7]

#	Sponsor-Defined Identifier	Category for Medication	Name of Medication	Dose Description	Dose Unit	Dose Frequency	Route	Start Date	Ongoing
1									
Concomitant Treatment [CM01001_7]									
1.	What is the medication identifier? [read-only] [Sponsor-Defined Identifier]	[CMSPID_001_7] A20★							
2.	Category: [read-only] [Category for Medication]	[CMCAT_001_7] [A:1] ☒ GENERAL CONCOMITANT MEDICATIONS							
3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). [Name of Medication]	[CMTRT_001_7] A100★							
4.*	Dose: [Dose Description]	[X_CMDSTXT_001_7] A25★							
5.*	Dose Unit: [Dose Unit]	[CMDOSU_001_7] [CMDOSU_CL_001_7] ▾							
6.*	Dose Frequency: [Dose Frequency]	[CMDOSFRQ_001_7] [CMDOSFRQ_CL_001_7] ▾							
7.*	Route: [Route]	[CMROUTE_001_7] [CMROUTE_CL_001_7] ▾							
8.*	Start Date: [Start Date]	[CMSTDTC_001_7] (DD/MM/YYYY) Req/Unk ▾ / Req/Unk ▾ / Req ▾ (1922-2026)							
9.*	Ongoing? [Ongoing]	[X_CMONGO_001_7] [A:Y] ☐ YES [A:N] ☒ [X_CMENDTC_CMP_001_7] ☐ NO [CMENDTC_001_7] (DD/MM/YYYY) End Date: Req/Unk ▾ / Req/Unk ▾ / Req ▾ (2025-2026)							
10.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM1_001_7] A200★							
11.	Standardized Medication Name - Dictionary derived [hidden] [Standardized Medication Name]	[CMDECOD_001_7] A300★							
12.	Standardized Medication Code - Dictionary derived [hidden] [Standardized Medication Code]	[SUPPCM_CMCODE_001_7] A11★							
Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.									

Study Object Descriptions: CONCOMITANT MEDICATIONS - GENERAL CONCOMITANT MEDICATIONS		
Type	RefName	Description
Item	CMSPID_001_7	A sponsor-defined reference number.
Item	CMTRT_001_7	Name of Medication
Item	X_CMDSTXT_001_7	The dose of medication per administration in character format
Item	CMDOSU_001_7	The unit associated with the medication taken

Item	CMDOSFRQ_001_7	How often the medication was taken
Item	CMROUTE_001_7	The route of administration of the medication
Item	CMSTDTC_001_7	Date the medication was first taken
Item	X_CMONGO_001_7	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001_7	Date the subject stopped taking the medication
Item	D_COMPTerm1_001_7	Hidden Item needed for clear coding rule.
Item	CMDECOD_001_7	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001_7	Standardized Medication Code - Dictionary derived

Codelist Values Tables: CONCOMITANT MEDICATIONS - GENERAL CONCOMITANT MEDICATIONS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CMDOSU_CL_001_7	String		mg	8	cliUNIT_mg	CMDOSU_001_7
			mL	9	cliUNIT_mL	
			ug	43	cliUNIT_ug	
			g	45	cliUNIT_g	
			mg/day	162	cliUNIT_mg_day	
			mg/kg	163	cliUNIT_mg_kg	
			g/kg	204	cliUNIT_g_kg	
			ug/day	289	cliUNIT_ug_day	
			g/kg/day	330	cliUNIT_g_kg_day	
			mg/kg/day	345	cliUNIT_mg_kg_day	
			mL/kg	363	cliUNIT_mL_kg	
			mL/kg/day	364	cliUNIT_mL_kg_day	
			ug/kg/day	399	cliUNIT_ug_kg_day	
CMDOSFRQ_CL_001_7	String		UNKNOWN	1	cliFREQ_UNKNOWN	CMDOSFRQ_001_7
			BID	3	cliFREQ_BID	
			PRN	6	cliFREQ_PRN	
			TID	32	cliFREQ_TID	
			QID	35	cliFREQ_QID	
			ONCE	43	cliFREQ_ONCE	
			QD	49	cliFREQ_QD	
			EVERY WEEK	44	cliFREQ_EVERY_WEEK	
			1 TIME PER WEEK	52	cliFREQ_1_TIME_PER_WEEK	
			2 TIMES PER WEEK	4	cliFREQ_2_TIMES_PER_WEEK	
			2 TIMES PER YEAR	53	cliFREQ_2_TIMES_PER_YEAR	
			3 TIMES PER MONTH	54	cliFREQ_3_TIMES_PER_MONTH	
			3 TIMES PER YEAR	55	cliFREQ_3_TIMES_PER_YEAR	
			3 TIMES PER WEEK	33	cliFREQ_3_TIMES_PER_WEEK	
			4 TIMES PER MONTH	56	cliFREQ_4_TIMES_PER_MONTH	
			4 TIMES PER WEEK	36	cliFREQ_4_TIMES_PER_WEEK	
			4 TIMES PER YEAR	57	cliFREQ_4_TIMES_PER_YEAR	
			5 DAYS PER WEEK	75	cliFREQ_5_DAYS_PER_WEEK	
			5 TIMES PER DAY	58	cliFREQ_5_TIMES_PER_DAY	
			5 TIMES PER MONTH	59	cliFREQ_5_TIMES_PER_MONTH	
			5 TIMES PER WEEK	60	cliFREQ_5_TIMES_PER_WEEK	
			5 TIMES PER YEAR	61	cliFREQ_5_TIMES_PER_YEAR	
			6 TIMES PER DAY	62	cliFREQ_6_TIMES_PER_DAY	

6 TIMES PER MONTH	63	clIFREQ_6_TIMES_PER_MONTH
6 TIMES PER WEEK	64	clIFREQ_6_TIMES_PER_WEEK
6 TIMES PER YEAR	65	clIFREQ_6_TIMES_PER_YEAR
7 TIMES PER WEEK	66	clIFREQ_7_TIMES_PER_WEEK
AC	73	clIFREQ_AC
AD LIBITUM	51	clIFREQ_AD_LIBITUM
BIM	47	clIFREQ_BIM
CONTINUOUS	2	clIFREQ_CONTINUOUS
EVERY 2 WEEKS	46	clIFREQ_EVERY_2_WEEKS
EVERY 24 WEEKS	81	clIFREQ_EVERY_24_WEEKS
EVERY 3 WEEKS	39	clIFREQ_EVERY_3_WEEKS
EVERY 4 WEEKS	34	clIFREQ_EVERY_4_WEEKS
EVERY 48 WEEKS	82	clIFREQ_EVERY_48_WEEKS
EVERY 5 WEEKS	69	clIFREQ_EVERY_5_WEEKS
EVERY 6 WEEKS	68	clIFREQ_EVERY_6_WEEKS
EVERY 7 WEEKS	72	clIFREQ_EVERY_7_WEEKS
EVERY 8 WEEKS	70	clIFREQ_EVERY_8_WEEKS
EVERY AFTERNOON	77	clIFREQ_EVERY_AFTERNOON
EVERY EVENING	78	clIFREQ_EVERY_EVENING
EVERY OTHER DAY	79	clIFREQ_EVERY_OTHER_DAY
INTERMITTENT	48	clIFREQ_INTERMITTENT
OCCASIONAL	50	clIFREQ_OCCASIONAL
PA	67	clIFREQ_PA
Q10H	7	clIFREQ_Q10H
Q11H	8	clIFREQ_Q11H
Q12H	9	clIFREQ_Q12H
Q13H	10	clIFREQ_Q13H
Q14H	11	clIFREQ_Q14H
Q15H	12	clIFREQ_Q15H
Q16H	13	clIFREQ_Q16H
Q17H	14	clIFREQ_Q17H
Q18H	15	clIFREQ_Q18H
Q19H	16	clIFREQ_Q19H
Q20H	18	clIFREQ_Q20H
Q21H	19	clIFREQ_Q21H
Q22H	20	clIFREQ_Q22H
Q23H	21	clIFREQ_Q23H
Q24H	22	clIFREQ_Q24H
Q2M	40	clIFREQ_Q2M
Q2H	23	clIFREQ_Q2H
Q3D	37	clIFREQ_Q3D
Q3H	24	clIFREQ_Q3H
Q3M	41	clIFREQ_Q3M
Q4D	38	clIFREQ_Q4D
Q4H	25	clIFREQ_Q4H
Q4M	42	clIFREQ_Q4M
Q5D	45	clIFREQ_Q5D

			26	diFREQ_Q5H	
			76	diFREQ_Q6D	
			27	diFREQ_Q6H	
			71	diFREQ_Q6M	
			28	diFREQ_Q7H	
			29	diFREQ_Q8H	
			30	diFREQ_Q9H	
			74	diFREQ_QAM	
			17	diFREQ_QH	
			5	diFREQ_QM	
			80	diFREQ_QN	
			31	diFREQ_QOD	
CMROUTE_CL_001_7	String		1	diROUTE_AURICULAR_OTIC	CMROUTE_001_7
			4	diROUTE_CUTANEOUS	
			20	diROUTE_INTRA_ARTICULAR	
			21	diROUTE_INTRABILIARY	
			35	diROUTE_INTRADERMAL	
			70	diROUTE_INTRAVERNOUS	
			79	diROUTE_NASAL	
			83	diROUTE_OPTHALMIC	
			84	diROUTE_ORAL	
			92	diROUTE_RECTAL	
			93	diROUTE_RESPIRATORY_INHALATION_	
			98	diROUTE_SUBCUTANEOUS	
			99	diROUTE_SUBLINGUAL	
			101	diROUTE_TOPICAL	
			50	diROUTE_INTRAMUSCULAR	
			125	diROUTE_INTRAVAGINAL	
			68	diROUTE_INTRAUTERINE	
			102	diROUTE_TRANSDERMAL	
			2	diROUTE_BUCCAL	
			3	diROUTE_CONJUNCTIVAL	
			5	diROUTE_DENTAL	
			112	diROUTE_DIETARY	
			6	diROUTE_ELECTRO_OSMOSIS	
			7	diROUTE_ENDOCERVICAL	
			8	diROUTE_ENDOSINUSIAL	
			9	diROUTE_ENDOTRACHEAL	
			10	diROUTE_ENTERAL	
			11	diROUTE_EPIDURAL	
			12	diROUTE_EXTRA_AMNIOTIC	
			13	diROUTE_EXTRACORPOREAL	
			14	diROUTE_HEMODIALYSIS	
			15	diROUTE_INFILTRATION	
			16	diROUTE_INTERSTITIAL	
			17	diROUTE_INTRA_ABDOMINAL	
			18	diROUTE_INTRA_AMNIOTIC	

INTRA-ARTERIAL	19	diROUTE_INTRA_ARTERIAL
INTRABRONCHIAL	22	diROUTE_INTRABRONCHIAL
INTRABURSAL	23	diROUTE_INTRABURSAL
INTRACAMERAL	118	diROUTE_INTRACAMERAL
INTRACARDIAC	24	diROUTE_INTRACARDIAC
INTRACARTILAGINOUS	25	diROUTE_INTRACARTILAGINOUS
INTRACAUDAL	26	diROUTE_INTRACAUDAL
INTRACAVERNOUS	27	diROUTE_INTRACAVERNOUS
INTRACISTERNAL	30	diROUTE_INTRACISTERNAL
INTRACEREBRAL	29	diROUTE_INTRACEREBRAL
INTRACAVITARY	28	diROUTE_INTRACAVITARY
INTRACORNEAL	31	diROUTE_INTRACORNEAL
INTRACORONAL, DENTAL	32	diROUTE_INTRACORONAL_DENTAL
INTRACORONARY	33	diROUTE_INTRACORONARY
INTRACORPORUS CAVERNOSUM	34	diROUTE_INTRACORPORUS_CAVERNOSUM
INTRADUODENAL	38	diROUTE_INTRADUODENAL
INTRADUCTAL	37	diROUTE_INTRADUCTAL
INTRADISCAL	36	diROUTE_INTRADISCAL
INTRADURAL	39	diROUTE_INTRADURAL
INTRAEPIDERMAL	40	diROUTE_INTRAEPIDERMAL
INTRAESOPHAGEAL	41	diROUTE_INTRAESOPHAGEAL
INTRAGASTRIC	42	diROUTE_INTRAGASTRIC
INTRAGINGIVAL	43	diROUTE_INTRAGINGIVAL
INTRAHEPATIC	120	diROUTE_INTRAHEPATIC
INTRAILEAL	44	diROUTE_INTRAILEAL
INTRAJEJUNAL	115	diROUTE_INTRAJEJUNAL
INTRALESIONAL	45	diROUTE_INTRALESIONAL
INTRALUMINAL	46	diROUTE_INTRALUMINAL
INTRALYMPHATIC	47	diROUTE_INTRALYMPHATIC
INTRAMEDULLARY	48	diROUTE_INTRAMEDULLARY
INTRAMENINGEAL	49	diROUTE_INTRAMENINGEAL
INTRANODAL	128	diROUTE_INTRANODAL
INTRAOCULAR	51	diROUTE_INTRAOCULAR
INTRAOSSEOUS	127	diROUTE_INTRAOSSEOUS
INTRAOVARIAN	52	diROUTE_INTRAOVARIAN
INTRAPALATAL	116	diROUTE_INTRAPALATAL
INTRAPARENCHYMAL	123	diROUTE_INTRAPARENCHYMAL
INTRAPERICARDIAL	53	diROUTE_INTRAPERICARDIAL
INTRAPERITONEAL	54	diROUTE_INTRAPERITONEAL
INTRAPLEURAL	55	diROUTE_INTRAPLEURAL
INTRAPROSTATIC	56	diROUTE_INTRAPROSTATIC
INTRAPULMONARY	57	diROUTE_INTRAPULMONARY
INTRASINAL	58	diROUTE_INTRASINAL
INTRASPINAL	59	diROUTE_INTRASPINAL
INTRASTOMAL	114	diROUTE_INTRASTOMAL
INTRASYNOVIAL	60	diROUTE_INTRASYNOVIAL
INTRATENDINOUS	61	diROUTE_INTRATENDINOUS

	62	diROUTE_INTRATESTICULAR
INTRATHALAMIC	124	diROUTE_INTRATHALAMIC
INTRATHECAL	63	diROUTE_INTRATHECAL
INTRATHORACIC	64	diROUTE_INTRATHORACIC
INTRATUBULAR	65	diROUTE_INTRATUBULAR
INTRATUMOR	66	diROUTE_INTRATUMOR
INTRATYMPANIC	67	diROUTE_INTRATYMPANIC
INTRAVASCULAR	69	diROUTE_INTRAVASCULAR
INTRAVENOUS BOLUS	71	diROUTE_INTRAVENOUS_BOLUS
INTRAVENOUS DRIP	72	diROUTE_INTRAVENOUS_DRIP
INTRAVENTRICULAR	73	diROUTE_INTRAVENTRICULAR
INTRAVESICAL	74	diROUTE_INTRAVESICAL
INTRAVITREAL	75	diROUTE_INTRAVITREAL
IONTOPHORESIS	76	diROUTE_IONTOPHORESIS
IRRIGATION	77	diROUTE_IRRIGATION
LARYNGEAL	78	diROUTE_LARYNGEAL
NASOGASTRIC	80	diROUTE_NASOGASTRIC
NOT APPLICABLE	81	diROUTE_NOT_APPLICABLE
OCCLOSIVE DRESSING TECHNIQUE	82	diROUTE_OCCLOSIVE_DRESSING_TECHNIQUE
ORAL GAVAGE	113	diROUTE_ORAL_GAVAGE
OROMUCOSAL	117	diROUTE_OROMUCOSAL
OROPHARYNGEAL	85	diROUTE_OROPHARYNGEAL
OTHER	130	diROUTE_OTHER
PARENTERAL	86	diROUTE_PARENTERAL
PERCUTANEOUS	87	diROUTE_PERCUTANEOUS
PERIARTICULAR	88	diROUTE_PERIARTICULAR
PERIDURAL	89	diROUTE_PERIDURAL
PERINEURAL	90	diROUTE_PERINEURAL
PERIODONTAL	91	diROUTE_PERIODONTAL
PERITUMORAL	131	diROUTE_PERITUMORAL
PERIVENOUS	122	diROUTE_PERIVENOUS
RETROBULBAR	94	diROUTE_RETROBULBAR
SOFT TISSUE	95	diROUTE_SOFT_TISSUE
SUBARACHNOID	96	diROUTE_SUBARACHNOID
SUBCONJUNCTIVAL	97	diROUTE_SUBCONJUNCTIVAL
SUBCUTANEOUS IN DRAINING LYMPH NODE AREA	132	diROUTE_SUBCUTANEOUS_IN_DRAINING_LYMPH_NODE_AREA
SUBDURAL	133	diROUTE_SUBDURAL
SUBMUCOSAL	100	diROUTE_SUBMUCOSAL
SUBRETINAL	129	diROUTE_SUBRETINAL
SUBTENON	119	diROUTE_SUBTENON
SUPRACHOROIDAL	126	diROUTE_SUPRACHOROIDAL
TRANSMAMMARY	121	diROUTE_TRANSMAMMARY
TRANSMUCOSAL	103	diROUTE_TRANSMUCOSAL
TRANSPLACENTAL	104	diROUTE_TRANSPLACENTAL
TRANSTRACHEAL	105	diROUTE_TRANSTRACHEAL
TRANSTYMPANIC	106	diROUTE_TRANSTYMPANIC
UNASSIGNED	107	diROUTE_UNASSIGNED

			108	diROUTE_UNKNOWN
		URETERAL	109	diROUTE_URETERAL
		URETHRAL	110	diROUTE_URETHRAL
		VAGINAL	111	diROUTE_VAGINAL

Coding Summary: CONCOMITANT MEDICATIONS - GENERAL CONCOMITANT MEDICATIONS		
Verbatim RefName: D_COMPTERM1_001_7		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
CMDECOD_001_7	PT	Term
SUPPCM_CMCODE_001_7	PT	Code

RDE Analytics: RD_CM001_7		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001_7	CMSPID_001_7	VARCHAR2
	CMSPID_001_7_ND	VARCHAR2
CMCAT_001_7	CMCAT_001_7_C	VARCHAR2
	CMCAT_001_7	VARCHAR2
	CMCAT_001_7_ND	VARCHAR2
CMTRT_001_7	CMTRT_001_7	VARCHAR2
	CMTRT_001_7_ND	VARCHAR2
X_CMDSTXT_001_7	X_CMDSTXT_001_7	VARCHAR2
	X_CMDSTXT_001_7_ND	VARCHAR2
CMDOSU_001_7	CMDOSU_001_7_C	VARCHAR2
	CMDOSU_001_7	VARCHAR2
	CMDOSU_001_7_ND	VARCHAR2
CMDOSFRQ_001_7	CMDOSFRQ_001_7_C	VARCHAR2
	CMDOSFRQ_001_7	VARCHAR2
	CMDOSFRQ_001_7_ND	VARCHAR2
CMROUTE_001_7	CMROUTE_001_7_C	VARCHAR2
	CMROUTE_001_7	VARCHAR2
	CMROUTE_001_7_ND	VARCHAR2
CMSTDTC_001_7	CMSTDTC_001_7	DATE
	CMSTDTC_001_7_DTS	VARCHAR2
	CMSTDTC_001_7_DTR	VARCHAR2
	CMSTDTC_001_7_ND	VARCHAR2
X_CMONGO_001_7	X_CMONGO_001_7_C	VARCHAR2
	X_CMONGO_001_7	VARCHAR2
	X_CMONGO_001_7_ND	VARCHAR2
X_CMONGO_001_7 - CMENDTC_001_7	CMENDTC_001_7	DATE
	CMENDTC_001_7_DTS	VARCHAR2
	CMENDTC_001_7_DTR	VARCHAR2
D_COMPTERM1_001_7	D_COMPTERM1_001_7	VARCHAR2
	D_COMPTERM1_001_7_ND	VARCHAR2
CMDECOD_001_7	CMDECOD_001_7	VARCHAR2
	CMDECOD_001_7_ND	VARCHAR2
SUPPCM_CMCODE_001_7	SUPPCM_CMCODE_001_7	VARCHAR2

	SUPPCM_CMCODE_001_7_ND	VARCHAR2
--	------------------------	----------

C4591076: CONCOMITANT MEDICATIONS - NON STUDY VACCINATIONS (CONMED VAX) - Repeating Form [CM001_6]

#	Sponsor-Defined Identifier	Category for Medication	Name of Medication	Start Date
1				

Concomitant Treatment [CM01001_6]

1.

What is the medication identifier? *[read-only]*
[Sponsor-Defined Identifier]

[CMSPID_001_6]

A20★

2.

Category: *[read-only]*
[Category for Medication]

[CMCAT_001_6]

[A:3] ☒ VACCINATIONS

3.*

Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation).
[Name of Medication]

[CMTRT_001_6]

A100★

4.*

Start Date:
[Start Date]

[CMSTDTC_001_6] (DD/MM/YYYY)

Req/Unk / Req/Unk / Req (2025-2026)

5.

Comparison Term *[hidden]*
[Comparison Term]

[D_COMPTERM1_001_6]

A200★

6.

Standardized Medication Name - Dictionary derived. *[hidden]*
[Standardized Medication Name]

[CMDECOD_001_6]

A300★

7.

Standardized Medication Code - Dictionary derived *[hidden]*
[Standardized Medication Code]

[SUPPCM_CMCODE_001_6]

A11★

Key: [*] = Item is required [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: CONCOMITANT MEDICATIONS - NON STUDY VACCINATIONS		
Type	RefName	Description
Item	CMSPID_001_6	A sponsor-defined reference number.
Item	CMTRT_001_6	Name of Medication
Item	CMSTDTC_001_6	Date the medication was first taken
Item	D_COMPTERM1_001_6	Hidden Item needed for clear coding rule.
Item	CMDECOD_001_6	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001_6	Standardized Medication Code - Dictionary derived

Coding Summary: CONCOMITANT MEDICATIONS - NON STUDY VACCINATIONS		
Verbatim RefName: D_COMPTERM1_001_6		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
CMDECOD_001_6	PT	Term
SUPPCM_CMCODE_001_6	PT	Code

RDE Analytics: RD_CM001_6		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001_6	CMSPID_001_6	VARCHAR2
	CMSPID_001_6_ND	VARCHAR2

CMCAT_001_6	CMCAT_001_6_C	VARCHAR2
	CMCAT_001_6	VARCHAR2
	CMCAT_001_6_ND	VARCHAR2
CMTRT_001_6	CMTRT_001_6	VARCHAR2
	CMTRT_001_6_ND	VARCHAR2
CMSTDTC_001_6	CMSTDTC_001_6	DATE
	CMSTDTC_001_6_DTS	VARCHAR2
	CMSTDTC_001_6_DTR	VARCHAR2
	CMSTDTC_001_6_ND	VARCHAR2
D_COMPTERM1_001_6	D_COMPTERM1_001_6	VARCHAR2
	D_COMPTERM1_001_6_ND	VARCHAR2
CMDECOD_001_6	CMDECOD_001_6	VARCHAR2
	CMDECOD_001_6_ND	VARCHAR2
SUPPCM_CMCODE_001_6	SUPPCM_CMCODE_001_6	VARCHAR2
	SUPPCM_CMCODE_001_6_ND	VARCHAR2

C4591076: CONCOMITANT MEDICATIONS - PROHIBITED (PROHIB CM) - Repeating Form [CM001]									
#	Sponsor-Defined Identifier	Category for Medication	Name of Medication	Dose Description	Dose Unit	Dose Frequency	Route	Start Date	Ongoing
1									
Concomitant Treatment [CM01001]									
1.	What is the medication identifier? <i>[read-only]</i> [Sponsor-Defined Identifier]	[CMSPID_001] A20*							
2.	Category: [Category for Medication]	[CMCAT_001] [A:15] ☐ CONCOMITANT IMMUNOSUPPRESSIVE THERAPY [A:16] ☐ CORTICOSTEROIDS [A:44] ☐ IMMUNOGLOBULINS							
3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). [Name of Medication]	[CMTRT_001] A100*							
4.*	Dose: [Dose Description]	[X_CMDSTXT_001] A25*							
5.*	Dose Unit: [Dose Unit]	[CMDOSU_001] [CMDOSU_CL_001] ▼							
6.*	Dose Frequency: [Dose Frequency]	[CMDOSFRQ_001] [CMDOSFRQ_CL_001] ▼							
7.*	Route: [Route]	[CMROUTE_001] [CMROUTE_CL_001] ▼							
8.*	Start Date: [Start Date]	[CMSTDTC_001] (DD/MM/YYYY) Req ▼ / Req ▼ / Req ▼ (2022-2026)							
9.*	Ongoing? [Ongoing]	[X_CMONGO_001] [A:Y] ☐ YES [A:N] ☐ [X_CMENDTC_CMP_001] ☐ NO [CMENDTC_001] (DD/MM/YYYY) End Date: Req ▼ / Req ▼ / Req ▼ (2025-2026)							
10.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM1_001] A200*							
11.	Standardized Medication Name - Dictionary derived <i>[hidden]</i> [Standardized Medication Name]	[CMDECOD_001] A300*							
12.	Standardized Medication Code - Dictionary derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPCM_CMCODE_001] A11*							
Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.									

Study Object Descriptions: CONCOMITANT MEDICATIONS - PROHIBITED		
Type	RefName	Description
Item	CMSPID_001	A sponsor-defined reference number.
Item	CMTRT_001	Name of Medication

Item	X_CMDSTXT_001	The dose of medication per administration in character format
Item	CMDOSU_001	The unit associated with the medication taken
Item	CMDOSFRQ_001	How often the medication was taken
Item	CMROUTE_001	The route of administration of the medication
Item	CMSTDTC_001	Date the medication was first taken
Item	X_CMONGO_001	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001	Date the subject stopped taking the medication
Item	D_COMPTerm1_001	Hidden Item needed for clear coding rule.
Item	CMDECOD_001	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCode_001	Standardized Medication Code - Dictionary derived

Codelist Values Tables: CONCOMITANT MEDICATIONS - PROHIBITED						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CMDOSU_CL_001	String		mg	8	cliUNIT_mg	CMDOSU_001
			mL	9	cliUNIT_mL	
			ug	43	cliUNIT_ug	
			g	45	cliUNIT_g	
			mg/day	162	cliUNIT_mg_day	
			mg/kg	163	cliUNIT_mg_kg	
			g/kg	204	cliUNIT_g_kg	
			ug/day	289	cliUNIT_ug_day	
			g/kg/day	330	cliUNIT_g_kg_day	
			mg/kg/day	345	cliUNIT_mg_kg_day	
			mL/kg	363	cliUNIT_mL_kg	
			mL/kg/day	364	cliUNIT_mL_kg_day	
			ug/kg/day	399	cliUNIT_ug_kg_day	
CMDOSFRQ_CL_001	String		UNKNOWN	1	cliFREQ_UNKNOWN	CMDOSFRQ_001
			BID	3	cliFREQ_BID	
			PRN	6	cliFREQ_PRN	
			TID	32	cliFREQ_TID	
			QID	35	cliFREQ_QID	
			ONCE	43	cliFREQ_ONCE	
			QD	49	cliFREQ_QD	
CMROUTE_CL_001	String		AURICULAR (OTIC)	1	cliROUTE_AURICULAR_OTIC	CMROUTE_001
			CUTANEOUS	4	cliROUTE_CUTANEOUS	
			INTRA-ARTICULAR	20	cliROUTE_INTRA_ARTICULAR	
			INTRABILIARY	21	cliROUTE_INTRABILIARY	
			INTRADERMAL	35	cliROUTE_INTRADERMAL	
			INTRAVENOUS	70	cliROUTE_INTRAVENOUS	
			NASAL	79	cliROUTE_NASAL	
			OPHTHALMIC	83	cliROUTE_OPHTHALMIC	
			ORAL	84	cliROUTE_ORAL	
			RECTAL	92	cliROUTE_RECTAL	
			RESPIRATORY (INHALATION)	93	cliROUTE_RESPIRATORY_INHALATION_	
			SUBCUTANEOUS	98	cliROUTE_SUBCUTANEOUS	
			SUBLINGUAL	99	cliROUTE_SUBLINGUAL	
			TOPICAL	101	cliROUTE_TOPICAL	

Coding Summary: CONCOMITANT MEDICATIONS - PROHIBITED

Verbatim RefName: D_COMPTERM1_001

Dictionary: Pfizer WHODD Verbatim Type:

Coding Item RefName	Level	Level Type
CMDECOD_001	PT	Term
SUPPCM_CMCODE_001	PT	Code

RDE Analytics: RD_CM001		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001	CMSPID_001	VARCHAR2
	CMSPID_001_ND	VARCHAR2
CMCAT_001	CMCAT_001_C	VARCHAR2
	CMCAT_001	VARCHAR2
	CMCAT_001_ND	VARCHAR2
CMTRT_001	CMTRT_001	VARCHAR2
	CMTRT_001_ND	VARCHAR2
X_CMDSTXT_001	X_CMDSTXT_001	VARCHAR2
	X_CMDSTXT_001_ND	VARCHAR2
CMDOSU_001	CMDOSU_001_C	VARCHAR2
	CMDOSU_001	VARCHAR2
	CMDOSU_001_ND	VARCHAR2
CMDOSFRQ_001	CMDOSFRQ_001_C	VARCHAR2
	CMDOSFRQ_001	VARCHAR2
	CMDOSFRQ_001_ND	VARCHAR2
CMROUTE_001	CMROUTE_001_C	VARCHAR2
	CMROUTE_001	VARCHAR2
	CMROUTE_001_ND	VARCHAR2
CMSTDTC_001	CMSTDTC_001	DATE
	CMSTDTC_001_DTS	VARCHAR2
	CMSTDTC_001_ND	VARCHAR2
X_CMONGO_001	X_CMONGO_001_C	VARCHAR2
	X_CMONGO_001	VARCHAR2
	X_CMONGO_001_ND	VARCHAR2
X_CMONGO_001 - CMENDTC_001	CMENDTC_001	DATE
	CMENDTC_001_DTS	VARCHAR2
D_COMPTERM1_001	D_COMPTERM1_001	VARCHAR2
	D_COMPTERM1_001_ND	VARCHAR2
CMDECOD_001	CMDECOD_001	VARCHAR2
	CMDECOD_001_ND	VARCHAR2
SUPPCM_CMCODE_001	SUPPCM_CMCODE_001	VARCHAR2
	SUPPCM_CMCODE_001_ND	VARCHAR2

C4591076: NON-DRUG TREATMENT-RADIATION (PROHIB ND) - Repeating Form [PR001]					
#	Treatment Identifier	Con Non-Drug Treatments Pre-specified	Treatment	Start Date	Ongoing
1					
Non-Drug Treatments [PR01001]					
1.	What is the treatment Identifier? <i>[read-only]</i> [Treatment Identifier]	[PRSPID_001] A20★			
2.	Concomitant Non-drug Treatment Pre-specified: <i>[read-only]</i> [Con Non-Drug Treatments Pre-specified]	[PRPRES_001] [A:Y] ☐ YES			
3.	Treatment: <i>[read-only]</i> [Treatment]	[PRTRT_001] A100★			
4.*	Start Date: [Start Date]	[PRSTDTC_001] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (2025-2026)			
5.*	Ongoing? [Ongoing]	[X_PRONGO_001] [A:Y] ☐ YES [A:N] ☐ [PRENDTC_CMP_001] ☐ NO [PRENDTC_001] (DD/MM/YYYY) End Date: Req/Unk v / Req/Unk v / Req v (2025-2026)			
6.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM5_001] A200★			
7.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[SUPPPR_PRLLT_001] A100★			
8.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[SUPPPR_PRLTCD_001] A8★			
9.	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[PRDECOD_001] A100★			
10.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPPR_PRPTCD_001] A8★			
11.	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001] A100★			
12.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPPR_PRHLTCD_001] A8★			
13.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001] A100★			
14.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTC_001] A8★			
15.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001] A100★			
16.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001] A8★			
Key: [*] = Item is required [] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.					

Study Object Descriptions: NON-DRUG TREATMENT-RADIATION		
Type	RefName	Description
Form	PR001	PR001 - NON-DRUG TREATMENTS
Item	PRPRESP_001	Concomitant non-drug treatments pre-specified
Item	PRTRT_001	Verbatim name of the treatment.
Item	PRSTDTC_001	Date the treatment was started
Item	X_PRONGO_001	Indicates the treatment is ongoing when no End Date is provided
Item	PRENDTC_001	Date the treatment was stopped.
Item	D_COMPTERM5_001	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLLTCD_001	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTCD_001	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001	Dictionary-derived code for the primary System Organ Class.

Keys (navigation)/Uniqueness: NON-DRUG TREATMENT-RADIATION		
Item	Unique	Order #
PR001 (Repeating form)		
PR01001		
PRSTDTC_001	None	1

Coding Summary: NON-DRUG TREATMENT-RADIATION		
Verbatim RefName: D_COMPTERM5_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001	SOC	Term
SUPPPR_PRSOCCD_001	SOC	Code
SUPPPR_PRHLGT_001	HLGT	Term
SUPPPR_PRHLGTCD_001	HLGT	Code
SUPPPR_PRHLT_001	HLT	Term
SUPPPR_PRHLTCD_001	HLT	Code
PRDECOD_001	PT	Term
SUPPPR_PRPTCD_001	PT	Code
SUPPPR_PRLLT_001	LLT	Term
SUPPPR_PRLLTCD_001	LLT	Code

RDE Analytics: RD_PR001		
Data Variable RefName	RD Column Name	Column Data Type
PRSPID_001	PRSPID_001	VARCHAR2
	PRSPID_001_ND	VARCHAR2
PRPRESP_001	PRPRESP_001_C	VARCHAR2

	PRPRES_001	VARCHAR2
	PRPRES_001_ND	VARCHAR2
PRTRT_001	PRTRT_001	VARCHAR2
	PRTRT_001_ND	VARCHAR2
PRSTDTC_001	PRSTDTC_001	DATE
	PRSTDTC_001_DTS	VARCHAR2
	PRSTDTC_001_DTR	VARCHAR2
	PRSTDTC_001_ND	VARCHAR2
X_PRONGO_001	X_PRONGO_001_C	VARCHAR2
	X_PRONGO_001	VARCHAR2
	X_PRONGO_001_ND	VARCHAR2
X_PRONGO_001 - PRENDTC_001	PRENDTC_001	DATE
	PRENDTC_001_DTS	VARCHAR2
	PRENDTC_001_DTR	VARCHAR2
D_COMPTERM5_001	D_COMPTERM5_001	VARCHAR2
	D_COMPTERM5_001_ND	VARCHAR2
SUPPPR_PRLT_001	SUPPPR_PRLT_001	VARCHAR2
	SUPPPR_PRLT_001_ND	VARCHAR2
SUPPPR_PRLTCD_001	SUPPPR_PRLTCD_001	VARCHAR2
	SUPPPR_PRLTCD_001_ND	VARCHAR2
PRDECOD_001	PRDECOD_001	VARCHAR2
	PRDECOD_001_ND	VARCHAR2
SUPPPR_PRPTCD_001	SUPPPR_PRPTCD_001	VARCHAR2
	SUPPPR_PRPTCD_001_ND	VARCHAR2
SUPPPR_PRHLT_001	SUPPPR_PRHLT_001	VARCHAR2
	SUPPPR_PRHLT_001_ND	VARCHAR2
SUPPPR_PRHLTCD_001	SUPPPR_PRHLTCD_001	VARCHAR2
	SUPPPR_PRHLTCD_001_ND	VARCHAR2
SUPPPR_PRHGT_001	SUPPPR_PRHGT_001	VARCHAR2
	SUPPPR_PRHGT_001_ND	VARCHAR2
SUPPPR_PRHGTCD_001	SUPPPR_PRHGTCD_001	VARCHAR2
	SUPPPR_PRHGTCD_001_ND	VARCHAR2
SUPPPR_PRSOC_001	SUPPPR_PRSOC_001	VARCHAR2
	SUPPPR_PRSOC_001_ND	VARCHAR2
SUPPPR_PRSOCCD_001	SUPPPR_PRSOCCD_001	VARCHAR2
	SUPPPR_PRSOCCD_001_ND	VARCHAR2

C4591076: TRANSFUSIONS (TRANSFUSE) - Repeating Form [PRTFD002]

#	Transfusion Type	Date of Transfusion	Transfusion Amount/Volume	Transfusion Amount/Volume Unit
1				

Transfusions [PRTFD01002]

1.*

Transfusion Type:
[Transfusion Type]

[PRTRT_002]

[A:1] ☐ PACKED RBC

[A:2] ☐ PLATELETS

[A:3] ☐ WHOLE BLOOD

[A:4] ☐ PLASMA

[A:999] ☐ [X_PRTRT_TFDTYPO_CMP_002] ☐

OTHER

[X_PRTRT_TFDTYPO_002]

Specify:

A30*

2.*

Date of Transfusion:
[Date of Transfusion]

[PRSTDTC_002] (DD/MM/YYYY)

Req / Req / Req (2025-2026)

3.*

Transfusion Amount/Volume:
[Transfusion Amount/Volume]

[PRDOSE_002]

N4

4.

Transfusion Amount/Volume Unit:
[Transfusion Amount/Volume Unit]

[PRDOSU_002]

[A:380] ☐ U

[A:9] ☐ mL

Key: [*] = Item is required [] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_PRTFD002		
Data Variable RefName	RD Column Name	Column Data Type
PRTRT_002	PRTRT_002_C	VARCHAR2
	PRTRT_002	VARCHAR2
	PRTRT_002_ND	VARCHAR2
PRTRT_002 - X_PRTRT_TFDTYPO_002	X_PRTRT_TFDTYPO_002	VARCHAR2
PRSTDTC_002	PRSTDTC_002	DATE
	PRSTDTC_002_DTS	VARCHAR2
	PRSTDTC_002_ND	VARCHAR2
PRDOSE_002	PRDOSE_002	NUMBER
	PRDOSE_002_ND	VARCHAR2
PRDOSU_002	PRDOSU_002_C	VARCHAR2
	PRDOSU_002	VARCHAR2
	PRDOSU_002_ND	VARCHAR2

C4591076: POTENTIAL MENSTRUAL DISTURBANCES (MENSDIS) - Repeating Form [RPPMD064]

#	Date of Assessment	First Menstrual Disturbance on Study	History of Menstrual Disturbance Indicator	Female Hormonal Status	Menarche Age	Contraception Indicator	Hormone Therapy Indicator	Menstrual Cycle Regularity	Average Menstrual Cycle Duration	Average Number of Continuous Days of Bleed/Spot	Average Menses Flow Rate Description	Average Menstrual Pain/Cramping	AE ID	Event Related Disturb 2 or More Cycles	Last Menstrual Period Start Date	Last Menstrual Period End Date	Event Related Max Tampons/Pads Needed	Event Related Number of Days Bleed/Spot	Event Related Pain/Cramping Severity	Eve Rela Gy Inves Indic
1																				
Menstrual Disturbances [RPPMD01064]																				
1.*	Date of Assessment: [Date of Assessment]					[Y_RPDTC_064] (DD/MM/YYYY) Req / / (2025-2026)														
2.*	Is this the FIRST Potential Menstrual Disturbance reported for this participant during the study? [First Menstrual Disturbance on Study]					[R_PMDFSTMD_064] [A:Y] ☐ YES [A:N] ☐ [RPORRES_RPHORMCH_CMP_064] ☐ NO [RPORRES_RPHORMCH_064] Has the participant's hormonal status/history changed since the last assessment? [A:Y] ☐ YES [A:N] ☐ NO														
3.	Does the participant have a history of menstrual disturbances? [History of Menstrual Disturbance Indicator]					[RPORRES_MDHXIND_064] [A:N] ☐ NO [A:Y] ☐ YES [A:NA] ☐ NOT APPLICABLE														
4.	What is the participant's current hormonal status? [Female Hormonal Status]					[RPORRES_RPHORM_064] [A:1] ☐ PREMENARCHAL [A:2] ☐ MENARCHAL [A:3] ☐ PERIMENOPAUSAL [A:4] ☐ MENOPAUSAL [A:5] ☐ POSTMENOPAUSAL														
5.	Age at Menarche (Years): [Menarche Age]					[RPORRES_MENARAGE_064] N2														
6.	Has contraception been used in the past 12 months? [Contraception Indicator]					[RPORRES_CONTRIND_064] [A:N] ☐ NO [A:Y] ☐ YES														
7.	Is the participant on any Hormone Therapy? [Hormone Therapy Indicator]					[RPORRES_HTHERIND_064] [A:N] ☐ NO [A:Y] ☐ YES														
8.	Over the past past 12 months has the participant had regular menstrual cycles? (i.e., 23-35 days)? [Menstrual Cycle Regularity]					[RPORRES_MENREG_064] [A:Y] ☐ YES [A:N] ☐ NO [A:U] ☐ UNKNOWN [A:NA] ☐ NOT APPLICABLE														
9.	Usual Cycle Length: [Average Menstrual Cycle Duration]					[RPORRES_MENSDURA_064] [A:1] ☐ <23 DAYS [A:2] ☐ 23-35 DAYS [A:3] ☐ >35 DAYS [A:4] ☐ NOT APPLICABLE														
10.	Usual Number of Days Bleeding/Spotting: [Average Number of Continuous Days of Bleed/Spot]					[RPORRES_BLDSPNA_064] [A:1] ☐ <3 DAYS [A:2] ☐ 3-5 DAYS [A:3] ☐ 5-7 DAYS [A:4] ☐ >7 DAYS [A:5] ☐ NOT APPLICABLE														
11.	Usual Menstrual Flow: [Average Menses Flow Rate Description]					[RPORRES_MENFRDA_064] [A:1] ☐ LIGHT [A:2] ☐ MEDIUM														

		[A:3] ☐ HEAVY [A:4] ☐ NOT APPLICABLE
12.	Usual Menstrual Pain/Cramping: [Average Menstrual Pain/Cramping]	[RPORRES_MENSPNA_064] [A:0] ☐ NONE [A:1] ☐ MILD [A:2] ☐ MODERATE [A:3] ☐ SEVERE [A:4] ☐ NOT APPLICABLE
13.*	AE ID: [AE ID]	[CO_COREF_064] A20*
14.*	Regarding the reported AE, has this menstrual disturbance occurred over 2 or more sequential cycles? [Event Related Disturb 2 or More Cycles]	[FAORRES_SEQ2CYCN_064] [A:Y] ☐ [FAORRES_SEQ2CYCN_CMP_064] ☐ YES [FAORRES_SEQ2CYCN_064] If Yes, how many sequential cycles? N2 [A:N] ☐ NO
15.*	Start Date of Last Menses Prior to this AE [Last Menstrual Period Start Date]	[RPORRES_LMPSTDTC_064] (DD/MM/YYYY) Req/Unk v / Req v / Req v (2025-2026)
16.*	Stop Date of Last Menses Prior to this AE [Last Menstrual Period End Date]	[RPORRES_LMPENDTC_064] (DD/MM/YYYY) Req/Unk v / Req v / Req v (2025-2026)
17.*	Regarding this AE, what was the maximum number of tampons/pads the participant needed to change over a 24-hour period (if AE has occurred over multiple cycles consider the average)? [Event Related Max Tampons/Pads Needed]	[FAORRES_TAMPMAXN_064] [A:1] ☐ 1-2 [A:2] ☐ 3-5 [A:3] ☐ MORE THAN 5 [A:4] ☐ NOT APPLICABLE
18.*	Regarding this AE, how many days bleeding did the participant experience (if AE has occurred over multiple cycles consider the average)? [Event Related Number of Days Bleed/Spot]	[FAORRES_BLDSPN_064] N2
19.*	Regarding this AE - Menstrual pain/cramping (if AE has occurred over multiple cycles consider the average) [Event Related Pain/Cramping Severity]	[FAORRES_MENSPN_064] [A:0] ☐ NONE [A:1] ☐ MILD [A:2] ☐ MODERATE [A:3] ☐ SEVERE [A:4] ☐ NOT APPLICABLE
20.*	Has the participant undergone any gynecological investigations for this AE? [Event Related Gyn Investigat Indicator]	[FAORRES_GYNININD_064] [A:N] ☐ NO [A:Y] ☐ YES
21.	Comment: [Comment 1 for AE]	[CO_COVAL1_064] A200*
22.	Additional Comment: [Comment 2 for AE]	[CO_COVAL2_064] A200*

Key: [*] = Item is required [☐] = Item is collapsible [★] = ASCII Only
 Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
 Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_RPPMD064

Data Variable RefName	RD Column Name	Column Data Type
Y_RPDTC_064	Y_RPDTC_064	DATE

	Y_RPDTC_064_DTS	VARCHAR2
	Y_RPDTC_064_ND	VARCHAR2
R_PMDFSTMD_064	R_PMDFSTMD_064_C	VARCHAR2
	R_PMDFSTMD_064	VARCHAR2
	R_PMDFSTMD_064_ND	VARCHAR2
R_PMDFSTMD_064 - RPORRES_RPHORMCH_064	RPORRES_RPHORMCH_064_C	VARCHAR2
	RPORRES_RPHORMCH_064	VARCHAR2
RPORRES_MDHXIND_064	RPORRES_MDHXIND_064_C	VARCHAR2
	RPORRES_MDHXIND_064	VARCHAR2
	RPORRES_MDHXIND_064_ND	VARCHAR2
RPORRES_RPHORM_064	RPORRES_RPHORM_064_C	VARCHAR2
	RPORRES_RPHORM_064	VARCHAR2
	RPORRES_RPHORM_064_ND	VARCHAR2
RPORRES_MENARAGE_064	RPORRES_MENARAGE_064	NUMBER
	RPORRES_MENARAGE_064_ND	VARCHAR2
RPORRES_CONTRIND_064	RPORRES_CONTRIND_064_C	VARCHAR2
	RPORRES_CONTRIND_064	VARCHAR2
	RPORRES_CONTRIND_064_ND	VARCHAR2
RPORRES_HTHERIND_064	RPORRES_HTHERIND_064_C	VARCHAR2
	RPORRES_HTHERIND_064	VARCHAR2
	RPORRES_HTHERIND_064_ND	VARCHAR2
RPORRES_MENREG_064	RPORRES_MENREG_064_C	VARCHAR2
	RPORRES_MENREG_064	VARCHAR2
	RPORRES_MENREG_064_ND	VARCHAR2
RPORRES_MENSDURA_064	RPORRES_MENSDURA_064_C	VARCHAR2
	RPORRES_MENSDURA_064	VARCHAR2
	RPORRES_MENSDURA_064_ND	VARCHAR2
RPORRES_BLDSPNA_064	RPORRES_BLDSPNA_064_C	VARCHAR2
	RPORRES_BLDSPNA_064	VARCHAR2
	RPORRES_BLDSPNA_064_ND	VARCHAR2
RPORRES_MENFRDA_064	RPORRES_MENFRDA_064_C	VARCHAR2
	RPORRES_MENFRDA_064	VARCHAR2
	RPORRES_MENFRDA_064_ND	VARCHAR2
RPORRES_MENSPNA_064	RPORRES_MENSPNA_064_C	VARCHAR2
	RPORRES_MENSPNA_064	VARCHAR2
	RPORRES_MENSPNA_064_ND	VARCHAR2
CO_COREF_064	CO_COREF_064	VARCHAR2
	CO_COREF_064_ND	VARCHAR2
FAORRES_SEQ2CYC_064	FAORRES_SEQ2CYC_064_C	VARCHAR2
	FAORRES_SEQ2CYC_064	VARCHAR2
	FAORRES_SEQ2CYC_064_ND	VARCHAR2
FAORRES_SEQ2CYC_064 - FAORRES_SEQ2CYCN_064	FAORRES_SEQ2CYCN_064	NUMBER
RPORRES_LMPSTDTC_064	RPORRES_LMPSTDTC_064	DATE
	RPORRES_LMPSTDTC_064_DTS	VARCHAR2
	RPORRES_LMPSTDTC_064_DTR	VARCHAR2
	RPORRES_LMPSTDTC_064_ND	VARCHAR2
RPORRES_LMPENDTC_064	RPORRES_LMPENDTC_064	DATE

	RPORRES_LMPENDTC_064_DTS	VARCHAR2
	RPORRES_LMPENDTC_064_DTR	VARCHAR2
	RPORRES_LMPENDTC_064_ND	VARCHAR2
FAORRES_TAMPMAXN_064	FAORRES_TAMPMAXN_064_C	VARCHAR2
	FAORRES_TAMPMAXN_064	VARCHAR2
	FAORRES_TAMPMAXN_064_ND	VARCHAR2
FAORRES_BLDSPN_064	FAORRES_BLDSPN_064	NUMBER
	FAORRES_BLDSPN_064_ND	VARCHAR2
FAORRES_MENSPN_064	FAORRES_MENSPN_064_C	VARCHAR2
	FAORRES_MENSPN_064	VARCHAR2
	FAORRES_MENSPN_064_ND	VARCHAR2
FAORRES_GYNININD_064	FAORRES_GYNININD_064_C	VARCHAR2
	FAORRES_GYNININD_064	VARCHAR2
	FAORRES_GYNININD_064_ND	VARCHAR2
CO_COVAL1_064	CO_COVAL1_064	VARCHAR2
	CO_COVAL1_064_ND	VARCHAR2
CO_COVAL2_064	CO_COVAL2_064	VARCHAR2
	CO_COVAL2_064_ND	VARCHAR2

C4591076: UNPLANNED VISIT (UNPL) [D_UPA001]		
Unplanned Assessments [D_UPA01001]		
1.*	Assessments [Assessments]	[D_UNPLASS_001] [A:1] ☐ CONTACT OUTCOME - UNPLANNED [A:2] ☐ PARTICIPANT-REPORTED REACTOGENICITY
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_UPA001		
Data Variable RefName	RD Column Name	Column Data Type
D_UNPLASS_001	D_UNPLASS_001_ND	VARCHAR2
D_UNPLASS_001 - CONTACT OUTCOME - UNPLANNED	*D_UNPLASS_001_CLIUNPLASSCONTACTOUTCOMEUNPLANNED_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSCONTACTOUTCOMEUNPLANNED	VARCHAR2
D_UNPLASS_001 - PARTICIPANT-REPORTED REACTOGENICITY	*D_UNPLASS_001_CLIUNPLASSPARTICIPANTREPORTEDREACTOGENICITY_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPARTICIPANTREPORTEDREACTOGENICITY	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: CONTACT OUTCOME - UNPLANNED (CONTACT UV) [FAFUC009]

Contact Outcome [FAFUC01009]

1.

Follow-Up Contact Category *[read-only]*
[Follow Up Contact Category]

[FACAT_009]

[A:1] ☐ CONTACT OUTCOME

2.

Contact Type: *[read-only]*
[Type of Contact/Visit]

[FAORRES_FUCTYPE_009]

[A:2] ☐ TELEPHONE VISIT

3.*

Was contact made?
[Was Contact Made]

[FAORRES_FUCMADE_009]

[A:Y] ☐

[FAORRES_FUCOCCUR_CMP_009] ☐

YES

[FAORRES_FUCDAT_009] (DD/MM/YYYY)

Date of Contact:

Req / Req / Req (2025-2026)

[FAORRES_FUCOUT_009]

Contact Outcome:

[A:1] ☐ VISIT ARRANGED

[A:2] ☐ VISIT ARRANGED, BUT NOT ATTENDED

[A:3] ☐ VISIT NOT ARRANGED, REACTION NO LONGER PRESENT

[A:4] ☐ VISIT NOT ARRANGED, UNABLE TO ATTEND

[A:5] ☐ VISIT NOT REQUIRED, DATA ENTRY ERROR IN E-DIARY

[A:6] ☐ VISIT NOT REQUIRED, INVESTIGATOR DECISION

[A:8] ☐ VISIT NOT ARRANGED, SEVERE REACTOGENICITY ASSESSMENT CONFIRMED VIA MEDICAL RECORDS AND/OR TELEHEALTH ASSESSMENT

[A:N] ☐

[FAORRES_FUCNCRS_CMP_009] ☐

NO

[FAORRES_FUCNCRS_009]

If No, why?

A200*

4.

Comments:
[Comments/Findings/Details]

[CO_FUCCOM_009]

A200*

Key: [*] = Item is required [☐] = Item is collapsible [] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_FAFUC009		
Data Variable RefName	RD Column Name	Column Data Type
FACAT_009	FACAT_009_C	VARCHAR2
	FACAT_009	VARCHAR2
	FACAT_009_ND	VARCHAR2
FAORRES_FUCTYPE_009	FAORRES_FUCTYPE_009_C	VARCHAR2
	FAORRES_FUCTYPE_009	VARCHAR2
	FAORRES_FUCTYPE_009_ND	VARCHAR2
FAORRES_FUCMADE_009	FAORRES_FUCMADE_009_C	VARCHAR2
	FAORRES_FUCMADE_009	VARCHAR2
	FAORRES_FUCMADE_009_ND	VARCHAR2
FAORRES_FUCMADE_009 - FAORRES_FUCDAT_009	FAORRES_FUCDAT_009	DATE
	FAORRES_FUCDAT_009_DTS	VARCHAR2
FAORRES_FUCMADE_009 - FAORRES_FUCOUT_009	FAORRES_FUCOUT_009_C	VARCHAR2
	FAORRES_FUCOUT_009	VARCHAR2
FAORRES_FUCMADE_009 - FAORRES_FUCNCRS_009	FAORRES_FUCNCRS_009	VARCHAR2

file:///C:/Users/angelm31/AppData/Local/Apps/2.0/AX9PJ5GO.TCM/4409YYKQ.KNQ/orac..90.0_919f856034ae8f10_0007.... 10/23/2025

CO_FUCCOM_009	CO_FUCCOM_009	VARCHAR2
	CO_FUCCOM_009_ND	VARCHAR2

C4591076: UNPLANNED ASSESSMENT OF REACTOGENICITY (U REACT) [CECISR072]					
Reactogenicity - Unplanned Assessment [CECISR01072]					
1.*	Date of Assessment: [Date of Assessment]		[Y_CEDTC_072] (DD/MM/YYYY) Req / Req / Req (2025-2026)		
	Reaction	Injection Site Location	Injection Site Body Side	Maximum Diameter	Meets Grade 4 Reaction Criteria
2.					Meets Grade 3 Reaction Criteria
Injection Site Reactions Entry [CECISR02072]					
2.1*	Reaction: [Reaction]		[CETERM_072] [A:1] ☐ REDNESS [A:2] ☐ SWELLING		
2.2	Injection Site Location: <i>[read-only]</i> [Injection Site Location]		[Y_CELOC_072] [A:744] ☐ DELTOID MUSCLE		
2.3*	Injection Site Body Side: [Injection Site Body Side]		[Y_CELAT_072] [A:5] ☐ LEFT [A:6] ☐ RIGHT		
2.4*	Maximum Diameter (cm): [Maximum Diameter]		[FAORRES_MAXDIAM_072] xxx.		
2.5*	Meets Grade 4 Reaction Criteria: [Meets Grade 4 Reaction Criteria]		[FAORRES_G4CRIMET_072] [A:N] ☐ NO [A:Y] ☐ YES		
2.6*	Meets Grade 3 Reaction Criteria: [Meets Grade 3 Reaction Criteria]		[FAORRES_G3CRIMET_072] [A:N] ☐ NO [A:Y] ☐ YES		
	Reaction	Injection Site Location	Injection Site Body Side	Symptom Severity	
3.					
Injection Site Pain Entry [CECISR03072]					
3.1	Reaction: <i>[read-only]</i> [Reaction]		[CETERM1_072] [A:12] ☐ PAIN AT INJECTION SITE		
3.2	Injection Site Location: <i>[read-only]</i> [Injection Site Location]		[Y_CELOC1_072] [A:744] ☐ DELTOID MUSCLE		
3.3*	Injection Site Body Side: [Injection Site Body Side]		[Y_CELAT1_072] [A:5] ☐ LEFT [A:6] ☐ RIGHT		
3.4*	Severity: [Symptom Severity]		[FAORRES_SEV_072] [A:1] ☐ MILD [A:2] ☐ MODERATE [A:3] ☐ [FAORRES1_G4CRIMET_CMP_072] ☐ SEVERE [FAORRES1_G4CRIMET_072] Meets Grade 4 Criteria: [A:N] ☐ NO [A:Y] ☐ YES		
	Symptom		Symptom Severity		
4.					
Systemic Symptoms Entry [CECISR04072]					
4.1*	Symptom: [Symptom]		[CETERM2_072] [CETERM2_CL_072]		
4.2*	Severity: [Symptom Severity]		[FAORRES1_SEV_072] [A:1] ☐ MILD [A:2] ☐ MODERATE [A:3] ☐ [FAORRES2_G4CRIMET_CMP_072] ☐ SEVERE [FAORRES2_G4CRIMET_072]		

Meets Grade 4 Criteria:
[A:N] ☐ NO
[A:Y] ☐ YES

Key: [*] = Item is required [] = Item is collapsible
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Codelist Values Tables: UNPLANNED ASSESSMENT OF REACTOGENICITY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM2_CL_072	String		HEADACHE	3	cliCISRJ_HEADACHE	CETERM2_072
			VOMITING	4	cliCISRJ_VOMITING	
			DIARRHEA	6	cliCISRJ_DIARRHEA	
			MUSCLE PAIN	9	cliCISRJ_MUSCLE_PAIN	
			JOINT PAIN	11	cliCISRJ_JOINT_PAIN	
			CHILLS	14	cliCISRJ_CHILLS	
			FATIGUE	7	cliCISRJ_FATIGUE	

RDE Analytics: RD_CECISR072		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_072	Y_CEDTC_072	DATE
	Y_CEDTC_072_DTS	VARCHAR2
	Y_CEDTC_072_ND	VARCHAR2
RD_CECISR072_CECISR02072		
CETERM_072	CETERM_072_C	VARCHAR2
	CETERM_072	VARCHAR2
	CETERM_072_ND	VARCHAR2
Y_CELOC_072	Y_CELOC_072_C	VARCHAR2
	Y_CELOC_072	VARCHAR2
	Y_CELOC_072_ND	VARCHAR2
Y_CELAT_072	Y_CELAT_072_C	VARCHAR2
	Y_CELAT_072	VARCHAR2
	Y_CELAT_072_ND	VARCHAR2
FAORRES_MAXDIAM_072	FAORRES_MAXDIAM_072	FLOAT
	FAORRES_MAXDIAM_072_ND	VARCHAR2
FAORRES_G4CRIMET_072	FAORRES_G4CRIMET_072_C	VARCHAR2
	FAORRES_G4CRIMET_072	VARCHAR2
	FAORRES_G4CRIMET_072_ND	VARCHAR2
FAORRES_G3CRIMET_072	FAORRES_G3CRIMET_072_C	VARCHAR2
	FAORRES_G3CRIMET_072	VARCHAR2
	FAORRES_G3CRIMET_072_ND	VARCHAR2
RD_CECISR072_CECISR03072		
CETERM1_072	CETERM1_072_C	VARCHAR2
	CETERM1_072	VARCHAR2
	CETERM1_072_ND	VARCHAR2
Y_CELOC1_072	Y_CELOC1_072_C	VARCHAR2
	Y_CELOC1_072	VARCHAR2
	Y_CELOC1_072_ND	VARCHAR2
Y_CELAT1_072	Y_CELAT1_072_C	VARCHAR2

	Y_CELAT1_072	VARCHAR2
	Y_CELAT1_072_ND	VARCHAR2
FAORRES_SEV_072	FAORRES_SEV_072_C	VARCHAR2
	FAORRES_SEV_072	VARCHAR2
	FAORRES_SEV_072_ND	VARCHAR2
FAORRES_SEV_072 - FAORRES1_G4CRIMET_072	FAORRES1_G4CRIMET_072_C	VARCHAR2
	FAORRES1_G4CRIMET_072	VARCHAR2
RD_CECISR072_CECISR04072		
CETERM2_072	CETERM2_072_C	VARCHAR2
	CETERM2_072	VARCHAR2
	CETERM2_072_ND	VARCHAR2
FAORRES1_SEV_072	FAORRES1_SEV_072_C	VARCHAR2
	FAORRES1_SEV_072	VARCHAR2
	FAORRES1_SEV_072_ND	VARCHAR2
FAORRES1_SEV_072 - FAORRES2_G4CRIMET_072	FAORRES2_G4CRIMET_072_C	VARCHAR2
	FAORRES2_G4CRIMET_072	VARCHAR2

C4591076: UNPLANNED ASSESSMENT OF REACTOGENICITY (U REACT2) [CECISR072_1]					
Reactogenicity - Unplanned Assessment [CECISR01072_1]					
1.*	Date of Assessment: [Date of Assessment]	[Y_CEDTC_072_1] (DD/MM/YYYY) Req ▼ / Req ▼ / Req ▼ (2025-2026)			
2.	Reaction	Injection Site Location	Injection Site Body Side	Maximum Diameter	Meets Grade 4 Reaction Criteria
Injection Site Reactions Entry [CECISR02072_1]					
2.1*	Reaction: [Reaction]	[CETERM_072_1] [A:1] ☐ REDNESS [A:2] ☐ SWELLING			
2.2	Injection Site Location: <i>[read-only]</i> [Injection Site Location]	[Y_CELOC_072_1] [A:744] ☐ DELTOID MUSCLE			
2.3*	Injection Site Body Side: [Injection Site Body Side]	[Y_CELAT_072_1] [A:5] ☐ LEFT [A:6] ☐ RIGHT			
2.4*	Maximum Diameter (cm): [Maximum Diameter]	[FAORRES_MAXDIAM_072_1] xxx.			
2.5*	Meets Grade 4 Reaction Criteria: [Meets Grade 4 Reaction Criteria]	[FAORRES_G4CRIMET_072_1] [A:N] ☐ NO [A:Y] ☐ YES			
3.	Reaction	Injection Site Location	Injection Site Body Side	Symptom Severity	
Injection Site Pain Entry [CECISR03072_1]					
3.1	Reaction: <i>[read-only]</i> [Reaction]	[CETERM1_072_1] [A:12] ☐ PAIN AT INJECTION SITE			
3.2	Injection Site Location: <i>[read-only]</i> [Injection Site Location]	[Y_CELOC1_072_1] [A:744] ☐ DELTOID MUSCLE			
3.3*	Injection Site Body Side: [Injection Site Body Side]	[Y_CELAT1_072_1] [A:5] ☐ LEFT [A:6] ☐ RIGHT			
3.4*	Severity: [Symptom Severity]	[FAORRES_SEV_072_1] [A:1] ☐ MILD [A:2] ☐ MODERATE [A:3] ☐ [FAORRES1_G4CRIMET_CMP_072_1] ☐ SEVERE [FAORRES1_G4CRIMET_072_1] Meets Grade 4 Criteria: [A:N] ☐ NO [A:Y] ☐ YES			
4.	Symptom		Symptom Severity		
Systemic Symptoms Entry [CECISR04072_1]					
4.1*	Symptom: [Symptom]	[CETERM2_072_1] [CETERM2_CL_072_1] ▼			
4.2*	Severity: [Symptom Severity]	[FAORRES1_SEV_072_1] [A:1] ☐ MILD [A:2] ☐ MODERATE [A:3] ☐ [FAORRES2_G4CRIMET_CMP_072_1] ☐ SEVERE [FAORRES2_G4CRIMET_072_1] Meets Grade 4 Criteria: [A:N] ☐ NO [A:Y] ☐ YES			

Key: [*] = Item is required [] = Item is collapsible

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Codelist Values Tables: UNPLANNED ASSESSMENT OF REACTOGENICITY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CETERM2_CL_072_1	String		HEADACHE	3	cliCISRJ_HEADACHE	CETERM2_072_1
			VOMITING	4	cliCISRJ_VOMITING	
			DIARRHEA	6	cliCISRJ_DIARRHEA	
			MUSCLE PAIN	9	cliCISRJ_MUSCLE_PAIN	
			JOINT PAIN	11	cliCISRJ_JOINT_PAIN	
			CHILLS	14	cliCISRJ_CHILLS	
			FATIGUE	7	cliCISRJ_FATIGUE	

RDE Analytics: RD_CECISR072_1		
Data Variable RefName	RD Column Name	Column Data Type
Y_CEDTC_072_1	Y_CEDTC_072_1	DATE
	Y_CEDTC_072_1_DTS	VARCHAR2
	Y_CEDTC_072_1_ND	VARCHAR2
*RD_CECISR072_1_CECISR02072_1		
CETERM_072_1	CETERM_072_1_C	VARCHAR2
	CETERM_072_1	VARCHAR2
	CETERM_072_1_ND	VARCHAR2
Y_CELOC_072_1	Y_CELOC_072_1_C	VARCHAR2
	Y_CELOC_072_1	VARCHAR2
	Y_CELOC_072_1_ND	VARCHAR2
Y_CELAT_072_1	Y_CELAT_072_1_C	VARCHAR2
	Y_CELAT_072_1	VARCHAR2
	Y_CELAT_072_1_ND	VARCHAR2
FAORRES_MAXDIAM_072_1	FAORRES_MAXDIAM_072_1	FLOAT
	FAORRES_MAXDIAM_072_1_ND	VARCHAR2
FAORRES_G4CRIMET_072_1	FAORRES_G4CRIMET_072_1_C	VARCHAR2
	FAORRES_G4CRIMET_072_1	VARCHAR2
	FAORRES_G4CRIMET_072_1_ND	VARCHAR2
*RD_CECISR072_1_CECISR03072_1		
CETERM1_072_1	CETERM1_072_1_C	VARCHAR2
	CETERM1_072_1	VARCHAR2
	CETERM1_072_1_ND	VARCHAR2
Y_CELOC1_072_1	Y_CELOC1_072_1_C	VARCHAR2
	Y_CELOC1_072_1	VARCHAR2
	Y_CELOC1_072_1_ND	VARCHAR2
Y_CELAT1_072_1	Y_CELAT1_072_1_C	VARCHAR2
	Y_CELAT1_072_1	VARCHAR2
	Y_CELAT1_072_1_ND	VARCHAR2
FAORRES_SEV_072_1	FAORRES_SEV_072_1_C	VARCHAR2
	FAORRES_SEV_072_1	VARCHAR2
	FAORRES_SEV_072_1_ND	VARCHAR2
FAORRES_SEV_072_1 - FAORRES1_G4CRIMET_072_1	FAORRES1_G4CRIMET_072_1_C	VARCHAR2

	FAORRES1_G4CRIMET_072_1	VARCHAR2
*RD_CECISR072_1_CECISR04072_1		
CETERM2_072_1	CETERM2_072_1_C	VARCHAR2
	CETERM2_072_1	VARCHAR2
	CETERM2_072_1_ND	VARCHAR2
FAORRES1_SEV_072_1	FAORRES1_SEV_072_1_C	VARCHAR2
	FAORRES1_SEV_072_1	VARCHAR2
	FAORRES1_SEV_072_1_ND	VARCHAR2
FAORRES1_SEV_072_1 - FAORRES2_G4CRIMET_072_1	FAORRES2_G4CRIMET_072_1_C	VARCHAR2
	FAORRES2_G4CRIMET_072_1	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4591076: PARTICIPANT-REPORTED REACTOGENCITY (PARREACT) - Repeating Form [FAVSD065]									
#	Date of Missed Diary	Local Reaction Indicator	Symptom Indicator	Temperature	Unit	Injection Site Location	Injection Site Body Side	Local Reaction-Choose a reaction only if it occurred	Symptoms-Choose a symptom only if it occurred
1									
Participant-Reported Reactogenicity [FAVSD01065]									
1.*	Date of Missed Diary: [Date of Missed Diary]		[Y_SUPPFA_VSDMDTC_065] (DD/MM/YYYY) Req v / Req v / Req v (2025-2026)						
2.*	Did the participant report any local reactions? [Local Reaction Indicator]		[X_FAORRES_LOCREIND_065] [A:Y] ☐ YES [A:N] ☐ NO						
3.*	Did the participant report any symptoms? [Symptom Indicator]		[X_FAORRES_SYMPINDC_065] [A:Y] ☐ YES [A:N] ☐ NO						
4.*	Highest temperature for the day: [Temperature]		[VSORRES_TEMP_065] xxxx.						
5.*	Unit: [Unit]		[VSORRESU_TEMP_065] [A:4] ☐ C [A:6] ☐ F						
6.	Injection Site Location: <i>[read-only]</i> [Injection Site Location]		[FALOC_065] [A:744] ☐ DELTOID MUSCLE						
7.*	Injection Site Body Side: [Injection Site Body Side]		[FALAT_065] [A:5] ☐ LEFT [A:6] ☐ RIGHT						
	Reaction						Diameter		
8.									
Local Reaction-Choose a reaction only if it occurred Entry [FAVSD02065]									
8.1*	Reaction: [Reaction]		[FAOBJ_065] [A:1] ☐ REDNESS [A:2] ☐ SWELLING						
8.2*	Diameter (Caliper Units): [Diameter]		[FAORRES_DIAMETER_065] N2						
	Symptom						Severity		
9.									
Symptoms-Choose a symptom only if it occurred Entry [FAVSD03065]									
9.1*	Symptom: [Symptom]		[FAOBJ1_065] [FAOBJ1_CL_065] v						
9.2*	Severity: [Severity]		[FAORRES_SEV_065] [A:1] ☐ MILD [A:2] ☐ MODERATE [A:3] ☐ SEVERE						
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.									

Codelist Values Tables: PARTICIPANT-REPORTED REACTOGENCITY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
FAOBJ1_CL_065	String		CHILLS	3	clivSDK_CHILLS	FAOBJ1_065
			FATIGUE	8	clivSDK_FATIGUE	
			HEADACHE	9	clivSDK_HEADACHE	
			PAIN AT INJECTION SITE	22	clivSDK_PAIN_AT_INJECTION_SITE	
			MUSCLE PAIN	15	clivSDK_MUSCLE_PAIN	
			JOINT PAIN	13	clivSDK_JOINT_PAIN	

		VOMITING	25	cliVSDK_VOMITING	
		DIARRHEA	7	cliVSDK_DIARRHEA	

RDE Analytics: RD_FAVSD065		
Data Variable RefName	RD Column Name	Column Data Type
Y_SUPPPFA_VSDMDTC_065	Y_SUPPPFA_VSDMDTC_065	DATE
	Y_SUPPPFA_VSDMDTC_065_DTS	VARCHAR2
	Y_SUPPPFA_VSDMDTC_065_ND	VARCHAR2
X_FAORRES_LOCREIND_065	X_FAORRES_LOCREIND_065_C	VARCHAR2
	X_FAORRES_LOCREIND_065	VARCHAR2
	X_FAORRES_LOCREIND_065_ND	VARCHAR2
X_FAORRES_SYMPINDC_065	X_FAORRES_SYMPINDC_065_C	VARCHAR2
	X_FAORRES_SYMPINDC_065	VARCHAR2
	X_FAORRES_SYMPINDC_065_ND	VARCHAR2
VSORRES_TEMP_065	VSORRES_TEMP_065	FLOAT
	VSORRES_TEMP_065_ND	VARCHAR2
VSORRESU_TEMP_065	VSORRESU_TEMP_065_C	VARCHAR2
	VSORRESU_TEMP_065	VARCHAR2
	VSORRESU_TEMP_065_ND	VARCHAR2
FALOC_065	FALOC_065_C	VARCHAR2
	FALOC_065	VARCHAR2
	FALOC_065_ND	VARCHAR2
FALAT_065	FALAT_065_C	VARCHAR2
	FALAT_065	VARCHAR2
	FALAT_065_ND	VARCHAR2
RD_FAVSD065_FAVSD02065		
FAOBJ_065	FAOBJ_065_C	VARCHAR2
	FAOBJ_065	VARCHAR2
	FAOBJ_065_ND	VARCHAR2
FAORRES_DIAMETER_065	FAORRES_DIAMETER_065	NUMBER
	FAORRES_DIAMETER_065_ND	VARCHAR2
RD_FAVSD065_FAVSD03065		
FAOBJ1_065	FAOBJ1_065_C	VARCHAR2
	FAOBJ1_065	VARCHAR2
	FAOBJ1_065_ND	VARCHAR2
FAORRES_SEV_065	FAORRES_SEV_065_C	VARCHAR2
	FAORRES_SEV_065	VARCHAR2
	FAORRES_SEV_065_ND	VARCHAR2

C4591076: VITAL SIGNS - TEMP (VIT TEMP) [VS001_1]

Vital Signs - I [VS01001_1]

1.

Category for Vital Signs: *[read-only]*
[Category for Vital Signs]

[VSCAT_001_1]
[A:4] ☐ REACTOGENICITY-UNPLANNED TEMPERATURE

2.*

Date:
[Date]

[VSDTC_001_1] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2025-2026)

Vital Signs - II [VS02001_1]

#

Record Identifier

Temperature*

Temperature Unit*

3.a 1

Vital Signs - II Entry [VS02001_1]

3.1

Record Identifier: *[read-only]*
[Record Identifier]

[VSSPID_001_1]
[A:1] ☐ 1

3.2*

Temperature:
[Temperature]

[VSORRES_TEMP_001_1]
xxxx.

3.3*

Unit:
[Temperature Unit]

[VSORRESU_TEMP_001_1]
[A:6] ☐ F
[A:4] ☐ C

Key: [*] = Item is required ☐ = Fixed item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS - TEMP		
Type	RefName	Description
Form	VS001_1	VS001 - Vital Signs - Wide Format
Item	VSDTC_001_1	The date the measurement was performed.
Item	VSSPID_001_1	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_TEMP_001_1	Temperature
Item	VSORRESU_TEMP_001_1	Temperature Unit

RDE Analytics: RD_VS001_1		
Data Variable RefName	RD Column Name	Column Data Type
VSCAT_001_1	VSCAT_001_1_C	VARCHAR2
	VSCAT_001_1	VARCHAR2
	VSCAT_001_1_ND	VARCHAR2
VSDTC_001_1	VSDTC_001_1	DATE
	VSDTC_001_1_DTS	VARCHAR2
	VSDTC_001_1_ND	VARCHAR2
RD_VS001_1_VS02001_1		
VSSPID_001_1	VSSPID_001_1_C	VARCHAR2
	VSSPID_001_1	VARCHAR2
	VSSPID_001_1_ND	VARCHAR2
VSORRES_TEMP_001_1	VSORRES_TEMP_001_1	FLOAT
	VSORRES_TEMP_001_1_ND	VARCHAR2
VSORRESU_TEMP_001_1	VSORRESU_TEMP_001_1_C	VARCHAR2
	VSORRESU_TEMP_001_1	VARCHAR2
	VSORRESU_TEMP_001_1_ND	VARCHAR2

C4591076: WITHDRAWAL OF CONSENT (WOC) [DS001_7]		
Withdrawal Of Consent [DS01001_7]		
1.*	Date of Withdrawal of Consent: [Date]	[DSSTDTC_001_7] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2026)
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: WITHDRAWAL OF CONSENT		
Type	RefName	Description
Item	DSSTDTC_001_7	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_7		
Data Variable	RefName	RD Column Name
DSSTDTC_001_7		Column Data Type
		DSSTDTC_001_7
		DATE
		DSSTDTC_001_7_DTS
		VARCHAR2
		DSSTDTC_001_7_ND
		VARCHAR2

C4591076: DEATH DETAILS (DTH DTL) [DD002]		
Death Details [DD01002]		
1.*	Date of Collection / Notification of Death: [Date of Collection / Notification of Death]	[DDDTC_002] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2026)
2.*	Date of Death: [Date of Death]	[R_DDDTHDTC_002] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2025-2026)
Cause of Death Status		Cause of Death
3.		
Death Details Entry [DD02002]		
3.1*	Cause of Death Status: [Cause of Death Status]	[DDTEST_002] [A:1] ☐ PRIMARY CAUSE OF DEATH [A:2] ☐ SECONDARY CAUSE OF DEATH
3.2*	Cause of Death: [Cause of Death]	[DDORRES_002] A200*
3.3	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM6_002] A200*
3.4	Lowest Level Term [hidden] [Lowest Level Term]	[SUPPDD_DDLT_002] A100*
3.5	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[SUPPDD_DDLTCD_002] A8*
3.6	Dictionary-Derived Term [hidden] [Dictionary-Derived Term]	[SUPPDD_DDDECOD_002] A100*
3.7	Preferred Term Code [hidden] [Preferred Term Code]	[SUPPDD_DDPTCD_002] A8*
3.8	High Level Term [hidden] [High Level Term]	[SUPPDD_DDHLT_002] A100*
3.9	High Level Term Code [hidden] [High Level Term Code]	[SUPPDD_DDHLTCD_002] A8*
3.10	High Level Group Term [hidden] [High Level Group Term]	[SUPPDD_DDHLGT_002] A100*
3.11	High Level Group Term Code [hidden] [High Level Group Term Code]	[SUPPDD_DDHLGTCD_002] A8*
3.12	Primary System Organ Class [hidden] [Primary System Organ Class]	[SUPPDD_DDSOC_002] A100*
3.13	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[SUPPDD_DDSOCCD_002] A8*
Key: [*] = Item is required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: DEATH DETAILS		
Type	RefName	Description

Form	DD002	DEATH DETAILS CODED
------	-------	---------------------

Coding Summary: DEATH DETAILS		
Verbatim RefName: DDORRES_002		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPDD_DDSOC_002	SOC	Term
SUPPDD_DDSOCCD_002	SOC	Code
SUPPDD_DDHLGT_002	HLGT	Term
SUPPDD_DDHLGTCD_002	HLGT	Code
SUPPDD_DDHLT_002	HLT	Term
SUPPDD_DDHLTCD_002	HLT	Code
SUPPDD_DDDECOD_002	PT	Term
SUPPDD_DDPTCD_002	PT	Code
SUPPDD_DDLLT_002	LLT	Term
SUPPDD_DDLLTCD_002	LLT	Code

RDE Analytics: RD_DD002		
Data Variable RefName	RD Column Name	Column Data Type
DDDTC_002	DDDTC_002	DATE
	DDDTC_002_DTS	VARCHAR2
	DDDTC_002_ND	VARCHAR2
R_DDDTHDTC_002	R_DDDTHDTC_002	DATE
	R_DDDTHDTC_002_DTS	VARCHAR2
	R_DDDTHDTC_002_ND	VARCHAR2
RD_DD002_DD02002		
DDTEST_002	DDTEST_002_C	VARCHAR2
	DDTEST_002	VARCHAR2
	DDTEST_002_ND	VARCHAR2
DDORRES_002	DDORRES_002	VARCHAR2
	DDORRES_002_ND	VARCHAR2
D_COMPTERM6_002	D_COMPTERM6_002	VARCHAR2
	D_COMPTERM6_002_ND	VARCHAR2
SUPPDD_DDLLT_002	SUPPDD_DDLLT_002	VARCHAR2
	SUPPDD_DDLLT_002_ND	VARCHAR2
SUPPDD_DDLLTCD_002	SUPPDD_DDLLTCD_002	VARCHAR2
	SUPPDD_DDLLTCD_002_ND	VARCHAR2
SUPPDD_DDDECOD_002	SUPPDD_DDDECOD_002	VARCHAR2
	SUPPDD_DDDECOD_002_ND	VARCHAR2
SUPPDD_DDPTCD_002	SUPPDD_DDPTCD_002	VARCHAR2
	SUPPDD_DDPTCD_002_ND	VARCHAR2
SUPPDD_DDHLT_002	SUPPDD_DDHLT_002	VARCHAR2
	SUPPDD_DDHLT_002_ND	VARCHAR2
SUPPDD_DDHLTCD_002	SUPPDD_DDHLTCD_002	VARCHAR2
	SUPPDD_DDHLTCD_002_ND	VARCHAR2
SUPPDD_DDHLGT_002	SUPPDD_DDHLGT_002	VARCHAR2
	SUPPDD_DDHLGT_002_ND	VARCHAR2

SUPPDD_DDHLGTCD_002	SUPPDD_DDHLGTCD_002	VARCHAR2
	SUPPDD_DDHLGTCD_002_ND	VARCHAR2
SUPPDD_DDSOC_002	SUPPDD_DDSOC_002	VARCHAR2
	SUPPDD_DDSOC_002_ND	VARCHAR2
SUPPDD_DDSOCCD_002	SUPPDD_DDSOCCD_002	VARCHAR2
	SUPPDD_DDSOCCD_002_ND	VARCHAR2

C4591076: DISPOSITION - TREATMENT (DISP TRT) [DS001_5]

Disposition - Treatment [DS01001_5]

1.*

Date of Completion/Discontinuation/Death:
[Date]

[DSSTDTC_001_5] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2025-2026)

2.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_5]

[A:29] ☐ VACCINATION

3.*

Status:
[Status]

[DSDECOD_001_5]

[DSDECOD_CL_001_5] ☐

4.

Specify Status:
[Specify Status]

[DSTERM_001_5]

A100★

Key: [*] = Item is required [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - TREATMENT		
Type	RefName	Description
Item	DSSTDTC_001_5	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5	Specify Status

Codelist Values Tables: DISPOSITION - TREATMENT						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5	String		ADVERSE EVENT	1	cliINCOMPLT_ADVERSE_EVENT	DSDECOD_001_5
			COMPLETED	2	cliINCOMPLT_COMPLETED	
			DEATH	3	cliINCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	cliINCOMPLT_LOSTTOFOLLOWUP	
			OTHER	7	cliINCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cliINCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	cliINCOMPLT_PREGNANCY	
			PROTOCOL DEVIATION	11	cliINCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cliINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	17	cliINCOMPLT_MEDIC_ERROR_WITHOUT_ASSOCIATED_ADVERSEEVENT	
			NO LONGER MEETS ELIGIBILITY CRITERIA	18	cliINCOMPLT_NO_LONGER_MEETS_ELIGIBILITY_CRITERIA	
			REACTOGENICITY EVENT	34	cliINCOMPLT_REACTOGENICITY_EVENT	

RDE Analytics: RD_DS001_5		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_5	DSSTDTC_001_5	DATE
	DSSTDTC_001_5_DTS	VARCHAR2
	DSSTDTC_001_5_ND	VARCHAR2
SUPPDS_DSPHASE_001_5	SUPPDS_DSPHASE_001_5_C	VARCHAR2
	SUPPDS_DSPHASE_001_5	VARCHAR2
	SUPPDS_DSPHASE_001_5_ND	VARCHAR2
DSDECOD_001_5	DSDECOD_001_5_C	VARCHAR2
	DSDECOD_001_5	VARCHAR2
	DSDECOD_001_5_ND	VARCHAR2
DSTERM_001_5	DSTERM_001_5	VARCHAR2

	DSTERM_001_5_ND	VARCHAR2
--	-----------------	----------

C4591076: DISPOSITION - FOLLOW-UP (DISP FUP) [DS001_6]

Disposition - Follow-Up [DS01001_6]

1.*

Date of Completion/Discontinuation/Death:
[Date]

[DSSTDTC_001_6] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2025-2026)

2.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_6]

[A:1] ☒ FOLLOW-UP

3.*

Status:
[Status]

[DSDECOD_001_6]

[DSDECOD_CL_001_6] ☐

4.

Specify Status:
[Specify Status]

[DSTERM_001_6]

A100★

Key: [*] = Item is required [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Item	DSSTDTC_001_6	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_6	Specify Status

Codelist Values Tables: DISPOSITION - FOLLOW-UP						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_6	String		ADVERSE EVENT	1	cliINCOMPLT_ADVERSE_EVENT	DSDECOD_001_6
			COMPLETED	2	cliINCOMPLT_COMPLETED	
			DEATH	3	cliINCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	cliINCOMPLT_LOSTTOFOLLOWUP	
			OTHER	7	cliINCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cliINCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	cliINCOMPLT_PREGNANCY	
			PROTOCOL DEVIATION	11	cliINCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cliINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	17	cliINCOMPLT_MEDIC_ERROR_WITHOUT_ASSOCIATED_ADVERSEEVENT	
			NO LONGER MEETS ELIGIBILITY CRITERIA	18	cliINCOMPLT_NO_LONGER_MEETS_ELIGIBILITY_CRITERIA	
			REACTOGENICITY EVENT	34	cliINCOMPLT_REACTOGENICITY_EVENT	

RDE Analytics: RD_DS001_6		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_6	DSSTDTC_001_6	DATE
	DSSTDTC_001_6_DTS	VARCHAR2
	DSSTDTC_001_6_ND	VARCHAR2
SUPPDS_DSPHASE_001_6	SUPPDS_DSPHASE_001_6_C	VARCHAR2
	SUPPDS_DSPHASE_001_6	VARCHAR2
	SUPPDS_DSPHASE_001_6_ND	VARCHAR2
DSDECOD_001_6	DSDECOD_001_6_C	VARCHAR2
	DSDECOD_001_6	VARCHAR2
	DSDECOD_001_6_ND	VARCHAR2
DSTERM_001_6	DSTERM_001_6	VARCHAR2

	DSTERM_001_6_ND	VARCHAR2
--	-----------------	----------

C4591076: SUBJECT STATUS (SUBJSTAT) [X_DS_SLOPD001]

Subject Status [X_DS_SLOPD01001]

1. Subject Status *[read-only]*
[Subject Status]

[X_DS_STAT_001]
[X_DS_STAT_CL_001] ▼

2. Subject Status Date *[read-only]*
[Status Date]

[X_DS_DAT_001] (DD/MM/YYYY)
Req ▼ / Req ▼ / Req ▼ (2025-2026)

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: SUBJECT STATUS		
Type	RefName	Description
Form	X_DS_SLOPD001	DS_SLOPD - Subject Status

Codelist Values Tables: SUBJECT STATUS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
X_DS_STAT_CL_001	String		SCREENED	1	cliDS_STAT_SCREENED	X_DS_STAT_001
			SCREEN FAIL	2	cliDS_STAT_SCREEN_FAIL	
			ENROLLED/RANDOMIZED	3	cliDS_STAT_ENROLLED_RANDOMIZED	
			DISCONTINUED	4	cliDS_STAT_DISCONTINUED	
			COMPLETED	5	cliDS_STAT_COMPLETED	
			FOLLOW-UP	6	cliDS_STAT_FOLLOW_UP	

RDE Analytics: RD_X_DS_SLOPD001		
Data Variable RefName	RD Column Name	Column Data Type
X_DS_STAT_001	X_DS_STAT_001_C	VARCHAR2
	X_DS_STAT_001	VARCHAR2
	X_DS_STAT_001_ND	VARCHAR2
X_DS_DAT_001	X_DS_DAT_001	DATE
	X_DS_DAT_001_DTS	VARCHAR2
	X_DS_DAT_001_ND	VARCHAR2

file:///C:/Users/angelm31/AppData/Local/Apps/2.0/AX9PJ5GO.TCM/4409YYKQ.KNQ/orac..90.0_919f856034ae8f10_0007.... 10/23/2025

C4591076: CASEBOOK SIGNATURE FORM (INVSIG) [D_IS001]		
Casebook Signature Form [D_IS01001]		
1.*	Casebook Signature [Casebook Signature]	[D_INVSIG_001] [A:1]  Click Here to Enable
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_IS001		
Data Variable RefName	RD Column Name	Column Data Type
D_INVSIG_001	D_INVSIG_001_C	VARCHAR2
	D_INVSIG_001	VARCHAR2
	D_INVSIG_001_ND	VARCHAR2

InForm Special Properties For Study Design: C4591076			
InForm Special Property	Property Type	Data Object RefName	Data Object Path RefName
Screening	Visit	SYSSCR	SYSSCR
Enrollment	Visit	SYSENR	SYSENR
Screening	Form	D_INFSCR001	SYSSCR.D_INFSCR001
Enrollment	Form	D_INFENR001	SYSENR.D_INFENR001
Patient Identification	Form	DM001	V1_DAY1_VAX.DM001
Study Completion	Form	Unassigned	Unassigned
Reg Docs	Form	Unassigned	Unassigned
Visit Report	Form	Unassigned	Unassigned
Visit Approval	Form	Unassigned	Unassigned
Initials (Screening)	Item	D_SCRINIT_001	SYSSCR.D_INFSCR001.D_INFSCR01001.D_SCRINIT_001
DOB (Screening)	Item	Unassigned	Unassigned
Screening date (Screening)	Item	Unassigned	Unassigned
Patient No. (Enrollment)	Item	D_SUBJID_001	V1_DAY1_VAX.DM001.DM01001.D_SUBJID_001 SYSENR.D_INFENR001.D_INFENR01001.D_SUBJID_001
Initials (Patient Identification)	Item	Unassigned	Unassigned
Completion status (Study Completion)	Item	Unassigned	Unassigned
Drop out reason (Study Completion)	Item	Unassigned	Unassigned
DOV (Date of Visit)	Item	SVSTDTC_001	UNPL.SV001.SV01001.SVSTDTC_001 V1_DAY1_VAX.SV001.SV01001.SVSTDTC_001 V2_WEEK2_FUP.SV001.SV01001.SVSTDTC_001 POT_COVID_ILL.SV001_1.SV01001.SVSTDTC_001 V203_MONTH6.SV001.SV01001.SVSTDTC_001 POT_CARDIAC_ILL.SV001.SV01001.SVSTDTC_001 V201_DAY1_VAX.SV001.SV01001.SVSTDTC_001 V202_MONTH1.SV001.SV01001.SVSTDTC_001 V3_MONTH1.SV001.SV01001.SVSTDTC_001 V4_MONTH6.SV001.SV01001.SVSTDTC_001 POT_COVID_REPEAT_SWAB.SV001_2.SV01001.SVSTDTC_001
Randomization field (Randomization)	Item	Unassigned	Unassigned

Personal/Protected Health Information Table: C4591076		
Item RefName	Section RefName	Form RefName
No items have been defined as "Personal/Protected Health Information".		
Please note: emails sent from the trial server by the InForm application are not encrypted. If you are subject to HIPAA requirements, you should identify and block all Personal/Protected Health Information items that may be included in email notifications.		

Unit Conversions For Study Design: C4591076

No unit conversion data.

Review States for Study: C4591076

No Review States have been defined.

In-place Revisions Summary Table: C4591076						
Deployment Instance: C4591076_LIVE						
Data Object RefName	Type	Actual Change Path	Description	Study Version	Path	
IE01002	Section	IE002.IE01002		C4591076 2.0.2	IE002.IE01002.*	
				C4591076 2.0.23	IE002.IE01002.*	
				C4591076 3.0.2	IE002.IE01002.*	
IE02002	Section	IE002.IE02002		C4591076 2.0.2	IE002.IE02002.*	
				C4591076 2.0.23	IE002.IE02002.*	
				C4591076 3.0.2	IE002.IE02002.*	

Custom Events for Study Design: C4591076

No custom events have been defined.