



Study Design Specifications Template Completion Instructions

This template is used to capture details regarding the study design required in support of your clinical protocol. The following details are required. Please do not alter the structure or formatting of the existing worksheets; do not delete standard columns or change column headers.

Worksheet	Detailed Instructions
Document Version History	Complete the Document version history tab following the instructions provided on the tab. ASB (Annotated Study Book) mock up should be referenced in this section along with a summary of changes.
Time And Events	Complete Time and Events with the list of unique forms and provide the Study Design Specifications (SDS) in the ticket to initiate database build in Central Designer. Please follow instructions on the Time and Events tab to complete the various sections.
Dynamics	Record Dynamics specifications for forms and for visits. Dynamic specifications should be finalized prior to SDS approval. Dynamics is a cumulative tab. Update as appropriate and use formatting effects strikethrough functionality for dynamics that are deleted. Record updates on the Document Version History tab. Enter NA in the first column first row if there are no Dynamics applicable. Please follow instructions on the Dynamics tab to complete sections.
Display Overrides	Record Display Overrides for Rights Groups that differ from 'Item Default Display Override' documented in the ASB. This tab should be used if a User Group (known as a Rights Group) should be given a different display override than item default. For example, Serious Adverse Event Number is set to 'read only' as the default but should be updated to 'enterable' for Study Data Set Manager (SDSM) and Lead Data Manager (LDM) Rights Group. Display overrides specifications should be finalized prior to SDS approval. Display Overrides is a cumulative tab. Update as appropriate and use formatting effects strikethrough functionality for overrides that are deleted. Record updates on the Document Version History tab. Enter NA in the first column first row if there are no Display Overrides applicable. Please follow instructions on the Display Overrides tab to complete sections.
DSOPI-CAL Reference	Record the Randomization, subject status information. Column headers should not be changed but can add rows when necessary.
SRDM Reference	Get the latest SRDM reference from PMDR and modify the rows when necessary. Column headers should not be changed. The rows which are necessary for the study should be highlighted in yellow.
Non-CRF Data	This tab is to be populated with data type and the vendor name used for the study. Create a row for each data type and vendor name. The Data Review Tier column for non-CRF data should be completed assessing the entire set of external data (eg, central lab, ECG) module by module.



DMB07-GSOP-RF23 9.0 STUDY DESIGN SPECIFICATIONS TEMPLATE FOR INFORM

Data Review Tier	Percentage of SDV is a product of the IQMP white boarding process where discussions with the study team determine the appropriate level of SDV required for your study. Data review details are to be populated at SDS finalization with an export from Central Designer (Custom Metadata Report). See the Optimizing Data Review training for a full definition of each data tier.
Study Specific DMW Spec	Optional Tab: Only for studies with approval to deviate from the Standard build that will need to document study specific SRDM changes. Studies using standard DMW mapping should delete this unused, optional tab.
The SDS tabs are color coded as follows:	
Tab Color	Completion Details
Grey	Informational; no changes required.
Yellow	Populated during build or when updates are required after Study Design Specs have been approved. Check for completion/accuracy at time of finalization/sign off.
Green	Populated at finalization/sign off by export from Central Designer by Data Management. See detailed instructions in the Oracle Central Designer for the Clinical Data Scientist: User Guide document.



C4591076

Document Version History

NOTE: Amendments made to study design specifications should be documented here with summary or reason for the changes with any study amendment. This description should be detailed and specific.

Version	Author	Date	Updated SDS tab (if applicable)	Summary / Reason for Change(s)	Protocol / Amendment Approval Date for this SDS version
V1.0	Tifani Dawson	10-Jun-2025	Not Applicable	Initial Version	Initial Protocol 31MAY2025
V1.1	Tifani Dawson	12-Jun-2025	Display Overrides	Added: CESOD006_2: CEPRESP_006_2	Initial Protocol 31MAY2025
V1.1	Tifani Dawson	12-Jun-2025	Data Review Tier	Updated 'Item Display Override': CEPRESP_006_1, CEPRESP_006_2, CEPRESP_006_3, CEPRESP_006_4, CEPRESP_006_5, CEPRESP_006_6, CEPRESP_006_7, CEPRESP_006_8, CEPRESP_006_8 to Hidden Updated 'Item Display Override': AECAT_001, Y-CELAT1_072, CMCAT_001, LBNAM_001_4, LBORRES_001_4, LBNAM_001_4_1, LBORRES_001_4_1, D_LBORRES_001_5 and TRIGRESP3_001 to None Updated 'Item Display Override': AECAT_001_1, Y_CELOC_072, Y_CELOC1_072, CETERM_006, CETERM_006_1, CETERM_006_2, CETERM_006_3, CETERM_006_4, CETERM_006_5, CETERM_006_6, CETERM_006_7, CETERM_006_8, CETERM_006_9, X_CELOC_019, X_CELOC_019_1, R_AGEU_001, SUPPDS_DSPHASE_001_4, SUPPDS_DSPHASE_001_5, SUPPDS_DSPHASE_001_6, D_AGEU_001, ECDOSFRM_001_2, ECLOC_001_2, ECROUTE_001_2, X_ECDOSE_001_2, ECDOSU_001_2, FACAT_009, FAORRES_FUCTYPE_009, FALOC_065, PRTRT_007, LBTEST_001_4, LBTEST_001_4_1, LBCAT_001_8, LBSPID_001_8, LBNAM_001_8, LBTEST_001_8, LBSPEC_001_8, LBCAT_001_8_1, LBSPID_001_8_1, LBTEST_001_8_1, LBSPEC_001_8_1, LBCAT_001_9, LBSPID_001_9, LBTEST_001_9, LBSPEC_001_9, PRTRT_001_9 to Read Only	Initial Protocol 31MAY2025
V1.1	Anil Gage	13-Jun-2025	Dynamics	1. GC11_POT_COVID_ILL_HOHOS007: Rule name updated and CRF TRIGGER FORM – MIS-C CASE CRITERIA (R_TRIG001_2) removed from column F. 2. New dynamic rule (GC29_POT_COVID_ILL_R_TRIG001_2) added on row#35	Initial Protocol 31MAY2025
V1.1	Tifani Dawson	13-Jun-2025	Display Overrides	Removed CM001_2: CMCAT_001_2 duplicate entry from SITEHIDDEN and added CM001: CMCAT_001 to SITEHIDDEN	Initial Protocol 31MAY2025
V1.1	Tifani Dawson	16-Jun-2025	Display Overrides	Added: PR001: PRPRES_001	Initial Protocol 31MAY2025
V1.1	Tifani Dawson	16-Jun-2025	Data Review Tier	Added: PR001: PRPRES_001	Initial Protocol 31MAY2025

PFIZER GENERAL BUSINESS

TMF Doc ID: 920.01

Staff must always refer to and follow the current official electronic document repository version.

Document created on QMS04-GSOP-SD-GL07 8.0 CMCD Forms Template Excel

3 of 22



DMB07-GSOP-RF23 9.0 STUDY DESIGN SPECIFICATIONS TEMPLATE FOR INFORM

V1.2	Tifani Dawson	18-Jun-2025	Time and Events	Updated IMAGING (CAR) to IMAGING - CAR	Initial Protocol 31MAY2025
V1.2	Tifani Dawson	18-Jun-2025	Dynamics	WF1_POT_CARDIAC_ILL_TRIG_FORMS- updated Column F IMAGING - CAR GC6_LB001_5- updated Column E and F to R_TRIGRESP4_001_1 GC9_UNPL- updated Column E to FAORRES_FUCOUT_009	Initial Protocol 31MAY2025

PFIZER GENERAL BUSINESS

TMF Doc ID: 920.01

Staff must always refer to and follow the current official electronic document repository version.

Document created on QMS04-GSOP-SD-GL07 8.0 CMCD Forms Template Excel

C4591076

PFIZER GENERAL BUSINESS
TMF Doc ID: 926.01
Staff must always refer to and follow the current official electronic document repository version.
Document created on QMS04-GSOP-SD-GL07 8.0 CMCD Forms Template Excel
5 of 22



DYNAMIC FORMS & VISITS

C4591076

Global Condition / Workflow Rule Name	Trigger Form Title	Trigger Visit	Trigger Item Question(s)	Item RefName(s)	Target Form Title(s)	Target Visit	Logic
GC24_POT_COVID_REPEAT_SWAB	DATE OF VISIT- ILLNESS	POT_COV_ILL	Date of Visit	SVSTDTC_001	DATE OF VISIT- REPEAT SWABS	POT_COVID_REPEAT_SWAB	If response to R_TRIGRESP2_001 [at V1_DAY1_VAX or V201_DAY1_VAX] 'Select appropriate response - Did subject meet all eligibility criteria?' = 'SUBJECT MET ALL ELIGIBILITY CRITERIA' and 'If DSDECOD_001_4 = COMPLETED on Disposition - Screening form' and If SVSTDTC_001(DATE OF VISIT- ILLNESS) is completed then dynamically trigger visit described in column G, and form described in column F.
GC47_POT_COVID_REPEAT_SWAB	DEMOGRAPHY TRIGGER FORM – MIS-C INCLUSION	V1_DAY1_VAX POT_COVID_ILL	AGE Select appropriate response - Does the subject Laboratory markers show one or more inflammation?	AGE_001 R_TRIGRESP8_001_7	LABORATORY DATA - HEMATOLOGY BIOMARKER (LB001_9_1)	POT_COVID_ILL	If AGE_001 is < 21 on the DEMOGRAPHY form at V1_DAY1_VAX and R_TRIGRESP8_001_7 = Subject has Hematologic Symptoms, then dynamically trigger the forms as described in column F for visit described in column G.



DMB07-GSOP-RF23 9.0 STUDY DESIGN SPECIFICATIONS TEMPLATE FOR INFORM

Display Overrides

C4591076

Item Group	Updated Display Override Value	Forms and Item RefName(s)
Coders Read Only Fields	Read Only: Coder	CESOD006: CETERM1_006 CESOD006_1: CETERM1_006_1 CESOD006_3: CETERM1_006_3 CESOD006_4: CETERM1_006_4 CESOD006_5: CETERM1_006_5 CESOD006_6: CETERM1_006_6 CESOD006_7: CETERM1_006_7 CESOD006_8: CETERM1_006_8 CESOD006_9: CETERM1_006_9 CESOD006_10: CETERM1_006_10 CESOD006_11: CETERM1_006_11 CESOD006_12: CETERM1_006_12 CESOD006_13: CETERM1_006_13 DD002: DDTEST_002, DDORRES_002 MH001: MHSPID_001, MHTERM_001, MHSTDTC_001, X_MHONGO_001

PFIZER GENERAL BUSINESS

TMF Doc ID: 920.01

Staff must always refer to and follow the current official electronic document repository version.

Document created on QMS04-GSOP-SD-GL07 8.0 CMCD Forms Template Excel

Coding	Read Only: Lead Data Manager, Study Data Set Manager, Read Only,TMS Query, Clinical, Medical Tech Editable: Coder, CODINGTEST_UAT, DatabaseBuilder_ UAT	AE001: D_COMPTERM2_001, AELLT_001, AELLTCD_001, AEDECOD_001, AEPTCD_001, AEHLT_001, AEHLTCD_001, AEHLGT_001, AEHLGTCD_001, AESOC_001, AESOCCD_001 AE001_1: D_COMPTERM2_001_1, AELLT_001_1, AELLTCD_001_1, AEDECOD_001_1, AEPTCD_001_1, AEHLT_001_1, AEHLTCD_001_1, AEHLGT_001_1, AEHLGTCD_001_1, AESOC_001_1, AESOCCD_001_1 CEIDT008: D_COMPTERM_008, CELLT_008, CELLTCD_008, CEDECOD_008, CEPTCD_008, CEHLT_008, CEHLTCD_008, CEHLGT_008, CEHLGTCD_008, CESOC_008, CESOCCD_008 CEIDT008_1: D_COMPTERM_008_1, CELLT_008_1, CELLTCD_008_1, CEDECOD_008_1, CEPTCD_008_1, CEHLT_008_1, CEHLTCD_008_1, CEHLGT_008_1, CEHLGTCD_008_1, CESOC_008_1, CESOCCD_008_1 CESOD006: D_COMPTERM_006 , CELLT_006 , CELLTCD_006, CEDECOD_006 , CEPTCD_006 , CEHLT_006, CEHLTCD_006, CEHLGT_006, CEHLGTCD_006, CESOC_006, CESOCCD_006 CESOD006_1: D_COMPTERM_006_1 , CELLT_006_1 , CELLTCD_006_1, CEDECOD_006_1 , CEPTCD_006_1 , CEHLT_006_1, CEHLTCD_006_1, CEHLGT_006_1, CEHLGTCD_006_1, CESOC_006_1, CESOCCD_006_1 CESOD006_3: D_COMPTERM_006_3 , CELLT_006_3 , CELLTCD_006_3, CEDECOD_006_3 , CEPTCD_006_3 , CEHLT_006_3, CEHLTCD_006_3, CEHLGT_006_3, CEHLGTCD_006_3, CESOC_006_3, CESOCCD_006_3 CESOD006_4: D_COMPTERM_006_4 , CELLT_006_4 , CELLTCD_006_4, CEDECOD_006_4 , CEPTCD_006_4 , CEHLT_006_4, CEHLTCD_006_4, CEHLGT_006_4, CEHLGTCD_006_4, CESOC_006_4, CESOCCD_006_4 CESOD006_5: D_COMPTERM_006_5 , CELLT_006_5 , CELLTCD_006_5, CEDECOD_006_5 , CEPTCD_006_5 , CEHLT_006_5, CEHLTCD_006_5, CEHLGT_006_5, CEHLGTCD_006_5, CESOC_006_5, CESOCCD_006_5 CESOD006_6: D_COMPTERM_006_6 , CELLT_006_6 , CELLTCD_006_6, CEDECOD_006_6 , CEPTCD_006_6 , CEHLT_006_6, CEHLTCD_006_6, CEHLGT_006_6, CEHLGTCD_006_6, CESOC_006_6, CESOCCD_006_6 CESOD006_7: D_COMPTERM_006_7 , CELLT_006_7 , CELLTCD_006_7, CEDECOD_006_7 , CEPTCD_006_7 , CEHLT_006_7, CEHLTCD_006_7, CEHLGT_006_7, CEHLGTCD_006_7, CESOC_006_7, CESOCCD_006_7 CESOD006_8: D_COMPTERM_006_8 , CELLT_006_8 , CELLTCD_006_8, CEDECOD_006_8 , CEPTCD_006_8 , CEHLT_006_8, CEHLTCD_006_8, CEHLGT_006_8, CEHLGTCD_006_8, CESOC_006_8, CESOCCD_006_8 CESOD006_9: D_COMPTERM_006_9 , CELLT_006_9 , CELLTCD_006_9, CEDECOD_006_9 , CEPTCD_006_9 , CEHLT_006_9, CEHLTCD_006_9, CEHLGT_006_9, CEHLGTCD_006_9, CESOC_006_9, CESOCCD_006_9
--------	---	---



DMB07-GSOP-RF23 9.0 STUDY DESIGN SPECIFICATIONS TEMPLATE FOR INFORM

SITEHIDDEN	Read Only: Lead Data Manager, Study Data Set Manager, Read Only, Medical Tech Hidden: Site Data Entry, Principal Investigator with Entry, Principal Investigator, Sub Investigator, Sub Investigator with Signature, Site Monitor	AE001_1: AECAT_001_1 CECISR072: Y_CELOC_072, CETERM1_072, Y_CELOC1_072 CECISR072_1: Y_CELOC_072_1, CETERM1_072_1, Y_CELOC1_072_1 CEIDT008: CECAT_008 CEIDT008_1: CECAT_008_1 CESOD006: CEPRESP_006 CESOD006_1: CEPRESP_006_1 CESOD006_2: CEPRESP_006_2 CESOD006_3: CEPRESP_006_3 CESOD006_4: CEPRESP_006_4 CESOD006_5: CEPRESP_006_5 CESOD006_6: CEPRESP_006_6 CESOD006_7: CEPRESP_006_7 CESOD006_8: CEPRESP_006_8 CESOD006_9: CEPRESP_006_9 CESOD006_10: CEPRESP_006_10 CESOD006_11: CEPRESP_006_11 CESOD006_12: CEPRESP_006_12 CESOD006_13: CEPRESP_006_13 CESOR019: X_CELOC_019
Repeating Section	Editable: Coder	CESOD006: CESOD03006 CESOD006_1: CESOD03006_1 CESOD006_3: CESOD03006_3 CESOD006_4: CESOD03006_4 CESOD006_5: CESOD03006_5 CESOD006_6: CESOD03006_6 CESOD006_7: CESOD03006_7 CESOD006_8: CESOD03006_8 CESOD006_9: CESOD03006_9 CESOD006_10: CESOD03006_10 CESOD006_11: CESOD03006_11 CESOD006_12: CESOD03006_12 CESOD006_13: CESOD03006_13 DD002: DD02002 MH001: MH02001



DSOPI-CAL REFERENCE

C4591076

Studyid	Model Attribute Name	Model Name	Source Table	Source Variable	Condition
C4591076	Randomization Number	RANDNUM	DS001_3	DSREFID_001_3	
C4591076	Date of Randomization	RANDDT	DS001_3	DSSTDTC_001_3	
C4591076	Date Subject Discontinued	DISCDT	X_DS_SLOPD001	X_DS_DAT_001	WHERE X_DS_STAT_001 ='DISCONTINUED'
C4591076	Date Subject Completed Study	COMPDT	X_DS_SLOPD001	X_DS_DAT_001	WHERE X_DS_STAT_001 ='COMPLETED'
C4591076	Date Subject Enrolled in Study	ENRLDT	DS001	DSSTDTC_001	WHERE SUPPDS_DSCSOBT_001 ='OBTAINED'
C4591076	Date Subject Entered Active Treatment	TRTDT	EC001_2	MIN(ECSTDTC_001_2)	WHERE ECSTDTC_001_2 IS NOT NULL
C4591076	Subject Reason for Withdrawal	WDRLREA	DS001_4	DSDECOD_001_4	WHERE DSDECOD_001_4 <> 'COMPLETED'
C4591076	Subject Withdrawal Timeframe	WDRLPHS	DS001_4	SUPPDS_DSPHASE_001	WHERE DSDECOD_001_4 <> 'COMPLETED'
C4591076	Subject Reason for Withdrawal	WDRLREA	DS001_5	DSDECOD_001_5	WHERE DSDECOD_001_5 <> 'COMPLETED'
C4591076	Subject Withdrawal Timeframe	WDRLPHS	DS001_5	SUPPDS_DSPHASE_001	WHERE DSDECOD_001_5 <> 'COMPLETED'
C4591076	Subject Reason for Withdrawal	WDRLREA	DS001_6	DSDECOD_001_6	WHERE DSDECOD_001_6 <> 'COMPLETED'
C4591076	Subject Withdrawal Timeframe	WDRLPHS	DS001_6	SUPPDS_DSPHASE_001	WHERE DSDECOD_001_6 <> 'COMPLETED'
C4591076	Date of Subject Screen Failure	SCRFAILDT	X_DS_SLOPD001	X_DS_DAT_001	WHERE X_DS_STAT_001 ='SCREEN FAIL'
C4591076	Subject Status	SUBSTAT	X_DS_SLOPD001	X_DS_STAT_001	
C4591076	Status Date	STATDT	X_DS_SLOPD001	X_DS_DAT_001	

PFIZER GENERAL BUSINESS

TMF Doc ID: 920.01

Staff must always refer to and follow the current official electronic document repository version.

Document created on QMS04-GSOP-SD-GL07 8.0 CMCD Forms Template Excel

10 of 22



SRDM REFERENCE																		
C4591076																		
FORMREFNAME	ITEMREFNAME	VALUE	* Check default value for study	Study Specific Comments	Builder comments													
CECISR072	Y_CECAT_072	UNPLANNED ASSESSMENT OF REACTOGENICITY																
CECISR072	FAORRESU_MAXDIAM_072	cm																
CECISR072	Y_CEEVAL_072	INVESTIGATOR																
CESOD006	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF POTENTIAL CARDIAC DISEASE	Initial DBA													
CESOD006	Y_CESCAT_006	CARDIAC	*	SIGNS AND SYMPTOMS OF POTENTIAL CARDIAC DISEASE	Initial DBA													
CESOD006	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF POTENTIAL COVID-19	Initial DBA													
CESOD006	Y_CESCAT_006	RESPIRATORY ILLNESS		SIGNS AND SYMPTOMS OF POTENTIAL COVID-19	Initial DBA													
CESOD006	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF MIS-C FEVER	Initial DBA													
CESOD006	Y_CESCAT_006	FEVER		SIGNS AND SYMPTOMS OF MIS-C FEVER	Initial DBA													
CESOD006	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF MIS-C CARDIAC	Initial DBA													
CESOD006	Y_CESCAT_006	CARDIAC		SIGNS AND SYMPTOMS OF MIS-C CARDIAC	Initial DBA													
CESOD006	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF MIS-C RENAL	Initial DBA													
CESOD006	Y_CESCAT_006	RENAL		SIGNS AND SYMPTOMS OF MIS-C RENAL	Initial DBA													
CESOD006	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF MIS-C RESPIRATORY	Initial DBA													
CESOD006	Y_CESCAT_006	RESPIRATORY		SIGNS AND SYMPTOMS OF MIS-C RESPIRATORY	Initial DBA													
CESOD006	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF MIS-C HEMATOLOGIC	Initial DBA													
CESOD006	Y_CESCAT_006	HEMATOLOGIC		SIGNS AND SYMPTOMS OF MIS-C HEMATOLOGIC	Initial DBA													
CESOD006	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF MIS-C GASTROINTESTINAL	Initial DBA													
CESOD006	Y_CESCAT_006	GASTROINTESTINAL		SIGNS AND SYMPTOMS OF MIS-C GASTROINTESTINAL	Initial DBA													
CESOD006	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF MIS-C DERMATOLOGIC	Initial DBA													
CESOD006	Y_CESCAT_006	DERMATOLOGIC		SIGNS AND SYMPTOMS OF MIS-C DERMATOLOGIC	Initial DBA													
CESOD006	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF MIS-C NEUROLOGICAL	Initial DBA													
CESOD006	Y_CESCAT_006	NEUROLOGICAL		SIGNS AND SYMPTOMS OF MIS-C NEUROLOGICAL	Initial DBA													
CESOR019	Y_CECAT_019	REACTOGENICITY																
CESOR019	SUPPCE_CSTDIS_019	Y																
CESOR019	CEACNOth_019	Y		MEDICALLY ATTENDED														
CESOR019	CESER_019	Y																
CESOR019_1	CECAT_IMM_019	IMMEDIATE REACTION																
CVECH003_1	CVCAT_003	ECHOCARDIOGRAM ASSESSMENT	*															
DD002	DDCAT_002	DEATH DETAILS																
DM001	AGEU_001	YEARS		* CDS: If combination of multiple AGE units used in study, (Hours, Weeks, Days, Months, years), make note in Study specific comments														
DS001	DSCAT_001	PROTOCOL MILESTONE	*	For use with Informed Consent and Additional Consents. If collecting Additional Consents, DSCAT = OTHER EVENT if the consent is optional per protocol design. If the Additional Consent is required for every subject, DSCAT = PROTOCOL MILESTONE														
DS001	DSDECOD_001	INFORMED CONSENT OBTAINED		For use with Informed Consent and Additional Consents														
DS001	DSTERM_001	SUBSTUDY	*	For use with Additional Consent. Update DSTERM with the type of Additional Consent														
DS001_3	DSCAT_001	PROTOCOL MILESTONE		For use with Randomization														
DS001_3	DSDECOD_001	RANDOMIZED		For use with Randomization														
DS001_4	DSCAT_001	DISPOSITION EVENT	*	For use with Disposition - Screening														
DS001_5	DSCAT_001	DISPOSITION EVENT	*	For use with Disposition - Treatment														
DS001_6	DSCAT_001	DISPOSITION EVENT	*	For use with Disposition - Follow-up														
DS001_7	DSCAT_001	OTHER EVENT		For use with Withdrawal of Consent														
DS001_7	DSDECOD_001	WITHDRAWAL OF CONSENT		For use with Withdrawal of Consent														
EC001_2	ECCAT_001	INVESTIGATIONAL PRODUCT																
EC001_2	ECSCAT_001	VACCINATION	*	For use with Vaccination														
EG001_3	EGEVAL_001	INVESTIGATOR																
EG001_3	EGCAT_001	ECG ASSESSMENT																
EG001_3	EGSCAT_001	LOCALLY READ ECGS																
FAVSD065	Y_FACAT_065	REACTOGENICITY																
FAVSD065	Y_FAEVAL_065	STUDY SUBJECT																
FAVSD065	FAORRESU_DIAMETER_065	Caliper unit																
HOHCU002	Y_HOCAT_002	HEALTHCARE UTILIZATION ASSESSMENT																
LBOXY004	LBCAT_004	OXYGENATION PARAMETERS																
LBOXY004	LBORRESU_PO2_004	mmHg																
MBMIB002	Y_MBCAT_002	CONFIRMATION OF INFECTION																
MH001	MHCAT_001	GENERAL MEDICAL HISTORY	*	For use with General Medical History Other acceptable values are: PRIMARY DIAGNOSIS-ADJUDICATION SECONDARY DIAGNOSIS-ADJUDICATION														
PRO01	PRCAT_001	GENERAL NON-DRUG TREATMENT																
PRO01_4	PRCAT_001	GENERAL NON-DRUG TREATMENT																
PRO01_5	PRCAT_001	GENERAL NON-DRUG TREATMENT																
PRTFD002	PRCAT_002	TRANSFUSIONS																
V5001_2	VSORRESU_SYSP_001	mmHg		Note to DBB: if VSORRES_SYSP_001 not collected in study, unmap in SRDM and mark as 'Not Used'														
V5001_2	VSORRESU_DIABP_001	mmHg		For use with Systolic Blood Pressure is collected														
V5001_2	VSORRESU_RESP_001	breaths/min																
V5001_2	VSORRESU_OXYSAT_001	%																
V5001_2	VSORRESU_HR_001	beats/min																
V5001	VSORRESU_BMI_001	kg/m2																
MBMIB002_2	Y_MBCAT_002	CONFIRMATION OF INFECTION																
RPPMD064	Y_RPCAT_064	POTENTIAL MENSES DISTURBANCE																
RPPMD064	RPORRESU_MENARAGE_064	YEARS																
RPPMD064	RPEVLINT_CONTRIND_064	L-P1Y	*															



RPPMD064	RPEVLINT MENREG 064	.P12M	*														
RPPMD064	FAEVLINT TAMPMAXN 064	.PT24H	*														
RPPMD064	RPORRESU BLDSPHA 064	DAYS															
RPPMD064	RPORRESU MENSOURA 064	DAYS															
RPPMD064	FAORRESU BLDSPN 064	DAYS															
CVECH003_1	SUPPCV_ECHLVLLU_003	%															
PRCAR078_1	Y_PRCAT_078	CLINICAL ASSESSMENT OF RADIOGRAPHS - IMAGING															
			Note to DBB: if VSORRES_SYSBP_001 not collected in study, unmap in SRDM and mark as 'Not Used'														
VS001_3	VSORRESU_SYSBP_001	mmHg		For use with Systolic Blood Pressure is collected													
VS001_3	VSORRESU_DIABP_001	mmHg															
VS001_3	VSORRESU_BMI_001	kg/m2															
VS001_3	VSORRESU_PULSE_001	beats/min															
CESOD006_10	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF MIS-C DERMATOLOGIC													
CESOD006_10	Y_CESCAT_006	DERMATOLOGIC		SIGNS AND SYMPTOMS OF MIS-C DERMATOLOGIC													
MBMIB002_3	Y_MBCAT_002	CONFIRMATION OF INFECTION															
CECISR072_1	Y_CECAT_072	UNPLANNED ASSESSMENT OF REACTOGENICITY			Kindly remove the suffix from itemrefname :JR: Suffix removed												
CECISR072_1	FAORRESU_MAXDIAM_072	cm			Kindly remove the suffix from itemrefname :JR: Suffix removed												
CECISR072_1	Y_CEEVAL_072	INVESTIGATOR			Kindly remove the suffix from itemrefname :JR: Suffix removed												
CESOD006_11	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF MIS-C CARDIAC													
CESOD006_11	Y_CESCAT_006	CARDIAC		SIGNS AND SYMPTOMS OF MIS-C CARDIAC													
CESOD006_12	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF MIS-C GASTROINTESTINAL													
CESOD006_12	Y_CESCAT_006	GASTROINTESTINAL		SIGNS AND SYMPTOMS OF MIS-C GASTROINTESTINAL													
CESOD006_13	Y_CECAT_006	SIGNS AND SYMPTOMS OF DISEASE		SIGNS AND SYMPTOMS OF MIS-C DERMATOLOGIC													
CESOD006_13	Y_CESCAT_006	DERMATOLOGIC		SIGNS AND SYMPTOMS OF MIS-C DERMATOLOGIC													



Non-CRF Data

C4591076

Data Type	Vendor Name	Data Review Tier
Reactogenicity eDiary	SIGNANT HEALTH	Critical
Immunogenicity	TRULAB	Critical
Immunogenicity (200_VARD2L_A, 200_VARD2L_S)	VRD	Critical



Data Review Tier

C4591076

Percentage of SDV:	Record % of SDV for study- e.g. 10% here:			0%	
Form RefName	Form Title	Item RefName	Item Title	Item Question	Item Display Override

STUDY SPECIFIC DMW SPEC

C4591076

INFORM STD							SRDM STG			SRDM																		
Study ID	Source Model	Source Dataset	Column Name	Column Description	Datatype	Length	SRDM_STG Dataset	Column Name	SRDM_STG Mapping Logic	SRDM Target Dataset	SRDM Mapping Logic	Column Name	Column Description	Data Type	Length	POSITION	Oracle Name	SAS Name	SAS Format	SAS Label	Nullable	Filter / SDTM	Column Alias	Masking Level(COLUMN/CELL)	Masking Value	Masking Criteria	Programming Notes	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SM_VARD002	Join the SM_SV001 table with VARD002_STG with SUBJECTNUMBERSTR = SUBJECTNUMBERSTR and VISITREFNAME = VISITREFNAME	VISITREFNAME		VARCHAR2				VISITREFNAME	VISITREFNAME		Visit Name	No	Visit (VISIT)				VISITREFNAME from the "SM_SV001" will be used instead of VISITREFNAME from "004_INF_META_STG"	
C4591076	005_INF_OPER STD	IRV_CUR_SUBJECT	SITEID		NUMBER					SM_VARD002	Only joined where SUBJECTNUMBERSTR is present in IRV_CUR_SUBJECT (enrolled in Inform). Otherwise, record does not transform to SRDM.	SITEID		NUMBER			SITEID	SITEID	BEST32	Site Numeric Identifier (System)	No						Join between 005_INF_OPER STD.IRV_CUR_SUBJECT and 005_INF_OPER STD.IRV_CUR_SITE to be an INNER join. I.e. both Table1 and Table 2 Outer Join = false.	
C4591076	005_INF_OPER STD	IRV_CUR_SUBJECT	SUBJECTNUMBERSTR		VARCHAR2		VARD002_STG	SUBJECTNUMBERSTR	Direct	SM_VARD002	Only joined where SUBJECTNUMBERSTR is present in IRV_CUR_SUBJECT (enrolled in Inform). Otherwise, record does not transform to SRDM.	SUBJECTNUMBERSTR		VARCHAR2			SUBJECTNUMBERSTR	SUBJECTNUMBERSTR	\$20.00	Subject Identifier	No						Join between 007_SRDMS_STG.VARD002_STG and 005_INF_OPER STD.IRV_CUR_SUBJECT to be an INNER join. I.e. both Table1 and Table 2 Outer Join = false.	
C4591076	005_INF_OPER STD	IRV_CUR_SUBJECT	SITEID	NA	NUMBER	NA	NA	NA	NA	SM_BEETR0012	Inner join where SUBJECTNUMBERSTR is present in IRV_CUR_SUBJECT (enrolled in Inform). Otherwise, record does not transform to SRDM.	SITEID	Study Center Number	NUMBER	NA	NA	SITEID	SITEID	BEST32	Site Numeric Identifier (System)	No	NA	NA	NA	NA	NA	Join between 005_INF_OPER STD.IRV_CUR_SUBJECT and 005_INF_OPER STD.IRV_CUR_SITE is an INNER join. I.e. both Table1 and Table 2 Outer Join = false.	For Table1
C4591076	005_INF_OPER STD	IRV_CUR_SUBJECT	SUBJECTID	NA	NUMBER	NA	NA	NA	NA	SM_BEETR0012	Inner join where SUBJECTNUMBERSTR is present in IRV_CUR_SUBJECT (enrolled in Inform). Otherwise, record does not transform to SRDM.	SUBJECTID	Subject Numeric Identifier (System)	NUMBER	NA	NA	SUBJECTID	SUBJECTNUMBERSTR	BEST32	Subject Numeric Identifier (System)	No	USUBJID	NA	NA	NA	NA	Join between SRDM STG table and 005_INF_OPER STD.IRV_CUR_SUBJECT is an INNER join. I.e. both Table1 and Table 2 Outer Join = false.	For Table1
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	SV001_STG	N/A		SM_SV001	UNION 003_INF_STG.D_SV001, SV001_1, SV001_2	JOIN 007_SRDMS_STG.SV001_STG	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	007_SRDMS_STG.SV001_STG is created at study level. 003_INF_STG.SV001, SV001_1, SV001_2 are UNIONED into SV001_STG	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	R_TRIG001_STG	N/A		SM_R_TRIG001	JOIN 007_SRDMS_STG.R_TRIG001_STG	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	007_SRDMS_STG.R_TRIG001_STG is created at study level. 003_INF_STG.R_TRIG001, R_TRIG001_1, R_TRIG001_2, R_TRIG001_3 and R_TRIG001_4 are UNIONED into R_TRIG001_STG	
C4591076	003_INF STD	LB001_8_LB0001_8 LB001_9_LB0001_9 LB001_8_1_LB0001_1 LB001_4_LB0001_4 LB001_4_1_LB0001_4_1	LBORRESU_001_8 LBORRESU_001_8_C	UNION All 003_INF_STG.D.LB repeating section, JOIN Flat and Repeating tables	VARCHAR2		LB_STG LB001_LB001_3_001_STG	LBORRESU_001_C		SM_LB001	JOIN 007_SRDMS_STG.LB_STG	LBORRESU_001_C	UNH	VARCHAR2	3	56		LBORRESU_001_C	LBORRESU_001_C	\$3.00	LBORRESU_001_C	Yes				LBORRESU_001_C	This column is needed for COVID study purposes as a code list was associated with LBORRESU_001 amongst the 18 pages. LBORRESU_001_C is added to tables LB001_8_LB0001_8, LB001_9_LB0001_9, LB001_8_1_LB0001_1, LB001_4_LB0001_4, LB001_4_1_LB0001_4_1 in 003_INF STD then all the Unit Codes are Unioned and mapped to LB001_LB0001_STG.	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SM_CEIDT008	JOIN 007_SRDMS_STG.CEIDT008_STG	VISITID	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	If form is in visit (POT_COVID_ILL, POT_COVID_REPEAT_SWAB) and 'COVID-19 illness visit' is not NULL, replace VISITID with D_RIVISIT_001_C, otherwise keep system generated VISITID NVL(0, NUMBERSV001_STG.D_RIVISIT_001_C, CEIDT008_STG.VISITID)	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SM_CEIDT008	JOIN 007_SRDMS_STG.CEIDT008_STG	VISITREFNAME	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	If form is in visit (POT_COVID_ILL, POT_COVID_REPEAT_SWAB) and 'COVID-19 illness visit' is not NULL, replace VISITREFNAME with D_RIVISIT_001_C, otherwise keep system generated VISITREFNAME NVL(0, NUMBERSV001_STG.D_RIVISIT_001_C, CEIDT008_STG.VISITREFNAME)	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SM_CESOD006	JOIN 007_SRDMS_STG.CESOD006_F_STG	VISITID	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	If form is in visit (POT_COVID_ILL, POT_COVID_REPEAT_SWAB) and 'COVID-19 illness visit' is not NULL, replace VISITID with D_RIVISIT_001_C, otherwise keep system generated VISITID NVL(0, NUMBERSV001_STG.D_RIVISIT_001_C, CESOD006_F_STG.VISITID)	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SM_CESOD006	JOIN 007_SRDMS_STG.CESOD006_F_STG	VISITREFNAME	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	If form is in visit (POT_COVID_ILL, POT_COVID_REPEAT_SWAB) and 'COVID-19 illness visit' is not NULL, replace VISITREFNAME with D_RIVISIT_001_C, otherwise keep system generated VISITREFNAME NVL(0, NUMBERSV001_STG.D_RIVISIT_001_C, CESOD006_F_STG.VISITREFNAME)	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SM_CM001	JOIN 007_SRDMS_STG.CM001_J_STG	VISITID	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	If form is in visit (POT_COVID_ILL, POT_COVID_REPEAT_SWAB) and 'COVID-19 illness visit' is not NULL, replace VISITID with D_RIVISIT_001_C, otherwise keep system generated VISITID NVL(0, NUMBERSV001_STG.D_RIVISIT_001_C, CM001_J_STG.VISITID)	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SM_CM001	JOIN 007_SRDMS_STG.CM001_J_STG	VISITREFNAME	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	If form is in visit (POT_COVID_ILL, POT_COVID_REPEAT_SWAB) and 'COVID-19 illness visit' is not NULL, replace VISITREFNAME with D_RIVISIT_001_C, otherwise keep system generated VISITREFNAME NVL(0, NUMBERSV001_STG.D_RIVISIT_001_C, CM001_J_STG.VISITREFNAME)	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SM_HOHC002	JOIN 003_INF STD.HOHC002	VISITID	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	If form is in visit (POT_COVID_ILL, POT_COVID_REPEAT_SWAB) and 'COVID-19 illness visit' is not NULL, replace VISITID with D_RIVISIT_001_C, otherwise keep system generated VISITID NVL(0, NUMBERSV001_STG.D_RIVISIT_001_C, HOHC002.VISITID)	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SM_HOHC002	JOIN 003_INF STD.HOHC002	VISITREFNAME	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	If form is in visit (POT_COVID_ILL, POT_COVID_REPEAT_SWAB) and 'COVID-19 illness visit' is not NULL, replace VISITREFNAME with D_RIVISIT_001_C, otherwise keep system generated VISITREFNAME NVL(0, NUMBERSV001_STG.D_RIVISIT_001_C, HOHC002.VISITREFNAME)	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SM_HOHO507	JOIN 007_SRDMS_STG.HOHO507_STG	VISITID	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	If form is in visit (POT_COVID_ILL, POT_COVID_REPEAT_SWAB) and 'COVID-19 illness visit' is not NULL, replace VISITID with D_RIVISIT_001_C, otherwise keep system generated VISITID NVL(0, NUMBERSV001_STG.D_RIVISIT_001_C, HOHO507_STG.VISITID)	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SM_HOHO507	JOIN 007_SRDMS_STG.HOHO507_STG	VISITREFNAME	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	If form is in visit (POT_COVID_ILL, POT_COVID_REPEAT_SWAB) and 'COVID-19 illness visit' is not NULL, replace VISITREFNAME with D_RIVISIT_001_C, otherwise keep system generated VISITREFNAME NVL(0, NUMBERSV001_STG.D_RIVISIT_001_C, HOHO507_STG.VISITREFNAME)	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SM_LB001	JOIN 007_SRDMS_STG.LB_STG	VISITID	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	If form is in visit (POT_COVID_ILL, POT_COVID_REPEAT_SWAB) and 'COVID-19 illness visit' is not NULL, replace VISITID with D_RIVISIT_001_C, otherwise keep system generated VISITID NVL(0, NUMBERSV001_STG.D_RIVISIT_001_C, LB_STG.VISITID)	
C4591076	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SM_LB001	JOIN 007_SRDMS_STG.LB_STG	VISITREFNAME	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	If form is in visit (POT_COVID_ILL, POT_COVID_REPEAT_SWAB) and 'COVID-19 illness visit' is not NULL, replace VISITREFNAME with D_RIVISIT_001_C, otherwise keep system generated VISITREFNAME NVL(0, NUMBERSV001_STG.D_RIVISIT_001_C, LB_STG.VISITREFNAME)	











