

Annotated Study Book

C4591081

Date generated:

Feb 2, 2026 02:16 PM UTC+0



Protocol Number	C4591081_V5.0.0
Study Version	V5.0.0
NCT Number	3.4
IND/IDE Number	NCI 20240927

Table of Contents

Section	Page Number
Events	3
Instruments	61
Link Definitions	—
Clinical Models	—
Clinical Tables	—
Data Lineage	—
Common Variables	—
Study Maps	—
Checks	—
Reference Tables	—
Other Descriptive Metadata	747

Events

V1 Day 1 Vax 1

V1 Day 1 Vax 1	
Unique Event Name:	V1_DAY1_VAX1
Event Description:	
Event Type:	Static
Max Repeats Allowed:	1
Day Schedule:	0
Event Date Window:	Day 0 to Day 0
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.2)
	✓ DM001 (0.43)
	✓ DS001 (0.2)
	R_TRIG001 (0.39)
	✓ IE002 (0.10)
	✓ DS001_1 (0.8)
	✓ DS001_4 (0.17)
	✓ MH001 (0.25)
	SU001 (0.61)

	✓✓ CM001_2 (0.70)
	R_TRIG001_2 (0.16)
	LB001_5 (0.41)
	VS001 (0.43)
	DS001_3 (0.9)
	✓✓ EC001_2 (0.71)
	X_SAS001 (0.5)
	✓✓ CESOR019_1 (0.17)
	✓✓ AE001 (0.114)
	✓✓ HOMAE004 (0.2)
	D_SAE001 (0.106)
	CM001 (0.71)
	✓✓ AE001_1 (0.27)
	CM001_5 (0.173)
	CM001_6 (0.109)
	PR001_1 (0.42)
	PRTFD002 (0.16)
	✓✓ CM001_7 (0.96)
	RPPMD064 (0.57)
Expressions	
Active Rules:	
Rule 1:	AE_G016_001 (0.1)
Rule 2:	AE_G255_001 (0.1)
Rule 3:	DM_G016_001 (0.1)
Rule 4:	FM_>=_INFORMED_CONSENT (0.2)

Rule 5:	FM_<_RANDOMIZATION (0.1)
Rule 6:	FM_>=_RANDOMIZATION (0.1)
Rule 7:	AE_G256_001 (0.1)
Rule 8:	FM_<_FIRST_DOSE (0.1)
Rule 9:	FM_>_END_OF_SCREENING_DISP (0.1)
Rule 10:	FM_>_END_OF_TREATMENT (0.2)
Rule 11:	FM_>=_FIRST_DOSE (0.2)
Rule 12:	CM_G004_001_6 (0.2)
Rule 13:	LB_G008_001_5 (0.1)
Rule 14:	IE_G008_002 (0.1)
Rule 15:	IE_G006_002 (0.2)
Rule 16:	IE_G009_002 (0.1)
Rule 17:	IE_G010_002 (0.1)
Rule 18:	AE_G254_001 (0.1)
Rule 19:	DS_G045_001_4 (0.2)
Rule 20:	LB_G020_001_5 (0.2)
Rule 21:	VS_G036_001 (0.4)
Rule 22:	EC_G077_001_2 (0.2)
Rule 23:	EC_G078_001_2 (0.1)
Rule 24:	DM_G047_001 (0.1)
Rule 25:	DM_G049_001 (0.1)
Rule 26:	VS_G006_001 (0.2)
Rule 27:	DM_G048_001 (0.1)
Rule 28:	AE_G147_001 (0.1)
Rule 29:	MH_G002_001 (0.1)
Rule 30:	FM_>_END_OF_STUDY (0.2)

Rule 31:	DS_G019_001 (0.3)
Rule 32:	DM_G001_001 (0.1)
Rule 33:	DM_G033_001 (0.2)
Rule 34:	DM_G038_001 (0.2)
Rule 35:	DM_G034_001 (0.2)
Rule 36:	DS_G033_001_4 (0.4)
Rule 37:	CM_G074_001 (0.1)
Rule 38:	CM_G004_001 (0.1)
Rule 39:	VS_G004_001 (0.3)
Rule 40:	VS_G012_001 (0.2)
Rule 41:	VS_G032_001 (0.2)
Rule 42:	AE_G109_001_1 (0.1)
Rule 43:	PR_G026_001_1 (0.3)
Rule 44:	LB_G035_001_5 (0.2)
Rule 45:	AE_G176_001_1 (0.1)
Rule 46:	AE_G181_001 (0.1)
Rule 47:	AE_G138_001 (0.1)
Rule 48:	AE_G013_001 (0.1)
Rule 49:	AE_G109_001 (0.1)
Rule 50:	AE_G188_001 (0.1)
Rule 51:	AE_G140_001 (0.1)
Rule 52:	AE_G135_001 (0.1)
Rule 53:	AE_G136_001 (0.1)
Rule 54:	AE_G144_001 (0.1)
Rule 55:	AE_G207_001 (0.4)
Rule 56:	AE_G245_001 (0.1)

Rule 57:	AE_G247_001 (0.3)
Rule 58:	AE_G201_001 (0.3)
Rule 59:	IE_G017_002 (0.2)
Rule 60:	DM_G065_001 (0.1)
Rule 61:	DM_G070_001 (0.1)
Rule 62:	AE_G195_001 (0.1)
Rule 63:	FM_<_BIRTH_DATE_YEAR (0.1)
Rule 64:	AE_G146_001 (0.1)
Rule 65:	AE_G257_001 (0.2)
Rule 66:	DS_G034_001_4 (0.2)
Rule 67:	DS_G044_001_4 (0.1)
Rule 68:	DS_G030_001_4 (0.2)
Rule 69:	IE_G018_002 (0.3)
Rule 70:	DS_G031_001_4 (0.2)
Rule 71:	AE_G003_001 (0.1)
Rule 72:	AE_G175_001_1 (0.2)
Rule 73:	D_D_FIRSTDOSEDTC_001 (0.2)
Rule 74:	MH_G116_001 (0.4)
Rule 75:	AE_G191_001_1 (0.3)
Rule 76:	D_CASEIDSAE_001 (0.5)
Rule 77:	DM_G044_001 (0.1)
Rule 78:	DM_G045_001 (0.1)
Rule 79:	DM_G043_001 (0.1)
Rule 80:	DM_G015_001 (0.1)
Rule 81:	R_TRIG_G003_001 (0.1)
Rule 82:	CM_G073_001 (0.1)

Rule 83:	D_NARRATIVE1SAE_001 (0.1)
Rule 84:	AE_G196_001 (0.2)
Rule 85:	AE_G005_001 (0.1)
Rule 86:	SV_G008_001 (0.1)
Rule 87:	SV_G008_001 (0.1)
Rule 88:	R_TRIG_G005_001 (0.2)
Rule 89:	AE_G170_001 (0.2)
Rule 90:	AE_G189_001 (0.1)
Rule 91:	AE_G007_001 (0.1)
Rule 92:	CM_G004_001_7 (0.4)
Rule 93:	CM_S001_001 (0.5)
Rule 94:	DYNE_S001_900 (0.2)
Rule 95:	DEPE1EVENT_S001_900 (0.2)
Rule 96:	R_TRIG_S001_001_2 (0.4)
Rule 97:	LB_S001_001_5 (0.8)
Rule 98:	MH_S001_001 (0.7)
Rule 99:	MH_S001_001 (0.7)
Rule 100:	MH_S001_001 (0.7)
Rule 101:	MH_S001_001 (0.7)
Rule 102:	MH_S001_001 (0.7)
Rule 103:	MH_S001_001 (0.7)
Rule 104:	DYNE_S003_900 (0.1)
Rule 105:	D_RESDEATH_001 (0.8)
Rule 106:	CESOR_S001_019_1 (0.4)
Rule 107:	CESOR_S001_019_1 (0.4)
Rule 108:	CM_G074_001_7 (0.4)

Rule 109:	CM_G073_001_7 (0.2)
Rule 110:	CM_S001_001_7 (0.2)
Rule 111:	SV_G022_001 (0.3)
Rule 112:	MH_G117_001 (0.6)
Rule 113:	MH_G118_001 (0.5)
Rule 114:	LB_G026_001_5 (0.4)
Rule 115:	AE_G149_001 (0.1)
Rule 116:	AE_G169_001 (0.3)
Rule 117:	RPPMD_G011_064 (0.2)
Rule 118:	R_TRIG_G001_001 (0.3)
Rule 119:	RPPMD_G010_064 (0.1)
Rule 120:	AE_G179_001_1 (0.1)
Rule 121:	FM_<_INFORMED_CONSENT (0.2)
Rule 122:	R_TRIG_G007_001 (0.1)
Rule 123:	R_TRIG_G008_001 (0.4)
Rule 124:	HOMAE_S001_004 (0.2)
Rule 125:	AE_S001_001 (0.1)
Rule 126:	DYNE_S005_900 (0.4)

Events

V2 Week 1 Post Vax

V2 Week 1 Post Vax	
Unique Event Name:	V2_WEEK1_POSTVAX
Event Description:	
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	7
Event Date Window:	Day 1 to Day 1
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.2)
	✓ AE001 (0.114)
	✓ HOMAE004 (0.2)
	D_SAE001 (0.106)
	CM001 (0.71)
	CM001_5 (0.173)
	CM001_6 (0.109)
	PR001_1 (0.42)
	PRTFD002 (0.16)
	✓ CM001_7 (0.96)

		RPPMD064 (0.57)
Expressions		
Active Rules:		
	Rule 1:	AE_G016_001 (0.1)
	Rule 2:	AE_G255_001 (0.1)
	Rule 3:	AE_G256_001 (0.1)
	Rule 4:	CM_G004_001_6 (0.2)
	Rule 5:	AE_G254_001 (0.1)
	Rule 6:	AE_G147_001 (0.1)
	Rule 7:	CM_G074_001 (0.1)
	Rule 8:	CM_G004_001 (0.1)
	Rule 9:	PR_G026_001_1 (0.3)
	Rule 10:	AE_G181_001 (0.1)
	Rule 11:	AE_G138_001 (0.1)
	Rule 12:	AE_G013_001 (0.1)
	Rule 13:	AE_G109_001 (0.1)
	Rule 14:	AE_G188_001 (0.1)
	Rule 15:	AE_G140_001 (0.1)
	Rule 16:	AE_G135_001 (0.1)
	Rule 17:	AE_G136_001 (0.1)
	Rule 18:	AE_G144_001 (0.1)
	Rule 19:	AE_G207_001 (0.4)
	Rule 20:	AE_G245_001 (0.1)
	Rule 21:	AE_G247_001 (0.3)
	Rule 22:	AE_G201_001 (0.3)
	Rule 23:	AE_G195_001 (0.1)

Rule 24:	AE_G146_001 (0.1)
Rule 25:	AE_G257_001 (0.2)
Rule 26:	AE_G003_001 (0.1)
Rule 27:	D_CASEIDSAE_001 (0.5)
Rule 28:	CM_G073_001 (0.1)
Rule 29:	D_NARRATIVE1SAE_001 (0.1)
Rule 30:	AE_G196_001 (0.2)
Rule 31:	AE_G005_001 (0.1)
Rule 32:	AE_G170_001 (0.2)
Rule 33:	AE_G189_001 (0.1)
Rule 34:	AE_G007_001 (0.1)
Rule 35:	CM_G004_001_7 (0.4)
Rule 36:	CM_S001_001 (0.5)
Rule 37:	DYNE_S003_900 (0.1)
Rule 38:	D_RESDEATH_001 (0.8)
Rule 39:	CM_G074_001_7 (0.4)
Rule 40:	CM_G073_001_7 (0.2)
Rule 41:	CM_S001_001_7 (0.2)
Rule 42:	SV_G022_001 (0.3)
Rule 43:	AE_G149_001 (0.1)
Rule 44:	AE_G169_001 (0.3)
Rule 45:	RPPMD_G011_064 (0.2)
Rule 46:	RPPMD_G010_064 (0.1)
Rule 47:	HOMAE_S001_004 (0.2)
Rule 48:	AE_S001_001 (0.1)

Events

V3 Month 1 Post Vax

V3 Month 1 Post Vax	
Unique Event Name:	V3_MONTH1_POSTVAX
Event Description:	
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	30
Event Date Window:	Day 2 to Day 5
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.2)
	✓✓ CESOR019 (0.46)
	✓✓ AE001 (0.114)
	✓✓ HOMAE004 (0.2)
	D_SAE001 (0.106)
	CM001 (0.71)
	CM001_5 (0.173)
	CM001_6 (0.109)
	PR001_1 (0.42)
	PRTFD002 (0.16)

		✓ CM001_7 (0.96)
		RPPMD064 (0.57)
Expressions		
	Active Rules:	
	Rule 1:	AE_G016_001 (0.1)
	Rule 2:	AE_G255_001 (0.1)
	Rule 3:	AE_G256_001 (0.1)
	Rule 4:	CM_G004_001_6 (0.2)
	Rule 5:	AE_G254_001 (0.1)
	Rule 6:	AE_G147_001 (0.1)
	Rule 7:	CM_G074_001 (0.1)
	Rule 8:	CM_G004_001 (0.1)
	Rule 9:	PR_G026_001_1 (0.3)
	Rule 10:	AE_G181_001 (0.1)
	Rule 11:	AE_G138_001 (0.1)
	Rule 12:	AE_G013_001 (0.1)
	Rule 13:	AE_G109_001 (0.1)
	Rule 14:	AE_G188_001 (0.1)
	Rule 15:	AE_G140_001 (0.1)
	Rule 16:	AE_G135_001 (0.1)
	Rule 17:	AE_G136_001 (0.1)
	Rule 18:	AE_G144_001 (0.1)
	Rule 19:	AE_G207_001 (0.4)
	Rule 20:	AE_G245_001 (0.1)
	Rule 21:	AE_G247_001 (0.3)
	Rule 22:	AE_G201_001 (0.3)

Rule 23:	CESOR_G010_019 (0.3)
Rule 24:	AE_G195_001 (0.1)
Rule 25:	AE_G146_001 (0.1)
Rule 26:	AE_G257_001 (0.2)
Rule 27:	AE_G003_001 (0.1)
Rule 28:	D_CASEIDSAE_001 (0.5)
Rule 29:	CM_G073_001 (0.1)
Rule 30:	D_NARRATIVE1SAE_001 (0.1)
Rule 31:	AE_G196_001 (0.2)
Rule 32:	AE_G005_001 (0.1)
Rule 33:	AE_G170_001 (0.2)
Rule 34:	AE_G189_001 (0.1)
Rule 35:	AE_G007_001 (0.1)
Rule 36:	CESOR_G014_019_1 (0.1)
Rule 37:	CM_G004_001_7 (0.4)
Rule 38:	CM_S001_001 (0.5)
Rule 39:	DYNE_S001_900 (0.2)
Rule 40:	CESOR_S001_019 (0.2)
Rule 41:	D_RESDEATH_001 (0.8)
Rule 42:	CM_G074_001_7 (0.4)
Rule 43:	CM_G073_001_7 (0.2)
Rule 44:	CM_S001_001_7 (0.2)
Rule 45:	SV_G022_001 (0.3)
Rule 46:	AE_G149_001 (0.1)
Rule 47:	AE_G169_001 (0.3)
Rule 48:	RPPMD_G011_064 (0.2)

Rule 49:	RPPMD_G010_064 (0.1)
Rule 50:	HOMAE_S001_004 (0.2)
Rule 51:	AE_S001_001 (0.1)

Events

V4 Month 3 Post Vax

V4 Month 3 Post Vax	
Unique Event Name:	V4_MONTH3_POSTVAX
Event Description:	
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	90
Event Date Window:	Day 6 to Day 8
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.2)
	✓ AE001 (0.114)
	✓ HOMAE004 (0.2)
	D_SAE001 (0.106)
	CM001 (0.71)
	CM001_5 (0.173)
	CM001_6 (0.109)
	PR001_1 (0.42)
	PRTFD002 (0.16)
	✓ CM001_7 (0.96)

		RPPMD064 (0.57)
Expressions		
Active Rules:		
	Rule 1:	AE_G016_001 (0.1)
	Rule 2:	AE_G255_001 (0.1)
	Rule 3:	AE_G256_001 (0.1)
	Rule 4:	CM_G004_001_6 (0.2)
	Rule 5:	AE_G254_001 (0.1)
	Rule 6:	AE_G147_001 (0.1)
	Rule 7:	CM_G074_001 (0.1)
	Rule 8:	CM_G004_001 (0.1)
	Rule 9:	PR_G026_001_1 (0.3)
	Rule 10:	AE_G181_001 (0.1)
	Rule 11:	AE_G138_001 (0.1)
	Rule 12:	AE_G013_001 (0.1)
	Rule 13:	AE_G109_001 (0.1)
	Rule 14:	AE_G188_001 (0.1)
	Rule 15:	AE_G140_001 (0.1)
	Rule 16:	AE_G135_001 (0.1)
	Rule 17:	AE_G136_001 (0.1)
	Rule 18:	AE_G144_001 (0.1)
	Rule 19:	AE_G207_001 (0.4)
	Rule 20:	AE_G245_001 (0.1)
	Rule 21:	AE_G247_001 (0.3)
	Rule 22:	AE_G201_001 (0.3)
	Rule 23:	AE_G195_001 (0.1)

Rule 24:	AE_G146_001 (0.1)
Rule 25:	AE_G257_001 (0.2)
Rule 26:	AE_G003_001 (0.1)
Rule 27:	D_CASEIDSAE_001 (0.5)
Rule 28:	CM_G073_001 (0.1)
Rule 29:	D_NARRATIVE1SAE_001 (0.1)
Rule 30:	AE_G196_001 (0.2)
Rule 31:	AE_G005_001 (0.1)
Rule 32:	AE_G170_001 (0.2)
Rule 33:	AE_G189_001 (0.1)
Rule 34:	AE_G007_001 (0.1)
Rule 35:	CM_G004_001_7 (0.4)
Rule 36:	CM_S001_001 (0.5)
Rule 37:	DYNE_S001_900 (0.2)
Rule 38:	D_RESDEATH_001 (0.8)
Rule 39:	CM_G074_001_7 (0.4)
Rule 40:	CM_G073_001_7 (0.2)
Rule 41:	CM_S001_001_7 (0.2)
Rule 42:	SV_G022_001 (0.3)
Rule 43:	AE_G149_001 (0.1)
Rule 44:	AE_G169_001 (0.3)
Rule 45:	RPPMD_G011_064 (0.2)
Rule 46:	RPPMD_G010_064 (0.1)
Rule 47:	HOMAE_S001_004 (0.2)
Rule 48:	AE_S001_001 (0.1)

Events

V5 Month 6 Post Vax

V5 Month 6 Post Vax	
Unique Event Name:	V5_MONTH6_POSTVAX
Event Description:	
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	180
Event Date Window:	Day 5 to Day 9
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.2)
	R_TRIG001_3 (0.29)
	✓ AE001 (0.114)
	✓ HOMAE004 (0.2)
	D_SAE001 (0.106)
	CM001 (0.71)
	CM001_5 (0.173)
	CM001_6 (0.109)
	PR001_1 (0.42)
	PRTFD002 (0.16)

		✓ CM001_7 (0.96)
		RPPMD064 (0.57)
Expressions		
Active Rules:		
	Rule 1:	AE_G016_001 (0.1)
	Rule 2:	AE_G255_001 (0.1)
	Rule 3:	AE_G256_001 (0.1)
	Rule 4:	CM_G004_001_6 (0.2)
	Rule 5:	AE_G254_001 (0.1)
	Rule 6:	AE_G147_001 (0.1)
	Rule 7:	CM_G074_001 (0.1)
	Rule 8:	CM_G004_001 (0.1)
	Rule 9:	PR_G026_001_1 (0.3)
	Rule 10:	AE_G181_001 (0.1)
	Rule 11:	AE_G138_001 (0.1)
	Rule 12:	AE_G013_001 (0.1)
	Rule 13:	AE_G109_001 (0.1)
	Rule 14:	AE_G188_001 (0.1)
	Rule 15:	AE_G140_001 (0.1)
	Rule 16:	AE_G135_001 (0.1)
	Rule 17:	AE_G136_001 (0.1)
	Rule 18:	AE_G144_001 (0.1)
	Rule 19:	AE_G207_001 (0.4)
	Rule 20:	AE_G245_001 (0.1)
	Rule 21:	AE_G247_001 (0.3)
	Rule 22:	AE_G201_001 (0.3)

Rule 23:	AE_G195_001 (0.1)
Rule 24:	AE_G146_001 (0.1)
Rule 25:	AE_G257_001 (0.2)
Rule 26:	AE_G003_001 (0.1)
Rule 27:	D_CASEIDSAE_001 (0.5)
Rule 28:	CM_G073_001 (0.1)
Rule 29:	D_NARRATIVE1SAE_001 (0.1)
Rule 30:	AE_G196_001 (0.2)
Rule 31:	AE_G005_001 (0.1)
Rule 32:	AE_G170_001 (0.2)
Rule 33:	AE_G189_001 (0.1)
Rule 34:	AE_G007_001 (0.1)
Rule 35:	CM_G004_001_7 (0.4)
Rule 36:	CM_S001_001 (0.5)
Rule 37:	DYNE_S001_900 (0.2)
Rule 38:	DYNE_S004_900 (0.3)
Rule 39:	D_RESDEATH_001 (0.8)
Rule 40:	CM_G074_001_7 (0.4)
Rule 41:	CM_G073_001_7 (0.2)
Rule 42:	CM_S001_001_7 (0.2)
Rule 43:	SV_G022_001 (0.3)
Rule 44:	AE_G149_001 (0.1)
Rule 45:	AE_G169_001 (0.3)
Rule 46:	RPPMD_G011_064 (0.2)
Rule 47:	RPPMD_G010_064 (0.1)
Rule 48:	HOMAE_S001_004 (0.2)

Rule 49:	AE_S001_001 (0.1)
-----------------	-------------------

Events

V6 COVID 19 Surveillance End Telephone Call

V6 COVID 19 Surveillance End Telephone Call	
Unique Event Name:	V6_END_COVID_TC
Event Description:	
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	210
Event Date Window:	Day 0 to Day 0
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.2)
	✓ AE001 (0.114)
	✓ HOMAE004 (0.2)
	D_SAE001 (0.106)
	CM001 (0.71)
	CM001_5 (0.173)
	CM001_6 (0.109)
	✓ CM001_7 (0.96)
	PR001_1 (0.42)
	PRTFD002 (0.16)

		RPPMD064 (0.57)
Expressions		
	Active Rules:	
	Rule 1:	AE_G016_001 (0.1)
	Rule 2:	AE_G255_001 (0.1)
	Rule 3:	AE_G256_001 (0.1)
	Rule 4:	CM_G004_001_6 (0.2)
	Rule 5:	AE_G254_001 (0.1)
	Rule 6:	AE_G147_001 (0.1)
	Rule 7:	CM_G074_001 (0.1)
	Rule 8:	CM_G004_001 (0.1)
	Rule 9:	PR_G026_001_1 (0.3)
	Rule 10:	AE_G181_001 (0.1)
	Rule 11:	AE_G138_001 (0.1)
	Rule 12:	AE_G013_001 (0.1)
	Rule 13:	AE_G109_001 (0.1)
	Rule 14:	AE_G188_001 (0.1)
	Rule 15:	AE_G140_001 (0.1)
	Rule 16:	AE_G135_001 (0.1)
	Rule 17:	AE_G136_001 (0.1)
	Rule 18:	AE_G144_001 (0.1)
	Rule 19:	AE_G207_001 (0.4)
	Rule 20:	AE_G245_001 (0.1)
	Rule 21:	AE_G247_001 (0.3)
	Rule 22:	AE_G201_001 (0.3)
	Rule 23:	AE_G195_001 (0.1)

Rule 24:	AE_G146_001 (0.1)
Rule 25:	AE_G257_001 (0.2)
Rule 26:	AE_G003_001 (0.1)
Rule 27:	D_CASEIDSAE_001 (0.5)
Rule 28:	CM_G073_001 (0.1)
Rule 29:	D_NARRATIVE1SAE_001 (0.1)
Rule 30:	AE_G196_001 (0.2)
Rule 31:	AE_G005_001 (0.1)
Rule 32:	AE_G170_001 (0.2)
Rule 33:	AE_G189_001 (0.1)
Rule 34:	AE_G007_001 (0.1)
Rule 35:	CM_G004_001_7 (0.4)
Rule 36:	CM_S001_001 (0.5)
Rule 37:	DYNE_S004_900 (0.3)
Rule 38:	D_RESDEATH_001 (0.8)
Rule 39:	CM_G074_001_7 (0.4)
Rule 40:	CM_G073_001_7 (0.2)
Rule 41:	CM_S001_001_7 (0.2)
Rule 42:	SV_G022_001 (0.3)
Rule 43:	AE_G149_001 (0.1)
Rule 44:	AE_G169_001 (0.3)
Rule 45:	RPPMD_G011_064 (0.2)
Rule 46:	RPPMD_G010_064 (0.1)
Rule 47:	HOMAE_S001_004 (0.2)
Rule 48:	AE_S001_001 (0.1)

Events

Covid

Covid		
Unique Event Name:		COVID_
Event Description:		Covid Illness Visit
Event Type:		Parent
Max Repeats Allowed:		999
Custom Event Labels:		concatdln("", "Covid_", [\$occurrence_num])
Repeating:		Yes
Dynamic:		No
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Expressions		
Active Rules:		
Rule 1:		DEPE1EVENT_S001_900 (0.2)
Rule 2:		DEPENEWEVENT_S001_900 (0.5)
Rule 3:		DEPENEWEVENT_S002_900 (0.4)
Active Event Expressions:		
Event Expression 1:		E_CHILDEVENT_ILNESS_NAME_G001

Events

Illness

Illness	
Unique Event Name:	ILLNESS
Event Description:	COVID_<n>_ILLNESS
Event Type:	Scheduled
Assigned Parent Event:	Covid
Max Repeats Allowed:	50
Custom Event Labels:	concatdln("_", [\$parent_event_name], "Illness")
Repeating:	Yes
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.2)
	✓✓ CEPEA084 (0.131)
	✓✓ CEPEA084_1 (0.127)
	MBMIB002 (0.43)
	VS001_2 (0.44)
	LBOXY004 (0.5)
	PR001_2 (0.37)
	✓✓ CEIDT008_1 (0.35)
	✓✓ LB001_12_1 (0.73)

	✓✓ LB001_12 (0.84)
	✓✓ PRCAR078 (0.10)
	✓✓ CM001_8 (0.63)
	✓✓ CM001_9 (0.61)
	✓✓ AE001 (0.114)
	✓✓ HOMAE004 (0.2)
	D_SAE001 (0.106)
	CM001 (0.71)
	CM001_5 (0.173)
	CM001_6 (0.109)
	✓✓ CM001_7 (0.96)
	PR001_1 (0.42)
	PRTFD002 (0.16)
	RPPMD064 (0.57)
	✓✓ CM001_3 (0.101)
	✓✓ CM001_4 (0.90)
Expressions	
Active Rules:	
Rule 1:	AE_G016_001 (0.1)
Rule 2:	AE_G255_001 (0.1)
Rule 3:	PR_G026_001_2 (0.1)
Rule 4:	AE_G256_001 (0.1)
Rule 5:	CM_G004_001_6 (0.2)
Rule 6:	AE_G254_001 (0.1)
Rule 7:	VS_G016_001_2 (0.2)

Rule 8:	AE_G147_001 (0.1)
Rule 9:	CM_G074_001 (0.1)
Rule 10:	CM_G004_001 (0.1)
Rule 11:	PR_G026_001_1 (0.3)
Rule 12:	VS_G013_001_2 (0.2)
Rule 13:	VS_G017_001_2 (0.1)
Rule 14:	AE_G181_001 (0.1)
Rule 15:	AE_G138_001 (0.1)
Rule 16:	AE_G013_001 (0.1)
Rule 17:	AE_G109_001 (0.1)
Rule 18:	AE_G188_001 (0.1)
Rule 19:	AE_G140_001 (0.1)
Rule 20:	AE_G135_001 (0.1)
Rule 21:	AE_G136_001 (0.1)
Rule 22:	AE_G144_001 (0.1)
Rule 23:	AE_G207_001 (0.4)
Rule 24:	AE_G245_001 (0.1)
Rule 25:	AE_G247_001 (0.3)
Rule 26:	AE_G201_001 (0.3)
Rule 27:	AE_G195_001 (0.1)
Rule 28:	AE_G146_001 (0.1)
Rule 29:	AE_G257_001 (0.2)
Rule 30:	VS_G015_001_2 (0.1)
Rule 31:	AE_G003_001 (0.1)
Rule 32:	D_CASEIDSAE_001 (0.5)
Rule 33:	VS_G001_001_2 (0.1)

Rule 34:	CM_G073_001 (0.1)
Rule 35:	VS_G009_001_2 (0.1)
Rule 36:	D_NARRATIVE1SAE_001 (0.1)
Rule 37:	AE_G196_001 (0.2)
Rule 38:	AE_G005_001 (0.1)
Rule 39:	AE_G170_001 (0.2)
Rule 40:	AE_G189_001 (0.1)
Rule 41:	AE_G007_001 (0.1)
Rule 42:	LB_G001_001_12 (0.2)
Rule 43:	LB_G004_001_12 (0.3)
Rule 44:	LB_G002_001_12 (0.3)
Rule 45:	LB_G001_001_12_1 (0.4)
Rule 46:	LB_G004_001_12_1 (0.5)
Rule 47:	LB_G002_001_12_1 (0.3)
Rule 48:	CM_G004_001_7 (0.4)
Rule 49:	CM_S001_001 (0.5)
Rule 50:	DEPE1EVENT_S001_900 (0.2)
Rule 51:	DEPENEWEVENT_S001_900 (0.5)
Rule 52:	DEPENEWEVENT_S001_900 (0.5)
Rule 53:	DEPENEWEVENT_S002_900 (0.4)
Rule 54:	D_RESDEATH_001 (0.8)
Rule 55:	CM_G074_001_7 (0.4)
Rule 56:	CM_G073_001_4 (0.2)
Rule 57:	CM_G073_001_7 (0.2)
Rule 58:	CM_G074_001_4 (0.3)
Rule 59:	CM_G073_001_3 (0.2)

Rule 60:	CM_G074_001_3 (0.2)
Rule 61:	CM_S001_001_7 (0.2)
Rule 62:	CEIDT_G018_008_1 (0.1)
Rule 63:	CEPEA_G016_084 (0.1)
Rule 64:	CEPEA_G017_084 (0.4)
Rule 65:	SV_G022_001 (0.3)
Rule 66:	AE_G149_001 (0.1)
Rule 67:	AE_G169_001 (0.3)
Rule 68:	LBOXY_G004_004 (0.3)
Rule 69:	RPPMD_G011_064 (0.2)
Rule 70:	LBOXY_G007_004 (0.3)
Rule 71:	LBOXY_G006_004 (0.2)
Rule 72:	CM_G004_001_4 (0.3)
Rule 73:	RPPMD_G010_064 (0.1)
Rule 74:	CEPEA_G043_084 (0.1)
Rule 75:	CM_G004_001_9 (0.3)
Rule 76:	HOMAE_S001_004 (0.2)
Rule 77:	CEPEA_S002_084 (0.6)
Rule 78:	CEPEA_G042_084 (0.1)
Rule 79:	CEPEA_S001_084_1 (0.8)
Rule 80:	CEPEA_S001_084_1 (0.8)
Rule 81:	CEPEA_S001_084_1 (0.8)
Rule 82:	CEPEA_S001_084_1 (0.8)
Rule 83:	CEPEA_S001_084_1 (0.8)
Rule 84:	CEPEA_S001_084_1 (0.8)
Rule 85:	CEPEA_S001_084_1 (0.8)

Rule 86:	CEPEA_S001_084_1 (0.8)
Rule 87:	CEPEA_S001_084_1 (0.8)
Rule 88:	CEPEA_S001_084_1 (0.8)
Rule 89:	CEPEA_S001_084_1 (0.8)
Rule 90:	CEPEA_G042_084_1 (0.4)
Rule 91:	CEPEA_G016_084_1 (0.3)
Rule 92:	CEPEA_G043_084_1 (0.2)
Rule 93:	AE_S001_001 (0.1)
Rule 94:	CEPEA_S006_084_1 (0.1)
Rule 95:	CEPEA_S004_084_1 (0.5)
Rule 96:	CEIDT_S001_008_1 (0.23)
Rule 97:	CM_S004_003 (0.3)
Rule 98:	CM_S004_003 (0.3)
Rule 99:	CM_G074_001_8 (0.3)
Rule 100:	CEPEA_G015_084_1 (0.2)
Rule 101:	CM_G074_001_9 (0.2)
Rule 102:	CEPEA_G014_084_1 (0.3)
Rule 103:	CM_G073_001_8 (0.3)
Rule 104:	PR_S002_001_2 (0.2)
Rule 105:	MBMIB_S001_002 (0.3)
Rule 106:	CEPEA_G017_084_1 (0.2)
Rule 107:	CM_G073_001_9 (0.3)
Rule 108:	PR_S001_001_2 (0.8)
Active Event Expressions:	
Event Expression 1:	E_PARENTEVENT_ILLNESS_NAME_G001

Events

Repeat Swab

Repeat Swab		
Unique Event Name:		REPEAT_SWAB
Event Description:		COVID_<n>_REPEAT_SWAB
Event Type:		Scheduled
Assigned Parent Event:		Covid
Max Repeats Allowed:		50
Custom Event Labels:		concatdln("_",[\$parent_event_name],"Repeat_Swab")
Repeating:		Yes
Dynamic:		Yes
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		SV001 (0.2)
Expressions		
Active Rules:		
Rule 1:		DEPENEWEVENT_S002_900 (0.4)
Rule 2:		SV_G022_001 (0.3)
Active Event Expressions:		
Event Expression 1:		E_REPEAT_SWAB_NAME

Events

Unplanned Cardiac Illness Surveillance

Unplanned Cardiac Illness Surveillance	
Unique Event Name:	UNPL_CARDIAC_ILL
Event Description:	
Event Type:	Unscheduled
Max Repeats Allowed:	50
Repeating:	Yes
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.2)
	✓ CESOD006 (0.73)
	✓ LB001_12_2 (0.40)
	✓ PRCAR078_1 (0.21)
	✓ CVECH003_1 (0.113)
	✓ EG001_3 (0.92)
	✓ AE001 (0.114)
	✓ HOMAE004 (0.2)
	D_SAE001 (0.106)
	CM001 (0.71)
	CM001_5 (0.173)

		CM001_6 (0.109)
		✓ CM001_7 (0.96)
		PR001_1 (0.42)
		PRTFD002 (0.16)
		RPPMD064 (0.57)
Expressions		
	Active Rules:	
	Rule 1:	AE_G016_001 (0.1)
	Rule 2:	AE_G255_001 (0.1)
	Rule 3:	AE_G256_001 (0.1)
	Rule 4:	CM_G004_001_6 (0.2)
	Rule 5:	AE_G254_001 (0.1)
	Rule 6:	AE_G147_001 (0.1)
	Rule 7:	EG_G016_001_3 (0.1)
	Rule 8:	CM_G074_001 (0.1)
	Rule 9:	CM_G004_001 (0.1)
	Rule 10:	PR_G026_001_1 (0.3)
	Rule 11:	AE_G181_001 (0.1)
	Rule 12:	AE_G138_001 (0.1)
	Rule 13:	AE_G013_001 (0.1)
	Rule 14:	AE_G109_001 (0.1)
	Rule 15:	AE_G188_001 (0.1)
	Rule 16:	AE_G140_001 (0.1)
	Rule 17:	AE_G135_001 (0.1)
	Rule 18:	AE_G136_001 (0.1)
	Rule 19:	AE_G144_001 (0.1)

Rule 20:	AE_G207_001 (0.4)
Rule 21:	AE_G245_001 (0.1)
Rule 22:	AE_G247_001 (0.3)
Rule 23:	AE_G201_001 (0.3)
Rule 24:	AE_G195_001 (0.1)
Rule 25:	AE_G146_001 (0.1)
Rule 26:	AE_G257_001 (0.2)
Rule 27:	AE_G003_001 (0.1)
Rule 28:	SV_G021_001 (0.6)
Rule 29:	D_CASEIDSAE_001 (0.5)
Rule 30:	CM_G073_001 (0.1)
Rule 31:	EG_G026_001_3 (0.1)
Rule 32:	D_NARRATIVE1SAE_001 (0.1)
Rule 33:	AE_G196_001 (0.2)
Rule 34:	AE_G005_001 (0.1)
Rule 35:	AE_G170_001 (0.2)
Rule 36:	AE_G189_001 (0.1)
Rule 37:	AE_G007_001 (0.1)
Rule 38:	CM_G004_001_7 (0.4)
Rule 39:	LB_G001_001_12_2 (0.3)
Rule 40:	LB_G004_001_12_2 (0.4)
Rule 41:	LB_G002_001_12_2 (0.3)
Rule 42:	CM_S001_001 (0.5)
Rule 43:	D_RESDEATH_001 (0.8)
Rule 44:	CM_G074_001_7 (0.4)
Rule 45:	CM_G073_001_7 (0.2)

Rule 46:	CESOD_G019_006 (0.1)
Rule 47:	CESOD_G036_006 (0.1)
Rule 48:	SV_G022_001 (0.3)
Rule 49:	AE_G149_001 (0.1)
Rule 50:	AE_G169_001 (0.3)
Rule 51:	RPPMD_G011_064 (0.2)
Rule 52:	RPPMD_G010_064 (0.1)
Rule 53:	HOMAE_S001_004 (0.2)
Rule 54:	CESOD_S001_006 (0.4)
Rule 55:	CESOD_S001_006 (0.4)
Rule 56:	CESOD_S001_006 (0.4)
Rule 57:	CESOD_S001_006 (0.4)
Rule 58:	CESOD_S001_006 (0.4)
Rule 59:	AE_S001_001 (0.1)
Rule 60:	CVECH_S001_003_1 (0.3)

Events

Unplanned Severe Reactogenicity

Unplanned Severe Reactogenicity	
Unique Event Name:	UNPL_SEVERE_REACTO
Event Description:	
Event Type:	Scheduled
Max Repeats Allowed:	50
Repeating:	Yes
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.2)
	✓ FAFUC009 (0.29)
	✓ CECISR072 (0.26)
	VS001_1 (0.50)
Expressions	
Active Rules:	
Rule 1:	VS_G006_001_1 (0.2)
Rule 2:	CECISR_S001_072 (0.3)
Rule 3:	CECISR_S001_072 (0.3)
Rule 4:	FAFUC_S001_009 (0.1)
Rule 5:	SV_G022_001 (0.3)
Rule 6:	CECISR_G004_072 (0.2)

Rule 7:	DYNE_S005_900 (0.4)
----------------	---------------------

Events

Unplanned Severe Reactogenicity2

Unplanned Severe Reactogenicity2		
Unique Event Name:		UNPL_SEVERE_REACTO2
Event Description:		
Event Type:		Unscheduled
Max Repeats Allowed:		50
Repeating:		Yes
Dynamic:		No
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		SV001 (0.2)
		✓ FAFUC009 (0.29)
		✓ CECISR072 (0.26)
		VS001_1 (0.50)
Expressions		
Active Rules:		
Rule 1:	VS_G006_001_1 (0.2)	
Rule 2:	SV_G022_001 (0.3)	
Rule 3:	CECISR_G004_072 (0.2)	
Rule 4:	FAFUC_S002_009 (0.1)	
Rule 5:	CECISR_S002_072 (0.2)	
Rule 6:	CECISR_S002_072 (0.2)	

Events

Unplanned Missed Reacto Reporting

Unplanned Missed Reacto Reporting		
Unique Event Name:		UNPL_MISSED_REACTO
Event Description:		
Event Type:		Scheduled
Max Repeats Allowed:		50
Repeating:		Yes
Dynamic:		Yes
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		SV001 (0.2)
		✓ FAVSD065 (0.22)
Expressions		
Active Rules:		
Rule 1:		SV_G022_001 (0.3)
Rule 2:		FAVSD_G004_065 (0.3)
Rule 3:		FAVSD_G007_065 (0.2)
Rule 4:		FAVSD_S001_065 (0.1)
Rule 5:		FAVSD_S001_065 (0.1)
Rule 6:		DYNE_S005_900 (0.4)

Events

Unplanned Missed Reacto Reporting2

Unplanned Missed Reacto Reporting2		
Unique Event Name:		UNPL_MISSED_REACTO2
Event Description:		
Event Type:		Unscheduled
Max Repeats Allowed:		50
Repeating:		Yes
Dynamic:		No
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		SV001 (0.2)
		✓ FAVSD065_2 (0.42)
Expressions		
Active Rules:		
Rule 1:		SV_G022_001 (0.3)
Rule 2:		FAVSD_G004_065_2 (0.3)
Rule 3:		FAVSD_S002_065_2 (0.2)
Rule 4:		FAVSD_G007_065_2 (0.3)

Events

Unplanned

Unplanned	
Unique Event Name:	UNPL
Event Description:	Unplanned
Event Type:	Unscheduled
Max Repeats Allowed:	999
Repeating:	Yes
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.2)
	D_UPA001 (0.7)
	D_EDP001 (0.60)
	✓ AE001 (0.114)
	✓ HOMAE004 (0.2)
	D_SAE001 (0.106)
	CM001 (0.71)
	CM001_5 (0.173)
	CM001_6 (0.109)
	✓ CM001_7 (0.96)
	PR001_1 (0.42)
	PRTFD002 (0.16)

		RPPMD064 (0.57)
Expressions		
Active Rules:		
	Rule 1:	AE_G016_001 (0.1)
	Rule 2:	AE_G255_001 (0.1)
	Rule 3:	AE_G256_001 (0.1)
	Rule 4:	CM_G004_001_6 (0.2)
	Rule 5:	AE_G254_001 (0.1)
	Rule 6:	AE_G147_001 (0.1)
	Rule 7:	CM_G074_001 (0.1)
	Rule 8:	CM_G004_001 (0.1)
	Rule 9:	PR_G026_001_1 (0.3)
	Rule 10:	AE_G181_001 (0.1)
	Rule 11:	AE_G138_001 (0.1)
	Rule 12:	AE_G013_001 (0.1)
	Rule 13:	AE_G109_001 (0.1)
	Rule 14:	AE_G188_001 (0.1)
	Rule 15:	AE_G140_001 (0.1)
	Rule 16:	AE_G135_001 (0.1)
	Rule 17:	AE_G136_001 (0.1)
	Rule 18:	AE_G144_001 (0.1)
	Rule 19:	AE_G207_001 (0.4)
	Rule 20:	AE_G245_001 (0.1)
	Rule 21:	AE_G247_001 (0.3)
	Rule 22:	AE_G201_001 (0.3)
	Rule 23:	AE_G195_001 (0.1)

Rule 24:	AE_G146_001 (0.1)
Rule 25:	AE_G257_001 (0.2)
Rule 26:	AE_G003_001 (0.1)
Rule 27:	D_CASEIDSAE_001 (0.5)
Rule 28:	CM_G073_001 (0.1)
Rule 29:	D_NARRATIVE1SAE_001 (0.1)
Rule 30:	AE_G196_001 (0.2)
Rule 31:	AE_G005_001 (0.1)
Rule 32:	AE_G170_001 (0.2)
Rule 33:	AE_G189_001 (0.1)
Rule 34:	AE_G007_001 (0.1)
Rule 35:	CM_G004_001_7 (0.4)
Rule 36:	CM_S001_001 (0.5)
Rule 37:	D_RESDEATH_001 (0.8)
Rule 38:	D_UPA_G001_001 (0.2)
Rule 39:	CM_G074_001_7 (0.4)
Rule 40:	CM_G073_001_7 (0.2)
Rule 41:	CM_S001_001_7 (0.2)
Rule 42:	SV_G022_001 (0.3)
Rule 43:	AE_G149_001 (0.1)
Rule 44:	AE_G169_001 (0.3)
Rule 45:	RPPMD_G011_064 (0.2)
Rule 46:	D_EDP_G001_001 (0.6)
Rule 47:	RPPMD_G010_064 (0.1)
Rule 48:	HOMAE_S001_004 (0.2)
Rule 49:	AE_S001_001 (0.1)

Events

Disposition

Disposition		
Unique Event Name:		DISP
Event Description:		Disposition
Event Type:		Static
Max Repeats Allowed:		1
Repeating:		No
Dynamic:		No
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		DS001_7 (0.2)
		✓ DD002 (0.19)
		✓ DS001_8 (0.8)
Expressions		
Active Rules:		
Rule 1:		FM_>_WITHDRAWAL_CONSENT (0.2)
Rule 2:		DD_G007_002 (0.1)
Rule 3:		DD_G012_002 (0.1)
Rule 4:		FM_>_DEATH_DATE (0.1)
Rule 5:		DD_G015_002 (0.3)
Rule 6:		SV_G008_001 (0.1)
Rule 7:		D_SAEDDRPT_002 (0.9)

Rule 8:	DD_S001_002 (0.1)
----------------	-------------------

Events

End of Treatment

End of Treatment	
Unique Event Name:	EOT
Event Description:	End of Treatment
Event Type:	Scheduled
Max Repeats Allowed:	1
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	✓ DS001_5 (0.19)
	✓ AE001 (0.114)
	✓ HOMAE004 (0.2)
	D_SAE001 (0.106)
	CM001 (0.71)
	CM001_5 (0.173)
	CM001_6 (0.109)
	✓ CM001_7 (0.96)
	PR001_1 (0.42)
	PRTFD002 (0.16)
	RPPMD064 (0.57)
Expressions	

Active Rules:		
Rule 1:		AE_G016_001 (0.1)
Rule 2:		AE_G255_001 (0.1)
Rule 3:		AE_G256_001 (0.1)
Rule 4:		CM_G004_001_6 (0.2)
Rule 5:		DS_G040_001_5 (0.2)
Rule 6:		AE_G254_001 (0.1)
Rule 7:		AE_G147_001 (0.1)
Rule 8:		DS_G031_001_5 (0.3)
Rule 9:		DS_G032_001_5 (0.4)
Rule 10:		CM_G074_001 (0.1)
Rule 11:		CM_G004_001 (0.1)
Rule 12:		PR_G026_001_1 (0.3)
Rule 13:		AE_G181_001 (0.1)
Rule 14:		AE_G138_001 (0.1)
Rule 15:		AE_G013_001 (0.1)
Rule 16:		AE_G109_001 (0.1)
Rule 17:		AE_G188_001 (0.1)
Rule 18:		AE_G140_001 (0.1)
Rule 19:		AE_G135_001 (0.1)
Rule 20:		AE_G136_001 (0.1)
Rule 21:		AE_G144_001 (0.1)
Rule 22:		AE_G207_001 (0.4)
Rule 23:		AE_G245_001 (0.1)
Rule 24:		AE_G247_001 (0.3)
Rule 25:		AE_G201_001 (0.3)

Rule 26:	AE_G195_001 (0.1)
Rule 27:	AE_G146_001 (0.1)
Rule 28:	AE_G257_001 (0.2)
Rule 29:	DS_G060_001_5 (0.3)
Rule 30:	DS_G061_001_5 (0.2)
Rule 31:	AE_G003_001 (0.1)
Rule 32:	D_CASEIDSAE_001 (0.5)
Rule 33:	DS_G039_001_5 (0.4)
Rule 34:	CM_G073_001 (0.1)
Rule 35:	D_NARRATIVE1SAE_001 (0.1)
Rule 36:	AE_G196_001 (0.2)
Rule 37:	AE_G005_001 (0.1)
Rule 38:	SV_G008_001 (0.1)
Rule 39:	SV_G008_001 (0.1)
Rule 40:	AE_G170_001 (0.2)
Rule 41:	AE_G189_001 (0.1)
Rule 42:	AE_G007_001 (0.1)
Rule 43:	CM_G004_001_7 (0.4)
Rule 44:	CM_S001_001 (0.5)
Rule 45:	DYNE_S001_900 (0.2)
Rule 46:	D_RESDEATH_001 (0.8)
Rule 47:	CM_G074_001_7 (0.4)
Rule 48:	CM_G073_001_7 (0.2)
Rule 49:	CM_S001_001_7 (0.2)
Rule 50:	AE_G149_001 (0.1)
Rule 51:	AE_G169_001 (0.3)

Rule 52:	RPPMD_G011_064 (0.2)
Rule 53:	DS_G036_001_5 (0.2)
Rule 54:	RPPMD_G010_064 (0.1)
Rule 55:	HOMAE_S001_004 (0.2)
Rule 56:	AE_S001_001 (0.1)

Events

Follow-up

Follow-up	
Unique Event Name:	FOLLOW_UP
Event Description:	Follow-up
Event Type:	Scheduled
Max Repeats Allowed:	1
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	✓ DS001_6 (0.21)
	✓ AE001 (0.114)
	✓ HOMAE004 (0.2)
	D_SAE001 (0.106)
	CM001 (0.71)
	CM001_5 (0.173)
	CM001_6 (0.109)
	✓ CM001_7 (0.96)
	PR001_1 (0.42)
	PRTFD002 (0.16)
	RPPMD064 (0.57)
Expressions	

Active Rules:		
Rule 1:		AE_G016_001 (0.1)
Rule 2:		AE_G255_001 (0.1)
Rule 3:		AE_G256_001 (0.1)
Rule 4:		CM_G004_001_6 (0.2)
Rule 5:		AE_G254_001 (0.1)
Rule 6:		AE_G147_001 (0.1)
Rule 7:		CM_G074_001 (0.1)
Rule 8:		CM_G004_001 (0.1)
Rule 9:		PR_G026_001_1 (0.3)
Rule 10:		AE_G181_001 (0.1)
Rule 11:		AE_G138_001 (0.1)
Rule 12:		AE_G013_001 (0.1)
Rule 13:		AE_G109_001 (0.1)
Rule 14:		AE_G188_001 (0.1)
Rule 15:		AE_G140_001 (0.1)
Rule 16:		AE_G135_001 (0.1)
Rule 17:		AE_G136_001 (0.1)
Rule 18:		AE_G144_001 (0.1)
Rule 19:		AE_G207_001 (0.4)
Rule 20:		AE_G245_001 (0.1)
Rule 21:		AE_G247_001 (0.3)
Rule 22:		AE_G201_001 (0.3)
Rule 23:		DS_G032_001_6 (0.4)
Rule 24:		AE_G195_001 (0.1)
Rule 25:		AE_G146_001 (0.1)

Rule 26:	AE_G257_001 (0.2)
Rule 27:	DS_G036_001_6 (0.4)
Rule 28:	DS_G035_001_6 (0.4)
Rule 29:	AE_G003_001 (0.1)
Rule 30:	D_CASEIDSAE_001 (0.5)
Rule 31:	CM_G073_001 (0.1)
Rule 32:	D_NARRATIVE1SAE_001 (0.1)
Rule 33:	AE_G196_001 (0.2)
Rule 34:	AE_G005_001 (0.1)
Rule 35:	SV_G008_001 (0.1)
Rule 36:	AE_G170_001 (0.2)
Rule 37:	AE_G189_001 (0.1)
Rule 38:	AE_G007_001 (0.1)
Rule 39:	CM_G004_001_7 (0.4)
Rule 40:	CM_S001_001 (0.5)
Rule 41:	DYNE_S001_900 (0.2)
Rule 42:	D_RESDEATH_001 (0.8)
Rule 43:	CM_G074_001_7 (0.4)
Rule 44:	CM_G073_001_7 (0.2)
Rule 45:	CM_S001_001_7 (0.2)
Rule 46:	DS_G034_001_6 (0.4)
Rule 47:	AE_G149_001 (0.1)
Rule 48:	AE_G169_001 (0.3)
Rule 49:	RPPMD_G011_064 (0.2)
Rule 50:	RPPMD_G010_064 (0.1)
Rule 51:	HOMAE_S001_004 (0.2)

Rule 52:	AE_S001_001 (0.1)
-----------------	-------------------

Events

Common Form Event

Common Form Event	
Unique Event Name:	common_event
Event Description:	
Event Type:	Static
Max Repeats Allowed:	1
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	✓ AE001 (0.114)
	✓ HOMAE004 (0.2)
	D_SAE001 (0.106)
	CM001 (0.71)
	CM001_5 (0.173)
	CM001_6 (0.109)
	✓ CM001_7 (0.96)
	PR001_1 (0.42)
	PRTFD002 (0.16)
	RPPMD064 (0.57)
	✓ CM001_3 (0.101)
	✓ CM001_4 (0.90)

		✓ AE001_1 (0.27)
Expressions		
Active Rules:		
	Rule 1:	AE_G016_001 (0.1)
	Rule 2:	AE_G255_001 (0.1)
	Rule 3:	AE_G256_001 (0.1)
	Rule 4:	CM_G004_001_6 (0.2)
	Rule 5:	AE_G254_001 (0.1)
	Rule 6:	AE_G147_001 (0.1)
	Rule 7:	CM_G074_001 (0.1)
	Rule 8:	CM_G004_001 (0.1)
	Rule 9:	AE_G109_001_1 (0.1)
	Rule 10:	PR_G026_001_1 (0.3)
	Rule 11:	AE_G176_001_1 (0.1)
	Rule 12:	AE_G181_001 (0.1)
	Rule 13:	AE_G138_001 (0.1)
	Rule 14:	AE_G013_001 (0.1)
	Rule 15:	AE_G109_001 (0.1)
	Rule 16:	AE_G188_001 (0.1)
	Rule 17:	AE_G140_001 (0.1)
	Rule 18:	AE_G135_001 (0.1)
	Rule 19:	AE_G136_001 (0.1)
	Rule 20:	AE_G144_001 (0.1)
	Rule 21:	AE_G207_001 (0.4)
	Rule 22:	AE_G245_001 (0.1)
	Rule 23:	AE_G247_001 (0.3)

Rule 24:	AE_G201_001 (0.3)
Rule 25:	AE_G195_001 (0.1)
Rule 26:	AE_G146_001 (0.1)
Rule 27:	AE_G257_001 (0.2)
Rule 28:	AE_G003_001 (0.1)
Rule 29:	AE_G175_001_1 (0.2)
Rule 30:	AE_G191_001_1 (0.3)
Rule 31:	D_CASEIDSAE_001 (0.5)
Rule 32:	CM_G073_001 (0.1)
Rule 33:	D_NARRATIVE1SAE_001 (0.1)
Rule 34:	AE_G196_001 (0.2)
Rule 35:	AE_G005_001 (0.1)
Rule 36:	AE_G170_001 (0.2)
Rule 37:	AE_G189_001 (0.1)
Rule 38:	AE_G007_001 (0.1)
Rule 39:	CM_G004_001_7 (0.4)
Rule 40:	D_RESDEATH_001 (0.8)
Rule 41:	CM_G074_001_7 (0.4)
Rule 42:	CM_G073_001_4 (0.2)
Rule 43:	CM_G073_001_7 (0.2)
Rule 44:	CM_G074_001_4 (0.3)
Rule 45:	CM_G073_001_3 (0.2)
Rule 46:	CM_G074_001_3 (0.2)
Rule 47:	AE_G149_001 (0.1)
Rule 48:	AE_G169_001 (0.3)
Rule 49:	RPPMD_G011_064 (0.2)

Rule 50:	CM_G004_001_4 (0.3)
Rule 51:	RPPMD_G010_064 (0.1)
Rule 52:	AE_G179_001_1 (0.1)
Rule 53:	AE_S001_001 (0.1)

Instruments

Instrument Parameters

Date Format:	
Year Min:	2025
Year Max:	2026
Date Format:	dd-MMM-yyyy
Radio Button Display:	Vertical
Drop-Down Display:	Expand to fit all content
Textbox:	
Min Length:	—
Max Length:	—
Integer:	
Min Value:	—
Max Value:	—
Decimal:	
Min Value:	—
Max Value:	—
Min Size:	—
Max Size:	—
Baseline Character Set:	[Basic Latin]
Escaped Character Set:	

Instruments

Permission Groups

	GPDIP_Impala_Integration	TMS_integration	UDMS Admin	GPDIP_CTMS_Integration	migration_user	TMF_Integration	Read Only - Site	Investigator w/ Data Entry	M
Coding	N/A	R,U	N/A	N/A	N/A	N/A	N/A	N/A	
Hidden	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
IRT_Edit	R,U	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

Instruments

DS001 / MAIN INFORMED CONSENT

Instrument Definition

Instrument Name:	DS001
Instrument Title:	MAIN INFORMED CONSENT
SAS Instrument Name:	DS001
Description:	MAIN IC
Version:	0.2
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: DS001 MAIN INFORMED CONSENT (MAIN IC) [Version: 0.2]		
Section MAIN INFORMED CONSENT DS001_S		Permission Groups
Group of Fields DS01001 / Main Informed Consent Group Type: Non-Repeating	Number of variables: 1	

1.* ✓	Date of Written Consent Obtained: [DSSTDTC_001] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Written Consent Obtained using the format (DD-MMM-YYYY).	
----------	---	---	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: DS001 MAIN INFORMED CONSENT

Type	RefName	Description
Form	CRF_4895244128846827_DS001	DS001
Item	I_4895278948855212_DSSTDTC_001	

Variable Validations DS001 MAIN INFORMED CONSENT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
------------------	---------------------	----------	-----------------	------------

DSSTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
DSSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

Groups of Fields DS001 MAIN INFORMED CONSENT		
Group RefName	Group Type	Associated Variables
IG_4895275711846547_DS01001	Non-Repeating	DSSTDTC_001

Instruments

DS001_4 / DISPOSITION - SCREENING

Instrument Definition

Instrument Name:	DS001_4
Instrument Title:	DISPOSITION - SCREENING
SAS Instrument Name:	DS001_4
Description:	DISP SCR
Version:	0.17
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: DS001_4 DISPOSITION - SCREENING (DISP SCR) [Version: 0.17]		
Section DISPOSITION - SCREENING DS001_4_S		Permission Groups
Group of Fields DS01001_4 / Disposition - Screening Group Type: Non-Repeating	Number of variables: 4	

1.* 	Date of Completion/Discontinuation/Death: [DSSTDTC_001_4] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date using the format (DD-MMM-YYYY). Partial dates are permitted only when the Status of the subject is DEATH	
---	---	--	--

2.* 	Status: <u>[DSDECOD_001_4]</u> [DSDECOD]	[DSDECOD_CL_001_4] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the primary reason for participant at the conclusion of their screening phase. Please refer to the CRF Completion Requirements for additional instruction.	
3.*	Specify Status: <i>[Branching logic expression: [DSDECOD_001_4]='7' or [DSDECOD_001_4]='16']</i> <u>[DSTERM_001_4]</u> [DSTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Reason for discontinuation should be entered in this data field when "Other", "Withdrawal By Subject" or "Withdrawal By Parent/Guardian" is selected from the "Status" list. Data entry is only expected for this data field when one of the above statuses has been entered. Avoid abbreviations.	

4.	Phase of Disposition: [SUPPDS_DSPHASE_001_4] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the disposition phase the subject completed or discontinued.	
----	--	--	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: DS001_4 DISPOSITION - SCREENING		
Type	RefName	Description
Form	CRF_4895244371524088_DS001_4	DS001_4
Item	I_4895279943081765_DSSTDTC_001_4	
Item	I_4895280000421390_DSDECOD_001_4	
Item	I_4895280056672034_DSTERM_001_4	
Item	I_4895280143899446_SUPPDS_DSPHASE_001_4	

Codelist Values Tables: DS001_4 DISPOSITION - SCREENING								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
DSDECOD_CL_001_4	0.2			ADVERSE EVENT	1	1	0.1	i_4895280000421390_dsdecod_001_4
				COMPLETED	2	2	0.1	
				DEATH	3	3	0.1	
				OTHER	4	7	0.1	

				PHYSICIAN DECISION	5	8	0.1	
				PREGNANCY	6	9	0.1	
				SCREEN FAILURE	7	13	0.1	
				STUDY TERMINATED BY SPONSOR	8	14	0.1	
				WITHDRAWAL BY SUBJECT	9	16	0.1	
				MET ELIGIBILITY CRITERIA BUT NOT NEEDED	10	32	0.1	
SUPPDS_DSPHASE_CL_001_4	0.2			SCREENING	1	3	0.1	i_4895280143899446_suppds_dsphase_001_4
				REPEAT SCREENING 1	2	41	0.1	

Variable Validations DS001_4 DISPOSITION - SCREENING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_4	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001_4	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_4	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_4	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_4 DISPOSITION - SCREENING

Group RefName	Group Type	Associated Variables
IG_4895274258029189_DS01001_4	Non-Repeating	DSSTDTC_001_4, DSDECOD_001_4, DSTERM_001_4, SUPPDS_DSPHASE_001_4

Instruments

DS001_7 / WITHDRAWAL OF CONSENT

Instrument Definition

Instrument Name:	DS001_7
Instrument Title:	WITHDRAWAL OF CONSENT
SAS Instrument Name:	DS001_7
Description:	WOC
Version:	0.2
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: DS001_7 WITHDRAWAL OF CONSENT (WOC) [Version: 0.2]		
Section WITHDRAWAL OF CONSENT DS001_7_S		Permission Groups
Group of Fields DS01001_7 / Withdrawal Of Consent Group Type: Non-Repeating	Number of variables: 1	

1.*	Date of Withdrawal of Consent: [DSSTDTC_001_7] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Withdrawal Of Consent using the format (DD-MMM-YYYY).	
Key: [*] = Item is required			

Study Object Descriptions: DS001_7 WITHDRAWAL OF CONSENT		
Type	RefName	Description
Form	CRF_4895244602576272_DS001_7	DS001_7
Item	I_4895280247194119_DSSTDTC_001_7	

Variable Validations DS001_7 WITHDRAWAL OF CONSENT				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text

DSSTDTC_001_7	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_7	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_7	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_7 WITHDRAWAL OF CONSENT		
Group RefName	Group Type	Associated Variables
IG_4895276024847376_DS01001_7	Non-Repeating	DSSTDTC_001_7

Instruments
DD002 / DEATH DETAILS

Instrument Definition

Instrument Name:	DD002
Instrument Title:	DEATH DETAILS
SAS Instrument Name:	DD002
Description:	DTH DTL
Version:	0.19
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: DD002 <i>DEATH DETAILS</i> (DTH DTL) [Version: 0.19]		
Section DEATH DETAILS <i>DD002_S</i>		Permission Groups
Group of Fields DD01002 / Death Details Group Type: Non-Repeating	Number of variables: 5	

1.* ✓	Date of Collection / Notification of Death: [DDDTC_002] [DDDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record Date of Collection / Notification of Death	
----------	---	---	--

2.* 	Date of Death: [R_DDDTHDTC_002] [DDDTHTDC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Death. A full date of death is expected however, if only a partial date is available, enter UNK for unknown date parts e.g day and/or month.	
3.* 	Is this death within the SAE reporting requirement? [D_SAEDDRPT_002] [SAEDDRPT]	[D_SAEDDRPT_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the response if Death is within SAE reporting requirement.	

4.*	Was an autopsy performed? [D_AUTOPSYN1_002] [AUTOPSY] (Nested Field)	[D_AUTOPSYN1_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the response if Autopsy was performed. This question must be answered if Death is within SAE reporting period.	
5.*	Autopsy cause of death: [D_AUTOPCOD_002] [AUTOPCOD] (Nested Field)	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If autopsy was performed, record the cause of death as determined from the autopsy.	
	Group of Fields DD02002 / Death Details Entry Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 12	

6.* 	Cause of Death Status: [DDTEST_002] [DDTEST]	[DDTEST_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the Cause of Death Status. Do not select more than one Primary Cause of Death. For multiple causes of death, select Secondary Cause of Death as needed.	
7.* 	Cause of Death: [DDORRES_002] [DDCDTH]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Cause of Death. LONG TERM SURVIVAL ANALYSIS STUDIES (Oncology or any TA): Any death collected from public records in the long term follow-up phases requires an assessment by the investigator as to whether or not the death has any relationship to study drug administered. If considered related, it must be reported via CT SAE Report Form to Argus.	

8.	Lowest Level Term [SUPPDD_DDLLT_002] [DDLLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
9.	Lowest Level Term Code [SUPPDD_DDLLTCD_002] [DDLLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
10.	Dictionary Derived Term [SUPPDD_DDDECOD_002] [DDDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

11.	Preferred Term Code [SUPPDD_DDPTCD_002] [DDPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
12.	High Level Term [SUPPDD_DDHLT_002] [DDHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
13.	High Level Term Code [SUPPDD_DDHLTCD_002] [DDHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

14.	High Level Group Term [SUPPDD_DDHLGT_002] [DDHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
15.	High Level Group Term Code [SUPPDD_DDHLGTCD_002] [DDHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
16.	Primary System Organ Class [SUPPDD_DDSOC_002] [DDSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

17.	Primary System Organ Class Code [SUPPDD_DDSOCCD_002] [DDSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
-----	--	---	---

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: DD002 DEATH DETAILS		
Type	RefName	Description
Form	CRF_4895244831270129_DD002	DD002
Item	I_4895279014306950_DDDTC_002	
Item	I_4895279073227031_R_DDDTHDTC_002	
Item	I_4895279134479126_D_SAEDDRPT_002	
Item	I_4895279193378152_D_AUTOPSYN1_002	
Item	I_4895279254108928_D_AUTOPCOD_002	
Item	I_4895279308559126_DDTEST_002	
Item	I_4895279363522044_DDORRES_002	
Item	I_4895279416503845_SUPPDD_DDLLT_002	
Item	I_4895279473571114_SUPPDD_DDLLTCD_002	
Item	I_4895279526227569_SUPPDD_DDDECOD_002	
Item	I_4895279578706529_SUPPDD_DDPTCD_002	
Item	I_4895279630502963_SUPPDD_DDHLT_002	
Item	I_4895279681711780_SUPPDD_DDHLTCD_002	

Item	I_4895279732901684_SUPPDD_DDHLGT_002	
Item	I_4895279784804522_SUPPDD_DDHLGTCD_002	
Item	I_4895279837426426_SUPPDD_DDSDOC_002	
Item	I_4895279889057056_SUPPDD_DDSDOCCD_002	

Codelist Values Tables: DD002 DEATH DETAILS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_SAEDDRPT_CL_002	0.1			YES	1	Y	0.1	i_4895279134479126_d_saeddrpt_002
				NO	2	N	0.1	
D_AUTOPSYN1_CL_002	0.1			NO	1	N	0.1	i_4895279193378152_d_autopsyn1_002
				YES	2	Y	0.1	
DDTEST_CL_002	0.1			Primary Cause of Death	1	1	0.1	i_4895279308559126_ddtest_002
				Secondary Cause of Death	2	2	0.1	

Variable Validations DD002 DEATH DETAILS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DDTDC_002	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DDTDC_002	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
R_DDDTHDTC_002	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
R_DDDTHDTC_002	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DD002 DEATH DETAILS

Group RefName	Group Type	Associated Variables
IG_4895275729350961_DD01002	Non-Repeating	DDDTC_002, R_DDDTHDTC_002, D_SAEDDRPT_002, D_AUTOPSYYN1_002, D_AUTOPCOD_002
IG_4895274293985555_DD02002	Repeating	DDTEST_002, DDORRES_002, SUPPDD_DDLLT_002, SUPPDD_DDLLTCD_002, SUPPDD_DDDECOD_002, SUPPDD_DDPTCD_002, SUPPDD_DDHLT_002, SUPPDD_DDHLTCD_002, SUPPDD_DDHLGT_002, SUPPDD_DDHLGTCD_002, SUPPDD_DDSOC_002, SUPPDD_DDSOCCD_002

Instruments

DS001_6 / DISPOSITION - FOLLOW-UP

Instrument Definition

Instrument Name:	DS001_6
Instrument Title:	DISPOSITION - FOLLOW-UP
SAS Instrument Name:	DS001_6
Description:	DISP FUP
Version:	0.21
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: DS001_6 DISPOSITION - FOLLOW-UP (DISP FUP) [Version: 0.21]		
Section DISPOSITION - FOLLOW-UP DS001_6_S		Permission Groups
Group of Fields DS01001_6 / Disposition - Follow-Up Group Type: Non-Repeating	Number of variables: 5	

1.	Subcategory: [DSSCAT_001_6] [DSSCAT]	[DSSCAT_CL_001_6] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 129	
2.* ✓	Date of Completion/Discontinuation/Death: [DSSTDTC_001_6] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date using the format (DD-MMM-YYYY). Partial dates are permitted only when the Status of the subject is DEATH	

3.	Phase of Disposition: [SUPPDS_DSPHASE_001_6] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_6] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: Record the disposition phase the subject completed or discontinued.	
4.* 	Status: [DSDECOD_001_6] [DSDECOD]	[DSDECOD_CL_001_6] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the primary reason for participant at the conclusion of their follow-up phase. Please refer to the CRF Completion Requirements for additional instruction.	

5.* ✓	Specify Status: <i>[Branching logic expression: [DSDECOD_001_6]='7' or [DSDECOD_001_6]='16']</i> <i>[DSTERM_001_6]</i> [DSTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Reason for discontinuation should be entered in this data field when "Other", "Withdrawal By Subject" or "Withdrawal By Parent/Guardian" is selected from the "Status" list. Data entry is only expected for this data field when one of the above statuses has been entered. Avoid abbreviations.	
----------	--	---	--

Key: [*] = Item is required ✓ = Source verification required

Study Object Descriptions: DS001_6 DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Form	CRF_4895245065238430_DS001_6	DS001_6
Item	I_4895280539592802_DSSCAT_001_6	
Item	I_4895280301022887_DSSTDTC_001_6	
Item	I_4895280354078108_SUPPDS_DSPHASE_001_6	
Item	I_4895280406135812_DSDECOD_001_6	
Item	I_4895280457778324_DSTERM_001_6	

Codelist Values Tables: DS001_6 DISPOSITION - FOLLOW-UP								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
DSSCAT_CL_001_6	0.2			STUDY TREATMENT	1	129	0.1	i_4895280539592802_dsscat_001_6

SUPPDS_DSPHASE_CL_001_6	0.2			FOLLOW-UP	1	1	0.1	i_4895280354078108_suppds_dsphase_001_6
DSDECOD_CL_001_6	0.3			ADVERSE EVENT	1	1	0.1	i_4895280406135812_dsdecod_001_6
				COMPLETED	2	2	0.1	
				DEATH	3	3	0.1	
				LOST TO FOLLOW-UP	4	5	0.1	
				OTHER	5	7	0.1	
				PHYSICIAN DECISION	6	8	0.1	
				PREGNANCY	7	9	0.1	
				PROTOCOL DEVIATION	8	11	0.1	
				STUDY TERMINATED BY SPONSOR	9	14	0.1	
				WITHDRAWAL BY SUBJECT	10	16	0.1	
				MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	11	17	0.1	
				NO LONGER MEETS ELIGIBILITY CRITERIA	12	18	0.1	
				REACTOGENICITY EVENT	13	34	0.1	
				REFUSED FURTHER STUDY PROCEDURES	14	25	0.1	

Variable Validations DS001_6 DISPOSITION - FOLLOW-UP

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_6	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_6	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001_6	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_6	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.

DSSTDTC_001_6	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_6	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_6	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_6 DISPOSITION - FOLLOW-UP		
Group RefName	Group Type	Associated Variables
IG_4895274275417663_DS01001_6	Non-Repeating	DSSCAT_001_6, DSSTDTC_001_6, SUPPDS_DSPHASE_001_6, DSDECOD_001_6, DSTERM_001_6

Instruments

R_TRIG001 / TRIGGER FORM - ELIGIBILITY

Instrument Definition

Instrument Name:	R_TRIG001
Instrument Title:	TRIGGER FORM - ELIGIBILITY
SAS Instrument Name:	R_TRIG001
Description:	TRIG
Version:	0.39
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: R_TRIG001 <i>TRIGGER FORM - ELIGIBILITY</i> (TRIG) [Version: 0.39]		
Section TRIGGER FORM <i>R_TRIG001_S</i>		Permission Groups
Group of Fields R_TRIG01001 / Trigger Form Group Type: Non-Repeating	Number of variables: 4	

1.*	Select appropriate response - Protocol version: [R_TRIGRESP1_001] [TRGRES1]	[R_TRIGRESP1_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.*	Select appropriate response - Did subject meet all eligibility criteria? [R_TRIGRESP2_001] [TRGRES2]	[R_TRIGRESP2_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.*	Select appropriate response - Is the participant part of the group collecting blood samples for PBMC isolation subset: [R_TRIGRESP3_001] [TRGRES3]	[R_TRIGRESP3_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.*	Select appropriate response - Is the participant part of the group collecting blood samples for Immunogenicity persistence subset? [R_TRIGRESP5_001] [TRGRES5]	[R_TRIGRESP5_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
-----	--	--	--

Key: [*] = Item is required

Study Object Descriptions: R_TRIG001 TRIGGER FORM - ELIGIBILITY		
Type	RefName	Description
Form	CRF_4895245324198920_R_TRIG001	R_TRIG001
Item	I_4895280592065099_R_TRIGRESP1_001	
Item	I_4895280646963138_R_TRIGRESP2_001	
Item	I_4895280702130366_R_TRIGRESP3_001	
Item	I_4895280757863721_R_TRIGRESP5_001	

Codelist Values Tables: R_TRIG001 TRIGGER FORM - ELIGIBILITY								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_TRIGRESP1_CL_001	0.7			Initial Version - 25SEP2025	1	35	0.1	i_4895280592065099_r_trigresp1_001
				Protocol Amendment 1 - 21NOV2025	2	41	0.1	
R_TRIGRESP2_CL_001	0.1			SUBJECT MET ALL ELIGIBILITY CRITERIA	1	5	0.1	i_4895280646963138_r_trigresp2_001
				SUBJECT DID NOT MEET ALL ELIGIBILITY CRITERIA	2	6	0.1	

R_TRIGRESP3_CL_001	0.5			YES, THE PARTICIPANT IS PART OF THE GROUP COLLECTING BLOOD SAMPLES FOR PBMC ISOLATION.	1	35	0.1	i_4895280702130366_r_trigresp3_001
				NO, THE PARTICIPANT IS NOT PART OF THE GROUP COLLECTING BLOOD SAMPLES FOR PBMC ISOLATION.	2	36	0.1	
R_TRIGRESP5_CL_001	0.5			YES, THE PARTICIPANT IS PART OF THE GROUP COLLECTING BLOOD SAMPLES FOR IMMUNOGENICITY PERSISTENCE SUBSET.	1	42	0.1	i_4895280757863721_r_trigresp5_001
				NO, THE PARTICIPANT IS NOT PART OF THE GROUP COLLECTING BLOOD SAMPLES FOR IMMUNOGENICITY PERSISTENCE SUBSET.	2	43	0.1	

Groups of Fields R_TRIG001 TRIGGER FORM - ELIGIBILITY		
Group RefName	Group Type	Associated Variables
IG_4895274030229772_R_TRIG01001	Non-Repeating	R_TRIGRESP1_001, R_TRIGRESP2_001, R_TRIGRESP3_001, R_TRIGRESP5_001

Instruments

SV001 / DATE OF VISIT

Instrument Definition

Instrument Name:	SV001
Instrument Title:	DATE OF VISIT
SAS Instrument Name:	SV001
Description:	DOV
Version:	0.2
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: SV001 <i>DATE OF VISIT</i> (DOV) [Version: 0.2]			
Section DATE OF VISIT SV001_S			Permission Groups
	Group of Fields SV01001 / Date of Visit Group Type: Non-Repeating	Number of variables: 2	

1.*	Date of Visit: [SVSTDTC_001] [SVSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Enabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: In general, Date of Visit represents the date the assessment(s) was made. If assessments for a visit span more than one day, please refer to the CRF Completion Requirements for additional instructions.	
-----	---	---	--

2.*	Contact Mode: [X_SVCNTMOD_001] [SVCNTMOD]	[X_SVCNTMOD_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record Contact Mode for the visit. -If the visit is in person and at the clinical study site, choose "IN PERSON, ONSITE". Note that for visits defined in the protocol as "in person," the system will default "IN PERSON, ONSITE" but this may be overridden through data entry of an alternate Contact Mode if the participant could not be seen on site, for extraordinary circumstances. -If the visit is conducted by remote communication (i.e., not an in person visit), choose "REMOTE AUDIO VIDEO" for any telehealth visit (i.e., the exchange of healthcare information and services via telecommunication technologies, such as telephone calls, video, video conferencing calls, and wireless communications). -If the visit is conducted offsite with procedures performed by study personnel (e.g. a home health visit or alternate site approved by the investigator), select "IN PERSON, OFFSITE."	
-----	--	---	--

Key: [*] = Item is required

Study Object Descriptions: SV001 DATE OF VISIT

Type	RefName	Description
Form	CRF_4895245555484542_SV001	SV001
Item	I_4895280813039072_SVSTDTC_001	
Item	I_4895280867444477_X_SVCNTMOD_001	

Codelist Values Tables: SV001 DATE OF VISIT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_SVCNTMOD_CL_001	0.1			IN PERSON, ONSITE	1	1	0.1	i_4895280867444477_x_svcntmod_001
				IN PERSON, OFFSITE	2	2	0.1	
				REMOTE AUDIO VIDEO	3	3	0.1	

Variable Validations SV001 DATE OF VISIT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
SVSTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
SVSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
SVSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
SVSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
SVSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields SV001 DATE OF VISIT

Group RefName	Group Type	Associated Variables
IG_4895276079842491_SV01001	Non-Repeating	SVSTDTC_001, X_SVCNTMOD_001

Instruments

EG001_3 / LOCALLY READ ECGs REPEATING

Instrument Definition

Instrument Name:	EG001_3
Instrument Title:	LOCALLY READ ECGs REPEATING
SAS Instrument Name:	EG001_3
Description:	LOCALECGR
Version:	0.92
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: EG001_3 LOCALLY READ ECGs REPEATING (LOCALECGR) [Version: 0.92]		
Section LOCALLY READ ECGs REPEATING EG001_3_S		Permission Groups
Group of Fields EG01001_3 / ECGs Group Type: Non-Repeating	Number of variables: 4	

1.* ✓	ECG Date Time: [EGDTC_001_3] [EGDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date ECG was done using this format (DD-MMM-YYYY).	
----------	--	---	--

2.* 	Was ECG: [EGORRES_INTP_001_3] [EGNABN]	[EGORRES_INTP_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record whether the results were "Normal", "Abnormal" or "Not Evaluable". The criteria for determining whether an abnormal objective test finding such as ECG should be reported as an adverse event during a clinical trial are as follows: - Test result is associated with accompanying symptoms; and/or - Test result requires additional diagnostic testing or medical/surgical intervention; and/or - Test result leads to a change in trial dosing or discontinuation from the trial, significant additional concomitant drug treatment, or other therapy; and/or - Test result is considered to be an adverse event by the investigator or sponsor. Merely repeating an abnormal test, in the absence of any of the above conditions, does not constitute an adverse event. Any abnormal test result that is determined to be an error does not require reporting as an adverse event.	
3.* 	If abnormal, was the overall ECG clinically significant? [EGCLSIG_001_3] [EGCLSIG] (Nested Field)	[EGCLSIG_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the ECG was ABNORMAL, record whether the abnormalities were clinically significant by selecting "Yes" or "No". Otherwise, leave this item blank.	

4.* ✓	Comments on significant findings: (If clinically significant, record on the Adverse Event page, if appropriate) [CO_EGCOM_001_3] [EGCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields EG02001_3 / RESULTS Group Type: Fixed Repeating	Number of rows: 1	
5.	ECG Test Name: [EGTEST_001_3] [EGTEST] Row 1 (Locked): 128 - ECG Mean Heart Rate	[EGTEST_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the name of the ECG measurement or finding, if not pre-printed on the CRF.	

6.* 	Result: [EGORRES_001_3] [EGORRES]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the findings or interpretation for the ECG measurement. If there are multiple ECG Test names pre-printed on the CRF and there is no finding or interpretation for that test, record ND in the result field.	
7.	Unit: [EGORRESU_001_3] [EGORRESU] Row 1 (Locked): 114 - beats/min	[EGORRESU_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the unit of the ECG measurement or finding, if not pre-printed on the CRF.	
	Group of Fields EG03001_3 / FINDINGS Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 1	

8.* ✓	Findings: [EGORRES_EGTESTCD_EGFIND_001_3] [EGFIND]	[EGORRES_EGTESTCD_EGFIND_CL_001_3] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the findings or interpretation for the ECG measurement.	
----------	--	--	--

Key: [*] = Item is required ✓ = Source verification required

Study Object Descriptions: EG001_3 LOCALLY READ ECGs REPEATING		
Type	RefName	Description
Form	CRF_4895245773744793_EG001_3	EG001_3
Item	I_4895281137815636_EGDTC_001_3	
Item	I_4895281192281063_EGORRES_INTP_001_3	
Item	I_4895281246536773_EGCLSIG_001_3	
Item	I_4895281299548186_CO_EGCOM_001_3	
Item	I_4895280973589570_EGTEST_001_3	
Item	I_4895281027395970_EGORRES_001_3	
Item	I_4895281083199660_EGORRESU_001_3	
Item	I_4895280920096978_EGORRES_EGTESTCD_EGFI	

Codelist Values Tables: EG001_3 LOCALLY READ ECGs REPEATING								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName

EGORRES_INTP_CL_001_3	0.2			ABNORMAL	1	1	0.1	i_4895281192281063_egorres_intp_001_3
				INDETERMINATE	2	2	0.1	
				NORMAL	3	3	0.1	
				UNKNOWN	4	4	0.1	
EGCLSIG_CL_001_3	0.1			NO	1	N	0.1	i_4895281246536773_egclsig_001_3
				YES	2	Y	0.1	
EGTEST_CL_001_3	0.2			ECG Mean Heart Rate	1	128	0.1	i_4895280973589570_egtest_001_3
EGORRESU_CL_001_3	0.2			beats/min	1	114	0.1	i_4895281083199660_egorresu_001_3
EGORRES_EGTESTCD_EGFIND_CL_001_3	0.1			SINUS TACHYCARDIA	1	1	0.1	i_4895280920096978_egorres_egtestcd_egfi
				SINUS BRADYCARDIA	2	2	0.1	
				PRE-EXCITATION	3	3	0.1	
				AV NODE RE-ENTRY	4	4	0.1	
				JUNCTIONAL TACHYCARDIA	5	5	0.1	
				SUPRAVENTRICULAR TACHYCARDIA	6	6	0.1	
				WOLFF-PARKINSON-WHITE SYNDROME	7	7	0.1	
				ATRIAL TACHYCARDIA	8	8	0.1	
				ATRIAL FIBRILLATION	9	9	0.1	
				3RD DEGREE AV BLOCK	10	10	0.1	
				TORSADES DE POINTES	11	11	0.1	
				VENTRICULAR FIBRILLATION	12	12	0.1	
				VENTRICULAR FLUTTER	13	13	0.1	

VENTRICULAR TACHYCARDIA	14	14	0.1
ATRIAL FLUTTER	15	15	0.1
R ON T PHENOMENON	16	16	0.1
1ST DEGREE AV BLOCK	17	17	0.1
2ND DEGREE AV BLOCK	18	18	0.1
VENTRICULAR TACHYCARDIA, MONOMORPHIC	19	19	0.1
VENTRICULAR TACHYCARDIA, POLYMORPHIC	20	20	0.1
SINUS ARRHYTHMIA	21	21	0.1
WANDERING ATRIAL PACEMAKER	22	22	0.1
SINUS ARREST/PAUSE	23	23	0.1
ST ELEVATION	24	24	0.1
ST ELEVATION PERICARDITIS	25	25	0.1
J POINT ELEVATION	26	26	0.1
NON-SPECIFIC ST-T CHANGES	27	27	0.1
NOTCHED T WAVES	28	28	0.1
POOR R WAVE PROGRESSION	29	29	0.1
PROLONGED QT	30	30	0.1
ELECTRICAL ALTERNANS	31	31	0.1

SINOATRIAL EXIT BLOCK	32	32	0.1
ATRIAL ENLARGEMENT	33	33	0.1
LEFT ATRIAL ABNORMALITY	34	34	0.1
RIGHT ATRIAL ABNORMALITY	35	35	0.1
ECTOPIC VENTRICULAR RHYTHM	36	36	0.1
PREMATURE VENTRICULAR COMPLEX INTERPOLATED	37	37	0.1
2:1 AV BLOCK	38	38	0.1
ATRIOVENTRICULAR DISSOCIATION	39	39	0.1
BIFASCICULAR BLOCK	40	40	0.1
INCOMPLETE LEFT BUNDLE BRANCH BLOCK	41	41	0.1
INCOMPLETE RIGHT BUNDLE BRANCH BLOCK	42	42	0.1
NEW POSTERIOR WALL MYOCARDIAL INFARCTION	43	43	0.1
MULTIFOCAL ATRIAL TACHYCARDIA	44	44	0.1
JUNCTIONAL RHYTHM	45	45	0.1

SUSTAINED VENTRICULAR TACHYCARDIA	46	46	0.1
NON-SUSTAINED VENTRICULAR TACHYCARDIA	47	47	0.1
BRUGADA SYNDROME PATTERN	48	48	0.1
VENTRICULAR TRIGEMINY	49	49	0.1
ACUTE EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION	50	50	0.1
EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION	51	51	0.1
QTCF PROLONGATION	52	52	0.1
BIVENTRICULAR HYPERTROPHY	53	53	0.1
VENTRICULAR BIGEMINY	54	54	0.1
ACUTE ANTERIOR WALL MYOCARDIAL INFARCTION	55	55	0.1
ACUTE INFERIOR WALL MYOCARDIAL INFARCTION	56	56	0.1
ACUTE LATERAL WALL MYOCARDIAL INFARCTION	57	57	0.1

ACUTE POSTERIOR WALL MYOCARDIAL INFARCTION	58	58	0.1
ANTERIOR WALL MYOCARDIAL INFARCTION	59	59	0.1
INFERIOR WALL MYOCARDIAL INFARCTION	60	60	0.1
INTRAATRIAL CONDUCTION DELAY	61	61	0.1
JUNCTIONAL BRADYCARDIA	62	62	0.1
LATERAL WALL MYOCARDIAL INFARCTION	63	63	0.1
LEFT VENTRICULAR HYPERTROPHY	64	64	0.1
RIGHT VENTRICULAR HYPERTROPHY	65	65	0.1
LOW QRS VOLTAGE	66	66	0.1
NON Q WAVE MYOCARDIAL INFARCTION	67	67	0.1
POSTERIOR WALL MYOCARDIAL INFARCTION	68	68	0.1
SEPTAL MYOCARDIAL INFARCTION	69	69	0.1
T WAVE INVERSION	70	70	0.1
T WAVE PEAKED	71	71	0.1

T WAVES BIPHASIC	72	72	0.1
T WAVES FLAT	73	73	0.1
WIDE QRS TACHYCARDIA	74	74	0.1
Q AXIS, LEFT AXIS DEVIATION	75	75	0.1
Q AXIS, RIGHT AXIS DEVIATION	76	76	0.1
AV MOBILZ I	77	77	0.1
AV MOBILZ II	78	78	0.1
PACED RHYTHM	79	79	0.1
BORDERLINE QTCB	80	80	0.1
BORDERLINE QTCF	81	81	0.1
LEFT VENTRICULAR CONDUCTION DELAY	82	82	0.1
PACED ATRIAL AND VENTRICULAR RHYTHM	83	83	0.1
PACED ATRIAL RHYTHM	84	84	0.1
PACED VENTRICULAR RHYTHM	85	85	0.1
RIGHT VENTRICULAR CONDUCTION DELAY	86	86	0.1
RSR PRIME	87	87	0.1
BRADYCARDIA	88	88	0.1
P WAVE ABNORMALITY	89	89	0.1
P WAVE NOTCHED	90	90	0.1

PAROXYSMAL VENTRICULAR TACHYCARDIA	91	91	0.1
QRS COMPLEX ABNORMALITY	92	92	0.1
QTCB PROLONGATION	93	93	0.1
R WAVE NOTCHED	94	94	0.1
TACHYCARDIA	95	95	0.1
VENTRICULAR ESCAPE BEAT	96	96	0.1
ECTOPIC ATRIAL RHYTHM	97	97	0.1
SHORT PR INTERVAL	98	98	0.1
ISORHYTHMIC DISSOCIATION	99	99	0.1
PAROXYSMAL AV BLOCK	100	100	0.1
PREMATURE VENTRICULAR COMPLEX	101	101	0.1
PREMATURE ATRIAL COMPLEXES	102	102	0.1
DELTA WAVE	103	103	0.1
VENTRICULAR COUPLET	104	104	0.1
AV RE-ENTRANT TACHYCARDIA	105	105	0.1
ACCELERATED IDIOVENTRICULAR RHYTHM	106	106	0.1

LEFT ANTERIOR FASCICULAR BLOCK	107	107	0.1
LEFT POSTERIOR FASCICULAR BLOCK	108	108	0.1
LEFT BUNDLE BRANCH BLOCK	109	109	0.1
RIGHT BUNDLE BRANCH BLOCK	110	110	0.1
INTRAVENTRICULAR CONDUCTION DELAY, NONSPECIFIC	111	111	0.1
ST DEPRESSION	112	112	0.1
LATE R WAVE TRANSITION	113	113	0.1
LEFT VENTRICULAR HYPERTROPHY WITH STRAIN	114	114	0.1
MYOCARDIAL INFARCTION	115	115	0.1
NEW ANTERIOR WALL MYOCARDIAL INFARCTION	116	116	0.1
NEW ANTEROLATERAL WALL MYOCARDIAL INFARCTION	117	117	0.1
NEW ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	118	118	0.1
NEW EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION	119	119	0.1

NEW HIGH LATERAL WALL MYOCARDIAL INFARCTION	120	120	0.1
NEW INFERIOR WALL MYOCARDIAL INFARCTION	121	121	0.1
NEW LATERAL WALL MYOCARDIAL INFARCTION	122	122	0.1
NEW MYOCARDIAL INFARCTION	123	123	0.1
NEW SEPTAL WALL MYOCARDIAL INFARCTION	124	124	0.1
NON-SUSTAINED ATRIAL TACHYCARDIA	125	125	0.1
NORMAL SINUS RHYTHM	126	126	0.1
NORTHWEST AXIS	127	127	0.1
OLD OR AGE INDETERMINATE ANTERIOR WALL MYOCARDIAL INFARCTION	128	128	0.1
OLD OR AGE INDETERMINATE ANTEROLATERAL WALL MYOCARDIAL INFARCTION	129	129	0.1

OLD OR AGE INDETERMINATE ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	130	130	0.1
OLD OR AGE INDETERMINATE EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION	131	131	0.1
OLD OR AGE INDETERMINATE HIGH LATERAL WALL MYOCARDIAL INFARCTION	132	132	0.1
OLD OR AGE INDETERMINATE INFERIOR WALL MYOCARDIAL INFARCTION	133	133	0.1
OLD OR AGE INDETERMINATE LATERAL WALL MYOCARDIAL INFARCTION	134	134	0.1
OLD OR AGE INDETERMINATE POSTERIOR WALL MYOCARDIAL INFARCTION	135	135	0.1
OLD OR AGE INDETERMINATE SEPTAL WALL MYOCARDIAL INFARCTION	136	136	0.1

OLD OR AGE INDETERMINATE WALL MYOCARDIAL INFARCTION	137	137	0.1
PREMATURE ATRIAL COMPLEXES BLOCKED	138	138	0.1
PREMATURE ATRIAL COMPLEXES MULTIFOCAL	139	139	0.1
PREMATURE ATRIAL COMPLEXES UNIFOCAL	140	140	0.1
PREMATURE VENTRICULAR COMPLEXES MULTIFOCAL	141	141	0.1
PREMATURE VENTRICULAR COMPLEXES UNIFOCAL	142	142	0.1
QTC PROLONGATION	143	143	0.1
REPOLARIZATION ABNORMALITY	144	144	0.1
REPOLARIZATION ABNORMALITY SECONDARY TO VENTRICULAR HYPERTROPHY	145	145	0.1
SHORT QTC INTERVAL	146	146	0.1
SINUS RHYTHM	147	147	0.1
T WAVE ALTERNANS	148	148	0.1
VENTRICULAR PARASYSTOLE	149	149	0.1

ACUTE ANTEROLATERAL WALL MYOCARDIAL INFARCTION	150	150	0.1
ACUTE ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	151	151	0.1
ACUTE HIGH LATERAL WALL MYOCARDIAL INFARCTION	152	152	0.1
ACUTE MYOCARDIAL INFARCTION	153	153	0.1
ACUTE RIGHT VENTRICULAR WALL MYOCARDIAL INFARCTION	154	154	0.1
ACUTE SEPTAL WALL MYOCARDIAL INFARCTION	155	155	0.1
ADVANCED/HIGH GRADE AV BLOCK	156	156	0.1
ANTEROLATERAL WALL MYOCARDIAL INFARCTION	157	157	0.1
ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	158	158	0.1
ATRIAL BIGEMINY	159	159	0.1
ATRIAL COUPLETS	160	160	0.1
ATRIAL TRIGEMINY	161	161	0.1
DEXTROCARDIA	162	162	0.1

EARLY R WAVE TRANSITION	163	163	0.1
EARLY REPOLARIZATION	164	164	0.1
FUSION COMPLEX	165	165	0.1
HIGH LATERAL WALL MYOCARDIAL INFARCTION	166	166	0.1
IDIOVENTRICULAR RHYTHM	167	167	0.1
INDETERMINATE QRS AXIS	168	168	0.1
JUNCTIONAL PREMATURE COMPLEX	169	169	0.1
SHORT QTCB	170	170	0.1
SHORT QTCF	171	171	0.1
U WAVE ABNORMALITY	172	172	0.1
BASELINE WANDER	173	173	0.1
MUSCLE TREMOR	174	174	0.1
AC NOISE	175	175	0.1
LIMB ELECTRODES INTERCHANGED	176	176	0.1
LIMB ELECTRODE(S) DISCONNECTED	177	177	0.1
PRECORDIAL ELECTRODES INTERCHANGED	178	178	0.1
PRECORDIAL ELECTRODE V1 DISCONNECTED	179	179	0.1

PRECARDIAL ELECTRODE V2 DISCONNECTED	180	180	0.1
PRECARDIAL ELECTRODE V3 DISCONNECTED	181	181	0.1
PRECARDIAL ELECTRODE V4 DISCONNECTED	182	182	0.1
PRECARDIAL ELECTRODE V5 DISCONNECTED	183	183	0.1
PRECARDIAL ELECTRODE V6 DISCONNECTED	184	184	0.1
ALL PRECORDIAL ELECTRODES DISCONNECTED	185	185	0.1
PRECARDIAL ELECTRODE(S) POSITIONED INCORRECTLY	186	186	0.1
QUALITY PROBLEM NOT OTHERWISE SPECIFIED	187	187	0.1
ARTIFACT	188	188	0.1
NO ECG WAVEFORMS PRESENT	189	189	0.1
60 Hz NOISE	190	190	0.1
50 Hz NOISE	191	191	0.1
LOW AMPLITUDE SIGNAL	192	192	0.1

INCOMPLETE ECG	193	193	0.1
INCORRECTLY SCALED ECG	194	194	0.1
INCOMPLETELY DIGITIZED ECG LEAD(S)	195	195	0.1
UNABLE TO DIGITIZE ECG LEADS	196	196	0.1
INVALID ECG WAVEFORMS	197	197	0.1
POOR QUALITY ECG	198	198	0.1
SUSPECT LIMB ELECTRODES REVERSED, INTERPRETATION ASSUMES NO REVERSAL	199	199	0.1
SUSPECT LIMB ELECTRODES REVERSED, INTERPRETATION ASSUMES REVERSAL	200	200	0.1
ECG ACQUIRED WITH PRECORDIAL ELECTRODES PLACED ON RIGHT CHEST	201	201	0.1
OTHER INCORRECT ELECTRODE PLACEMENT	202	202	0.1
INSUFFICIENT NUMBER OF BEATS TO COMPLETELY EVALUATE ECG	203	203	0.1

ECG EVALUATION NOT PERFORMED DUE TO UNKNOWN ECG AMPLITUDE GAIN OR RECORDING SPEED	204	204	0.1
INCOMPLETE MEASUREMENTS DUE TO TRUNCATION OF QRS COMPLEXES	205	205	0.1
ECG EVALUATION NOT PERFORMED DUE TO POOR QUALITY OF PRINTED ECG	206	206	0.1
ECG EVALUATION NOT PERFORMED DUE TO CORRUPTED DIGITAL ECG FILE	207	207	0.1
ABERRANTLY CONDUCTED COMPLEXES	208	208	0.1
ASYSTOLE	209	209	0.1
CV ENDPOINTS ISCHEMIC ECG CHANGES	210	210	0.1
JUNCTIONAL ESCAPE COMPLEXES	211	211	0.1
LOW VOLTAGE - LIMB LEADS ONLY	212	212	0.1
NON-DIAGNOSTIC Q WAVES	213	213	0.1

OLD OR AGE UNDETERMINED RIGHT VENTRICULAR MYOCARDIAL INFARCTION	214	214	0.1
PR SEGMENT DEPRESSION	215	215	0.1
PROLONGED ST SEGMENT	216	216	0.1
SHORT ST SEGMENT	217	217	0.1
UNDETERMINED RHYTHM	218	218	0.1
ATRIAL TACHYCARDIA WITH AV BLOCK	219	219	0.1
PAUSE	220	220	0.1
PAUSE GREATER THAN 3.0 SECONDS	221	221	0.1
SUPRAVENTRICULAR COUPLET	222	222	0.1
UNDETERMINED SUPRAVENTRICULAR RHYTHM	223	223	0.1
VOLTAGE CRITERIA SUGGESTING LEFT VENTRICULAR HYPERTROPHY, WITHOUT SECONDARY ECG FINDINGS	224	224	0.1
PERSISTENT ATRIAL FIBRILLATION	225	228	0.1
PAROXYSMAL ATRIAL FIBRILLATION	226	229	0.1

				PERSISTENT ATRIAL FLUTTER	227	230	0.1
				PAROXYSMAL ATRIAL FLUTTER	228	231	0.1
				AVERAGE HR < 40BPM	229	233	0.1
				SUPRAVENTRICULAR RUN	230	235	0.1
				VENTRICULAR RUN	231	236	0.1
				SUSTAINED ATRIAL TACHYCARDIA	232	237	0.1
				NON-SUSTAINED ACCELERATED IDIOVENTRICULAR RHYTHM	233	238	0.1
				SUSTAINED ACCELERATED IDIOVENTRICULAR RHYTHM	234	239	0.1

Variable Validations EG001_3 LOCALLY READ ECGs REPEATING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
EGDTC_001_3	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
EGDTC_001_3	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
EGDTC_001_3	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
EGDTC_001_3	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
EGDTC_001_3	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields EG001_3 LOCALLY READ ECGs REPEATING		
Group RefName	Group Type	Associated Variables
IG_4895274242066774_EG01001_3	Non-Repeating	EGDTC_001_3, EGORRES_INTP_001_3, EGCLSIG_001_3, CO_EGCOM_001_3
IG_4895274116971951_EG02001_3	Fixed Repeating	EGTEST_001_3, EGORRES_001_3, EGORRESU_001_3
IG_4895276120928087_EG03001_3	Repeating	EGORRES_EGTESTCD_EGFIND_001_3

Instruments

CM001 / CONCOMITANT MEDICATIONS - SAE

Instrument Definition

Instrument Name:	CM001
Instrument Title:	CONCOMITANT MEDICATIONS - SAE
SAS Instrument Name:	CM001
Description:	CONMED
Version:	0.71
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CM001 CONCOMITANT MEDICATIONS - SAE (CONMED) [Version: 0.71]		
Section CONCOMITANT MEDICATIONS CM001_S		Permission Groups
Group of Fields CM01001 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 21	

1.	What is the medication identifier? [CMSPID_001] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([CMTRT_001])),[\$form_occurrence],null)	
2.	Category: [CMCAT_001] [CMCAT]	[CMCAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: Record the Category for this medication.	

3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001] [CMTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Generic drug name is the preferred entry. Provide the complete generic drug name (including salt form) if known. If the medication includes a large number of ingredients or the generic name is unknown, record the full trade or proprietary name.	
4.*	Reason for Administration: [CMINDC_001] [CMINDC]	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken based on clinical evaluation by the investigator. If taken to treat a condition, and a diagnosis was made, the reason should be the diagnosis. If taken to treat a condition, and no diagnosis was made, the reason should be the signs and symptoms. If taken as prophylaxis, report as "Prophylaxis for ...".	

5.*	Dose: [X_CMDSTXT_001] [CMDSTXT]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose of medication taken per administration. Do not include units in this field.	
6.*	Dose Unit: [CMDOSU_001] [CMDOSU]	[CMDOSU_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose unit of the medication taken.	

7.*	Dose Frequency: [CMDOSFRQ_001] [CMDOSFRQ]	[CMDOSFRQ_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record how often the medication was taken. (e.g., BID, PRN).	
8.*	Route: [CMROUTE_001] [CMROUTE]	[CMROUTE_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the route of administration for the drug.	

9.*	Start Date: [CMSTDTC_001] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If the subject has been taking the medication for a considerable amount of time prior to the start of the study, it is acceptable to have an incomplete date. Medications taken during the study are expected to have a complete start date. Prior medications that are exclusionary should have both a start and end date. If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock.	
-----	--	--	--

10.*	Ongoing? [X_CMONGO_001] [CMONGO]	[X_CMONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the medication as ongoing if the subject has not stopped taking the medication at the time of data collection, and leave the end date blank. If this field is left blank, an End Date must be provided.	
------	---	---	--

11.*	End Date: [CMENDTC_001] [CMENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject stopped taking the medication using the format (DD-MON-YYYY). If the subject has not stopped taking the medication leave this field blank. If appropriate, record the time (as complete as possible) when the medication was stopped, using the 24-hour clock.	
------	---	---	--

12.*	Is this concomitant therapy suspected to be related to an Adverse Event? [R_SUPPCM_CONSUS_001] [CMSUS]	[R_SUPPCM_CONSUS_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication is NOT considered suspect in relation to a reportable event please select NO. If this medication is considered suspect in relation to a reportable event please select YES and complete the remaining fields (AE ID, Action Taken and Re-Challenge)	
13.*	AE ID of the AE this conmed is related to: [R_AEIDCM_001] [CMAEID] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('[', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y' , [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

14.	AE ID of the AE this conmed is related to: [R_AEIDCM1_001] [CMAEID1] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
15.	AE ID of the AE this conmed is related to: [R_AEIDCM2_001] [CMAEID2] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

16.	AE ID of the AE this conmed is related to: [R_AEIDCM3_001] [CMAEID3] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
17.	AE ID of the AE this conmed is related to: [R_AEIDCM4_001] [CMAEID4] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

18.*	Action Taken: [R_SUPPCM_ACTTKN_001] [CMACTION] (Nested Field)	[R_SUPPCM_ACTTKN_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the medication selected in the pick list as a result of the SAE or non-serious but reportable event	
19.*	Re-Challenge: [R_SUPPCM_RECHAL_001] [CMRECHAL] (Nested Field)	[R_SUPPCM_RECHAL_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the medication was re-introduced. Please refer to CRF Completion Requirements for additional details.	

20.	Standardized Medication Name - Dictionary derived. [CMDECOD_001] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
21.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required			

Study Object Descriptions: CM001 CONCOMITANT MEDICATIONS - SAE

Type	RefName	Description
Form	CRF_4895246002724445_CM001	CM001
Item	I_4895281352029173_CMSPID_001	
Item	I_4895281453339562_CMCAT_001	
Item	I_4895281506862169_CMTRT_001	
Item	I_4895281577780781_CMINDC_001	
Item	I_4895281630426184_X_CMDSTXT_001	

Item	I_4895282103076267_CMDOSU_001	
Item	I_4895281681918549_CMDOSFRQ_001	
Item	I_4895281734583193_CMROUTE_001	
Item	I_4895281786339848_CMSTDTC_001	
Item	I_4895282067625342_X_CMONGO_001	
Item	I_4895282085128714_CMENDTC_001	
Item	I_4895281864092932_R_SUPPCM_CONSUS_001	
Item	I_4895281915162408_R_AEIDCM_001	
Item	I_4895281947372887_R_AEIDCM1_001	
Item	I_4895281977498280_R_AEIDCM2_001	
Item	I_4895282007509465_R_AEIDCM3_001	
Item	I_4895282037479633_R_AEIDCM4_001	
Item	I_4895281883462917_R_SUPPCM_ACTTKN_001	
Item	I_4895281899384019_R_SUPPCM_RECHAL_001	
Item	I_4895281828826920_CMDECOD_001	
Item	I_4895281848513110_SUPPCM_CMCODE_001	

Codelist Values Tables: CM001 CONCOMITANT MEDICATIONS - SAE

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001	0.2			GENERAL CONCOMITANT MEDICATIONS	1	1	0.1	i_4895281453339562_cmcat_001
CMDOSU_CL_001	0.13			mg	1	8	0.1	i_4895282103076267_cmdosu_001
				g	2	45	0.1	
				g/mL	3	674	0.1	
				Gy	4	1	0.1	

Rad	5	2	0.1
DAYS	6	3	0.1
HOURS	7	4	0.1
%	8	5	0.1
mm	9	6	0.1
kg	10	7	0.1
mL	11	9	0.1
WEEKS	12	10	0.1
MONTHS	13	11	0.1
YEARS	14	12	0.1
m	15	13	0.1
ms	16	14	0.1
s	17	15	0.1
amp	18	16	0.1
cd	19	17	0.1
mol	20	18	0.1
Hz	21	19	0.1
Newton	22	20	0.1
Pa	23	21	0.1
Joule	24	22	0.1
Watt	25	23	0.1
Coulomb	26	24	0.1
V	27	25	0.1
Farad	28	26	0.1
Sv	29	27	0.1
ohm	30	28	0.1
Siemens	31	29	0.1

Weber	32	30	0.1
Tesla	33	31	0.1
Henry	34	32	0.1
C	35	33	0.1
lm	36	34	0.1
lx	37	35	0.1
Bq	38	36	0.1
kat	39	37	0.1
m2	40	38	0.1
m3	41	39	0.1
m/s	42	40	0.1
g/L	43	41	0.1
F	44	42	0.1
ug	45	43	0.1
min	46	44	0.1
cm2	47	46	0.1
ft2	48	47	0.1
Ci	49	48	0.1
AMPULE	50	49	0.1
BAG	51	50	0.1
BAR	52	51	0.1
BOLUS	53	52	0.1
BOTTLE	54	53	0.1
BOX	55	54	0.1
CAN	56	55	0.1
CAPSULE	57	56	0.1
CARTRIDGE	58	57	0.1

COAT	59	58	0.1
CONTAINER	60	59	0.1
CYLINDER	61	60	0.1
DISK	62	61	0.1
DRUM	63	62	0.1
grain	64	63	0.1
HOMEOPATHIC DILUTION	65	64	0.1
IMPLANT	66	65	0.1
in	67	66	0.1
INHALATION	68	67	0.1
JAR	69	68	0.1
KALLIKREIN INHIBITOR UNIT	70	69	0.1
KIT	71	70	0.1
L	72	71	0.1
LOZENGE	73	72	0.1
uCi	74	73	0.1
umol	75	74	0.1
um	76	75	0.1
mCi	77	76	0.1
mEq	78	77	0.1
mmol	79	78	0.1
ng	80	79	0.1
nmol	81	80	0.1
oz	82	81	0.1
PACKAGE	83	82	0.1
PACKET	84	83	0.1

ppm	85	84	0.1
PATCH	86	85	0.1
PELLET	87	86	0.1
%(w/v)	88	87	0.1
%(w/w)	89	88	0.1
POUCH	90	89	0.1
LB	91	90	0.1
PRESSOR UNITS	92	91	0.1
SCOOPFUL	93	92	0.1
SPRAY	94	93	0.1
STRIP	95	94	0.1
SUPPOSITORY	96	95	0.1
SYRINGE	97	96	0.1
Tbsp	98	97	0.1
TABLET	99	98	0.1
TAMPON	100	99	0.1
tsp	101	100	0.1
TRACE	102	101	0.1
TROCHE	103	102	0.1
TUBE	104	103	0.1
VIAL	105	104	0.1
WAFER	106	105	0.1
yd	107	106	0.1
mol/L	108	107	0.1
%(v/v)	109	108	0.1
IU	110	109	0.1
QUANTITY SUFFICIENT	111	110	0.1

cm	112	111	0.1
mmHg	113	112	0.1
kg/m2	114	113	0.1
beats/min	115	114	0.1
breaths/min	116	115	0.1
CUP	117	116	0.1
atm	118	117	0.1
RING	119	118	0.1
mmol/L	120	119	0.1
pg	121	120	0.1
fg	122	121	0.1
ag	123	122	0.1
cg	124	123	0.1
dram	125	124	0.1
kg/L	126	125	0.1
mg/L	127	126	0.1
mL/min	128	127	0.1
g/dL	129	128	0.1
pmol	130	129	0.1
PUFF	131	130	0.1
mm2	132	131	0.1
tuberculin unit	133	132	0.1
mL/h	134	133	0.1
/s	135	134	0.1
/min	136	135	0.1
mg/h	137	136	0.1
mg/dL	138	137	0.1

cal	139	138	0.1
kcal	140	139	0.1
PFU	141	140	0.1
eq	142	141	0.1
HPF	143	142	0.1
g/m2	144	143	0.1
ug/L	145	144	0.1
LPF	146	145	0.1
mV	147	146	0.1
ng/dL	148	147	0.1
ng/L	149	148	0.1
nm	150	149	0.1
osm	151	150	0.1
psi	152	151	0.1
10^6 IU	153	152	0.1
nCi	154	153	0.1
IU/L	155	154	0.1
IU/mL	156	155	0.1
IU/kg	157	156	0.1
IU/mg	158	157	0.1
L/min	159	158	0.1
ug/h	160	159	0.1
ug/kg	161	160	0.1
ukat/L	162	161	0.1
mg/day	163	162	0.1
mg/kg	164	163	0.1
mg/m2	165	164	0.1

umol/day	166	165	0.1
mm/h	167	166	0.1
mmol/day	168	167	0.1
nmol/L	169	168	0.1
pmol/L	170	169	0.1
RNA copies/mL	171	170	0.1
mEq/day	172	171	0.1
mEq/L	173	172	0.1
mEq/kg	174	173	0.1
deg	175	174	0.1
dmol	176	175	0.1
cmol	177	176	0.1
mmol/g	178	177	0.1
fmol	179	178	0.1
amol	180	179	0.1
ft3	181	180	0.1
in2	182	181	0.1
ELISA unit	183	182	0.1
ELISA unit/dose	184	183	0.1
ELISA unit/mL	185	184	0.1
Log10 ELISA unit	186	185	0.1
Log10 ELISA unit/dose	187	186	0.1
mol/mL	188	187	0.1
mmol/kg	189	188	0.1
mol/g	190	189	0.1
mol/mg	191	190	0.1
10^3 CFU	192	191	0.1

10 ⁶ CFU	193	192	0.1
10 ⁹ CFU	194	193	0.1
CFU/g	195	194	0.1
10 ³ CFU/g	196	195	0.1
10 ⁶ CFU/g	197	196	0.1
10 ⁹ CFU/g	198	197	0.1
CFU/mL	199	198	0.1
10 ³ CFU/mL	200	199	0.1
10 ⁶ CFU/mL	201	200	0.1
10 ⁹ CFU/mL	202	201	0.1
Gauss	203	202	0.1
kg/cm ²	204	203	0.1
g/kg	205	204	0.1
ppth	206	205	0.1
pm	207	206	0.1
uL/mL	208	207	0.1
nL	209	208	0.1
gtt	210	209	0.1
mol/mol	211	210	0.1
rpm	212	211	0.1
dyn	213	212	0.1
log EID 50/dose	214	213	0.1
log ₁₀ CCID 50/dose	215	214	0.1
log ₁₀ TCID 50/dose	216	215	0.1
klU	217	216	0.1
IU/g	218	217	0.1
anti-Xa IU	219	218	0.1

anti-Xa IU/mL	220	219	0.1
AgU/mL	221	220	0.1
DAgU	222	221	0.1
DAgU/mL	223	222	0.1
tuberculin unit/mL	224	225	0.1
mkat	225	226	0.1
nkat	226	227	0.1
pkat	227	228	0.1
nkat/L	228	229	0.1
kBq	229	230	0.1
MBq	230	231	0.1
GBq	231	232	0.1
Bq/kg	232	233	0.1
Bq/g	233	234	0.1
Bq/ug	234	235	0.1
Bq/mg	235	236	0.1
GBq/g	236	237	0.1
GBq/ug	237	238	0.1
GBq/mg	238	239	0.1
Ci/g	239	240	0.1
Ci/kg	240	241	0.1
Ci/ug	241	242	0.1
Ci/mg	242	243	0.1
EID 50/dose	243	244	0.1
CCID 50/dose	244	245	0.1
TCID 50/dose	245	246	0.1
ukat	246	247	0.1

ppb	247	248	0.1
pptr	248	249	0.1
mCi/kg	249	250	0.1
uCi/kg	250	251	0.1
Roentgen	251	252	0.1
mEq/uL	252	253	0.1
mEq/g	253	254	0.1
mEq/ug	254	255	0.1
Bq/L	255	256	0.1
Bq/uL	256	257	0.1
Bq/mL	257	258	0.1
kBq/uL	258	259	0.1
MBq/uL	259	260	0.1
Ci/L	260	261	0.1
Ci/uL	261	262	0.1
Ci/mL	262	263	0.1
uCi/L	263	264	0.1
mCi/L	264	265	0.1
uV	265	266	0.1
cycle/min	266	267	0.1
km	267	268	0.1
Mile	268	269	0.1
100 IU/mL	269	270	0.1
10^3 organisms	270	271	0.1
10^6 organisms	271	272	0.1
10^9 organisms	272	273	0.1
10^3 organisms/g	273	274	0.1

10 ⁶ organisms/g	274	275	0.1
10 ⁹ organisms/g	275	276	0.1
10 ⁶ organisms/mg	276	277	0.1
10 ⁹ organisms/mg	277	278	0.1
10 ³ organisms/mL	278	279	0.1
10 ⁶ organisms/mL	279	280	0.1
10 ⁹ organisms/mL	280	281	0.1
PFU/dose	281	282	0.1
bel	282	284	0.1
PFU/mL	283	283	0.1
g/cm ²	284	285	0.1
kUSP	285	286	0.1
km/h	286	287	0.1
NEBULE	287	288	0.1
ug/day	288	289	0.1
mg/kg/min	289	290	0.1
IU/kg/h	290	291	0.1
ug/kg/min	291	292	0.1
ug/min	292	293	0.1
ft	293	294	0.1
FINGERTIP UNIT	294	295	0.1
SACHET	295	296	0.1
mg/kg/h	296	297	0.1
cycle/sec	297	298	0.1
Pack Year	298	299	0.1
U/L	299	300	0.1
U/mL	300	301	0.1

U/g	301	302	0.1
U/mg	302	303	0.1
U/kg	303	304	0.1
/day	304	305	0.1
/h	305	306	0.1
/HPF	306	307	0.1
/LPF	307	308	0.1
/uL	308	309	0.1
/wk	309	310	0.1
AFU	310	311	0.1
amu	311	312	0.1
Absorbance U	312	313	0.1
Absorbance U/min	313	314	0.1
dL	314	315	0.1
EU	315	316	0.1
FEU	316	317	0.1
fL	317	318	0.1
fmol/g	318	319	0.1
fmol/L	319	320	0.1
g/animal	320	321	0.1
g/animal/day	321	322	0.1
g/animal/wk	322	323	0.1
g/cage	323	324	0.1
g/cage/day	324	325	0.1
g/cage/wk	325	326	0.1
g/day	326	327	0.1
g/g	327	328	0.1

g/g/day	328	329	0.1
g/kg/day	329	330	0.1
g/m2/day	330	331	0.1
g/mol	331	332	0.1
kN/cm2	332	333	0.1
kPa	333	334	0.1
L/kg	334	335	0.1
scm	335	336	0.1
mEq/dL	336	337	0.1
mEq/mL	337	338	0.1
mEq/mmol	338	339	0.1
MESF	339	340	0.1
mg/animal	340	342	0.1
mg/g/h	341	343	0.1
mg/g/min	342	344	0.1
mg/kg/day	343	345	0.1
mg/m2/day	344	346	0.1
mg/m2/h	345	347	0.1
mg/m2/min	346	348	0.1
mg/min	347	349	0.1
MHz	348	350	0.1
mL/animal	349	351	0.1
mL/animal/day	350	352	0.1
mL/animal/wk	351	353	0.1
mL/breath	352	354	0.1
mL/cage	353	355	0.1
mL/cage/day	354	356	0.1

mL/cage/wk	355	357	0.1
mL/day	356	358	0.1
mL/g	357	359	0.1
mL/g/day	358	360	0.1
mL/g/h	359	361	0.1
mL/g/min	360	362	0.1
mL/kg	361	363	0.1
mL/kg/day	362	364	0.1
mL/kg/h	363	365	0.1
mL/kg/min	364	366	0.1
mL/m2	365	367	0.1
mL/m2/day	366	368	0.1
mL/m2/h	367	369	0.1
mL/m2/min	368	370	0.1
mmHg/s	369	371	0.1
mOsm	370	372	0.1
mOsm/kg	371	373	0.1
mPa	372	374	0.1
nmol/mL/min	373	375	0.1
ns	374	376	0.1
pg/dL	375	377	0.1
pL	376	378	0.1
ps	377	379	0.1
U	378	380	0.1
U/animal	379	381	0.1
U/g/day	380	382	0.1
U/g/h	381	383	0.1

U/g/min	382	384	0.1
U/kg/day	383	385	0.1
U/kg/h	384	386	0.1
U/kg/min	385	387	0.1
U/m2	386	388	0.1
U/m2/day	387	389	0.1
U/m2/h	388	390	0.1
U/m2/min	389	391	0.1
U/mmol	390	392	0.1
uEq	391	393	0.1
ug/animal	392	394	0.1
ug/dL	393	395	0.1
ug/g/day	394	396	0.1
ug/g/h	395	397	0.1
ug/g/min	396	398	0.1
ug/kg/day	397	399	0.1
ug/m2	398	401	0.1
ug/kg/h	399	400	0.1
ug/m2/day	400	402	0.1
ug/m2/h	401	403	0.1
ug/m2/min	402	404	0.1
ug/mL/h	403	405	0.1
mIU/L	404	406	0.1
uL	405	407	0.1
um2	406	408	0.1
umol/L	407	409	0.1
umol/mg/min	408	410	0.1

uOsM	409	411	0.1
us	410	412	0.1
10^12/L	411	413	0.1
10^3 DNA copies/mL	412	414	0.1
10^3 RNA copies/mL	413	415	0.1
10^3/hpf	414	416	0.1
10^4/hpf	415	417	0.1
10^5/hpf	416	418	0.1
10^6 DNA copies/mL	417	419	0.1
10^6 IU/mL	418	420	0.1
10^6 RNA copies/mL	419	421	0.1
10^6/g	420	422	0.1
10^6/hpf	421	423	0.1
10^6/L	422	424	0.1
10^7/L	423	425	0.1
10^9/L	424	426	0.1
cm H2O	425	427	0.1
DNA copies/mL	426	428	0.1
L/h	427	429	0.1
mL/cm H2O	428	430	0.1
PACK	429	431	0.1
RATIO	430	432	0.1
10^3 copies/mL	431	433	0.1
10^6 copies/mL	432	434	0.1
copies/mL	433	435	0.1
DIOPTER	434	436	0.1
L/s	435	437	0.1

mL/min/1.73m2	436	438	0.1
mU/L	437	439	0.1
/month	438	440	0.1
APPLICATION	439	441	0.1
CAPFUL	440	442	0.1
dB	441	443	0.1
cm/s	442	444	0.1
/100 HPFs	443	445	0.1
log10 CFU/g	444	446	0.1
log10 CFU/mL	445	447	0.1
cGy	446	448	0.1
mL/s	447	449	0.1
/mL	448	450	0.1
/dL	449	451	0.1
/L	450	452	0.1
/VF	451	453	0.1
10^10/L	452	454	0.1
10^11/L	453	455	0.1
10^12 IU/L	454	456	0.1
10^3/L	455	457	0.1
10^4/L	456	458	0.1
10^5/L	457	459	0.1
10^8/L	458	460	0.1
CAPLET	459	461	0.1
cL	460	462	0.1
cm/min	461	463	0.1
cmol/L	462	464	0.1

cs	463	465	0.1
damol/L	464	466	0.1
foz_br	465	467	0.1
foz_us	466	468	0.1
fraction of 1	467	469	0.1
kDa	468	471	0.1
hPa	469	470	0.1
kPa/L/s	470	472	0.1
ks	471	473	0.1
L/h/m2	472	474	0.1
L/L	473	475	0.1
L/min/m2	474	476	0.1
mL/cm	475	477	0.1
mL/dL	476	478	0.1
mL/min/mmHg	477	479	0.1
mL/s/1.73 m2	478	480	0.1
mm/2h	479	481	0.1
mm/min	480	482	0.1
mm/s	481	483	0.1
mmHg/L/min	482	484	0.1
mph	483	485	0.1
mV*min	484	486	0.1
nU/cL	485	487	0.1
PA	486	488	0.1
pt_br	487	489	0.1
pt_us	488	490	0.1
titer	489	491	0.1

U/cL	490	492	0.1
U/dL	491	493	0.1
ugEq	492	494	0.1
umol/L/s	493	495	0.1
uV*s	494	496	0.1
V/s	495	497	0.1
Frames/s	496	498	0.1
mL/mmHg	497	499	0.1
Antibody Unit	498	500	0.1
BISCUIT	499	501	0.1
BLOCKS	500	502	0.1
Hounsfield Unit	501	503	0.1
kHz	502	504	0.1
mmol/mol	503	505	0.1
STEPS	504	506	0.1
Torr	505	507	0.1
Shock Wave	506	508	0.1
VIRTUAL PIXEL	507	509	0.1
PIXELS/cm	508	510	0.1
PIXELS/in	509	511	0.1
%/min	510	512	0.1
mV ² /Hz	511	513	0.1
cy/cm	512	514	0.1
NEEDLE GAUGE	513	515	0.1
PIXEL	514	516	0.1
Enzyme U	515	517	0.1
mg/mL/min	516	518	0.1

DPM	517	519	0.1
/10^3 cells	518	520	0.1
/nL	519	521	0.1
BE/mL	520	523	0.1
CIGAR	521	524	0.1
CIGARETTE	522	525	0.1
copies/uL	523	526	0.1
HEP	524	527	0.1
log10 IU/mL	525	528	0.1
mJoule/cm2	526	529	0.1
mL/mmHg/min/L	527	530	0.1
mmol/min/kPa	528	531	0.1
mmol/min/kPa/L	529	532	0.1
PIPE	530	533	0.1
PNU/mL	531	534	0.1
SBE/mL	532	535	0.1
SQU/mL	533	536	0.1
umol/min	534	537	0.1
/100 WBC	535	538	0.1
v/v	536	539	0.1
cpm	537	540	0.1
NFIU	538	541	0.1
% INHIBITION	539	542	0.1
/pL	540	543	0.1
APL U/mL	541	544	0.1
BU	542	545	0.1
BU/mL	543	546	0.1

dpm/100mg	544	547	0.1
dpm/mg	545	548	0.1
dpm/mL	546	549	0.1
GPL U/mL	547	550	0.1
log10 copies/mL	548	551	0.1
MPL U/mL	549	552	0.1
nmol BCE/L	550	553	0.1
uEq/L	551	554	0.1
nmol BCE/mmol	552	555	0.1
pg/L	553	556	0.1
POINT	554	557	0.1
mg/mol	555	558	0.1
/kg	556	559	0.1
CCID 50/mL	557	560	0.1
dpm/0.5 mL	558	561	0.1
EID 50/mL	559	562	0.1
IU/dL	560	563	0.1
kg/cm	561	564	0.1
U.CARR	562	566	0.1
SFC/10 ⁶ PBMC	563	565	0.1
umol/L/min	564	567	0.1
m/s ²	565	568	0.1
/4.0 mL	566	569	0.1
/7.5 mL	567	570	0.1
/mm ²	568	571	0.1
10 ⁹ /g	569	572	0.1
Anson U	570	573	0.1

APL U	571	574	0.1
cd*s/m2	572	575	0.1
cd/m2	573	576	0.1
EIA unit	574	577	0.1
fmol/L/s	575	578	0.1
IU/g Hb	576	579	0.1
IU/mmol	577	580	0.1
ka_u/dL	578	581	0.1
kg/mol	579	582	0.1
mAnson U/mL	580	583	0.1
mg2/dL2	581	584	0.1
mmol2/L2	582	585	0.1
mOsm/L	583	586	0.1
mU/g	584	587	0.1
mV/s	585	588	0.1
nmol BCE/nmol	586	589	0.1
nmol/L/h	587	590	0.1
nmol/L/min	588	591	0.1
nmol/mol	589	592	0.1
PFU/animal	590	593	0.1
pkat/L	591	594	0.1
pmol/10^10 cells	592	595	0.1
pmol/10^9 cells	593	596	0.1
pmol/day	594	597	0.1
pmol/dL	595	598	0.1
pmol/L/h	596	599	0.1
U/10^12 RBC	597	600	0.1

ug/L/h	598	601	0.1
ugEq/L	599	602	0.1
umol/mol	600	603	0.1
GPL U	601	604	0.1
MPL U	602	605	0.1
L/day	603	606	0.1
IU/day	604	607	0.1
mol/day	605	608	0.1
nmol/day	606	609	0.1
nmol/g	607	610	0.1
No Unit	608	611	0.1
/10^3	609	612	0.1
mg/cm2	610	613	0.1
mg/dose	611	614	0.1
mg/kg/dose	612	615	0.1
mL/dose	613	616	0.1
TRANSDUCING UNIT	614	617	0.1
TRANSDUCING UNIT/mL	615	618	0.1
ug/dose	616	619	0.1
uIU/dL	617	620	0.1
uIU/L	618	621	0.1
ukat/10^12 RBC	619	622	0.1
uL/dose	620	623	0.1
umol/h/mmol	621	624	0.1
umol/L/h	622	625	0.1
uU/dL	623	626	0.1
uU/L	624	627	0.1

vg/dose	625	628	0.1
vg/mL	626	629	0.1
vp/dose	627	630	0.1
vp/mL	628	631	0.1
ug/cm2	629	632	0.1
pmol/g	630	633	0.1
Absorbance U/mL	631	634	0.1
copies/ug	632	635	0.1
mm3/mm2/year	633	636	0.1
um/day	634	637	0.1
umol/kg/min	635	638	0.1
Gravitational Unit	636	639	0.1
1/(s*kPa)	637	640	0.1
MET	638	641	0.1
MET*h	639	642	0.1
MET*min	640	643	0.1
mL/beat	641	644	0.1
mN	642	645	0.1
PHERESIS UNIT	643	646	0.1
ng/mL	644	647	0.1
K/cu mm	645	648	0.1
10^6/cu mm	646	649	0.1
mIU/mL	647	650	0.1
mcmol/L	648	651	0.1
mclU/mL	649	652	0.1
mg/mL	650	653	0.1
ug/mL	651	654	0.1

10^6 cells	652	655	0.1
nmol*min	653	656	0.1
10^6/uL	654	657	0.1
10^3/uL	655	658	0.1
mg/g	656	659	0.1
kU/L	657	660	0.1
BEAM BREAKS	658	661	0.1
umol/dL	659	662	0.1
Arbitrary U	660	663	0.1
Ejaculate U	661	664	0.1
/LSQN	662	665	0.1
/mm	663	666	0.1
10^6/Ejaculate U	664	667	0.1
gpELISA unit/mL	665	668	0.1
mL/(min*100mL)	666	669	0.1
ngEq/L	667	670	0.1
OI50	668	671	0.1
s^-1(%O2)^-1	669	672	0.1
Index Value	670	675	0.1
Cells/uL	671	676	0.1
mU/mL	672	677	0.1
mm3	673	678	0.1
log10 Titer	674	679	0.1
log2 Titer	675	680	0.1
CH50	676	681	0.1
ug/g	677	682	0.1
Caliper unit	678	683	0.1

/cmH2O	679	684	0.1
dB/m	680	685	0.1
pg/mL	681	686	0.1
vg/ug genomic DNA	682	687	0.1
cp per 10ng Genomic DNA	683	688	0.1
DROP	684	689	0.1
SGU	685	690	0.1
SMU	686	691	0.1
10^13vg	687	692	0.1
CELLS/MM3	688	693	0.1
NEGATIVE LOG VALUE	689	694	0.1
COPY/UG RNA	690	695	0.1
CH50 U Eq/mL	691	696	0.1
uIU/mL	692	697	0.1
10^10 vg	693	698	0.1
10^11 vg	694	699	0.1
10^12 vg	695	700	0.1
10^14 vg	696	701	0.1
10^15 vg	697	702	0.1
10^16 vg	698	703	0.1
vg/mg	699	704	0.1
kBq/mL	700	705	0.1
g/cm3	701	706	0.1
vg/ug gDNA	702	708	0.1
uCi/mg	703	707	0.1
MARKER	704	709	0.1
HOURS/WEEK	705	710	0.1

nCi/mL	706	711	0.1
BP	707	712	0.1
hr/day	708	713	0.1
10^3/mm3	709	714	0.1
Mean Spot number per 400000 Cells	710	715	0.1
10^8 PFU	711	716	0.1
ug/tsp	712	717	0.1
mg/tsp	713	718	0.1
g/tsp	714	719	0.1
ug/tbsp	715	720	0.1
mg/tbsp	716	721	0.1
g/tbsp	717	722	0.1
ug/drop	718	723	0.1
mg/drop	719	724	0.1
g/drop	720	725	0.1
ug/FINGER TIP	721	726	0.1
mg/FINGER TIP	722	727	0.1
g/FINGER TIP	723	728	0.1
ug/spray	724	729	0.1
mg/spray	725	730	0.1
g/spray	726	731	0.1
g/hr	727	732	0.1
uCi/g	728	733	0.1
syllable/sec	729	734	0.1
frame/sec	730	735	0.1
Copies/10ng gDNA	731	737	0.1

ng/mL DDU	732	738	0.1
micromol/L	733	739	0.1
Log copies/mL	734	740	0.1
cells/mcL	735	741	0.1
pH	736	742	0.1
nmol/mL	737	743	0.1
mg/mg	738	744	0.1
GI/L	739	745	0.1
TI/L	740	746	0.1
nM x min	741	747	0.1
mcg/L	742	748	0.1
mmHg%	743	749	0.1
log10 TCID 50/mL	744	750	0.1
1/Dilution	745	751	0.1
CU	746	752	0.1
Units	747	753	0.1
NPX	748	754	0.1
bpm	749	755	0.1
dynes*sec/cm5	750	756	0.1
mmHg*m2 /L/min	751	757	0.1
/100 Enterocytes	752	758	0.1
MdFI	753	759	0.1
MnFI	754	760	0.1
Fraction Radioactive Marker*hr	755	761	0.1
DuA	756	762	0.1
mmHg*min/L	757	763	0.1

				mmol/kg/s	758	764	0.1	
				mg/L FEU	759	765	0.1	
				Arbitrary U/mL	760	766	0.1	
				Binding Ab Unit	761	767	0.1	
				Binding Ab Unit/mL	762	768	0.1	
				FIU	763	769	0.1	
				SAU	764	770	0.1	
				IU/g Hgb	765	771	0.1	
				EVENTS	766	772	0.1	
				mcg/mL	767	773	0.1	
				EU_ML	768	774	0.1	
				Log2 counts/million	769	775	0.1	
				10^6 cells/kg	770	776	0.1	
				nmol/cm2	771	777	0.1	
				ABC	772	778	0.1	
CMDOSFRQ_CL_001	0.2			CONTINUOUS	1	2	0.1	i_4895281681918549_cmdosfrq_001
				BID	2	3	0.1	
				2 TIMES PER WEEK	3	4	0.1	
				QM	4	5	0.1	
				PRN	5	6	0.1	
				Q10H	6	7	0.1	
				Q11H	7	8	0.1	
				UNKNOWN	8	1	0.1	
				Q12H	9	9	0.1	
				Q13H	10	10	0.1	
				Q14H	11	11	0.1	
				Q15H	12	12	0.1	

Q16H	13	13	0.1
Q17H	14	14	0.1
Q18H	15	15	0.1
Q19H	16	16	0.1
QH	17	17	0.1
Q20H	18	18	0.1
Q21H	19	19	0.1
Q22H	20	20	0.1
Q23H	21	21	0.1
Q24H	22	22	0.1
Q2H	23	23	0.1
Q3H	24	24	0.1
Q4H	25	25	0.1
Q5H	26	26	0.1
Q6H	27	27	0.1
Q7H	28	28	0.1
Q8H	29	29	0.1
Q9H	30	30	0.1
QOD	31	31	0.1
TID	32	32	0.1
3 TIMES PER WEEK	33	33	0.1
EVERY 4 WEEKS	34	34	0.1
QID	35	35	0.1
4 TIMES PER WEEK	36	36	0.1
Q3D	37	37	0.1
Q4D	38	38	0.1
EVERY 3 WEEKS	39	39	0.1

Q2M	40	40	0.1
Q3M	41	41	0.1
Q4M	42	42	0.1
ONCE	43	43	0.1
EVERY WEEK	44	44	0.1
Q5D	45	45	0.1
EVERY 2 WEEKS	46	46	0.1
BIM	47	47	0.1
INTERMITTENT	48	48	0.1
QD	49	49	0.1
OCCASIONAL	50	50	0.1
AD LIBITUM	51	51	0.1
1 TIME PER WEEK	52	52	0.1
2 TIMES PER YEAR	53	53	0.1
3 TIMES PER MONTH	54	54	0.1
3 TIMES PER YEAR	55	55	0.1
4 TIMES PER MONTH	56	56	0.1
4 TIMES PER YEAR	57	57	0.1
5 TIMES PER DAY	58	58	0.1
5 TIMES PER MONTH	59	59	0.1
5 TIMES PER WEEK	60	60	0.1
5 TIMES PER YEAR	61	61	0.1
6 TIMES PER DAY	62	62	0.1
6 TIMES PER MONTH	63	63	0.1
6 TIMES PER WEEK	64	64	0.1
6 TIMES PER YEAR	65	65	0.1
7 TIMES PER WEEK	66	66	0.1

				PA	67	67	0.1	
				EVERY 6 WEEKS	68	68	0.1	
				EVERY 5 WEEKS	69	69	0.1	
				EVERY 8 WEEKS	70	70	0.1	
				Q6M	71	71	0.1	
				EVERY 7 WEEKS	72	72	0.1	
				AC	73	73	0.1	
				QAM	74	74	0.1	
				5 DAYS PER WEEK	75	75	0.1	
				Q6D	76	76	0.1	
				EVERY AFTERNOON	77	77	0.1	
				EVERY EVENING	78	78	0.1	
				EVERY OTHER DAY	79	79	0.1	
				QN	80	80	0.1	
				EVERY 24 WEEKS	81	81	0.1	
				EVERY 48 WEEKS	82	82	0.1	
CMROUTE_CL_001	0.2			AURICULAR (OTIC)	1	1	0.1	i_4895281734583193_cmroute_001
				BUCCAL	2	2	0.1	
				CONJUNCTIVAL	3	3	0.1	
				CUTANEOUS	4	4	0.1	
				DENTAL	5	5	0.1	
				OTHER	6	130	0.1	
				ELECTRO-OSMOSIS	7	6	0.1	
				ENDOCERVICAL	8	7	0.1	
				ENDOSINUSIAL	9	8	0.1	
				ENDOTRACHEAL	10	9	0.1	
				ENTERAL	11	10	0.1	

EPIDURAL	12	11	0.1
EXTRA-AMNIOTIC	13	12	0.1
EXTRACORPOREAL	14	13	0.1
HEMODIALYSIS	15	14	0.1
INFILTRATION	16	15	0.1
INTERSTITIAL	17	16	0.1
INTRA-ABDOMINAL	18	17	0.1
INTRA-AMNIOTIC	19	18	0.1
INTRA-ARTERIAL	20	19	0.1
INTRA-ARTICULAR	21	20	0.1
INTRABILIARY	22	21	0.1
INTRABRONCHIAL	23	22	0.1
INTRABURSAL	24	23	0.1
INTRACARDIAC	25	24	0.1
INTRACARTILAGINOUS	26	25	0.1
INTRACAUDAL	27	26	0.1
INTRACAVERNOUS	28	27	0.1
INTRACAVITARY	29	28	0.1
INTRACEREBRAL	30	29	0.1
INTRACISTERNAL	31	30	0.1
INTRACORNEAL	32	31	0.1
INTRACORONAL, DENTAL	33	32	0.1
INTRACORONARY	34	33	0.1
INTRACORPORUS CAVERNOSUM	35	34	0.1
INTRADERMAL	36	35	0.1
INTRADISCAL	37	36	0.1

INTRADUCTAL	38	37	0.1
INTRADUODENAL	39	38	0.1
INTRADURAL	40	39	0.1
INTRAEPIDERMAL	41	40	0.1
INTRAESOPHAGEAL	42	41	0.1
INTRAGASTRIC	43	42	0.1
INTRAGINGIVAL	44	43	0.1
INTRAILEAL	45	44	0.1
INTRALESIONAL	46	45	0.1
INTRALUMINAL	47	46	0.1
INTRALYMPHATIC	48	47	0.1
INTRAMEDULLARY	49	48	0.1
INTRAMENINGEAL	50	49	0.1
INTRAMUSCULAR	51	50	0.1
INTRAOCULAR	52	51	0.1
INTRAOVARIAN	53	52	0.1
INTRAPERICARDIAL	54	53	0.1
INTRAPERITONEAL	55	54	0.1
INTRAPLEURAL	56	55	0.1
INTRAPROSTATIC	57	56	0.1
INTRAPULMONARY	58	57	0.1
INTRASINAL	59	58	0.1
INTRASPINAL	60	59	0.1
INTRASYNOVIAL	61	60	0.1
INTRATENDINOUS	62	61	0.1
INTRATESTICULAR	63	62	0.1
INTRATHECAL	64	63	0.1

INTRATHORACIC	65	64	0.1
INTRATUBULAR	66	65	0.1
INTRATUMOR	67	66	0.1
INTRATYMPANIC	68	67	0.1
INTRAUTERINE	69	68	0.1
INTRAVASCULAR	70	69	0.1
INTRAVENOUS	71	70	0.1
INTRAVENOUS BOLUS	72	71	0.1
INTRAVENOUS DRIP	73	72	0.1
INTRAVENTRICULAR	74	73	0.1
INTRAVESICAL	75	74	0.1
INTRAUTERINE	76	75	0.1
IONTOPHORESIS	77	76	0.1
IRRIGATION	78	77	0.1
LARYNGEAL	79	78	0.1
NASAL	80	79	0.1
NASOGASTRIC	81	80	0.1
NOT APPLICABLE	82	81	0.1
OCCLUSIVE DRESSING TECHNIQUE	83	82	0.1
OPHTHALMIC	84	83	0.1
ORAL	85	84	0.1
OROPHARYNGEAL	86	85	0.1
PARENTERAL	87	86	0.1
PERCUTANEOUS	88	87	0.1
PERIARTICULAR	89	88	0.1
PERIDURAL	90	89	0.1

PERINEURAL	91	90	0.1
PERIODONTAL	92	91	0.1
RECTAL	93	92	0.1
RESPIRATORY (INHALATION)	94	93	0.1
RETROBULBAR	95	94	0.1
SOFT TISSUE	96	95	0.1
SUBARACHNOID	97	96	0.1
SUBCONJUNCTIVAL	98	97	0.1
SUBCUTANEOUS	99	98	0.1
SUBLINGUAL	100	99	0.1
SUBMUCOSAL	101	100	0.1
TOPICAL	102	101	0.1
TRANSDERMAL	103	102	0.1
TRANSMUCOSAL	104	103	0.1
TRANSPLACENTAL	105	104	0.1
TRANSTRACHEAL	106	105	0.1
TRANSTYMPANIC	107	106	0.1
UNASSIGNED	108	107	0.1
UNKNOWN	109	108	0.1
URETERAL	110	109	0.1
URETHRAL	111	110	0.1
VAGINAL	112	111	0.1
DIETARY	113	112	0.1
ORAL GAVAGE	114	113	0.1
INTRASTOMAL	115	114	0.1
INTRAJEJUNAL	116	115	0.1

				INTRAPALATAL	117	116	0.1	
				OROMUCOSAL	118	117	0.1	
				INTRACAMERAL	119	118	0.1	
				SUBTENON	120	119	0.1	
				INTRAHEPATIC	121	120	0.1	
				TRANSMAMMARY	122	121	0.1	
				PERIVENOUS	123	122	0.1	
				INTRAPARENCHYMAL	124	123	0.1	
				INTRATHALAMIC	125	124	0.1	
				INTRAVAGINAL	126	125	0.1	
				SUPRACHOROIDAL	127	126	0.1	
				INTRAOSSEOUS	128	127	0.1	
				INTRANODAL	129	128	0.1	
				SUBRETINAL	130	129	0.1	
				PERITUMORAL	131	131	0.1	
				SUBCUTANEOUS IN DRAINING LYMPH NODE AREA	132	132	0.1	
				SUBDURAL	133	133	0.1	
X_CMONGO_CL_001	0.1			YES	1	Y	0.1	i_4895282067625342_x_cmongo_001
				NO	2	N	0.1	
R_SUPPCM_CONSUS_CL_001	0.1			NO	1	N	0.1	i_4895281864092932_r_suppcm_consus_001
				YES	2	Y	0.1	
R_SUPPCM_ACTTKN_CL_001	0.1			DOSE INCREASED	1	1	0.1	i_4895281883462917_r_suppcm_acttkn_001
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	

				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
R_SUPPCM_RECHAL_CL_001	0.1			POSITIVE	1	1	0.1	i_4895281899384019_r_suppcm_rechal_001
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	

Variable Validations CM001 CONCOMITANT MEDICATIONS - SAE

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CMENDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMENDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001 CONCOMITANT MEDICATIONS - SAE

Group RefName	Group Type	Associated Variables
IG_4895275694259343_CM01001	Non-Repeating	CMSPID_001, CMCAT_001, CMTRT_001, CMINDC_001, X_CMDSTXT_001, CMDOSU_001, CMDOSFRQ_001, CMROUTE_001, CMSTDTC_001, X_CMONGO_001, CMENDTC_001, R_SUPPCM_CONSUS_001, R_AEIDCM_001, R_AEIDCM1_001, R_AEIDCM2_001, R_AEIDCM3_001, R_AEIDCM4_001, R_SUPPCM_ACTTKN_001, R_SUPPCM_RECHAL_001, CMDECOD_001, SUPPCM_CMCODE_001

Instruments

PR001_1 / RADIATION TREATMENT - REPEATING FORM

Instrument Definition

Instrument Name:	PR001_1
Instrument Title:	RADIATION TREATMENT - REPEATING FORM
SAS Instrument Name:	PR001_1
Description:	NON-DRUG TREATMENTS - Repeating Form
Version:	0.42
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: PR001_1 RADIATION TREATMENT - REPEATING FORM (NON-DRUG TREATMENTS - REPEATING FORM) [Version: 0.42]		
Section NON-DRUG TREATMENTS - Repeating Form PR001_1_S		Permission Groups
Group of Fields PR01001_1 / Non-Drug Treatments Group Type: Non-Repeating	Number of variables: 15	

1.	What is the treatment Identifier? [PRSPID_001_1] [PRSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([PRSTDTC_001_1])),[\$form_occurrence],null)	
2.*	Treatment: [PRTRT_001_1] [PRTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Records one procedure per line.	

3.*	Start Date: [PRSTDTC_001_1] [PRSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the treatment was first started using the format (DD-MMM-YYYY). Record the time the treatment stopped using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45).	
4.*	Ongoing? [X_PRONGO_001_1] [PRONGO]	[X_PRONGO_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the treatment as ongoing if the subject has not stopped receiving the treatment at the time of data collection.	

5.*	End Date: [PRENDTC_001_1] [PRENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the treatment stopped, using the format (DD- MMM-YYYY). Record the time the treatment stopped using 24 hour clock (e. g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45).	
6.	Lowest Level Term [SUPPPR_PRLT_001_1] [PRLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

7.	Lowest Level Term Code [SUPPPR_PRLTCD_001_1] [PRLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
8.	Dictionary Derived Term [PRDECOD_001_1] [PRDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
9.	Preferred Term Code [SUPPPR_PRPTCD_001_1] [PRPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

10.	High Level Term [SUPPPR_PRHLT_001_1] [PRHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
11.	High Level Term Code [SUPPPR_PRHLTCD_001_1] [PRHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
12.	High Level Group Term [SUPPPR_PRHLGT_001_1] [PRHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

13.	High Level Group Term Code [SUPPPR_PRHLGTCD_001_1] [PRHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
14.	Primary System Organ Class [SUPPPR_PRSOC_001_1] [PRSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
15.	Primary System Organ Class Code [SUPPPR_PRSOCCD_001_1] [PRSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required			

Study Object Descriptions: PR001_1 RADIATION TREATMENT - REPEATING FORM		
Type	RefName	Description
Form	CRF_4895246235832101_PR001_1	PR001_1
Item	I_4895282119295891_PRSPID_001_1	
Item	I_4895282149576232_PRTRT_001_1	
Item	I_4895282166093837_PRSTDTC_001_1	
Item	I_4895282183951117_X_PRONGO_001_1	
Item	I_4895282200184321_PRENDTC_001_1	
Item	I_4895282217898000_SUPPPR_PRLLT_001_1	
Item	I_4895282234064881_SUPPPR_PRLLTCD_001_1	
Item	I_4895282250586950_PRDECOD_001_1	
Item	I_4895282266580718_SUPPPR_PRPTCD_001_1	
Item	I_4895282282596426_SUPPPR_PRHLT_001_1	
Item	I_4895282298650198_SUPPPR_PRHLTCD_001_1	
Item	I_4895282315234881_SUPPPR_PRHLGT_001_1	
Item	I_4895282331386361_SUPPPR_PRHLGTCD_001_1	
Item	I_4895282347842099_SUPPPR_PRSOC_001_1	
Item	I_4895282364604859_SUPPPR_PRSOCCD_001_1	

Codelist Values Tables: PR001_1 RADIATION TREATMENT - REPEATING FORM								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_PRONGO_CL_001_1	0.2			YES	1	Y	0.1	i_4895282183951117_x_prongo_001_1
				NO	2	N	0.1	

Variable Validations PR001_1 RADIATION TREATMENT - REPEATING FORM

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PRSTDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PRSTDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRSTDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PRSTDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
PRENDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PRENDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRENDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PRENDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PR001_1 RADIATION TREATMENT - REPEATING FORM

Group RefName	Group Type	Associated Variables
IG_4895276061388053_PR01001_1	Non-Repeating	PRSPID_001_1, PRTRT_001_1, PRSTDTC_001_1, X_PRONGO_001_1, PRENDTC_001_1, SUPPPR_PRLLT_001_1, SUPPPR_PRLTCD_001_1, PRDECOD_001_1, SUPPPR_PRPTCD_001_1, SUPPPR_PRHLT_001_1, SUPPPR_PRHLTCD_001_1, SUPPPR_PRHLGT_001_1, SUPPPR_PRHLGTCD_001_1, SUPPPR_PRSOC_001_1, SUPPPR_PRSOCCD_001_1

Instruments

SU001 / SUBSTANCE USE

Instrument Definition

Instrument Name:	SU001
Instrument Title:	SUBSTANCE USE
SAS Instrument Name:	SU001
Description:	SUBST USE
Version:	0.61
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: SU001 SUBSTANCE USE (SUBST USE) [Version: 0.61]		
Section SUBSTANCE USE SU001_S		Permission Groups
Group of Fields SU01001 / Substance Use Group Type: Fixed Repeating	Number of rows: 2	

1.	Category: [SUCAT_001] [SUCAT] Row 1 (Locked): 1 - TOBACCO Row 2 (Locked): 2 - ALCOHOL	[SUCAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
2.	Type of substance: [SUTRT_001] [SUTRT] Row 1 (Locked): 500 - TOBACCO Row 2 (Locked): 501 - ALCOHOL	[SUTRT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the appropriate type of substance used within a substance category (e.g. cigarettes, cigar where substance category = Tobacco).	
3.*	Has the subject ever used the substance? [SUPPSU_SUUSAGE_001] [SUNCF]	[SUPPSU_SUUSAGE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate response.	

4.*	Amount: [SUDOSE_001] [SUDSTXT]	Number Box (Decimal) Max Value: 9999.9 Max Decimal Size: 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the amount of substance used per units.	
5.*	Unit: [SUDOSU_001] [SUDOSU]	[SUDOSU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the units of the substance type.	
Key: [*] = Item is required			

Study Object Descriptions: SU001 SUBSTANCE USE		
Type	RefName	Description
Form	CRF_4895246510880355_SU001	SU001
Item	I_4895282381575236_SUCAT_001	
Item	I_4895282398762190_SUTRT_001	
Item	I_4895282415751842_SUPPSU_SUUSAGE_001	
Item	I_4895282432403569_SUDOSE_001	

Item	I_4895282448778321_SUDOSU_001	
------	-------------------------------	--

Codelist Values Tables: SU001 SUBSTANCE USE								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUCAT_CL_001	0.2			TOBACCO	1	1	0.1	i_4895282381575236_sucate_001
				ALCOHOL	2	2	0.1	
SUTRT_CL_001	0.3			TOBACCO	1	500	0.1	i_4895282398762190_sutrt_001
				ALCOHOL	2	501	0.1	
SUPPSU_SUUSAGE_CL_001	0.1			NEVER	1	1	0.1	i_4895282415751842_suppsu_suusage_001
				CURRENT	2	2	0.1	
				FORMER	3	3	0.1	
SUDOSU_CL_001	0.8			Pack Year	1	299	0.1	i_4895282448778321_sudosu_001
				Units	2	753	0.1	

Groups of Fields SU001 SUBSTANCE USE		
Group RefName	Group Type	Associated Variables
IG_4895274218840008_SU01001	Fixed Repeating	SUCAT_001, SUTRT_001, SUPPSU_SUUSAGE_001, SUDOSE_001, SUDOSU_001

Instruments

MH001 / MEDICAL HISTORY

Instrument Definition

Instrument Name:	MH001
Instrument Title:	MEDICAL HISTORY
SAS Instrument Name:	MH001
Description:	MEDHX
Version:	0.25
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: MH001 <i>MEDICAL HISTORY</i> (MEDHX) [Version: 0.25]		
Section MEDICAL HISTORY <i>MH001_S</i>		Permission Groups
Group of Fields MH02001 / Medical History Details Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 15	

1.	Line/MH Number: [MHSPID_001] [MHSPID]	Number Box (Integer) Max Value: 99999999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([MHTERM_001])),[\$row_index]+1,null)	
2.* ✓	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: [MHTERM_001] [MHTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Specify the Disease using medical terminology	

3.* 	Start Date Time: [MHSTDTC_001] [MHSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1960; Max Year: 2026 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Hour [Allow Unknown], Default = 1 Minute [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date using the format DD-MMM-YYYY	
4.* 	Ongoing: [X_MHONGO_001] [MHONGO]	[X_MHONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" if the condition is ongoing, otherwise record "No" and enter end date.	

5.* 	End Date: [MHENDTC_001] [MHENDAT] <i>(Nested Field)</i>	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1960; Max Year: 2026 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the end date using the format DD-MMM-YYYY	
6.	Lowest Level Term [MHLLT_001] [MHLLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	<i>TMS_integration</i> (R,U) <i>Read Only</i> (R) <i>Database Builder</i> (R) <i>Clinical</i> (R) <i>Lead Data Manager</i> (R) <i>LabTech</i> (R)

7.	Lowest Level Term Code [MHLLTCD_001] [MHLLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
8.	Dictionary Derived Term [MHDECOD_001] [MHDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
9.	Preferred Term Code [MHPTCD_001] [MHPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

10.	High Level Term [MHHLT_001] [MHHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
11.	High Level Term Code [MHHLTCD_001] [MHHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
12.	High Level Group Term [MHHLGT_001] [MHHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

13.	High Level Group Term Code [MHHLGTCD_001] [MHHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
14.	Primary System Organ Class [MHSOC_001] [MHSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
15.	Primary System Organ Class Code [MHSOCCD_001] [MHSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: MH001 MEDICAL HISTORY		
Type	RefName	Description
Form	CRF_4895246778048458_MH001	MH001
Item	I_4895282465799653_MHSPID_001	
Item	I_4895282495948571_MHTERM_001	
Item	I_4895282516555780_MHSTDTC_001	
Item	I_4895282535436036_X_MHONGO_001	
Item	I_4895282553068074_MHENDTC_001	
Item	I_4895282572816205_MHLLT_001	
Item	I_4895282623014664_MHLLTCD_001	
Item	I_4895282640326739_MHDECOD_001	
Item	I_4895282657341892_MHPTCD_001	
Item	I_4895282674315880_MHHLT_001	
Item	I_4895282691108910_MHHLTCD_001	
Item	I_4895282708906586_MHHLGT_001	
Item	I_4895282726358224_MHHLGTC_001	
Item	I_4895282743786526_MHSOC_001	
Item	I_4895282761328594_MHSOCCD_001	

Codelist Values Tables: MH001 MEDICAL HISTORY								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_MHONGO_CL_001	0.1			YES	1	Y	0.1	i_4895282535436036_x_mhongo_001
				NO	2	N	0.1	

Variable Validations MH001 MEDICAL HISTORY
--

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
MHSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
MHSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MHSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
MHSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
MHSTDTC_001	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
MHSTDTC_001	>=_INFORMED_CONSENT	>=	>=_INFORMED_CONSENT	Date is on or after 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
MHSTDTC_001	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.
MHSTDTC_001	>=_FIRST_DOSE	>=	>=_FIRST_DOSE	Date is on or after the first dose date. Please review and update if appropriate.
MHSTDTC_001	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.
MHSTDTC_001	>=_ENROLLMENT	>=	>=_ENROLLMENT	Date is on or after 'Enrollment Date'. Please review and update if appropriate.
MHENDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
MHENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MHENDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
MHENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields MH001 MEDICAL HISTORY

Group RefName	Group Type	Associated Variables
IG_4895274170548638_MH02001	Repeating	MHSPID_001, MHTERM_001, MHSTDTC_001, X_MHONGO_001, MHENDTC_001, MHLT_001, MHLTCD_001, MHDECOD_001, MHPTCD_001, MHHLT_001, MHHLTCD_001, MHHLGT_001, MHHLGTCD_001, MHSOC_001, MHSOCCD_001

Instruments

VS001_1 / VITAL SIGNS - TEMP

Instrument Definition

Instrument Name:	VS001_1
Instrument Title:	VITAL SIGNS - TEMP
SAS Instrument Name:	VS001_1
Description:	VITALS
Version:	0.50
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: VS001_1 VITAL SIGNS - TEMP (VITALS) [Version: 0.50]		
Section VITAL SIGNS - TEMP VS001_1_S		Permission Groups
Group of Fields VS01001_1 / Vital Signs - I Group Type: Non-Repeating	Number of variables: 1	

1.*	Date: [VSDTC_001_1] [VSDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of the measurement using this format (DD- MMM-YYYY). NO partial dates allowed. If time is collected, record the time of the measurement using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20: 45)	
	Group of Fields VS02001_1 / Vital Signs - II Group Type: Fixed Repeating	Number of rows: 1	

2.	Record Identifier: [VSSPID_001_1] [VSSPID] Row 1 (Locked): 1 - 1	[VSSPID_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: When multiple measurements of a test are performed at the same visit (e.g., triplicate BP measurements), be sure to enter the test and time taken with corresponding result in the order in which they were performed.	
3.*	Temperature: [VSORRES_TEMP_001_1] [TEMP]	Number Box (Decimal) Max Value: 999.9 Max Decimal Size: 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value for body temperature.	

4.*	Unit: [VSORRESU_TEMP_001_1] [TEMPU]	[VSORRESU_TEMP_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If temperature unit is not defaulted, choose either F or C.	
5.	Temperature Location: [VSLOC_TEMP_001_1] [TEMPSRC] Row 1 (Locked): 60 - ORAL CAVITY	[VSLOC_TEMP_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the location where the body temperature was measured (e.g., EAR, MOUTH).	
Key: [*] = Item is required			

Study Object Descriptions: VS001_1 VITAL SIGNS - TEMP		
Type	RefName	Description
Form	CRF_4895247021959562_VS001_1	VS001_1
Item	I_4895282778617120_VSDTC_001_1	
Item	I_4895282797540922_VSSPID_001_1	
Item	I_4895282814459327_VSORRES_TEMP_001_1	
Item	I_4895282834413401_VSORRESU_TEMP_001_1	
Item	I_4895282849474744_VSLOC_TEMP_001_1	

Codelist Values Tables: VS001_1 VITAL SIGNS - TEMP

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
VSSPID_CL_001_1	0.2			1	1	1	0.1	i_4895282797540922_vsspid_001_1
VSORRESU_TEMP_CL_001_1	0.1			F	1	6	0.1	i_4895282834413401_vsorresu_temp_001_1
				C	2	4	0.1	
VSLOC_TEMP_CL_001_1	0.2			ORAL CAVITY	1	60	0.1	i_4895282849474744_vsloc_temp_001_1

Variable Validations VS001_1 VITAL SIGNS - TEMP

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
VSDTC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
VSDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
VSDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
VSDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
VSDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields VS001_1 VITAL SIGNS - TEMP

Group RefName	Group Type	Associated Variables
IG_4895276139364343_VS01001_1	Non-Repeating	VSDTC_001_1
IG_4895276098771627_VS02001_1	Fixed Repeating	VSSPID_001_1, VSORRES_TEMP_001_1, VSORRESU_TEMP_001_1, VSLOC_TEMP_001_1

Instruments
DM001 / DEMOGRAPHY

Instrument Definition

Instrument Name:	DM001
Instrument Title:	DEMOGRAPHY
SAS Instrument Name:	DM001
Description:	DEMOG
Version:	0.43
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: DM001 <i>DEMOGRAPHY</i> (DEMOG) [Version: 0.43]		
Section DEMOGRAPHY <i>DM001_S</i>		Permission Groups
Group of Fields DM01001 / Demography Group Type: Non-Repeating	Number of variables: 22	

1.* ✓	Age: [R_AGE_001] [AGE]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the participant's age per the appropriate age unit.	
2.	Age Unit: [R_AGEU_001] [AGEU]	[R_AGEU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 5 Help/Info Text: Record the unit used for the subjects age.	

3.* 	Sex: [SEX_001] [SEX]	[SEX_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the subject's sex (e.g., "F" (female), "M" (male)). Record the subject's SEX. Per FDA guidance, 'Sex' refers to classification, based on the subject's genetic composition. Undifferentiated is an optional value for infant subjects.	
4.*	Ethnicity: [ETHNIC_001] [ETHNIC]	[ETHNIC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Study participants should self-report ethnicity, with ethnicity being asked before race. If the participant refuses to provide their Ethnicity, or where local laws prohibit collection of this information, record as "Not Reported".	

5.*	Race: (Check X all that apply): [RACE_001] [RACE]	[RACE_CL_001] Checkboxes Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Study participants should self-report race, with race being asked about after ethnicity. If the participant refuses to provide their Race, or where local laws prohibit collection of this information, record as "Not Reported".	
6.	Racial Designation: [SUPPDM_RACIALD_001] [RACIALD]	[SUPPDM_RACIALD_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Study participants should self-report racial designation, with racial designation being asked after race.	

7.* 	Has the subject previously taken part in a study involving this investigational product? [X_DMPYN_001] [DMPYN]	[X_DMPYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the subject previously participated in a study involving this investigational product. If "Yes", include the appropriate details where indicated.	
8.* 	First Study Identifier: [X_DMPFSTDY_001] [DMPFSTDY] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the first study identifier for this subject.	

9.* 	First Site Identifier: <u>[X_DMPFSITE_001]</u> [DMPFSITE] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the first site identifier for this subject.	
10.* 	First Subject Identifier: <u>[X_DMPFSUBJ_001]</u> [DMPFSUBJ] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the subject's first identifier.	

11.* 	Has the subject previously taken part in more than one study in this drug program C459? If Yes, please provide the most recent study details: [X_DMPMYN_001] [DMPMYN] (Nested Field)	[X_DMPMYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the subject previously participated in more than one study involving this investigational product. If "Yes", include the following requested details for the most recent study.	
12.* 	Most Recent Study Identifier: [X_DMPSTUDY_001] [DMPSTUDY] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the study identifier for the most recent study this subject participated in.	

13.* 	Most Recent Site Identifier: [X_DMPSITE_001] [DMPSITE] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the site identifier for the most recent study this subject participated in.	
14.* 	Most Recent Subject Identifier: [X_DMPSUBJ_001] [DMPSUBJ] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the subject identifier for the most recent study this subject participated in.	

15.* ✓✓	Was the subject screened previously in current study? [X_DMRYN_001] [DMRYN]	[X_DMRYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If subject has been rescreened (Y) , enter the first SITE and SUBJECT ID assigned.	
16.* ✓✓	Initial Site Identifier: [X_DMRSITE_001] [DMRSITE] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
17.* ✓✓	Initial Subject Identifier: [X_DMRSUBJ_001] [DMRSUBJ] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

18.	Derived DOB for LNR [D_LNRDTC_001] [LNRDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1960; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Inr_dob_calculation([study][dycons_BRTHDTC_001], [study] [dycons_INFORMED_CONSENT],[study][dycons_R_AGE_001],[study] [dycons_R_AGEU_001])	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)
-----	--	--	--

19.	Latest Date in Study (Derived) [D_LASTSTDTC_001] [LASTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: derive_eos_date("Y",[EOT])[DSSTDTC_001_5],[FOLLOW_UP] [DSSTDTC_001_6], "", "", "", "", "", "", null, null)	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)
-----	--	---	---

20.	First Dose Date (Derived) [D_FIRSTDOSEDTC_001] [FDOSEDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)
-----	---	---	---

21.	Last Treatment Disposition Date (Derived) [D_LTRDSDTC_001] [LTRDSDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: max(dataseries([EOT][DSSTDTC_001_5]))	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)
-----	--	--	--

22.	Last Screening Disposition Date (Derived) [D_LSCDSDTC_001] [LSCDSDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: max(dataseries([V1_DAY1_VAX1][DSSTDTC_001_4]))	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)
-----	---	--	---

Key: [*] = Item is required ☒ = Source verification required

Study Object Descriptions: DM001 DEMOGRAPHY		
Type	RefName	Description
Form	CRF_4895247256696069_DM001	DM001
Item	I_4895283256476023_R_AGE_001	
Item	I_4895283274056721_R_AGEU_001	
Item	I_4895282868680231_SEX_001	
Item	I_4895282887409856_ETHNIC_001	
Item	I_4895282902927155_RACE_001	
Item	I_4895282918204590_SUPPDM_RACIALD_001	
Item	I_4895282933906326_X_DMPYN_001	

Item	I_4895282949224311_X_DMPFSTDY_001	
Item	I_4895282964634548_X_DMPFSITE_001	
Item	I_4895282979971546_X_DMPFSUBJ_001	
Item	I_4895282995549973_X_DMPMYN_001	
Item	I_4895283011150071_X_DMPSTUDY_001	
Item	I_4895283027053482_X_DMPSITE_001	
Item	I_4895283043190537_X_DMPSUBJ_001	
Item	I_4895283059558783_X_DMRYN_001	
Item	I_4895283075502129_X_DMRSITE_001	
Item	I_4895283091847474_X_DMRSUBJ_001	
Item	I_4895283108176228_D_LNRDTC_001	
Item	I_4895283144952591_D_LASTSTDTC_001	
Item	I_4895283183126032_D_FIRSTDOSEDTC_001	
Item	I_4895283200133332_D_LTRDSDTC_001	
Item	I_4895283228463391_D_LSCDSDTC_001	

Codelist Values Tables: DM001 DEMOGRAPHY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_AGEU_CL_001	0.2			YEARS	1	5	0.1	i_4895283274056721_r_ageu_001
SEX_CL_001	0.2			FEMALE	1	F	0.1	i_4895282868680231_sex_001
				MALE	2	M	0.1	
ETHNIC_CL_001	0.1			HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN	1	HISPANIC OR LATINO	0.1	i_4895282887409856_ethnic_001
				NOT HISPANIC OR LATINO (A) OR OF SPANISH ORIGIN	2	NOT HISPANIC OR LATINO	0.1	

				NOT REPORTED	3	NOT REPORTED	0.1	
RACE_CL_001	0.1			BLACK OR AFRICAN AMERICAN	1	1	0.1	i_4895282902927155_race_001
				AMERICAN INDIAN OR ALASKA NATIVE	2	2	0.1	
				ASIAN	3	3	0.1	
				NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	4	4	0.1	
				WHITE	5	5	0.1	
				NOT REPORTED	6	6	0.1	
				UNKNOWN	7	7	0.1	
SUPPDM_RACIALD_CL_001	0.1			INDIAN SUBCONTINENT ASIAN	1	1	0.1	i_4895282918204590_suppdm_raciald_001
				SOUTHEAST ASIAN	2	2	0.1	
				FAR EAST ASIAN	3	3	0.1	
				JAPANESE AMERICAN	4	4	0.1	
				JAPANESE	5	5	0.1	
				OTHER	6	999	0.1	
X_DMPYN_CL_001	0.1			YES	1	Y	0.1	i_4895282933906326_x_dmpyn_001
				NO	2	N	0.1	
X_DMPMYN_CL_001	0.1			YES	1	Y	0.1	i_4895282995549973_x_dmpmyn_001
				NO	2	N	0.1	
X_DMRYN_CL_001	0.1			YES	1	Y	0.1	i_4895283059558783_x_dmryn_001
				NO	2	N	0.1	

Groups of Fields DM001 DEMOGRAPHY

Group RefName	Group Type	Associated Variables
IG_4895274138807440_DM01001	Non-Repeating	R_AGE_001, R_AGEU_001, SEX_001, ETHNIC_001, RACE_001, SUPPDM_RACIALD_001, X_DMPYN_001, X_DMPFSTDY_001, X_DMPFSITE_001, X_DMPFSUBJ_001, X_DMPMYN_001, X_DMPSTUDY_001, X_DMPSITE_001, X_DMPSUBJ_001, X_DMRYN_001, X_DMRSITE_001, X_DMRSUBJ_001, D_LNRDTC_001, D_LASTSTDTC_001, D_FIRSTDOSEDTC_001, D_LTRDSDTC_001, D_LSCDSDTC_001

Instruments

IE002 / INCLUSION/EXCLUSION CRITERIA

Instrument Definition

Instrument Name:	IE002
Instrument Title:	INCLUSION/EXCLUSION CRITERIA
SAS Instrument Name:	IE002
Description:	INEX
Version:	0.10
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: IE002 INCLUSION/EXCLUSION CRITERIA (INEX) [Version: 0.10]			
Section INCLUSION/EXCLUSION CRITERIA IE002_S			Permission Groups
	Group of Fields IE01002 / Inclusion Criteria Not Met Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

1.* 	Identifier of the Inclusion Criterion the subject did not meet: [IESPID_002] [IESPID]	[IESPID_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Inclusion Criterion Identifier. If an entry is made in error and no inclusion criteria were violated, delete the entry by removing all entered text, and then inactivate the blank row.	
2.	Description of the Inclusion Criterion the subject did not meet: [IETEST_002] [IETEST]	[IETEST_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Confirm the criterion description is correct.	
	Group of Fields IE02002 / Exclusion Criteria Met Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

3.* ✓	Identifier of the Exclusion Criterion the subject met: [IESPID1_002] [IESPID1]	[IESPID1_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Exclusion Criterion Identifier. If an entry is made in error and no exclusion criteria were violated, delete the entry by removing all entered text, and then inactivate the blank row.	
4.	Description of the Exclusion Criterion the subject met: [IETEST1_002] [IETEST1]	[IETEST1_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Confirm the criterion description is correct.	

Key: [*] = Item is required ✓ = Source verification required

Study Object Descriptions: IE002 INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	CRF_4895247493879724_IE002	IE002
Item	I_4895283290473361_IESPID_002	
Item	I_4895283307198697_IETEST_002	

Item	I_4895283339221884_IESPID1_002	
Item	I_4895283355744182_IETEST1_002	

Codelist Values Tables: IE002 INCLUSION/EXCLUSION CRITERIA

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
IESPID_CL_002	0.1			1	1	1	0.1	i_4895283290473361_iespid_002
				2	2	2	0.1	
				3	3	3	0.1	
				4	4	4	0.1	
IETEST_CL_002	0.3			Participants 50 through 64 years of age at Visit 1 (Day 1).	1	0_1	0.1	i_4895283307198697_ietest_002
				Participants willing and able to comply with all scheduled visits /contacts, investigational plan, laboratory tests, and other study procedures.	2	0_2	0.1	
				Healthy participants who are determined by medical history, physical examination (if indicated), and clinical judgment of the investigator to be eligible for inclusion in the study.	3	0_3	0.1	
				Capable of giving signed informed consent as described in Appendix 1 Section 10.1.3, which includes compliance with the requirements and restrictions listed in the ICD and in this protocol.	4	0_4	0.1	
IESPID1_CL_002	0.2			1	1	1	0.1	i_4895283339221884_iespid1_002

				2	2	2	0.1	
				3	3	3	0.1	
				4	4	4	0.1	
				5	5	5	0.1	
				6	6	6	0.1	
				7	7	7	0.1	
				8	8	8	0.1	
				9	9	9	0.1	
				10	10	10	0.1	
				11	11	11	0.1	
				12	12	12	0.1	
				13	13	13	0.1	
				14	14	14	0.1	
				15	15	15	0.1	
				16	16	16	0.1	
IETEST1_CL_002	0.3			Any medical/psychiatric condition including active suicidal ideation in past year, suicidal behavior in past 5 years or lab abnormality that increases risk of study participation.	1	0_1	0.1	i_4895283355744182_ietest1_002
				History of severe adverse reaction associated with a vaccine and/or severe allergic reaction (eg, anaphylaxis) to any component of the study intervention(s).	2	0_2	0.1	
				Tested positive for COVID-19 within 3 months (90 days) prior to Visit 1.	3	0_3	0.1	

Close contact, as defined by the CDC, with someone who has a SARS-CoV-2 infection in the past 14 days prior to Visit 1.	4	0_4	0.1
Any participant residing in a chronic care facility (eg, nursing home).	5	0_5	0.1
Bleeding diathesis or condition associated with prolonged bleeding that would, in the opinion of the investigator, contraindicate intramuscular injection.	6	0_6	0.1
Individuals who are pregnant or breastfeeding.	7	0_7	0.1
Participants who have at least 1 underlying medical condition that increases their risk of severe COVID-19 by the CDC as listed in the protocol.	8	0_8	0.1
Vaccination with or unsure whether they received any investigational or licensed COVID-19 vaccine within 3 months (90 days) before enrollment or planned receipt during study participation.	9	0_9	0.1
Receipt of treatment with known systemic immunosuppressant medications (including cytotoxic agents or radiotherapy) within 60 days before enrollment or planned receipt through conclusion to the study.	10	0_10	0.1

			Receipt of any blood/plasma products, immunoglobulin /monoclonal antibodies, or those that are considered immunosuppressive, from 60 days before study intervention administration/throughout the study.	11	0_11	0.1
			Receipt of systemic corticosteroids, $\geq 20\text{mg/day}$ of prednisone or equivalent, administered for ≥ 14 days, within 28 days before enrollment or planned receipt through conclusion of the study.	12	0_12	0.1
			Receipt of antiviral therapies for COVID-19 (eg, Paxlovid) within 3 months (90 days) prior to enrollment.	13	0_13	0.1
			Participants who have received at least 8 prior authorized COVID-19 vaccines, before Visit 1.	14	0_14	0.1
			Participation in other studies involving investigational drug(s), vaccines, or medical devices within 28 days before enrollment and/or during study participation.	15	0_15	0.1
			Investigator site staff and their family members, site staff supervised by investigator, and sponsor/sponsor delegate employees directly involved in conduct of the study and their family members.	16	0_16	0.1

Groups of Fields IE002 INCLUSION/EXCLUSION CRITERIA		
Group RefName	Group Type	Associated Variables
IG_4895274436939192_IE01002	Repeating	IESPID_002, IETEST_002
IG_4895274099996815_IE02002	Repeating	IESPID1_002, IETEST1_002

Instruments

VS001_2 / VITAL SIGNS - COVID - REPEATING

Instrument Definition

Instrument Name:	VS001_2
Instrument Title:	VITAL SIGNS - COVID - REPEATING
SAS Instrument Name:	VS001_2
Description:	VIT - REP
Version:	0.44
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: VS001_2 VITAL SIGNS - COVID - REPEATING (VIT - REP) [Version: 0.44]		
Section VITAL SIGNS - REPEATING VS001_2_S		Permission Groups
Group of Fields VS01001_2 / Vital Signs - I Group Type: Non-Repeating	Number of variables: 1	

1.*	Date: [VSDTC_001_2] [VSDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of the measurement using this format (DD- MMM-YYYY). NO partial dates allowed. If time is collected, record the time of the measurement using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20: 45)	
	Group of Fields VS02001_2 / Vital Signs - II Group Type: Fixed Repeating	Number of rows: 1	

2.	Record Identifier: [VSSPID_001_2] [VSSPID] Row 1 (Locked): 1 - 1	[VSSPID_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: When multiple measurements of a test are performed at the same visit (e.g., triplicate BP measurements), be sure to enter the test and time taken with corresponding result in the order in which they were performed.	
3.*	Systolic BP in mmHg: [VSORRES_SYSBP_001_2] [SYSBP]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value of the systolic blood pressure.	

4.*	Diastolic BP in mmHg: [VSORRES_DIABP_001_2] [DIABP]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the numeric value of the diastolic blood pressure.	
5.*	Heart Rate in beats/minute: [VSORRES_HR_001_2] [HR]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value of heart rate in beats/minute.	

6.*	Respiratory Rate in respirations/minute: [VSORRES_RESP_001_2] [RESP]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value of respiratory rate in respirations per minute.	
7.*	SPO2 Pulse Oximetry %: [VSORRES_OXYSAT_001_2] [OXYSAT]	Number Box (Decimal) Max Value: 999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the numeric value for SPO2 pulse oximetry in percent.	
Key: [*] = Item is required			

Study Object Descriptions: VS001_2 VITAL SIGNS - COVID - REPEATING		
Type	RefName	Description
Form	CRF_4895247721458172_VS001_2	VS001_2
Item	I_4895283486991101_VSDTC_001_2	
Item	I_4895283387593487_VSSPID_001_2	

Item	I_4895283404089723_VSORRES_SYSBP_001_2	
Item	I_4895283421150224_VSORRES_DIABP_001_2	
Item	I_4895283438095901_VSORRES_HR_001_2	
Item	I_4895283454237926_VSORRES_RESP_001_2	
Item	I_4895283470427090_VSORRES_OXYSAT_001_2	

Codelist Values Tables: VS001_2 VITAL SIGNS - COVID - REPEATING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
VSSPID_CL_001_2	0.2			1	1	1	0.1	i_4895283387593487_vsspid_001_2

Variable Validations VS001_2 VITAL SIGNS - COVID - REPEATING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
VSDTC_001_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
VSDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
VSDTC_001_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
VSDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
VSDTC_001_2	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields VS001_2 VITAL SIGNS - COVID - REPEATING

Group RefName	Group Type	Associated Variables
IG_4895274048583212_VS01001_2	Non-Repeating	VSDTC_001_2

IG_4895274005422065_VS02001_2	Fixed Repeating	VSSPID_001_2, VSORRES_SYSBP_001_2, VSORRES_DIABP_001_2, VSORRES_HR_001_2, VSORRES_RESP_001_2, VSORRES_OXYSAT_001_2
-------------------------------	--------------------	---

Instruments

PR001_2 / NON-DRUG TREATMENTS - RESPIRATORY

Instrument Definition

Instrument Name:	PR001_2
Instrument Title:	NON-DRUG TREATMENTS - RESPIRATORY
SAS Instrument Name:	PR001_2
Description:	NONDRG TX
Version:	0.37
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: PR001_2 NON-DRUG TREATMENTS - RESPIRATORY (NONDRG TX) [Version: 0.37]		
Section NON-DRUG TREATMENTS - RESPIRATORY PR001_2_S		Permission Groups
Group of Fields PR01001_2 / Non-Drug Treatments - Respiratory Group Type: Non-Repeating	Number of variables: 17	

1.	What is the treatment Identifier? [PRSPID_001_2] [PRSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([PRSTDTC_001_2])),[\$form_occurrence],null)	
2.	Concomitant Non-drug Treatment Pre-specified: [PRPRES_001_2] [PRPRES]	[PRPRES_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y	
3.*	Treatment: [PRTRT1_001_2] [PRTRT1]	[PRTRT1_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.	Treatment given? [PROCCUR_001_2] [PROCCUR]	[PROCCUR_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y Help/Info Text: Indicate if treatment was performed by checking Yes or No.	
5.*	Start Date: [PRSTDTC_001_2] [PRSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the treatment was first started using the format (DD-MMM-YYYY). Record the time the treatment stopped using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45).	

6.*	Ongoing? [X_PRONGO_001_2] [PRONGO]	[X_PRONGO_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the treatment as ongoing if the subject has not stopped receiving the treatment at the time of data collection.	
7.*	End Date: [PRENDTC_001_2] [PRENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the treatment stopped, using the format (DD- MMM-YYYY). Record the time the treatment stopped using 24 hour clock (e. g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45).	

8.	Lowest Level Term [SUPPPR_PRLLT_001_2] [PRLLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
9.	Lowest Level Term Code [SUPPPR_PRLLTCD_001_2] [PRLLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
10.	Dictionary Derived Term [PRDECOD_001_2] [PRDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

11.	Preferred Term Code [SUPPPR_PRPTCD_001_2] [PRPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
12.	High Level Term [SUPPPR_PRHLT_001_2] [PRHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
13.	High Level Term Code [SUPPPR_PRHLTCD_001_2] [PRHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

14.	High Level Group Term [SUPPPR_PRHLGT_001_2] [PRHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
15.	High Level Group Term Code [SUPPPR_PRHLGTCD_001_2] [PRHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
16.	Primary System Organ Class [SUPPPR_PRSOC_001_2] [PRSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

17.	Primary System Organ Class Code [SUPPPR_PRSOCCD_001_2] [PRSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required			

Study Object Descriptions: PR001_2 NON-DRUG TREATMENTS - RESPIRATORY		
Type	RefName	Description
Form	CRF_4895247954424534_PR001_2	PR001_2
Item	I_4895283504902770_PRSPID_001_2	
Item	I_4895283535919729_PRPRES_001_2	
Item	I_4895283552530477_PRTRT1_001_2	
Item	I_4895283568982093_PROCCUR_001_2	
Item	I_4895283585817910_PRSTDTC_001_2	
Item	I_4895283603642210_X_PRONGO_001_2	
Item	I_4895283620279797_PRENDTC_001_2	
Item	I_4895283638605321_SUPPPR_PRLLT_001_2	
Item	I_4895283654798087_SUPPPR_PRLLTCD_001_2	
Item	I_4895283671146227_PRDECOD_001_2	
Item	I_4895283687426067_SUPPPR_PRPTCD_001_2	
Item	I_4895283703863783_SUPPPR_PRHLT_001_2	
Item	I_4895283720376676_SUPPPR_PRHLTCD_001_2	

Item	I_4895283737062452_SUPPPR_PRHLGT_001_2	
Item	I_4895283752962579_SUPPPR_PRHLGTCD_001_2	
Item	I_4895283770731674_SUPPPR_PRSOC_001_2	
Item	I_4895283785095571_SUPPPR_PRSOCCD_001_2	

Codelist Values Tables: PR001_2 NON-DRUG TREATMENTS - RESPIRATORY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
PRPRESP_CL_001_2	0.2			YES	1	Y	0.1	i_4895283535919729_prpresp_001_2
PRTRT1_CL_001_2	0.5			Noninvasive Positive Pressure Ventilation (NIPPV) or BIPAP	1	6	0.1	i_4895283552530477_prtrt1_001_2
				Continuous Positive Airway Pressure (CPAP)	2	7	0.1	
				MECHANICAL VENTILATION	3	1	0.1	
				Extracorporeal Membrane Oxygenation (ECMO)	4	8	0.1	
				High Flow Oxygen Therapy	5	9	0.1	
PROCCUR_CL_001_2	0.1			YES	1	Y	0.1	i_4895283568982093_proccur_001_2
X_PRONGO_CL_001_2	0.1			YES	1	Y	0.1	i_4895283603642210_x_prongo_001_2
				NO	2	N	0.1	

Variable Validations PR001_2 NON-DRUG TREATMENTS - RESPIRATORY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PRSTDTC_001_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PRSTDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRSTDTC_001_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.

PRSTDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
PRENDTC_001_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PRENDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRENDTC_001_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PRENDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PR001_2 NON-DRUG TREATMENTS - RESPIRATORY

Group RefName	Group Type	Associated Variables
IG_4895274386479757_PR01001_2	Non-Repeating	PRSPID_001_2, PRPRES_001_2, PRTRT1_001_2, PROCCUR_001_2, PRSTDTC_001_2, X_PRONGO_001_2, PRENDTC_001_2, SUPPPR_PRLT_001_2, SUPPPR_PRLTCD_001_2, PRDECOD_001_2, SUPPPR_PRPTCD_001_2, SUPPPR_PRHLT_001_2, SUPPPR_PRHLTCD_001_2, SUPPPR_PRLGT_001_2, SUPPPR_PRLGTCD_001_2, SUPPPR_PRSOC_001_2, SUPPPR_PRSOCCD_001_2

Instruments
AE001 / ADVERSE EVENT REPORT

Instrument Definition

Instrument Name:	AE001
Instrument Title:	ADVERSE EVENT REPORT
SAS Instrument Name:	AE001
Description:	AE
Version:	0.114
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: AE001 ADVERSE EVENT REPORT (AE) [Version: 0.114]		
Section ADVERSE EVENT REPORT AE001_S		Permission Groups
Group of Fields AE01001 / Adverse Event Report Group Type: Non-Repeating	Number of variables: 39	

1. ✓	Category: [AECAT_001] [AECAT]	[AECAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the "Category" for this adverse event.	
2.	AE ID: [AESPID_001] [AESPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([AETERM_001])),[\$form_occurrence],null)	

3.* 	Adverse Event: (If possible specify diagnosis, not individual symptoms): [AETERM_001] [AETERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Adverse Event in the space provided. Record only one adverse event term per module. When possible, use the diagnosis as the term and not an individual symptom(s). When recording adverse event use appropriate medical terminology. Refer to CRF Completion Requirements for additional guidance.	
---	--	--	--

4.* 	Start Date Time: [AESTDTC_001] [AESTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Start Date of the adverse event using the format (DD-MMM-YYYY). If the actual date is unknown, record an approximate date. When recording the Start Date for an objective test abnormality, record the date of test as the Start Date. If appropriate, record the time (as complete as possible) when the adverse event started, using the 24-hour clock. If the actual time is unknown, record an approximate time. When recording the start time for an objective test abnormality, record the time the sample was drawn or the time the test was performed.	
---	--	---	--

5.* ✓	Is the adverse event still ongoing? [X_AEONGO_001] [AEONGO]	[X_AEONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No", if the adverse event has not resolved at the time of data collection; leave the End Date blank.	
----------	---	---	--

6.* 	End Date Time: [AEENDTC_001] [AEENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date that the AE resolved using this format (DD- MMM-YYYY). If the AE is ongoing, leave the field blank. If appropriate, record the time (as complete as possible) when the adverse event resolved, using the 24-hour clock. If the actual time is unknown, record an approximate time.	
---	---	---	--

7.* 	Date Site Aware of AE <i>[Branching logic expression: [D_AEREPOR_001]='Y']</i> <i>[SUPPAE_AESAWDTC_001]</i> [AESAWDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
---	---	--	--

8.* ✓✓	Toxicity Grade: [AETOXGR_001] [AETOXGR]	[AETOXGR_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Toxicity Grade of the adverse event. IMPORTANT: If there is a marked change in grade, the event with the initial grade is treated as if it has ended. The event with the new grade will be recorded using the same medical term and new onset date. The new onset date can be the same but not prior to the resolve date of the initial grade If the adverse event was recorded as intermittent, record the maximum grade EXCEPTION: If, due to frequent changes of the grade it is not possible to retrieve this information and /or if the program requirements are such that it is not necessary to capture the date the grade changed, then update the completion guidelines to read: If there is a change in grade record the adverse event as a single adverse event with the maximum grade recorded. For example, if subject experiences headaches that range from '1' to '4' for 4 days, then the headache should be recorded as a single event of 4-days duration, and the severity should be recorded as "4".	
9.* ✓✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [AESER_001] [AESER]	[AESER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if an adverse event should be classified as serious based on the 'serious' criteria defined in the protocol.	

10.* ✓✓	Is this serious event associated with congenital anomaly or birth defect? [AESCONG_001] [AESCONG] (Nested Field)	[AESCONG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this serious event is associated with a congenital anomaly or birth defect.	
11.* ✓✓	Did this serious event result in death? [AESDTH_001] [AESDTH] (Nested Field)	[AESDTH_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this serious event has resulted in death.	
12.* ✓✓	Did this serious event require or prolong hospitalization? [AESHOSP_001] [AESHOSP] (Nested Field)	[AESHOSP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "YES" or "NO" if this serious event require or prolong hospitalization.	

13.* 	Hospital Admission Date: <u>[D_SAEADMITDTC_001]</u> [SAEADMIT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject was admitted to the hospital using this format (DD-MMM-YYYY)	
--	---	--	--

14.* 	Hospital Discharge Date: [D_SAEDISCHDTC_001] [SAEDISCH] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject was discharged from the hospital using this format (DD-MMM-YYYY). If the subject is still hospitalized, leave this field blank.	
15.* 	Did this serious event result in persistent or significant disability/incapacity? [AESDISAB_001] [AESDISAB] (Nested Field)	[AESDISAB_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this serious event has resulted in persistent or significant disability/incapacity.	

16.* ✓✓	Is this serious event life threatening? [AESLIFE_001] [AESLIFE] (Nested Field)	[AESLIFE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
17.* ✓✓	Other Medically Important Serious Event [AESMIE_001] [AESMIE] (Nested Field)	[AESMIE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
18.* ✓✓	Is this Adverse Event Reportable? (This could be either a Serious Adverse Event or a reportable Non-serious Adverse Event) [D_AEREPORT_001] [AEREPORT]	[D_AEREPORT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

19.* 	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [SUPPAE_AEMERES_001] [AERME]	[SUPPAE_AEMERES_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the adverse event was the result of a study/background medication error.	
20.* 	Is this event related to study treatment: [AEREL_001] [AEREL]	[AEREL_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Assess if this adverse event is related to study treatment.	

21.*	If Not Related to study treatment(s), this event is due to: [AERELNST_001] [AERELNST] (Nested Field)	[AERELNST_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the adverse event is determined not to be related to study treatment, please indicate what this event is due to by selecting from the list provided. If "OTHER" is selected, specify the details in the space provided. If this event is determined to be related to Auxiliary Medicines <insert study specific requirements/drug names> please select 'Auxiliary Medicinal Product' and record this medication on the Concomitant Medication form with a subcategory of 'Auxiliary Medicinal Product'.	
22.*	If Other, specify: [SUPPAE_AERELTXT_001] [AERELT] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record all other reason(s) this adverse event that are unrelated to study treatment.	

23.* ✓✓	Latest Action Taken with Study Treatment: [AEACN_001] [AEACN]	[AEACN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record changes made to the study treatment resulting from the adverse event.	
24.* ✓✓	Was a Concomitant Medication given? If SAE, record on the concomitant medication page. [SUPPAE_AECMGIV_001] [AECMGIV]	[SUPPAE_AECMGIV_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
25.* ✓✓	Was a Non-Drug Treatment given? [SUPPAE_AENDGIV_001] [AENDGIV]	[SUPPAE_AENDGIV_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

26.* 	What was the outcome of this adverse event? [AEOUT_001] [AEOUT]	[AEOUT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the appropriate outcome of the event in relation to the subject's status.	
27.* 	Did the adverse event cause the subject to be discontinued from the study? [SUPPAE_AESUBJDC_001] [AEDIS]	[SUPPAE_AESUBJDC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No", if the AE caused the subject to discontinue from the study.	
28.	Other Action Taken: [AEACNOTH_001] [AEACNOTH]	[AEACNOTH_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

29.	Previous ID: [D_PREVID_001] [AEPREVID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)
30.	Lowest Level Term [AELLT_001] [AELLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
31.	Lowest Level Term Code [AELLTCD_001] [AELLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

32.	Dictionary Derived Term [AEDECOD_001] [AEDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
33.	Preferred Term Code [AEPTCD_001] [AEPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
34.	High Level Term [AEHLT_001] [AEHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

35.	High Level Term Code [AEHLTCD_001] [AEHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
36.	High Level Group Term [AEHLGT_001] [AEHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
37.	High Level Group Term Code [AEHLGTCD_001] [AEHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

38.	Primary System Organ Class [AESOC_001] [AESOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	<i>TMS_integration</i> (R,U) <i>Read Only</i> (R) <i>Database Builder</i> (R) <i>Clinical</i> (R) <i>Lead Data Manager</i> (R) <i>LabTech</i> (R)
39.	Primary System Organ Class Code [AESOCCD_001] [AESOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	<i>TMS_integration</i> (R,U) <i>Read Only</i> (R) <i>Database Builder</i> (R) <i>Clinical</i> (R) <i>Lead Data Manager</i> (R) <i>LabTech</i> (R)
	Group of Fields AE02001 / Safety Information Group Type: Non-Repeating	Number of variables: 9	

40.* 	Case ID: [D_CASEID_001] [AECASEID]	Dynamic List Expression Active: Disabled Derived Codelist Expression: safety_cases([AESER_001] = 'Y' OR [D_AEREPOR_001] = 'Y') Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
41.* 	Country in which the event occurred: [D_SAE_COUNTR_001] [AECNTRY]	[D_SAE_COUNTR_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the country where the participant was when the event occurred. Please note that this country may be different from the location of a study site if, for example, the participant was on vacation in another country when the event occurred.	

42.* ✓✓	Is there a reasonable possibility that the event is related to a Clinical Trial Procedure? [D_CTPROYN1_001] [AERELCTP]	[D_CTPROYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
43.* ✓✓	Clinical Trial Procedure [D_CTPROCEDURE1_001] [AECTP] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
44.* ✓✓	Did the subject experience any signs or symptoms associated with this event prior to the Start Date of this event, even if non-serious at the time? [D_SAEAEOST_001] [SAEAEOST]	[D_SAEAEOST_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

45.* 	If yes, enter the date the subject first experienced a sign or symptom associated with this event? [D_SAEASTDTC_001] [SAEAESTD] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Start Date of the first sign or symptom associated with this event in the format (DD-MMM-YYYY).	
46.* 	Did the subject experience any signs or symptoms associated with this event after the End Date of this event, even if non-serious at the time? [D_SAEAEOUTYN_001] [AENSSYMP]	[D_SAEAEOUTYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "YES" or "NO" if the subject experienced any signs or symptoms associated with this event after the End Date of this event even if non-serious at the time	

47.* 	If yes, enter the outcome of the last sign or symptom associated with this event [D_SAEAEOUT_001] [AEFOUTS] (Nested Field)	[D_SAEAEOUT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record final outcome of the last sign or symptom associated with this event	
48.* 	If yes, enter the date the subject last experienced a sign or symptom associated with this event <i>[Branching logic expression: [D_SAEAEOUT_001] = '1' or [D_SAEAEOUT_001] = '3' OR [D_SAEAEOUT_001] = '4']</i> [D_SAEAEOUTDTC_001] [AESYMPDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record date the subject last experienced a sign or symptom associated with this event in the format (DD-MMM-YYYY)	
Key: [*] = Item is required  = Source verification required			

Study Object Descriptions: AE001 ADVERSE EVENT REPORT

Type	RefName	Description
Form	CRF_4895248186324653_AE001	AE001
Item	I_4895283961180915_AECAT_001	
Item	I_4895283976973456_AESPID_001	
Item	I_4895284005882856_AETERM_001	
Item	I_4895284022081382_AESTDTC_001	
Item	I_4895284039752072_X_AEONGO_001	
Item	I_4895284056329933_AEENDTC_001	
Item	I_4895284074074043_SUPPAE_AESAWDTC_001	
Item	I_4895284098107403_AETOXGR_001	
Item	I_4895284469067283_AESER_001	
Item	I_4895284486283265_AESCONG_001	
Item	I_4895284521262835_AESDTH_001	
Item	I_4895284538487555_AESHOSP_001	
Item	I_4895284555747434_D_SAEADMITDTC_001	
Item	I_4895284573958044_D_SAEDISCHDTC_001	
Item	I_4895284503940900_AESDISAB_001	
Item	I_4895284592951283_AESLIFE_001	
Item	I_4895284610270847_AESMIE_001	
Item	I_4895284267024973_D_AEReport_001	
Item	I_4895284114496282_SUPPAE_AEMERES_001	
Item	I_4895284130906946_AEREL_001	
Item	I_4895284147346656_AERELNST_001	
Item	I_4895284167519453_SUPPAE_AERELTXT_001	
Item	I_4895284183807161_AEACN_001	

Item	I_4895284200182042_SUPPAE_AECMGIV_001	
Item	I_4895284216949641_SUPPAE_AENDGIV_001	
Item	I_4895284233729285_AEOUT_001	
Item	I_4895284250369105_SUPPAE_AESUBJDC_001	
Item	I_4895284626039871_AEACNOTH_001	
Item	I_4895284283818156_D_PREVID_001	
Item	I_4895284300950551_AELLT_001	
Item	I_4895284317793810_AELLTCD_001	
Item	I_4895284335442452_AEDECOD_001	
Item	I_4895284351945449_AEPTCD_001	
Item	I_4895284368633203_AEHLT_001	
Item	I_4895284385149165_AEHLTCD_001	
Item	I_4895284402652796_AEHLGT_001	
Item	I_4895284419073635_AEHLGTCD_001	
Item	I_4895284435580406_AESOC_001	
Item	I_4895284452086538_AESOCCD_001	
Item	I_4895283800105572_D_CASEID_001	
Item	I_4895283945055629_D_SAEACOUNTRY1_001	
Item	I_4895283826288928_D_CTPROYN1_001	
Item	I_4895283841760086_D_CTPROCEDURE1_001	
Item	I_4895283857107460_D_SAEAEOST_001	
Item	I_4895283872882565_D_SAEAESTDTC_001	
Item	I_4895283889869128_D_SAEAEOUTYN_001	
Item	I_4895283928455490_D_SAEAEOUT_001	
Item	I_4895283905469182_D_SAEAEOUTDTC_001	

Codelist Values Tables: AE001 ADVERSE EVENT REPORT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
AECAT_CL_001	0.2			ADVERSE EVENT	1	1	0.1	i_4895283961180915_aecat_001
				AE OF SPECIAL INTEREST	2	43	0.1	
X_AEONGO_CL_001	0.1			NO	1	N	0.1	i_4895284039752072_x_aeongo_001
				YES	2	Y	0.1	
AETOXGR_CL_001	0.3			1	1	2	0.1	i_4895284098107403_aetoxgr_001
				2	2	3	0.1	
				3	3	4	0.1	
				4	4	5	0.1	
AESER_CL_001	0.1			YES	1	Y	0.1	i_4895284469067283_aeser_001
				NO	2	N	0.1	
AESCONG_CL_001	0.1			YES	1	Y	0.1	i_4895284486283265_aescong_001
				NO	2	N	0.1	
AESDTH_CL_001	0.1			YES	1	Y	0.1	i_4895284521262835_aesdth_001
				NO	2	N	0.1	
AESHOSP_CL_001	0.1			YES	1	Y	0.1	i_4895284538487555_aeshosp_001
				NO	2	N	0.1	
AESDISAB_CL_001	0.1			YES	1	Y	0.1	i_4895284503940900_aesdisab_001
				NO	2	N	0.1	
AESLIFE_CL_001	0.1			YES	1	Y	0.1	i_4895284592951283_aeslife_001
				NO	2	N	0.1	
AESMIE_CL_001	0.1			YES	1	Y	0.1	i_4895284610270847_aesmie_001
				NO	2	N	0.1	
D_AEREPORCL_001	0.1			NO	1	N	0.1	i_4895284267024973_d_aereporcl_001
				YES	2	Y	0.1	

SUPPAE_AEMERES_CL_001	0.1			YES	1	Y	0.1	i_4895284114496282_suppaе_aemerес_001
				NO	2	N	0.1	
AEREL_CL_001	0.1			NOT RELATED	1	1	0.1	i_4895284130906946_aerel_001
				RELATED	2	2	0.1	
AERELNST_CL_001	0.1			CONCOMITANT DRUG TREATMENT	1	1	0.1	i_4895284147346656_aerelnst_001
				CONCOMITANT NON-DRUG TREATMENT	2	2	0.1	
				OTHER	3	3	0.1	
AEACN_CL_001	0.4			DRUG WITHDRAWN	1	5	0.1	i_4895284183807161_aeacn_001
				NOT APPLICABLE	2	6	0.1	
SUPPAE_AECMGIV_CL_001	0.1			YES	1	Y	0.1	i_4895284200182042_suppaе_aecmgiv_001
				NO	2	N	0.1	
SUPPAE_AENDGIV_CL_001	0.1			YES	1	Y	0.1	i_4895284216949641_suppaе_aendgiv_001
				NO	2	N	0.1	
AEOUT_CL_001	0.1			FATAL	1	1	0.1	i_4895284233729285_aeout_001
				NOT RECOVERED/NOT RESOLVED	2	2	0.1	
				RECOVERED/RESOLVED	3	3	0.1	
				RECOVERED/RESOLVED WITH SEQUELAE	4	4	0.1	
				RECOVERING /RESOLVING	5	5	0.1	
				UNKNOWN	6	6	0.1	
SUPPAE_AESUBJDC_CL_001	0.1			YES	1	Y	0.1	i_4895284250369105_suppaе_aesubjdc_001
				NO	2	N	0.1	
AEACNOTH_CL_001	0.1			MEDICALLY ATTENDED	1	1	0.1	i_4895284626039871_aeacnoth_001
D_SAEACOUNTRY_CL_001	0.1			UNITED STATES	1	245	0.1	i_4895283945055629_d_saecountry1_001

AFGHANISTAN	2	1	0.1
ELAND ISLANDS	3	2	0.1
ALBANIA	4	3	0.1
ALGERIA	5	4	0.1
AMERICAN SAMOA	6	5	0.1
ANDORRA	7	6	0.1
ANGOLA	8	7	0.1
ANGUILLA	9	8	0.1
ANTARCTICA	10	9	0.1
ANTIGUA AND BARBUDA	11	10	0.1
ARGENTINA	12	11	0.1
ARMENIA	13	12	0.1
ARUBA	14	13	0.1
AUSTRALIA	15	14	0.1
AUSTRIA	16	15	0.1
AZERBAIJAN	17	16	0.1
BAHAMAS	18	17	0.1
BAHRAIN	19	18	0.1
BANGLADESH	20	19	0.1
BARBADOS	21	20	0.1
BELARUS	22	21	0.1
BELGIUM	23	22	0.1
BELIZE	24	23	0.1
BENIN	25	24	0.1
BERMUDA	26	25	0.1
BHUTAN	27	26	0.1
BOLIVIA	28	27	0.1

BOSNIA AND HERZEGOVINA	29	28	0.1
BOTSWANA	30	29	0.1
BOUVET ISLAND	31	30	0.1
BRAZIL	32	31	0.1
BRITISH INDIAN OCEAN TERRITORY	33	32	0.1
BRUNEI DARUSSALAM	34	33	0.1
BULGARIA	35	34	0.1
BURKINA FASO	36	35	0.1
BURUNDI	37	36	0.1
CAMBODIA	38	37	0.1
CAMEROON	39	38	0.1
CANADA	40	39	0.1
CAPE VERDE	41	40	0.1
CAYMAN ISLANDS	42	41	0.1
CENTRAL AFRICAN REPUBLIC	43	42	0.1
CHAD	44	43	0.1
CHILE	45	44	0.1
CHRISTMAS ISLAND	46	45	0.1
COCOS (KEELING) ISLANDS	47	46	0.1
COLOMBIA	48	47	0.1
COMOROS	49	48	0.1
CONGO	50	49	0.1
CONGO, DEMOCRATIC REPUBLIC OF THE	51	50	0.1

COOK ISLANDS	52	51	0.1
COSTA RICA	53	52	0.1
COTE D'IVOIRE	54	53	0.1
CROATIA	55	54	0.1
CUBA	56	55	0.1
CYPRUS	57	56	0.1
CZECH REPUBLIC	58	57	0.1
DENMARK	59	58	0.1
DJIBOUTI	60	59	0.1
DOMINICA	61	60	0.1
DOMINICAN REPUBLIC	62	61	0.1
ECUADOR	63	62	0.1
EGYPT	64	63	0.1
EL SALVADOR	65	64	0.1
EQUATORIAL GUINEA	66	65	0.1
ERITREA	67	66	0.1
ESTONIA	68	67	0.1
ETHIOPIA	69	68	0.1
FALKLAND ISLANDS (MALVINAS)	70	69	0.1
FAROE ISLANDS	71	70	0.1
FIJI	72	71	0.1
FINLAND	73	72	0.1
FRANCE	74	73	0.1
FRENCH GUIANA	75	74	0.1
FRENCH POLYNESIA	76	75	0.1

FRENCH SOUTHERN TERRITORIES	77	76	0.1
GABON	78	77	0.1
GAMBIA	79	78	0.1
GEORGIA	80	79	0.1
GERMANY	81	80	0.1
GHANA	82	81	0.1
GIBRALTAR	83	82	0.1
GREECE	84	83	0.1
GREENLAND	85	84	0.1
GRENADA	86	85	0.1
GUADELOUPE	87	86	0.1
GUAM	88	87	0.1
GUATEMALA	89	88	0.1
GUERNSEY	90	89	0.1
GUINEA	91	90	0.1
GUINEA-BISSAU	92	91	0.1
GUYANA	93	92	0.1
HAITI	94	93	0.1
HEARD ISLAND AND MCDONALD ISLANDS	95	94	0.1
HONDURAS	96	95	0.1
HONG KONG	97	96	0.1
HUNGARY	98	97	0.1
ICELAND	99	98	0.1
INDIA	100	99	0.1
INDONESIA	101	100	0.1

IRAN	102	101	0.1
IRAQ	103	102	0.1
IRELAND	104	103	0.1
ISLE OF MAN	105	104	0.1
ISRAEL	106	105	0.1
ITALY	107	106	0.1
JAMAICA	108	107	0.1
JAPAN	109	108	0.1
JERSEY	110	109	0.1
JORDAN	111	110	0.1
KAZAKHSTAN	112	111	0.1
KENYA	113	112	0.1
KIRIBATI	114	113	0.1
KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF	115	114	0.1
KOREA, REPUBLIC OF	116	115	0.1
KUWAIT	117	116	0.1
KYRGYZSTAN	118	117	0.1
LAO PEOPLE'S DEMOCRATIC REPUBLIC	119	118	0.1
LATVIA	120	119	0.1
LEBANON	121	120	0.1
LESOTHO	122	121	0.1
LIBERIA	123	122	0.1
LIBYAN ARAB JAMAHIRIYA	124	123	0.1
LIECHTENSTEIN	125	124	0.1
LITHUANIA	126	125	0.1

LUXEMBOURG	127	126	0.1
MACAO	128	127	0.1
MACEDONIA, FORMER YUGOSLAV REPUBLIC OF	129	128	0.1
MADAGASCAR	130	129	0.1
MALAWI	131	130	0.1
MALAYSIA	132	131	0.1
MALDIVES	133	132	0.1
MALI	134	133	0.1
MALTA	135	134	0.1
MARSHALL ISLANDS	136	135	0.1
MARTINIQUE	137	136	0.1
MAURITANIA	138	137	0.1
MAURITIUS	139	138	0.1
MAYOTTE	140	139	0.1
MEXICO	141	140	0.1
MICRONESIA	142	141	0.1
MOLDOVA	143	142	0.1
MONACO	144	143	0.1
MONGOLIA	145	144	0.1
MONTENEGRO	146	145	0.1
MONTSERRAT	147	146	0.1
MOROCCO	148	147	0.1
MOZAMBIQUE	149	148	0.1
MYANMAR	150	149	0.1
NAMIBIA	151	150	0.1
NAURU	152	151	0.1

NEPAL	153	152	0.1
NETHERLANDS	154	153	0.1
NETHERLANDS ANTILLES	155	154	0.1
NEW CALEDONIA	156	155	0.1
NEW ZEALAND	157	156	0.1
NICARAGUA	158	157	0.1
NIGER	159	158	0.1
NIGERIA	160	159	0.1
NIUE	161	160	0.1
NORFOLK ISLAND	162	161	0.1
NORTHERN MARIANA ISLANDS	163	162	0.1
NORWAY	164	163	0.1
OMAN	165	164	0.1
PAKISTAN	166	165	0.1
PALAU	167	166	0.1
PALESTINIAN TERRITORY, OCCUPIED	168	167	0.1
PANAMA	169	168	0.1
PAPUA NEW GUINEA	170	169	0.1
PARAGUAY	171	170	0.1
PERU	172	171	0.1
PHILIPPINES	173	172	0.1
PITCAIRN	174	173	0.1
POLAND	175	174	0.1
PORTUGAL	176	175	0.1
PUERTO RICO	177	176	0.1

QATAR	178	177	0.1
REUNION	179	178	0.1
ROMANIA	180	179	0.1
RUSSIAN FEDERATION	181	180	0.1
RWANDA	182	181	0.1
SAINT BARTHELEMY	183	182	0.1
SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA	184	183	0.1
SAINT KITTS AND NEVIS	185	184	0.1
SAINT LUCIA	186	185	0.1
SAINT MARTIN	187	186	0.1
SAINT PIERRE AND MIQUELON	188	187	0.1
SAINT VINCENT AND THE GRENADINES	189	188	0.1
SAMOA	190	189	0.1
SAN MARINO	191	190	0.1
SAO TOME AND PRINCIPE	192	191	0.1
SAUDI ARABIA	193	192	0.1
SENEGAL	194	193	0.1
SERBIA	195	194	0.1
SEYCHELLES	196	195	0.1
SIERRA LEONE	197	196	0.1
SINGAPORE	198	197	0.1
SLOVAKIA	199	198	0.1
SLOVENIA	200	199	0.1
SOLOMON ISLANDS	201	200	0.1

SOMALIA	202	201	0.1
SOUTH AFRICA	203	202	0.1
SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS	204	203	0.1
SPAIN	205	204	0.1
SRI LANKA	206	205	0.1
SUDAN	207	206	0.1
SURINAME	208	207	0.1
SVALBARD AND JAN MAYEN	209	208	0.1
SWAZILAND	210	209	0.1
SWEDEN	211	210	0.1
SWITZERLAND	212	211	0.1
SYRIAN ARAB REPUBLIC	213	212	0.1
TAIWAN	214	213	0.1
TAJIKISTAN	215	214	0.1
THAILAND	216	215	0.1
TIMOR-LESTE	217	216	0.1
TOGO	218	217	0.1
TOKELAU	219	218	0.1
TONGA	220	219	0.1
TRINIDAD AND TOBAGO	221	220	0.1
TUNISIA	222	221	0.1
TURKEY	223	222	0.1
TURKMENISTAN	224	223	0.1
TURKS AND CAICOS ISLAND	225	224	0.1

				TUVALU	226	225	0.1	
				UGANDA	227	226	0.1	
				UKRAINE	228	227	0.1	
				UNITED ARAB EMIRATES	229	228	0.1	
				UNITED KINGDOM	230	229	0.1	
				URUGUAY	231	230	0.1	
				UZBEKISTAN	232	231	0.1	
				VANUATU	233	232	0.1	
				VATICAN CITY STATE	234	233	0.1	
				VENEZUELA	235	234	0.1	
				VIET NAM	236	235	0.1	
				VIRGIN ISLANDS, BRITISH	237	236	0.1	
				VIRGIN ISLANDS, U.S.	238	237	0.1	
				WALLIS AND FUTUNA	239	238	0.1	
				WESTERN SAHARA	240	239	0.1	
				YEMEN	241	240	0.1	
				ZAMBIA	242	241	0.1	
				ZIMBABWE	243	242	0.1	
				CHINA	244	243	0.1	
				TANZANIA	245	244	0.1	
D_CTPROYN_CL_001	0.1			NO	1	N	0.1	i_4895283826288928_d_ctproyn1_001
				YES	2	Y	0.1	
D_SAEAEOST_CL_001	0.1			YES	1	Y	0.1	i_4895283857107460_d_saeaeost_001
				NO	2	N	0.1	
D_SAEAEOUTYN_CL_001	0.1			NO	1	N	0.1	i_4895283889869128_d_saeaeoutyn_001
				YES	2	Y	0.1	
D_SAEAEOUT_CL_001	0.1			FATAL	1	1	0.1	i_4895283928455490_d_saeaeout_001

				NOT RECOVERED/NOT RESOLVED	2	2	0.1
				RECOVERED/RESOLVED	3	3	0.1
				RECOVERED/RESOLVED WITH SEQUELAE	4	4	0.1
				RECOVERING /RESOLVING	5	5	0.1
				UNKNOWN	6	6	0.1

Variable Validations AE001 ADVERSE EVENT REPORT				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AESTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AESTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AESTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AESTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AESTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AEENDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AEENDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AEENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AEENDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AEENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

SUPPAE_AESAWDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEADMITDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEADMITDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEADMITDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEADMITDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEADMITDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEDISCHDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEDISCHDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEDISCHDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEDISCHDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEDISCHDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEAESTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEAESTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEAESTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEAESTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEAESTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

D_SAEAEOUTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEAEOUTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEAEOUTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEAEOUTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEAEOUTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields AE001 ADVERSE EVENT REPORT

Group RefName	Group Type	Associated Variables
IG_4895275964092403_AE01001	Non-Repeating	AECAT_001, AESPID_001, AETERM_001, AESTDTC_001, X_AEONGO_001, AEENDTC_001, SUPPAE_AESAWDTC_001, AETOXGR_001, AESER_001, AESCONG_001, AESDTH_001, AESHOSP_001, D_SAEADMITDTC_001, D_SAEDISCHDTC_001, AESDISAB_001, AESLIFE_001, AESMIE_001, D_AEReport_001, SUPPAE_AEMERES_001, AEREL_001, AERELNST_001, SUPPAE_AERELTXT_001, AEACN_001, SUPPAE_AECMGIV_001, SUPPAE_AENDGIV_001, AEOUT_001, SUPPAE_AESUBJDC_001, AEACNOTH_001, D_PREVID_001, AELLT_001, AELLTCD_001, AEDECOD_001, AEPTCD_001, AEHLT_001, AEHLTCD_001, AEHLGT_001, AEHLGTCD_001, AESOC_001, AESOCCD_001
IG_4895275982539703_AE02001	Non-Repeating	D_CASEID_001, D_SAEACOUNTRY1_001, D_CTPROYN1_001, D_CTPROCEDURE1_001, D_SAEAEOST_001, D_SAEAESTDTC_001, D_SAEAEOUTYN_001, D_SAEAEOUT_001, D_SAEAEOUTDTC_001

Instruments

AE001_1 / MEDICATION ERROR

Instrument Definition

Instrument Name:	AE001_1
Instrument Title:	MEDICATION ERROR
SAS Instrument Name:	AE001_1
Description:	MED ERROR
Version:	0.27
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: AE001_1 MEDICATION ERROR (MED ERROR) [Version: 0.27]		
Section MEDICATION ERROR AE001_1_S		Permission Groups
Group of Fields AE01001_1 / Medication Error Report Group Type: Non-Repeating	Number of variables: 18	

1.	Category: [AECAT_001_1] [AECAT]	[AECAT_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 21 Help/Info Text: Record the "Category" for the adverse event if not preprinted on form.	
2.* ✓✓	Medication Error: (If possible specify diagnosis, not individual symptoms) (Type of medication error) [AETERM_001_1] [AETERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.* 	Start Date: [AESTDTC_001_1] [AESTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Start Date of the medication error using the format (DD-MMM-YYYY). If appropriate, record the time (as complete as possible) when the adverse event started, using the 24-hour clock. Refer to CRF Completion Requirements for additional guidance.	
---	---	--	--

4.* 	End Date: [AEENDTC_001_1] [AEENDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date that the Medication Error resolved using this format (DDMM-YYYY). If appropriate, record the time (as complete as possible) when the Medication Error resolved, using the 24-hour clock.	
5.* 	Was this medication error associated with any adverse events? [SUPPAE_AEMEFL_001_1] [AEMERAE]	[SUPPAE_AEMEFL_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "YES" or "NO" if the medication error is associated with any adverse events.	

6.* 	Was a Concomitant Medication given? If SAE, record on the concomitant medication page. [SUPPAE_AECMGIV_001_1] [AECMGIV]	[SUPPAE_AECMGIV_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.* 	Was a Non-Drug Treatment given? [SUPPAE_AENDGIV_001_1] [AENDGIV]	[SUPPAE_AENDGIV_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.*	Latest Action Taken with Study Treatment: [SUPPAE_AEMEACN_001_1] [AESTDME]	[SUPPAE_AEMEACN_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the study treatment resulting from the medication error. Refer to CRF Completion Requirements for additional guidance.	

9.	Lowest Level Term [AELLT_001_1] [AELLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
10.	Lowest Level Term Code [AELLTCD_001_1] [AELLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
11.	Dictionary Derived Term [AEDECOD_001_1] [AEDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

12.	Preferred Term Code [AEPTCD_001_1] [AEPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
13.	High Level Term [AEHLT_001_1] [AEHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
14.	High Level Term Code [AEHLTCD_001_1] [AEHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

15.	High Level Group Term [AEHLGT_001_1] [AEHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
16.	High Level Group Term Code [AEHLGTCD_001_1] [AEHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
17.	Primary System Organ Class [AESOC_001_1] [AESOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

18.	Primary System Organ Class Code [AESOCCD_001_1] [AESOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
-----	---	---	---

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: AE001_1 MEDICATION ERROR		
Type	RefName	Description
Form	CRF_4895248422398299_AE001_1	AE001_1
Item	I_4895284644416259_AECAT_001_1	
Item	I_4895284662662438_AETERM_001_1	
Item	I_4895284681558068_AESTDTC_001_1	
Item	I_4895284698071322_AEENDTC_001_1	
Item	I_4895284715149176_SUPPAE_AEMEFL_001_1	
Item	I_4895284731254606_SUPPAE_AECMGIV_001_1	
Item	I_4895284747198401_SUPPAE_AENDGIV_001_1	
Item	I_4895284762956750_SUPPAE_AEMEACN_001_1	
Item	I_4895284779641173_AELLT_001_1	
Item	I_4895284803208205_AELLTCD_001_1	
Item	I_4895284843458512_AEDECOD_001_1	
Item	I_4895284859081417_AEPTCD_001_1	
Item	I_4895284874559443_AEHLT_001_1	

Item	I_4895284890245628_AEHLTCD_001_1	
Item	I_4895284906328485_AEHLGT_001_1	
Item	I_4895284922728884_AEHLGTCD_001_1	
Item	I_4895284938978471_AESOC_001_1	
Item	I_4895284955042062_AESOCCD_001_1	

Codelist Values Tables: AE001_1 MEDICATION ERROR

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
AECAT_CL_001_1	0.2			MEDICATION ERROR	1	21	0.1	i_4895284644416259_aecat_001_1
SUPPAE_AEMEFL_CL_001_1	0.1			YES	1	Y	0.1	i_4895284715149176_suppaе_aemeфl_001_1
				NO	2	N	0.1	
SUPPAE_AECMGIV_CL_001_1	0.1			YES	1	Y	0.1	i_4895284731254606_suppaе_aecmgiv_001_1
				NO	2	N	0.1	
SUPPAE_AENDGIV_CL_001_1	0.1			YES	1	Y	0.1	i_4895284747198401_suppaе_aendgiv_001_1
				NO	2	N	0.1	
SUPPAE_AEMEACN_CL_001_1	0.2			NO ACTION TAKEN	1	1	0.1	i_4895284762956750_suppaе_aemeacn_001_1
				PERMANENTLY DISCONTINUED	2	4	0.1	

Variable Validations AE001_1 MEDICATION ERROR

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AESTDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AESTDTC_001_1	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
AESTDTC_001_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
AESTDTC_001_1	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.

AESTDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AESTDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AESTDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AESTDTC_001_1	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
AESTDTC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AEENDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AEENDTC_001_1	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
AEENDTC_001_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
AEENDTC_001_1	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
AEENDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AEENDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AEENDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AEENDTC_001_1	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
AEENDTC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields AE001_1 MEDICATION ERROR

Group RefName	Group Type	Associated Variables
IG_4895275945976865_AE01001_1	Non-Repeating	AECAT_001_1, AETERM_001_1, AESTDTC_001_1, AEENDTC_001_1, SUPPAE_AEMEFL_001_1, SUPPAE_AECMGIV_001_1, SUPPAE_AENDGIV_001_1, SUPPAE_AEMEACN_001_1, AELLT_001_1, AELLTCD_001_1, AEDECOD_001_1, AEPTCD_001_1, AEHLT_001_1, AEHLTCD_001_1, AEHLGT_001_1, AEHLGTCD_001_1, AESOC_001_1, AESOCCD_001_1

Instruments

DS001_5 / DISPOSITION - TREATMENT

Instrument Definition

Instrument Name:	DS001_5
Instrument Title:	DISPOSITION - TREATMENT
SAS Instrument Name:	DS001_5
Description:	DISP TRT
Version:	0.19
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: DS001_5 DISPOSITION - TREATMENT (DISP TRT) [Version: 0.19]		
Section DISPOSITION - TREATMENT DS001_5_S		Permission Groups
Group of Fields DS01001_5 / Disposition - Treatment Group Type: Non-Repeating	Number of variables: 5	

1.	Subcategory: [DSSCAT_001_5] [DSSCAT]	[DSSCAT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 129	
2.* ✓	Date of Completion/Discontinuation/Death: [DSSTDTC_001_5] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date using the format (DD-MMM-YYYY). Partial dates are permitted only when the Status of the subject is DEATH	

3.	Phase of Disposition: [SUPPDS_DSPHASE_001_5] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 29 Help/Info Text: Record the disposition phase the subject completed or discontinued.	
4.* ✓✓	Status: [DSDECOD_001_5] [DSDECOD]	[DSDECOD_CL_001_5] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the primary reason for participant at the conclusion of their treatment phase. Please refer to the CRF Completion Requirements for additional instruction.	

5.*	Specify Status: <i>[Branching logic expression: [DSDECOD_001_5]='7' or [DSDECOD_001_5]='16']</i> <i>[DSTERM_001_5]</i> [DSTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Reason for discontinuation should be entered in this data field when "Other", "Withdrawal By Subject" or "Withdrawal By Parent/Guardian" is selected from the "Status" list. Data entry is only expected for this data field when one of the above statuses has been entered. Avoid abbreviations.	
-----	--	---	--

Key: [*] = Item is required ☒ = Source verification required

Study Object Descriptions: DS001_5 DISPOSITION - TREATMENT		
Type	RefName	Description
Form	CRF_4895248659864533_DS001_5	DS001_5
Item	I_4895285044201387_DSSCAT_001_5	
Item	I_4895284971088308_DSSTDTC_001_5	
Item	I_4895284988756610_SUPPDS_DSPHASE_001_5	
Item	I_4895285004941671_DSDECOD_001_5	
Item	I_4895285021253446_DSTERM_001_5	

Codelist Values Tables: DS001_5 DISPOSITION - TREATMENT								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
DSSCAT_CL_001_5	0.2			STUDY TREATMENT	1	129	0.1	i_4895285044201387_dsscat_001_5

SUPPDS_DSPHASE_CL_001_5	0.2			VACCINATION	1	29	0.1	i_4895284988756610_suppds_dsphase_001_5
DSDECOD_CL_001_5	0.3			ADVERSE EVENT	1	1	0.1	i_4895285004941671_dsdecod_001_5
				COMPLETED	2	2	0.1	
				DEATH	3	3	0.1	
				LOST TO FOLLOW-UP	4	5	0.1	
				OTHER	5	7	0.1	
				PHYSICIAN DECISION	6	8	0.1	
				PREGNANCY	7	9	0.1	
				PROTOCOL DEVIATION	8	11	0.1	
				STUDY TERMINATED BY SPONSOR	9	14	0.1	
				WITHDRAWAL BY SUBJECT	10	16	0.1	
				MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	11	17	0.1	
				NO LONGER MEETS ELIGIBILITY CRITERIA	12	18	0.1	
				REACTOGENICITY EVENT	13	34	0.1	
				REFUSED FURTHER STUDY PROCEDURES	14	25	0.1	

Variable Validations DS001_5 DISPOSITION - TREATMENT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_5	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_5	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001_5	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_5	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.

DSSTDTC_001_5	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_5	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_5	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_5	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_5 DISPOSITION - TREATMENT		
Group RefName	Group Type	Associated Variables
IG_4895274558462947_DS01001_5	Non-Repeating	DSSCAT_001_5, DSSTDTC_001_5, SUPPDS_DSPHASE_001_5, DSDECOD_001_5, DSTERM_001_5

Instruments

EC001_2 / TREATMENT - VACCINATION

Instrument Definition

Instrument Name:	EC001_2
Instrument Title:	TREATMENT - VACCINATION
SAS Instrument Name:	EC001_2
Description:	VACIN TRT
Version:	0.71
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: EC001_2 TREATMENT - VACCINATION (VACIN TRT) [Version: 0.71]			
Section TREATMENT - VACCINATION EC001_2_S			Permission Groups
	Group of Fields EC01001_2 / Vaccination Group Type: Non-Repeating	Number of variables: 14	

1.* 	Was there a temporary delay of vaccination? [SUPPEC_ECTDV_001_2] [ECTDV]	[SUPPEC_ECTDV_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if there is a temporary delay of vaccination.	
2.* 	Date of First Delay: [SUPPEC_FDDTC_001_2] [FDDTC] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If YES record the date the vaccination was delayed using the format (DD-MMM-YYYY). If there is more than one delay for the vaccination, please only record the first date.	

3.* ✓	Reason(s) for Temporary Delay of Vaccination: [ECADJ_TDV_001_2] [ECTDVR] (Nested Field)	[ECADJ_TDV_CL_001_2] Checkboxes Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the reason for the delay of vaccination. If there is more than one reason, select all that apply.	
4.	Treatment Name: [ECTRT_001_2] [ECTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: BLINDED THERAPY Help/Info Text: Record the name of the study treatment (if it is not pre-printed).	
5.	Formulation: [ECDOSFRM_001_2] [ECDOSFRM]	[ECDOSFRM_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 66 Help/Info Text: Record the formulation (e.g., SOLUTION, TABLET)	

6.*	Dose Date Time: [ECSTDTC_001_2] [ECSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date of the study treatment administration using this format dd-MMM-yyyy (e.g. 01-JAN-2006). NO partial dates allowed. Record the time using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45).	
-----	---	---	--

7.	Anatomical Location: [ECLOC_001_2] [ECLOC]	[ECLOC_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 744 Help/Info Text: Record the body location where the study treatment was administered (e.g., SHOULDER, HIP, ARM).	
8.*	Body Side: [ECLAT_001_2] [ECLAT]	[ECLAT_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the body side where the study treatment was administered (e.g., LEFT, RIGHT, BILATERAL).	

9.	Route: [ECROUTE_001_2] [ECROUTE]	[ECROUTE_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 50 Help/Info Text: Record the route of administration (e.g., ORAL)	
10.	Actual Dose: [X_ECDOSE_001_2] [ECDOSE]	Number Box (Decimal) Max Value: 9999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: Record non-zero values of the dose or amount of study treatment (including placebo) that was administered to/taken by the participant in the period recorded. Planned off drug period dates should not be entered into the dosing CRF. Refer to CRF Completion Requirements for additional info regarding data entry for missed doses and how these should be recorded (i.e. expected doses that were not given, etc.).	

11.	Unit: [ECDOSU_001_2] [ECDOSU]	[ECDOSU_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 96 Help/Info Text: Record the unit of dose or amount taken per period recorded (e. g., ng, mg, mg/kg).	
12.	Timeframe Subject Was Observed: [SUPPEC_ECOBSVT_001_2] [ECOBSVT]	[SUPPEC_ECOBSVT_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 2 Help/Info Text: Record the 'Timeframe Subject Was Observed'.	

13.* ✓	Was the subject observed for at least 30 minutes after investigational product administration? [SUPPEC_ECOBSV_001_2] [ECOBSV]	[SUPPEC_ECOBSV_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the subject was observed for any acute reactions for the protocol specified time period after investigational product administration, then the question should be answered YES. If the subject was not observed or observed for less than the protocol specified time period, then the question should be answered NO.	
14.*	If No, specify reason: [SUPPEC_ECOBSVD_001_2] [ECOBSVD] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the subject was not observed or observed for less than the protocol specified time period record the reason for non-compliance in the space provided.	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: EC001_2 TREATMENT - VACCINATION		
Type	RefName	Description
Form	CRF_4895248946098541_EC001_2	EC001_2

Item	I_4895285241961419_SUPPEC_ECTDV_001_2	
Item	I_4895285258199305_SUPPEC_FDDTC_001_2	
Item	I_4895285275896194_ECADJ_TDV_001_2	
Item	I_4895285061274146_ECTRT_001_2	
Item	I_4895285077562429_ECDOSFRM_001_2	
Item	I_4895285191623298_ECSTDTC_001_2	
Item	I_4895285159084452_ECLOC_001_2	
Item	I_4895285175478664_ECLAT_001_2	
Item	I_4895285093813444_ECROUTE_001_2	
Item	I_4895285209117995_X_ECDOSE_001_2	
Item	I_4895285225897754_ECDOSU_001_2	
Item	I_4895285110020856_SUPPEC_ECOBSVT_001_2	
Item	I_4895285125944795_SUPPEC_ECOBSV_001_2	
Item	I_4895285142592204_SUPPEC_ECOBSVD_001_2	

Codelist Values Tables: EC001_2 TREATMENT - VACCINATION

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPEC_ECTDV_CL_001_2	0.1			YES	1	Y	0.1	i_4895285241961419_suppec_ectdv_001_2
				NO	2	N	0.1	
ECADJ_TDV_CL_001_2	0.3			RECENT NON-STUDY VACCINATION	1	3	0.1	i_4895285275896194_ecadj_tdv_001_2
				RECENT SYSTEMIC CORTICOSTEROID TREATMENT	2	6	0.1	
				FEVER OR ACUTE ILLNESS	3	10	0.1	

				ANTICIPATED NON-STUDY VACCINATION	4	12	0.1	
				POSITIVE SARS-COV-2 TEST	5	14	0.1	
ECDOSFRM_CL_001_2	0.2			INJECTION	1	66	0.1	i_4895285077562429_ecdosfrm_001_2
ECLOC_CL_001_2	0.2			DELTOID MUSCLE	1	744	0.1	i_4895285159084452_ecloc_001_2
ECLAT_CL_001_2	0.2			LEFT	1	5	0.1	i_4895285175478664_eclat_001_2
				RIGHT	2	6	0.1	
ECROUTE_CL_001_2	0.2			INTRAMUSCULAR	1	50	0.1	i_4895285093813444_ecroute_001_2
ECDOSU_CL_001_2	0.2			SYRINGE	1	96	0.1	i_4895285225897754_ecdosu_001_2
SUPPEC_ECOBSVT_CL_001_2	0.2			30 MINUTES	1	2	0.1	i_4895285110020856_suppec_ecobsvt_001_2
SUPPEC_ECOBSV_CL_001_2	0.1			YES	1	Y	0.1	i_4895285125944795_suppec_ecobsv_001_2
				NO	2	N	0.1	

Variable Validations EC001_2 TREATMENT - VACCINATION

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
SUPPEC_FDDTC_001_2	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.

ECSTDTC_001_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
ECSTDTC_001_2	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
ECSTDTC_001_2	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
ECSTDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
ECSTDTC_001_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
ECSTDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
ECSTDTC_001_2	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
ECSTDTC_001_2	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields EC001_2 TREATMENT - VACCINATION

Group RefName	Group Type	Associated Variables
IG_4895274838407971_EC01001_2	Non-Repeating	SUPPEC_ECTDV_001_2, SUPPEC_FDDTC_001_2, ECADJ_TDV_001_2, ECTRT_001_2, ECDOSFRM_001_2, ECSTDTC_001_2, ECLOC_001_2, ECLAT_001_2, ECROUTE_001_2, X_ECDOSE_001_2, ECDOSU_001_2, SUPPEC_ECOBSVT_001_2, SUPPEC_ECOBSV_001_2, SUPPEC_ECOBSVD_001_2

Instruments

VS001 / VITAL SIGNS - BASELINE

Instrument Definition

Instrument Name:	VS001
Instrument Title:	VITAL SIGNS - BASELINE
SAS Instrument Name:	VS001
Description:	VITALS
Version:	0.43
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: VS001 VITAL SIGNS - BASELINE (VITALS) [Version: 0.43]		
Section VITAL SIGNS VS001_S		Permission Groups
Group of Fields VS01001 / Vital Signs - I Group Type: Non-Repeating	Number of variables: 5	

1.*	Date: [VSDTC_001] [VSDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of the measurement using this format (DD- MMM-YYYY). NO partial dates allowed. If time is collected, record the time of the measurement using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20: 45)	
-----	--	---	--

2.*	Weight: [VSORRES_WEIGHT_001] [WEIGHT]	Number Box (Decimal) Max Value: 999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value for weight.	
3.*	Unit: [VSORRESU_WEIGHT_001] [WEIGHTU]	[VSORRESU_WEIGHT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If weight units are not defaulted, choose either lb or kg.	

4.*	Height: [VSORRES_HEIGHT_001] [HEIGHT]	Number Box (Decimal) Max Value: 999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value for height.	
5.*	Unit: [VSORRESU_HEIGHT_001] [HEIGHTU]	[VSORRESU_HEIGHT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If height units are not defaulted, choose either in or cm.	
	Group of Fields VS02001 / Vital Signs - II Group Type: Fixed Repeating	Number of rows: 1	

6.	Record Identifier: [VSSPID_001] [VSSPID] Row 1 (Locked): 1 - 1	[VSSPID_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: When multiple measurements of a test are performed at the same visit (e.g., triplicate BP measurements), be sure to enter the test and time taken with corresponding result in the order in which they were performed.	
7.*	Temperature: [VSORRES_TEMP_001] [TEMP]	Number Box (Decimal) Max Value: 999.9 Max Decimal Size: 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value for body temperature.	

8.*	Unit: [VSORRESU_TEMP_001] [TEMPU]	[VSORRESU_TEMP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If temperature unit is not defaulted, choose either F or C.	
Key: [*] = Item is required			

Study Object Descriptions: VS001 VITAL SIGNS - BASELINE		
Type	RefName	Description
Form	CRF_4895249186470629_VS001	VS001
Item	I_4895285345515295_VSDTC_001	
Item	I_4895285363311656_VSORRES_WEIGHT_001	
Item	I_4895285381165789_VSORRESU_WEIGHT_001	
Item	I_4895285397966792_VSORRES_HEIGHT_001	
Item	I_4895285414563238_VSORRESU_HEIGHT_001	
Item	I_4895285292570049_VSSPID_001	
Item	I_4895285310475826_VSORRES_TEMP_001	
Item	I_4895285327918706_VSORRESU_TEMP_001	

Codelist Values Tables: VS001 VITAL SIGNS - BASELINE								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
VSORRESU_WEIGHT_CL_001	0.1			kg	1	9	0.1	i_4895285381165789_vsorresu_weight_001

				LB	2	11	0.1	
VSORRESU_HEIGHT_CL_001	0.1			cm	1	5	0.1	i_4895285414563238_vsorresu_height_001
				in	2	8	0.1	
VSSPID_CL_001	0.2			1	1	1	0.1	i_4895285292570049_vsspid_001
VSORRESU_TEMP_CL_001	0.1			C	1	4	0.1	i_4895285327918706_vsorresu_temp_001
				F	2	6	0.1	

Variable Validations VS001 VITAL SIGNS - BASELINE

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
VSDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
VSDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
VSDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
VSDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
VSDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields VS001 VITAL SIGNS - BASELINE

Group RefName	Group Type	Associated Variables
IG_4895274899781421_VS01001	Non-Repeating	VSDTC_001, VSORRES_WEIGHT_001, VSORRESU_WEIGHT_001, VSORRES_HEIGHT_001, VSORRESU_HEIGHT_001
IG_4895274939438997_VS02001	Fixed Repeating	VSSPID_001, VSORRES_TEMP_001, VSORRESU_TEMP_001

Instruments

D_EDP001 / EXPOSURE DURING PREGNANCY

Instrument Definition

Instrument Name:	D_EDP001
Instrument Title:	EXPOSURE DURING PREGNANCY
SAS Instrument Name:	D_EDP001
Description:	EDP
Version:	0.60
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: D_EDP001 <i>EXPOSURE DURING PREGNANCY</i> (EDP) [Version: 0.60]		
Section EXPOSURE DURING PREGNANCY <i>D_EDP001_S</i>		Permission Groups
Group of Fields D_EDP01001 / Safety Information Group Type: Non-Repeating	Number of variables: 1	

1.*	Select the CASE ID of the SAE/Reportable event [D_CASEIDEDP_001] [EDPCASID]	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array(", [D_CASEIDSAE_001] <> null, [D_CASEIDSAE_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP02001 / Pregnancy Group Type: Non-Repeating	Number of variables: 13	

2.*	First Day of Last Menstrual Period [D_MENDAT_001] [EDPLMNDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the first day of the mother's last menstrual period (e.g., "12JUN2016"). Enter a partial date if the full date is unknown (e.g., "UNKJUN2016").	
-----	---	--	--

3.*	Estimated Date of Delivery [D_ESTDELDAT_001] [EDPDELDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the date of delivery (e.g., "12JUN2016"). Enter a partial date if the full date is unknown (e.g., "UNKJUL2016").	
4.*	Number of Foetuses [D_NUMFOET_001] [EDPFETUS]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the number of foetuses	

5.*	Is the gestation, in weeks, at time of initial exposure known? [D_GESTTIM_001] [EDPGINEX]	[D_GESTTIM_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.*	Specify number of weeks below [D_NUMWEEKS_001] [EDPGSTWK] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter an estimate of the duration of pregnancy in weeks at the time of initial exposure to the medication, if known.	
7.*	Select trimester [D_TRIMESTER_001] [EDPTRIM] (Nested Field)	[D_TRIMESTER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the weeks of gestation are not known, indicate in which trimester initial exposure occurred.	

8.*	Relevant History/Exposure to Products [D_RELHIST_001] [EDPEXP]	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide any maternal risk factors for adverse pregnancy outcomes, including environmental or occupational exposures and medical disorder (e.g., hypertension, diabetes, infection, etc.). Describe the course of the pregnancy and any treatments. Please specify any treatment for infertility. Specify the timing, dose, and duration of exposure in relation to the pregnancy. Also include any family history of congenital abnormality/genetic diseases, consanguinity (or any family relationships or lineage) between parents (specify the degree, if known).	
9.*	Did the mother smoke during this pregnancy? [D_MSMOKE_001] [EDPMSMK]	[D_MSMOKE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the mother smoked during the pregnancy please select YES and indicate the number per day	

10.*	Provide the number per day [D_MSMOKENUM_001] [EDPNCIG] (Nested Field)	Number Box (Integer) Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.*	Did the mother drink alcohol during this pregnancy? [D_MALC_001] [EDPMALC]	[D_MALC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the mother drank alcohol during the pregnancy select YES and indicate the frequency	
12.*	Provide the frequency [D_MALCNUMB_001] [EDPALFRQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

13.*	Did the mother use illicit drugs during this pregnancy? [D_MDRUG_001] [EDPMDRUG]	[D_MDRUG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the mother used illicit drugs during the pregnancy select YES and indicate the frequency	
14.*	Provide the frequency [D_MDRUGFREQ_001] [EDPDRFRQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP03001 / Obstetrical History Group Type: Non-Repeating	Number of variables: 4	
15.*	Has the mother had previous pregnancies? [D_PREVPREG_001] [EDPPREG]	[D_PREVPREG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

16.*	Number of previous pregnancies [D_NUMPREG_001] [EDPNPREG] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
17.*	Number of other children [D_NUMCHILD_001] [EDPOCHLD] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

18.*	Outcome of previous pregnancies and previous maternal pregnancy complications [D_OUTCOMEPREV_001] [EDPPOUT] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide additional details regarding the outcome of any previous pregnancies (e.g., live birth, miscarriage, elective termination with specification of gestational length and context, late fetal death, ectopic pregnancy, molar pregnancy). Add information about any previous maternal pregnancy complications (e.g., premature rupture of membranes). Include details specifically describing any previous fetal/neonatal abnormalities, if applicable, referring to both structural malformation and any non-structural or long-term functional effects. Also supply any history of sub-fertility.	
	Group of Fields D_EDP04001 / Outcome of Pregnancy Group Type: Non-Repeating	Number of variables: 5	

19.*	Date of outcome of pregnancy [D_OUTCOMEPREVDAT_001] [EDPOUTDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the date the pregnancy ended, as DDMMYYYY (e.g., 02APR2016). Enter a partial date if the full date is unknown (e.g., UNKAPR2016).	
20.*	Mode of delivery [D_DELIVERMOD_001] [EDPMODE]	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: (e.g., natural birth [i.e., vaginal delivery without medication or anesthesia], cesarean section)	

21.*	Pregnancy outcome [D_PREGOUT_001] [EDPOUTPG]	[D_PREGOUT_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the outcome of the pregnancy. Full term live birth Full term = live birth at 37 or more weeks of gestation. Premature live birth Premature = live birth at less than 37 weeks of gestation. Stillbirth, also known as fetal death, is delivery of a dead child. Spontaneous Abortion/Miscarriage = premature expulsion from the uterus of the products of conception, the embryo, or of a non-viable fetus. Included in this category is "missed abortion" which refers to when the products of conception are reabsorbed and not expelled. Induced abortion = pharmacologically or surgically induced expulsion from the uterus of the products of conception, of an embryo, or of a fetus. If the pregnancy outcome is 'Stillbirth' or 'Spontaneous abortion' please ensure an SAE case/report has been sent to Pfizer safety and ensure that SAE CASE ID is present in the CASE ID field on the EDP CRF.	
22.*	Is the gestation age at birth, in weeks, known? [D_GESTWEEKS_001] [EDPGEST]	[D_GESTWEEKS_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Indicate gestational age (as determined from LMP and/or ultrasound) at birth in weeks (if known).	

23.*	Provide weeks below [D_GESTWEEKS1_001] [EDPGESTW] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP05001 / Infant Group Type: Non-Repeating	Number of variables: 11	
24.*	Outcome of Infant [D_OUTCOMEINF_001] [EDPIFOUT]	[D_OUTCOMEINF_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the outcome of the infant. Other neonatal problem /abnormality includes dysmaturity, neonatal illness, fetal distress, amniotic fluid abnormal, abnormal placenta, hospitalization. If the outcome of infant is 'Congenital Malformation/Anomaly' or 'Other neonatal problem' please ensure an SAE case/report has been sent to Pfizer safety and ensure that SAE CASE ID is present in the CASE ID field on the EDP CRF.	

25.*	Other, specify [D_OUTCOMEOTH_001] [EDPOTHSP] (Nested Field)	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
26.*	Apgar Score 1 Min [D_APGAR1_001] [EDPAPMIN]	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the Apgar Score(s) (if known) for 1 min	
27.*	Apgar Score 5 Min [D_APGAR5_001] [EDPAPMAX]	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the Apgar Score(s) (if known) for 5 min	

28.*	Infant Sex [D_INFSEX_001] [EDPIFSEX]	[D_INFSEX_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Check the appropriate box to indicate the sex of the infant at birth (i.e., Male or Female).	
29.*	Birthweight [D_BIRTHWEIGHT_001] [EDPIFBW]	Number Box (Integer) Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the infant's weight at birth	
30.*	Birthweight unit [D_BIRTHWEIGHTU_001] [EDPIFBWU]	[D_BIRTHWEIGHTU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

31.*	Length at birth [D_LENGTH_001] [EDPIFLN]	Number Box (Integer) Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the infant's length at birth	
32.*	Length at birth unit [D_LENGTHU_001] [EDPIFLNU]	[D_LENGTHU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
33.*	Head circumference at birth [D_HEADCIR_001] [EDPIFHC]	Number Box (Integer) Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the infant's head circumference at birth	

34.*	Head circumference at birth unit [D_HEADCIRU_001] [EDPIFHCU]	[D_HEADCIRU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP06001 / Paternal Information Group Type: Non-Repeating	Number of variables: 4	
35.*	Was there paternal exposure? [D_PATEXPOYN_001] [EDPPTEXP]	[D_PATEXPOYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: In the case of paternal exposure select YES and provide the information in the requested fields	

36.*	Occupation [D_PAT OCC_001] [EDPOCUP] (Nested Field)	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the father's occupation, if known.	
37.*	Relevant History [D_PATHIST_001] [EDPRLHX] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Include any risk factors, including environmental or occupational exposures (e.g., HIV/AIDS, toxins). Include details of any family history of congenital abnormality/genetic diseases, consanguinity (with details regarding family relationships or lineage including the degree of consanguinity) between the parents."	

38.*	Exposure to Products - Were any drugs taken by the father during the mother's pregnancy? [D_PATEXPOSURE_001] [EDPEXPRD] (Nested Field)	[D_PATEXPOSURE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Check NO if none were taken. Check YES if applicable.	
	Group of Fields D_EDP07001 / Exposure to Products Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 8	
39.*	Product [D_PATPRONAM_001] [EDPPROD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Avoid abbreviations.	

40.*	Indication [D_PATINDC_001] [EDPINDIC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken by the father	
41.*	Start Date [D_PATSTDTD_001] [EDPSTDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format DD- MMM-YYYY (e.g. 01-JAN-2020)	

42.*	Stop Date [D_PATENDTD_001] [EDPSTPDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: record the date the participant stopped taking the medication in the format DD-MMM-YYYY (e.g. 01-JAN-2020)	
43.*	Reason for stopping [D_PATSTOPRE_001] [EDPSTRSN]	Text Box Max Length: 60 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was stopped, if it was discontinued	

44.*	Dose [D_PATDOSE_001] [EDPDOSE]	Text Box Max Length: 10 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose and dose unit of the medication taken per administration	
45.*	Formulation [D_PATFORM_001] [EDPFRM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the formulation of the medication	

46.*	Frequency [D_PATFREQ_001] [EDPFRQ]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record how often the medication was taken (e.g. BID, PRN).	
	Group of Fields D_EDP08001 / Exposure to Products - Recreational Drug Use Group Type: Non-Repeating	Number of variables: 6	
47.*	Did the father smoke during the mother's pregnancy? [D_PATSMOKE_001] [EDPFSMK]	[D_PATSMOKE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the father smoked during the pregnancy please select YES and indicate the number per day	

48.*	Provide the number per day [D_PATSMOKENUM_001] [EDPFNCIG] (Nested Field)	Number Box (Integer) Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
49.*	Did the father drink alcohol during the mother's pregnancy? [D_PATALC_001] [EDPFALC]	[D_PATALC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the father drank during the pregnancy please select YES and indicate the frequency	
50.*	Provide the frequency [D_PATALCFREQ_001] [EDPFALFQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

51.*	Did the father use illicit drugs during the mother's pregnancy? [D_PATDRUG_001] [EDPFDRUG]	[D_PATDRUG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the father use illicit drugs during the pregnancy please select YES and indicate the frequency	
52.*	Provide the frequency [D_PATDRUGFREQ_001] [EDPFDRFQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: D_EDP001 EXPOSURE DURING PREGNANCY		
Type	RefName	Description
Form	CRF_4895249420245353_D_EDP001	D_EDP001
Item	I_4895285883971856_D_CASEIDEDP_001	
Item	I_4895285673238793_D_MENDAT_001	
Item	I_4895285689890100_D_ESTDELDAT_001	
Item	I_4895285706643020_D_NUMFOET_001	
Item	I_4895285722680469_D_GESTTIM_001	

Item	I_4895285738444849_D_NUMWEEKS_001	
Item	I_4895285754352984_D_TRIMESTER_001	
Item	I_4895285770519362_D_RELHIST_001	
Item	I_4895285786730254_D_MSMOKE_001	
Item	I_4895285804125429_D_MSMOKENUM_001	
Item	I_4895285820329781_D_MALC_001	
Item	I_4895285836271172_D_MALCNUMB_001	
Item	I_4895285852276990_D_MDRUG_001	
Item	I_4895285868099775_D_MDRUGFREQ_001	
Item	I_4895286226652284_D_PREVPREG_001	
Item	I_4895286249409199_D_NUMPREG_001	
Item	I_4895286265888959_D_NUMCHILD_001	
Item	I_4895286282383718_D_OUTCOMEPREV_001	
Item	I_4895285908130879_D_OUTCOMEPREVDAT_001	
Item	I_4895285925548577_D_DELIVERMOD_001	
Item	I_4895285942081786_D_PREGOUT_001	
Item	I_4895285958402291_D_GESTWEEKS_001	
Item	I_4895285974802600_D_GESTWEEKS1_001	
Item	I_4895285500125518_D_OUTCOMEINF_001	
Item	I_4895285518974051_D_OUTCOMEOTH_001	
Item	I_4895285534300280_D_APGAR1_001	
Item	I_4895285549564560_D_APGAR5_001	
Item	I_4895285564671111_D_INFSEX_001	
Item	I_4895285579725412_D_BIRTHWEIGHT_001	
Item	I_4895285595074887_D_BIRTHWEIGHTU_001	
Item	I_4895285610377690_D_LENGTH_001	
Item	I_4895285625576764_D_LENGTHU_001	

Item	I_4895285640988598_D_HEADCIR_001	
Item	I_4895285657715639_D_HEADCIRU_001	
Item	I_4895285431072020_D_PATEXPOYN_001	
Item	I_4895285447987239_D_PATOCC_001	
Item	I_4895285465098637_D_PATHIST_001	
Item	I_4895285483249627_D_PATEXPOSURE_001	
Item	I_4895286090326985_D_PATPRONAM_001	
Item	I_4895286106812382_D_PATINDC_001	
Item	I_4895286123401894_D_PATSTDTD_001	
Item	I_4895286141271618_D_PATENDTD_001	
Item	I_4895286159191673_D_PATSTOPRE_001	
Item	I_4895286176163262_D_PATDOSE_001	
Item	I_4895286193088688_D_PATFORM_001	
Item	I_4895286209900062_D_PATFREQ_001	
Item	I_4895285991275582_D_PATSMOKE_001	
Item	I_4895286008050246_D_PATSMOKENUM_001	
Item	I_4895286024668518_D_PATALC_001	
Item	I_4895286040787355_D_PATALCFREQ_001	
Item	I_4895286057276953_D_PATDRUG_001	
Item	I_4895286073953589_D_PATDRUGFREQ_001	

Codelist Values Tables: D_EDP001 EXPOSURE DURING PREGNANCY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_GESTTIM_CL_001	0.1			NO	1	N	0.1	i_4895285722680469_d_gesttim_001
				YES	2	Y	0.1	

D_TRIMESTER_CL_001	0.1			FIRST TRIMESTER	1	1	0.1	i_4895285754352984_d_trimester_001
				SECOND TRIMESTER	2	2	0.1	
				THIRD TRIMESTER	3	3	0.1	
				UNKNOWN	4	4	0.1	
D_MSMOKE_CL_001	0.1			NO	1	N	0.1	i_4895285786730254_d_msmoke_001
				YES	2	Y	0.1	
D_MALC_CL_001	0.1			NO	1	N	0.1	i_4895285820329781_d_malc_001
				YES	2	Y	0.1	
D_MDRUG_CL_001	0.1			NO	1	N	0.1	i_4895285852276990_d_mdru001
				YES	2	Y	0.1	
D_PREVPREG_CL_001	0.1			NO	1	N	0.1	i_4895286226652284_d_prevpreg_001
				YES	2	Y	0.1	
D_PREGOUT_CL_001	0.1			FULL TERM LIVE BIRTH	1	1	0.1	i_4895285942081786_d_pregout_001
				PRETERM LIVE BIRTH	2	2	0.1	
				STILLBIRTH	3	3	0.1	
				SPONTANEOUS ABORTION /MISCARRIAGE	4	4	0.1	
				INDUCED ABORTION	5	5	0.1	
				UNKNOWN	6	6	0.1	
D_GESTWEEKS_CL_001	0.1			NO	1	N	0.1	i_4895285958402291_d_gestweeks_001
				YES	2	Y	0.1	
D_OUTCOMEINF_CL_001	0.1			NORMAL	1	1	0.1	i_4895285500125518_d_outcomeinf_001
				CONGENITAL MALFORMATION/ANOMALY	2	2	0.1	
				OTHER NEONATAL PROBLEM	3	3	0.1	
				UNKNOWN	4	4	0.1	
				OTHER	5	5	0.1	

D_INFSEX_CL_001	0.1			FEMALE	1	F	0.1	i_4895285564671111_d_infsex_001
				MALE	2	M	0.1	
D_BIRTHWEIGHTU_CL_001	0.1			g	1	45	0.1	i_4895285595074887_d_birthweightu_001
				oz	2	81	0.1	
				LB	3	90	0.1	
D_LENGTHU_CL_001	0.1			in	1	66	0.1	i_4895285625576764_d_lengthu_001
				cm	2	111	0.1	
D_HEADCIRU_CL_001	0.1			in	1	66	0.1	i_4895285657715639_d_headciru_001
				cm	2	111	0.1	
D_PATEXPOYN_CL_001	0.1			NO	1	N	0.1	i_4895285431072020_d_patexpoy_n_001
				YES	2	Y	0.1	
D_PATEXPOSURE_CL_001	0.1			NO	1	N	0.1	i_4895285483249627_d_patexposure_001
				YES	2	Y	0.1	
D_PATSMOKE_CL_001	0.1			NO	1	N	0.1	i_4895285991275582_d_patsmoke_001
				YES	2	Y	0.1	
D_PATALC_CL_001	0.1			NO	1	N	0.1	i_4895286024668518_d_patalc_001
				YES	2	Y	0.1	
D_PATDRUG_CL_001	0.1			NO	1	N	0.1	i_4895286057276953_d_patdrug_001
				YES	2	Y	0.1	

Groups of Fields D_EDP001 EXPOSURE DURING PREGNANCY

Group RefName	Group Type	Associated Variables
IG_4895274419924145_D_EDP01001	Non-Repeating	D_CASEIDEDP_001
IG_4895274403298125_D_EDP02001	Non-Repeating	D_MENDAT_001, D_ESTDELDAT_001, D_NUMFOET_001, D_GESTTIM_001, D_NUMWEEKS_001, D_TRIMESTER_001, D_RELHIST_001, D_MSMOKE_001, D_MSMOKENUM_001, D_MALC_001, D_MALCNUMB_001, D_MDRUG_001, D_MDRUGFREQ_001

IG_4895274066061189_D_EDP03001	Non-Repeating	D_PREVPREG_001, D_NUMPREG_001, D_NUMCHILD_001, D_OUTCOMEPREV_001
IG_4895274348458474_D_EDP04001	Non-Repeating	D_OUTCOMEPREVDAT_001, D_DELIVERMOD_001, D_PREGOUT_001, D_GESTWEEKS_001, D_GESTWEEKS1_001
IG_4895276043214725_D_EDP05001	Non-Repeating	D_OUTCOMEINF_001, D_OUTCOMEOTH_001, D_APGAR1_001, D_APGAR5_001, D_INFSEX_001, D_BIRTHWEIGHT_001, D_BIRTHWEIGHTU_001, D_LENGTH_001, D_LENGTHU_001, D_HEADCIR_001, D_HEADCIRU_001
IG_4895275653516191_D_EDP06001	Non-Repeating	D_PATEXPOYN_001, D_PATOCC_001, D_PATHIST_001, D_PATEXPOSURE_001
IG_4895274364603505_D_EDP07001	Repeating	D_PATPRONAM_001, D_PATINDC_001, D_PATSTDTD_001, D_PATENDTD_001, D_PATSTOPRE_001, D_PATDOSE_001, D_PATFORM_001, D_PATFREQ_001
IG_4895274326364176_D_EDP08001	Non-Repeating	D_PATSMOKE_001, D_PATSMOKENUM_001, D_PATALC_001, D_PATALCFREQ_001, D_PATDRUG_001, D_PATDRUGFREQ_001

Instruments

D_SAE001 / SAE / REPORTABLE EVENTS

Instrument Definition

Instrument Name:	D_SAE001
Instrument Title:	SAE / REPORTABLE EVENTS
SAS Instrument Name:	D_SAE001
Description:	SAE
Version:	0.106
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: D_SAE001 SAE / REPORTABLE EVENTS (SAE) [Version: 0.106]		
Section SAE / REPORTABLE EVENTS D_SAE001_S		Permission Groups
Group of Fields D_SAE01001 / Case ID Group Type: Non-Repeating	Number of variables: 1	

1.	Case ID [D_CASEIDSAE_001] [SAECASID]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
	Group of Fields D_SAE02001 / Investigator Details Group Type: Non-Repeating	Number of variables: 5	
2.*	Date site aware of reportable event: [D_AESAWDTC1_001] [AESAWDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the site first became aware of the SAE /Reportable Event.	

3.*	Investigator First Name [D_FRINVNAM_001] [SAEFNAME]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the first name of the investigator.	
4.*	Investigator Last Name [D_LSINVNAM_001] [SAELNAME]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the last name of the investigator.	
5.*	Investigator Phone [D_INVPH1_001] [SAEINVPH]	Text Box Max Length: 16 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the Investigators telephone number.	

6.*	Investigator Email [D_INVEMAIL1_001] [SAEEMAIL]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the email of the investigator.	
	Group of Fields D_SAE04001 / Vaccination Information - Add Entry Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 3	
7.	Dose/Route of Administration [D_ANTIPDOS_001] [SAEROUTE]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose number, dose unit, route, frequency and any other dosing/administration data in the free text field provided.	

8.	Date Administered [D_ANTIPDAT_001] [SAEAMDDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the date this medication was administered.	
9.	Time of Use (before, during or after vaccination) [D_ANTIPTIM_001] [SAEUSETM]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please specify the time this medication was given, (e.g., prior to, at the time of, or after Vaccination).	

	Group of Fields D_SAE05001 / Relevant Lab Tests Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 6	
10.*	Lab Test Name [D_LBTESTNAM1_001] [SAELBTST]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the name of the lab test.	

11.*	Test Date [D_LBTESTDTC1_001] [SAELBTD]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the lab test was completed.	
12.*	Result [D_LBTESTRES1_001] [SAELRES]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the result of the lab test. This field should only contain numeric values. If the result is not a numeric value consider listing this rest in the Other Relevant Tests section below.	

13.*	Normal Range Low [D_LBNORMRNL1_001] [SAENRGLO]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the low normal range value for this lab test.	
14.*	Normal Range High [D_LBNORMRNLH1_001] [SAENRGHI]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the high normal range value for this lab test.	
15.*	Unit [D_LBTESTUNIT1_001] [SAELRESU]	[D_LBTESTUNIT_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the unit of the lab test.	

	Group of Fields D_SAE06001 / Other Relevant Tests Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 4	
16.*	Other Relevant Tests (Procedures, Imaging) Name [D_LABOTH1_001] [SAEOTHLB]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record any relevant tests completed for this reportable event. Do not record lab tests here. If the subject had the same test on the same date please denote the difference between the two by numbering the tests and recording them on separate lines. (i.e., MRI 1, MR2).	

17.*	Test Date [D_LABOTHDTTC_001] [SAETSTDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the relevant test was completed	
18.*	Result [D_LABOTHRE_001] [SAEOTRES]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record result of the relevant test.	

19.	Investigator Comment [D_LABOTHCOM_001] [SAEINCOM]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record any investigator comments on relevant test.	
	Group of Fields D_SAE07001 / Narrative Group Type: Non-Repeating	Number of variables: 4	
20.	Narrative field 1 [D_NARRATIVE1SAE_001] [SAENARF1]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter narrative prose/text to accompany the data entered for this Case for initial and follow up cases submitted to Pfizer Safety. Include information such as relevant past drug history, time course and evolution of event, treatment received for the event) DO NOT INCLUDE SUBJECT IDENTIFIERS (i.e., subject name). DO NOT COPY AND PASTE FROM OTHER SYSTEMS.	

21.	Narrative field 2 [D_NARRATIVE2SAE_001] [SAENARF2]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)
22.	Narrative field 3 [D_NARRATIVE3SAE_001] [SAENARF3]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)

23.	Narrative - other data [D_NARRATIVE4SAE_001] [SAENAROT]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([D_CASEIDSAE_001] <> null , concatdlim("", if ([D_SUBSTDY1_001] <> null, "{STUDYARMINFO}" + [D_SUBSTDY1_001] + "{ /STUDYARMINFO}", null) ,[D_NARRATIVE2SAE_001] , if ([D_SEXUNDIFF_001] <> null, " Patient's gender is undifferentiated ", null) , if ([DISP][DSSTDTC_001_8] <> null, "<" + string_date_format([DISP] [DSSTDTC_001_8],"dd-MM-yyyy","dd-MMM-yyyy")+ ">" + "{BROKENBYINVESTIGATOR}Yes{/BROKENBYINVESTIGATOR}" , null) , if ({D_LOEREP_001} <> NULL, if({D_LOEREP_001} = "YES", "{EVTLOEREREPORT} Primary Infection site: " + {D_PRIINFECTION_001} + " Predisposing factors " + {D_PREDIS_001} + " and " + {D_PREDISSPEC_001} + " , Culture performed: " + {D_CULTYN_001} + "{/EVTLOEREREPORT}" + "{CULTURE} Culture Source: " + {D_CULTSOUR_001} + " , Positive: " + {D_CULTPOS_001} + " , SeroTypeDone: " + {D_SERO_001} + " ,Organism /serotype: " + {D_SEROSPEC_001} + "{/CULTURE}" , "{EVTLOEREREPORT}" + {D_LOEREP_001} + "{/EVTLOEREREPORT}") , NULL) , if({D_ANTIPYR_001} <> NULL, if({D_ANTIPYR_001} = "YES", concat_variable_in_eachrow(array_values([D_ANTIPNAME_001],instrument), array_values ([D_ANTIPDOS_001], instrument), array_values([D_ANTIPDAT_001], instrument), array_values([D_ANTIPTIM_001], instrument)) , "{Antipyretic Medication}" + {D_ANTIPYR_001} + "{/Antipyretic Medication}") , NULL)) , null)	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)
	Group of Fields D_SAE08001 / Derived Case Details Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 15	

24.	AE IDs Included in Case [D_AEIDNUMBEG_001] [SAEAEID]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
25.	AE Term -Derived [D_AETERMMEDDRA_001] [SAEAETRM]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
26.	AE Term admis & discharge - Derived [D_AETERMADMIT_001] [SAEADDIS]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)

27.	SAE Original Onset Date-Derived [D_SAEDATD_001] [AEOOD1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
-----	--	---	--

28.	SAE End Date-Derived [D_SAEEDD_001] [AEFOUTDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
29.	Results in death - Derived [D_RESDEATH_001] [SAERSDTH]	[D_RESDEATH_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

30.	Life threatening- Derived [D_LIFETHREAT_001] [SAELTHRT]	[D_LIFETHREAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
31.	Caused/prolonged hospitalization- Derived [D_CAUSEHOSP_001] [SAEHOSP]	[D_CAUSEHOSP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
32.	Disabling/incapacitating- derived [D_DISABLE_001] [SAEDISAB]	[D_DISABLE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

33.	Congenital anomaly/birth defect- Derived [D_ANOMALY_001] [SAEANOML]	[D_ANOMALY_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
34.	Other medically important condition- Derived [D_MEDIMPORT_001] [SAEIMPMD]	[D_MEDIMPORT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
35.	Causality- Derived [D_CAUSE_001] [SAECAUS]	[D_CAUSE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

36.	Action Taken - Derived [D_ACNTKN_001] [SAEACTK]	[D_ACNTKN_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
37.	SAE Outcome-Derived [D_SAEOUTD_001] [AEFOUTCM]	[D_SAEOUTD_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
38.	Country in which the event occurred - Derived [D_COUNTRYOCCUR_001] [AECNTRY]	[D_COUNTRYOCCUR_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
	Group of Fields D_SAE09001 / Derived Safety Specific Info Group Type: Non-Repeating	Number of variables: 5	

39.	Study ID - Study Blind [D_STUDYID_001] [SAESTDID]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([D_CASEIDSAE_001] <> null ,concatdIm("", "{STUDYID} C4591081{/STUDYID}", "{STUDYBLIND}", "DBL", "{/STUDYBLIND}"),null)	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)
40.	Date of Death - Derived [D_DEATHDTC_001] [SAEDTHDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([DISP][D_SAEDDRPT_002] = "Y" and hasany(array_values ([D_RESDEATH_001], "INSTRUMENT"), "Y"), not_normalized_date([DISP] [R_DDDTHDTC_002]), null)	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)

41.	Cause of Death - Derived [D_CAUSDEATH_001] [SAECDTH]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)
42.	Mapped Autopsy Performed [D_AUTOPSYND_001] [SAEMAUT]	[D_AUTOPSYND_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)
43.	Mapped Cause of Death - Autopsy [D_AUTOPOCODD_001] [SAEMCDTH]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([DISP][D_SAEDDRPT_002] = "Y" and hasany(array_values([D_RESDEATH_001], "INSTRUMENT"), "Y"), [DISP][D_AUTOPCOD_002], null)	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required			

Study Object Descriptions: D_SAE001 SAE / REPORTABLE EVENTS		
Type	RefName	Description
Form	CRF_4895249675710896_D_SAE001	D_SAE001
Item	I_4895287232145984_D_CASEIDSAE_001	
Item	I_4895287095804340_D_AESAWDTC1_001	
Item	I_4895287113843985_D_FRINVNAM_001	
Item	I_4895287130790056_D_LSINVNAM_001	
Item	I_4895287148158039_D_INVPH1_001	
Item	I_4895287164717381_D_INVEMAIL1_001	
Item	I_4895287181250565_D_ANTIPDOS_001	
Item	I_4895287197822347_D_ANTIPDAT_001	
Item	I_4895287215311102_D_ANTIPTIM_001	
Item	I_4895286994854652_D_LBTESTNAM1_001	
Item	I_4895287011215969_D_LBTESTDTC1_001	
Item	I_4895287028780229_D_LBTESTRES1_001	
Item	I_4895287045095713_D_LBNORMRNL1_001	
Item	I_4895287061928338_D_LBNORMMRNH1_001	
Item	I_4895287078897301_D_LBTESTUNIT1_001	
Item	I_4895286925921261_D_LABOTH1_001	
Item	I_4895286943164107_D_LABOTHDTC_001	
Item	I_4895286961543218_D_LABOTHRE_001	
Item	I_4895286978430408_D_LABOTHCOM_001	
Item	I_4895286810280969_D_NARRATIVE1SAE_001	
Item	I_4895286826247066_D_NARRATIVE2SAE_001	
Item	I_4895286842672171_D_NARRATIVE3SAE_001	
Item	I_4895286859163936_D_NARRATIVE4SAE_001	

Item	I_4895286559182645_D_AEIDNUMBEG_001	
Item	I_4895286574818548_D_AETERMMEDDRA_001	
Item	I_4895286590389678_D_AETERMADMIT_001	
Item	I_4895286606047251_D_SAEATD_001	
Item	I_4895286622875355_D_SAEEDD_001	
Item	I_4895286639569009_D_RESDEATH_001	
Item	I_4895286655131113_D_LIFETHREAT_001	
Item	I_4895286682198262_D_CAUSEHOSP_001	
Item	I_4895286697995299_D_DISABLE_001	
Item	I_4895286713981457_D_ANOMALY_001	
Item	I_4895286730150322_D_MEDIMPORT_001	
Item	I_4895286746048504_D_CAUSE_001	
Item	I_4895286761754438_D_ACNTKN_001	
Item	I_4895286777822829_D_SAEOUTD_001	
Item	I_4895286794103621_D_COUNTRYOCCUR_001	
Item	I_4895286432734195_D_STUDYID_001	
Item	I_4895286458643407_D_DEATHDTC_001	
Item	I_4895286487674613_D_CAUSDEATH_001	
Item	I_4895286530857776_D_AUTOPSYND_001	
Item	I_4895286503185838_D_AUTOPOCODD_001	

Codelist Values Tables: D_SAE001 SAE / REPORTABLE EVENTS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_LBTESTUNIT_CL_001	0.1			%	1	5	0.1	i_4895287078897301_d_lbtestunit1_001
				mg	2	8	0.1	

				mL	3	9	0.1	
				sec	4	15	0.1	
				mol/L	5	107	0.1	
				mmHg	6	112	0.1	
				mmol/L	7	119	0.1	
				g/dL	8	128	0.1	
				mg/dL	9	137	0.1	
				IU/L	10	154	0.1	
				mEq/L	11	172	0.1	
				U/L	12	300	0.1	
				10^12/L	13	413	0.1	
				10^6/L	14	424	0.1	
				ng/mL	15	647	0.1	
				CELLS/MM3	16	693	0.1	
D_RESDEATH_CL_001	0.1			NO	1	N	0.1	i_4895286639569009_d_resdeath_001
				YES	2	Y	0.1	
D_LIFETHREAT_CL_001	0.1			NO	1	N	0.1	i_4895286655131113_d_lifethreat_001
				YES	2	Y	0.1	
D_CAUSEHOSP_CL_001	0.1			NO	1	N	0.1	i_4895286682198262_d_causehosp_001
				YES	2	Y	0.1	
D_DISABLE_CL_001	0.1			NO	1	N	0.1	i_4895286697995299_d_disable_001
				YES	2	Y	0.1	
D_ANOMALY_CL_001	0.1			NO	1	N	0.1	i_4895286713981457_d_anomaly_001
				YES	2	Y	0.1	
D_MEDIMPORT_CL_001	0.1			NO	1	N	0.1	i_4895286730150322_d_medimport_001
				YES	2	Y	0.1	
D_CAUSE_CL_001	0.1			NOT RELATED	1	1	0.1	i_4895286746048504_d_cause_001

				RELATED	2	2	0.1	
D_ACNTKN_CL_001	0.1			DOSE INCREASED	1	1	0.1	i_4895286761754438_d_acntkn_001
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
D_SAEOUTD_CL_001	0.1			FATAL	1	1	0.1	i_4895286777822829_d_saeoutd_001
				NOT RECOVERED/NOT RESOLVED	2	2	0.1	
				RECOVERED/RESOLVED	3	3	0.1	
				RECOVERED/RESOLVED WITH SEQUELAE	4	4	0.1	
				RECOVERING/RESOLVING	5	5	0.1	
				UNKNOWN	6	6	0.1	
D_COUNTRYOCCUR_CL_001	0.1			AFGHANISTAN	1	1	0.1	i_4895286794103621_d_countryoccur_001
				ELAND ISLANDS	2	2	0.1	
				ALBANIA	3	3	0.1	
				ALGERIA	4	4	0.1	
				AMERICAN SAMOA	5	5	0.1	
				ANDORRA	6	6	0.1	
				ANGOLA	7	7	0.1	
				ANGUILLA	8	8	0.1	
				ANTARCTICA	9	9	0.1	
				ANTIGUA AND BARBUDA	10	10	0.1	
				ARGENTINA	11	11	0.1	

ARMENIA	12	12	0.1
ARUBA	13	13	0.1
AUSTRALIA	14	14	0.1
AUSTRIA	15	15	0.1
AZERBAIJAN	16	16	0.1
BAHAMAS	17	17	0.1
BAHRAIN	18	18	0.1
BANGLADESH	19	19	0.1
BARBADOS	20	20	0.1
BELARUS	21	21	0.1
BELGIUM	22	22	0.1
BELIZE	23	23	0.1
BENIN	24	24	0.1
BERMUDA	25	25	0.1
BHUTAN	26	26	0.1
BOLIVIA	27	27	0.1
BOSNIA AND HERZEGOVINA	28	28	0.1
BOTSWANA	29	29	0.1
BOUVET ISLAND	30	30	0.1
BRAZIL	31	31	0.1
BRITISH INDIAN OCEAN TERRITORY	32	32	0.1
BRUNEI DARUSSALAM	33	33	0.1
BULGARIA	34	34	0.1
BURKINA FASO	35	35	0.1
BURUNDI	36	36	0.1

CAMBODIA	37	37	0.1
CAMEROON	38	38	0.1
CANADA	39	39	0.1
CAPE VERDE	40	40	0.1
CAYMAN ISLANDS	41	41	0.1
CENTRAL AFRICAN REPUBLIC	42	42	0.1
CHAD	43	43	0.1
CHILE	44	44	0.1
CHRISTMAS ISLAND	45	45	0.1
COCOS (KEELING) ISLANDS	46	46	0.1
COLOMBIA	47	47	0.1
COMOROS	48	48	0.1
CONGO	49	49	0.1
CONGO, DEMOCRATIC REPUBLIC OF THE	50	50	0.1
COOK ISLANDS	51	51	0.1
COSTA RICA	52	52	0.1
COTE D'IVOIRE	53	53	0.1
CROATIA	54	54	0.1
CUBA	55	55	0.1
CYPRUS	56	56	0.1
CZECH REPUBLIC	57	57	0.1
DENMARK	58	58	0.1
DJIBOUTI	59	59	0.1
DOMINICA	60	60	0.1
DOMINICAN REPUBLIC	61	61	0.1

ECUADOR	62	62	0.1
EGYPT	63	63	0.1
EL SALVADOR	64	64	0.1
EQUATORIAL GUINEA	65	65	0.1
ERITREA	66	66	0.1
ESTONIA	67	67	0.1
ETHIOPIA	68	68	0.1
FALKLAND ISLANDS (MALVINAS)	69	69	0.1
FAROE ISLANDS	70	70	0.1
FIJI	71	71	0.1
FINLAND	72	72	0.1
FRANCE	73	73	0.1
FRENCH GUIANA	74	74	0.1
FRENCH POLYNESIA	75	75	0.1
FRENCH SOUTHERN TERRITORIES	76	76	0.1
GABON	77	77	0.1
GAMBIA	78	78	0.1
GEORGIA	79	79	0.1
GERMANY	80	80	0.1
GHANA	81	81	0.1
GIBRALTAR	82	82	0.1
GREECE	83	83	0.1
GREENLAND	84	84	0.1
GRENADA	85	85	0.1
GUADELOUPE	86	86	0.1

GUAM	87	87	0.1
GUATEMALA	88	88	0.1
GUERNSEY	89	89	0.1
GUINEA	90	90	0.1
GUINEA-BISSAU	91	91	0.1
GUYANA	92	92	0.1
HAITI	93	93	0.1
HEARD ISLAND AND MCDONALD ISLANDS	94	94	0.1
HONDURAS	95	95	0.1
HONG KONG	96	96	0.1
HUNGARY	97	97	0.1
ICELAND	98	98	0.1
INDIA	99	99	0.1
INDONESIA	100	100	0.1
IRAN	101	101	0.1
IRAQ	102	102	0.1
IRELAND	103	103	0.1
ISLE OF MAN	104	104	0.1
ISRAEL	105	105	0.1
ITALY	106	106	0.1
JAMAICA	107	107	0.1
JAPAN	108	108	0.1
JERSEY	109	109	0.1
JORDAN	110	110	0.1
KAZAKHSTAN	111	111	0.1
KENYA	112	112	0.1

KIRIBATI	113	113	0.1
KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF	114	114	0.1
KOREA, REPUBLIC OF	115	115	0.1
KUWAIT	116	116	0.1
KYRGYZSTAN	117	117	0.1
LAO PEOPLE'S DEMOCRATIC REPUBLIC	118	118	0.1
LATVIA	119	119	0.1
LEBANON	120	120	0.1
LESOTHO	121	121	0.1
LIBERIA	122	122	0.1
LIBYAN ARAB JAMAHIRIYA	123	123	0.1
LIECHTENSTEIN	124	124	0.1
LITHUANIA	125	125	0.1
LUXEMBOURG	126	126	0.1
MACAO	127	127	0.1
MACEDONIA, FORMER YUGOSLAV REPUBLIC OF	128	128	0.1
MADAGASCAR	129	129	0.1
MALAWI	130	130	0.1
MALAYSIA	131	131	0.1
MALDIVES	132	132	0.1
MALI	133	133	0.1
MALTA	134	134	0.1
MARSHALL ISLANDS	135	135	0.1
MARTINIQUE	136	136	0.1
MAURITANIA	137	137	0.1

MAURITIUS	138	138	0.1
MAYOTTE	139	139	0.1
MEXICO	140	140	0.1
MICRONESIA	141	141	0.1
MOLDOVA	142	142	0.1
MONACO	143	143	0.1
MONGOLIA	144	144	0.1
MONTENEGRO	145	145	0.1
MONTSERRAT	146	146	0.1
MOROCCO	147	147	0.1
MOZAMBIQUE	148	148	0.1
MYANMAR	149	149	0.1
NAMIBIA	150	150	0.1
NAURU	151	151	0.1
NEPAL	152	152	0.1
NETHERLANDS	153	153	0.1
NETHERLANDS ANTILLES	154	154	0.1
NEW CALEDONIA	155	155	0.1
NEW ZEALAND	156	156	0.1
NICARAGUA	157	157	0.1
NIGER	158	158	0.1
NIGERIA	159	159	0.1
NIUE	160	160	0.1
NORFOLK ISLAND	161	161	0.1
NORTHERN MARIANA ISLANDS	162	162	0.1
NORWAY	163	163	0.1

OMAN	164	164	0.1
PAKISTAN	165	165	0.1
PALAU	166	166	0.1
PALESTINIAN TERRITORY, OCCUPIED	167	167	0.1
PANAMA	168	168	0.1
PAPUA NEW GUINEA	169	169	0.1
PARAGUAY	170	170	0.1
PERU	171	171	0.1
PHILIPPINES	172	172	0.1
PITCAIRN	173	173	0.1
POLAND	174	174	0.1
PORTUGAL	175	175	0.1
PUERTO RICO	176	176	0.1
QATAR	177	177	0.1
REUNION	178	178	0.1
ROMANIA	179	179	0.1
RUSSIAN FEDERATION	180	180	0.1
RWANDA	181	181	0.1
SAINT BARTHELEMY	182	182	0.1
SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA	183	183	0.1
SAINT KITTS AND NEVIS	184	184	0.1
SAINT LUCIA	185	185	0.1
SAINT MARTIN	186	186	0.1
SAINT PIERRE AND MIQUELON	187	187	0.1

SAINT VINCENT AND THE GRENADINES	188	188	0.1
SAMOA	189	189	0.1
SAN MARINO	190	190	0.1
SAO TOME AND PRINCIPE	191	191	0.1
SAUDI ARABIA	192	192	0.1
SENEGAL	193	193	0.1
SERBIA	194	194	0.1
SEYCHELLES	195	195	0.1
SIERRA LEONE	196	196	0.1
SINGAPORE	197	197	0.1
SLOVAKIA	198	198	0.1
SLOVENIA	199	199	0.1
SOLOMON ISLANDS	200	200	0.1
SOMALIA	201	201	0.1
SOUTH AFRICA	202	202	0.1
SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS	203	203	0.1
SPAIN	204	204	0.1
SRI LANKA	205	205	0.1
SUDAN	206	206	0.1
SURINAME	207	207	0.1
SVALBARD AND JAN MAYEN	208	208	0.1
SWAZILAND	209	209	0.1
SWEDEN	210	210	0.1
SWITZERLAND	211	211	0.1

SYRIAN ARAB REPUBLIC	212	212	0.1
TAIWAN	213	213	0.1
TAJIKISTAN	214	214	0.1
THAILAND	215	215	0.1
TIMOR-LESTE	216	216	0.1
TOGO	217	217	0.1
TOKELAU	218	218	0.1
TONGA	219	219	0.1
TRINIDAD AND TOBAGO	220	220	0.1
TUNISIA	221	221	0.1
TURKEY	222	222	0.1
TURKMENISTAN	223	223	0.1
TURKS AND CAICOS ISLAND	224	224	0.1
TUVALU	225	225	0.1
UGANDA	226	226	0.1
UKRAINE	227	227	0.1
UNITED ARAB EMIRATES	228	228	0.1
UNITED KINGDOM	229	229	0.1
URUGUAY	230	230	0.1
UZBEKISTAN	231	231	0.1
VANUATU	232	232	0.1
VATICAN CITY STATE	233	233	0.1
VENEZUELA	234	234	0.1
VIET NAM	235	235	0.1
VIRGIN ISLANDS, BRITISH	236	236	0.1
VIRGIN ISLANDS, U.S.	237	237	0.1

				WALLIS AND FUTUNA	238	238	0.1	
				WESTERN SAHARA	239	239	0.1	
				YEMEN	240	240	0.1	
				ZAMBIA	241	241	0.1	
				ZIMBABWE	242	242	0.1	
				CHINA	243	243	0.1	
				TANZANIA	244	244	0.1	
				UNITED STATES	245	245	0.1	
D_AUTOPSYND_CL_001	0.1			NO	1	N	0.1	i_4895286530857776_d_autopsynd_001
				UNKNOWN	2	U	0.1	
				YES	3	Y	0.1	

Groups of Fields D_SAE001 SAE / REPORTABLE EVENTS

Group RefName	Group Type	Associated Variables
IG_4895274816716041_D_SAE01001	Non-Repeating	D_CASEIDSAE_001
IG_4895274591794275_D_SAE02001	Non-Repeating	D_AESAWDTC1_001, D_FRINVNAM_001, D_LSINVNAM_001, D_INVPH1_001, D_INVEMAIL1_001
IG_4895274665276043_D_SAE04001	Repeating	D_ANTIPDOS_001, D_ANTIPDAT_001, D_ANTIPTIM_001
IG_4895274731500130_D_SAE05001	Repeating	D_LBTESTNAM1_001, D_LBTESTDTC1_001, D_LBTESTRES1_001, D_LBNORMRNL1_001, D_LBNORMMRNH1_001, D_LBTESTUNIT1_001
IG_4895274778035164_D_SAE06001	Repeating	D_LABOTH1_001, D_LABOTHDTTC1_001, D_LABOTHRE_001, D_LABOTHCOM_001
IG_4895275671197452_D_SAE07001	Non-Repeating	D_NARRATIVE1SAE_001, D_NARRATIVE2SAE_001, D_NARRATIVE3SAE_001, D_NARRATIVE4SAE_001
IG_4895275823715657_D_SAE08001	Repeating	D_AEIDNUMBEG_001, D_AETERMMEDDRA_001, D_AETERMADMIT_001, D_SAEDATD_001, D_SAEEDD_001, D_RESDEATH_001, D_LIFETHREAT_001, D_CAUSEHOSP_001, D_DISABLE_001, D_ANOMALY_001, D_MEDIMPORT_001, D_CAUSE_001, D_ACNTKN_001, D_SAEOUTD_001, D_COUNTRYOCCUR_001

IG_4895275882617752_D_SAE09001	Non-Repeating	D_STUDYID_001, D_DEATHDTC_001, D_CAUSDEATH_001, D_AUTOPSYND_001, D_AUTOPOCODD_001
--------------------------------	---------------	---

Instruments

LB001_5 / LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS

Instrument Definition

Instrument Name:	LB001_5
Instrument Title:	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS
SAS Instrument Name:	LB001_5
Description:	Local Laboratory Data Qualitative
Version:	0.41
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS (LOCAL LABORATORY DATA QUALITATIVE) [Version: 0.41]		
Section LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS PREGNANCY TEST <i>LB001_5_S</i>		Permission Groups
Group of Fields LB01001_5 / Local Laboratory Data Qualitative Group Type: Non-Repeating	Number of variables: 4	

1.	Lab Panel: [LBCAT_001_5] [LBCAT]	[LBCAT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 3	
2.	Lab Sub-Panel: [LBSCAT_001_5] [LBSCAT]	[LBSCAT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 17	

3.*	Collection Date: [LBDTC_001_5] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using the format (DD-MMM-YYYY). Record the time the treatment stopped using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45).	
4.	Specimen Type: [LBSPEC_001_5] [LBSPEC]	[LBSPEC_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 40 Help/Info Text: Record the Specimen Type if not pre-printed on the CRF.	

	Group of Fields LB03001_5 / Local Laboratory Data Qualitative Result Group Type: Fixed Repeating	Number of rows: 1	
5.	Test: [LBTEST_001_5] [LBTEST] Row 1 (Locked): 113 - Choriogonadotropin Beta	[LBTEST_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
6.	Result: [LBORRES_001_5] [D_LBORRES]	[LBORRES_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.	Not Done: [LBSTAT_001_5] [LBSTAT]	[LBSTAT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if Laboratory Test was 'Not Done'	

8.	Sponsor ID: [LBSPID_001_5] [LBSPID] Row 1 (Locked): 113 - 113	[LBSPID_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R) Lead Data Manager (R) LabTech (R)
----	--	---	---

Key: [*] = Item is required

Study Object Descriptions: LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS		
Type	RefName	Description
Form	CRF_4895249907478156_LB001_5	LB001_5
Item	I_4895286372568670_LBCAT_001_5	
Item	I_4895286387284579_LBSCAT_001_5	
Item	I_4895286401835875_LBDTC_001_5	
Item	I_4895286417780425_LBSPEC_001_5	
Item	I_4895286299080038_LBTEST_001_5	
Item	I_4895286319182270_LBORRES_001_5	
Item	I_4895286336083705_LBSTAT_001_5	
Item	I_4895286354304907_LBSPID_001_5	

Codelist Values Tables: LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_5	0.1			URINALYSIS	1	3	0.1	i_4895286372568670_lbcats_001_5
LBSCAT_CL_001_5	0.2			PREGNANCY	1	17	0.1	i_4895286387284579_lbscats_001_5

LBSPEC_CL_001_5	0.1			URINE	1	40	0.1	i_4895286417780425_lbspec_001_5
LBTEST_CL_001_5	0.2			Choriogonadotropin Beta	1	113	0.1	i_4895286299080038_lbtest_001_5
LBORRES_CL_001_5	0.2			NEGATIVE	1	4	0.1	i_4895286319182270_lborres_001_5
				POSITIVE	2	5	0.1	
LBSTAT_CL_001_5	0.1			NOT DONE	1	1	0.1	i_4895286336083705_lbstat_001_5
LBSPID_CL_001_5	0.2			113	1	113	0.1	i_4895286354304907_lbspid_001_5

Variable Validations LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001_5	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
LBDC_001_5	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDC_001_5	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDC_001_5	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDC_001_5	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS

Group RefName	Group Type	Associated Variables
IG_4895276006597609_LB01001_5	Non-Repeating	LBCAT_001_5, LBSCAT_001_5, LBDC_001_5, LBSPEC_001_5
IG_4895275923935359_LB03001_5	Fixed Repeating	LBTEST_001_5, LBORRES_001_5, LBSTAT_001_5, LBSPID_001_5

Instruments

DS001_3 / RANDOMIZATION

Instrument Definition

Instrument Name:	DS001_3
Instrument Title:	RANDOMIZATION
SAS Instrument Name:	DS001_3
Description:	RAND
Version:	0.9
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: DS001_3 RANDOMIZATION (RAND) [Version: 0.9]			
Section RANDOMIZATION DS001_3_S			Permission Groups
	Group of Fields DS01001_3 / Randomization Group Type: Non-Repeating	Number of variables: 2	

1.	Date of Randomization: [DSSTDTC_001_3] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Please refer to CRF Completion Requirements for guidance.	GPDIP_Impala_Integration (R,U)
2.	Randomization Number: [DSREFID_001_3] [DSREFID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Please refer to CRF Completion Requirements for guidance.	GPDIP_Impala_Integration (R,U)
Key: [*] = Item is required			

Study Object Descriptions: DS001_3 RANDOMIZATION		
Type	RefName	Description
Form	CRF_4895250168874586_DS001_3	DS001_3
Item	I_4895287249176158_DSSTDTC_001_3	
Item	I_4895287267086383_DSREFID_001_3	

Variable Validations DS001_3 RANDOMIZATION				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_3	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
DSSTDTC_001_3	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_3	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_3	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_3	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_3	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.

Groups of Fields DS001_3 RANDOMIZATION		
Group RefName	Group Type	Associated Variables
IG_4895274310164859_DS01001_3	Non-Repeating	DSSTDTC_001_3, DSREFID_001_3

Instruments

CECISR072 / UNPLANNED ASSESSMENT OF REACTOGENICITY

Instrument Definition

Instrument Name:	CECISR072
Instrument Title:	UNPLANNED ASSESSMENT OF REACTOGENICITY
SAS Instrument Name:	CECISR072
Description:	U REACT
Version:	0.26
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CECISR072 UNPLANNED ASSESSMENT OF REACTOGENICITY (U REACT) [Version: 0.26]		
Section UNPLANNED ASSESSMENT OF REACTOGENICITY CECISR072_S		Permission Groups
Group of Fields CECISR01072 / Reactogenicity - Unplanned Assessment Group Type: Non-Repeating	Number of variables: 1	

1.* 	Date of Assessment: [Y_CEDTC_072] [CISRADAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the DAY, MONTH and YEAR from dropdown list or select the date from calendar. NO Partial Dates allowed.	
	Group of Fields CECISR02072 / Injection Site Reactions Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 4	

2.* 	Reaction: [CETERM_072] [CISRREAC]	[CETERM_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the relevant reactions that were ongoing at the time of the Unplanned Contact, from the list of predefined options.	
3.	Injection Site Location: [Y_CELOC_072] [CISRLOC]	[Y_CELOC_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 744	

4.* 	Maximum Diameter (cm): [FAORRES_MAXDIAM_072] [CISRMXD]	Number Box (Decimal) Max Value: 99.9 Max Decimal Size: 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the maximum diameter of each Reaction in cm to one decimal place (e.g., 2.4 cm).	
5.* 	Meets Grade 4 Reaction Criteria: [FAORRES_G4CRIMET_072] [CISRGR4]	[FAORRES_G4CRIMET_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO for whether the Symptom meets Grade 4 Criteria, per the grading scale defined in the protocol, as determined by the Investigator. Record any associated medical care and/or hospitalization for the event on the Summary of Reactogenicity form (once available). Any reactogenicity event that meets SAE criteria is to be recorded on the AE CRF.	
	Group of Fields CECISR03072 / Injection Site Pain Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 4	

6.	Reaction: [CETERM1_072] [CISRREA1]	[CETERM1_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 12	
7.	Injection Site Location: [Y_CELOC1_072] [CISRLOC1]	[Y_CELOC1_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 744	
8.* ✓	Severity: [FAORRES_SEV_072] [CISRSEV]	[FAORRES_SEV_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate SEVERITY from the predefined list of options, per the grading scale defined in the protocol, as determined by the Investigator.	

9.* 	Meets Grade 4 Criteria: [FAORRES1_G4CRIMET_072] [CISRGR41] (Nested Field)	[FAORRES1_G4CRIMET_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO for whether the Symptom meets Grade 4 Criteria, per the grading scale defined in the protocol, as determined by the Investigator. Record any associated medical care and/or hospitalization for the event on the Summary of Reactogenicity form (once available). Any reactogenicity event that meets SAE criteria is to be recorded on the AE CRF.	
	Group of Fields CECISR04072 / Systemic Symptoms Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 3	
10.* 	Symptom: [CETERM2_072] [CISRSYMP]	[CETERM2_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the relevant symptoms that were ongoing at the time of the Unplanned Contact, from the list of predefined options.	

11.* ✓	Severity: [FAORRES1_SEV_072] [CISRSEV1]	[FAORRES1_SEV_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate SEVERITY from the predefined list of options, per the grading scale defined in the protocol, as determined by the Investigator.	
12.* ✓	Meets Grade 4 Criteria: [FAORRES2_G4CRIMET_072] [CISGR42] (Nested Field)	[FAORRES2_G4CRIMET_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO for whether the Symptom meets Grade 4 Criteria, per the grading scale defined in the protocol, as determined by the Investigator. Record any associated medical care and/or hospitalization for the event on the Summary of Reactogenicity form (once available). Any reactogenicity event that meets SAE criteria is to be recorded on the AE CRF.	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: CECISR072 UNPLANNED ASSESSMENT OF REACTOGENICITY		
Type	RefName	Description
Form	CRF_4895250402769115_CECISR072	CECISR072
Item	I_4895287285180412_Y_CEDTC_072	

Item	I_4895287304755032_CETERM_072	
Item	I_4895287319526302_Y_CELOC_072	
Item	I_4895287334555035_FAORRES_MAXDIAM_072	
Item	I_4895287349882733_FAORRES_G4CRIMET_072	
Item	I_4895287364892282_CETERM1_072	
Item	I_4895287379843706_Y_CELOC1_072	
Item	I_4895287395079374_FAORRES_SEV_072	
Item	I_4895287409907859_FAORRES1_G4CRIMET_072	
Item	I_4895287425100885_CETERM2_072	
Item	I_4895287440015631_FAORRES1_SEV_072	
Item	I_4895287455049501_FAORRES2_G4CRIMET_072	

Codelist Values Tables: CECISR072 UNPLANNED ASSESSMENT OF REACTOGENICITY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CETERM_CL_072	0.1			REDNESS	1	1	0.1	i_4895287304755032_ceterm_072
				SWELLING	2	2	0.1	
Y_CELOC_CL_072	0.2			DELTOID MUSCLE	1	744	0.1	i_4895287319526302_y_celoc_072
FAORRES_G4CRIMET_CL_072	0.1			NO	1	N	0.1	i_4895287349882733_faorres_g4crimet_072
				YES	2	Y	0.1	
CETERM1_CL_072	0.1			PAIN AT INJECTION SITE	1	12	0.1	i_4895287364892282_ceterm1_072
Y_CELOC1_CL_072	0.2			DELTOID MUSCLE	1	744	0.1	i_4895287379843706_y_celoc1_072
FAORRES_SEV_CL_072	0.1			MILD	1	1	0.1	i_4895287395079374_faorres_sev_072
				MODERATE	2	2	0.1	
				SEVERE	3	3	0.1	

FAORRES1_G4CRIMET_CL_072	0.1			NO	1	N	0.1	i_4895287409907859_faorres1_g4crimet_072
				YES	2	Y	0.1	
CETERM2_CL_072	0.3			HEADACHE	1	3	0.1	i_4895287425100885_ceterm2_072
				VOMITING	2	4	0.1	
				DIARRHEA	3	6	0.1	
				FATIGUE	4	7	0.1	
				MUSCLE PAIN	5	9	0.1	
				JOINT PAIN	6	11	0.1	
				CHILLS	7	14	0.1	
FAORRES1_SEV_CL_072	0.1			MILD	1	1	0.1	i_4895287440015631_faorres1_sev_072
				MODERATE	2	2	0.1	
				SEVERE	3	3	0.1	
FAORRES2_G4CRIMET_CL_072	0.1			NO	1	N	0.1	i_4895287455049501_faorres2_g4crimet_072
				YES	2	Y	0.1	

Variable Validations CECISR072 UNPLANNED ASSESSMENT OF REACTOGENICITY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
Y_CEDTC_072	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
Y_CEDTC_072	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
Y_CEDTC_072	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
Y_CEDTC_072	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
Y_CEDTC_072	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
Y_CEDTC_072	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
Y_CEDTC_072	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.

Y_CEDTC_072	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
-------------	----------------	---	----------------	--

Groups of Fields CECISR072 UNPLANNED ASSESSMENT OF REACTOGENICITY		
Group RefName	Group Type	Associated Variables
IG_4895274154745585_CECISR01072	Non-Repeating	Y_CEDTC_072
IG_4895274202758830_CECISR02072	Repeating	CETERM_072, Y_CELOC_072, FAORRES_MAXDIAM_072, FAORRES_G4CRIMET_072
IG_4895274186431521_CECISR03072	Repeating	CETERM1_072, Y_CELOC1_072, FAORRES_SEV_072, FAORRES1_G4CRIMET_072
IG_4895274715025020_CECISR04072	Repeating	CETERM2_072, FAORRES1_SEV_072, FAORRES2_G4CRIMET_072

Instruments

CESOD006 / SIGNS AND SYMPTOMS OF POTENTIAL CARDIAC DISEASE

Instrument Definition

Instrument Name:	CESOD006
Instrument Title:	SIGNS AND SYMPTOMS OF POTENTIAL CARDIAC DISEASE
SAS Instrument Name:	CESOD006
Description:	SOD
Version:	0.73
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CESOD006 SIGNS AND SYMPTOMS OF POTENTIAL CARDIAC DISEASE (SOD) [Version: 0.73]		
Section Signs and Symptoms of POTENTIAL CARDIAC DISEASE CESOD006_S		Permission Groups
Group of Fields CESOD01006 / Signs and Symptoms Group Type: Non-Repeating	Number of variables: 4	

1.* 	Date of Assessment: [Y_CEDTC_006] [SODDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the Signs and Symptoms of Disease assessment was performed in the format dd-MMM-yyyy (e.g. 01-JAN-2006).	
---	--	---	--

2.* 	Date of First Symptom Started: [FAORRES_FSSDTC_006] [SODFSDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date of the first symptom in the format dd- MMM-yyyy (e.g. 01-JAN-2006).	
3.* 	Symptoms Ongoing? [X_FAONGO_006] [SODSONGO]	[X_FAONGO_CL_006] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.* 	Date of Last Symptom Resolved: [FAORRES_LSRDTC_006] [SODLSDAT] <i>(Nested Field)</i>	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the last symptom resolved in the format dd- MMM-yyyy (e.g. 01-JAN-2006).	
	Group of Fields CESOD02006 / Symptoms Group Type: Fixed Repeating	Number of rows: 3	
5.	Event Pre-specified: [CEPRES_P_006] [SODPRES_P] Row 1 (Locked): Y - YES Row 2 (Locked): Y - YES Row 3 (Locked): Y - YES	[CEPRES_P_CL_006] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

6. ✓	Symptoms: [CETERM_006] [SODSYMP]	[CETERM_CL_006] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7. ✓	Was symptom present? [CEOCCUR_006] [SOD2PRS]	[CEOCCUR_CL_006] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields CESOD03006 / Symptoms - Other Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 11	

8.* ✓	Symptoms - Other Text: [CETERM1_006] [SODSYMPO]	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record any additional relevant symptoms if not pre-printed on the CRF.	
9.	Lowest Level Term [CELLT_006] [CELLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
10.	Lowest Level Term Code [CELLTCD_006] [CELLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

11.	Dictionary Derived Term [CEDECOD_006] [CEDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
12.	Preferred Term Code [CEPTCD_006] [CEPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
13.	High Level Term [CEHLT_006] [CEHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

14.	High Level Term Code [CEHLTCD_006] [CEHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
15.	High Level Group Term [CEHLGT_006] [CEHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
16.	High Level Group Term Code [CEHLGTCD_006] [CEHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

17.	Primary System Organ Class [CESOC_006] [CESOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
18.	Primary System Organ Class Code [CESOCCD_006] [CESOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: CESOD006 SIGNS AND SYMPTOMS OF POTENTIAL CARDIAC DISEASE		
Type	RefName	Description
Form	CRF_4895250636140683_CESOD006	CESOD006
Item	I_4895287469920767_Y_CEDTC_006	
Item	I_4895287487179514_FAORRES_FSSDTC_006	
Item	I_4895287503240972_X_FAONGO_006	
Item	I_4895287518106191_FAORRES_LSRDTC_006	
Item	I_4895287534360168_CEPRESP_006	

Item	I_4895287549781611_CETERM_006	
Item	I_4895287565067914_CEOCCUR_006	
Item	I_4895287580117332_CETERM1_006	
Item	I_4895287595280738_CELLT_006	
Item	I_4895287610550934_CELLTCD_006	
Item	I_4895287626210476_CEDECOD_006	
Item	I_4895287641708678_CEPTCD_006	
Item	I_4895287657388897_CEHLT_006	
Item	I_4895287673142044_CEHLTCD_006	
Item	I_4895287688823100_CEHLGT_006	
Item	I_4895287705581050_CEHLGTCD_006	
Item	I_4895287721096803_CESOC_006	
Item	I_4895287736602981_CESOCOD_006	

Codelist Values Tables: CESOD006 SIGNS AND SYMPTOMS OF POTENTIAL CARDIAC DISEASE

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_FAONGO_CL_006	0.1			YES	1	Y	0.1	i_4895287503240972_x_faongo_006
				NO	2	N	0.1	
CEPRESCL_006	0.1			YES	1	Y	0.1	i_4895287534360168_ceprescl_006
CETERM_CL_006	0.2			CHEST PAIN	1	158	0.1	i_4895287549781611_ceterm_006
				HEART PALPITATIONS	2	197	0.1	
				SHORTNESS OF BREATH	3	112	0.1	
CEOCCURCL_006	0.1			YES	1	Y	0.1	i_4895287565067914_ceoccur_006
				NO	2	N	0.1	

Variable Validations CESOD006 SIGNS AND SYMPTOMS OF POTENTIAL CARDIAC DISEASE				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
Y_CEDTC_006	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
Y_CEDTC_006	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
Y_CEDTC_006	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
Y_CEDTC_006	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
Y_CEDTC_006	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
FAORRES_FSSDTC_006	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
FAORRES_FSSDTC_006	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
FAORRES_FSSDTC_006	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
FAORRES_FSSDTC_006	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
FAORRES_FSSDTC_006	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
FAORRES_LSRDTC_006	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
FAORRES_LSRDTC_006	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
FAORRES_LSRDTC_006	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
FAORRES_LSRDTC_006	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
FAORRES_LSRDTC_006	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CESOD006 SIGNS AND SYMPTOMS OF POTENTIAL CARDIAC DISEASE
--

Group RefName	Group Type	Associated Variables
IG_4895274800054573_CESOD01006	Non-Repeating	Y_CEDTC_006, FAORRES_FSSDTC_006, X_FAONGO_006, FAORRES_LSRDTC_006
IG_4895274754205216_CESOD02006	Fixed Repeating	CEPRES_006, CETERM_006, CEOCCUR_006
IG_4895274615163262_CESOD03006	Repeating	CETERM1_006, CELLT_006, CELLTCD_006, CEDECOD_006, CEPTCD_006, CEHLT_006, CEHLTCD_006, CEHLGT_006, CEHLGTCD_006, CESOC_006, CESOCCD_006

Instruments

CESOR019 / SUMMARY OF REACTOGENICITY

Instrument Definition

Instrument Name:	CESOR019
Instrument Title:	SUMMARY OF REACTOGENICITY
SAS Instrument Name:	CESOR019
Description:	SUMREACT
Version:	0.46
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CESOR019 SUMMARY OF REACTOGENICITY (SUMREACT) [Version: 0.46]		
Section SUMMARY OF REACTOGENICITY CESOR019_S		Permission Groups
Group of Fields CESOR01019 / Summary of Reactogenicity Group Type: Non-Repeating	Number of variables: 8	

1.	Injection Site Location: [X_CELOC_019] [SORLOC]	[X_CELOC_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 744	
2.* ✓	Did the participant report a diary entry, reactogenicity event for each day of the planned e-diary period? [SUPPCE_DIARYCMP_019] [SORDCMP]	[SUPPCE_DIARYCMP_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.* ✓	If No, provide the main reason it was not reported by the participant: [SUPPCE_RSNOTRPT_019] [SORRSRP] (Nested Field)	[SUPPCE_RSNOTRPT_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Choose the main reason, if there is more than one for why the participant did not report all diary entries. Note, if participant was hospitalized that is expected to be the main reason.	

4.* 	If Other, specify: [SUPPCE_RSNOTRPO_019] [SORRSRPO] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record details if the main reason is selected as OTHER. OTHER should only be selected if the main reason is not available in the predefined list of options. Maximum of 80 characters are allowed.	
5.* 	Did the participant withdraw from treatment/study due to a reactogenicity event that started during the planned e-diary period? [R_SORWDRAW_019] [SORWDRAW]	[R_SORWDRAW_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO for whether participant withdrew from treatment or study due to a reactogenicity event. If YES, complete the appropriate disposition form.	

6.* 	Did the participant require hospitalization or other medical attention for a reactogenicity event that started during the planned e-diary period? [R_SORMEDAT_019] [SORMEDAT]	[R_SORMEDAT_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO for whether the participant went to the Emergency Room, Hospital or was seen by another Healthcare Professional. This does not include site visits for assessments of severe reactogenicity events.	
7.* 	Did the participant have a reactogenicity event that was also a serious adverse event? [R_SORRSAE_019] [SORRSAE]	[R_SORRSAE_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.* 	Were fever, local reactions or systemic symptoms present on the last day the Subject Diary/Participant Reported Reactogenicity form was completed during the planned e-diary period? [R_SORSLDAY_019] [SORSLDAY]	[R_SORSLDAY_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Yes should be selected if an event was reported on the last day of the planned e-diary period, as noted in the e-diary/PARR.	

	Group of Fields CESOR03019 / Withdrawal Event Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 1	
9.* 	Reaction: [CETERM_WDRAW_019] [Sorterm1]	[CETERM_WDRAW_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Choose the reaction(s) that occurred that resulted in the participant being withdrawn. If more than one event occurred during the specified window, use add entry to add all that apply.	
	Group of Fields CESOR04019 / Hospitalization or Other Medical Attention Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 3	
10.* 	Reaction: [Y_CETERM_HOINDC_019] [SORHOIND]	[Y_CETERM_HOINDC_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Choose the reaction(s) that occurred that resulted in the participant having a Healthcare encounter. If more than one event occurred that resulted in a Healthcare encounter during the specified window, use add entry to add all that apply.	

11.* 	Type of Healthcare: [HOTERM_019] [SORHCARE]	[HOTERM_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: The highest level of healthcare for the reaction should be reported, e.g. if participant went to the Emergency Room and was then admitted to the hospital, then hospitalization is the only Type of Healthcare that needs to be reported. If Yes is chosen for Hospitalization or Emergency Room, ensure the related event is on the unplanned assessment form.	
--	---	--	--

12.* 	Start Date of Encounter: [HOSTDTC_019] [SORHEDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the DAY, MONTH and YEAR from dropdown list or select the date from calendar. NO Partial Dates allowed.	
	Group of Fields CESOR05019 / Serious Adverse Event Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 1	

13.* ✓✓	Reaction: [CETERM_SAE_019] [SORTERM2]	[CETERM_SAE_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Choose the reaction(s) that occurred that resulted in the participant having a Serious Adverse Event. If more than one event occurred during the specified window, use add entry to add all that apply.	
	Group of Fields CESOR06019 / Ongoing on Last Day Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 3	
14.* ✓✓	Reaction: [CETERM_ONGO_019] [SORTERM3]	[CETERM_ONGO_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Choose the reaction(s) that occurred that was still ongoing as of the last diary/PARR entry. If more than one event occurred during the specified window, use add entry to add all that apply.	

15.* ✓	Ongoing? [X_CEONGO_019] [SORONGO]	[X_CEONGO_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
16.* ✓	If No, Enter Stop Date: [CEENDTC_019] [SORENDTC] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the DAY, MONTH and YEAR from dropdown list or select the date from calendar. NO Partial Dates allowed.	
Key: [*] = Item is required ✓ = Source verification required			

Study Object Descriptions: CESOR019 SUMMARY OF REACTOGENICITY		
Type	RefName	Description
Form	CRF_4895250882612488_CESOR019	CESOR019
Item	I_4895287752275594_X_CELOC_019	
Item	I_4895287850959313_SUPPCE_DIARYCMP_019	
Item	I_4895287867129359_SUPPCE_RSNOTRPT_019	
Item	I_4895287768331965_SUPPCE_RSNOTRPO_019	
Item	I_4895287784563222_R_SORWDRAW_019	
Item	I_4895287800684873_R_SORMEDAT_019	
Item	I_4895287817816570_R_SORRSAE_019	
Item	I_4895287834459261_R_SORSLDAY_019	
Item	I_4895287883665439_CETERM_WDRAW_019	
Item	I_4895287899768752_Y_CETERM_HOINDC_019	
Item	I_4895287915964808_HOTERM_019	
Item	I_4895287932785191_HOSTDTC_019	
Item	I_4895287950923135_CETERM_SAE_019	
Item	I_4895287967698685_CETERM_ONGO_019	
Item	I_4895287985044662_X_CEONGO_019	
Item	I_4895288002142915_CEENDTC_019	

Codelist Values Tables: CESOR019 SUMMARY OF REACTOGENICITY								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_CELOC_CL_019	0.2			DELTOID MUSCLE	1	744	0.1	i_4895287752275594_x_celoc_019
SUPPCE_DIARYCMP_CL_019	0.2			YES	1	Y	0.1	i_4895287850959313_suppce_diarycmp_019
				NO	2	N	0.1	

SUPPCE_RSNOTRPT_CL_019	0.1			SUBJECT FELT TOO ILL	1	1	0.1	i_4895287867129359_suppce_rsnotrpt_019
				SUBJECT REFUSED	2	2	0.1	
				TECHNICAL ISSUES	3	3	0.1	
				HOSPITALIZATION	4	4	0.1	
				EVENT RESOLUTION	5	5	0.1	
				SUBJECT FORGOT	6	6	0.1	
				OTHER	7	7	0.1	
R_SORWDRAW_CL_019	0.1			YES	1	Y	0.1	i_4895287784563222_r_sorwdraw_019
				NO	2	N	0.1	
R_SORMEDAT_CL_019	0.1			YES	1	Y	0.1	i_4895287800684873_r_sormedat_019
				NO	2	N	0.1	
R_SORRSAE_CL_019	0.2			YES	1	Y	0.1	i_4895287817816570_r_sorrsae_019
				NO	2	N	0.1	
R_SORSLDAY_CL_019	0.1			YES	1	Y	0.1	i_4895287834459261_r_sorslday_019
				NO	2	N	0.1	
CETERM_WDRAW_CL_019	0.3			REDNESS	1	1	0.1	i_4895287883665439_ceterm_wdraw_019
				SWELLING	2	2	0.1	
				HEADACHE	3	3	0.1	
				FEVER	4	4	0.1	
				PAIN AT INJECTION SITE	5	10	0.1	
				DIARRHEA	6	6	0.1	
				VOMITING	7	11	0.1	
				FATIGUE	8	7	0.1	
				CHILLS	9	12	0.1	
				MUSCLE PAIN	10	9	0.1	
				JOINT PAIN	11	8	0.1	
Y_CETERM_HOINDC_CL_019	0.2			REDNESS	1	1	0.1	i_4895287899768752_y_ceterm_hoindc_019

				SWELLING	2	2	0.1	
				HEADACHE	3	3	0.1	
				FEVER	4	4	0.1	
				PAIN AT INJECTION SITE	5	10	0.1	
				DIARRHEA	6	6	0.1	
				VOMITING	7	11	0.1	
				FATIGUE	8	7	0.1	
				CHILLS	9	12	0.1	
				MUSCLE PAIN	10	9	0.1	
				JOINT PAIN	11	8	0.1	
HOTERM_CL_019	0.1			HEALTHCARE PROFESSIONAL	1	1	0.1	i_4895287915964808_hoterm_019
				EMERGENCY ROOM	2	2	0.1	
				HOSPITALIZED	3	3	0.1	
CETERM_SAE_CL_019	0.2			REDNESS	1	1	0.1	i_4895287950923135_ceterm_sae_019
				SWELLING	2	2	0.1	
				HEADACHE	3	3	0.1	
				FEVER	4	4	0.1	
				PAIN AT INJECTION SITE	5	10	0.1	
				DIARRHEA	6	6	0.1	
				VOMITING	7	11	0.1	
				FATIGUE	8	7	0.1	
				CHILLS	9	12	0.1	
				MUSCLE PAIN	10	9	0.1	
				JOINT PAIN	11	8	0.1	
CETERM_ONGO_CL_019	0.2			REDNESS	1	1	0.1	i_4895287967698685_ceterm_ongo_019
				SWELLING	2	2	0.1	

				HEADACHE	3	3	0.1	
				FEVER	4	4	0.1	
				PAIN AT INJECTION SITE	5	10	0.1	
				DIARRHEA	6	6	0.1	
				VOMITING	7	11	0.1	
				FATIGUE	8	7	0.1	
				CHILLS	9	12	0.1	
				MUSCLE PAIN	10	9	0.1	
				JOINT PAIN	11	8	0.1	
X_CEONGO_CL_019	0.2			YES	1	Y	0.1	i_4895287985044662_x_ceongo_019
				NO	2	N	0.1	

Variable Validations CESOR019 SUMMARY OF REACTOGENICITY				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
H0STDTC_019	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
H0STDTC_019	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
H0STDTC_019	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
H0STDTC_019	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
H0STDTC_019	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
H0STDTC_019	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
H0STDTC_019	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
H0STDTC_019	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CEENDTC_019	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
CEENDTC_019	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

CEENDTC_019	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
CEENDTC_019	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
CEENDTC_019	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
CEENDTC_019	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CEENDTC_019	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CEENDTC_019	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CESOR019 SUMMARY OF REACTOGENICITY

Group RefName	Group Type	Associated Variables
IG_4895274681844339_CESOR01019	Non-Repeating	X_CELOC_019, SUPPCE_DIARYCMP_019, SUPPCE_RSNOTRPT_019, SUPPCE_RSNOTRPO_019, R_SORWDRAW_019, R_SORMEDAT_019, R_SORRSAE_019, R_SORSLDAY_019
IG_4895274877690044_CESOR03019	Repeating	CETERM_WDRAW_019
IG_4895274855826107_CESOR04019	Repeating	Y_CETERM_HOINDC_019, HOTERM_019, HOSTDTC_019
IG_4895274959946061_CESOR05019	Repeating	CETERM_SAE_019
IG_4895274917161189_CESOR06019	Repeating	CETERM_ONGO_019, X_CEONGO_019, CEENDTC_019

Instruments

CESOR019_1 / SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS

Instrument Definition

Instrument Name:	CESOR019_1
Instrument Title:	SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS
SAS Instrument Name:	CESOR019_1
Description:	SUMREACTIE
Version:	0.17
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CESOR019_1 SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS (SUMREACTIE) [Version: 0.17]		
Section SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS CESOR019_1_S		Permission Groups
Group of Fields CESOR01019_1 / Summary of Reactogenicity Group Type: Non-Repeating	Number of variables: 2	

1.	Injection Site Location: [X_CELOC_019_1] [SORLOC]	[X_CELOC_CL_019_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 744 Help/Info Text: Select Injection Site Location if applicable	
2.* ✓✓	Did the participant have a reactogenicity event that was immediate within 30 minutes after intervention administration? [R_SORIMMED_019_1] [SORIMMED]	[R_SORIMMED_CL_019_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO. If YES, complete Immediate Event section of this form.	
	Group of Fields CESOR02019_1 / Immediate Event Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

3.* ✓	Reaction: [CETERM_IMM_019_1] [SORTERM]	[CETERM_IMM_CL_019_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Choose the immediate reaction(s) that occurred within the protocol defined window. If more than one immediate reactogenicity event occurred during the specified window, use add entry to add all that apply	
----------	--	---	--

4.* 	Start Date Time of Immediate Event: [CESTDTC_019_1] [SORIEDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Immediate events are those which occur within 30 minutes of vaccination. Select the DAY, MONTH and YEAR from dropdown list or select the date from calendar. NO Partial dates allowed. If time is required, record the time using 24 hour clock.	
Key: [*] = Item is required  = Source verification required			

Study Object Descriptions: CESOR019_1 SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS		
Type	RefName	Description
Form	CRF_4895251127374261_CESOR019_1	CESOR019_1
Item	I_4895288021071300_X_CELOC_019_1	
Item	I_4895288037895064_R_SORIMMED_019_1	
Item	I_4895288054814394_CETERM_IMM_019_1	

Item	I_4895288071591043_CESTDTC_019_1	
------	----------------------------------	--

Codelist Values Tables: CESOR019_1 SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_CELOC_CL_019_1	0.2			DELTOID MUSCLE	1	744	0.1	i_4895288021071300_x_celoc_019_1
R_SORIMMED_CL_019_1	0.1			YES	1	Y	0.1	i_4895288037895064_r_sorimmed_019_1
				NO	2	N	0.1	
CETERM_IMM_CL_019_1	0.3			REDNESS	1	1	0.1	i_4895288054814394_ceterm_imm_019_1
				SWELLING	2	2	0.1	
				HEADACHE	3	3	0.1	
				FEVER	4	4	0.1	
				PAIN AT INJECTION SITE	5	10	0.1	
				DIARRHEA	6	6	0.1	
				VOMITING	7	11	0.1	
				FATIGUE	8	7	0.1	
				CHILLS	9	12	0.1	
				MUSCLE PAIN	10	9	0.1	
				JOINT PAIN	11	8	0.1	

Variable Validations CESOR019_1 SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CESTDTC_019_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
CESTDTC_019_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CESTDTC_019_1	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.

CESTDTC_019_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
CESTDTC_019_1	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
CESTDTC_019_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CESTDTC_019_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CESTDTC_019_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CESOR019_1 SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS		
Group RefName	Group Type	Associated Variables
IG_4895274575167885_CESOR01019_1	Non-Repeating	X_CELOC_019_1, R_SORIMMED_019_1
IG_4895274631883413_CESOR02019_1	Repeating	CETERM_IMM_019_1, CESTDTC_019_1

Instruments

CVECH003_1 / CARDIAC FUNCTION EVALUATION

Instrument Definition

Instrument Name:	CVECH003_1
Instrument Title:	CARDIAC FUNCTION EVALUATION
SAS Instrument Name:	CVECH003_1
Description:	ECHOREP
Version:	0.113
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CVECH003_1 CARDIAC FUNCTION EVALUATION (ECHOREP) [Version: 0.113]		
Section CARDIAC FUNCTION EVALUATION -Repeating CVECH003_1_S		Permission Groups
Group of Fields CVECH01003_1 / Cardiac Function Evaluation Group Type: Non-Repeating	Number of variables: 12	

1.	Method: [CVMETHOD_003_1] [ECHMETH]	[CVMETHOD_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 106 Help/Info Text: Select the method of the evaluation.	
2.* ✓	Date of Evaluation: [CVDTC_003_1] [ECHDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the DAY, MONTH and YEAR from dropdown list or select the date from calendar. Record the time using 24 hour clock.	

3.* 	Right Ventricular Function: [CVORRES_RVF_003_1] [ECHRVF]	[CVORRES_RVF_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select response to Right Ventricular Function as ABNORMAL or NORMAL	
4.* 	LVEF (%): [CVORRES_LVEF_003_1] [ECHLVEF1]	Text Box Max Length: 5 Measurement Unit: % Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the assessed LVEF %	

5.* 	LVEF Lower Limit Of Normal: [SUPPCV_ECHLVLL_003_1] [ECHLVLL]	Number Box (Decimal) Max Value: 99.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the value in the corresponding field.	
6.* 	Pericardial Effusion: [CVORRES_PEFFIND_003_1] [ECHPEF]	[CVORRES_PEFFIND_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the presense of Pericardial Effusion by selecting appropriate response from the given options.	
7.* 	Intracavitary Thrombus: [CVORRES_ICTHBIND_003_1] [ECHICTHB]	[CVORRES_ICTHBIND_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select ABSENT or PRESENT to record Intracavitary Thrombus	

8.* 	Clinical Interpretation: [CVORRES_INTP_003_1] [ECHINTP]	[CVORRES_INTP_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select one option. The interpretation needs to be done as per clinicians judgment.	
9.* 	Clinically Significant: [CVCLSIG_003_1] [ECHCLSIG] (Nested Field)	[CVCLSIG_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select 'Yes' or 'No'. You may refer to the Study protocol for study specific criteria for events to be classified as Clinically significant or not.	
10. 	Comments: [CO_CVCOM_003_1] [ECHCOM]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record Comments/Findings/Details in the corresponding field.	

11.	LVEF Lower Limit Of Normal (%) [SUPPCV_ECHLVLLU_003_1] [ECHLVLLU]	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: %	
12.	Original Units [CVORRESU_LVEF_003_1] [ECHLVEFU]	Text Box Max Length: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: %	
	Group of Fields CVECH02003_1 / Cardiac Function Results Group Type: Fixed Repeating	Number of rows: 14	

13.* 	Location Used for Measurement: [CVLOC_003_1] [ECHLOC]	[CVLOC_CL_003_1] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the cardiac anatomical location used for the measurement	
14.	Test: [R_ECHTEST_003_1] [ECHRTTEST] Row 1 (Locked): 2 - End Diastolic Interventricular Septal Wall Thickness Row 2 (Locked): 3 - Left Atrial Diameter, Anterior-Posterior Row 3 (Locked): 4 - Left Atrial Diameter, Medio-Lateral Row 4 (Locked): 5 - Left Atrial Diameter, Superior-Inferior Row 5 (Locked): 13 - End Diastolic Left Ventricular Posterior Wall Thickness Row 6 (Locked): 16 - Left Ventricular Stroke Volume Row 7 (Locked): 15 - Left Ventricular Fractional Shortening Row 8 (Locked): 6 - Left Ventricular End Systolic Diameter Row 9 (Locked): 7 - Left Ventricular End Systolic Volume Row 10 (Locked): 8 - Left Ventricular End Diastolic Diameter Row 11 (Locked): 9 - Left Ventricular End Diastolic Volume Row 12 (Locked): 10 - Left Ventricular Mass Row 13 (Locked): 11 - E/A Ratio Row 14 (Locked): 12 - E/E' Ratio	[R_ECHTEST_CL_003_1] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the type of cardiac function test if it is not preprinted on the form	

15.* ✓	Result: [CVORRES_003_1] [ECHRES]	Number Box (Decimal) Max Value: 999.999 Max Decimal Size: 3 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record result for each cardiac function test.	
16.	Unit: [CVORRESU_003_1] [ECHRESU]	[CVORRESU_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: CVECH003_1 CARDIAC FUNCTION EVALUATION		
Type	RefName	Description
Form	CRF_4895251415663683_CVECH003_1	CVECH003_1
Item	I_4895288091731043_CVMETHOD_003_1	
Item	I_4895288110408177_CVDTC_003_1	
Item	I_4895288126616180_CVORRES_RVF_003_1	
Item	I_4895288141495939_CVORRES_LVEF_003_1	

Item	I_4895288157087328_SUPPCV_ECHLVLL_003_1	
Item	I_4895288171929064_CVORRES_PEFFIND_003_1	
Item	I_4895288187184081_CVORRES_ICTHBIND_003_1	
Item	I_4895288203183105_CVORRES_INTP_003_1	
Item	I_4895288233800134_CVCLSIG_003_1	
Item	I_4895288218396095_CO_CVCOM_003_1	
Item	I_4895288249052599_SUPPCV_ECHLVLLU_003_1	
Item	I_4895288264573948_CVORRESU_LVEF_003_1	
Item	I_4895288330070058_CVLOC_003_1	
Item	I_4895288280225482_R_ECHTEST_003_1	
Item	I_4895288297766923_CVORRES_003_1	
Item	I_4895288314044900_CVORRESU_003_1	

Codelist Values Tables: CVECH003_1 CARDIAC FUNCTION EVALUATION

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CVMETHOD_CL_003_1	0.2			ECHOCARDIOGRAPHY	1	106	0.1	i_4895288091731043_cvmethod_003_1
CVORRES_RVF_CL_003_1	0.1			ABNORMAL	1	1	0.1	i_4895288126616180_cvorres_rvf_003_1
				NORMAL	2	3	0.1	
CVORRES_PEFFIND_CL_003_1	0.1			ABSENT	1	1	0.1	i_4895288171929064_cvorres_peffind_003_1
				PRESENT	2	2	0.1	
				NOT EVALUABLE	3	3	0.1	
CVORRES_ICTHBIND_CL_003_1	0.1			ABSENT	1	1	0.1	i_4895288187184081_cvorres_ictbind_003_1
				PRESENT	2	2	0.1	
CVORRES_INTP_CL_003_1	0.1			ABNORMAL	1	1	0.1	i_4895288203183105_cvorres_intp_003_1
				NORMAL	2	3	0.1	

CVCLSIG_CL_003_1	0.1			NO	1	N	0.1	i_4895288233800134_cvclsig_003_1
				YES	2	Y	0.1	
CVLOC_CL_003_1	0.2			HEART, ATRIUM	1	341	0.1	i_4895288330070058_cvloc_003_1
				HEART, BASE	2	342	0.1	
				HEART, LEFT VENTRICLE	3	343	0.1	
				HEART, RIGHT VENTRICLE	4	344	0.1	
				HEART, SEPTUM	5	345	0.1	
R_ECHTEST_CL_003_1	0.2			End Diastolic Interventricular Septal Wall Thickness	1	2	0.1	i_4895288280225482_r_echtest_003_1
				Left Atrial Diameter, Anterior-Posterior	2	3	0.1	
				Left Atrial Diameter, Medio-Lateral	3	4	0.1	
				Left Atrial Diameter, Superior-Inferior	4	5	0.1	
				End Diastolic Left Ventricular Posterior Wall Thickness	5	13	0.1	
				Left Ventricular Stroke Volume	6	16	0.1	
				Left Ventricular Fractional Shortening	7	15	0.1	
				Left Ventricular End Systolic Diameter	8	6	0.1	
				Left Ventricular End Systolic Volume	9	7	0.1	
				Left Ventricular End Diastolic Diameter	10	8	0.1	
				Left Ventricular End Diastolic Volume	11	9	0.1	
				Left Ventricular Mass	12	10	0.1	

				E/A Ratio	13	11	0.1	
				E/E' Ratio	14	12	0.1	
CVORRESU_CL_003_1	0.2			%	1	5	0.1	i_4895288314044900_cvorresu_003_1
				mm	2	6	0.1	
				mL	3	9	0.1	
				g	4	45	0.1	

Variable Validations CVECH003_1 CARDIAC FUNCTION EVALUATION

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CVDTC_003_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
CVDTC_003_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CVDTC_003_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CVDTC_003_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CVDTC_003_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CVECH003_1 CARDIAC FUNCTION EVALUATION

Group RefName	Group Type	Associated Variables
IG_4895275116634347_CVECH01003_1	Non-Repeating	CVMETHOD_003_1, CVDTC_003_1, CVORRES_RVF_003_1, CVORRES_LVEF_003_1, SUPPCV_ECHLVLL_003_1, CVORRES_PEFFIND_003_1, CVORRES_ICTHBIND_003_1, CVORRES_INTP_003_1, CVCLSIG_003_1, CO_CVCOM_003_1, SUPPCV_ECHLVLLU_003_1, CVORRESU_LVEF_003_1
IG_4895275032567995_CVECH02003_1	Fixed Repeating	CVLOC_003_1, R_ECHTEST_003_1, CVORRES_003_1, CVORRESU_003_1

Instruments

FAFUC009 / CONTACT OUTCOME - UNPLANNED REACTOGENICITY

Instrument Definition

Instrument Name:	FAFUC009
Instrument Title:	CONTACT OUTCOME - UNPLANNED REACTOGENICITY
SAS Instrument Name:	FAFUC009
Description:	CONTACT
Version:	0.29
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: FAFUC009 CONTACT OUTCOME - UNPLANNED REACTOGENICITY (CONTACT) [Version: 0.29]		
Section CONTACT OUTCOME FAFUC009_S		Permission Groups
Group of Fields FAFUC01009 / Contact Outcome Group Type: Non-Repeating	Number of variables: 7	

1.	Follow-Up Contact Category [FACAT_009] [FUCCAT]	[FACAT_CL_009] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
2.	Contact Type: [FAORRES_FUCTYPE_009] [FUCTYPE]	[FAORRES_FUCTYPE_CL_009] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 2 Help/Info Text: Select the appropriate Contact Type from the predefined list of options. If OTHER is selected, record the Contact Type in the space provided. Maximum of 80 characters are allowed.	
3.* ✓✓	Was contact made? [FAORRES_FUCMADE_009] [FUCOCCUR]	[FAORRES_FUCMADE_CL_009] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO for whether Contact was made.	

4.* 	Date of Contact: [FAORRES_FUCDAT_009] [FUCDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the DAY, MONTH and YEAR from dropdown list or select the date from calendar. NO Partial dates allowed.	
5.* 	Contact Outcome: [FAORRES_FUCOUT_009] [FUCOUT] (Nested Field)	[FAORRES_FUCOUT_CL_009] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate Contact Outcome from the predefined list of options.	

6.*	If No, why? [FAORRES_FUCNCRS_009] [FUCNCRS] <i>(Nested Field)</i>	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO for whether Contact was made. If NO is selected, provide reason. Maximum of 200 characters are allowed.	
7.	Comments: [CO_FUCCOM_009] [FUCCOM]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record additional comments (if any) in the space provided. Maximum of 200 characters are allowed.	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: FAFUC009 CONTACT OUTCOME - UNPLANNED REACTOGENICITY		
Type	RefName	Description
Form	CRF_4895251646175414_FAFUC009	FAFUC009
Item	I_4895288346173609_FACAT_009	
Item	I_4895288361577509_FAORRES_FUCTYPE_009	

Item	I_4895288377121743_FAORRES_FUCMADE_009	
Item	I_4895288392762118_FAORRES_FUCDAT_009	
Item	I_4895288409649094_FAORRES_FUCOUT_009	
Item	I_4895288425436539_FAORRES_FUCNCRS_009	
Item	I_4895288445613291_CO_FUCCOM_009	

Codelist Values Tables: FAFUC009 CONTACT OUTCOME - UNPLANNED REACTOGENICITY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
FACAT_CL_009	0.1			CONTACT OUTCOME	1	1	0.1	i_4895288346173609_facat_009
FAORRES_FUCTYPE_CL_009	0.2			TELEPHONE VISIT	1	2	0.1	i_4895288361577509_faorres_fuctype_009
FAORRES_FUCMADE_CL_009	0.1			YES	1	Y	0.1	i_4895288377121743_faorres_fucmade_009
				NO	2	N	0.1	
FAORRES_FUCOUT_CL_009	0.4			VISIT ARRANGED	1	1	0.1	i_4895288409649094_faorres_fucout_009
				VISIT ARRANGED, BUT NOT ATTENDED	2	2	0.1	
				VISIT NOT ARRANGED, REACTION NO LONGER PRESENT	3	3	0.1	
				VISIT NOT ARRANGED, UNABLE TO ATTEND	4	4	0.1	
				VISIT NOT REQUIRED, DATA ENTRY ERROR IN E-DIARY	5	5	0.1	
				VISIT NOT REQUIRED, INVESTIGATOR DECISION	6	6	0.1	

				VISIT NOT ARRANGED, SEVERE REACTOGENICITY ASSESSMENT CONFIRMED VIA MEDICAL RECORDS AND/OR TELEHEALTH ASSESSMENT	7	8	0.1
				VISIT NOT REQUIRED, PER PROTOCOL	8	7	0.1

Variable Validations FAFUC009 CONTACT OUTCOME - UNPLANNED REACTOGENICITY				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
FAORRES_FUCDAT_009	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
FAORRES_FUCDAT_009	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
FAORRES_FUCDAT_009	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
FAORRES_FUCDAT_009	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
FAORRES_FUCDAT_009	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
FAORRES_FUCDAT_009	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
FAORRES_FUCDAT_009	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
FAORRES_FUCDAT_009	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields FAFUC009 CONTACT OUTCOME - UNPLANNED REACTOGENICITY		
Group RefName	Group Type	Associated Variables
IG_4895275015920116_FAFUC01009	Non-Repeating	FACAT_009, FAORRES_FUCTYPE_009, FAORRES_FUCMADE_009, FAORRES_FUCDAT_009, FAORRES_FUCOUT_009, FAORRES_FUCNCRS_009, CO_FUCCOM_009

Instruments

FAVSD065 / PARTICIPANT-REPORTED REACTOGENICITY

Instrument Definition

Instrument Name:	FAVSD065
Instrument Title:	PARTICIPANT-REPORTED REACTOGENICITY
SAS Instrument Name:	FAVSD065
Description:	PARREACT
Version:	0.22
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: FAVSD065 <i>PARTICIPANT-REPORTED REACTOGENICITY</i> (PARREACT) [Version: 0.22]		
Section PARTICIPANT-REPORTED REACTOGENICITY FAVSD065_S		Permission Groups
Group of Fields FAVSD01065 / Participant-Reported Reactogenicity Group Type: Non-Repeating	Number of variables: 6	

1.* 	Date of Missed Diary: [Y_SUPPFA_VSDMDTC_065] [VSDMDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the DAY, MONTH and YEAR from dropdown list or select the date from calendar. NO Partial Dates allowed.	
2.* 	Did the participant report any local reactions? [X_FAORRES_LOCREIND_065] [VSDLRACT]	[X_FAORRES_LOCREIND_CL_065] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO for whether the participant experienced local reaction of REDNESS or SWELLING during the missed eDiary reporting period.	

3.* 	Did the participant report any symptoms? [X_FAORRES_SYMPINDC_065] [VSDSRACT]	[X_FAORRES_SYMPINDC_CL_065] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO for whether the participant experienced Symptoms (other than local reaction of REDNESS or SWELLING) during the missed eDiary reporting period.	
4.* 	Highest temperature for the day: [VSORRES_TEMP_065] [VSDTEMP]	Number Box (Integer) Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the participant's highest recorded temperature for the day.	

5.* 	Unit: [VSORRESU_TEMP_065] [VSDTEMPU]	[VSORRESU_TEMP_CL_065] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the UNIT as C (Celsius) or F (Fahrenheit), if not preprinted on form.	
6.	Injection Site Location: [FALOC_065] [VSDLOC]	[FALOC_CL_065] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 744 Help/Info Text: Select Injection Site Location if applicable, if not preprinted on form.	
	Group of Fields FAVSD02065 / Local Reaction-Choose a reaction only if it occurred Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

7.* 	Reaction: [FAOBJ_065] [VSDOBJ]	[FAOBJ_CL_065] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the relevant reactions from the predefined list of options.	
8.* 	Diameter (Caliper Units): [FAORRES_DIAMETER_065] [VSDDIAM]	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the DIAMETER value in Caliper Units. Maximum value allowed is 21 Caliper Units.	
	Group of Fields FAVSD03065 / Symptoms-Choose a symptom only if it occurred Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

9.* ✓	Symptom: [FAOBJ1_065] [VSDOBJ1]	[FAOBJ1_CL_065] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select a symptom if it occurred.	
10.* ✓	Severity: [FAORRES_SEV_065] [VSDSEV]	[FAORRES_SEV_CL_065] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate SEVERITY from the predefined list of options, per the grading scale defined in the protocol, as determined by the Investigator.	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: FAVSD065 PARTICIPANT-REPORTED REACTOGENICITY		
Type	RefName	Description
Form	CRF_4895251874119806_FAVSD065	FAVSD065
Item	I_4895288461464753_Y_SUPPFA_VSDMDTC_065	
Item	I_4895288478799381_X_FAORRES_LOCREIND_06	
Item	I_4895288494646929_X_FAORRES_SYMPINDC_06	
Item	I_4895288510542658_VSORRES_TEMP_065	

Item	I_4895288530351078_VSORRESU_TEMP_065	
Item	I_4895288546148755_FALOC_065	
Item	I_4895288562684162_FAOBJ_065	
Item	I_4895288578903341_FAORRES_DIAMETER_065	
Item	I_4895288595483262_FAOBJ1_065	
Item	I_4895288612199168_FAORRES_SEV_065	

Codelist Values Tables: FAVSD065 PARTICIPANT-REPORTED REACTOGENICITY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_FAORRES_LOCREIND_CL_065	0.1			YES	1	Y	0.1	i_4895288478799381_x_faorres_locreind_06
				NO	2	N	0.1	
X_FAORRES_SYMPINDC_CL_065	0.1			YES	1	Y	0.1	i_4895288494646929_x_faorres_sympindc_06
				NO	2	N	0.1	
VSORRESU_TEMP_CL_065	0.1			C	1	4	0.1	i_4895288530351078_vsorresu_temp_065
				F	2	6	0.1	
FALOC_CL_065	0.2			DELTOID MUSCLE	1	744	0.1	i_4895288546148755_faloc_065
FAOBJ_CL_065	0.1			REDNESS	1	1	0.1	i_4895288562684162_faobj_065
				SWELLING	2	2	0.1	
FAOBJ1_CL_065	0.2			PAIN AT INJECTION SITE	1	22	0.1	i_4895288595483262_faobj1_065
				DIARRHEA	2	7	0.1	
				VOMITING	3	25	0.1	
				HEADACHE	4	9	0.1	
				FATIGUE	5	8	0.1	
				CHILLS	6	3	0.1	

				MUSCLE PAIN	7	15	0.1	
				JOINT PAIN	8	13	0.1	
FAORRES_SEV_CL_065	0.1			MILD	1	1	0.1	i_4895288612199168_faorres_sev_065
				MODERATE	2	2	0.1	
				SEVERE	3	3	0.1	

Variable Validations FAVSD065 PARTICIPANT-REPORTED REACTOGENICITY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
Y_SUPPFA_VSDMDTC_065	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields FAVSD065 PARTICIPANT-REPORTED REACTOGENICITY

Group RefName	Group Type	Associated Variables
IG_4895275099427241_FAVSD01065	Non-Repeating	Y_SUPPFA_VSDMDTC_065, X_FAORRES_LOCREIND_065, X_FAORRES_SYMPINDC_065, VSORRES_TEMP_065, VSORRESU_TEMP_065, FALOC_065
IG_4895275076543617_FAVSD02065	Repeating	FAOBJ_065, FAORRES_DIAMETER_065
IG_4895275452929184_FAVSD03065	Repeating	FAOBJ1_065, FAORRES_SEV_065

Instruments

LBOXY004 / OXYGENATION PARAMETERS - OXYGEN

Instrument Definition

Instrument Name:	LBOXY004
Instrument Title:	OXYGENATION PARAMETERS - OXYGEN
SAS Instrument Name:	LBOXY004
Description:	OXYGEN
Version:	0.5
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: LBOXY004 OXYGENATION PARAMETERS - OXYGEN (OXYGEN) [Version: 0.5]		
Section OXYGENATION PARAMETERS - OXYGEN LBOXY004_S		Permission Groups
Group of Fields LBOXY01004 / Oxygenation Parameters Group Type: Non-Repeating	Number of variables: 3	

1.*	Date of Assessment: [LBDTC_004] [OXYDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the DAY, MONTH and YEAR from dropdown list or select the date from calendar. NO Partial dates allowed. If time is required, record the time using 24 hour clock.	
-----	---	--	--

2.*	Arterial Blood Gases PaO2 (mmHg): [LBORRES_PO2_004] [OXYABG]	Number Box (Decimal) Max Value: 100 Max Decimal Size: 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record value of Arterial Blood Gases PaO2 (mm/Hg).	
3.*	FiO2 (Fraction of Inhaled Oxygen): [LBORRES_FIO2_004] [OXYFIO]	Number Box (Decimal) Max Value: 99.9 Max Decimal Size: 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record value of FiO2 (Fraction of Inhaled Oxygen).	
Key: [*] = Item is required			

Study Object Descriptions: LBOXY004 OXYGENATION PARAMETERS - OXYGEN

Type	RefName	Description
Form	CRF_4895252120493221_LBOXY004	LBOXY004
Item	I_4895288628950997_LBDTC_004	
Item	I_4895288646695476_LBORRES_PO2_004	

Item	I_4895288663066484_LBORRES_FIO2_004	
------	-------------------------------------	--

Variable Validations LBOXY004 OXYGENATION PARAMETERS - OXYGEN

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDTC_004	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
LBDTC_004	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDTC_004	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDTC_004	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDTC_004	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields LBOXY004 OXYGENATION PARAMETERS - OXYGEN

Group RefName	Group Type	Associated Variables
IG_4895275475333688_LBOXY01004	Non-Repeating	LBDTC_004, LBORRES_PO2_004, LBORRES_FIO2_004

Instruments

MBMIB002 / MICROBIOLOGY SPECIMEN - LOCAL COVID TEST - REPEATING

Instrument Definition

Instrument Name:	MBMIB002
Instrument Title:	MICROBIOLOGY SPECIMEN - LOCAL COVID TEST - REPEATING
SAS Instrument Name:	MBMIB002
Description:	MICROBS
Version:	0.43
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: MBMIB002 MICROBIOLOGY SPECIMEN - LOCAL COVID TEST - REPEATING (MICROBS) [Version: 0.43]		
Section Microbiology Specimen - Repeating <i>MBMIB002_S</i>		Permission Groups
Group of Fields MBMIB01002 / Microbiology Specimen Group Type: Non-Repeating	Number of variables: 9	

1.*	Actual Date of Collection: [Y_MBDTC_002] [MIBDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record date of sample collection in the format dd-MMM-yyyy (e. g. 01-JAN-2006).	
2.*	Specimen Type: [MBSPEC_002] [MIBSPEC]	[MBSPEC_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate Repeating Type.	

3.*	Specimen Sample Location: [MBLOC_002] [MIBLOC]	[MBLOC_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate Specimen Sample Location.	
4.	Assay Code and Description: [MBTEST_002] [MIBTEST]	[MBTEST_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 18 Help/Info Text: Select the appropriate Assay Code and Description.	
5.	Device Type: [DIVAL_DEVTYPE_002] [MIBDEVTP]	[DIVAL_DEVTYPE_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 2 Help/Info Text: Select the appropriate Device Type	

6.*	Trade Name: [DIVAL_TRADENAM_002] [MIBTRDNM]	[DIVAL_TRADENAM_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate Trade Name.	
7.*	Trade Name Other, Specify: [DIVAL_TRADENAM_OTH_002] [MIBTRDNO]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If OTHER is selected, record the Trade Name in the space provided.	
8.*	Test Result: [MBORRES_002] [MIBORRES]	[MBORRES_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate qualitative Test Result.	

9.	Comments/Findings/Details: [CO_MBSUMM_002] [MIBSUMM]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record comments in the space provided if applicable. Keep the comments brief and legible.	
----	--	--	--

Key: [*] = Item is required

Study Object Descriptions: MBMIB002 MICROBIOLOGY SPECIMEN - LOCAL COVID TEST - REPEATING

Type	RefName	Description
Form	CRF_4895252352791145_MBMIB002	MBMIB002
Item	I_4895288679418218_Y_MBDTC_002	
Item	I_4895288697044723_MBSPEC_002	
Item	I_4895288713856310_MBLOC_002	
Item	I_4895288730869532_MBTEST_002	
Item	I_4895288747624470_DIVAL_DEVTYPE_002	
Item	I_4895288763966177_DIVAL_TRADENAM_002	
Item	I_4895288779899839_DIVAL_TRADENAM_OTH_00	
Item	I_4895288812505189_MBORRES_002	
Item	I_4895288795995488_CO_MBSUMM_002	

Codelist Values Tables: MBMIB002 MICROBIOLOGY SPECIMEN - LOCAL COVID TEST - REPEATING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
MBSPEC_CL_002	0.2			MUCUS	1	25	0.1	i_4895288697044723_mbspec_002
				SALIVA	2	29	0.1	
				SPUTUM	3	35	0.1	
				SWABBED MATERIAL	4	84	0.1	
				RESPIRATORY SECRETIONS	5	85	0.1	
MBLOC_CL_002	0.4			ORAL CAVITY	1	60	0.1	i_4895288713856310_mbloc_002
				NASAL CAVITY	2	63	0.1	
				THROAT	3	286	0.1	
				NASOPHARYNX	4	62	0.1	
MBTEST_CL_002	0.2			Severe Acute Resp Syndrome Coronavirus 2	1	18	0.1	i_4895288730869532_mbtest_002
DIVAL_DEVTYPE_CL_002	0.2			SARS-COV-2 DIAGNOSTIC TEST	1	2	0.1	i_4895288747624470_dival_devtype_002
DIVAL_TRADENAM_CL_002	0.4			3EO HEALTH COVID-19 TEST	1	118	0.1	i_4895288763966177_dival_tradenam_002
				ABBOTT COVID-19 AG CARD HOME TEST	2	119	0.1	
				ABBOTT COVID-19 ANTIGEN SELF TEST	3	120	0.1	
				ACCESS BIO COVID-19 ANTIGEN HOME TEST	4	121	0.1	
				ACON LABORATORIES COVID-19 AND FLU A/B HOME TEST	5	122	0.1	

ACON LABORATORIES COVID-19 ANTIGEN HOME TEST	6	123	0.1
ADVIN BIOTECH COVID-19 ANTIGEN TEST AT HOME	7	124	0.1
APTITUDE MEDICAL SYSTEMS COVID/FLU TEST	8	125	0.1
APTITUDE MEDICAL SYSTEMS COVID-19 TEST	9	126	0.1
AZURE BIOTECH FASTEP COVID-19 ANTIGEN HOME TEST	10	127	0.1
AZURE BIOTECH FASTEP COVID-19 ANTIGEN PEN HOME TEST	11	128	0.1
BEIJING HOTGEN BIOTECH CO. COVID-19 ANTIGEN HOME TEST	12	129	0.1
BIOTEKE BIO-SELF COVID- 19 ANTIGEN HOME TEST	13	130	0.1
CORDX COVID-19 AG TEST	14	131	0.1
CORDX TYFAST FLU A/B & COVID-19 AT HOME MULTIPLEX RAPID TEST	15	132	0.1
CTK BIOTECH IMMUIVIEW COVID-19 ANTIGEN HOME TEST	16	133	0.1
ELLUME COVID-19 HOME TEST	17	134	0.1
GENABIO DIAGNOSTICS COVID-19 RAPID SELF- TEST KIT	18	135	0.1

GENBODY COVID-19 AG HOME TEST	19	136	0.1
GOTOKNOW ANTIGEN RAPID TEST	20	137	0.1
IHEALTH LABS COVID-19 ANTIGEN RAPID TEST	21	138	0.1
IHEALTH LABS COVID-19 /FLU A&B RAPID TEST	22	139	0.1
IMMUNOSTICS SWAB-N-GO HOME TEST COVID-19 AG	23	140	0.1
INBIOS INTERNATIONAL SCOV-2 AG DETECT RAPID SELF-TEST	24	141	0.1
MAXIM BIOMEDICAL CLEARDETECT COVID-19 ANTIGEN HOME TEST	25	142	0.1
MOLOGIC COVI-GO SARS-COV-2 AG SELF-TEST	26	143	0.1
NANO-DITECH NANO-CHECK COVID-19 ANTIGEN AT-HOME TEST	27	144	0.1
OCEANIT FOUNDRY LLC RAPID COVID-19	28	145	0.1
ORASURE TECHNOLOGIES INTELISWAB COVID-19 RAPID TEST	29	146	0.1
OSANG LLCOHC COVID-19 ANTIGEN SELF TEST	30	147	0.1
OSANG LLC COVID-19/FLU ANTIGEN SELF TEST	31	148	0.1
PFIZER COVID-19 & FLU HOME TEST	32	149	0.1

PFIZER COVID-19 TEST KIT	33	150	0.1
PHASE SCIENTIFIC INTERNATIONAL INDICAID COVID-19 RAPID ANTIGEN AT-HOME TEST	34	151	0.1
PRINCETON BIOMEDITECH COVID-19 ANTIGEN RAPID TEST FOR HOME USE	35	152	0.1
QUIDEL CORPORATION AT- HOME OTC COVID-19 TEST	36	153	0.1
QUICKFINDER COVID-19 ANTIGEN SELF-TEST	37	154	0.1
SD BIOSENSOR PILOT COVID-19 AT-HOME TEST 1	38	155	0.1
SEKISUI DIAGNOSTICS OSOM COVID-19 ANTIGEN HOME TEST	39	156	0.1
SEKISUI DIAGNOSTICS OSOM FLU SARS-COV-2 COMBO HOME TEST	40	157	0.1
SIEMENS HEALTHINEERS CLINITEST RAPID COVID- 19 ANTIGEN SELF-TEST	41	158	0.1
WATMIND SPEEDY SWAB RAPID COVID-19 ANTIGEN SELF-TEST	42	160	0.1
WATMIND SPEEDY SWAB COVID-19 + FLU A&B ANTIGEN SELF-TEST	43	159	0.1
WONDFO USA CO WELLLIFE COVID-19 / INFLUENZA A&B HOME TEST	44	161	0.1

				XIAMEN BOSON BIOTECH CO. RAPID SARS-COV-2 ANTIGEN TEST CARD	45	162	0.1	
				OTHER	46	999	0.1	
				ABBOTT MOLECULAR REALTIME SARS-COV-2 ASSAY	47	34	0.1	
				CEPHEID XPERT XPRESS SARS-COV-2 TEST	48	44	0.1	
				ROCHE MOLECULAR SYSTEMS COBAS SARS- COV-2	49	68	0.1	
MBORRES_CL_002	0.2			POSITIVE	1	1	0.1	i_4895288812505189_mborres_002
				NEGATIVE	2	2	0.1	

Variable Validations MBMIB002 MICROBIOLOGY SPECIMEN - LOCAL COVID TEST - REPEATING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
Y_MBDTC_002	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
Y_MBDTC_002	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
Y_MBDTC_002	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
Y_MBDTC_002	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields MBMIB002 MICROBIOLOGY SPECIMEN - LOCAL COVID TEST - REPEATING

Group RefName	Group Type	Associated Variables
IG_4895275510880261_MBMIB01002	Non-Repeating	Y_MBDTC_002, MBSPEC_002, MBLOC_002, MBTEST_002, DIVAL_DEVTYPE_002, DIVAL_TRADENAM_002, DIVAL_TRADENAM_OTH_002, MBORRES_002, CO_MBSUMM_002

Instruments

PRTFD002 / TRANSFUSIONS

Instrument Definition

Instrument Name:	PRTFD002
Instrument Title:	TRANSFUSIONS
SAS Instrument Name:	PRTFD002
Description:	TRANSFUSE
Version:	0.16
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: PRTFD002 TRANSFUSIONS (TRANSFUSE) [Version: 0.16]		
Section TRANSFUSIONS PRTFD002_S		Permission Groups
Group of Fields PRTFD01002 / Transfusions Group Type: Non-Repeating	Number of variables: 6	

1.*	Transfusion Type: [PRTRT_002] [TFDTYP]	[PRTRT_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the 'Transfusion Type'.	
2.*	Specify: [X_PRTRT_TFDTYPO_002] [TFDTYPO] (Nested Field)	Text Box Max Length: 30 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If 'Other' is selected, please specify the type of transfusion in the space provided.	

3.	What is the treatment Identifier? [PRSPID_002] [PRSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([PRSTDTC_002])),[\$form_occurrence],null) Help/Info Text: The treatment identifier is system generated in EDC. This is used as a line identifier for ease of data entry, review, and cleaning.	
----	--	--	--

4.*	Date of Transfusion: [PRSTDTC_002] [TFDDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the blood transfusion was given in dd-MMM-YYYY format.	
5.*	Transfusion Amount/Volume: [PRDOSE_002] [TFDDOSE]	Number Box (Integer) Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Transfusion Amount. Do not include units in this field. Cannot be 0.	

6.*	Transfusion Amount/Volume Unit: [PRDOSU_002] [TFDDOSU]	[PRDOSU_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select mL or U to indicate transfusion amount unit.	
Key: [*] = Item is required			

Study Object Descriptions: PRTFD002 TRANSFUSIONS		
Type	RefName	Description
Form	CRF_4895252592593347_PRTFD002	PRTFD002
Item	I_4895288829468499_PRTRT_002	
Item	I_4895288845838038_X_PRTRT_TFDTYPO_002	
Item	I_4895288862702787_PRSPID_002	
Item	I_4895288894084944_PRSTDTC_002	
Item	I_4895288911754526_PRDOSE_002	
Item	I_4895288931053951_PRDOSU_002	

Codelist Values Tables: PRTFD002 TRANSFUSIONS								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
PRTRT_CL_002	0.1			PACKED RBC	1	1	0.1	i_4895288829468499_prtrt_002
				PLATELETS	2	2	0.1	
				WHOLE BLOOD	3	3	0.1	



				PLASMA	4	4	0.1	
				OTHER	5	999	0.1	
PRDOSU_CL_002	0.1			mL	1	9	0.1	i_4895288931053951_prdosu_002
				U	2	380	0.1	

Variable Validations PRTFD002 TRANSFUSIONS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PRSTDTC_002	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
PRSTDTC_002	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
PRSTDTC_002	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRSTDTC_002	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PRTFD002 TRANSFUSIONS

Group RefName	Group Type	Associated Variables
IG_4895275493695638_PRTFD01002	Non-Repeating	PRTRT_002, X_PRTRT_TFDTYPO_002, PRSPID_002, PRSTDTC_002, PRDOSE_002, PRDOSU_002

Instruments

CM001_2 / CONCOMITANT MEDICATIONS - PRIOR COVID-19 VACCINES

Instrument Definition

Instrument Name:	CM001_2
Instrument Title:	CONCOMITANT MEDICATIONS - PRIOR COVID-19 VACCINES
SAS Instrument Name:	CM001_2
Description:	CONMED
Version:	0.70
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CM001_2 CONCOMITANT MEDICATIONS - PRIOR COVID-19 VACCINES (CONMED) [Version: 0.70]		
Section CONCOMITANT MEDICATIONS CM001_S_1		Permission Groups
Group of Fields CM01001_2 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 8	

1.	What is the medication identifier? [CMSPID_001_2] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([CMTRT_001_2])),[\$form_occurrence],null)	
2.	Category: [CMCAT_001_2] [CMCAT]	[CMCAT_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 3 Help/Info Text: Record the Category for this medication.	

3.* 	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001_2] [CMTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Generic drug name is the preferred entry. Provide the complete generic drug name (including salt form) if known. If the medication includes a large number of ingredients or the generic name is unknown, record the full trade or proprietary name.	
4.* 	Dose: [X_CMDSTXT_001_2] [CMDSTXT]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose of medication taken per administration. Do not include units in this field.	

5.* 	Dose Unit: [CMDOSU_001_2] [CMDOSU]	[CMDOSU_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose unit of the medication taken.	
6.* 	Start Date: [CMSTDTC_001_2] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2020; Max Year: 2026 Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock. Please refer to CRF Completion Requirements for additional guidance.	

7.	Standardized Medication Name - Dictionary derived. [CMDECOD_001_2] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
8.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001_2] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: CM001_2 CONCOMITANT MEDICATIONS - PRIOR COVID-19 VACCINES		
Type	RefName	Description
Form	CRF_4895252829675364_CM001_2	CM001_2
Item	I_4895288946534037_CMSPID_001_2	
Item	I_4895288977850634_CMCAT_001_2	
Item	I_4895288993290596_CMTRT_001_2	
Item	I_4895289056684431_X_CMDSTXT_001_2	
Item	I_4895289011957391_CMDOSU_001_2	

Item	I_4895289072426378_CMSTDTC_001_2	
Item	I_4895289026879407_CMDECOD_001_2	
Item	I_4895289041855356_SUPPCM_CMCODE_001_2	

Codelist Values Tables: CM001_2 CONCOMITANT MEDICATIONS - PRIOR COVID-19 VACCINES								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_2	0.2			VACCINATIONS	1	3	0.1	i_4895288977850634_cmcat_001_2
CMDOSU_CL_001_2	0.2			mL	1	9	0.1	i_4895289011957391_cmdosu_001_2
				ug	2	43	0.1	

Variable Validations CM001_2 CONCOMITANT MEDICATIONS - PRIOR COVID-19 VACCINES				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_2 CONCOMITANT MEDICATIONS - PRIOR COVID-19 VACCINES		
Group RefName	Group Type	Associated Variables
IG_4895275220502253_CM01001_2	Non-Repeating	CMSPID_001_2, CMCAT_001_2, CMTRT_001_2, X_CMDSTXT_001_2, CMDOSU_001_2, CMSTDTC_001_2, CMDECOD_001_2, SUPPCM_CMCODE_001_2

Instruments

CM001_3 / CONCOMITANT MEDICATIONS - VASOPRESSORS

Instrument Definition

Instrument Name:	CM001_3
Instrument Title:	CONCOMITANT MEDICATIONS - VASOPRESSORS
SAS Instrument Name:	CM001_3
Description:	CONMED
Version:	0.101
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CM001_3 CONCOMITANT MEDICATIONS - VASOPRESSORS (CONMED) [Version: 0.101]		
Section CONCOMITANT MEDICATIONS CM001_S_2		Permission Groups
Group of Fields CM01001_3 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 18	

1.	What is the medication identifier? [CMSPID_001_3] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([CMTRT1_001_3])),[\$form_occurrence],null)	
2.	Category: [CMCAT_001_3] [CMCAT]	[CMCAT_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 46 Help/Info Text: Record the Category for this medication.	
3.	Concomitant Medications Pre-specified: [CMPRESP_001_3] [CMPRESP]	[CMPRESP_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y	

4.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT1_001_3] [CMTRT1]	[CMTRT1_CL_001_3] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.*	Reason for Administration: [CMINDC_001_3] [CMINDC]	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken based on clinical evaluation by the investigator. If taken to treat a condition, and a diagnosis was made, the reason should be the diagnosis. If taken to treat a condition, and no diagnosis was made, the reason should be the signs and symptoms. If taken as prophylaxis, report as "Prophylaxis for ...".	

6.*	Dose: [X_CMDSTXT_001_3] [CMDSTXT]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose of medication taken per administration. Do not include units in this field.	
7.*	Dose Unit: [CMDOSU_001_3] [CMDOSU]	[CMDOSU_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose unit of the medication taken.	

8.*	Date: [CMSTDTC_001_3] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock. Please refer to CRF Completion Requirements for additional guidance.	
-----	--	---	--

9.*	Is this concomitant therapy suspected to be related to an Adverse Event? [R_SUPPCM_CONSUS_001_3] [CMSUS]	[R_SUPPCM_CONSUS_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication is NOT considered suspect in relation to a reportable event please select NO. If this medication is considered suspect in relation to a reportable event please select YES and complete the remaining fields (AE ID, Action Taken and Re-Challenge)	
10.*	AE ID of the AE this conmed is related to: [R_AEIDCM_001_3] [CMAEID] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y' , [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

11.	AE ID of the AE this conmed is related to: [R_AEIDCM1_001_3] [CMAEID1] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
12.	AE ID of the AE this conmed is related to: [R_AEIDCM2_001_3] [CMAEID2] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

13.	AE ID of the AE this conmed is related to: [R_AEIDCM3_001_3] [CMAEID3] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
14.	AE ID of the AE this conmed is related to: [R_AEIDCM4_001_3] [CMAEID4] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

15.* ✓	Action Taken: [R_SUPPCM_ACTTKN_001_3] [CMACTION] (Nested Field)	[R_SUPPCM_ACTTKN_CL_001_3] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the medication selected in the pick list as a result of the SAE or non-serious but reportable event	
16.*	Re-Challenge: [R_SUPPCM_RECHAL_001_3] [CMRECHAL] (Nested Field)	[R_SUPPCM_RECHAL_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the medication was re-introduced. Please refer to CRF Completion Requirements for additional details.	

17.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001_3] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
18.	Standardized Medication Name - Dictionary derived. [CMDECOD_001_3] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: CM001_3 CONCOMITANT MEDICATIONS - VASOPRESSORS		
Type	RefName	Description
Form	CRF_4895253074703748_CM001_3	CM001_3
Item	I_4895289088787917_CMSPID_001_3	
Item	I_4895289115421239_CMCAT_001_3	
Item	I_4895289130534847_CMPRESP_001_3	
Item	I_4895289145590444_CMTRT1_001_3	
Item	I_4895289438389626_CMINDC_001_3	

Item	I_4895289209261903_X_CMDSTXT_001_3	
Item	I_4895289224338423_CMDOSU_001_3	
Item	I_4895289161075633_CMSTDTC_001_3	
Item	I_4895289239558649_R_SUPPCM_CONSUS_001_3	
Item	I_4895289254777792_R_AEIDCM_001_3	
Item	I_4895289284178488_R_AEIDCM1_001_3	
Item	I_4895289317853462_R_AEIDCM2_001_3	
Item	I_4895289347245862_R_AEIDCM3_001_3	
Item	I_4895289376496238_R_AEIDCM4_001_3	
Item	I_4895289405671766_R_SUPPCM_ACTTKN_001_3	
Item	I_4895289422814967_R_SUPPCM_RECHAL_001_3	
Item	I_4895289193701808_SUPPCM_CMCODE_001_3	
Item	I_4895289178071879_CMDECOD_001_3	

Codelist Values Tables: CM001_3 CONCOMITANT MEDICATIONS - VASOPRESSORS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_3	0.2			VASOPRESSORS	1	46	0.1	i_4895289115421239_cmcat_001_3
CMPRESP_CL_001_3	0.2			YES	1	Y	0.1	i_4895289130534847_cmpresp_001_3
CMTRT1_CL_001_3	0.3			DOPAMINE	1	13	0.1	i_4895289145590444_cmtrt1_001_3
				DOBUTAMINE	2	14	0.1	
				PHENYLEPHRINE	3	15	0.1	
				NOREPINEPHRINE	4	16	0.1	
				EPINEPHRINE	5	17	0.1	
				VASOPRESSIN	6	18	0.1	
				TERLIPRESSIN	7	19	0.1	

CMDOSU_CL_001_3	0.2			mg	1	8	0.1	i_4895289224338423_cmdosu_001_3
				g	2	45	0.1	
				g/mL	3	674	0.1	
R_SUPPCM_CONSUS_CL_001_3	0.2			NO	1	N	0.1	i_4895289239558649_r_suppcm_consus_001_3
				YES	2	Y	0.1	
R_SUPPCM_ACTTKN_CL_001_3	0.2			DOSE INCREASED	1	1	0.1	i_4895289405671766_r_suppcm_acttkn_001_3
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
R_SUPPCM_RECHAL_CL_001_3	0.2			POSITIVE	1	1	0.1	i_4895289422814967_r_suppcm_rechal_001_3
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	

Variable Validations CM001_3 CONCOMITANT MEDICATIONS - VASOPRESSORS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_3	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001_3	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_3	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001_3	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_3 CONCOMITANT MEDICATIONS - VASOPRESSORS

Group RefName	Group Type	Associated Variables
IG_4895275203544471_CM01001_3	Non-Repeating	CMSPID_001_3, CMCAT_001_3, CMPRESP_001_3, CMTRT1_001_3, CMINDC_001_3, X_CMDSTXT_001_3, CMDOSU_001_3, CMSTDTC_001_3, R_SUPPCM_CONSUS_001_3, R_AEIDCM_001_3, R_AEIDCM1_001_3, R_AEIDCM2_001_3, R_AEIDCM3_001_3, R_AEIDCM4_001_3, R_SUPPCM_ACTTKN_001_3, R_SUPPCM_RECHAL_001_3, SUPPCM_CMCODE_001_3, CMDECOD_001_3



Instruments

CM001_4 / CONCOMITANT MEDICATIONS - COVID-19

Instrument Definition

Instrument Name:	CM001_4
Instrument Title:	CONCOMITANT MEDICATIONS - COVID-19
SAS Instrument Name:	CM001_4
Description:	CONMED
Version:	0.90
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CM001_4 CONCOMITANT MEDICATIONS - COVID-19 (CONMED) [Version: 0.90]		
Section CONCOMITANT MEDICATIONS CM001_S_3		Permission Groups
Group of Fields CM01001_4 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 17	

1.	What is the medication identifier? [CMSPID_001_4] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([CMTRT_001_4])),[\$form_occurrence],null)	
2.	Category: [CMCAT_001_4] [CMCAT]	[CMCAT_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: Record the Category for this medication.	

3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001_4] [CMTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Generic drug name is the preferred entry. Provide the complete generic drug name (including salt form) if known. If the medication includes a large number of ingredients or the generic name is unknown, record the full trade or proprietary name.	
4.*	Reason for Administration: [CMINDC_001_4] [CMINDC]	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken based on clinical evaluation by the investigator. If taken to treat a condition, and a diagnosis was made, the reason should be the diagnosis. If taken to treat a condition, and no diagnosis was made, the reason should be the signs and symptoms. If taken as prophylaxis, report as "Prophylaxis for ...".	

5.*	Start Date: [CMSTDTC_001_4] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock. Please refer to CRF Completion Requirements for additional guidance.	
-----	--	---	--

6.*	Ongoing? [X_CMONGO_001_4] [CMONGO]	[X_CMONGO_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the medication as ongoing if the subject has not stopped taking the medication at the time of data collection.	
7.*	End Date: [CMENDTC_001_4] [CMENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject stopped taking the medication using the format (DD-MON-YYYY). If appropriate, record the time (as complete as possible) when the medication was stopped, using the 24-hour clock.	

8.*	Is this concomitant therapy suspected to be related to an Adverse Event? [R_SUPPCM_CONSUS_001_4] [CMSUS]	[R_SUPPCM_CONSUS_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication is NOT considered suspect in relation to a reportable event please select NO. If this medication is considered suspect in relation to a reportable event please select YES and complete the remaining fields (AE ID, Action Taken and Re-Challenge)	
9.*	AE ID of the AE this conmed is related to: [R_AEIDCM_001_4] [CMAEID] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y' , [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

10.	AE ID of the AE this conmed is related to: [R_AEIDCM1_001_4] [CMAEID1] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
11.	AE ID of the AE this conmed is related to: [R_AEIDCM2_001_4] [CMAEID2] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

12.	AE ID of the AE this conmed is related to: [R_AEIDCM3_001_4] [CMAEID3] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
13.	AE ID of the AE this conmed is related to: [R_AEIDCM4_001_4] [CMAEID4] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

14.* 	Action Taken: [R_SUPPCM_ACTTKN_001_4] [CMACTION] (Nested Field)	[R_SUPPCM_ACTTKN_CL_001_4] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to this concomitant medication dosing as a result of the AE	
15.*	Re-Challenge: [R_SUPPCM_RECHAL_001_4] [CMRECHAL] (Nested Field)	[R_SUPPCM_RECHAL_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the medication was re-introduced. Please refer to CRF Completion Requirements for additional details.	

16.	Standardized Medication Name - Dictionary derived. [CMDECOD_001_4] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
17.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001_4] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: CM001_4 CONCOMITANT MEDICATIONS - COVID-19		
Type	RefName	Description
Form	CRF_4895253322359344_CM001_4	CM001_4
Item	I_4895289453796144_CMSPID_001_4	
Item	I_4895289481701447_CMCAT_001_4	
Item	I_4895289498313623_CMTRT_001_4	
Item	I_4895289514914344_CMINDC_001_4	
Item	I_4895289530398786_CMSTDTC_001_4	

Item	I_4895289547337587_X_CMONGO_001_4	
Item	I_4895289563261501_CMENDTC_001_4	
Item	I_4895289613219794_R_SUPPCM_CONSUS_001_4	
Item	I_4895289638251343_R_AEIDCM_001_4	
Item	I_4895289669298678_R_AEIDCM1_001_4	
Item	I_4895289700052586_R_AEIDCM2_001_4	
Item	I_4895289731824056_R_AEIDCM3_001_4	
Item	I_4895289763700520_R_AEIDCM4_001_4	
Item	I_4895289799393337_R_SUPPCM_ACTTKN_001_4	
Item	I_4895289816527111_R_SUPPCM_RECHAL_001_4	
Item	I_4895289580793252_CMDECOD_001_4	
Item	I_4895289597369858_SUPPCM_CMCODE_001_4	

Codelist Values Tables: CM001_4 CONCOMITANT MEDICATIONS - COVID-19

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_4	0.2			GENERAL CONCOMITANT MEDICATIONS	1	1	0.1	i_4895289481701447_cmcat_001_4
X_CMONGO_CL_001_4	0.1			YES	1	Y	0.1	i_4895289547337587_x_cmongo_001_4
				NO	2	N	0.1	
R_SUPPCM_CONSUS_CL_001_4	0.2			NO	1	N	0.1	i_4895289613219794_r_suppcm_consus_001_4
				YES	2	Y	0.1	
R_SUPPCM_ACTTKN_CL_001_4	0.2			DOSE INCREASED	1	1	0.1	i_4895289799393337_r_suppcm_acttkn_001_4
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	

				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
R_SUPPCM_RECHAL_CL_001_4	0.2			POSITIVE	1	1	0.1	i_4895289816527111_r_suppcm_rechal_001_4
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	

Variable Validations CM001_4 CONCOMITANT MEDICATIONS - COVID-19

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CMENDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMENDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMENDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMENDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_4 CONCOMITANT MEDICATIONS - COVID-19

Group RefName	Group Type	Associated Variables
IG_4895275168857000_CM01001_4	Non-Repeating	CMSPID_001_4, CMCAT_001_4, CMTRT_001_4, CMINDC_001_4, CMSTDTC_001_4, X_CMONGO_001_4, CMENDTC_001_4, R_SUPPCM_CONSUS_001_4, R_AEIDCM_001_4, R_AEIDCM1_001_4, R_AEIDCM2_001_4, R_AEIDCM3_001_4, R_AEIDCM4_001_4, R_SUPPCM_ACTTKN_001_4, R_SUPPCM_RECHAL_001_4, CMDECOD_001_4, SUPPCM_CMCODE_001_4

Instruments

CM001_5 / CONCOMITANT MEDICATIONS - NON STUDY VACCINATIONS

Instrument Definition

Instrument Name:	CM001_5
Instrument Title:	CONCOMITANT MEDICATIONS - NON STUDY VACCINATIONS
SAS Instrument Name:	CM001_5
Description:	CONMED
Version:	0.173
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CM001_5 CONCOMITANT MEDICATIONS - NON STUDY VACCINATIONS (CONMED) [Version: 0.173]		
Section CONCOMITANT MEDICATIONS CM001_S_4		Permission Groups
Group of Fields CM01001_5 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 12	

1.	What is the medication identifier? [CMSPID_001_5] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([CMTRT_001_5])),[\$form_occurrence],null)	
2.	Category: [CMCAT_001_5] [CMCAT]	[CMCAT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 3 Help/Info Text: Record the Category for this medication.	

3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001_5] [CMTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Generic drug name is the preferred entry. Provide the complete generic drug name (including salt form) if known. If the medication includes a large number of ingredients or the generic name is unknown, record the full trade or proprietary name.	
-----	---	---	--

4.*	Date: [CMSTDTC_001_5] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock. Please refer to CRF Completion Requirements for additional guidance.	
-----	--	---	--

5.*	Is this concomitant therapy suspected to be related to an Adverse Event? [R_SUPPCM_CONSUS_001_5] [CMSUS]	[R_SUPPCM_CONSUS_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication is NOT considered suspect in relation to a reportable event please select NO. If this medication is considered suspect in relation to a reportable event please select YES and complete the remaining fields (AE ID, Action Taken and Re-Challenge)	
6.*	AE ID of the AE this conmed is related to: [R_AEIDCM_001_5] [CMAEID] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y' , [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

7.	AE ID of the AE this conmed is related to: [R_AEIDCM1_001_5] [CMAEID1] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
8.	AE ID of the AE this conmed is related to: [R_AEIDCM2_001_5] [CMAEID2] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

9.	AE ID of the AE this conmed is related to: [R_AEIDCM3_001_5] [CMAEID3] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
10.	AE ID of the AE this conmed is related to: [R_AEIDCM4_001_5] [CMAEID4] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

11.	Standardized Medication Name - Dictionary derived. [CMDECOD_001_5] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
12.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001_5] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required			

Study Object Descriptions: CM001_5 CONCOMITANT MEDICATIONS - NON STUDY VACCINATIONS		
Type	RefName	Description
Form	CRF_4895253561472874_CM001_5	CM001_5
Item	I_4895289833744552_CMSPID_001_5	
Item	I_4895289863954660_CMCAT_001_5	
Item	I_4895289880441772_CMTRT_001_5	
Item	I_4895289897424536_CMSTDTC_001_5	
Item	I_4895289949818744_R_SUPPCM_CONSUS_001_5	

Item	I_4895289968695937_R_AEIDCM_001_5	
Item	I_4895289996450273_R_AEIDCM1_001_5	
Item	I_4895290024572858_R_AEIDCM2_001_5	
Item	I_4895290053893561_R_AEIDCM3_001_5	
Item	I_4895290082608194_R_AEIDCM4_001_5	
Item	I_4895289915083804_CMDECOD_001_5	
Item	I_4895289931395669_SUPPCM_CMCODE_001_5	

Codelist Values Tables: CM001_5 CONCOMITANT MEDICATIONS - NON STUDY VACCINATIONS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_5	0.2			VACCINATIONS	1	3	0.1	i_4895289863954660_cmcat_001_5
R_SUPPCM_CONSUS_CL_001_5	0.2			NO	1	N	0.1	i_4895289949818744_r_suppcm_consus_001_5
				YES	2	Y	0.1	

Variable Validations CM001_5 CONCOMITANT MEDICATIONS - NON STUDY VACCINATIONS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_5	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001_5	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_5	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001_5	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_5 CONCOMITANT MEDICATIONS - NON STUDY VACCINATIONS

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_4895275150998056_CM01001_5	Non-Repeating	CMSPID_001_5, CMCAT_001_5, CMTRT_001_5, CMSTDTC_001_5, R_SUPPCM_CONSUS_001_5, R_AEIDCM_001_5, R_AEIDCM1_001_5, R_AEIDCM2_001_5, R_AEIDCM3_001_5, R_AEIDCM4_001_5, CMDECOD_001_5, SUPPCM_CMCODE_001_5
-------------------------------	---------------	--

Instruments

CM001_6 / CONCOMITANT MEDICATIONS - PROHIBITED

Instrument Definition

Instrument Name:	CM001_6
Instrument Title:	CONCOMITANT MEDICATIONS - PROHIBITED
SAS Instrument Name:	CM001_6
Description:	CONMED
Version:	0.109
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CM001_6 CONCOMITANT MEDICATIONS - PROHIBITED (CONMED) [Version: 0.109]		
Section CONCOMITANT MEDICATIONS CM001_S_5		Permission Groups
Group of Fields CM01001_6 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 21	

1.	What is the medication identifier? [CMSPID_001_6] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([CMTRT_001_6])),[\$form_occurrence],null)	
2.*	Category: [CMCAT_001_6] [CMCAT]	[CMCAT_CL_001_6] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Category for this medication.	

3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001_6] [CMTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Generic drug name is the preferred entry. Provide the complete generic drug name (including salt form) if known. If the medication includes a large number of ingredients or the generic name is unknown, record the full trade or proprietary name.	
4.*	Dose: [X_CMDSTXT_001_6] [CMDSTXT]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose of medication taken per administration. Do not include units in this field.	

5.*	Dose Unit: [CMDOSU_001_6] [CMDOSU]	[CMDOSU_CL_001_6] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose unit of the medication taken.	
6.*	Dose Frequency: [CMDOSFRQ_001_6] [CMDOSFRQ]	[CMDOSFRQ_CL_001_6] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record how often the medication was taken. (e.g., BID, PRN).	
7.*	Route: [CMROUTE_001_6] [CMROUTE]	[CMROUTE_CL_001_6] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the route of administration for the drug.	

8.*	Start Date: [CMSTDTC_001_6] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock. Please refer to CRF Completion Requirements for additional guidance.	
-----	--	---	--

9.*	Ongoing? [X_CMONGO_001_6] [CMONGO]	[X_CMONGO_CL_001_6] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the medication as ongoing if the subject has not stopped taking the medication at the time of data collection.	
10.*	End Date: [CMENDTC_001_6] [CMENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject stopped taking the medication using the format (DD-MON-YYYY). If appropriate, record the time (as complete as possible) when the medication was stopped, using the 24-hour clock.	

11.*	Reason for Administration: [CMINDC_001_6] [CMINDC]	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken based on clinical evaluation by the investigator. If taken to treat a condition, and a diagnosis was made, the reason should be the diagnosis. If taken to treat a condition, and no diagnosis was made, the reason should be the signs and symptoms. If taken as prophylaxis, report as "Prophylaxis for ...".	
12.*	Is this concomitant therapy suspected to be related to an Adverse Event? [R_SUPPCM_CONSUS_001_6] [CMSUS]	[R_SUPPCM_CONSUS_CL_001_6] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication is NOT considered suspect in relation to a reportable event please select NO. If this medication is considered suspect in relation to a reportable event please select YES and complete the remaining fields (AE ID, Action Taken and Re-Challenge)	

13.*	AE ID of the AE this conmed is related to: [R_AEIDCM_001_6] [CMAEID] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
14.	AE ID of the AE this conmed is related to: [R_AEIDCM1_001_6] [CMAEID1] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

15.	AE ID of the AE this conmed is related to: [R_AEIDCM2_001_6] [CMAEID2] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
16.	AE ID of the AE this conmed is related to: [R_AEIDCM3_001_6] [CMAEID3] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

17.	AE ID of the AE this conmed is related to: [R_AEIDCM4_001_6] [CMAEID4] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
18.*	Action Taken: [R_SUPPCM_ACTTKN_001_6] [CMACTION] (Nested Field)	[R_SUPPCM_ACTTKN_CL_001_6] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the medication selected in the pick list as a result of the SAE or non-serious but reportable event	

19.*	Re-Challenge: [R_SUPPCM_RECHAL_001_6] [CMRECHAL] (Nested Field)	[R_SUPPCM_RECHAL_CL_001_6] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the medication was re-introduced. Please refer to CRF Completion Requirements for additional details.	
20.	Standardized Medication Name - Dictionary derived. [CMDECOD_001_6] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
21.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001_6] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required			

Study Object Descriptions: CM001_6 CONCOMITANT MEDICATIONS - PROHIBITED		
Type	RefName	Description
Form	CRF_4895253839551675_CM001_6	CM001_6
Item	I_4895290110622824_CMSPID_001_6	
Item	I_4895290138174375_CMCAT_001_6	
Item	I_4895290152973936_CMTRT_001_6	
Item	I_4895290167804899_X_CMDSTXT_001_6	
Item	I_4895290182696794_CMDOSU_001_6	
Item	I_4895290290215718_CMDOSFRQ_001_6	
Item	I_4895290197510837_CMROUTE_001_6	
Item	I_4895290212738579_CMSTDTC_001_6	
Item	I_4895290229151943_X_CMONGO_001_6	
Item	I_4895290243973781_CMENDTC_001_6	
Item	I_4895290498775432_CMINDC_001_6	
Item	I_4895290305457967_R_SUPPCM_CONSUS_001_6	
Item	I_4895290320496472_R_AEIDCM_001_6	
Item	I_4895290349083473_R_AEIDCM1_001_6	
Item	I_4895290377919215_R_AEIDCM2_001_6	
Item	I_4895290407274774_R_AEIDCM3_001_6	
Item	I_4895290436634985_R_AEIDCM4_001_6	
Item	I_4895290466571645_R_SUPPCM_ACTTKN_001_6	
Item	I_4895290482582690_R_SUPPCM_RECHAL_001_6	
Item	I_4895290260281338_CMDECOD_001_6	
Item	I_4895290275123296_SUPPCM_CMCODE_001_6	

Codelist Values Tables: CM001_6 CONCOMITANT MEDICATIONS - PROHIBITED
--

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_6	0.2			CONCOMITANT IMMUNOSUPPRESSIVE THERAPY	1	15	0.1	i_4895290138174375_cmcat_001_6
				IMMUNOGLOBULINS	2	44	0.1	
				BLOOD/PLASMA PRODUCTS	3	64	0.1	
				MONOCLONAL ANTIBODIES	4	55	0.1	
				SYSTEMIC CORTICOSTEROIDS	5	70	0.1	
				ANTIVIRALS	6	75	0.1	
CMDOSU_CL_001_6	0.2			mg	1	8	0.1	i_4895290182696794_cmdosu_001_6
				g	2	45	0.1	
				mL	3	9	0.1	
				ug	4	43	0.1	
				mg/day	5	162	0.1	
				mg/kg	6	163	0.1	
				g/kg	7	204	0.1	
				ug/day	8	289	0.1	
				g/kg/day	9	330	0.1	
				mg/kg/day	10	345	0.1	
				ug/kg/day	11	399	0.1	
				mL/kg	12	363	0.1	
				mL/kg/day	13	364	0.1	
CMDOSFRQ_CL_001_6	0.3			BID	1	3	0.1	i_4895290290215718_cmdsosfrq_001_6
				PRN	2	6	0.1	

				UNKNOWN	3	1	0.1	
				TID	4	32	0.1	
				QID	5	35	0.1	
				QD	6	49	0.1	
				ONCE	7	43	0.1	
CMROUTE_CL_001_6	0.2			AURICULAR (OTIC)	1	1	0.1	i_4895290197510837_cmroute_001_6
				CUTANEOUS	2	4	0.1	
				INTRA-ARTICULAR	3	20	0.1	
				INTRABILIARY	4	21	0.1	
				INTRADERMAL	5	35	0.1	
				INTRAVENOUS	6	70	0.1	
				NASAL	7	79	0.1	
				OPHTHALMIC	8	83	0.1	
				ORAL	9	84	0.1	
				RECTAL	10	92	0.1	
				RESPIRATORY (INHALATION)	11	93	0.1	
				SUBCUTANEOUS	12	98	0.1	
				SUBLINGUAL	13	99	0.1	
				TOPICAL	14	101	0.1	
X_CMONGO_CL_001_6	0.1			YES	1	Y	0.1	i_4895290229151943_x_cmongo_001_6
				NO	2	N	0.1	
R_SUPPCM_CONSUS_CL_001_6	0.2			NO	1	N	0.1	i_4895290305457967_r_suppcm_consus_001_6
				YES	2	Y	0.1	
R_SUPPCM_ACTTKN_CL_001_6	0.2			DOSE INCREASED	1	1	0.1	i_4895290466571645_r_suppcm_acttkn_001_6
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	

				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
R_SUPPCM_RECHAL_CL_001_6	0.2			POSITIVE	1	1	0.1	i_4895290482582690_r_suppcm_rechal_001_6
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	

Variable Validations CM001_6 CONCOMITANT MEDICATIONS - PROHIBITED

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_6	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001_6	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_6	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001_6	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CMENDTC_001_6	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMENDTC_001_6	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMENDTC_001_6	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMENDTC_001_6	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_6 CONCOMITANT MEDICATIONS - PROHIBITED

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_4895275186408570_CM01001_6	Non-Repeating	CMSPID_001_6, CMCAT_001_6, CMTRT_001_6, X_CMDSTXT_001_6, CMDOSU_001_6, CMDOSFRQ_001_6, CMROUTE_001_6, CMSTDTC_001_6, X_CMONGO_001_6, CMENDTC_001_6, CMINDC_001_6, R_SUPPCM_CONSUS_001_6, R_AEIDCM_001_6, R_AEIDCM1_001_6, R_AEIDCM2_001_6, R_AEIDCM3_001_6, R_AEIDCM4_001_6, R_SUPPCM_ACTTKN_001_6, R_SUPPCM_RECHAL_001_6, CMDECOD_001_6, SUPPCM_CMCODE_001_6
-------------------------------	---------------	---

Instruments

PRCAR078_1 / IMAGING - CARDIAC MRI

Instrument Definition

Instrument Name:	PRCAR078_1
Instrument Title:	IMAGING - CARDIAC MRI
SAS Instrument Name:	PRCAR078_1
Description:	CAR
Version:	0.21
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: PRCAR078_1 IMAGING - CARDIAC MRI (CAR) [Version: 0.21]		
Section IMAGING PRCAR078_S_1		Permission Groups
Group of Fields PRCAR01078_1 / Clinical Assessment of Radiographs - Imaging Group Type: Non-Repeating	Number of variables: 8	

1.* 	Start date of Procedure: [Y_PRSTDTC_078_1] [CARDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of assessment in the format dd-MMM-yyyy (e. g. 01-JAN-2006). No partial dates are allowed.	
2.* 	Associated Adverse Event: [Y_PRLNKID_078_1] [CARAEID]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the AE Identifier resulting in Clinical Assessment of Radiographs - Imaging	

3.	Location of Assessment: [Y_PRLOC_078_1] [CARLOC]	[Y_PRLOC_CL_078_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 803 Help/Info Text: Select location of assessment.	
4.	Type of Imaging Exam: [Y_PRTRT_078_1] [CARTYPE]	[Y_PRTRT_CL_078_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 3 Help/Info Text: Select the Type of Imaging Exam.	
5.* ✓✓	Assessment: [FAORRES_INTP_078_1] [CARASS]	[FAORRES_INTP_CL_078_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate assesment of the Imgaging Exam.	

6.* 	If abnormal, specify findings: [FAORRES_SPFI_078_1] [CARSPFI] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Describe any abnormal imaging findings.	
7.* 	Have there been any significant changes in Imaging findings since the previous assessment? [FAORRES_CSIGCHGL_078_1] [CARCHG]	[FAORRES_CSIGCHGL_CL_078_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select 'YES', 'NO', or 'NO PREVIOUS ASSESSMENT' to indicate whether any significant changes in Imaging findings since the previous assessment identified. If 'YES' is selected, specify in the free text field.	

8.* ✓	If YES, specify: [FAORRES_SPCH_078_1] [CARSPCH] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Describe the significant changes in Imaging findings.	
----------	--	--	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: PRCAR078_1 IMAGING - CARDIAC MRI		
Type	RefName	Description
Form	CRF_4895254078506467_PRCAR078_1	PRCAR078_1
Item	I_4895290514593170_Y_PRSTDTC_078_1	
Item	I_4895290535435496_Y_PRLNKID_078_1	
Item	I_4895290551288238_Y_PRLOC_078_1	
Item	I_4895290567368314_Y_PRTRT_078_1	
Item	I_4895290583721451_FAORRES_INTP_078_1	
Item	I_4895290600208727_FAORRES_SPFI_078_1	
Item	I_4895290616461785_FAORRES_CSIGCHGL_078_1	
Item	I_4895290632580860_FAORRES_SPCH_078_1	

Codelist Values Tables: PRCAR078_1 IMAGING - CARDIAC MRI								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName

Y_PRLOC_CL_078_1	0.2			CARDIOVASCULAR SYSTEM	1	803	0.1	i_4895290551288238_y_prloc_078_1
Y_PRTRT_CL_078_1	0.2			MRI	1	3	0.1	i_4895290567368314_y_prtrt_078_1
FAORRES_INTP_CL_078_1	0.1			ABNORMAL	1	1	0.1	i_4895290583721451_faorres_intp_078_1
				INDETERMINATE	2	2	0.1	
				NORMAL	3	3	0.1	
				NOT EVALUABLE	4	4	0.1	
FAORRES_CSIGCHGL_CL_078_1	0.2			NO PREVIOUS ASSESSMENT	1	0	0.1	i_4895290616461785_faorres_csigchgl_078_1
				YES	2	1	0.1	
				NO	3	2	0.1	

Variable Validations PRCAR078_1 IMAGING - CARDIAC MRI

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
Y_PRSTDTC_078_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
Y_PRSTDTC_078_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
Y_PRSTDTC_078_1	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
Y_PRSTDTC_078_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
Y_PRSTDTC_078_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
Y_PRSTDTC_078_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
Y_PRSTDTC_078_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PRCAR078_1 IMAGING - CARDIAC MRI

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_4895275601058434_PRCAR01078_1	Non-Repeating	Y_PRSTDTC_078_1, Y_PRLNKID_078_1, Y_PRLOC_078_1, Y_PRTRT_078_1, FAORRES_INTP_078_1, FAORRES_SPFI_078_1, FAORRES_CSIGCHGL_078_1, FAORRES_SPCH_078_1
----------------------------------	---------------	--

Instruments

DS001_8 / TREATMENT UNBLINDED

Instrument Definition

Instrument Name:	DS001_8
Instrument Title:	TREATMENT UNBLINDED
SAS Instrument Name:	DS001_8
Description:	TRN UNBLN
Version:	0.8
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: DS001_8 TREATMENT UNBLINDED (TRN UNBLN) [Version: 0.8]		
Section TREATMENT UNBLINDED DS001_8_S		Permission Groups
Group of Fields DS01001_8 / Treatment Unblinded Group Type: Non-Repeating	Number of variables: 4	

1.* 	Date of Treatment Unblinded: [DSSTDTC_001_8] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Treatment Unblinded using the format (DD- MMM-YYYY).	
2.	Phase of Disposition: [SUPPDS_DSPHASE_001_8] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 6 Help/Info Text: Record the disposition phase the subject completed or discontinued.	

3.* ✓	Primary Reason for Unblinding: [X_DSTERM_DSUNBL_001_8] [DSUNBL]	[X_DSTERM_DSUNBL_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the primary reason the treatment was unblinded.	
4.* ✓	If other, specify: [X_DSTERM_DSUNBLO_001_8] [DSUNBLO] (Nested Field)	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If 'Primary Reason for Treatment Unblinding' is Other, record the reason in the space provided.	

Key: [*] = Item is required ✓ = Source verification required

Study Object Descriptions: DS001_8 TREATMENT UNBLINDED		
Type	RefName	Description
Form	CRF_4895254325065419_DS001_8	DS001_8
Item	I_4895290649303617_DSSTDTC_001_8	
Item	I_4895290667133373_SUPPDS_DSPHASE_001_8	
Item	I_4895290683644166_X_DSTERM_DSUNBL_001_8	
Item	I_4895290700206380_X_DSTERM_DSUNBLO_001_8	

Codelist Values Tables: DS001_8 TREATMENT UNBLINDED

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSPHASE_CL_001_8	0.2			BLINDED TREATMENT	1	6	0.1	i_4895290667133373_suppds_dsphase_001_8
X_DSTERM_DSUNBL_CL_001_8	0.2			SUBJECT SAFETY CONCERN	1	1	0.1	i_4895290683644166_x_dsterm_dsunbl_001_8
				OTHER	2	999	0.1	

Variable Validations DS001_8 TREATMENT UNBLINDED

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_8	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_8	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001_8	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_8	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_8	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_8	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields DS001_8 TREATMENT UNBLINDED

Group RefName	Group Type	Associated Variables
IG_4895275635969332_DS01001_8	Non-Repeating	DSSTDTC_001_8, SUPPDS_DSPHASE_001_8, X_DSTERM_DSUNBL_001_8, X_DSTERM_DSUNBLO_001_8

Instruments

CM001_7 / CONCOMITANT MEDICATIONS - HORMONAL AND CONTRACEPTION THERAPIES

Instrument Definition

Instrument Name:	CM001_7
Instrument Title:	CONCOMITANT MEDICATIONS - HORMONAL AND CONTRACEPTION THERAPIES
SAS Instrument Name:	CM001_7
Description:	CONMED
Version:	0.96
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CM001_7 CONCOMITANT MEDICATIONS - HORMONAL AND CONTRACEPTION THERAPIES (CONMED) [Version: 0.96]		
Section CONCOMITANT MEDICATIONS CM001_S_6		Permission Groups
Group of Fields CM01001_7 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 19	

1.	What is the medication identifier? [CMSPID_001_7] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([CMTRT_001_7])),[\$form_occurrence],null)	
2.	Category: [CMCAT_001_7] [CMCAT]	[CMCAT_CL_001_7] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Category for this medication.	

3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001_7] [CMTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Generic drug name is the preferred entry. Provide the complete generic drug name (including salt form) if known. If the medication includes a large number of ingredients or the generic name is unknown, record the full trade or proprietary name.	
4.*	Reason for Administration: [CMINDC_001_7] [CMINDC]	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken based on clinical evaluation by the investigator. If taken to treat a condition, and a diagnosis was made, the reason should be the diagnosis. If taken to treat a condition, and no diagnosis was made, the reason should be the signs and symptoms. If taken as prophylaxis, report as "Prophylaxis for ...".	

5.*	Dose: [X_CMDSTXT_001_7] [CMDSTXT]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose of medication taken per administration. Do not include units in this field.	
6.*	Dose Unit: [CMDOSU_001_7] [CMDOSU]	[CMDOSU_CL_001_7] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose unit of the medication taken.	

7.*	Start Date: [CMSTDTC_001_7] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1961; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock. Please refer to CRF Completion Requirements for additional guidance.	
-----	--	---	--

8.*	Ongoing? [X_CMONGO_001_7] [CMONGO]	[X_CMONGO_CL_001_7] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the medication as ongoing if the subject has not stopped taking the medication at the time of data collection.	
9.*	End Date: [CMENDTC_001_7] [CMENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1961; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject stopped taking the medication using the format (DD-MON-YYYY). If appropriate, record the time (as complete as possible) when the medication was stopped, using the 24-hour clock.	

10.*	Is this concomitant therapy suspected to be related to an Adverse Event? [R_SUPPCM_CONSUS_001_7] [CMSUS]	[R_SUPPCM_CONSUS_CL_001_7] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication is NOT considered suspect in relation to a reportable event please select NO. If this medication is considered suspect in relation to a reportable event please select YES and complete the remaining fields (AE ID, Action Taken and Re-Challenge)	
11.*	AE ID of the AE this conmed is related to: [R_AEIDCM_001_7] [CMAEID] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y' , [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

12.	AE ID of the AE this conmed is related to: [R_AEIDCM1_001_7] [CMAEID1] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
13.	AE ID of the AE this conmed is related to: [R_AEIDCM2_001_7] [CMAEID2] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

14.	AE ID of the AE this conmed is related to: [R_AEIDCM3_001_7] [CMAEID3] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
15.	AE ID of the AE this conmed is related to: [R_AEIDCM4_001_7] [CMAEID4] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

16.* 	Action Taken: [R_SUPPCM_ACTTKN_001_7] [CMACTION] (Nested Field)	[R_SUPPCM_ACTTKN_CL_001_7] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the medication selected in the pick list as a result of the SAE or non-serious but reportable event	
17.*	Re-Challenge: [R_SUPPCM_RECHAL_001_7] [CMRECHAL] (Nested Field)	[R_SUPPCM_RECHAL_CL_001_7] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the medication was re-introduced. Please refer to CRF Completion Requirements for additional details.	

18.	Standardized Medication Name - Dictionary derived. [CMDECOD_001_7] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
19.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001_7] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: CM001_7 CONCOMITANT MEDICATIONS - HORMONAL AND CONTRACEPTION THERAPIES		
Type	RefName	Description
Form	CRF_4895254566468435_CM001_7	CM001_7
Item	I_4895290716818777_CMSPID_001_7	
Item	I_4895290745673407_CMCAT_001_7	
Item	I_4895290761620821_CMTRT_001_7	
Item	I_4895290777653807_CMINDC_001_7	
Item	I_4895290793507254_X_CMDSTXT_001_7	

Item	I_4895290809690806_CMDOSU_001_7	
Item	I_4895290845704997_CMSTDTC_001_7	
Item	I_4895290863676277_X_CMONGO_001_7	
Item	I_4895290880084118_CMENDTC_001_7	
Item	I_4895290932162622_R_SUPPCM_CONSUS_001_7	
Item	I_4895290950440966_R_AEIDCM_001_7	
Item	I_4895291004231218_R_AEIDCM1_001_7	
Item	I_4895291041335349_R_AEIDCM2_001_7	
Item	I_4895291095934028_R_AEIDCM3_001_7	
Item	I_4895291133432862_R_AEIDCM4_001_7	
Item	I_4895291161680758_R_SUPPCM_ACTTKN_001_7	
Item	I_4895291180765724_R_SUPPCM_RECHAL_001_7	
Item	I_4895290898117298_CMDECOD_001_7	
Item	I_4895290913852812_SUPPCM_CMCODE_001_7	

Codelist Values Tables: CM001_7 CONCOMITANT MEDICATIONS - HORMONAL AND CONTRACEPTION THERAPIES

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_7	0.2			GENERAL CONCOMITANT MEDICATIONS	1	1	0.1	i_4895290745673407_cmcat_001_7
				BIRTH CONTROL METHOD	2	39	0.1	
CMDOSU_CL_001_7	0.26			mg	1	8	0.1	i_4895290809690806_cmdosu_001_7
				g	2	45	0.1	
				g/mL	3	674	0.1	
				Gy	4	1	0.1	

Rad	5	2	0.1
DAYS	6	3	0.1
HOURS	7	4	0.1
%	8	5	0.1
mm	9	6	0.1
kg	10	7	0.1
mL	11	9	0.1
WEEKS	12	10	0.1
MONTHS	13	11	0.1
YEARS	14	12	0.1
m	15	13	0.1
ms	16	14	0.1
s	17	15	0.1
amp	18	16	0.1
cd	19	17	0.1
mol	20	18	0.1
Hz	21	19	0.1
Newton	22	20	0.1
Pa	23	21	0.1
Joule	24	22	0.1
Watt	25	23	0.1
Coulomb	26	24	0.1
V	27	25	0.1
Farad	28	26	0.1
Sv	29	27	0.1
ohm	30	28	0.1
Siemens	31	29	0.1

Weber	32	30	0.1
Tesla	33	31	0.1
Henry	34	32	0.1
C	35	33	0.1
lm	36	34	0.1
lx	37	35	0.1
Bq	38	36	0.1
kat	39	37	0.1
m2	40	38	0.1
m3	41	39	0.1
m/s	42	40	0.1
g/L	43	41	0.1
F	44	42	0.1
ug	45	43	0.1
min	46	44	0.1
cm2	47	46	0.1
ft2	48	47	0.1
Ci	49	48	0.1
AMPULE	50	49	0.1
BAG	51	50	0.1
BAR	52	51	0.1
BOLUS	53	52	0.1
BOTTLE	54	53	0.1
BOX	55	54	0.1
CAN	56	55	0.1
CAPSULE	57	56	0.1
CARTRIDGE	58	57	0.1

COAT	59	58	0.1
CONTAINER	60	59	0.1
CYLINDER	61	60	0.1
DISK	62	61	0.1
DRUM	63	62	0.1
grain	64	63	0.1
HOMEOPATHIC DILUTION	65	64	0.1
IMPLANT	66	65	0.1
in	67	66	0.1
INHALATION	68	67	0.1
JAR	69	68	0.1
KALLIKREIN INHIBITOR UNIT	70	69	0.1
KIT	71	70	0.1
L	72	71	0.1
LOZENGE	73	72	0.1
uCi	74	73	0.1
umol	75	74	0.1
um	76	75	0.1
mCi	77	76	0.1
mEq	78	77	0.1
mmol	79	78	0.1
ng	80	79	0.1
oz	81	81	0.1
nmol	82	80	0.1
PACKAGE	83	82	0.1

PACKET	84	83	0.1
ppm	85	84	0.1
PATCH	86	85	0.1
PELLET	87	86	0.1
%(w/v)	88	87	0.1
%(w/w)	89	88	0.1
POUCH	90	89	0.1
LB	91	90	0.1
PRESSOR UNITS	92	91	0.1
SCOOPFUL	93	92	0.1
SPRAY	94	93	0.1
STRIP	95	94	0.1
SUPPOSITORY	96	95	0.1
SYRINGE	97	96	0.1
Tbsp	98	97	0.1
TABLET	99	98	0.1
TAMPON	100	99	0.1
tsp	101	100	0.1
TRACE	102	101	0.1
TROCHE	103	102	0.1
TUBE	104	103	0.1
VIAL	105	104	0.1
WAFER	106	105	0.1
yd	107	106	0.1
mol/L	108	107	0.1
%(v/v)	109	108	0.1
IU	110	109	0.1

QUANTITY SUFFICIENT	111	110	0.1
cm	112	111	0.1
mmHg	113	112	0.1
kg/m2	114	113	0.1
beats/min	115	114	0.1
breaths/min	116	115	0.1
CUP	117	116	0.1
atm	118	117	0.1
RING	119	118	0.1
mmol/L	120	119	0.1
pg	121	120	0.1
mg/h	122	136	0.1
mg/dL	123	137	0.1
cal	124	138	0.1
fg	125	121	0.1
ag	126	122	0.1
cg	127	123	0.1
dram	128	124	0.1
kg/L	129	125	0.1
mg/L	130	126	0.1
mL/min	131	127	0.1
g/dL	132	128	0.1
pmol	133	129	0.1
PUFF	134	130	0.1
mm2	135	131	0.1
tuberculin unit	136	132	0.1
mL/h	137	133	0.1

/s	138	134	0.1
/min	139	135	0.1
kcal	140	139	0.1
PFU	141	140	0.1
eq	142	141	0.1
HPF	143	142	0.1
g/m2	144	143	0.1
ug/L	145	144	0.1
LPF	146	145	0.1
mV	147	146	0.1
ng/dL	148	147	0.1
ng/L	149	148	0.1
nm	150	149	0.1
osm	151	150	0.1
psi	152	151	0.1
10^6 IU	153	152	0.1
nCi	154	153	0.1
IU/L	155	154	0.1
IU/mL	156	155	0.1
IU/kg	157	156	0.1
IU/mg	158	157	0.1
L/min	159	158	0.1
ug/h	160	159	0.1
ug/kg	161	160	0.1
ukat/L	162	161	0.1
mg/day	163	162	0.1
mg/kg	164	163	0.1

mg/m2	165	164	0.1
umol/day	166	165	0.1
mm/h	167	166	0.1
mmol/day	168	167	0.1
nmol/L	169	168	0.1
pmol/L	170	169	0.1
RNA copies/mL	171	170	0.1
mEq/day	172	171	0.1
mEq/L	173	172	0.1
mEq/kg	174	173	0.1
deg	175	174	0.1
dmol	176	175	0.1
cmol	177	176	0.1
mmol/g	178	177	0.1
fmol	179	178	0.1
amol	180	179	0.1
ft3	181	180	0.1
in2	182	181	0.1
ELISA unit	183	182	0.1
ELISA unit/dose	184	183	0.1
Log10 ELISA unit	185	185	0.1
ELISA unit/mL	186	184	0.1
Log10 ELISA unit/dose	187	186	0.1
mol/mL	188	187	0.1
mmol/kg	189	188	0.1
mol/g	190	189	0.1
mol/mg	191	190	0.1

10 ³ CFU	192	191	0.1
10 ⁶ CFU	193	192	0.1
10 ⁹ CFU	194	193	0.1
10 ³ CFU/g	195	195	0.1
10 ⁶ CFU/g	196	196	0.1
10 ⁹ CFU/g	197	197	0.1
CFU/mL	198	198	0.1
10 ³ CFU/mL	199	199	0.1
CFU/g	200	194	0.1
10 ⁶ CFU/mL	201	200	0.1
10 ⁹ CFU/mL	202	201	0.1
Gauss	203	202	0.1
kg/cm2	204	203	0.1
ppth	205	205	0.1
pm	206	206	0.1
uL/mL	207	207	0.1
g/kg	208	204	0.1
nL	209	208	0.1
gtt	210	209	0.1
mol/mol	211	210	0.1
rpm	212	211	0.1
dyn	213	212	0.1
log EID 50/dose	214	213	0.1
log10 CCID 50/dose	215	214	0.1
log10 TCID 50/dose	216	215	0.1
kIU	217	216	0.1
IU/g	218	217	0.1

anti-Xa IU	219	218	0.1
anti-Xa IU/mL	220	219	0.1
AgU/mL	221	220	0.1
DAGU	222	221	0.1
DAGU/mL	223	222	0.1
tuberculin unit/mL	224	225	0.1
nkat	225	227	0.1
mkat	226	226	0.1
pkat	227	228	0.1
nkat/L	228	229	0.1
kBq	229	230	0.1
MBq	230	231	0.1
GBq	231	232	0.1
Bq/kg	232	233	0.1
Bq/g	233	234	0.1
Bq/ug	234	235	0.1
Bq/mg	235	236	0.1
GBq/g	236	237	0.1
GBq/ug	237	238	0.1
EID 50/dose	238	244	0.1
Ci/mg	239	243	0.1
GBq/mg	240	239	0.1
Ci/g	241	240	0.1
Ci/kg	242	241	0.1
Ci/ug	243	242	0.1
CCID 50/dose	244	245	0.1
TCID 50/dose	245	246	0.1

ukat	246	247	0.1
ppb	247	248	0.1
pptr	248	249	0.1
mCi/kg	249	250	0.1
uCi/kg	250	251	0.1
Roentgen	251	252	0.1
mEq/uL	252	253	0.1
mEq/g	253	254	0.1
mEq/ug	254	255	0.1
Bq/L	255	256	0.1
Bq/uL	256	257	0.1
Bq/mL	257	258	0.1
kBq/uL	258	259	0.1
MBq/uL	259	260	0.1
Ci/L	260	261	0.1
Ci/uL	261	262	0.1
Ci/mL	262	263	0.1
uCi/L	263	264	0.1
mCi/L	264	265	0.1
uV	265	266	0.1
cycle/min	266	267	0.1
km	267	268	0.1
Mile	268	269	0.1
100 IU/mL	269	270	0.1
10^3 organisms	270	271	0.1
10^6 organisms	271	272	0.1
10^9 organisms	272	273	0.1

10 ³ organisms/g	273	274	0.1
10 ⁶ organisms/g	274	275	0.1
10 ⁹ organisms/g	275	276	0.1
10 ⁶ organisms/mg	276	277	0.1
10 ⁹ organisms/mg	277	278	0.1
10 ³ organisms/mL	278	279	0.1
10 ⁶ organisms/mL	279	280	0.1
10 ⁹ organisms/mL	280	281	0.1
PFU/dose	281	282	0.1
PFU/mL	282	283	0.1
bel	283	284	0.1
g/cm ²	284	285	0.1
kUSP	285	286	0.1
km/h	286	287	0.1
NEBULE	287	288	0.1
ug/day	288	289	0.1
mg/kg/min	289	290	0.1
IU/kg/h	290	291	0.1
ug/kg/min	291	292	0.1
ug/min	292	293	0.1
ft	293	294	0.1
FINGERTIP UNIT	294	295	0.1
SACHET	295	296	0.1
mg/kg/h	296	297	0.1
cycle/sec	297	298	0.1
Pack Year	298	299	0.1
U/L	299	300	0.1

U/mL	300	301	0.1
U/g	301	302	0.1
U/mg	302	303	0.1
U/kg	303	304	0.1
/day	304	305	0.1
/h	305	306	0.1
/HPF	306	307	0.1
/LPF	307	308	0.1
/uL	308	309	0.1
/wk	309	310	0.1
AFU	310	311	0.1
amu	311	312	0.1
Absorbance U	312	313	0.1
Absorbance U/min	313	314	0.1
dL	314	315	0.1
EU	315	316	0.1
FEU	316	317	0.1
fL	317	318	0.1
fmol/g	318	319	0.1
fmol/L	319	320	0.1
g/animal	320	321	0.1
g/animal/day	321	322	0.1
g/animal/wk	322	323	0.1
g/cage	323	324	0.1
g/cage/day	324	325	0.1
g/cage/wk	325	326	0.1
g/day	326	327	0.1

g/g	327	328	0.1
g/g/day	328	329	0.1
g/kg/day	329	330	0.1
g/m2/day	330	331	0.1
g/mol	331	332	0.1
kN/cm2	332	333	0.1
kPa	333	334	0.1
L/kg	334	335	0.1
scm	335	336	0.1
mEq/dL	336	337	0.1
mEq/mL	337	338	0.1
MESF	338	340	0.1
mEq/mmol	339	339	0.1
mg/animal	340	342	0.1
mg/g/h	341	343	0.1
mg/g/min	342	344	0.1
mg/kg/day	343	345	0.1
mg/m2/day	344	346	0.1
mg/m2/h	345	347	0.1
mg/m2/min	346	348	0.1
mg/min	347	349	0.1
MHz	348	350	0.1
mL/animal	349	351	0.1
mL/animal/day	350	352	0.1
mL/animal/wk	351	353	0.1
mL/breath	352	354	0.1
mL/cage	353	355	0.1

mL/cage/day	354	356	0.1
mL/cage/wk	355	357	0.1
mL/day	356	358	0.1
mL/g	357	359	0.1
mL/g/day	358	360	0.1
mL/g/h	359	361	0.1
mL/g/min	360	362	0.1
mL/kg	361	363	0.1
mL/kg/day	362	364	0.1
mL/kg/h	363	365	0.1
mL/kg/min	364	366	0.1
mL/m2	365	367	0.1
mL/m2/day	366	368	0.1
mL/m2/h	367	369	0.1
mL/m2/min	368	370	0.1
mmHg/s	369	371	0.1
mOsm	370	372	0.1
mOsm/kg	371	373	0.1
mPa	372	374	0.1
nmol/mL/min	373	375	0.1
ns	374	376	0.1
pg/dL	375	377	0.1
pL	376	378	0.1
ps	377	379	0.1
U	378	380	0.1
U/animal	379	381	0.1
U/g/day	380	382	0.1

U/g/h	381	383	0.1
U/g/min	382	384	0.1
U/kg/day	383	385	0.1
U/kg/h	384	386	0.1
U/kg/min	385	387	0.1
U/m2	386	388	0.1
U/m2/day	387	389	0.1
U/m2/h	388	390	0.1
U/m2/min	389	391	0.1
U/mmol	390	392	0.1
uEq	391	393	0.1
ug/animal	392	394	0.1
ug/dL	393	395	0.1
ug/g/day	394	396	0.1
ug/g/h	395	397	0.1
ug/g/min	396	398	0.1
ug/kg/day	397	399	0.1
ug/kg/h	398	400	0.1
ug/m2	399	401	0.1
ug/m2/day	400	402	0.1
ug/m2/h	401	403	0.1
ug/m2/min	402	404	0.1
ug/mL/h	403	405	0.1
mIU/L	404	406	0.1
uL	405	407	0.1
um2	406	408	0.1
umol/L	407	409	0.1

umol/mg/min	408	410	0.1
uOsM	409	411	0.1
us	410	412	0.1
10^12/L	411	413	0.1
10^3 DNA copies/mL	412	414	0.1
10^3 RNA copies/mL	413	415	0.1
10^3/hpf	414	416	0.1
10^4/hpf	415	417	0.1
10^5/hpf	416	418	0.1
10^6 DNA copies/mL	417	419	0.1
10^6 IU/mL	418	420	0.1
10^6 RNA copies/mL	419	421	0.1
10^6/g	420	422	0.1
10^6/hpf	421	423	0.1
10^6/L	422	424	0.1
10^7/L	423	425	0.1
10^9/L	424	426	0.1
cm H2O	425	427	0.1
DNA copies/mL	426	428	0.1
L/h	427	429	0.1
mL/cm H2O	428	430	0.1
PACK	429	431	0.1
RATIO	430	432	0.1
10^3 copies/mL	431	433	0.1
10^6 copies/mL	432	434	0.1
copies/mL	433	435	0.1
DIOPTER	434	436	0.1

L/s	435	437	0.1
mL/min/1.73m2	436	438	0.1
mU/L	437	439	0.1
/month	438	440	0.1
APPLICATION	439	441	0.1
CAPFUL	440	442	0.1
dB	441	443	0.1
cm/s	442	444	0.1
/100 HPFs	443	445	0.1
log10 CFU/g	444	446	0.1
log10 CFU/mL	445	447	0.1
cGy	446	448	0.1
mL/s	447	449	0.1
/mL	448	450	0.1
/dL	449	451	0.1
/L	450	452	0.1
/VF	451	453	0.1
10^10/L	452	454	0.1
10^11/L	453	455	0.1
10^12 IU/L	454	456	0.1
10^3/L	455	457	0.1
10^4/L	456	458	0.1
10^5/L	457	459	0.1
10^8/L	458	460	0.1
CAPLET	459	461	0.1
cL	460	462	0.1
cm/min	461	463	0.1

cmol/L	462	464	0.1
cs	463	465	0.1
damol/L	464	466	0.1
foz_br	465	467	0.1
foz_us	466	468	0.1
fraction of 1	467	469	0.1
hPa	468	470	0.1
kDa	469	471	0.1
kPa/L/s	470	472	0.1
ks	471	473	0.1
L/h/m2	472	474	0.1
L/L	473	475	0.1
L/min/m2	474	476	0.1
mL/cm	475	477	0.1
mL/dL	476	478	0.1
mL/min/mmHg	477	479	0.1
mL/s/1.73 m2	478	480	0.1
mm/2h	479	481	0.1
mm/min	480	482	0.1
mm/s	481	483	0.1
mmHg/L/min	482	484	0.1
mph	483	485	0.1
mV*min	484	486	0.1
nU/cL	485	487	0.1
PA	486	488	0.1
pt_br	487	489	0.1
pt_us	488	490	0.1

titer	489	491	0.1
U/cL	490	492	0.1
U/dL	491	493	0.1
ugEq	492	494	0.1
umol/L/s	493	495	0.1
uV*s	494	496	0.1
V/s	495	497	0.1
Frames/s	496	498	0.1
mL/mmHg	497	499	0.1
Antibody Unit	498	500	0.1
BISCUIT	499	501	0.1
BLOCKS	500	502	0.1
Hounsfield Unit	501	503	0.1
kHz	502	504	0.1
pmol/day	503	597	0.1
pmol/dL	504	598	0.1
pmol/L/h	505	599	0.1
U/10 ¹² RBC	506	600	0.1
ug/L/h	507	601	0.1
ugEq/L	508	602	0.1
umol/mol	509	603	0.1
GPL U	510	604	0.1
MPL U	511	605	0.1
L/day	512	606	0.1
IU/day	513	607	0.1
mol/day	514	608	0.1
nmol/day	515	609	0.1

nmol/g	516	610	0.1
No Unit	517	611	0.1
/10^3	518	612	0.1
mg/cm2	519	613	0.1
mg/dose	520	614	0.1
mg/kg/dose	521	615	0.1
mL/dose	522	616	0.1
TRANSDUCING UNIT	523	617	0.1
mmol/mol	524	505	0.1
STEPS	525	506	0.1
Torr	526	507	0.1
Shock Wave	527	508	0.1
VIRTUAL PIXEL	528	509	0.1
PIXELS/cm	529	510	0.1
PIXELS/in	530	511	0.1
%/min	531	512	0.1
mV2/Hz	532	513	0.1
cy/cm	533	514	0.1
NEEDLE GAUGE	534	515	0.1
PIXEL	535	516	0.1
Enzyme U	536	517	0.1
mg/mL/min	537	518	0.1
DPM	538	519	0.1
/10^3 cells	539	520	0.1
/nL	540	521	0.1
BE/mL	541	523	0.1
CIGAR	542	524	0.1

CIGARETTE	543	525	0.1
copies/uL	544	526	0.1
HEP	545	527	0.1
log10 IU/mL	546	528	0.1
mJoule/cm2	547	529	0.1
mL/mmHg/min/L	548	530	0.1
mmol/min/kPa	549	531	0.1
mmol/min/kPa/L	550	532	0.1
PIPE	551	533	0.1
PNU/mL	552	534	0.1
SBE/mL	553	535	0.1
SQU/mL	554	536	0.1
umol/min	555	537	0.1
/100 WBC	556	538	0.1
v/v	557	539	0.1
cpm	558	540	0.1
NFIU	559	541	0.1
% INHIBITION	560	542	0.1
/pL	561	543	0.1
APL U/mL	562	544	0.1
BU	563	545	0.1
BU/mL	564	546	0.1
dpm/100mg	565	547	0.1
dpm/mg	566	548	0.1
dpm/mL	567	549	0.1
GPL U/mL	568	550	0.1
log10 copies/mL	569	551	0.1

MPL U/mL	570	552	0.1
nmol BCE/L	571	553	0.1
uEq/L	572	554	0.1
nmol BCE/mmol	573	555	0.1
pg/L	574	556	0.1
POINT	575	557	0.1
mg/mol	576	558	0.1
/kg	577	559	0.1
CCID 50/mL	578	560	0.1
dpm/0.5 mL	579	561	0.1
EID 50/mL	580	562	0.1
IU/dL	581	563	0.1
kg/cm	582	564	0.1
SFC/10 ⁶ PBMC	583	565	0.1
U.CARR	584	566	0.1
umol/L/min	585	567	0.1
m/s ²	586	568	0.1
/4.0 mL	587	569	0.1
/7.5 mL	588	570	0.1
/mm ²	589	571	0.1
10 ⁹ /g	590	572	0.1
Anson U	591	573	0.1
APL U	592	574	0.1
cd*s/m ²	593	575	0.1
cd/m ²	594	576	0.1
EIA unit	595	577	0.1
fmol/L/s	596	578	0.1

IU/g Hb	597	579	0.1
IU/mmol	598	580	0.1
ka_u/dL	599	581	0.1
kg/mol	600	582	0.1
mAnson U/mL	601	583	0.1
mg2/dL2	602	584	0.1
mmol2/L2	603	585	0.1
mOsm/L	604	586	0.1
mU/g	605	587	0.1
mV/s	606	588	0.1
nmol BCE/nmol	607	589	0.1
nmol/L/h	608	590	0.1
nmol/L/min	609	591	0.1
nmol/mol	610	592	0.1
PFU/animal	611	593	0.1
pkat/L	612	594	0.1
pmol/10^10 cells	613	595	0.1
pmol/10^9 cells	614	596	0.1
TRANSDUCING UNIT /mL	615	618	0.1
ug/dose	616	619	0.1
uIU/dL	617	620	0.1
uIU/L	618	621	0.1
ukat/10^12 RBC	619	622	0.1
uL/dose	620	623	0.1
umol/h/mmol	621	624	0.1
umol/L/h	622	625	0.1

uU/dL	623	626	0.1
uU/L	624	627	0.1
vg/dose	625	628	0.1
vp/dose	626	630	0.1
vg/mL	627	629	0.1
vp/mL	628	631	0.1
ug/cm2	629	632	0.1
pmol/g	630	633	0.1
Absorbance U/mL	631	634	0.1
copies/ug	632	635	0.1
mm3/mm2/year	633	636	0.1
um/day	634	637	0.1
umol/kg/min	635	638	0.1
Gravitational Unit	636	639	0.1
1/(s*kPa)	637	640	0.1
MET	638	641	0.1
MET*h	639	642	0.1
MET*min	640	643	0.1
mL/beat	641	644	0.1
mN	642	645	0.1
PHERESIS UNIT	643	646	0.1
ng/mL	644	647	0.1
K/cu mm	645	648	0.1
10^6/cu mm	646	649	0.1
mIU/mL	647	650	0.1
mcmol/L	648	651	0.1
mclU/mL	649	652	0.1

mg/mL	650	653	0.1
ug/mL	651	654	0.1
10^6 cells	652	655	0.1
nmol*min	653	656	0.1
10^6/uL	654	657	0.1
10^3/uL	655	658	0.1
mg/g	656	659	0.1
kU/L	657	660	0.1
BEAM BREAKS	658	661	0.1
umol/dL	659	662	0.1
Arbitrary U	660	663	0.1
Ejaculate U	661	664	0.1
/LSQN	662	665	0.1
/mm	663	666	0.1
10^6/Ejaculate U	664	667	0.1
gpELISA unit/mL	665	668	0.1
mL/(min*100mL)	666	669	0.1
ngEq/L	667	670	0.1
OI50	668	671	0.1
s^-1(%O2)^-1	669	672	0.1
Index Value	670	675	0.1
Cells/uL	671	676	0.1
mU/mL	672	677	0.1
mm3	673	678	0.1
log10 Titer	674	679	0.1
log2 Titer	675	680	0.1
CH50	676	681	0.1

ug/g	677	682	0.1
Caliper unit	678	683	0.1
/cmH2O	679	684	0.1
dB/m	680	685	0.1
pg/mL	681	686	0.1
vg/ug genomic DNA	682	687	0.1
cp per 10ng Genomic DNA	683	688	0.1
DROP	684	689	0.1
SGU	685	690	0.1
SMU	686	691	0.1
10^13vg	687	692	0.1
CELLS/MM3	688	693	0.1
NEGATIVE LOG VALUE	689	694	0.1
COPY/UG RNA	690	695	0.1
CH50 U Eq/mL	691	696	0.1
uIU/mL	692	697	0.1
10^10 vg	693	698	0.1
10^11 vg	694	699	0.1
10^12 vg	695	700	0.1
10^14 vg	696	701	0.1
10^15 vg	697	702	0.1
10^16 vg	698	703	0.1
vg/mg	699	704	0.1
kBq/mL	700	705	0.1
g/cm3	701	706	0.1
uCi/mg	702	707	0.1

vg/ug gDNA	703	708	0.1
MARKER	704	709	0.1
HOURS/WEEK	705	710	0.1
nCi/mL	706	711	0.1
BP	707	712	0.1
hr/day	708	713	0.1
10^3/mm3	709	714	0.1
Mean Spot number per 400000 Cells	710	715	0.1
10^8 PFU	711	716	0.1
ug/tsp	712	717	0.1
mg/tsp	713	718	0.1
g/tsp	714	719	0.1
ug/tbsp	715	720	0.1
mg/tbsp	716	721	0.1
g/tbsp	717	722	0.1
ug/drop	718	723	0.1
mg/drop	719	724	0.1
g/drop	720	725	0.1
ug/FINGER TIP	721	726	0.1
mg/FINGER TIP	722	727	0.1
g/FINGER TIP	723	728	0.1
ug/spray	724	729	0.1
mg/spray	725	730	0.1
g/spray	726	731	0.1
g/hr	727	732	0.1
uCi/g	728	733	0.1

syllable/sec	729	734	0.1
frame/sec	730	735	0.1
Copies/10ng gDNA	731	737	0.1
ng/mL DDU	732	738	0.1
micromol/L	733	739	0.1
Log copies/mL	734	740	0.1
cells/mcL	735	741	0.1
pH	736	742	0.1
nmol/mL	737	743	0.1
mg/mg	738	744	0.1
GI/L	739	745	0.1
TI/L	740	746	0.1
nM x min	741	747	0.1
mcg/L	742	748	0.1
mmHg%	743	749	0.1
log10 TCID 50/mL	744	750	0.1
1/Dilution	745	751	0.1
CU	746	752	0.1
Units	747	753	0.1
NPX	748	754	0.1
bpm	749	755	0.1
dynes*sec/cm5	750	756	0.1
mmHg*m2 /L/min	751	757	0.1
/100 Enterocytes	752	758	0.1
MdFI	753	759	0.1
MnFI	754	760	0.1

				Fraction Radioactive Marker*hr	755	761	0.1	
				DuA	756	762	0.1	
				mmHg*min/L	757	763	0.1	
				mmol/kg/s	758	764	0.1	
				mg/L FEU	759	765	0.1	
				Arbitrary U/mL	760	766	0.1	
				Binding Ab Unit	761	767	0.1	
				Binding Ab Unit/mL	762	768	0.1	
				FIU	763	769	0.1	
				SAU	764	770	0.1	
				IU/g Hgb	765	771	0.1	
				EVENTS	766	772	0.1	
				mcg/mL	767	773	0.1	
				EU_ML	768	774	0.1	
				Log2 counts/million	769	775	0.1	
				10^6 cells/kg	770	776	0.1	
				nmol/cm2	771	777	0.1	
				ABC	772	778	0.1	
X_CMONGO_CL_001_7	0.1			YES	1	Y	0.1	i_4895290863676277_x_cmongo_001_7
				NO	2	N	0.1	
R_SUPPCM_CONSUS_CL_001_7	0.2			NO	1	N	0.1	i_4895290932162622_r_suppcm_consus_001_7
				YES	2	Y	0.1	
R_SUPPCM_ACTTKN_CL_001_7	0.2			DOSE INCREASED	1	1	0.1	i_4895291161680758_r_suppcm_acttkn_001_7
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	

				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
R_SUPPCM_RECHAL_CL_001_7	0.2			POSITIVE	1	1	0.1	i_4895291180765724_r_suppcm_rechal_001_7
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	

Variable Validations CM001_7 CONCOMITANT MEDICATIONS - HORMONAL AND CONTRACEPTION THERAPIES

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_7	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001_7	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_7	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001_7	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CMENDTC_001_7	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMENDTC_001_7	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMENDTC_001_7	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMENDTC_001_7	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_7 CONCOMITANT MEDICATIONS - HORMONAL AND CONTRACEPTION THERAPIES

Group RefName	Group Type	Associated Variables
IG_4895275618381217_CM01001_7	Non-Repeating	CMSPID_001_7, CMCAT_001_7, CMTRT_001_7, CMINDC_001_7, X_CMDSTXT_001_7, CMDOSU_001_7, CMSTDTC_001_7, X_CMONGO_001_7, CMENDTC_001_7, R_SUPPCM_CONSUS_001_7, R_AEIDCM_001_7, R_AEIDCM1_001_7, R_AEIDCM2_001_7, R_AEIDCM3_001_7, R_AEIDCM4_001_7, R_SUPPCM_ACTTKN_001_7, R_SUPPCM_RECHAL_001_7, CMDECOD_001_7, SUPPCM_CMCODE_001_7

Instruments

R_TRIG001_2 / TRIGGER FORM - IOCBP EVAL

Instrument Definition

Instrument Name:	R_TRIG001_2
Instrument Title:	TRIGGER FORM - IOCBP EVAL
SAS Instrument Name:	R_TRIG001_2
Description:	TRIG
Version:	0.16
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: R_TRIG001_2 TRIGGER FORM - IOCBP EVAL (TRIG) [Version: 0.16]		
Section TRIGGER FORM R_TRIG001_S_2		Permission Groups
Group of Fields R_TRIG01001_2 / Trigger Form Group Type: Non-Repeating	Number of variables: 1	

1.*	Select appropriate response - Is the participant Biologically capable of childbirth: [R_TRIGRESP6_001_2] [TRGRES6]	[R_TRIGRESP6_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
-----	--	--	--

Key: [*] = Item is required

Study Object Descriptions: R_TRIG001_2 TRIGGER FORM - IOCBP EVAL

Type	RefName	Description
Form	CRF_4895254831499956_R_TRIG001_2	R_TRIG001_2
Item	I_4895291196147051_R_TRIGRESP6_001_2	

Codelist Values Tables: R_TRIG001_2 TRIGGER FORM - IOCBP EVAL

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_TRIGRESP6_CL_001_2	0.3			Participant is an individual who is biologically capable of having children	1	27	0.1	i_4895291196147051_r_trigresp6_001_2
				Participant is not of childbearing potential	2	28	0.1	

Groups of Fields R_TRIG001_2 TRIGGER FORM - IOCBP EVAL

Group RefName	Group Type	Associated Variables
IG_4895274999218928_R_TRIG01001_2	Non-Repeating	R_TRIGRESP6_001_2

Instruments

X_SAS001 / STUDY ANALYSIS SETS - SUBSET SELECTION

Instrument Definition

Instrument Name:	X_SAS001
Instrument Title:	STUDY ANALYSIS SETS - SUBSET SELECTION
SAS Instrument Name:	X_SAS001
Description:	STUDYAS
Version:	0.5
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: X_SAS001 STUDY ANALYSIS SETS - SUBSET SELECTION (STUDYAS) [Version: 0.5]		
Section STUDY ANALYSIS SETS - SUBSET SELECTION X_SAS001_S		Permission Groups
Group of Fields X_SAS01001 / Study Analysis Sets Group Type: Non-Repeating	Number of variables: 1	

1.*	Is participant part of the reactogenicity subset? [SUPPDM_REACTOFL_001] [SASREACT]	[SUPPDM_REACTOFL_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO to record whether the participant is included in the reactogenicity subset.	
Key: [*] = Item is required			

Study Object Descriptions: X_SAS001 STUDY ANALYSIS SETS - SUBSET SELECTION		
Type	RefName	Description
Form	CRF_4895255069462409_X_SAS001	X_SAS001
Item	I_4895291211416517_SUPPDM_REACTOFL_001	

Codelist Values Tables: X_SAS001 STUDY ANALYSIS SETS - SUBSET SELECTION								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDM_REACTOFL_CL_001	0.1			NO	1	N	0.1	i_4895291211416517_suppdm_reactofl_001
				YES	2	Y	0.1	

Groups of Fields X_SAS001 STUDY ANALYSIS SETS - SUBSET SELECTION		
Group RefName	Group Type	Associated Variables
IG_4895275782884456_X_SAS01001	Non-Repeating	SUPPDM_REACTOFL_001

Instruments

DS001_1 / ADDITIONAL INFORMED CONSENT - PBMC

Instrument Definition

Instrument Name:	DS001_1
Instrument Title:	ADDITIONAL INFORMED CONSENT - PBMC
SAS Instrument Name:	DS001_1
Description:	ADD CONST
Version:	0.8
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: DS001_1 ADDITIONAL INFORMED CONSENT - PBMC (ADD CONST) [Version: 0.8]		
Section ADDITIONAL INFORMED CONSENT - PBMC DS001_1_S		Permission Groups
Group of Fields DS01001_1 / Additional Informed Consent Group Type: Non-Repeating	Number of variables: 2	

1.* 	Consent Was: [SUPPDS_DSCSOBT_001_1] [DSCSOBT]	[SUPPDS_DSCSOBT_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if the subject's consent was "Obtained", "Not Obtained" or "Not Required".	
2.* 	Date of Written Consent Obtained: [DSSTDTC_001_1] [DSSTDTC] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Written Consent Obtained using the format (DD-MMM-YYYY).	

Key: [*] = Item is required  = Source verification required

Study Object Descriptions: DS001_1 ADDITIONAL INFORMED CONSENT - PBMC

Type	RefName	Description
Form	CRF_4895255308667870_DS001_1	DS001_1
Item	I_4895291226847182_SUPPDS_DSCSOBT_001_1	
Item	I_4895291242778982_DSSTDTC_001_1	

Codelist Values Tables: DS001_1 ADDITIONAL INFORMED CONSENT - PBMC

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSCSOBT_CL_001_1	0.3			OBTAINED	1	1	0.1	i_4895291226847182_suppds_dscsobt_001_1
				NOT OBTAINED	2	2	0.1	

Variable Validations DS001_1 ADDITIONAL INFORMED CONSENT - PBMC

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_1	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_1	>=_ENROLLMENT	>=	>=_ENROLLMENT	Date is on or after 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001_1	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_1	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.

DSSTDTC_001_1	>=_FIRST_DOSE	>=	>=_FIRST_DOSE	Date is on or after the first dose date. Please review and update if appropriate.
---------------	---------------	----	---------------	---

Groups of Fields DS001_1 ADDITIONAL INFORMED CONSENT - PBMC

Group RefName	Group Type	Associated Variables
IG_4895275764550691_DS01001_1	Non-Repeating	SUPPDS_DSCSOBT_001_1, DSSTDTC_001_1

Instruments

RPPMD064 / POTENTIAL MENSTRUAL DISTURBANCES

Instrument Definition

Instrument Name:	RPPMD064
Instrument Title:	POTENTIAL MENSTRUAL DISTURBANCES
SAS Instrument Name:	RPPMD064
Description:	MENSDIS
Version:	0.57
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: RPPMD064 <i>POTENTIAL MENSTRUAL DISTURBANCES</i> (MENSDIS) [Version: 0.57]		
Section POTENTIAL MENSTRUAL DISTURBANCES <i>RPPMD064_S</i>		Permission Groups
Group of Fields RPPMD01064 / Menstrual Distubances Group Type: Non-Repeating	Number of variables: 23	

1.*	Date of Assessment: [Y_RPDTC_064] [PMDDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of the Adverse Event in the format dd-MMM-yyyy (e.g., 01-JAN-2006). A complete date is required.	
2.*	Is this the FIRST Potential Menstrual Disturbance reported for this participant during the study? [R_PMDFSTMD_064] [PMDFSTMD]	[R_PMDFSTMD_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.*	Has the participant's hormonal status/history changed since the last assessment? [RPORRES_RPHORMCH_064] [PMDHRMCH] (Nested Field)	[RPORRES_RPHORMCH_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record 'Yes' or 'No' to verify if there has been a change in the participant's hormonal status. If Yes, please complete questions 4-12 below If No, please proceed to question 13 below	
4.*	Does the participant have a history of menstrual disturbances? [RPORRES_MDHXIND_064] [PMDHIST] (Nested Field)	[RPORRES_MDHXIND_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record 'No' or 'Yes', to confirm if the participant has a history of menstrual disturbances. If 'Yes' is selected, please ensure to enter the details in Medical History CRF. If Participant is 'Premenarchal', select 'Not Applicable'.	

5.*	What is the participant's current hormonal status? [RPORRES_RPHORM_064] [PMDHORM]	[RPORRES_RPHORM_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please select the participant's hormonal status at the time of the event.	
6.*	Age at Menarche (Years): <i>[Branching logic expression: (not(empty([R_PMDFSTMD_064])) and [R_PMDFSTMD_064]="Y") and (not(empty([RPORRES_RPHORM_064])) and ([RPORRES_RPHORM_064]="2" or [RPORRES_RPHORM_064]="3" or [RPORRES_RPHORM_064]="4" or [RPORRES_RPHORM_064]="5"))]</i> [RPORRES_MENARAGE_064] [PMDMAGE]	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the participant's age (in Years) when menarche was attained.	

7.*	Has contraception been used in the past 12 months? <i>[Branching logic expression: (not(empty([R_PMDFSTMD_064])) and [R_PMDFSTMD_064]="Y") or (not(empty([RPORRES_RPHORMCH_064])) and [RPORRES_RPHORMCH_064]="Y")]</i> [RPORRES_CONTRIND_064] [PMDCONT]	[RPORRES_CONTRIND_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Select 'No' or Yes', to confirm if the participant has used contraception in last year. Contraception includes, but is not limited to: - Oral Contraception - Contraceptive Patch - Injectable Contraceptive - Implantable Contraceptive - Hormonal IUD - Nonhormonal IUD - Copper-containing IUD Contraception medications must be entered on the Concomitant Medication CRF.	
8.*	Is the participant on any Hormone Therapy? <i>[Branching logic expression: (not(empty([R_PMDFSTMD_064])) and [R_PMDFSTMD_064]="Y") or (not(empty([RPORRES_RPHORMCH_064])) and [RPORRES_RPHORMCH_064]="Y")]</i> [RPORRES_HTHERIND_064] [PMDHTHER]	[RPORRES_HTHERIND_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select 'Yes' if the participant is on a hormone therapy, for example hormone replacement therapy, gender-affirming hormone therapy, or oral birth control for PCOS. If 'Yes' is selected, please enter the medication /treatment on the Concomitant Medication page. Otherwise, select 'No'.	

9.*	Over the past 12 months has the participant had regular menstrual cycles? (i.e., 23-35 days)? <i>[Branching logic expression: (not(empty([R_PMDFSTMD_064])) and [R_PMDFSTMD_064]="Y") or (not(empty([RPORRES_RPHORMCH_064])) and [RPORRES_RPHORMCH_064]="Y")]</i> [RPORRES_MENREG_064] [PMDMREG]	[RPORRES_MENREG_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select 'Yes', 'No' or 'Unknown', to report the participants regular menstrual cycle (23-35 days) over the past 12 months. When providing a response, the participant should consider the average regularity of her cycles over the 12-month period. If the participant's current hormonal status is 'Premenarchal' or 'Postmenopausal', select 'Not Applicable'.	
10.*	Usual Cycle Length: <i>[Branching logic expression: (not(empty([R_PMDFSTMD_064])) and [R_PMDFSTMD_064]="Y") or (not(empty([RPORRES_RPHORMCH_064])) and [RPORRES_RPHORMCH_064]="Y")]</i> [RPORRES_MENSDURA_064] [PMDMDURA]	[RPORRES_MENSDURA_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please select the appropriate Menstrual cycle length of the participant. When providing a response, the participant should consider the average length of her cycle. If Participant is 'Premenarchal' or 'Postmenopausal', select 'Not Applicable'.	

11.*	Usual Number of Days Bleeding/Spotting: <i>[Branching logic expression: (not(empty([R_PMDFSTMD_064])) and [R_PMDFSTMD_064]="Y") or (not(empty([RPORRES_RPHORMCH_064])) and [RPORRES_RPHORMCH_064]="Y")]</i> [RPORRES_BLDSPNA_064] [PMDBLDNA]	[RPORRES_BLDSPNA_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the number of days bleeding during menstrual cycle. When providing a response, the participant should consider the average number of days bleeding she experiences. If Participant is 'Premenarchal' or 'Postmenopausal', select 'Not Applicable'	
12.*	Usual Menstrual Flow: <i>[Branching logic expression: (not(empty([R_PMDFSTMD_064])) and [R_PMDFSTMD_064]="Y") or (not(empty([RPORRES_RPHORMCH_064])) and [RPORRES_RPHORMCH_064]="Y")]</i> [RPORRES_MENFRDA_064] [PMDMFLWA]	[RPORRES_MENFRDA_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate menstrual flow. When providing a response, the participant should consider her typical menstrual flow, using the following guide: Light - Approx 1-2 regular pads or tampons or 15 ml of blood (if using cup) per day (24 hours). Medium - Approx 3-5 regular pads or tampons or 15ml - 30 ml of blood (if using cup) per day (24 hours). Heavy - Approx more than 5 regular pads or tampons or above 35ml of blood (if using cup) per day (24 hours). If Participant is 'Premenarchal' or Postmenopausal, select 'Not Applicable'.	

13.*	Usual Menstrual Pain/Cramping: <i>[Branching logic expression: (not(empty([R_PMDFSTMD_064])) and [R_PMDFSTMD_064]="Y") or (not(empty([RPORRES_RPHORMCH_064])) and [RPORRES_RPHORMCH_064]="Y")]</i> [RPORRES_MENSPNA_064] [PMDPAINA]	[RPORRES_MENSPNA_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the intensity of menstrual pain/cramping. When providing a response, the participant should consider the average severity of her menstrual pain/cramping. None - No pain/cramping. Mild - Does not interfere with the participant's usual function. Moderate - Interferes to some extent with participant's usual function. Severe - Interferes significantly with participant's usual function. Not Applicable - If the participant is 'Premenarchal' or Postmenopausal, or if this is otherwise not applicable for the participant.	
14.*	Regarding the reported AE, has this menstrual disturbance occurred over 2 or more sequential cycles? [FAORRES_SEQ2CYC_064] [PMD2CYC]	[FAORRES_SEQ2CYC_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES if this menstrual disturbance occurred over 2 or more sequential cycles. Otherwise, select NO. If YES is selected, report the number of sequential cycles in the space provided. Maximum of 2 digits are allowed.	

15.*	If Yes, how many sequential cycles? [FAORRES_SEQ2CYCN_064] [PMD2CYCN] (Nested Field)	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
16.*	Start Date of Last Menses Prior to this AE [RPORRES_LMPSTDTC_064] [PMDSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date of the last menses prior to this AE/AE(s) using the format DD/MMM/YYYY. If day is Unknown, use UNK in the drop-down list. Month and Year are required. Please add an item level comment of 'Not Applicable' if the participant 'Premenarchal' or 'Postmenopausal'.	

17.*	Stop Date of Last Menses Prior to this AE [RPORRES_LMPENDTC_064] [PMDENDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date of the last menses prior to this AE/AE(s) using the format DD/MMM/YYYY. If day is Unknown, use UNK in the drop-down list. Month and Year are required. Please add an item level comment of 'Not Applicable' if the participant 'Premenarchal' or 'Postmenopausal'.	
------	--	--	--

18.*	Regarding this AE, what was the maximum number of tampons/pads the participant needed to change over a 12 months period (if AE has occurred over multiple cycles consider the average)? [FAORRES_TAMPMAXN_064] [PMDTAMPN]	[FAORRES_TAMPMAXN_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the number of tampons/pads the participant needed to change during a [protocol specified timeframe] time window for this AE. If AE has occurred over multiple cycles, select the 'average' number of pads /tampons used. If Participant is 'Premenarchal' or 'Postmenopausal', select 'Not Applicable'.	
19.*	Regarding this AE, how many days bleeding did the participant experience (if AE has occurred over multiple cycles consider the average)? [FAORRES_BLDSPN_064] [PMDBLDN]	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
20.*	Regarding this AE - Menstrual pain/cramping (if AE has occurred over multiple cycles consider the average) [FAORRES_MENSPN_064] [PMDPAIN]	[FAORRES_MENSPN_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

21.*	Has the participant undergone any gynecological investigations for this AE? [FAORRES_GYNININD_064] [GYNININD]	[FAORRES_GYNININD_CL_064] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
22.	Comment: [CO_COVAL1_064] [PMDCOM1]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If YES is selected, provide the details of the corresponding investigations and results in the textbox provided. Maximum of 200 characters are allowed.	

23.	Additional Comment: [CO_COVAL2_064] [PMDCOM2]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record additional comments (if any) in the space provided. Maximum of 200 characters are allowed.	
-----	---	---	--

Key: [*] = Item is required

Study Object Descriptions: RPPMD064 POTENTIAL MENSTRUAL DISTURBANCES

Type	RefName	Description
Form	CRF_4895255548549934_RPPMD064	RPPMD064
Item	I_4895291259665860_Y_RPDTC_064	
Item	I_4895291276374537_R_PMDFSTMD_064	
Item	I_4895291291890291_RPORRES_RPHORMCH_064	
Item	I_4895291307248545_RPORRES_MDHXIND_064	
Item	I_4895291322576851_RPORRES_RPHORM_064	
Item	I_4895291337926399_RPORRES_MENARAGE_064	
Item	I_4895291362189489_RPORRES_CONTRIND_064	
Item	I_4895291385837736_RPORRES_HTHERIND_064	
Item	I_4895291409614921_RPORRES_MENREG_064	
Item	I_4895291433597548_RPORRES_MENSDURA_064	
Item	I_4895291457545590_RPORRES_BLDSPNA_064	
Item	I_4895291481653765_RPORRES_MENFRDA_064	

Item	I_4895291588249708_RPORRES_MENSPNA_064	
Item	I_4895291630015609_FAORRES_SEQ2CYC_064	
Item	I_4895291646100665_FAORRES_SEQ2CYCN_064	
Item	I_4895291505711510_RPORRES_LMPSTDTC_064	
Item	I_4895291523062090_RPORRES_LMPENDTC_064	
Item	I_4895291539914678_FAORRES_TAMPMAXN_064	
Item	I_4895291556402643_FAORRES_BLDSPN_064	
Item	I_4895291613705524_FAORRES_MENSPN_064	
Item	I_4895291572389697_FAORRES_GYNININD_064	
Item	I_4895291665509679_CO_COVAL1_064	
Item	I_4895291682011929_CO_COVAL2_064	

Codelist Values Tables: RPPMD064 POTENTIAL MENSTRUAL DISTURBANCES

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_PMDFSTMD_CL_064	0.2			YES	1	Y	0.1	i_4895291276374537_r_pmdfstmd_064
				NO	2	N	0.1	
RPORRES_RPHORMCH_CL_064	0.3			YES	1	Y	0.1	i_4895291291890291_rporres_rphormch_064
				NO	2	N	0.1	
				UNKNOWN	3	U	0.1	
				NOT APPLICABLE	4	NA	0.1	
RPORRES_MDHXIND_CL_064	0.3			YES	1	Y	0.1	i_4895291307248545_rporres_mdhxind_064
				NO	2	N	0.1	
				UNKNOWN	3	U	0.1	
				NOT APPLICABLE	4	NA	0.1	
RPORRES_RPHORM_CL_064	0.2			PREMENARCHAL	1	1	0.1	i_4895291322576851_rporres_rphorm_064

				MENARCHAL	2	2	0.1	
				PERIMENOPAUSAL	3	3	0.1	
				MENOPAUSAL	4	4	0.1	
				POSTMENOPAUSAL	5	5	0.1	
RPORRES_CONTRIND_CL_064	0.2			YES	1	Y	0.1	i_4895291362189489_rporres_contrind_064
				UNKNOWN	2	U	0.1	
				NOT APPLICABLE	3	NA	0.1	
				NO	4	N	0.1	
RPORRES_HTHERIND_CL_064	0.2			NO	1	N	0.1	i_4895291385837736_rporres_htherind_064
				YES	2	Y	0.1	
				UNKNOWN	3	U	0.1	
				NOT APPLICABLE	4	NA	0.1	
RPORRES_MENREG_CL_064	0.2			UNKNOWN	1	U	0.1	i_4895291409614921_rporres_menreg_064
				NOT APPLICABLE	2	NA	0.1	
				YES	3	Y	0.1	
				NO	4	N	0.1	
RPORRES_MENSDURA_CL_064	0.2			<23 DAYS	1	1	0.1	i_4895291433597548_rporres_mensdura_064
				23-35 DAYS	2	2	0.1	
				>35 DAYS	3	3	0.1	
				NOT APPLICABLE	4	4	0.1	
RPORRES_BLDSPNA_CL_064	0.2			<3 DAYS	1	1	0.1	i_4895291457545590_rporres_bldspna_064
				3-5 DAYS	2	2	0.1	
				5-7 DAYS	3	3	0.1	
				>7 DAYS	4	4	0.1	
				NOT APPLICABLE	5	5	0.1	
RPORRES_MENFRDA_CL_064	0.2			LIGHT	1	1	0.1	i_4895291481653765_rporres_menfrda_064
				MEDIUM	2	2	0.1	

				HEAVY	3	3	0.1	
				NOT APPLICABLE	4	4	0.1	
RPORRES_MENSPNA_CL_064	0.1			NONE	1	1	0.1	i_4895291588249708_rporres_menspna_064
				MILD	2	2	0.1	
				MODERATE	3	3	0.1	
				SEVERE	4	4	0.1	
				NOT APPLICABLE	5	5	0.1	
FAORRES_SEQ2CYC_CL_064	0.1			YES	1	Y	0.1	i_4895291630015609_faorres_seq2cyc_064
				NO	2	N	0.1	
FAORRES_TAMPMAXN_CL_064	0.2			1-2	1	1	0.1	i_4895291539914678_faorres_tampmaxn_064
				3-5	2	2	0.1	
				MORE THAN 5	3	3	0.1	
				NOT APPLICABLE	4	4	0.1	
FAORRES_MENSPN_CL_064	0.1			NONE	1	1	0.1	i_4895291613705524_faorres_menspn_064
				MILD	2	2	0.1	
				MODERATE	3	3	0.1	
				SEVERE	4	4	0.1	
				NOT APPLICABLE	5	5	0.1	
FAORRES_GYNININD_CL_064	0.2			YES	1	Y	0.1	i_4895291572389697_faorres_gyninind_064
				UNKNOWN	2	U	0.1	
				NOT APPLICABLE	3	NA	0.1	
				NO	4	N	0.1	

Variable Validations RPPMD064 POTENTIAL MENSTRUAL DISTURBANCES

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
Y_RPDTC_064	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Y_RPDTC_064	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
Y_RPDTC_064	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
Y_RPDTC_064	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
Y_RPDTC_064	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
RPORRES_LMPSTDTC_064	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
RPORRES_LMPSTDTC_064	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
RPORRES_LMPSTDTC_064	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
RPORRES_LMPSTDTC_064	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
RPORRES_LMPSTDTC_064	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
RPORRES_LMPENDTC_064	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
RPORRES_LMPENDTC_064	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
RPORRES_LMPENDTC_064	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
RPORRES_LMPENDTC_064	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
RPORRES_LMPENDTC_064	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields RPPMD064 POTENTIAL MENSTRUAL DISTURBANCES

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_4895275746950432_RPPMD01064	Non-Repeating	Y_RPDTC_064, R_PMDFSTMD_064, RPORRES_RPHORMCH_064, RPORRES_MDHXIND_064, RPORRES_RPHORM_064, RPORRES_MENARAGE_064, RPORRES_CONTRIND_064, RPORRES_HTHERIND_064, RPORRES_MENREG_064, RPORRES_MENS dura_064, RPORRES_BLDSPNA_064, RPORRES_MENFRDA_064, RPORRES_MENSPNA_064, FAORRES_SEQ2CYC_064, FAORRES_SEQ2CYCN_064, RPORRES_LMPSTDTC_064, RPORRES_LMPENDTC_064, FAORRES_TAMPMAXN_064, FAORRES_BLDSPN_064, FAORRES_MENSPN_064, FAORRES_GYNININD_064, CO_COVAL1_064, CO_COVAL2_064
--------------------------------	---------------	---

Instruments

D_UPA001 / UNPLANNED VISIT - EXPOSURE DURING PREGNANCY

Instrument Definition

Instrument Name:	D_UPA001
Instrument Title:	UNPLANNED VISIT - EXPOSURE DURING PREGNANCY
SAS Instrument Name:	D_UPA001
Description:	UNPL
Version:	0.7
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: D_UPA001 UNPLANNED VISIT - EXPOSURE DURING PREGNANCY (UNPL) [Version: 0.7]		
Section UNPLANNED VISIT D_UPA001_S		Permission Groups
Group of Fields D_UPA01001 / Unplanned Visit Group Type: Non-Repeating	Number of variables: 1	

1.*	Assessments [D_UNPLASS_001] [UNPLASS]	[D_UNPLASS_CL_001] Checkboxes Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record applicable assessments from the given options.	
-----	---	--	--

Key: [*] = Item is required

Study Object Descriptions: D_UPA001 UNPLANNED VISIT - EXPOSURE DURING PREGNANCY		
Type	RefName	Description
Form	CRF_4895255774703233_D_UPA001	D_UPA001
Item	I_4895291699182823_D_UNPLASS_001	

Codelist Values Tables: D_UPA001 UNPLANNED VISIT - EXPOSURE DURING PREGNANCY								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_UNPLASS_CL_001	0.2			EXPOSURE DURING PREGNANCY	1	4	0.1	i_4895291699182823_d_unplass_001

Groups of Fields D_UPA001 UNPLANNED VISIT - EXPOSURE DURING PREGNANCY		
Group RefName	Group Type	Associated Variables
IG_4895275905921746_D_UPA01001	Non-Repeating	D_UNPLASS_001

Instruments

CEIDT008_1 / ILLNESS DETAILS - SEVERE REPEATING

Instrument Definition

Instrument Name:	CEIDT008_1
Instrument Title:	ILLNESS DETAILS - SEVERE REPEATING
SAS Instrument Name:	CEIDT008_1
Description:	ILLDETAIL
Version:	0.35
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CEIDT008_1 ILLNESS DETAILS - SEVERE REPEATING (ILLDETAIL) [Version: 0.35]		
Section ILLNESS DETAILS - SEVERE REPEATING <i>CEIDT008_1_S</i>		Permission Groups
Group of Fields CEIDT01008_1 / Illness Details - SEVERE REPEATING Group Type: Non-Repeating	Number of variables: 18	

1.	Category of Clinical Event: [CECAT_008_1] [CECAT]	[CECAT_CL_008_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 4 Help/Info Text: Select the appropriate Category of Clinical Event if not preprinted on the form.	
2.* ✓✓	Subcategory of Clinical Event: [CESCAT_008_1] [CESCAT]	[CESCAT_CL_008_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate Subcategory of Clinical Event if not preprinted on the form.	

3.* 	Diagnosis: [CETERM_008_1] [CETERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the diagnosis as appropriate in the text box provided. Maximum of 100 characters are allowed.	
4.* 	Toxicity Grade: [CETOXGR_008_1] [CETOXGR]	[CETOXGR_CL_008_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select from 1 to 5 as appropriate. The toxicity grade in relation to reported symptoms is expected even if a diagnosis is not made. Toxicity grade is determined based on reported symptoms and not the diagnosis. Toxicity grade should be reported as 0 if the participant is asymptomatic. If participant later experiences symptoms, update to include appropriate toxicity grade.	

5.* ✓	Date of Diagnosis: [CEDTC_008_1] [CEDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the Date of Diagnosis using DAY, MONTH and YEAR from dropdown list or select the date from calendar. NO Partial dates allowed.	
----------	--	---	--

6.* 	Start Date: [CESTDTC_008_1] [CESTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the DAY, MONTH and YEAR from dropdown list or select the date from calendar. NO Partial dates allowed.	
7.* 	Ongoing?: [X_CEONGO_008_1] [X_CEONGO]	[X_CEONGO_CL_008_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES if the clinical event is ongoing, otherwise select NO and record end date.	

8.* 	End Date: [CEENDTC_008_1] [CEENDTC] <i>(Nested Field)</i>	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the End Date of the clinical event using DAY, MONTH and YEAR from dropdown list or select the date from calendar. NO Partial dates allowed.	
9.	Lowest Level Term [CELLT_008_1] [CELLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	<i>TMS_integration</i> (R,U) <i>Read Only</i> (R) <i>Database Builder</i> (R) <i>Clinical</i> (R) <i>Lead Data Manager</i> (R) <i>LabTech</i> (R)

10.	Lowest Level Term Code [CELLTCD_008_1] [CELLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
11.	Dictionary Derived Term [CEDECOD_008_1] [CEDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
12.	Preferred Term Code [CEPTCD_008_1] [CEPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

13.	High Level Term [CEHLT_008_1] [CEHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
14.	High Level Term Code [CEHLTCD_008_1] [CEHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
15.	High Level Group Term [CEHLGT_008_1] [CEHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

16.	High Level Group Term Code [CEHLGTCD_008_1] [CEHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
17.	Primary System Organ Class [CESOC_008_1] [CESOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
18.	Primary System Organ Class Code [CESOCCD_008_1] [CESOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: CEIDT008_1 ILLNESS DETAILS - SEVERE REPEATING

Type	RefName	Description
Form	CRF_4895256012768448_CEIDT008_1	CEIDT008_1
Item	I_4895291715723146_CECAT_008_1	
Item	I_4895291732288092_CESCAT_008_1	
Item	I_4895291749040848_CETERM_008_1	
Item	I_4895291765380561_CETOXGR_008_1	
Item	I_4895291782060660_CEDTC_008_1	
Item	I_4895291799893000_CESTDTC_008_1	
Item	I_4895291996291434_X_CEONGO_008_1	
Item	I_4895292015569657_CEENDTC_008_1	
Item	I_4895291817732324_CELLT_008_1	
Item	I_4895291841906165_CELLTCD_008_1	
Item	I_4895291858810028_CEDECOD_008_1	
Item	I_4895291875930402_CEPTCD_008_1	
Item	I_4895291892975559_CEHLT_008_1	
Item	I_4895291909636383_CEHLTCD_008_1	
Item	I_4895291927615286_CEHLGT_008_1	
Item	I_4895291945238640_CEHLGTCD_008_1	
Item	I_4895291965041603_CESOC_008_1	
Item	I_4895291980666248_CESOCCD_008_1	

Codelist Values Tables: CEIDT008_1 ILLNESS DETAILS - SEVERE REPEATING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CECAT_CL_008_1	0.1			SEVERE COVID-19 ILLNESS	1	4	0.1	i_4895291715723146_cecat_008_1

CESCAT_CL_008_1	0.1			SIGNIFICANT ACUTE RENAL DYSFUNCTION	1	1	0.1	i_4895291732288092_cescat_008_1
				SIGNIFICANT ACUTE HEPATIC DYSFUNCTION	2	2	0.1	
				SIGNIFICANT ACUTE NEUROLOGIC DYSFUNCTION	3	3	0.1	
CETOXGR_CL_008_1	0.3			1	1	2	0.1	i_4895291765380561_cetoxgr_008_1
				2	2	3	0.1	
				3	3	4	0.1	
				4	4	5	0.1	
X_CEONGO_CL_008_1	0.1			NO	1	N	0.1	i_4895291996291434_x_ceongo_008_1
				YES	2	Y	0.1	

Variable Validations CEIDT008_1 ILLNESS DETAILS - SEVERE REPEATING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CEDTC_008_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
CEDTC_008_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CEDTC_008_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CEDTC_008_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CEDTC_008_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CESTDTC_008_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
CESTDTC_008_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CESTDTC_008_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CESTDTC_008_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

CESTDTC_008_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CEENDTC_008_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
CEENDTC_008_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CEENDTC_008_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CEENDTC_008_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CEENDTC_008_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CEIDT008_1 ILLNESS DETAILS - SEVERE REPEATING

Group RefName	Group Type	Associated Variables
IG_4895274982159442_CEIDT01008_1	Non-Repeating	CECAT_008_1, CESCAT_008_1, CETERM_008_1, CETOXGR_008_1, CEDTC_008_1, CESTDTC_008_1, X_CEONGO_008_1, CEENDTC_008_1, CELLT_008_1, CELLTCD_008_1, CEDECOD_008_1, CEPTCD_008_1, CEHLT_008_1, CEHLTCD_008_1, CEHLGT_008_1, CEHLGTCD_008_1, CESOC_008_1, CESOCCD_008_1

Instruments

CEPEA084 / POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS

Instrument Definition

Instrument Name:	CEPEA084
Instrument Title:	POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS
SAS Instrument Name:	CEPEA084
Description:	PEA
Version:	0.131
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CEPEA084 POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS (PEA) [Version: 0.131]		
Section POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID 19 ILLNESS CEPEA084_S		Permission Groups
Group of Fields CEPEA01084 / Signs and Symptoms Group Type: Non-Repeating	Number of variables: 7	

1.	Protocol Specified Illness/Disease: [CETERM_084] [PEATERM]	[CETERM_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 2	
2.* ✓	Date of Assessment: [Y_CEDTC_084] [PEADAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2027 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.* 	Date First Symptom Started: [CESTDTC_084] [PEASDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide complete date in DD/MMM/YYYY format. This should reflect the start date of the first symptom for the corresponding illness.	
---	---	--	--

4.*	Any Symptoms Ongoing? [X_CEONGO_084] [PEAONGO]	[X_CEONGO_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Select YES or NO to indicate if any symptoms are still ongoing. If NO, provide completed Date of Last symptom Resolved in DD/MMM/YYYY format. This should reflect the date the LAST symptom resolved. If any reported symptoms are still ongoing, then Ongoing should be reported until ALL symptoms are resolved."	
-----	--	--	--

5.* 	Date Last Symptom Resolved: [CEENDTC_084] [PEALSDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the last symptom resolved in the format dd- MMM-yyyy (e.g. 01-JAN-2006).	
6.	Primary Illness/Disease Diagnosis: [SUPPCE_ILLDIAG_084] [PEALLDIA]	[SUPPCE_ILLDIAG_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 4 Help/Info Text: Select the primary diagnosis from the specified list. If none of the options are appropriate, please select OTHER and provide the specific diagnosis.	

7.* 	Did Event Require Medical Attention? (If YES, provide details in Healthcare Encounters section.) [X_CEACNOTH_084] [PEACNOTH]	[X_CEACNOTH_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Select YES or NO. If YES is reported, then select the highest level of medical attention required for the event and enter the start date and end date for the healthcare encounter selected. Note: Record YES if the participant went to the ER, Hospital or was seen by a Healthcare Professional for medical care. This does not include site visits for assessments mandated per protocol of severe reactogenicity events which are documented on the Unplanned Assessment of Reactogenicity CRF that were done solely to fulfill protocol requirements and not also to provide medical care. "	
	Group of Fields CEPEA02084 / Healthcare Encounter Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 4	
8.* 	Type of Healthcare Encounter: [HOTERM_084] [PEAHTERM]	[HOTERM_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

9.	Pre-Specified Healthcare Encounter: [HOPRESP_084] [PEAPRESP]	[HOPRESP_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y	
10.* ✓	Start Date of Healthcare Encounter: [HOSTDTC_084] [PEASTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

11.* 	Stop Date of Healthcare Encounter: [HOENDTC_084] [PEAENDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields CEPEA03084 / Symptoms Group Type: Fixed Repeating	Number of rows: 14	

12.	Symptoms: [FAOBJ_084] [PEASYMP] Row 1 (Locked): 3 - CHILLS Row 2 (Locked): 6 - DIARRHEA Row 3 (Locked): 7 - FATIGUE Row 4 (Locked): 9 - HEADACHE Row 5 (Locked): 16 - MUSCLE PAIN Row 6 (Locked): 27 - VOMITING Row 7 (Locked): 37 - SORE THROAT Row 8 (Locked): 38 - COUGH Row 9 (Locked): 39 - RUNNY NOSE Row 10 (Locked): 68 - NAUSEA Row 11 (Locked): 76 - NASAL CONGESTION Row 12 (Locked): 77 - SHORTNESS OF BREATH OR DIFFICULTY BREATHING Row 13 (Locked): 78 - LOSS OF TASTE OR SMELL Row 14 (Locked): 124 - RHINORRHEA	[FAOBJ_CL_084] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Symptoms are defaulted on CRF as per protocol	
13.	Event Pre-specified: [SUPPFA_FAPRESP_084] [PEAPREP]	[SUPPFA_FAPRESP_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y	

14. 	Was symptom present? [FAORRES_OCCUR_084] [PEA2PRS]	[FAORRES_OCCUR_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "For each pre-specified symptoms, select YES or NO as appropriate if symptom was present during the potential Illness period (which lasts until all the symptoms resolve). If the symptoms were present AT ANY TIME during the Illness, please enter YES. Do not update to NO if the symptom resolves. Please enter/update this CRF to reflect all the symptoms that the participant reported throughout the Illness. If new symptoms are experienced during the SAME Illness visit period, the symptoms should be added to the existing signs and symptoms form (a new illness visit should not be initiated). Note: If new symptoms are reported within 4 days after resolution of all previous symptoms, they will be considered as part of a single illness and a second illness visit is not required. "	
15.	Completion Status: [FASTAT_084] [PEASTAT]	[FASTAT_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select NOT DONE if symptom was not assessed and provide a reason why not assessed.	

16.*	Reason Not Assessed: [FAREASND_084] [PEANDR] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields CEPEA04084 / Symptoms - Elevated Temperature Group Type: Fixed Repeating	Number of rows: 1	
17.	Symptoms: [FAOBJ1_084] [PEASYMP1] Row 1 (Locked): 8 - FEVER	[FAOBJ1_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Fever is defaulted on the CRF in this section as per protocol.	
18.	Event Pre-specified: [SUPPFA_FAPRESP1_084] [PEAPRSP1] Row 1 (Locked): Y - YES	[SUPPFA_FAPRESP1_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y	

19. 	Was symptom present? [FAORRES1_OCCUR_084] [PEA2PRS1]	[FAORRES1_OCCUR_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Select YES or NO as appropriate if fever was present during the potential illness period (which lasts until all the symptoms resolve). Fever is defined as per protocol criteria. If fever was present AT ANY TIME during the illness, please enter YES. Do not update to NO if the fever resolves. Note: If new fever is reported within 4 days after resolution of all previous symptoms, they will be considered as part of a single illness and a second illness visit is not required."	
20. 	Maximum Temperature: [VSORRES_TEMP_084] [PEATEMP] (Nested Field)	Number Box (Integer) Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the maximum temperature of the fever during the illness in degrees C or F as appropriate. If temperature is not available or does not meet criteria for fever reporting, then report symptom of "Feverishness" instead.	

21.	Temperature Unit: [VSORRESU_TEMP_084] [PEATEMPU] <i>(Nested Field)</i>	[VSORRESU_TEMP_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
22.	Completion Status: [FASTAT1_084] [PEASTAT1]	[FASTAT1_CL_084] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select NOT DONE if symptom was not assessed and provide a reason why not assessed.	
23.*	Reason Not Assessed: [FAREASND1_084] [PEANDR1] <i>(Nested Field)</i>	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields CEPEA05084 / Symptoms - Other Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 11	

24. ✓	Symptoms - Other Text: [SUPPFA_FASYMP_084] [PEASYMPO]	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Select ADD ENTRY to enter the details of any secondary symptom related to the potential [xxx] illness that is not listed on the form. Enter the reported Symptom in the text box. Note: Multiple symptoms can be added using ADD ENTRY button, if required."	
25.	Lowest Level Term [FALLT_084] [PEALLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

26.	Lowest Level Term Code [FALLTCD_084] [PEALLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
27.	Dictionary Derived Term [FADECOD_084] [PEADECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
28.	Preferred Term Code [FAPTCD_084] [PEAPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

29.	High Level Term [FAHLT_084] [PEAHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
30.	High Level Term Code [FAHLTCD_084] [PEAHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
31.	High Level Group Term [FAHLGT_084] [PEAHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

32.	High Level Group Term Code [FAHLGTCD_084] [PEAHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
33.	Primary System Organ Class [FASOC_084] [PEASOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
34.	Primary System Organ Class Code [FASOCCD_084] [PEASOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: CEPEA084 POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS		
Type	RefName	Description
Form	CRF_4895256304858486_CEPEA084	CEPEA084
Item	I_4895292032479773_CETERM_084	
Item	I_4895292048493649_Y_CEDTC_084	
Item	I_4895292099305226_CESTDTC_084	
Item	I_4895292116695724_X_CEONGO_084	
Item	I_4895292137071633_CEENDTC_084	
Item	I_4895292065608369_SUPPCE_ILLDIAG_084	
Item	I_4895292083163062_X_CEACNOTH_084	
Item	I_4895292154411152_HOTERM_084	
Item	I_4895292170806341_HOPRESP_084	
Item	I_4895292187445939_HOSTDTC_084	
Item	I_4895292204890599_HOENDTC_084	
Item	I_4895292222796812_FAOBJ_084	
Item	I_4895292241039643_SUPPFA_FAPRESP_084	
Item	I_4895292258391946_FAORRES_OCCUR_084	
Item	I_4895292275289975_FASTAT_084	
Item	I_4895292292052183_FAREASND_084	
Item	I_4895292308913157_FAOBJ1_084	
Item	I_4895292325089587_SUPPFA_FAPRESP1_084	
Item	I_4895292342550264_FAORRES1_OCCUR_084	
Item	I_4895292359562313_VSORRES_TEMP_084	
Item	I_4895292376422680_VSORRESU_TEMP_084	
Item	I_4895292393370908_FASTAT1_084	
Item	I_4895292410386321_FAREASND1_084	

Item	I_4895292427843528_SUPPFA_FASYMP_084	
Item	I_4895292444938310_FALLT_084	
Item	I_4895292461857861_FALLTCD_084	
Item	I_4895292478433762_FADECOD_084	
Item	I_4895292495816580_FAPTCD_084	
Item	I_4895292512715831_FAHLT_084	
Item	I_4895292529573441_FAHLTCD_084	
Item	I_4895292546299899_FAHLGT_084	
Item	I_4895292563227459_FAHLGTCD_084	
Item	I_4895292579804164_FASOC_084	
Item	I_4895292596565354_FASOCCD_084	

Codelist Values Tables: CEPEA084 POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CETERM_CL_084	0.1			POTENTIAL COVID-19 ILLNESS	1	2	0.1	i_4895292032479773_ceterm_084
X_CEONGO_CL_084	0.1			NO	1	N	0.1	i_4895292116695724_x_ceongo_084
				YES	2	Y	0.1	
SUPPCE_ILLDIAG_CL_084	0.4			POTENTIAL COVID-19 ILLNESS	1	4	0.1	i_4895292065608369_suppce_illdiag_084
X_CEACNOTH_CL_084	0.1			NO	1	N	0.1	i_4895292083163062_x_ceacnoth_084
				YES	2	Y	0.1	
HOTERM_CL_084	0.1			Hospital	1	35	0.1	i_4895292154411152_hoterm_084
				Emergency Room	2	36	0.1	
				Healthcare Professional	3	39	0.1	
				Intensive Care Unit	4	40	0.1	

HOPRESP_CL_084	0.1			YES	1	Y	0.1	i_4895292170806341_hopresp_084
FAOBJ_CL_084	0.2			CHILLS	1	3	0.1	i_4895292222796812_faobj_084
				DIARRHEA	2	6	0.1	
				FATIGUE	3	7	0.1	
				HEADACHE	4	9	0.1	
				MUSCLE PAIN	5	16	0.1	
				VOMITING	6	27	0.1	
				SORE THROAT	7	37	0.1	
				COUGH	8	38	0.1	
				RUNNY NOSE	9	39	0.1	
				NAUSEA	10	68	0.1	
				NASAL CONGESTION	11	76	0.1	
				SHORTNESS OF BREATH OR DIFFICULTY BREATHING	12	77	0.1	
				LOSS OF TASTE OR SMELL	13	78	0.1	
				RHINORRHEA	14	124	0.1	
SUPPFA_FAPRESP_CL_084	0.1			YES	1	Y	0.1	i_4895292241039643_suppfa_fapresp_084
FAORRES_OCCUR_CL_084	0.1			NO	1	N	0.1	i_4895292258391946_faorres_occur_084
				YES	2	Y	0.1	
FASTAT_CL_084	0.1			NOT DONE	1	1	0.1	i_4895292275289975_fastat_084
FAOBJ1_CL_084	0.1			FEVER	1	8	0.1	i_4895292308913157_faobj1_084
SUPPFA_FAPRESP1_CL_084	0.1			YES	1	Y	0.1	i_4895292325089587_suppfa_fapresp1_084
FAORRES1_OCCUR_CL_084	0.1			NO	1	N	0.1	i_4895292342550264_faorres1_occur_084
				YES	2	Y	0.1	
VSORRESU_TEMP_CL_084	0.1			C	1	33	0.1	i_4895292376422680_vsorresu_temp_084
				F	2	42	0.1	

FASTAT1_CL_084	0.1			NOT DONE	1	1	0.1	i_4895292393370908_fastat1_084
----------------	-----	--	--	----------	---	---	-----	--------------------------------

Variable Validations CEPEA084 POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS								
Variable RefName	Validation Variable	Operator	Validation Name	Query Text				
Y_CEDTC_084	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.				
Y_CEDTC_084	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.				
Y_CEDTC_084	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.				
Y_CEDTC_084	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.				
Y_CEDTC_084	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.				
Y_CEDTC_084	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.				
CESTDTC_084	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.				
CESTDTC_084	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.				
CESTDTC_084	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.				
CESTDTC_084	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.				
CESTDTC_084	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.				
CESTDTC_084	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.				
H0STDTC_084	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.				
H0STDTC_084	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.				
H0STDTC_084	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.				
H0STDTC_084	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.				
H0STDTC_084	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.				
H0STDTC_084	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.				

Groups of Fields CEPEA084 POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS

Group RefName	Group Type	Associated Variables
IG_4895274453621877_CEPEA01084	Non-Repeating	CETERM_084, Y_CEDTC_084, CESTDTC_084, X_CEONGO_084, CEENDTC_084, SUPPCE_ILLDIAG_084, X_CEACNOTH_084
IG_4895274470719157_CEPEA02084	Repeating	HOTERM_084, HOPRESP_084, HOSTDTC_084, HOENDTC_084
IG_4895274492976476_CEPEA03084	Fixed Repeating	FAOBJ_084, SUPPFA_FAPRESP_084, FAORRES_OCCUR_084, FASTAT_084, FAREASND_084
IG_4895274538256596_CEPEA04084	Fixed Repeating	FAOBJ1_084, SUPPFA_FAPRESP1_084, FAORRES1_OCCUR_084, VSORRES_TEMP_084, VSORRESU_TEMP_084, FASTAT1_084, FAREASND1_084
IG_4895275583593192_CEPEA05084	Repeating	SUPPFA_FASYMP_084, FALLT_084, FALLTCD_084, FADECOD_084, FAPTCD_084, FAHLT_084, FAHLTCD_084, FAHLGT_084, FAHLGTCD_084, FASOC_084, FASOCCD_084

Instruments

LB001_12_1 / LOCAL LABORATORY DATA - CHEMISTRY

Instrument Definition

Instrument Name:	LB001_12_1
Instrument Title:	LOCAL LABORATORY DATA - CHEMISTRY
SAS Instrument Name:	LB001_12_1
Description:	LOCAL LABORATORY DATA - ENTERABLE NORMAL RANGE
Version:	0.73
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: LB001_12_1 LOCAL LABORATORY DATA - CHEMISTRY (LOCAL LABORATORY DATA - ENTERABLE NORMAL RANGE) [Version: 0.73]

Section LOCAL LABORATORY DATA - CHEMISTRY LB001_12_S_1		Permission Groups
Group of Fields LB01001_12_1 / Local Laboratory Data Group Type: Non-Repeating	Number of variables: 3	

1.	Lab Panel: [LBCAT_001_12_1] [LBCAT]	[LBCAT_CL_001_12_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 2	
2.	Specimen Type: [LBSPEC_001_12_1] [LBSPEC]	[LBSPEC_CL_001_12_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7	

3.*	Collection Date Time: [LBDTC_001_12_1] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using this format (DD-MMM-YYYY). Record time of collection (as complete as possible).	
	Group of Fields LB02001_12_1 / Local Laboratory Data Results Group Type: Fixed Repeating	Number of rows: 9	

4.	Lab Test [LBTEST_001_12_1] [LBTEST] Row 1 (Locked): 329 - C Reactive Protein Row 2 (Locked): 30 - Alanine Aminotransferase Row 3 (Locked): 28 - Aspartate Aminotransferase Row 4 (Locked): 35 - Alkaline Phosphatase Row 5 (Locked): 21 - Bilirubin Row 6 (Locked): 47 - Urea Nitrogen Row 7 (Locked): 48 - Creatinine Row 8 (Locked): 25 - Albumin Row 9 (Locked): 32 - Lactate Dehydrogenase	[LBTEST_CL_001_12_1] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
5. ✓✓	Lab Result: [LBORRES_001_12_1] [LBORRES]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only the test result from the laboratory report in space provided. Do not enter units, reference ranges or comments in this field. Do not enter manually calculated results Do not use commas (e.g. 300,000 should be entered as 300000) Use conventional value format not European format (example 0,44 should be entered as 0.44)	

6.	Not Done: [LBSTAT_001_12_1] [LBSTAT]	[LBSTAT_CL_001_12_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if Laboratory Test was 'Not Done'	
7.	Low Range: <i>[Branching logic expression: not(empty([LBORRES_001_12_1]))]</i> [LBORNRLO_001_12_1] [LNMTLOW]	Text Box Max Length: 30 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.	High Range: <i>[Branching logic expression: not(empty([LBORRES_001_12_1]))]</i> [LBORNRHI_001_12_1] [LNMTHIGH]	Text Box Max Length: 30 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

9.	Unit <i>[Branching logic expression: not(empty([LBORRES_001_12_1]))]</i> [LBORRESU_001_12_1] [LNMTUNIT]	[LBORRESU_CL_001_12_1] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
10.	Clinically Significant? <i>[Branching logic expression: not(empty([LBORRES_001_12_1]))]</i> [LBCLSIG_001_12_1] [LBCLSIG]	[LBCLSIG_CL_001_12_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if lab result(s) were clinically significant.	
11.	Comment on Significant Finding: [CO_LBCOM_001_12_1] [LBCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record any comment in the space provided. The investigator must comment on all clinically significant and abnormal lab values.	

12.	Sponsor ID: [LBSPID_001_12_1] [LBSPID] Row 1 (Locked): 329 - 329 Row 2 (Locked): 30 - 30 Row 3 (Locked): 28 - 28 Row 4 (Locked): 35 - 35 Row 5 (Locked): 21 - 21 Row 6 (Locked): 47 - 47 Row 7 (Locked): 48 - 48 Row 8 (Locked): 25 - 25 Row 9 (Locked): 32 - 32	[LBSPID_CL_001_12_1] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
-----	---	---	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: LB001_12_1 LOCAL LABORATORY DATA - CHEMISTRY		
Type	RefName	Description
Form	CRF_4895256541863792_LB001_12_1	LB001_12_1
Item	I_4895292613485488_LBCAT_001_12_1	
Item	I_4895292630825319_LBSPEC_001_12_1	
Item	I_4895292647361391_LBDTC_001_12_1	
Item	I_4895292664988347_LBTEST_001_12_1	
Item	I_4895292683368345_LBORRES_001_12_1	
Item	I_4895292699917472_LBSTAT_001_12_1	
Item	I_4895292716817766_LBORNRL0_001_12_1	
Item	I_4895292741085680_LBORNRI_001_12_1	
Item	I_4895292765767539_LBORRESU_001_12_1	
Item	I_4895292791915736_LBCLSIG_001_12_1	
Item	I_4895292816763767_CO_LBCOM_001_12_1	
Item	I_4895292834271337_LBSPID_001_12_1	

Codelist Values Tables: LB001_12_1 LOCAL LABORATORY DATA - CHEMISTRY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_12_1	0.2			CLINICAL CHEMISTRY	1	2	0.1	i_4895292613485488_lbcat_001_12_1
LBSPEC_CL_001_12_1	0.1			BLOOD	1	7	0.1	i_4895292630825319_lbspec_001_12_1
LBTEST_CL_001_12_1	0.3			C Reactive Protein	1	329	0.1	i_4895292664988347_lbtest_001_12_1
				Alanine Aminotransferase	2	30	0.1	
				Aspartate Aminotransferase	3	28	0.1	
				Alkaline Phosphatase	4	35	0.1	
				Bilirubin	5	21	0.1	
				Urea Nitrogen	6	47	0.1	
				Creatinine	7	48	0.1	
				Albumin	8	25	0.1	
				Lactate Dehydrogenase	9	32	0.1	
LBSTAT_CL_001_12_1	0.1			NOT DONE	1	1	0.1	i_4895292699917472_lbstat_001_12_1
LBORRESU_CL_001_12_1	0.1			%	1	5	0.1	i_4895292765767539_lborresu_001_12_1
				g/L	2	41	0.1	
				mg/L	3	126	0.1	
				g/dL	4	128	0.1	
				mg/dL	5	137	0.1	
				ug/L	6	144	0.1	
				ng/dL	7	147	0.1	
				ng/L	8	148	0.1	
				U/L	9	300	0.1	
				/uL	10	309	0.1	
				ug/dL	11	395	0.1	

				10^12/L	12	413	0.1	
				10^9/L	13	426	0.1	
				/mL	14	450	0.1	
				L/L	15	475	0.1	
				ng/mL	16	647	0.1	
				10^6/cu mm	17	649	0.1	
				10^3/uL	18	658	0.1	
				pg/mL	19	686	0.1	
				CELLS/MM3	20	693	0.1	
LBCLSIG_CL_001_12_1	0.1			YES	1	Y	0.1	i_4895292791915736_lbclsig_001_12_1
				NO	2	N	0.1	
LBSPID_CL_001_12_1	0.2			21	1	21	0.1	i_4895292834271337_lbspid_001_12_1
				25	2	25	0.1	
				28	3	28	0.1	
				30	4	30	0.1	
				32	5	32	0.1	
				35	6	35	0.1	
				47	7	47	0.1	
				48	8	48	0.1	
				329	9	329	0.1	

Variable Validations LB001_12_1 LOCAL LABORATORY DATA - CHEMISTRY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001_12_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
LBDC_001_12_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

LBDTC_001_12_1	>=_FIRST_DOSE	>=	>=_FIRST_DOSE	Date is on or after the first dose date. Please review and update if appropriate.
LBDTC_001_12_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDTC_001_12_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDTC_001_12_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields LB001_12_1 LOCAL LABORATORY DATA - CHEMISTRY

Group RefName	Group Type	Associated Variables
IG_4895275276775848_LB01001_12_1	Non-Repeating	LBCAT_001_12_1, LBSPEC_001_12_1, LBDTC_001_12_1
IG_4895275355193956_LB02001_12_1	Fixed Repeating	LBTEST_001_12_1, LBORRES_001_12_1, LBSTAT_001_12_1, LBORNRL0_001_12_1, LBORNRI_001_12_1, LBORRESU_001_12_1, LBCLSIG_001_12_1, CO_LBCOM_001_12_1, LBSPID_001_12_1

Instruments

LB001_12_2 / LOCAL LABORATORY DATA - CLINICAL CHEMISTRY - TROPONIN

Instrument Definition

Instrument Name:	LB001_12_2
Instrument Title:	LOCAL LABORATORY DATA - CLINICAL CHEMISTRY - TROPONIN
SAS Instrument Name:	LB001_12_2
Description:	LOCAL LABORATORY DATA - ENTERABLE NORMAL RANGE
Version:	0.40
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: LB001_12_2 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY - TROPONIN (LOCAL LABORATORY DATA - ENTERABLE NORMAL RANGE) [Version: 0.40]

Section LOCAL LABORATORY DATA - CLINICAL CHEMISTRY - TROPONIN LB001_12_S_2		Permission Groups
Group of Fields LB01001_12_2 / Local Laboratory Data Group Type: Non-Repeating	Number of variables: 3	

1.	Lab Panel: [LBCAT_001_12_2] [LBCAT]	[LBCAT_CL_001_12_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 2	
2.	Specimen Type: [LBSPEC_001_12_2] [LBSPEC]	[LBSPEC_CL_001_12_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7	

3.*	Collection Date Time: [LBDTC_001_12_2] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 2025; Max Year: 2026 Date Time Component Settings: Year* Month* Day* Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using this format (DD-MMM-YYYY). Record time of collection (as complete as possible).	
	Group of Fields LB02001_12_2 / Local Laboratory Data Results Group Type: Fixed Repeating	Number of rows: 2	

4.	Lab Test [LBTEST_001_12_2] [LBTEST] Row 1 (Locked): 1139 - Troponin T Row 2 (Locked): 1580 - Troponin I	[LBTEST_CL_001_12_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
5. ✓	Lab Result: [LBORRES_001_12_2] [LBORRES]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only the test result from the laboratory report in space provided. Do not enter units, reference ranges or comments in this field. Do not enter manually calculated results Do not use commas (e.g. 300,000 should be entered as 300000) Use conventional value format not European format (example 0,44 should be entered as 0.44)	

6.	Not Done: [LBSTAT_001_12_2] [LBSTAT]	[LBSTAT_CL_001_12_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if Laboratory Test was 'Not Done'	
7.	Low Range: <i>[Branching logic expression: not(empty([LBORRES_001_12_2]))]</i> [LBORNRLO_001_12_2] [LNMTLOW]	Text Box Max Length: 30 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.	High Range: <i>[Branching logic expression: not(empty([LBORRES_001_12_2]))]</i> [LBORNRHI_001_12_2] [LNMTHIGH]	Text Box Max Length: 30 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

9.	Unit <i>[Branching logic expression: not(empty([LBORRES_001_12_2]))]</i> [LBORRESU_001_12_2] [LNMTUNIT]	[LBORRESU_CL_001_12_2] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
10.	Clinically Significant? <i>[Branching logic expression: not(empty([LBORRES_001_12_2]))]</i> [LBCLSIG_001_12_2] [LBCLSIG]	[LBCLSIG_CL_001_12_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if lab result(s) were clinically significant.	
11.	Comment on Significant Finding: [CO_LBCOM_001_12_2] [LBCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record any comment in the space provided. The investigator must comment on all clinically significant and abnormal lab values.	

12.	Sponsor ID: [LBSPID_001_12_2] [LBSPID] Row 1 (Locked): 1139 - 1139 Row 2 (Locked): 1580 - 1580	[LBSPID_CL_001_12_2] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
-----	--	---	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: LB001_12_2 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY - TROPONIN		
Type	RefName	Description
Form	CRF_4895256780381074_LB001_12_2	LB001_12_2
Item	I_4895292854240792_LBCAT_001_12_2	
Item	I_4895292869032041_LBSPEC_001_12_2	
Item	I_4895292910837803_LBDTC_001_12_2	
Item	I_4895292931074535_LBTEST_001_12_2	
Item	I_4895292946657202_LBORRES_001_12_2	
Item	I_4895292965313978_LBSTAT_001_12_2	
Item	I_4895292980523915_LBORNRL0_001_12_2	
Item	I_4895293001450632_LBORNRI_001_12_2	
Item	I_4895293023857750_LBORRESU_001_12_2	
Item	I_4895293045614548_LBCLSIG_001_12_2	
Item	I_4895293067964845_CO_LBCOM_001_12_2	
Item	I_4895293083727633_LBSPID_001_12_2	

Codelist Values Tables: LB001_12_2 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY - TROPONIN

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_12_2	0.2			CLINICAL CHEMISTRY	1	2	0.1	i_4895292854240792_lbcat_001_12_2
LBSPEC_CL_001_12_2	0.1			BLOOD	1	7	0.1	i_4895292869032041_lbspec_001_12_2
LBTEST_CL_001_12_2	0.2			Troponin T	1	1139	0.1	i_4895292931074535_lbtest_001_12_2
				Troponin I	2	1580	0.1	
LBSTAT_CL_001_12_2	0.1			NOT DONE	1	1	0.1	i_4895292965313978_lbstat_001_12_2
LBORRESU_CL_001_12_2	0.1			%	1	5	0.1	i_4895293023857750_lborresu_001_12_2
				g/L	2	41	0.1	
				mg/L	3	126	0.1	
				g/dL	4	128	0.1	
				mg/dL	5	137	0.1	
				ug/L	6	144	0.1	
				ng/dL	7	147	0.1	
				ng/L	8	148	0.1	
				U/L	9	300	0.1	
				/uL	10	309	0.1	
				ug/dL	11	395	0.1	
				10^12/L	12	413	0.1	
				10^9/L	13	426	0.1	
				/mL	14	450	0.1	
				L/L	15	475	0.1	
				ng/mL	16	647	0.1	
				10^6/cu mm	17	649	0.1	
				10^3/uL	18	658	0.1	

				pg/mL	19	686	0.1	
				CELLS/MM3	20	693	0.1	
LBCLSIG_CL_001_12_2	0.1			YES	1	Y	0.1	i_4895293045614548_lbclsig_001_12_2
				NO	2	N	0.1	
LBSPID_CL_001_12_2	0.2			1139	1	1139	0.1	i_4895293083727633_lbspid_001_12_2
				1580	2	1580	0.1	

Variable Validations LB001_12_2 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY - TROPONIN

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001_12_2	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
LBDC_001_12_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDC_001_12_2	>=_FIRST_DOSE	>=	>=_FIRST_DOSE	Date is on or after the first dose date. Please review and update if appropriate.
LBDC_001_12_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDC_001_12_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDC_001_12_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields LB001_12_2 LOCAL LABORATORY DATA - CLINICAL CHEMISTRY - TROPONIN

Group RefName	Group Type	Associated Variables
IG_4895275237424080_LB01001_12_2	Non-Repeating	LBCAT_001_12_2, LBSPEC_001_12_2, LBDC_001_12_2
IG_4895275254488152_LB02001_12_2	Fixed Repeating	LBTEST_001_12_2, LBORRES_001_12_2, LBSTAT_001_12_2, LBORNRO_001_12_2, LBORNRI_001_12_2, LBORRESU_001_12_2, LBCLSIG_001_12_2, CO_LBCOM_001_12_2, LBSPID_001_12_2

Instruments

LB001_12 / LOCAL LABORATORY DATA - HEMATOLOGY

Instrument Definition

Instrument Name:	LB001_12
Instrument Title:	LOCAL LABORATORY DATA - HEMATOLOGY
SAS Instrument Name:	LB001_12
Description:	LOCAL LABORATORY DATA - ENTERABLE NORMAL RANGE
Version:	0.84
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: LB001_12 LOCAL LABORATORY DATA - HEMATOLOGY (LOCAL LABORATORY DATA - ENTERABLE NORMAL RANGE) [Version: 0.84]

Section LOCAL LABORATORY DATA - HEMATOLOGY LB001_12_S		Permission Groups
Group of Fields LB01001_12 / Local Laboratory Data Group Type: Non-Repeating	Number of variables: 3	

1.	Lab Panel: [LBCAT_001_12] [LBCAT]	[LBCAT_CL_001_12] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
2.	Specimen Type: [LBSPEC_001_12] [LBSPEC]	[LBSPEC_CL_001_12] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 7	

3.*	Collection Date Time: [LBDTC_001_12] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using this format (DD-MMM-YYYY). Record time of collection (as complete as possible).	
	Group of Fields LB02001_12 / Local Laboratory Data Results Group Type: Fixed Repeating	Number of rows: 11	

4.	Lab Test [LBTEST_001_12] [LBTEST] Row 1 (Locked): 1 - Hemoglobin Row 2 (Locked): 2 - Hematocrit Row 3 (Locked): 3 - Erythrocytes Row 4 (Locked): 5 - Platelets Row 5 (Locked): 7 - Leukocytes Row 6 (Locked): 608 - Neutrophils Row 7 (Locked): 609 - Eosinophils Row 8 (Locked): 612 - Monocytes Row 9 (Locked): 610 - Basophils Row 10 (Locked): 611 - Lymphocytes Row 11 (Locked): 4 - Reticulocytes/Erythrocytes	[LBTEST_CL_001_12] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
5. ✓	Lab Result: [LBORRES_001_12] [LBORRES]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only the test result from the laboratory report in space provided. Do not enter units, reference ranges or comments in this field. Do not enter manually calculated results Do not use commas (e.g. 300,000 should be entered as 300000) Use conventional value format not European format (example 0,44 should be entered as 0.44)	

6.	Not Done: [LBSTAT_001_12] [LBSTAT]	[LBSTAT_CL_001_12] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if Laboratory Test was 'Not Done'	
7.	Low Range: <i>[Branching logic expression: not(empty([LBORRES_001_12]))]</i> [LBORNRLO_001_12] [LNMTLOW]	Text Box Max Length: 30 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.	High Range: <i>[Branching logic expression: not(empty([LBORRES_001_12]))]</i> [LBORNRHI_001_12] [LNMTHIGH]	Text Box Max Length: 30 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

9.	Unit <i>[Branching logic expression: not(empty([LBORRES_001_12]))]</i> [LBORRESU_001_12] [LNMTUNIT]	[LBORRESU_CL_001_12] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
10.	Clinically Significant? <i>[Branching logic expression: not(empty([LBORRES_001_12]))]</i> [LBCLSIG_001_12] [LBCLSIG]	[LBCLSIG_CL_001_12] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if lab result(s) were clinically significant.	
11.	Comment on Significant Finding: [CO_LBCOM_001_12] [LBCOM] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record any comment in the space provided. The investigator must comment on all clinically significant and abnormal lab values.	

12.	Sponsor ID: [LBSPID_001_12] [LBSPID] Row 1 (Locked): 1 - 1 Row 2 (Locked): 2 - 2 Row 3 (Locked): 3 - 3 Row 4 (Locked): 5 - 5 Row 5 (Locked): 7 - 7 Row 6 (Locked): 608 - 608 Row 7 (Locked): 609 - 609 Row 8 (Locked): 612 - 612 Row 9 (Locked): 610 - 610 Row 10 (Locked): 611 - 611 Row 11 (Locked): 4 - 4	[LBSPID_CL_001_12] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
-----	---	--	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: LB001_12 LOCAL LABORATORY DATA - HEMATOLOGY		
Type	RefName	Description
Form	CRF_4895257031644282_LB001_12	LB001_12
Item	I_4895293099130508_LBCAT_001_12	
Item	I_4895293115046873_LBSPEC_001_12	
Item	I_4895293130616280_LBDTC_001_12	
Item	I_4895293150203561_LBTEST_001_12	
Item	I_4895293169184419_LBORRES_001_12	
Item	I_4895293187056801_LBSTAT_001_12	
Item	I_4895293203468351_LBORNRL0_001_12	
Item	I_4895293226357575_LBORNRI_001_12	
Item	I_4895293249256170_LBORRESU_001_12	
Item	I_4895293272849582_LBCLSIG_001_12	
Item	I_4895293296452824_CO_LBCOM_001_12	

Item	I_4895293314339771_LBSPID_001_12	
------	----------------------------------	--

Codelist Values Tables: LB001_12 LOCAL LABORATORY DATA - HEMATOLOGY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_12	0.1			HEMATOLOGY	1	1	0.1	i_4895293099130508_lbcats_001_12
LBSPEC_CL_001_12	0.1			BLOOD	1	7	0.1	i_4895293115046873_lbspec_001_12
LBTEST_CL_001_12	0.6			Hemoglobin	1	1	0.1	i_4895293150203561_lbtest_001_12
				Hematocrit	2	2	0.1	
				Erythrocytes	3	3	0.1	
				Platelets	4	5	0.1	
				Leukocytes	5	7	0.1	
				Neutrophils	6	608	0.1	
				Eosinophils	7	609	0.1	
				Monocytes	8	612	0.1	
				Basophils	9	610	0.1	
				Lymphocytes	10	611	0.1	
				Reticulocytes/Erythrocytes	11	4	0.1	
LBSTAT_CL_001_12	0.1			NOT DONE	1	1	0.1	i_4895293187056801_lbstat_001_12
LBORRESU_CL_001_12	0.2			%	1	5	0.1	i_4895293249256170_lborresu_001_12
				g/L	2	41	0.1	
				mg/L	3	126	0.1	
				g/dL	4	128	0.1	
				mg/dL	5	137	0.1	
				ug/L	6	144	0.1	
				ng/dL	7	147	0.1	

				ng/L	8	148	0.1	
				U/L	9	300	0.1	
				/uL	10	309	0.1	
				ug/dL	11	395	0.1	
				10^12/L	12	413	0.1	
				10^9/L	13	426	0.1	
				/mL	14	450	0.1	
				L/L	15	475	0.1	
				ng/mL	16	647	0.1	
				10^6/cu mm	17	649	0.1	
				10^3/uL	18	658	0.1	
				pg/mL	19	686	0.1	
				CELLS/MM3	20	693	0.1	
LBCLSIG_CL_001_12	0.2			YES	1	Y	0.1	i_4895293272849582_lbclsig_001_12
				NO	2	N	0.1	
LBSPID_CL_001_12	0.2			1	1	1	0.1	i_4895293314339771_lbbspid_001_12
				2	2	2	0.1	
				3	3	3	0.1	
				4	4	4	0.1	
				5	5	5	0.1	
				608	6	608	0.1	
				609	7	609	0.1	
				610	8	610	0.1	
				611	9	611	0.1	
				612	10	612	0.1	
				7	11	7	0.1	

Variable Validations LB001_12 LOCAL LABORATORY DATA - HEMATOLOGY				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001_12	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
LBDC_001_12	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDC_001_12	>=_FIRST_DOSE	>=	>=_FIRST_DOSE	Date is on or after the first dose date. Please review and update if appropriate.
LBDC_001_12	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDC_001_12	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDC_001_12	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields LB001_12 LOCAL LABORATORY DATA - HEMATOLOGY		
Group RefName	Group Type	Associated Variables
IG_4895275566288632_LB01001_12	Non-Repeating	LBCAT_001_12, LBSPEC_001_12, LBDC_001_12
IG_4895275528119548_LB02001_12	Fixed Repeating	LBTEST_001_12, LBRRES_001_12, LBSTAT_001_12, LBORNRO_001_12, LBORNRI_001_12, LBRRESU_001_12, LBCLSIG_001_12, CO_LBCOM_001_12, LBSPID_001_12

Instruments

R_TRIG001_3 / TRIGGER FORM - VISIT 6 END OF COVID-19 SURVEILLANCE

Instrument Definition

Instrument Name:	R_TRIG001_3
Instrument Title:	TRIGGER FORM - VISIT 6 END OF COVID-19 SURVEILLANCE
SAS Instrument Name:	R_TRIG001_3
Description:	TRIG
Version:	0.29
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: R_TRIG001_3 TRIGGER FORM - VISIT 6 END OF COVID-19 SURVEILLANCE (TRIG) [Version: 0.29]		
Section TRIGGER FORM R_TRIG001_S_3		Permission Groups
Group of Fields R_TRIG01001_3 / Trigger Form Group Type: Non-Repeating	Number of variables: 1	

1.*	Select appropriate response - Did the participant complete Visit 5 prior to the end of their COVID-19 surveillance for the trial: [R_TRIGRESP4_001_3] [TRGRES4]	[R_TRIGRESP4_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
-----	---	--	--

Key: [*] = Item is required

Study Object Descriptions: R_TRIG001_3 TRIGGER FORM - VISIT 6 END OF COVID-19 SURVEILLANCE

Type	RefName	Description
Form	CRF_4895257266981829_R_TRIG001_3	R_TRIG001_3
Item	I_4895293332194225_R_TRIGRESP4_001_3	

Codelist Values Tables: R_TRIG001_3 TRIGGER FORM - VISIT 6 END OF COVID-19 SURVEILLANCE

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_TRIGRESP4_CL_001_3	0.6			YES, PARTICIPANT COMPLETED VISIT 5 PRIOR TO THE END OF THEIR COVID-19 SURVEILLANCE FOR THE TRIAL.	1	40	0.1	i_4895293332194225_r_trigresp4_001_3
				NO, PARTICIPANT DID NOT COMPLETE VISIT 5 PRIOR TO THE END OF THEIR COVID-19 SURVEILLANCE FOR THE TRIAL.	2	41	0.1	

Groups of Fields R_TRIG001_3 TRIGGER FORM - VISIT 6 END OF COVID-19 SURVEILLANCE		
Group RefName	Group Type	Associated Variables
IG_4895274083428198_R_TRIG01001_3	Non-Repeating	R_TRIGRESP4_001_3

Instruments

HOMAE004 / MEDICALLY ATTENDED EVENTS

Instrument Definition

Instrument Name:	HOMAE004
Instrument Title:	MEDICALLY ATTENDED EVENTS
SAS Instrument Name:	HOMAE004
Description:	MAE
Version:	0.2
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: HOMAE004 MEDICALLY ATTENDED EVENTS (MAE) [Version: 0.2]		
Section MEDICALLY ATTENDED EVENTS HOMAE004_S		Permission Groups
Group of Fields HOMAE02004 / Outpatients Services Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

1.* 	Service/Visits: [HOTERM_004] [MAESVIS]	[HOTERM_CL_004] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.* 	Date of Service: [HOSTDTC_004] [MAESDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date using the format (DD-MMM-YYYY). If the actual date is unknown, record an approximate date.	
Key: [*] = Item is required  = Source verification required			

Study Object Descriptions: HOMAE004 MEDICALLY ATTENDED EVENTS

Type	RefName	Description
Form	CRF_4895257501476314_HOMAE004	HOMAE004
Item	I_4895293349120537_HOTERM_004	
Item	I_4895293365350670_HOSTDTC_004	

Codelist Values Tables: HOMAE004 MEDICALLY ATTENDED EVENTS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
HOTERM_CL_004	0.1			EMERGENCY ROOM	1	2	0.1	i_4895293349120537_hoterm_004
				PRACTITIONER'S OFFICE	2	32	0.1	
				URGENT CARE	3	47	0.1	

Variable Validations HOMAE004 MEDICALLY ATTENDED EVENTS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
HOSTDTC_004	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
HOSTDTC_004	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
HOSTDTC_004	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
HOSTDTC_004	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
HOSTDTC_004	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields HOMAE004 MEDICALLY ATTENDED EVENTS

Group RefName	Group Type	Associated Variables
IG_4895275294227715_HOMAE02004	Repeating	HOTERM_004, HOSTDTC_004

Instruments

CEPEA084_1 / POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS

Instrument Definition

Instrument Name:	CEPEA084_1
Instrument Title:	POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS
SAS Instrument Name:	CEPEA084_1
Description:	PEA
Version:	0.127
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CEPEA084_1 POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS (PEA) [Version: 0.127]		
Section POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID 19 ILLNESS CEPEA084_S_1		Permission Groups
Group of Fields CEPEA01084_1 / Signs and Symptoms Group Type: Non-Repeating	Number of variables: 7	

1.	Protocol Specified Illness/Disease: [CETERM_084_1] [PEATERM]	[CETERM_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 2	
2.* ✓	Date of Assessment: [Y_CEDTC_084_1] [PEADAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.* 	Date First Symptom Started: [CESTDTC_084_1] [PEASDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide complete date in DD/MMM/YYYY format. This should reflect the start date of the first symptom for the corresponding illness.	
4.*	Any Symptoms Ongoing? [X_CEONGO_084_1] [PEAONGO]	[X_CEONGO_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Select YES or NO to indicate if any symptoms are still ongoing. If NO, provide completed Date of Last symptom Resolved in DD/MMM/YYYY format. This should reflect the date the LAST symptom resolved. If any reported symptoms are still ongoing, then Ongoing should be reported until ALL symptoms are resolved."	

5.* 	Date Last Symptom Resolved: [CEENDTC_084_1] [PEALSDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the last symptom resolved in the format dd- MMM-yyyy (e.g. 01-JAN-2006).	
6.	Primary Illness/Disease Diagnosis: [SUPPCE_ILLDIAG_084_1] [PEALLDIA]	[SUPPCE_ILLDIAG_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 4 Help/Info Text: Select the primary diagnosis from the specified list. If none of the options are appropriate, please select OTHER and provide the specific diagnosis.	

7.* 	Did Event Require Medical Attention? (If YES, provide details in Healthcare Encounters section.) [X_CEACNOTH_084_1] [PEACNOTH]	[X_CEACNOTH_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Select YES or NO. If YES is reported, then select the highest level of medical attention required for the event and enter the start date and end date for the healthcare encounter selected. Note: Record YES if the participant went to the ER, Hospital or was seen by a Healthcare Professional for medical care. This does not include site visits for assessments mandated per protocol of severe reactogenicity events which are documented on the Unplanned Assessment of Reactogenicity CRF that were done solely to fulfill protocol requirements and not also to provide medical care. "	
	Group of Fields CEPEA02084_1 / Healthcare Encounter Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 4	
8.* 	Type of Healthcare Encounter: [HOTERM_084_1] [PEAHTERM]	[HOTERM_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

9.	Pre-Specified Healthcare Encounter: [HOPRESP_084_1] [PEAPRESP]	[HOPRESP_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y	
10.* ✓	Start Date of Healthcare Encounter: [HOSTDTC_084_1] [PEASTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

11.* 	Stop Date of Healthcare Encounter: [HOENDTC_084_1] [PEAENDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields CEPEA03084_1 / Symptoms Group Type: Fixed Repeating	Number of rows: 14	

12.	Symptoms: [FAOBJ_084_1] [PEASYMP] Row 1 (Locked): 3 - CHILLS Row 2 (Locked): 6 - DIARRHEA Row 3 (Locked): 7 - FATIGUE Row 4 (Locked): 9 - HEADACHE Row 5 (Locked): 16 - MUSCLE PAIN Row 6 (Locked): 27 - VOMITING Row 7 (Locked): 37 - SORE THROAT Row 8 (Locked): 38 - COUGH Row 9 (Locked): 39 - RUNNY NOSE Row 10 (Locked): 68 - NAUSEA Row 11 (Locked): 76 - NASAL CONGESTION Row 12 (Locked): 77 - SHORTNESS OF BREATH OR DIFFICULTY BREATHING Row 13 (Locked): 78 - LOSS OF TASTE OR SMELL Row 14 (Locked): 124 - RHINORRHEA	[FAOBJ_CL_084_1] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Symptoms are defaulted on CRF as per protocol	
13.	Event Pre-specified: [SUPPFA_FAPRESP_084_1] [PEAPREP]	[SUPPFA_FAPRESP_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y	

14. 	Was symptom present? [FAORRES_OCCUR_084_1] [PEA2PRS]	[FAORRES_OCCUR_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "For each pre-specified symptoms, select YES or NO as appropriate if symptom was present during the potential Illness period (which lasts until all the symptoms resolve). If the symptoms were present AT ANY TIME during the Illness, please enter YES. Do not update to NO if the symptom resolves. Please enter/update this CRF to reflect all the symptoms that the participant reported throughout the Illness. If new symptoms are experienced during the SAME Illness visit period, the symptoms should be added to the existing signs and symptoms form (a new illness visit should not be initiated). Note: If new symptoms are reported within [x] days after resolution of all previous symptoms, they will be considered as part of a single illness and a second illness visit is not required. "	
15.	Completion Status: [FASTAT_084_1] [PEASTAT]	[FASTAT_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select NOT DONE if symptom was not assessed and provide a reason why not assessed.	

16.*	Reason Not Assessed: [FAREASND_084_1] [PEANDR] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields CEPEA04084_1 / Symptoms - Elevated Temperature Group Type: Fixed Repeating	Number of rows: 1	
17.	Symptoms: [FAOBJ1_084_1] [PEASYMP1] Row 1 (Locked): 8 - FEVER	[FAOBJ1_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 8 Help/Info Text: Fever is defaulted on the CRF in this section as per protocol.	

18.	Event Pre-specified: [SUPPFA_FAPRESP1_084_1] [PEAPRSP1]	[SUPPFA_FAPRESP1_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y	
19. ✓	Was symptom present? [FAORRES1_OCCUR_084_1] [PEA2PRS1]	[FAORRES1_OCCUR_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Select YES or NO as appropriate if fever was present during the potential illness period (which lasts until all the symptoms resolve). Fever is defined as per protocol criteria. If fever was present AT ANY TIME during the illness, please enter YES. Do not update to NO if the fever resolves. Note: If new fever is reported within [x] days after resolution of all previous symptoms, they will be considered as part of a single illness and a second illness visit is not required."	

20.* 	Maximum Temperature: [VSORRES_TEMP_084_1] [PEATEMP] (Nested Field)	Number Box (Decimal) Max Value: 999.9 Max Decimal Size: 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the maximum temperature of the fever during the illness in degrees C or F as appropriate. If temperature is not available or does not meet criteria for fever reporting, then report symptom of "Feverishness" instead.	
21.*	Temperature Unit: [VSORRESU_TEMP_084_1] [PEATEMPU] (Nested Field)	[VSORRESU_TEMP_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

22.	Completion Status: [FASTAT1_084_1] [PEASTAT1]	[FASTAT1_CL_084_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select NOT DONE if symptom was not assessed and provide a reason why not assessed.	
23.*	Reason Not Assessed: [FAREASND1_084_1] [PEANDR1] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: CEPEA084_1 POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS		
Type	RefName	Description
Form	CRF_4895257742321022_CEPEA084_1	CEPEA084_1
Item	I_4895293382358444_CETERM_084_1	
Item	I_4895293398745518_Y_CEDTC_084_1	
Item	I_4895293415460078_CESTDTC_084_1	
Item	I_4895293432211865_X_CEONGO_084_1	

Item	I_4895293449196509_CEENDTC_084_1	
Item	I_4895293466949374_SUPPCE_ILLDIAG_084_1	
Item	I_4895293483153832_X_CEACNOTH_084_1	
Item	I_4895293499416753_HOTERM_084_1	
Item	I_4895293516041967_HOPRESP_084_1	
Item	I_4895293532885710_HOSTDTC_084_1	
Item	I_4895293550550944_HOENDTC_084_1	
Item	I_4895293568446670_FAOBJ_084_1	
Item	I_4895293586440653_SUPPFA_FAPRESP_084_1	
Item	I_4895293604095449_FAORRES_OCCUR_084_1	
Item	I_4895293621634979_FASTAT_084_1	
Item	I_4895293639111320_FAREASND_084_1	
Item	I_4895293656583443_FAOBJ1_084_1	
Item	I_4895293673141481_SUPPFA_FAPRESP1_084_1	
Item	I_4895293689456431_FAORRES1_OCCUR_084_1	
Item	I_4895293705776025_VSORRES_TEMP_084_1	
Item	I_4895293722795787_VSORRESU_TEMP_084_1	
Item	I_4895293739960329_FASTAT1_084_1	
Item	I_4895293756109493_FAREASND1_084_1	

Codelist Values Tables: CEPEA084_1 POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CETERM_CL_084_1	0.1			POTENTIAL COVID-19 ILLNESS	1	2	0.1	i_4895293382358444_ceterm_084_1
X_CEONGO_CL_084_1	0.1			NO	1	N	0.1	i_4895293432211865_x_ceongo_084_1

				YES	2	Y	0.1	
SUPPCE_ILLDIAG_CL_084_1	0.2			POTENTIAL COVID-19 ILLNESS	1	4	0.1	i_4895293466949374_suppce_illdiag_084_1
X_CEACNOTH_CL_084_1	0.1			NO	1	N	0.1	i_4895293483153832_x_ceacnoth_084_1
				YES	2	Y	0.1	
HOTERM_CL_084_1	0.1			Hospital	1	35	0.1	i_4895293499416753_hoterm_084_1
				Emergency Room	2	36	0.1	
				Healthcare Professional	3	39	0.1	
				Intensive Care Unit	4	40	0.1	
HOPRESP_CL_084_1	0.1			YES	1	Y	0.1	i_4895293516041967_hopresp_084_1
FAOBJ_CL_084_1	0.2			CHILLS	1	3	0.1	i_4895293568446670_faobj_084_1
				DIARRHEA	2	6	0.1	
				FATIGUE	3	7	0.1	
				HEADACHE	4	9	0.1	
				MUSCLE PAIN	5	16	0.1	
				VOMITING	6	27	0.1	
				SORE THROAT	7	37	0.1	
				COUGH	8	38	0.1	
				RUNNY NOSE	9	39	0.1	
				NAUSEA	10	68	0.1	
				NASAL CONGESTION	11	76	0.1	
				SHORTNESS OF BREATH OR DIFFICULTY BREATHING	12	77	0.1	
				LOSS OF TASTE OR SMELL	13	78	0.1	
				RHINORRHEA	14	124	0.1	

SUPPFA_FAPRESP_CL_084_1	0.1			YES	1	Y	0.1	i_4895293586440653_suppfa_fapresp_084_1
FAORRES_OCCUR_CL_084_1	0.1			NO	1	N	0.1	i_4895293604095449_faorres_occur_084_1
				YES	2	Y	0.1	
FASTAT_CL_084_1	0.1			NOT DONE	1	1	0.1	i_4895293621634979_fastat_084_1
FAOBJ1_CL_084_1	0.1			FEVER	1	8	0.1	i_4895293656583443_faobj1_084_1
SUPPFA_FAPRESP1_CL_084_1	0.1			YES	1	Y	0.1	i_4895293673141481_suppfa_fapresp1_084_1
FAORRES1_OCCUR_CL_084_1	0.1			NO	1	N	0.1	i_4895293689456431_faorres1_occur_084_1
				YES	2	Y	0.1	
VSORRESU_TEMP_CL_084_1	0.1			C	1	33	0.1	i_4895293722795787_vsorresu_temp_084_1
				F	2	42	0.1	
FASTAT1_CL_084_1	0.1			NOT DONE	1	1	0.1	i_4895293739960329_fastat1_084_1

Variable Validations CEPEA084_1 POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
Y_CEDTC_084_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
Y_CEDTC_084_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
Y_CEDTC_084_1	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
Y_CEDTC_084_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
Y_CEDTC_084_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
Y_CEDTC_084_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CEENDTC_084_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
CEENDTC_084_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CEENDTC_084_1	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
CEENDTC_084_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

CEENDTC_084_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CEENDTC_084_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
HOSTDTC_084_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
HOSTDTC_084_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
HOSTDTC_084_1	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
HOSTDTC_084_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
HOSTDTC_084_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
HOSTDTC_084_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
HOENDTC_084_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
HOENDTC_084_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
HOENDTC_084_1	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
HOENDTC_084_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
HOENDTC_084_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
HOENDTC_084_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CEPEA084_1 POTENTIAL CLINICAL ENDPOINT ASSESSMENT - POTENTIAL COVID-19 ILLNESS

Group RefName	Group Type	Associated Variables
IG_4895275435862600_CEPEA01084_1	Non-Repeating	CETERM_084_1, Y_CEDTC_084_1, CESTDTC_084_1, X_CEONGO_084_1, CEENDTC_084_1, SUPPCE_ILLDIAG_084_1, X_CEACNOTH_084_1
IG_4895275392090239_CEPEA02084_1	Repeating	HOTERM_084_1, HOPRESP_084_1, HOSTDTC_084_1, HOENDTC_084_1
IG_4895275311496385_CEPEA03084_1	Fixed Repeating	FAOBJ_084_1, SUPPFA_FAPRESP_084_1, FAORRES_OCCUR_084_1, FASTAT_084_1, FAREASND_084_1

IG_4895275415086249_CEPEA04084_1	Fixed Repeating	FAOBJ1_084_1, SUPPFA_FAPRESP1_084_1, FAORRES1_OCCUR_084_1, VSORRES_TEMP_084_1, VSORRESU_TEMP_084_1, FASTAT1_084_1, FAREASND1_084_1
----------------------------------	--------------------	---

Instruments

PRCAR078 / IMAGING

Instrument Definition

Instrument Name:	PRCAR078
Instrument Title:	IMAGING
SAS Instrument Name:	PRCAR078
Description:	CAR
Version:	0.10
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: PRCAR078 IMAGING (CAR) [Version: 0.10]			
Section IMAGING PRCAR078_S_2			Permission Groups
	Group of Fields PRCAR01078_2 / Imaging Group Type: Non-Repeating	Number of variables: 7	

1.* 	Start date of Procedure: [Y_PRSTDTC_078] [CARDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of assessment in the format dd-MMM-yyyy (e. g. 01-JAN-2006). No partial dates are allowed.	
2.* 	Location of Assessment: [Y_PRLOC_078] [CARLOC]	[Y_PRLOC_CL_078] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select location of assessment.	

3.* 	Type of Imaging Exam: [Y_PRTRT_078] [CARTYPE]	[Y_PRTRT_CL_078] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the Type of Imaging Exam.	
4.* 	Assessment: [FAORRES_INTP_078] [CARASS]	[FAORRES_INTP_CL_078] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate assesment of the Imgaging Exam.	
5.* 	If abnormal, specify findings: [FAORRES_SPFI_078] [CARSPFI] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Describe any abnormal imaging findings.	

6.* ✓	Have there been any significant changes in Imaging findings since the previous assessment? [FAORRES_CSIGCHGL_078] [CARCHG]	[FAORRES_CSIGCHGL_CL_078] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select 'YES', 'NO', or 'NO PREVIOUS ASSESSMENT' to indicate whether any significant changes in Imaging findings since the previous assessment identified. If 'YES' is selected, specify in the free text field.	
7.* ✓	If YES, specify: [FAORRES_SPCH_078] [CARSPCH] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Describe the significant changes in Imaging findings.	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: PRCAR078 IMAGING

Type	RefName	Description
Form	CRF_4895257980877376_PRCAR078	PRCAR078
Item	I_4895293774996770_Y_PRSTDTC_078	
Item	I_4895293794782404_Y_PRLOC_078	
Item	I_4895293809534137_Y_PRTRT_078	

Item	I_4895293824796366_FAORRES_INTP_078	
Item	I_4895293839750029_FAORRES_SPFI_078	
Item	I_4895293855122216_FAORRES_CSIGCHGL_078	
Item	I_4895293871303930_FAORRES_SPCH_078	

Codelist Values Tables: PRCAR078 IMAGING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
Y_PRLOC_CL_078	0.1			HEAD	1	58	0.1	i_4895293794782404_y_prloc_078
				LIMB	2	67	0.1	
				ABDOMINAL CAVITY	3	80	0.1	
				PELVIS	4	114	0.1	
				THORAX	5	125	0.1	
				NECK	6	153	0.1	
				LIMB, LOWER	7	357	0.1	
				LIMB, UPPER	8	358	0.1	
Y_PRTRT_CL_078	0.1			CT SCAN	1	1	0.1	i_4895293809534137_y_prtrt_078
				ULTRASOUND	2	2	0.1	
				MRI	3	3	0.1	
				MAGNETIC RESONANCE CHOLANGIOPANCREATOGRAPHY	4	4	0.1	
				ENDOSCOPIC RETROGRADE CHOLANGIOPANCREATOGRAPHY	5	5	0.1	
				ELASTOGRAPHY	6	6	0.1	
				NUCLEAR RADIOLOGY	7	7	0.1	
				X-RAY	8	8	0.1	
FAORRES_INTP_CL_078	0.1			ABNORMAL	1	1	0.1	i_4895293824796366_faores_intp_078

				INDETERMINATE	2	2	0.1	
				NORMAL	3	3	0.1	
				NOT EVALUABLE	4	4	0.1	
FAORRES_CSIGCHGL_CL_078	0.1			NO PREVIOUS ASSESSMENT	1	0	0.1	i_4895293855122216_faorres_csigchgl_078
				YES	2	1	0.1	
				NO	3	2	0.1	

Variable Validations PRCAR078 IMAGING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
Y_PRSTDTC_078	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
Y_PRSTDTC_078	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
Y_PRSTDTC_078	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
Y_PRSTDTC_078	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
Y_PRSTDTC_078	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
Y_PRSTDTC_078	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
Y_PRSTDTC_078	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PRCAR078 IMAGING

Group RefName	Group Type	Associated Variables
IG_4895274698524925_PRCAR01078_2	Non-Repeating	Y_PRSTDTC_078, Y_PRLOC_078, Y_PRTRT_078, FAORRES_INTPT_078, FAORRES_SPFI_078, FAORRES_CSIGCHGL_078, FAORRES_SPCH_078

Instruments

CM001_8 / CONCOMITANT MEDICATIONS - VASOPRESSORS

Instrument Definition

Instrument Name:	CM001_8
Instrument Title:	CONCOMITANT MEDICATIONS - VASOPRESSORS
SAS Instrument Name:	CM001_8
Description:	CONMED
Version:	0.63
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CM001_8 CONCOMITANT MEDICATIONS - VASOPRESSORS (CONMED) [Version: 0.63]		
Section CONCOMITANT MEDICATIONS - VASOPRESSORS CM001_S_8		Permission Groups
Group of Fields CM01001_8 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 18	

1.	What is the medication identifier? [CMSPID_001_8] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([CMTRT1_001_8])),[\$form_occurrence],null)	
2.	Category: [CMCAT_001_8] [CMCAT]	[CMCAT_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 46 Help/Info Text: Record the Category for this medication.	
3.	Concomitant Medications Pre-specified: [CMPRESP_001_8] [CMPRESP]	[CMPRESP_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Y	

4.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT1_001_8] [CMTRT1]	[CMTRT1_CL_001_8] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.*	Reason for Administration: [CMINDC_001_8] [CMINDC]	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken based on clinical evaluation by the investigator. If taken to treat a condition, and a diagnosis was made, the reason should be the diagnosis. If taken to treat a condition, and no diagnosis was made, the reason should be the signs and symptoms. If taken as prophylaxis, report as "Prophylaxis for ...".	

6.*	Dose: <i>[Branching logic expression: [CMCAT_001_8]='11' or ([CMCAT_001_8]='1' and [R_SUPPCM_CONSUS_001_8]='Y')]</i> <i>[X_CMDSTXT_001_8]</i> [CMDSTXT]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose of medication taken per administration. Do not include units in this field.	
7.*	Dose Unit: <i>[Branching logic expression: [CMCAT_001_8]='11' or ([CMCAT_001_8]='1' and [R_SUPPCM_CONSUS_001_8]='Y')]</i> <i>[CMDOSU_001_8]</i> [CMDOSU]	[CMDOSU_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose unit of the medication taken.	

8.*	Start Date Time: [CMSTDTC_001_8] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock. Please refer to CRF Completion Requirements for additional guidance.	
-----	---	---	--

9.*	Is this concomitant therapy suspected to be related to an Adverse Event? [R_SUPPCM_CONSUS_001_8] [CMSUS]	[R_SUPPCM_CONSUS_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication is NOT considered suspect in relation to a reportable event please select NO. If this medication is considered suspect in relation to a reportable event please select YES and complete the remaining fields (AE ID, Action Taken and Re-Challenge)	
10.	Standardized Medication Name - Dictionary derived. [CMDECOD_001_8] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
11.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001_8] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)

12.*	AE ID of the AE this conmed is related to: [R_AEIDCM_001_8] [CMAEID] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
13.	AE ID of the AE this conmed is related to: [R_AEIDCM1_001_8] [CMAEID1] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

14.	AE ID of the AE this conmed is related to: [R_AEIDCM2_001_8] [CMAEID2] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
15.	AE ID of the AE this conmed is related to: [R_AEIDCM3_001_8] [CMAEID3] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

16.	AE ID of the AE this conmed is related to: [R_AEIDCM4_001_8] [CMAEID4] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
17.* 	Action Taken: [R_SUPPCM_ACTTKN_001_8] [CMACTION] (Nested Field)	[R_SUPPCM_ACTTKN_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the medication selected in the pick list as a result of the SAE or non-serious but reportable event	

18.*	Re-Challenge: [R_SUPPCM_RECHAL_001_8] [CMRECHAL] (Nested Field)	[R_SUPPCM_RECHAL_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the medication was re-introduced. Please refer to CRF Completion Requirements for additional details.	
------	---	---	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: CM001_8 CONCOMITANT MEDICATIONS - VASOPRESSORS

Type	RefName	Description
Form	CRF_4895258215123096_CM001_8	CM001_8
Item	I_4895293886329988_CMSPID_001_8	
Item	I_4895293916350711_CMCAT_001_8	
Item	I_4895293932085897_CMPRESP_001_8	
Item	I_4895293947361787_CMTRT1_001_8	
Item	I_4895293962362819_CMINDC_001_8	
Item	I_4895293977343896_X_CMDSTXT_001_8	
Item	I_4895294000322451_CMDOSU_001_8	
Item	I_4895294023131756_CMSTDTC_001_8	
Item	I_4895294071404771_R_SUPPCM_CONSUS_001_8	
Item	I_4895294040242374_CMDECOD_001_8	
Item	I_4895294055706172_SUPPCM_CMCODE_001_8	
Item	I_4895294087059529_R_AEIDCM_001_8	

Item	I_4895294117177681_R_AEIDCM1_001_8	
Item	I_4895294146940128_R_AEIDCM2_001_8	
Item	I_4895294177591225_R_AEIDCM3_001_8	
Item	I_4895294207587784_R_AEIDCM4_001_8	
Item	I_4895294237464497_R_SUPPCM_ACTTKN_001_8	
Item	I_4895294253237164_R_SUPPCM_RECHAL_001_8	

Codelist Values Tables: CM001_8 CONCOMITANT MEDICATIONS - VASOPRESSORS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_8	0.2			VASOPRESSORS	1	46	0.1	i_4895293916350711_cmcat_001_8
CMPRESP_CL_001_8	0.2			YES	1	Y	0.1	i_4895293932085897_cmpresp_001_8
CMTRT1_CL_001_8	0.1			DOPAMINE	1	13	0.1	i_4895293947361787_cmtrt1_001_8
				DOBUTAMINE	2	14	0.1	
				PHENYLEPHRINE	3	15	0.1	
				NOREPINEPHRINE	4	16	0.1	
				EPINEPHRINE	5	17	0.1	
				VASOPRESSIN	6	18	0.1	
				TERLIPRESSIN	7	19	0.1	
CMDOSU_CL_001_8	0.1			mg	1	8	0.1	i_4895294000322451_cmdosu_001_8
				g	2	45	0.1	
				g/mL	3	674	0.1	
R_SUPPCM_CONSUS_CL_001_8	0.1			NO	1	N	0.1	i_4895294071404771_r_suppcm_consus_001_8
				YES	2	Y	0.1	
R_SUPPCM_ACTTKN_CL_001_8	0.1			DOSE INCREASED	1	1	0.1	i_4895294237464497_r_suppcm_acttkn_001_8
				DOSE NOT CHANGED	2	2	0.1	

				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
R_SUPPCM_RECHAL_CL_001_8	0.1			POSITIVE	1	1	0.1	i_4895294253237164_r_suppcm_rechal_001_8
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	

Variable Validations CM001_8 CONCOMITANT MEDICATIONS - VASOPRESSORS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_8	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001_8	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_8	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001_8	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_8 CONCOMITANT MEDICATIONS - VASOPRESSORS

Group RefName	Group Type	Associated Variables
IG_4895274648559034_CM01001_8	Non-Repeating	CMSPID_001_8, CMCAT_001_8, CMPRESP_001_8, CMTRT1_001_8, CMINDC_001_8, X_CMDSTXT_001_8, CMDOSU_001_8, CMSTDTC_001_8, R_SUPPCM_CONSUS_001_8, CMDECOD_001_8, SUPPCM_CMCODE_001_8, R_AEIDCM_001_8, R_AEIDCM1_001_8, R_AEIDCM2_001_8, R_AEIDCM3_001_8, R_AEIDCM4_001_8, R_SUPPCM_ACTTKN_001_8, R_SUPPCM_RECHAL_001_8

Instruments

CM001_9 / CONCOMITANT MEDICATIONS - COVID-19

Instrument Definition

Instrument Name:	CM001_9
Instrument Title:	CONCOMITANT MEDICATIONS - COVID-19
SAS Instrument Name:	CM001_9
Description:	CONMED
Version:	0.61
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: CM001_9 CONCOMITANT MEDICATIONS - COVID-19 (CONMED) [Version: 0.61]		
Section CONCOMITANT MEDICATIONS - COVID-19 CM001_S_8		Permission Groups
Group of Fields CM01001_9 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 17	

1.	What is the medication identifier? [CMSPID_001_9] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([CMTRT_001_9])),[\$form_occurrence],null)	
2.	Category: [CMCAT_001_9] [CMCAT]	[CMCAT_CL_001_9] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: Record the Category for this medication.	

3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001_9] [CMTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Generic drug name is the preferred entry. Provide the complete generic drug name (including salt form) if known. If the medication includes a large number of ingredients or the generic name is unknown, record the full trade or proprietary name.	
4.*	Reason for Administration: [CMINDC_001_9] [CMINDC]	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken based on clinical evaluation by the investigator. If taken to treat a condition, and a diagnosis was made, the reason should be the diagnosis. If taken to treat a condition, and no diagnosis was made, the reason should be the signs and symptoms. If taken as prophylaxis, report as "Prophylaxis for ...".	

5.*	Start Date [CMSTDTC_001_9] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock. Please refer to CRF Completion Requirements for additional guidance.	
6.*	Ongoing? [X_CMONGO_001_9] [CMONGO]	[X_CMONGO_CL_001_9] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the medication as ongoing if the subject has not stopped taking the medication at the time of data collection.	

7.*	End Date: [CMENDTC_001_9] [CMENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject stopped taking the medication using the format (DD-MON-YYYY). If appropriate, record the time (as complete as possible) when the medication was stopped, using the 24-hour clock.	
-----	---	--	--

8.*	Is this concomitant therapy suspected to be related to an Adverse Event? [R_SUPPCM_CONSUS_001_9] [CMSUS]	[R_SUPPCM_CONSUS_CL_001_9] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication is NOT considered suspect in relation to a reportable event please select NO. If this medication is considered suspect in relation to a reportable event please select YES and complete the remaining fields (AE ID, Action Taken and Re-Challenge)	
9.*	AE ID of the AE this conmed is related to: [R_AEIDCM_001_9] [CMAEID] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y' , [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

10.	AE ID of the AE this conmed is related to: [R_AEIDCM1_001_9] [CMAEID1] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
11.	AE ID of the AE this conmed is related to: [R_AEIDCM2_001_9] [CMAEID2] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

12.	AE ID of the AE this conmed is related to: [R_AEIDCM3_001_9] [CMAEID3] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	
13.	AE ID of the AE this conmed is related to: [R_AEIDCM4_001_9] [CMAEID4] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect to have caused.	

14.* 	Action Taken: [R_SUPPCM_ACTTKN_001_9] [CMACTION] (Nested Field)	[R_SUPPCM_ACTTKN_CL_001_9] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the medication selected in the pick list as a result of the SAE or non-serious but reportable event	
15.*	Re-Challenge: [R_SUPPCM_RECHAL_001_9] [CMRECHAL] (Nested Field)	[R_SUPPCM_RECHAL_CL_001_9] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the medication was re-introduced. Please refer to CRF Completion Requirements for additional details.	

16.	Standardized Medication Name - Dictionary derived. [CMDECOD_001_9] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
17.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001_9] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: CM001_9 CONCOMITANT MEDICATIONS - COVID-19		
Type	RefName	Description
Form	CRF_4895258451627580_CM001_9	CM001_9
Item	I_4895294269254429_CMSPID_001_9	
Item	I_4895294297052121_CMCAT_001_9	
Item	I_4895294312703867_CMTRT_001_9	
Item	I_4895294328444083_CMINDC_001_9	
Item	I_4895294344211187_CMSTDTC_001_9	

Item	I_4895294361467702_X_CMONGO_001_9	
Item	I_4895294377331521_CMENDTC_001_9	
Item	I_4895294426524554_R_SUPPCM_CONSUS_001_9	
Item	I_4895294442284035_R_AEIDCM_001_9	
Item	I_4895294472466311_R_AEIDCM1_001_9	
Item	I_4895294502995757_R_AEIDCM2_001_9	
Item	I_4895294533755508_R_AEIDCM3_001_9	
Item	I_4895294564107049_R_AEIDCM4_001_9	
Item	I_4895294595122022_R_SUPPCM_ACTTKN_001_9	
Item	I_4895294611824464_R_SUPPCM_RECHAL_001_9	
Item	I_4895294394891046_CMDECOD_001_9	
Item	I_4895294410711492_SUPPCM_CMCODE_001_9	

Codelist Values Tables: CM001_9 CONCOMITANT MEDICATIONS - COVID-19

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_9	0.2			GENERAL CONCOMITANT MEDICATIONS	1	1	0.1	i_4895294297052121_cmcat_001_9
X_CMONGO_CL_001_9	0.1			YES	1	Y	0.1	i_4895294361467702_x_cmongo_001_9
				NO	2	N	0.1	
R_SUPPCM_CONSUS_CL_001_9	0.1			NO	1	N	0.1	i_4895294426524554_r_suppcm_consus_001_9
				YES	2	Y	0.1	
R_SUPPCM_ACTTKN_CL_001_9	0.1			DOSE INCREASED	1	1	0.1	i_4895294595122022_r_suppcm_acttkn_001_9
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	

				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
R_SUPPCM_RECHAL_CL_001_9	0.1			POSITIVE	1	1	0.1	i_4895294611824464_r_suppcm_rechal_001_9
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	

Variable Validations CM001_9 CONCOMITANT MEDICATIONS - COVID-19

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_9	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001_9	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_9	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001_9	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CMENDTC_001_9	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMENDTC_001_9	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMENDTC_001_9	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMENDTC_001_9	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_9 CONCOMITANT MEDICATIONS - COVID-19

Group RefName	Group Type	Associated Variables
IG_4895275133908424_CM01001_9	Non-Repeating	CMSPID_001_9, CMCAT_001_9, CMTRT_001_9, CMINDC_001_9, CMSTDTC_001_9, X_CMONGO_001_9, CMENDTC_001_9, R_SUPPCM_CONSUS_001_9, R_AEIDCM_001_9, R_AEIDCM1_001_9, R_AEIDCM2_001_9, R_AEIDCM3_001_9, R_AEIDCM4_001_9, R_SUPPCM_ACTTKN_001_9, R_SUPPCM_RECHAL_001_9, CMDECOD_001_9, SUPPCM_CMCODE_001_9

Instruments

FAVSD065_2 / PARTICIPANT-REPORTED REACTOGENICITY

Instrument Definition

Instrument Name:	FAVSD065_2
Instrument Title:	PARTICIPANT-REPORTED REACTOGENICITY
SAS Instrument Name:	FAVSD065_2
Description:	PARREACT
Version:	0.42
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4591081_V5.0.0: FAVSD065_2 PARTICIPANT-REPORTED REACTOGENICITY (PARREACT) [Version: 0.42]		
Section PARTICIPANT-REPORTED REACTOGENICITY FAVSD065_S_1		Permission Groups
Group of Fields FAVSD01065_2 / Participant-Reported Reactogenicity Group Type: Non-Repeating	Number of variables: 6	

1.* 	Date of Missed Diary: [Y_SUPPFA_VSDMDTC_065_2] [VSDMDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the DAY, MONTH and YEAR from dropdown list or select the date from calendar. NO Partial Dates allowed.	
2.* 	Did the participant report any local reactions? [X_FAORRES_LOCREIND_065_2] [VSDLRACT]	[X_FAORRES_LOCREIND_CL_065_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO for whether the participant experienced local reaction of REDNESS or SWELLING during the missed eDiary reporting period.	

3.* 	Did the participant report any symptoms? [X_FAORRES_SYMPINDC_065_2] [VSDSRACT]	[X_FAORRES_SYMPINDC_CL_065_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select YES or NO for whether the participant experienced Symptoms (other than local reaction of REDNESS or SWELLING) during the missed eDiary reporting period.	
4.* 	Highest temperature for the day: [VSORRES_TEMP_065_2] [VSDTEMP]	Number Box (Decimal) Max Value: 999.9 Max Decimal Size: 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the participant's highest recorded temperature for the day.	

5.* 	Unit: [VSORRESU_TEMP_065_2] [VSDTEMPU]	[VSORRESU_TEMP_CL_065_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the UNIT as C (Celsius) or F (Fahrenheit), if not preprinted on form.	
6.	Injection Site Location: [FALOC_065_2] [VSDLOC]	[FALOC_CL_065_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 744 Help/Info Text: Select Injection Site Location if applicable, if not preprinted on form.	
	Group of Fields FAVSD02065_2 / Local Reaction-Choose a reaction only if it occurred Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

7.* 	Reaction: [FAOBJ_065_2] [VSDOBJ]	[FAOBJ_CL_065_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the relevant reactions from the predefined list of options.	
8.* 	Diameter (Caliper Units): [FAORRES_DIAMETER_065_2] [VSDDIAM]	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the DIAMETER value in Caliper Units. Maximum value allowed is 21 Caliper Units.	
	Group of Fields FAVSD03065_2 / Symptoms-Choose a symptom only if it occurred Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

9.* ✓	Symptom: [FAOBJ1_065_2] [VSDOBJ1]	[FAOBJ1_CL_065_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select a symptom if it occurred.	
10.* ✓	Severity: [FAORRES_SEV_065_2] [VSDSEV]	[FAORRES_SEV_CL_065_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the appropriate SEVERITY from the predefined list of options, per the grading scale defined in the protocol, as determined by the Investigator.	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: FAVSD065_2 PARTICIPANT-REPORTED REACTOGENICITY		
Type	RefName	Description
Form	CRF_4895258736851493_FAVSD065_2	FAVSD065_2
Item	I_4895294628540411_Y_SUPPFA_VSDMDTC_065_	
Item	I_4895294646289682_X_FAORRES_LOCREIND_06	
Item	I_4895294662666376_X_FAORRES_SYMPINDC_06	
Item	I_4895294679061524_VSORRES_TEMP_065_2	

Item	I_4895294695911101_VSORRESU_TEMP_065_2	
Item	I_4895294712251405_FALOC_065_2	
Item	I_4895294728797685_FAOBJ_065_2	
Item	I_4895294744778526_FAORRES_DIAMETER_065_	
Item	I_4895294763312454_FAOBJ1_065_2	
Item	I_489529477755335_FAORRES_SEV_065_2	

Codelist Values Tables: FAVSD065_2 PARTICIPANT-REPORTED REACTOGENICITY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_FAORRES_LOCREIND_CL_065_2	0.2			YES	1	Y	0.1	i_4895294646289682_x_faorres_locreind_06
				NO	2	N	0.1	
X_FAORRES_SYMPINDC_CL_065_2	0.2			YES	1	Y	0.1	i_4895294662666376_x_faorres_sympindc_06
				NO	2	N	0.1	
VSORRESU_TEMP_CL_065_2	0.2			C	1	4	0.1	i_4895294695911101_vsorresu_temp_065_2
				F	2	6	0.1	
FALOC_CL_065_2	0.3			DELTOID MUSCLE	1	744	0.1	i_4895294712251405_faloc_065_2
FAOBJ_CL_065_2	0.2			REDNESS	1	1	0.1	i_4895294728797685_faobj_065_2
				SWELLING	2	2	0.1	
FAOBJ1_CL_065_2	0.3			PAIN AT INJECTION SITE	1	22	0.1	i_4895294763312454_faobj1_065_2
				DIARRHEA	2	7	0.1	
				VOMITING	3	25	0.1	
				HEADACHE	4	9	0.1	
				FATIGUE	5	8	0.1	
				CHILLS	6	3	0.1	

				MUSCLE PAIN	7	15	0.1	
				JOINT PAIN	8	13	0.1	
FAORRES_SEV_CL_065_2	0.2			MILD	1	1	0.1	i_4895294777755335_faorres_sev_065_2
				MODERATE	2	2	0.1	
				SEVERE	3	3	0.1	

Variable Validations FAVSD065_2 PARTICIPANT-REPORTED REACTOGENICITY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
Y_SUPPFA_VSDMDTC_065_2	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065_2	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065_2	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065_2	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields FAVSD065_2 PARTICIPANT-REPORTED REACTOGENICITY

Group RefName	Group Type	Associated Variables
IG_4895275864933948_FAVSD01065_2	Non-Repeating	Y_SUPPFA_VSDMDTC_065_2, X_FAORRES_LOCREIND_065_2, X_FAORRES_SYMPINDC_065_2, VSORRES_TEMP_065_2, VSORRESU_TEMP_065_2, FALOC_065_2
IG_4895275841983123_FAVSD02065_2	Repeating	FAOBJ_065_2, FAORRES_DIAMETER_065_2
IG_4895275800521507_FAVSD03065_2	Repeating	FAOBJ1_065_2, FAORRES_SEV_065_2

Other Descriptive Metadata

Custom Functions					
Name	Description	Code	Source	Version	ID
Subset_Multi	_Subset_Multi	<pre> import java.util.ArrayList; import java.util.Arrays; import java.util.List; public static List<Object> _Subset_Multi(Array List<Object> Array_to_search, String compariso nOperator,Object valueToMatch,ArrayList<Object > Subset_Multi) { ArrayList<Object> array_to_return = new Arra yList<Object>(); if(Array_to_search == null (Array_to_sear ch != null && Array_to_search.size() == 0)) { return array_to_return; } for (int index = 0; index < Array_to_search. size(); index++) { if(Array_to_search.get(index) == null) { Array_to_search.set(index, "") ; } if (comparisonOperator.equals("")) { if (Array_to_search.get(index) != null && Array_to_search.get(index).toString().equals(v </pre>		0.1	201463

```

alueToMatch.toString()))
    {
        array_to_return.add(index);
    }
}

if (comparisonOperator.equals("!="))
{
    if (Array_to_search.get(index) != null &&
!Array_to_search.get(index).toString().equals(
valueToMatch.toString()))
    {
        array_to_return.add(index);
    }
}

}

if (Subset_Multi != null)
{
    ArrayList<Object> filtered_array_to_return
= new ArrayList<Object>();

    for (int index = 0; index < Subset_Multi.si
ze(); index++)
    {
        String Val_to_check = Subset_Multi.get(ind
ex).toString();
        if (array_to_return.stream().filter(x -> x
.toString().equals(Val_to_check)).findFirst().
orElse(null) != null)
        {
            filtered_array_to_return.add(Subset_Multi
.get(index));
        }
    }
}

```

		<pre> } return filtered_array_to_return; } return array_to_return; } </pre>			
Subject_last_study_date	This function is meant to be used in studies using Disposition treatment and Disposition Follow up CRFs. The custom function support multiple versions (3 in total) of each of those forms in a study.	<pre> import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String customFunction(String C5, String T5, String F6, String C5_1, String T5_ 1, String F6_1,String C5_2, String T5_2, Strin g F6_2) { String subj_cont, trt_date, fup_date; //Get the disposition variables populated regardless the disposition treatment and follo w up forms used in the subject subj_cont = get_value(new String[]{C5, C5 _1, C5_2}); trt_date = get_value(new String[]{T5, T5_ 1, T5_2}); fup_date = get_value(new String[]{F6, F6_ 1, F6_2}); if(subj_cont != null){ if(subj_cont.equals("N") && trt_date.len gth() > 0) return get_full_date(trt_date).toString (); else if(fup_date.length() > 0) return get_full_date(fup_date).toString (); } return ""; } </pre>	0.1	201462	

		<pre> public static String get_value(String[] vals){ for(String v : vals){ if(v != null && !v.equals("NA")) return v; } return ""; } public static java.time.LocalDate get_full_date(String st){ DateTimeFormatter formatter = DateTimeFormatter.ofPattern("yyyy-MM-dd", java.util.Locale.ENGLISH); if(st.indexOf("{null}") > 0){ st = st.replace("{null}", "01"); } else if(st.indexOf(" 00:00:00") > 0){ st = st.replace(" 00:00:00", ""); } return LocalDate.parse(st, formatter); } </pre>			
Selection_Conmed_CF	Parameters --> String drugStartDate, String drugEndDate, String reactionStartDate, String ongoing	<pre> import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String checkReaction(String drugStartDate, String drugEndDate, String reactionStartDate, String ongoing) { // Define date formatter for plain date DateTimeFormatter dateFormatter = DateTimeFormatter.ofPattern("yyyy-MM-dd"); </pre>	0.1	201461	

```

        // Validate and parse dates
        LocalDate reactionStart = isValidDate(
reactionStartDate, dateFormatter)
                                ? LocalDat
e.parse(reactionStartDate, dateFormatter)
                                : null;

        LocalDate drugStart = isValidDate(drug
StartDate, dateFormatter)
                                ? LocalDate.pars
e(drugStartDate, dateFormatter)
                                : null;

        LocalDate drugEnd = isValidDate(drugEn
dDate, dateFormatter)
                                ? LocalDate.parse(
drugEndDate, dateFormatter)
                                : null;

        // Validate reactionStart parsing
        if (reactionStart == null) {
            return "false"; // Invalid date, c
annot proceed
        }

        // Compare Drug Start and Drug End dat
es with Reaction Start date
        if (drugStart != null && drugEnd != nu
ll) {
            if (isWithin14DaysBefore(reactionS
tart, drugStart) || isWithin14DaysBefore(react
ionStart, drugEnd)) {
                return "true";
            }
        }
    }
}

```

		<pre> // Handle Ongoing parameter if Drug End Date is empty if (drugStart != null && drugEnd == null) { return "Y".equalsIgnoreCase(ongoing) ? "true" : "false"; } return "false"; // Default to false if no conditions are met } private static boolean isValidDate(String date, DateTimeFormatter formatter) { if (date == null date.isEmpty()) { return false; } // Simple regex to validate date String pattern = "\\d{4}-\\d{2}-\\d{2}"; return date.matches(pattern); } private static boolean isWithin14DaysBefore(LocalDate reactionStart, LocalDate drugDate) { int daysDifference = Math.abs((int) (reactionStart.toEpochDay() - drugDate.toEpochDay())); return daysDifference >= 0 && daysDifference <= 14; } </pre>			
Row_Specific_Derivation_RR_1	RR Not Otherwise Specified: If EG001. EGTEST_001 = "ECG Mean Heart Rate" is not null, RR = 60/HR	<pre> import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.model.ItemData; import com.candorgrc.core.shared.api.model.Var </pre>		0.1	201460


```
fetchAndDerive  
(ItemData currentItem,  
ApiService service,  
String row_number,  
String result1, String  
result1_row, String  
target, int target_row)
```

```
iable;  
  
import java.util.List;  
  
        public static boolean fetchAndDerive(I  
temData currentItem, ApiService service, Strin  
g row_number, String result1, String result1_r  
ow, String target, int target_row) {  
            if (currentItem == null || service ==  
null) {  
                return false;  
            }  
            // Fetch the current variable and its  
value  
            Variable currentVariable = currentItem  
.getVariable();  
            Object currentValue = currentItem.getV  
alue();  
  
            if (currentVariable == null || current  
Value == null) {  
                return false;  
            }  
  
            // Prepare and load the derived value  
for RR  
            if (result1_row.equals(row_number)) {  
  
                // Derive value for row 5  
                Variable targetVariable = service.  
getVariable(currentItem.getCrfdData(), target )  
;  
  
                if (targetVariable == null) {  
                    return false;  
                }  
                if (result1 != null) {  
                    String derivedValue = calculat
```

```

eRR(result1);
        ItemData derivedItem = new ItemData();
        derivedItem.setVariable(targetVariable);
        derivedItem.setRowIndex(target_row); // explicitly setting row index
        derivedItem.setCrfData(currentItem.getCrfData());
        derivedItem.setSingleValue(derivedValue);
        service.saveFormData(currentItem.getCrfData(), List.of(derivedItem));
        return true;
    }
    else {
        ItemData derivedItem = new ItemData();
        derivedItem.setVariable(targetVariable);
        derivedItem.setRowIndex(target_row); // explicitly setting row index
        derivedItem.setCrfData(currentItem.getCrfData());
        derivedItem.setSingleValue("")
    ;
        service.saveFormData(currentItem.getCrfData(), List.of(derivedItem));
        return true;
    }
}
return false;
}
public static String calculateRR(String result1) {
    try {
        double value = Double.parseDouble(

```

		<pre> result1); double rr = 60.0 / value; //return String.valueOf(rr); return String.format("%.2f", rr); } catch (NumberFormatException e) { // Handle invalid input return null; } } </pre>			
Row_Specific_Derivation_RR	RR Not Otherwise Specified: If EG001. EGTEST_001 = "ECG Mean Heart Rate" is not null, RR = 60/HR fetchAndDerive (ItemData currentItem, ApiService service, String row_number, String result1, String result1_row, String target, int target_row)	<pre> import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.model.ItemData; import com.candorgrc.core.shared.api.model.Variable; import java.util.List; public static boolean fetchAndDerive(ItemData currentItem, ApiService service, String row_number, String result1, String result1_row, String target, int target_row) { if (currentItem == null service == null) { return false; } // Fetch the current variable and its value Variable currentVariable = currentItem.getVariable(); Object currentValue = currentItem.getValue(); if (currentVariable == null currentValue == null) { return false; } } </pre>		0.1	201459

```

    }

    // Prepare and load the derived value
for RR
    if (result1_row.equals(row_number)) {

        // Derive value for row 5
        Variable targetVariable = service.
getVariable(currentItem.getCrfdData(), target )
;
        if (targetVariable == null) {
            return false;
        }
        if (result1 != null) {
            String derivedValue = calculat
eRR(result1);
            ItemData derivedItem = new Ite
mData();
            derivedItem.setVariable(target
Variable);
            derivedItem.setRowIndex(target
_row); // explicitly setting row index
            derivedItem.setCrfdData(current
Item.getCrfdData());
            derivedItem.setSingleValue(der
ivedValue);
            service.saveFormData(currentIt
em.getCrfdData(), List.of(derivedItem));
            return true;
        }
        else {
            ItemData derivedItem = new Ite
mData();
            derivedItem.setVariable(target
Variable);
            derivedItem.setRowIndex(target
_row); // explicitly setting row index

```

		<pre> derivedItem.setCrfData(current Item.getCrfData()); derivedItem.setSingleValue("") ; service.saveFormData(currentIt em.getCrfData(), List.of(derivedItem)); return true; } } return false; } public static String calculateRR(String re sult1) { try { double value = Double.parseDouble(result1); double rr = 60.0 / value; //return String.valueOf(rr); return String.format("%.2f", rr); } catch (NumberFormatException e) { // Handle invalid input return null; } } </pre>			
Row_Specific_Derivation_QTcF_1	If EG001.EGTEST_001 ="QT Interval Not Otherwise Specified" and EG001. EGTEST_001 = "RR Interval Not Otherwise Specified" is not null, QTcF = QT/ 3√RR (cube root of RR) fetchAndDerive1 (ItemData currentItem, ApiService service,	<pre> import com.candorgrc.core.shared.api.ApiServic e; import com.candorgrc.core.shared.api.model.It emData; import com.candorgrc.core.shared.api.model.Var iable; import java.util.List; public static boolean fetchAndDerive1(ItemData currentItem, ApiService service, Stri ng row_number, String result1, String sourceRo </pre>		0.1	201458

```
String row_number,  
String result1, String  
sourceRow1, String  
result2, String  
sourceRow2, String  
target, int targetRow )
```

```
w1, String result2,String sourceRow2, String t  
arget, int targetRow ) {  
    if (currentItem == null || service ==  
null) {  
        return false;  
    }  
    // Fetch the current variable and its  
value  
    Variable currentVariable = currentItem  
.getVariable();  
    Object currentValue = currentItem.getV  
alue();  
  
    if (currentVariable == null || current  
Value == null) {  
        return false;  
    }  
  
    // Prepare and load the derived value  
for RR  
    if (sourceRow1.equals(row_number) || s  
ourceRow2.equals(row_number)) {  
        // Set the derived value directly  
on this item  
        Variable targetVariable = service.  
getVariable(currentItem.getCrfData(), target);  
        if (targetVariable == null) {  
            return false;  
        }  
        if(result1 != null && result2 != n  
ull){  
            String derivedValue1 = calcula  
teQTcF(result1,result2) ;  
            ItemData derivedItem = new Ite  
mData();  
            derivedItem.setVariable(target
```

```

Variable);
        derivedItem.setRowIndex(target
Row); // explicitly setting row index
        derivedItem.setCrfData(current
Item.getCrfData());
        derivedItem.setSingleValue(der
ivedValue1);
        service.saveFormData(currentIt
em.getCrfData(), List.of(derivedItem));
        return true;
    }
    else {
        ItemData derivedItem = new Ite
mData();
        derivedItem.setVariable(target
Variable);
        derivedItem.setRowIndex(target
Row); // explicitly setting row index
        derivedItem.setCrfData(current
Item.getCrfData());
        derivedItem.setSingleValue("")
;
        service.saveFormData(currentIt
em.getCrfData(), List.of(derivedItem));
        return true;
    }
}
// Prepare and load the derived valu
e for QTcF
return false;
}

public static String calculateQTcF(String
result1, String result2) {
    try {
        // Parse both input strings to dou
bles

```

		<pre> double qt = Double.parseDouble(result1); double rrValue = Double.parseDouble(result2); // Calculate RR double rr = 60.0 / rrValue; // Calculate cube root of RR double cubeRootRR = Math.cbrt(rr); // Calculate QTcF double qtcF = qt / cubeRootRR; // Return result as a string (formatted to 2 decimal places if needed) return String.format("%.2f", qtcF); ; } catch (NumberFormatException e) { return null; } } </pre>			
Row_Specific_Derivation_QTcF	If EG001.EGTEST_001 = "QT Interval Not Otherwise Specified" and EG001.EGTEST_001 = "RR Interval Not Otherwise Specified" is not null, QTcF = QT/ $\sqrt[3]{RR}$ (cube root of RR) fetchAndDerive1 (ItemData currentItem, ApiService service, String row_number, String result1, String	<pre> import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.model.ItemData; import com.candorgrc.core.shared.api.model.Variable; import java.util.List; public static boolean fetchAndDerive1(ItemData currentItem, ApiService service, String row_number, String result1, String sourceRow1, String result2, String sourceRow2, String target, int targetRow) { </pre>		0.1	201457


```
sourceRow1, String  
result2, String  
sourceRow2, String  
target, int targetRow )
```

```
        if (currentItem == null || service ==  
null) {  
            return false;  
        }  
        // Fetch the current variable and its  
value  
        Variable currentVariable = currentItem  
.getVariable();  
        Object currentValue = currentItem.getV  
alue();  
  
        if (currentVariable == null || current  
Value == null) {  
            return false;  
        }  
  
        // Prepare and load the derived value  
for RR  
        if (sourceRow1.equals(row_number) || s  
ourceRow2.equals(row_number)) {  
            // Set the derived value directly  
on this item  
            Variable targetVariable = service.  
getVariable(currentItem.getCrfdData(), target);  
            if (targetVariable == null) {  
                return false;  
            }  
            if(result1 != null && result2 != n  
ull){  
                String derivedValue1 = calcula  
teQTcF(result1,result2) ;  
                ItemData derivedItem = new Ite  
mData();  
                derivedItem.setVariable(target  
Variable);  
                derivedItem.setRowIndex(target
```

```

Row); // explicitly setting row index
        derivedItem.setCrfData(current
Item.getCrfData());
        derivedItem.setSingleValue(der
ivedValue1);
        service.saveFormData(currentIt
em.getCrfData(), List.of(derivedItem));
        return true;
    }
    else {
        ItemData derivedItem = new It
emData();
        derivedItem.setVariable(target
Variable);
        derivedItem.setRowIndex(target
Row); // explicitly setting row index
        derivedItem.setCrfData(current
Item.getCrfData());
        derivedItem.setSingleValue("")
;
        service.saveFormData(currentIt
em.getCrfData(), List.of(derivedItem));
        return true;
    }
}
// Prepare and load the derived valu
e for QTcF
return false;
}

    public static String calculateQTcF(String
result1, String result2) {
        try {
            // Parse both input strings to dou
bles
            double qt = Double.parseDouble(res
ult1);

```

		<pre> double rrValue = Double.parseDouble(result2); // Calculate RR double rr = 60.0 / rrValue; // Calculate cube root of RR double cubeRootRR = Math.cbrt(rr); // Calculate QTcF double qtcF = qt / cubeRootRR; // Return result as a string (formatted to 2 decimal places if needed) return String.format("%.2f", qtcF); ; } catch (NumberFormatException e) { return null; } } </pre>			
Remove_trailing_0s	NaN	<pre> public static String customFunction(String input) { // Check if input is a valid decimal number if (isDecimal(input) && input.contains(".")) { // Convert to double and round to 3 decimal places double value = Double.parseDouble(input); value = Math.round(value * 1000.0) / 1000.0; // Convert back to string input = Double.toString(value); </pre>		0.1	201456

	<pre> // Remove trailing zeros and unnecessary decimal point input = input.replaceAll("0+\$", ""); / / Remove trailing zeros input = input.replaceAll("\\.\$", ""); // Remove trailing decimal point if any } return input; } private static boolean isDecimal(String input) { try { // Try to parse the input as a double Double.parseDouble(input); // If parsing is successful, it is a decimal number return true; } catch (NumberFormatException e) { // If parsing fails, it is not a decimal number return false; } } </pre>			
--	--	--	--	--

overlappingDates	Returns if the two sets of start and end times are overlapping.	<pre>import java.time.LocalDateTime; public static boolean overlappingDates(LocalDateTime startDate1, LocalDateTime endDate1, LocalDateTime startDate2, LocalDateTime endDate2) { if (startDate1 == null endDate1 == null startDate2 == null endDate2 == null) { return false; } return (startDate1.isEqual(endDate2) startDate1.isBefore(endDate2)) && (endDate1.isEqual(startDate2) endDate1.isAfter(startDate2)); }</pre>		0.1	201455
------------------	---	---	--	-----	--------

Narrative_OtherData	NaN	<pre> public static String customFunction(String Sub Study , String[] AENO, String[] AE_PROCEDURE) { if (AENO.length != AE_PROCEDURE.length) { return ""; } StringBuilder FINAL = new StringBuilde r(); for (int i = 0; i < AENO.length; i++) { if (AE_PROCEDURE[i] != null) { if (FINAL.length() > 0) { FINAL.append("\n"); } FINAL.append("<" + AENO[i] + " >").append(":").append("<" + AE_PROCEDURE[i]+ "> \n"); } } return "{STUDYARMINFO}" + SubStudy + " {/STUDYARMINFO} \n" + "{EVENTRELATED}" + FINAL .toString() + "{/EVENTRELATED}"; } </pre>	0.1	201454
narrative	NaN	<pre> import com.candorgrc.core.shared.api.ApiServic e; import com.candorgrc.core.shared.api.ItemDataR equest; import com.candorgrc.core.shared.api.model.Crf Data; import com.candorgrc.core.shared.api.model.Ite mData; import java.util.Collection; import java.util.Date; import java.util.List; </pre>	0.1	201453

```

import java.util.Objects;
import java.util.Optional;

    private static final String FORM_NAME = "D
_SAE001";
    private static final String NARRATIVE_TARG
ET = "D_NARRATIVE3SAE_001";

    public static boolean narrative(ItemData d
ataPoint, ApiService service) {
        if (dataPoint == null || service == nu
ll) {
            return false;
        }
        String source = dataPoint.getSingleVal
ue();
        if (source == null || source.isEmpty()
) {
            return false;
        }
        CrfData crfData = dataPoint.getCrfData
();
        ItemDataRequest reportRequest = new It
emDataRequest()
            .setStudyName(dataPoint.getCrf
Data().getSubject().getSite().getStudy().getNa
me())
            .setSubjectNumber(dataPoint.ge
tCrfData().getSubject().getNumber())
            .setInstrumentName(FORM_NAME);
        Collection<ItemData> report = service.
getItems(reportRequest);
        ItemData target = null;
        for (ItemData available : report) {
            if (available.getVariable().getNam
e().equals(NARRATIVE_TARGET)
                && Objects.equals(availabl

```

		<pre> e.getCrfData().getId(), crfData.getId())) { target = available; } } if (target == null) { target = dataPoint.withoutIds(); target.getVariable().setName(NARRA TIVE_TARGET); } target.setValues(List.of(source + " (" + new Date() + ")")); dataPoint.setValues(List.of()); service.saveFormData(crfData, List.of(target, dataPoint)); return false; } </pre>			
LNR_DOB_CALCULATION	Calculates subject DOB based on either a direct map from the Standards DOB field or as a calculation when the site instead provided AGE, AGE Unit and Informed consent.	<pre> import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String customFunction(String DOB , String IC, String dc_age, String AGEU) { LocalDate dob_date = LocalDate.now(); if(DOB != null){ dob_date = get_full_date(DOB); return dob_date.toString(); } else if(dc_age != null && AGEU != null && IC != null){ int AGE = Integer.parseInt(dc_age); LocalDate ic_date = get_full_date(IC.t oString()); if(AGEU.equals("5")) dob_date = ic_dat e.minusYears(AGE); </pre>		0.1	201452


```

        else if(AGEU.equals("3")) dob_date = i
c_date.minusMonths(AGE);
        else if(AGEU.equals("4")) dob_date = i
c_date.minusWeeks(AGE);
        else if(AGEU.equals("1")) dob_date = i
c_date.minusDays(AGE);

        return dob_date.toString();
    }
    //Date format needs to be "2023-01-21";
    return "";
}

public static LocalDate get_full_date(String s
t) {
    DateTimeFormatter formatter = getForma
tter(st);

    if (st != null) {
        st = st.trim();
        if (st.contains("{null}")) {
            st = st.replace("{null}", "01"
);
        }
        if (st.contains(" 00:00:00")) {
            st = st.replace(" 00:00:00", "
");
        }
        return LocalDate.parse(st, formatt
er);
    }
    return LocalDate.now(); // Default ret
urn value
}

private static DateTimeFormatter getFormat
ter(String st) {

```

		<pre> if (st.matches("\\d{2}-[A-Za-z]{3}-\\d{4}")) { return DateTimeFormatter.ofPattern("dd-MMM-yyyy"); } return DateTimeFormatter.ofPattern("yy-MM-dd"); } </pre>			
heightToCm	Converts height to cm	<pre> public static Double heightToCm(Double result, String unit) { if (result == null unit == null result.equals("") unit.equals("")){ return null; }else if(unit.equals("cm")){ return result; }else if(unit.equals("in")){ return result * 2.54; }else{ return null; } } </pre>		0.1	201451
gradeUpdate	NaN	<pre> import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.model.*; import java.time.LocalDate; import java.time.format.DateTimeFormatter; import java.util.*; import java.util.function.BiPredicate; import java.util.function.Function; import java.util.function.Predicate; import java.util.stream.Collectors; import java.util.Map; </pre>		0.1	201450

```

import java.util.HashMap;
import java.util.Set;
import java.util.HashSet;

import static java.util.Map.entry;
import static java.util.stream.Collectors.toMap;

    private static final String EVENT_NAME = "
common_event";
    private static final String SAE_FORM = "D_
SAE001";
    private static final String AE_CASE_ID = "
D_CASEID_001";
    private static final String SAE_CASE_ID =
"D_CASEIDSAE_001";
    private static final String AE_PREVIOUS_CA
SE_ID = "D_PREVID_001";
    private static final String AE_TERM = "AET
ERM_001";
    private static final String SAE_TERM = "D_
AETERMMEDDRA_001";
    private static final String SAE_TERM_DETAI
LS = "D_AETERMADMIT_001";
    private static final String SAE_OUTCOME =
"D_SAEOUTD_001";
    private static final String AE_CT_PROCEDUR
E = "D_CTPROCEDURE1_001";
    private static final String SAE_NARRATIVE2
= "D_NARRATIVE2SAE_001";
    private static final String AE_PID = "AESP
ID_001";
    private static final String SAE_PID = "D_A
EIDNUMBEG_001";
    private static final String AE_COUNTRY = "
D_SAECOUNTRY1_001";
    private static final String SAE_COUNTRY =

```

```

"D_COUNTRYOCCUR_001";
    private static final String IS_AE_LAST_EXP
ERIENCE = "D_SAEAEOUTYN_001";
    private static final String AE_LAST_EXPERI
ENCE = "D_SAEAEOUTDTC_001";
    private static final String AE_END_DATE =
"AEENDTC_001";
    /**
     * If yes, enter the final outcome of the
last sign or symptom associated with this event
    */
    private static final String AE_LAST_OUTCOM
E = "D_SAEAEOUT_001";
    /**
     * What was the outcome of this adverse ev
ent?:
    */
    private static final String AE_OUTCOME = "
AEOUT_001";
    private static final String AE_START_DATET
IME = "AESTDTC_001";
    /**
     * If yes, enter the date the subject firs
t experienced a sign or symptom associated wit
h this event?
    */
    private static final String AE_EXPERIENCE_
START= "D_SAEAESTDTC_001";
    /**
     * SAE Original Onset Date-Derived
    */
    private static final String SAE_START_DATE
= "D_SAEDATD_001";
    private static final String SAE_END_DATE =
"D_SAEEDD_001";
    private static final String AE_HOSPITALIZA
TION_START = "D_SAEADMITDTC_001";

```

```

        private static final String AE_HOSPITALIZA
TION_END = "D_SAEDISCHDTC_001";
        /**
         * Derived Case Details
         */
        private static final String SAE_REPEATING_
GROUP = "D_SAE08001";
        /**
         * Was the AE related to a Prefilled Syrin
ge?
         */
        private static final String AE_PREFILLED =
"SUPPAE_AEDEVREL_001";
        private static final String AE_ACTION = "D
_DEVACN_001";
        private static final String AE_OPERATOR =
"D_DEVOP_001";
        private static final Map<String, String> V
AR_MAP = Map.ofEntries(
            entry(AE_PID, SAE_PID),
            entry(AE_TERM, SAE_TERM),
            entry("AESDTH_001", "D_RESDEATH_00
1"),
            entry("AESLIFE_001", "D_LIFETHREAT
_001"),
            entry("AESHOSP_001", "D_CAUSEHOSP_
001"),
            entry("AESDISAB_001", "D_DISABLE_0
01"),
            entry("AESMIE_001", "D_MEDIMPORT_0
01"),
            entry(AE_CASE_ID, SAE_CASE_ID),
            entry("AEREL_001", "D_CAUSE_001"),
            entry("SUPPAE_AEREL1_001", "D_CAUS
E1_001"),
            entry("SUPPAE_AEREL2_001", "D_CAUS
E2_001"),

```

E3_001"),	entry("SUPPAE_AEREL3_001", "D_CAUS
E4_001"),	entry("SUPPAE_AEREL4_001", "D_CAUS
E5_001"),	entry("SUPPAE_AEREL5_001", "D_CAUS
E6_001"),	entry("SUPPAE_AEREL6_001", "D_CAUS
E7_001"),	entry("SUPPAE_AEREL7_001", "D_CAUS
,	entry("AEACN_001", "D_ACNTKN_001")
KN1_001"),	entry("SUPPAE_AEACN1_001", "D_ACNT
KN2_001"),	entry("SUPPAE_AEACN2_001", "D_ACNT
KN3_001"),	entry("SUPPAE_AEACN3_001", "D_ACNT
KN4_001"),	entry("SUPPAE_AEACN4_001", "D_ACNT
KN5_001"),	entry("SUPPAE_AEACN5_001", "D_ACNT
KN6_001"),	entry("SUPPAE_AEACN6_001", "D_ACNT
KN7_001"),	entry("SUPPAE_AEACN7_001", "D_ACNT
ER_001"),	entry("D_RECHALAE_001", "D_RECHALD
DER1_001"),	entry("D_RECHALAE1_001", "D_RECHAL
DER2_001"),	entry("D_RECHALAE2_001", "D_RECHAL
DER3_001"),	entry("D_RECHALAE3_001", "D_RECHAL
DER4_001"),	entry("D_RECHALAE4_001", "D_RECHAL
	entry("D_RECHALAE5_001", "D_RECHAL

```

DER5_001"),
        entry("D_RECHALAE6_001", "D_RECHAL
DER6_001"),
        entry("D_RECHALAE7_001", "D_RECHAL
DER7_001"),
        entry("AESCONG_001", "D_ANOMALY_00
1")
    );

    private static final List<String> RECHAL =
List.of("1", "2", "3", "4");
    private static final List<String> AEACN =
List.of("5", "3", "1", "4", "2", "6", "7");
    private static final Map<String, BiPredica
te<String, String>> SAE_VALUE_FILTERS = Map.of
Entries(
        entry("D_CAUSEHOSP_001", (c, v) ->
!"Y".equals(c)),
        entry("D_RESDEATH_001", (c, v) ->
!"Y".equals(c)),
        entry("D_LIFETHREAT_001", (c, v) -
> !"Y".equals(c)),
        entry("D_DISABLE_001", (c, v) -> !
"Y".equals(c)),
        entry("D_MEDIMPORT_001", (c, v) ->
!"Y".equals(c)),
        entry("D_CAUSE_001", (c, v) -> !"2
".equals(c)),
        entry("D_CAUSE1_001", (c, v) -> !"
2".equals(c)),
        entry("D_CAUSE2_001", (c, v) -> !"
2".equals(c)),
        entry("D_CAUSE3_001", (c, v) -> !"
2".equals(c)),
        entry("D_CAUSE4_001", (c, v) -> !"
2".equals(c)),
        entry("D_CAUSE5_001", (c, v) -> !"

```

```

2".equals(c)),
    entry("D_CAUSE6_001", (c, v) -> !"
2".equals(c)),
    entry("D_CAUSE7_001", (c, v) -> !"
2".equals(c)),
    entry("D_ANOMALY_001", (c, v) -> !
"Y".equals(c)),
    entry("D_ACNTKN_001", (c, v) -> AE
ACN.indexOf(v) < AEACN.indexOf(c)),
    entry("D_ACNTKN1_001", (c, v) -> A
EACN.indexOf(v) < AEACN.indexOf(c)),
    entry("D_ACNTKN2_001", (c, v) -> A
EACN.indexOf(v) < AEACN.indexOf(c)),
    entry("D_ACNTKN3_001", (c, v) -> A
EACN.indexOf(v) < AEACN.indexOf(c)),
    entry("D_ACNTKN4_001", (c, v) -> A
EACN.indexOf(v) < AEACN.indexOf(c)),
    entry("D_ACNTKN5_001", (c, v) -> A
EACN.indexOf(v) < AEACN.indexOf(c)),
    entry("D_ACNTKN6_001", (c, v) -> A
EACN.indexOf(v) < AEACN.indexOf(c)),
    entry("D_ACNTKN7_001", (c, v) -> A
EACN.indexOf(v) < AEACN.indexOf(c)),
    entry("D_RECHALDER_001", (c, v) ->
RECHAL.indexOf(v) < RECHAL.indexOf(c)),
    entry("D_RECHALDER1_001", (c, v) -
> RECHAL.indexOf(v) < RECHAL.indexOf(c)),
    entry("D_RECHALDER2_001", (c, v) -
> RECHAL.indexOf(v) < RECHAL.indexOf(c)),
    entry("D_RECHALDER3_001", (c, v) -
> RECHAL.indexOf(v) < RECHAL.indexOf(c)),
    entry("D_RECHALDER4_001", (c, v) -
> RECHAL.indexOf(v) < RECHAL.indexOf(c)),
    entry("D_RECHALDER5_001", (c, v) -
> RECHAL.indexOf(v) < RECHAL.indexOf(c)),
    entry("D_RECHALDER6_001", (c, v) -
> RECHAL.indexOf(v) < RECHAL.indexOf(c)),

```



```

        entry("D_RECHALDER7_001", (c, v) -
> RECHAL.indexOf(v) < RECHAL.indexOf(c))
    );
    private static final Map<String, String> C
ODELIST_MAP = new HashMap<>();
    static { CODELIST_MAP.put("D_RESDEATH_001"
, "D_RESDEATH_CL_001");
        CODELIST_MAP.put("D_CAUSEHOSP_001", "D
_CAUSEHOSP_CL_001");
        CODELIST_MAP.put("D_DISABLE_001", "D_D
ISABLE_CL_001");
        CODELIST_MAP.put("D_LIFETHREAT_001", "
D_LIFETHREAT_CL_001");
        CODELIST_MAP.put("D_ANOMALY_001", "D_A
NOMALY_CL_001");
        CODELIST_MAP.put(SAE_COUNTRY, "D_COUNT
RYOCCUR_CL_001");
        CODELIST_MAP.put(SAE_OUTCOME, "D_SAEOU
TD_CL_001");
        CODELIST_MAP.put("D_CAUSE_001", "D_CAU
SE_CL_001");
        CODELIST_MAP.put("D_CAUSE1_001", "D_CA
USE1_CL_001");
        CODELIST_MAP.put("D_CAUSE2_001", "D_CA
USE2_CL_001");
        CODELIST_MAP.put("D_CAUSE3_001", "D_CA
USE3_CL_001");
        CODELIST_MAP.put("D_CAUSE4_001", "D_CA
USE4_CL_001");
        CODELIST_MAP.put("D_CAUSE5_001", "D_CA
USE5_CL_001");
        CODELIST_MAP.put("D_CAUSE6_001", "D_CA
USE6_CL_001");
        CODELIST_MAP.put("D_CAUSE7_001", "D_CA
USE7_CL_001");
        CODELIST_MAP.put("D_ACNTKN_001", "D_AC
NTKN_CL_001");

```

```

        CODELIST_MAP.put("D_ACNTKN1_001", "D_A
CNTKN1_CL_001");
        CODELIST_MAP.put("D_ACNTKN2_001", "D_A
CNTKN2_CL_001");
        CODELIST_MAP.put("D_ACNTKN3_001", "D_A
CNTKN3_CL_001");
        CODELIST_MAP.put("D_ACNTKN4_001", "D_A
CNTKN4_CL_001");
        CODELIST_MAP.put("D_ACNTKN5_001", "D_A
CNTKN5_CL_001");
        CODELIST_MAP.put("D_ACNTKN6_001", "D_A
CNTKN6_CL_001");
        CODELIST_MAP.put("D_ACNTKN7_001", "D_A
CNTKN7_CL_001");
        CODELIST_MAP.put("D_RECHALDER_001", "D
_RECHALDER_CL_001");
        CODELIST_MAP.put("D_RECHALDER1_001", "
D_RECHALDER1_CL_001");
        CODELIST_MAP.put("D_RECHALDER2_001", "
D_RECHALDER2_CL_001");
        CODELIST_MAP.put("D_RECHALDER3_001", "
D_RECHALDER3_CL_001");
        CODELIST_MAP.put("D_RECHALDER4_001", "
D_RECHALDER4_CL_001");
        CODELIST_MAP.put("D_RECHALDER5_001", "
D_RECHALDER5_CL_001");
        CODELIST_MAP.put("D_RECHALDER6_001", "
D_RECHALDER6_CL_001");
        CODELIST_MAP.put("D_RECHALDER7_001", "
D_RECHALDER7_CL_001");
        CODELIST_MAP.put("D_MEDIMPORT_001", "D
_MEDIMPORT_CL_001");
    };

    private static final Map<String, Integer>
DATE_INDEXES = Map.of(AE_HOSPITALIZATION_START
, 0, AE_HOSPITALIZATION_END, 1);

```

```

        private static final Map<String, Predicate
<Integer>> HOSP_DATE_FILTERS = Map.of(AE_HOSPITALIZATION_START, i -> i < 0, AE_HOSPITALIZATION_END, i -> i > 0);

        public static boolean gradeUpdate(ItemData
dataPoint, ApiService service, String product
Name) {
            if (dataPoint == null || service == nu
ll) {
                return false;
            }
            String caseId = dataPoint.getSingleVal
ue();
            CrfData crfData = dataPoint.getCrfData
();
            Map<Long, Map<Integer, Map<String, Ite
mData>>> grading = new HashMap<>(); //case no,
row, term, var -> item
            Map<String, Long> saeForms = new HashM
ap<>();
            ItemDataRequest reportRequest = new It
emDataRequest()
                .setStudyName(dataPoint.getCrf
Data().getSubject().getSite().getStudy().getNa
me())
                .setSubjectNumber(dataPoint.ge
tCrfData().getSubject().getNumber())
                .setInstrumentName(SAE_FORM);
            Collection<ItemData> report = service.
getItems(reportRequest);
            CrfData reportForm = null;
            for (ItemData available : report) {
                Long id = available.getCrfData().g
etId();
                if (available.getVariable().getNam
e().equals(SAE_CASE_ID)

```

```

        && !available.getValues().
isEmpty()) {
        String caseNo = available.getSingleValue();
        saeForms.put(caseNo, id);
    }
    Map<Integer, Map<String, ItemData>
> terms = grading.computeIfAbsent(id, i -> new
    HashMap<>());
    Map<String, ItemData> records = terms.computeIfAbsent(available.getRowIndex(), i
    -> new HashMap<>());
    records.put(available.getVariable(
).getName(), available);
    }
    //getting other values from current form
    Collection<ItemData> items = service.getItems(reportRequest.setInstrumentName(crfData.a.getCrf().getName()));
    Map<Long, Map<String, ItemData>> allForms = new HashMap<>(); //form id, term, var -> item
    Map<String, Set<Long>> aeForms = new HashMap<>();
    Map<String, Map<String, String>> maxAeStdte = new HashMap<>();
    Map<String, Map<String, String>> minAeStdte = new HashMap<>();
    Map<String, Map<String, String>> maxAeStartDate = new HashMap<>();
    Map<String, Map<String, String>> maxAeEndDate = new HashMap<>();
    Map<String, Map<String, String>> maxOutcomeDate = new HashMap<>();
    Map<String, Map<String, String>> countryValues = new HashMap<>();

```

```

        Map<String, Map<String, String>> outcomeValues = new HashMap<>();
        Map<String, Map<String, Map<Long, String[]>>> prefilledValues = new HashMap<>();
        Map<String, Map<String, List<String>>> pids = new HashMap<>();
        Map<String, Map<String, Set<String>>> narratives = new HashMap<>();
        for (ItemData available : items) {
            Long id = available.getCrfData().getEtId();
            String varName = available.getVariable().getName();
            if (varName.equals(AE_CASE_ID)
                && !available.getValues().isEmpty()) {
                String caseNo = available.getSingleValue();
                aeForms.computeIfAbsent(caseNo, n -> new HashSet<>()).add(id);
            }
            if (available.getCrfData().isRemoved()
                && !AE_CASE_ID.equals(varName)
                && !AE_TERM.equals(varName)
                && !AE_PREVIOUS_CASE_ID.equals(varName)) {
                continue; // skipping all removed from calculations
            }
            Map<String, ItemData> terms = allForms.computeIfAbsent(id, i -> new HashMap<>());
            terms.put(varName, available);
        }
    }

```

```

        Map<String, ItemData> currentForm = allForms.computeIfAbsent(crfData.getId(), id ->
new HashMap<>());
        ItemData dummy = null;
        String oldId = "";
        boolean found = false;
        for (Map.Entry<String, ItemData> entry
: currentForm.entrySet()) {
            if (AE_PREVIOUS_CASE_ID.equals(ent
ry.getKey())
                && !Objects.equals(caseId,
entry.getValue().getSingleValue())) {
                oldId = entry.getValue().getSi
ngleValue();
                dummy = entry.getValue();
                dummy.setSingleValue(caseId);
                found = true;
            }
        }
        if (!found && !currentForm.containsKey
(AE_PREVIOUS_CASE_ID)) {
            dummy = dataPoint.withoutIds();
            dummy.getVariable().setName(AE_PRE
VIOUS_CASE_ID);
        }
        Map<String, Map<String, Map<String, It
emData>>> byVarTerms = new HashMap<>();//case
no -> sae var -> term -> item
        Map<String, Map<String, Map<Long, Stri
ng[]>>> hospNarrativeDetails = new HashMap<>()
;
        //case no -> term -> eventCrfId -> start/end
        Map<String, Map<String, ItemData[]>> h
ospDetails = new HashMap<>();//case no -> term
-> start/end
        Map<String, Set<String>> allTerms = ne
w HashMap<>();
        for (Map.Entry<Long, Map<String, ItemD

```

```

ata>> form : allForms.entrySet()) {
    String term = Optional.ofNullable(
form.getValue().get(AE_TERM))
        .map(ItemData::getSingleValue).map(String::toUpperCase).orElse("");
    String caseNo = Optional.ofNullable(
form.getValue().get(AE_CASE_ID)).map(ItemData::getSingleValue).orElse("");
    allTerms.computeIfAbsent(caseNo, no -> new HashSet<>()).add(term);
    for (Map.Entry<String, ItemData> variable : form.getValue().entrySet()) {
        String saeVar = VAR_MAP.get(variable.getKey());
        Optional.ofNullable(variable.getValue())
            .filter(i -> saeVar != null)
            .filter(i -> i.getSingleValue() != null)
            .filter(i -> SAE_VALUE_FILTERS.containsKey(saeVar))
            .filter(i -> Optional.ofNullable(byVarTerms.computeIfAbsent(caseNo,
no -> new HashMap<>()).computeIfAbsent(saeVar, v -> new HashMap<>()).get(term)).map(ItemData::getSingleValue).map(v -> SAE_VALUE_FILTERS.get(saeVar).test(v, i.getSingleValue()))).orElse(Boolean.TRUE))
            .ifPresent(i -> byVarTerms.computeIfAbsent(caseNo, no -> new HashMap<>()).computeIfAbsent(saeVar, v -> new HashMap<>()).put(term, i));
    }
    addDeviceInfo(term, form, prefilledValues.computeIfAbsent(caseNo, no -> new HashMap<>()));
}

```

```

        Optional.ofNullable(form.getValue(
).get(AE_START_DATETIME))
            .map(ItemData::getSingleVa
lue)
            .filter(date -> !maxAestdt
c.getDefault(caseNo, Map.of()).containsKey(t
erm) || date.compareTo(maxAestdtc.get(caseNo).
get(term)) > 0)
            .ifPresent(date -> maxAest
dtc.computeIfAbsent(caseNo, no -> new HashMap<
>()).put(term, date));

        addHospDate(form.getValue(), hospD
etails.computeIfAbsent(caseNo, no -> new HashM
ap<>()).computeIfAbsent(term, t -> new ItemDat
a[2]));

        initHospitalizationInfo(caseNo, fo
rm.getKey(), term, form.getValue(), hospNarrat
iveDetails);

        Optional<ItemData> aestdtc = Optio
nal.ofNullable(form.getValue().get(AE_START_DA
TETIME))
            .filter(i -> i.getSingleVa
lue() != null);
        Optional.ofNullable(form.getValue(
).get(AE_EXPERIENCE_START))
            .filter(i -> i.getSingleVa
lue() != null)
            .or(() -> aestdtc)
            .map(ItemData::getSingleVa
lue)
            .filter(date -> !minAestdt
c.getDefault(caseNo, Map.of()).containsKey(t
erm) || date.compareTo(minAestdtc.get(caseNo).
get(term)) < 0)
            .ifPresent(date -> minAest

```



```

dtc.computeIfAbsent(caseNo, no -> new HashMap<
>()).put(term, date));
    Optional<String> outcome = Optiona
l.ofNullable(form.getValue().get(AE_LAST_OUTCO
ME))
        .map(ItemData::getSingleVa
lue)
        .or(() -> Optional.ofNulla
ble(form.getValue().get(AE_OUTCOME)).map(ItemD
ata::getSingleValue));
    Optional<ItemData> aeEnd = Optiona
l.ofNullable(form.getValue().get(AE_END_DATE))
        .filter(i -> i.getSingleVa
lue() != null);
    Optional<String> outcomeDate = Opt
ional.ofNullable(form.getValue().get(AE_START_
DATETIME))
        .filter(i -> i.getSingleVa
lue() != null)
        .map(i -> aeEnd.isPresent(
) && i.getSingleValue().compareTo(aeEnd.get().
getSingleValue()) < 0 ? aeEnd.get() : i)
        .or(() -> aeEnd)
        .map(ItemData::getSingleVa
lue)
        .filter(date -> !maxOutcom
eDate.getDefault(caseNo, Map.of()).containsK
ey(term) || date.compareTo(maxOutcomeDate.get(
caseNo).get(term)) > 0);
    initMaxAeEndDate(caseNo, term, for
m, maxAeStartDate, maxAeEndDate);
    if (outcomeDate.isPresent()) {
        maxOutcomeDate.computeIfAbsent
(caseNo, no -> new HashMap<>()).put(term, outc
omeDate.get());
        outcome.ifPresent(o -> outcome
Values.computeIfAbsent(caseNo, no -> new HashM

```

```

ap<>()).put(term, o));
        } else if (!outcomeValues.getOrDefault(caseNo, Map.of()).containsKey(term)) {
            outcome.ifPresent(o -> outcomeValues.computeIfAbsent(caseNo, no -> new HashMap<>()).put(term, o));
        }
        Optional.ofNullable(form.getValue().get(AE_COUNTRY))
            .map(ItemData::getSingleValue)
            .ifPresent(c -> countryValues.computeIfAbsent(caseNo, no -> new HashMap<>()).put(term, c));
        Optional.ofNullable(form.getValue().get(AE_PID))
            .map(ItemData::getSingleValue)
            .ifPresent(pid -> pids.computeIfAbsent(caseNo, no -> new HashMap<>()).computeIfAbsent(term, t -> new ArrayList<>()).add(pid));
        String proc = Optional.ofNullable(form.getValue().get(AE_CT_PROCEDURE))
            .map(ItemData::getSingleValue).orElse("");
        if (!proc.isEmpty()) {
            narratives.computeIfAbsent(caseNo, no -> new HashMap<>()).computeIfAbsent(term, t -> new HashSet<>()).add(proc);
        }
    }
    Long currentId = saeForms.get(caseId);
    List<ItemData> values = new ArrayList<>();
    Set<Integer> rowsToRemove = new HashSet<>();

```

```

        if (currentId == null && caseId != null && !caseId.isEmpty()) { //new case
            reportForm = new CrfData();
            Crf saeCrf = new Crf();
            saeCrf.setName(SAE_FORM);
            reportForm.setCrf(saeCrf);
            reportForm.setSubject(dataPoint.getCrfdData().getSubject());
            Encounter encounter = new Encounter();
            reportForm.setEncounter(encounter);
            encounter.setSubject(dataPoint.getCrfdData().getSubject());
            Event event = new Event();
            encounter.setEvent(event);
            event.setUniqueName(EVENT_NAME);
            int occurrence = service.addCrf(reportForm);
            reportForm.setOccurrence(occurrence);
            ItemData term = null;
            ItemData procedure = null;
            ItemData[] aehopsDetail = new ItemData[2];
            ItemData[] saeoodDetail = new ItemData[2];
            ItemData[] saeeddDetail = new ItemData[2];
            ItemData[] saeoutDetail = new ItemData[2];
            for (Map.Entry<String, ItemData> cur : currentForm.entrySet()) {
                if (VAR_MAP.containsKey(cur.getKey())) {
                    ItemData copy = cur.getValue().withoutIds();

```

```

        if (cur.getKey().equals(AE
_TERM)) {
            term = copy;
            copy.setSingleValue(Optional.ofNullable(copy.getSingleValue()).map(String::toUpperCase).orElse(""));
        }
        copy.getVariable().setName(VAR_MAP.get(cur.getKey()));
        copy.setCrfData(reportForm);
        String clKey = copy.getVariable().getName();
        String codelist = CODELIST_MAP.containsKey(clKey) ? CODELIST_MAP.get(clKey) : copy.getVariable().getCodeList();
        copy.getVariable().setCodeList(codelist);
        values.add(copy);
    }
    if (cur.getKey().equals(AE_CT_PROCEDURE)) {
        procedure = cur.getValue().withoutIds();
    }
    if (cur.getKey().equals(AE_HOSPITALIZATION_START)) {
        aehopsDetail[0] = cur.getValue().withoutIds();
    }
    if (cur.getKey().equals(AE_HOSPITALIZATION_END)) {
        aehopsDetail[1] = cur.getValue().withoutIds();
    }
    if (cur.getKey().equals(AE_EXPERIENCE_START)) {

```

```

        saeoodDetail[0] = cur.getV
alue().withoutIds();
    }
    if (cur.getKey().equals(AE_STA
RT_DATETIME)) {
        saeoodDetail[1] = cur.getV
alue().withoutIds();
    }
    if (cur.getKey().equals(AE_LAS
T_EXPERIENCE)) {
        saeeddDetail[0] = cur.getV
alue().withoutIds();
    }
    if (cur.getKey().equals(AE_END
_DATE)) {
        saeeddDetail[1] = cur.getV
alue().withoutIds();
    }
    if (cur.getKey().equals(AE_LAS
T_OUTCOME)) {
        saeoutDetail[0] = cur.getV
alue().withoutIds();
    }
    if (cur.getKey().equals(AE_OUT
COME)) {
        saeoutDetail[1] = cur.getV
alue().withoutIds();
    }
}
values.add(createHospDetails(Optio
nal.ofNullable(term).map(ItemData::getSingleVa
lue).orElse(""), aehopsDetail[0], aehopsDetail
[1]));
ItemData saeood = createItem(SAE_S
TART_DATE);
if (saeoodDetail[0] != null && !sa
eoodDetail[0].getValues().isEmpty()) {

```

```

        saeood.setValues(saeoodDetail[
0].getValues());
    } else {
        saeood.setValues(saeoodDetail[
1] == null ? Collections.emptyList() : saeoodD
etail[1].getValues());
    }
    values.add(saeood);
    ItemData saeedd = createItem(SAE_E
ND_DATE);
    if (saeeddDetail[0] != null && !sa
eeddDetail[0].getValues().isEmpty()) {
        saeedd.setValues(saeeddDetail[
0].getValues());
    } else {
        saeedd.setValues(saeeddDetail[
1] == null ? Collections.emptyList() : saeeddD
etail[1].getValues());
    }
    values.add(saeedd);
    ItemData saeout = createItem(SAE_O
UTCOME);
    if (saeoutDetail[0] != null && sae
outDetail[0].getValues().isEmpty()) {
        saeout.setValues(saeoutDetail[
1] == null ? Collections.emptyList() : saeoutD
etail[1].getValues());
    } else {
        saeout.setValues(saeoutDetail[
0] == null ? Collections.emptyList() : saeoutD
etail[0].getValues());
    }
    values.add(saeout);
    ItemData country = createItem(SAE_
COUNTRY);
    country.setValues(List.of(emptyDef
ault(currentForm, AE_COUNTRY)));

```

```

        values.add(country);
        values.add(createNarrative(List.<ItemData[]>of(new ItemData[]{term, procedure}),
            productName, prefilledValues.get(caseId)));
    } else if (currentId != null) { //we already have a form for that case
        Map<Integer, Map<String, ItemData>> reportData = grading.get(currentId);
        Integer rowNo = null;
        Map<Integer, String> rows = new HashMap<>();
        Map<String, Integer> pidRows = new HashMap<>();
        TreeSet<Integer> termRows = new TreeSet<>();
        String currentTerm = emptyDefault(currentForm, AE_TERM, String::toUpperCase);
        for (Map.Entry<Integer, Map<String, ItemData>> entry : reportData.entrySet()) {
            for (Map.Entry<String, ItemData> value : entry.getValue().entrySet()) {
                if (reportForm == null) {
                    reportForm = value.getValue().getCrfData();
                }
                String group = getGroupName(value.getValue());
                if ("".equals(group) || SAE_REPEATING_GROUP.equals(group)) {
                    termRows.add(entry.getKey());
                }
                boolean termRow = SAE_TERM.equals(value.getValue().getVariable().getName());
                if (termRow && Objects.equals(value.getValue().getSingleValue(), current

```

```

Term)) {
    rowNo = entry.getKey()
;
    }
    if (termRow) {
        rows.put(entry.getKey(
), value.getValue().getSingleValue());
    }
    if (SAE_PID.equals(value.g
etValue().getVariable().getName())) {
        pidRows.put(value.getV
alue().getSingleValue(), entry.getKey()); // F
IXME: key is null for "AE IDs Included in Case
" on removed rows in the SAE form
    }
    }
    }
    if (rowNo == null && pidRows.conta
insKey(emptyDefault(currentForm, AE_PID))) { //
term update
        rowNo = pidRows.get(emptyDefau
lt(currentForm, AE_PID));
        rows.put(rowNo, currentTerm);
    }
    String saeNo = Optional.ofNullable
(reportData.get(0)).map(r -> r.get(SAE_CASE_ID
)).map(ItemData::getSingleValue).orElse("");
    if (rowNo == null) { //new row in t
he case
        rowNo = termRows.last() + 1;
        for (Map.Entry<String, String>
v : VAR_MAP.entrySet()) {
            if (currentForm.containsKe
y(v.getKey()) && !AE_CASE_ID.equals(v.getKey()
)) {
                ItemData copy = curren
tForm.get(v.getKey()).withoutIds();

```



```

        if (v.getKey().equals(
AE_TERM)) {
            copy.setSingleValue(Optional.ofNullable(copy.getSingleValue()).map(String::toUpperCase).orElse(""));
        }
        copy.setRowIndex(rowNo);
        copy.getVariable().setName(v.getValue());
        String codelist = CODELIST_MAP.containsKey(v.getValue()) ? CODELIST_MAP.get(v.getValue()) : copy.getVariable().getCodeList();
        copy.getVariable().setCodeList(codelist);
        values.add(copy);
    }
    }
    String termValue = emptyDefault(currentForm, AE_TERM, String::toUpperCase);
    ItemData aehops = createHospitalizationDetails(termValue, currentForm.get(AE_HOSPITALIZATION_START), currentForm.get(AE_HOSPITALIZATION_END));
    aehops.setRowIndex(rowNo);
    values.add(aehops);

    ItemData saeood = createItem(AE_START_DATE, rowNo);
    ItemData saeaestd = currentForm.get(AE_EXPERIENCE_START);
    ItemData aestd = currentForm.get(AE_START_DATETIME);
    if (saeaestd != null && saeaestd.getSingleValue() != null) {
        saeood.setValues(saeaestd.

```

```

getValues());
        } else if (aestd != null) {
            saeood.setValues(aestd.get
Values());
        } else {
            saeood.setValues(Collectio
ns.emptyList());
        }
        values.add(saeood);

        ItemData saeedd = createItem(S
AE_END_DATE, rowNo);
        ItemData saeaeout = currentFor
m.get(AE_LAST_EXPERIENCE);
        ItemData aeend = currentForm.g
et(AE_END_DATE);
        if (saeaeout != null && saeaeo
ut.getSingleValue() != null) {
            saeedd.setValues(saeaeout.
getValues());
        } else if (aeend != null) {
            saeedd.setValues(aeend.get
Values());
        } else {
            saeedd.setValues(Collectio
ns.emptyList());
        }
        values.add(saeedd);

        ItemData saeout = createItem(S
AE_OUTCOME, rowNo);
        ItemData dsaeaeout = currentFo
rm.get(AE_LAST_OUTCOME);
        ItemData aeout = currentForm.g
et(AE_OUTCOME);
        if (dsaeaeout != null && dsaea
eout.getSingleValue() != null) {

```

```

        saeout.setValues(dsaeaeout
        .getValues());
    } else if (aeout != null) {
        saeout.setValues(aeout.get
        Values());
    } else {
        saeout.setValues(Collectio
        ns.emptyList());
    }
    values.add(saeout);
    ItemData country = createItem(
    SAE_COUNTRY, rowNo);
    country.setValues(List.of(empt
    yDefault(currentForm, AE_COUNTRY)));
    values.add(country);
}
for (Map.Entry<Integer, Map<String
, ItemData>> entry : reportData.entrySet()) {
    if (entry.getKey() >= rows.siz
    e()) {
        continue;//we are in a wro
        ng group
    }
    String pid = "";
    Set<String> row = new HashSet<
    >(VAR_MAP.values());
    String term = rows.get(entry.g
    etKey());
    Optional<ItemData> country = O
    ptional.empty();
    Optional<ItemData> outcome = O
    ptional.empty();
    ItemData termData = entry.getV
    alue().get(SAE_TERM);
    ItemData termDetails = entry.g
    etValue().get(SAE_TERM_DETAILS);
    String oldTerm = Optional.ofNu

```

```

lable(termData).map(ItemData::getSingleValue)
.OrElse("");

        for (Map.Entry<String, ItemDat
a> value : entry.getValue().entrySet()) {
            row.remove(value.getKey())
;
            if (SAE_PID.equals(value.g
etKey())) {
                pid = String.join(", "
, pids.getOrElse(saeNo, new HashMap<>()).ge
tOrDefault(term, List.of()));
                value.getValue().setSi
ngleValue(pid);
                values.add(value.getVa
lue());
                if (pid.isEmpty()) {
                    termData.setSingle
Value("");
                    values.add(termDat
a);
                    rowsToRemove.add(e
ntry.getKey());
                    termDetails.setSin
gleValue("");
                    values.add(termDet
ails);
                }
            }
        }
        if (SAE_VALUE_FILTERS.cont
ainsKey(value.getKey())) {
            value.getValue().setSi
ngleValue(Optional.ofNullable(byVarTerms.get(s
aeNo)).map(m -> m.get(value.getKey())).map(m -
> m.get(term)).map(ItemData::getSingleValue).o
rElse(""));
            values.add(value.getVa

```

```

lue());
        }
        if (SAE_START_DATE.equals(
value.getKey())) {
            value.getValue().setVa
lues(List.of(minAestdtc.getDefault(saeNo, ne
w HashMap<>()).getDefault(term, "")));
            values.add(value.getVa
lue());
        }
        if (SAE_END_DATE.equals(va
lue.getKey())) {
            value.getValue().setVa
lues(List.of(maxAeEndDate.getDefault(saeNo,
new HashMap<>()).getDefault(term, "")));
            values.add(value.getVa
lue());
        }

        if (SAE_TERM.equals(value.
getKey())
            && !allTerms.getOr
Default(saeNo, new HashSet<>()).contains(oldTe
rm)
            && pidRows.contain
sKey(emptyDefault(currentForm, AE_PID))) {
            value.getValue().setSi
ngleValue(emptyDefault(currentForm, AE_TERM, S
tring::toUpperCase));
            values.add(value.getVa
lue());
        }
        if (SAE_TERM_DETAILS.equal
s(value.getKey())
            && !allTerms.getOr
Default(saeNo, new HashSet<>()).contains(oldTe
rm)

```

```

        && pidRows.contains
sKey(emptyDefault(currentForm, AE_PID))) {
    }
    if (SAE_OUTCOME.equals(val
ue.getKey())) {
        outcome = Optional.of(
value.getValue());
    }
    if (SAE_COUNTRY.equals(val
ue.getKey())) {
        country = Optional.of(
value.getValue());
    }
}
if (!maxAestdtc.getOrDefault(s
aeNo, new HashMap<>()).containsKey(term)
|| Optional.ofNullable
(currentForm.get(AE_START_DATETIME))
.map(ItemData::getSing
leValue)
.map(v -> v.compareTo(
maxAestdtc.get(saeNo).get(term)))
.orElse(1) >= 0) {
    List<String> countryVal =
List.of(countryValues.getOrDefault(saeNo, new
HashMap<>()).getOrDefault(term, ""));
    country.or((() -> Optional.
of(createItem(SAE_COUNTRY, entry.getKey()))).i
fPresent(i -> {
        i.setValues(countryVal
);
        values.add(i);
    }));
}
String termDetailsStr = hospDe
tails(term,
        hospDetails.getOrDefau

```

```

lt(saeNo, new HashMap<>()).getOrDefault(term,
new ItemData[2])[0],
                                hospDetails.getOrDefau
lt(saeNo, new HashMap<>()).getOrDefault(term,
new ItemData[2])[1]);
                                if (!pid.isEmpty() && !Objects
.equals(termDetails.getSingleValue(), termDeta
ilsStr)) {
                                    termDetails.setSingleValue
(termDetailsStr);
                                    values.add(termDetails);
                                }
                                List<String> outcomeVal = List
.of(outcomeValues.getOrDefault(saeNo, new Hash
Map<>()).getOrDefault(term, ""));
                                outcome.or(() -> Optional.of(c
reateItem(SAE_OUTCOME, entry.getKey()))).ifPre
sent(i -> {
                                    i.setValues(outcomeVal);
                                    values.add(i);
                                });
                                for (Map.Entry<String, String>
v : VAR_MAP.entrySet()) {
                                    if (currentForm.containsKe
y(v.getKey())
                                                && row.contains(v.
getValue())
                                                && rowNo.equals(cu
rrentForm.get(v.getKey()).getRowIndex())
                                                && !AE_CASE_ID.equ
als(v.getKey())) {
                                        ItemData copy = curren
tForm.get(v.getKey()).withoutIds();
                                        copy.setRowIndex(rowNo
);
                                        copy.getVariable().set
Name(v.getValue());

```

```

        String codelist = CODE
LIST_MAP.containsKey(v.getValue()) ? CODELIST_
MAP.get(v.getValue()) : copy.getVariable().get
CodeList();
        copy.getVariable().set
CodeList(codelist);
        values.add(copy);
    }
}
}
String hospNarrative = getHospital
izationNarrative(
    hospDetails.getOrDefault(c
aseId, new HashMap<>()),
    hospNarrativeDetails.getOr
Default(caseId, new HashMap<>())
);
ItemData narrativeItem = reportDat
a.get(0).get(SAE_NARRATIVE2);
List<String[]> narrativeParts = na
rratives.getOrDefault(saeNo, Map.of())
    .entrySet()
    .stream()
    .map(e -> new String[]{e.g
etKey(), String.join(", ", e.getValue())})
    .collect(Collectors.toList
());
    if (narrativeItem == null) {
        narrativeItem = createItem(SAE
_NARRATIVE2);
    }
    String narrativeString = narrative
String(narrativeParts, productName, prefilledV
alues.get(saeNo), hospNarrative);
    narrativeItem.setSingleValue(narra
tiveString);
    values.add(narrativeItem);

```



```

        }
        if (reportForm != null && reportForm.isRemoved()) {
            service.restoreForm(reportForm);
        }
        if (reportForm != null) {
            doRemoveTimeValue(values, SAE_START_DATE);
            doRemoveTimeValue(values, SAE_END_DATE);
            service.saveFormData(reportForm, values);
        }
        if (dummy != null) {
            service.saveFormData(crfdData, List.of(dummy));
        }
        updatePreviousCase(oldId, allForms, aeForms, grading, saeForms, productName, service);
        for (Integer row : rowsToRemove) {
            service.removeRow(reportForm, SAE_REPEATING_GROUP, row);
        }
        if (reportForm != null && pids.getOrDefault(caseId, Map.of()).values().stream().allMatch(List::isEmpty)) {
            service.removeForm(reportForm);
        }
        return false;
    }

    private static void doRemoveTimeValue(List<ItemData> values, String variableName) {
        List<ItemData> saeItemDates = values.stream()
            .filter(o -> variableName.equals(o.variableName))

```

```

ls(o.getVariable().getName()))
        .collect(Collectors.toList());

        for (ItemData saeItemDate: saeItemDate
s) {
            String startDate = saeItemDate.get
SingleValue();
            if ((startDate != null) && (startD
ate.trim().length() > 0)) {
                try {
                    LocalDate dateValue = Loca
lDate.parse(startDate, DateTimeFormatter.ofPat
tern("yyyy-MM-dd HH:mm"));
                    String dateValueWithoutTim
e = dateValue.format(DateTimeFormatter.ofPatte
rn("yyyy-MM-dd"));
                    saeItemDate.setSingleValue
(dateValueWithoutTime);
                } catch (Exception e) {}
            }
        }

        private static void initMaxAeEndDate(Strin
g caseNo,
            String term,
            Map.Entry<Long, Map<String, ItemDa
ta>> form,
            Map<String, Map<String, String>> m
axAeStartDate,
            Map<String, Map<String, String>> m
axAeEndDate) {
            Optional<ItemData> aeStartDate = Optio
nal.ofNullable(form.getValue().get(AE_START_DA
TETIME))
                .filter(i -> i.getSingleValue(
) != null);

```

```

        Optional<ItemData> aeEndDate = Optiona
l.ofNullable(form.getValue().get(AE_END_DATE))
        .filter(i -> i.getSingleValue(
) != null);

        String aeStartDateValue = aeStartDate.
map(ItemData::getSingleValue).orElse(null);
        String aeEndDateValue = aeEndDate.map(
ItemData::getSingleValue).orElse(null);

        String maxComparisonDate = null;
        if ((aeStartDateValue != null) || (aeE
ndDateValue != null)) {
            maxComparisonDate = aeStartDateVal
ue;
            if (aeStartDateValue != null) {
                if ((aeEndDateValue != null) &
& (aeStartDateValue.compareTo(aeEndDateValue))
< 0) {
                    maxComparisonDate = aeEndD
ateValue;
                }
            } else {
                maxComparisonDate = aeEndDateV
alue;
            }
        }

        if (maxComparisonDate != null) {
            Map<String, String> maxAeStartEndD
ateByCase = maxAeStartEndDate.computeIfAbsent(
caseNo, no -> new HashMap<>());
            String maxAeStartEndDateValue = ma
xAeStartEndDateByCase.get(term);

            if ((maxAeStartEndDateValue == nul
l) || (maxComparisonDate.compareTo(maxAeStartE

```

```

ndDateValue) >= 0)) {
    maxAeStartDateByCase.put(term, maxComparisonDate);

    boolean isLastExperience = Optional.ofNullable(form.getValue().get(IS_AE_LAST_EXPERIENCE))
        .filter(i -> i.getSingleValue() != null)
        .map(o -> "Y".equals(o.getSingleValue()))
        .orElse(false);

    if (isLastExperience) {
        aeEndDateValue = Optional.ofNullable(form.getValue().get(AE_LAST_EXPERIENCE))
            .filter(o -> o.getSingleValue() != null)
            .map(ItemData::getSingleValue)
            .orElse("");
    } else {
        aeEndDateValue = aeEndDate.isPresent() ? aeEndDate.get().getSingleValue() : "";
    }

    maxAeEndDate.computeIfAbsent(caseNo, no -> new HashMap<>()).put(term, aeEndDateValue);
}

private static void updatePreviousCase(String caseNo,

```

```

        Map<Long, Map<String, ItemData>> allAeForms,
        Map<String, Set<Long>> aeForms,
        Map<Long, Map<Integer, Map<String, ItemData>>> grading,
        Map<String, Long> saeForms,
        String productName,
        ApiService service) {
    if (caseNo == null || caseNo.isEmpty()) {
    } {
        return;
    }
    Map<Integer, Map<String, ItemData>> reportData = grading.get(saeForms.get(caseNo));
    if (reportData == null) {
        return;
    }
    Set<Long> ids = aeForms.get(caseNo);
    List<ItemData> values = new ArrayList<>();
    if (ids == null) {
        CrfData reportForm = null;
        for (Map.Entry<Integer, Map<String, ItemData>> entry : reportData.entrySet()) {
            for (Map.Entry<String, ItemData> value : entry.getValue().entrySet()) {
                if (reportForm == null) {
                    reportForm = value.getValue().getCrfData();
                }
                if (SAE_REPEATING_GROUP.equals(getGroupName(value.getValue()))) {
                    value.getValue().setSingleValue("");
                    values.add(value.getValue());
                }
            }
        }
    }
}

```

```

        }
    }
    doRemoveTimeValue(values, SAE_STAR
T_DATE);
    doRemoveTimeValue(values, SAE_END_
DATE);
    service.saveFormData(reportForm, v
alues);
    for (Integer row : reportData.keySet()) {
        service.removeRow(reportForm,
SAE_REPEATING_GROUP, row);
    }
    service.removeForm(reportForm);
    return;
}
    Map<String, List<ItemData>> pids = new
HashMap<>();
    Map<String, ItemData> saeaestd = new H
ashMap<>();
    Map<String, ItemData> saeaeout = new H
ashMap<>();
    Map<String, ItemData> outcome = new Ha
shMap<>();
    Map<String, Map<String, String>> maxAe
StartEndDate = new HashMap<>();
    Map<String, Map<String, String>> maxAe
EndDate = new HashMap<>();
    Map<String, String> maxOutcomeDate = n
ew HashMap<>();
    Map<String, Map<String, ItemData>> byV
arTerms = VAR_MAP.values().stream().collect(to
Map(v -> v, v -> new HashMap<>()));
    Set<String> allTerms = new HashSet<>()
;
    Map<String, TreeMap<String, Long>> max
Aestdtc = new HashMap<>();

```

```

        Map<String, List<ItemData[]>> narrative
eMap = new TreeMap<>();
        Map<String, Map<Long, String[]>> prefilledValues = new HashMap<>();
        Map<String, Map<String, Map<Long, String[]>>> hospNarrativeDetails = new HashMap<>();
        //case no -> term -> eventCrfId -> start/end
        Map<String, ItemData[]> hospDetails = new HashMap<>();
        Set<Integer> rowsToRemove = new HashSet<>();
        for (Map.Entry<Long, Map<String, ItemData[]>> form : allAeForms.entrySet()) {
            if (!ids.contains(form.getKey()))
            {
                continue;
            }
            String term = emptyDefault(form.getValue(), AE_TERM, String::toUpperCase);
            if (term.isEmpty()) {
                continue;
            }
            allTerms.add(term);
            ItemData[] narratives = new ItemData[2];
            narratives[0] = form.getValue().get(AE_TERM);
            narratives[1] = form.getValue().get(AE_CT_PROCEDURE);
            if (!toValueOrEmpty(narratives[1]).isEmpty()) {
                narrativeMap.computeIfAbsent(term, t -> new ArrayList<>()).add(narratives);
            }
            for (Map.Entry<String, ItemData[]> variable : form.getValue().entrySet()) {
                String saeVar = VAR_MAP.get(variable.getKey());
            }
        }
    }
}

```

```

riable.getKey());
        Optional.ofNullable(variable.g
etValue())
                .filter(i -> i.getSing
leValue() != null)
                .filter(i -> byVarTerm
s.containsKey(saeVar))
                .filter(i -> Optional
.ofNullable(byVarTerms.get(saeVar)).map(m -> m.
get(term)).map(ItemData::getSingleValue).filte
r(v -> SAE_VALUE_FILTERS.containsKey(saeVar)).
map(v -> SAE_VALUE_FILTERS.get(saeVar).test(v,
i.getSingleValue()))).orElse(Boolean.TRUE))
                .ifPresent(i -> byVarT
erms.get(saeVar).put(term, i));
    }
    addDeviceInfo(term, form, prefille
dValues);

    addHospDate(form.getValue(), hospD
etails.computeIfAbsent(term, t -> new ItemData
[2]));
    initHospitalizationInfo(caseNo, fo
rm.getKey(), term, form.getValue(), hospNarrat
iveDetails);

    Optional.ofNullable(form.getValue(
).get(AE_PID))
            .ifPresent(i -> pids.compu
teIfAbsent(term, t -> new ArrayList<>()).add(i
));
    Optional<ItemData> aestdtc = Optio
nal.ofNullable(form.getValue().get(AE_START_DA
TETIME))
            .filter(i -> i.getSingleVa
lue() != null);
    Optional.ofNullable(form.getValue(

```



```

).get(AE_EXPERIENCE_START))
    .filter(i -> i.getSingleValue() != null)
    .or(() -> aestdtc)
    .filter(i -> Optional.ofNullable(saeaestd.get(term)).map(ItemData::getSingleValue).map(v -> v.compareTo(i.getSingleValue())) > 0).orElse(Boolean.TRUE))
    .ifPresent(i -> saeaestd.put(term, i));
    Optional<ItemData> outcomeValue =
Optional.ofNullable(form.getValue().get(AE_LAST_OUTCOME))
    .filter(v -> v.getSingleValue() != null)
    .or(() -> Optional.ofNullable(form.getValue().get(AE_OUTCOME)));
    Optional<ItemData> aeEnd = Optional.ofNullable(form.getValue().get(AE_END_DATE))
    .filter(i -> i.getSingleValue() != null);
    Optional<String> outcomeDate = Optional.ofNullable(form.getValue().get(AE_START_DATETIME))
    .filter(i -> i.getSingleValue() != null)
    .map(i -> aeEnd.isPresent() && i.getSingleValue().compareTo(aeEnd.get().getSingleValue()) < 0 ? aeEnd.get() : i)
    .or(() -> aeEnd)
    .map(ItemData::getSingleValue)
    .filter(date -> !maxOutcomeDate.containsKey(term) || date.compareTo(maxOutcomeDate.get(term)) > 0);
    initMaxAeEndDate(caseNo, term, form, maxAeStartDate, maxAeEndDate);

```

```

        if (outcomeDate.isPresent()) {
            maxOutcomeDate.put(term, outcomeDate.get());
            outcomeValue.ifPresent(o -> outcome.put(term, o));
        } else if (!maxOutcomeDate.containsKey(term)) {
            outcomeValue.ifPresent(o -> outcome.put(term, o));
        }
        ItemData aestart = form.getValue().get(AE_START_DATETIME);
        if (aestart != null && aestart.getSingleValue() != null) {
            TreeMap<String, Long> dates = maxAestdtc.computeIfAbsent(term, t -> new TreeMap<>());
            dates.put(aestart.getSingleValue(), aestart.getCrfdData().getId());
        }
    }
    Map<Integer, String> rows = new HashMap<>();
    CrfdData reportForm = null;
    for (Map.Entry<Integer, Map<String, ItemData>> entry : reportData.entrySet()) {
        for (Map.Entry<String, ItemData> value : entry.getValue().entrySet()) {
            if (reportForm == null) {
                reportForm = value.getValue().getCrfdData();
            }
            if (SAE_TERM.equals(value.getValue().getVariable().getName())) {
                rows.put(entry.getKey(), value.getValue().getSingleValue());
            }
        }
    }

```

```

    }
    }
    rows.values().retainAll(allTerms);
    for (Map.Entry<Integer, Map<String, ItemData>> entry : reportData.entrySet()) {
        String term = rows.get(entry.getKey());
        String pid = pids.getDefault(term, List.of()).stream().map(ItemData::getSingleValue).filter(Objects::nonNull).collect(Collectors.joining(", "));
        for (Map.Entry<String, ItemData> value : entry.getValue().entrySet()) {
            if (SAE_VALUE_FILTERS.contains(Key(value.getKey()))) {
                value.getValue().setSingleValue(Optional.ofNullable(byVarTerms.get(value.getKey()).get(term)).map(ItemData::getSingleValue).orElse(""));
                values.add(value.getValue());
            }
            if (SAE_PID.equals(value.getKey())) {
                value.getValue().setSingleValue(pid);
                values.add(value.getValue());
            }
            if (SAE_TERM.equals(value.getKey()) && pid.isEmpty()) {
                value.getValue().setSingleValue("");
                values.add(value.getValue());
                rowsToRemove.add(entry.getKey());
            }
        }
    }
}

```

```

        }
        if (SAE_TERM_DETAILS.equals(value.getKey()) && pid.isEmpty()) {
            value.getValue().setValues(
                List.of(""));
            values.add(value.getValue());
        }
        if (SAE_END_DATE.equals(value.getKey())) {
            value.getValue().setValues(
                List.of(maxAeEndDate.getOrDefault(caseNo, new
                    HashMap<>()).getOrDefault(term, "")));
            values.add(value.getValue());
        }
        if (SAE_START_DATE.equals(value.getKey())) {
            value.getValue().setSingleValue(
                emptyDefault(saeaestd, term));
            values.add(value.getValue());
        }
        if (SAE_COUNTRY.equals(value.getKey()) && pid.isEmpty()) {
            value.getValue().setValues(
                List.of(""));
            values.add(value.getValue());
        }
        if (SAE_OUTCOME.equals(value.getKey()) && pid.isEmpty()) {
            value.getValue().setValues(
                List.of(""));
            values.add(value.getValue());
        }
    }

```

```

    }
    String hospNarrative = getHospital
izationNarrative(
        hospDetails,
        hospNarrativeDetails.getOr
Default(caseNo, new HashMap<>())
    );
    ItemData narrativeItem = reportDat
a.get(0).get(SAE_NARRATIVE2);
    List<String[]> narrativeValues = n
arrativeMap.values().stream().map(v -> new Str
ing[]{toValueOrEmpty(v.get(0)[0]).toUpperCase(
), v.stream().map(i -> toValueOrEmpty(i[1])).c
ollect(Collectors.joining(", "))}).collect(Col
lectors.toList());
    if (narrativeItem == null) {
        narrativeItem = createItem(SAE
_NARRATIVE2);
    }
    narrativeItem.setSingleValue(narra
tiveString(narrativeValues, productName, prefi
lledValues, hospNarrative));
    values.add(narrativeItem);
    if (!pid.isEmpty()) {
        ItemData hospItem = entry.getV
alue().getOrDefault(SAE_TERM_DETAILS, createIt
em(SAE_TERM_DETAILS));
        hospItem.setSingleValue(hospDe
tails(term, hospDetails.getOrDefault(term, new
ItemData[2])[0], hospDetails.getOrDefault(ter
m, new ItemData[2])[1]));
        values.add(hospItem);
    }
    TreeMap<String, Long> dates = maxA
estdtc.get(term);
    if (dates != null && !dates.isEmpt
y() && !pid.isEmpty()) {

```

```

        Long id = dates.lastEntry().getValue();
        Map<String, ItemData> aeform = allAeForms.get(id);
        Optional.ofNullable(aeform.get(AE_COUNTRY)).map(ItemData::getSingleValue)
            .ifPresent(v -> {
                ItemData countryItem = entry.getValue().getOrDefault(SAE_COUNTRY, createItem(SAE_COUNTRY));
                countryItem.setSingleValue(v);
                values.add(countryItem);
            });
        if (!pid.isEmpty()) {
            String outcomeValue = Optional.ofNullable(outcome.get(term)).map(ItemData::getSingleValue).orElse("");
            ItemData outcomeItem = entry.getValue().getOrDefault(SAE_OUTCOME, createItem(SAE_OUTCOME));
            outcomeItem.setSingleValue(outcomeValue);
            values.add(outcomeItem);
        }
        doRemoveTimeValue(values, SAE_START_DATE);
        doRemoveTimeValue(values, SAE_END_DATE);
        service.saveFormData(reportForm, values);
        for (Integer row : rowsToRemove) {
            service.removeRow(reportForm, SAE_REPEATING_GROUP, row);
        }
    }
}

```

```

    }
    if (pids.isEmpty()) {
        service.removeForm(reportForm);
    }
}

private static void initHospitalizationInfo(
    String caseNo,
    Long eventCrfId,
    String term,
    Map<String, ItemData> form,
    Map<String, Map<String, Map<Long,
String[]>>> hospNarrativeDetails) {
    boolean isFormRemoved = form.values().
stream().findFirst().map(o -> o.getCrfData().is
Removed()).orElse(false);

    if (!isFormRemoved) {
        String[] hospitalizationInfo = new
String[4];

        hospitalizationInfo[0] = term;
        hospitalizationInfo[1] = Optional.
ofNullable(form.get(AE_START_DATETIME)).map(It
emData::getSingleValue).orElse("");
        hospitalizationInfo[2] = Optional.
ofNullable(form.get(AE_HOSPITALIZATION_START))
.map(ItemData::getSingleValue).orElse("");
        hospitalizationInfo[3] = Optional.
ofNullable(form.get(AE_HOSPITALIZATION_END)).m
ap(ItemData::getSingleValue).orElse("");

        if (isEmpty(hospitalizationInfo[2]) && is
Empty(hospitalizationInfo[3])) {
            return;
        }
    }
}

```

```

        Map<Long, String[]> hospitalizationByEventCrfId = hospNarrativeDetails.computeIfAbsent(caseNo, no -> new HashMap<>()).computeIfAbsent(term, t -> new HashMap<>());
        hospitalizationByEventCrfId.put(eventCrfId, hospitalizationInfo);
    }

    private static boolean isEmpty(String value) {
        return (value == null) || (value.length() == 0);
    }

    private static void addHospDate(Map<String, ItemData> form, ItemData[] curDates) {
        ItemData hospStart = form.get(AE_HOSPITALIZATION_START);
        ItemData hospEnd = form.get(AE_HOSPITALIZATION_END);

        if (hospStart != null && hospStart.getSingleValue() != null) {
            int idxStart = DATE_INDEXES.get(AE_HOSPITALIZATION_START);
            int idxEnd = DATE_INDEXES.get(AE_HOSPITALIZATION_END);
            if (curDates[idxStart] != null) {
                String start = hospStart.getSingleValue();
                if (HOSP_DATE_FILTERS.get(AE_HOSPITALIZATION_START).test(start.compareTo(curDates[idxStart].getSingleValue()))) {
                    curDates[idxStart] = hospStart;
                    curDates[idxEnd] = hospEnd;
                }
            }
        }
    }

```



```

;
        }
    } else {
        curDates[idxStart] = hospStart
;
        curDates[idxEnd] = hospEnd;
    }
}
}

```

```

private static void addDeviceInfo(String term, Map.Entry<Long, Map<String, ItemData>> form, Map<String, Map<Long, String[]>> prefilledValues) {
    Optional.ofNullable(form.getValue().get(AE_PREFILLED))
        .map(ItemData::getSingleValue)
        .map(v -> "Y".equals(v) ? "Related" : "Not Related")
        .ifPresent(v -> prefilledValues.computeIfAbsent(term, t -> new HashMap<>()).computeIfAbsent(form.getKey(), t -> new String[3])[2] = v);
    Optional.ofNullable(form.getValue().get(AE_OPERATOR))
        .map(i -> i.getResponseSetValues() == null || i.getResponseSetValues().isEmpty() ? i.getSingleValue() : i.getResponseSetValues().get(0).getLabel())
        .ifPresent(v -> prefilledValues.computeIfAbsent(term, t -> new HashMap<>()).computeIfAbsent(form.getKey(), t -> new String[3])[0] = v);
    Optional.ofNullable(form.getValue().get(AE_ACTION))
        .map(i -> i.getResponseSetValues() == null || i.getResponseSetValues().isEmpty()

```

```

ty() ? i.getSingleValue() : i.getResponseSetVa
lues().get(0).getLabel())
        .ifPresent(v -> prefilledValue
s.computeIfAbsent(term, t -> new HashMap<>()).
computeIfAbsent(form.getKey(), t -> new String
[3])[1] = v);
    }

    private static ItemData createHospDetails(
String term, ItemData start, ItemData end) {
        ItemData aehosp = createItem(SAE_TERM_
DETAILS);
        aehosp.setValues(List.of(hospDetails(t
erm, start, end)));
        return aehosp;
    }

    private static String getHospitalizationNa
rrative(Map<String, ItemData[]> hospDetails, M
ap<String, Map<Long, String[]>> hospNarrativeD
etailsByTerm) {
        String hospNarrative = "";

        for (Map.Entry<String, Map<Long, Strin
g[]>> hospEntryByTerm : hospNarrativeDetailsBy
Term.entrySet()) {
            String term = hospEntryByTerm.getK
ey();
            Map<Long, String[]> hospDataByEven
tCrfId = hospEntryByTerm.getValue();
            if (hospDataByEventCrfId != null)
            {
                for (Map.Entry<Long, String[]>
entryByEventCrfId : hospDataByEventCrfId.ent
rySet()) {
                    Long eventCrfId = entryByE
ventCrfId.getKey();

```

```

        String[] hospData = entryB
yEventCrfId.getValue();

        ItemData[] gradingHospData
= hospDetails.getDefault(term, null);
        Long gradingEventCrfId = 0
ptional.ofNullable(gradingHospData)
            .filter(o -> (o[0]
!= null) || (o[1] != null))
            .map(o -> {
                ItemData hostD
ate = (o[0] == null) ? o[1] : o[0];

                return hostDat
e.getCrfData().getId();
            })
            .orElse(null);
        boolean isHospDataExists =
Optional.ofNullable(hospData)
            .map(o -> String.j
oin("", hospData).length() > 0)
            .orElse(false);
        if (isHospDataExists && !e
ventCrfId.equals(gradingEventCrfId)) {
            if (hospNarrative.leng
th() > 0) {
                hospNarrative += "
\n";
            }
            hospNarrative += Strin
g.format("{HOSPITALIZATION}%s{/HOSPITALIZATION
}", String.join(";", hospData));
        }
    }
}

```

```

        return hospNarrative;
    }

    private static String hospDetails(String term, ItemData start, ItemData end) {
        if (term == null) {
            return "";
        }
        StringBuilder sb = new StringBuilder(100);
        sb.append("{PRIMARYSOURCEREACTION}").append(term).append("{/PRIMARYSOURCEREACTION}");
        String startStr = toDateString(start);
        if (!startStr.isEmpty()) {
            sb.append("\n{HOSPITALSTARTDATE}").append(startStr).append("{/HOSPITALSTARTDATE}");
        }
        String endStr = toDateString(end);
        if (!endStr.isEmpty()) {
            sb.append("\n{HOSPITALENDDATE}").append(endStr).append("{/HOSPITALENDDATE}");
        }
        return sb.toString();
    }

    private static String toDateString(ItemData itemData) {
        return Optional.ofNullable(itemData)
            .map(ItemData::getSingleValue)
            .map(LocalDate::parse)
            .map(ld -> ld.format(DateTimeFormatter.ofPattern("yyyyMMdd")))
            .orElse("");
    }
}

```

```

        private static ItemData createNarrative(Collection<ItemData[]> details, String productName, Map<String, Map<Long, String[]>> prefilledValues) {
            ItemData narrative2 = createItem(SAE_NARRATIVE2);
            List<String[]> values = details.stream().map(data -> new String[]{toValueOrEmpty(data[0]).toUpperCase(), toValueOrEmpty(data[1])}).collect(Collectors.toList());
            narrative2.setValues(List.of(narrativeString(values, productName, prefilledValues, ")));
            return narrative2;
        }

        private static String toValueOrEmpty(ItemData item) {
            return Optional.ofNullable(item).map(ItemData::getSingleValue).orElse("");
        }

        private static String narrativeString(Collection<String[]> details, String productName, Map<String, Map<Long, String[]>> prefilledValues, String hospNarrative) {
            StringBuilder sb = new StringBuilder();
            for (String[] narrative : details) {
                if (narrative[1] != null && !narrative[1].isEmpty()) {
                    sb.append(Optional.ofNullable(narrative[0]).orElse(""))
                        .append(":")
                        .append(narrative[1])

```

```

        .append("\n");
    }
}
if (sb.length() > 0) {
    sb.deleteCharAt(sb.length() - 1).a
ppend("{/EVENTRELATED}").insert(0, "{EVENTRELA
TED}");
}
if (productName != null && !productNam
e.trim().equals("")) {
    StringBuilder product = new String
Builder();
    prefilledValues.forEach((term, val
ueMap) -> {
        valueMap.forEach((id, parts) -
> {
            product.append("\n{PRODUCT
NAME}").append(productName).append("{/PRODUCTN
AME}");
            product.append("\n{AETERM}
").append(term).append("{/AETERM}");
            if (parts[0] != null) {
                product.append("\n{DEV
ICEOPERATOR}").append(parts[0]).append("{/DEVI
CEOPERATOR}");
            }
            if (parts[1] != null) {
                product.append("\n{DEV
ICEACTIONTAKEN}").append(parts[1]).append("{/D
EVICEACTIONTAKEN}");
            }
            if (parts[2] != null) {
                product.append("\n{DEV
ICECAUSALITY}").append(parts[2]).append("{/DEV
ICECAUSALITY}");
            }
        });
    });
}

```

```

        });
        sb.append("\n").append(product);
    }

    if ((hospNarrative != null) && (hospNarrative.length() > 0)) {
        int narrativeLength = sb.length();
        boolean isNewLineExists = (narrativeLength > 0) && sb.charAt(narrativeLength - 1) == '\n';
        if (!isNewLineExists) {
            sb.append("\n");
        }
        sb.append(hospNarrative);
    }

    return sb.toString();
}

private static ItemData createItem(String varName) {
    return createItem(varName, 0);
}

private static ItemData createItem(String varName, int row) {
    ItemData itemData = new ItemData();
    Variable variable = new Variable();
    variable.setName(varName);
    if (CODELIST_MAP.containsKey(varName))
    {
        variable.setCodeList(CODELIST_MAP.get(varName));
    }
    itemData.setVariable(variable);
    itemData.setRowIndex(row);
    return itemData;
}

```

		<pre> } private static String emptyDefault(Map<String, ItemData> form, String key) { return emptyDefault(form, key, Function.identity()); } private static String emptyDefault(Map<String, ItemData> form, String key, Function<String, String> transformer) { return Optional.ofNullable(form.get(key)) .map(ItemData::getSingleValue) .map(transformer) .orElse(""); } private static String getGroupName(ItemData item) { return Optional.ofNullable(item.getVariableGroupData()) .map(VariableGroupData::getVariableGroup) .map(VariableGroup::getName) .orElse(""); } </pre>			
getStartDTS	Returns a LocalDateTime from a start DTS, including handling UNK.	<pre> import java.time.LocalDateTime; public static LocalDateTime getStartDTS(String startDTS) { if (startDTS == null startDTS.length() > 19 startDTS.equals("")) { return null; } else { LocalDateTime startDate; </pre>		0.1	201449

		<pre> int month = 1; int day = 1; int hour = 0; int minute = 0; int second = 0; switch (startDTS.length()) { case 19: second = Integer.valueOf(startDTS.substring(17,19)); // 2024-01-01T00:0 0:00 case 16: minute = Integer.valueOf(startDTS.substring(14,16)); // 2024-01-01T00:0 0 case 13: hour = Integer.valueOf(st artDTS.substring(11,13)); // 2024-01-01T00 case 10: day = Integer.valueOf(sta rtDTS.substring(8,10)); // 2024-01-01 case 7: month = Integer.valueOf(st artDTS.substring(5,7)); // 2024-01 case 4: int year = Integer.valueOf (startDTS.substring(0,4)); //2024 startDate = LocalDateTime. of(year, month, day, hour, minute, second); break; default: startDate = null; } return startDate; } </pre>			
--	--	--	--	--	--

getSecondValueUppercased		<pre> public static String customFunction(String input) { // Split the input string by " " if(input != null && input.contains(" ")) { String[] parts = input.split("\\ "); if (parts.length >= 2) { // Return the second value in uppercase return parts[1].toUpperCase(); } else { // Return an empty string return ""; } } else{ return "";} } </pre>		0.1	201448
getEndDTS	Returns a LocalDateTime from an end DTS, including handling UNK.	<pre> import java.time.LocalDateTime; import java.util.Calendar; public static LocalDateTime getEndDTS(String endDTS) { if (endDTS == null endDTS.length() > 19 endDTS.equals("")) { return null; } else { LocalDateTime endDate; int month = 1; </pre>		0.1	201447

```

        int day = 1;
        int hour = 0;
        int minute = 0;
        int second = 0;

        switch (endDTS.length()) {
            case 19: second = Integer.valueOf(
endDTS.substring(17,19)); // 2024-01-01T00:00:
00
                case 16: minute = Integer.valueOf(
endDTS.substring(14,16)); // 2024-01-01T00:00
                    case 13: hour = Integer.valueOf(en
dDTS.substring(11,13)); // 2024-01-01T00
                        case 10: day = Integer.valueOf(end
DTS.substring(8,10)); // 2024-01-01
                            case 7: month = Integer.valueOf(en
dDTS.substring(5,7)); // 2024-01
                                case 4: int year = Integer.valueOf
(endDTS.substring(0,4)); //2024
                                    if (day == 0) {
                                        Calendar cal = Calenda
r.getInstance();
                                            cal.set(year, month -1
, 1);
                                                day = cal.getActualMax
imum(Calendar.DAY_OF_MONTH);
                                                    }
                                                        endDate = LocalDateTime.of
(year, month, day, hour, minute, second);
                                                            break;
                                                                default: endDate = null;
                                                                    }
                                                                        return endDate;
                                                                            }
}

```

getDateFromCycle	Returns Date from specific Cycle Day, based on received parameters	<pre> import java.util.*; import java.util.stream.*; import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.context.Context; import com.candorgrc.core.shared.api.model.*; public static Integer getDateFromCycle(ApiService service, ItemData dataPoint) { if (dataPoint == null) { return 0; } CrfData currentDataForm = dataPoint.getCrFData(); Subject subject = dataPoint.getCrFData().getSubject(); // Get Study name studyName; String studyName = subject.getSite().getStudy().getName(); // REQUIREMENT: // "Fetch data from the variable SVSTDTC_001 from Cycle 1 Day 1" ItemDataRequest dataRequest = new ItemDataRequest().setStudyName(studyName).setSubjectNumber(subject.getNumber()).setEventName("Cycle 1 Day 1"); var items = service.getItems(dataRequest.setInstrumentName("SV001")); String searchedVar = "SVSTDTC_001"; String foundItem = null; </pre>	0.1	201446
------------------	--	--	-----	--------

```

        for (ItemData item : items) {
            if (searchedVar.equals(item.getVariable().getName())) {
                foundItem = item.getSingleValue();
            }
        }

        if(foundItem != null){
            Crf targetFormDefinition = new Crf()
                .setName("SV001");
            Event targetEvent = new Event().setUniqueName("SCR");
            Encounter targetEnc = new Encounter().setEvent(targetEvent);
            var targetForm = service.factory().createCrfData()
                .setCrf(targetFormDefinition)
                .setSubject(subject)
                .setEncounter(targetEnc);

            ItemData svdate = service.factory().createItemData(targetForm)
                .setVariable(new Variable().setName("SVSTDTC_001"))
                .setSingleValue(foundItem);
            ;
            service.saveFormData(targetForm, List.of(svdate));
            return 1;
        }
        return 0;
    }
}

```

dreport	Expression 2: In DD002 form, D_SAEDDRPT_002 <pre> import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.model.CrfData; import com.candorgrc.core.shared.api.model.ItemData; import com.candorgrc.core.shared.api.model.RowStatus; import com.candorgrc.core.shared.api.model.Variable; import java.util.*; public static boolean report(ItemData dataPoint, ApiService service) { if (dataPoint == null service == null) { return false; } String cause = ""; if ("Y".equals(dataPoint.getSingleValue())) { CrfData crfData = dataPoint.getCrfData(); ItemDataRequest ddRequest = new ItemDataRequest() .setStudyName(dataPoint.getCrfData().getSubject().getSite().getStudy().getName()) .setSubjectNumber(dataPoint.getCrfData().getSubject().getNumber()) .setEventName("DISP") .setInstrumentName("DD002"); Collection<ItemData> ddItems = ser </pre>	0.1	201445
---------	--	-----	--------

```

vice.getItems(ddRequest);
    Map<Integer, Map<String, ItemData>
> ddMap = new HashMap<>();
    TreeSet<Integer> pCauses = new Tre
eSet<>();
    for (ItemData item : ddItems) {
        if (item.getRowStatus().map(Ro
wStatus::isRemoved).orElse(Boolean.FALSE)) {
            continue;
        }
        String name = item.getVariable
().getName();
        Map<String, ItemData> variable
s = ddMap.computeIfAbsent(item.getRowIndex(),
integer -> new HashMap<>());
        variables.put(name, item);
        if ("DDTEST_002".equals(name)
&& "1".equals(item.getSingleValue())) {
            pCauses.add(item.getRowInd
ex());
        }
    }
    cause = getCause(ddMap, pCauses);
}
ItemDataRequest saeRequest = new ItemD
ataRequest()
    .setStudyName(dataPoint.getCrF
Data().getSubject().getSite().getStudy().getNa
me())
    .setSubjectNumber(dataPoint.ge
tCrFData().getSubject().getNumber())
    .setEventName("common_event")
    .setInstrumentName("D_SAE001")
;
    Collection<ItemData> saeItems = servic
e.getItems(saeRequest);
    Map<Long, Boolean> withCause = new Has

```

```

hMap<>();
    Map<Long, ItemData> causes = new HashM
ap<>();
    Map<Long, CrfData> crfs = new HashMap<
>();
    for (ItemData item : saeItems) {
        String name = item.getVariable().g
etName();
        Long id = item.getCrfData().getId(
);
        if (!withCause.containsKey(id)) {
            withCause.put(id, Boolean.FALS
E);
        }
        if (!crfs.containsKey(id)) {
            crfs.put(id, item.getCrfData()
);
        }
        if ("D_RESDEATH_001".equals(name)
&& "Y".equals(item.getSing
leValue())) {
            withCause.put(id, Boolean.TRUE
);
        }
        if ("D_CAUSDEATH_001".equals(name)
) {
            causes.put(id, item);
        }
    }
    Map<Long, List<ItemData>> update = new
HashMap<>();
    for (Map.Entry<Long, Boolean> caused :
withCause.entrySet()) {
        ItemData causeItem = causes.get(ca
used.getKey());
        if (causeItem == null) {
            causeItem = new ItemData();

```



```

        Variable variable = new Variab
le();
        variable.setName("D_CAUSDEATH_
001");
        causeItem.setVariable(variable
);
        causeItem.setCrfData(crfs.get(
caused.getKey()));
    }
    List<String> value = caused.getVal
ue() ? List.of(cause) : List.of("");
    causeItem.setValues(value);
    update.computeIfAbsent(caused.getK
ey(), id -> new ArrayList<>()).add(causeItem);
}
    for (Map.Entry<Long, List<ItemData>> v
ariables : update.entrySet()) {
        service.saveFormData(crfs.get(vari
ables.getKey()), variables.getValue());
    }
    return false;
}

    private static String getCause(Map<Integer
, Map<String, ItemData>> ddMap, TreeSet<Intege
r> pCauses) {
        if (pCauses.isEmpty()) {
            return "";
        }
        Map<String, ItemData> pCause = ddMap.g
et(pCauses.first());
        ItemData dDorres = pCause.get("D_DDORR
ES_PRCDTH_002");
        if (dDorres == null) {
            return Optional.ofNullable(pCause.
get("DDORRES_002")).map(i -> i.getSingleValue(
)).orElse("");

```

		<pre> } String dDorresValue = dDorres.getSingleValue(); if ("4".equals(dDorresValue)) { return Optional.ofNullable(pCause.get("D_DDORRES_PRCDTH_OTH_002")).map(i -> i.getSingleValue()).orElse(""); } return Optional.ofNullable(dDorres.getResponseSetValues()).map(rs -> rs.get(0)).map(c -> c.getLabel()).orElse(""); } </pre>			
derive_min_drugdate	derive_min_drugdate	<pre> // RULE EXPRESSION: // derive_min_drugdate([\$api], [\$data_point]) import java.util.*; import java.util.stream.*; import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.context.Context; import com.candorgrc.core.shared.api.model.*; // N.B. Partial Dates are passed to Custom Functions in non-normalized form, // i.e. UNK fragments are NOT replaced with user-configured default values. private static final boolean INCLUDE_DATES_WITH_UNK = true; //private static final String ITEM_CODE_FOR_YES = "Y"; //private static final String ITEM_CODE_FOR_NO = "N"; </pre>	0.1	201444	

```

R_NO = "N";

    private static List<ItemData> conditionalSearch(Collection<ItemData> items, String conditionalVar, String searchedVar) {
        // find ItemData(s) by name
        var conditionalItems = new HashMap<Long, ItemData>();
        var foundItems = new ArrayList<ItemData>();
        for (ItemData item : items) {
            if (conditionalVar.equals(item.getVariable().getName())) {
                // Here "item.getCrfData().getId()" as a key works the same as "CRF Definition name & CRF occurrence" (item.getCrfData().getCrf().getName() & item.getCrfData().getOccurrence())
                conditionalItems.put(item.getCrfData().getId(), item);
            }
            if (searchedVar.equals(item.getVariable().getName())) {
                foundItems.add(item);
            }
        }

        // Return "searched variables" if related "conditionalVar" has expected value of "N"
        var result = new ArrayList<ItemData>();
        for (ItemData foundItem : foundItems) {
            ItemData conditionalItem = conditionalItems.get(foundItem.getCrfData().getId());
            String conditionValue = conditiona

```

```

lItem == null ? null : conditionalItem.getSingleValue();
        //if (ITEM_CODE_FOR_NO.equals(conditionValue)) {
        // REQUIREMENTS for conditions: not null and not equal 0.0
        if (conditionValue != null && !conditionValue.equals("0.0")){
            result.add(foundItem);

        }
    }
    return result;
}
private static void accumulate(ArrayList<String> accumulator, List<ItemData> items) {
    for (ItemData item : items) {
        String partialDate = item.getSingleValue();
        if (partialDate != null && !partialDate.isBlank() && (INCLUDE_DATES_WITH_UNK || !partialDate.contains("UNK"))) {
            accumulator.add(partialDate);
        }
    }
}
public static boolean derive_min_drugdate(ApiService service, ItemData dataPoint) {

    if (dataPoint == null) {
        return false;
    }
    List<ItemData> changedItems = dataPoint.getCrfdData().getChangedItems();
    CrfdData currentDataForm = dataPoint.getCrfdData();
    Subject subject = dataPoint.getCrfdData

```

```

().getSubject();

        // Get Study name studyName;
        String studyName = subject.getSite().getStudy().getName();

        // REQUIREMENT:
        //      "Fetch data from the variables ECSTDTC_001_4, ECSTDTC_001_4_1, X_ECDOSE_001_4, X_ECDOSE_001_4_1 across the subject."
        ItemDataRequest dataRequest = new ItemDataRequest().setStudyName(studyName).setSubjectNumber(subject.getNumber());
        var items0 = service.getItems(dataRequest.setInstrumentName("EC001"));
        var items1 = service.getItems(dataRequest.setInstrumentName("EC001_1"));
        var items2 = service.getItems(dataRequest.setInstrumentName("EC001_2"));
        var items3 = service.getItems(dataRequest.setInstrumentName("EC001_3"));
        var items4 = service.getItems(dataRequest.setInstrumentName("EC001_4"));
        var items5 = service.getItems(dataRequest.setInstrumentName("EC001_5"));
        var items6 = service.getItems(dataRequest.setInstrumentName("EC001_6"));

        // REQUIREMENT:
        //      "Consider forms which has not null in X_ECDOSE_001_4, X_ECDOSE_001_4_1 variables and the value not equal to 0.0"
        //      "From the records that are selected based on the above condition take all the dates from EC001 forms included on the search dataset."

```

```

        ArrayList<String> partialDates = new ArrayList<>();
        accumulate(partialDates, conditionalSearch(items0, "X_ECD0SE_001", "ECSTDTC_001"));
        accumulate(partialDates, conditionalSearch(items1, "X_ECD0SE_001_1", "ECSTDTC_001_1"));
        accumulate(partialDates, conditionalSearch(items2, "X_ECD0SE_001_2", "ECSTDTC_001_2"));
        accumulate(partialDates, conditionalSearch(items3, "X_ECD0SE_001_3", "ECSTDTC_001_3"));
        accumulate(partialDates, conditionalSearch(items4, "X_ECD0SE_001_4", "ECSTDTC_001_4"));
        accumulate(partialDates, conditionalSearch(items5, "X_ECD0SE_001_5", "ECSTDTC_001_5"));
        accumulate(partialDates, conditionalSearch(items6, "X_ECD0SE_ECDSIVD_001_6", "ECSTDTC_001_6"));
        accumulate(partialDates, conditionalSearch(items6, "X_ECD0SE_ECDSORD_001_6", "ECSTDTC_001_6"));

        // REQUIREMENT:
        //      "Find the minimum date and ..."

        // Note, we find minimum in a simplest way, i.e. UNK are considered "bigger" than numerical month/day.
        Optional<String> minDateValue = partialDates.stream().min(Comparator.naturalOrder());
;

```

```

// REQUIREMENT:
//      "... Specify where to derive the result: DM001.D_FIRSTDOSEDTC_001"

    Crf targetFormDefinition = new Crf().setName("DM001");
    var targetForm = service.factory().createCrfData()
        .setCrf(targetFormDefinition)
        .setSubject(subject);
    if (minDateValue.isPresent()) {
        // Note, the DS001_4 form is not assigned to an event.
        //targetForm.setEncounter(dataPoint.getCrfData().getEncounter().orElse(null));

        // Note, we don't know whether the DM001 form is repeatable (it's not assigned to an event).
        //targetForm.setOccurrence(1);
        ItemData minDrugDate = service.factory().createItemData(targetForm)
            .setVariable(new Variable().setName("D_FIRSTDOSEDTC_001"))
            .setSingleValue(minDateValue.get());
        service.saveFormData(targetForm, List.of(minDrugDate));
        return true;
    }
    else {
        ItemData minDrugDate = service.factory().createItemData(targetForm)
            .setVariable(new Variable().setName("D_FIRSTDOSEDTC_001"))
            .setSingleValue("");
        service.saveFormData(targetForm, L

```

		<pre>ist.of(minDrugDate)); return true; } }</pre>			
derive_eos_date	derive_eos_date	<pre>import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String derive_eos_date(String C5 , String T5, String F6, String C5 _1, String T5_1, String F6_1, String C5 _2, String T5_2, String F6_2, String[] TRDates, String[] TRcont) { boolean foundN = false; boolean foundY = false; String[] relevantDates = new String[10]; / / Adjusted size, only need extra for T5, T5_1, T5_2 int index = 0; // Check C5, C5_1, C5_2 and collect releva nt T5, T5_1, T5_2 if ("N".equals(C5)) { foundN = true; relevantDates[index++] = T5; } if ("N".equals(C5_1)) { foundN = true; relevantDates[index++] = T5_1; } if ("N".equals(C5_2)) { foundN = true; relevantDates[index++] = T5_2; } }</pre>		0.1	201443


```

        // Only process TRcont and TRDates if they
        are not null
        if (TRcont != null && TRDates != null) {
            for (int i = 0; i < TRcont.length; i++)
        ) {
            if ("N".equals(TRcont[i]) && TRDates[i] != null && !"NA".equals(TRDates[i])) {
                foundN = true;
                relevantDates[index++] = TRDates[i];
            }
            if ("Y".equals(TRcont[i])) {
                foundY = true;
            }
        }

        if (foundN) {
            // Return the max date from relevant dates
            return getMaxDate(relevantDates, index);
        } else if ("Y".equals(C5) || "Y".equals(C5_1) || "Y".equals(C5_2) || foundY) {
            // If no "N" was found and there is at least one "Y", return the max date from F6, F6_1, F6_2
            String[] followUpDates = {F6, F6_1, F6_2};
            return getMaxDate(followUpDates, followUpDates.length);
        } else {
            return null;
        }
    }
}

```

		<pre> private static String getMaxDate(String[] date s, int length) { LocalDate maxDate = null; DateTimeFormatter formatter1 = DateTimeFor matter.ofPattern("yyyy-MM-dd", java.util.Local e.ENGLISH); DateTimeFormatter formatter2 = DateTimeFor matter.ofPattern("dd-MMM-yyyy", java.util.Loca le.ENGLISH); for (int i = 0; i < length; i++) { String dateStr = dates[i]; if (dateStr != null && !dateStr.trim() .isEmpty() && !"NA".equalsIgnoreCase(dateStr)) { // Try to parse the date using the first formatter LocalDate date = LocalDate.parse(d ateStr, formatter1); if (date == null) { // Try to parse the date using the second formatter date = LocalDate.parse(dateStr , formatter2); } if (date != null && (maxDate == nu ll date.isAfter(maxDate))) { maxDate = date; } } return (maxDate != null) ? maxDate.toStrin g() : null; } </pre>			
default_values_add_entry	Defaults different rows	import com.candorgrc.core.shared.api.ApiServic		0.1	201442

and values in an add-entry form depending on the event. Classic scenario on where this function could be used is the PC instrument.

```
e;
import com.candorgrc.core.shared.api.ItemDataRequest;
import com.candorgrc.core.shared.api.model.CrfData;
import com.candorgrc.core.shared.api.model.ItemData;
import com.candorgrc.core.shared.api.model.*;
import java.util.Collection;
import java.util.List;
import java.util.ArrayList;
import java.util.*;

//No updates needed to this custom function.
To add instruments and corresponding values to
populate, update below functions:
// 1- varCodelistMap()
// 2- getVisitValues()
public static boolean default_values_add_entry
(ItemData itemData, ApiService service, String
visit, String targetForm
, String triggerForm, String triggerField, boolean
form_dynamic_condition_met, String val1
) {

    if ( itemData == null || service == null |
| !form_dynamic_condition_met) {
        return false;
    }

    //Codelist map.
    Map<String, String> var_codelist = varCodelistMap(targetForm);

    //Get all visits where the target form should
```

```

be populated with defaulted values
Map<String, Map<String, String>> map = get
VisitValues(targetForm, val1);

//If the current visit is not within the m
ap, then return since there is nothing to popu
late here.
if(!map.containsKey(visit)) return false;

Map<String, String> rows = map.get(visit);

int numb_rows = rows.size();

Subject Sub = itemData.getCrfData().getSub
ject();
String Study_Name = itemData.getCrfData().
getSubject().getSite().getStudy().getName();
String Subject_Number = itemData.getCrfDat
a().getSubject().getNumber();

List<ItemData> Target_RG = new ArrayList<>();
Collection<ItemData> Source_Instrument_Variab
les = Return_ItemData_Collection(Study_Name, S
ubject_Number, triggerForm, service);
for ( ItemData Source_Instrument_Variable : S
ource_Instrument_Variables ) {

    if ( Source_Instrument_Variable.getVariable(
) != null && Source_Instrument_Variable.getVar
iable().getName() != null
    && Source_Instrument_Variable.getVariable().
getName().equals(triggerField)) {

        for(int i=0; i<numb_rows; i++){
            for(String key : var_codelist.keySet())
{

```

```

        if(rows.containsKey(key + "_" + i))
        {
            String val = rows.get(key + "_"
+ i);

            ItemData ID_Temp = Source_Instrume
nt_Variable.withoutIds();
            ID_Temp.getVariable().setName(key)
;

            //If the variable has a codelist,
assign it.
            if(var_codelist.containsKey(key))
                ID_Temp.getVariable().setC
odelist(var_codelist.get(key));

            ID_Temp.setRowIndex(i);
            ID_Temp.setSingleValue(val);
            Target_RG.add(ID_Temp);
        }
    }
}

CrfData Target_Instrument = To_Instrument(tar
getForm, Sub, itemData, service);

if(Target_Instrument != null){
    Target_Instrument.setEncounter(To_Event(visi
t, Sub));
    Target_Instrument.setOccurrence(1);
    service.saveFormData(Target_Instrument, Targ
et_RG);
}

return false;

```

```

}

public static Collection<ItemData> Return_Item
Data_Collection(String Study_Name, String Subj
ect_Number, String Instrument, ApiService serv
ice) {
    ItemDataRequest Item_Request = new It
emDataRequest().setStudyName(Study_Name).setSub
jectNumber(Subject_Number).setInstrumentName(I
nstrument);
    return service.getItems(Item_Request);
}

public static CrfData To_Instrument(String tar
get_form, Subject Sub, ItemData ID_Text, ApiSe
rvice api)
{
    CrfData CRFDATA = null;
    for (CrfData cd: ID_Text.getCrfData().getEnc
ounter().get().fetchCrfDatas())
    {
        if (cd.getCrf().getName().equals(target_f
orm))
        {
            return cd;
        }
    }
    CRFDATA = api.addCrf(ID_Text.getCrfData().
getSubject(), ID_Text.getCrfData().getEncounte
r().get(), target_form);
    return CRFDATA;
}

public static Encounter To_Event(String To_Eve
nt_REF, Subject Sub)
{
    Encounter ENCOUNTER = new Encounter();

```

```

        Event EVENT = new Event();
        ENCOUNTER.setEvent(EVENT);
        EVENT.setUniqueName(To_Event_REF);
        return ENCOUNTER;
    }

    public static Map<String, String> varCodelist
    Map(String targetForm){

        if(targetForm.equals("PC003")) return Map.
of("SUPPPC_PKTERM_003", "SUPPPC_PKTERM_CL_003"
',
                                "P
CSPEC_003", "PCSPEC_CL_003",
                                "P
CTPT_003", "PCTPT_CL_003",
                                "P
CTPTREF_003", "PCTPTREF_CL_003");
        /*else if(targetForm.equals("PC003_1")) re
turn Map.of("PCTPT_003_1", "PCTPT_CL_003_1",
                                "P
CTPTREF_003_1", "PCTPTREF_CL_003_1");
        else if(targetForm.equals("PC003_2")) retu
rn Map.of("PCTPT_003_2", "PCTPT_CL_003_2");
        else if(targetForm.equals("PC003_6")) retu
rn Map.of("PCTPT_003_6", "PCTPT_CL_003_6",

                                "PCTPTREF_003_6", "PCTPTREF_CL_003_6")
; */

        else if(targetForm.equals("BEETRK010"))
            return Map.of("SUPPBE_SAMPNAME_010", "
SUPPBE_SAMPNAME_CL_010",
                                "BETPT_010", "BETPT_CL_0
10",
                                "BETPTREF_010", "BETPTRE

```

```

F_CL_010",
                                "SUPPBE_BESPEC_010", "SU
PPBE_BESPEC_CL_010");

    /*else if(targetForm.equals("BEETRK010_3")
)
    return Map.of("SUPPBE_SAMPNAME_010_3",
"SUPPBE_SAMPNAME_CL_010_3",
                                "SUPPBE_BESPEC_010_3", "
SUPPBE_BESPEC_CL_010_3");

    else if(targetForm.equals("BEETRK010_4"))
    return Map.of("SUPPBE_SAMPNAME_010_4",
"SUPPBE_SAMPNAME_CL_010_4");

    else if(targetForm.equals("BEETRK010_5"))
    return Map.of("SUPPBE_SAMPNAME_010_5",
"SUPPBE_SAMPNAME_CL_010_5");

    else if(targetForm.equals("BEETRK010_6"))
    return Map.of("SUPPBE_SAMPNAME_010_6",
"SUPPBE_SAMPNAME_CL_010_6",
                                "SUPPBE_BESPEC_010_6", "
SUPPBE_BESPEC_CL_010_6");*/

    return null;
}

//Update below method with the values needed o
n the instrument for each event.
public static Map<String, Map<String, String>>
getVisitValues(String targetForm, String val1
){

    Map<String, Map<String, String>> map = new
HashMap<>();

```



```

if(targetForm.equals("PC003")){
    //Variables that will be populated
    String[] vars = {"SUPPPC_PKTERM_003", "PC
SPEC_003", "PCTPT_003", "PCTPTREF_003"};

    //For each event where the form needs to
    be populated, add an entry as indicated below.
    //Screening
    //For each record needed in the form, add
    a string entry in below array. The string wi
    ll have the value for each of
    //the variables specified earlier (in thi
    s case 1) separated by underscores.
    String[] rows_vals = {"1_7_63_5", "2_40_1
    7_6"};
    map.put("Screening", test(vars, rows_vals
    ));

    //Cycle 1 Day 1 event
    rows_vals = new String[]{"1_7_63_5"};
    map.put("Cycle 1 Day 1", test(vars, rows_
    vals));

    //Cycle 1 Day 8 event
    rows_vals = new String[]{"2_40_17_6"};
    map.put("Cycle 1 Day 8", test(vars, rows_
    vals));

    //Cycle 1 Day 15 event
    rows_vals = new String[]{"1_7_63_5", "2_4
    0_17_6"};
    map.put("Cycle 1 Day 15", test(vars, rows
    _vals));

    //Unplanned event
    rows_vals = new String[]{"1_7_63_5", "2_4

```

```

0_17_6", "1_7_17_6"};
    map.put("Unplanned", test(vars, rows_vals
));

    }

    /*else if(targetForm.equals("PC003_1")){
    //Variables that will be populated
    String[] vars = {"PCTPT_003_1", "PCTPTREF
_003_1"};

    //For each event where the form needs to
be populated, add an entry as indicated below.
    //Cycle 1 Day 1
    String[] rows_vals = {"0_5", "1_5", "2_36
", "6_36", "24_36", "72_36"};
    map.put("Cycle 1 Day 1", test(vars, rows_
vals));

    //Cycle 1 Day 8
    map.put("Cycle 1 Day 8", test(vars, rows_
vals));

    //Cycle 2 Day 15
    map.put("Cycle 2 Day 15", test(vars, rows
_vals));

    //Cycle 1 Day 15
    rows_vals = new String[]{"0_5", "1_5", "
2_36", "6_36", "24_36"};
    map.put("Cycle 1 Day 15", test(vars, rows
_vals));

    //Cycle 2 Day 1
    map.put("Cycle 2 Day 1", test(vars, rows_

```

```

vals));

        //Cycle 2 Day 8
        map.put("Cycle 2 Day 8", test(vars, rows_
vals));

        //Cycle 5 Day 1 event
        rows_vals = new String[]{"0_5", "1_5", "2
_36"};
        map.put("Cycle 5 Day 1", test(vars, rows_
vals));

        //Cycle 17 Day 1 event
        map.put("Cycle 17 Day 1", test(vars, rows
_vals));
    }

    else if(targetForm.equals("PC003_2")){
        //Variables that will be populated
        String[] vars = {"PCTPT_003_2"};

        //For each event where the form needs to
        be populated, add an entry as indicated below.
        //Cycle 1 Day 1
        String[] rows_vals = {"0"};
        map.put("Cycle 1 Day 1", test(vars, rows_
vals));

        //Cycle 2 Day 1
        rows_vals = new String[]{"0"};
        map.put("Cycle 2 Day 1", test(vars, rows_
vals));

        //Cycle 5 Day 1
        rows_vals = new String[]{"0"};

```

```

        map.put("Cycle 5 Day 1", test(vars, rows_
vals));

        //Cycle 7 Day 1
        rows_vals = new String[]{"0"};
        map.put("Cycle 7 Day 1", test(vars, rows_
vals));

        //Cycle 9 Day 1
        rows_vals = new String[]{"0"};
        map.put("Cycle 9 Day 1", test(vars, rows_
vals));

        //Cycle 11 Day 1
        rows_vals = new String[]{"0"};
        map.put("Cycle 11 Day 1", test(vars, rows_
_vals));

        //Cycle 14 Day 1
        rows_vals = new String[]{"0"};
        map.put("Cycle 14 Day 1", test(vars, rows_
_vals));

    }

    else if(targetForm.equals("PC003_6")){
        //Variables that will be populated
        String[] vars = {"PCTPT_003_6", "PCTPTREF_
003_6"};

        //For each event where the form needs to
be populated, add an entry as indicated below.
        //Cycle 1 Day 1
        String[] rows_vals = {"0_5", "1_5", "2_36
", "6_36", "24_36"};
        map.put("Cycle 1 Day 1", test(vars, rows_
vals));

```

```

        //Cycle 2 Day 1
        map.put("Cycle 2 Day 1", test(vars, rows_
vals));

        //Cycle 5 Day 1 event
        rows_vals = new String[]{"0_5", "6_36"};
        map.put("Cycle 5 Day 1", test(vars, rows_
vals));

    }

    else if(targetForm.equals("BEETRK010_2")){
        //Variables that will be populated
        String[] vars = {"SUPPBE_SAMPNAME_010_2",
"SUPPBE_BESPEC_010_2"};

        //For each event where the form needs to
be populated, add an entry as indicated below.
        //Screening
        String[] rows_vals = {"2_40", "4_7"};
        map.put("Screening", test(vars, rows_vals
));

        //Cycle 1 Day 1
        rows_vals = new String[]{"1_40", "2_40",
"3_7"};
        map.put("Cycle 1 Day 1", test(vars, rows_
vals));

        //Cycle 1 Day 8
        rows_vals = new String[]{"2_40"};
        map.put("Cycle 1 Day 8", test(vars, rows_
vals));

        //Cycle 1 Day 15

```

```

        map.put("Cycle 1 Day 15", test(vars, rows_
_vals));

        //Cycle 2 Day 1
        map.put("Cycle 2 Day 1", test(vars, rows_
_vals));

        //Cycle 2 Day 8
        map.put("Cycle 2 Day 8", test(vars, rows_
_vals));

        //Cycle 2 Day 15
        map.put("Cycle 2 Day 15", test(vars, rows_
_vals));

        //Cycle 3 Day 1
        rows_vals = new String[]{"1_40", "2_40",
"3_7"};
        map.put("Cycle 3 Day 1", test(vars, rows_
_vals));

        //Cycle 5 Day 1
        rows_vals = new String[]{"1_40", "3_7"};

        map.put("Cycle 5 Day 1", test(vars, rows_
_vals));

        //Cycle 7 Day 1
        map.put("Cycle 7 Day 1", test(vars, rows_
_vals));

        //Cycle 9 Day 1
        map.put("Cycle 9 Day 1", test(vars, rows_
_vals));

        //Cycle 11 Day 1
        map.put("Cycle 11 Day 1", test(vars, rows

```

```

_vals));

    //Cycle 14 Day 1
    map.put("Cycle 14 Day 1", test(vars, rows_
_vals));

    }*/

    else if(targetForm.equals("BEETRK010")){
        //Variables that will be populated
        String[] vars = {"SUPPBE_SAMPNAME_010", "
BETPT_010", "BETPTREF_010", "SUPPBE_BESPEC_010
"};

        //For each event where the form needs to
be populated, add an entry as indicated below.
        //Screening
        String[] rows_vals = {"18_2_5_1", "19_3_6
_2", "20_4_7_4"};
        map.put("Screening", test(vars, rows_vals
));

        //Cycle 1 Day 1
        rows_vals = new String[]{"18_2_5_1", "19
_3_6_2"};
        map.put("Cycle 1 Day 1", test(vars, rows_
vals));

        //Cycle 1 Day 8
        rows_vals = new String[]{"20_4_7_4"};
        map.put("Cycle 1 Day 8", test(vars, rows_
vals));

        //Cycle 1 Day 15
        rows_vals = new String[]{"19_3_6_2", "20
_4_7_4"};
        map.put("Cycle 1 Day 15", test(vars, rows

```

```

_vals));

        //Unplanned
        rows_vals = new String[]{"18_2_5_1", "20_4_7_4"};
        map.put("Unplanned", test(vars, rows_vals));
    }

    /*else if(targetForm.equals("BEETRK010_4")){
        //Variables that will be populated
        String[] vars = {"SUPPBE_SAMPNAME_010_4"};
        ;

        //For each event where the form needs to be populated, add an entry as indicated below.

        String[] rows_vals = {"2"};

        //Add the second record only if the subject is enrolled in Part 2
        if(val1 != null && (val1.equals("2") || val1.equals("3"))){
            rows_vals = new String[]{"2", "1"};
        }

        //Cycle 1 Day 1
        map.put("Cycle 1 Day 1", test(vars, rows_vals));

        //Cycle 2 Day 1
        map.put("Cycle 2 Day 1", test(vars, rows_vals));

        //Cycle 5 Day 1

```



```

        map.put("Cycle 5 Day 1", test(vars, rows_
vals));

        //Cycle 7 Day 1
        map.put("Cycle 7 Day 1", test(vars, rows_
vals));

        //Cycle 9 Day 1
        map.put("Cycle 9 Day 1", test(vars, rows_
vals));

        //Cycle 11 Day 1
        map.put("Cycle 11 Day 1", test(vars, rows
_vals));

        //Cycle 14 Day 1
        map.put("Cycle 14 Day 1", test(vars, rows
_vals));

    }

    else if(targetForm.equals("BEETRK010_5")){
        //Variables that will be populated
        String[] vars = {"SUPPBE_SAMPNAME_010_5"}
;

        //For each event where the form needs to
be populated, add an entry as indicated below.

        String[] rows_vals = {"2"};

        //Add the second record only if the subje
ct is enrolled in Part 2
        if(val1 != null && (val1.equals("2") || v
al1.equals("3"))){
            rows_vals = new String[]{"2", "1"};
        }
    }

```

```

        //Unplanned
        map.put("Unplanned", test(vars, rows_vals
));

        //End of Treatment
        map.put("End of Treatment", test(vars, rows_vals));

    }

    else if(targetForm.equals("BEETRK010_6")){
        //Variables that will be populated
        String[] vars = {"SUPPBE_SAMPNAME_010_6",
            "SUPPBE_BESPEC_010_6"};

        //For each event where the form needs to
        be populated, add an entry as indicated below.
        //End of Treatment
        String[] rows_vals = {"1_40", "3_7"};

        map.put("End of Treatment", test(vars, rows_vals));
    }*/

    return map;
}

//Map has following format Map<(variable name)
//(row_index), (value)>
public static Map<String, String> test(String[]
vars, String[] rows_vals){
    Map<String, String> map = new HashMap<>();

    //The key pointing to the values for each variable
    will have the following format:

```

		<pre> //<variable name>_<row_index> //Map<String, String> var = new HashMap<>(); for(int i=0; i<rows_vals.length; i++){ String[] row_vals = rows_vals[i].split("_"); for(int y=0; y<vars.length; y++){ String var = vars[y]; String tmp = var + "_" + i + ", " + row_val s[y]; map.put(var + "_" + i, row_vals[y]); } } return map; } </pre>			
dcause_1	Expression 1: In D_SAE001 form, D_RESDEATH_001	<pre> import com.candorgrc.core.shared.api.ApiServic e; import com.candorgrc.core.shared.api.ItemDataR equest; import com.candorgrc.core.shared.api.model.Crf Data; import com.candorgrc.core.shared.api.model.Ite mData; import com.candorgrc.core.shared.api.model.Row Status; import com.candorgrc.core.shared.api.model.Var iable; import java.util.*; public static boolean cause(ItemData d ataPoint, ApiService service) { if (dataPoint == null service == nu ll) { return false; } </pre>	0.1	201441	

```

        CrfData crfData = dataPoint.getCrfData
        ();
        ItemDataRequest saeRequest = new ItemD
        ataRequest()
            .setStudyName(dataPoint.getCrf
        Data().getSubject().getSite().getStudy().getNa
        me())
            .setSubjectNumber(dataPoint.ge
        tCrfData().getSubject().getNumber())
            .setInstrumentOccurrence(crfDa
        ta.getOccurrence())
            .setInstrumentName("D_SAE001")
        ;
        Collection<ItemData> saeItems = servic
        e.getItems(saeRequest);
        Boolean proceed = false;
        ItemData causeItem = null;
        for (ItemData item : saeItems) {
            if (!Objects.equals(crfData.getId(
        ), item.getCrfData().getId())) {
                continue;
            }
            String name = item.getVariable().g
        etName();
            if (!proceed && "D_RESDEATH_001".e
        quals(name) && "Y".equals(item.getSingleValue(
        ))) {
                proceed = true;
            }
            if ("D_CAUSDEATH_001".equals(name)
        ) {
                causeItem = item;
            }
        }
        String cause = "";
        if (proceed) {
            proceed = false;

```

```

        ItemDataRequest ddRequest = new ItemDataRequest()
            .setStudyName(dataPoint.getItemCrfData().getSubject().getSite().getStudy().getName())
            .setSubjectNumber(dataPoint.getItemCrfData().getSubject().getNumber())
            .setEventName("DISP")
            .setInstrumentName("DD002");

        Collection<ItemData> ddItems = service.getItems(ddRequest);
        Map<Integer, Map<String, ItemData>> ddMap = new HashMap<>();
        TreeSet<Integer> pCauses = new TreeSet<>();

        for (ItemData item : ddItems) {
            if (item.getRowStatus().map(RowStatus::isRemoved).orElse(Boolean.FALSE)) {
                continue;
            }
            Map<String, ItemData> variables = ddMap.computeIfAbsent(item.getRowIndex(), integer -> new HashMap<>());
            String name = item.getVariable().getName();
            variables.put(name, item);
            if ("D_SAEDDRPT_002".equals(name) && "Y".equals(item.getSingleValue())) {
                proceed = true;
            }
            if ("DDTEST_002".equals(name) && "1".equals(item.getSingleValue())) {
                pCauses.add(item.getRowIndex());
            }
        }
    }
}

```

```

        cause = proceed ? getCause(ddMap,
pCauses) : "";
    }
    if (causeItem == null) {
        causeItem = new ItemData();
        Variable variable = new Variable()
;
        variable.setName("D_CAUSDEATH_001"
);
        causeItem.setCrfData(crfData);
        causeItem.setVariable(variable);
    }
    causeItem.setValues(List.of(cause));
    service.saveFormData(crfData, List.of(
causeItem));
    return false;
}

private static String getCause(Map<Integer
, Map<String, ItemData>> ddMap, TreeSet<Intege
r> pCauses) {
    if (pCauses.isEmpty()) {
        return "";
    }
    Map<String, ItemData> pCause = ddMap.g
et(pCauses.first());
    ItemData dDorres = pCause.get("D_DDORR
ES_PRCDTH_002");
    if (dDorres == null) {
        return Optional.ofNullable(pCause.
get("DDORRES_002")).map(i -> i.getSingleValue(
)).orElse("");
    }
    String dDorresValue = dDorres.getSingl
eValue();
    if ("4".equals(dDorresValue)) {
        return Optional.ofNullable(pCause.

```

		<pre> get("D_DDORRES_PRCDTH_OTH_002")).map(i -> i.ge tSingleValue()).orElse(""); } return Optional.ofNullable(dDorres.get ResponseSetValues()).map(rs -> rs.get(0)).map(c -> c.getLabel()).orElse(""); } </pre>			
dcause	Expression 1: In D_SAE001 form, D_RESDEATH_001	<pre> import com.candorgrc.core.shared.api.ApiServic e; import com.candorgrc.core.shared.api.ItemDataR equest; import com.candorgrc.core.shared.api.model.Crf Data; import com.candorgrc.core.shared.api.model.Ite mData; import com.candorgrc.core.shared.api.model.Row Status; import com.candorgrc.core.shared.api.model.Var iable; import java.util.*; public static boolean cause(ItemData d ataPoint, ApiService service) { if (dataPoint == null service == nu ll) { return false; } CrfData crfData = dataPoint.getCrfData (); ItemDataRequest saeRequest = new ItemD ataRequest() .setStudyName(dataPoint.getCrf Data().getSubject().getSite().getStudy().getNa me()) .setSubjectNumber(dataPoint.ge tCrfData().getSubject().getNumber()) </pre>	0.1	201440	

```

        .setInstrumentOccurrence(crfData.getOccurrence())
        .setInstrumentName("D_SAE001")
;
        Collection<ItemData> saeItems = service.getItems(saeRequest);
        Boolean proceed = false;
        ItemData causeItem = null;
        for (ItemData item : saeItems) {
            if (!Objects.equals(crfData.getId(), item.getCrfData().getId())) {
                continue;
            }
            String name = item.getVariable().getName();
            if (!proceed && "D_RESDEATH_001".equals(name) && "Y".equals(item.getSingleValue())) {
                proceed = true;
            }
            if ("D_CAUSDEATH_001".equals(name)) {
                causeItem = item;
            }
        }
        String cause = "";
        if (proceed) {
            proceed = false;
            ItemDataRequest ddRequest = new ItemDataRequest()
                .setStudyName(dataPoint.getCrfData().getSubject().getSite().getStudy().getName())
                .setSubjectNumber(dataPoint.getCrfData().getSubject().getNumber())
                .setEventName("DISP")
                .setInstrumentName("DD002")

```



```

);
        Collection<ItemData> ddItems = service.getItems(ddRequest);
        Map<Integer, Map<String, ItemData>> ddMap = new HashMap<>();
        TreeSet<Integer> pCauses = new TreeSet<>();
        for (ItemData item : ddItems) {
            if (item.getRowStatus().map(RowStatus::isRemoved).orElse(Boolean.FALSE)) {
                continue;
            }
            Map<String, ItemData> variables = ddMap.computeIfAbsent(item.getRowIndex(), integer -> new HashMap<>());
            String name = item.getVariable().getName();
            variables.put(name, item);
            if ("D_SAEDDRPT_002".equals(name) && "Y".equals(item.getSingleValue())) {
                proceed = true;
            }
            if ("DDTEST_002".equals(name) && "1".equals(item.getSingleValue())) {
                pCauses.add(item.getRowIndex());
            }
        }
        cause = proceed ? getCause(ddMap, pCauses) : "";
    }
    if (causeItem == null) {
        causeItem = new ItemData();
        Variable variable = new Variable();
        ;
        variable.setName("D_CAUSDEATH_001");
    }

```

		<pre> causeItem.setCrfData(crfData); causeItem.setVariable(variable); } causeItem.setValues(List.of(cause)); service.saveFormData(crfData, List.of(causeItem)); return false; } private static String getCause(Map<Integer , Map<String, ItemData>> ddMap, TreeSet<Intege r> pCauses) { if (pCauses.isEmpty()) { return ""; } Map<String, ItemData> pCause = ddMap.g et(pCauses.first()); ItemData dDorres = pCause.get("D_DDORR ES_PRCDTH_002"); if (dDorres == null) { return Optional.ofNullable(pCause. get("DDORRES_002")).map(i -> i.getSingleValue()).orElse(""); } String dDorresValue = dDorres.getSingl eValue(); if ("4".equals(dDorresValue)) { return Optional.ofNullable(pCause. get("D_DDORRES_PRCDTH_OTH_002")).map(i -> i.ge tSingleValue()).orElse(""); } return Optional.ofNullable(dDorres.get ResponseSetValues()).map(rs -> rs.get(0)).map(c -> c.getLabel()).orElse(""); } </pre>			
datesOutsideRange	Calculate the number of a given unit (D, h, m)	<pre> import java.time.LocalDateTime; import java.util.Calendar; </pre>	0.1	201439	

between 2 DTS and evaluates if it's outside the range given.

```
// Date mask values
private static final int y = 4;
private static final int ym = 7;
private static final int ymd = 10;
private static final int ymdh = 13;
private static final int ymdhm = 16;
private static final int ymdhms = 19;

/**
 * Returns whether the dates are outside of a given range.
 *
 * @param DTS1 - First DTS value
 * @param DTR1 - First DTR value
 * @param isStart1 - true for follow start date imputation, false for follow end date imputation
 * @param DTS2 - Second DTS value
 * @param DTR2 - Second DTR value
 * @param isStart2 - true for follow start date imputation, false for follow end date imputation
 * @param unit whether the range is days, hours, or minutes
 * @param min minimum in unit
 * @param max maximum in unit
 * @return true if outside range, false if inside range
 */

public static boolean datesOutsideRange(String DTS1, String DTR1, boolean isStart1, String DTS2, String DTR2, boolean isStart2, String unit, int min, int max) {
    // return null if the dates or unit are null
}
```

```

ll
    if (DTS1 == null || DTS1 == "" || DTS2 ==
null || DTS2 == "" || unit == null) {
        return false;
    }
    // Determine whether UNK and which date pa
rts are present
    int parts1;
    int parts2;
    boolean hasUNK1 = false;
    boolean hasUNK2 = false;
    if (DTR1 != null && DTR1.contains("UNK"))
{
        parts1 = determineUNKParts(DTR1);
        hasUNK1 = true;
    }
    else {
        parts1 = DTS1.length();
    }
    if (DTR2 != null && DTR2.contains("UNK"))
{
        parts2 = determineUNKParts(DTR2);
        hasUNK2 = true;
    }
    else {
        parts2 = DTS2.length();
    }
    // Determine common parts between two date
s
    int commonParts;
    if (parts1 < parts2) {
        commonParts = parts1;
    }
    else {
        commonParts = parts2;
    }
    // Cut off DTS based on parts

```

```

        String trimDTS1 = DTS1.substring(0, common
Parts);
        String trimDTS2 = DTS2.substring(0, common
Parts);
        // Get localdatetimes for both based off o
f common parts, imputing where UNK is used
        LocalDateTime minDate;
        LocalDateTime maxDate;
        if (isStart1 || !hasUNK1) {
            minDate = startDTS(trimDTS1);
        }
        else {
            minDate = endDTS(trimDTS1);
        }
        if (isStart2 || !hasUNK2) {
            maxDate = startDTS(trimDTS2);
        }
        else {
            maxDate = endDTS(trimDTS2);
        }
        boolean outsideRange = false;
        if (unit.equals("D")) {
            outsideRange = maxDate.isBefore(minDat
e.plusDays(min)) || maxDate.isAfter(minDate.pl
usDays(max));
        }
        else if (unit.equals("h")) {
            outsideRange = maxDate.isBefore(minDat
e.plusHours(min)) || maxDate.isAfter(minDate.p
lusHours(max));
        }
        else if (unit.equals("m")) {
            outsideRange = maxDate.isBefore(minDat
e.plusMinutes(min)) || maxDate.isAfter(minDate
.plusMinutes(max));
        }
        return outsideRange;
    
```

```

}

/**
 * Determines possible parts for a DTR that may
 * have UNK.
 *
 * @param DTR - DTR value
 * @return int representation of common parts
 */
private static int determineUNKParts(String DTR) {
    int commonParts = ymdhms;
    if (DTR.endsWith("UNK-UNK UNK:UNK:NUL") ||
        DTR.endsWith("UNK-UNK UNK:UNK")) {
        commonParts = ymdhm;
    }
    else if (DTR.endsWith("UNK-UNK UNK"))
    {
        commonParts = ymdh;
    }
    else if (DTR.endsWith("UNK-UNK")) {
        commonParts = ymd;
    }
    else if (DTR.endsWith("UNK")) {
        commonParts = ym;
    }
    else {
        commonParts = DTR.length();
    }
    return commonParts;
}

/**
 * Imputes (if necessary) a complete DTS based
 * on start date rules.
 *
 * @param startDate - DTS value

```

```

* @return imputed localdatetime object
*/
private static LocalDateTime startDTS(String startDate) {
    if (startDate == null || startDate.length()
    > 19) {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 1;
        int day = 1;
        int hour = 0;
        int minute = 0;
        int second = 0;
        switch (startDate.length()) {
            case 19: second = Integer.valueOf(
startDate.substring(17,19)); // 2024-01-01T00:
00:00
            case 16: minute = Integer.valueOf(
startDate.substring(14,16)); // 2024-01-01T00:
00
            case 13: hour = Integer.valueOf(st
artDate.substring(11,13)); // 2024-01-01T00
            case 10: day = Integer.valueOf(sta
rtDate.substring(8,10)); // 2024-01-01
            case 7: month = Integer.valueOf(st
artDate.substring(5,7)); // 2024-01
            case 4: int year = Integer.valueOf
(startDate.substring(0,4)); // 2024
                dts = LocalDateTime.of(yea
r, month, day, hour, minute, second);
                break;
            default: dts = null;
        }
        return dts;
    }
}

```

```

}

/**
 * Imputes (if necessary) a complete DTS based
 * on end date rules.
 *
 * @param endDate - DTS value
 * @return imputed LocalDateTime object
 */
private static LocalDateTime endDTS(String end
Date) {
    if (endDate == null || endDate.length() >
19) {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 12;
        int day = 0;
        int hour = 0;
        int minute = 0;
        int second = 0;
        switch (endDate.length()) {
            case 19: second = Integer.valueOf(
endDate.substring(17,19)); // 2024-01-01T00:00
:00
                case 16: minute = Integer.valueOf(
endDate.substring(14,16)); // 2024-01-01T00:00
                case 13: hour = Integer.valueOf(en
dDate.substring(11,13)); // 2024-01-01T00
                case 10: day = Integer.valueOf(end
Date.substring(8,10)); // 2024-01-01
                case 7: month = Integer.valueOf(en
dDate.substring(5,7)); // 2024-01
                case 4: int year = Integer.valueOf
(endDate.substring(0,4)); // 2024
                    if (day == 0) {

```


		<pre> Calendar cal = Calendar r.getInstance(); cal.set(year,month-1,1); day = cal.getActualMax imum(Calendar.DAY_OF_MONTH); } dts = LocalDateTime.of(yea r, month, day, hour, minute, second); break; default: dts = null; } return dts; } } </pre>		
Concat_Variable_In_EachRow		<pre> import java.time.LocalDate; import java.time.format.DateTimeFormatter; import java.util.Optional; public static String customFunction(String[] a rray1, String[] array2, String[] array3, Strin g[] array4) { // Initialize arrays if they are null to a void NullPointerException if (array1 == null) array1 = new String[0] ; if (array2 == null) array2 = new String[0] ; if (array3 == null) array3 = new String[0] ; if (array4 == null) array4 = new String[0] ; StringBuilder result = new StringBuilder() ; int maxLength = Math.max(Math.max(array1.l ength, array2.length), Math.max(array3.length, </pre>	0.1	201438

```

array4.length));
    String prefix = "{Antipyretic Medication}"
;
    String suffix = "{/Antipyretic Medication}
";
    DateTimeFormatter originalFormat = DateTim
eFormatter.ofPattern("yyyy-MM-dd");
    DateTimeFormatter targetFormat = DateTimeF
ormatter.ofPattern("dd-MMM-yyyy");

    for (int i = 0; i < maxLength; i++) {
        StringBuilder row = new StringBuilder(
);

        // Check and replace null with an empt
y string
        String part1 = (i < array1.length && a
rray1[i] != null) ? array1[i] : "";
        String part2 = (i < array2.length && a
rray2[i] != null) ? array2[i] : "";
        String part3 = (i < array3.length && a
rray3[i] != null) ? array3[i] : "";
        String part4 = (i < array4.length && a
rray4[i] != null) ? array4[i] : "";

        // Convert part3 (date) from yyyy-MM-d
d to dd-MMM-yyyy
        if (!part3.isEmpty()) {
            Optional<String> formattedDate = O
ptional.ofNullable(part3)
                .map(dateStr -> {
                    try {
                        LocalDate date = Local
Date.parse(dateStr, originalFormat);
                        return date.format(tar
getFormat);
                    } catch (Exception e) {

```

```

// Handle invalid date
formats
return "";
}
});
part3 = formattedDate.orElse("");
}

if (!part1.isEmpty()) {
    row.append("Product Name :").append(part1).append(" ,");
}
if (!part2.isEmpty()) {
    row.append("Dose :").append(part2).append(" ,");
}
if (!part3.isEmpty()) {
    row.append("Date of Admin :").append(part3).append(" ,");
}
if (!part4.isEmpty()) {
    row.append("Time of use :").append(part4);
}

// Trim any trailing commas and whites
pace
if (row.length() > 0 && row.charAt(row.length() - 1) == ',') {
    row.setLength(row.length() - 1);
}

// Append the prefix and suffix if row
content is not empty
if (row.length() > 0) {
    result.append(prefix).append(row).append(suffix).append("\n");
}

```

		<pre> } } return result.toString(); } </pre>			
compareDTS	Accepts two DTS and optional DTR values and returns -1 if the first is before the second, 0 if they are equal, or 1 if the first is after the second.	<pre> import java.time.LocalDateTime; import java.util.Calendar; // Date mask values private static final int y = 4; private static final int ym = 7; private static final int ymd = 10; private static final int ymdh = 13; private static final int ymdhm = 16; private static final int ymdhms = 19; /** * Accepts two DTS and two DTR values. * Returns -1 if the first is before the second, 0 if they are equal, or 1 if the first is after the second. * * @param DTS1 - First DTS value * @param DTR1 - First DTR value * @param isStart1 - true for follow start date imputation, false for follow end date imputation * @param DTS2 - Second DTS value * @param DTR2 - Second DTR value * @param isStart2 - true for follow start date imputation, false for follow end date imputation * @return integer -1, 0, 1, or null if one date is missing */ public static Integer compareDTS(String DTS1, String DTR1, boolean isStart1, String DTS2, St </pre>	0.1	201437	

```

ring DTR2, boolean isStart2) {
    Integer compared = null;

    // Check if both dates are present
    if (DTS1 == null || DTS1 == "" || DTS2 ==
null || DTS2 == "" ) {
        return compared;
    }

    compared = genericCompareDTS(DTS1, DTR1, i
sStart1, DTS2, DTR2, isStart2);

    return compared;
}

/**
 * Accepts two DTS values. Overloaded version
of compareDTS.
 * Returns -1 if the first is before the secon
d, 0 if they are equal, or 1 if the first is a
fter the second.
 *
 * @param DTS1 - First DTS value
 * @param isStart1 - true for follow start dat
e imputation, false for follow end date imputa
tion
 * @param DTS2 - Second DTS value
 * @param isStart2 - true for follow start dat
e imputation, false for follow end date imputa
tion
 * @return integer -1, 0, 1, or null if one da
te is missing
 */
public static Integer compareDTS(String DTS1,
boolean isStart1, String DTS2, boolean isStart
2) {
    Integer compared = null;

```

```

        // Check if both dates are present
        if (DTS1 == null || DTS1 == "" || DTS2 ==
null || DTS2 == "" ) {
            return compared;
        }

        compared = genericCompareDTS(DTS1, null, i
sStart1, DTS2, null, isStart2);

        return compared;
    }

/**
 * Generic version of compareDTS for wrappers.
 * Accepts two DTS and optional DTR values.
 * Returns -1 if the first is before the secon
d, 0 if they are equal, or 1 if the first is a
fter the second.
 *
 * @param DTS1 - First DTS value
 * @param DTR1 - First DTR value
 * @param isStart1 - true for follow start dat
e imputation, false for follow end date imputa
tion
 * @param DTS2 - Second DTS value
 * @param DTR2 - Second DTR value
 * @param isStart2 - true for follow start dat
e imputation, false for follow end date imputa
tion
 * @return integer -1, 0, 1, or null if one da
te is missing
 */
private static Integer genericCompareDTS(Strin
g DTS1, String DTR1, boolean isStart1, String
DTS2, String DTR2, boolean isStart2) {
    Integer compared = null;

```

```

// Determine whether UNK and which date parts
are present
int parts1;
int parts2;
boolean hasUNK1 = false;
boolean hasUNK2 = false;
if (DTR1 != null && DTR1.contains("UNK"))
{
    parts1 = determineUNKParts(DTR1);
    hasUNK1 = true;
}
else {
    parts1 = DTS1.length();
}
if (DTR2 != null && DTR2.contains("UNK"))
{
    parts2 = determineUNKParts(DTR2);
    hasUNK2 = true;
}
else {
    parts2 = DTS2.length();
}

// Determine common parts between two date
s
int commonParts;
if (parts1 < parts2) {
    commonParts = parts1;
}
else {
    commonParts = parts2;
}

// Cut off DTS based on parts
String trimDTS1 = DTS1.substring(0, common
Parts);

```

```

        String trimDTS2 = DTS2.substring(0, common
Parts);

        // Get localdatetimes for both based off o
f common parts, imputing where UNK is used
        LocalDateTime LDT1;
        LocalDateTime LDT2;
        if (isStart1 || !hasUNK1) {
            LDT1 = startDTS(trimDTS1);
        }
        else {
            LDT1 = endDTS(trimDTS1);
        }
        if (isStart2 || !hasUNK2) {
            LDT2 = startDTS(trimDTS2);
        }
        else {
            LDT2 = endDTS(trimDTS2);
        }

        // Compare datetimes and set compared
        if (LDT1.isBefore(LDT2)) {
            compared = -1;
        }
        else if (LDT1.isAfter(LDT2)) {
            compared = 1;
        }
        else if (LDT1.equals(LDT2)) {
            compared = 0;
        }

        return compared;
    }

    /**
     * Determines possible parts for a DTR that ma
y have UNK.

```



```

*
* @param DTR - DTR value
* @return int representation of common parts
*/
private static int determineUNKParts(String DTR) {
    int commonParts = ymdhms;
    if (DTR.endsWith("UNK-UNK UNK:UNK:NUL") ||
        DTR.endsWith("UNK-UNK UNK:UNK")) {
        commonParts = ymdhm;
    }
    else if (DTR.endsWith("UNK-UNK UNK"))
    {
        commonParts = ymdh;
    }
    else if (DTR.endsWith("UNK-UNK")) {
        commonParts = ymd;
    }
    else if (DTR.endsWith("UNK")) {
        commonParts = ym;
    }
    else {
        commonParts = DTR.length();
    }

    return commonParts;
}

/**
 * Imputes (if necessary) a complete DTS based
 * on start date rules.
 *
 * @param startDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime startDTS(String startDate) {

```

```

        if (startDate == null || startDate.length()
> 19) {
            return null;
        }
        else {
            LocalDateTime dts;
            int month = 1;
            int day = 1;
            int hour = 0;
            int minute = 0;
            int second = 0;

            switch (startDate.length()) {
                case 19: second = Integer.valueOf(
startDate.substring(17,19)); // 2024-01-01T00:
00:00
                case 16: minute = Integer.valueOf(
startDate.substring(14,16)); // 2024-01-01T00:
00
                case 13: hour = Integer.valueOf(st
artDate.substring(11,13)); // 2024-01-01T00
                case 10: day = Integer.valueOf(sta
rtDate.substring(8,10)); // 2024-01-01
                case 7: month = Integer.valueOf(st
artDate.substring(5,7)); // 2024-01
                case 4: int year = Integer.valueOf
(startDate.substring(0,4)); // 2024
                    dts = LocalDateTime.of(yea
r, month, day, hour, minute, second);
                    break;
                default: dts = null;
            }
            return dts;
        }
    }
}

/**

```

```

* Imputes (if necessary) a complete DTS based
on end date rules.
*
* @param endDate - DTS value
* @return imputed localdatetime object
*/
private static LocalDateTime endDTS(String end
Date) {
    if (endDate == null || endDate.length() >
19) {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 12;
        int day = 0;
        int hour = 0;
        int minute = 0;
        int second = 0;

        switch (endDate.length()) {
            case 19: second = Integer.valueOf(
endDate.substring(17,19)); // 2024-01-01T00:00
:00
                case 16: minute = Integer.valueOf(
endDate.substring(14,16)); // 2024-01-01T00:00
                    case 13: hour = Integer.valueOf(en
dDate.substring(11,13)); // 2024-01-01T00
                        case 10: day = Integer.valueOf(end
Date.substring(8,10)); // 2024-01-01
                            case 7: month = Integer.valueOf(en
dDate.substring(5,7)); // 2024-01
                                case 4: int year = Integer.valueOf
(endDate.substring(0,4)); // 2024
                                    if (day == 0) {
                                        Calendar cal = Calenda
r.getInstance();

```

		<pre> cal.set(year,month-1,1); day = cal.getActualMax imum(Calendar.DAY_OF_MONTH); } dts = LocalDateTime.of(yea r, month, day, hour, minute, second); break; default: dts = null; } return dts; } } </pre>			
argusVaxLocMapper		<pre> import java.util.HashMap; public static String argusVaxLocMap(String loc , String lat) { /* * If both fields are empty, return null. */ if ((loc == null loc.trim().isEmpty()) && (lat == null lat.trim().isEmpty())) { return null; } // Concatenate loc and lat String loclat = (loc == null ? "" : lo c.trim()) + (lat == null ? "" : " " + lat.trim()); // Convert to uppercase for case-insen sitivity String locKey = loclat.toUpperCase(); /* * Hashmap of concatenated VOL3 Standards LOC + LAT to Argus Values */ HashMap<String, String> argusVaxMaps = new HashMap<String, String>(); </pre>	0.1	201436	

```

        argusVaxMaps.put("ABDOMEN", "Abdomen");
        argusVaxMaps.put("ARM LEFT", "Arm Left");
        argusVaxMaps.put("ARM RIGHT", "Arm Right");
        argusVaxMaps.put("ARM", "Arm");
        argusVaxMaps.put("DELTOID MUSCLE LEFT", "De
ltoid Left");
        argusVaxMaps.put("DELTOID MUSCLE RIGHT", "D
eltoid Right");
        argusVaxMaps.put("FOOT LEFT", "Foot Left");
        argusVaxMaps.put("FOOT RIGHT", "Foot Right"
);
        argusVaxMaps.put("FOOT", "Foot");
        argusVaxMaps.put("GLUTEUS MAXIMUS LEFT", "G
luteus Medius Left"); //Only GLUTEUS MAXIMUS f
ound in standards
        argusVaxMaps.put("GLUTEUS MAXIMUS RIGHT", "
Gluteus Medius Right");
        argusVaxMaps.put("GLUTEUS MAXIMUS", "Gluteu
s");
        argusVaxMaps.put("HAND LEFT", "Hand Left");
        argusVaxMaps.put("HAND RIGHT", "Hand Right"
);
        argusVaxMaps.put("HAND", "Hand");
        argusVaxMaps.put("LEG LEFT", "Leg Left");
        argusVaxMaps.put("LEG RIGHT", "Leg Right");
        argusVaxMaps.put("LEG", "Leg");
        argusVaxMaps.put("FOREARM LEFT", "Lower For
earm Left");
        argusVaxMaps.put("FOREARM RIGHT", "Lower Fo
rearm Right");
        argusVaxMaps.put("NECK", "Neck");
        argusVaxMaps.put("ORAL CAVITY", "Oral");
        argusVaxMaps.put("ORAL MUCOSA", "Oral");
        argusVaxMaps.put("THIGH LEFT", "Thigh Left"
);
        argusVaxMaps.put("THIGH RIGHT", "Thigh Righ
t");

```

		<pre>argusVaxMaps.put("THIGH", "Thigh"); argusVaxMaps.put("TRUNK", "Torso Upper"); / / ONLY TRUNK available argusVaxMaps.put("VASTUS LATERALIS MUSCLE LEFT", "Vastus Lateral. Left"); argusVaxMaps.put("VASTUS LATERALIS MUSCLE RIGHT", "Vastus Lateral.Right"); if(argusVaxMaps.containsKey(lockKey)) { return argusVaxMaps.get(lockKey); } return null; }</pre>			
--	--	---	--	--	--