

Annotated Study Book

C4601019

Date generated:

Oct 28, 2025 05:59 AM UTC+0



Protocol Number	C4601019_V2.0.0
Study Version	V2.0.0
NCT Number	3.4
IND/IDE Number	NCI 20240927

Table of Contents

Section	Page Number
Events	3
Instruments	55
Link Definitions	—
Clinical Models	—
Clinical Tables	—
Data Lineage	—
Common Variables	—
Study Maps	—
Checks	—
Reference Tables	—
Other Descriptive Metadata	373

Events

V1 DAY1 VAX1

V1 DAY1 VAX1	
Unique Event Name:	V1_DAY1_VAX1
Event Description:	
Event Type:	Static
Max Repeats Allowed:	1
Day Schedule:	0
Event Date Window:	Day 0 to Day 0
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.1)
	✓ DM001 (0.22)
	✓ DS001 (0.1)
	R_TRIG001 (0.13)
	IE002 (0.6)
	DS001_3 (0.9)
	✓ DS001_4 (0.12)
	MH001 (0.15)
	VS001 (0.33)
	LB001_5 (0.44)

	✓ EC001_2 (0.56)
	✓ CESOR019_1 (0.16)
	✓ AE001 (0.95)
	CM001 (0.47)
	CM001_3 (0.75)
	CM001_4 (0.82)
	✓ AE001_1 (0.32)
	D_SAE001 (0.62)
Expressions	
Active Rules:	
Rule 1:	AE_G188_001 (0.2)
Rule 2:	FM_>=_INFORMED_CONSENT (0.1)
Rule 3:	FM_>_END_OF_TREATMENT (0.1)
Rule 4:	FM_>=_FIRST_DOSE (0.1)
Rule 5:	FM_<_FIRST_DOSE (0.1)
Rule 6:	FM_>_END_OF_SCREENING_DISP (0.1)
Rule 7:	LB_G008_001_5 (0.1)
Rule 8:	IE_G009_002 (0.1)
Rule 9:	IE_G010_002 (0.1)
Rule 10:	LB_G020_001_5 (0.1)
Rule 11:	MH_G088_001 (0.1)
Rule 12:	EC_G077_001_2 (0.1)
Rule 13:	EC_G078_001_2 (0.1)
Rule 14:	VS_G006_001 (0.1)
Rule 15:	AE_G147_001 (0.1)

Rule 16:	AE_G254_001 (0.1)
Rule 17:	AE_G005_001 (0.1)
Rule 18:	AE_G007_001 (0.1)
Rule 19:	DM_G001_001 (0.1)
Rule 20:	R_TRIG_G001_001 (0.1)
Rule 21:	DS_G038_001_4 (0.1)
Rule 22:	CM_G074_001 (0.1)
Rule 23:	CM_G004_001 (0.1)
Rule 24:	LB_G035_001_5 (0.1)
Rule 25:	AE_G109_001_1 (0.1)
Rule 26:	AE_G176_001_1 (0.1)
Rule 27:	AE_G181_001 (0.1)
Rule 28:	AE_G013_001 (0.1)
Rule 29:	AE_G109_001 (0.1)
Rule 30:	AE_G140_001 (0.1)
Rule 31:	AE_G003_001 (0.1)
Rule 32:	AE_G135_001 (0.1)
Rule 33:	AE_G136_001 (0.1)
Rule 34:	AE_G144_001 (0.1)
Rule 35:	AE_G245_001 (0.1)
Rule 36:	DM_G065_001 (0.1)
Rule 37:	AE_G258_001 (0.1)
Rule 38:	FM_<_INFORMED_CONSENT (0.1)
Rule 39:	AE_G016_001 (0.1)
Rule 40:	MH_G002_001 (0.1)
Rule 41:	DM_G015_001 (0.1)

Rule 42:	DM_G016_001 (0.1)
Rule 43:	R_TRIG_G003_001 (0.1)
Rule 44:	CM_G073_001 (0.1)
Rule 45:	AE_G259_001 (0.1)
Rule 46:	CM_G004_001_4 (0.1)
Rule 47:	FM_<_RANDOMIZATION (0.1)
Rule 48:	FM_>=_RANDOMIZATION (0.1)
Rule 49:	FM_>_END_OF_STUDY (0.2)
Rule 50:	R_TRIG_G008_001 (0.5)
Rule 51:	AE_G256_001 (0.1)
Rule 52:	LB_S001_005 (0.8)
Rule 53:	R_TRIG_G007_001 (0.1)
Rule 54:	D_D_FIRSTDOSEDTC_001 (0.1)
Rule 55:	DS_S001_001_4 (0.8)
Rule 56:	DS_S001_001_4 (0.8)
Rule 57:	DS_S001_001_4 (0.8)
Rule 58:	DS_S001_001_4 (0.8)
Rule 59:	FM_<_BIRTH_DATE_YEAR (0.2)
Rule 60:	DYNE_S001_900 (0.4)
Rule 61:	AE_G195_001 (0.2)
Rule 62:	AE_G196_001 (0.2)
Rule 63:	CM_G004_001_3 (0.2)
Rule 64:	LB_G032_001_5 (0.2)
Rule 65:	AE_G026_001 (0.3)
Rule 66:	AE_G027_001 (0.7)
Rule 67:	AE_G149_001 (0.1)

Rule 68:	AE_G169_001 (0.3)
Rule 69:	MH_G117_001 (0.6)
Rule 70:	MH_G118_001 (0.6)
Rule 71:	D_CASEIDSAE_001 (0.2)
Rule 72:	D_RESDEATH_001 (0.3)
Rule 73:	AE_G189_001 (0.2)
Rule 74:	EC_G099_001_2 (0.2)
Rule 75:	AE_G207_001 (0.2)
Rule 76:	AE_G255_001 (0.2)
Rule 77:	EC_G098_001_2 (0.2)
Rule 78:	AE_G146_001 (0.2)
Rule 79:	R_TRIG_G005_001 (0.2)
Rule 80:	DS_G044_001_4 (0.2)
Rule 81:	AE_G175_001_1 (0.2)
Rule 82:	MH_G116_001 (0.4)
Rule 83:	AE_G201_001 (0.2)
Rule 84:	DS_G045_001_4 (0.2)
Rule 85:	IE_G001_002 (0.3)
Rule 86:	SV_G007_001 (0.2)
Rule 87:	VS_G036_001 (0.3)
Rule 88:	LB_G031_001_5 (0.3)
Rule 89:	DS_G030_001_4 (0.2)
Rule 90:	DS_G031_001_4 (0.2)
Rule 91:	IE_G017_002 (0.2)
Rule 92:	IE_G018_002 (0.2)
Rule 93:	D_NARRATIVE1SAE_001 (0.3)

Events

V2 MONTH1 POSTVAX1

V2 MONTH1 POSTVAX1		
Unique Event Name:	V2_MONTH1_POSTVAX1	
Event Description:		
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Day Schedule:	35	
Event Date Window:	Day 7 to Day 7	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.1)	
	✓✓ CESOR019 (0.24)	
	✓✓ AE001 (0.95)	
	CM001 (0.47)	
	CM001_3 (0.75)	
	CM001_4 (0.82)	
	D_SAE001 (0.62)	
Expressions		
Active Rules:		
Rule 1:	AE_G188_001 (0.2)	

Rule 2:	AE_G147_001 (0.1)
Rule 3:	AE_G254_001 (0.1)
Rule 4:	AE_G005_001 (0.1)
Rule 5:	AE_G007_001 (0.1)
Rule 6:	CM_G074_001 (0.1)
Rule 7:	CM_G004_001 (0.1)
Rule 8:	AE_G181_001 (0.1)
Rule 9:	AE_G013_001 (0.1)
Rule 10:	AE_G109_001 (0.1)
Rule 11:	AE_G140_001 (0.1)
Rule 12:	AE_G003_001 (0.1)
Rule 13:	AE_G135_001 (0.1)
Rule 14:	AE_G136_001 (0.1)
Rule 15:	AE_G144_001 (0.1)
Rule 16:	AE_G245_001 (0.1)
Rule 17:	AE_G258_001 (0.1)
Rule 18:	AE_G016_001 (0.1)
Rule 19:	CM_G073_001 (0.1)
Rule 20:	AE_G259_001 (0.1)
Rule 21:	CM_G004_001_4 (0.1)
Rule 22:	CESOR_S001_019 (0.3)
Rule 23:	AE_G256_001 (0.1)
Rule 24:	DYNE_S001_900 (0.4)
Rule 25:	AE_G195_001 (0.2)
Rule 26:	AE_G196_001 (0.2)
Rule 27:	CM_G004_001_3 (0.2)

Rule 28:	AE_G026_001 (0.3)
Rule 29:	AE_G027_001 (0.7)
Rule 30:	AE_G149_001 (0.1)
Rule 31:	AE_G169_001 (0.3)
Rule 32:	D_CASEIDSAE_001 (0.2)
Rule 33:	D_RESDEATH_001 (0.3)
Rule 34:	AE_G189_001 (0.2)
Rule 35:	AE_G207_001 (0.2)
Rule 36:	AE_G255_001 (0.2)
Rule 37:	AE_G146_001 (0.2)
Rule 38:	AE_G201_001 (0.2)
Rule 39:	SV_G007_001 (0.2)
Rule 40:	D_NARRATIVE1SAE_001 (0.3)

Events

V3 VAX2

V3 VAX2	
Unique Event Name:	V3_VAX2
Event Description:	
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	60
Event Date Window:	Day 10 to Day 10
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.1)
	VS001 (0.33)
	LB001_5 (0.44)
	✓ EC001_2 (0.56)
	✓ CESOR019_1 (0.16)
	✓ AE001 (0.95)
	CM001 (0.47)
	CM001_3 (0.75)
	CM001_4 (0.82)
	✓ AE001_1 (0.32)

		D_SAE001 (0.62)
Expressions		
	Active Rules:	
	Rule 1:	AE_G188_001 (0.2)
	Rule 2:	LB_G008_001_5 (0.1)
	Rule 3:	LB_G020_001_5 (0.1)
	Rule 4:	EC_G077_001_2 (0.1)
	Rule 5:	EC_G078_001_2 (0.1)
	Rule 6:	VS_G006_001 (0.1)
	Rule 7:	AE_G147_001 (0.1)
	Rule 8:	AE_G254_001 (0.1)
	Rule 9:	AE_G005_001 (0.1)
	Rule 10:	AE_G007_001 (0.1)
	Rule 11:	CM_G074_001 (0.1)
	Rule 12:	CM_G004_001 (0.1)
	Rule 13:	LB_G035_001_5 (0.1)
	Rule 14:	AE_G109_001_1 (0.1)
	Rule 15:	AE_G176_001_1 (0.1)
	Rule 16:	AE_G181_001 (0.1)
	Rule 17:	AE_G013_001 (0.1)
	Rule 18:	AE_G109_001 (0.1)
	Rule 19:	AE_G140_001 (0.1)
	Rule 20:	AE_G003_001 (0.1)
	Rule 21:	AE_G135_001 (0.1)
	Rule 22:	AE_G136_001 (0.1)
	Rule 23:	AE_G144_001 (0.1)

Rule 24:	AE_G245_001 (0.1)
Rule 25:	AE_G258_001 (0.1)
Rule 26:	AE_G016_001 (0.1)
Rule 27:	CM_G073_001 (0.1)
Rule 28:	AE_G259_001 (0.1)
Rule 29:	CM_G004_001_4 (0.1)
Rule 30:	AE_G256_001 (0.1)
Rule 31:	VS_S001_001 (0.5)
Rule 32:	VS_S001_001 (0.5)
Rule 33:	VS_S001_001 (0.5)
Rule 34:	LB_S001_005 (0.8)
Rule 35:	DYNE_S001_900 (0.4)
Rule 36:	AE_G195_001 (0.2)
Rule 37:	AE_G196_001 (0.2)
Rule 38:	CM_G004_001_3 (0.2)
Rule 39:	LB_G032_001_5 (0.2)
Rule 40:	AE_G026_001 (0.3)
Rule 41:	AE_G027_001 (0.7)
Rule 42:	AE_G149_001 (0.1)
Rule 43:	AE_G169_001 (0.3)
Rule 44:	D_CASEIDSAE_001 (0.2)
Rule 45:	D_RESDEATH_001 (0.3)
Rule 46:	AE_G189_001 (0.2)
Rule 47:	EC_G099_001_2 (0.2)
Rule 48:	AE_G207_001 (0.2)
Rule 49:	AE_G255_001 (0.2)

Rule 50:	EC_G098_001_2 (0.2)
Rule 51:	AE_G146_001 (0.2)
Rule 52:	AE_G175_001_1 (0.2)
Rule 53:	AE_G201_001 (0.2)
Rule 54:	SV_G007_001 (0.2)
Rule 55:	VS_G036_001 (0.3)
Rule 56:	LB_G031_001_5 (0.3)
Rule 57:	D_NARRATIVE1SAE_001 (0.3)

Events

V4 MONTH1 POSTVAX2

V4 MONTH1 POSTVAX2		
Unique Event Name:	V4_MONTH1_POSTVAX2	
Event Description:		
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Day Schedule:	95	
Event Date Window:	Day 7 to Day 7	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.1)	
	✓✓ CESOR019 (0.24)	
	✓✓ AE001 (0.95)	
	CM001 (0.47)	
	CM001_3 (0.75)	
	CM001_4 (0.82)	
	D_SAE001 (0.62)	
Expressions		
Active Rules:		
Rule 1:	AE_G188_001 (0.2)	

Rule 2:	AE_G147_001 (0.1)
Rule 3:	AE_G254_001 (0.1)
Rule 4:	AE_G005_001 (0.1)
Rule 5:	AE_G007_001 (0.1)
Rule 6:	CM_G074_001 (0.1)
Rule 7:	CM_G004_001 (0.1)
Rule 8:	AE_G181_001 (0.1)
Rule 9:	AE_G013_001 (0.1)
Rule 10:	AE_G109_001 (0.1)
Rule 11:	AE_G140_001 (0.1)
Rule 12:	AE_G003_001 (0.1)
Rule 13:	AE_G135_001 (0.1)
Rule 14:	AE_G136_001 (0.1)
Rule 15:	AE_G144_001 (0.1)
Rule 16:	AE_G245_001 (0.1)
Rule 17:	AE_G258_001 (0.1)
Rule 18:	AE_G016_001 (0.1)
Rule 19:	CM_G073_001 (0.1)
Rule 20:	AE_G259_001 (0.1)
Rule 21:	CM_G004_001_4 (0.1)
Rule 22:	CESOR_S002_019 (0.3)
Rule 23:	AE_G256_001 (0.1)
Rule 24:	DYNE_S001_900 (0.4)
Rule 25:	AE_G195_001 (0.2)
Rule 26:	AE_G196_001 (0.2)
Rule 27:	CM_G004_001_3 (0.2)

Rule 28:	AE_G026_001 (0.3)
Rule 29:	AE_G027_001 (0.7)
Rule 30:	AE_G149_001 (0.1)
Rule 31:	AE_G169_001 (0.3)
Rule 32:	D_CASEIDSAE_001 (0.2)
Rule 33:	D_RESDEATH_001 (0.3)
Rule 34:	AE_G189_001 (0.2)
Rule 35:	AE_G207_001 (0.2)
Rule 36:	AE_G255_001 (0.2)
Rule 37:	AE_G146_001 (0.2)
Rule 38:	AE_G201_001 (0.2)
Rule 39:	SV_G007_001 (0.2)
Rule 40:	D_NARRATIVE1SAE_001 (0.3)

Events

V5 VAX3

V5 VAX3	
Unique Event Name:	V5_VAX3
Event Description:	
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	182
Event Date Window:	Day 14 to Day 14
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.1)
	VS001 (0.33)
	LB001_5 (0.44)
	✓ EC001_2 (0.56)
	✓ CESOR019_1 (0.16)
	✓ AE001 (0.95)
	CM001 (0.47)
	CM001_3 (0.75)
	CM001_4 (0.82)
	✓ AE001_1 (0.32)

		D_SAE001 (0.62)
Expressions		
Active Rules:		
	Rule 1:	AE_G188_001 (0.2)
	Rule 2:	LB_G008_001_5 (0.1)
	Rule 3:	LB_G020_001_5 (0.1)
	Rule 4:	EC_G077_001_2 (0.1)
	Rule 5:	EC_G078_001_2 (0.1)
	Rule 6:	VS_G006_001 (0.1)
	Rule 7:	AE_G147_001 (0.1)
	Rule 8:	AE_G254_001 (0.1)
	Rule 9:	AE_G005_001 (0.1)
	Rule 10:	AE_G007_001 (0.1)
	Rule 11:	CM_G074_001 (0.1)
	Rule 12:	CM_G004_001 (0.1)
	Rule 13:	LB_G035_001_5 (0.1)
	Rule 14:	AE_G109_001_1 (0.1)
	Rule 15:	AE_G176_001_1 (0.1)
	Rule 16:	AE_G181_001 (0.1)
	Rule 17:	AE_G013_001 (0.1)
	Rule 18:	AE_G109_001 (0.1)
	Rule 19:	AE_G140_001 (0.1)
	Rule 20:	AE_G003_001 (0.1)
	Rule 21:	AE_G135_001 (0.1)
	Rule 22:	AE_G136_001 (0.1)
	Rule 23:	AE_G144_001 (0.1)

Rule 24:	AE_G245_001 (0.1)
Rule 25:	AE_G258_001 (0.1)
Rule 26:	AE_G016_001 (0.1)
Rule 27:	CM_G073_001 (0.1)
Rule 28:	AE_G259_001 (0.1)
Rule 29:	CM_G004_001_4 (0.1)
Rule 30:	AE_G256_001 (0.1)
Rule 31:	VS_S002_001 (0.3)
Rule 32:	VS_S002_001 (0.3)
Rule 33:	VS_S002_001 (0.3)
Rule 34:	LB_S001_005 (0.8)
Rule 35:	DYNE_S001_900 (0.4)
Rule 36:	AE_G195_001 (0.2)
Rule 37:	AE_G196_001 (0.2)
Rule 38:	CM_G004_001_3 (0.2)
Rule 39:	LB_G032_001_5 (0.2)
Rule 40:	AE_G026_001 (0.3)
Rule 41:	AE_G027_001 (0.7)
Rule 42:	AE_G149_001 (0.1)
Rule 43:	AE_G169_001 (0.3)
Rule 44:	D_CASEIDSAE_001 (0.2)
Rule 45:	D_RESDEATH_001 (0.3)
Rule 46:	AE_G189_001 (0.2)
Rule 47:	EC_G099_001_2 (0.2)
Rule 48:	AE_G207_001 (0.2)
Rule 49:	AE_G255_001 (0.2)

Rule 50:	EC_G098_001_2 (0.2)
Rule 51:	AE_G146_001 (0.2)
Rule 52:	AE_G175_001_1 (0.2)
Rule 53:	AE_G201_001 (0.2)
Rule 54:	SV_G007_001 (0.2)
Rule 55:	VS_G036_001 (0.3)
Rule 56:	LB_G031_001_5 (0.3)
Rule 57:	D_NARRATIVE1SAE_001 (0.3)

Events

V6 MONTH1 POSTVAX3

V6 MONTH1 POSTVAX3		
Unique Event Name:	V6_MONTH1_POSTVAX3	
Event Description:		
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Day Schedule:	217	
Event Date Window:	Day 7 to Day 7	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.1)	
	✓✓ CESOR019 (0.24)	
	✓✓ AE001 (0.95)	
	CM001 (0.47)	
	CM001_3 (0.75)	
	CM001_4 (0.82)	
	D_SAE001 (0.62)	
Expressions		
Active Rules:		
Rule 1:	AE_G188_001 (0.2)	

Rule 2:	AE_G147_001 (0.1)
Rule 3:	AE_G254_001 (0.1)
Rule 4:	AE_G005_001 (0.1)
Rule 5:	AE_G007_001 (0.1)
Rule 6:	CM_G074_001 (0.1)
Rule 7:	CM_G004_001 (0.1)
Rule 8:	AE_G181_001 (0.1)
Rule 9:	AE_G013_001 (0.1)
Rule 10:	AE_G109_001 (0.1)
Rule 11:	AE_G140_001 (0.1)
Rule 12:	AE_G003_001 (0.1)
Rule 13:	AE_G135_001 (0.1)
Rule 14:	AE_G136_001 (0.1)
Rule 15:	AE_G144_001 (0.1)
Rule 16:	AE_G245_001 (0.1)
Rule 17:	AE_G258_001 (0.1)
Rule 18:	AE_G016_001 (0.1)
Rule 19:	CM_G073_001 (0.1)
Rule 20:	AE_G259_001 (0.1)
Rule 21:	CM_G004_001_4 (0.1)
Rule 22:	CESOR_S003_019 (0.4)
Rule 23:	AE_G256_001 (0.1)
Rule 24:	DYNE_S001_900 (0.4)
Rule 25:	AE_G195_001 (0.2)
Rule 26:	AE_G196_001 (0.2)
Rule 27:	CM_G004_001_3 (0.2)

Rule 28:	AE_G026_001 (0.3)
Rule 29:	AE_G027_001 (0.7)
Rule 30:	AE_G149_001 (0.1)
Rule 31:	AE_G169_001 (0.3)
Rule 32:	D_CASEIDSAE_001 (0.2)
Rule 33:	D_RESDEATH_001 (0.3)
Rule 34:	AE_G189_001 (0.2)
Rule 35:	AE_G207_001 (0.2)
Rule 36:	AE_G255_001 (0.2)
Rule 37:	AE_G146_001 (0.2)
Rule 38:	AE_G201_001 (0.2)
Rule 39:	SV_G007_001 (0.2)
Rule 40:	D_NARRATIVE1SAE_001 (0.3)

Events

V7 VAX4

V7 VAX4	
Unique Event Name:	V7_VAX4
Event Description:	
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	365
Event Date Window:	Day 14 to Day 14
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.1)
	VS001 (0.33)
	LB001_5 (0.44)
	✓ EC001_2 (0.56)
	✓ CESOR019_1 (0.16)
	✓ AE001 (0.95)
	CM001 (0.47)
	CM001_3 (0.75)
	CM001_4 (0.82)
	✓ AE001_1 (0.32)

		D_SAE001 (0.62)
Expressions		
	Active Rules:	
	Rule 1:	AE_G188_001 (0.2)
	Rule 2:	LB_G008_001_5 (0.1)
	Rule 3:	LB_G020_001_5 (0.1)
	Rule 4:	EC_G077_001_2 (0.1)
	Rule 5:	EC_G078_001_2 (0.1)
	Rule 6:	VS_G006_001 (0.1)
	Rule 7:	AE_G147_001 (0.1)
	Rule 8:	AE_G254_001 (0.1)
	Rule 9:	AE_G005_001 (0.1)
	Rule 10:	AE_G007_001 (0.1)
	Rule 11:	CM_G074_001 (0.1)
	Rule 12:	CM_G004_001 (0.1)
	Rule 13:	LB_G035_001_5 (0.1)
	Rule 14:	AE_G109_001_1 (0.1)
	Rule 15:	AE_G176_001_1 (0.1)
	Rule 16:	AE_G181_001 (0.1)
	Rule 17:	AE_G013_001 (0.1)
	Rule 18:	AE_G109_001 (0.1)
	Rule 19:	AE_G140_001 (0.1)
	Rule 20:	AE_G003_001 (0.1)
	Rule 21:	AE_G135_001 (0.1)
	Rule 22:	AE_G136_001 (0.1)
	Rule 23:	AE_G144_001 (0.1)

Rule 24:	AE_G245_001 (0.1)
Rule 25:	AE_G258_001 (0.1)
Rule 26:	AE_G016_001 (0.1)
Rule 27:	CM_G073_001 (0.1)
Rule 28:	AE_G259_001 (0.1)
Rule 29:	CM_G004_001_4 (0.1)
Rule 30:	VS_S003_001 (0.4)
Rule 31:	VS_S003_001 (0.4)
Rule 32:	VS_S003_001 (0.4)
Rule 33:	AE_G256_001 (0.1)
Rule 34:	LB_S001_005 (0.8)
Rule 35:	DYNE_S001_900 (0.4)
Rule 36:	AE_G195_001 (0.2)
Rule 37:	AE_G196_001 (0.2)
Rule 38:	CM_G004_001_3 (0.2)
Rule 39:	LB_G032_001_5 (0.2)
Rule 40:	AE_G026_001 (0.3)
Rule 41:	AE_G027_001 (0.7)
Rule 42:	AE_G149_001 (0.1)
Rule 43:	AE_G169_001 (0.3)
Rule 44:	D_CASEIDSAE_001 (0.2)
Rule 45:	D_RESDEATH_001 (0.3)
Rule 46:	AE_G189_001 (0.2)
Rule 47:	EC_G099_001_2 (0.2)
Rule 48:	AE_G207_001 (0.2)
Rule 49:	AE_G255_001 (0.2)

Rule 50:	EC_G098_001_2 (0.2)
Rule 51:	AE_G146_001 (0.2)
Rule 52:	AE_G175_001_1 (0.2)
Rule 53:	AE_G201_001 (0.2)
Rule 54:	SV_G007_001 (0.2)
Rule 55:	VS_G036_001 (0.3)
Rule 56:	LB_G031_001_5 (0.3)
Rule 57:	D_NARRATIVE1SAE_001 (0.3)

Events

V8 MONTH1 POSTVAX4

V8 MONTH1 POSTVAX4		
Unique Event Name:		V8_MONTH1_POSTVAX4
Event Description:		
Event Type:		Scheduled
Max Repeats Allowed:		1
Day Schedule:		400
Event Date Window:		Day 7 to Day 7
Repeating:		No
Dynamic:		Yes
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		SV001 (0.1)
		✓✓ CESOR019 (0.24)
		✓✓ AE001 (0.95)
		CM001 (0.47)
		CM001_3 (0.75)
		CM001_4 (0.82)
		D_SAE001 (0.62)
Expressions		
Active Rules:		
Rule 1:		AE_G188_001 (0.2)

Rule 2:	AE_G147_001 (0.1)
Rule 3:	AE_G254_001 (0.1)
Rule 4:	AE_G005_001 (0.1)
Rule 5:	AE_G007_001 (0.1)
Rule 6:	CM_G074_001 (0.1)
Rule 7:	CM_G004_001 (0.1)
Rule 8:	AE_G181_001 (0.1)
Rule 9:	AE_G013_001 (0.1)
Rule 10:	AE_G109_001 (0.1)
Rule 11:	AE_G140_001 (0.1)
Rule 12:	AE_G003_001 (0.1)
Rule 13:	AE_G135_001 (0.1)
Rule 14:	AE_G136_001 (0.1)
Rule 15:	AE_G144_001 (0.1)
Rule 16:	AE_G245_001 (0.1)
Rule 17:	AE_G258_001 (0.1)
Rule 18:	AE_G016_001 (0.1)
Rule 19:	CM_G073_001 (0.1)
Rule 20:	AE_G259_001 (0.1)
Rule 21:	CM_G004_001_4 (0.1)
Rule 22:	CESOR_S004_019 (0.4)
Rule 23:	AE_G256_001 (0.1)
Rule 24:	DYNE_S001_900 (0.4)
Rule 25:	AE_G195_001 (0.2)
Rule 26:	AE_G196_001 (0.2)
Rule 27:	CM_G004_001_3 (0.2)

Rule 28:	AE_G026_001 (0.3)
Rule 29:	AE_G027_001 (0.7)
Rule 30:	AE_G149_001 (0.1)
Rule 31:	AE_G169_001 (0.3)
Rule 32:	D_CASEIDSAE_001 (0.2)
Rule 33:	D_RESDEATH_001 (0.3)
Rule 34:	AE_G189_001 (0.2)
Rule 35:	AE_G207_001 (0.2)
Rule 36:	AE_G255_001 (0.2)
Rule 37:	AE_G146_001 (0.2)
Rule 38:	AE_G201_001 (0.2)
Rule 39:	SV_G007_001 (0.2)
Rule 40:	D_NARRATIVE1SAE_001 (0.3)

Events

V9 VAX5

V9 VAX5	
Unique Event Name:	V9_VAX5
Event Description:	
Event Type:	Scheduled
Max Repeats Allowed:	1
Day Schedule:	547
Event Date Window:	Day 14 to Day 14
Repeating:	No
Dynamic:	Yes
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.1)
	VS001 (0.33)
	LB001_5 (0.44)
	✓ EC001_2 (0.56)
	✓ CESOR019_1 (0.16)
	✓ AE001 (0.95)
	CM001 (0.47)
	CM001_3 (0.75)
	CM001_4 (0.82)
	✓ AE001_1 (0.32)

		D_SAE001 (0.62)
Expressions		
	Active Rules:	
	Rule 1:	AE_G188_001 (0.2)
	Rule 2:	LB_G008_001_5 (0.1)
	Rule 3:	LB_G020_001_5 (0.1)
	Rule 4:	EC_G077_001_2 (0.1)
	Rule 5:	EC_G078_001_2 (0.1)
	Rule 6:	VS_G006_001 (0.1)
	Rule 7:	AE_G147_001 (0.1)
	Rule 8:	AE_G254_001 (0.1)
	Rule 9:	AE_G005_001 (0.1)
	Rule 10:	AE_G007_001 (0.1)
	Rule 11:	CM_G074_001 (0.1)
	Rule 12:	CM_G004_001 (0.1)
	Rule 13:	LB_G035_001_5 (0.1)
	Rule 14:	AE_G109_001_1 (0.1)
	Rule 15:	AE_G176_001_1 (0.1)
	Rule 16:	AE_G181_001 (0.1)
	Rule 17:	AE_G013_001 (0.1)
	Rule 18:	AE_G109_001 (0.1)
	Rule 19:	AE_G140_001 (0.1)
	Rule 20:	AE_G003_001 (0.1)
	Rule 21:	AE_G135_001 (0.1)
	Rule 22:	AE_G136_001 (0.1)
	Rule 23:	AE_G144_001 (0.1)

Rule 24:	AE_G245_001 (0.1)
Rule 25:	AE_G258_001 (0.1)
Rule 26:	AE_G016_001 (0.1)
Rule 27:	CM_G073_001 (0.1)
Rule 28:	AE_G259_001 (0.1)
Rule 29:	CM_G004_001_4 (0.1)
Rule 30:	VS_S004_001 (0.3)
Rule 31:	VS_S004_001 (0.3)
Rule 32:	VS_S004_001 (0.3)
Rule 33:	AE_G256_001 (0.1)
Rule 34:	LB_S001_005 (0.8)
Rule 35:	DYNE_S001_900 (0.4)
Rule 36:	AE_G195_001 (0.2)
Rule 37:	AE_G196_001 (0.2)
Rule 38:	CM_G004_001_3 (0.2)
Rule 39:	LB_G032_001_5 (0.2)
Rule 40:	AE_G026_001 (0.3)
Rule 41:	AE_G027_001 (0.7)
Rule 42:	AE_G149_001 (0.1)
Rule 43:	AE_G169_001 (0.3)
Rule 44:	D_CASEIDSAE_001 (0.2)
Rule 45:	D_RESDEATH_001 (0.3)
Rule 46:	AE_G189_001 (0.2)
Rule 47:	EC_G099_001_2 (0.2)
Rule 48:	AE_G207_001 (0.2)
Rule 49:	AE_G255_001 (0.2)

Rule 50:	EC_G098_001_2 (0.2)
Rule 51:	AE_G146_001 (0.2)
Rule 52:	AE_G175_001_1 (0.2)
Rule 53:	AE_G201_001 (0.2)
Rule 54:	SV_G007_001 (0.2)
Rule 55:	VS_G036_001 (0.3)
Rule 56:	LB_G031_001_5 (0.3)
Rule 57:	D_NARRATIVE1SAE_001 (0.3)

Events

V10 MONTH1 POSTVAX5

V10 MONTH1 POSTVAX5		
Unique Event Name:	V10_MONTH1_POSTVAX5	
Event Description:		
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Day Schedule:	582	
Event Date Window:	Day 7 to Day 7	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.1)	
	✓✓ CESOR019 (0.24)	
	✓✓ AE001 (0.95)	
	CM001 (0.47)	
	CM001_3 (0.75)	
	CM001_4 (0.82)	
	D_SAE001 (0.62)	
Expressions		
Active Rules:		
Rule 1:	AE_G188_001 (0.2)	

Rule 2:	AE_G147_001 (0.1)
Rule 3:	AE_G254_001 (0.1)
Rule 4:	AE_G005_001 (0.1)
Rule 5:	AE_G007_001 (0.1)
Rule 6:	CM_G074_001 (0.1)
Rule 7:	CM_G004_001 (0.1)
Rule 8:	AE_G181_001 (0.1)
Rule 9:	AE_G013_001 (0.1)
Rule 10:	AE_G109_001 (0.1)
Rule 11:	AE_G140_001 (0.1)
Rule 12:	AE_G003_001 (0.1)
Rule 13:	AE_G135_001 (0.1)
Rule 14:	AE_G136_001 (0.1)
Rule 15:	AE_G144_001 (0.1)
Rule 16:	AE_G245_001 (0.1)
Rule 17:	AE_G258_001 (0.1)
Rule 18:	AE_G016_001 (0.1)
Rule 19:	CM_G073_001 (0.1)
Rule 20:	AE_G259_001 (0.1)
Rule 21:	CM_G004_001_4 (0.1)
Rule 22:	CESOR_S005_019 (0.4)
Rule 23:	AE_G256_001 (0.1)
Rule 24:	DYNE_S001_900 (0.4)
Rule 25:	AE_G195_001 (0.2)
Rule 26:	AE_G196_001 (0.2)
Rule 27:	CM_G004_001_3 (0.2)

Rule 28:	AE_G026_001 (0.3)
Rule 29:	AE_G027_001 (0.7)
Rule 30:	AE_G149_001 (0.1)
Rule 31:	AE_G169_001 (0.3)
Rule 32:	D_CASEIDSAE_001 (0.2)
Rule 33:	D_RESDEATH_001 (0.3)
Rule 34:	AE_G189_001 (0.2)
Rule 35:	AE_G207_001 (0.2)
Rule 36:	AE_G255_001 (0.2)
Rule 37:	AE_G146_001 (0.2)
Rule 38:	AE_G201_001 (0.2)
Rule 39:	SV_G007_001 (0.2)
Rule 40:	D_NARRATIVE1SAE_001 (0.3)

Events

V11 MONTH6 POSTVAX5

V11 MONTH6 POSTVAX5		
Unique Event Name:	V11_MONTH6_POSTVAX5	
Event Description:		
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Day Schedule:	729	
Event Date Window:	Day 14 to Day 14	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.1)	
	✓ AE001 (0.95)	
	CM001 (0.47)	
	CM001_3 (0.75)	
	CM001_4 (0.82)	
	D_SAE001 (0.62)	
Expressions		
Active Rules:		
Rule 1:	AE_G188_001 (0.2)	
Rule 2:	AE_G147_001 (0.1)	

Rule 3:	AE_G254_001 (0.1)
Rule 4:	AE_G005_001 (0.1)
Rule 5:	AE_G007_001 (0.1)
Rule 6:	CM_G074_001 (0.1)
Rule 7:	CM_G004_001 (0.1)
Rule 8:	AE_G181_001 (0.1)
Rule 9:	AE_G013_001 (0.1)
Rule 10:	AE_G109_001 (0.1)
Rule 11:	AE_G140_001 (0.1)
Rule 12:	AE_G003_001 (0.1)
Rule 13:	AE_G135_001 (0.1)
Rule 14:	AE_G136_001 (0.1)
Rule 15:	AE_G144_001 (0.1)
Rule 16:	AE_G245_001 (0.1)
Rule 17:	AE_G258_001 (0.1)
Rule 18:	AE_G016_001 (0.1)
Rule 19:	CM_G073_001 (0.1)
Rule 20:	AE_G259_001 (0.1)
Rule 21:	CM_G004_001_4 (0.1)
Rule 22:	AE_G256_001 (0.1)
Rule 23:	DYNE_S001_900 (0.4)
Rule 24:	AE_G195_001 (0.2)
Rule 25:	AE_G196_001 (0.2)
Rule 26:	CM_G004_001_3 (0.2)
Rule 27:	AE_G026_001 (0.3)
Rule 28:	AE_G027_001 (0.7)

Rule 29:	AE_G149_001 (0.1)
Rule 30:	AE_G169_001 (0.3)
Rule 31:	D_CASEIDSAE_001 (0.2)
Rule 32:	D_RESDEATH_001 (0.3)
Rule 33:	AE_G189_001 (0.2)
Rule 34:	AE_G207_001 (0.2)
Rule 35:	AE_G255_001 (0.2)
Rule 36:	AE_G146_001 (0.2)
Rule 37:	AE_G201_001 (0.2)
Rule 38:	SV_G007_001 (0.2)
Rule 39:	D_NARRATIVE1SAE_001 (0.3)

Events

Unplanned

Unplanned	
Unique Event Name:	UNPL
Event Description:	Unplanned
Event Type:	Unscheduled
Max Repeats Allowed:	999
Repeating:	Yes
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.1)
	D_UPA001 (0.9)
	✓ FAFUC009 (0.18)
	✓ FAVSD065 (0.16)
	✓ CECISR072 (0.31)
	VS001_1 (0.33)
	D_EDP001 (0.3)
	✓ AE001 (0.95)
	CM001 (0.47)
	CM001_3 (0.75)
	CM001_4 (0.82)
	D_SAE001 (0.62)

Expressions		
Active Rules:		
Rule 1:		AE_G188_001 (0.2)
Rule 2:		AE_G147_001 (0.1)
Rule 3:		AE_G254_001 (0.1)
Rule 4:		AE_G005_001 (0.1)
Rule 5:		AE_G007_001 (0.1)
Rule 6:		CM_G074_001 (0.1)
Rule 7:		CM_G004_001 (0.1)
Rule 8:		AE_G181_001 (0.1)
Rule 9:		AE_G013_001 (0.1)
Rule 10:		AE_G109_001 (0.1)
Rule 11:		AE_G140_001 (0.1)
Rule 12:		AE_G003_001 (0.1)
Rule 13:		AE_G135_001 (0.1)
Rule 14:		AE_G136_001 (0.1)
Rule 15:		AE_G144_001 (0.1)
Rule 16:		AE_G245_001 (0.1)
Rule 17:		AE_G258_001 (0.1)
Rule 18:		AE_G016_001 (0.1)
Rule 19:		VS_G006_001_1 (0.1)
Rule 20:		CM_G073_001 (0.1)
Rule 21:		AE_G259_001 (0.1)
Rule 22:		CM_G004_001_4 (0.1)
Rule 23:		FAFUC_S001_009 (0.5)
Rule 24:		AE_G256_001 (0.1)

Rule 25:	D_UPA_G001_001 (0.4)
Rule 26:	D_EDP_G001_001 (0.7)
Rule 27:	FAVSD_S001_065 (0.4)
Rule 28:	AE_G195_001 (0.2)
Rule 29:	AE_G196_001 (0.2)
Rule 30:	CM_G004_001_3 (0.2)
Rule 31:	AE_G026_001 (0.3)
Rule 32:	AE_G027_001 (0.7)
Rule 33:	AE_G149_001 (0.1)
Rule 34:	AE_G169_001 (0.3)
Rule 35:	D_CASEIDSAE_001 (0.2)
Rule 36:	D_RESDEATH_001 (0.3)
Rule 37:	AE_G189_001 (0.2)
Rule 38:	AE_G207_001 (0.2)
Rule 39:	AE_G255_001 (0.2)
Rule 40:	AE_G146_001 (0.2)
Rule 41:	AE_G201_001 (0.2)
Rule 42:	SV_G007_001 (0.2)
Rule 43:	CECISR_S001_072 (0.6)
Rule 44:	CECISR_S001_072 (0.6)
Rule 45:	D_NARRATIVE1SAE_001 (0.3)

Events

Disposition

Disposition		
Unique Event Name:		DISP
Event Description:		Disposition
Event Type:		Static
Max Repeats Allowed:		1
Repeating:		No
Dynamic:		No
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		DS001_7 (0.1)
		✓ DS001_8 (0.4)
		✓ DD002 (0.13)
Expressions		
Active Rules:		
Rule 1:		FM_>_WITHDRAWAL_CONSENT (0.1)
Rule 2:		DD_G007_002 (0.1)
Rule 3:		DD_G012_002 (0.1)
Rule 4:		FM_>_DEATH_DATE (0.1)
Rule 5:		D_SAEDDRPT_002 (0.5)

Events

End of Treatment

End of Treatment		
Unique Event Name:		EOT
Event Description:		End of Treatment
Event Type:		Scheduled
Max Repeats Allowed:		1
Repeating:		No
Dynamic:		Yes
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		✓ DS001_5 (0.17)
		✓ AE001 (0.95)
		CM001 (0.47)
		CM001_3 (0.75)
		CM001_4 (0.82)
		D_SAE001 (0.62)
Expressions		
Active Rules:		
Rule 1:		AE_G188_001 (0.2)
Rule 2:		AE_G147_001 (0.1)
Rule 3:		AE_G254_001 (0.1)
Rule 4:		AE_G005_001 (0.1)

Rule 5:	AE_G007_001 (0.1)
Rule 6:	DS_G031_001_5 (0.1)
Rule 7:	CM_G074_001 (0.1)
Rule 8:	CM_G004_001 (0.1)
Rule 9:	AE_G181_001 (0.1)
Rule 10:	AE_G013_001 (0.1)
Rule 11:	AE_G109_001 (0.1)
Rule 12:	AE_G140_001 (0.1)
Rule 13:	AE_G003_001 (0.1)
Rule 14:	AE_G135_001 (0.1)
Rule 15:	AE_G136_001 (0.1)
Rule 16:	AE_G144_001 (0.1)
Rule 17:	AE_G245_001 (0.1)
Rule 18:	AE_G258_001 (0.1)
Rule 19:	AE_G016_001 (0.1)
Rule 20:	CM_G073_001 (0.1)
Rule 21:	AE_G259_001 (0.1)
Rule 22:	CM_G004_001_4 (0.1)
Rule 23:	AE_G256_001 (0.1)
Rule 24:	DYNE_S001_900 (0.4)
Rule 25:	AE_G195_001 (0.2)
Rule 26:	AE_G196_001 (0.2)
Rule 27:	CM_G004_001_3 (0.2)
Rule 28:	AE_G026_001 (0.3)
Rule 29:	AE_G027_001 (0.7)
Rule 30:	AE_G149_001 (0.1)

Rule 31:	AE_G169_001 (0.3)
Rule 32:	D_CASEIDSAE_001 (0.2)
Rule 33:	D_RESDEATH_001 (0.3)
Rule 34:	DS_G045_001_5 (0.2)
Rule 35:	AE_G189_001 (0.2)
Rule 36:	DS_G039_001_5 (0.2)
Rule 37:	AE_G207_001 (0.2)
Rule 38:	AE_G255_001 (0.2)
Rule 39:	DS_G040_001_5 (0.2)
Rule 40:	DS_G061_001_5 (0.2)
Rule 41:	AE_G146_001 (0.2)
Rule 42:	AE_G201_001 (0.2)
Rule 43:	DS_G060_001_5 (0.3)
Rule 44:	DS_G033_001_5 (0.3)
Rule 45:	D_NARRATIVE1SAE_001 (0.3)

Events

Follow-up

Follow-up		
Unique Event Name:	FOLLOW_UP	
Event Description:	Follow-up	
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	 DS001_6 (0.15)	
	 AE001 (0.95)	
	CM001 (0.47)	
	CM001_3 (0.75)	
	CM001_4 (0.82)	
	D_SAE001 (0.62)	
Expressions		
Active Rules:		
Rule 1:	AE_G188_001 (0.2)	
Rule 2:	AE_G147_001 (0.1)	
Rule 3:	AE_G254_001 (0.1)	
Rule 4:	AE_G005_001 (0.1)	

Rule 5:	AE_G007_001 (0.1)
Rule 6:	CM_G074_001 (0.1)
Rule 7:	CM_G004_001 (0.1)
Rule 8:	AE_G181_001 (0.1)
Rule 9:	AE_G013_001 (0.1)
Rule 10:	AE_G109_001 (0.1)
Rule 11:	AE_G140_001 (0.1)
Rule 12:	AE_G003_001 (0.1)
Rule 13:	AE_G135_001 (0.1)
Rule 14:	AE_G136_001 (0.1)
Rule 15:	AE_G144_001 (0.1)
Rule 16:	AE_G245_001 (0.1)
Rule 17:	AE_G258_001 (0.1)
Rule 18:	AE_G016_001 (0.1)
Rule 19:	CM_G073_001 (0.1)
Rule 20:	AE_G259_001 (0.1)
Rule 21:	CM_G004_001_4 (0.1)
Rule 22:	AE_G256_001 (0.1)
Rule 23:	DYNE_S001_900 (0.4)
Rule 24:	AE_G195_001 (0.2)
Rule 25:	AE_G196_001 (0.2)
Rule 26:	DS_G036_001_6 (0.4)
Rule 27:	CM_G004_001_3 (0.2)
Rule 28:	AE_G026_001 (0.3)
Rule 29:	AE_G027_001 (0.7)
Rule 30:	AE_G149_001 (0.1)

Rule 31:	AE_G169_001 (0.3)
Rule 32:	D_CASEIDSAE_001 (0.2)
Rule 33:	D_RESDEATH_001 (0.3)
Rule 34:	AE_G189_001 (0.2)
Rule 35:	AE_G207_001 (0.2)
Rule 36:	DS_G034_001_6 (0.2)
Rule 37:	AE_G255_001 (0.2)
Rule 38:	DS_G035_001_6 (0.2)
Rule 39:	AE_G146_001 (0.2)
Rule 40:	AE_G201_001 (0.2)
Rule 41:	DS_G031_001_6 (0.2)
Rule 42:	D_NARRATIVE1SAE_001 (0.3)

Events

Common Form Event

Common Form Event	
Unique Event Name:	common_event
Event Description:	
Event Type:	Static
Max Repeats Allowed:	1
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	✓ AE001 (0.95)
	CM001 (0.47)
	CM001_3 (0.75)
	CM001_4 (0.82)
	✓ AE001_1 (0.32)
	D_SAE001 (0.62)
Expressions	
Active Rules:	
Rule 1:	AE_G188_001 (0.2)
Rule 2:	AE_G147_001 (0.1)
Rule 3:	AE_G254_001 (0.1)
Rule 4:	AE_G005_001 (0.1)

Rule 5:	AE_G007_001 (0.1)
Rule 6:	CM_G074_001 (0.1)
Rule 7:	CM_G004_001 (0.1)
Rule 8:	AE_G109_001_1 (0.1)
Rule 9:	AE_G176_001_1 (0.1)
Rule 10:	AE_G181_001 (0.1)
Rule 11:	AE_G013_001 (0.1)
Rule 12:	AE_G109_001 (0.1)
Rule 13:	AE_G140_001 (0.1)
Rule 14:	AE_G003_001 (0.1)
Rule 15:	AE_G135_001 (0.1)
Rule 16:	AE_G136_001 (0.1)
Rule 17:	AE_G144_001 (0.1)
Rule 18:	AE_G245_001 (0.1)
Rule 19:	AE_G258_001 (0.1)
Rule 20:	AE_G016_001 (0.1)
Rule 21:	CM_G073_001 (0.1)
Rule 22:	AE_G259_001 (0.1)
Rule 23:	CM_G004_001_4 (0.1)
Rule 24:	AE_G256_001 (0.1)
Rule 25:	AE_G195_001 (0.2)
Rule 26:	AE_G196_001 (0.2)
Rule 27:	CM_G004_001_3 (0.2)
Rule 28:	AE_G026_001 (0.3)
Rule 29:	AE_G027_001 (0.7)
Rule 30:	AE_G149_001 (0.1)

Rule 31:	AE_G169_001 (0.3)
Rule 32:	D_CASEIDSAE_001 (0.2)
Rule 33:	D_RESDEATH_001 (0.3)
Rule 34:	AE_G189_001 (0.2)
Rule 35:	AE_G207_001 (0.2)
Rule 36:	AE_G255_001 (0.2)
Rule 37:	AE_G146_001 (0.2)
Rule 38:	AE_G175_001_1 (0.2)
Rule 39:	AE_G201_001 (0.2)
Rule 40:	D_NARRATIVE1SAE_001 (0.3)

Instruments

Instrument Parameters

Date Format:	
Year Min:	2025
Year Max:	2030
Date Format:	dd-MMM-yyyy
Radio Button Display:	Vertical
Drop-Down Display:	Expand to fit all content
Textbox:	
Min Length:	—
Max Length:	—
Integer:	
Min Value:	—
Max Value:	—
Decimal:	
Min Value:	—
Max Value:	—
Min Size:	—
Max Size:	—
Baseline Character Set:	[Basic Latin]
Escaped Character Set:	

Instruments

Permission Groups

	GPDIP_Impala_Integration	TMS_integration	UDMS Admin	GPDIP_CTMS_Integration	migration_user	TMF_Integration	Read Only - Site	Investigator w/ Data Entry
Coding	N/A	R,U	N/A	N/A	N/A	N/A	N/A	N/A
Hidden	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
IRT_Edit	R,U	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ReadOnly	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Instruments
DS001 / MAIN INFORMED CONSENT

Instrument Definition

Instrument Name:	DS001
Instrument Title:	MAIN INFORMED CONSENT
SAS Instrument Name:	DS001
Description:	MAIN IC
Version:	0.1
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: DS001 <i>MAIN INFORMED CONSENT</i> (MAIN IC) [Version: 0.1]		
Section <i>MAIN INFORMED CONSENT DS001_S</i>		Permission Groups
Group of Fields DS01001 / Main Informed Consent Group Type: Non-Repeating	Number of variables: 1	

1.* ✓	Date of Written Consent Obtained: [DSSTDTC_001] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Written Consent Obtained using the format (DD-MMM-YYYY).	
Key: [*] = Item is required ✓ = Source verification required			

Study Object Descriptions: DS001 MAIN INFORMED CONSENT		
Type	RefName	Description
Form	CRF_11739572260411138_DS001	DS001
Item	I_11739581530512282_DSSTDTC_001	

Variable Validations DS001 MAIN INFORMED CONSENT				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text

DSSTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
DSSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

Groups of Fields DS001 MAIN INFORMED CONSENT		
Group RefName	Group Type	Associated Variables
IG_11739580899410942_DS01001	Non-Repeating	DSSTDTC_001

Instruments
DD002 / DEATH DETAILS

Instrument Definition

Instrument Name:	DD002
Instrument Title:	DEATH DETAILS
SAS Instrument Name:	DD002
Description:	DTH DTL
Version:	0.13
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: DD002 <i>DEATH DETAILS</i> (DTH DTL) [Version: 0.13]		
Section DEATH DETAILS <i>DD002_S</i>		Permission Groups
Group of Fields DD01002 / Death Details Group Type: Non-Repeating	Number of variables: 5	

1.* ✓	Date of Collection / Notification of Death: [DDDTC_002] [DDDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record Date of Collection / Notification of Death	
----------	---	---	--

2.* 	Date of Death: [R_DDDTHDTC_002] [DDDTHDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Death. A full date of death is expected however, if only a partial date is available, enter UNK for unknown date parts e.g day and/or month.	
3.* 	Is this death within the SAE reporting requirement? [D_SAEDDRPT_002] [SAEDDRPT]	[D_SAEDDRPT_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the response if Death is within SAE reporting requirement.	

4.*	Was an autopsy performed? [D_AUTOPSYYN1_002] [AUTOPSY] (Nested Field)	[D_AUTOPSYYN1_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the response if Autopsy was performed. This question must be answered if Death is within SAE reporting period.	
5.*	Autopsy cause of death: [D_AUTOPCOD_002] [AUTOPCOD] (Nested Field)	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If autopsy was performed, record the cause of death as determined from the autopsy.	
	Group of Fields DD02002 / Death Details Entry Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 12	

6.* 	Cause of Death Status: [DDTEST_002] [DDTEST]	[DDTEST_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the Cause of Death Status. Do not select more than one Primary Cause of Death. For multiple causes of death, select Secondary Cause of Death as needed.	
7.* 	Cause of Death: [DDORRES_002] [DDCDTH]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Cause of Death. LONG TERM SURVIVAL ANALYSIS STUDIES (Oncology or any TA): Any death collected from public records in the long term follow-up phases requires an assessment by the investigator as to whether or not the death has any relationship to study drug administered. If considered related, it must be reported via CT SAE Report Form to Argus.	

8.	Lowest Level Term [SUPPDD_DDLLT_002] [DDLLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
9.	Lowest Level Term Code [SUPPDD_DDLLTCD_002] [DDLLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
10.	Dictionary Derived Term [SUPPDD_DDDECOD_002] [DDDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)

11.	Preferred Term Code [SUPPDD_DDPTCD_002] [DDPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
12.	High Level Term [SUPPDD_DDHLT_002] [DDHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
13.	High Level Term Code [SUPPDD_DDHLTCD_002] [DDHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)

14.	High Level Group Term [SUPPDD_DDHLGT_002] [DDHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
15.	High Level Group Term Code [SUPPDD_DDHLGTCD_002] [DDHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
16.	Primary System Organ Class [SUPPDD_DDSOC_002] [DDSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)

17.	Primary System Organ Class Code [SUPPDD_DDSOCCD_002] [DDSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: DD002 DEATH DETAILS		
Type	RefName	Description
Form	CRF_11739572429675455_DD002	DD002
Item	I_11739581909863164_DDDTC_002	
Item	I_11739581937760135_R_DDDTHDTC_002	
Item	I_11739581965672680_D_SAEDDRPT_002	
Item	I_11739581993689947_D_AUTOPSYN1_002	
Item	I_11739582024158565_D_AUTOPCOD_002	
Item	I_11739581564936192_DDTEST_002	
Item	I_11739581595299791_DDORRES_002	
Item	I_11739581624714974_SUPPDD_DDLLT_002	
Item	I_11739581655425728_SUPPDD_DDLLTCD_002	
Item	I_11739581685141303_SUPPDD_DDDECOD_002	
Item	I_11739581713720628_SUPPDD_DDPTCD_002	
Item	I_11739581742146015_SUPPDD_DDHLT_002	
Item	I_11739581769981127_SUPPDD_DDHLTCD_002	

Item	I_11739581799033672_SUPPDD_DDHLGT_002	
Item	I_11739581827161554_SUPPDD_DDHLGTCD_002	
Item	I_11739581853930135_SUPPDD_DDSDOC_002	
Item	I_11739581881709755_SUPPDD_DDSDOCCD_002	

Codelist Values Tables: DD002 DEATH DETAILS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_SAEDDRPT_CL_002	0.1			YES	1	Y	0.1	i_11739581965672680_d_saeddrpt_002
				NO	2	N	0.1	
D_AUTOPSYN1_CL_002	0.1			NO	1	N	0.1	i_11739581993689947_d_autopsyn1_002
				YES	2	Y	0.1	
DDTEST_CL_002	0.1			Primary Cause of Death	1	1	0.1	i_11739581564936192_ddtest_002
				Secondary Cause of Death	2	2	0.1	

Variable Validations DD002 DEATH DETAILS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DDTDC_002	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DDTDC_002	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
R_DDDTHDTC_002	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
R_DDDTHDTC_002	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DD002 DEATH DETAILS

Group RefName	Group Type	Associated Variables
IG_11739580543767905_DD01002	Non-Repeating	DDDTC_002, R_DDDTHDTC_002, D_SAEDDRPT_002, D_AUTOPSYYN1_002, D_AUTOPCOD_002
IG_11739580645891152_DD02002	Repeating	DDTEST_002, DDORRES_002, SUPPDD_DDLT_002, SUPPDD_DDLTCD_002, SUPPDD_DDDECOD_002, SUPPDD_DDPTCD_002, SUPPDD_DDHLT_002, SUPPDD_DDHLTCD_002, SUPPDD_DDHLGT_002, SUPPDD_DDHLGTCD_002, SUPPDD_DDSOC_002, SUPPDD_DDSOCCD_002

Instruments

DS001_4 / DISPOSITION - SCREENING

Instrument Definition

Instrument Name:	DS001_4
Instrument Title:	DISPOSITION - SCREENING
SAS Instrument Name:	DS001_4
Description:	DISP SCR
Version:	0.12
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: DS001_4 DISPOSITION - SCREENING (DISP SCR) [Version: 0.12]		
Section DISPOSITION - SCREENING DS001_4_S		Permission Groups
Group of Fields DS01001_4 / Disposition - Screening Group Type: Non-Repeating	Number of variables: 4	

1.* 	Date of Completion/Discontinuation/Death: [DSSTDTC_001_4] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date using the format (DD-MMM-YYYY). Partial dates are permitted only when the Status of the subject is DEATH	
2.* 	Status: [DSDECOD_001_4] [DSDECOD]	[DSDECOD_CL_001_4] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the primary reason for participant at the conclusion of their screening phase. Please refer to the CRF Completion Requirements for additional instruction.	

3.*	Specify Status: <i>[Branching logic expression: [DSDECOD_001_4]='7' or [DSDECOD_001_4]='16' or [DSDECOD_001_4]='32']</i> <i>[DSTERM_001_4]</i> [DSTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Reason for discontinuation should be entered in this data field when "Other", "Withdrawal By Subject" or "Withdrawal By Parent/Guardian" is selected from the "Status" list. Data entry is only expected for this data field when one of the above statuses has been entered. Avoid abbreviations.	
4.	Phase of Disposition: <i>[SUPPDS_DSPHASE_001_4]</i> [DSPHASE]	[SUPPDS_DSPHASE_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 3 Help/Info Text: Record the disposition phase the subject completed or discontinued.	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: DS001_4 DISPOSITION - SCREENING		
Type	RefName	Description
Form	CRF_11739572579761715_DS001_4	DS001_4
Item	I_11739582052503943_DSSTDTC_001_4	

Item	I_11739582081123687_DSDECOD_001_4	
Item	I_11739582109294114_DSTERM_001_4	
Item	I_11739582153143875_SUPPDS_DSPHASE_001_4	

Codelist Values Tables: DS001_4 DISPOSITION - SCREENING

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
DSDECOD_CL_001_4	0.2			ADVERSE EVENT	1	1	0.1	i_11739582081123687_dsdecod_001_4
				COMPLETED	2	2	0.1	
				DEATH	3	3	0.1	
				OTHER	4	7	0.1	
				PHYSICIAN DECISION	5	8	0.1	
				PREGNANCY	6	9	0.1	
				SCREEN FAILURE	7	13	0.1	
				STUDY TERMINATED BY SPONSOR	8	14	0.1	
				WITHDRAWAL BY SUBJECT	9	16	0.1	
				MET ELIGIBILITY CRITERIA BUT NOT NEEDED	10	32	0.1	
SUPPDS_DSPHASE_CL_001_4	0.2			SCREENING	1	3	0.1	i_11739582153143875_suppds_dsphase_001_4

Variable Validations DS001_4 DISPOSITION - SCREENING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_4	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.

DSSTDTC_001_4	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_4	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_4	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_4 DISPOSITION - SCREENING

Group RefName	Group Type	Associated Variables
IG_11739580662609375_DS01001_4	Non-Repeating	DSSTDTC_001_4, DSDECOD_001_4, DSTERM_001_4, SUPPDS_DSPHASE_001_4

Instruments

DS001_7 / WITHDRAWAL OF CONSENT

Instrument Definition

Instrument Name:	DS001_7
Instrument Title:	WITHDRAWAL OF CONSENT
SAS Instrument Name:	DS001_7
Description:	WOC
Version:	0.1
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: DS001_7 WITHDRAWAL OF CONSENT (WOC) [Version: 0.1]		
Section WITHDRAWAL OF CONSENT DS001_7_S		Permission Groups
Group of Fields DS01001_7 / Withdrawal Of Consent Group Type: Non-Repeating	Number of variables: 1	

1.*	Date of Withdrawal of Consent: [DSSTDTC_001_7] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Withdrawal Of Consent using the format (DD-MMM-YYYY).	
Key: [*] = Item is required			

Study Object Descriptions: DS001_7 WITHDRAWAL OF CONSENT		
Type	RefName	Description
Form	CRF_11739572729036306_DS001_7	DS001_7
Item	I_11739582180854612_DSSTDTC_001_7	

Variable Validations DS001_7 WITHDRAWAL OF CONSENT				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_7	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

DSSTDTC_001_7	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_7	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_7 WITHDRAWAL OF CONSENT		
Group RefName	Group Type	Associated Variables
IG_11739580577175353_DS01001_7	Non-Repeating	DSSTDTC_001_7

Instruments

DS001_6 / DISPOSITION - FOLLOW-UP

Instrument Definition

Instrument Name:	DS001_6
Instrument Title:	DISPOSITION - FOLLOW-UP
SAS Instrument Name:	DS001_6
Description:	DISP FUP
Version:	0.15
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: DS001_6 DISPOSITION - FOLLOW-UP (DISP FUP) [Version: 0.15]		
Section DISPOSITION - FOLLOW-UP DS001_6_S		Permission Groups
Group of Fields DS01001_6 / Disposition - Follow-Up Group Type: Non-Repeating	Number of variables: 4	

1.* 	Date of Completion/Discontinuation/Death: [DSSTDTC_001_6] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date using the format (DD-MMM-YYYY). Partial dates are permitted only when the Status of the subject is DEATH	
2.	Phase of Disposition: [SUPPDS_DSPHASE_001_6] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_6] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: Record the disposition phase the subject completed or discontinued.	

3.*	Status: [DSDECOD_001_6] [DSDECOD]	[DSDECOD_CL_001_6] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the primary reason for participant at the conclusion of their follow-up phase. Please refer to the CRF Completion Requirements for additional instruction.	
4.* ✓	Specify Status: <i>[Branching logic expression: [DSDECOD_001_6]='7' or [DSDECOD_001_6]='16' or [DSDECOD_001_6]='19']</i> [DSTERM_001_6] [DSTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Reason for discontinuation should be entered in this data field when "Other", "Withdrawal By Subject" or "Withdrawal By Parent/Guardian" is selected from the "Status" list. Data entry is only expected for this data field when one of the above statuses has been entered. Avoid abbreviations.	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: DS001_6 DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Form	CRF_11739572879153081_DS001_6	DS001_6

Item	I_11739582208846756_DSSTDTC_001_6	
Item	I_11739582238926733_SUPPDS_DSPHASE_001_6	
Item	I_11739582266813398_DSDECOD_001_6	
Item	I_11739582295787485_DSTERM_001_6	

Codelist Values Tables: DS001_6 DISPOSITION - FOLLOW-UP

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSPHASE_CL_001_6	0.2			FOLLOW-UP	1	1	0.1	i_11739582238926733_suppbs_dsphase_001_6
DSDECOD_CL_001_6	0.2			COMPLETED	1	2	0.1	i_11739582266813398_dsdecod_001_6
				DEATH	2	3	0.1	
				LOST TO FOLLOW-UP	3	5	0.1	
				OTHER	4	7	0.1	
				STUDY TERMINATED BY SPONSOR	5	14	0.1	
				WITHDRAWAL BY SUBJECT	6	16	0.1	
				PHYSICIAN DECISION	7	8	0.1	
				REACTOGENICITY EVENT	8	34	0.1	
				ADVERSE EVENT	9	1	0.1	
				MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	10	17	0.1	
				PREGNANCY	11	9	0.1	
				PROTOCOL DEVIATION	12	11	0.1	
				NO LONGER MEETS ELIGIBILITY CRITERIA	13	18	0.1	

Variable Validations DS001_6 DISPOSITION - FOLLOW-UP				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_6	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_6	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001_6	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_6	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
DSSTDTC_001_6	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_6	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_6	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_6 DISPOSITION - FOLLOW-UP		
Group RefName	Group Type	Associated Variables
IG_11739580680139939_DS01001_6	Non-Repeating	DSSTDTC_001_6, SUPPDS_DSPHASE_001_6, DSDECOD_001_6, DSTERM_001_6

Instruments
DS001_8 / TREATMENT UNBLINDED

Instrument Definition

Instrument Name:	DS001_8
Instrument Title:	TREATMENT UNBLINDED
SAS Instrument Name:	DS001_8
Description:	TRN UNBLN
Version:	0.4
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: DS001_8 <i>TREATMENT UNBLINDED</i> (TRN UNBLN) [Version: 0.4]		
Section <i>TREATMENT UNBLINDED DS001_8_S</i>		Permission Groups
Group of Fields DS01001_8 / Treatment Unblinded Group Type: Non-Repeating	Number of variables: 4	

1.* 	Date of Treatment Unblinded: [DSSTDTC_001_8] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date of Treatment Unblinded using the format (DD- MMM-YYYY).	
2.*	Phase of Disposition: [SUPPDS_DSPHASE_001_8] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the disposition phase the subject completed or discontinued.	

3.* ✓	Primary Reason for Unblinding: [X_DSTERM_DSUNBL_001_8] [DSUNBL]	[X_DSTERM_DSUNBL_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the primary reason the treatment was unblinded.	
4.* ✓	If other, specify: [X_DSTERM_DSUNBLO_001_8] [DSUNBLO] (Nested Field)	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If 'Primary Reason for Treatment Unblinding' is Other, record the reason in the space provided.	

Key: [*] = Item is required ✓ = Source verification required

Study Object Descriptions: DS001_8 TREATMENT UNBLINDED		
Type	RefName	Description
Form	CRF_11739573029869567_DS001_8	DS001_8
Item	I_11739582340601393_DSSTDTC_001_8	
Item	I_11739582370418787_SUPPDS_DSPHASE_001_8	
Item	I_11739582399986471_X_DSTERM_DSUNBL_001_	
Item	I_11739582428160360_X_DSTERM_DSUNBLO_001	

Codelist Values Tables: DS001_8 TREATMENT UNBLINDED

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSPHASE_CL_001_8	0.2			FOLLOW-UP	1	1	0.1	i_11739582370418787_suppbs_dsphase_001_8
				TREATMENT	2	4	0.1	
X_DSTERM_DSUNBL_CL_001_8	0.2			SUBJECT SAFETY CONCERN	1	1	0.1	i_11739582399986471_x_dsterm_dsunbl_001_
				OTHER	2	999	0.1	

Variable Validations DS001_8 TREATMENT UNBLINDED

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_8	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_8	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001_8	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_8	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_8	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_8	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_8	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_8 TREATMENT UNBLINDED

Group RefName	Group Type	Associated Variables
IG_11739580654338917_DS01001_8	Non-Repeating	DSSTDTC_001_8, SUPPDS_DSPHASE_001_8, X_DSTERM_DSUNBL_001_8, X_DSTERM_DSUNBLO_001_8

Instruments
R_TRIG001 / TRIGGER FORM

Instrument Definition

Instrument Name:	R_TRIG001
Instrument Title:	TRIGGER FORM
SAS Instrument Name:	R_TRIG001
Description:	TRIG
Version:	0.13
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: R_TRIG001 TRIGGER FORM (TRIG) [Version: 0.13]		
Section TRIGGER FORM R_TRIG001_S		Permission Groups
Group of Fields R_TRIG01001 / Trigger Form Group Type: Non-Repeating	Number of variables: 2	

1.*	Select appropriate response - Protocol version: [R_TRIGRESP1_001] [TRGRES1]	[R_TRIGRESP1_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.*	Select appropriate response - Did subject meet all eligibility criteria? [R_TRIGRESP2_001] [TRGRES2]	[R_TRIGRESP2_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: R_TRIG001 TRIGGER FORM		
Type	RefName	Description
Form	CRF_11739573178877981_R_TRIG001	R_TRIG001
Item	I_11739582457276955_R_TRIGRESP1_001	
Item	I_11739582485421067_R_TRIGRESP2_001	

Codelist Values Tables: R_TRIG001 TRIGGER FORM		
--	--	--

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_TRIGRESP1_CL_001	0.3			Initial Version - 13AUG2025	1	0	0.1	i_11739582457276955_r_trigresp1_001
R_TRIGRESP2_CL_001	0.1			SUBJECT MET ALL ELIGIBILITY CRITERIA	1	5	0.1	i_11739582485421067_r_trigresp2_001
				SUBJECT DID NOT MEET ALL ELIGIBILITY CRITERIA	2	6	0.1	

Groups of Fields R_TRIG001 TRIGGER FORM		
Group RefName	Group Type	Associated Variables
IG_11739580585224673_R_TRIG01001	Non-Repeating	R_TRIGRESP1_001, R_TRIGRESP2_001

Instruments

SV001 / DATE OF VISIT

Instrument Definition

Instrument Name:	SV001
Instrument Title:	DATE OF VISIT
SAS Instrument Name:	SV001
Description:	DOV
Version:	0.1
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: SV001 <i>DATE OF VISIT</i> (DOV) [Version: 0.1]		
Section DATE OF VISIT SV001_S		Permission Groups
Group of Fields SV01001 / Date of Visit Group Type: Non-Repeating	Number of variables: 2	

1.*	Date of Visit: [SVSTDTC_001] [SVSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Enabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: - In general, Date of Visit represents the date the assessment(s) was made. - If assessments for a visit span more than one day, [INSERT INSTRUCTIONS FOR YOUR STUDY HERE, FOR EXAMPLE: Enter the date the first assessment was made].	
-----	---	--	--

2.*	Contact Mode: [X_SVCNTMOD_001] [SVCNTMOD]	[X_SVCNTMOD_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record Contact Mode for the visit. -If the visit is in person and at the clinical study site, choose "IN PERSON, ONSITE". Note that for visits defined in the protocol as "in person," the system will default "IN PERSON, ONSITE" but this may be overridden through data entry of an alternate Contact Mode if the participant could not be seen on site, for extraordinary circumstances. -If the visit is conducted by remote communication (i.e., not an in person visit), choose "REMOTE AUDIO VIDEO" for any telehealth visit (i.e., the exchange of healthcare information and services via telecommunication technologies, such as telephone calls, video, video conferencing calls, and wireless communications). -If the visit is conducted offsite with procedures performed by study personnel (e.g. a home health visit or alternate site approved by the investigator), select "IN PERSON, OFFSITE."	
-----	---	--	--

Key: [*] = Item is required

Study Object Descriptions: SV001 DATE OF VISIT

Type	RefName	Description
Form	CRF_11739573327471900_SV001	SV001
Item	I_11739582513758978_SVSTDTC_001	
Item	I_11739582542810818_X_SVCNTMOD_001	

Codelist Values Tables: SV001 DATE OF VISIT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_SVCNTMOD_CL_001	0.1			IN PERSON, ONSITE	1	1	0.1	i_11739582542810818_x_svcntmod_001
				IN PERSON, OFFSITE	2	2	0.1	
				REMOTE AUDIO VIDEO	3	3	0.1	

Variable Validations SV001 DATE OF VISIT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
SVSTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
SVSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
SVSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
SVSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
SVSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields SV001 DATE OF VISIT

Group RefName	Group Type	Associated Variables
IG_11739580602302038_SV01001	Non-Repeating	SVSTDTC_001, X_SVCNTMOD_001

Instruments

CM001 / CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS

Instrument Definition

Instrument Name:	CM001
Instrument Title:	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS
SAS Instrument Name:	CM001
Description:	CONMED
Version:	0.47
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: CM001 CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS (CONMED) [Version: 0.47]		
Section CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS CM001_S		Permission Groups
Group of Fields CM01001 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 25	

1.	What is the medication identifier? [CMSPID_001] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Default Value: [\$form_occurrence]	
2.	Category: [CMCAT_001] [CMCAT]	[CMCAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1 Help/Info Text: Record the Category for this medication.	

3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001] [CMTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Generic drug name is the preferred entry. Provide the complete generic drug name (including salt form) if known. If the medication includes a large number of ingredients or the generic name is unknown, record the full trade or proprietary name.	
4.*	Was this medication given to treat an Adverse Event? [SUPPCM_CMAER_001] [CMAER]	[SUPPCM_CMAER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication was given to treat an adverse event, select Yes. Otherwise, select No.	

5.*	Reason for Administration: [CMINDC_001] [CMINDC]	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken based on clinical evaluation by the investigator. If taken to treat a condition, and a diagnosis was made, the reason should be the diagnosis. If taken to treat a condition, and no diagnosis was made, the reason should be the signs and symptoms. If taken as prophylaxis, report as "Prophylaxis for ...".	
6.*	Dose: [X_CMDSTXT_001] [CMDSTXT]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose of medication taken per administration. Do not include units in this field.	

7.*	Dose Unit: [CMDOSU_001] [CMDOSU]	[CMDOSU_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose unit of the medication taken.	
8.*	Dose Frequency: [CMDOSFRQ_001] [CMDOSFRQ]	[CMDOSFRQ_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record how often the medication was taken. (e.g., BID, PRN).	
9.*	Route: [CMROUTE_001] [CMROUTE]	[CMROUTE_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the route of administration for the drug.	

10.*	Start Date: [CMSTDTC_001] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If the subject has been taking the medication for a considerable amount of time prior to the start of the study, it is acceptable to have an incomplete date. Medications taken during the study are expected to have a complete start date. Prior medications that are exclusionary should have both a start and end date. If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock.	
------	--	---	--

11.*	Ongoing? [X_CMONGO_001] [CMONGO]	[X_CMONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the medication as ongoing if the subject has not stopped taking the medication at the time of data collection, and leave the end date blank. If this field is left blank, an End Date must be provided.	
------	---	---	--

12.*	End Date: [CMENDTC_001] [CMENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject stopped taking the medication using the format (DD-MON-YYYY). If the subject has not stopped taking the medication leave this field blank. If appropriate, record the time (as complete as possible) when the medication was stopped, using the 24-hour clock.	
13.*	Reason for Discontinuation: [CMRSDISC_001] [CMDISR] (Nested Field)	[CMRSDISC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was discontinued.	

14.*	OTHER, specify: [SUPPCM_CMDISRO_001] [CMDISRO] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If "Other Reason" was chosen as the reason for discontinuation, specify the reason.	
15.*	Response to Medication: [SUPPCM_CMRESP_001] [CMRESP]	[SUPPCM_CMRESP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the subjects response to the medication by choosing, "Improved", "Unchanged", or "Worsened".	

16.*	Is this concomitant therapy suspected to be related to an Adverse Event? [R_SUPPCM_CONSUS_001] [CMSUS]	[R_SUPPCM_CONSUS_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication is NOT considered suspect in relation to a reportable event please select NO. If this medication is considered suspect in relation to a reportable event please select YES and complete the remaining fields (AE ID, Action Taken and Re-Challenge)	
17.	AE ID of the AE this conmed is related to: [R_AEIDCM_001] [CMAEID] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('[', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y' , [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

18.	AE ID of the AE this conmed is related to: [R_AEIDCM1_001] [CMAEID1] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	
19.	AE ID of the AE this conmed is related to: [R_AEIDCM2_001] [CMAEID2] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	

20.	AE ID of the AE this conmed is related to: [R_AEIDCM3_001] [CMAEID3] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	
21.	AE ID of the AE this conmed is related to: [R_AEIDCM4_001] [CMAEID4] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	

22.*	Action Taken: [R_SUPPCM_ACTTKN_001] [CMACTION] (Nested Field)	[R_SUPPCM_ACTTKN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the medication selected in the pick list as a result of the SAE or non-serious but reportable event	
23.*	Re-Challenge: [R_SUPPCM_RECHAL_001] [CMRECHAL] (Nested Field)	[R_SUPPCM_RECHAL_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the medication selected in the pick list was re-introduced. Positive Re-challenge: When the concomitant medication was reintroduced and the SAE or non-serious but reportable event reappeared Negative Re-challenge: When the concomitant medication was reintroduced and the SAE or non-serious but reportable event did not reappear Not Applicable: When the medication was not re-introduced Unknown: When the medication was reintroduced, but the result of re-challenge was unknown	

24.	Standardized Medication Name - Dictionary derived. [CMDECOD_001] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
25.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
Key: [*] = Item is required			

Study Object Descriptions: CM001 CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS		
Type	RefName	Description
Form	CRF_11739573475775913_CM001	CM001
Item	I_11739582570987628_CMSPID_001	
Item	I_11739582629101152_CMCAT_001	
Item	I_11739582656963932_CMTRT_001	
Item	I_11739582684692253_SUPPCM_CMAER_001	
Item	I_11739582713145119_CMINDC_001	

Item	I_11739582741323004_X_CMDSTXT_001	
Item	I_11739582769769511_CMDOSU_001	
Item	I_11739582797641456_CMDOSFRQ_001	
Item	I_11739582826116485_CMROUTE_001	
Item	I_11739582854633598_CMSTDTC_001	
Item	I_11739583104585300_X_CMONGO_001	
Item	I_11739583112237995_CMENDTC_001	
Item	I_11739583120699290_CMRSDISC_001	
Item	I_11739583129437773_SUPPCM_CMDISRO_001	
Item	I_11739582884537139_SUPPCM_CMRESP_001	
Item	I_11739582974356111_R_SUPPCM_CONSUS_001	
Item	I_11739583036816087_R_AEIDCM_001	
Item	I_11739583051186543_R_AEIDCM1_001	
Item	I_11739583064355836_R_AEIDCM2_001	
Item	I_11739583077853379_R_AEIDCM3_001	
Item	I_11739583091389897_R_AEIDCM4_001	
Item	I_11739583004912262_R_SUPPCM_ACTTKN_001	
Item	I_11739583028098946_R_SUPPCM_RECHAL_001	
Item	I_11739582915297764_CMDECOD_001	
Item	I_11739582944253020_SUPPCM_CMCODE_001	

Codelist Values Tables: CM001 CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001	0.2			GENERAL CONCOMITANT MEDICATIONS	1	1	0.1	i_11739582629101152_cmcat_001

SUPPCM_CMAER_CL_001	0.1			YES	1	Y	0.1	i_11739582684692253_suppcm_cmaer_001
				NO	2	N	0.1	
CMDOSU_CL_001	0.4			mg	1	8	0.1	i_11739582769769511_cmdosu_001
				g	2	45	0.1	
				mL	3	9	0.1	
				IU	4	109	0.1	
				TABLET	5	98	0.1	
				PUFF	6	130	0.1	
				DROP	7	689	0.1	
				%	8	5	0.1	
CMDOSFRQ_CL_001	0.3			QD	1	49	0.1	i_11739582797641456_cmdosfrq_001
				BID	2	3	0.1	
				TID	3	32	0.1	
				QID	4	35	0.1	
				Q6H	5	27	0.1	
				Q8H	6	29	0.1	
				Q12H	7	9	0.1	
				QOD	8	31	0.1	
				PRN	9	6	0.1	
				UNKNOWN	10	1	0.1	
CMROUTE_CL_001	0.2			AURICULAR (OTIC)	1	1	0.1	i_11739582826116485_cmroute_001
				INTRA-ARTICULAR	2	20	0.1	
				INTRAMUSCULAR	3	50	0.1	
				INTRAVENOUS	4	70	0.1	
				NASAL	5	79	0.1	
				OPHTHALMIC	6	83	0.1	
				ORAL	7	84	0.1	

				RECTAL	8	92	0.1	
				RESPIRATORY (INHALATION)	9	93	0.1	
				SUBCUTANEOUS	10	98	0.1	
				TOPICAL	11	101	0.1	
				TRANSDERMAL	12	102	0.1	
				TRANSMUCOSAL	13	103	0.1	
				VAGINAL	14	111	0.1	
				OTHER	15	130	0.1	
X_CMONGO_CL_001	0.1			YES	1	Y	0.1	i_11739583104585300_x_cmongo_001
				NO	2	N	0.1	
CMRSDISC_CL_001	0.1			ADVERSE EVENT	1	1	0.1	i_11739583120699290_cmrsdisc_001
				LACK OF EFFICACY	2	2	0.1	
				INTOLERABILITY	3	3	0.1	
				NON-COMPLIANCE WITH TREATMENT	4	4	0.1	
				LOSS OF RESPONSE	5	6	0.1	
				COST	6	7	0.1	
				SUBJECT'S DECISION TO STOP PHARMACOLOGICAL TREATMENT	7	8	0.1	
				OTHER	8	5	0.1	
SUPPCM_CMRESP_CL_001	0.1			IMPROVED	1	1	0.1	i_11739582884537139_suppcm_cmresp_001
				UNCHANGED	2	2	0.1	
				WORSENER	3	3	0.1	
R_SUPPCM_CONSUS_CL_001	0.1			NO	1	N	0.1	i_11739582974356111_r_suppcm_consus_001
				YES	2	Y	0.1	

R_SUPPCM_ACTTKN_CL_001	0.1			DOSE INCREASED	1	1	0.1	i_11739583004912262_r_suppcm_acttkn_001
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
R_SUPPCM_RECHAL_CL_001	0.1			POSITIVE	1	1	0.1	i_11739583028098946_r_suppcm_rechal_001
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	

Variable Validations CM001 CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CMENDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMENDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001 CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS

Group RefName	Group Type	Associated Variables
IG_11739580908399939_CM01001	Non-Repeating	CMSPID_001, CMCAT_001, CMTRT_001, SUPPCM_CMAER_001, CMINDC_001, X_CMDSTXT_001, CMDOSU_001, CMDOSFRQ_001, CMROUTE_001, CMSTDTC_001, X_CMONGO_001, CMENDTC_001, CMRSDISC_001, SUPPCM_CMDISRO_001, SUPPCM_CMRESP_001, R_SUPPCM_CONSUS_001, R_AEIDCM_001, R_AEIDCM1_001, R_AEIDCM2_001, R_AEIDCM3_001, R_AEIDCM4_001, R_SUPPCM_ACTTKN_001, R_SUPPCM_RECHAL_001, CMDECOD_001, SUPPCM_CMCODE_001

Instruments
MH001 / MEDICAL HISTORY

Instrument Definition

Instrument Name:	MH001
Instrument Title:	MEDICAL HISTORY
SAS Instrument Name:	MH001
Description:	MEDHX
Version:	0.15
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: MH001 <i>MEDICAL HISTORY</i> (MEDHX) [Version: 0.15]		
Section MEDICAL HISTORY <i>MH001_S</i>		Permission Groups
Group of Fields MH01001 / General Medical History Group Type: Non-Repeating	Number of variables: 1	

1.*	Collection Date: [MHDTC_001] [MHDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date on which the Medical History was taken using the format DD-MMM-YYYY	
	Group of Fields MH02001 / Medical History Details Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 15	

2.	Line/MH Number: [MHSPID_001] [MHSPID]	Number Box (Integer) Max Value: 99999999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Default Value: toint32([\$row_index] + 1)	
3.*	Disease/Syndrome/Surgery/Non-Drug Allergies/Drug Allergies: [MHTERM_001] [MHTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Specify the Disease using medical terminology	

4.*	Start Date: [MHSTDTC_001] [MHSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1980 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date using the format DD-MMM-YYYY	
-----	--	---	--

5.*	Ongoing: [X_MHONGO_001] [MHONGO]	[X_MHONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" if the condition is ongoing. Note: It is expected that every reported condition should have either an End Date recorded or the Ongoing field selected but not both.	
6.*	End Date: [MHENDTC_001] [MHENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the end date using the format DD-MMM-YYYY	

7.	Lowest Level Term [MHLLT_001] [MHLLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
8.	Lowest Level Term Code [MHLLTCD_001] [MHLLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
9.	Dictionary Derived Term [MHDECOD_001] [MHDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)

10.	Preferred Term Code [MHPTCD_001] [MHPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
11.	High Level Term [MHHLT_001] [MHHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
12.	High Level Term Code [MHHLTCD_001] [MHHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)

13.	High Level Group Term [MHHLGT_001] [MHHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
14.	High Level Group Term Code [MHHLGTCD_001] [MHHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
15.	Primary System Organ Class [MHSOC_001] [MHSOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)

16.	Primary System Organ Class Code [MHSOCCD_001] [MHSOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
Key: [*] = Item is required			

Study Object Descriptions: MH001 MEDICAL HISTORY		
Type	RefName	Description
Form	CRF_11739573624936074_MH001	MH001
Item	I_11739583139245233_MHDTTC_001	
Item	I_11739583148422171_MHSPID_001	
Item	I_11739583162599467_MHTERM_001	
Item	I_11739583170318821_MHSTDTC_001	
Item	I_11739583178512339_X_MHONGO_001	
Item	I_11739583186378337_MHENDTC_001	
Item	I_11739583194507822_MHLLT_001	
Item	I_11739583202220300_MHLLTCD_001	
Item	I_11739583209898005_MHDECOD_001	
Item	I_11739583217834945_MHPTCD_001	
Item	I_11739583225741625_MHHLT_001	
Item	I_11739583233502318_MHHLTCD_001	
Item	I_11739583241246189_MHHLGT_001	

Item	I_11739583249093283_MHHLGTCD_001	
Item	I_11739583257072004_MHSOC_001	
Item	I_11739583265062886_MHSOCCD_001	

Codelist Values Tables: MH001 MEDICAL HISTORY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_MHONGO_CL_001	0.1			YES	1	Y	0.1	i_11739583178512339_x_mhongo_001
				NO	2	N	0.1	

Variable Validations MH001 MEDICAL HISTORY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
MHDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
MHDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
MHDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MHDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
MHDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
MHDTC_001	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
MHDTC_001	>=_ENROLLMENT	>=	>=_ENROLLMENT	Date is on or after 'Enrollment Date'. Please review and update if appropriate.
MHDTC_001	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.
MHDTC_001	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.
MHDTC_001	>=_FIRST_DOSE	>=	>=_FIRST_DOSE	Date is on or after the first dose date. Please review and update if appropriate.

MHSTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
MHSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MHSTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
MHSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
MHSTDTC_001	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
MHSTDTC_001	>=_INFORMED_CONSENT	>=	>=_INFORMED_CONSENT	Date is on or after 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
MHSTDTC_001	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.
MHSTDTC_001	>=_FIRST_DOSE	>=	>=_FIRST_DOSE	Date is on or after the first dose date. Please review and update if appropriate.
MHSTDTC_001	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.
MHSTDTC_001	>=_ENROLLMENT	>=	>=_ENROLLMENT	Date is on or after 'Enrollment Date'. Please review and update if appropriate.
MHENDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
MHENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MHENDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
MHENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields MH001 MEDICAL HISTORY

Group RefName	Group Type	Associated Variables
IG_11739580946561039_MH01001	Non-Repeating	MHDTTC_001
IG_11739580928750325_MH02001	Repeating	MHSPID_001, MHTERM_001, MHSTDTC_001, X_MHONGO_001, MHENDTC_001, MHLT_001, MHLTCD_001, MHDECOD_001, MHPTCD_001, MHHLT_001, MHHLTCD_001, MHHLGT_001, MHHLGTCD_001, MHSOC_001, MHSOCOD_001

Instruments
VS001_1 / VITAL SIGNS - UNPLANNED

Instrument Definition

Instrument Name:	VS001_1
Instrument Title:	VITAL SIGNS - UNPLANNED
SAS Instrument Name:	VS001_1
Description:	VITALS
Version:	0.33
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: VS001_1 VITAL SIGNS - UNPLANNED (VITALS) [Version: 0.33]		
Section VITAL SIGNS - UNPLANNED VS001_1_S		Permission Groups
Group of Fields VS02001_1 / Vital Signs - II Group Type: Fixed Repeating	Number of rows: 1	

1.	Record Identifier: [VSSPID_001_1] [VSSPID] Row 1 (Locked): 1 - 1	[VSSPID_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: When multiple measurements of a test are performed at the same visit (e.g., triplicate BP measurements), be sure to enter the test and time taken with corresponding result in the order in which they were performed.	
----	---	---	--

2.*	Date: [VSDTC1_001_1] [VSDAT1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of the measurement using this format (DD- MMM-YYYY). NO partial dates allowed. Record the time of the measurement using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45). Important Note: When using "Today" calendar feature, time in these cases will be the current data entry time and needs to be updated to ensure it is the time of assessment.	
-----	--	--	--

3.*	Temperature: [VSORRES_TEMP_001_1] [TEMP]	Number Box (Decimal) Max Value: 999.9 Max Decimal Size: 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value for body temperature.	
4.*	Unit: [VSORRESU_TEMP_001_1] [TEMPU]	[VSORRESU_TEMP_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If temperature unit is not defaulted, choose either F or C.	
5.*	Temperature Location: [VSLOC_TEMP_001_1] [TEMPSRC]	[VSLOC_TEMP_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the location where the body temperature was measured (e.g., EAR, MOUTH).	

Key: [*] = Item is required

Study Object Descriptions: VS001_1 VITAL SIGNS - UNPLANNED		
Type	RefName	Description
Form	CRF_11739573804528652_VS001_1	VS001_1
Item	I_11739583273095327_VSSPID_001_1	
Item	I_11739583281413006_VSDTC1_001_1	
Item	I_11739583290432182_VSORRES_TEMP_001_1	
Item	I_11739583298886568_VSORRESU_TEMP_001_1	
Item	I_11739583307846978_VSLOC_TEMP_001_1	

Codelist Values Tables: VS001_1 VITAL SIGNS - UNPLANNED								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
VSSPID_CL_001_1	0.2			1	1	1	0.1	i_11739583273095327_vsspid_001_1
VSORRESU_TEMP_CL_001_1	0.1			F	1	6	0.1	i_11739583298886568_vsorresu_temp_001_1
				C	2	4	0.1	
VSLOC_TEMP_CL_001_1	0.5			MIDDLE EAR	1	9	0.1	i_11739583307846978_vsloc_temp_001_1
				FOREHEAD	2	410	0.1	
				AXILLA	3	83	0.1	
				ORAL CAVITY	4	60	0.1	

Variable Validations VS001_1 VITAL SIGNS - UNPLANNED				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
VSDTC1_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

VSDTC1_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
VSDTC1_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
VSDTC1_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
VSDTC1_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields VS001_1 VITAL SIGNS - UNPLANNED

Group RefName	Group Type	Associated Variables
IG_11739580979406996_VS02001_1	Fixed Repeating	VSSPID_001_1, VSDTC1_001_1, VSORRES_TEMP_001_1, VSORRESU_TEMP_001_1, VSLOC_TEMP_001_1

Instruments
DM001 / DEMOGRAPHY

Instrument Definition

Instrument Name:	DM001
Instrument Title:	DEMOGRAPHY
SAS Instrument Name:	DM001
Description:	DEMOG
Version:	0.22
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: DM001 <i>DEMOGRAPHY</i> (DEMOG) [Version: 0.22]		
Section DEMOGRAPHY <i>DM001_S</i>		Permission Groups
Group of Fields DM01001 / Demography Group Type: Non-Repeating	Number of variables: 12	

1.* 	Birth Year: [BRTHDTC_001] [BRTHDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Min Year: 1980; Max Year: 2006 Date Time Component Settings: Year* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of birth to the level of precision known (e.g., day /month/year, year, month/year, etc) in this format (DD-MMM-YYYY). Record the time of birth using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45)	
2.* 	Sex: [SEX_001] [SEX]	[SEX_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the subject's sex (e.g., "F" (female), "M" (male)). Record the subject's SEX. Per FDA guidance, 'Sex' refers to classification, based on the subject's genetic composition. Undifferentiated is an optional value for infant subjects.	

3.*	Ethnicity: [ETHNIC_001] [ETHNIC]	[ETHNIC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Study participants should self-report ethnicity, with ethnicity being asked before race. If the participant refuses to provide their Ethnicity, or where local laws prohibit collection of this information, record as "Not Reported".	
4.*	Race: (Check X all that apply): [RACE_001] [RACE]	[RACE_CL_001] Checkboxes Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Study participants should self-report race, with race being asked about after ethnicity. If the participant refuses to provide their Race, or where local laws prohibit collection of this information, record as "Not Reported".	

5.*	Was the subject screened previously in current study? [X_DMRYN_001] [DMRYN]	[X_DMRYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If subject has been rescreened (Y) , enter the first SITE and SUBJECT ID assigned.	
6.*	Initial Site Identifier: [X_DMRSITE_001] [DMRSITE] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.*	Initial Subject Identifier: [X_DMRSUBJ_001] [DMRSUBJ] (Nested Field)	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.	Derived DOB for LNR [D_LNRDTC_001] [LNRDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1980; Max Year: 2006 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: Inr_dob_calculation([study][dycons_BRTHDTC_001], [study] [dycons_INFORMED_CONSENT],null,null)	Database Builder (R) Lead Data Manager (R) Librarian (R)
----	---	---	---

9.	Latest Date in Study (Derived) [D_LASTSTDTC_001] [LASTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: derive_eos_date("Y",[EOT])[DSSTDTC_001_5],[FOLLOW_UP] [DSSTDTC_001_6], "", "", "", "", "", "", null, null)	Database Builder (R) Lead Data Manager (R) Librarian (R)
----	--	--	---

10.	First Dose Date (Derived) [D_FIRSTDOSEDTC_001] [FDOSEDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Database Builder (R) Lead Data Manager (R) Librarian (R)
-----	---	---	---

11.	Last Treatment Disposition Date (Derived) [D_LTRDSDTC_001] [LTRDSDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: max(dataseries([EOT][DSSTDTC_001_5]))	Database Builder (R) Lead Data Manager (R) Librarian (R)
-----	---	--	---

12.	Last Screening Disposition Date (Derived) [D_LSCDSDTC_001] [LSCDSDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: max(dataseries([V1_DAY1_VAX1][DSSTDTC_001_4]))	Database Builder (R) Lead Data Manager (R) Librarian (R)
-----	---	---	---

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: DM001 DEMOGRAPHY

Type	RefName	Description
Form	CRF_11739573953465286_DM001	DM001
Item	I_11739583316451019_BRTHDTC_001	
Item	I_11739583330061401_SEX_001	
Item	I_1173958333888222_ETHNIC_001	
Item	I_11739583347704762_RACE_001	
Item	I_11739583356773202_X_DMRYN_001	
Item	I_11739583365408456_X_DMRSITE_001	
Item	I_11739583374282514_X_DMRSUBJ_001	



Item	I_11739583383399201_D_LNRDTC_001	
Item	I_11739583402207407_D_LASTSTDTC_001	
Item	I_11739583422258097_D_FIRSTDOSEDTC_001	
Item	I_11739583431828426_D_LTRDSDTC_001	
Item	I_11739583448191953_D_LSCDSDTC_001	

Codelist Values Tables: DM001 DEMOGRAPHY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SEX_CL_001	0.2			FEMALE	1	F	0.1	i_11739583330061401_sex_001
				MALE	2	M	0.1	
ETHNIC_CL_001	0.1			HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN	1	HISPANIC OR LATINO	0.1	i_11739583338888222_ethnic_001
				NOT HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN	2	NOT HISPANIC OR LATINO	0.1	
				NOT REPORTED	3	NOT REPORTED	0.1	
RACE_CL_001	0.1			BLACK OR AFRICAN AMERICAN	1	1	0.1	i_11739583347704762_race_001
				AMERICAN INDIAN OR ALASKA NATIVE	2	2	0.1	
				ASIAN	3	3	0.1	
				NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	4	4	0.1	
				WHITE	5	5	0.1	
				NOT REPORTED	6	6	0.1	
				UNKNOWN	7	7	0.1	

X_DMRYN_CL_001	0.1			YES	1	Y	0.1	i_11739583356773202_x_dmryn_001
				NO	2	N	0.1	

Variable Validations DM001 DEMOGRAPHY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
BRTHDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
BRTHDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
BRTHDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
BRTHDTC_001	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
BRTHDTC_001	>=_INFORMED_CONSENT	>=	>=_INFORMED_CONSENT	Date is on or after 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
BRTHDTC_001	>=_ENROLLMENT	>=	>=_ENROLLMENT	Date is on or after 'Enrollment Date'. Please review and update if appropriate.
BRTHDTC_001	>=_RANDOMIZATION	>=	>=_RANDOMIZATION	Date is on or after 'Randomization Date'. Please review and update if appropriate.
BRTHDTC_001	>_END_OF_SCREENING_DISP	>	>_END_OF_SCREENING_DISP	Date is after 'Date of Completion/Discontinuation/Death' on the screening disposition eCRF. Please review and update if appropriate.
BRTHDTC_001	>=_FIRST_DOSE	>=	>=_FIRST_DOSE	Date is on or after the first dose date. Please review and update if appropriate.

Groups of Fields DM001 DEMOGRAPHY

Group RefName	Group Type	Associated Variables
IG_11739580842029528_DM01001	Non-Repeating	BRTHDTC_001, SEX_001, ETHNIC_001, RACE_001, X_DMRYN_001, X_DMRSITE_001, X_DMRSUBJ_001, D_LNRDTC_001, D_LASTSTDTC_001, D_FIRSTDOSEDTC_001, D_LTRDSDTC_001, D_LSCDSDTC_001

Instruments

IE002 / INCLUSION/EXCLUSION CRITERIA

Instrument Definition

Instrument Name:	IE002
Instrument Title:	INCLUSION/EXCLUSION CRITERIA
SAS Instrument Name:	IE002
Description:	INEX
Version:	0.6
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: IE002 <i>INCLUSION/EXCLUSION CRITERIA</i> (INEX) [Version: 0.6]			
Section <i>INCLUSION/EXCLUSION CRITERIA IE002_S</i>			Permission Groups
	Group of Fields IE01002 / Inclusion Criteria Not Met Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

1.*	Identifier of the Inclusion Criterion the subject did not meet: [IESPID_002] [IESPID]	[IESPID_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Inclusion Criterion Identifier. If an entry is made in error and no inclusion criteria were violated, delete the entry by removing all entered text, and then inactivate the blank row.	
2.	Description of the Inclusion Criterion the subject did not meet: [IETEST_002] [IETEST]	[IETEST_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Confirm the criterion description is correct.	
	Group of Fields IE02002 / Exclusion Criteria Met Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

3.*	Identifier of the Exclusion Criterion the subject met: [IESPID1_002] [IESPID1]	[IESPID1_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Exclusion Criterion Identifier. If an entry is made in error and no exclusion criteria were violated, delete the entry by removing all entered text, and then inactivate the blank row.	
4.	Description of the Exclusion Criterion the subject met: [IETEST1_002] [IETEST1]	[IETEST1_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Confirm the criterion description is correct.	

Key: [*] = Item is required

Study Object Descriptions: IE002 INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	CRF_11739574101898219_IE002	IE002
Item	I_11739583464524416_IESPID_002	
Item	I_11739583473964479_IETEST_002	

Item	I_11739583491395530_IESPID1_002	
Item	I_11739583500914075_IETEST1_002	

Codelist Values Tables: IE002 INCLUSION/EXCLUSION CRITERIA

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
IESPID_CL_002	0.2			1	1	1	0.1	i_11739583464524416_iespid_002
				2	2	2	0.1	
				3	3	3	0.1	
				4	4	4	0.1	
IETEST_CL_002	0.2			Participants 18 through 44 years of age (or the minimum age of consent in accordance with local regulations) at screening	1	0_1	0.1	i_11739583473964479_ietest_002
				Healthy participants at enrollment who are determined to be eligible for inclusion in the study. Participants with preexisting chronic medical conditions determined to be stable may be included	2	0_2	0.1	
				Participants who are willing and able to comply with all scheduled visits and study procedures and are expected to be available for the duration of the study	3	0_3	0.1	

			Capable of giving signed informed consent, as described in Appendix 1, Section 10.1.3, which includes compliance with the requirements and restrictions listed in the ICD and in this protocol.	4	0_4	0.1	
IESPID1_CL_002	0.2		1	1	1	0.1	i_11739583491395530_iespid1_002
			2	2	2	0.1	
			3	3	3	0.1	
			4	4	4	0.1	
			5	5	5	0.1	
			6	6	6	0.1	
			7	7	7	0.1	
			8	8	8	0.1	
			9	9	9	0.1	
			10	10	10	0.1	
			11	11	11	0.1	
			12	12	12	0.1	
			13	13	13	0.1	
			14	14	14	0.1	
IETEST1_CL_002	0.3		Pregnant female participants; breastfeeding female participants	1	0_1	0.1	i_11739583500914075_ietest1_002
			Any contraindication to vaccination or vaccine components, including previous anaphylactic reaction to any vaccine or vaccine-related components	2	0_2	0.1	

Underlying clotting deficiency (eg, bleeding disorder, thrombocytopenia) that may increase the risk of excessive bleeding following required study procedures	3	0_3	0.1
Congenital or acquired immunodeficiency (known or suspected) or other conditions /treatments associated with immunosuppression that could inhibit the ability to mount an immune response to a vaccine	4	0_4	0.1
Underlying bone marrow disorder such as myelodysplasia, myeloma, or myeloproliferative disorder, treated within the past year, or any history of bone marrow transplant	5	0_5	0.1
Malignancy that required treatment with chemotherapy, immunotherapy, radiation therapy, or antineoplastic target therapies within the past 24 months	6	0_6	0.1
Any medical or psychiatric condition, including active suicidal ideation/behavior or laboratory abnormality, that may increase the risk of study participation	7	0_7	0.1
Receipt of a previous vaccination for LD	8	0_8	0.1

			Receipt of blood/plasma products or immunoglobulins within 6 months before the first study intervention administration throughout study participation	9	0_9	0.1
			Receipt of systemic corticosteroids (≥ 20 mg/day of prednisone or equivalent) for ≥ 14 days within 28 days before the first study intervention administration throughout study participation	10	0_10	0.1
			Receipt of treatment with known systemic immunosuppressant medications or radiotherapy, within 6 months before the first study intervention administration throughout study participation	11	0_11	0.1
			Receipt of anticoagulant therapy within 28 days before study intervention administration	12	0_12	0.1
			Receipt of an investigational drug or vaccine within 30 days or 5 half-lives of the investigational drug preceding the first study intervention. Planned participation in other interventional studies	13	0_13	0.1
			Investigator site staff directly involved in the conduct of the study and their family members, site staff otherwise supervised by the investigator, and sponsor employees and their family members	14	0_14	0.1

Groups of Fields IE002 INCLUSION/EXCLUSION CRITERIA		
Group RefName	Group Type	Associated Variables
IG_11739580705243500_IE01002	Repeating	IESPID_002, IETEST_002
IG_11739580772317460_IE02002	Repeating	IESPID1_002, IETEST1_002

Instruments

AE001 / ADVERSE EVENT REPORT

Instrument Definition

Instrument Name:	AE001
Instrument Title:	ADVERSE EVENT REPORT
SAS Instrument Name:	AE001
Description:	AE
Version:	0.95
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: AE001 ADVERSE EVENT REPORT (AE) [Version: 0.95]		
Section ADVERSE EVENT REPORT AE001_S		Permission Groups
Group of Fields AE01001 / Adverse Event Report Group Type: Non-Repeating	Number of variables: 39	

1.	Category: [AECAT_001] [AECAT]	[AECAT_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the "Category" for this adverse event.	
2.	AE ID: [AESPID_001] [AESPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Default Value: [\$form_occurrence] Help/Info Text: Record unique identifier for each adverse event for this subject.	
3.* ✓✓	Adverse Event: (If possible specify diagnosis, not individual symptoms): [AETERM_001] [AETERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Help/Info Text: Record the Adverse Event in the space provided. Record only one adverse event term per module, for example, "pain in chest and neck" should be recorded as two separate events "pain in chest" and "pain in neck". When recording adverse event use appropriate medical terminology. Terminology must be consistent for duration of event and for reoccurrence of same event. Terminology must also be consistent throughout the CRF and in references in SAE reports. Do not use abbreviations. Avoid ambiguous terminology. For example, COLD is no longer an accepted term since it can be interpreted as "feeling cold", "common cold", or "chronic obstructive lung disease". When listing an adverse event, record diagnosis not symptom. Record symptom(s) only if a diagnosis cannot be made. If symptom(s) are recorded and subsequently a diagnosis is made, the diagnosis should be captured as a separate adverse event. Symptoms already entered on the CRF that are attributed to the diagnosis should not be removed from the CRF but should be followed until resolved or until end of study as defined per protocol. NOTE: Date of onset of diagnosis is to be decided by the investigator. This may or may not coincide with date of onset of the first symptom. SPECIFIC GUIDANCE FOR MOTOR VEHICLE ACCIDENTS OR FALLS: Motor vehicle accidents should be recorded as adverse events when the subject is the operator of the vehicle, even if an injury did not result. When a motor vehicle accident results in an injury, both the injury and the motor vehicle accident should be recorded as adverse events. When recording a MVA, the subjects should be identified in the investigator/verbatim text as the driver. A motor vehicle is defined as any mechanically or electrically powered device not operated on rails and includes (but is not limited to) cars, trucks, vans, motorcycles, and off-roads vehicles. Boating accidents occurring where the subject is the operator of a boat operating under power should also be reported regard

4.* 	Start Date Time: [AESTDTC_001] [AESTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Start Date of the adverse event using the format (DD-MMM-YYYY). If the actual date is unknown, record an approximate date. When recording the Start Date for an objective test abnormality, record the date of test as the Start Date. If appropriate, record the time (as complete as possible) when the adverse event started, using the 24-hour clock. If the actual time is unknown, record an approximate time. When recording the start time for an objective test abnormality, record the time the sample was drawn or the time the test was performed.	
---	--	--	--

5.* ✓	Is the adverse event still ongoing? [X_AEONGO_001] [AEONGO]	[X_AEONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No", if the adverse event has not resolved at the time of data collection; leave the End Date blank.	
----------	---	---	--

6.* 	End Date Time: [AEENDTC_001] [AEENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date that the AE resolved using this format (DD- MMM-YYYY). If the AE is ongoing, leave the field blank. If appropriate, record the time (as complete as possible) when the adverse event resolved, using the 24-hour clock. If the actual time is unknown, record an approximate time.	
---	---	--	--

7.* 	Date Site Aware of AE <i>[Branching logic expression: [D_AEReport_001]='Y']</i> <i>[SUPPAE_AESAWDTC_001]</i> [AESAWDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.* 	Toxicity Grade: <i>[AETOXGR_001]</i> [AETOXGR]	[AETOXGR_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Toxicity Grade of the adverse event. Refer to CRF Completion Requirements for additional guidance.	

9.* 	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [AESER_001] [AESER]	[AESER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if an adverse event should be classified as serious based on the 'serious' criteria defined in the protocol.	
10.* 	Is this serious event associated with congenital anomaly or birth defect? [AESCONG_001] [AESCONG] (Nested Field)	[AESCONG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this serious event is associated with a congenital anomaly or birth defect.	
11.* 	Did this serious event result in death? [AESDTH_001] [AESDTH] (Nested Field)	[AESDTH_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this serious event has resulted in death.	

12.* 	Did this serious event require or prolong hospitalization? [AESHOSP_001] [AESHOSP] (Nested Field)	[AESHOSP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "YES" or "NO" if this serious event require or prolong hospitalization.	
13.* 	Hospital Admission Date: [D_SAEADMITDTC_001] [SAEADMIT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject was admitted to the hospital using this format (DD-MMM-YYYY)	

14.* 	Hospital Discharge Date: [D_SAEDISCHDTC_001] [SAEDISCH] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject was discharged from the hospital using this format (DD-MMM-YYYY). If the subject is still hospitalized, leave this field blank.	
15.* 	Did this serious event result in persistent or significant disability/incapacity? [AESDISAB_001] [AESDISAB] (Nested Field)	[AESDISAB_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if this serious event has resulted in persistent or significant disability/incapacity.	

16.* ✓✓	Is this serious event life threatening? [AESLIFE_001] [AESLIFE] (Nested Field)	[AESLIFE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
17.* ✓✓	Other Medically Important Serious Event [AESMIE_001] [AESMIE] (Nested Field)	[AESMIE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
18.* ✓✓	Is this Adverse Event Reportable? (This could be either a Serious Adverse Event or a reportable Non-serious Adverse Event) [D_AEREPORT_001] [AEREPORT]	[D_AEREPORT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

19.*	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [SUPPAE_AEMERES_001] [AERME]	[SUPPAE_AEMERES_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No" if the adverse event was the result of a study/background medication error.	
20.* ✓	Is this event related to study treatment: [AEREL_001] [AEREL]	[AEREL_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Assess if this adverse event is related to study treatment.	

21.*	If Not Related to study treatment(s), this event is due to: [AERELNST_001] [AERELNST] (Nested Field)	[AERELNST_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the adverse event is determined not to be related to study treatment, please indicate what this event is due to by selecting from the list provided. If "OTHER" is selected, specify the details in the space provided. If this event is determined to be related to Auxiliary Medicines <insert study specific requirements/drug names> please select 'Auxiliary Medicinal Product' and record this medication on the Concomitant Medication form with a subcategory of 'Auxiliary Medicinal Product'.	
22.*	If Other, specify: [SUPPAE_AERELTXT_001] [AERELT] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record all other reason(s) this adverse event that are unrelated to study treatment.	

23.* ✓✓	Latest Action Taken with Study Treatment: [AEACN_001] [AEACN]	[AEACN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record changes made to the study treatment resulting from the adverse event.	
24.*	Was a Concomitant Medication given? [SUPPAE_AECMGIV_001] [AECMGIV]	[SUPPAE_AECMGIV_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Was a Concomitant Medication given? If yes, record on the Concomitant Medications page	
25.*	Was a Non-Drug Treatment given? [SUPPAE_AENDGIV_001] [AENDGIV]	[SUPPAE_AENDGIV_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page	

26.* 	What was the outcome of this adverse event? [AEOUT_001] [AEOUT]	[AEOUT_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the appropriate outcome of the event in relation to the subject's status.	
27.* 	Did the adverse event cause the subject to be discontinued from the study? [SUPPAE_AESUBJDC_001] [AEDIS]	[SUPPAE_AESUBJDC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No", if the AE caused the subject to discontinue from the study.	
28.* 	Was the AE related to a Pre-filled Syringe? [AERLDEV_001] [AEDEEV]	[AERLDEV_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No", if the adverse event is related to a device.	

29.	Previous ID: [D_PREVID_001] [AEPREVID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
30.	Lowest Level Term [AELLT_001] [AELLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
31.	Lowest Level Term Code [AELLTCD_001] [AELLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)

32.	Dictionary Derived Term [AEDECOD_001] [AEDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
33.	Preferred Term Code [AEPTCD_001] [AEPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
34.	High Level Term [AEHLT_001] [AEHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)

35.	High Level Term Code [AEHLTCD_001] [AEHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
36.	High Level Group Term [AEHLGT_001] [AEHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
37.	High Level Group Term Code [AEHLGTCD_001] [AEHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)

38.	Primary System Organ Class [AESOC_001] [AESOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	<i>TMS_integration</i> (R,U) <i>Read Only</i> (R) <i>Database Builder</i> (R) <i>Clinical</i> (R) <i>Lead Data Manager</i> (R) <i>Librarian</i> (R) <i>LabTech</i> (R)
39.	Primary System Organ Class Code [AESOCCD_001] [AESOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	<i>TMS_integration</i> (R,U) <i>Read Only</i> (R) <i>Database Builder</i> (R) <i>Clinical</i> (R) <i>Lead Data Manager</i> (R) <i>Librarian</i> (R) <i>LabTech</i> (R)
	Group of Fields AE02001 / Safety Information Group Type: Non-Repeating	Number of variables: 10	

40.*	Case ID: [D_CASEID_001] [AECASEID]	Dynamic List Expression Active: Disabled Derived Codelist Expression: safety_cases([AESER_001] = 'Y' OR [D_AEREPOR_001] = 'Y') Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
41.*	Country in which the event occurred: [D_SAE_COUNTR1_001] [AECNTRY]	[D_SAE_COUNTR1_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the country where the participant was when the event occurred. Please note that this country may be different from the location of a study site if, for example, the participant was on vacation in another country when the event occurred.	

42.*	What was the result of re-challenge for Study Treatment? [D_RECHALAE_001] [AERECHL]	[D_RECHALAE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the study treatment was re-introduced. Positive Re-challenge: When the study treatment was reintroduced and the AE reappeared Negative Re-challenge: When the study treatment was reintroduced and the AE did not reappear Not Applicable: When the study treatment was not re-introduced Unknown: When the study treatment was reintroduced, but the result of re-challenge was unknown	
43.*	Is there a reasonable possibility that the event is related to a Clinical Trial Procedure? [D_CTPROYN1_001] [AERELCTP]	[D_CTPROYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

44.*	Clinical Trial Procedure [D_CTPROCEDURE1_001] [AECTP] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
45.*	Did the subject experience any signs or symptoms associated with this event prior to the Start Date of this event, even if non-serious at the time? [D_SAEAEOST_001] [SAEAEOST]	[D_SAEAEOST_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

46.*	If yes, enter the date the subject first experienced a sign or symptom associated with this event? [D_SAEAESTDTC_001] [SAEAESTD] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Start Date of the first sign or symptom associated with this event in the format (DD-MMM-YYYY).	
47.*	Did the subject experience any signs or symptoms associated with this event after the End Date of this event, even if non-serious at the time? [D_SAEAEOUTYN_001] [AENSSYMP]	[D_SAEAEOUTYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "YES" or "NO" if the subject experienced any signs or symptoms associated with this event after the End Date of this event even if non-serious at the time	

48.*	If yes, enter the outcome of the last sign or symptom associated with this event [D_SAEAEOUT_001] [AEFOUTS] (Nested Field)	[D_SAEAEOUT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record final outcome of the last sign or symptom associated with this event	
49.*	If yes, enter the date the subject last experienced a sign or symptom associated with this event [Branching logic expression: [D_SAEAEOUT_001] = '1' or [D_SAEAEOUT_001] = '3' OR [D_SAEAEOUT_001] = '4'] [D_SAEAEOUTDTC_001] [AESYMPDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record date the subject last experienced a sign or symptom associated with this event in the format (DD-MMM-YYYY)	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: AE001 ADVERSE EVENT REPORT

Type	RefName	Description
Form	CRF_11739574250122600_AE001	AE001
Item	I_11739583606730015_AECAT_001	
Item	I_11739583616159583_AESPID_001	
Item	I_11739583628574119_AETERM_001	
Item	I_11739583637810044_AESTDTC_001	
Item	I_11739583647561159_X_AEONGO_001	
Item	I_11739583655385967_AEENDTC_001	
Item	I_11739583663819741_SUPPAE_AESAWDTC_001	
Item	I_11739583952964070_AETOXGR_001	
Item	I_11739583856783272_AESER_001	
Item	I_11739583865860516_AESCONG_001	
Item	I_11739583884666803_AESDTH_001	
Item	I_11739583894172286_AESHOSP_001	
Item	I_11739583903650527_D_SAEADMITDTC_001	
Item	I_11739583913507128_D_SAEDISCHDTC_001	
Item	I_11739583875020100_AESDISAB_001	
Item	I_11739583923249413_AESLIFE_001	
Item	I_11739583932707503_AESMIE_001	
Item	I_11739583751983220_D_AEREPOR_001	
Item	I_11739583675042847_SUPPAE_AEMERES_001	
Item	I_11739583682730850_AEREL_001	
Item	I_11739583690467788_AERELNST_001	
Item	I_11739583698659205_SUPPAE_AERELTXT_001	
Item	I_11739583706530733_AEACN_001	

Item	I_11739583714487859_SUPPAE_AECMGIV_001	
Item	I_11739583722563599_SUPPAE_AENDGIV_001	
Item	I_11739583730910119_AEOUT_001	
Item	I_11739583741541178_SUPPAE_AESUBJDC_001	
Item	I_11739583942573941_AERLDEV_001	
Item	I_11739583760391452_D_PREVID_001	
Item	I_11739583768799290_AELLT_001	
Item	I_11739583777320606_AELLTCD_001	
Item	I_11739583785970974_AEDECOD_001	
Item	I_11739583794441738_AEPTCD_001	
Item	I_11739583803174453_AEHLT_001	
Item	I_11739583812023059_AEHLTCD_001	
Item	I_11739583820795759_AEHLGT_001	
Item	I_11739583830372881_AEHLGTCD_001	
Item	I_11739583839240737_AESOC_001	
Item	I_11739583847991266_AESOCCD_001	
Item	I_11739583519205771_D_CASEID_001	
Item	I_11739583599240538_D_SAEACOUNTRY1_001	
Item	I_11739583533506326_D_RECHALAE_001	
Item	I_11739583542929847_D_CTPROYN1_001	
Item	I_11739583551672097_D_CTPROCEDURE1_001	
Item	I_11739583560108137_D_SAEAEOST_001	
Item	I_11739583567087922_D_SAEAESTDTC_001	
Item	I_11739583574750833_D_SAEAEOUTYN_001	
Item	I_11739583591953007_D_SAEAEOUT_001	
Item	I_11739583581878919_D_SAEAEOUTDTC_001	

Codelist Values Tables: AE001 ADVERSE EVENT REPORT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
AECAT_CL_001	0.2			ADVERSE EVENT	1	1	0.1	i_11739583606730015_aecat_001
				NEWLY DIAGNOSED CHRONIC MEDICAL CONDITION	2	22	0.1	
				AE OF SPECIAL INTEREST	3	43	0.1	
X_AEONGO_CL_001	0.1			NO	1	N	0.1	i_11739583647561159_x_aeongo_001
				YES	2	Y	0.1	
AETOXGR_CL_001	0.2			1	1	2	0.1	i_11739583952964070_aetoxgr_001
				2	2	3	0.1	
				3	3	4	0.1	
				4	4	5	0.1	
AESER_CL_001	0.1			YES	1	Y	0.1	i_11739583856783272_aeser_001
				NO	2	N	0.1	
AESCONG_CL_001	0.1			YES	1	Y	0.1	i_11739583865860516_aescong_001
				NO	2	N	0.1	
AESDTH_CL_001	0.1			YES	1	Y	0.1	i_11739583884666803_aesdth_001
				NO	2	N	0.1	
AESHOSP_CL_001	0.1			YES	1	Y	0.1	i_11739583894172286_aeshosp_001
				NO	2	N	0.1	
AESDISAB_CL_001	0.1			YES	1	Y	0.1	i_11739583875020100_aesdisab_001
				NO	2	N	0.1	
AESLIFE_CL_001	0.1			YES	1	Y	0.1	i_11739583923249413_aeslife_001
				NO	2	N	0.1	

AESMIE_CL_001	0.1			YES	1	Y	0.1	i_11739583932707503_aesmie_001
				NO	2	N	0.1	
D_AEREPORCL_001	0.1			NO	1	N	0.1	i_11739583751983220_d_aereport_001
				YES	2	Y	0.1	
SUPPAE_AEMERES_CL_001	0.1			YES	1	Y	0.1	i_11739583675042847_suppaes_aemeres_001
				NO	2	N	0.1	
AEREL_CL_001	0.1			NOT RELATED	1	1	0.1	i_11739583682730850_aerel_001
				RELATED	2	2	0.1	
AERELNST_CL_001	0.1			CONCOMITANT DRUG TREATMENT	1	1	0.1	i_11739583690467788_aerelnst_001
				CONCOMITANT NON-DRUG TREATMENT	2	2	0.1	
				OTHER	3	3	0.1	
AEACN_CL_001	0.2			DRUG WITHDRAWN	1	5	0.1	i_11739583706530733_aeacn_001
				NOT APPLICABLE	2	6	0.1	
SUPPAE_AECMGIV_CL_001	0.1			YES	1	Y	0.1	i_11739583714487859_suppaes_aecmgiv_001
				NO	2	N	0.1	
SUPPAE_AENDGIV_CL_001	0.1			YES	1	Y	0.1	i_11739583722563599_suppaes_aendgiv_001
				NO	2	N	0.1	
AEOUT_CL_001	0.1			FATAL	1	1	0.1	i_11739583730910119_aeout_001
				NOT RECOVERED/NOT RESOLVED	2	2	0.1	
				RECOVERED/RESOLVED	3	3	0.1	
				RECOVERED/RESOLVED WITH SEQUELAE	4	4	0.1	
				RECOVERING /RESOLVING	5	5	0.1	
				UNKNOWN	6	6	0.1	

SUPPAE_AESUBJDC_CL_001	0.1			YES	1	Y	0.1	i_11739583741541178_suppaesubjdc_001
				NO	2	N	0.1	
AERLDEV_CL_001	0.1			YES	1	Y	0.1	i_11739583942573941_aerldev_001
				NO	2	N	0.1	
D_SAEOUNTRY_CL_001	0.2			AFGHANISTAN	1	1	0.1	i_11739583599240538_d_saecountry1_001
				ELAND ISLANDS	2	2	0.1	
				ALBANIA	3	3	0.1	
				ALGERIA	4	4	0.1	
				AMERICAN SAMOA	5	5	0.1	
				ANDORRA	6	6	0.1	
				ANGOLA	7	7	0.1	
				ANGUILLA	8	8	0.1	
				ANTARCTICA	9	9	0.1	
				ANTIGUA AND BARBUDA	10	10	0.1	
				ARGENTINA	11	11	0.1	
				ARMENIA	12	12	0.1	
				ARUBA	13	13	0.1	
				AUSTRALIA	14	14	0.1	
				AUSTRIA	15	15	0.1	
				AZERBAIJAN	16	16	0.1	
				BAHAMAS	17	17	0.1	
				BAHRAIN	18	18	0.1	
				BANGLADESH	19	19	0.1	
				BARBADOS	20	20	0.1	
				BELARUS	21	21	0.1	
				BELGIUM	22	22	0.1	
				BELIZE	23	23	0.1	

BENIN	24	24	0.1
BERMUDA	25	25	0.1
BHUTAN	26	26	0.1
BOLIVIA	27	27	0.1
BOSNIA AND HERZEGOVINA	28	28	0.1
BOTSWANA	29	29	0.1
BOUVET ISLAND	30	30	0.1
BRAZIL	31	31	0.1
BRITISH INDIAN OCEAN TERRITORY	32	32	0.1
BRUNEI DARUSSALAM	33	33	0.1
BULGARIA	34	34	0.1
BURKINA FASO	35	35	0.1
BURUNDI	36	36	0.1
CAMBODIA	37	37	0.1
CAMEROON	38	38	0.1
CANADA	39	39	0.1
CAPE VERDE	40	40	0.1
CAYMAN ISLANDS	41	41	0.1
CENTRAL AFRICAN REPUBLIC	42	42	0.1
CHAD	43	43	0.1
CHILE	44	44	0.1
CHRISTMAS ISLAND	45	45	0.1
COCOS (KEELING) ISLANDS	46	46	0.1
COLOMBIA	47	47	0.1

COMOROS	48	48	0.1
CONGO	49	49	0.1
CONGO, DEMOCRATIC REPUBLIC OF THE	50	50	0.1
COOK ISLANDS	51	51	0.1
COSTA RICA	52	52	0.1
COTE D'IVOIRE	53	53	0.1
CROATIA	54	54	0.1
CUBA	55	55	0.1
CYPRUS	56	56	0.1
CZECH REPUBLIC	57	57	0.1
DENMARK	58	58	0.1
DJIBOUTI	59	59	0.1
DOMINICA	60	60	0.1
DOMINICAN REPUBLIC	61	61	0.1
ECUADOR	62	62	0.1
EGYPT	63	63	0.1
EL SALVADOR	64	64	0.1
EQUATORIAL GUINEA	65	65	0.1
ERITREA	66	66	0.1
ESTONIA	67	67	0.1
ETHIOPIA	68	68	0.1
FALKLAND ISLANDS (MALVINAS)	69	69	0.1
FAROE ISLANDS	70	70	0.1
FIJI	71	71	0.1
FINLAND	72	72	0.1

FRANCE	73	73	0.1
FRENCH GUIANA	74	74	0.1
FRENCH POLYNESIA	75	75	0.1
FRENCH SOUTHERN TERRITORIES	76	76	0.1
GABON	77	77	0.1
GAMBIA	78	78	0.1
GEORGIA	79	79	0.1
GERMANY	80	80	0.1
GHANA	81	81	0.1
GIBRALTAR	82	82	0.1
GREECE	83	83	0.1
GREENLAND	84	84	0.1
GRENADA	85	85	0.1
GUADELOUPE	86	86	0.1
GUAM	87	87	0.1
GUATEMALA	88	88	0.1
GUERNSEY	89	89	0.1
GUINEA	90	90	0.1
GUINEA-BISSAU	91	91	0.1
GUYANA	92	92	0.1
HAITI	93	93	0.1
HEARD ISLAND AND MCDONALD ISLANDS	94	94	0.1
HONDURAS	95	95	0.1
HONG KONG	96	96	0.1
HUNGARY	97	97	0.1

ICELAND	98	98	0.1
INDIA	99	99	0.1
INDONESIA	100	100	0.1
IRAN	101	101	0.1
IRAQ	102	102	0.1
IRELAND	103	103	0.1
ISLE OF MAN	104	104	0.1
ISRAEL	105	105	0.1
ITALY	106	106	0.1
JAMAICA	107	107	0.1
JAPAN	108	108	0.1
JERSEY	109	109	0.1
JORDAN	110	110	0.1
KAZAKHSTAN	111	111	0.1
KENYA	112	112	0.1
KIRIBATI	113	113	0.1
KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF	114	114	0.1
KOREA, REPUBLIC OF	115	115	0.1
KUWAIT	116	116	0.1
KYRGYZSTAN	117	117	0.1
LAO PEOPLE'S DEMOCRATIC REPUBLIC	118	118	0.1
LATVIA	119	119	0.1
LEBANON	120	120	0.1
LESOTHO	121	121	0.1
LIBERIA	122	122	0.1

LIBYAN ARAB JAMAHIRIYA	123	123	0.1
LIECHTENSTEIN	124	124	0.1
LITHUANIA	125	125	0.1
LUXEMBOURG	126	126	0.1
MACAO	127	127	0.1
MACEDONIA, FORMER YUGOSLAV REPUBLIC OF	128	128	0.1
MADAGASCAR	129	129	0.1
MALAWI	130	130	0.1
MALAYSIA	131	131	0.1
MALDIVES	132	132	0.1
MALI	133	133	0.1
MALTA	134	134	0.1
MARSHALL ISLANDS	135	135	0.1
MARTINIQUE	136	136	0.1
MAURITANIA	137	137	0.1
MAURITIUS	138	138	0.1
MAYOTTE	139	139	0.1
MEXICO	140	140	0.1
MICRONESIA	141	141	0.1
MOLDOVA	142	142	0.1
MONACO	143	143	0.1
MONGOLIA	144	144	0.1
MONTENEGRO	145	145	0.1
MONTSERRAT	146	146	0.1
MOROCCO	147	147	0.1

MOZAMBIQUE	148	148	0.1
MYANMAR	149	149	0.1
NAMIBIA	150	150	0.1
NAURU	151	151	0.1
NEPAL	152	152	0.1
NETHERLANDS	153	153	0.1
NETHERLANDS ANTILLES	154	154	0.1
NEW CALEDONIA	155	155	0.1
NEW ZEALAND	156	156	0.1
NICARAGUA	157	157	0.1
NIGER	158	158	0.1
NIGERIA	159	159	0.1
NIUE	160	160	0.1
NORFOLK ISLAND	161	161	0.1
NORTHERN MARIANA ISLANDS	162	162	0.1
NORWAY	163	163	0.1
OMAN	164	164	0.1
PAKISTAN	165	165	0.1
PALAU	166	166	0.1
PALESTINIAN TERRITORY, OCCUPIED	167	167	0.1
PANAMA	168	168	0.1
PAPUA NEW GUINEA	169	169	0.1
PARAGUAY	170	170	0.1
PERU	171	171	0.1
PHILIPPINES	172	172	0.1

PITCAIRN	173	173	0.1
POLAND	174	174	0.1
PORTUGAL	175	175	0.1
PUERTO RICO	176	176	0.1
QATAR	177	177	0.1
REUNION	178	178	0.1
ROMANIA	179	179	0.1
RUSSIAN FEDERATION	180	180	0.1
RWANDA	181	181	0.1
SAINT BARTHELEMY	182	182	0.1
SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA	183	183	0.1
SAINT KITTS AND NEVIS	184	184	0.1
SAINT LUCIA	185	185	0.1
SAINT MARTIN	186	186	0.1
SAINT PIERRE AND MIQUELON	187	187	0.1
SAINT VINCENT AND THE GRENADINES	188	188	0.1
SAMOA	189	189	0.1
SAN MARINO	190	190	0.1
SAO TOME AND PRINCIPE	191	191	0.1
SAUDI ARABIA	192	192	0.1
SENEGAL	193	193	0.1
SERBIA	194	194	0.1
SEYCHELLES	195	195	0.1

SIERRA LEONE	196	196	0.1
SINGAPORE	197	197	0.1
SLOVAKIA	198	198	0.1
SLOVENIA	199	199	0.1
SOLOMON ISLANDS	200	200	0.1
SOMALIA	201	201	0.1
SOUTH AFRICA	202	202	0.1
SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS	203	203	0.1
SPAIN	204	204	0.1
SRI LANKA	205	205	0.1
SUDAN	206	206	0.1
SURINAME	207	207	0.1
SVALBARD AND JAN MAYEN	208	208	0.1
SWAZILAND	209	209	0.1
SWEDEN	210	210	0.1
SWITZERLAND	211	211	0.1
SYRIAN ARAB REPUBLIC	212	212	0.1
TAIWAN	213	213	0.1
TAJIKISTAN	214	214	0.1
THAILAND	215	215	0.1
TIMOR-LESTE	216	216	0.1
TOGO	217	217	0.1
TOKELAU	218	218	0.1
TONGA	219	219	0.1
TRINIDAD AND TOBAGO	220	220	0.1

				TUNISIA	221	221	0.1	
				TURKEY	222	222	0.1	
				TURKMENISTAN	223	223	0.1	
				TURKS AND CAICOS ISLAND	224	224	0.1	
				TUVALU	225	225	0.1	
				UGANDA	226	226	0.1	
				UKRAINE	227	227	0.1	
				UNITED ARAB EMIRATES	228	228	0.1	
				UNITED KINGDOM	229	229	0.1	
				URUGUAY	230	230	0.1	
				UZBEKISTAN	231	231	0.1	
				VANUATU	232	232	0.1	
				VATICAN CITY STATE	233	233	0.1	
				VENEZUELA	234	234	0.1	
				VIET NAM	235	235	0.1	
				VIRGIN ISLANDS, BRITISH	236	236	0.1	
				VIRGIN ISLANDS, U.S.	237	237	0.1	
				WALLIS AND FUTUNA	238	238	0.1	
				WESTERN SAHARA	239	239	0.1	
				YEMEN	240	240	0.1	
				ZAMBIA	241	241	0.1	
				ZIMBABWE	242	242	0.1	
				CHINA	243	243	0.1	
				TANZANIA	244	244	0.1	
				UNITED STATES	245	245	0.1	
D_RECHALAE_CL_001	0.1			POSITIVE	1	1	0.1	i_11739583533506326_d_rechalaе_001

				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	
D_CTPROYN_CL_001	0.1			NO	1	N	0.1	i_11739583542929847_d_ctproyn1_001
				YES	2	Y	0.1	
D_SAEAEOST_CL_001	0.1			YES	1	Y	0.1	i_11739583560108137_d_saeaeost_001
				NO	2	N	0.1	
D_SAEAEOUTYN_CL_001	0.1			NO	1	N	0.1	i_11739583574750833_d_saeaeoutyn_001
				YES	2	Y	0.1	
D_SAEAEOUT_CL_001	0.1			FATAL	1	1	0.1	i_11739583591953007_d_saeaeout_001
				NOT RECOVERED/NOT RESOLVED	2	2	0.1	
				RECOVERED/RESOLVED	3	3	0.1	
				RECOVERED/RESOLVED WITH SEQUELAE	4	4	0.1	
				RECOVERING /RESOLVING	5	5	0.1	
				UNKNOWN	6	6	0.1	

Variable Validations AE001 ADVERSE EVENT REPORT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AESTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AESTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AESTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AESTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.

AESTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AEENDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AEENDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AEENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AEENDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AEENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
SUPPAE_AESAWDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEADMITDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEADMITDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEADMITDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEADMITDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEADMITDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEDISCHDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEDISCHDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

D_SAEDISCHDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEDISCHDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEDISCHDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEAESTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEAESTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEAESTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEAESTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEAESTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
D_SAEAEOUTDTC_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
D_SAEAEOUTDTC_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
D_SAEAEOUTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
D_SAEAEOUTDTC_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
D_SAEAEOUTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields AE001 ADVERSE EVENT REPORT

Group RefName	Group Type	Associated Variables
IG_11739580890617852_AE01001	Non-Repeating	AECAT_001, AESPID_001, AETERM_001, AESTDTC_001, X_AEONGO_001, AEENDTC_001, SUPPAE_AESAWDTC_001, AETOXGR_001, AESER_001, AESCONG_001, AESDTH_001, AESHOSP_001, D_SAEADMITDTC_001, D_SAEDISCHDTC_001, AESDISAB_001, AESLIFE_001, AESMIE_001, D_AEREPOR_001, SUPPAE_AEMERES_001, AEREL_001, AERELNST_001, SUPPAE_AERELTXT_001, AEACN_001, SUPPAE_AECMGIV_001, SUPPAE_AENDGIV_001, AEOUT_001, SUPPAE_AESUBJDC_001, AERLDEV_001, D_PREVID_001, AELLT_001, AELLTCD_001, AEDECOD_001, AEPTCD_001, AEHLT_001, AEHLTCD_001, AEHLGT_001, AEHLGTCD_001, AESOC_001, AESOCCD_001

IG_11739580879182781_AE02001	Non-Repeating	D_CASEID_001, D_SAE COUNTRY1_001, D_RECHALAE_001, D_CTPROYN1_001, D_CTPROCEDURE1_001, D_SAEAEOST_001, D_SAEAESTDTC_001, D_SAEAEOUTYN_001, D_SAEAEOUT_001, D_SAEAEOUTDTC_001
------------------------------	---------------	---

Instruments
AE001_1 / MEDICATION ERROR

Instrument Definition

Instrument Name:	AE001_1
Instrument Title:	MEDICATION ERROR
SAS Instrument Name:	AE001_1
Description:	MED ERROR
Version:	0.32
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: AE001_1 <i>MEDICATION ERROR</i> (MED ERROR) [Version: 0.32]		
Section <i>MEDICATION ERROR AE001_1_S</i>		Permission Groups
Group of Fields AE01001_1 / Medication Error Report Group Type: Non-Repeating	Number of variables: 20	

1.	Category: [AECAT_001_1] [AECAT]	[AECAT_CL_001_1] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 21 Help/Info Text: Record the "Category" for this adverse event.	
2.* ✓✓	Medication Error: (If possible specify diagnosis, not individual symptoms) (Type of medication error) [AETERM_001_1] [AETERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Help/Info Text: Record the Adverse Event in the space provided. Record only one adverse event term per module, for example, "pain in chest and neck" should be recorded as two separate events "pain in chest" and "pain in neck". When recording adverse event use appropriate medical terminology. Terminology must be consistent for duration of event and for reoccurrence of same event. Terminology must also be consistent throughout the CRF and in references in SAE reports. Do not use abbreviations. Avoid ambiguous terminology. For example, COLD is no longer an accepted term since it can be interpreted as "feeling cold", "common cold", or "chronic obstructive lung disease". When listing an adverse event, record diagnosis not symptom. Record symptom(s) only if a diagnosis cannot be made. If symptom(s) are recorded and subsequently a diagnosis is made, the diagnosis should be captured as a separate adverse event. Symptoms already entered on the CRF that are attributed to the diagnosis should not be removed from the CRF but should be followed until resolved or until end of study as defined per protocol. NOTE: Date of onset of diagnosis is to be decided by the investigator. This may or may not coincide with date of onset of the first symptom. SPECIFIC GUIDANCE FOR MOTOR VEHICLE ACCIDENTS OR FALLS: Motor vehicle accidents should be recorded as adverse events when the subject is the operator of the vehicle, even if an injury did not result. When a motor vehicle accident results in an injury, both the injury and the motor vehicle accident should be recorded as adverse events. When recording a MVA, the subjects should be identified in the investigator/verbatim text as the driver. A motor vehicle is defined as any mechanically or electrically powered device not operated on rails and includes (but is not limited to) cars, trucks, vans, motorcycles, and off-roads vehicles. Boating accidents occurring where the subject is the operator of a boat operating under power should also be reported regard

3.* 	Start Date Time: [AESTDTC_001_1] [AESTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Start Date of the adverse event using the format (DD-MMM-YYYY). If the actual date is unknown, record an approximate date. When recording the Start Date for an objective test abnormality, record the date of test as the Start Date. If appropriate, record the time (as complete as possible) when the adverse event started, using the 24-hour clock. If the actual time is unknown, record an approximate time. When recording the start time for an objective test abnormality, record the time the sample was drawn or the time the test was performed.	
---	--	---	--

4.* 	End Date Time: [AEENDTC_001_1] [AEENDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* [Allow Unknown], Default = 0 Minute* [Allow Unknown], Default = 0 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date that the AE resolved using this format (DD- MMM-YYYY). If the AE is ongoing, leave the field blank. If appropriate, record the time (as complete as possible) when the adverse event resolved, using the 24-hour clock. If the actual time is unknown, record an approximate time.	
---	--	---	--

5.* ✓	Was this medication error associated with any adverse events? [SUPPAE_AEMEFL_001_1] [AEMERAE]	[SUPPAE_AEMEFL_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "YES" or "NO" if the medication error is associated with any adverse events.	
6.*	Was a Concomitant Medication given? [SUPPAE_AECMGIV_001_1] [AECMGIV]	[SUPPAE_AECMGIV_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Was a Concomitant Medication given? If yes, record on the Concomitant Medications page	
7.*	Was a Non-Drug Treatment given? [SUPPAE_AENDGIV_001_1] [AENDGIV]	[SUPPAE_AENDGIV_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page	

8.* 	Was the Medication Error related to a Pre-filled Syringe? [AERLDEV_001_1] [AEDEV]	[AERLDEV_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record "Yes" or "No", if the adverse event is related to a device.	
9.	If this is a dispensing error, record the incorrect package ID that was dispensed /administered to the subject: [SUPPAE_AEIPKGID_001_1] [AEINPKG]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the packing identification.	

10.* ✓	Latest Action Taken with Study Treatment: [SUPPAE_AEMEACN_001_1] [AESTDME]	[SUPPAE_AEMEACN_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the study treatment resulting from the medication error. DOSE INCREASED: An indication that a medication schedule was modified by addition; either by changing the frequency, strength or amount. DOSE NOT CHANGED: An indication that a medication schedule was maintained. DOSE REDUCED: An indication that a medication schedule was modified by subtraction, either by changing the frequency, strength or amount. DRUG INTERRUPTED: An indication that a medication schedule was modified by temporarily terminating a prescribed regimen of medication. DRUG WITHDRAWN: An indication that a medication schedule was modified through termination of a prescribed regimen of medication. NOT APPLICABLE: Determination of a value is not relevant in the current context. UNKNOWN: Not known, not observed, not recorded, or refused. FOR ONCOLOGY ONLY: Refer to the READ ME DOCUMENT - FOR ONCOLOGY USE ONLY	
11.	Lowest Level Term [AELLT_001_1] [AELLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)

12.	Lowest Level Term Code [AELLTCD_001_1] [AELLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
13.	Dictionary Derived Term [AEDECOD_001_1] [AEDECOD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
14.	Preferred Term Code [AEPTCD_001_1] [AEPTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)

15.	High Level Term [AEHLT_001_1] [AEHLT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
16.	High Level Term Code [AEHLTCD_001_1] [AEHLTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
17.	High Level Group Term [AEHLGT_001_1] [AEHLGT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)

18.	High Level Group Term Code [AEHLGTCD_001_1] [AEHLGTCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
19.	Primary System Organ Class [AESOC_001_1] [AESOC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
20.	Primary System Organ Class Code [AESOCCD_001_1] [AESOCCD]	Text Box Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: AE001_1 MEDICATION ERROR		
Type	RefName	Description
Form	CRF_11739574398227406_AE001_1	AE001_1
Item	I_11739583962485348_AECAT_001_1	
Item	I_11739583971903486_AETERM_001_1	
Item	I_11739583981380078_AESTDTC_001_1	
Item	I_11739583991306087_AEENDTC_001_1	
Item	I_11739584000605652_SUPPAE_AEMEFL_001_1	
Item	I_11739584009320488_SUPPAE_AECMGIV_001_1	
Item	I_11739584018053269_SUPPAE_AENDGIV_001_1	
Item	I_11739584116165994_AERLDEV_001_1	
Item	I_11739584025201384_SUPPAE_AEIPKGID_001_1	
Item	I_11739584032239460_SUPPAE_AEMEACN_001_1	
Item	I_11739584039529000_AELLT_001_1	
Item	I_11739584048161497_AELLTCD_001_1	
Item	I_11739584055336394_AEDECOD_001_1	
Item	I_11739584062685349_AEPTCD_001_1	
Item	I_11739584070087646_AEHLT_001_1	
Item	I_11739584077557898_AEHLTCD_001_1	
Item	I_11739584084922894_AEHLGT_001_1	
Item	I_11739584092380617_AEHLGTCD_001_1	
Item	I_11739584099972667_AESOC_001_1	
Item	I_11739584107767198_AESOCCD_001_1	

Codelist Values Tables: AE001_1 MEDICATION ERROR

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
AECAT_CL_001_1	0.2			MEDICATION ERROR	1	21	0.1	i_11739583962485348_aecat_001_1
SUPPAE_AEMEFL_CL_001_1	0.1			YES	1	Y	0.1	i_11739584000605652_suppaе_aemeфl_001_1
				NO	2	N	0.1	
SUPPAE_AECMGIV_CL_001_1	0.1			YES	1	Y	0.1	i_11739584009320488_suppaе_aecmgiv_001_1
				NO	2	N	0.1	
SUPPAE_AENDGIV_CL_001_1	0.1			YES	1	Y	0.1	i_11739584018053269_suppaе_aendgiv_001_1
				NO	2	N	0.1	
AERLDEV_CL_001_1	0.1			YES	1	Y	0.1	i_11739584116165994_aerldev_001_1
				NO	2	N	0.1	
SUPPAE_AEMEACN_CL_001_1	0.2			NO ACTION TAKEN	1	1	0.1	i_11739584032239460_suppaе_aemeacn_001_1
				PERMANENTLY DISCONTINUED	2	4	0.1	

Variable Validations AE001_1 MEDICATION ERROR				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AESTDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AESTDTC_001_1	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
AESTDTC_001_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
AESTDTC_001_1	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
AESTDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AESTDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AESTDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

AESTDTC_001_1	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
AESTDTC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
AEENDTC_001_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
AEENDTC_001_1	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
AEENDTC_001_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
AEENDTC_001_1	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
AEENDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AEENDTC_001_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
AEENDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AEENDTC_001_1	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
AEENDTC_001_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields AE001_1 MEDICATION ERROR

Group RefName	Group Type	Associated Variables
IG_11739580870242572_AE01001_1	Non-Repeating	AECAT_001_1, AETERM_001_1, AESTDTC_001_1, AEENDTC_001_1, SUPPAE_AEMEFL_001_1, SUPPAE_AECMGIV_001_1, SUPPAE_AENDGIV_001_1, AERLDEV_001_1, SUPPAE_AEIPKGID_001_1, SUPPAE_AEMEACN_001_1, AELLT_001_1, AELLTCD_001_1, AEDECOD_001_1, AEPTCD_001_1, AEHLT_001_1, AEHLTCD_001_1, AEHLGT_001_1, AEHLGTCD_001_1, AESOC_001_1, AESOCCD_001_1

Instruments

DS001_5 / DISPOSITION - TREATMENT

Instrument Definition

Instrument Name:	DS001_5
Instrument Title:	DISPOSITION - TREATMENT
SAS Instrument Name:	DS001_5
Description:	DISP TRT
Version:	0.17
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: DS001_5 DISPOSITION - TREATMENT (DISP TRT) [Version: 0.17]		
Section DISPOSITION - TREATMENT DS001_5_S		Permission Groups
Group of Fields DS01001_5 / Disposition - Treatment Group Type: Non-Repeating	Number of variables: 4	

1.* 	Date of Completion/Discontinuation/Death: [DSSTDTC_001_5] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Date using the format (DD-MMM-YYYY). Partial dates are permitted only when the Status of the subject is DEATH	
2.	Phase of Disposition: [SUPPDS_DSPHASE_001_5] [DSPHASE]	[SUPPDS_DSPHASE_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 4 Help/Info Text: Record the disposition phase the subject completed or discontinued.	

3.* ✓	Status: [DSDECOD_001_5] [DSDECOD]	[DSDECOD_CL_001_5] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the primary reason for participant at the conclusion of their treatment phase. Please refer to the CRF Completion Requirements for additional instruction.	
4.*	Specify Status: <i>[Branching logic expression: [DSDECOD_001_5]='7' or [DSDECOD_001_5]='16' or [DSDECOD_001_5]='19']</i> [DSTERM_001_5] [DSTERM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Reason for discontinuation should be entered in this data field when "Other", "Withdrawal By Subject" or "Withdrawal By Parent/Guardian" is selected from the "Status" list. Data entry is only expected for this data field when one of the above statuses has been entered. Avoid abbreviations.	

Key: [*] = Item is required ✓ = Source verification required

Study Object Descriptions: DS001_5 DISPOSITION - TREATMENT		
Type	RefName	Description
Form	CRF_11739574546864772_DS001_5	DS001_5

Item	I_11739584124685513_DSSTDTC_001_5	
Item	I_11739584132762533_SUPPDS_DSPHASE_001_5	
Item	I_11739584140487459_DSDECOD_001_5	
Item	I_11739584148501274_DSTERM_001_5	

Codelist Values Tables: DS001_5 DISPOSITION - TREATMENT								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSPHASE_CL_001_5	0.2			TREATMENT	1	4	0.1	i_11739584132762533_suppbs_dsphase_001_5
DSDECOD_CL_001_5	0.2			ADVERSE EVENT	1	1	0.1	i_11739584140487459_dsdecod_001_5
				COMPLETED	2	2	0.1	
				DEATH	3	3	0.1	
				LOST TO FOLLOW-UP	4	5	0.1	
				OTHER	5	7	0.1	
				PHYSICIAN DECISION	6	8	0.1	
				PREGNANCY	7	9	0.1	
				PROTOCOL DEVIATION	8	11	0.1	
				STUDY TERMINATED BY SPONSOR	9	14	0.1	
				WITHDRAWAL BY SUBJECT	10	16	0.1	
				MEDICATION ERROR WITHOUT ASSOCIATED ADVERSE EVENT	11	17	0.1	

Variable Validations DS001_5 DISPOSITION - TREATMENT				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text

DSSTDTC_001_5	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_5	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
DSSTDTC_001_5	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
DSSTDTC_001_5	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
DSSTDTC_001_5	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_5	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_5	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_5	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields DS001_5 DISPOSITION - TREATMENT

Group RefName	Group Type	Associated Variables
IG_11739580696882514_DS01001_5	Non-Repeating	DSSTDTC_001_5, SUPPDS_DSPHASE_001_5, DSDECOD_001_5, DSTERM_001_5

Instruments

EC001_2 / TREATMENT - VACCINATION

Instrument Definition

Instrument Name:	EC001_2
Instrument Title:	TREATMENT - VACCINATION
SAS Instrument Name:	EC001_2
Description:	VACIN TRT
Version:	0.56
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: EC001_2 TREATMENT - VACCINATION (VACIN TRT) [Version: 0.56]			
Section TREATMENT - VACCINATION EC001_2_S			Permission Groups
	Group of Fields EC01001_2 / Vaccination Group Type: Non-Repeating	Number of variables: 15	

1.* 	Was there a temporary delay of vaccination? [SUPPEC_ECTDV_001_2] [ECTDV]	[SUPPEC_ECTDV_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if there is a temporary delay of vaccination.	
2.* 	Date of First Delay: [SUPPEC_FDDTC_001_2] [FDDTC] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If YES record the date the vaccination was delayed using the format (DD-MMM-YYYY). If there is more than one delay for the vaccination, please only record the first date.	

3.* ✓	Reason(s) for Temporary Delay of Vaccination: [ECADJ_TDV_001_2] [ECTDVR] (Nested Field)	[ECADJ_TDV_CL_001_2] Checkboxes Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the reason for the delay of vaccination. If there is more than one reason or more than one delay, all reason can be chosen	
4.	Treatment Name: [ECTRT_001_2] [ECTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: BLINDED THERAPY Help/Info Text: Record the name of the study treatment (if it is not pre-printed).	
5.	Formulation: [ECDOSFRM_001_2] [ECDOSFRM]	[ECDOSFRM_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 66 Help/Info Text: Record the formulation (e.g., SOLUTION, TABLET)	

6.* 	Dose Date Time: [ECSTDTC_001_2] [ECSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the start date of the study treatment administration using this format dd-MMM-yyyy (e.g. 01-JAN-2006). NO partial dates allowed. Record the time of <1> using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45).	
---	---	---	--

7.	Anatomical Location: [ECLOC_001_2] [ECLOC]	[ECLOC_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 744 Help/Info Text: Record the body location where the study treatment was administered (e.g., SHOULDER, HIP, ARM).	
8.*	Body Side: [ECLAT_001_2] [ECLAT]	[ECLAT_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the body side where the study treatment was administered (e.g., LEFT, RIGHT, BILATERAL).	

9.	Route: [ECROUTE_001_2] [ECROUTE]	[ECROUTE_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 50 Help/Info Text: Record the route of administration (e.g., ORAL)	
10.* ✓	Treatment Label ID: [ECREFID_001_2] [ECREFID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record treatment label identifier that appears on the container holding the study treatment. The study level Completion Guideline for this variable should also use the same text that appears on the CRF.	

11.	Actual Dose: [X_ECDOSE_001_2] [ECDOSE]	Number Box (Decimal) Max Value: 9999.99 Max Decimal Size: 2 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 0.5 Help/Info Text: Record non-zero values of the dose or amount of study treatment (including placebo) that was administered to/taken by the subject in the period recorded; from the start date/time to the end date/time inclusive. If an expected dose was missed enter 0 with corresponding start and stop dates when the dose was missed. Reason dose was missed must be recorded in MISDOST. Do not enter 0 for planned off drug period. Planned off drug period dates should not be entered into the dosing CRF.	
12.	Unit: [ECDOSU_001_2] [ECDOSU]	[ECDOSU_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 9 Help/Info Text: Record the unit of dose or amount taken per period recorded (e. g., ng, mg, mg/kg).	

13.	Timeframe Subject Was Observed: [SUPPEC_ECOBSVT_001_2] [ECOBSVT]	[SUPPEC_ECOBSVT_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 2 Help/Info Text: Record the 'Timeframe Subject Was Observed'.	
14.* ✓	Was the subject observed for at least 30 minutes after investigational product administration? [SUPPEC_ECOBSV_001_2] [ECOBSV]	[SUPPEC_ECOBSV_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the subject was observed for any acute reactions for < the time period specified in the protocol > after investigational product administration then the question should be answered YES. If an acute reaction was observed within the specified time period, please enter the acute reaction on the adverse event form. If the subject was not observed or observed for less than [the time period specified in the protocol] then the question should be answered NO.	

15.*	If No, specify reason: [SUPPEC_ECOBSVD_001_2] [ECOBSVD] (Nested Field)	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the subject was not observed or observed for less than < the time period specified in the protocol > record the reason for non-compliance in the space provided.	
------	---	--	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: EC001_2 TREATMENT - VACCINATION		
Type	RefName	Description
Form	CRF_11739574695664158_EC001_2	EC001_2
Item	I_11739584160095436_SUPPEC_ECTDV_001_2	
Item	I_11739584169257646_SUPPEC_FDDTC_001_2	
Item	I_11739584178872143_ECADJ_TDV_001_2	
Item	I_11739584188232041_ECTRT_001_2	
Item	I_11739584199282328_ECDOSFRM_001_2	
Item	I_11739584267361894_ECSTDTC_001_2	
Item	I_11739584249067088_ECLOC_001_2	
Item	I_11739584258313861_ECLAT_001_2	
Item	I_11739584208818449_ECROUTE_001_2	
Item	I_11739584295244769_ECREFID_001_2	
Item	I_11739584277409422_X_ECDOSE_001_2	

Item	I_11739584285975818_ECDOSU_001_2	
Item	I_11739584217837855_SUPPEC_ECOBSVT_001_2	
Item	I_11739584228468675_SUPPEC_ECOBSV_001_2	
Item	I_11739584240066062_SUPPEC_ECOBSVD_001_2	

Codelist Values Tables: EC001_2 TREATMENT - VACCINATION

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPEC_ECTDV_CL_001_2	0.1			YES	1	Y	0.1	i_11739584160095436_suppec_ectdv_001_2
				NO	2	N	0.1	
ECADJ_TDV_CL_001_2	0.2			RECENT NON-STUDY VACCINATION	1	3	0.1	i_11739584178872143_ecadj_tdv_001_2
				RECENT SYSTEMIC CORTICOSTEROID TREATMENT	2	6	0.1	
				FEVER OR ACUTE ILLNESS	3	10	0.1	
ECDOSFRM_CL_001_2	0.2			INJECTION	1	66	0.1	i_11739584199282328_ecdosfrm_001_2
ECLOC_CL_001_2	0.2			DELTOID MUSCLE	1	744	0.1	i_11739584249067088_ecloc_001_2
ECLAT_CL_001_2	0.2			LEFT	1	5	0.1	i_11739584258313861_eclat_001_2
				RIGHT	2	6	0.1	
ECROUTE_CL_001_2	0.2			INTRAMUSCULAR	1	50	0.1	i_11739584208818449_ecroute_001_2
ECDOSU_CL_001_2	0.2			mL	1	9	0.1	i_11739584285975818_ecdosu_001_2
SUPPEC_ECOBSVT_CL_001_2	0.2			30 MINUTES	1	2	0.1	i_11739584217837855_suppec_ecobsvt_001_2
SUPPEC_ECOBSV_CL_001_2	0.1			YES	1	Y	0.1	i_11739584228468675_suppec_ecobsv_001_2
				NO	2	N	0.1	

Variable Validations EC001_2 TREATMENT - VACCINATION				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
SUPPEC_FDDTC_001_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
SUPPEC_FDDTC_001_2	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
ECSTDTC_001_2	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
ECSTDTC_001_2	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
ECSTDTC_001_2	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
ECSTDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
ECSTDTC_001_2	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
ECSTDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
ECSTDTC_001_2	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.
ECSTDTC_001_2	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields EC001_2 TREATMENT - VACCINATION

Group RefName	Group Type	Associated Variables
IG_11739580833163601_EC01001_2	Non-Repeating	SUPPEC_ECTDV_001_2, SUPPEC_FDDTC_001_2, ECADJ_TDV_001_2, ECTRT_001_2, ECDOSFRM_001_2, ECSTDTC_001_2, ECLOC_001_2, ECLAT_001_2, ECROUTE_001_2, ECREFID_001_2, X_ECDOSE_001_2, ECDOSU_001_2, SUPPEC_ECOBSVT_001_2, SUPPEC_ECOBSV_001_2, SUPPEC_ECOBSVD_001_2

Instruments

VS001 / VITAL SIGNS

Instrument Definition

Instrument Name:	VS001
Instrument Title:	VITAL SIGNS
SAS Instrument Name:	VS001
Description:	VITALS
Version:	0.33
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: VS001 VITAL SIGNS (VITALS) [Version: 0.33]			
Section VITAL SIGNS VS001_S			Permission Groups
	Group of Fields VS02001 / Vital Signs - II Group Type: Fixed Repeating	Number of rows: 1	

1.	Record Identifier: [VSSPID_001] [VSSPID] Row 1 (Locked): 1 - 1	[VSSPID_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: When multiple measurements of a test are performed at the same visit (e.g., triplicate BP measurements), be sure to enter the test and time taken with corresponding result in the order in which they were performed.	
----	---	---	--

2.*	Date: [VSDTC1_001] [VSDAT1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of the measurement using this format (DD- MMM-YYYY). NO partial dates allowed. Record the time of the measurement using 24 hour clock (e.g. 7:00 a.m. = 07:00, 8:45 p.m. = 20:45). Important Note: When using "Today" calendar feature, time in these cases will be the current data entry time and needs to be updated to ensure it is the time of assessment.	
-----	--	--	--

3.*	Temperature: [VSORRES_TEMP_001] [TEMP]	Number Box (Decimal) Max Value: 999.9 Max Decimal Size: 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record numeric value for body temperature.	
4.*	Unit: [VSORRESU_TEMP_001] [TEMPU]	[VSORRESU_TEMP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If temperature unit is not defaulted, choose either F or C.	
5.*	Temperature Location: [VSLOC_TEMP_001] [TEMPSRC]	[VSLOC_TEMP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the location where the body temperature was measured (e.g., EAR, MOUTH).	

Key: [*] = Item is required

Study Object Descriptions: VS001 VITAL SIGNS		
Type	RefName	Description
Form	CRF_11739574843882139_VS001	VS001
Item	I_11739584304031704_VSSPID_001	
Item	I_11739584312631142_VSDTC1_001	
Item	I_11739584322116079_VSORRES_TEMP_001	
Item	I_11739584330843666_VSORRESU_TEMP_001	
Item	I_11739584340177127_VSLOC_TEMP_001	

Codelist Values Tables: VS001 VITAL SIGNS								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
VSSPID_CL_001	0.2			1	1	1	0.1	i_11739584304031704_vsspid_001
VSORRESU_TEMP_CL_001	0.1			C	1	4	0.1	i_11739584330843666_vsorresu_temp_001
				F	2	6	0.1	
VSLOC_TEMP_CL_001	0.2			MIDDLE EAR	1	9	0.1	i_11739584340177127_vsloc_temp_001
				FOREHEAD	2	410	0.1	
				AXILLA	3	83	0.1	
				ORAL CAVITY	4	60	0.1	

Variable Validations VS001 VITAL SIGNS				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
VSDTC1_001	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.

VSDTC1_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
VSDTC1_001	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
VSDTC1_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
VSDTC1_001	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.

Groups of Fields VS001 VITAL SIGNS

Group RefName	Group Type	Associated Variables
IG_11739580811041463_VS02001	Fixed Repeating	VSSPID_001, VSDTC1_001, VSORRES_TEMP_001, VSORRESU_TEMP_001, VSLOC_TEMP_001

Instruments

D_EDP001 / EXPOSURE DURING PREGNANCY

Instrument Definition

Instrument Name:	D_EDP001
Instrument Title:	EXPOSURE DURING PREGNANCY
SAS Instrument Name:	D_EDP001
Description:	EDP
Version:	0.3
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: D_EDP001 <i>EXPOSURE DURING PREGNANCY</i> (EDP) [Version: 0.3]		
Section EXPOSURE DURING PREGNANCY <i>D_EDP001_S</i>		Permission Groups
Group of Fields D_EDP01001 / Safety Information Group Type: Non-Repeating	Number of variables: 1	

1.*	Select the CASE ID of the SAE/Reportable event [D_CASEIDEDP_001] [EDPCASID]	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array(", [D_CASEIDSAE_001] <> null, [D_CASEIDSAE_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP02001 / Pregnancy Group Type: Non-Repeating	Number of variables: 13	
2.*	First Day of Last Menstrual Period [D_MENDAT_001] [EDPLMNDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the first day of the mother's last menstrual period (e.g., "12JUN2016"). Enter a partial date if the full date is unknown (e.g., "JUN2016")	

3.*	Estimated Date of Delivery [D_ESTDELDAT_001] [EDPDELDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the date of delivery (e.g., "12JUN2016"). Enter a partial date if the full date is unknown (e.g., "JUL2016").	
4.*	Number of Foetuses [D_NUMFOET_001] [EDPFETUS]	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the number of foetuses	

5.*	Is the gestation, in weeks, at time of initial exposure known? [D_GESTTIM_001] [EDPGINEX]	[D_GESTTIM_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.*	Specify number of weeks below [D_NUMWEEKS_001] [EDPGSTWK] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter an estimate of the duration of pregnancy in weeks at the time of initial exposure to the medication, if known.	
7.*	Select trimester [D_TRIMESTER_001] [EDPTRIM] (Nested Field)	[D_TRIMESTER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: if the weeks are not known, indicate which trimester-first trimester, second trimester, or third trimester-by checking the appropriate box.	

8.*	Relevant History/Exposure to Products [D_RELHIST_001] [EDPEXP]	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: This information may include any maternal risk factors for adverse pregnancy outcomes, including environmental or occupational exposures and medical disorder (e.g., hypertension, diabetes, infection, etc.). Describe the course of the pregnancy and any treatments. Please specify any treatment for infertility. Specify the timing, dose, and duration of exposure in relation to the pregnancy. Also include any family history of congenital abnormality/genetic diseases, consanguinity (or any family relationships or lineage) between parents (specify the degree, if known).	
9.*	Did the mother smoke during this pregnancy? [D_MSMOKE_001] [EDPMSMK]	[D_MSMOKE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the mother smoked during the pregnancy please select YES and indicate the number per day	

10.*	Provide the number per day [D_MSMOKENUM_001] [EDPNCIG] (Nested Field)	Number Box (Integer) Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.*	Did the mother drink alcohol during this pregnancy? [D_MALC_001] [EDPMALC]	[D_MALC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the mother drank alcohol during the pregnancy select YES and indicate the frequency	
12.*	Provide the frequency [D_MALCNUMB_001] [EDPALFRQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

13.*	Did the mother use illicit drugs during this pregnancy? [D_MDRUG_001] [EDPMDRUG]	[D_MDRUG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the mother used illicit drugs during the pregnancy select YES and indicate the frequency	
14.*	Provide the frequency [D_MDRUGFREQ_001] [EDPDRFRQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP03001 / Obstetrical History Group Type: Non-Repeating	Number of variables: 4	
15.*	Has the mother had previous pregnancies? [D_PREVPREG_001] [EDPPREG]	[D_PREVPREG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

16.*	Number of previous pregnancies [D_NUMPREG_001] [EDPNPREG] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
17.*	Number of other children [D_NUMCHILD_001] [EDPOCHLD] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

18.*	Outcome of previous pregnancies and previous maternal pregnancy complications [D_OUTCOMEPREV_001] [EDPPOUT] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide additional details regarding the outcome of any previous pregnancies (e.g., live birth, miscarriage, elective termination with specification of gestational length and context, late fetal death, ectopic pregnancy, molar pregnancy). Add information about any previous maternal pregnancy complications (e.g., premature rupture of membranes). Include details specifically describing any previous fetal/neonatal abnormalities, if applicable, referring to both structural malformation and any non-structural or long-term functional effects. Also supply any history of sub-fertility.	
	Group of Fields D_EDP04001 / Outcome of Pregnancy Group Type: Non-Repeating	Number of variables: 5	

19.*	Date of outcome of pregnancy [D_OUTCOMEPREVDAT_001] [EDPOUTDT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the date the pregnancy ended, as DDMMYYYY (e.g., 02APR2016). Enter a partial date if the full date is unknown (e.g., APR2016).	
20.*	Mode of delivery [D_DELIVERMOD_001] [EDPMODE]	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: (e.g., natural birth [i.e., vaginal delivery without medication or anesthesia], cesarean section)	

21.*	Pregnancy outcome [D_PREGOUT_001] [EDPOUTPG]	[D_PREGOUT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Select only one outcome. Check the appropriate box: Full term live birth Full term = live birth at 37 or more weeks of gestation Premature live birth Premature = live birth at less than 37 weeks of gestation Stillbirth Stillbirth, also known as fetal death, is delivery of a dead child. (In addition, complete the SAE(s) section of the core form.) Spontaneous Abortion /Miscarriage This refers to premature expulsion from the uterus of the products of conception, the embryo, or of a non-viable fetus. Included in this category is "missed abortion" which refers to when the products of conception are reabsorbed and not expelled. (In addition, complete the SAE(s) section of the core form.) Induced/elective abortion This refers to the pharmacologically or surgically induced expulsion from the uterus of the products of conception, of an embryo, or of a fetus. If the pregnancy outcome is "'Stillbirth' or 'Spontaneous abortion' please ensure an SAE case/report has been sent to Pfizer safety and ensure that CASE ID is present in the CASE ID field on the EDP CRF."	
------	---	--	--

22.*	Is the gestation age at birth, in weeks, known? [D_GESTWEEKS_001] [EDPGEST]	[D_GESTWEEKS_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Indicate gestational age (as determined from LMP and/or ultrasound) at birth in weeks (if known).	
23.*	Provide weeks below [D_GESTWEEKS1_001] [EDPGESTW] (Nested Field)	Number Box (Integer) Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP05001 / Infant Group Type: Non-Repeating	Number of variables: 11	

24.*	Outcome of Infant [D_OUTCOMEINF_001] [EDPIFOUT]	[D_OUTCOMEINF_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Select only one outcome. Check the appropriate box: Normal Newborn Congenital Malformation/Anomaly: specify details in the space provided. (In addition, complete the SAE(s) section of the core form.) Other neonatal problem/abnormality (includes dysmaturity, neonatal illness, fetal distress, amniotic fluid abnormal, abnormal placenta, hospitalization, drug therapies: specify details in the space provided.) (In addition, complete the SAE (s) section of the core form.) If the outcome of infant is 'Congenital Malformation/Anomaly' or 'Other neonatal problem' please ensure an SAE case /report has been sent to Pfizer safety and ensure that CASE ID is present in the CASE ID field on the EDP CRF."	
25.*	Other, specify [D_OUTCOMEOTH_001] [EDPOTHSP] (Nested Field)	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

26.*	Apgar Score 1 Min [D_APGAR1_001] [EDPAPMIN]	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the Apgar Score(s) (if known) for 1 min	
27.*	Apgar Score 5 Min [D_APGAR5_001] [EDPAPMAX]	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the Apgar Score(s) (if known) for 5 min	
28.*	Infant Sex [D_INFSEX_001] [EDPIFSEX]	[D_INFSEX_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Check the appropriate box to indicate the sex of the infant at birth (i.e., Male or Female).	

29.*	Birthweight [D_BIRTHWEIGHT_001] [EDPIFBW]	Number Box (Integer) Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the infant's weight at birth	
30.*	Birthweight unit [D_BIRTHWEIGHTU_001] [EDPIFBWU]	[D_BIRTHWEIGHTU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
31.*	Length at birth [D_LENGTH_001] [EDPIFLN]	Number Box (Integer) Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the infant's length at birth	

32.*	Length at birth unit [D_LENGTHU_001] [EDPIFLNU]	[D_LENGTHU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
33.*	Head circumference at birth [D_HEADCIR_001] [EDPIFHC]	Number Box (Integer) Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the infant's head circumference at birth	
34.*	Head circumference at birth unit [D_HEADCIRU_001] [EDPIFHCU]	[D_HEADCIRU_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_EDP06001 / Paternal Information Group Type: Non-Repeating	Number of variables: 4	

35.*	Was there paternal exposure? [D_PATEXPOYN_001] [EDPPTEXP]	[D_PATEXPOYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: In the case of paternal exposure select YES and provide the information in the requested fields	
36.*	Occupation [D_PATOCC_001] [EDPOCUP] (Nested Field)	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Provide the father's occupation, if known.	

37.*	Relevant History [D_PATHIST_001] [EDPRLHX] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Include any risk factors, including environmental or occupational exposures (e.g., HIV/AIDS, toxins). Include details of any family history of congenital abnormality/genetic diseases, consanguinity (with details regarding family relationships or lineage including the degree of consanguinity) between the parents."	
38.*	Exposure to Products - Where any drugs taken by the father during the mother's pregnancy? [D_PATEXPOSURE_001] [EDPEXPRD] (Nested Field)	[D_PATEXPOSURE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: "Were any drugs (e.g., over the counter or medical prescription) taken by the father during the mother's pregnancy? Check ""No,"" if none were taken Check ""Yes,"" if applicable"	
	Group of Fields D_EDP07001 / Exposure to Products Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 8	

39.*	Product [D_PATPRONAM_001] [EDPPROD]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Avoid abbreviations.	
40.*	Indication [D_PATINDC_001] [EDPINDIC]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken by the father	

41.*	Start Date [D_PATSTDTD_001] [EDPSTDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format DD- MMM-YYYY (e.g. 01-JAN-2020)	
------	--	--	--

42.*	Stop Date [D_PATENDTD_001] [EDPSTPDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: record the date the participant stopped taking the medication in the format DD-MMM-YYYY (e.g. 01-JAN-2020)	
43.*	Reason for stopping [D_PATSTOPRE_001] [EDPSTRSN]	Text Box Max Length: 60 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was stopped, if it was discontinued	

44.*	Dose [D_PATDOSE_001] [EDPDOSE]	Text Box Max Length: 10 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose and dose unit of the medication taken per administration	
45.*	Formulation [D_PATFORM_001] [EDPFRM]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the formulation of the medication	

46.*	Frequency [D_PATFREQ_001] [EDPFRQ]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record how often the medication was taken (e.g. BID, PRN).	
	Group of Fields D_EDP08001 / Exposure to Products - Recreational Drug Use Group Type: Non-Repeating	Number of variables: 6	
47.*	Did the father smoke during the mother's pregnancy? [D_PATSMOKE_001] [EDPF SMK]	[D_PATSMOKE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the father smoked during the pregnancy please select YES and indicate the number per day	

48.*	Provide the number per day [D_PATSMOKENUM_001] [EDPFNCIG] (Nested Field)	Number Box (Integer) Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
49.*	Did the father drink alcohol during the mother's pregnancy? [D_PATALC_001] [EDPFALC]	[D_PATALC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the father drank during the pregnancy please select YES and indicate the frequency	
50.*	Provide the frequency [D_PATALCFREQ_001] [EDPFALFQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

51.*	Did the father use illicit drugs during the mother's pregnancy? [D_PATDRUG_001] [EDPFDRUG]	[D_PATDRUG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If the father use illicit drugs during the pregnancy please select YES and indicate the frequency	
52.*	Provide the frequency [D_PATDRUGFREQ_001] [EDPFDRFQ] (Nested Field)	Text Box Max Length: 40 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: D_EDP001 EXPOSURE DURING PREGNANCY		
Type	RefName	Description
Form	CRF_11739574992812981_D_EDP001	D_EDP001
Item	I_11739584386407797_D_CASEIDEDP_001	
Item	I_11739584571037820_D_MENDAT_001	
Item	I_11739584579116153_D_ESTDELDAT_001	
Item	I_11739584587117743_D_NUMFOET_001	
Item	I_11739584594627577_D_GESTTIM_001	

Item	I_11739584602389640_D_NUMWEEKS_001	
Item	I_11739584610089269_D_TRIMESTER_001	
Item	I_11739584617830261_D_RELHIST_001	
Item	I_11739584625459768_D_MSMOKE_001	
Item	I_11739584633091064_D_MSMOKENUM_001	
Item	I_11739584640742988_D_MALC_001	
Item	I_11739584648690751_D_MALCNUMB_001	
Item	I_11739584656854369_D_MDRUG_001	
Item	I_11739584665044408_D_MDRUGFREQ_001	
Item	I_11739584349980820_D_PREVPREG_001	
Item	I_11739584358976045_D_NUMPREG_001	
Item	I_11739584368214711_D_NUMCHILD_001	
Item	I_11739584377314199_D_OUTCOMEPREV_001	
Item	I_11739584400101321_D_OUTCOMEPREVDAT_001	
Item	I_11739584409760094_D_DELIVERMOD_001	
Item	I_11739584418964249_D_PREGOUT_001	
Item	I_11739584428314431_D_GESTWEEKS_001	
Item	I_11739584437825395_D_GESTWEEKS1_001	
Item	I_11739584490359511_D_OUTCOMEINF_001	
Item	I_11739584497528664_D_OUTCOMEOTH_001	
Item	I_11739584504785876_D_APGAR1_001	
Item	I_11739584512206971_D_APGAR5_001	
Item	I_11739584519489267_D_INFSEX_001	
Item	I_11739584526853852_D_BIRTHWEIGHT_001	
Item	I_11739584534238762_D_BIRTHWEIGHTU_001	
Item	I_11739584541500011_D_LENGTH_001	
Item	I_11739584548755492_D_LENGTHU_001	

Item	I_11739584556161628_D_HEADCIR_001	
Item	I_11739584563582009_D_HEADCIRU_001	
Item	I_11739584744665336_D_PATEXPOYN_001	
Item	I_11739584753239666_D_PATOCC_001	
Item	I_11739584761927761_D_PATHIST_001	
Item	I_11739584770702955_D_PATEXPOSURE_001	
Item	I_11739584673289225_D_PATPRONAM_001	
Item	I_11739584681562727_D_PATINDC_001	
Item	I_11739584692233523_D_PATSTDTD_001	
Item	I_11739584702169181_D_PATENDTD_001	
Item	I_11739584711156209_D_PATSTOPRE_001	
Item	I_11739584719560108_D_PATDOSE_001	
Item	I_11739584727871256_D_PATFORM_001	
Item	I_11739584736303127_D_PATFREQ_001	
Item	I_11739584446472153_D_PATSMOKE_001	
Item	I_11739584454813619_D_PATSMOKENUM_001	
Item	I_11739584462022207_D_PATALC_001	
Item	I_11739584469095983_D_PATALCFREQ_001	
Item	I_11739584476038082_D_PATDRUG_001	
Item	I_11739584483060419_D_PATDRUGFREQ_001	

Codelist Values Tables: D_EDP001 EXPOSURE DURING PREGNANCY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_GESTTIM_CL_001	0.1			NO	1	N	0.1	i_11739584594627577_d_gesttim_001
				YES	2	Y	0.1	

D_TRIMESTER_CL_001	0.1			FIRST TRIMESTER	1	1	0.1	i_11739584610089269_d_trimester_001
				SECOND TRIMESTER	2	2	0.1	
				THIRD TRIMESTER	3	3	0.1	
				UNKNOWN	4	4	0.1	
D_MSMOKE_CL_001	0.1			NO	1	N	0.1	i_11739584625459768_d_msmoke_001
				YES	2	Y	0.1	
D_MALC_CL_001	0.1			NO	1	N	0.1	i_11739584640742988_d_malc_001
				YES	2	Y	0.1	
D_MDRUG_CL_001	0.1			NO	1	N	0.1	i_11739584656854369_d_mdruge_001
				YES	2	Y	0.1	
D_PREVPREG_CL_001	0.1			NO	1	N	0.1	i_11739584349980820_d_prevpreg_001
				YES	2	Y	0.1	
D_PREGOUT_CL_001	0.1			FULL TERM LIVE BIRTH	1	1	0.1	i_11739584418964249_d_pregout_001
				PRETERM LIVE BIRTH	2	2	0.1	
				STILLBIRTH	3	3	0.1	
				SPONTANEOUS ABORTION /MISCARRIAGE	4	4	0.1	
				INDUCED ABORTION	5	5	0.1	
				UNKNOWN	6	6	0.1	
D_GESTWEEKS_CL_001	0.1			NO	1	N	0.1	i_11739584428314431_d_gestweeks_001
				YES	2	Y	0.1	
D_OUTCOMEINF_CL_001	0.1			NORMAL	1	1	0.1	i_11739584490359511_d_outcomeinf_001
				CONGENITAL MALFORMATION/ANOMALY	2	2	0.1	
				OTHER NEONATAL PROBLEM	3	3	0.1	
				UNKNOWN	4	4	0.1	
				OTHER	5	5	0.1	

D_INFSEX_CL_001	0.1			FEMALE	1	F	0.1	i_11739584519489267_d_infsex_001
				MALE	2	M	0.1	
D_BIRTHWEIGHTU_CL_001	0.1			g	1	45	0.1	i_11739584534238762_d_birthweightu_001
				oz	2	81	0.1	
				LB	3	90	0.1	
D_LENGTHU_CL_001	0.1			in	1	66	0.1	i_11739584548755492_d_lengthu_001
				cm	2	111	0.1	
D_HEADCIRU_CL_001	0.1			in	1	66	0.1	i_11739584563582009_d_headciru_001
				cm	2	111	0.1	
D_PATEXPOYN_CL_001	0.1			NO	1	N	0.1	i_11739584744665336_d_patexpoy_n_001
				YES	2	Y	0.1	
D_PATEXPOSURE_CL_001	0.1			NO	1	N	0.1	i_11739584770702955_d_patexposure_001
				YES	2	Y	0.1	
D_PATSMOKE_CL_001	0.1			NO	1	N	0.1	i_11739584446472153_d_patsmoke_001
				YES	2	Y	0.1	
D_PATALC_CL_001	0.1			NO	1	N	0.1	i_11739584462022207_d_patalc_001
				YES	2	Y	0.1	
D_PATDRUG_CL_001	0.1			NO	1	N	0.1	i_11739584476038082_d_patdrug_001
				YES	2	Y	0.1	

Groups of Fields D_EDP001 EXPOSURE DURING PREGNANCY

Group RefName	Group Type	Associated Variables
IG_11739580629319393_D_EDP01001	Non-Repeating	D_CASEIDEDP_001
IG_11739580735758609_D_EDP02001	Non-Repeating	D_MENDAT_001, D_ESTDELDAT_001, D_NUMFOET_001, D_GESTTIM_001, D_NUMWEEKS_001, D_TRIMESTER_001, D_RELHIST_001, D_MSMOKE_001, D_MSMOKENUM_001, D_MALC_001, D_MALCNUMB_001, D_MDRUG_001, D_MDRUGFREQ_001

IG_11739580621093661_D_EDP03001	Non-Repeating	D_PREVPREG_001, D_NUMPREG_001, D_NUMCHILD_001, D_OUTCOMEPREV_001
IG_11739580637426649_D_EDP04001	Non-Repeating	D_OUTCOMEPREVDAT_001, D_DELIVERMOD_001, D_PREGOUT_001, D_GESTWEEKS_001, D_GESTWEEKS1_001
IG_11739580727266873_D_EDP05001	Non-Repeating	D_OUTCOMEINF_001, D_OUTCOMEOTH_001, D_APGAR1_001, D_APGAR5_001, D_INFSEX_001, D_BIRTHWEIGHT_001, D_BIRTHWEIGHTU_001, D_LENGTH_001, D_LENGTHU_001, D_HEADCIR_001, D_HEADCIRU_001
IG_11739580551770274_D_EDP06001	Non-Repeating	D_PATEXPOYN_001, D_PATOCC_001, D_PATHIST_001, D_PATEXPOSURE_001
IG_11739580716282153_D_EDP07001	Repeating	D_PATPRONAM_001, D_PATINDC_001, D_PATSTDTD_001, D_PATENDTD_001, D_PATSTOPRE_001, D_PATDOSE_001, D_PATFORM_001, D_PATFREQ_001
IG_11739580610374011_D_EDP08001	Non-Repeating	D_PATSMOKE_001, D_PATSMOKENUM_001, D_PATALC_001, D_PATALCFREQ_001, D_PATDRUG_001, D_PATDRUGFREQ_001

Instruments

LB001_5 / LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS

Instrument Definition

Instrument Name:	LB001_5
Instrument Title:	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS
SAS Instrument Name:	LB001_5
Description:	Local Laboratory Data Qualitative
Version:	0.44
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS (LOCAL LABORATORY DATA QUALITATIVE) [Version: 0.44]		
Section LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS <i>LB001_5_S</i>		Permission Groups
Group of Fields LB01001_5 / Local Laboratory Data Qualitative Group Type: Non-Repeating	Number of variables: 4	

1.	Lab Panel: [LBCAT_001_5] [LBCAT]	[LBCAT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 3	
2.	Lab Sub-Panel: [LBSCAT_001_5] [LBSCAT]	[LBSCAT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 17	

3.*	Collection Date: [LBDTC_001_5] [LBDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date when specimen collection occurred using this format (DD-MMM-YYYY). Record time of collection (as complete as possible).	
4.	Specimen Type: [LBSPEC_001_5] [LBSPEC]	[LBSPEC_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 40 Help/Info Text: Record the Specimen Type if not pre-printed on the CRF.	

	Group of Fields LB03001_5 / Local Laboratory Data Qualitative Result Group Type: Fixed Repeating	Number of rows: 1	
5.	Test: [LBTEST_001_5] [LBTEST] Row 1 (Locked): 113 - Choriogonadotropin Beta	[LBTEST_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
6.	Result: [LBORRES_001_5] [D_LBORRES]	[LBORRES_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.	Not Done: [LBSTAT_001_5] [LBSTAT]	[LBSTAT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record if Laboratory Test was 'Not Done'	

8.	Sponsor ID: [LBSPID_001_5] [LBSPID] Row 1 (Locked): 113 - 113	[LBSPID_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
----	--	---	--

Key: [*] = Item is required

Study Object Descriptions: LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS

Type	RefName	Description
Form	CRF_11739575142175171_LB001_5	LB001_5
Item	I_11739584817406754_LBCAT_001_5	
Item	I_11739584826671135_LBSCAT_001_5	
Item	I_11739584836755250_LBDTC_001_5	
Item	I_11739584846449494_LBSPEC_001_5	
Item	I_11739584779336018_LBTEST_001_5	
Item	I_11739584788503183_LBORRES_001_5	
Item	I_11739584797423601_LBSTAT_001_5	
Item	I_11739584808170296_LBSPID_001_5	

Codelist Values Tables: LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_5	0.1			URINALYSIS	1	3	0.1	i_11739584817406754_lbcats_001_5
LBSCAT_CL_001_5	0.2			PREGNANCY	1	17	0.1	i_11739584826671135_lbscats_001_5



LBSPEC_CL_001_5	0.1			URINE	1	40	0.1	i_11739584846449494_lbspec_001_5
LBTEST_CL_001_5	0.3			Choriogonadotropin Beta	1	113	0.1	i_11739584779336018_lbtest_001_5
LBORRES_CL_001_5	0.2			NEGATIVE	1	4	0.1	i_11739584788503183_lborres_001_5
				POSITIVE	2	5	0.1	
LBSTAT_CL_001_5	0.1			NOT DONE	1	1	0.1	i_11739584797423601_lbstat_001_5
LBSPID_CL_001_5	0.3			113	1	113	0.1	i_11739584808170296_lbspid_001_5

Variable Validations LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001_5	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
LBDC_001_5	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
LBDC_001_5	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDC_001_5	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
LBDC_001_5	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields LB001_5 LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS

Group RefName	Group Type	Associated Variables
IG_11739580861489647_LB01001_5	Non-Repeating	LBCAT_001_5, LBSCAT_001_5, LBDC_001_5, LBSPEC_001_5
IG_11739580850948658_LB03001_5	Fixed Repeating	LBTEST_001_5, LBORRES_001_5, LBSTAT_001_5, LBSPID_001_5

Instruments
D_SAE001 / SAE / REPORTABLE EVENTS

Instrument Definition

Instrument Name:	D_SAE001
Instrument Title:	SAE / REPORTABLE EVENTS
SAS Instrument Name:	D_SAE001
Description:	SAE
Version:	0.62
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: D_SAE001 SAE / REPORTABLE EVENTS (SAE) [Version: 0.62]		
Section SAE / REPORTABLE EVENTS D_SAE001_S		Permission Groups
Group of Fields D_SAE01001 / Case ID Group Type: Non-Repeating	Number of variables: 1	

1.	Case ID [D_CASEIDSAE_001] [SAECASID]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
	Group of Fields D_SAE02001 / Investigator Details Group Type: Non-Repeating	Number of variables: 5	
2.*	Date site aware of reportable event: [D_AESAWDTC1_001] [AESAWDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.*	Investigator First Name [D_FRINVNAM_001] [SAEFNAME]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.*	Investigator Last Name [D_LSINVNAM_001] [SAELNAME]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.*	Investigator Phone [D_INVPH1_001] [SAEINVPH]	Text Box Max Length: 16 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.*	Investigator Email [D_INVEMAIL1_001] [SAEEMAIL]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_SAE05001 / Relevant Lab Tests Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 6	
7.*	Lab Test Name [D_LBTESTNAM1_001] [SAELBTST]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.*	Test Date [D_LBTESTDTC1_001] [SAELBTD]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
9.*	Result [D_LBTESTRES1_001] [SAELRES]	Text Box Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

10.*	Normal Range Low [D_LBNORMRNL1_001] [SAENRGLO]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.*	Normal Range High [D_LBNORMRNLH1_001] [SAENRGHI]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
12.*	Unit [D_LBTESTUNIT1_001] [SAELRESU]	[D_LBTESTUNIT_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

	Group of Fields D_SAE06001 / Other Relevant Tests Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 4	
13.*	Other Relevant Tests (Procedures, Imaging) Name [D_LABOTH1_001] [SAEOTHLB]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
14.*	Test Date [D_LABOTHDT_001] [SAETSTDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

15.*	Result [D_LABOTHRE_001] [SAEOTRES]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
16.	Investigator Comment [D_LABOTHCOM_001] [SAEINCOM]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields D_SAE07001 / Narrative Group Type: Non-Repeating	Number of variables: 4	
17.	Narrative field 1 [D_NARRATIVE1SAE_001] [SAENARF1]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

18.	Narrative field 2 [D_NARRATIVE2SAE_001] [SAENARF2]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Database Builder (R) Lead Data Manager (R) Librarian (R)
19.	Narrative field 3 [D_NARRATIVE3SAE_001] [SAENARF3]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Database Builder (R) Lead Data Manager (R) Librarian (R)

20.	Narrative - other data [D_NARRATIVE4SAE_001] [SAENAROT]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([D_CASEIDSAE_001] <> null , concatdlim("", if ([D_SUBSTDY1_001] <> null, "{STUDYARMINFO}" + [D_SUBSTDY1_001] + "{ /STUDYARMINFO}", null) ,[D_NARRATIVE2SAE_001] , if ([D_SEXUNDIFF_001] <> null, " Patient's gender is undifferentiated ", null) , if ([DISP][DSSTDTC_001_8] <> null, "<" + string_date_format([DISP] [DSSTDTC_001_8],"dd-MM-yyyy","dd-MMM-yyyy")+>" + "{BROKENBYINVESTIGATOR}Yes{/BROKENBYINVESTIGATOR}" , null) , if ({D_LOEREP_001} <> NULL, if({D_LOEREP_001} = "YES", "{EVTLOEREREPORT} Primary Infection site: " + {D_PRIINFECTION_001} + " Predisposing factors " + {D_PREDIS_001} + " and " + {D_PREDISSPEC_001} + " , Culture performed: " + {D_CULTYN_001} + "{/EVTLOEREREPORT}" + "{CULTURE} Culture Source: " + {D_CULTSOUR_001} + " , Positive: " + {D_CULTPOS_001} + " , SeroTypeDone: " + {D_SERO_001} + " ,Organism /serotype: " + {D_SEROSPEC_001} + "{/CULTURE}" , "{EVTLOEREREPORT}" + {D_LOEREP_001} + "{/EVTLOEREREPORT}") , NULL) , if({D_ANTIPYR_001} <> NULL, if({D_ANTIPYR_001} = "YES", concat_variable_in_eachrow(array_values([D_ANTIPNAME_001],instrument), array_values ([D_ANTIPDOS_001], instrument), array_values([D_ANTIPDAT_001], instrument), array_values([D_ANTIPTIM_001], instrument)) , "{Antipyretic Medication}" + {D_ANTIPYR_001} + "{/Antipyretic Medication}") , NULL)) , null)	Database Builder (R) Lead Data Manager (R) Librarian (R)
	Group of Fields D_SAE08001 / Derived Case Details Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 16	

21.	AE IDs Included in Case [D_AEIDNUMBEG_001] [SAEAEID]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
22.	AE Term -Derived [D_AETERMMEDDRA_001] [SAEAETRM]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
23.	AE Term admis & discharge - Derived [D_AETERMADMIT_001] [SAEADDIS]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Database Builder (R) Lead Data Manager (R) Librarian (R)

24.	SAE Original Onset Date-Derived [D_SAEDATD_001] [AEOOD1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
-----	--	---	--

25.	SAE End Date-Derived [D_SAEEDD_001] [AEFOUDDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
26.	Results in death - Derived [D_RESDEATH_001] [SAERSDTH]	[D_RESDEATH_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

27.	Life threatening- Derived [D_LIFETHREAT_001] [SAELTHRT]	[D_LIFETHREAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
28.	Caused/prolonged hospitalization- Derived [D_CAUSEHOSP_001] [SAEHOSP]	[D_CAUSEHOSP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
29.	Disabling/incapacitating- derived [D_DISABLE_001] [SAEDISAB]	[D_DISABLE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

30.	Congenital anomaly/birth defect- Derived [D_ANOMALY_001] [SAEANOML]	[D_ANOMALY_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
31.	Other medically important condition- Derived [D_MEDIMPORT_001] [SAEIMPMD]	[D_MEDIMPORT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
32.	Causality- Derived [D_CAUSE_001] [SAECAUS]	[D_CAUSE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

33.	Action Taken - Derived [D_ACNTKN_001] [SAEACTK]	[D_ACNTKN_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
34.	Re-Challenge - Derived [D_RECHALDER_001] [SAERCHLD]	[D_RECHALDER_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
35.	SAE Outcome-Derived [D_SAEOUTD_001] [AEFOUTCM]	[D_SAEOUTD_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

36.	Country in which the event occurred - Derived [D_COUNTRYOCCUR_001] [AECNTRY]	[D_COUNTRYOCCUR_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Enabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
	Group of Fields D_SAE09001 / Derived Safety Specific Info Group Type: Non-Repeating	Number of variables: 5	
37.	Study ID - Study Blind [D_STUDYID_001] [SAESTDID]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([D_CASEIDSAE_001] <> null ,concatdln("", "{STUDYID} C4601019{STUDYID}", "{STUDYBLIND}", "DBL", "{/STUDYBLIND}"),null)	Database Builder (R) Lead Data Manager (R) Librarian (R)

38.	Date of Death - Derived [D_DEATHDTC_001] [SAEDTHDT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([DISP][D_SAEDDRPT_002] = "Y" and hasany(array_values([D_RESDEATH_001], "INSTRUMENT"), "Y"), [DISP][R_DDDTHDTC_002], null)	Database Builder (R) Lead Data Manager (R) Librarian (R)
39.	Cause of Death - Derived [D_CAUSDEATH_001] [SAECDTH]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Database Builder (R) Lead Data Manager (R) Librarian (R)

40.	Mapped Autopsy Performed [D_AUTOPSYND_001] [SAEMAUT]	[D_AUTOPSYND_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Database Builder (R) Lead Data Manager (R) Librarian (R)
41.	Mapped Cause of Death - Autopsy [D_AUTOPCODD_001] [SAEMCDTH]	Text Box Max Length: 255 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([AESDTH_001] = "Y" and [DISP][D_SAEDDRPT_002] = "Y" and hasany(array_values([D_RESDEATH_001], "INSTRUMENT"), "Y"), [DISP][D_AUTOPCOD_002], null)	Database Builder (R) Lead Data Manager (R) Librarian (R)
Key: [*] = Item is required			

Study Object Descriptions: D_SAE001 SAE / REPORTABLE EVENTS		
Type	RefName	Description
Form	CRF_11739575326927887_D_SAE001	D_SAE001
Item	I_11739584855268520_D_CASEIDSAE_001	
Item	I_11739584908793309_D_AESAWDTC1_001	
Item	I_11739584916289473_D_FRINVNAM_001	
Item	I_11739584923477769_D_LSINVNAM_001	

Item	I_11739584931073512_D_INVPH1_001	
Item	I_11739584938511740_D_INVEMAIL1_001	
Item	I_11739584863778143_D_LBTESTNAM1_001	
Item	I_11739584870795394_D_LBTESTDTC1_001	
Item	I_11739584878721971_D_LBTESTRES1_001	
Item	I_11739584886306342_D_LBNORMRNL1_001	
Item	I_11739584893799634_D_LBNORMRNH1_001	
Item	I_11739584901282506_D_LBTESTUNIT1_001	
Item	I_11739584945904781_D_LABOTH1_001	
Item	I_11739584953469664_D_LABOTHDTTC_001	
Item	I_11739584961732376_D_LABOTHRE_001	
Item	I_11739584969444453_D_LABOTHCOM_001	
Item	I_11739585187909753_D_NARRATIVE1SAE_001	
Item	I_11739585196958361_D_NARRATIVE2SAE_001	
Item	I_11739585206418214_D_NARRATIVE3SAE_001	
Item	I_11739585215325840_D_NARRATIVE4SAE_001	
Item	I_11739584977314184_D_AEIDNUMBEG_001	
Item	I_11739584985345993_D_AETERMMEDDRA_001	
Item	I_11739584995256576_D_AETERMADMIT_001	
Item	I_11739585003438393_D_SAEDATD_001	
Item	I_11739585012152466_D_SAEEDD_001	
Item	I_11739585020661745_D_RESDEATH_001	
Item	I_11739585028632368_D_LIFETHREAT_001	
Item	I_11739585036569284_D_CAUSEHOSP_001	
Item	I_11739585044694838_D_DISABLE_001	
Item	I_11739585052767944_D_ANOMALY_001	
Item	I_11739585061016018_D_MEDIMPORT_001	

Item	I_11739585069243588_D_CAUSE_001	
Item	I_11739585077611171_D_ACNTKN_001	
Item	I_11739585086101816_D_RECHALDER_001	
Item	I_11739585094713898_D_SAEOUTD_001	
Item	I_11739585103466076_D_COUNTRYOCCUR_001	
Item	I_11739585112112243_D_STUDYID_001	
Item	I_11739585128057149_D_DEATHDTC_001	
Item	I_11739585144549014_D_CAUSDEATH_001	
Item	I_11739585170356313_D_AUTOPSYND_001	
Item	I_11739585153499742_D_AUTOPOCodd_001	

Codelist Values Tables: D_SAE001 SAE / REPORTABLE EVENTS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_LBTESTUNIT_CL_001	0.1			%	1	5	0.1	i_11739584901282506_d_lbtestunit1_001
				mg	2	8	0.1	
				mL	3	9	0.1	
				sec	4	15	0.1	
				mol/L	5	107	0.1	
				mmHg	6	112	0.1	
				mmol/L	7	119	0.1	
				g/dL	8	128	0.1	
				mg/dL	9	137	0.1	
				IU/L	10	154	0.1	
				mEq/L	11	172	0.1	
				U/L	12	300	0.1	

				10^12/L	13	413	0.1	
				10^6/L	14	424	0.1	
				ng/mL	15	647	0.1	
				CELLS/MM3	16	693	0.1	
D_RESDEATH_CL_001	0.1			NO	1	N	0.1	i_11739585020661745_d_resdeath_001
				YES	2	Y	0.1	
D_LIFETHREAT_CL_001	0.1			NO	1	N	0.1	i_11739585028632368_d_lifethreat_001
				YES	2	Y	0.1	
D_CAUSEHOSP_CL_001	0.1			NO	1	N	0.1	i_11739585036569284_d_causehosp_001
				YES	2	Y	0.1	
D_DISABLE_CL_001	0.1			NO	1	N	0.1	i_11739585044694838_d_disable_001
				YES	2	Y	0.1	
D_ANOMALY_CL_001	0.1			NO	1	N	0.1	i_11739585052767944_d_anomaly_001
				YES	2	Y	0.1	
D_MEDIMPORT_CL_001	0.1			NO	1	N	0.1	i_11739585061016018_d_medimport_001
				YES	2	Y	0.1	
D_CAUSE_CL_001	0.1			NOT RELATED	1	1	0.1	i_11739585069243588_d_cause_001
				RELATED	2	2	0.1	
D_ACNTKN_CL_001	0.1			DOSE INCREASED	1	1	0.1	i_11739585077611171_d_acntkn_001
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
D_RECHALDER_CL_001	0.1			POSITIVE	1	1	0.1	i_11739585086101816_d_rechalder_001
				NEGATIVE	2	2	0.1	

				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	
D_SAEOUTD_CL_001	0.1			FATAL	1	1	0.1	i_11739585094713898_d_saeoutd_001
				NOT RECOVERED/NOT RESOLVED	2	2	0.1	
				RECOVERED/RESOLVED	3	3	0.1	
				RECOVERED/RESOLVED WITH SEQUELAE	4	4	0.1	
				RECOVERING/RESOLVING	5	5	0.1	
				UNKNOWN	6	6	0.1	
D_COUNTRYOCCUR_CL_001	0.1			AFGHANISTAN	1	1	0.1	i_11739585103466076_d_countryoccur_001
				ELAND ISLANDS	2	2	0.1	
				ALBANIA	3	3	0.1	
				ALGERIA	4	4	0.1	
				AMERICAN SAMOA	5	5	0.1	
				ANDORRA	6	6	0.1	
				ANGOLA	7	7	0.1	
				ANGUILLA	8	8	0.1	
				ANTARCTICA	9	9	0.1	
				ANTIGUA AND BARBUDA	10	10	0.1	
				ARGENTINA	11	11	0.1	
				ARMENIA	12	12	0.1	
				ARUBA	13	13	0.1	
				AUSTRALIA	14	14	0.1	
				AUSTRIA	15	15	0.1	
				AZERBAIJAN	16	16	0.1	
				BAHAMAS	17	17	0.1	

BAHRAIN	18	18	0.1
BANGLADESH	19	19	0.1
BARBADOS	20	20	0.1
BELARUS	21	21	0.1
BELGIUM	22	22	0.1
BELIZE	23	23	0.1
BENIN	24	24	0.1
BERMUDA	25	25	0.1
BHUTAN	26	26	0.1
BOLIVIA	27	27	0.1
BOSNIA AND HERZEGOVINA	28	28	0.1
BOTSWANA	29	29	0.1
BOUVET ISLAND	30	30	0.1
BRAZIL	31	31	0.1
BRITISH INDIAN OCEAN TERRITORY	32	32	0.1
BRUNEI DARUSSALAM	33	33	0.1
BULGARIA	34	34	0.1
BURKINA FASO	35	35	0.1
BURUNDI	36	36	0.1
CAMBODIA	37	37	0.1
CAMEROON	38	38	0.1
CANADA	39	39	0.1
CAPE VERDE	40	40	0.1
CAYMAN ISLANDS	41	41	0.1
CENTRAL AFRICAN REPUBLIC	42	42	0.1

CHAD	43	43	0.1
CHILE	44	44	0.1
CHRISTMAS ISLAND	45	45	0.1
COCOS (KEELING) ISLANDS	46	46	0.1
COLOMBIA	47	47	0.1
COMOROS	48	48	0.1
CONGO	49	49	0.1
CONGO, DEMOCRATIC REPUBLIC OF THE	50	50	0.1
COOK ISLANDS	51	51	0.1
COSTA RICA	52	52	0.1
COTE D'IVOIRE	53	53	0.1
CROATIA	54	54	0.1
CUBA	55	55	0.1
CYPRUS	56	56	0.1
CZECH REPUBLIC	57	57	0.1
DENMARK	58	58	0.1
DJIBOUTI	59	59	0.1
DOMINICA	60	60	0.1
DOMINICAN REPUBLIC	61	61	0.1
ECUADOR	62	62	0.1
EGYPT	63	63	0.1
EL SALVADOR	64	64	0.1
EQUATORIAL GUINEA	65	65	0.1
ERITREA	66	66	0.1
ESTONIA	67	67	0.1

ETHIOPIA	68	68	0.1
FALKLAND ISLANDS (MALVINAS)	69	69	0.1
FAROE ISLANDS	70	70	0.1
FIJI	71	71	0.1
FINLAND	72	72	0.1
FRANCE	73	73	0.1
FRENCH GUIANA	74	74	0.1
FRENCH POLYNESIA	75	75	0.1
FRENCH SOUTHERN TERRITORIES	76	76	0.1
GABON	77	77	0.1
GAMBIA	78	78	0.1
GEORGIA	79	79	0.1
GERMANY	80	80	0.1
GHANA	81	81	0.1
GIBRALTAR	82	82	0.1
GREECE	83	83	0.1
GREENLAND	84	84	0.1
GRENADA	85	85	0.1
GUADELOUPE	86	86	0.1
GUAM	87	87	0.1
GUATEMALA	88	88	0.1
GUERNSEY	89	89	0.1
GUINEA	90	90	0.1
GUINEA-BISSAU	91	91	0.1
GUYANA	92	92	0.1

HAITI	93	93	0.1
HEARD ISLAND AND MCDONALD ISLANDS	94	94	0.1
HONDURAS	95	95	0.1
HONG KONG	96	96	0.1
HUNGARY	97	97	0.1
ICELAND	98	98	0.1
INDIA	99	99	0.1
INDONESIA	100	100	0.1
IRAN	101	101	0.1
IRAQ	102	102	0.1
IRELAND	103	103	0.1
ISLE OF MAN	104	104	0.1
ISRAEL	105	105	0.1
ITALY	106	106	0.1
JAMAICA	107	107	0.1
JAPAN	108	108	0.1
JERSEY	109	109	0.1
JORDAN	110	110	0.1
KAZAKHSTAN	111	111	0.1
KENYA	112	112	0.1
KIRIBATI	113	113	0.1
KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF	114	114	0.1
KOREA, REPUBLIC OF	115	115	0.1
KUWAIT	116	116	0.1
KYRGYZSTAN	117	117	0.1

LAO PEOPLE'S DEMOCRATIC REPUBLIC	118	118	0.1
LATVIA	119	119	0.1
LEBANON	120	120	0.1
LESOTHO	121	121	0.1
LIBERIA	122	122	0.1
LIBYAN ARAB JAMAHIRIYA	123	123	0.1
LIECHTENSTEIN	124	124	0.1
LITHUANIA	125	125	0.1
LUXEMBOURG	126	126	0.1
MACAO	127	127	0.1
MACEDONIA, FORMER YUGOSLAV REPUBLIC OF	128	128	0.1
MADAGASCAR	129	129	0.1
MALAWI	130	130	0.1
MALAYSIA	131	131	0.1
MALDIVES	132	132	0.1
MALI	133	133	0.1
MALTA	134	134	0.1
MARSHALL ISLANDS	135	135	0.1
MARTINIQUE	136	136	0.1
MAURITANIA	137	137	0.1
MAURITIUS	138	138	0.1
MAYOTTE	139	139	0.1
MEXICO	140	140	0.1
MICRONESIA	141	141	0.1
MOLDOVA	142	142	0.1

MONACO	143	143	0.1
MONGOLIA	144	144	0.1
MONTENEGRO	145	145	0.1
MONTSERRAT	146	146	0.1
MOROCCO	147	147	0.1
MOZAMBIQUE	148	148	0.1
MYANMAR	149	149	0.1
NAMIBIA	150	150	0.1
NAURU	151	151	0.1
NEPAL	152	152	0.1
NETHERLANDS	153	153	0.1
NETHERLANDS ANTILLES	154	154	0.1
NEW CALEDONIA	155	155	0.1
NEW ZEALAND	156	156	0.1
NICARAGUA	157	157	0.1
NIGER	158	158	0.1
NIGERIA	159	159	0.1
NIUE	160	160	0.1
NORFOLK ISLAND	161	161	0.1
NORTHERN MARIANA ISLANDS	162	162	0.1
NORWAY	163	163	0.1
OMAN	164	164	0.1
PAKISTAN	165	165	0.1
PALAU	166	166	0.1
PALESTINIAN TERRITORY, OCCUPIED	167	167	0.1

PANAMA	168	168	0.1
PAPUA NEW GUINEA	169	169	0.1
PARAGUAY	170	170	0.1
PERU	171	171	0.1
PHILIPPINES	172	172	0.1
PITCAIRN	173	173	0.1
POLAND	174	174	0.1
PORTUGAL	175	175	0.1
PUERTO RICO	176	176	0.1
QATAR	177	177	0.1
REUNION	178	178	0.1
ROMANIA	179	179	0.1
RUSSIAN FEDERATION	180	180	0.1
RWANDA	181	181	0.1
SAINT BARTHELEMY	182	182	0.1
SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA	183	183	0.1
SAINT KITTS AND NEVIS	184	184	0.1
SAINT LUCIA	185	185	0.1
SAINT MARTIN	186	186	0.1
SAINT PIERRE AND MIQUELON	187	187	0.1
SAINT VINCENT AND THE GRENADINES	188	188	0.1
SAMOA	189	189	0.1
SAN MARINO	190	190	0.1
SAO TOME AND PRINCIPE	191	191	0.1

SAUDI ARABIA	192	192	0.1
SENEGAL	193	193	0.1
SERBIA	194	194	0.1
SEYCHELLES	195	195	0.1
SIERRA LEONE	196	196	0.1
SINGAPORE	197	197	0.1
SLOVAKIA	198	198	0.1
SLOVENIA	199	199	0.1
SOLOMON ISLANDS	200	200	0.1
SOMALIA	201	201	0.1
SOUTH AFRICA	202	202	0.1
SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS	203	203	0.1
SPAIN	204	204	0.1
SRI LANKA	205	205	0.1
SUDAN	206	206	0.1
SURINAME	207	207	0.1
SVALBARD AND JAN MAYEN	208	208	0.1
SWAZILAND	209	209	0.1
SWEDEN	210	210	0.1
SWITZERLAND	211	211	0.1
SYRIAN ARAB REPUBLIC	212	212	0.1
TAIWAN	213	213	0.1
TAJIKISTAN	214	214	0.1
THAILAND	215	215	0.1
TIMOR-LESTE	216	216	0.1

TOGO	217	217	0.1
TOKELAU	218	218	0.1
TONGA	219	219	0.1
TRINIDAD AND TOBAGO	220	220	0.1
TUNISIA	221	221	0.1
TURKEY	222	222	0.1
TURKMENISTAN	223	223	0.1
TURKS AND CAICOS ISLAND	224	224	0.1
TUVALU	225	225	0.1
UGANDA	226	226	0.1
UKRAINE	227	227	0.1
UNITED ARAB EMIRATES	228	228	0.1
UNITED KINGDOM	229	229	0.1
URUGUAY	230	230	0.1
UZBEKISTAN	231	231	0.1
VANUATU	232	232	0.1
VATICAN CITY STATE	233	233	0.1
VENEZUELA	234	234	0.1
VIET NAM	235	235	0.1
VIRGIN ISLANDS, BRITISH	236	236	0.1
VIRGIN ISLANDS, U.S.	237	237	0.1
WALLIS AND FUTUNA	238	238	0.1
WESTERN SAHARA	239	239	0.1
YEMEN	240	240	0.1
ZAMBIA	241	241	0.1
ZIMBABWE	242	242	0.1

				CHINA	243	243	0.1	
				TANZANIA	244	244	0.1	
				UNITED STATES	245	245	0.1	
D_AUTOPSYND_CL_001	0.1			NO	1	N	0.1	i_11739585170356313_d_autopsynd_001
				UNKNOWN	2	U	0.1	
				YES	3	Y	0.1	

Groups of Fields D_SAE001 SAE / REPORTABLE EVENTS

Group RefName	Group Type	Associated Variables
IG_11739580790898841_D_SAE01001	Non-Repeating	D_CASEIDSAE_001
IG_11739580822072049_D_SAE02001	Non-Repeating	D_AESAWDTC1_001, D_FRINVNAM_001, D_LSINVNAM_001, D_INVPH1_001, D_INVEMAIL1_001
IG_11739580752911232_D_SAE05001	Repeating	D_LBTESTNAM1_001, D_LBTESTDTC1_001, D_LBTESTRES1_001, D_LBNORMRNL1_001, D_LBNORMMRNH1_001, D_LBTESTUNIT1_001
IG_11739580917215691_D_SAE06001	Repeating	D_LABOTH1_001, D_LABOTHDTTC_001, D_LABOTHRE_001, D_LABOTHCOM_001
IG_11739580955447849_D_SAE07001	Non-Repeating	D_NARRATIVE1SAE_001, D_NARRATIVE2SAE_001, D_NARRATIVE3SAE_001, D_NARRATIVE4SAE_001
IG_11739580937596026_D_SAE08001	Repeating	D_AEIDNUMBEG_001, D_AETERMMEDDRA_001, D_AETERMADMIT_001, D_SAEDATD_001, D_SAEEDD_001, D_RESDEATH_001, D_LIFETHREAT_001, D_CAUSEHOSP_001, D_DISABLE_001, D_ANOMALY_001, D_MEDIMPORT_001, D_CAUSE_001, D_ACNTKN_001, D_RECHALDER_001, D_SAEOUTD_001, D_COUNTRYOCCUR_001
IG_11739580967182796_D_SAE09001	Non-Repeating	D_STUDYID_001, D_DEATHDTC_001, D_CAUSDEATH_001, D_AUTOPSYND_001, D_AUTOPOCODD_001

Instruments
DS001_3 / RANDOMIZATION

Instrument Definition

Instrument Name:	DS001_3
Instrument Title:	RANDOMIZATION
SAS Instrument Name:	DS001_3
Description:	RAND
Version:	0.9
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: DS001_3 RANDOMIZATION (RAND) [Version: 0.9]		
Section RANDOMIZATION DS001_3_S		Permission Groups
	Group of Fields DS01001_3 / Randomization Group Type: Non-Repeating	Number of variables: 2

1.	Date of Randomization: [DSSTDTC_001_3] [DSSTDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the Date of Randomization using the format (DD- MMM-YYYY).	GPDIP_Impala_Integration (R,U)
2.	Randomization Number: [DSREFID_001_3] [DSREFID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Help/Info Text: Record the subject's Randomization number.	GPDIP_Impala_Integration (R,U)
Key: [*] = Item is required			

Study Object Descriptions: DS001_3 RANDOMIZATION		
Type	RefName	Description
Form	CRF_11739575478280959_DS001_3	DS001_3
Item	I_11739585246067897_DSSTDTC_001_3	
Item	I_11739585256809832_DSREFID_001_3	

Variable Validations DS001_3 RANDOMIZATION				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_3	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
DSSTDTC_001_3	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
DSSTDTC_001_3	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
DSSTDTC_001_3	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
DSSTDTC_001_3	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
DSSTDTC_001_3	>_END_OF_TREATMENT	>	>_END_OF_TREATMENT	Date is after 'Date of Completion/Discontinuation/Death' on the treatment disposition eCRF. Please review and update if appropriate.

Groups of Fields DS001_3 RANDOMIZATION		
Group RefName	Group Type	Associated Variables
IG_11739580688591207_DS01001_3	Non-Repeating	DSSTDTC_001_3, DSREFID_001_3

Instruments

D_UPA001 / UNPLANNED VISIT

Instrument Definition

Instrument Name:	D_UPA001
Instrument Title:	UNPLANNED VISIT
SAS Instrument Name:	D_UPA001
Description:	UNPL
Version:	0.9
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: D_UPA001 UNPLANNED VISIT (UNPL) [Version: 0.9]			
Section UNPLANNED VISIT D_UPA001_S			Permission Groups
	Group of Fields D_UPA01001 / Unplanned Visit Group Type: Non-Repeating	Number of variables: 1	
1.*	Assessments [D_UNPLASS_001] [UNPLASS]	[D_UNPLASS_CL_001] Checkboxes Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: D_UPA001 UNPLANNED VISIT		
Type	RefName	Description
Form	CRF_11739575627932580_D_UPA001	D_UPA001
Item	I_11739585267262690_D_UNPLASS_001	

Codelist Values Tables: D_UPA001 UNPLANNED VISIT								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_UNPLASS_CL_001	0.9			CONTACT OUTCOME	1	1	0.1	i_11739585267262690_d_unplass_001
				PARTICIPANT-REPORTED REACTOGENICITY	2	2	0.1	
				EXPOSURE DURING PREGNANCY	3	5	0.1	

Groups of Fields D_UPA001 UNPLANNED VISIT		
Group RefName	Group Type	Associated Variables
IG_11739580560431539_D_UPA01001	Non-Repeating	D_UNPLASS_001

Instruments

CECISR072 / UNPLANNED ASSESSMENT OF REACTOGENICITY

Instrument Definition

Instrument Name:	CECISR072
Instrument Title:	UNPLANNED ASSESSMENT OF REACTOGENICITY
SAS Instrument Name:	CECISR072
Description:	U REACT
Version:	0.31
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: CECISR072 UNPLANNED ASSESSMENT OF REACTOGENICITY (U REACT) [Version: 0.31]		
Section UNPLANNED ASSESSMENT OF REACTOGENICITY CECISR072_S		Permission Groups
Group of Fields CECISR01072 / Reactogenicity - Unplanned Assessment Group Type: Non-Repeating	Number of variables: 1	

1.* 	Date of Assessment: [Y_CEDTC_072] [CISRADAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of the assessment in the format dd-MMM-yyyy (e.g. 01-JAN-2006).	
	Group of Fields CECISR02072 / Injection Site Reactions Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 4	
2.* 	Reaction: [CETERM_072] [CISRREAC]	[CETERM_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.	Injection Site Location: [Y_CELOC_072] [CISRLOC]	[Y_CELOC_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 744	
4.* ✓✓	Maximum Diameter (cm): [FAORRES_MAXDIAM_072] [CISRMXD]	Number Box (Decimal) Max Value: 99.9 Max Decimal Size: 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the maximum diameter of each Reaction in cm to one decimal place (e.g., 2.4 cm)	
5.* ✓✓	Meets Grade 4 Reaction Criteria: [FAORRES_G4CRIMET_072] [CISRGR4]	[FAORRES_G4CRIMET_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

	Group of Fields CECISR03072 / Injection Site Pain Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 4	
6.	Reaction: [CETERM1_072] [CISRREA1]	[CETERM1_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 12	
7.	Injection Site Location: [Y_CELOC1_072] [CISRLOC1]	[Y_CELOC1_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 744	
8.* ✓	Severity: [FAORRES_SEV_072] [CISRSEV]	[FAORRES_SEV_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

9.* ✓✓	Meets Grade 4 Criteria: [FAORRES1_G4CRIMET_072] [CISRGR41] <i>(Nested Field)</i>	[FAORRES1_G4CRIMET_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields CECISR04072 / Systemic Symptoms Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 3	
10.* ✓✓	Symptom: [CETERM2_072] [CISRSYMP]	[CETERM2_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.* ✓✓	Severity: [FAORRES1_SEV_072] [CISRSEV1]	[FAORRES1_SEV_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

12.* ✓	Meets Grade 4 Criteria: [FAORRES2_G4CRIMET_072] [CISGR42] (Nested Field)	[FAORRES2_G4CRIMET_CL_072] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: CECISR072 UNPLANNED ASSESSMENT OF REACTOGENICITY		
Type	RefName	Description
Form	CRF_11739575776108410_CECISR072	CECISR072
Item	I_11739585278425061_Y_CEDTC_072	
Item	I_11739585293390181_CETERM_072	
Item	I_11739585305192288_Y_CELOC_072	
Item	I_11739585316368977_FAORRES_MAXDIAM_072	
Item	I_11739585327481132_FAORRES_G4CRIMET_072	
Item	I_11739585338538763_CETERM1_072	
Item	I_11739585349222909_Y_CELOC1_072	
Item	I_11739585359521927_FAORRES_SEV_072	
Item	I_11739585371439850_FAORRES1_G4CRIMET_07	
Item	I_11739585380602782_CETERM2_072	
Item	I_11739585389890113_FAORRES1_SEV_072	
Item	I_11739585399060412_FAORRES2_G4CRIMET_07	

Codelist Values Tables: CECISR072 UNPLANNED ASSESSMENT OF REACTOGENICITY
--

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CETERM_CL_072	0.1			REDNESS	1	1	0.1	i_11739585293390181_ceterm_072
				SWELLING	2	2	0.1	
Y_CELOC_CL_072	0.2			DELTOID MUSCLE	1	744	0.1	i_11739585305192288_y_celoc_072
FAORRES_G4CRIMET_CL_072	0.1			NO	1	N	0.1	i_11739585327481132_faorres_g4crimet_072
				YES	2	Y	0.1	
CETERM1_CL_072	0.1			PAIN AT INJECTION SITE	1	12	0.1	i_11739585338538763_ceterm1_072
Y_CELOC1_CL_072	0.2			DELTOID MUSCLE	1	744	0.1	i_11739585349222909_y_celoc1_072
FAORRES_SEV_CL_072	0.1			MILD	1	1	0.1	i_11739585359521927_faorres_sev_072
				MODERATE	2	2	0.1	
				SEVERE	3	3	0.1	
FAORRES1_G4CRIMET_CL_072	0.1			NO	1	N	0.1	i_11739585371439850_faorres1_g4crimet_07
				YES	2	Y	0.1	
CETERM2_CL_072	0.4			HEADACHE	1	3	0.1	i_11739585380602782_ceterm2_072
				FATIGUE	2	7	0.1	
				MUSCLE PAIN	3	9	0.1	
				JOINT PAIN	4	11	0.1	
FAORRES1_SEV_CL_072	0.1			MILD	1	1	0.1	i_11739585389890113_faorres1_sev_072
				MODERATE	2	2	0.1	
				SEVERE	3	3	0.1	
FAORRES2_G4CRIMET_CL_072	0.1			NO	1	N	0.1	i_11739585399060412_faorres2_g4crimet_07
				YES	2	Y	0.1	

Variable Validations CECISR072 UNPLANNED ASSESSMENT OF REACTOGENICITY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
Y_CEDTC_072	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
Y_CEDTC_072	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
Y_CEDTC_072	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
Y_CEDTC_072	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
Y_CEDTC_072	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
Y_CEDTC_072	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
Y_CEDTC_072	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CECISR072 UNPLANNED ASSESSMENT OF REACTOGENICITY		
Group RefName	Group Type	Associated Variables
IG_11739580780878366_CECISR01072	Non-Repeating	Y_CEDTC_072
IG_11739580802362434_CECISR02072	Repeating	CETERM_072, Y_CELOC_072, FAORRES_MAXDIAM_072, FAORRES_G4CRIMET_072
IG_11739580744222612_CECISR03072	Repeating	CETERM1_072, Y_CELOC1_072, FAORRES_SEV_072, FAORRES1_G4CRIMET_072
IG_11739580763799385_CECISR04072	Repeating	CETERM2_072, FAORRES1_SEV_072, FAORRES2_G4CRIMET_072

Instruments

CESOR019 / SUMMARY OF REACTOGENICITY

Instrument Definition

Instrument Name:	CESOR019
Instrument Title:	SUMMARY OF REACTOGENICITY
SAS Instrument Name:	CESOR019
Description:	SUMREACT
Version:	0.24
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: CESOR019 SUMMARY OF REACTOGENICITY (SUMREACT) [Version: 0.24]		
Section SUMMARY OF REACTOGENICITY CESOR019_S		Permission Groups
Group of Fields CESOR01019 / Summary of Reactogenicity Group Type: Non-Repeating	Number of variables: 7	

1.* ✓✓	Did the participant report a diary entry, reactogenicity event for each day of the planned e-diary period? [SUPPCE_DIARYCMP_019] [SORDCMP]	[SUPPCE_DIARYCMP_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.* ✓✓	If No, provide the main reason it was not reported by the participant: [SUPPCE_RSNOTRPT_019] [SORRSRP] (Nested Field)	[SUPPCE_RSNOTRPT_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Choose the main reason, if there is more than one for why the participant did not report all diary entries. Note, if participant was hospitalized that is expected to be the main reason.	
3.*	If Other, specify: [SUPPCE_RSNOTRPO_019] [SORRSRPO] (Nested Field)	Text Box Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.* ✓✓	Did the participant withdraw from treatment/study due to a reactogenicity event that started during the planned e-diary period? [R_SORWDRAW_019] [SORWDRAW]	[R_SORWDRAW_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If Yes, complete the appropriate disposition CRF.	
5.* ✓✓	Did the participant require hospitalization or other medical attention for a reactogenicity event that started during the planned e-diary period? [R_SORMEDAT_019] [SORMEDAT]	[R_SORMEDAT_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record Yes if the participant went to the Emergency Room, Hospital or was seen by another Healthcare Professional. This does not include site visits for assessments of severe reactogenicity events.	
6.* ✓✓	Did the participant have a reactogenicity event that was also a serious adverse event? [R_SORRSAE_019] [SORRSAE]	[R_SORRSAE_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7.* ✓✓	Were fever, local reactions or systemic symptoms present on the last day the Subject Diary/Participant Reported Reactogenicity form was completed during the planned e-diary period? [R_SORSLDAY_019] [SORSLDAY]	[R_SORSLDAY_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Yes should be reported if an event was reported on the last day of the planned e-diary period, as noted in the e-diary/PARR.	
	Group of Fields CESOR03019 / Withdrawal Event Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 1	
8.* ✓✓	Reaction: [CETERM_WDRAW_019] [SORTERM1]	[CETERM_WDRAW_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Choose the reaction(s) that occurred that resulted in the participant being withdrawn. If more than one event occurred during the specified window, use add entry to add all that apply.	
	Group of Fields CESOR04019 / Hospitalization or Other Medical Attention Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 3	

9.* 	Reaction: [Y_CETERM_HOINDC_019] [SORHOIND]	[Y_CETERM_HOINDC_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Choose the reaction(s) that occurred that resulted in the participant having a Healthcare encounter. If more than one event occurred that resulted in a Healthcare encounter during the specified window, use add entry to add all that apply.	
10.* 	Type of Healthcare: [HOTERM_019] [SORHCARE]	[HOTERM_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: The highest level of healthcare for the reaction should be reported, e.g. if subject went to the Emergency Room and was then admitted to the hospital, then hospitalization is the only Type of Healthcare that needs to be reported. If Yes is chosen for Hospitalization or Emergency Room, ensure the related event is on the unplanned assessment form.	

11.* 	Start Date of Encounter: [HOSTDTC_019] [SORHEDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Enter the date of the Healthcare professional visit or the start date of the emergency room visit or start date of the hospitalization.	
	Group of Fields CESOR05019 / Serious Adverse Event Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 1	

12.* ✓✓	Reaction: [CETERM_SAE_019] [SORTERM2]	[CETERM_SAE_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Choose the reaction(s) that occurred that resulted in the participant having a Serious Adverse Event. If more than one event occurred during the specified window, use add entry to add all that apply.	
	Group of Fields CESOR06019 / Ongoing on Last Day Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 3	
13.* ✓✓	Reaction: [CETERM_ONGO_019] [SORTERM3]	[CETERM_ONGO_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Choose the reaction(s) that occurred that was still ongoing as of the last diary/PARR entry. If more than one event occurred during the specified window, use add entry to add all that apply.	

14.* ✓	Ongoing? [X_CEONGO_019] [SORONGO]	[X_CEONGO_CL_019] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
15.* ✓	If No, Enter Stop Date: [CEENDTC_019] [SORENDTC] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If No, record the stop date when the reactogenicity event resolved.	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: CESOR019 SUMMARY OF REACTOGENICITY

Type	RefName	Description
Form	CRF_11739575925316121_CESOR019	CESOR019
Item	I_11739585409081199_SUPPCE_DIARYCMP_019	
Item	I_11739585420046957_SUPPCE_RSNOTRPT_019	
Item	I_11739585428604893_SUPPCE_RSNOTRPO_019	
Item	I_11739585438687284_R_SORWDRAW_019	
Item	I_11739585448459437_R_SORMEDAT_019	
Item	I_11739585458619655_R_SORRSAE_019	
Item	I_11739585467570227_R_SORSLDAY_019	
Item	I_11739585477215379_CETERM_WDRAW_019	
Item	I_11739585486102123_Y_CETERM_HOINDC_019	
Item	I_11739585495075005_HOTERM_019	
Item	I_11739585505027574_HOSTDTC_019	
Item	I_11739585514266773_CETERM_SAE_019	
Item	I_11739585523952377_CETERM_ONGO_019	
Item	I_11739585533717415_X_CEONGO_019	
Item	I_11739585544119827_CEENDTC_019	

Codelist Values Tables: CESOR019 SUMMARY OF REACTOGENICITY								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPCE_DIARYCMP_CL_019	0.1			YES	1	Y	0.1	i_11739585409081199_suppce_diarycmp_019
				NO	2	N	0.1	
SUPPCE_RSNOTRPT_CL_019	0.1			SUBJECT FELT TOO ILL	1	1	0.1	i_11739585420046957_suppce_rsnotrpt_019
				SUBJECT REFUSED	2	2	0.1	
				TECHNICAL ISSUES	3	3	0.1	

				HOSPITALIZATION	4	4	0.1	
				EVENT RESOLUTION	5	5	0.1	
				SUBJECT FORGOT	6	6	0.1	
				OTHER	7	7	0.1	
R_SORWDRAW_CL_019	0.1			YES	1	Y	0.1	i_11739585438687284_r_sorwdraw_019
				NO	2	N	0.1	
R_SORMEDAT_CL_019	0.1			YES	1	Y	0.1	i_11739585448459437_r_sormedat_019
				NO	2	N	0.1	
R_SORRSAE_CL_019	0.1			YES	1	Y	0.1	i_11739585458619655_r_sorrsae_019
				NO	2	N	0.1	
R_SORSLDAY_CL_019	0.1			YES	1	Y	0.1	i_11739585467570227_r_sorslday_019
				NO	2	N	0.1	
CETERM_WDRAW_CL_019	0.3			REDNESS	1	1	0.1	i_11739585477215379_ceterm_wdraw_019
				SWELLING	2	2	0.1	
				HEADACHE	3	3	0.1	
				FEVER	4	4	0.1	
				PAIN AT INJECTION SITE	5	10	0.1	
				FATIGUE	6	7	0.1	
				MUSCLE PAIN	7	9	0.1	
				JOINT PAIN	8	8	0.1	
Y_CETERM_HOINDC_CL_019	0.3			REDNESS	1	1	0.1	i_11739585486102123_y_ceterm_hoindc_019
				SWELLING	2	2	0.1	
				HEADACHE	3	3	0.1	
				FEVER	4	4	0.1	
				PAIN AT INJECTION SITE	5	10	0.1	
				FATIGUE	6	7	0.1	
				MUSCLE PAIN	7	9	0.1	

				JOINT PAIN	8	8	0.1	
HOTERM_CL_019	0.1			HEALTHCARE PROFESSIONAL	1	1	0.1	i_11739585495075005_hoterm_019
				EMERGENCY ROOM	2	2	0.1	
				HOSPITALIZED	3	3	0.1	
CETERM_SAE_CL_019	0.2			REDNESS	1	1	0.1	i_11739585514266773_ceterm_sae_019
				SWELLING	2	2	0.1	
				HEADACHE	3	3	0.1	
				FEVER	4	4	0.1	
				PAIN AT INJECTION SITE	5	10	0.1	
				FATIGUE	6	7	0.1	
				JOINT PAIN	7	8	0.1	
				MUSCLE PAIN	8	9	0.1	
CETERM_ONGO_CL_019	0.2			REDNESS	1	1	0.1	i_11739585523952377_ceterm_ongo_019
				SWELLING	2	2	0.1	
				HEADACHE	3	3	0.1	
				FEVER	4	4	0.1	
				PAIN AT INJECTION SITE	5	10	0.1	
				FATIGUE	6	7	0.1	
				MUSCLE PAIN	7	9	0.1	
				JOINT PAIN	8	8	0.1	
X_CEONGO_CL_019	0.1			YES	1	Y	0.1	i_11739585533717415_x_ceongo_019
				NO	2	N	0.1	

Variable Validations CESOR019 SUMMARY OF REACTOGENICITY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
------------------	---------------------	----------	-----------------	------------

H0STDTC_019	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
H0STDTC_019	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
H0STDTC_019	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
H0STDTC_019	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
H0STDTC_019	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
H0STDTC_019	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
H0STDTC_019	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
H0STDTC_019	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CEENDTC_019	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
CEENDTC_019	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CEENDTC_019	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
CEENDTC_019	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
CEENDTC_019	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
CEENDTC_019	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CEENDTC_019	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CEENDTC_019	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CESOR019 SUMMARY OF REACTOGENICITY

Group RefName	Group Type	Associated Variables
IG_11739580469880522_CESOR01019	Non-Repeating	SUPPCE_DIARYCMP_019, SUPPCE_RSNOTRPT_019, SUPPCE_RSNOTRPO_019, R_SORWDRAW_019, R_SORMEDAT_019, R_SORRSAE_019, R_SORSLDAY_019
IG_11739580478998382_CESOR03019	Repeating	CETERM_WDRAW_019
IG_11739580490140453_CESOR04019	Repeating	Y_CETERM_HOINDC_019, HOTERM_019, HOSTDTC_019

IG_11739580521335052_CESOR05019	Repeating	CETERM_SAE_019
IG_11739580532055498_CESOR06019	Repeating	CETERM_ONGO_019, X_CEONGO_019, CEENDTC_019

Instruments

FAVSD065 / PARTICIPANT-REPORTED REACTOGENICITY

Instrument Definition

Instrument Name:	FAVSD065
Instrument Title:	PARTICIPANT-REPORTED REACTOGENICITY
SAS Instrument Name:	FAVSD065
Description:	PARREACT
Version:	0.16
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: FAVSD065 <i>PARTICIPANT-REPORTED REACTOGENICITY</i> (PARREACT) [Version: 0.16]		
Section PARTICIPANT-REPORTED REACTOGENICITY FAVSD065_S		Permission Groups
Group of Fields FAVSD01065 / Participant-Reported Reactogenicity Group Type: Non-Repeating	Number of variables: 5	

1.* 	Date of Missed Diary: [Y_SUPPFA_VSDMDTC_065] [VSDMDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date of the missing Diary entry in the format dd- MMM-yyyy (e.g., 01-JAN-2006). A complete date is required.	
2.* 	Did the participant report any local reactions? [X_FAORRES_LOCREIND_065] [VSDLRACT]	[X_FAORRES_LOCREIND_CL_065] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.* ✓✓	Did the participant report any symptoms? [X_FAORRES_SYMPINDC_065] [VSDSRACT]	[X_FAORRES_SYMPINDC_CL_065] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.* ✓✓	Highest temperature for the day: [VSORRES_TEMP_065] [VSDTEMP]	Number Box (Integer) Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the participant's highest daily temperature	
5.*	Unit: [VSORRESU_TEMP_065] [VSDTEMPU]	[VSORRESU_TEMP_CL_065] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields FAVSD02065 / Local Reaction-Choose a reaction only if it occurred Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

6.* ✓✓	Reaction: [FAOBJ_065] [VSDOBJ]	[FAOBJ_CL_065] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record a symptom only if it occurred.	
7.* ✓✓	Diameter (Caliper Units): [FAORRES_DIAMETER_065] [VSDDIAM]	Number Box (Integer) Max Value: 99 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields FAVSD03065 / Symptoms-Choose a symptom only if it occurred Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

8.* ✓	Symptom: [FAOBJ1_065] [VSDOBJ1]	[FAOBJ1_CL_065] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record a symptom only if it occurred and will have a severity noted.	
9.* ✓	Severity: [FAORRES_SEV_065] [VSDSEV]	[FAORRES_SEV_CL_065] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: FAVSD065 PARTICIPANT-REPORTED REACTOGENICITY		
Type	RefName	Description
Form	CRF_11739576074780122_FAVSD065	FAVSD065
Item	I_11739585554175683_Y_SUPPFA_VSDMDTC_065	
Item	I_11739585564838709_X_FAORRES_LOCREIND_0	
Item	I_11739585574473120_X_FAORRES_SYMPINDC_0	
Item	I_11739585585488126_VSORRES_TEMP_065	
Item	I_11739585596025201_VSORRESU_TEMP_065	

Item	I_11739585605724377_FAOBJ_065	
Item	I_11739585615988186_FAORRES_DIAMETER_065	
Item	I_11739585626573959_FAOBJ1_065	
Item	I_11739585637339419_FAORRES_SEV_065	

Codelist Values Tables: FAVSD065 PARTICIPANT-REPORTED REACTOGENICITY								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_FAORRES_LOCREIND_CL_065	0.1			YES	1	Y	0.1	i_11739585564838709_x_faorres_locreind_0
				NO	2	N	0.1	
X_FAORRES_SYMPINDC_CL_065	0.1			YES	1	Y	0.1	i_11739585574473120_x_faorres_sympindc_0
				NO	2	N	0.1	
VSORRESU_TEMP_CL_065	0.1			C	1	4	0.1	i_11739585596025201_vsorresu_temp_065
				F	2	6	0.1	
FAOBJ_CL_065	0.1			REDNESS	1	1	0.1	i_11739585605724377_faobj_065
				SWELLING	2	2	0.1	
FAOBJ1_CL_065	0.4			HEADACHE	1	9	0.1	i_11739585626573959_faobj1_065
				JOINT PAIN	2	13	0.1	
				MUSCLE PAIN	3	15	0.1	
				PAIN AT INJECTION SITE	4	22	0.1	
FAORRES_SEV_CL_065	0.1			MILD	1	1	0.1	i_11739585637339419_faorres_sev_065
				MODERATE	2	2	0.1	
				SEVERE	3	3	0.1	

Variable Validations FAVSD065 PARTICIPANT-REPORTED REACTOGENICITY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
Y_SUPPFA_VSDMDTC_065	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
Y_SUPPFA_VSDMDTC_065	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields FAVSD065 PARTICIPANT-REPORTED REACTOGENICITY

Group RefName	Group Type	Associated Variables
IG_11739580461101980_FAVSD01065	Non-Repeating	Y_SUPPFA_VSDMDTC_065, X_FAORRES_LOCREIND_065, X_FAORRES_SYMPINDC_065, VSORRES_TEMP_065, VSORRESU_TEMP_065
IG_11739580449158530_FAVSD02065	Repeating	FAOBJ_065, FAORRES_DIAMETER_065
IG_11739580510476972_FAVSD03065	Repeating	FAOBJ1_065, FAORRES_SEV_065

Instruments

FAFUC009 / CONTACT OUTCOME

Instrument Definition

Instrument Name:	FAFUC009
Instrument Title:	CONTACT OUTCOME
SAS Instrument Name:	FAFUC009
Description:	CONTACT
Version:	0.18
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: FAFUC009 CONTACT OUTCOME (CONTACT) [Version: 0.18]		
Section CONTACT OUTCOME FAFUC009_S		Permission Groups
Group of Fields FAFUC01009 / Contact Outcome Group Type: Non-Repeating	Number of variables: 7	

1.	Follow-Up Contact Category [FACAT_009] [FUCCAT]	[FACAT_CL_009] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 1	
2.	Contact Type: [FAORRES_FUCTYPE_009] [FUCTYPE]	[FAORRES_FUCTYPE_CL_009] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 2	
3.* ✓	Was contact made? [FAORRES_FUCMADE_009] [FUCOCCUR]	[FAORRES_FUCMADE_CL_009] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.* 	Date of Contact: [FAORRES_FUCDAT_009] [FUCDAT] <i>(Nested Field)</i>	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record Date of Contact in the format dd-MMM-yyyy (e.g. 01-JAN-2006).	
5.* 	Contact Outcome: [FAORRES_FUCOUT_009] [FUCOUT] <i>(Nested Field)</i>	[FAORRES_FUCOUT_CL_009] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.*	If No, why? [FAORRES_FUCNCRS_009] [FUCNCRS] <i>(Nested Field)</i>	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.	Comments: [CO_FUCCOM_009] [FUCCOM]	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: FAFUC009 CONTACT OUTCOME		
Type	RefName	Description
Form	CRF_11739576222848702_FAFUC009	FAFUC009
Item	I_11739585647315504_FACAT_009	
Item	I_11739585655431671_FAORRES_FUCTYPE_009	
Item	I_11739585663574103_FAORRES_FUCMADE_009	
Item	I_11739585672304693_FAORRES_FUCDAT_009	
Item	I_11739585682869010_FAORRES_FUCOUT_009	

Item	I_11739585691211502_FAORRES_FUCNCRS_009	
Item	I_11739585699651644_CO_FUCCOM_009	

Codelist Values Tables: FAFUC009 CONTACT OUTCOME

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
FACAT_CL_009	0.2			CONTACT OUTCOME	1	1	0.1	i_11739585647315504_facat_009
FAORRES_FUCTYPE_CL_009	0.4			TELEPHONE VISIT	1	2	0.1	i_11739585655431671_faorres_fuctype_009
FAORRES_FUCMADE_CL_009	0.1			YES	1	Y	0.1	i_11739585663574103_faorres_fucmade_009
				NO	2	N	0.1	
FAORRES_FUCOUT_CL_009	0.2			VISIT ARRANGED	1	1	0.1	i_11739585682869010_faorres_fucout_009
				VISIT ARRANGED, BUT NOT ATTENDED	2	2	0.1	
				VISIT NOT ARRANGED, REACTION NO LONGER PRESENT	3	3	0.1	
				VISIT NOT ARRANGED, UNABLE TO ATTEND	4	4	0.1	
				VISIT NOT REQUIRED, DATA ENTRY ERROR IN E-DIARY	5	5	0.1	
				VISIT NOT REQUIRED, INVESTIGATOR DECISION	6	6	0.1	
				VISIT NOT REQUIRED, PER PROTOCOL	7	7	0.1	

			VISIT NOT ARRANGED, SEVERE REACTOGENICITY ASSESSMENT CONFIRMED VIA MEDICAL RECORDS AND /OR TELEHEALTH ASSESSMENT	8	8	0.1
--	--	--	---	---	---	-----

Variable Validations FAFUC009 CONTACT OUTCOME

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
FAORRES_FUCDAT_009	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
FAORRES_FUCDAT_009	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
FAORRES_FUCDAT_009	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
FAORRES_FUCDAT_009	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
FAORRES_FUCDAT_009	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
FAORRES_FUCDAT_009	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
FAORRES_FUCDAT_009	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields FAFUC009 CONTACT OUTCOME

Group RefName	Group Type	Associated Variables
IG_11739580436640928_FAFUC01009	Non-Repeating	FACAT_009, FAORRES_FUCTYPE_009, FAORRES_FUCMADE_009, FAORRES_FUCDAT_009, FAORRES_FUCOUT_009, FAORRES_FUCNCRS_009, CO_FUCCOM_009

Instruments

CESOR019_1 / SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS

Instrument Definition

Instrument Name:	CESOR019_1
Instrument Title:	SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS
SAS Instrument Name:	CESOR019_1
Description:	SUMREACTIE
Version:	0.16
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: CESOR019_1 SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS (SUMREACTIE) [Version: 0.16]		
Section SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS CESOR019_1_S		Permission Groups
Group of Fields CESOR01019_1 / Summary of Reactogenicity Group Type: Non-Repeating	Number of variables: 1	

1.* 	Did the participant have a reactogenicity event that was immediate 30 minutes? [R_SORIMMED_019_1] [SORIMMED]	[R_SORIMMED_CL_019_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record YES or NO. If YES, complete Immediate event section of this form.	
	Group of Fields CESOR02019_1 / Immediate Event Group Type: Repeating	Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	
2.* 	Reaction: [CETERM_IMM_019_1] [SORTERM]	[CETERM_IMM_CL_019_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Critical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Choose the immediate reaction(s) that occurred within the protocol defined window. If more than one immediate reactogenicity event occurred during the specified window, use add entry to add all that apply	

3.* ✓	Start Date Time of Immediate Event: [CESTDTC_019_1] [SORIEDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Critical Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Report the date and time of the event that occurred within the protocol defined time frame on the date of vaccination.	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: CESOR019_1 SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS		
Type	RefName	Description
Form	CRF_11739576370915542_CESOR019_1	CESOR019_1
Item	I_11739585709134825_R_SORIMMED_019_1	
Item	I_11739585720141354_CETERM_IMM_019_1	
Item	I_11739585729774354_CESTDTC_019_1	

Codelist Values Tables: CESOR019_1 SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_SORIMMED_CL_019_1	0.1			YES	1	Y	0.1	i_11739585709134825_r_sorimmed_019_1
				NO	2	N	0.1	
CETERM_IMM_CL_019_1	0.2			REDNESS	1	1	0.1	i_11739585720141354_ceterm_imm_019_1
				SWELLING	2	2	0.1	
				HEADACHE	3	3	0.1	
				FEVER	4	4	0.1	
				PAIN AT INJECTION SITE	5	10	0.1	
				FATIGUE	6	7	0.1	
				MUSCLE PAIN	7	9	0.1	
				JOINT PAIN	8	8	0.1	

Variable Validations CESOR019_1 SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CESTDTC_019_1	<_INFORMED_CONSENT	<	<_INFORMED_CONSENT	Date is before 'Date Written Consent Obtained' on the Informed Consent form. Please review and update if appropriate.
CESTDTC_019_1	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CESTDTC_019_1	<_ENROLLMENT	<	<_ENROLLMENT	Date is before 'Enrollment Date'. Please review and update if appropriate.
CESTDTC_019_1	<_RANDOMIZATION	<	<_RANDOMIZATION	Date is before 'Randomization Date'. Please review and update if appropriate.
CESTDTC_019_1	<_FIRST_DOSE	<	<_FIRST_DOSE	Date is less than the first dose date. Please review and update if appropriate.
CESTDTC_019_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CESTDTC_019_1	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CESTDTC_019_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CESOR019_1 SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS		
Group RefName	Group Type	Associated Variables
IG_11739580568480530_CESOR01019_1	Non-Repeating	R_SORIMMED_019_1
IG_11739580501273236_CESOR02019_1	Repeating	CETERM_IMM_019_1, CESTDTC_019_1

Instruments

CM001_3 / CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS

Instrument Definition

Instrument Name:	CM001_3
Instrument Title:	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS
SAS Instrument Name:	CM001_3
Description:	CONMED
Version:	0.75
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: CM001_3 CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS (CONMED) [Version: 0.75]		
Section CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS CM001_S_3		Permission Groups
Group of Fields CM01001_3 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 18	

1.	What is the medication identifier? [CMSPID_001_3] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: [\$form_occurrence]	
2.	Category: [CMCAT_001_3] [CMCAT]	[CMCAT_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: 3 Help/Info Text: Record the Category for this medication.	

3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001_3] [CMTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Generic drug name is the preferred entry. Provide the complete generic drug name (including salt form) if known. If the medication includes a large number of ingredients or the generic name is unknown, record the full trade or proprietary name.	
4.*	Reason for Administration: [CMINDC_001_3] [CMINDC]	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken based on clinical evaluation by the investigator. If taken to treat a condition, and a diagnosis was made, the reason should be the diagnosis. If taken to treat a condition, and no diagnosis was made, the reason should be the signs and symptoms. If taken as prophylaxis, report as "Prophylaxis for ...".	

5.*	Dose: [X_CMDSTXT_001_3] [CMDSTXT]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose of medication taken per administration. Do not include units in this field.	
6.*	Dose Unit: [CMDOSU_001_3] [CMDOSU]	[CMDOSU_CL_001_3] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose unit of the medication taken.	

7.*	Route: [CMROUTE_001_3] [CMROUTE]	[CMROUTE_CL_001_3] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the route of administration for the drug.	
-----	--	---	--

8.*	Start Date: [CMSTDTC_001_3] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If the subject has been taking the medication for a considerable amount of time prior to the start of the study, it is acceptable to have an incomplete date. Medications taken during the study are expected to have a complete start date. Prior medications that are exclusionary should have both a start and end date. If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock.	
-----	--	--	--

9.*	Is this concomitant therapy suspected to be related to an Adverse Event? [R_SUPPCM_CONSUS_001_3] [CMSUS]	[R_SUPPCM_CONSUS_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication is NOT considered suspect in relation to a reportable event please select NO. If this medication is considered suspect in relation to a reportable event please select YES and complete the remaining fields (AE ID, Action Taken and Re-Challenge)	
10.*	AE ID of the AE this conmed is related to: [R_AEIDCM_001_3] [CMAEID] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y' , [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	

11.	AE ID of the AE this conmed is related to: [R_AEIDCM1_001_3] [CMAEID1] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	
12.	AE ID of the AE this conmed is related to: [R_AEIDCM2_001_3] [CMAEID2] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	

13.	AE ID of the AE this conmed is related to: [R_AEIDCM3_001_3] [CMAEID3] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	
14.	AE ID of the AE this conmed is related to: [R_AEIDCM4_001_3] [CMAEID4] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	

15.*	Action Taken: [R_SUPPCM_ACTTKN_001_3] [CMACTION] (Nested Field)	[R_SUPPCM_ACTTKN_CL_001_3] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the medication selected in the pick list as a result of the SAE or non-serious but reportable event	
16.*	Re-Challenge: [R_SUPPCM_RECHAL_001_3] [CMRECHAL] (Nested Field)	[R_SUPPCM_RECHAL_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the medication selected in the pick list was re-introduced. Positive Re-challenge: When the concomitant medication was reintroduced and the SAE or non-serious but reportable event reappeared Negative Re-challenge: When the concomitant medication was reintroduced and the SAE or non-serious but reportable event did not reappear Not Applicable: When the medication was not re-introduced Unknown: When the medication was reintroduced, but the result of re-challenge was unknown	

17.	Standardized Medication Name - Dictionary derived. [CMDECOD_001_3] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
18.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001_3] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
Key: [*] = Item is required			

Study Object Descriptions: CM001_3 CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS		
Type	RefName	Description
Form	CRF_11739576520860385_CM001_3	CM001_3
Item	I_11739585741083238_CMSPID_001_3	
Item	I_11739585755783461_CMCAT_001_3	
Item	I_11739585765398680_CMTRT_001_3	
Item	I_11739585777496536_CMINDC_001_3	
Item	I_11739585788459019_X_CMDSTXT_001_3	

Item	I_11739585938453282_CMDOSU_001_3	
Item	I_11739585799057725_CMROUTE_001_3	
Item	I_11739585809619268_CMSTDTC_001_3	
Item	I_11739585819449325_R_SUPPCM_CONSUS_001_	
Item	I_11739585829262758_R_AEIDCM_001_3	
Item	I_11739585846069843_R_AEIDCM1_001_3	
Item	I_11739585862070634_R_AEIDCM2_001_3	
Item	I_11739585876326339_R_AEIDCM3_001_3	
Item	I_11739585888896028_R_AEIDCM4_001_3	
Item	I_11739585901683090_R_SUPPCM_ACTTKN_001_	
Item	I_11739585909726575_R_SUPPCM_RECHAL_001_	
Item	I_11739585919259578_CMDECOD_001_3	
Item	I_11739585929424342_SUPPCM_CMCODE_001_3	

Codelist Values Tables: CM001_3 CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_3	0.3			VACCINATIONS	1	3	0.1	i_11739585755783461_cmcat_001_3
CMDOSU_CL_001_3	0.2			mg	1	8	0.1	i_11739585938453282_cmdosu_001_3
				g	2	45	0.1	
				mL	3	9	0.1	
CMROUTE_CL_001_3	0.3			INTRAMUSCULAR	1	50	0.1	i_11739585799057725_cmroute_001_3
				INTRADERMAL	2	35	0.1	
				SUBCUTANEOUS	3	98	0.1	
				ORAL	4	84	0.1	
				NASAL	5	79	0.1	

				OTHER	6	130	0.1	
R_SUPPCM_CONSUS_CL_001_3	0.2			NO	1	N	0.1	i_11739585819449325_r_suppcm_consus_001_
				YES	2	Y	0.1	
R_SUPPCM_ACTTKN_CL_001_3	0.2			DOSE INCREASED	1	1	0.1	i_11739585901683090_r_suppcm_acttkn_001_
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	
				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
R_SUPPCM_RECHAL_CL_001_3	0.2			POSITIVE	1	1	0.1	i_11739585909726575_r_suppcm_rechal_001_
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	

Variable Validations CM001_3 CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_3	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001_3	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_3	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001_3	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_3 CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_11739580593989889_CM01001_3	Non-Repeating	CMSPID_001_3, CMCAT_001_3, CMTRT_001_3, CMINDC_001_3, X_CMDSTXT_001_3, CMDOSU_001_3, CMROUTE_001_3, CMSTDTC_001_3, R_SUPPCM_CONSUS_001_3, R_AEIDCM_001_3, R_AEIDCM1_001_3, R_AEIDCM2_001_3, R_AEIDCM3_001_3, R_AEIDCM4_001_3, R_SUPPCM_ACTTKN_001_3, R_SUPPCM_RECHAL_001_3, CMDECOD_001_3, SUPPCM_CMCODE_001_3
--------------------------------	---------------	--

Instruments

CM001_4 / CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION

Instrument Definition

Instrument Name:	CM001_4
Instrument Title:	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION
SAS Instrument Name:	CM001_4
Description:	CONMED
Version:	0.82
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Enabled
Enable within-form Subject Navigation:	Disabled

C4601019_V2.0.0: CM001_4 CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION (CONMED) [Version: 0.82]		
Section CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION CM001_S_4		Permission Groups
Group of Fields CM01001_4 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 22	

1.	What is the medication identifier? [CMSPID_001_4] [CMSPID]	Text Box Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: [\$form_occurrence]	
2.	Category: [CMCAT_001_4] [CMCAT]	[CMCAT_CL_001_4] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Minimal Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the Category for this medication.	

3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001_4] [CMTRT]	Text Box Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record only one medication per line. Generic drug name is the preferred entry. Provide the complete generic drug name (including salt form) if known. If the medication includes a large number of ingredients or the generic name is unknown, record the full trade or proprietary name.	
4.*	Was this medication given to treat an Adverse Event? [SUPPCM_CMAER_001_4] [CMAER]	[SUPPCM_CMAER_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication was given to treat an adverse event, select Yes. Otherwise, select No.	

5.*	Reason for Administration: [CMINDC_001_4] [CMINDC]	Text Box Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the reason the medication was taken based on clinical evaluation by the investigator. If taken to treat a condition, and a diagnosis was made, the reason should be the diagnosis. If taken to treat a condition, and no diagnosis was made, the reason should be the signs and symptoms. If taken as prophylaxis, report as "Prophylaxis for ...".	
6.*	Dose: [X_CMDSTXT_001_4] [CMDSTXT]	Text Box Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose of medication taken per administration. Do not include units in this field.	

7.*	Dose Unit: [CMDOSU_001_4] [CMDOSU]	[CMDOSU_CL_001_4] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the dose unit of the medication taken.	
8.*	Route: [CMROUTE_001_4] [CMROUTE]	[CMROUTE_CL_001_4] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the route of administration for the drug.	
9.*	Dose Frequency: [CMDOSFRQ_001_4] [CMDOSFRQ]	[CMDOSFRQ_CL_001_4] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record how often the medication was taken. (e.g., BID, PRN).	

10.*	Start Date: [CMSTDTC_001_4] [CMSTDAT]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the medication was first taken in the format of DD-MMM-YYYY (e.g. 01-JAN-2006). If the subject has been taking the medication for a considerable amount of time prior to the start of the study, it is acceptable to have an incomplete date. Medications taken during the study are expected to have a complete start date. Prior medications that are exclusionary should have both a start and end date. If appropriate, record the time (as complete as possible) when the medication started, using the 24-hour clock.	
------	--	--	--

11.*	Ongoing? [X_CMONGO_001_4] [CMONGO]	[X_CMONGO_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the medication as ongoing if the subject has not stopped taking the medication at the time of data collection, and leave the end date blank. If this field is left blank, an End Date must be provided.	
------	---	---	--

12.*	End Date: [CMENDTC_001_4] [CMENDAT] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Enabled Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Supportive Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the date the subject stopped taking the medication using the format (DD-MON-YYYY). If the subject has not stopped taking the medication leave this field blank. If appropriate, record the time (as complete as possible) when the medication was stopped, using the 24-hour clock.	
------	---	---	--

13.*	Is this concomitant therapy suspected to be related to an Adverse Event? [R_SUPPCM_CONSUS_001_4] [CMSUS]	[R_SUPPCM_CONSUS_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If this medication is NOT considered suspect in relation to a reportable event please select NO. If this medication is considered suspect in relation to a reportable event please select YES and complete the remaining fields (AE ID, Action Taken and Re-Challenge)	
14.*	AE ID of the AE this conmed is related to: [R_AEIDCM_001_4] [CMAEID] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y' , [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	

15.	AE ID of the AE this conmed is related to: [R_AEIDCM1_001_4] [CMAEID1] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	
16.	AE ID of the AE this conmed is related to: [R_AEIDCM2_001_4] [CMAEID2] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	

17.	AE ID of the AE this conmed is related to: [R_AEIDCM3_001_4] [CMAEID3] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	
18.	AE ID of the AE this conmed is related to: [R_AEIDCM4_001_4] [CMAEID4] (Nested Field)	Dynamic List Expression Active: Disabled Derived Codelist Expression: concat_array('I', [AESPID_001] <> null and [AETERM_001] <> null and [D_AEREPORT_001] = 'Y', [AESPID_001], [AETERM_001]) Display Coded Items Only: Disabled Variable auto-naming: Disabled Align Variable below Label: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Select the AE ID of the event that this concomitant medication is suspect for.	

19.*	Action Taken: [R_SUPPCM_ACTTKN_001_4] [CMACTION] (Nested Field)	[R_SUPPCM_ACTTKN_CL_001_4] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Display Codelist Item in Code-Label Format: Disabled Expand to fit all content: Disabled Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Record the latest (most recent) change to the medication selected in the pick list as a result of the SAE or non-serious but reportable event	
20.*	Re-Challenge: [R_SUPPCM_RECHAL_001_4] [CMRECHAL] (Nested Field)	[R_SUPPCM_RECHAL_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Criticality Label: Supportive Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: Please record the result of the re-challenge if the medication selected in the pick list was re-introduced. Positive Re-challenge: When the concomitant medication was reintroduced and the SAE or non-serious but reportable event reappeared Negative Re-challenge: When the concomitant medication was reintroduced and the SAE or non-serious but reportable event did not reappear Not Applicable: When the medication was not re-introduced Unknown: When the medication was reintroduced, but the result of re-challenge was unknown	

21.	Standardized Medication Name - Dictionary derived. [CMDECOD_001_4] [CMDECOD]	Text Box Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
22.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001_4] [CMCODE]	Text Box Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R) Clinical (R) Lead Data Manager (R) Librarian (R) LabTech (R)
Key: [*] = Item is required			

Study Object Descriptions: CM001_4 CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION		
Type	RefName	Description
Form	CRF_11739576671419208_CM001_4	CM001_4
Item	I_11739585946692134_CMSPID_001_4	
Item	I_11739585959463318_CMCAT_001_4	
Item	I_11739585967697813_CMTRT_001_4	
Item	I_11739585976485044_SUPPCM_CMAER_001_4	
Item	I_11739585984832442_CMINDC_001_4	

Item	I_11739585993190089_X_CMDSTXT_001_4	
Item	I_11739586001515415_CMDOSU_001_4	
Item	I_11739586010198251_CMROUTE_001_4	
Item	I_11739586163511918_CMDOSFRQ_001_4	
Item	I_11739586018696683_CMSTDTC_001_4	
Item	I_11739586028509746_X_CMONGO_001_4	
Item	I_11739586037224632_CMENDTC_001_4	
Item	I_11739586045667892_R_SUPPCM_CONSUS_001_	
Item	I_11739586054085330_R_AEIDCM_001_4	
Item	I_11739586067544497_R_AEIDCM1_001_4	
Item	I_11739586082337989_R_AEIDCM2_001_4	
Item	I_11739586095830108_R_AEIDCM3_001_4	
Item	I_11739586110851927_R_AEIDCM4_001_4	
Item	I_11739586126276728_R_SUPPCM_ACTTKN_001_	
Item	I_11739586135382214_R_SUPPCM_RECHAL_001_	
Item	I_11739586145179483_CMDECOD_001_4	
Item	I_11739586154461718_SUPPCM_CMCODE_001_4	

Codelist Values Tables: CM001_4 CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_4	0.5			CONCOMITANT IMMUNOSUPPRESSIVE THERAPY	1	15	0.1	i_11739585959463318_cmcat_001_4
				SYSTEMIC CORTICOSTEROIDS	2	70	0.1	

				BLOOD/PLASMA PRODUCTS	3	64	0.1	
				IMMUNOGLOBULINS	4	44	0.1	
				ANTICOAGULANTS	5	63	0.1	
				ANALGESICS	6	21	0.1	
SUPPCM_CMAER_CL_001_4	0.1			YES	1	Y	0.1	i_11739585976485044_suppcm_cmaer_001_4
				NO	2	N	0.1	
CMDOSU_CL_001_4	0.3			mg	1	8	0.1	i_11739586001515415_cmdosu_001_4
				ug	2	43	0.1	
				g	3	45	0.1	
				SCOOPFUL	4	92	0.1	
				SPRAY	5	93	0.1	
				PUFF	6	130	0.1	
				APPLICATION	7	441	0.1	
				AMPULE	8	49	0.1	
				mL	9	9	0.1	
				TABLET	10	98	0.1	
				IU	11	109	0.1	
				DROP	12	689	0.1	
CMROUTE_CL_001_4	0.2			AURICULAR (OTIC)	1	1	0.1	i_11739586010198251_cmroute_001_4
				INTRA-ARTICULAR	2	20	0.1	
				INTRAMUSCULAR	3	50	0.1	
				INTRAVENOUS	4	70	0.1	
				NASAL	5	79	0.1	
				OPHTHALMIC	6	83	0.1	
				ORAL	7	84	0.1	
				RECTAL	8	92	0.1	

				RESPIRATORY (INHALATION)	9	93	0.1	
				SUBCUTANEOUS	10	98	0.1	
				TOPICAL	11	101	0.1	
				TRANSDERMAL	12	102	0.1	
				TRANSMUCOSAL	13	103	0.1	
				VAGINAL	14	111	0.1	
				OTHER	15	130	0.1	
CMDOSFRQ_CL_001_4	0.2			QD	1	49	0.1	i_11739586163511918_cmdosfrq_001_4
				BID	2	3	0.1	
				TID	3	32	0.1	
				QID	4	35	0.1	
				Q6H	5	27	0.1	
				Q8H	6	29	0.1	
				Q12H	7	9	0.1	
				QOD	8	31	0.1	
				PRN	9	6	0.1	
				UNKNOWN	10	1	0.1	
X_CMONGO_CL_001_4	0.1			YES	1	Y	0.1	i_11739586028509746_x_cmongo_001_4
				NO	2	N	0.1	
R_SUPPCM_CONSUS_CL_001_4	0.2			NO	1	N	0.1	i_11739586045667892_r_suppcm_consus_001_
				YES	2	Y	0.1	
R_SUPPCM_ACTTKN_CL_001_4	0.2			DOSE INCREASED	1	1	0.1	i_11739586126276728_r_suppcm_acttkn_001_
				DOSE NOT CHANGED	2	2	0.1	
				DOSE REDUCED	3	3	0.1	
				DRUG INTERRUPTED	4	4	0.1	
				DRUG WITHDRAWN	5	5	0.1	

				NOT APPLICABLE	6	6	0.1	
				UNKNOWN	7	7	0.1	
R_SUPPCM_RECHAL_CL_001_4	0.2			POSITIVE	1	1	0.1	i_11739586135382214_r_suppcm_rechal_001_
				NEGATIVE	2	2	0.1	
				NOT APPLICABLE	3	3	0.1	
				UNKNOWN	4	4	0.1	

Variable Validations CM001_4 CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMSTDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMSTDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CMENDTC_001_4	<_BIRTH_DATE_YEAR	<	<_BIRTH_DATE_YEAR	Year provided is before Birth Year. Please review and update if appropriate.
CMENDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMENDTC_001_4	>_WITHDRAWAL_CONSENT	>	>_WITHDRAWAL_CONSENT	Date is after 'Date of Withdrawal of Consent'. Please review and update if appropriate.
CMENDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_4 CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION

Group RefName	Group Type	Associated Variables
IG_11739580671720827_CM01001_4	Non-Repeating	CMSPID_001_4, CMCAT_001_4, CMTRT_001_4, SUPPCM_CMAER_001_4, CMINDC_001_4, X_CMDSTXT_001_4, CMDOSU_001_4, CMROUTE_001_4, CMDOSFRQ_001_4, CMSTDTC_001_4, X_CMONGO_001_4, CMENDTC_001_4, R_SUPPCM_CONSUS_001_4, R_AEIDCM_001_4, R_AEIDCM1_001_4, R_AEIDCM2_001_4, R_AEIDCM3_001_4, R_AEIDCM4_001_4, R_SUPPCM_ACTTKN_001_4, R_SUPPCM_RECHAL_001_4, CMDECOD_001_4, SUPPCM_CMCODE_001_4

Other Descriptive Metadata

Custom Functions					
Name	Description	Code	Source	Version	ID
Subject_last_study_date	This function is meant to be used in studies using Disposition treatment and Disposition Follow up CRFs. The custom function support multiple versions (3 in total) of each of those forms in a study.	<pre> import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String customFunction(String C5, String T5, String F6, String C5_1, String T5_1, String F6_1, String C5_2, String T5_2, String F6_2) { String subj_cont, trt_date, fup_date; //Get the disposition variables populated regardless the disposition treatment and follow up forms used in the subject subj_cont = get_value(new String[]{C5, C5_1, C5_2}); trt_date = get_value(new String[]{T5, T5_1, T5_2}); fup_date = get_value(new String[]{F6, F6_1, F6_2}); if(subj_cont != null){ if(subj_cont.equals("N") && trt_date.length() > 0) return get_full_date(trt_date).toString(); else if(fup_date.length() > 0) return get_full_date(fup_date).toString(); } return ""; } public static String get_value(String[] vals){ </pre>		0.1	97584

		<pre> for(String v : vals){ if(v != null && !v.equals("NA")) return v; } return ""; } public static java.time.LocalDate get_full_date(String st){ DateTimeFormatter formatter = DateTimeFormatter.ofPattern("yyyy-MM-dd", java.util.Locale.ENGLISH); if(st.indexOf("{null}") > 0){ st = st.replace("{null}", "01"); } else if(st.indexOf(" 00:00:00") > 0){ st = st.replace(" 00:00:00", ""); } return LocalDate.parse(st, formatter); } </pre>			
Selection_Conmed_CF	Parameters --> String drugStartDate, String drugEndDate, String reactionStartDate, String ongoing	<pre> import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String checkReaction(String drugStartDate, String drugEndDate, String reactionStartDate, String ongoing) { // Define date formatter for plain date DateTimeFormatter dateFormatter = DateTimeFormatter.ofPattern("yyyy-MM-dd"); // Validate and parse dates LocalDate reactionStart = isValidDate(reactionStartDate, dateFormatter) ? LocalDate.parse(reactionStartDate, dateFormatter) </pre>		0.1	97583

```

: null;

    LocalDate drugStart = isValidDate(drugStartDate, dateFormatter)
                                ? LocalDate.parse(drugStartDate, dateFormatter)
                                : null;

    LocalDate drugEnd = isValidDate(drugEndDate, dateFormatter)
                                ? LocalDate.parse(drugEndDate, dateFormatter)
                                : null;

    // Validate reactionStart parsing
    if (reactionStart == null) {
        return "false"; // Invalid date, cannot proceed
    }

    // Compare Drug Start and Drug End dates with Reaction Start date
    if (drugStart != null && drugEnd != null) {
        if (isWithin14DaysBefore(reactionStart, drugStart) || isWithin14DaysBefore(reactionStart, drugEnd)) {
            return "true";
        }
    }

    // Handle Ongoing parameter if Drug End Date is empty
    if (drugStart != null && drugEnd == null) {
        return "Y".equalsIgnoreCase(ongoing) ? "true" : "false";
    }

```

		<pre> return "false"; // Default to false if no c onditions are met } private static boolean isValidDate(String date, DateTimeFormatter formatter) { if (date == null date.isEmpty()) { return false; } // Simple regex to validate date String pattern = "\\d{4}-\\d{2}-\\d{2}"; return date.matches(pattern); } private static boolean isWithin14DaysBefore(LocalDate reactionStart, LocalDate drugDate) { int daysDifference = Math.abs((int) (reactionStart.toEpochDay() - drugDate.toEpochDay())); return daysDifference >= 0 && daysDifference <= 14; } </pre>		
--	--	---	--	--

Remove_trailing_0s	NaN	<pre> public static String customFunction(String input) { // Check if input is a valid decimal number if (isDecimal(input) && input.contains(".")) { // Convert to double and round to 3 decimal places double value = Double.parseDouble(input); value = Math.round(value * 1000.0) / 1000.0 ; // Convert back to string input = Double.toString(value); // Remove trailing zeros and unnecessary de cimal point input = input.replaceAll("0+\$", ""); // Rem ove trailing zeros input = input.replaceAll("\\.0\$", ""); // Re move trailing decimal point if any } return input; } private static boolean isDecimal(String input) { try { // Try to parse the input as a double Double.parseDouble(input); // If parsing is successful, it is a decima l number return true; } catch (NumberFormatException e) { // If parsing fails, it is not a decimal nu mber return false; } } </pre>	0.1	97582
--------------------	-----	---	-----	-------

overlappingDates	Returns if the two sets of start and end times are overlapping.	<pre> import java.time.LocalDateTime; public static boolean overlappingDates(LocalDateTime startDate1, LocalDateTime endDate1, LocalDateTime startDate2, LocalDateTime endDate2) { if (startDate1 == null endDate1 == null startDate2 == null endDate2 == null) { return false; } return (startDate1.isEqual(endDate2) startDate1.isBefore(endDate2)) && (endDate1.isEqual(startDate2) endDate1.isAfter(startDate2)); } </pre>		0.1	97581
------------------	---	---	--	-----	-------

Narrative_OtherData	NaN	<pre> public static String customFunction(String SubStudy , String[] AENO, String[] AE_PROCEDURE) { if (AENO.length != AE_PROCEDURE.length) { return ""; } StringBuilder FINAL = new StringBuilder(); for (int i = 0; i < AENO.length; i++) { if (AE_PROCEDURE[i] != null) { if (FINAL.length() > 0) { FINAL.append("\n"); } FINAL.append("<" + AENO[i] + ">").a ppend(":").append("<" + AE_PROCEDURE[i]+ "> \n"); } } return "{STUDYARMINFO}" + SubStudy + "{/STU DYARMINFO} \n" + "{EVENTRELATED}" + FINAL.toString() + "{/EVENTRELATED}"; } </pre>		0.1	97580
narrative	NaN	<pre> import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataReques t; import com.candorgrc.core.shared.api.model.CrfData; import com.candorgrc.core.shared.api.model.ItemData ; import java.util.Collection; import java.util.Date; import java.util.List; import java.util.Objects; import java.util.Optional; private static final String FORM_NAME = "D_SAE0 01"; private static final String NARRATIVE_TARGET = </pre>		0.1	97579

```

"D_NARRATIVE3SAE_001";

    public static boolean narrative(ItemData dataPoint, ApiService service) {
        if (dataPoint == null || service == null) {
            return false;
        }
        String source = dataPoint.getSingleValue();
        if (source == null || source.isEmpty()) {
            return false;
        }
        CrfData crfData = dataPoint.getCrfData();
        ItemDataRequest reportRequest = new ItemDataRequest()
            .setStudyName(dataPoint.getCrfData().getSubject().getSite().getStudy().getName())
            .setSubjectNumber(dataPoint.getCrfData().getSubject().getNumber())
            .setInstrumentName(FORM_NAME);
        Collection<ItemData> report = service.getItems(reportRequest);
        ItemData target = null;
        for (ItemData available : report) {
            if (available.getVariable().getName().equals(NARRATIVE_TARGET)
                && Objects.equals(available.getCrfData().getId(), crfData.getId())) {
                target = available;
            }
        }
        if (target == null) {
            target = dataPoint.withoutIds();
            target.getVariable().setName(NARRATIVE_TARGET);
        }
        target.setValues(List.of(source + " (" + new Date() + ")"));
    }

```

		<pre>dataPoint.setValues(List.of()); service.saveFormData(crfData, List.of(target, dataPoint)); return false; }</pre>			
LNR_DOB_CALCULATION	Calculates subject DOB based on either a direct map from the Standards DOB field or as a calculation when the site instead provided AGE, AGE Unit and Informed consent.	<pre>import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String customFunction(String DOB, String IC, String dc_age, String AGEU) { LocalDate dob_date = LocalDate.now(); if(DOB != null){ dob_date = get_full_date(DOB); return dob_date.toString(); } else if(dc_age != null && AGEU != null && IC != null){ int AGE = Integer.parseInt(dc_age); LocalDate ic_date = get_full_date(IC.toString()); if(AGEU.equals("5")) dob_date = ic_date.minusYears(AGE); else if(AGEU.equals("3")) dob_date = ic_date.minusMonths(AGE); else if(AGEU.equals("4")) dob_date = ic_date.minusWeeks(AGE); else if(AGEU.equals("1")) dob_date = ic_date.minusDays(AGE); return dob_date.toString(); } //Date format needs to be "2023-01-21"; return ""; }</pre>		0.1	97578

```

}

public static LocalDate get_full_date(String st) {
    DateTimeFormatter formatter = getFormatter(
st);

    if (st != null) {
        st = st.trim();
        if (st.contains("{null}")) {
            st = st.replace("{null}", "01");
        }
        if (st.contains(" 00:00:00")) {
            st = st.replace(" 00:00:00", "");
        }
        return LocalDate.parse(st, formatter);
    }
    return LocalDate.now(); // Default return v
alue
}

private static DateTimeFormatter getFormatter(S
tring st) {
    if (st.matches("\\d{2}-[A-Za-z]{3}-\\d{4}")
) {
        return DateTimeFormatter.ofPattern("dd-
MMM-yyyy");
    }
    return DateTimeFormatter.ofPattern("yyyy-MM
-dd");
}

```

heightToCm	Converts height to cm	<pre> public static Double heightToCm(Double result, String unit) { if (result == null unit == null result.equals("") unit.equals("")){ return null; }else if(unit.equals("cm")){ return result; }else if(unit.equals("in")){ return result * 2.54; }else{ return null; } } </pre>		0.1	97577
gradeUpdate	NaN	<pre> import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.model.*; import java.time.LocalDate; import java.time.format.DateTimeFormatter; import java.util.*; import java.util.function.BiPredicate; import java.util.function.Function; import java.util.function.Predicate; import java.util.stream.Collectors; import java.util.Map; import java.util.HashMap; import java.util.Set; import java.util.HashSet; import static java.util.Map.entry; import static java.util.stream.Collectors.toMap; private static final String EVENT_NAME = "common_event"; private static final String SAE_FORM = "D_SAE00 </pre>		0.1	97576

```

1";
    private static final String AE_CASE_ID = "D_CAS
EID_001";
    private static final String SAE_CASE_ID = "D_CA
SEIDSAE_001";
    private static final String AE_PREVIOUS_CASE_ID
= "D_PREVID_001";
    private static final String AE_TERM = "AETERM_0
01";
    private static final String SAE_TERM = "D_AETER
MMEDDRA_001";
    private static final String SAE_TERM_DETAILS =
"D_AETERMADMIT_001";
    private static final String SAE_OUTCOME = "D_SA
EOUTD_001";
    private static final String AE_CT_PROCEDURE = "
D_CTPROCEDURE1_001";
    private static final String SAE_NARRATIVE2 = "D
_NARRATIVE2SAE_001";
    private static final String AE_PID = "AESPID_00
1";
    private static final String SAE_PID = "D_AEIDNU
MBEG_001";
    private static final String AE_COUNTRY = "D_SAE
COUNTRY1_001";
    private static final String SAE_COUNTRY = "D_CO
UNTRYOCCUR_001";
    private static final String IS_AE_LAST_EXPERIEN
CE = "D_SAEAEOUTYN_001";
    private static final String AE_LAST_EXPERIENCE
= "D_SAEAEOUTDTC_001";
    private static final String AE_END_DATE = "AEEN
DTC_001";
    /**
     * If yes, enter the final outcome of the last
sign or symptom associated with this event
     */

```



```

        private static final String AE_LAST_OUTCOME = "
D_SAEAEOUT_001";
        /**
         * What was the outcome of this adverse event?:
         */
        private static final String AE_OUTCOME = "AEOUT
_001";
        private static final String AE_START_DATETIME =
"AESTDTC_001";
        /**
         * If yes, enter the date the subject first exp
erience d a sign or symptom associated with this eve
nt?
         */
        private static final String AE_EXPERIENCE_START
= "D_SAEASTDTC_001";
        /**
         * SAE Original Onset Date-Derived
         */
        private static final String SAE_START_DATE = "D
_SAEDATD_001";
        private static final String SAE_END_DATE = "D_S
AEEDD_001";
        private static final String AE_HOSPITALIZATION_
START = "D_SAEADMITDTC_001";
        private static final String AE_HOSPITALIZATION_
END = "D_SAEDISCHDTC_001";
        /**
         * Derived Case Details
         */
        private static final String SAE_REPEATING_GROUP
= "D_SAE08001";
        /**
         * Was the AE related to a Prefilled Syringe?
         */
        private static final String AE_PREFILLED = "SUP
PAE_AEDEVREL_001";

```

```

        private static final String AE_ACTION = "D_DEVA
CN_001";
        private static final String AE_OPERATOR = "D_DE
VOP_001";
        private static final Map<String, String> VAR_MA
P = Map.ofEntries(
            entry(AE_PID, SAE_PID),
            entry(AE_TERM, SAE_TERM),
            entry("AESDTH_001", "D_RESDEATH_001"),
            entry("AESLIFE_001", "D_LIFETHREAT_001"
),
            entry("AESHOSP_001", "D_CAUSEHOSP_001")
,
            entry("AESDISAB_001", "D_DISABLE_001"),
            entry("AESMIE_001", "D_MEDIMPORT_001"),
            entry(AE_CASE_ID, SAE_CASE_ID),
            entry("AEREL_001", "D_CAUSE_001"),
            entry("SUPPAE_AEREL1_001", "D_CAUSE1_00
1"),
            entry("SUPPAE_AEREL2_001", "D_CAUSE2_00
1"),
            entry("SUPPAE_AEREL3_001", "D_CAUSE3_00
1"),
            entry("SUPPAE_AEREL4_001", "D_CAUSE4_00
1"),
            entry("SUPPAE_AEREL5_001", "D_CAUSE5_00
1"),
            entry("SUPPAE_AEREL6_001", "D_CAUSE6_00
1"),
            entry("SUPPAE_AEREL7_001", "D_CAUSE7_00
1"),
            entry("AEACN_001", "D_ACNTKN_001"),
            entry("SUPPAE_AEACN1_001", "D_ACNTKN1_0
01"),
            entry("SUPPAE_AEACN2_001", "D_ACNTKN2_0
01"),
            entry("SUPPAE_AEACN3_001", "D_ACNTKN3_0

```

```

01"),
    entry("SUPPAE_AEACN4_001", "D_ACNTKN4_0
01"),
    entry("SUPPAE_AEACN5_001", "D_ACNTKN5_0
01"),
    entry("SUPPAE_AEACN6_001", "D_ACNTKN6_0
01"),
    entry("SUPPAE_AEACN7_001", "D_ACNTKN7_0
01"),
    entry("D_RECHALAE_001", "D_RECHALDER_00
1"),
    entry("D_RECHALAE1_001", "D_RECHALDER1_
001"),
    entry("D_RECHALAE2_001", "D_RECHALDER2_
001"),
    entry("D_RECHALAE3_001", "D_RECHALDER3_
001"),
    entry("D_RECHALAE4_001", "D_RECHALDER4_
001"),
    entry("D_RECHALAE5_001", "D_RECHALDER5_
001"),
    entry("D_RECHALAE6_001", "D_RECHALDER6_
001"),
    entry("D_RECHALAE7_001", "D_RECHALDER7_
001"),
    entry("AESCONG_001", "D_ANOMALY_001")
);

    private static final List<String> RECHAL = List
.of("POSITIVE", "NEGATIVE", "NOT APPLICABLE", "UNKN
OWN");
    private static final List<String> AEACN = List
.of("5", "3", "1", "4", "2", "6", "7");
    private static final Map<String, BiPredicate<St
ring, String>> SAE_VALUE_FILTERS = Map.ofEntries(
        entry("D_CAUSEHOSP_001", (c, v) -> !"Y"
.equals(c)),

```

```

        entry("D_RESDEATH_001", (c, v) -> !"Y".
equals(c)),
        entry("D_LIFETHREAT_001", (c, v) -> !"Y"
.equals(c)),
        entry("D_DISABLE_001", (c, v) -> !"Y".e
quals(c)),
        entry("D_MEDIMPORT_001", (c, v) -> !"Y"
.equals(c)),
        entry("D_CAUSE_001", (c, v) -> !"2".equ
als(c)),
        entry("D_CAUSE1_001", (c, v) -> !"2".eq
uals(c)),
        entry("D_CAUSE2_001", (c, v) -> !"2".eq
uals(c)),
        entry("D_CAUSE3_001", (c, v) -> !"2".eq
uals(c)),
        entry("D_CAUSE4_001", (c, v) -> !"2".eq
uals(c)),
        entry("D_CAUSE5_001", (c, v) -> !"2".eq
uals(c)),
        entry("D_CAUSE6_001", (c, v) -> !"2".eq
uals(c)),
        entry("D_CAUSE7_001", (c, v) -> !"2".eq
uals(c)),
        entry("D_ANOMALY_001", (c, v) -> !"Y".e
quals(c)),
        entry("D_ACNTKN_001", (c, v) -> AEACN.i
ndexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN1_001", (c, v) -> AEACN.
indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN2_001", (c, v) -> AEACN.
indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN3_001", (c, v) -> AEACN.
indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN4_001", (c, v) -> AEACN.
indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN5_001", (c, v) -> AEACN.

```

```

indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN6_001", (c, v) -> AEACN.
indexOf(v) < AEACN.indexOf(c)),
        entry("D_ACNTKN7_001", (c, v) -> AEACN.
indexOf(v) < AEACN.indexOf(c)),
        entry("D_RECHALDER_001", (c, v) -> RECH
AL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER1_001", (c, v) -> REC
HAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER2_001", (c, v) -> REC
HAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER3_001", (c, v) -> REC
HAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER4_001", (c, v) -> REC
HAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER5_001", (c, v) -> REC
HAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER6_001", (c, v) -> REC
HAL.indexOf(v) < RECHAL.indexOf(c)),
        entry("D_RECHALDER7_001", (c, v) -> REC
HAL.indexOf(v) < RECHAL.indexOf(c))
    );
    private static final Map<String, String> CODELI
ST_MAP = new HashMap<>();
    static { CODELIST_MAP.put("D_RESDEATH_001", "D_
RESDEATH_CL_001");
        CODELIST_MAP.put("D_CAUSEHOSP_001", "D_CAUS
EHOSP_CL_001");
        CODELIST_MAP.put("D_DISABLE_001", "D_DISABL
E_CL_001");
        CODELIST_MAP.put("D_LIFETHREAT_001", "D_LIF
ETHREAT_CL_001");
        CODELIST_MAP.put("D_ANOMALY_001", "D_ANOMAL
Y_CL_001");
        CODELIST_MAP.put(SAE_COUNTRY, "D_COUNTRYOCC
UR_CL_001");
        CODELIST_MAP.put(SAE_OUTCOME, "D_SAEOUTD_CL

```

```

_001");
    CODELIST_MAP.put("D_CAUSE_001", "D_CAUSE_CL
_001");
    CODELIST_MAP.put("D_CAUSE1_001", "D_CAUSE1_
CL_001");
    CODELIST_MAP.put("D_CAUSE2_001", "D_CAUSE2_
CL_001");
    CODELIST_MAP.put("D_CAUSE3_001", "D_CAUSE3_
CL_001");
    CODELIST_MAP.put("D_CAUSE4_001", "D_CAUSE4_
CL_001");
    CODELIST_MAP.put("D_CAUSE5_001", "D_CAUSE5_
CL_001");
    CODELIST_MAP.put("D_CAUSE6_001", "D_CAUSE6_
CL_001");
    CODELIST_MAP.put("D_CAUSE7_001", "D_CAUSE7_
CL_001");
    CODELIST_MAP.put("D_ACNTKN_001", "D_ACNTKN_
CL_001");
    CODELIST_MAP.put("D_ACNTKN1_001", "D_ACNTKN
1_CL_001");
    CODELIST_MAP.put("D_ACNTKN2_001", "D_ACNTKN
2_CL_001");
    CODELIST_MAP.put("D_ACNTKN3_001", "D_ACNTKN
3_CL_001");
    CODELIST_MAP.put("D_ACNTKN4_001", "D_ACNTKN
4_CL_001");
    CODELIST_MAP.put("D_ACNTKN5_001", "D_ACNTKN
5_CL_001");
    CODELIST_MAP.put("D_ACNTKN6_001", "D_ACNTKN
6_CL_001");
    CODELIST_MAP.put("D_ACNTKN7_001", "D_ACNTKN
7_CL_001");
    CODELIST_MAP.put("D_RECHALDER_001", "D_RECH
ALDER_CL_001");
    CODELIST_MAP.put("D_RECHALDER1_001", "D_REC
HALDER1_CL_001");

```

```

        CODELIST_MAP.put("D_RECHALDER2_001", "D_REC
HALDER2_CL_001");
        CODELIST_MAP.put("D_RECHALDER3_001", "D_REC
HALDER3_CL_001");
        CODELIST_MAP.put("D_RECHALDER4_001", "D_REC
HALDER4_CL_001");
        CODELIST_MAP.put("D_RECHALDER5_001", "D_REC
HALDER5_CL_001");
        CODELIST_MAP.put("D_RECHALDER6_001", "D_REC
HALDER6_CL_001");
        CODELIST_MAP.put("D_RECHALDER7_001", "D_REC
HALDER7_CL_001");
        CODELIST_MAP.put("D_MEDIMPORT_001", "D_MEDI
MPORT_CL_001");
    };

    private static final Map<String, Integer> DATE_
INDEXES = Map.of(AE_HOSPITALIZATION_START, 0, AE_HO
SPITALIZATION_END, 1);
    private static final Map<String, Predicate<Inte
ger>> HOSP_DATE_FILTERS = Map.of(AE_HOSPITALIZATION
_START, i -> i < 0, AE_HOSPITALIZATION_END, i -> i
> 0);

    public static boolean gradeUpdate(ItemData data
Point, ApiService service, String productName) {
        if (dataPoint == null || service == null) {
            return false;
        }
        String caseId = dataPoint.getSingleValue();
        CrfData crfData = dataPoint.getCrfData();
        Map<Long, Map<Integer, Map<String, ItemData
>>> grading = new HashMap<>(); //case no, row, term
, var -> item
        Map<String, Long> saeForms = new HashMap<>(
);
        ItemDataRequest reportRequest = new ItemDat

```

```

aRequest()
        .setStudyName(dataPoint.getCrfData(
).getSubject().getSite().getStudy().getName())
        .setSubjectNumber(dataPoint.getCrfData(
).getSubject().getNumber())
        .setInstrumentName(SAE_FORM);
    Collection<ItemData> report = service.getItems(
reportRequest);
    CrfData reportForm = null;
    for (ItemData available : report) {
        Long id = available.getCrfData().getId(
);
        if (available.getVariable().getName().e
quals(SAE_CASE_ID)
            && !available.getValues().isEmp
ty()) {
            String caseNo = available.getSingle
Value();
            saeForms.put(caseNo, id);
        }
        Map<Integer, Map<String, ItemData>> ter
ms = grading.computeIfAbsent(id, i -> new HashMap<>
());
        Map<String, ItemData> records = terms.c
omputeIfAbsent(available.getRowIndex(), i -> new Ha
shMap<>());
        records.put(available.getVariable().get
Name(), available);
    }
    //getting other values from current form
    Collection<ItemData> items = service.getIte
ms(reportRequest.setInstrumentName(crfData.getCrf(
).getName()));
    Map<Long, Map<String, ItemData>> allForms =
new HashMap<>(); //form id, term, var -> item
    Map<String, Set<Long>> aeForms = new HashMa
p<>();

```



```

        Map<String, Map<String, String>> maxAestdtc
= new HashMap<>();
        Map<String, Map<String, String>> minAestdtc
= new HashMap<>();
        Map<String, Map<String, String>> maxAeStart
EndDate = new HashMap<>();
        Map<String, Map<String, String>> maxAeEndDa
te = new HashMap<>();
        Map<String, Map<String, String>> maxOutcome
Date = new HashMap<>();
        Map<String, Map<String, String>> countryVal
ues = new HashMap<>();
        Map<String, Map<String, String>> outcomeVal
ues = new HashMap<>();
        Map<String, Map<String, Map<Long, String[]>
>> prefilledValues = new HashMap<>();
        Map<String, Map<String, List<String>>> pids
= new HashMap<>();
        Map<String, Map<String, Set<String>>> narra
tives = new HashMap<>();
        for (ItemData available : items) {
            Long id = available.getCrfdData().getId(
);
            String varName = available.getVariable(
).getName();
            if (varName.equals(AE_CASE_ID)
                && !available.getValues().isEmpty()) {
                String caseNo = available.getSingle
Value();
                aeForms.computeIfAbsent(caseNo, n -
> new HashSet<>()).add(id);
            }
            if (available.getCrfdData().isRemoved()
                && !AE_CASE_ID.equals(varName)
                && !AE_TERM.equals(varName)
                && !AE_PREVIOUS_CASE_ID.equals(

```

```

varName)) {
    continue;//skipping all removed from calculations
}
Map<String, ItemData> terms = allForms.computeIfAbsent(id, i -> new HashMap<>());
terms.put(varName, available);
}
Map<String, ItemData> currentForm = allForms.computeIfAbsent(crfData.getId(), id -> new HashMap<>());
ItemData dummy = null;
String oldId = "";
boolean found = false;
for (Map.Entry<String, ItemData> entry : currentForm.entrySet()) {
    if (AE_PREVIOUS_CASE_ID.equals(entry.getKey())
        && !Objects.equals(caseId, entry.getValue().getSingleValue())) {
        oldId = entry.getValue().getSingleValue();
        dummy = entry.getValue();
        dummy.setSingleValue(caseId);
        found = true;
    }
}
if (!found && !currentForm.containsKey(AE_PREVIOUS_CASE_ID)) {
    dummy = dataPoint.withoutIds();
    dummy.getVariable().setName(AE_PREVIOUS_CASE_ID);
}
Map<String, Map<String, Map<String, ItemData>>> byVarTerms = new HashMap<>();//case no -> sae var -> term -> item
Map<String, Map<String, Map<Long, String[]>>>

```

```

>> hospNarrativeDetails = new HashMap<>();//case no
-> term -> eventCrfId -> start/end
    Map<String, Map<String, ItemData[]>> hospDe
tails = new HashMap<>();//case no -> term -> start/
end
    Map<String, Set<String>> allTerms = new Has
hMap<>();
    for (Map.Entry<Long, Map<String, ItemData>>
form : allForms.entrySet()) {
        String term = Optional.ofNullable(form.
getValue().get(AE_TERM))
            .map(ItemData::getSingleValue).
map(String::toUpperCase).orElse("");
        String caseNo = Optional.ofNullable(for
m.getValue().get(AE_CASE_ID)).map(ItemData::getSing
leValue).orElse("");
        allTerms.computeIfAbsent(caseNo, no ->
new HashSet<>()).add(term);
        for (Map.Entry<String, ItemData> variab
le : form.getValue().entrySet()) {
            String saeVar = VAR_MAP.get(variabl
e.getKey());
            Optional.ofNullable(variable.getVal
ue())
                .filter(i -> saeVar != null
)
                .filter(i -> i.getSingleVal
ue() != null)
                .filter(i -> SAE_VALUE_FILT
ERS.containsKey(saeVar))
                .filter(i -> Optional.ofNul
lable(byVarTerms.computeIfAbsent(caseNo, no -> new
HashMap<>()).computeIfAbsent(saeVar, v -> new HashM
ap<>()).get(term)).map(ItemData::getSingleValue).ma
p(v -> SAE_VALUE_FILTERS.get(saeVar).test(v, i.getS
ingleValue()))).orElse(Boolean.TRUE))
                .ifPresent(i -> byVarTerms.

```

```

computeIfAbsent(caseNo, no -> new HashMap<>()).computeIfAbsent(saeVar, v -> new HashMap<>()).put(term, i));
    }
    addDeviceInfo(term, form, prefilledValues.computeIfAbsent(caseNo, no -> new HashMap<>()));
    Optional.ofNullable(form.getValue().get(AE_START_DATETIME))
        .map(ItemData::getSingleValue)
        .filter(date -> !maxAestdtc.getDefault(caseNo, Map.of()).containsKey(term) || date.compareTo(maxAestdtc.get(caseNo).get(term)) > 0)
        .ifPresent(date -> maxAestdtc.computeIfAbsent(caseNo, no -> new HashMap<>()).put(term, date));

    addHospDate(form.getValue(), hospDetails.computeIfAbsent(caseNo, no -> new HashMap<>()).computeIfAbsent(term, t -> new ItemData[2]));
    initHospitalizationInfo(caseNo, form.getKey(), term, form.getValue(), hospNarrativeDetails);

    Optional<ItemData> aestdtc = Optional.ofNullable(form.getValue().get(AE_START_DATETIME))
        .filter(i -> i.getSingleValue() != null);
    Optional.ofNullable(form.getValue().get(AE_EXPERIENCE_START))
        .filter(i -> i.getSingleValue() != null)
        .or(() -> aestdtc)
        .map(ItemData::getSingleValue)
        .filter(date -> !minAestdtc.getDefault(caseNo, Map.of()).containsKey(term) || date.compareTo(minAestdtc.get(caseNo).get(term)) < 0)
        .ifPresent(date -> minAestdtc.c

```

```

computeIfAbsent(caseNo, no -> new HashMap<>()).put(
term, date));
    Optional<String> outcome = Optional.ofN
ullable(form.getValue().get(AE_LAST_OUTCOME))
        .map(ItemData::getSingleValue)
        .or(() -> Optional.ofNullable(f
orm.getValue().get(AE_OUTCOME)).map(ItemData::getSi
ngleValue));
    Optional<ItemData> aeEnd = Optional.ofN
ullable(form.getValue().get(AE_END_DATE))
        .filter(i -> i.getSingleValue()
!= null);
    Optional<String> outcomeDate = Optional
.ofNullable(form.getValue().get(AE_START_DATETIME))
        .filter(i -> i.getSingleValue()
!= null)
        .map(i -> aeEnd.isPresent() &&
i.getSingleValue().compareTo(aeEnd.get().getSingleV
alue()) < 0 ? aeEnd.get() : i)
        .or(() -> aeEnd)
        .map(ItemData::getSingleValue)
        .filter(date -> !maxOutcomeDate
.getDefault(caseNo, Map.of()).containsKey(term) |
| date.compareTo(maxOutcomeDate.get(caseNo).get(ter
m)) > 0);
    initMaxAeEndDate(caseNo, term, form, ma
xAeStartDate, maxAeEndDate);
    if (outcomeDate.isPresent()) {
        maxOutcomeDate.computeIfAbsent(case
No, no -> new HashMap<>()).put(term, outcomeDate.ge
t());
        outcome.ifPresent(o -> outcomeValue
s.computeIfAbsent(caseNo, no -> new HashMap<>()).pu
t(term, o));
    } else if (!outcomeValues.getDefault(
caseNo, Map.of()).containsKey(term)) {
        outcome.ifPresent(o -> outcomeValue

```

```

s.computeIfAbsent(caseNo, no -> new HashMap<>()).put(
    t(term, o));
    }
    Optional.ofNullable(form.getValue().get(
    (AE_COUNTRY)))
        .map(ItemData::getSingleValue)
        .ifPresent(c -> countryValues.c
computeIfAbsent(caseNo, no -> new HashMap<>()).put(t
erm, c));
    Optional.ofNullable(form.getValue().get(
    (AE_PID)))
        .map(ItemData::getSingleValue)
        .ifPresent(pid -> pids.computeI
fAbsent(caseNo, no -> new HashMap<>()).computeIfAbs
ent(term, t -> new ArrayList<>()).add(pid));
    String proc = Optional.ofNullable(form.
getValue().get(AE_CT_PROCEDURE))
        .map(ItemData::getSingleValue).
orElse("");
    if (!proc.isEmpty()) {
        narratives.computeIfAbsent(caseNo,
no -> new HashMap<>()).computeIfAbsent(term, t -> n
ew HashSet<>()).add(proc);
    }
}
Long currentId = saeForms.get(caseId);
List<ItemData> values = new ArrayList<>();
Set<Integer> rowsToRemove = new HashSet<>()
;
    if (currentId == null && caseId != null &&
!caseId.isEmpty()) { //new case
        reportForm = new CrfData();
        Crf saeCrf = new Crf();
        saeCrf.setName(SAE_FORM);
        reportForm.setCrf(saeCrf);
        reportForm.setSubject(dataPoint.getCrfD
ata().getSubject());

```

```

        Encounter encounter = new Encounter();
        reportForm.setEncounter(encounter);
        encounter.setSubject(dataPoint.getCrfData().getSubject());
        Event event = new Event();
        encounter.setEvent(event);
        event.setUniqueName(EVENT_NAME);
        int occurrence = service.addCrf(reportForm);

        reportForm.setOccurrence(occurrence);
        ItemData term = null;
        ItemData procedure = null;
        ItemData[] aehopsDetail = new ItemData[2];
        ItemData[] saeoodDetail = new ItemData[2];
        ItemData[] saeeddDetail = new ItemData[2];
        ItemData[] saeoutDetail = new ItemData[2];

        for (Map.Entry<String, ItemData> cur : currentForm.entrySet()) {
            if (VAR_MAP.containsKey(cur.getKey())) {
                ItemData copy = cur.getValue().withoutIds();
                if (cur.getKey().equals(AE_TERM)) {
                    term = copy;
                    copy.setSingleValue(Option1.ofNullable(copy.getSingleValue()).map(String::toUpperCase).orElse(""));
                }
                copy.getVariable().setName(VAR_MAP.get(cur.getKey()));
                copy.setCrfData(reportForm);
                String clKey = copy.getVariable

```

```

().getName();
        String codelist = CODELIST_MAP.
containsKey(clKey) ? CODELIST_MAP.get(clKey) : copy
.getVariable().getCodeList();
        copy.getVariable().setCodeList(
codelist);
        values.add(copy);
    }
    if (cur.getKey().equals(AE_CT_PROCE
DURE)) {
        procedure = cur.getValue().with
outIds();
    }
    if (cur.getKey().equals(AE_HOSPITAL
IZATION_START)) {
        aehopsDetail[0] = cur.getValue(
).withoutIds();
    }
    if (cur.getKey().equals(AE_HOSPITAL
IZATION_END)) {
        aehopsDetail[1] = cur.getValue(
).withoutIds();
    }
    if (cur.getKey().equals(AE_EXPERIEN
CE_START)) {
        saeoodDetail[0] = cur.getValue(
).withoutIds();
    }
    if (cur.getKey().equals(AE_START_DA
TETIME)) {
        saeoodDetail[1] = cur.getValue(
).withoutIds();
    }
    if (cur.getKey().equals(AE_LAST_EXP
ERIENCE)) {
        saeeddDetail[0] = cur.getValue(
).withoutIds();

```



```

        }
        if (cur.getKey().equals(AE_END_DATE
    )) {
        saeeddDetail[1] = cur.getValue(
    ).withoutIds();
        }
        if (cur.getKey().equals(AE_LAST_OUT
    COME)) {
        saeoutDetail[0] = cur.getValue(
    ).withoutIds();
        }
        if (cur.getKey().equals(AE_OUTCOME)
    ) {
        saeoutDetail[1] = cur.getValue(
    ).withoutIds();
        }
    }
    values.add(createHospDetails(Optional.o
fNullable(term).map(ItemData::getSingleValue).orEls
e(""), aehopsDetail[0], aehopsDetail[1]));
    ItemData saeood = createItem(SAE_START_
    DATE);
    if (saeoodDetail[0] != null && !saeoodD
etail[0].getValues().isEmpty()) {
        saeood.setValues(saeoodDetail[0].ge
tValues());
    } else {
        saeood.setValues(saeoodDetail[1] ==
    null ? Collections.emptyList() : saeoodDetail[1].g
etValues());
    }
    values.add(saeood);
    ItemData saeedd = createItem(SAE_END_DA
    TE);
    if (saeeddDetail[0] != null && !saeeddD
etail[0].getValues().isEmpty()) {
        saeedd.setValues(saeeddDetail[0].ge

```

```

tValues());
        } else {
            saeedd.setValues(saeeddDetail[1] ==
null ? Collections.emptyList() : saeeddDetail[1].g
etValues());
        }
        values.add(saeedd);
        ItemData saeout = createItem(SAE_OUTCOM
E);
        if (saeoutDetail[0] != null && saeoutDe
tail[0].getValues().isEmpty()) {
            saeout.setValues(saeoutDetail[1] ==
null ? Collections.emptyList() : saeoutDetail[1].g
etValues());
        } else {
            saeout.setValues(saeoutDetail[0] ==
null ? Collections.emptyList() : saeoutDetail[0].g
etValues());
        }
        values.add(saeout);
        ItemData country = createItem(SAE_COUNT
RY);
        country.setValues(List.of(emptyDefault(
currentForm, AE_COUNTRY)));
        values.add(country);
        values.add(createNarrative(List.<ItemDa
ta[]>of(new ItemData[]{term, procedure}), productNa
me, prefilledValues.get(caseId)));
        } else if (currentId != null) {//we already
have a form for that case
            Map<Integer, Map<String, ItemData>> rep
ortData = grading.get(currentId);
            Integer rowNo = null;
            Map<Integer, String> rows = new HashMap
<>();
            Map<String, Integer> pidRows = new Hash
Map<>();

```

```

        TreeSet<Integer> termRows = new TreeSet
<>();
        String currentTerm = emptyDefault(curre
ntForm, AE_TERM, String::toUpperCase);
        for (Map.Entry<Integer, Map<String, Ite
mData>> entry : reportData.entrySet()) {
            for (Map.Entry<String, ItemData> va
lue : entry.getValue().entrySet()) {
                if (reportForm == null) {
                    reportForm = value.getValue
().getCrfData();
                }
                String group = getGroupName(val
ue.getValue());
                if ("".equals(group) || SAE_REP
EATING_GROUP.equals(group)) {
                    termRows.add(entry.getKey()
);
                }
                boolean termRow = SAE_TERM.equa
ls(value.getValue().getVariable().getName());
                if (termRow && Objects.equals(v
alue.getValue().getSingleValue(), currentTerm)) {
                    rowNo = entry.getKey();
                }
                if (termRow) {
                    rows.put(entry.getKey(), va
lue.getValue().getSingleValue());
                }
                if (SAE_PID.equals(value.getVal
ue().getVariable().getName())) {
                    pidRows.put(value.getValue(
).getSingleValue(), entry.getKey()); // FIXME: key
is null for "AE IDs Included in Case" on removed ro
ws in the SAE form
                }
            }
        }
    }
}

```

```

    }
    if (rowNo == null && pidRows.containsKey(emptyDefault(currentForm, AE_PID))) { //term update
        rowNo = pidRows.get(emptyDefault(currentForm, AE_PID));
        rows.put(rowNo, currentTerm);
    }
    String saeNo = Optional.ofNullable(reportData.get(0)).map(r -> r.get(SAE_CASE_ID)).map(ItemData::getSingleValue).orElse("");
    if (rowNo == null) { //new row in the case
        rowNo = termRows.last() + 1;
        for (Map.Entry<String, String> v : VAR_MAP.entrySet()) {
            if (currentForm.containsKey(v.getKey()) && !AE_CASE_ID.equals(v.getKey())) {
                ItemData copy = currentForm.get(v.getKey()).withoutIds();
                if (v.getKey().equals(AE_TERM)) {
                    copy.setSingleValue(Optional.ofNullable(copy.getSingleValue()).map(String::toUpperCase).orElse(""));
                }
                copy.setRowIndex(rowNo);
                copy.getVariable().setName(v.getValue());
                String codelist = CODELIST_MAP.containsKey(v.getValue()) ? CODELIST_MAP.get(v.getValue()) : copy.getVariable().getCodeList();
                copy.getVariable().setCodeList(codelist);
                values.add(copy);
            }
        }
    }
}

```

```

        String termValue = emptyDefault(currentForm, AE_TERM, String::toUpperCase);
        ItemData aehops = createHospDetails
(termValue, currentForm.get(AE_HOSPITALIZATION_START), currentForm.get(AE_HOSPITALIZATION_END));
        aehops.setRowIndex(rowNo);
        values.add(aehops);

        ItemData saeood = createItem(SAE_START_DATE, rowNo);
        ItemData saeaestd = currentForm.get(AE_EXPERIENCE_START);
        ItemData aestd = currentForm.get(AE_START_DATETIME);
        if (saeaestd != null && saeaestd.getSingleValue() != null) {
            saeood.setValues(saeaestd.getValues());
        } else if (aestd != null) {
            saeood.setValues(aestd.getValues());
        } else {
            saeood.setValues(Collections.emptyList());
        }
        values.add(saeood);

        ItemData saeedd = createItem(SAE_END_DATE, rowNo);
        ItemData saeaeout = currentForm.get(AE_LAST_EXPERIENCE);
        ItemData aeend = currentForm.get(AE_END_DATE);
        if (saeaeout != null && saeaeout.getSingleValue() != null) {
            saeedd.setValues(saeaeout.getValues());
        }
    }
}

```

```

        } else if (aeend != null) {
            saeedd.setValues(aeend.getValues());
        } else {
            saeedd.setValues(Collections.emptyList());
        }
        values.add(saeedd);

        ItemData saeout = createItem(SAE_OUTCOME, rowNo);
        ItemData dsaeaeout = currentForm.get(AE_LAST_OUTCOME);
        ItemData aeout = currentForm.get(AE_OUTCOME);
        if (dsaeaeout != null && dsaeaeout.getSingleValue() != null) {
            saeout.setValues(dsaeaeout.getValues());
        } else if (aeout != null) {
            saeout.setValues(aeout.getValues());
        } else {
            saeout.setValues(Collections.emptyList());
        }
        values.add(saeout);
        ItemData country = createItem(SAE_COUNTRY, rowNo);
        country.setValues(List.of(emptyDefault(currentForm, AE_COUNTRY)));
        values.add(country);
    }
    for (Map.Entry<Integer, Map<String, ItemData>> entry : reportData.entrySet()) {
        if (entry.getKey() >= rows.size())
    {

```

```

        continue;//we are in a wrong group
    }
    String pid = "";
    Set<String> row = new HashSet<>(VAR
_MAP.values());
    String term = rows.get(entry.getKey
());
    Optional<ItemData> country = Option
al.empty();
    Optional<ItemData> outcome = Option
al.empty();
    ItemData termData = entry.getValue(
).get(SAE_TERM);
    ItemData termDetails = entry.getVal
ue().get(SAE_TERM_DETAILS);
    String oldTerm = Optional.ofNullabl
e(termData).map(ItemData::getSingleValue).orElse("")
);

    for (Map.Entry<String, ItemData> va
lue : entry.getValue().entrySet()) {
        row.remove(value.getKey());
        if (SAE_PID.equals(value.getKey
())) {
            pid = String.join(", ", pid
s.getDefault(saeNo, new HashMap<>()).getOrDefault
(term, List.of()));
            value.getValue().setSingleV
alue(pid);
            values.add(value.getValue()
);
            if (pid.isEmpty()) {
                termData.setSingleValue
("");
                values.add(termData);
                rowsToRemove.add(entry.

```

```

getKey());
                                termDetails.setSingleVa
lue("");
                                values.add(termDetails)
;
                                }
                                }
                                if (SAE_VALUE_FILTERS.containsK
ey(value.getKey())) {
                                value.getValue().setSingleV
alue(Optional.ofNullable(byVarTerms.get(saeNo)).map
(m -> m.get(value.getKey())).map(m -> m.get(term)).
map(ItemData::getSingleValue).orElse(""));
                                values.add(value.getValue()
);
                                }
                                if (SAE_START_DATE.equals(value
.getKey())) {
                                value.getValue().setValues(
List.of(minAestdtc.getDefault(saeNo, new HashMap<
>()).getDefault(term, "")));
                                values.add(value.getValue()
);
                                }
                                if (SAE_END_DATE.equals(value.g
etKey())) {
                                value.getValue().setValues(
List.of(maxAeEndDate.getDefault(saeNo, new HashMa
p<>()).getDefault(term, "")));
                                values.add(value.getValue()
);
                                }

                                if (SAE_TERM.equals(value.getKe
y())
                                && !allTerms.getDefault
lt(saeNo, new HashSet<>()).contains(oldTerm)

```



```

        && pidRows.containsKey(
emptyDefault(currentForm, AE_PID))) {
        value.getValue().setSingleV
alue(emptyDefault(currentForm, AE_TERM, String::toU
pperCase));
        values.add(value.getValue()
);
    }
    if (SAE_TERM_DETAILS.equals(val
ue.getKey()))
        && !allTerms.getOrDefau
lt(saeNo, new HashSet<>()).contains(oldTerm)
        && pidRows.containsKey(
emptyDefault(currentForm, AE_PID))) {
    }
    if (SAE_OUTCOME.equals(value.ge
tKey())) {
        outcome = Optional.of(value
.getValue());
    }
    if (SAE_COUNTRY.equals(value.ge
tKey())) {
        country = Optional.of(value
.getValue());
    }
}
if (!maxAestdtc.getOrDefault(saeNo,
new HashMap<>()).containsKey(term)
|| Optional.ofNullable(curr
entForm.get(AE_START_DATETIME))
.map(ItemData::getSingleVal
ue)
.map(v -> v.compareTo(maxAe
stdtc.get(saeNo).get(term)))
.orElse(1) >= 0) {
    List<String> countryVal = List.
of(countryValues.getOrDefault(saeNo, new HashMap<>()

```

```

)).getOrElse(term, "");
                country.or(() -> Optional.of(createItem(SAE_COUNTRY, entry.getKey()))).ifPresent(i
-> {
                    i.setValues(countryVal);
                    values.add(i);
                });
            }
            String termDetailsStr = hospDetails
(term,
                hospDetails.getOrElse(saeNo, new HashMap<>()).getOrElse(term, new ItemData[2])[0],
                hospDetails.getOrElse(saeNo, new HashMap<>()).getOrElse(term, new ItemData[2])[1]);
            if (!pid.isEmpty() && !Objects.equals(termDetails.getSingleValue(), termDetailsStr)) {
                termDetails.setSingleValue(termDetailsStr);
                values.add(termDetails);
            }
            List<String> outcomeVal = List.of(outcomeValues.getOrElse(saeNo, new HashMap<>()).getOrElse(term, ""));
            outcome.or(() -> Optional.of(createItem(SAE_OUTCOME, entry.getKey()))).ifPresent(i ->
{
                i.setValues(outcomeVal);
                values.add(i);
            });
            for (Map.Entry<String, String> v : VAR_MAP.entrySet()) {
                if (currentForm.containsKey(v.getKey())
                    && row.contains(v.getValue()))

```

```

        && rowNo.equals(current
Form.get(v.getKey()).getRowIndex())
        && !AE_CASE_ID.equals(v
.getKey())) {
            ItemData copy = currentForm
.get(v.getKey()).withoutIds();
            copy.setRowIndex(rowNo);
            copy.getVariable().setName(
v.getValue());
            String codelist = CODELIST_
MAP.containsKey(v.getValue()) ? CODELIST_MAP.get(v.
getValue()) : copy.getVariable().getCodeList();
            copy.getVariable().setCodeL
ist(codelist);
            values.add(copy);
        }
    }
    String hospNarrative = getHospitalizati
onNarrative(
        hospDetails.getDefault(caseId
, new HashMap<>()),
        hospNarrativeDetails.getOrDefau
lt(caseId, new HashMap<>())
    );
    ItemData narrativeItem = reportData.get
(0).get(SAE_NARRATIVE2);
    List<String[]> narrativeParts = narrati
ves.getDefault(saeNo, Map.of())
        .entrySet()
        .stream()
        .map(e -> new String[]{e.getKey
(), String.join(", ", e.getValue())})
        .collect(Collectors.toList());
    if (narrativeItem == null) {
        narrativeItem = createItem(SAE_NARR
ATIVE2);

```

```

        }
        String narrativeString = narrativeString(
narrativeParts, productName, prefilledValues.get(
saeNo), hospNarrative);
        narrativeItem.setSingleValue(narrativeString);
        values.add(narrativeItem);
    }
    if (reportForm != null && reportForm.isRemoved()) {
        service.restoreForm(reportForm);
    }
    if (reportForm != null) {
        doRemoveTimeValue(values, SAE_START_DATE);
        doRemoveTimeValue(values, SAE_END_DATE);
        ;
        service.saveFormData(reportForm, values);
    }
    if (dummy != null) {
        service.saveFormData(crfData, List.of(dummy));
    }
    updatePreviousCase(oldId, allForms, aeForms, grading, saeForms, productName, service);
    for (Integer row : rowsToRemove) {
        service.removeRow(reportForm, SAE_REPEATING_GROUP, row);
    }
    if (reportForm != null && pids.getOrDefault(caseId, Map.of()).values().stream().allMatch(List::isEmpty)) {
        service.removeForm(reportForm);
    }
    return false;
}

```

```

        private static void doRemoveTimeValue(List<Item
Data> values, String variableName) {
            List<ItemData> saeItemDates = values.stream
()
                .filter(o -> variableName.equals(o.
getVariable().getName()))
                .collect(Collectors.toList());

            for (ItemData saeItemDate: saeItemDates) {
                String startDate = saeItemDate.getSingl
eValue();
                if ((startDate != null) && (startDate.t
rim().length() > 0)) {
                    try {
                        LocalDate dateValue = LocalDate
.parse(startDate, DateTimeFormatter.ofPattern("yyyy
-MM-dd HH:mm"));
                        String dateValueWithoutTime = d
ateValue.format(DateTimeFormatter.ofPattern("yyyy-M
M-dd"));
                        saeItemDate.setSingleValue(date
ValueWithoutTime);
                    } catch (Exception e) {}
                }
            }

            private static void initMaxAeEndDate(String cas
eNo,
                String term,
                Map.Entry<Long, Map<String, ItemData>>
form,
                Map<String, Map<String, String>> maxAeS
tartEndDate,
                Map<String, Map<String, String>> maxAeE
ndDate) {

```

```

        Optional<ItemData> aeStartDate = Optional.ofNullable(form.getValue().get(AE_START_DATETIME))
            .filter(i -> i.getSingleValue() != null);
        Optional<ItemData> aeEndDate = Optional.ofNullable(form.getValue().get(AE_END_DATE))
            .filter(i -> i.getSingleValue() != null);

        String aeStartDateValue = aeStartDate.map(ItemData::getSingleValue).orElse(null);
        String aeEndDateValue = aeEndDate.map(ItemData::getSingleValue).orElse(null);

        String maxComparisonDate = null;
        if ((aeStartDateValue != null) || (aeEndDateValue != null)) {
            maxComparisonDate = aeStartDateValue;
            if (aeStartDateValue != null) {
                if ((aeEndDateValue != null) && (aeStartDateValue.compareTo(aeEndDateValue) < 0)) {
                    maxComparisonDate = aeEndDateValue;
                }
            } else {
                maxComparisonDate = aeEndDateValue;
            }
        }

        if (maxComparisonDate != null) {
            Map<String, String> maxAeStartEndDateByCase = maxAeStartEndDate.computeIfAbsent(caseNo, no -> new HashMap<>());
            String maxAeStartEndDateValue = maxAeStartEndDateByCase.get(term);

            if ((maxAeStartEndDateValue == null) ||

```

```

(maxComparisonDate.compareTo(maxAeStartEndDateValu
e) >= 0)) {
    maxAeStartEndDateByCase.put(term, m
axComparisonDate);

    boolean isLastExperience = Optional
.ofNullable(form.getValue().get(IS_AE_LAST_EXPERIEN
CE))
        .filter(i -> i.getSingleVal
ue() != null)
        .map(o -> "Y".equals(o.getS
ingleValue()))
        .orElse(false);

    if (isLastExperience) {
        aeEndDateValue = Optional.ofNul
lable(form.getValue().get(AE_LAST_EXPERIENCE))
            .filter(o -> o.getSingl
eValue() != null)
            .map(ItemData::getSingl
eValue)
            .orElse("");
    } else {
        aeEndDateValue = aeEndDate.isPr
esent() ? aeEndDate.get().getSingleValue() : "";
    }

    maxAeEndDate.computeIfAbsent(caseNo
, no -> new HashMap<>()).put(term, aeEndDateValue);
}

}

private static void updatePreviousCase(String c
aseNo,
    Map<Long, Map<String, ItemData>> allAeF
orms,

```

```

        Map<String, Set<Long>> aeForms,
        Map<Long, Map<Integer, Map<String, Item
Data>>> grading,
        Map<String, Long> saeForms,
        String productName,
        ApiService service) {
    if (caseNo == null || caseNo.isEmpty()) {
        return;
    }
    Map<Integer, Map<String, ItemData>> reportD
ata = grading.get(saeForms.get(caseNo));
    if (reportData == null) {
        return;
    }
    Set<Long> ids = aeForms.get(caseNo);
    List<ItemData> values = new ArrayList<>();
    if (ids == null) {
        CrfData reportForm = null;
        for (Map.Entry<Integer, Map<String, ItemData>> entry : reportData.entrySet()) {
            for (Map.Entry<String, ItemData> value : entry.getValue().entrySet()) {
                if (reportForm == null) {
                    reportForm = value.getValue().getCrfData();
                }
                if (SAE_REPEATING_GROUP.equals(getGroupName(value.getValue()))) {
                    value.getValue().setSingleValue("");
                    values.add(value.getValue());
                }
            }
        }
        doRemoveTimeValue(values, SAE_START_DATE);
    }
}

```



```

        doRemoveTimeValue(values, SAE_END_DATE)
;
        service.saveFormData(reportForm, values
);
        for (Integer row : reportData.keySet())
        {
            service.removeRow(reportForm, SAE_R
EPEATING_GROUP, row);
        }
        service.removeForm(reportForm);
        return;
    }
    Map<String, List<ItemData>> pids = new Hash
Map<>();
    Map<String, ItemData> saeaestd = new HashMa
p<>();
    Map<String, ItemData> saeaeout = new HashMa
p<>();
    Map<String, ItemData> outcome = new HashMap
<>();
    Map<String, Map<String, String>> maxAeStart
EndDate = new HashMap<>();
    Map<String, Map<String, String>> maxAeEndDa
te = new HashMap<>();
    Map<String, String> maxOutcomeDate = new Ha
shMap<>();
    Map<String, Map<String, ItemData>> byVarTer
ms = VAR_MAP.values().stream().collect(toMap(v -> v
, v -> new HashMap<>()));
    Set<String> allTerms = new HashSet<>();
    Map<String, TreeMap<String, Long>> maxAestd
tc = new HashMap<>();
    Map<String, List<ItemData[]>> narrativeMap
= new TreeMap<>();
    Map<String, Map<Long, String[]>> prefilledV
alues = new HashMap<>();
    Map<String, Map<String, Map<Long, String[]>

```

```

>> hospNarrativeDetails = new HashMap<>();//case no
-> term -> eventCrfId -> start/end
    Map<String, ItemData[]> hospDetails = new H
ashMap<>();
    Set<Integer> rowsToRemove = new HashSet<>()
;
    for (Map.Entry<Long, Map<String, ItemData>>
form : allAeForms.entrySet()) {
        if (!ids.contains(form.getKey())) {
            continue;
        }
        String term = emptyDefault(form.getValu
e(), AE_TERM, String::toUpperCase);
        if (term.isEmpty()) {
            continue;
        }
        allTerms.add(term);
        ItemData[] narratives = new ItemData[2]
;
        narratives[0] = form.getValue().get(AE_
TERM);
        narratives[1] = form.getValue().get(AE_
CT_PROCEDURE);
        if (!toValueOrEmpty(narratives[1]).isEm
pty()) {
            narrativeMap.computeIfAbsent(term,
t -> new ArrayList<>()).add(narratives);
        }
        for (Map.Entry<String, ItemData> variab
le : form.getValue().entrySet()) {
            String saeVar = VAR_MAP.get(variabl
e.getKey());
            Optional.ofNullable(variable.getVal
ue())
                .filter(i -> i.getSingleVal
ue() != null)
                .filter(i -> byVarTerms.con

```

```

tainsKey(saeVar))
                .filter(i -> Optional.ofNullable(
                    byVarTerms.get(saeVar)).map(m -> m.get(term))
                ).map(ItemData::getSingleValue).filter(v -> SAE_VALUE_FILTERS.containsKey(saeVar)).map(v -> SAE_VALUE_FILTERS.get(saeVar).test(v, i.getSingleValue())).orElse(Boolean.TRUE))
                .ifPresent(i -> byVarTerms.get(saeVar).put(term, i));
            }
            addDeviceInfo(term, form, prefilledValues);

            addHospDate(form.getValue(), hospDetails.computeIfAbsent(term, t -> new ItemData[2]));
            initHospitalizationInfo(caseNo, form.getKey(), term, form.getValue(), hospNarrativeDetails);

            Optional.ofNullable(form.getValue().get(AE_PID))
                .ifPresent(i -> pids.computeIfAbsent(term, t -> new ArrayList<>()).add(i));
            Optional<ItemData> aestdtc = Optional.ofNullable(form.getValue().get(AE_START_DATETIME))
                .filter(i -> i.getSingleValue() != null);
            Optional.ofNullable(form.getValue().get(AE_EXPERIENCE_START))
                .filter(i -> i.getSingleValue() != null)
                .or(() -> aestdtc)
                .filter(i -> Optional.ofNullable(saeAestd.get(term)).map(ItemData::getSingleValue)
                    .map(v -> v.compareTo(i.getSingleValue()) > 0).orElse(Boolean.TRUE))
                .ifPresent(i -> saeAestd.put(te

```

```

rm, i));
        Optional<ItemData> outcomeValue = Optional.ofNullable(form.getValue().get(AE_LAST_OUTCOME))
            .filter(v -> v.getSingleValue() != null)
            .or(() -> Optional.ofNullable(form.getValue().get(AE_OUTCOME)));
        Optional<ItemData> aeEnd = Optional.ofNullable(form.getValue().get(AE_END_DATE))
            .filter(i -> i.getSingleValue() != null);
        Optional<String> outcomeDate = Optional.ofNullable(form.getValue().get(AE_START_DATETIME))
            .filter(i -> i.getSingleValue() != null)
            .map(i -> aeEnd.isPresent() && i.getSingleValue().compareTo(aeEnd.get().getSingleValue()) < 0 ? aeEnd.get() : i)
            .or(() -> aeEnd)
            .map(ItemData::getSingleValue)
            .filter(date -> !maxOutcomeDate.containsKey(term) || date.compareTo(maxOutcomeDate.get(term)) > 0);
        initMaxAeEndDate(caseNo, term, form, maxAeStartDate, maxAeEndDate);
        if (outcomeDate.isPresent()) {
            maxOutcomeDate.put(term, outcomeDate.get());
            outcomeValue.ifPresent(o -> outcome.put(term, o));
        } else if (!maxOutcomeDate.containsKey(term)) {
            outcomeValue.ifPresent(o -> outcome.put(term, o));
        }
        ItemData astart = form.getValue().get(

```

```

AE_START_DATETIME);
        if (aestart != null && aestart.getSingleValue() != null) {
            TreeMap<String, Long> dates = maxAe
stdtc.computeIfAbsent(term, t -> new TreeMap<>());
            dates.put(aestart.getSingleValue(),
aestart.getCrfdData().getId());
        }
    }
    Map<Integer, String> rows = new HashMap<>()
;
    CrfdData reportForm = null;
    for (Map.Entry<Integer, Map<String, ItemData>> entry : reportData.entrySet()) {
        for (Map.Entry<String, ItemData> value
: entry.getValue().entrySet()) {
            if (reportForm == null) {
                reportForm = value.getValue().g
etCrfdData();
            }
            if (SAE_TERM.equals(value.getValue(
).getVariable().getName())) {
                rows.put(entry.getKey(), value.
getValue().getSingleValue());
            }
        }
    }
    rows.values().retainAll(allTerms);
    for (Map.Entry<Integer, Map<String, ItemData>> entry : reportData.entrySet()) {
        String term = rows.get(entry.getKey());
        String pid = pids.getDefault(term, Li
st.of()).stream().map(ItemData::getSingleValue).fil
ter(Objects::nonNull).collect(Collectors.joining(",
"));
        for (Map.Entry<String, ItemData> value
: entry.getValue().entrySet()) {

```

```

        if (SAE_VALUE_FILTERS.containsKey(v
alue.getKey())) {
            value.getValue().setSingleValue
(Optional.ofNullable(byVarTerms.get(value.getKey())
.get(term)).map(ItemData::getSingleValue).orElse("")
));
            values.add(value.getValue());
        }
        if (SAE_PID.equals(value.getKey()))
        {
            value.getValue().setSingleValue
(pid);
            values.add(value.getValue());
        }
        if (SAE_TERM.equals(value.getKey())
&& pid.isEmpty()) {
            value.getValue().setSingleValue
("");
            values.add(value.getValue());
            rowsToRemove.add(entry.getKey()
);
        }
        if (SAE_TERM_DETAILS.equals(value.g
etKey()) && pid.isEmpty()) {
            value.getValue().setValues(List
.of(""));
            values.add(value.getValue());
        }
        if (SAE_END_DATE.equals(value.getKe
y())) {
            value.getValue().setValues(List
.of(maxAeEndDate.getDefault(caseNo, new HashMap<>
()).getDefault(term, "")));
            values.add(value.getValue());
        }
        if (SAE_START_DATE.equals(value.get
Key())) {

```

```

        value.getValue().setSingleValue
(emptyDefault(saeaestd, term));
        values.add(value.getValue());
    }
    if (SAE_COUNTRY.equals(value.getKey
()) && pid.isEmpty()) {
        value.getValue().setValues(List
.of(""));
        values.add(value.getValue());
    }
    if (SAE_OUTCOME.equals(value.getKey
()) && pid.isEmpty()) {
        value.getValue().setValues(List
.of(""));
        values.add(value.getValue());
    }
}
String hospNarrative = getHospitalizati
onNarrative(
    hospDetails,
    hospNarrativeDetails.getOrDefau
lt(caseNo, new HashMap<>())
);
ItemData narrativeItem = reportData.get
(0).get(SAE_NARRATIVE2);
List<String[]> narrativeValues = narrat
iveMap.values().stream().map(v -> new String[]{toVa
lueOrElse(v.get(0)[0]).toUpperCase(), v.stream().m
ap(i -> toValueOrElse(i[1])).collect(Collectors.jo
ining(", "))}).collect(Collectors.toList());
if (narrativeItem == null) {
    narrativeItem = createItem(SAE_NARR
ATIVE2);
}
narrativeItem.setSingleValue(narrativeS
tring(narrativeValues, productName, prefilledValues
, hospNarrative));

```

```

        values.add(narrativeItem);
        if (!pid.isEmpty()) {
            ItemData hospItem = entry.getValue(
).getOrDefault(SAE_TERM_DETAILS, createItem(SAE_TER
M_DETAILS));
            hospItem.setSingleValue(hospDetails
(term, hospDetails.getOrDefault(term, new ItemData[
2])[0], hospDetails.getOrDefault(term, new ItemData
[2])[1]));
            values.add(hospItem);
        }
        TreeMap<String, Long> dates = maxAestdt
c.get(term);
        if (dates != null && !dates.isEmpty() &
& !pid.isEmpty()) {
            Long id = dates.lastEntry().getValu
e();
            Map<String, ItemData> aeform = allA
eForms.get(id);
            Optional.ofNullable(aeform.get(AE_C
OUNTRY)).map(ItemData::getSingleValue)
                .ifPresent(v -> {
                    ItemData countryItem =
entry.getValue().getOrDefault(SAE_COUNTRY, createIt
em(SAE_COUNTRY));
                    countryItem.setSingleVa
lue(v);
                    values.add(countryItem)
;
                });
        }
        if (!pid.isEmpty()) {
            String outcomeValue = Optional.ofNu
llable(outcome.get(term)).map(ItemData::getSingleVa
lue).orElse("");
            ItemData outcomeItem = entry.getVal
ue().getOrDefault(SAE_OUTCOME, createItem(SAE_OUTCO

```



```

ME));
        outcomeItem.setSingleValue(outcomeV
alue);
        values.add(outcomeItem);
    }
}
doRemoveTimeValue(values, SAE_START_DATE);
doRemoveTimeValue(values, SAE_END_DATE);
service.saveFormData(reportForm, values);
for (Integer row : rowsToRemove) {
    service.removeRow(reportForm, SAE_REPEA
TING_GROUP, row);
}
if (pids.isEmpty()) {
    service.removeForm(reportForm);
}
}

private static void initHospitalizationInfo(Str
ing caseNo,
        Long eventCrfId,
        String term,
        Map<String, ItemData> form,
        Map<String, Map<String, Map<Long, Strin
g[]>>> hospNarrativeDetails) {
    boolean isFormRemoved = form.values().strea
m().findFirst().map(o -> o.getCrfData().isRemoved()
).orElse(false);

    if (!isFormRemoved) {
        String[] hospitalizationInfo = new Stri
ng[4];

        hospitalizationInfo[0] = term;
        hospitalizationInfo[1] = Optional.ofNul
lable(form.get(AE_START_DATETIME)).map(ItemData::ge
tSingleValue).orElse("");

```

```

        hospitalizationInfo[2] = Optional.ofNullable(form.get(AE_HOSPITALIZATION_START)).map(ItemData::getSingleValue).orElse("");
        hospitalizationInfo[3] = Optional.ofNullable(form.get(AE_HOSPITALIZATION_END)).map(ItemData::getSingleValue).orElse("");

        if (isEmpty(hospitalizationInfo[2]) && isEmpty(hospitalizationInfo[3])) {
            return;
        }

        Map<Long, String[]> hospitalizationByEventCrfId = hospNarrativeDetails.computeIfAbsent(caseNo, no -> new HashMap<>()).computeIfAbsent(term, t -> new HashMap<>());
        hospitalizationByEventCrfId.put(eventCrfId, hospitalizationInfo);
    }

    private static boolean isEmpty(String value) {
        return (value == null) || (value.length() == 0);
    }

    private static void addHospDate(Map<String, ItemData> form, ItemData[] curDates) {
        ItemData hospStart = form.get(AE_HOSPITALIZATION_START);
        ItemData hospEnd = form.get(AE_HOSPITALIZATION_END);

        if (hospStart != null && hospStart.getSingleValue() != null) {
            int idxStart = DATE_INDEXES.get(AE_HOSPITALIZATION_START);

```

```

        int idxEnd = DATE_INDEXES.get(AE_HOSPIT
ALIZATION_END);
        if (curDates[idxStart] != null) {
            String start = hospStart.getSingleV
alue();
            if (HOSP_DATE_FILTERS.get(AE_HOSPIT
ALIZATION_START).test(start.compareTo(curDates[idxS
tart].getSingleValue())) {
                curDates[idxStart] = hospStart;
                curDates[idxEnd] = hospEnd;
            }
        } else {
            curDates[idxStart] = hospStart;
            curDates[idxEnd] = hospEnd;
        }
    }
}

private static void addDeviceInfo(String term,
Map.Entry<Long, Map<String, ItemData>> form, Map<St
ring, Map<Long, String[]>> prefilledValues) {
    Optional.ofNullable(form.getValue().get(AE_
PREFILLED))
        .map(ItemData::getSingleValue)
        .map(v -> "Y".equals(v) ? "Related"
: "Not Related")
        .ifPresent(v -> prefilledValues.com
puteIfAbsent(term, t -> new HashMap<>()).computeIfA
bsent(form.getKey(), t -> new String[3])[2] = v);
    Optional.ofNullable(form.getValue().get(AE_
OPERATOR))
        .map(i -> i.getResponseSetValues()
== null || i.getResponseSetValues().isEmpty() ? i.g
etSingleValue() : i.getResponseSetValues().get(0).g
etLabel())
        .ifPresent(v -> prefilledValues.com
puteIfAbsent(term, t -> new HashMap<>()).computeIfA

```

```

bsent(form.getKey(), t -> new String[3])[0] = v);
        Optional.ofNullable(form.getValue().get(AE_
ACTION))
                .map(i -> i.getResponseSetValues()
== null || i.getResponseSetValues().isEmpty() ? i.g
etSingleValue() : i.getResponseSetValues().get(0).g
etLabel())
                .ifPresent(v -> prefilledValues.com
puteIfAbsent(term, t -> new HashMap<>()).computeIfA
bsent(form.getKey(), t -> new String[3])[1] = v);
    }

    private static ItemData createHospDetails(Strin
g term, ItemData start, ItemData end) {
        ItemData aehosp = createItem(SAE_TERM_DETAI
LS);
        aehosp.setValues(List.of(hospDetails(term,
start, end)));
        return aehosp;
    }

    private static String getHospitalizationNarrati
ve(Map<String, ItemData[]> hospDetails, Map<String,
Map<Long, String[]>> hospNarrativeDetailsByTerm) {
        String hospNarrative = "";

        for (Map.Entry<String, Map<Long, String[]>>
hospEntryByTerm : hospNarrativeDetailsByTerm.entry
Set()) {
            String term = hospEntryByTerm.getKey();
            Map<Long, String[]> hospDataByEventCrFI
d = hospEntryByTerm.getValue();
            if (hospDataByEventCrfId != null) {
                for (Map.Entry<Long, String[]> entr
yByEventCrfId : hospDataByEventCrfId.entrySet()) {
                    Long eventCrfId = entryByEventC
rfId.getKey();

```

```

        String[] hospData = entryByEventCrfId.getValue();

        ItemData[] gradingHospData = hospDetails.getDefault(term, null);
        Long gradingEventCrfId = Optional.ofNullable(gradingHospData)
            .filter(o -> (o[0] != null) || (o[1] != null))
            .map(o -> {
                ItemData hostDate = (o[0] == null) ? o[1] : o[0];
                return hostDate.getCrfData().getId();
            })
            .orElse(null);
        boolean isHospDataExists = Optional.ofNullable(hospData)
            .map(o -> String.join(", ", hospData).length() > 0)
            .orElse(false);
        if (isHospDataExists && !eventCrfId.equals(gradingEventCrfId)) {
            if (hospNarrative.length() > 0) {
                hospNarrative += "\n";
            }
            hospNarrative += String.format("{HOSPITALIZATION}%s{/HOSPITALIZATION}", String.join(";", hospData));
        }
    }
}

return hospNarrative;

```

```

    }

    private static String hospDetails(String term,
ItemData start, ItemData end) {
        if (term == null) {
            return "";
        }
        StringBuilder sb = new StringBuilder(100);
        sb.append("{PRIMARYSOURCEREACTION}").append
(term).append("/{PRIMARYSOURCEREACTION}");
        String startStr = toDateString(start);
        if (!startStr.isEmpty()) {
            sb.append("\n{HOSPITALSTARTDATE}").appe
nd(startStr).append("/{HOSPITALSTARTDATE}");
        }
        String endStr = toDateString(end);
        if (!endStr.isEmpty()) {
            sb.append("\n{HOSPITALENDDATE}").append
(endStr).append("/{HOSPITALENDDATE}");
        }
        return sb.toString();
    }

    private static String toDateString(ItemData ite
mData) {
        return Optional.ofNullable(itemData)
            .map(ItemData::getSingleValue)
            .map(LocalDate::parse)
            .map(ld -> ld.format(DateTimeFormat
ter.ofPattern("yyyyMMdd")))
            .orElse("");
    }

    private static ItemData createNarrative(Collect
ion<ItemData[]> details, String productName, Map<St
ring, Map<Long, String[]>> prefilledValues) {
        ItemData narrative2 = createItem(SAE_NARRAT

```

```

IVE2);
        List<String[]> values = details.stream().ma
p(data -> new String[]{toValueOrEmpty(data[0]).toUp
perCase(), toValueOrEmpty(data[1])}).collect(Collec
tors.toList());
        narrative2.setValues(List.of(narrativeStrin
g(values, productName, prefilledValues, "")));
        return narrative2;
    }

    private static String toValueOrEmpty(ItemData i
tem) {
        return Optional.ofNullable(item).map(ItemDa
ta::getSingleValue).orElse("");
    }

    private static String narrativeString(Collectio
n<String[]> details,
        String productName,
        Map<String, Map<Long, String[]>> prefil
ledValues,
        String hospNarrative) {
        StringBuilder sb = new StringBuilder();
        for (String[] narrative : details) {
            if (narrative[1] != null && !narrative[
1].isEmpty()) {
                sb.append(Optional.ofNullable(narra
tive[0]).orElse(""))
                    .append(":")
                    .append(narrative[1])
                    .append("\n");
            }
        }
        if (sb.length() > 0) {
            sb.deleteCharAt(sb.length() - 1).append
("{/EVENTRELATED}").insert(0, "{EVENTRELATED}");
        }
    }

```

```

        if (productName != null && !productName.trim().equals("")) {
            StringBuilder product = new StringBuilder();
            prefilledValues.forEach((term, valueMap) -> {
                valueMap.forEach((id, parts) -> {
                    product.append("\n{PRODUCTNAME}").append(productName).append("{/PRODUCTNAME}");
                    product.append("\n{AETERM}").append(term).append("{/AETERM}");
                    if (parts[0] != null) {
                        product.append("\n{DEVICEOPERATOR}").append(parts[0]).append("{/DEVICEOPERATOR}");
                    }
                    if (parts[1] != null) {
                        product.append("\n{DEVICEACTIONTAKEN}").append(parts[1]).append("{/DEVICEACTIONTAKEN}");
                    }
                    if (parts[2] != null) {
                        product.append("\n{DEVICECAUSALITY}").append(parts[2]).append("{/DEVICECAUSALITY}");
                    }
                });
            });
            sb.append("\n").append(product);
        }

        if ((hospNarrative != null) && (hospNarrative.length() > 0)) {
            int narrativeLength = sb.length();
            boolean isNewLineExists = (narrativeLength > 0) && sb.charAt(narrativeLength - 1) == '\n';
            if (!isNewLineExists) {

```



```

        sb.append("\n");
    }
    sb.append(hospNarrative);
}

return sb.toString();
}

private static ItemData createItem(String varName) {
    return createItem(varName, 0);
}

private static ItemData createItem(String varName, int row) {
    ItemData itemData = new ItemData();
    Variable variable = new Variable();
    variable.setName(varName);
    if (CODELIST_MAP.containsKey(varName)) {
        variable.setCodeList(CODELIST_MAP.get(varName));
    }
    itemData.setVariable(variable);
    itemData.setRowIndex(row);
    return itemData;
}

private static String emptyDefault(Map<String, ItemData> form, String key) {
    return emptyDefault(form, key, Function.identity());
}

private static String emptyDefault(Map<String, ItemData> form, String key, Function<String, String> transformer) {
    return Optional.ofNullable(form.get(key))

```

		<pre> .map(ItemData::getSingleValue) .map(transformer) .orElse(""); } private static String getGroupName(ItemData item) { return Optional.ofNullable(item.getVariableGroupData()) .map(VariableGroupData::getVariableGroup) .map(VariableGroup::getName) .orElse(""); } </pre>			
getStartDTS	Returns a LocalDateTime from a start DTS, including handling UNK.	<pre> import java.time.LocalDateTime; public static LocalDateTime getStartDTS(String startDTS) { if (startDTS == null startDTS.length() > 19 startDTS.equals("")) { return null; } else { LocalDateTime startDate; int month = 1; int day = 1; int hour = 0; int minute = 0; int second = 0; switch (startDTS.length()) { case 19: second = Integer.valueOf(startDTS.substring(17,19)); // 2024-01-01T00:00:00 case 16: minute = Integer.valueOf(startDTS.substring(14,16)); // 2024-01-01T00:00 case 13: hour = Integer.valueOf(startDTS.substring(11,13)); // 2024-01-01T00 </pre>		0.1	97575

		<pre> case 10: day = Integer.valueOf(startDTS .substring(8,10)); // 2024-01-01 case 7: month = Integer.valueOf(startDT S.substring(5,7)); // 2024-01 case 4: int year = Integer.valueOf(star tDTS.substring(0,4)); //2024 startDate = LocalDateTime.of(ye ar, month, day, hour, minute, second); break; default: startDate = null; } return startDate; } } </pre>			
getSecondValueUppercased		<pre> public static String customFunction(String input) { // Split the input string by " " if(input != null && input.contains(" ")) { String[] parts = input.split("\\ "); if (parts.length >= 2) { // Return the second value in uppercase return parts[1].toUpperCase(); } } else { // Return an empty string return ""; } } else{ return "";} } </pre>		0.1	97574

getEndDTS

Returns a
LocalDateTime from an
end DTS, including
handling UNK.

```
import java.time.LocalDateTime;
import java.util.Calendar;

public static LocalDateTime getEndDTS(String endDTS
) {
    if (endDTS == null || endDTS.length() > 19 || e
ndDTS.equals("")) {
        return null;
    }
    else {
        LocalDateTime endDate;
        int month = 1;
        int day = 1;
        int hour = 0;
        int minute = 0;
        int second = 0;

        switch (endDTS.length()) {
            case 19: second = Integer.valueOf(endDT
S.substring(17,19)); // 2024-01-01T00:00:00
            case 16: minute = Integer.valueOf(endDT
S.substring(14,16)); // 2024-01-01T00:00
            case 13: hour = Integer.valueOf(endDTS.
substring(11,13)); // 2024-01-01T00
            case 10: day = Integer.valueOf(endDTS.s
ubstring(8,10)); // 2024-01-01
            case 7: month = Integer.valueOf(endDTS.
substring(5,7)); // 2024-01
            case 4: int year = Integer.valueOf(endD
TS.substring(0,4)); //2024
                if (day == 0) {
                    Calendar cal = Calendar.get
Instance();
                    cal.set(year, month -1, 1);
                    day = cal.getActualMaximum(
Calendar.DAY_OF_MONTH);
                }
        }
    }
}
```

0.1

97573

		<pre> endDate = LocalDateTime.of(year , month, day, hour, minute, second); break; default: endDate = null; } return endDate; } } </pre>			
getDateFromCycle	Returns Date from specific Cycle Day, based on received parameters	<pre> import java.util.*; import java.util.stream.*; import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.context.Context; import com.candorgrc.core.shared.api.model.*; public static Integer getDateFromCycle(ApiService service, ItemData dataPoint) { if (dataPoint == null) { return 0; } CrfData currentDataForm = dataPoint.getCrfData(); Subject subject = dataPoint.getCrfData().getSubject(); // Get Study name studyName; String studyName = subject.getSite().getStudy().getName(); // REQUIREMENT: // "Fetch data from the variable SVSTD </pre>	0.1	97572	

```

TC_001 from Cycle 1 Day 1"
        ItemDataRequest dataRequest = new ItemDataRequest().setStudyName(studyName).setSubjectNumber(subject.getNumber()).setEventName("Cycle 1 Day 1");
        var items = service.getItems(dataRequest.setInstrumentName("SV001"));
        String searchedVar = "SVSTDTC_001";
        String foundItem = null;

        for (ItemData item : items) {
            if (searchedVar.equals(item.getVariable().getName())) {
                foundItem = item.getSingleValue();
            }
        }

        if(foundItem != null){
            Crf targetFormDefinition = new Crf().setName("SV001");
            Event targetEvent = new Event().setUniqueName("SCR");
            Encounter targetEnc = new Encounter().setEvent(targetEvent);
            var targetForm = service.factory().createCrfData()
                .setCrf(targetFormDefinition)
                .setSubject(subject)
                .setEncounter(targetEnc);

            ItemData svdate = service.factory().createItemData(targetForm)
                .setVariable(new Variable().setName("SVSTDTC_001"))
                .setSingleValue(foundItem);
            service.saveFormData(targetForm, List.of(svdate));

```

		<pre> return 1; } return 0; }</pre>			
dreport	Expression 2: In DD002 form, D_SAEDDRPT_002	<pre>import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.model.CrfData; import com.candorgrc.core.shared.api.model.ItemData; import com.candorgrc.core.shared.api.model.RowStatus; import com.candorgrc.core.shared.api.model.Variable; import java.util.*; public static boolean report(ItemData dataPoint, ApiService service) { if (dataPoint == null service == null) { return false; } String cause = ""; if ("Y".equals(dataPoint.getSingleValue())) { CrfData crfData = dataPoint.getCrfData(); ItemDataRequest ddRequest = new ItemDataRequest() .setStudyName(dataPoint.getCrfData().getSubject().getSite().getStudy().getName()) .setSubjectNumber(dataPoint.getCrfData().getSubject().getNumber()) .setEventName("DISP") .setInstrumentName("DD002"); Collection<ItemData> ddItems = service.</pre>		0.1	97571

```

getItem(ddRequest);
        Map<Integer, Map<String, ItemData>> ddM
ap = new HashMap<>();
        TreeSet<Integer> pCauses = new TreeSet<
>();
        for (ItemData item : ddItems) {
            if (item.getRowStatus().map(RowStat
us::isRemoved).orElse(Boolean.FALSE)) {
                continue;
            }
            String name = item.getVariable().ge
tName();
            Map<String, ItemData> variables = d
dMap.computeIfAbsent(item.getRowIndex(), integer ->
new HashMap<>());
            variables.put(name, item);
            if ("DDTEST_002".equals(name) && "1
".equals(item.getSingleValue())) {
                pCauses.add(item.getRowIndex())
;
            }
        }
        cause = getCause(ddMap, pCauses);
    }
    ItemDataRequest saeRequest = new ItemDataRe
quest()
        .setStudyName(dataPoint.getCrfdData(
).getSubject().getSite().getStudy().getName())
        .setSubjectNumber(dataPoint.getCrfd
ata().getSubject().getNumber())
        .setEventName("common_event")
        .setInstrumentName("D_SAE001");
    Collection<ItemData> saeItems = service.get
Items(saeRequest);
    Map<Long, Boolean> withCause = new HashMap<
>();
    Map<Long, ItemData> causes = new HashMap<>(

```



```

);
    Map<Long, CrfData> crfs = new HashMap<>();
    for (ItemData item : saeItems) {
        String name = item.getVariable().getNam
e();
        Long id = item.getCrfData().getId();
        if (!withCause.containsKey(id)) {
            withCause.put(id, Boolean.FALSE);
        }
        if (!crfs.containsKey(id)) {
            crfs.put(id, item.getCrfData());
        }
        if ("D_RESDEATH_001".equals(name)
            && "Y".equals(item.getSingleVal
ue())) {
            withCause.put(id, Boolean.TRUE);
        }
        if ("D_CAUSDEATH_001".equals(name)) {
            causes.put(id, item);
        }
    }
    Map<Long, List<ItemData>> update = new Hash
Map<>();
    for (Map.Entry<Long, Boolean> caused : with
Cause.entrySet()) {
        ItemData causeItem = causes.get(caused.
getKey());
        if (causeItem == null) {
            causeItem = new ItemData();
            Variable variable = new Variable();
            variable.setName("D_CAUSDEATH_001")
;
            causeItem.setVariable(variable);
            causeItem.setCrfData(crfs.get(cause
d.getKey()));
        }
        List<String> value = caused.getValue()

```

```

? List.of(cause) : List.of("");
    causeItem.setValues(value);
    update.computeIfAbsent(cause.getKey(),
id -> new ArrayList<>()).add(causeItem);
    }
    for (Map.Entry<Long, List<ItemData>> variables : update.entrySet()) {
        service.saveFormData(crfs.get(variables.getKey()), variables.getValue());
    }
    return false;
}

private static String getCause(Map<Integer, Map<String, ItemData>> ddMap, TreeSet<Integer> pCauses) {
    if (pCauses.isEmpty()) {
        return "";
    }
    Map<String, ItemData> pCause = ddMap.get(pCauses.first());
    ItemData dDorres = pCause.get("D_DDORRES_PRCDTH_002");
    if (dDorres == null) {
        return Optional.ofNullable(pCause.get("DDORRES_002")).map(i -> i.getSingleValue()).orElse("");
    }
    String dDorresValue = dDorres.getSingleValue();
    if ("4".equals(dDorresValue)) {
        return Optional.ofNullable(pCause.get("D_DDORRES_PRCDTH_OTH_002")).map(i -> i.getSingleValue()).orElse("");
    }
    return Optional.ofNullable(dDorres.getResponseSetValues()).map(rs -> rs.get(0)).map(c -> c.get

```

		<pre>Label()).orElse(""); }</pre>			
derive_min_drugdate_1	derive_min_drugdate	<pre>// RULE EXPRESSION: // derive_min_drugdate([\$api], [\$data_point]) import java.util.*; import java.util.stream.*; import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.context.Context; import com.candorgrc.core.shared.api.model.*; // N.B. Partial Dates are passed to Custom Functions in non-normalized form, // i.e. UNK fragments are NOT replaced with user-configured default values. private static final boolean INCLUDE_DATES_WITH_UNK = true; //private static final String ITEM_CODE_FOR_YES = "Y"; //private static final String ITEM_CODE_FOR_NO = "N"; private static List<ItemData> conditionalSearch(Collection<ItemData> items, String conditionalVar, String searchedVar) { // find ItemData(s) by name var conditionalItems = new HashMap<Long, ItemData>(); var foundItems = new ArrayList<ItemData>(); for (ItemData item : items) { if (conditionalVar.equals(item.getVariable().getName())) {</pre>	0.1	97570	

```

        // Here "item.getCrfData().getId()"
        as a key works the same as "CRF Definition name &
        CRF occurrence" (item.getCrfData().getCrf().getName
        () & item.getCrfData().getOccurrence())
        conditionalItems.put(item.getCrfDat
        a().getId(), item);
    }
    if (searchedVar.equals(item.getVariable
    ().getName())) {
        foundItems.add(item);
    }
}

// Return "searched variables" if related "
conditionalVar" has expected value of "N".
var result = new ArrayList<ItemData>();
for (ItemData foundItem : foundItems) {
    ItemData conditionalItem = conditionalI
    tems.get(foundItem.getCrfData().getId());
    String conditionValue = conditionalItem
    == null ? null : conditionalItem.getSingleValue();
    //if (ITEM_CODE_FOR_NO.equals(condition
    Value)) {
        // REQUIREMENTS for conditions: not nul
        l and not equal 0.0
        if (conditionValue != null && Double.pa
        rseDouble(conditionValue) > 0){
            result.add(foundItem);
        }
    }
}
return result;
}
private static void accumulate(ArrayList<String
> accumulator, List<ItemData> items) {
    for (ItemData item : items) {
        String partialDate = item.getSingleValu

```

```

e();
        if (partialDate != null && !partialDate
.isBlank() && (INCLUDE_DATES_WITH_UNK || !partialDate.contains("UNK"))) {
            accumulator.add(partialDate);
        }
    }
}
public static boolean derive_min_drugdate(ApiService service, ItemData dataPoint) {

    if (dataPoint == null) {
        return false;
    }
    List<ItemData> changedItems = dataPoint.getCrfdData().getChangedItems();
    CrfdData currentDataForm = dataPoint.getCrfdData();
    Subject subject = dataPoint.getCrfdData().getSubject();

    // Get Study name studyName;
    String studyName = subject.getSite().getStudy().getName();

    // REQUIREMENT:
    // "Fetch data from the variables ECSTDTC_001_4, ECSTDTC_001_4_1, X_ECD0SE_001_4, X_ECD0SE_001_4_1 across the subject."
    ItemDataRequest dataRequest = new ItemDataRequest().setStudyName(studyName).setSubjectNumber(subject.getNumber());
    var items0 = service.getItems(dataRequest.setInstrumentName("EC001"));
    var items1 = service.getItems(dataRequest.setInstrumentName("EC001_1"));
    var items2 = service.getItems(dataRequest.setInstrumentName("EC001_1"));

```

```

etInstrumentName("EC001_2"));
        var items3 = service.getItems(dataRequest.s
etInstrumentName("EC001_3"));
        var items4 = service.getItems(dataRequest.s
etInstrumentName("EC001_4"));
        var items5 = service.getItems(dataRequest.s
etInstrumentName("EC001_5"));
        var items6 = service.getItems(dataRequest.s
etInstrumentName("EC001_6"));

        // REQUIREMENT:
        //      "Consider forms which has not null
in X_ECDOSE_001_4, X_ECDOSE_001_4_1 variables and
the value not equal to 0.0"
        //      "From the records that are selected
based on the above condition take all the dates fr
om EC001 forms included on the search dataset."
        ArrayList<String> partialDates = new ArrayL
ist<>();
        accumulate(partialDates, conditionalSearch(
items0, "X_ECDOSE_001", "ECSTDTC_001"));
        accumulate(partialDates, conditionalSearch(
items1, "X_ECDOSE_001_1", "ECSTDTC_001_1"));
        accumulate(partialDates, conditionalSearch(
items2, "X_ECDOSE_001_2", "ECSTDTC_001_2"));
        accumulate(partialDates, conditionalSearch(
items3, "X_ECDOSE_001_3", "ECSTDTC_001_3"));
        accumulate(partialDates, conditionalSearch(
items4, "X_ECDOSE_001_4", "ECSTDTC_001_4"));
        accumulate(partialDates, conditionalSearch(
items5, "X_ECDOSE_001_5", "ECSTDTC_001_5"));
        accumulate(partialDates, conditionalSearch(
items6, "X_ECDOSE_ECDSIVD_001_6", "ECSTDTC_001_6"));
        ;
        accumulate(partialDates, conditionalSearch(
items6, "X_ECDOSE_ECDSORD_001_6", "ECSTDTC_001_6"))

```

```

;

        // REQUIREMENT:
        //      "Find the minimum date and ..."
        // Note, we find minimum in a simplest way,
        i.e. UNK are considered "bigger" than numerical mo
nth/day.
        Optional<String> minDateValue = partialDate
s.stream().min(Comparator.naturalOrder());

        // REQUIREMENT:
        //      "... Specify where to derive the re
sult: DM001.D_FIRSTDOSEDTC_001"

        Crf targetFormDefinition = new Crf().setNam
e("DM001");
        var targetForm = service.factory().createCr
fData()
                .setCrf(targetFormDefinition)
                .setSubject(subject);
        if (minDateValue.isPresent()) {
            // Note, the DS001_4 form is not assign
ed to an event.
            //targetForm.setEncounter(dataPoint.get
CrfData().getEncounter().orElse(null));

            // Note, we don't know whether the DM00
1 form is repeatable (it's not assigned to an event
).
            //targetForm.setOccurrence(1);
            ItemData minDrugDate = service.factory(
).createItemData(targetForm)
                    .setVariable(new Variable().set
Name("D_FIRSTDOSEDTC_001"))
                    .setSingleValue(minDateValue.ge
t());

```

		<pre> service.saveFormData(targetForm, List.of(minDrugDate)); return true; } else { ItemData minDrugDate = service.factory().createItemData(targetForm) .setVariable(new Variable().setName("D_FIRSTDOSEDTC_001")) .setSingleValue(""); service.saveFormData(targetForm, List.of(minDrugDate)); return true; } } } </pre>			
derive_min_drugdate	derive_min_drugdate	<pre> // RULE EXPRESSION: // derive_min_drugdate([\$api], [\$data_point]) import java.util.*; import java.util.stream.*; import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.context.Context; import com.candorgrc.core.shared.api.model.*; // N.B. Partial Dates are passed to Custom Functions in non-normalized form, // i.e. UNK fragments are NOT replaced with user-configured default values. private static final boolean INCLUDE_DATES_WITH_UNK = true; //private static final String ITEM_CODE_FOR_YES = "Y"; </pre>	0.1	97569	


```

        //private static final String ITEM_CODE_FOR_NO
        = "N";

        private static List<ItemData> conditionalSearch
(Collection<ItemData> items, String conditionalVar,
String searchedVar) {
            // find ItemData(s) by name
            var conditionalItems = new HashMap<Long, It
emData>();
            var foundItems = new ArrayList<ItemData>();
            for (ItemData item : items) {
                if (conditionalVar.equals(item.getVaria
ble().getName())) {
                    // Here "item.getCrfData().getId()"
as a key works the same as "CRF Definition name &
CRF occurrence" (item.getCrfData().getCrf().getName
() & item.getCrfData().getOccurrence())
                    conditionalItems.put(item.getCrfDat
a().getId(), item);
                }
                if (searchedVar.equals(item.getVariable
().getName())) {
                    foundItems.add(item);
                }
            }

            // Return "searched variables" if related "
conditionalVar" has expected value of "N".
            var result = new ArrayList<ItemData>();
            for (ItemData foundItem : foundItems) {
                ItemData conditionalItem = conditionalI
tems.get(foundItem.getCrfData().getId());
                String conditionValue = conditionalItem
== null ? null : conditionalItem.getSingleValue();
                //if (ITEM_CODE_FOR_NO.equals(condition
Value)) {
                    // REQUIREMENTS for conditions: not nul

```

```

l and not equal 0.0
        if (conditionValue != null && !conditionValue.equals("0.0")){
            result.add(foundItem);

        }
    }
    return result;
}
private static void accumulate(ArrayList<String> accumulator, List<ItemData> items) {
    for (ItemData item : items) {
        String partialDate = item.getSingleValue();
        if (partialDate != null && !partialDate.isBlank() && (INCLUDE_DATES_WITH_UNK || !partialDate.contains("UNK"))) {
            accumulator.add(partialDate);
        }
    }
}
public static boolean derive_min_drugdate(ApiService service, ItemData dataPoint) {

    if (dataPoint == null) {
        return false;
    }
    List<ItemData> changedItems = dataPoint.getCrfData().getChangedItems();
    CrfData currentDataForm = dataPoint.getCrfData();
    Subject subject = dataPoint.getCrfData().getSubject();

    // Get Study name studyName;
    String studyName = subject.getSite().getStudy().getName();

```

```

        // REQUIREMENT:
        //      "Fetch data from the variables ECSTDTC_001_4, ECSTDTC_001_4_1, X_ECDOSE_001_4, X_ECDOSE_001_4_1 across the subject."
        ItemDataRequest dataRequest = new ItemDataRequest().setStudyName(studyName).setSubjectNumber(subject.getNumber());
        var items0 = service.getItems(dataRequest.setInstrumentName("EC001"));
        var items1 = service.getItems(dataRequest.setInstrumentName("EC001_1"));
        var items2 = service.getItems(dataRequest.setInstrumentName("EC001_2"));
        var items3 = service.getItems(dataRequest.setInstrumentName("EC001_3"));
        var items4 = service.getItems(dataRequest.setInstrumentName("EC001_4"));
        var items5 = service.getItems(dataRequest.setInstrumentName("EC001_5"));
        var items6 = service.getItems(dataRequest.setInstrumentName("EC001_6"));

        // REQUIREMENT:
        //      "Consider forms which has not null in X_ECDOSE_001_4, X_ECDOSE_001_4_1 variables and the value not equal to 0.0"
        //      "From the records that are selected based on the above condition take all the dates from EC001 forms included on the search dataset."
        ArrayList<String> partialDates = new ArrayList<>();
        accumulate(partialDates, conditionalSearch(items0, "X_ECDOSE_001", "ECSTDTC_001"));
        accumulate(partialDates, conditionalSearch(items1, "X_ECDOSE_001_1", "ECSTDTC_001_1"));

```

```

        accumulate(partialDates, conditionalSearch(
items2, "X_ECDOSE_001_2", "ECSTDTC_001_2"));
        accumulate(partialDates, conditionalSearch(
items3, "X_ECDOSE_001_3", "ECSTDTC_001_3"));
        accumulate(partialDates, conditionalSearch(
items4, "X_ECDOSE_001_4", "ECSTDTC_001_4"));
        accumulate(partialDates, conditionalSearch(
items5, "X_ECDOSE_001_5", "ECSTDTC_001_5"));
        accumulate(partialDates, conditionalSearch(
items6, "X_ECDOSE_ECDSIVD_001_6", "ECSTDTC_001_6"));
    ;
        accumulate(partialDates, conditionalSearch(
items6, "X_ECDOSE_ECDSORD_001_6", "ECSTDTC_001_6"));
    ;

        // REQUIREMENT:
        //      "Find the minimum date and ..."
        // Note, we find minimum in a simplest way,
        // i.e. UNK are considered "bigger" than numerical mo
nth/day.
        Optional<String> minDateValue = partialDate
s.stream().min(Comparator.naturalOrder());

        // REQUIREMENT:
        //      "... Specify where to derive the re
sult: DM001.D_FIRSTDOSEDTC_001"

        Crf targetFormDefinition = new Crf().setNam
e("DM001");
        var targetForm = service.factory().createCr
fData()
                .setCrf(targetFormDefinition)
                .setSubject(subject);
        if (minDateValue.isPresent()) {
            // Note, the DS001_4 form is not assign
ed to an event.

```

		<pre> //targetForm.setEncounter(dataPoint.get CrfdData().getEncounter().orElse(null)); // Note, we don't know whether the DM00 1 form is repeatable (it's not assigned to an event). //targetForm.setOccurrence(1); ItemData minDrugDate = service.factory().createItemData(targetForm) .setVariable(new Variable().set Name("D_FIRSTDOSEDTC_001")) .setSingleValue(minDateValue.ge t()); service.saveFormData(targetForm, List.o f(minDrugDate)); return true; } else { ItemData minDrugDate = service.factory().createItemData(targetForm) .setVariable(new Variable().set Name("D_FIRSTDOSEDTC_001")) .setSingleValue(""); service.saveFormData(targetForm, List.o f(minDrugDate)); return true; } } </pre>			
derive_eos_date	derive_eos_date	<pre> import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String derive_eos_date(String C5, Str ing T5, String F6, String C5_1, S tring T5_1, String F6_1, String C5_2, S tring T5_2, String F6_2, </pre>		0.1	97568

```

String[] TRDates, String[] TRcont) {

    boolean foundN = false;
    boolean foundY = false;
    String[] relevantDates = new String[10]; // Adjusted size, only need extra for T5, T5_1, T5_2
    int index = 0;

    // Check C5, C5_1, C5_2 and collect relevant T5, T5_1, T5_2
    if ("N".equals(C5)) {
        foundN = true;
        relevantDates[index++] = T5;
    }
    if ("N".equals(C5_1)) {
        foundN = true;
        relevantDates[index++] = T5_1;
    }
    if ("N".equals(C5_2)) {
        foundN = true;
        relevantDates[index++] = T5_2;
    }

    // Only process TRcont and TRDates if they are not null
    if (TRcont != null && TRDates != null) {
        for (int i = 0; i < TRcont.length; i++) {
            if ("N".equals(TRcont[i]) && TRDates[i] != null && !"NA".equals(TRDates[i])) {
                foundN = true;
                relevantDates[index++] = TRDates[i];
            }
            if ("Y".equals(TRcont[i])) {
                foundY = true;
            }
        }
    }
}

```

```

    }
}

if (foundN) {
    // Return the max date from relevant dates
    return getMaxDate(relevantDates, index);
} else if ("Y".equals(C5) || "Y".equals(C5_1) |
| "Y".equals(C5_2) || foundY){
    // If no "N" was found and there is at least one "Y", return the max date from F6, F6_1, F6_2
    String[] followUpDates = {F6, F6_1, F6_2};
    return getMaxDate(followUpDates, followUpDates.length);
} else {
    return null;
}
}

private static String getMaxDate(String[] dates, int length) {
    LocalDate maxDate = null;
    DateTimeFormatter formatter1 = DateTimeFormatter.ofPattern("yyyy-MM-dd", java.util.Locale.ENGLISH);
    ;
    DateTimeFormatter formatter2 = DateTimeFormatter.ofPattern("dd-MMM-yyyy", java.util.Locale.ENGLISH);

    for (int i = 0; i < length; i++) {
        String dateStr = dates[i];
        if (dateStr != null && !dateStr.trim().isEmpty() && !"NA".equalsIgnoreCase(dateStr)) {
            // Try to parse the date using the first formatter
            LocalDate date = LocalDate.parse(dateStr, formatter1);
            if (date == null) {

```

		<pre>// Try to parse the date using the second formatter date = LocalDate.parse(dateStr, for matter2); } if (date != null && (maxDate == null date.isAfter(maxDate))) { maxDate = date; } } return (maxDate != null) ? maxDate.toString() : null; }</pre>			
default_values_add_entry	Defaults different rows and values in an add-entry form depending on the event. Classic scenario on where this function could be used is the PC instrument.	<pre>import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataReques t; import com.candorgrc.core.shared.api.model.CrfData; import com.candorgrc.core.shared.api.model.ItemData ; import com.candorgrc.core.shared.api.model.*; import java.util.Collection; import java.util.List; import java.util.ArrayList; import java.util.*; //No updates needed to this custom function. To ad d instruments and corresponding values to populate, update below functions: // 1- varMap() // 2- etVisitValues() public static boolean default_values_add_entry(Item Data itemData, ApiService service, String visit, St ring targetForm</pre>	0.1	97567	


```

, String triggerForm, String triggerField, boolean
dynamic_condition_met) {

    if ( itemData == null || service == null || !dynamic_
condition_met) {
        return false;
    }

    //Codelist map.
    Map<String, String> var_codelist = varCodelistMap(
targetForm);

    //Get all visits where the target form should be p
opulated with defaulted values
    Map<String, Map<String, String>> map = getVisit
Values(targetForm);

    //If the current visit is not within the map, t
hen return since there is nothing to populate here.
    if(!map.containsKey(visit)) return false;

    Map<String, String> rows = map.get(visit);

    int numb_rows = rows.size();

    Subject Sub = itemData.getCrfdData().getSubject(
);
    String Study_Name = itemData.getCrfdData().getSu
bject().getSite().getStudy().getName();
    String Subject_Number = itemData.getCrfdData().g
etSubject().getNumber();

    List<ItemData> Target_RG = new ArrayList<>();
    Collection<ItemData> Source_Instrument_Variables =
Return_ItemData_Collection(Study_Name, Subject_Num
ber, triggerForm, service);

```

```

for ( ItemData Source_Instrument_Variable : Source
_Instrument_Variables ) {

    if ( Source_Instrument_Variable.getVariable() !=
null && Source_Instrument_Variable.getVariable().ge
tName() != null
    && Source_Instrument_Variable.getVariable().getNa
me().equals(triggerField)) {

        for(int i=0; i<numb_rows; i++ ){
            for(String key : var_codelist.keySet()){

                if(rows.containsKey(key + "_" + i)){
                    String val = rows.get(key + "_" + i)
;

                    ItemData ID_Temp = Source_Instrument_Va
riable.withoutIds();
                    ID_Temp.getVariable().setName(key);

                    //If the variable has a codelist, assign it.
                    if(var_codelist.containsKey(key))
                        ID_Temp.getVariable().setCodeLi
st(var_codelist.get(key));

                    ID_Temp.setRowIndex(i);
                    ID_Temp.setSingleValue(val);
                    Target_RG.add(ID_Temp);
                }
            }
        }
    }

    CrfData Target_Instrument = To_Instrument(targetFo
rm, Sub, itemData, service);

```

```

        if(Target_Instrument != null){
            Target_Instrument.setEncounter(To_Event(visit, Subject_Instrument));
            Target_Instrument.setOccurrence(1);
            service.saveFormData(Target_Instrument, Target_RG);
        }

        return false;
    }

    public static Collection<ItemData> Return_ItemData_Collection(String Study_Name, String Subject_Number, String Instrument, ApiService service) {
        ItemDataRequest Item_Request = new ItemDataRequest().setStudyName(Study_Name).setSubjectNumber(Subject_Number).setInstrumentName(Instrument);
        return service.getItems(Item_Request);
    }

    public static CrfData To_Instrument(String target_form, Subject Sub, ItemData ID_Text, ApiService api)

    {
        CrfData CRFDATA = null;
        for (CrfData cd: ID_Text.getCrfData().getEncounter().get().fetchCrfDatas())
        {
            if (cd.getCrf().getName().equals(target_form))
            {
                return cd;
            }
        }
        CRFDATA = api.addCrf(ID_Text.getCrfData().getSubject(), ID_Text.getCrfData().getEncounter().get(), target_form);
    }

```

```

    return CRFDATA;
}

public static Encounter To_Event(String To_Event_REF, Subject Sub)
{
    Encounter ENCOUNTER = new Encounter();
    Event EVENT = new Event();
    ENCOUNTER.setEvent(EVENT);
    EVENT.setUniqueName(To_Event_REF);
    return ENCOUNTER;
}

public static Map<String, String> varCodelistMap(String targetForm){

    if(targetForm.equals("PC003")) return Map.of(
        "PCTPT_003", "PCTPT_CL_003",
        "SUPPPC_PKTERM_003", "SUPPPC_PKTERM_CL_003"
    );
    else if(targetForm.equals("PC003_1")) return Map.of("PCTPT_003_1", "PCTPT_CL_003_1");
    else if(targetForm.equals("PC003_2")) return Map.of("PCTPT_003_2", "PCTPT_CL_003_2");
    else if(targetForm.equals("BEETRK010_2"))
        return Map.of("SUPPBE_SAMPNAME_010_2", "SUPPBE_SAMPNAME_CL_010_2",
            "SUPPBE_BESPEC_010_2", "SUPPBE_BESPEC_CL_010_2");

    return null;
}

//Update below method with the values needed on the
//instrument for each event.

```

```

public static Map<String, Map<String, String>> getVisitValues(String targetForm){

    Map<String, Map<String, String>> map = new HashMap<>();

    if(targetForm.equals("PC003")){
        //Variables that will be populated
        String[] vars = {"SUPPPC_PKTERM_003", "PCTPT_003"};

        //For each event where the form needs to be populated, add an entry as indicated below.
        //Cycle 1 Day 1
        //For each record needed in the form, add a string entry in below array. The string will have the value for each of
        //the variables specified earlier (in this case 1) separated by underscores.
        String[] rows_vals = {"1_63", "1_17", "2_99"};

        map.put("Cycle 1 Day 1", test(vars, rows_vals));

        rows_vals = new String[]{"1_63", "1_17", "2_99"};
        map.put("Cycle 2 Day 8", test(vars, rows_vals));

        rows_vals = new String[]{"1_17", "2_99"};
        map.put("Cycle 3 Day 1", test(vars, rows_vals));

        //End of Treatment Visit
        // rows_vals = new String[]{"999"};
        // map.put("End of Treatment", test(vars, rows_vals));
    }
}

```

```

}

else if(targetForm.equals("PC003_1")){
    //Variables that will be populated
    String[] vars = {"PCTPT_003_1"};

    //For each event where the form needs to be po
    pulated, add an entry as indicated below.
    //Cycle 1 Day 1
    String[] rows_vals = {"0", "1", "2", "6", "24"
, "72"};
    map.put("Cycle 1 Day 1", test(vars, rows_vals)
);

    //Cycle 1 Day 8
    rows_vals = new String[]{"0", "1", "2", "6",
"24", "72"};
    map.put("Cycle 1 Day 8", test(vars, rows_vals)
);

    //Cycle 1 Day 15
    rows_vals = new String[]{"0", "1", "2", "6",
"24"};
    map.put("Cycle 1 Day 15", test(vars, rows_vals
));

    //Cycle 2 Day 1
    rows_vals = new String[]{"0", "1", "2", "6
", "24"};
    map.put("Cycle 2 Day 1", test(vars, rows_vals)
);

    //Cycle 2 Day 8
    rows_vals = new String[]{"0", "1", "2", "6",
"24"};
    map.put("Cycle 2 Day 8", test(vars, rows_vals)
);

```

```

        //Cycle 2 Day 15
        rows_vals = new String[]{"0", "1", "2", "6",
"24", "72"};
        map.put("Cycle 2 Day 15", test(vars, rows_vals
));

        //Cycle 5 Day 1 event
        rows_vals = new String[]{"0", "1", "2"};
        map.put("Cycle 5 Day 1", test(vars, rows_vals
));

        //Cycle 17 Day 1 event
        rows_vals = new String[]{"0", "1", "2"};
        map.put("Cycle 17 Day 1", test(vars, rows_vals
));

        //End of Treatment Visit
        rows_vals = new String[]{"999"};
        map.put("End of Treatment", test(vars, rows_va
ls));
    }

    else if(targetForm.equals("PC003_2")){
        //Variables that will be populated
        String[] vars = {"PCTPT_003_2"};

        //For each event where the form needs to be po
pulated, add an entry as indicated below.
        //Cycle 1 Day 1
        String[] rows_vals = {"0"};
        map.put("Cycle 1 Day 1", test(vars, rows_vals
));

        //Cycle 2 Day 8

```

```

        rows_vals = new String[]{"0"};
        map.put("Cycle 2 Day 8", test(vars, rows_vals)
    );

    //Cycle 5 Day 1
    rows_vals = new String[]{"0"};
    map.put("Cycle 5 Day 1", test(vars, rows_vals)
    );

    //Cycle 7 Day 1
    rows_vals = new String[]{"0"};
    map.put("Cycle 7 Day 1", test(vars, rows_vals)
    );

    //Cycle 9 Day 1
    rows_vals = new String[]{"0"};
    map.put("Cycle 9 Day 1", test(vars, rows_vals)
    );

    //Cycle 11 Day 1
    rows_vals = new String[]{"0"};
    map.put("Cycle 11 Day 1", test(vars, rows_vals
    ));

    //Cycle 14 Day 1
    rows_vals = new String[]{"0"};
    map.put("Cycle 14 Day 1", test(vars, rows_vals
    ));

    }
    else if(targetForm.equals("BEETRK010_2")){
        //Variables that will be populated
        String[] vars = {"SUPPBE_SAMPNAME_010_2", "SUP
PBE_BESPEC_010_2"};

        //For each event where the form needs to be po
pulated, add an entry as indicated below.

```



```

//Screening
String[] rows_vals = {"1_40", "2_40", "3_7"};
map.put("Screening", test(vars, rows_vals));

//Cycle 1 Day 1
rows_vals = new String[]{"2_40", "3_7"};
map.put("Cycle 1 Day 1", test(vars, rows_vals)
);

//Cycle 1 Day 8
rows_vals = new String[]{"2_40"};
map.put("Cycle 1 Day 8", test(vars, rows_vals)
);

//Cycle 1 Day 15
map.put("Cycle 1 Day 15", test(vars, rows_vals
));

//Cycle 2 Day 1
map.put("Cycle 2 Day 1", test(vars, rows_vals)
);

//Cycle 2 Day 8
map.put("Cycle 2 Day 8", test(vars, rows_vals)
);

//Cycle 2 Day 15
map.put("Cycle 2 Day 15", test(vars, rows_vals
));

//Cycle 3 Day 1
rows_vals = new String[]{"1_40", "3_7"};
map.put("Cycle 3 Day 1", test(vars, rows_vals)
);

//End of Treatment
map.put("End of Treatment", test(vars, rows_va

```

```

ls));

    //Cycle 5 Day 1
    rows_vals = new String[]{"3_7"};
    map.put("Cycle 5 Day 1", test(vars, rows_vals)
);

    //Cycle 7 Day 1
    map.put("Cycle 7 Day 1", test(vars, rows_vals)
);

    //Cycle 9 Day 1
    map.put("Cycle 9 Day 1", test(vars, rows_vals)
);

    //Cycle 11 Day 1
    map.put("Cycle 11 Day 1", test(vars, rows_vals
));

    //Cycle 14 Day 1
    map.put("Cycle 14 Day 1", test(vars, rows_vals
));

    }

    return map;
}

//Map has following format Map<(variable name)_(row
_index), (value)>
public static Map<String, String> test(String[] var
s, String[] rows_vals){
    Map<String, String> map = new HashMap<>();

    //The key pointing to the values for each variable
    will have the following format:
    //<variable name>_<row_index>

```

		<pre>//Map<String, String> var = new HashMap<>(); for(int i=0; i<rows_vals.length; i++){ String[] row_vals = rows_vals[i].split("_"); for(int y=0; y<vars.length; y++){ String var = vars[y]; String tmp = var + "_" + i + ", " + row_vals[y]; map.put(var + "_" + i, row_vals[y]); } } return map; }</pre>			
dcause	Expression 1: In D_SAE001 form, D_RESDEATH_001	<pre>import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.ItemDataRequest; import com.candorgrc.core.shared.api.model.CrfData; import com.candorgrc.core.shared.api.model.ItemData; ; import com.candorgrc.core.shared.api.model.RowStatus; import com.candorgrc.core.shared.api.model.Variable; ; import java.util.*; public static boolean cause(ItemData dataPoint, ApiService service) { if (dataPoint == null service == null) { return false; } CrfData crfData = dataPoint.getCrfData(); ItemDataRequest saeRequest = new ItemDataRequest() .setStudyName(dataPoint.getCrfData() .getSubject().getSite().getStudy().getName())</pre>		0.1	97566

```

        .setSubjectNumber(dataPoint.getCrfd
ata().getSubject().getNumber())
        .setInstrumentOccurrence(crfData.ge
tOccurrence())
        .setInstrumentName("D_SAE001");
        Collection<ItemData> saeItems = service.get
Items(saeRequest);
        Boolean proceed = false;
        ItemData causeItem = null;
        for (ItemData item : saeItems) {
            if (!Objects.equals(crfData.getId(), it
em.getCrfdData().getId())) {
                continue;
            }
            String name = item.getVariable().getNam
e();
            if (!proceed && "D_RESDEATH_001".equals
(name) && "Y".equals(item.getSingleValue())) {
                proceed = true;
            }
            if ("D_CAUSDEATH_001".equals(name)) {
                causeItem = item;
            }
        }
        String cause = "";
        if (proceed) {
            proceed = false;
            ItemDataRequest ddRequest = new ItemDat
aRequest()
                .setStudyName(dataPoint.getCrfd
ata().getSubject().getSite().getStudy().getName())
                .setSubjectNumber(dataPoint.get
CrfdData().getSubject().getNumber())
                .setEventName("DISP")
                .setInstrumentName("DD002");
            Collection<ItemData> ddItems = service.
getItems(ddRequest);

```

```

        Map<Integer, Map<String, ItemData>> ddMap = new HashMap<>();
        TreeSet<Integer> pCauses = new TreeSet<>();

        for (ItemData item : ddItems) {
            if (item.getRowStatus().map(RowStatus::isRemoved).orElse(Boolean.FALSE)) {
                continue;
            }
            Map<String, ItemData> variables = ddMap.computeIfAbsent(item.getRowIndex(), integer -> new HashMap<>());
            String name = item.getVariable().getName();
            variables.put(name, item);
            if ("D_SAEDDRPT_002".equals(name) & "Y".equals(item.getSingleValue())) {
                proceed = true;
            }
            if ("DDTEST_002".equals(name) && "1".equals(item.getSingleValue())) {
                pCauses.add(item.getRowIndex());
            }
        }
        cause = proceed ? getCause(ddMap, pCauses) : "";
        if (causeItem == null) {
            causeItem = new ItemData();
            Variable variable = new Variable();
            variable.setName("D_CAUSDEATH_001");
            causeItem.setCrfData(crfData);
            causeItem.setVariable(variable);
        }
        causeItem.setValues(List.of(cause));
        service.saveFormData(crfData, List.of(cause

```

		<pre> Item)); return false; } private static String getCause(Map<Integer, Map <String, ItemData>> ddMap, TreeSet<Integer> pCauses) { if (pCauses.isEmpty()) { return ""; } Map<String, ItemData> pCause = ddMap.get(pC auses.first()); ItemData dDorres = pCause.get("D_DDORRES_PR CDTH_002"); if (dDorres == null) { return Optional.ofNullable(pCause.get(" DDORRES_002")).map(i -> i.getSingleValue()).orElse(""); } String dDorresValue = dDorres.getSingleValu e(); if ("4".equals(dDorresValue)) { return Optional.ofNullable(pCause.get(" D_DDORRES_PRCPTH_0TH_002")).map(i -> i.getSingleVal ue()).orElse(""); } return Optional.ofNullable(dDorres.getRespo nseSetValues()).map(rs -> rs.get(0)).map(c -> c.get Label()).orElse(""); } </pre>			
datesOutsideRange	Calculate the number of a given unit (D, h, m) between 2 DTS and evaluates if it's outside the range given.	<pre> import java.time.LocalDateTime; import java.util.Calendar; // Date mask values private static final int y = 4; private static final int ym = 7; private static final int ymd = 10; </pre>		0.1	97565

```

private static final int ymdh = 13;
private static final int ymdhm = 16;
private static final int ymdhms = 19;

/**
 * Returns whether the dates are outside of a given
 * range.
 *
 * @param DTS1 - First DTS value
 * @param DTR1 - First DTR value
 * @param isStart1 - true for follow start date i
 * mputation, false for follow end date imputation
 * @param DTS2 - Second DTS value
 * @param DTR2 - Second DTR value
 * @param isStart2 - true for follow start date i
 * mputation, false for follow end date imputation
 * @param unit whether the range is days,
 * hours, or minutes
 * @param min mininum in unit
 * @param max maxium in unit
 * @return true if outside range, false if inside
 * range
 */

public static boolean datesOutsideRange(String DTS1
, String DTR1, boolean isStart1, String DTS2, Strin
g DTR2, boolean isStart2,
                                String unit
, int min, int max) {
    // return null if the dates or unit are null
    if (DTS1 == null || DTS1 == "" || DTS2 == null
|| DTS2 == "" || unit == null) {
        return false;
    }
    // Determine whether UNK and which date parts a
re present
    int parts1;

```

```

int parts2;
boolean hasUNK1 = false;
boolean hasUNK2 = false;
if (DTR1 != null && DTR1.contains("UNK")) {
    parts1 = determineUNKParts(DTR1);
    hasUNK1 = true;
}
else {
    parts1 = DTS1.length();
}
if (DTR2 != null && DTR2.contains("UNK")) {
    parts2 = determineUNKParts(DTR2);
    hasUNK2 = true;
}
else {
    parts2 = DTS2.length();
}
// Determine common parts between two dates
int commonParts;
if (parts1 < parts2) {
    commonParts = parts1;
}
else {
    commonParts = parts2;
}
// Cut off DTS based on parts
String trimDTS1 = DTS1.substring(0, commonParts
);
String trimDTS2 = DTS2.substring(0, commonParts
);
// Get localdatetimes for both based off of com
mon parts, imputing where UNK is used
LocalDateTime minDate;
LocalDateTime maxDate;
if (isStart1 || !hasUNK1) {
    minDate = startDTS(trimDTS1);
}

```



```

    else {
        minDate = endDTS(trimDTS1);
    }
    if (isStart2 || !hasUNK2) {
        maxDate = startDTS(trimDTS2);
    }
    else {
        maxDate = endDTS(trimDTS2);
    }
    boolean outsideRange = false;
    if (unit.equals("D")) {
        outsideRange = maxDate.isBefore(minDate.plusDays(min)) || maxDate.isAfter(minDate.plusDays(max));
    }
    else if (unit.equals("h")) {
        outsideRange = maxDate.isBefore(minDate.plusHours(min)) || maxDate.isAfter(minDate.plusHours(max));
    }
    else if (unit.equals("m")) {
        outsideRange = maxDate.isBefore(minDate.plusMinutes(min)) || maxDate.isAfter(minDate.plusMinutes(max));
    }
    return outsideRange;
}

/**
 * Determines possible parts for a DTR that may have UNK.
 *
 * @param DTR - DTR value
 * @return int representation of common parts
 */
private static int determineUNKParts(String DTR) {
    int commonParts = ymdhms;

```

```

        if (DTR.endsWith("UNK-UNK UNK:UNK:NUL") || DTR.
endsWith("UNK-UNK UNK:UNK")) {
            commonParts = ymdhm;
        }
        else if (DTR.endsWith("UNK-UNK UNK")) {
            commonParts = ymdh;
        }
        else if (DTR.endsWith("UNK-UNK")) {
            commonParts = ymd;
        }
        else if (DTR.endsWith("UNK")) {
            commonParts = ym;
        }
        else {
            commonParts = DTR.length();
        }
        return commonParts;
    }

/**
 * Imputes (if necessary) a complete DTS based on st
art date rules.
 *
 * @param startDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime startDTS(String startD
ate) {
    if (startDate == null || startDate.length() > 19
) {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 1;
        int day = 1;
        int hour = 0;

```

```

        int minute = 0;
        int second = 0;
        switch (startDate.length()) {
            case 19: second = Integer.valueOf(startDate.substring(17,19)); // 2024-01-01T00:00:00
            case 16: minute = Integer.valueOf(startDate.substring(14,16)); // 2024-01-01T00:00
            case 13: hour = Integer.valueOf(startDate.substring(11,13)); // 2024-01-01T00
            case 10: day = Integer.valueOf(startDate.substring(8,10)); // 2024-01-01
            case 7: month = Integer.valueOf(startDate.substring(5,7)); // 2024-01
            case 4: int year = Integer.valueOf(startDate.substring(0,4)); // 2024
                    dts = LocalDateTime.of(year, month, day, hour, minute, second);
                    break;
            default: dts = null;
        }
        return dts;
    }
}

/**
 * Imputes (if necessary) a complete DTS based on end date rules.
 *
 * @param endDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime endDTS(String endDate)
{
    if (endDate == null || endDate.length() > 19) {
        return null;
    }
    else {

```

		<pre> LocalDateTime dts; int month = 12; int day = 0; int hour = 0; int minute = 0; int second = 0; switch (endDate.length()) { case 19: second = Integer.valueOf(endDate.substring(17,19)); // 2024-01-01T00:00:00 case 16: minute = Integer.valueOf(endDate.substring(14,16)); // 2024-01-01T00:00 case 13: hour = Integer.valueOf(endDate.substring(11,13)); // 2024-01-01T00 case 10: day = Integer.valueOf(endDate.substring(8,10)); // 2024-01-01 case 7: month = Integer.valueOf(endDate.substring(5,7)); // 2024-01 case 4: int year = Integer.valueOf(endDate.substring(0,4)); // 2024 if (day == 0) { Calendar cal = Calendar.getInstance(); cal.set(year,month-1,1); day = cal.getActualMaximum(Calendar.DAY_OF_MONTH); } dts = LocalDateTime.of(year, month, day, hour, minute, second); break; default: dts = null; } return dts; } } </pre>			
Concat_Variable_In_EachRow		<pre> import java.time.LocalDate; import java.time.format.DateTimeFormatter; import java.util.Optional; </pre>	0.1	97564	

```

public static String customFunction(String[] array1
, String[] array2, String[] array3, String[] array4
) {
    // Initialize arrays if they are null to avoid
    NullPointerException
    if (array1 == null) array1 = new String[0];
    if (array2 == null) array2 = new String[0];
    if (array3 == null) array3 = new String[0];
    if (array4 == null) array4 = new String[0];

    StringBuilder result = new StringBuilder();
    int maxLength = Math.max(Math.max(array1.length
, array2.length), Math.max(array3.length, array4.le
ngth));
    String prefix = "{Antipyretic Medication}";
    String suffix = "{/Antipyretic Medication}";
    DateTimeFormatter originalFormat = DateTimeForm
atter.ofPattern("yyyy-MM-dd");
    DateTimeFormatter targetFormat = DateTimeFormat
ter.ofPattern("dd-MMM-yyyy");

    for (int i = 0; i < maxLength; i++) {
        StringBuilder row = new StringBuilder();

        // Check and replace null with an empty str
ing
        String part1 = (i < array1.length && array1
[i] != null) ? array1[i] : "";
        String part2 = (i < array2.length && array2
[i] != null) ? array2[i] : "";
        String part3 = (i < array3.length && array3
[i] != null) ? array3[i] : "";
        String part4 = (i < array4.length && array4
[i] != null) ? array4[i] : "";

        // Convert part3 (date) from yyyy-MM-dd to

```

```

dd-MMM-yyyy
    if (!part3.isEmpty()) {
        Optional<String> formattedDate = Option
al.ofNullable(part3)
            .map(dateStr -> {
                try {
                    LocalDate date = LocalDate.
parse(dateStr, originalFormat);
                    return date.format(targetFo
rmat);
                } catch (Exception e) {
                    // Handle invalid date form
ats
                    return "";
                }
            });
        part3 = formattedDate.orElse("");
    }

    if (!part1.isEmpty()) {
        row.append("Product Name :").append(par
t1).append(" ,");
    }
    if (!part2.isEmpty()) {
        row.append("Dose :").append(part2).appe
nd(" ,");
    }
    if (!part3.isEmpty()) {
        row.append("Date of Admin :").append(pa
rt3).append(" ,");
    }
    if (!part4.isEmpty()) {
        row.append("Time of use :").append(part
4);
    }

    // Trim any trailing commas and whitespace

```

		<pre> if (row.length() > 0 && row.charAt(row.length() - 1) == ',') { row.setLength(row.length() - 1); } // Append the prefix and suffix if row content is not empty if (row.length() > 0) { result.append(prefix).append(row).append(suffix).append("\n"); } } return result.toString(); } </pre>			
compareDTS	Accepts two DTS and optional DTR values and returns -1 if the first is before the second, 0 if they are equal, or 1 if the first is after the second.	<pre> import java.time.LocalDateTime; import java.util.Calendar; // Date mask values private static final int y = 4; private static final int ym = 7; private static final int ymd = 10; private static final int ymdh = 13; private static final int ymdhm = 16; private static final int ymdhms = 19; /** * Accepts two DTS and two DTR values. * Returns -1 if the first is before the second, 0 if they are equal, or 1 if the first is after the second. * * @param DTS1 - First DTS value * @param DTR1 - First DTR value * @param isStart1 - true for follow start date imputation, false for follow end date imputation * @param DTS2 - Second DTS value </pre>		0.1	97563

```

* @param DTR2 - Second DTR value
* @param isStart2 - true for follow start date imputation, false for follow end date imputation
* @return integer -1, 0, 1, or null if one date is missing
*/
public static Integer compareDTS(String DTS1, String DTR1, boolean isStart1, String DTS2, String DTR2, boolean isStart2) {
    Integer compared = null;

    // Check if both dates are present
    if (DTS1 == null || DTS1 == "" || DTS2 == null || DTS2 == "" ) {
        return compared;
    }

    compared = genericCompareDTS(DTS1, DTR1, isStart1, DTS2, DTR2, isStart2);

    return compared;
}

/**
 * Accepts two DTS values. Overloaded version of compareDTS.
 * Returns -1 if the first is before the second, 0 if they are equal, or 1 if the first is after the second.
 *
 * @param DTS1 - First DTS value
 * @param isStart1 - true for follow start date imputation, false for follow end date imputation
 * @param DTS2 - Second DTS value
 * @param isStart2 - true for follow start date imputation, false for follow end date imputation
 * @return integer -1, 0, 1, or null if one date is

```



```

        missing
    */
    public static Integer compareDTS(String DTS1, boolean isStart1, String DTS2, boolean isStart2) {
        Integer compared = null;

        // Check if both dates are present
        if (DTS1 == null || DTS1 == "" || DTS2 == null || DTS2 == "" ) {
            return compared;
        }

        compared = genericCompareDTS(DTS1, null, isStart1, DTS2, null, isStart2);

        return compared;
    }

    /**
     * Generic version of compareDTS for wrappers.
     * Accepts two DTS and optional DTR values.
     * Returns -1 if the first is before the second, 0 if they are equal, or 1 if the first is after the second.
     *
     * @param DTS1 - First DTS value
     * @param DTR1 - First DTR value
     * @param isStart1 - true for follow start date imputation, false for follow end date imputation
     * @param DTS2 - Second DTS value
     * @param DTR2 - Second DTR value
     * @param isStart2 - true for follow start date imputation, false for follow end date imputation
     * @return integer -1, 0, 1, or null if one date is missing
     */
    private static Integer genericCompareDTS(String DTS

```

```

1, String DTR1, boolean isStart1, String DTS2, String DTR2, boolean isStart2) {
    Integer compared = null;

    // Determine whether UNK and which date parts are present
    int parts1;
    int parts2;
    boolean hasUNK1 = false;
    boolean hasUNK2 = false;
    if (DTR1 != null && DTR1.contains("UNK")) {
        parts1 = determineUNKParts(DTR1);
        hasUNK1 = true;
    }
    else {
        parts1 = DTS1.length();
    }
    if (DTR2 != null && DTR2.contains("UNK")) {
        parts2 = determineUNKParts(DTR2);
        hasUNK2 = true;
    }
    else {
        parts2 = DTS2.length();
    }

    // Determine common parts between two dates
    int commonParts;
    if (parts1 < parts2) {
        commonParts = parts1;
    }
    else {
        commonParts = parts2;
    }

    // Cut off DTS based on parts
    String trimDTS1 = DTS1.substring(0, commonParts);
};

```

```

String trimDTS2 = DTS2.substring(0, commonParts
);

// Get localdatetimes for both based off of com
mon parts, imputing where UNK is used
LocalDateTime LDT1;
LocalDateTime LDT2;
if (isStart1 || !hasUNK1) {
    LDT1 = startDTS(trimDTS1);
}
else {
    LDT1 = endDTS(trimDTS1);
}
if (isStart2 || !hasUNK2) {
    LDT2 = startDTS(trimDTS2);
}
else {
    LDT2 = endDTS(trimDTS2);
}

// Compare datetimes and set compared
if (LDT1.isBefore(LDT2)) {
    compared = -1;
}
else if (LDT1.isAfter(LDT2)) {
    compared = 1;
}
else if (LDT1.equals(LDT2)) {
    compared = 0;
}

return compared;
}

/**
 * Determines possible parts for a DTR that may hav
e UNK.

```

```

*
* @param DTR - DTR value
* @return int representation of common parts
*/
private static int determineUNKParts(String DTR) {
    int commonParts = ymdhms;
    if (DTR.endsWith("UNK-UNK UNK:UNK:NUL") || DTR.
endsWith("UNK-UNK UNK:UNK")) {
        commonParts = ymdhm;
    }
    else if (DTR.endsWith("UNK-UNK UNK")) {
        commonParts = ymdh;
    }
    else if (DTR.endsWith("UNK-UNK")) {
        commonParts = ymd;
    }
    else if (DTR.endsWith("UNK")) {
        commonParts = ym;
    }
    else {
        commonParts = DTR.length();
    }

    return commonParts;
}

/**
 * Imputes (if necessary) a complete DTS based on s
tart date rules.
 *
 * @param startDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime startDTS(String startD
ate) {
    if (startDate == null || startDate.length() > 19
) {

```

```

        return null;
    }
    else {
        LocalDateTime dts;
        int month = 1;
        int day = 1;
        int hour = 0;
        int minute = 0;
        int second = 0;

        switch (startDate.length()) {
            case 19: second = Integer.valueOf(startDate.substring(17,19)); // 2024-01-01T00:00:00
            case 16: minute = Integer.valueOf(startDate.substring(14,16)); // 2024-01-01T00:00
            case 13: hour = Integer.valueOf(startDate.substring(11,13)); // 2024-01-01T00
            case 10: day = Integer.valueOf(startDate.substring(8,10)); // 2024-01-01
            case 7: month = Integer.valueOf(startDate.substring(5,7)); // 2024-01
            case 4: int year = Integer.valueOf(startDate.substring(0,4)); // 2024
                    dts = LocalDateTime.of(year, month, day, hour, minute, second);
                    break;
            default: dts = null;
        }
        return dts;
    }
}

/**
 * Imputes (if necessary) a complete DTS based on end date rules.
 *
 * @param endDate - DTS value

```

```

    * @return imputed localdatetime object
    */
    private static LocalDateTime endDTS(String endDate)
    {
        if (endDate == null || endDate.length() > 19) {
            return null;
        }
        else {
            LocalDateTime dts;
            int month = 12;
            int day = 0;
            int hour = 0;
            int minute = 0;
            int second = 0;

            switch (endDate.length()) {
                case 19: second = Integer.valueOf(endDate.substring(17,19)); // 2024-01-01T00:00:00
                case 16: minute = Integer.valueOf(endDate.substring(14,16)); // 2024-01-01T00:00
                case 13: hour = Integer.valueOf(endDate.substring(11,13)); // 2024-01-01T00
                case 10: day = Integer.valueOf(endDate.substring(8,10)); // 2024-01-01
                case 7: month = Integer.valueOf(endDate.substring(5,7)); // 2024-01
                case 4: int year = Integer.valueOf(endDate.substring(0,4)); // 2024
                    if (day == 0) {
                        Calendar cal = Calendar.getInstance();
                        cal.set(year,month-1,1);
                        day = cal.getActualMaximum(Calendar.DAY_OF_MONTH);
                    }
                    dts = LocalDateTime.of(year, month, day, hour, minute, second);
            }
        }
    }

```

		<pre> break; default: dts = null; } return dts; } } } </pre>			
argusVaxLocMapper		<pre> import java.util.HashMap; public static String argusVaxLocMap(String loc, String lat) { /* * If both fields are empty, return null. */ if ((loc == null loc.trim().isEmpty()) && (lat == null lat.trim().isEmpty())) { return null; } // Concatenate loc and lat String loclat = (loc == null ? "" : loc.trim()) + (lat == null ? "" : " " + lat.trim()); // Convert to uppercase for case-insensitivity String locKey = loclat.toUpperCase(); /* * Hashmap of concatenated VOL3 Standards LOC + LAT to Argus Values */ HashMap<String, String> argusVaxMaps = new HashMap<String, String>(); argusVaxMaps.put("ABDOMEN", "Abdomen"); argusVaxMaps.put("ARM LEFT", "Arm Left"); argusVaxMaps.put("ARM RIGHT", "Arm Right"); argusVaxMaps.put("ARM", "Arm"); argusVaxMaps.put("DELTOID MUSCLE LEFT", "Deltoid Left"); argusVaxMaps.put("DELTOID MUSCLE RIGHT", "Deltoid </pre>	0.1	97562	

		<pre> d Right"); argusVaxMaps.put("FOOT LEFT","Foot Left"); argusVaxMaps.put("FOOT RIGHT","Foot Right"); argusVaxMaps.put("FOOT","Foot"); argusVaxMaps.put("GLUTEUS MAXIMUS LEFT","Gluteu s Medius Left"); //Only GLUTEUS MAXIMUS found in st andards argusVaxMaps.put("GLUTEUS MAXIMUS RIGHT","Glute us Medius Right"); argusVaxMaps.put("GLUTEUS MAXIMUS","Gluteus"); argusVaxMaps.put("HAND LEFT","Hand Left"); argusVaxMaps.put("HAND RIGHT","Hand Right"); argusVaxMaps.put("HAND","Hand"); argusVaxMaps.put("LEG LEFT","Leg Left"); argusVaxMaps.put("LEG RIGHT","Leg Right"); argusVaxMaps.put("LEG","Leg"); argusVaxMaps.put("FOREARM LEFT","Lower Forearm Left"); argusVaxMaps.put("FOREARM RIGHT","Lower Forearm Right"); argusVaxMaps.put("NECK","Neck"); argusVaxMaps.put("ORAL CAVITY","Oral"); argusVaxMaps.put("ORAL MUCOSA","Oral"); argusVaxMaps.put("THIGH LEFT","Thigh Left"); argusVaxMaps.put("THIGH RIGHT","Thigh Right"); argusVaxMaps.put("THIGH","Thigh"); argusVaxMaps.put("TRUNK","Torso Upper"); // ONL Y TRUNK available argusVaxMaps.put("VASTUS LATERALIS MUSCLE LEFT" ,"Vastus Lateral. Left"); argusVaxMaps.put("VASTUS LATERALIS MUSCLE RIGHT ","Vastus Lateral.Right"); if(argusVaxMaps.containsKey(lockKey)) { return argusVaxMaps.get(lockKey); } return null; } </pre>		
--	--	--	--	--