

Study Design Specifications (SDS) Template Completion Instructions

This template is used to capture details regarding the study design required in support of the clinical protocol. The following details are required. Please do not alter the structure or formatting of the existing worksheets; do not delete columns or change column headers.

Worksheet	Detailed Instructions						
Applies to all Worksheets	Examples are provided in green text. Delete the example rows as applicable before deploying document. Update header protocol information, change font to black and un-italicize. The column headers must not be changed. <table border="1"> <tr> <td>White Column Header:</td><td>Indicates that values in that column are required.</td></tr> <tr> <td>Yellow Column Header:</td><td>Indicates that values in that column are optional.</td></tr> <tr> <td>Orange Column Header:</td><td>Indicates that values in that column are conditional required. Meaning the value becomes required based on the entry/selection in another column. The conditional requirement in these columns is specified per attribute.</td></tr> </table>	White Column Header:	Indicates that values in that column are required.	Yellow Column Header:	Indicates that values in that column are optional.	Orange Column Header:	Indicates that values in that column are conditional required. Meaning the value becomes required based on the entry/selection in another column. The conditional requirement in these columns is specified per attribute.
White Column Header:	Indicates that values in that column are required.						
Yellow Column Header:	Indicates that values in that column are optional.						
Orange Column Header:	Indicates that values in that column are conditional required. Meaning the value becomes required based on the entry/selection in another column. The conditional requirement in these columns is specified per attribute.						
Document Version History	Complete the Document version history tab following the instructions provided on the tab including the summary of changes.						
EventDefinition	Complete the definition of events with the list of unique visits. Description of visits attributes is found below: Event Title: Please indicate event name/title in the space provided. Event titles must align as closely as possible to actual protocol event names but must align with Pfizer's event naming convention.- This value shows in the EDC for users to reference during navigation. Unique Event Name: This is an internal attribute that uniquely identifies an event, and it must align with Pfizer's event naming conventions. This attribute is not visible to Electronic Data Capture (EDC) users. Description: Optional attribute used to provide a description of any special functionality required in the visits. For example, if we are creating repeating Cycle visits, what is the format to name those visits. Type: Indicate the visit type. The list below indicates visit types and how they behave in the system. Static: Static visits show immediately after the subject is enrolled. A static visit cannot be set up as dynamic. Unscheduled: Unscheduled, scheduled and parent events are the types of event that can be setup as dynamic. Unscheduled events that are not setup as dynamics, can be added manually by the user clicking the "Add Event" button; however, if setup as dynamic, then the unscheduled event does not show when clicking the "Add Event" button. Scheduled: These events do not initially show by default and instead need to be added via dynamics. Note that scheduled events cannot be created by the site user manually (eg, clicking the "Add Event" button). When an event is set up as "Scheduled" it is automatically set up as dynamic as well. This is the type of events that are needed to set up dynamic visits or child visits like Day1 and Day 15 in a Cycle parent visit. Parent: Parent visits are visits that host 1 or more visits. For example a parent visit "Cycle" in Oncology could host multiple visits like a "Day1" visit and "Day15" visit. Parent visit is other type of visit that could be set up as dynamic. Parent visits must be used when a group of visits with identical content need to repeat. By using parent visits in those scenarios, the visit can be declared and programmed once, but they repeat as many times as needed. Again the Cycle visits in Oncology are a perfect scenario to use Parent visits, because setting up the solution once, unlimits number of cycle visits at the subject level that could be created.						

	Assign to Parent: Enter the Unique Event Name of the Parent visit this visit is assigned as child of. An example of a parent visit would be a CYCLE visit in Oncology having Day 1 and Day 15 as child visits. Using a parent visit in this case then helps to define the cycle visit only once and reuse it as many times as cycles are needed at subject level. Max Repeats Allowed: For non repeating visits, enter 1. For the Unscheduled visit enter 999. There might be another repeating visits like the Illness visits in Vaccine, where only a specific number of visits (eg, 3) is predefined to be collected. In those cases, enter the exact number of visit instances of the repeat that are needed. Day Schedule: Applicable only to "Static" and "Scheduled" visit types. Indicates the day the visit is scheduled counting from baseline. For example, for the "Week 3" visit this attribute would be equal to 21 as the day this visit is scheduled. Day Min: "Day Min" and "Day Max" allow setup of a period within which the visit could occur. In the case of "Day Min", it indicates the number of days prior to the "Day Schedule" value that a visit could start without being considered a deviation. For example for the "Week 3" visit, the protocol might indicate that this visit could start 3 days <i>prior</i> the 21 day schedule (eg, at day 18). In this example, the value entered in "Day Min" is 3. Day Max: "Day Min" and "Day Max" allow setup of a period within which the visit could occur. In the case of "Day Max", it indicates the number of days after the "Day Schedule" value that a visit could occur without being considered a deviation. For example for the "Week 3" visit, the protocol might indicate that this visit could start 4 days <i>after</i> the 21 day schedule (eg, at day 25). In this example, the value entered in "Day Max" is 4. Active: Use to indicate if a visit is active or not. During initial build the value of this attribute will be TRUE for all visits. If during amendments a visit needs to be removed, indicate so by updating this attribute as "FALSE". Repeating: Applicable only for "Unscheduled" and "Scheduled" visit types. Indicates whether a visit is repeating or not. Enable Event level eNOTes: Applicable only for Direct Data Capture (DDC) enabled studies. Insert Yes to enable electronic notes at the event level.
Instruments	Complete the definition of events with the list of instruments and corresponding visits. A new row is required for each event-instrument assignment. At each Event-Instrument entry, list the name of the instrument. Description of "Instruments" attributes is found below: Event Title: Enter the name of the event that hosts the instrument. Enter the events in the same order that they should display in the study per protocol. For example, if the event "Screening" is first, create a row having the "Screening" event for each instrument that is needed in that event. Instrument Name: For each of the rows defined for a parent event, enter the corresponding instrument name as per the protocol time and events. For example, if event "Screening" requires to have instrument "Date of Visit" followed by "Vital Signs" in that order, then the "Screening" visit will have 2 rows, the first one will list "Date of Visit" while the second one will have "Vital Signs". Instrument Title: Enter the instrument title. The following Instrument attributes are applicable only for DDC enabled studies: Available on mobile: Insert Yes to make the instrument available in mEDC (mobile EDC). Enable Filed level eNOTes: Insert Yes to enable electronic notes for all the fields in the instrument. Enable within form Subject navigation: Insert Yes to all Subject navigation while remaining at the same instrument.
Variable Permission Groups	Use this tab when there is the need to change the way that variables display for a specific role(s). Enter a row in this tab for each different variable permission group needed. Note: In order for these changes to take effect, the role(s) impacted need to also have the correct Permission setup under the "Variables Permission Groups" permissions. Variable Permission Groups: Enter the name of the group. Display Permissions and Roles: Provide the display type needed which could be Hidden or Read-Only or Update and the corresponding role(s) that need to have that variable display. It is acceptable to have multiple display types and roles assigned under the same variable permission group. Instruments and Variables: Indicate the instruments and corresponding variables that are part of the Variable Permission Group.

Field Link Map Export	Instrument 1: Use Instrument Name to Indicate one of the instruments that will be linked. Repeating group 1: If the link is needed at the form record level (eg, Adverse Event record), then this value is not applicable. If the link is needed at a record in a group of fields in the form (for example in a lab page, the link might be needed at analyte level to connect an analyte having results out of range with an Adverse Event record), then enter the name of the "Group of fields" object found in Instrument 1. Context 1: Select the fields from Instrument 1 needed for sites to identify the record(s) to be linked. For example, if Instrument 1 is setup as "Adverse Event", then the fields entered could be the adverse event term and date to uniquely identify the AE records. Instrument 2: Use Instrument Name to indicate the instrument to be linked to the instrument selected in "Instrument 1". Repeating group 2: If the link is needed at the form record level (eg, Adverse Event record), then this value is not applicable. If the link is needed at a record in a group of fields in the form (for example in a lab page, the link might be needed at analyte level to connect an analyte having results out of range with an Adverse Event record), then enter the name of the "Group of fields" object found in Instrument 2. Context 2: Select the fields from Instrument 2 needed for sites to identify the record(s) to be linked. For example, if Instrument 2 is set up as "Concomitant Medication", then the fields entered could be the Medication and Medication Date to uniquely identify the CM records.
Plans	Site Group: For studies running a single SDV strategy in the study, this setting will be "All Sites". In the case of studies that are running 2 or more strategies, then the value for "Site Group" for each strategy needs to be specified according to the group of sites that will be included in that strategy. Note that site groups are created at the tenant level by the ADMIN team. SDV %: Enter the SDV % assigned to the study or in case of multiple SDV plans, then the percentage for each. If the study is running a 0% SDV strategy then enter 0. Variable: List all the fields that are present in the study in this column. The list of variables in the study could be extracted from column "Variable/Field Name" in the report "Export Data Dictionary" found in the "Instruments" tab in Study Central. Label is the variable label to help decode variable identifiers Variable Level Access: List of study setting for each variable. 'None' represents visible and enterable. 'Hide' should be aligned with the Variable Level Permissions Groups to manage any access. Data Review Tier: Specify for each variable whether the Data Review Tier value should be "Minimal", "Supportive" or "Critical". Fields_to__SDV: This is the Standards Source Data Verification (SDV) plan. For each field in the study, indicate with an X if the field should be included for SDV. Leave this column empty if the study is running a 0% SDV strategy. If the study has more than 1 SDV plan (eg, due to a different SDV at cohort level or for China sites), add the plan as an additional column(s) after the "Fields_to__SDV" SDV Plan column to define the fields that should be part of that additional plan as well as the plan SDV percentage. See examples in the "Plans" tab.

SAE	Retrieve the standard E2B mapping template from the Pfizer MetaData Repository (PMDR). Filter for tags with Standards Category of 'Standard - Modifiable - Required' and 'Standard - Conditional - Required'. Review the user guidance for each and edit Expression Definition column as needed. Any additional EC, CM or LB instruments (ex: EC001_2_1, CM001_2, LB001_1_2) added to the study will need have tags added to the mappings. Copy existing sets of rows where the E2B Mapping Category is either 'Drugs' for EC and CM and 'Tests' for LB and insert into the sheet as appropriate. Update the Variable Name and Instrument Title to align with the values from the study setup. User guidance also will provide instruction for when tag duplication is expected. Once all 'Standard - Modifiable - Required' and 'Standard - Conditional - Required' tags are edited/duplicated as needed copy over all tags being used into SAE SDS tab. Copy from column Expression Definition to E2B Tag. Column Definitions: Add/Edit/Remove : This column to be used in SDS versions after initial to denote when a change has been made. Expression Definition : This column contains instruction for builders and is where CDS will make study specific updates to green template text. Event Title: Modify based on which event a specific instrument is mapped from. If this is empty in the template, leave empty to indicate all events or the event information will be embedded into the expression programmed for the E2B tag. Instrument Title: Modify as appropriate to properly reflect the title of instruments in the study if any adjustments were made. E2B Mapping Category: Do not modify the contents. Label: Do not modify the contents. E2B Tag: Do not modify the contents.
CM Study Maps	Complete the Mapping Variable for each standard Clinical Model (CM) Study Map. The Mapping Variable must resolve to a single value per subject, provide the Event and/or indicate if a Minimum/Maximum or similar aggregation is to be used. Multiple variables are to be used separated by "OR" if a subject will only have one populated per design. If the particular study map is not applicable to the study, indicate with TRUE in the Intentionally Blank column and leave Mapping Variable blank. Since this will very rarely be the case, consult with the study builder if this is being considered.
DSOPI	The content within Model_Attribute_name and Model_name columns should not be changed as they are standard metadata for the SM_R_SUBJECTCLINICALSTUDY_V table. Source_table, Source_variable and Condition need to be filled in based on the study requirements. Source_table: Enter the Standard Data Review Model (SRDM) table where the data can be sourced. If there are multiple tables, enter each separated by a comma. Source_variable: Enter the column in the Source_table where the data can be sourced. If there are multiple columns, enter each separated by a comma and prefix the variable with the table name. Condition: Enter the condition where a row for a subject in the Source_table will have the relevant value in Source_variable. Express the logic following the examples. The resulting logic must evaluate to a single value in a single record per subject. If the particular variable is not relevant for the study e.g., SFDATE for a study not collecting screen failures, then put "Not Applicable" in the Condition.
SRDM Defaults	Retrieve the latest study-defined SRDM defaults from the PMDR Spotfire RCC SRDM Default Values Report and add to the SRDM Defaults tab For each mdes_form_name used in the study, check if the default_value for the given item_refname is appropriate for the study. If not, update per standards guidelines in the PMDR referencing the collection_guidance. Add an X to the USED column to signify it is used in the study. Leave blank for non-applicable forms. If the study has any study-level forms, duplicate each entry from the base mdes_form_name for that study-level form. Leave the item_refname unchanged and modify the default_value if different for that form. Add an X to the USED column to signify it is used in the study.

VISITNUM	Complete the VISITREFNAME and VISITNUM values for all visits specified in the EventDefinition tab. Use the VISITNUM macro to produce the first draft of the VISITNUM content. STUDYNAME is the study protocol ID. It is populated for downstream needs. VISIT_NAME represents event Name as seen in the EDC interface. This column is used to setup unique payment events in IPS system. For parent-child visits, event Name must be extrapolated out to all possible occurrences. The format will be <parent Name><single space><Occurance><single space><child Name>. VISITREFNAME must match the Unique Event Name from the EventDefinition tab. It is the unique visit name that is used across downstream consumers of study data and adheres to the conventions in the standard RCC Event Naming Conventions document. For parent-child visits (i.e., where Assign to Parent has a value), these must be extrapolated out for the expected number of occurrences. This will be <parent Unique Event Name><Occurance>_<child Unique Event Name>. E.g., for parent CYCLE and child DAY1, there would be CYCLE1_DAY1, CYCLE2_DAY1, CYCLE3_DAY1, etc. If the values do not adhere to naming conventions, the value in VISITREFNAME_ACTUAL will be different to accomplish that. VISITNUM is the unique number corresponding to each visit that allows for visit sequencing and remains unchanged during the course of the study. VISITREFNAME_ACTUAL: Value must match VISITREFNAME, except in cases where the extrapolated VISITREFNAME for parent-child visits does not result in values that adhere to the RCC Event Naming Conventions. In that case, the values should be updated to adhere to the conventions. E.g., for VISITREFNAME values of DA1_WEEK, DA2_WEEK, and DA3_WEEK, VISITREFNAME_ACTUAL might have values WEEK6, WEEK12, and WEEK18. If that may be applicable to the study, consult with the database programmer for guidance.
Collection Derivations	Collections such as PK and Electronic Sample Tracking (BEETR010) with same variable structures, but with different timepoints, analytes/sample collections, and/or other protocol specified values at different visits, can re-use the same instrument and dynamically populate these prespecified values using rules with add entry function. This tab is used to record the prespecified values. This is an optional tab and can be left blank. Column Definitions: Add/Edit/Remove: This column to be used in SDS versions after initial to denote when a change has been made. Rule Name: As defined in the DIP. The content provides additional detail to guide the application of a rule at the variable level. Instrument: The instrument with values dynamically populated. Event(s): The event(s) the dynamically populated value is applicable to. Row #: The row number of the variable Variable=Value: Provide the value to be assigned to the variable. If multiple variables should be populated with values in the same row, use delimiter ; to separate them, and put new variable=value on a new line in the cell. If any value contains delimiter ";", use notation ; . Dynamic Condition: specific conditions under which the Value(s) should be assigned to the Variable(s), eg. when DS001_2.SUPPDS_DSRANDSC_001_2 = PART 2 COHORT 2 or PART 2 COHORT 1
Local Lab Ref	Only applicable for studies using the local lab, i.e, LB001, instrument. This tab is intended to capture the details of each local lab instrument including each Lab Test and the display order. Instrument Name must capture each lab copy of the lab instrument, e.g., LB001_1, LB001_2... Instrument Title should include permissible title updates aligned with the ASB Lab Test must outline each lab test in the intended order of display.
Integrations	Include all Case Report Form (CRF) Integrations in this tab, including Interactive Response Technology (IRT) Integration and/or CRF Data Load Integration Mappings Integration: Enter CRF integration type: IRT in case of IRT/Impala Integration or CRF for Data load directly in the CRF. Variable: Integration variable setup at tenant level. Instrument Name: Study CRF where data is loaded. Variable Name: Study CRF field where data is loaded. If study is not using any CRF integrations, mark all the columns as not applicable. Note: For both CRF and IRT integrations, Integration setup at tenant level will have to be completed in order to see Variables at the study level.



Study Specific Design Changes	Study Specific Design Changes tab applies only for studies with approval to deviate from the Standard build that will need to document study specific changes.
	Study Specific Design Changes tab must be removed/deleted from SDS if no study specific changes are identified in the study.
	Object Type: Indicate the type of the object that needs the change. For example it could be an event definition parameter, study parameter, rule parameter, or clinical model mapping.
	Object Name: The Standards name of the object that needs to be altered. In the case of a study parameter, the name of the parameter itself for example " <i>Allow Instrument edit outside of Scheduled Event Range</i> ". Work with the study programmer to correctly identify the object name.
	Description of the change: Provide a description of the change that is needed to that object. For example in the case of " <i>Allow Instrument edit outside of Scheduled Event Range</i> ", the description could be " <i>For ePRO instrument XYZ, unselect this option. As per protocol, this instrument cannot be completed outside the scheduled window</i> ".
The SDS tabs are color coded as follows:	
Tab Color	Completion Details
Grey	Informational; no changes required.
Yellow	Populated during build or when updates are required after Study Design Specifications have been approved. Check for completion/accuracy at time of finalization/sign off.

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

C4601019

Document Version History

NOTE: Amendments made to study design specifications should be documented here with a summary of or reason for the changes with any study amendment. This description must be detailed and specific.

Version	Author	Date	Updated SDS tab (if applicable)	Summary / Reason for Change(s)	Protocol / Amendment Approval Date for this SDS version
V1.0	Sheri Nally	22-Aug-2025	Not Applicable	Initial Version.	13-Aug-2025
V2.0	Sreenath Thanikachalam	22-Aug-2025	SAE	Value definitions updated in SAE against applicable items.	13-Aug-2025
V2.0	Sheri Nally	03-Sep-2025	SRDM Defaults	Removed duplicate lines for subject status; subject group identifier; erroneous; payment group	13-Aug-2025
V2.0	Sheri Nally	03-Sep-2025	DSOPI	Added DS001_4 and DS001_5 to Condition for date subject discontinued and subject reason for withdrawal. Replaced DS001_2 with DS001_3 in Subject Status. Added SUBJECTNUMBERSTR and SITEMNEMONIC to list; updated Date Subject Entered Active Treatment condition from EC001 to EC001_2	13-Aug-2025
V2.0	Sheri Nally	03-Sep-2025	Field Link Map	Removed AE001 - MH001 (inactive in template) and replaced AETERM_001 with AESTDTC_001 for AE001 - EC001_2 Context 1 field	13-Aug-2025
V2.0	Sheri Nally	11-Sep-2025	Plans	Made all Read/Hidden to not be critical; Updated SDV per team discussion, Updated the label for items CMSTDTC_001_3, SUPPAE_AECMGIV_001, SUPPAE_AECMGIV_001_1, SUPPAE_AENDGIV_001 and SUPPAE_AENDGIV_001_1 to match the updates in form.	13-Aug-2025
V2.0	Sheri Nally	03-Sep-2025	Event Definition	Updated Day Min and Day Max	13-Aug-2025
V2.0	Sheri Nally	05-Sep-2025	Instruments	Updated Event Title for Common Form Event to match standards. Modified Instrument Title of CECISR072 to UNPLANNED ASSESSMENT OF REACTOGENICITY (Removed - PAIN from title) Updated DS001_4 title to add hyphen; corrected miscellaneous typo and trailing space issues.	13-Aug-2025
V2.0	Sheri Nally	09-Sep-2025	CM Study Maps	Updated 'Description' and 'Mapping Variable' values for VISITNUM_REF and VISITREFNAME_ACTUAL_REF to match values as per standards.	13-Aug-2025
V2.0	Sheri Nally	11-Sep-2025	Variable Permission Groups	<i>Coding</i> : Added Librarian under Read Only. <i>Hidden</i> : Removed LBSPID_001_5 and FAORRES_FUCTYPE_009 <i>ReadOnly</i> : Removed variables LBSPID_001_5, LBTEST_001_5, CMPRESP_001, CMPRESP_001_4, VSSPID_001, VSSPID_001_1, SUPPDS_DSPHASE_001_5, SUPPDS_DSPHASE_001_6, SUPPEC_ECOBSVT_001_2 Added variables LBCAT_001_5, CMCAT_001, CMCAT_001_3, CETERM1_072, D_RECHALDER_001 Removed Roles Investigator Signature and Site Monitor.	13-Aug-2025

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

V3.0	Sheri Nally	17-Sep-2025	Plans	Below updates were made to match the study settings and requirements: Updated SDV Group name as 'SDV 5%'. Updated SDV Plan name as 'CRF_To_SDV'. Trailing spaces were removed from the Instrument Name for all rows applicable for the below Instruments: CECISR072, CESOR019, CESOR019_1, CM001, CM001_4, D_EDP001, D_SAE001, DD002, DM001, DS001, DS001_3, DS001_4, DS001_5, DS001_6, DS001_8, EC001_2, FAFUC009, IE002, LB001_5, R_TRIG001, SV001, VS001, VS001_1 Below Variables were added: Y_CELOC_072, Y_CELOC1_072, CMDOSFRQ_001_4. Label updated: CMENDTC_001, CMENDTC_001_4, CMSTDTC_001_4, BRTHDTC_001 Variable Level Access updated: AECAT_001, SUPPDS_DSPHASE_001_4, SUPPDS_DSPHASE_001_5, SUPPDS_DSPHASE_001_6, SUPPEC_ECOBSVT_001_2, FACAT_009 Data Review Tier updated: D_AESAWDTC1_001, D_NARRATIVE3SAE_001 SDV property updated: D_AESAWDTC1_001 Below Variables were removed since they have been removed in the study design: CMENDTC_001_3, X_CMONGO_001_3, CMPRESP_001_4, FAORRES_FUCTYPO_009, X_DMPFSITE_001, X_DMPFSTDY_001, X_DMPFSUBJ_001, X_DMPMYN_001, X_DMPSITE_001, X_DMPSTUDY_001, X_DMPSUBJ_001, X_DMPYN_001	13-Aug-2025
V3.0	Sheri Nally	17-Sep-2025	Event Definition	End of Treatment and Follow-up visits were updated from 'Static' to 'Scheduled' type.	13-Aug-2025
V3.0	Sheri Nally	17-Sep-2025	Variable Permission Groups	Removed 'Hidden' Permission and associated roles from 'Coding' Group.	13-Aug-2025
V3.0	Sheri Nally	17-Sep-2025	SRDM Defaults	Updated the Default Values based on Standards RCC SRDM Default Values Report.	13-Aug-2025
V3.0	Sreenath Thanikachalam	19-Sep-2025	SAE	Updated few E2B Tags, removed duplicates and added few expression definition as per the study requirement.	13-Aug-2025
V3.0	Sheri Nally	22-Sep-2025	Variable Permission Groups	Removed variable FACAT_009 and added variables D_NARRATIVE4SAE_001, D_AETERMADMIT_001, D_STUDYID_001, D_DEATHDTC_001, D_CAUSDEATH_001 to 'Hidden' Variable Permission Group. Removed entire 'ReadOnly' Variable Permission Group and associated display permissions, roles and groups as solution to Site Hidden Items Data Submission Issue encountered in RCC.	13-Aug-2025
V4.0	Sheri Nally	03-Oct-2025	Plans	Removed variable AESEV_001 and added variables AETOXGR_001, CMDOSU_001_3. Modified Variable Level Access of D_CASEIDSAE_001 from 'None' to 'Read'.	13-Aug-2025
V4.0	Sheri Nally	03-Oct-2025	SRDM Defaults	Marked values of VSCAT_001 and VSCAT_001_1 as used.	13-Aug-2025
V4.0	Sheri Nally	03-Oct-2025	SAE	Added mapping for drugstructuredosageunit with CMDOSU_001_3.	13-Aug-2025
V4.0	Sheri Nally	09-Oct-2025	Plans	Modified Variable Level Access of D_AEIDNUMBEG_001 from 'None' to 'Read'.	13-Aug-2025
V4.0	Sheri Nally	09-Oct-2025	SAE	Added mapping for drugintervaldosagedefinition with CMDOSFRQ_001_4.	13-Aug-2025
V4.0	Sheri Nally	09-Oct-2025	DSOPI	Removed DSCONT variable from conditions for DCDAT, DSDECOD, EPOCH, DS_STAT. Updated MINTRTDAT Source Variable mapping as D_FIRSTDOSEDTC_001.	13-Aug-2025
V4.0	Sheri Nally	09-Oct-2025	SRDM Defaults	Marked values of AGEU_001, DDCAT, ECCAT_001, ECSCAT_001, MHCAT_001, DSCAT_001_3, DSCAT_001_4, DSCAT_001_5, DSCAT_001_6 as used and COHORT and STRATA added under RT_ACTIVATED_FORMS.	13-Aug-2025
V4.0	Sheri Nally	13-Oct-2025	Local Lab Ref	Lab Test updated to 'Choriogonadotropin Beta_PX113'.	13-Aug-2025
V4.0	Sheri Nally	13-Oct-2025	Plans	FAORRES_FUCTYPE_009 variable properties updated to Read (Variable Level Access), Minimal (Data Review Tier) and SDV not required. FAORRES_G3CRIMET_072 variable removed.	13-Aug-2025

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Event Title	Unique Event Name	Description	Type	Assign to Parent	Max Repeats Allowed	Day Schedule	Day Min	Day Max	Active	Repeating	Enable Event level eNOTEs
V1 DAY1 VAX1	V1_DAY1_VAX1		Static		1	0	0	0	Yes	No	No
V2 MONTH1 POSTVAX1	V2_MONTH1_POSTVAX1		Scheduled		1	35	7	7	Yes	No	No
V3 VAX2	V3_VAX2		Scheduled		1	60	10	10	Yes	No	No
V4 MONTH1 POSTVAX2	V4_MONTH1_POSTVAX2		Scheduled		1	95	7	7	Yes	No	No
V5 VAX3	V5_VAX3		Scheduled		1	182	14	14	Yes	No	No
V6 MONTH1 POSTVAX3	V6_MONTH1_POSTVAX3		Scheduled		1	217	7	7	Yes	No	No
V7 VAX4	V7_VAX4		Scheduled		1	365	14	14	Yes	No	No
V8 MONTH1 POSTVAX4	V8_MONTH1_POSTVAX4		Scheduled		1	400	7	7	Yes	No	No
V9 VAX5	V9_VAX5		Scheduled		1	547	14	14	Yes	No	No
V10 MONTH1 POSTVAX5	V10_MONTH1_POSTVAX5		Scheduled		1	582	7	7	Yes	No	No
V11 MONTH6 POSTVAX5	V11_MONTH6_POSTVAX5		Scheduled		1	729	14	14	Yes	No	No
Unplanned	UNPL	Unplanned	Unscheduled		999				Yes	Yes	No
Disposition	DISP	Disposition	Static		1				Yes	No	No
End of Treatment	EOT	End of Treatment	Scheduled		1				Yes	No	No
Follow-up	FOLLOW_UP	Follow-up	Scheduled		1				Yes	No	No
Common Form Event	common_event		Static		1				Yes	No	No

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Event Title	Instrument Name	Instrument Title	Available on mobile	Enable Field level eNOTEs	Enable within form Subject navigation
V1 DAY1 VAX1	SV001	DATE OF VISIT	NO	NO	NO
V1 DAY1 VAX1	DM001	DEMOGRAPHY	NO	NO	NO
V1 DAY1 VAX1	DS001	MAIN INFORMED CONSENT	NO	NO	NO
V1 DAY1 VAX1	R_TRIG001	TRIGGER FORM	NO	NO	NO
V1 DAY1 VAX1	IE002	INCLUSION/EXCLUSION CRITERIA	NO	NO	NO
V1 DAY1 VAX1	DS001_3	RANDOMIZATION	NO	NO	NO
V1 DAY1 VAX1	DS001_4	DISPOSITION - SCREENING	NO	NO	NO
V1 DAY1 VAX1	MH001	MEDICAL HISTORY	NO	NO	NO
V1 DAY1 VAX1	VS001	VITAL SIGNS	NO	NO	NO
V1 DAY1 VAX1	LB001_5	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	NO	NO	NO
V1 DAY1 VAX1	EC001_2	TREATMENT - VACCINATION	NO	NO	NO
V1 DAY1 VAX1	CESOR019_1	SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS	NO	NO	NO
V1 DAY1 VAX1	AE001	ADVERSE EVENT REPORT	NO	NO	NO
V1 DAY1 VAX1	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
V1 DAY1 VAX1	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
V1 DAY1 VAX1	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
V1 DAY1 VAX1	AE001_1	MEDICATION ERROR	NO	NO	NO
V1 DAY1 VAX1	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
V2 MONTH1 POSTVAX1	SV001	DATE OF VISIT	NO	NO	NO
V2 MONTH1 POSTVAX1	CESOR019	SUMMARY OF REACTOGENICITY	NO	NO	NO
V2 MONTH1 POSTVAX1	AE001	ADVERSE EVENT REPORT	NO	NO	NO
V2 MONTH1 POSTVAX1	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
V2 MONTH1 POSTVAX1	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
V2 MONTH1 POSTVAX1	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
V2 MONTH1 POSTVAX1	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
V3 VAX2	SV001	DATE OF VISIT	NO	NO	NO
V3 VAX2	VS001	VITAL SIGNS	NO	NO	NO
V3 VAX2	LB001_5	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	NO	NO	NO
V3 VAX2	EC001_2	TREATMENT - VACCINATION	NO	NO	NO
V3 VAX2	CESOR019_1	SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS	NO	NO	NO
V3 VAX2	AE001	ADVERSE EVENT REPORT	NO	NO	NO
V3 VAX2	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
V3 VAX2	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
V3 VAX2	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
V3 VAX2	AE001_1	MEDICATION ERROR	NO	NO	NO
V3 VAX2	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
V4 MONTH1 POSTVAX2	SV001	DATE OF VISIT	NO	NO	NO
V4 MONTH1 POSTVAX2	CESOR019	SUMMARY OF REACTOGENICITY	NO	NO	NO
V4 MONTH1 POSTVAX2	AE001	ADVERSE EVENT REPORT	NO	NO	NO
V4 MONTH1 POSTVAX2	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
V4 MONTH1 POSTVAX2	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
V4 MONTH1 POSTVAX2	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
V4 MONTH1 POSTVAX2	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
V5 VAX3	SV001	DATE OF VISIT	NO	NO	NO
V5 VAX3	VS001	VITAL SIGNS	NO	NO	NO
V5 VAX3	LB001_5	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	NO	NO	NO
V5 VAX3	EC001_2	TREATMENT - VACCINATION	NO	NO	NO
V5 VAX3	CESOR019_1	SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS	NO	NO	NO
V5 VAX3	AE001	ADVERSE EVENT REPORT	NO	NO	NO
V5 VAX3	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
V5 VAX3	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
V5 VAX3	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
V5 VAX3	AE001_1	MEDICATION ERROR	NO	NO	NO
V5 VAX3	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
V6 MONTH1 POSTVAX3	SV001	DATE OF VISIT	NO	NO	NO
V6 MONTH1 POSTVAX3	CESOR019	SUMMARY OF REACTOGENICITY	NO	NO	NO
V6 MONTH1 POSTVAX3	AE001	ADVERSE EVENT REPORT	NO	NO	NO
V6 MONTH1 POSTVAX3	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

V6 MONTH1 POSTVAX3	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
V6 MONTH1 POSTVAX3	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
V6 MONTH1 POSTVAX3	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
V7 VAX4	SV001	DATE OF VISIT	NO	NO	NO
V7 VAX4	VS001	VITAL SIGNS	NO	NO	NO
V7 VAX4	LB001_5	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	NO	NO	NO
V7 VAX4	EC001_2	TREATMENT - VACCINATION	NO	NO	NO
V7 VAX4	CESOR019_1	SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS	NO	NO	NO
V7 VAX4	AE001	ADVERSE EVENT REPORT	NO	NO	NO
V7 VAX4	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
V7 VAX4	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
V7 VAX4	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
V7 VAX4	AE001_1	MEDICATION ERROR	NO	NO	NO
V7 VAX4	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
V8 MONTH1 POSTVAX4	SV001	DATE OF VISIT	NO	NO	NO
V8 MONTH1 POSTVAX4	CESOR019	SUMMARY OF REACTOGENICITY	NO	NO	NO
V8 MONTH1 POSTVAX4	AE001	ADVERSE EVENT REPORT	NO	NO	NO
V8 MONTH1 POSTVAX4	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
V8 MONTH1 POSTVAX4	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
V8 MONTH1 POSTVAX4	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
V8 MONTH1 POSTVAX4	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
V9 VAX5	SV001	DATE OF VISIT	NO	NO	NO
V9 VAX5	VS001	VITAL SIGNS	NO	NO	NO
V9 VAX5	LB001_5	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	NO	NO	NO
V9 VAX5	EC001_2	TREATMENT - VACCINATION	NO	NO	NO
V9 VAX5	CESOR019_1	SUMMARY OF REACTOGENICITY - IMMEDIATE EVENTS	NO	NO	NO
V9 VAX5	AE001	ADVERSE EVENT REPORT	NO	NO	NO
V9 VAX5	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
V9 VAX5	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
V9 VAX5	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
V9 VAX5	AE001_1	MEDICATION ERROR	NO	NO	NO
V9 VAX5	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
V10 MONTH1 POSTVAX5	SV001	DATE OF VISIT	NO	NO	NO
V10 MONTH1 POSTVAX5	CESOR019	SUMMARY OF REACTOGENICITY	NO	NO	NO
V10 MONTH1 POSTVAX5	AE001	ADVERSE EVENT REPORT	NO	NO	NO
V10 MONTH1 POSTVAX5	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
V10 MONTH1 POSTVAX5	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
V10 MONTH1 POSTVAX5	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
V10 MONTH1 POSTVAX5	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
V11 MONTH6 POSTVAX5	SV001	DATE OF VISIT	NO	NO	NO
V11 MONTH6 POSTVAX5	AE001	ADVERSE EVENT REPORT	NO	NO	NO
V11 MONTH6 POSTVAX5	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
V11 MONTH6 POSTVAX5	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
V11 MONTH6 POSTVAX5	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
V11 MONTH6 POSTVAX5	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Unplanned	SV001	DATE OF VISIT	NO	NO	NO
Unplanned	D_UPA001	UNPLANNED VISIT	NO	NO	NO
Unplanned	FAFUC009	CONTACT OUTCOME	NO	NO	NO
Unplanned	FAVSD065	PARTICIPANT-REPORTED REACTOGENICITY	NO	NO	NO
Unplanned	CECISR072	UNPLANNED ASSESSMENT OF REACTOGENICITY	NO	NO	NO
Unplanned	VS001_1	VITAL SIGNS - UNPLANNED	NO	NO	NO
Unplanned	D_EDP001	EXPOSURE DURING PREGNANCY	NO	NO	NO
Unplanned	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Unplanned	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
Unplanned	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
Unplanned	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
Unplanned	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Disposition	DS001_7	WITHDRAWAL OF CONSENT	NO	NO	NO
Disposition	DS001_8	TREATMENT UNBLINDED	NO	NO	NO
Disposition	DD002	DEATH DETAILS	NO	NO	NO
End of Treatment	DS001_5	DISPOSITION - TREATMENT	NO	NO	NO

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

End of Treatment	AE001	ADVERSE EVENT REPORT	NO	NO	NO
End of Treatment	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
End of Treatment	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
End of Treatment	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
End of Treatment	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Follow-up	DS001_6	DISPOSITION - FOLLOW-UP	NO	NO	NO
Follow-up	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Follow-up	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
Follow-up	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
Follow-up	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
Follow-up	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO
Common Form Event	AE001	ADVERSE EVENT REPORT	NO	NO	NO
Common Form Event	CM001	CONCOMITANT MEDICATIONS - GENERAL MEDICATIONS	NO	NO	NO
Common Form Event	CM001_3	CONCOMITANT MEDICATIONS - NON-STUDY VACCINATIONS	NO	NO	NO
Common Form Event	CM001_4	CONCOMITANT MEDICATIONS - PROHIBITED MEDICATION	NO	NO	NO
Common Form Event	AE001_1	MEDICATION ERROR	NO	NO	NO
Common Form Event	D_SAE001	SAE / REPORTABLE EVENTS	NO	NO	NO

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Variable Permission Groups	Display Permissions and Roles
Coding	Read Only: Clinical, LabTech, Lead Data Manager, Read Only, Database Builder, Librarian Editable: TMS_integration
Hidden	Read Only: Lead Data Manager, Librarian, Database Builder
IRT_Edit	Editable: GPDIP_Impala_Integration

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Instruments and Variables
AE001: AEDECOD_001, AEHLGT_001, AEHLGTC_001, AEHLT_001, AEHLTCD_001, AELLT_001, AELLTCD_001, AEPTCD_001, AESOC_001, AESOCCD_001 AE001_1: AEDECOD_001_1, AEHLGT_001_1, AEHLGTC_001_1, AEHLT_001_1, AEHLTCD_001_1, AELLT_001_1, AELLTCD_001_1, AEPTCD_001_1, AESOC_001_1, AESOCCD_001_1 CM001: CMDECOD_001, SUPPCM_CMCODE_001 CM001_3: CMDECOD_001_3, SUPPCM_CMCODE_001_3 CM001_4: CMDECOD_001_4, SUPPCM_CMCODE_001_4 DD002: SUPPDD_DDDECOD_002, SUPPDD_DDHLGT_002, SUPPDD_DDHLGTC_002, SUPPDD_DDHLT_002, SUPPDD_DDHLTCD_002, SUPPDD_DDLLT_002, SUPPDD_DDLLTCD_002, SUPPDD_DDPTCD_002, SUPPDD_DDSOC_002, SUPPDD_DDSOCCD_002 MH001: MHDECOD_001, MHHLGT_001, MHHLGTC_001, MHHLT_001, MHHLTCD_001, MHLT_001, MHLTCD_001, MHPTCD_001, MHSOC_001, MHSOCCD_001
DM001: D_FIRSTDOSEDTC_001, D_LASTSTDTC_001, D_LNRDTC_001, D_LSCSDTC_001, D_LTRDSDTC_001 D_SAE001: D_AUTOPOCDD_001, D_AUTOPSYND_001, D_NARRATIVE2SAE_001, D_NARRATIVE3SAE_001, D_NARRATIVE4SAE_001, D_AETERMADMIT_001, D_STUDYID_001, D_DEATHDTC_001, D_CAUSDEATH_001
DS001_3: DSREFID_001_3, DSSTDTC_001_3

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Instrument 1	Repeating group 1	Context 1	Instrument 2	Repeating group 2	Context 2
AE001		AETERM_001,AEENDTC_001,AESPID_001,AESTDTC_001	CM001		CMSTDTC_001,CMSPID_001,CMTRT_001
AE001		AESTDTC_001,SUPPAE_AEMERES_001,AETERM_001,AESPID_001	AE001_1		AESTDTC_001_1,SUPPAE_AEMEFL_001_1,AETERM_001_1
AE001		AESPID_001, AETERM_001, AESTDTC_001	EC001_2		ECREFID_001_2, ECTRT_001_2, ECSTDTC_001_2
AE001		AESTDTC_001, AESPID_001, AETERM_001	DD002		DDDT_002
MH001	MH02001	MHTERM_001,MHSPID_001,MHSTDTC_001	CM001		CMTRT_001,CMSPID_001,CMSTDTC_001

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

				SDV Group	SDV 5%
				SDV %	5
				SDV Plan	CRF_To_SDV
Instrument Name	Variable	Label	Variable Level Access	Data Review Tier	
AE001	D_PREVID_001	Previous ID:	Hide	Supportive	
DM001	D_FIRSTDOSEDTC_001	First Dose Date (Derived)	Hide	Supportive	
DS001_4	SUPPDS_DSPHASE_001_4	Phase of Disposition:	Read	Supportive	
DS001_5	SUPPDS_DSPHASE_001_5	Phase of Disposition:	Read	Supportive	
DS001_6	SUPPDS_DSPHASE_001_6	Phase of Disposition:	Read	Supportive	
EC001_2	ECDOSFRM_001_2	Formulation:	Read	Supportive	
EC001_2	ECLOC_001_2	Anatomical Location:	Read	Supportive	
EC001_2	ECROUTE_001_2	Route:	Read	Supportive	

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Add/Edit/Remove	Expression Definition	Event Title	Instrument Title	E2B Mapping Category	Label	E2B Tag
	Concatenates what is entered for the ETHNIC_001 and RACE_001 fields on the DM001 Demography instrument and placed within the {PATETHNICGROUP} and {PATRACE} tags respectively. Codelist options selected will also be converted into the corresponding Argus accepted value. Instrument DM001 is stored in: V1 DAY1 VAX1			Patient	Patient Medical History Text	patientmedicalhistorytext
	Mapped the SEX_001 field from the DM001 instrument. Instrument DM001 is stored in: V1 DAY1 VAX1			Patient	Patient Sex	patientsex
	Mapped the BRTHDTC_001 field from the DM001 instrument (if collected). Instrument DM001 is stored in: V1 DAY1 VAX1			Patient	Patient Birth Date	patientbirthdate
	Mapped the MHTERM_001 field from the MH001 instrument (if collected). Instrument MH001 is stored in: V1 DAY1 VAX1	V1 Day1 Vax1	MH001	Patient Medical History Episode	Patient Medical Comment	patientmedicalcomment
	Mapped the X_MHONGO_001 field from the MH001 instrument (if collected). Instrument MH001 is stored in: V1 DAY1 VAX1	V1 Day1 Vax1	MH001	Patient Medical History Episode	Patient Medical Continue	patientmedicalcontinue
	Static Value: 0000 Do not modify.	V1 Day1 Vax1	MH001	Patient Medical History Episode	Patient Episode Name MedDRA Version	patientepisodenameddraversion
	Mapped the MHENDTC_001 field from the MH001 instrument (if collected). Instrument MH001 is stored in: V1 DAY1 VAX1	V1 Day1 Vax1	MH001	Patient Medical History Episode	Patient Medical End Date	patientmedicalenddate
	Mapped the MHTERM_001] field from the MH001 instrument (if collected). All entered spaces will be removed for this tag. Instrument MH001 is stored in: V1 DAY1 VAX1	V1 Day1 Vax1	MH001	Patient Medical History Episode	Patient Episode Name	patientepisodename
	Mapped the MHSTDTC_001 field from the MH001 instrument (if collected). All entered spaces will be removed. Instrument MH001 is stored in: V1 DAY1 VAX1	V1 Day1 Vax1	MH001	Patient Medical History Episode	Patient Medical Start Date	patientmedicalstartdate
	Mapped from [X_CMDSTXT_001]. Remove all trailing zeroes.	Common Form Event	CM001	Drugs	Drug Structure Dosage Numb	drugstructuredosagenumb
	Mapped from [X_CMDSTXT_001_3]. Remove all trailing zeroes.	Common Form Event	CM001_3	Drugs	Drug Structure Dosage Numb	drugstructuredosagenumb
	Mapped from [X_CMDSTXT_001_4]. Remove all trailing zeroes.	Common Form Event	CM001_4	Drugs	Drug Structure Dosage Numb	drugstructuredosagenumb
	Mapped from [CMTRT_001]	Common Form Event	CM001	Drugs	Medicinal Product	medicinalproduct
	Mapped from [CMTRT_001_3]	Common Form Event	CM001_3	Drugs	Medicinal Product	medicinalproduct
	Mapped from [CMTRT_001_4]	Common Form Event	CM001_4	Drugs	Medicinal Product	medicinalproduct
	Used in conjunction with the Drugs - Concomitant data selection rule. Will return true if Drug Start or Drug End dates are within 14 days of Reaction Start date or if Ongoing = Y. Otherwise return false.	Common Form Event	CM001	Drugs	Selection tag	selectionTag
	Used in conjunction with the Drugs - Concomitant data selection rule. Will return true if Drug Start or Drug End dates are within 14 days of Reaction Start date or if Ongoing = Y. Otherwise return false.	Common Form Event	CM001_4			
	Mapped from [CMDOSFRQ_001]. All spaces are removed	Common Form Event	CM001	Drugs	Drug Interval Dosage Definition	drugintervaldosagedefinition
	Mapped from [CMDOSFRQ_001_4]. All spaces are removed	Common Form Event	CM001_4	Drugs	Drug Interval Dosage Definition	drugintervaldosagedefinition

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

	When X_CMONGO_001 is selected as YES, return {Ongoing}Yes{/Ongoing}, otherwise return <DO NOT USE>. If X_CMONGO_001 is not collected, <DO NOT USE> should always be returned.	Common Form Event	CM001	Drugs	Drug Dosage text	drugdosagetext
	When X_CMONGO_001_4 is selected as YES, return {Ongoing}Yes{/Ongoing}, otherwise return <DO NOT USE>. If X_CMONGO_001 is not collected, <DO NOT USE> should always be returned.	Common Form Event	CM001_4	Drugs	Drug Dosage text	drugdosagetext
	Defaulted to a Static Value of 8 via an expression. Defaulting via Static Value will return an error.	Common Form Event	CM001	Drugs	Action Drug	actiondrug
	Defaulted to a Static Value of 8 via an expression. Defaulting via Static Value will return an error.	Common Form Event	CM001_3	Drugs	Action Drug	actiondrug
	Defaulted to a Static Value of 8 via an expression. Defaulting via Static Value will return an error.	Common Form Event	CM001_4	Drugs	Action Drug	actiondrug
	Mapped from [CMROUTE_001]	Common Form Event	CM001	Drugs	Drug Administration Route	drugadministrationroute
	Mapped from [CMROUTE_001_3]	Common Form Event	CM001_3	Drugs	Drug Administration Route	drugadministrationroute
	Mapped from [CMROUTE_001_4]	Common Form Event	CM001_4	Drugs	Drug Administration Route	drugadministrationroute
	Mapped from [CMSTDTC_001]. Time is excluded. If any date components are entered as UNK, they will be omitted.	Common Form Event	CM001	Drugs	Drug Start Date	drugstartdate
	Mapped from [CMSTDTC_001_3]. Time is excluded. If any date components are entered as UNK, they will be omitted.	Common Form Event	CM001_3	Drugs	Drug Start Date	drugstartdate
	Mapped from [CMSTDTC_001_4]. Time is excluded. If any date components are entered as UNK, they will be omitted.	Common Form Event	CM001_4	Drugs	Drug Start Date	drugstartdate
	Mapped from [CMENDTC_001]. Time is excluded. If any date components are entered as UNK, they will be omitted.	Common Form Event	CM001	Drugs	Drug End Date	drugenddate
	Mapped from [CMENDTC_001_4]. Time is excluded. If any date components are entered as UNK, they will be omitted.	Common Form Event	CM001_4	Drugs	Drug End Date	drugenddate
	Mapped from [CMDOSU_001]	Common Form Event	CM001	Drugs	Drug Structure Dosage Unit	drugstructuredosageunit
	Mapped from [CMDOSU_001_3]	Common Form Event	CM001_3	Drugs	Drug Structure Dosage Unit	drugstructuredosageunit
	Mapped from [CMDOSU_001_4]	Common Form Event	CM001_4	Drugs	Drug Structure Dosage Unit	drugstructuredosageunit
	Mapped from LBORNRHI_001_5		LB001_5	Tests	High Test Range	hightestrange
	Mapped from LBDTC_001_5		LB001_5	Tests	Test Date	testdate
	Mapped from LBORRES_001_5		LB001_5	Tests	Test Result (value / qualifier)	testresult
	Mapped from LBORRESU_001_5		LB001_5	Tests	Test Unit	testunit
	Mapped from LBORNRLQ_001_5		LB001_5	Tests	Low Test Range	lowtestrange
	Mapped from LBTEST_001_5		LB001_5	Tests	Test Name	testname
	If LBORRES_001_5 is not NULL or CO_LBCOM_001_5 is not NULL, return {RESULT}LBORRES_001_5{/RESULT}{COMMENT}CO_LBCOM_001_5{/COMMENT}. Note: LB001_5 is typically a Lab instrument for qualitative tests (i.e. Lab Pregnancy Test). If CO_LBCOM_001_5 is not collected as an item on the item, expression needs to be updated by builder with following logic: If LBORRES_001_5 is not NULL, return {RESULT}LBORRES_001_5{/RESULT}{COMMENT}{/COMMENT}.		LB001_5	Tests	Result Unstructured Data (free text)	testresulttext
	Map either from a Static Value or from a field. If using a static value, the DM001 instrument should be mapped to activate the value. Map from: STUDY INDICATION Associated Dosing CRF: EC001_2		<MH001/DM001>	Indication for Use in Case	Indication as Reported by the Primary Source	drugindicationprimarysource
	Defaulted to a Static Value of dropdown value of 1 in setup. 'Suspect' will appear in Safety Case.		EC001_2	Drugs	Drug Characterization	drugcharacterization

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

	Returns the provided Argus Product Name for the instrument. If multiple Product Names are tied to the instrument, all Product Names to be provided and how they're derived. Product Name(s): PF-07307405 when Formulation = Injection		EC001_2	Drugs	Medicinal Product	medicinalproduct
	Returns the provided Argus Formulation. If multiple Product Names are tied to the instrument, all Formulations to be provided and how they're derived. CRF Formulation(s) to Argus: INJECTION = Solution		EC001_2	Drugs	Drug Dosage Form	drugdosageform
	Dose Unit Field: ECDOSU_001_2		EC001_2	Drugs	Drug Structure Dosage Unit	drugstructuredosageunit
	Entered dose. All trailing zeroes will be removed in the safety case. Dose Field: X_ECDOSE_001_2		EC001_2	Drugs	Drug Structure Dosage Numb	drugstructuredosagenumb
	Defaulted to a Static Value of 8 via an expression. Defaulting via Static Value will return an error.		EC001_2	Drugs	Action Drug	actiondrug
	{VACCINEDOSENUM}ECDOSE_001_2/{VACCINEDOSENUM}{VACCINEANATOMICALLOCATION}ECLOC_001_2,ECLAT_001_2/{VACCINEANATOMICALLOCATION} Note that ECLOC_001_2 and ECLAT_001_2 are substituted by the custom function for the Argus accepted values.		EC001_2	Drugs	Drug Dosage text	drugdosagetext
	Mapped from [ECSTDTC_001_2]. If time is entered as 00:00, time is omitted.		EC001_2	Drugs	Drug Start Date	drugstartdate
	Mapped from [ECROUTE_001_2]		EC001_2	Drugs	Drug Administration Route	drugadministrationroute
	Mapped from D_ACNTKN_001 Associated Dosing CRF: EC001_2	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Assessment Method	drugassessmentmethod
	Mapped from D_CAUSE_001 Associated Dosing CRF: EC001_2	Common Form Event	D_SAE001	Drug Reaction Relatedness	Drug Result	drugresult
	Mapped from [R_SUPPCM_ACTTKN_001]	Common Form Event	CM001	Drug Reaction Relatedness	Drug Assessment Method	drugassessmentmethod
	If 'Is this concomitant therapy suspected to be related to an Adverse Event?' is not NULL and answered as 'YES', return 'RELATED'. Otherwise if 'Is this concomitant therapy suspected to be related to an Adverse Event?' is answered as 'NO', return 'NOT RELATED'	Common Form Event	CM001	Drug Reaction Relatedness	Drug Result	drugresult
	Map either from CMINDC_001, MHTERM1_001_2, R_MHTERM3_001_4. If mapping from MH001_4, expression should return value from R_MHTERM4_001_4 if not empty. Otherwise, return the Primary Diagnosis from R_MHTERM3_001_4. Map from: CMINDC_001/MHTERM1_001_2/R_MHTERM3_001_4 Associated ConMed CRF: CM001	Common Form Event	<CM001/MH001_2/MH001_4>	Indication for Use in Case	Indication as Reported by the Primary Source	drugindicationprimarysource

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Name	Description	Mapping Variable	Intentionally Blank
STUDY_DAY	Reference Date for Study Day Calculation (eg, First Dose Date (Non-blinded), Randomization Date)	[DS001_3.DSSTDTC_001_3]	FALSE
VISITNUM_REF	VISITNUM Reference Study Map	[ref][MD_VISITNUM_REFERENCE.VISITNUM]	FALSE
VISITREFNAME_ACTUAL_REF	VISITREFNAME_ACTUAL from VISITNUM_REF table	[ref][MD_VISITNUM_REFERENCE.VISITREFNAME_ACTUAL]	FALSE

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Model_Attribute_Name	Model_name	Source_table	Source_variable	Condition
Randomization Number	RANNUM	SM_DS001	DSREFID_001	WHERE DSREFID_001 IS NOT NULL
Date of Randomization	RANDDAT	SM_DS001	DSSTDTC_001	WHERE DSREFID_001 IS NOT NULL
Date Subject Discontinued	DCDAT	SM_DS001	DSSTDTC_001	WHERE DSDECOD_001 <> 'COMPLETED' and FORMREFNAME = ('DS001_4, DS001_5, or DS001_6')
Date Subject Completed Study	CMPLTDAT	SM_DS001	DSSTDTC_001	WHERE DSDECOD_001 = 'COMPLETED' and FORMREFNAME = 'DS001_6'
Date Subject Enrolled in Study	DEMOGDAT	SM_DS001	DSSTDTC_001	WHERE FORMREFNAME = 'DS001'
Date Subject Entered Active Treatment	MINTRTDAT	DM001	D_FIRSTDOSEDTC_001	
Subject Reason for Withdrawal	DSDECOD	SM_DS001	DSDECOD_001	WHERE DSDECOD_001 <> 'COMPLETED' and FORMREFNAME = ('DS001_4, DS001_5, or DS001_6')
Subject Withdrawal Timeframe	EPOCH	SM_DS001	SUPPDS_DSPHASE_001	WHERE DSDECOD_001 <> 'COMPLETED' and FORMREFNAME = ('DS001_4, DS001_5, or DS001_6')
Date of Subject Screen Failure	SFDATE	SM_DS001	DSSTDTC_001	WHERE DSDECOD_001 <> 'COMPLETED' and FORMREFNAME = 'DS001_4'
Subject Status	DS_STAT	SM_DS001	DSDECOD_001	If FORMREFNAME = 'DS001_6' and DSDECOD_001 = 'COMPLETED' then 'COMPLETED' Else if FORMREFNAME = 'DS001_6' and DSDECOD_001 <> 'COMPLETED' then 'DISCONTINUED' Else if FORMREFNAME = 'DS001_5' and DSDECOD_001 = 'COMPLETED' then 'FOLLOW-UP' Else if FORMREFNAME = 'DS001_5' and DSDECOD_001 <> 'COMPLETED' then 'DISCONTINUED' Else if FORMREFNAME = 'DS001_3' and DSSTDTC_001 IS NOT NULL then 'ENROLLED/RANDOMIZED' Else if FORMREFNAME = 'DS001_4' and DSDECOD_001 = 'COMPLETED' then 'SCREENED' Else if FORMREFNAME = 'DS001_4' and DSDECOD_001 <> 'COMPLETED' then 'SCREEN FAIL'
Status Date	STATDT	SM_DS001	DSSTDTC_001	max of DSSTDTC_001

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

mdes_form_name	item_refname	default_value	USED
CECISR072	FAORRESU_MAXDIAM_072	cm	X
CECISR072	Y_CECAT_072	UNPLANNED ASSESSMENT OF REACTOGENICITY	X
CECISR072	Y_CEEVAL_072	INVESTIGATOR	X
CESOR019	CEACNOTH_019	MEDICALLY ATTENDED	X
CESOR019	CESER_019	Y	X
CESOR019	Y_CECAT_019	REACTOGENICITY	X
CESOR019	SUPPCE_CSTDIS_019	Y	X
CESOR019_1	CECAT_IMM_019	IMMEDIATE REACTION	X
DD002	DDCAT_002	DEATH DETAILS	X
DM001	AGEU_001	YEARS	X
DS001	DSCAT_001	PROTOCOL MILESTONE	X
DS001	DSDECOD_001	INFORMED CONSENT OBTAINED	X
DS001_3	DSCAT_001_3	PROTOCOL MILESTONE	X
DS001_4	DSCAT_001_4	DISPOSITION EVENT	X
DS001_5	DSCAT_001_5	DISPOSITION EVENT	X
DS001_6	DSCAT_001_6	DISPOSITION EVENT	X
DS001_7	DSDECOD_001_7	WITHDRAWAL OF CONSENT	X
DS001_7	DSCAT_001_7	OTHER EVENT	X
EC001_2	ECSCAT_001_2	VACCINATION	X
EC001_2	ECCAT_001_2	INVESTIGATIONAL PRODUCT	X
FAVSD065	FAORRESU_DIAMETER_065	Caliper unit	X
FAVSD065	Y_FAEVAL_065	STUDY SUBJECT	X
FAVSD065	Y_FACAT_065	REACTOGENICITY	X
IE002	IECAT_002	EXCLUSION	X
IE002	IEORRES_002	Y	X
IE002	IECAT_002	INCLUSION	X
IE002	IEORRES_002	N	X
MH001	MHCAT_001	GENERAL MEDICAL HISTORY	X
RT_ACTIVATED_FORMS	SUBJECT_STATUS	"	X
RT_ACTIVATED_FORMS	COHORT	"	X
RT_ACTIVATED_FORMS	STRATA	"	X
RT_ACTIVATED_FORMS	SUBJECT_GROUP_IDENTIFIER	"	X
RT_ACTIVATED_FORMS	ERRONEOUS	"	X
RT_ACTIVATED_FORMS	PAYMENT_GROUP	"	X
RT_ACTIVATED_FORMS	START_DATETIME	"	X
RT_ACTIVATED_FORMS	TIME_POST_DOSE	"	X
VS001	VSCAT_001	VITAL SIGNS	x
VS001_1	VSCAT_001_1	REACTOGENICITY-UNPLANNED TEMPERATURE	x

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

STUDYNAME	VISIT_NAME	VISITREFNAME_ACTUAL	VISITREFNAME	VISITNUM
C4601019	V1 DAY1 VAX1	V1_DAY1_VAX1	V1_DAY1_VAX1	100
C4601019	V2 MONTH1 POSTVAX1	V2_MONTH1_POSTVAX1	V2_MONTH1_POSTVAX1	200
C4601019	V3 VAX2	V3_VAX2	V3_VAX2	300
C4601019	V4 MONTH1 POSTVAX2	V4_MONTH1_POSTVAX2	V4_MONTH1_POSTVAX2	400
C4601019	V5 VAX3	V5_VAX3	V5_VAX3	500
C4601019	V6 MONTH1 POSTVAX3	V6_MONTH1_POSTVAX3	V6_MONTH1_POSTVAX3	600
C4601019	V7 VAX4	V7_VAX4	V7_VAX4	700
C4601019	V8 MONTH1 POSTVAX4	V8_MONTH1_POSTVAX4	V8_MONTH1_POSTVAX4	800
C4601019	V9 VAX5	V9_VAX5	V9_VAX5	900
C4601019	V10 MONTH1 POSTVAX5	V10_MONTH1_POSTVAX5	V10_MONTH1_POSTVAX5	1000
C4601019	V11 MONTH6 POSTVAX5	V11_MONTH6_POSTVAX5	V11_MONTH6_POSTVAX5	1100
C4601019	Unplanned	UNPL	UNPL	90000
C4601019	Disposition	DISP	DISP	80000
C4601019	End of Treatment	EOT	EOT	50000
C4601019	Follow-up	FOLLOW_UP	FOLLOW_UP	1200
C4601019	Common Form Event	common_event	common_event	85000

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Integration	Variable	Instrument Name	Variable name
IRT	Randomization Date	DS001_3	DSSTDTC_001_IMPALA
IRT	Randomization Number	DS001_3	DSREFID_001_IMPALA



RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Add/Edit/Remove	Rule Name	Instrument	Event(s)	Row #	Variable = Value	Dynamic Condition.
-----------------	-----------	------------	----------	-------	------------------	--------------------

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Instrument Name	Instrument Title	Lab Test
LB001_5	LOCAL LABORATORY DATA - QUALITATIVE URINALYSIS	Choriogonadotropin Beta PX113

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Object Type	Object Name	Description of the Change
N/A		