

Annotated Study Book for Study Design: C4891002

Study Design Version: 7.0

Protocol: C4891002

Sponsor Drug Name: PF-07850327

C4891002

Generated by Central Designer TM

March 6, 2024 9:05PM

C4891002: INFORM SCREENING (SCREEN) [D_INFSCR001]		
InForm Screening [D_INFSCR01001]		
1.	InForm Initials <i>[hidden]</i> [InForm Initials]	[D_SCRINIT_001] A3★
2.*	Birth Year: [Birth Year]	[D_SCRDOB_001] (YYYY) Req  (1930-2008)
Key: [*] = Item is required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_INFSCR001		
Data Variable RefName	RD Column Name	Column Data Type
D_SCRINIT_001	D_SCRINIT_001	VARCHAR2
	D_SCRINIT_001_ND	VARCHAR2
D_SCRDOB_001	D_SCRDOB_001_DTS	VARCHAR2
	D_SCRDOB_001_ND	VARCHAR2

C4891002: INFORM ENROLLMENT (ENROLL) [D_INFENR001]		
InForm Enrollment [D_INFENR01001]		
1.* ✓	Subject ID: [Subject ID]	<u>[D_SUBJID_001]</u> N8
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_INFENR001		
Data Variable RefName	RD Column Name	Column Data Type
D_SUBJID_001	D_SUBJID_001	NUMBER
	D_SUBJID_001_ND	VARCHAR2

C4891002: DATE OF VISIT (DOV) [SV001]		
Date of Visit [SV01001]		
1.* ✓	Date of Visit [Date of Visit]	[SVSTDTC_001] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2022-2034)
2.*	Contact Mode: [Contact Mode]	[X_SVCNTMOD_001] [A:1] ☐ IN PERSON, ONSITE [A:2] ☐ IN PERSON, OFFSITE [A:3] ☐ REMOTE AUDIO VIDEO
3.	Erroneous Visit [Visit Error]	[D_SVERROR_001] [A:1] ☐ ERRONEOUS VISIT
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_SV001		
Data Variable RefName	RD Column Name	Column Data Type
SVSTDTC_001	SVSTDTC_001	DATE
	SVSTDTC_001_DTS	VARCHAR2
	SVSTDTC_001_ND	VARCHAR2
X_SVCNTMOD_001	X_SVCNTMOD_001_C	VARCHAR2
	X_SVCNTMOD_001	VARCHAR2
	X_SVCNTMOD_001_ND	VARCHAR2
D_SVERROR_001	D_SVERROR_001_C	VARCHAR2
	D_SVERROR_001	VARCHAR2
	D_SVERROR_001_ND	VARCHAR2

C4891002: MAIN INFORMED CONSENT - SCREENING (MAIN IC) [DS001]

Informed Consent [DS01001]

1.*
✓

Consent Was:
[Consent Was]

[SUPPDS_DSCSOBT_001]
[A:1]  [DSSTDTC_CMP_001] 

OBTAINED

[DSSTDTC_001] (DD/MM/YYYY)

Date of Written Consent Obtained:

Req  / Req  / Req  (2022-2034)

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: MAIN INFORMED CONSENT - SCREENING		
Type	RefName	Description
Item	DSSTDTC_001	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001		
Data Variable RefName	RD Column Name	Column Data Type
SUPPDS_DSCSOBT_001	SUPPDS_DSCSOBT_001_C	VARCHAR2
	SUPPDS_DSCSOBT_001	VARCHAR2
	SUPPDS_DSCSOBT_001_ND	VARCHAR2
SUPPDS_DSCSOBT_001 - DSSTDTC_001	DSSTDTC_001	DATE
	DSSTDTC_001_DTS	VARCHAR2

C4891002: DEMOGRAPHY (DEMOG) [DM001]

Demography [DM01001]

1.*
✓

Subject ID:
[Subject ID]

[D_SUBJID_001]

N8

2.*
✓

Birth Year:
[Birth Year]

[BRTHDTC_001] (YYYY)

Req ☒ (1930-2008)

3.*
✓

Sex:
[Sex]

[SEX_001]

[A:F] ☐ FEMALE

[A:M] ☐ MALE

4.*
✓

Ethnicity:
[Ethnicity]

[ETHNIC_001]

[A:HISPANIC OR LATINO] ☐ HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN

[A:NOT HISPANIC OR LATINO] ☐ NOT HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN

[A:NOT REPORTED] ☐ NOT REPORTED

5.*
✓

Race: (Check X all that apply):
[Race Of Subject]

[RACE_001]

[A:1] ☐ BLACK OR AFRICAN AMERICAN

[A:2] ☐ AMERICAN INDIAN OR ALASKA NATIVE

[A:3] ☐ ASIAN

[A:4] ☐ NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER

[A:5] ☐ WHITE

[A:6] ☐ NOT REPORTED

[A:7] ☐ UNKNOWN

6.*
✓

Was the subject screened previously in current study?
[Screened Previously in Current Study]

[X_DMRYN_001]

[A:Y] ☐ [X_DMRYN_CMP_001] ☐

Yes

[X_DMRSITE_001]

Initial Site Identifier:

A20★

[X_DMRSUBJ_001]

Initial Subject Identifier:

A20★

[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [⊞] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DEMOGRAPHY		
Type	RefName	Description
Form	DM001	DM001 - Demography
Item	BRTHDTC_001	A subject's date of birth (with or without the time of birth). The complete Date of Birth is made from the temporal components of Birth Year, Birth Month, Birth Day and Birth Time. Mapped from InForm Screening.
Item	SEX_001	The assemblage of physical properties or qualities by which male is distinguished from female; the physical difference between male and female.
Item	ETHNIC_001	A social group characterized by a distinctive social and cultural tradition.
Item	RACE_001	An arbitrary classification based on physical characteristics; a group of persons related by common descent or heredity (U.S. Center for Disease Control).

RDE Analytics: RD_DM001		
Data Variable RefName	RD Column Name	Column Data Type
D_SUBJID_001	D_SUBJID_001	NUMBER
	D_SUBJID_001_ND	VARCHAR2
BRTHDTC_001	BRTHDTC_001_DTS	VARCHAR2
	BRTHDTC_001_ND	VARCHAR2
SEX_001	SEX_001_C	VARCHAR2
	SEX_001	VARCHAR2
	SEX_001_ND	VARCHAR2

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

ETHNIC_001	ETHNIC_001_C	VARCHAR2
	ETHNIC_001	VARCHAR2
	ETHNIC_001_ND	VARCHAR2
RACE_001	RACE_001_ND	VARCHAR2
RACE_001 - BLACK OR AFRICAN AMERICAN	*RACE_001_CLIRACEBLACKORAFRICANAMERICAN_C	VARCHAR2
	*RACE_001_CLIRACEBLACKORAFRICANAMERICAN	VARCHAR2
RACE_001 - AMERICAN INDIAN OR ALASKA NATIVE	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE_C	VARCHAR2
	*RACE_001_CLIRACEAMERICANINDIANORALASKANATIVE	VARCHAR2
RACE_001 - ASIAN	RACE_001_CLIRACEASIAN_C	VARCHAR2
	RACE_001_CLIRACEASIAN	VARCHAR2
RACE_001 - NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER_C	VARCHAR2
	*RACE_001_CLIRACENATIVEHAWAIIANOROTHERPACIFICISLANDER	VARCHAR2
RACE_001 - WHITE	RACE_001_CLIRACEWHITE_C	VARCHAR2
	RACE_001_CLIRACEWHITE	VARCHAR2
RACE_001 - NOT REPORTED	*RACE_001_CLIRACENOTREPORTED_C	VARCHAR2
	*RACE_001_CLIRACENOTREPORTED	VARCHAR2
RACE_001 - UNKNOWN	RACE_001_CLIRACEUNKNOWN_C	VARCHAR2
	RACE_001_CLIRACEUNKNOWN	VARCHAR2
X_DMRYN_001	X_DMRYN_001_C	VARCHAR2
	X_DMRYN_001	VARCHAR2
	X_DMRYN_001_ND	VARCHAR2
X_DMRYN_001 - X_DMRSITE_001	X_DMRSITE_001	VARCHAR2
X_DMRYN_001 - X_DMRSUBJ_001	X_DMRSUBJ_001	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: TRIGGER FORM-PROTOCOL VERSION (PROT VERS) [R_TRIG001]		
Trigger Form Details [R_TRIG01001]		
1.* ✓	Select appropriate response - Protocol version [Trigger Response 1]	[R_TRIGRESP1_001] [R_TRIGRESP1_CL_001] ▼
2.* ✓	Select appropriate response - Did subject meet all eligibility criteria? [Trigger Response 2]	[R_TRIGRESP2_001] [A:5] ☐ SUBJECT MET ALL ELIGIBILITY CRITERIA [A:6] ☐ SUBJECT DID NOT MEET ALL ELIGIBILITY CRITERIA
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Codelist Values Tables: TRIGGER FORM-PROTOCOL VERSION						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
R_TRIGRESP1_CL_001	String		Initial Version - 22JUN2022	0	cliTRIGRESP_Initial_Version_22JUN2022	R_TRIGRESP1_001
			Protocol Amendment 1 - 07MAR2023	1	cliTRIGRESP_Protocol_Amendment_1_07MAR2023	
			Protocol Amendment 2 - 28SEP2023	2	cliTRIGRESP_Protocol_Amendment_2_28SEP2023	

RDE Analytics: RD_R_TRIG001		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP1_001	R_TRIGRESP1_001_C	VARCHAR2
	R_TRIGRESP1_001	VARCHAR2
	R_TRIGRESP1_001_ND	VARCHAR2
R_TRIGRESP2_001	R_TRIGRESP2_001_C	VARCHAR2
	R_TRIGRESP2_001	VARCHAR2
	R_TRIGRESP2_001_ND	VARCHAR2

C4891002: Trigger Form - INCLUSION/EXCLUSION CRITERIA (IE TRIG) [R_TRIG001_1]		
Trigger Form Details [R_TRIG01001_1]		
1.*	Select appropriate response - Please select the part of the study to which the subject is planned to be enrolled: [Trigger Response 3]	[R_TRIGRESP3_001_1] [A:32] ☐ Study Lead-In [A:33] ☒ Phase 3
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_R_TRIG001_1		
Data Variable RefName	RD Column Name	Column Data Type
R_TRIGRESP3_001_1	R_TRIGRESP3_001_1_C	VARCHAR2
	R_TRIGRESP3_001_1	VARCHAR2
	R_TRIGRESP3_001_1_ND	VARCHAR2

C4891002: INCLUSION/EXCLUSION CRITERIA - PH3 (INCL EXCL) [IE002]			
1. ✓		Inclusion Criterion Identifier	Inclusion Criterion Description
Inclusion Criteria Not Met Entry [IE01002]			
1.1* ✓	Identifier of the Inclusion Criterion the subject did not meet: [Inclusion Criterion Identifier]	[IESPID_002] [IESPID_CL_002] ▼	
1.2	Description of the Inclusion Criterion the subject did not meet: <i>[read-only]</i> [Inclusion Criterion Description]	[IETEST_002] [IETEST_CL_002] ▼	
2. ✓		Exclusion Criterion Identifier	Exclusion Criterion Description
Exclusion Criteria Met Entry [IE02002]			
2.1* ✓	Identifier of the Exclusion Criterion the subject met: [Exclusion Criterion Identifier]	[IESPID1_002] [IESPID1_CL_002] ▼	
2.2	Description of the Exclusion Criterion the subject met: <i>[read-only]</i> [Exclusion Criterion Description]	[IETEST1_002] [IETEST1_CL_002] ▼	
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.			

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA - PH3						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
IESPID_CL_002	String		1	1	cliIESPID_1	IESPID_002
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
IETEST_CL_002	String		Age 18 or older at screening: a. F 60 or less, no menses for 12 m, no other cause FSH at post meno level. b. Pre peri meno F and M use LHRH start 28 days pre random/on treat. M use contraception.	0_1	cliIETEST_Inclusion_Description_1	IETEST_002
			Pts to comply with SoA visits, assess and proced. a. Mandatory blood and tumor at diagnosis of local adv met aBC. If not, de novo biopsy needed. Tumor at initial diagnosis accepted if bone mets only.	0_2	cliIETEST_Inclusion_Description_2	
			Local adv/met BC with no S or RT wt curative intent. a. ER equal more 1% on local adv/met BC. Bone mets only: ER pos at initial diagn. b. HER2 neg by IHC/ISH. c. bilateral BCs: both ER pos HER2 neg.	0_3	cliIETEST_Inclusion_Description_3	
			No prior systemic anti-cancer therapy for their locoregionally advanced or metastatic disease.	0_4	cliIETEST_Inclusion_Description_4	
			At least 1 measurable lesion as defined by RECIST v1.1. Bone only disease: participants with only non-measurable lesions are eligible.	0_5	cliIETEST_Inclusion_Description_5	
			Eastern Cooperative Oncology Group, performance status less than or equal to 2.	0_6	cliIETEST_Inclusion_Description_6	
			Age 18 or older at screening: a. F 60 or less, no menses for 12 m, no other cause FSH at post meno level. b. Pre peri meno F and M must use LHRH per SOA. WOCBP & M use contraception.	1_1	cliIETEST_Inclusion_Description_1_PA1	
IESPID1_CL_002	String		1	1	cliIESPID_1	
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	

			10	10	cliIESPID_10	
			11	11	cliIESPID_11	
			12	12	cliIESPID_12	
			13	13	cliIESPID_13	
			14	14	cliIESPID_14	
			15	15	cliIESPID_15	
IETEST1_CL_002	String		Other medical, psychiatric cond. include recent suicidal idea, behavior, abnormal lab that may increase risk of study participation or investigator judgment, make participant inappropriate for study.	0_1	cliIETEST_Exclusion_Description_1	IETEST1_002
			Any other solid tumors in past 3 years, except curatively treated: 1. BCC or CSCC. 2. CIS of cervix. Excluded pts with inflammatory BC, prior hematopoietic stem cell or bone marrow transplantation.	0_2	cliIETEST_Exclusion_Description_2	
			Pts wt new brain mets, symptom CNS mets or carcinoma meningitis, leptomeningeal dis. Elig: pts wt CNS mets, cord comp hx, if treated by S/RT are stable wt no drugs less than or equal to 14d pre rand.	0_3	cliIETEST_Exclusion_Description_3	
			Pts in visceral crisis at risk of immediate life-threatening complications, include pts wt massive uncontrolled pleural, pericardial and peritoneal effusion pulmonary lymphangitis, liver involved >50%	0_4	cliIETEST_Exclusion_Description_4	
			Impaired cardiovascular function or clinically significant cardiovascular diseases, as defined in the protocol.	0_5	cliIETEST_Exclusion_Description_5	
			Prior tmts: primary and second ER (relapse on adj ET) or <= 12 mos from stop of ET CDK4/6i, ARV-471, fulvestrant, other investigational drugs (eg, novel ET, SERDs, SERCAs, CERANs) in any setting.	0_6	cliIETEST_Exclusion_Description_6	
			Major S, RT or systemic therapy for BC <= 14 d pre rando (28 d/5 half-lives, whichever is shorter, for therapy containing an antibody-based agents). Pts with prior RT >= 25% of BM are not eligible.	0_7	cliIETEST_Exclusion_Description_7	
			Any unresolved toxicities from prior surgeries or therapies Grade greater than 1 (Grade greater than 2 for peripheral neuropathy) by NCI CTCAE v5.0 at the time of randomization, except for alopecia.	0_8	cliIETEST_Exclusion_Description_8	
			Coadmin of drugs, food and herbs that are strong CYP3A inhibitors or inducers. Prior CYP3A strong inhibitors must stopped 7 days and strong inducers CYP3A must stopped 14 days pre randomization.	0_9	cliIETEST_Exclusion_Description_9	
			Hematologic abnormalities defined as: a. Hb <9 g/dL (1 transfusion allowed <=14 days from randomization). b. ANC <1500/mm3 or <1.5 x 109/L. c. PLT <100,000/mm3 or <100 x 109/L.	0_10	cliIETEST_Exclusion_Description_10	
			Renal impairment as defined as a serum creatinine of greater than 1.5 ULN or an eGFR less than 50 mL per min calculated using the 2021 CKD-EPI equations, as outlined in Appendix 7.	0_11	cliIETEST_Exclusion_Description_11	
			Hepatic dysfunction: a. Tot bili >1.5xULN (>=3xULN if Gilbert's syndrome). b. AST/ALT >3xULN (>5.0xULN if liver mets) c. ALP >2.5xULN (>5xULN if bone mets) d. aPTT >1.25xULN/INR >1.25 if no anticoag.	0_12	cliIETEST_Exclusion_Description_12	
			Known active infection including SARS-CoV-2, HBV, HCV, and HIV or AIDS-related illness, screening for chronic conditions is not required.	0_13	cliIETEST_Exclusion_Description_13	
			Refractory nausea & vomiting, chronic GI disease, GI ulcer, GI bleeding, inability to swallow study drugs, prior significant gastric, bowel resection preventing adequate absorption of study drugs.	0_14	cliIETEST_Exclusion_Description_14	
			Site staff directly involved in conduct of study and family members, site otherwise supervised by investigator, sponsor and delegate employees directly involved in conduct of study and family members.	0_15	cliIETEST_Exclusion_Description_15	
			Renal impairment defined as an eGFR <45 mL/min/m2 calculated using the 2021 CKDEPI equations, as outlined in Appendix 7.	1_11	cliIETEST_Exclusion_Description_11_PA11	

RDE Analytics: RD_IE002		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE002_IE01002		
IESPID_002	IESPID_002_C	VARCHAR2
	IESPID_002	VARCHAR2
	IESPID_002_ND	VARCHAR2
IETEST_002	IETEST_002_C	VARCHAR2
	IETEST_002	VARCHAR2
	IETEST_002_ND	VARCHAR2
RD_IE002_IE02002		
IESPID1_002	IESPID1_002_C	VARCHAR2
	IESPID1_002	VARCHAR2
	IESPID1_002_ND	VARCHAR2
IETEST1_002	IETEST1_002_C	VARCHAR2
	IETEST1_002	VARCHAR2

	IETEST1_002_ND	VARCHAR2
--	----------------	----------

C4891002: INCLUSION/EXCLUSION CRITERIA - SLI (INCL EXCL2) [IE002_1]			
1. ✓		Inclusion Criterion Identifier	Inclusion Criterion Description
Inclusion Criteria Not Met Entry [IE01002_1]			
1.1 ✓	* Identifier of the Inclusion Criterion the subject did not meet: [Inclusion Criterion Identifier]	[IESPID_002_1] [IESPID_CL_002_1] ▼	
1.2	Description of the Inclusion Criterion the subject did not meet: <i>[read-only]</i> [Inclusion Criterion Description]	[IETEST_002_1] [IETEST_CL_002_1] ▼	
2. ✓		Exclusion Criterion Identifier	Exclusion Criterion Description
Exclusion Criteria Met Entry [IE02002_1]			
2.1 ✓	* Identifier of the Exclusion Criterion the subject met: [Exclusion Criterion Identifier]	[IESPID1_002_1] [IESPID1_CL_002_1] ▼	
2.2	Description of the Exclusion Criterion the subject met: <i>[read-only]</i> [Exclusion Criterion Description]	[IETEST1_002_1] [IETEST1_CL_002_1] ▼	
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.			

Codelist Values Tables: INCLUSION/EXCLUSION CRITERIA - SLI						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
IESPID_CL_002_1	String		1	1	cliIESPID_1	IESPID_002_1
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
IETEST_CL_002_1	String		Age 18 or older at screening: a. F 60 or less, no menses for 12 m, no other cause FSH at post meno level. b. Pre peri meno F and M must use LHRH per SOA. WOCBP & M use contraception.	1_1	cliIETEST_Inclusion_Description_1_1	IETEST_002_1
			Participants who are willing and able, to comply with all scheduled visits, treatment plans, laboratory tests, lifestyle considerations, and other study procedures.	1_2	cliIETEST_Inclusion_Description_2_1	
			Local adv/met BC with no S or RT wt curative intent. a. ER equal more 1% on local adv/met BC. Bone mets only: ER pos at initial diagn. b. HER2 neg by IHC/ISH. c. bilateral BCs: both ER pos HER2 neg.	1_3	cliIETEST_Inclusion_Description_3_1	
			No prior systemic anti-cancer therapy for their locoregionally advanced or metastatic disease.	1_4	cliIETEST_Inclusion_Description_4_1	
			At least 1 measurable lesion as defined by RECIST v1.1. Bone only disease: participants with only non-measurable lesions are eligible.	1_5	cliIETEST_Inclusion_Description_5_1	
			Eastern Cooperative Oncology Group, performance status less than or equal to 2.	1_6	cliIETEST_Inclusion_Description_6_1	
IESPID1_CL_002_1	String		1	1	cliIESPID_1	IESPID1_002_1
			2	2	cliIESPID_2	
			3	3	cliIESPID_3	
			4	4	cliIESPID_4	
			5	5	cliIESPID_5	
			6	6	cliIESPID_6	
			7	7	cliIESPID_7	
			8	8	cliIESPID_8	
			9	9	cliIESPID_9	
			10	10	cliIESPID_10	

			11	11	cliIESPID_11	
			12	12	cliIESPID_12	
			13	13	cliIESPID_13	
			14	14	cliIESPID_14	
			15	15	cliIESPID_15	
IETEST1_CL_002_1	String		Other medical, psychiatric cond. include recent suicidal idea, behavior, abnormal lab that may increase risk of study participation or investigator judgment, make participant inappropriate for study.	1_1	cliIETEST_Exclusion_Description_1_1	IETEST1_002_1
			Any other solid tumors in past 3 years, except curatively treated: 1. BCC or CSCC. 2. CIS of cervix. Excluded pts with inflammatory BC, prior hematopoietic stem cell or bone marrow transplantation.	1_2	cliIETEST_Exclusion_Description_2_1	
			Pts wt new brain mets, symptom CNS mets or carcinoma meningitis, leptomeningeal dis. Elig: pts wt CNS mets, cord comp hx, if treated by S/RT are stable wt no drugs less than or equal to 14d pre rand.	1_3	cliIETEST_Exclusion_Description_3_1	
			Pts in visceral crisis at risk of immediate life-threatening complications, include pts wt massive uncontrolled pleural, pericardial and peritoneal effusion pulmonary lymphangitis, liver involved >50%	1_4	cliIETEST_Exclusion_Description_4_1	
			Impaired cardiovascular function or clinically significant cardiovascular diseases, as defined in the protocol.	1_5	cliIETEST_Exclusion_Description_5_1	
			Prior tmts: primary and second ER (relapse on adj ET) or <= 12 mos from stop of ET CDK4/6i, ARV-471, fulvestrant, other investigational drugs (eg, novel ET, SERDs, SERCAs, CERANs) in any setting.	1_6	cliIETEST_Exclusion_Description_6_1	
			Major S, RT or systemic therapy for BC <= 14 d pre rando (28 d/5 half-lives, whichever is shorter, for therapy containing an antibody-based agents). Pts with prior RT >= 25% of BM are not eligible.	1_7	cliIETEST_Exclusion_Description_7_1	
			Any unresolved toxicities from prior surgeries or therapies Grade greater than 1 (Grade greater than 2 for peripheral neuropathy) by NCI CTCAE v5.0 at the time of randomization, except for alopecia.	1_8	cliIETEST_Exclusion_Description_8_1	
			Coadmin of drugs, food and herbs that are strong CYP3A inhibitors or inducers. Prior CYP3A strong inhibitors must stopped 7 days and strong inducers CYP3A must stopped 14 days pre randomization.	1_9	cliIETEST_Exclusion_Description_9_1	
			Hematologic abnormalities defined as: a. Hb <9 g/dL (1 transfusion allowed <=14 days from randomization). b. ANC <1500/mm3 or <1.5 x 109/L. c. PLT <100,000/mm3 or <100 x 109/L.	1_10	cliIETEST_Exclusion_Description_10_1	
			Renal impairment defined as an eGFR <45 mL/min/m2 calculated using the 2021 CKDEPI equations, as outlined in Appendix 7.	1_11	cliIETEST_Exclusion_Description_11_1	
			Hepatic dysfunction: a. Tot bili >1.5xULN (>=3xULN if Gilbert's syndrome). b. AST/ALT >3xULN (>5.0xULN if liver mets) c. ALP >2.5xULN (>5xULN if bone mets) d. aPTT >1.25xULN/INR >1.25 if no anticoag.	1_12	cliIETEST_Exclusion_Description_12_1	
			Known active infection including SARS-CoV-2, HBV, HCV, and HIV or AIDS-related illness, screening for chronic conditions is not required.	1_13	cliIETEST_Exclusion_Description_13_1	
			Refractory nausea & vomiting, chronic GI disease, GI ulcer, GI bleeding, inability to swallow study drugs, prior significant gastric, bowel resection preventing adequate absorption of study drugs.	1_14	cliIETEST_Exclusion_Description_14_1	
			Site staff directly involved in conduct of study and family members, site otherwise supervised by investigator, sponsor and delegate employees directly involved in conduct of study and family members.	1_15	cliIETEST_Exclusion_Description_15_1	

RDE Analytics: RD_IE002_1		
Data Variable RefName	RD Column Name	Column Data Type
RD_IE002_1_IE01002_1		
IESPID_002_1	IESPID_002_1_C	VARCHAR2
	IESPID_002_1	VARCHAR2
	IESPID_002_1_ND	VARCHAR2
IETEST_002_1	IETEST_002_1_C	VARCHAR2
	IETEST_002_1	VARCHAR2
	IETEST_002_1_ND	VARCHAR2
RD_IE002_1_IE02002_1		
IESPID1_002_1	IESPID1_002_1_C	VARCHAR2
	IESPID1_002_1	VARCHAR2
	IESPID1_002_1_ND	VARCHAR2
IETEST1_002_1	IETEST1_002_1_C	VARCHAR2
	IETEST1_002_1	VARCHAR2
	IETEST1_002_1_ND	VARCHAR2

C4891002: REPRODUCTIVE CAPABILITY (RP) [RP003]		
Reproductive Capability [RP01003]		
1.* ✓	Menopause Status: [Menopause Status:]	[RPORRES_MENOSTAT_003] [A:3] ☐ PREMENOPAUSAL [A:4] ☐ PERIMENOPAUSAL [A:5] ☐ POSTMENOPAUSAL
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_RP003		
Data Variable RefName	RD Column Name	Column Data Type
RPORRES_MENOSTAT_003	RPORRES_MENOSTAT_003_C	VARCHAR2
	RPORRES_MENOSTAT_003	VARCHAR2
	RPORRES_MENOSTAT_003_ND	VARCHAR2

C4891002: GENERAL MEDICAL HISTORY (MEDHX) [MH001]				
General Medical History [MH01001]				
1.* ✓	Collection Date: [Medical History Collection Date]	[MHDTC_001] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (2022-2034)		
2. ✓	Line/MH Number	Medical History Term	Start Date	Ongoing
Medical History Details Entry [MH02001]				
2.1 🔗	Line/MH Number: <i>[read-only]</i> [Line/MH Number]	[MHSPID_001] N8		
2.2* ✓	Disease/Syndrome/Surgery/Non- Drug Allergies/Drug Allergies: [Medical History Term]	[MHTERM_001] A100*		
2.3 ✓	Start Date: [Start Date]	[MHSTDTC_001] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1930-2034)		
2.4 ✓	Ongoing: [Ongoing]	[X_MHONGO_001] [A:Y] ☐ YES [A:N] ☐ [MHENDTC_CMP_001] ☐ NO [MHENDTC_001] (DD/MM/YYYY) End Date: Req/Unk v / Req/Unk v / Req v (1930-2034)		
2.5	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM3_001] A200*		
2.6	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[MHLLT_001] A100*		
2.7	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[MHLLTCD_001] A8*		
2.8	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[MHDECOD_001] A100*		
2.9	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[MHPTCD_001] A8*		
2.10	High Level Term <i>[hidden]</i> [High Level Term]	[MHHLT_001] A100*		
2.11	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[MHHLTCD_001] A8*		
2.12	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[MHHLGT_001] A100*		
2.13	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[MHHLGTCD_001] A8*		
2.14	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[MHSOC_001] A100*		
2.15	Primary System Organ Class Code <i>[hidden]</i>	[MHSOCCD_001]		

	[Primary System Organ Class Code]	A8★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: GENERAL MEDICAL HISTORY		
Type	RefName	Description
Form	MH001	GENERAL MEDICAL HISTORY
Item	MHSPID_001	A sponsor defined identifier which can be used for pre-printed numbers on the CRF. Populated as a sequential number
Item	MHTERM_001	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	MHSTDTC_001	Start Date of medical history event
Item	X_MHONGO_001	Indicates medical history event is ongoing when no end date is provided.
Item	MHENDTC_001	End Date of medical history event
Item	D_COMPTERM3_001	Hidden Item needed for clear coding rule.
Item	MHLLT_001	Lowest Level Term
Item	MHLLTCD_001	Lowest Level term
Item	MHDECOD_001	Dictionary Derived Term
Item	MHPTCD_001	Preferred Term Code
Item	MHHLT_001	High Level Term
Item	MHHLTCD_001	High Level Term Code
Item	MHHLGT_001	High Level Group Term
Item	MHHLGTC_001	High Level Group Term Code
Item	MHSOC_001	Primary System Organ Class
Item	MHSOCCD_001	Primary System Organ Class Code

Keys (navigation)/Uniqueness: GENERAL MEDICAL HISTORY		
Item	Unique	Order #
MH02001 (Repeating section)		
MHSPID_001	Individual	1

Coding Summary: GENERAL MEDICAL HISTORY		
Verbatim RefName: MHTERM_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC_001	SOC	Term
MHSOCCD_001	SOC	Code
MHHLGT_001	HLGT	Term
MHHLGTC_001	HLGT	Code
MHHLT_001	HLT	Term
MHHLTCD_001	HLT	Code
MHDECOD_001	PT	Term
MHPTCD_001	PT	Code
MHLLT_001	LLT	Term
MHLLTCD_001	LLT	Code

RDE Analytics: RD_MH001		
Data Variable RefName	RD Column Name	Column Data Type

MHDTC_001	MHDTC_001	DATE
	MHDTC_001_DTS	VARCHAR2
	MHDTC_001_DTR	VARCHAR2
	MHDTC_001_ND	VARCHAR2
RD_MH001_MH02001		
MHSPID_001	MHSPID_001	NUMBER
	MHSPID_001_ND	VARCHAR2
MHTERM_001	MHTERM_001	VARCHAR2
	MHTERM_001_ND	VARCHAR2
MHSTDTC_001	MHSTDTC_001	DATE
	MHSTDTC_001_DTS	VARCHAR2
	MHSTDTC_001_DTR	VARCHAR2
	MHSTDTC_001_ND	VARCHAR2
X_MHONGO_001	X_MHONGO_001_C	VARCHAR2
	X_MHONGO_001	VARCHAR2
	X_MHONGO_001_ND	VARCHAR2
X_MHONGO_001 - MHENDTC_001	MHENDTC_001	DATE
	MHENDTC_001_DTS	VARCHAR2
	MHENDTC_001_DTR	VARCHAR2
D_COMPTERM3_001	D_COMPTERM3_001	VARCHAR2
	D_COMPTERM3_001_ND	VARCHAR2
MHLLT_001	MHLLT_001	VARCHAR2
	MHLLT_001_ND	VARCHAR2
MHLLTCD_001	MHLLTCD_001	VARCHAR2
	MHLLTCD_001_ND	VARCHAR2
MHDECOD_001	MHDECOD_001	VARCHAR2
	MHDECOD_001_ND	VARCHAR2
MHPTCD_001	MHPTCD_001	VARCHAR2
	MHPTCD_001_ND	VARCHAR2
MHHLT_001	MHHLT_001	VARCHAR2
	MHHLT_001_ND	VARCHAR2
MHHLTCD_001	MHHLTCD_001	VARCHAR2
	MHHLTCD_001_ND	VARCHAR2
MHHLGT_001	MHHLGT_001	VARCHAR2
	MHHLGT_001_ND	VARCHAR2
MHHLGTCD_001	MHHLGTCD_001	VARCHAR2
	MHHLGTCD_001_ND	VARCHAR2
MHSOC_001	MHSOC_001	VARCHAR2
	MHSOC_001_ND	VARCHAR2
MHSOCCD_001	MHSOCCD_001	VARCHAR2
	MHSOCCD_001_ND	VARCHAR2

C4891002: PRIMARY DIAGNOSIS - INITIAL DIAGNOSIS (INIT DIAG) [MH001_2]		
Primary Diagnosis [MH02001_2]		
1.* ✓	Collection Date: [Medical History Collection Date]	[MHDTC_001_2] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (2022-2034)
2.	Does the subject have/has the subject had breast cancer: [read-only] [Specific condition/procedure response]	[MHOCUR_001_2] [A:Y] ☐ YES
3.	Medical History Event Pre-Specified: [read- only] [Medical History Event Pre-Specified]	[MHPRESP_001_2] [A:Y] ☐ YES
4.	Primary Diagnosis: [read-only] [Primary Diagnosis]	[MHTERM1_001_2] A100*
5.	Body Site: [read-only] [Body Site]	[MHLOC_001_2] [A:146] ☐ BREAST
6.* ✓	Body Side: [Body Side]	[MHLAT_001_2] [A:5] ☐ LEFT [A:6] ☐ RIGHT [A:1] ☐ BILATERAL
7.*	Primary diagnosis based on: [Basis of Primary Diagnosis]	[RSORRES_BPDIAG_001_2] [A:1] ☐ HISTOLOGY [A:2] ☐ CYTOLOGY
8. ✓	Date Histopathological Diagnosis: [Date Histopathological Diagnosis]	[X_RSDTC_MHHISDAT_001_2] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1930-2027)
9.* ✓	Histopathological Classification: [Histopathological Classification]	[RSORRES1_PDIAG_001_2] [A:200] ☐ IN-SITU CARCINOMA [A:18] ☐ INVASIVE DUCTAL CARCINOMA [A:19] ☐ INVASIVE LOBULAR CARCINOMA [A:202] ☐ INVASIVE MIXED DUCTAL AND LOBULAR BREAST CARCINOMA [A:136] ☐ TUBULAR CARCINOMA [A:142] ☐ INVASIVE MUCINOUS ADENOCARCINOMA [A:201] ☐ INVASIVE CARCINOMA NOS [A:999] ☐ [X_RSORRES1_PDIAG_CMP_001_2] v OTHER [X_RSORRES1_PDIAG_001_2] Other specify: A35*
10.* ✓	Histopathological Grade: [Histopathological Grade]	[RSORRES_GRADING_001_2] [A:1] ☐ GRADE 1 [A:2] ☐ GRADE 2 [A:3] ☐ GRADE 3 [A:11] ☐ GRADE X
11. ✓	Date of initial diagnosis: [Date of initial diagnosis]	[SUPPMH_MHIDDAT_001_2] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1930-2027)
12.* ✓	TNM stage initial diagnosis: [TNM Stage Initial Diagnosis]	[RSORRES_TNMSTG_001_2] [RSORRES_TNMSTG_CL_001_2] v

13.* ✓	AJCC TNM Stage - Initial T: [AJCC TNM Stage - Initial T]	[RSORRES_TNMSTGT_001_2] [RSORRES_TNMSTGT_CL_001_2] ▼
14.* ✓	AJCC TNM Stage - Initial N: [AJCC TNM Stage - Initial N]	[RSORRES_TNMSTGN_001_2] [RSORRES_TNMSTGN_CL_001_2] ▼
15.* ✓	AJCC TNM Stage - Initial M: [AJCC TNM Stage - Initial M]	[RSORRES_TNMSTGM_001_2] [RSORRES_TNMSTGM_CL_001_2] ▼
16.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM3_001_2] A200 ★
17.	Lowest Level Term [hidden] [Lowest Level Term]	[MHLT_001_2] A100 ★
18.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[MHLTCD_001_2] A8 ★
19.	Dictionary Derived Term [hidden] [Dictionary Derived Term]	[MHDECOD_001_2] A100 ★
20.	Preferred Term Code [hidden] [Preferred Term Code]	[MHPTCD_001_2] A8 ★
21.	High Level Term [hidden] [High Level Term]	[MHLT_001_2] A100 ★
22.	High Level Term Code [hidden] [High Level Term Code]	[MHLTCD_001_2] A8 ★
23.	High Level Group Term [hidden] [High Level Group Term]	[MHLGT_001_2] A100 ★
24.	High Level Group Term Code [hidden] [High Level Group Term Code]	[MHLGTCD_001_2] A8 ★
25.	Primary System Organ Class [hidden] [Primary System Organ Class]	[MHSOC_001_2] A100 ★
26.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[MHSOCCD_001_2] A8 ★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: PRIMARY DIAGNOSIS - INITIAL DIAGNOSIS		
Type	RefName	Description
Form	MH001_2	MEDICAL HISTORY

Item	MHOCCUR_001_2	A response to a pre-printed term used to indicate whether or not the medical condition has occurred.
Item	MHTERM1_001_2	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	RSORRES_BPDIAG_001_2	Basis of the primary diagnosis.
Item	RSORRES1_PDIAG_001_2	Histopathological classification.
Item	RSORRES_GRADING_001_2	Histopathological grade
Item	RSORRES_TNMSTG_001_2	TNM stage initial diagnosis.
Item	RSORRES_TNMSTGT_001_2	AJCC TNM stage - initial T.
Item	RSORRES_TNMSTGN_001_2	AJCC TNM stage - initial N.
Item	RSORRES_TNMSTGM_001_2	AJCC TNM stage - initial M.
Item	D_COMPTERM3_001_2	Hidden Item needed for clear coding rule.
Item	MHLLT_001_2	Lowest Level Term
Item	MHLLTCD_001_2	Lowest Level term
Item	MHDECOD_001_2	Dictionary Derived Term
Item	MHPTCD_001_2	Preferred Term Code
Item	MHHLT_001_2	High Level Term
Item	MHHLTCD_001_2	High Level Term Code
Item	MHHLGT_001_2	High Level Group Term
Item	MHHLGTC_001_2	High Level Group Term Code
Item	MHSOC_001_2	Primary System Organ Class
Item	MHSOCCD_001_2	Primary System Organ Class Code

Codelist Values Tables: PRIMARY DIAGNOSIS - INITIAL DIAGNOSIS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
RSORRES_TNMSTG_CL_001_2	String		STAGE 0	27	cliMHOSTG_STAGE_0	RSORRES_TNMSTG_001_2
			STAGE IA	10	cliMHOSTG_STAGE_IA	
			STAGE IB	2	cliMHOSTG_STAGE_IB	
			STAGE IIA	4	cliMHOSTG_STAGE_IIA	
			STAGE IIB	5	cliMHOSTG_STAGE_IIB	
			STAGE IIIA	11	cliMHOSTG_STAGE_IIIA	
			STAGE IIIB	7	cliMHOSTG_STAGE_IIIB	
			STAGE IIIC	14	cliMHOSTG_STAGE_IIIC	
			STAGE IV	8	cliMHOSTG_STAGE_IV	
RSORRES_TNMSTGT_CL_001_2	String		T0	2	cliAJCCT_T0	RSORRES_TNMSTGT_001_2
			TIS	3	cliAJCCT_TIS	
			T1	4	cliAJCCT_T1	
			T2	5	cliAJCCT_T2	
			T3	6	cliAJCCT_T3	
			T4	7	cliAJCCT_T4	
			TX	1	cliAJCCT_TX	
RSORRES_TNMSTGN_CL_001_2	String		N0	5	cliAJCCN_N0	RSORRES_TNMSTGN_001_2
			N1mi	11	cliAJCCN_N1mi	
			N1	2	cliAJCCN_N1	
			N2	3	cliAJCCN_N2	
			N3	4	cliAJCCN_N3	
			NX	1	cliAJCCN_NX	
RSORRES_TNMSTGM_CL_001_2	String		M0	2	cliAJCCM_M0	RSORRES_TNMSTGM_001_2
			M1	3	cliAJCCM_M1	

Coding Summary: PRIMARY DIAGNOSIS - INITIAL DIAGNOSIS		
Verbatim RefName: MHTERM1_001_2		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC_001_2	SOC	Term
MHSOCCD_001_2	SOC	Code
MHHLGT_001_2	HLGT	Term
MHHLGTCD_001_2	HLGT	Code
MHHLT_001_2	HLT	Term
MHHLTCD_001_2	HLT	Code
MHDECOD_001_2	PT	Term
MHPTCD_001_2	PT	Code
MHLLT_001_2	LLT	Term
MHLLTCD_001_2	LLT	Code

RDE Analytics: RD_MH001_2		
Data Variable RefName	RD Column Name	Column Data Type
MHDTC_001_2	MHDTC_001_2	DATE
	MHDTC_001_2_DTS	VARCHAR2
	MHDTC_001_2_DTR	VARCHAR2
	MHDTC_001_2_ND	VARCHAR2
MHOCCUR_001_2	MHOCCUR_001_2_C	VARCHAR2
	MHOCCUR_001_2	VARCHAR2
	MHOCCUR_001_2_ND	VARCHAR2
MHPRESP_001_2	MHPRESP_001_2_C	VARCHAR2
	MHPRESP_001_2	VARCHAR2
	MHPRESP_001_2_ND	VARCHAR2
MHTERM1_001_2	MHTERM1_001_2	VARCHAR2
	MHTERM1_001_2_ND	VARCHAR2
MHLOC_001_2	MHLOC_001_2_C	VARCHAR2
	MHLOC_001_2	VARCHAR2
	MHLOC_001_2_ND	VARCHAR2
MHLAT_001_2	MHLAT_001_2_C	VARCHAR2
	MHLAT_001_2	VARCHAR2
	MHLAT_001_2_ND	VARCHAR2
RSORRES_BPDIAG_001_2	RSORRES_BPDIAG_001_2_C	VARCHAR2
	RSORRES_BPDIAG_001_2	VARCHAR2
	RSORRES_BPDIAG_001_2_ND	VARCHAR2
X_RSDTC_MHHISDAT_001_2	X_RSDTC_MHHISDAT_001_2	DATE
	X_RSDTC_MHHISDAT_001_2_DTS	VARCHAR2
	X_RSDTC_MHHISDAT_001_2_DTR	VARCHAR2
	X_RSDTC_MHHISDAT_001_2_ND	VARCHAR2
RSORRES1_PDIAG_001_2	RSORRES1_PDIAG_001_2_C	VARCHAR2
	RSORRES1_PDIAG_001_2	VARCHAR2
	RSORRES1_PDIAG_001_2_ND	VARCHAR2
RSORRES1_PDIAG_001_2 - X_RSORRES1_PDIAG_001_2	X_RSORRES1_PDIAG_001_2	VARCHAR2

RSORRES_GRADING_001_2	RSORRES_GRADING_001_2_C	VARCHAR2
	RSORRES_GRADING_001_2	VARCHAR2
	RSORRES_GRADING_001_2_ND	VARCHAR2
SUPPMH_MHIDDAT_001_2	SUPPMH_MHIDDAT_001_2	DATE
	SUPPMH_MHIDDAT_001_2_DTS	VARCHAR2
	SUPPMH_MHIDDAT_001_2_DTR	VARCHAR2
	SUPPMH_MHIDDAT_001_2_ND	VARCHAR2
RSORRES_TNMSTG_001_2	RSORRES_TNMSTG_001_2_C	VARCHAR2
	RSORRES_TNMSTG_001_2	VARCHAR2
	RSORRES_TNMSTG_001_2_ND	VARCHAR2
RSORRES_TNMSTGT_001_2	RSORRES_TNMSTGT_001_2_C	VARCHAR2
	RSORRES_TNMSTGT_001_2	VARCHAR2
	RSORRES_TNMSTGT_001_2_ND	VARCHAR2
RSORRES_TNMSTGN_001_2	RSORRES_TNMSTGN_001_2_C	VARCHAR2
	RSORRES_TNMSTGN_001_2	VARCHAR2
	RSORRES_TNMSTGN_001_2_ND	VARCHAR2
RSORRES_TNMSTGM_001_2	RSORRES_TNMSTGM_001_2_C	VARCHAR2
	RSORRES_TNMSTGM_001_2	VARCHAR2
	RSORRES_TNMSTGM_001_2_ND	VARCHAR2
D_COMPTERM3_001_2	D_COMPTERM3_001_2	VARCHAR2
	D_COMPTERM3_001_2_ND	VARCHAR2
MHLLT_001_2	MHLLT_001_2	VARCHAR2
	MHLLT_001_2_ND	VARCHAR2
MHLLTCD_001_2	MHLLTCD_001_2	VARCHAR2
	MHLLTCD_001_2_ND	VARCHAR2
MHDECOD_001_2	MHDECOD_001_2	VARCHAR2
	MHDECOD_001_2_ND	VARCHAR2
MHPTCD_001_2	MHPTCD_001_2	VARCHAR2
	MHPTCD_001_2_ND	VARCHAR2
MHHLT_001_2	MHHLT_001_2	VARCHAR2
	MHHLT_001_2_ND	VARCHAR2
MHHLTCD_001_2	MHHLTCD_001_2	VARCHAR2
	MHHLTCD_001_2_ND	VARCHAR2
MHHLGT_001_2	MHHLGT_001_2	VARCHAR2
	MHHLGT_001_2_ND	VARCHAR2
MHHLGTCD_001_2	MHHLGTCD_001_2	VARCHAR2
	MHHLGTCD_001_2_ND	VARCHAR2
MHSOC_001_2	MHSOC_001_2	VARCHAR2
	MHSOC_001_2_ND	VARCHAR2
MHSOCCD_001_2	MHSOCCD_001_2	VARCHAR2
	MHSOCCD_001_2_ND	VARCHAR2

C4891002: PRIMARY DIAGNOSIS - CURRENT DIAGNOSIS (CURR DIAG) [MH001_2_1]		
Current Diagnosis [MH02001_2_1]		
1.* ✓	Collection Date: [Medical History Collection Date]	[MHDTC_001_2_1] (DD/MM/YYYY) Req/Unk ☐ / Req/Unk ☐ / Req ☐ (2022-2034)
2.	Does the subject have/has the subject had breast cancer : [read-only] [Specific condition/procedure response]	[MHOCCUR_001_2_1] [A:Y] ☐ YES
3.	Medical History Event Pre-Specified: [read- only] [Medical History Event Pre-Specified]	[MHPRESP_001_2_1] [A:Y] ☐ YES
4.	Primary Diagnosis: [read-only] [Primary Diagnosis]	[MHTERM1_001_2_1] A100*
5.	Body Site: [Body Site]	[MHLOC_001_2_1] [A:146] ☐ BREAST [A:40] ☐ LIVER [A:76] ☐ LUNG [A:77] ☐ SKIN [A:108] ☐ LYMPH NODE [A:999] ☐ OTHER
6.* ✓	Body Side: [Body Side]	[MHLAT_001_2_1] [A:5] ☐ LEFT [A:6] ☐ RIGHT [A:1] ☐ BILATERAL
7.* ✓	Primary diagnosis based on: [Basis of Primary Diagnosis]	[RSORRES_BPDIAG_001_2_1] [A:2] ☐ CYTOLOGY [A:1] ☐ HISTOLOGY
8. ✓	Date Histopathological Diagnosis: [Date Histopathological Diagnosis]	[X_RSDTC_MHHISDAT_001_2_1] (DD/MM/YYYY) Req/Unk ☐ / Req/Unk ☐ / Req ☐ (1930-2034)
9.* ✓	Histopathological Classification: [Histopathological Classification]	[RSORRES1_PDIAG_001_2_1] [A:201] ☐ INVASIVE CARCINOMA NOS [A:18] ☐ INVASIVE DUCTAL CARCINOMA [A:19] ☐ INVASIVE LOBULAR CARCINOMA [A:142] ☐ INVASIVE MUCINOUS ADENOCARCINOMA [A:202] ☐ INVASIVE MIXED DUCTAL AND LOBULAR BREAST CARCINOMA [A:136] ☐ TUBULAR CARCINOMA [A:999] ☐ [X_RSORRES1_PDIAG_CMP_001_2_1] ☐ OTHER [X_RSORRES1_PDIAG_001_2_1] Other specify: A35*
10.* ✓	Histopathological Grade: [Histopathological Grade]	[RSORRES_GRADING_001_2_1] [A:1] ☐ GRADE 1 [A:2] ☐ GRADE 2 [A:3] ☐ GRADE 3 [A:11] ☐ GRADE X
11.* ✓	Disease Recurrence Type: [Disease Recurrence]	[RSORRES_DSRECTYP_001_2_1] [A:3] ☐ LOCOREGIONAL RECURRENCE [A:6] ☐ DISTANT RECURRENCE

	Type]	☐ [A:8] ☐ NEWLY DIAGNOSED
12. ✓	Extent of Disease: [Extent of Disease]	[RSORRES_DISEXNT_001_2_1] [A:1] ☐ LOCALLY ADVANCED [A:2] ☐ METASTATIC
13. ✓	Date of Diagnosis: [Start Date]	[MHSTDTC_001_2_1] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1930-2027)
14.* ✓	TNM current stage: [TNM Stage Initial Diagnosis]	[RSORRES_TNMSTG_001_2_1] [A:5] ☐ STAGE IIB [A:11] ☐ STAGE IIIA [A:7] ☐ STAGE IIIB [A:14] ☐ STAGE IIIC [A:8] ☐ STAGE IV
15.* ✓	AJCC TNM Stage - CurrentT: [AJCC TNM Stage - Initial T]	[RSORRES_TNMSTGT_001_2_1] [RSORRES_TNMSTGT_CL_001_2_1] v
16.* ✓	AJCC TNM Stage - Current N: [AJCC TNM Stage - Initial N]	[RSORRES_TNMSTGN_001_2_1] [A:5] ☐ N0 [A:2] ☐ N1 [A:3] ☐ N2 [A:4] ☐ N3 [A:1] ☐ NX
17.* ✓	AJCC TNM Stage - Current M: [AJCC TNM Stage - Initial M]	[RSORRES_TNMSTGM_001_2_1] [A:2] ☐ M0 [A:3] ☐ M1
18.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM3_001_2_1] A200 *
19.	Lowest Level Term [hidden] [Lowest Level Term]	[MHLLT_001_2_1] A100 *
20.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[MHLLTCD_001_2_1] A8 *
21.	Dictionary Derived Term [hidden] [Dictionary Derived Term]	[MHDECOD_001_2_1] A100 *
22.	Preferred Term Code [hidden] [Preferred Term Code]	[MHPTCD_001_2_1] A8 *
23.	High Level Term [hidden] [High Level Term]	[MHHLT_001_2_1] A100 *
24.	High Level Term Code [hidden] [High Level Term Code]	[MHHLTCD_001_2_1] A8 *
25.	High Level Group Term [hidden] [High Level Group Term]	[MHHLGT_001_2_1] A100 *
26.	High Level Group Term Code [hidden]	[MHHLGTC_001_2_1] A8 *

	[High Level Group Term Code]	
27.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[MHSOC_001_2_1] A100★
28.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[MHSOCCD_001_2_1] A8★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: PRIMARY DIAGNOSIS - CURRENT DIAGNOSIS		
Type	RefName	Description
Form	MH001_2_1	MEDICAL HISTORY
Item	MHOCCUR_001_2_1	A response to a pre-printed term used to indicate whether or not the medical condition has occurred.
Item	MHTERM1_001_2_1	Verbatim term or pre-printed CRF term for the medical condition or event.
Item	RSORRES_BPDIAG_001_2_1	Basis of the primary diagnosis.
Item	RSORRES1_PDIAAG_001_2_1	Histopathological classification.
Item	RSORRES_GRADING_001_2_1	Histopathological grade
Item	RSORRES_DSRECTYP_001_2_1	Disease recurrence type.
Item	MHSTDTC_001_2_1	Start Date of medical history event
Item	RSORRES_TNMSTG_001_2_1	TNM current stage
Item	RSORRES_TNMSTGT_001_2_1	AJCC TNM stage - initial T.
Item	RSORRES_TNMSTGN_001_2_1	AJCC TNM stage - initial N.
Item	RSORRES_TNMSTGM_001_2_1	AJCC TNM stage - initial M.
Item	D_COMPTERM3_001_2_1	Hidden Item needed for clear coding rule.
Item	MHLLT_001_2_1	Lowest Level Term
Item	MHLLTCD_001_2_1	Lowest Level term
Item	MHDECOD_001_2_1	Dictionary Derived Term
Item	MHPTCD_001_2_1	Preferred Term Code
Item	MHHLT_001_2_1	High Level Term
Item	MHHLTCD_001_2_1	High Level Term Code
Item	MHHLGT_001_2_1	High Level Group Term
Item	MHHLGTCD_001_2_1	High Level Group Term Code
Item	MHSOC_001_2_1	Primary System Organ Class
Item	MHSOCCD_001_2_1	Primary System Organ Class Code

Codelist Values Tables: PRIMARY DIAGNOSIS - CURRENT DIAGNOSIS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
RSORRES_TNMSTGT_CL_001_2_1	String		T0	2	cliAJCCT_T0	RSORRES_TNMSTGT_001_2_1
			T1	4	cliAJCCT_T1	
			T2	5	cliAJCCT_T2	
			T3	6	cliAJCCT_T3	
			T4	7	cliAJCCT_T4	
			TX	1	cliAJCCT_TX	

Coding Summary: PRIMARY DIAGNOSIS - CURRENT DIAGNOSIS

Verbatim RefName: MHTERM1_001_2_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
MHSOC_001_2_1	SOC	Term
MHSOCCD_001_2_1	SOC	Code
MHHLGT_001_2_1	HLGT	Term
MHHLGTC_001_2_1	HLGT	Code
MHHLT_001_2_1	HLT	Term
MHHLTCD_001_2_1	HLT	Code
MHDECOD_001_2_1	PT	Term
MHPTCD_001_2_1	PT	Code
MHLLT_001_2_1	LLT	Term
MHLLTCD_001_2_1	LLT	Code

RDE Analytics: RD_MH001_2_1		
Data Variable RefName	RD Column Name	Column Data Type
MHDTC_001_2_1	MHDTC_001_2_1	DATE
	MHDTC_001_2_1_DTS	VARCHAR2
	MHDTC_001_2_1_DTR	VARCHAR2
	MHDTC_001_2_1_ND	VARCHAR2
MHOCCUR_001_2_1	MHOCCUR_001_2_1_C	VARCHAR2
	MHOCCUR_001_2_1	VARCHAR2
	MHOCCUR_001_2_1_ND	VARCHAR2
MHPRESP_001_2_1	MHPRESP_001_2_1_C	VARCHAR2
	MHPRESP_001_2_1	VARCHAR2
	MHPRESP_001_2_1_ND	VARCHAR2
MHTERM1_001_2_1	MHTERM1_001_2_1	VARCHAR2
	MHTERM1_001_2_1_ND	VARCHAR2
MHLOC_001_2_1	MHLOC_001_2_1_C	VARCHAR2
	MHLOC_001_2_1	VARCHAR2
	MHLOC_001_2_1_ND	VARCHAR2
MHLAT_001_2_1	MHLAT_001_2_1_C	VARCHAR2
	MHLAT_001_2_1	VARCHAR2
	MHLAT_001_2_1_ND	VARCHAR2
RSORRES_BPDIAG_001_2_1	RSORRES_BPDIAG_001_2_1_C	VARCHAR2
	RSORRES_BPDIAG_001_2_1	VARCHAR2
	RSORRES_BPDIAG_001_2_1_ND	VARCHAR2
X_RSDTC_MHHISDAT_001_2_1	X_RSDTC_MHHISDAT_001_2_1	DATE
	X_RSDTC_MHHISDAT_001_2_1_DTS	VARCHAR2
	X_RSDTC_MHHISDAT_001_2_1_DTR	VARCHAR2
	X_RSDTC_MHHISDAT_001_2_1_ND	VARCHAR2
RSORRES1_PDIAG_001_2_1	RSORRES1_PDIAG_001_2_1_C	VARCHAR2
	RSORRES1_PDIAG_001_2_1	VARCHAR2
	RSORRES1_PDIAG_001_2_1_ND	VARCHAR2
RSORRES1_PDIAG_001_2_1 - X_RSORRES1_PDIAG_001_2_1	X_RSORRES1_PDIAG_001_2_1	VARCHAR2
RSORRES_GRADING_001_2_1	RSORRES_GRADING_001_2_1_C	VARCHAR2
	RSORRES_GRADING_001_2_1	VARCHAR2

	RSORRES_GRADING_001_2_1_ND	VARCHAR2
RSORRES_DSRECTYP_001_2_1	RSORRES_DSRECTYP_001_2_1_C	VARCHAR2
	RSORRES_DSRECTYP_001_2_1	VARCHAR2
	RSORRES_DSRECTYP_001_2_1_ND	VARCHAR2
RSORRES_DISEXNT_001_2_1	RSORRES_DISEXNT_001_2_1_C	VARCHAR2
	RSORRES_DISEXNT_001_2_1	VARCHAR2
	RSORRES_DISEXNT_001_2_1_ND	VARCHAR2
MHSTDTC_001_2_1	MHSTDTC_001_2_1	DATE
	MHSTDTC_001_2_1_DTS	VARCHAR2
	MHSTDTC_001_2_1_DTR	VARCHAR2
	MHSTDTC_001_2_1_ND	VARCHAR2
RSORRES_TNMSTG_001_2_1	RSORRES_TNMSTG_001_2_1_C	VARCHAR2
	RSORRES_TNMSTG_001_2_1	VARCHAR2
	RSORRES_TNMSTG_001_2_1_ND	VARCHAR2
RSORRES_TNMSTGT_001_2_1	RSORRES_TNMSTGT_001_2_1_C	VARCHAR2
	RSORRES_TNMSTGT_001_2_1	VARCHAR2
	RSORRES_TNMSTGT_001_2_1_ND	VARCHAR2
RSORRES_TNMSTGN_001_2_1	RSORRES_TNMSTGN_001_2_1_C	VARCHAR2
	RSORRES_TNMSTGN_001_2_1	VARCHAR2
	RSORRES_TNMSTGN_001_2_1_ND	VARCHAR2
RSORRES_TNMSTGM_001_2_1	RSORRES_TNMSTGM_001_2_1_C	VARCHAR2
	RSORRES_TNMSTGM_001_2_1	VARCHAR2
	RSORRES_TNMSTGM_001_2_1_ND	VARCHAR2
D_COMPTERM3_001_2_1	D_COMPTERM3_001_2_1	VARCHAR2
	D_COMPTERM3_001_2_1_ND	VARCHAR2
MHLLT_001_2_1	MHLLT_001_2_1	VARCHAR2
	MHLLT_001_2_1_ND	VARCHAR2
MHLLTCD_001_2_1	MHLLTCD_001_2_1	VARCHAR2
	MHLLTCD_001_2_1_ND	VARCHAR2
MHDECOD_001_2_1	MHDECOD_001_2_1	VARCHAR2
	MHDECOD_001_2_1_ND	VARCHAR2
MHPTCD_001_2_1	MHPTCD_001_2_1	VARCHAR2
	MHPTCD_001_2_1_ND	VARCHAR2
MHHLT_001_2_1	MHHLT_001_2_1	VARCHAR2
	MHHLT_001_2_1_ND	VARCHAR2
MHHLTCD_001_2_1	MHHLTCD_001_2_1	VARCHAR2
	MHHLTCD_001_2_1_ND	VARCHAR2
MHHLGT_001_2_1	MHHLGT_001_2_1	VARCHAR2
	MHHLGT_001_2_1_ND	VARCHAR2
MHHLGTC_001_2_1	MHHLGTC_001_2_1	VARCHAR2
	MHHLGTC_001_2_1_ND	VARCHAR2
MHSOC_001_2_1	MHSOC_001_2_1	VARCHAR2
	MHSOC_001_2_1_ND	VARCHAR2
MHSOCCD_001_2_1	MHSOCCD_001_2_1	VARCHAR2
	MHSOCCD_001_2_1_ND	VARCHAR2

C4891002: MOLECULAR BIOLOGY OF DISEASE - BIOMARKER HISTORICAL - IHC (MBIO IHC) - Repeating Form [Z_M BIO005_2]

#	Specimen Collection Procedure Date	Sample Source	Sample Site	Molecular Biology of Disease
1				

Molecular Biology of Disease [Z_M BIO01005_2]

1. Specimen Collection Procedure Date:
✓ [Specimen Collection Procedure Date]

[Z_MBIOPDTC_005_2] (DD/MM/YYYY)
Req/Unk ☐ / Req/Unk ☐ / Req ☐ (1930-2034)

2. Sample Source: [read-only]
[Sample Source]

[Z_MBIOSSR_005_2]
[A:5] ☐ TUMOR TISSUE

3. Sample Site:
[Sample Site]

[Z_MBIOLOC_005_2]
[A:146] ☐ BREAST
[A:40] ☐ LIVER
[A:76] ☐ LUNG
[A:77] ☐ SKIN
[A:108] ☐ LYMPH NODE
[A:999] ☐ [Z_MBIOLOCO_CMP_005_2] ☐
OTHER
[Z_MBIOLOCO_005_2]
Specify:
A40 *

Molecular Biology of Disease [Z_M BIO02005_2]

#	Sample Collection Name	Analyte/Biomarker	Analytical Method	Result Value
✓				
4.a	TUMOR TISSUE FOR BIOMARKER	HER2	IHC	

Molecular Biology of Disease Entry [Z_M BIO02005_2]

4.1 Sample Collection Name:
☐ [Sample Collection Name]

[Z_SAMPNAME_005_2]
[A:1] ☐ TUMOR TISSUE FOR BIOMARKER

4.2 Analyte/Biomarker:
☐ [Analyte/Biomarker]

[Z_MBIOANL_005_2]
[A:3] ☐ HER2

4.3 Analytical Method:
☐ [Analytical Method]

[Z_MBIOMTH_005_2]
[A:1] ☐ IHC

4.4 Result Value:
✓ [Result Value]

[Z_MBIOQLR_005_2]
[A:5] ☐ 0
[A:6] ☐ 1+
[A:7] ☐ 2+
[A:8] ☐ 3+
[A:13] ☐ UNKNOWN

Key: [✓] = Source verification required [☐] = Item is collapsible [☐] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_Z_M BIO005_2		
Data Variable RefName	RD Column Name	Column Data Type
Z_MBIOPDTC_005_2	Z_MBIOPDTC_005_2	DATE
	Z_MBIOPDTC_005_2_DTS	VARCHAR2
	Z_MBIOPDTC_005_2_DTR	VARCHAR2
	Z_MBIOPDTC_005_2_ND	VARCHAR2
Z_MBIOSSR_005_2	Z_MBIOSSR_005_2_C	VARCHAR2
	Z_MBIOSSR_005_2	VARCHAR2
	Z_MBIOSSR_005_2_ND	VARCHAR2
Z_MBIOLOC_005_2	Z_MBIOLOC_005_2_C	VARCHAR2
	Z_MBIOLOC_005_2	VARCHAR2
	Z_MBIOLOC_005_2_ND	VARCHAR2

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

Z_MBILOC_005_2 - Z_MBILOCO_005_2	Z_MBILOCO_005_2	VARCHAR2
*RD_Z_MBIO005_2_Z_MBIO02005_2		
Z_SAMPNAME_005_2	Z_SAMPNAME_005_2_C	VARCHAR2
	Z_SAMPNAME_005_2	VARCHAR2
	Z_SAMPNAME_005_2_ND	VARCHAR2
Z_MBIOANL_005_2	Z_MBIOANL_005_2_C	VARCHAR2
	Z_MBIOANL_005_2	VARCHAR2
	Z_MBIOANL_005_2_ND	VARCHAR2
Z_MBIOMTH_005_2	Z_MBIOMTH_005_2_C	VARCHAR2
	Z_MBIOMTH_005_2	VARCHAR2
	Z_MBIOMTH_005_2_ND	VARCHAR2
Z_MBIOQLR_005_2	Z_MBIOQLR_005_2_C	VARCHAR2
	Z_MBIOQLR_005_2	VARCHAR2
	Z_MBIOQLR_005_2_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: MOLECULAR BIOLOGY OF DISEASE - BIOMARKER HISTORICAL - ISH (MBIO ISH) - Repeating Form [Z_MBIO005_3]

#	Specimen Collection Procedure Date	Sample Source	Sample Site	Molecular Biology of Disease
1				

Molecular Biology of Disease [Z_MBIO01005_3]

1.

Specimen Collection Procedure Date:

✓

[Specimen Collection Procedure Date]

[Z_MBIOPDTC_005_3] (DD/MM/YYYY)

Req/Unk

▼

 / Req/Unk

▼

 / Req

▼

 (1930-2034)

2.

Sample Source:

[read-only]

[Sample Source]

[Z_MBIOSSR_005_3]

[A:5]

◯

 TUMOR TISSUE

3.

Sample Site:

[Sample Site]

[Z_MBIOLOC_005_3]

[A:146]

◯

 BREAST

[A:40]

◯

 LIVER

[A:76]

◯

 LUNG

[A:77]

◯

 SKIN

[A:108]

◯

 LYMPH NODE

[A:999]

◯

 [Z_MBIOLOCO_CMP_005_3]

⊞

 OTHER

[Z_MBIOLOCO_005_3]Specify:

A40★

Molecular Biology of Disease [Z_MBIO02005_3]

# ▼	Sample Collection Name	Analyte/Biomarker	Analytical Method	Result Value
4.a	TUMOR TISSUE FOR BIOMARKER	HER2	ISH	

Molecular Biology of Disease Entry [Z_MBIO02005_3]

4.1

Sample Collection Name:

⊞

[Sample Collection Name]

[Z_SAMPNAME_005_3]

[A:1]

◯

 TUMOR TISSUE FOR BIOMARKER

4.2

Analyte/Biomarker:

⊞

[Analyte/Biomarker]

[Z_MBIOANL_005_3]

[A:3]

◯

 HER2

4.3

Analytical Method:

⊞

[Analytical Method]

[Z_MBIOMTH_005_3]

[A:20]

◯

 ISH

4.4

Result Value:

✓

[Result Value]

[Z_MBIOQLR_005_3]

[A:1]

◯

 POSITIVE

[A:2]

◯

 NEGATIVE

[A:13]

◯

 UNKNOWN

Key: [✓] = Source verification required [⊞] = Item is collapsible [⊞⊞] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_Z_MBIO005_3		
Data Variable RefName	RD Column Name	Column Data Type
Z_MBIOPDTC_005_3	Z_MBIOPDTC_005_3	DATE
	Z_MBIOPDTC_005_3_DTS	VARCHAR2
	Z_MBIOPDTC_005_3_DTR	VARCHAR2
	Z_MBIOPDTC_005_3_ND	VARCHAR2
Z_MBIOSSR_005_3	Z_MBIOSSR_005_3_C	VARCHAR2
	Z_MBIOSSR_005_3	VARCHAR2
	Z_MBIOSSR_005_3_ND	VARCHAR2
Z_MBIOLOC_005_3	Z_MBIOLOC_005_3_C	VARCHAR2
	Z_MBIOLOC_005_3	VARCHAR2
	Z_MBIOLOC_005_3_ND	VARCHAR2
Z_MBIOLOC_005_3 - Z_MBIOLOCO_005_3	Z_MBIOLOCO_005_3	VARCHAR2

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00...

3/6/2024

*RD_Z_MBIO005_3_Z_MBIO02005_3		
Z_SAMPNAME_005_3	Z_SAMPNAME_005_3_C	VARCHAR2
	Z_SAMPNAME_005_3	VARCHAR2
	Z_SAMPNAME_005_3_ND	VARCHAR2
Z_MBIOANL_005_3	Z_MBIOANL_005_3_C	VARCHAR2
	Z_MBIOANL_005_3	VARCHAR2
	Z_MBIOANL_005_3_ND	VARCHAR2
Z_MBIOMTH_005_3	Z_MBIOMTH_005_3_C	VARCHAR2
	Z_MBIOMTH_005_3	VARCHAR2
	Z_MBIOMTH_005_3_ND	VARCHAR2
Z_MBIOQLR_005_3	Z_MBIOQLR_005_3_C	VARCHAR2
	Z_MBIOQLR_005_3	VARCHAR2
	Z_MBIOQLR_005_3_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: MOLECULAR BIOLOGY OF DISEASE - BIOMARKER HISTORICAL - SALIVA (MBIO HX SA) - Repeating Form [Z_MBIO005_4]

#	Sample Collection Date	Sample Source	Molecular Biology of Disease			
1						

Molecular Biology of Disease [Z_MBIO01005_4]

1.*	Sample Collection Date: [Sample Collection Date]	[Z_MBIOCDT_005_4] (DD/MM/YYYY) Req/Unk / Req/Unk / Req (1930-2034)				
2.	Sample Source: [read-only] [Sample Source]	[Z_MBIOSSR_005_4] [A:13] SALIVA				

Molecular Biology of Disease [Z_MBIO02005_4]

#	Sample Collection Name	Analyte/Biomarker	Test Descriptor	Result Value	Specific Gene Alteration	Specify
3.a	SALIVA FOR GERMLINE MUT BRCA1/BRCA2		GENE MUTATION			

Molecular Biology of Disease Entry [Z_MBIO02005_4]

3.1	Sample Collection Name: [Sample Collection Name]	[Z_SAMPNAME_005_4] [A:3] SALIVA FOR GERMLINE MUT BRCA1/BRCA2				
3.2	Analyte/Biomarker: [Analyte/Biomarker]	[Z_MBIOANL_005_4] [A:65] BRCA1 [A:66] BRCA2				
3.3	Test Descriptor: [read-only] [Test Descriptor]	[Z_MBIOTDS_005_4] [A:2] GENE MUTATION				
3.4	Result Value: [Result Value]	[Z_MBIOQLR_005_4] [A:1] POSITIVE [A:2] NEGATIVE [A:3] NOT DONE [A:4] UNINFORMATIVE				
3.5	Specific Gene Alteration: [Specific Gene Alteration]	[Z_MBIOGAL_005_4] [A:80] GENOTYPE, SPECIFY				
3.6	Specify: [Specify]	[Z_MBIOGAO_005_4] A80*				

Key: [*] = Item is required [✓] = Source verification required [Fixed] = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_Z_MBIO005_4		
Data Variable RefName	RD Column Name	Column Data Type
Z_MBIOCDT_005_4	Z_MBIOCDT_005_4	DATE
	Z_MBIOCDT_005_4_DTS	VARCHAR2
	Z_MBIOCDT_005_4_DTR	VARCHAR2
	Z_MBIOCDT_005_4_ND	VARCHAR2
Z_MBIOSSR_005_4	Z_MBIOSSR_005_4_C	VARCHAR2
	Z_MBIOSSR_005_4	VARCHAR2
	Z_MBIOSSR_005_4_ND	VARCHAR2
*RD_Z_MBIO005_4_Z_MBIO02005_4		
Z_SAMPNAME_005_4	Z_SAMPNAME_005_4_C	VARCHAR2
	Z_SAMPNAME_005_4	VARCHAR2
	Z_SAMPNAME_005_4_ND	VARCHAR2
Z_MBIOANL_005_4	Z_MBIOANL_005_4_C	VARCHAR2
	Z_MBIOANL_005_4	VARCHAR2
	Z_MBIOANL_005_4_ND	VARCHAR2
Z_MBIOTDS_005_4	Z_MBIOTDS_005_4_C	VARCHAR2

	Z_MBIOTDS_005_4	VARCHAR2
	Z_MBIOTDS_005_4_ND	VARCHAR2
Z_MBIOQLR_005_4	Z_MBIOQLR_005_4_C	VARCHAR2
	Z_MBIOQLR_005_4	VARCHAR2
	Z_MBIOQLR_005_4_ND	VARCHAR2
Z_MBIOGAL_005_4	Z_MBIOGAL_005_4_ND	VARCHAR2
Z_MBIOGAL_005_4 - GENOTYPE, SPECIFY	*Z_MBIOGAL_005_4_CLIMBIOAJGENOTYPESPECIFY_C	VARCHAR2
	*Z_MBIOGAL_005_4_CLIMBIOAJGENOTYPESPECIFY	VARCHAR2
Z_MBIOGAO_005_4	Z_MBIOGAO_005_4	VARCHAR2
	Z_MBIOGAO_005_4_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: MOLECULAR BIOLOGY OF DISEASE - BIOMARKER HISTORICAL - BLOOD (MBIO HX BL) - Repeating Form [Z_MBIO005]										
#	Sample Collection Date	Sample Source	Molecular Biology of Disease							
1										
Molecular Biology of Disease [Z_MBIO01005]										
1.* ✓	Sample Collection Date: [Sample Collection Date]	[Z_MBIOCDT_005] (DD/MM/YYYY) Req/Unk ☐ / Req/Unk ☐ / Req ☐ (1930-2034)								
2.	Sample Source: [read-only] [Sample Source]	[Z_MBIOSSR_005] [A:1] ☒ BLOOD								
Molecular Biology of Disease [Z_MBIO02005]										
# ✓	Sample Collection Name	Analyte/Biomarker	Test Descriptor	Result Value	Specific Gene Alteration	Specify				
3.a	BLOOD FOR CTDNA		GENE MUTATION							
Molecular Biology of Disease Entry [Z_MBIO02005]										
3.1 ☐	Sample Collection Name: [Sample Collection Name]	[Z_SAMPNAME_005] [A:13] ☒ BLOOD FOR CTDNA								
3.2	Analyte/Biomarker: [Analyte/Biomarker]	[Z_MBIOANL_005] [A:65] ☒ BRCA1 [A:66] ☒ BRCA2 [A:25] ☒ PIK3CA [A:537] ☒ PALB2 [A:545] ☒ ESR1								
3.3 ☐	Test Descriptor: [read-only] [Test Descriptor]	[Z_MBIOTDS_005] [A:2] ☒ GENE MUTATION								
3.4 ✓	Result Value: [Result Value]	[Z_MBIOQLR_005] [A:1] ☒ POSITIVE [A:2] ☒ NEGATIVE [A:3] ☒ NOT DONE [A:4] ☒ UNINFORMATIVE								
3.5	Specific Gene Alteration: [Specific Gene Alteration]	[Z_MBIOGAL_005] [A:80] ☐ GENOTYPE, SPECIFY [A:100] ☐ ESR1 - E380Q 1138G>C [A:101] ☐ ESR1 - S463P 1387T>C [A:102] ☐ ESR1 - V534E 1601T>A [A:103] ☐ ESR1 - P535H 1604C>A [A:104] ☐ ESR1 - L536R 1607T>G [A:105] ☐ ESR1 - L536H 1607T>A [A:106] ☐ ESR1 - L536P 1607T>C [A:107] ☐ ESR1 - L536Q 1607-1608TC>AG [A:108] ☐ ESR1 - Y537N 1609T>A [A:109] ☐ ESR1 - Y537S 1610A>C [A:110] ☐ ESR1 - Y537C 1610A>G [A:111] ☐ ESR1 - D538G 1613A>G [A:210] ☐ ESR1 - K303R 908A>G [A:112] ☐ PIK3CA - C420R 1258T>C [A:113] ☐ PIK3CA - E542K 1624G>A [A:114] ☐ PIK3CA - E545K 1633G>A [A:115] ☐ PIK3CA - E545G 1634A>G [A:116] ☐ PIK3CA - Q546K 1636C>A [A:117] ☐ PIK3CA - M1043I 3129G>T [A:118] ☐ PIK3CA - H1047Y 3139C>T [A:119] ☐ PIK3CA - H1047R 3140A>G [A:120] ☐ PIK3CA - H1047L 3140A>T [A:211] ☐ PIK3CA - N345K 1035T>A [A:35] ☐ WILD TYPE [A:34] ☐ MUTATED								

		[A:1] ☐ NOT DONE [A:4] ☐ UNINFORMATIVE
3.6	Specify: ✓ [Specify]	[Z_MBIOGAO_005] A80★
Key: [*] = Item is required [✓] = Source verification required ☐ = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_Z_MBIO005		
Data Variable RefName	RD Column Name	Column Data Type
Z_MBIOCDT_005	Z_MBIOCDT_005	DATE
	Z_MBIOCDT_005_DTS	VARCHAR2
	Z_MBIOCDT_005_DTR	VARCHAR2
	Z_MBIOCDT_005_ND	VARCHAR2
Z_MBIOSSR_005	Z_MBIOSSR_005_C	VARCHAR2
	Z_MBIOSSR_005	VARCHAR2
	Z_MBIOSSR_005_ND	VARCHAR2
RD_Z_MBIO005_Z_MBIO02005		
Z_SAMPNAME_005	Z_SAMPNAME_005_C	VARCHAR2
	Z_SAMPNAME_005	VARCHAR2
	Z_SAMPNAME_005_ND	VARCHAR2
Z_MBIOANL_005	Z_MBIOANL_005_C	VARCHAR2
	Z_MBIOANL_005	VARCHAR2
	Z_MBIOANL_005_ND	VARCHAR2
Z_MBIOTDS_005	Z_MBIOTDS_005_C	VARCHAR2
	Z_MBIOTDS_005	VARCHAR2
	Z_MBIOTDS_005_ND	VARCHAR2
Z_MBIOQLR_005	Z_MBIOQLR_005_C	VARCHAR2
	Z_MBIOQLR_005	VARCHAR2
	Z_MBIOQLR_005_ND	VARCHAR2
Z_MBIOGAL_005	Z_MBIOGAL_005_ND	VARCHAR2
Z_MBIOGAL_005 - GENOTYPE, SPECIFY	*Z_MBIOGAL_005_CLIMBIOAJGENOTYPESPECIFY_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJGENOTYPESPECIFY	VARCHAR2
Z_MBIOGAL_005 - ESR1 - E380Q 1138G>C	*Z_MBIOGAL_005_CLIMBIOAJESR1E380Q1138GGTC_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJESR1E380Q1138GGTC	VARCHAR2
Z_MBIOGAL_005 - ESR1 - S463P 1387T>C	*Z_MBIOGAL_005_CLIMBIOAJESR1S463P1387TGTC_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJESR1S463P1387TGTC	VARCHAR2
Z_MBIOGAL_005 - ESR1 - V534E 1601T>A	*Z_MBIOGAL_005_CLIMBIOAJESR1V534E1601TGTA_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJESR1V534E1601TGTA	VARCHAR2
Z_MBIOGAL_005 - ESR1 - P535H 1604C>A	*Z_MBIOGAL_005_CLIMBIOAJESR1P535H1604CGTA_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJESR1P535H1604CGTA	VARCHAR2
Z_MBIOGAL_005 - ESR1 - L536R 1607T>G	*Z_MBIOGAL_005_CLIMBIOAJESR1L536R1607TGTG_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJESR1L536R1607TGTG	VARCHAR2
Z_MBIOGAL_005 - ESR1 - L536H 1607T>A	*Z_MBIOGAL_005_CLIMBIOAJESR1L536H1607TGTA_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJESR1L536H1607TGTA	VARCHAR2
Z_MBIOGAL_005 - ESR1 - L536P 1607T>C	*Z_MBIOGAL_005_CLIMBIOAJESR1L536P1607TGTC_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJESR1L536P1607TGTC	VARCHAR2

Z_MBIOGAL_005 - ESR1 - L536Q 1607-1608TC>AG	*Z_MBIOGAL_005_CLIMBIOAJESR1L536Q16071608TCGTAG_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJESR1L536Q16071608TCGTAG	VARCHAR2
Z_MBIOGAL_005 - ESR1 - Y537N 1609T>A	*Z_MBIOGAL_005_CLIMBIOAJESR1Y537N1609TGTA_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJESR1Y537N1609TGTA	VARCHAR2
Z_MBIOGAL_005 - ESR1 - Y537S 1610A>C	*Z_MBIOGAL_005_CLIMBIOAJESR1Y537S1610AGTC_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJESR1Y537S1610AGTC	VARCHAR2
Z_MBIOGAL_005 - ESR1 - Y537C 1610A>G	*Z_MBIOGAL_005_CLIMBIOAJESR1Y537C1610AGTG_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJESR1Y537C1610AGTG	VARCHAR2
Z_MBIOGAL_005 - ESR1 - D538G 1613A>G	*Z_MBIOGAL_005_CLIMBIOAJESR1D538G1613AGTG_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJESR1D538G1613AGTG	VARCHAR2
Z_MBIOGAL_005 - ESR1 - K303R 908A>G	*Z_MBIOGAL_005_CLIMBIOAJESR1K303R908AGTG_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJESR1K303R908AGTG	VARCHAR2
Z_MBIOGAL_005 - PIK3CA - C420R 1258T>C	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAC420R1258TGTC_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAC420R1258TGTC	VARCHAR2
Z_MBIOGAL_005 - PIK3CA - E542K 1624G>A	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAE542K1624GGTA_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAE542K1624GGTA	VARCHAR2
Z_MBIOGAL_005 - PIK3CA - E545K 1633G>A	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAE545K1633GGTA_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAE545K1633GGTA	VARCHAR2
Z_MBIOGAL_005 - PIK3CA - E545G 1634A>G	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAE545G1634AGTG_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAE545G1634AGTG	VARCHAR2
Z_MBIOGAL_005 - PIK3CA - Q546K 1636C>A	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAQ546K1636CGTA_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAQ546K1636CGTA	VARCHAR2
Z_MBIOGAL_005 - PIK3CA - M1043I 3129G>T	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAM1043I3129GGTT_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAM1043I3129GGTT	VARCHAR2
Z_MBIOGAL_005 - PIK3CA - H1047Y 3139C>T	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAH1047Y3139CGTT_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAH1047Y3139CGTT	VARCHAR2
Z_MBIOGAL_005 - PIK3CA - H1047R 3140A>G	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAH1047R3140AGTG_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAH1047R3140AGTG	VARCHAR2
Z_MBIOGAL_005 - PIK3CA - H1047L 3140A>T	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAH1047L3140AGTT_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAH1047L3140AGTT	VARCHAR2
Z_MBIOGAL_005 - PIK3CA - N345K 1035T>A	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAN345K1035TGTA_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJPIK3CAN345K1035TGTA	VARCHAR2
Z_MBIOGAL_005 - WILD TYPE	*Z_MBIOGAL_005_CLIMBIOAJWILDTYPE_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJWILDTYPE	VARCHAR2
Z_MBIOGAL_005 - MUTATED	*Z_MBIOGAL_005_CLIMBIOAJMUTATED_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJMUTATED	VARCHAR2
Z_MBIOGAL_005 - NOT DONE	*Z_MBIOGAL_005_CLIMBIOAJNOTDONE_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJNOTDONE	VARCHAR2
Z_MBIOGAL_005 - UNINFORMATIVE	*Z_MBIOGAL_005_CLIMBIOAJUNINFORMATIVE_C	VARCHAR2
	*Z_MBIOGAL_005_CLIMBIOAJUNINFORMATIVE	VARCHAR2
Z_MBIOGAL_005	Z_MBIOGAL_005	VARCHAR2
	Z_MBIOGAL_005_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: MOLECULAR BIOLOGY OF DISEASE - BIOMARKER HISTORICAL - TISSUE (MBIO HX TS) - Repeating Form [Z_MBIO005_1]						
#	Specimen Collection Procedure Date	Sample Source	Sample Site	Molecular Biology of Disease		
1						
Molecular Biology of Disease [Z_MBIO01005_1]						
1.	Specimen Collection Procedure Date: [Specimen Collection Procedure Date]	[Z_MBIOPDTC_005_1] (DD/MM/YYYY) Req/Unk ☐ / Req/Unk ☐ / Req ☐ (1930-2034)				
2.	Sample Source: [read-only] [Sample Source]	[Z_MBIOSSR_005_1] [A:5] ☒ TUMOR TISSUE				
3.	Sample Site: [Sample Site]	[Z_MBIOLOC_005_1] [A:146] ☐ BREAST [A:40] ☐ LIVER [A:76] ☐ LUNG [A:77] ☐ SKIN [A:108] ☐ LYMPH NODE [A:999] ☐ [Z_MBIOLOCO_CMP_005_1] ☐ OTHER [Z_MBIOLOCO_005_1] Specify: A40 *				
Molecular Biology of Disease [Z_MBIO02005_1]						
#	Sample Collection Name	Analyte/Biomarker	Test Descriptor	Result Value	Specific Gene Alteration	Specify
4.a	TUMOR TISSUE FOR BIOMARKER		GENE MUTATION			
Molecular Biology of Disease Entry [Z_MBIO02005_1]						
4.1	Sample Collection Name: [Sample Collection Name]	[Z_SAMPNAME_005_1] [A:1] ☒ TUMOR TISSUE FOR BIOMARKER				
4.2	Analyte/Biomarker: [Analyte/Biomarker]	[Z_MBIOANL_005_1] [A:65] ☐ BRCA1 [A:66] ☐ BRCA2 [A:25] ☐ PIK3CA [A:537] ☐ PALB2 [A:545] ☐ ESR1				
4.3	Test Descriptor: [read-only] [Test Descriptor]	[Z_MBIOTDS_005_1] [A:2] ☒ GENE MUTATION				
4.4	Result Value: [Result Value]	[Z_MBIOQLR_005_1] [A:1] ☐ POSITIVE [A:2] ☐ NEGATIVE [A:3] ☐ NOT DONE [A:4] ☐ UNINFORMATIVE				
4.5	Specific Gene Alteration: [Specific Gene Alteration]	[Z_MBIOGAL_005_1] [A:80] ☐ GENOTYPE, SPECIFY [A:100] ☐ ESR1 - E380Q 1138G>C [A:101] ☐ ESR1 - S463P 1387T>C [A:102] ☐ ESR1 - V534E 1601T>A [A:103] ☐ ESR1 - P535H 1604C>A [A:104] ☐ ESR1 - L536R 1607T>G [A:105] ☐ ESR1 - L536H 1607T>A [A:106] ☐ ESR1 - L536P 1607T>C [A:107] ☐ ESR1 - L536Q 1607-1608TC>AG [A:108] ☐ ESR1 - Y537N 1609T>A [A:109] ☐ ESR1 - Y537S 1610A>C [A:110] ☐ ESR1 - Y537C 1610A>G [A:111] ☐ ESR1 - D538G 1613A>G [A:210] ☐ ESR1 - K303R 908A>G [A:112] ☐ PIK3CA - C420R 1258T>C				

		[A:113] ☐ PIK3CA - E542K 1624G>A [A:114] ☐ PIK3CA - E545K 1633G>A [A:115] ☐ PIK3CA - E545G 1634A>G [A:116] ☐ PIK3CA - Q546K 1636C>A [A:117] ☐ PIK3CA - M1043I 3129G>T [A:118] ☐ PIK3CA - H1047Y 3139C>T [A:119] ☐ PIK3CA - H1047R 3140A>G [A:120] ☐ PIK3CA - H1047L 3140A>T [A:211] ☐ PIK3CA - N345K 1035T>A [A:35] ☐ WILD TYPE [A:34] ☐ MUTATED [A:1] ☐ NOT DONE [A:4] ☐ UNINFORMATIVE
4.6	Specify: ✓ [Specify]	[Z_MBIOGAO_005_1] A80★

Key: [✓] = Source verification required [☐] = Item is collapsible [☒] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_Z_MBIO005_1		
Data Variable RefName	RD Column Name	Column Data Type
Z_MBIOPDTC_005_1	Z_MBIOPDTC_005_1	DATE
	Z_MBIOPDTC_005_1_DTS	VARCHAR2
	Z_MBIOPDTC_005_1_DTR	VARCHAR2
	Z_MBIOPDTC_005_1_ND	VARCHAR2
Z_MBIOSSR_005_1	Z_MBIOSSR_005_1_C	VARCHAR2
	Z_MBIOSSR_005_1	VARCHAR2
	Z_MBIOSSR_005_1_ND	VARCHAR2
Z_MBIOLOC_005_1	Z_MBIOLOC_005_1_C	VARCHAR2
	Z_MBIOLOC_005_1	VARCHAR2
	Z_MBIOLOC_005_1_ND	VARCHAR2
Z_MBIOLOC_005_1 - Z_MBIOLOCO_005_1	Z_MBIOLOCO_005_1	VARCHAR2
*RD_Z_MBIO005_1_Z_MBIO2005_1		
Z_SAMPNAME_005_1	Z_SAMPNAME_005_1_C	VARCHAR2
	Z_SAMPNAME_005_1	VARCHAR2
	Z_SAMPNAME_005_1_ND	VARCHAR2
Z_MBIOANL_005_1	Z_MBIOANL_005_1_C	VARCHAR2
	Z_MBIOANL_005_1	VARCHAR2
	Z_MBIOANL_005_1_ND	VARCHAR2
Z_MBIOTDS_005_1	Z_MBIOTDS_005_1_C	VARCHAR2
	Z_MBIOTDS_005_1	VARCHAR2
	Z_MBIOTDS_005_1_ND	VARCHAR2
Z_MBIOQLR_005_1	Z_MBIOQLR_005_1_C	VARCHAR2
	Z_MBIOQLR_005_1	VARCHAR2
	Z_MBIOQLR_005_1_ND	VARCHAR2
Z_MBIOGAL_005_1	Z_MBIOGAL_005_1_ND	VARCHAR2
Z_MBIOGAL_005_1 - GENOTYPE, SPECIFY	*Z_MBIOGAL_005_1_CLIMBIOAJGENOTYPESPECIFY_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJGENOTYPESPECIFY	VARCHAR2
Z_MBIOGAL_005_1 - ESR1 - E380Q 1138G>C	*Z_MBIOGAL_005_1_CLIMBIOAJESR1E380Q1138GGTC_C	VARCHAR2

	*Z_MBIOGAL_005_1_CLIMBIOAJESR1E380Q1138GGTC	VARCHAR2
Z_MBIOGAL_005_1 - ESR1 - S463P 1387T>C	*Z_MBIOGAL_005_1_CLIMBIOAJESR1S463P1387TGTC_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJESR1S463P1387TGTC	VARCHAR2
Z_MBIOGAL_005_1 - ESR1 - V534E 1601T>A	*Z_MBIOGAL_005_1_CLIMBIOAJESR1V534E1601TGTA_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJESR1V534E1601TGTA	VARCHAR2
Z_MBIOGAL_005_1 - ESR1 - P535H 1604C>A	*Z_MBIOGAL_005_1_CLIMBIOAJESR1P535H1604CGTA_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJESR1P535H1604CGTA	VARCHAR2
Z_MBIOGAL_005_1 - ESR1 - L536R 1607T>G	*Z_MBIOGAL_005_1_CLIMBIOAJESR1L536R1607TGTG_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJESR1L536R1607TGTG	VARCHAR2
Z_MBIOGAL_005_1 - ESR1 - L536H 1607T>A	*Z_MBIOGAL_005_1_CLIMBIOAJESR1L536H1607TGTA_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJESR1L536H1607TGTA	VARCHAR2
Z_MBIOGAL_005_1 - ESR1 - L536P 1607T>C	*Z_MBIOGAL_005_1_CLIMBIOAJESR1L536P1607TGTC_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJESR1L536P1607TGTC	VARCHAR2
Z_MBIOGAL_005_1 - ESR1 - L536Q 1607-1608TC>AG	*Z_MBIOGAL_005_1_CLIMBIOAJESR1L536Q16071608TCGTAG_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJESR1L536Q16071608TCGTAG	VARCHAR2
Z_MBIOGAL_005_1 - ESR1 - Y537N 1609T>A	*Z_MBIOGAL_005_1_CLIMBIOAJESR1Y537N1609TGTA_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJESR1Y537N1609TGTA	VARCHAR2
Z_MBIOGAL_005_1 - ESR1 - Y537S 1610A>C	*Z_MBIOGAL_005_1_CLIMBIOAJESR1Y537S1610AGTC_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJESR1Y537S1610AGTC	VARCHAR2
Z_MBIOGAL_005_1 - ESR1 - Y537C 1610A>G	*Z_MBIOGAL_005_1_CLIMBIOAJESR1Y537C1610AGTG_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJESR1Y537C1610AGTG	VARCHAR2
Z_MBIOGAL_005_1 - ESR1 - D538G 1613A>G	*Z_MBIOGAL_005_1_CLIMBIOAJESR1D538G1613AGTG_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJESR1D538G1613AGTG	VARCHAR2
Z_MBIOGAL_005_1 - ESR1 - K303R 908A>G	*Z_MBIOGAL_005_1_CLIMBIOAJESR1K303R908AGTG_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJESR1K303R908AGTG	VARCHAR2
Z_MBIOGAL_005_1 - PIK3CA - C420R 1258T>C	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAC420R1258TGTC_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAC420R1258TGTC	VARCHAR2
Z_MBIOGAL_005_1 - PIK3CA - E542K 1624G>A	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAE542K1624GGTA_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAE542K1624GGTA	VARCHAR2
Z_MBIOGAL_005_1 - PIK3CA - E545K 1633G>A	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAE545K1633GGTA_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAE545K1633GGTA	VARCHAR2
Z_MBIOGAL_005_1 - PIK3CA - E545G 1634A>G	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAE545G1634AGTG_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAE545G1634AGTG	VARCHAR2
Z_MBIOGAL_005_1 - PIK3CA - Q546K 1636C>A	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAQ546K1636CGTA_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAQ546K1636CGTA	VARCHAR2
Z_MBIOGAL_005_1 - PIK3CA - M1043I 3129G>T	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAM1043I3129GGTT_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAM1043I3129GGTT	VARCHAR2
Z_MBIOGAL_005_1 - PIK3CA - H1047Y 3139C>T	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAH1047Y3139CGTT_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAH1047Y3139CGTT	VARCHAR2
Z_MBIOGAL_005_1 - PIK3CA - H1047R 3140A>G	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAH1047R3140AGTG_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAH1047R3140AGTG	VARCHAR2
Z_MBIOGAL_005_1 - PIK3CA - H1047L 3140A>T	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAH1047L3140AGTT_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAH1047L3140AGTT	VARCHAR2
Z_MBIOGAL_005_1 - PIK3CA - N345K 1035T>A	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAN345K1035TGTA_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJPIK3CAN345K1035TGTA	VARCHAR2
Z_MBIOGAL_005_1 - WILD TYPE	*Z_MBIOGAL_005_1_CLIMBIOAJWILDTYPE_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJWILDTYPE	VARCHAR2

Z_MBIOGAL_005_1 - MUTATED	*Z_MBIOGAL_005_1_CLIMBIOAJMUTATED_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJMUTATED	VARCHAR2
Z_MBIOGAL_005_1 - NOT DONE	*Z_MBIOGAL_005_1_CLIMBIOAJNOTDONE_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJNOTDONE	VARCHAR2
Z_MBIOGAL_005_1 - UNINFORMATIVE	*Z_MBIOGAL_005_1_CLIMBIOAJUNINFORMATIVE_C	VARCHAR2
	*Z_MBIOGAL_005_1_CLIMBIOAJUNINFORMATIVE	VARCHAR2
Z_MBIOGAO_005_1	Z_MBIOGAO_005_1	VARCHAR2
	Z_MBIOGAO_005_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: MOLECULAR BIOLOGY OF DISEASE - MICROSCOPIC FINDINGS - ER (MBIO ER) [MIMBIO004]

Molecular Biology Of Disease-Microscopic Findings [MIMBIO01004]

1.*
✓

Date of sample collection:
[Date of sample collection:]

[Y_MIDTC_004] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (1930-2034)

2.

Specimen Type: *[read-only]*
[Specimen Type:]

[Y_MISPEC_004]

[A:38] ☐ TISSUE

3.

Analyte/Biomarker: *[read-only]*
[Analyte/Biomarker:]

[MITEST_004]

[A:2302] ☐ ESTROGEN RECEPTOR

4.
✓

Sample Site:
[Sample Site:]

[MILOC_004]

[A:146] ☐ BREAST
[A:40] ☐ LIVER
[A:76] ☐ LUNG
[A:77] ☐ SKIN
[A:108] ☐ LYMPH NODE
[A:999] ☐ [SUPPMI_OTHLOC_CMP_004] ☐
OTHER
[SUPPMI_OTHLOC_004]
Specify:
A80*

Completion Status [MIMBIO03004]

# ✓	Quantitative Completion Status:	Quantitative Parameter/Test:	Quantitative Result:	Quantitative Result Unit:
5.a		TUMOR CELLS		%

Completion Status Entry [MIMBIO03004]

5.1
✓

Completion Status:
[Quantitative Completion Status:]

[MISTAT1_004]

[A:1] ☐ NOT DONE

5.2
☐

Quantitative Parameter/Test: *[read-only]*
[Quantitative Parameter/Test:]

[MITSTDTL1_004]

[A:1] ☐ TUMOR CELLS

5.3
✓

Quantitative Result:
[Quantitative Result:]

[MIORRES1_004]

A8*

5.4
☐

Unit: *[read-only]*
[Quantitative Result Unit:]

[MIORRESU_004]

[A:5] ☐ %

Key: [*] = Item is required [✓] = Source verification required ☐ = Item is collapsible ☐ = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_MIMBIO004		
Data Variable RefName	RD Column Name	Column Data Type
Y_MIDTC_004	Y_MIDTC_004	DATE
	Y_MIDTC_004_DTS	VARCHAR2
	Y_MIDTC_004_ND	VARCHAR2
Y_MISPEC_004	Y_MISPEC_004_C	VARCHAR2
	Y_MISPEC_004	VARCHAR2
	Y_MISPEC_004_ND	VARCHAR2
MITEST_004	MITEST_004_C	VARCHAR2
	MITEST_004	VARCHAR2
	MITEST_004_ND	VARCHAR2
MILOC_004	MILOC_004_C	VARCHAR2
	MILOC_004	VARCHAR2
	MILOC_004_ND	VARCHAR2

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00...

3/6/2024

MILOC_004 - SUPPMI_OTHLOC_004	SUPPMI_OTHLOC_004	VARCHAR2
RD_MIMBIO004_MIMBIO03004		
MISTAT1_004	MISTAT1_004_C	VARCHAR2
	MISTAT1_004	VARCHAR2
	MISTAT1_004_ND	VARCHAR2
MITSTDTL1_004	MITSTDTL1_004_C	VARCHAR2
	MITSTDTL1_004	VARCHAR2
	MITSTDTL1_004_ND	VARCHAR2
MIORRES1_004	MIORRES1_004	VARCHAR2
	MIORRES1_004_ND	VARCHAR2
MIORRESU_004	MIORRESU_004_C	VARCHAR2
	MIORRESU_004	VARCHAR2
	MIORRESU_004_ND	VARCHAR2

C4891002: MOLECULAR BIOLOGY OF DISEASE - MICROSCOPIC FINDINGS - PGR (MBIO PGR) [MIMBIO004_1]

Molecular Biology Of Disease-Microscopic Findings [MIMBIO01004_1]

1.*
✓

Date of sample collection:
[Date of sample collection:]

[Y_MIDTC_004_1] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (1930-2034)

2.

Specimen Type: *[read-only]*
[Specimen Type:]

[Y_MISPEC_004_1]

[A:38] ☐ TISSUE

3.

Analyte/Biomarker: *[read-only]*
[Analyte/Biomarker:]

[MITEST_004_1]

[A:2303] ☐ PROGESTERONE RECEPTOR

4.
✓

Sample Site:
[Sample Site:]

[MILOC_004_1]

[A:146] ☐ BREAST
[A:40] ☐ LIVER
[A:76] ☐ LUNG
[A:77] ☐ SKIN
[A:108] ☐ LYMPH NODE
[A:999] ☐ [SUPPMI_OTHLOC_CMP_004_1] ☐
OTHER
[SUPPMI_OTHLOC_004_1]
Specify:
A80*

Completion Status [MIMBIO03004_1]

✓

Quantitative Completion Status:

Quantitative Parameter/Test:

Quantitative Result:

Quantitative Result Unit:

5.a

TUMOR CELLS

%

Completion Status Entry [MIMBIO03004_1]

5.1
✓

Completion Status:
[Quantitative Completion Status:]

[MISTAT1_004_1]

[A:1] ☐ NOT DONE

5.2
☐

Quantitative Parameter/Test: *[read-only]*
[Quantitative Parameter/Test:]

[MITSTDTL1_004_1]

[A:1] ☐ TUMOR CELLS

5.3
✓

Quantitative Result:
[Quantitative Result:]

[MIORRES1_004_1]

A8*

5.4
☐

Unit: *[read-only]*
[Quantitative Result Unit:]

[MIORRESU_004_1]

[A:5] ☐ %

Key: [*] = Item is required [✓] = Source verification required [input type="checkbox"/>] = Item is collapsible ☐ = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_MIMBIO004_1		
Data Variable RefName	RD Column Name	Column Data Type
Y_MIDTC_004_1	Y_MIDTC_004_1	DATE
	Y_MIDTC_004_1_DTS	VARCHAR2
	Y_MIDTC_004_1_ND	VARCHAR2
Y_MISPEC_004_1	Y_MISPEC_004_1_C	VARCHAR2
	Y_MISPEC_004_1	VARCHAR2
	Y_MISPEC_004_1_ND	VARCHAR2
MITEST_004_1	MITEST_004_1_C	VARCHAR2
	MITEST_004_1	VARCHAR2
	MITEST_004_1_ND	VARCHAR2
MILOC_004_1	MILOC_004_1_C	VARCHAR2
	MILOC_004_1	VARCHAR2
	MILOC_004_1_ND	VARCHAR2

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

MILOC_004_1 - SUPPMI_OTHLOC_004_1	SUPPMI_OTHLOC_004_1	VARCHAR2
*RD_MIMBIO004_1_MIMBIO03004_1		
MISTAT1_004_1	MISTAT1_004_1_C	VARCHAR2
	MISTAT1_004_1	VARCHAR2
	MISTAT1_004_1_ND	VARCHAR2
MITSTDTL1_004_1	MITSTDTL1_004_1_C	VARCHAR2
	MITSTDTL1_004_1	VARCHAR2
	MITSTDTL1_004_1_ND	VARCHAR2
MIORRES1_004_1	MIORRES1_004_1	VARCHAR2
	MIORRES1_004_1_ND	VARCHAR2
MIORRESU_004_1	MIORRESU_004_1_C	VARCHAR2
	MIORRESU_004_1	VARCHAR2
	MIORRESU_004_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: MOLECULAR BIOLOGY OF DISEASE - MICROSCOPIC FINDINGS - KI67 (MBIO KI67) [MIMBIO004_3]

Molecular Biology Of Disease-Microscopic Findings [MIMBIO01004_3]

1.*
✓

Date of sample collection:
[Date of sample collection:]

[Y_MIDTC_004_3] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (1930-2034)

2.

Specimen Type: *[read-only]*
[Specimen Type:]

[Y_MISPEC_004_3]

[A:38] ☐ TISSUE

3.

Analyte/Biomarker: *[read-only]*
[Analyte/Biomarker:]

[MITEST_004_3]

[A:6] ☐ KI67

4.
✓

Sample Site:
[Sample Site:]

[MILOC_004_3]

[A:146] ☐ BREAST
[A:40] ☐ LIVER
[A:76] ☐ LUNG
[A:77] ☐ SKIN
[A:108] ☐ LYMPH NODE
[A:999] ☐ [SUPPMI_OTHLOC_CMP_004_3] ☐
OTHER
[SUPPMI_OTHLOC_004_3]
Specify:
A80*

Completion Status [MIMBIO03004_3]

✓

Quantitative Completion Status:

Quantitative Parameter/Test:

Quantitative Result:

Quantitative Result Unit:

5.a

TUMOR CELLS

%

Completion Status Entry [MIMBIO03004_3]

5.1
✓

Completion Status:
[Quantitative Completion Status:]

[MISTAT1_004_3]

[A:1] ☐ NOT DONE

5.2
☐

Quantitative Parameter/Test: *[read-only]*
[Quantitative Parameter/Test:]

[MITSTDTL1_004_3]

[A:1] ☐ TUMOR CELLS

5.3
✓

Quantitative Result:
[Quantitative Result:]

[MIORRES1_004_3]

A8*

5.4
☐

Unit: *[read-only]*
[Quantitative Result Unit:]

[MIORRESU_004_3]

[A:5] ☐ %

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [☐] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_MIMBIO004_3		
Data Variable RefName	RD Column Name	Column Data Type
Y_MIDTC_004_3	Y_MIDTC_004_3	DATE
	Y_MIDTC_004_3_DTS	VARCHAR2
	Y_MIDTC_004_3_ND	VARCHAR2
Y_MISPEC_004_3	Y_MISPEC_004_3_C	VARCHAR2
	Y_MISPEC_004_3	VARCHAR2
	Y_MISPEC_004_3_ND	VARCHAR2
MITEST_004_3	MITEST_004_3_C	VARCHAR2
	MITEST_004_3	VARCHAR2
	MITEST_004_3_ND	VARCHAR2
MILOC_004_3	MILOC_004_3_C	VARCHAR2
	MILOC_004_3	VARCHAR2
	MILOC_004_3_ND	VARCHAR2

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

MILOC_004_3 - SUPPMI_OTHLOC_004_3	SUPPMI_OTHLOC_004_3	VARCHAR2
*RD_MIMBIO004_3_MIMBIO03004_3		
MISTAT1_004_3	MISTAT1_004_3_C	VARCHAR2
	MISTAT1_004_3	VARCHAR2
	MISTAT1_004_3_ND	VARCHAR2
MITSTDTL1_004_3	MITSTDTL1_004_3_C	VARCHAR2
	MITSTDTL1_004_3	VARCHAR2
	MITSTDTL1_004_3_ND	VARCHAR2
MIORRES1_004_3	MIORRES1_004_3	VARCHAR2
	MIORRES1_004_3_ND	VARCHAR2
MIORRESU_004_3	MIORRESU_004_3_C	VARCHAR2
	MIORRESU_004_3	VARCHAR2
	MIORRESU_004_3_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: RESPONSE TO REGIMEN - PRIOR CANCER THERAPY (PR CAN TX) - Repeating Form [CM001_1]							
#	Regimen Number	Best Overall Response	Date Of Best Overall Response	Progression Occurred After Regimen	Response To Regimen		
1							
Overall Response [CM02001_1]							
1.* ✓	Regimen #: [Regimen Number]	[Y_RSREFID_001_1] A8★					
2.* ✓	Best Overall Response: [Best Overall Response]	[RSORRES_BESTRESP_001_1] [RSORRES_BESTRESP_CL_001_1] ▼					
3.* ✓	Date of Best Overall Response: [Date Of Best Overall Response]	[RSDTC_001_1] (DD/MM/YYYY) Req ▼ / Req ▼ / Req ▼ (1930-2034)					
4.* ✓	Did progression occur after this regimen started? [Progression Occurred After Regimen]	[RSORRES_PDAFTRX_001_1] [A:Y] ☐ [RSORRES_PDARXDTCTCMP_001_1] ☐ YES [RSORRES_PDARXDTCTCMP_001_1] (DD/MM/YYYY) Date of documented progression: Req/Unk ▼ / Req/Unk ▼ / Req ▼ (2022-2034) [A:N] ☐ NO [A:U] ☐ UNKNOWN					
Sponsor-Defined Identifier		Category for Medication	Subcategory for Medication	Concomitant Medications Pre-specified	Name of Medication	Start Date	Ongoing
5. ✓							
Response To Regimen Entry [CM01001_1]							
5.1	What is the medication identifier? [read-only] [Sponsor-Defined Identifier]	[CMSPID_001_1] A20★					
5.2	Category: [read-only] [Category for Medication]	[CMCAT_001_1] [A:7] ☐ PRIOR CANCER THERAPY					
5.3	Subcategory: [Subcategory for Medication]	[CMSCAT_001_1] [A:2] ☐ ADJUVANT [A:1] ☐ NEOADJUVANT [A:4] ☐ LOCOREGIONAL DISEASE/RECURRENCE [A:3] ☐ ADVANCED/METASTATIC					
5.4	Concomitant Medications Pre-specified: [read-only] [Concomitant Medications Pre-specified]	[CMPRESP_001_1] [A:N] ☐ NO					
5.5* ✓	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). [Name of Medication]	[CMTRT_001_1] A100★					
5.6* ✓	Start Date: [Start Date]	[CMSTDTC_001_1] (DD/MM/YYYY) Req/Unk ▼ / Req/Unk ▼ / Req ▼ (1930-2034)					
5.7* ✓	Ongoing? [Ongoing]	[X_CMONGO_001_1] [A:Y] ☐ YES [A:N] ☐ [X_CMENDTCTCMP_001_1] ☐ NO [CMENDTCTCMP_001_1] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req/Unk ▼ / Req ▼ (1930-2034) [SUPPCM_CMDISRO_001_1] Reason for Discontinuation: [A:1] ☐ ADVERSE EVENT [A:10] ☐ COMPLETED TREATMENT [A:5] ☐ [SUPPCM_CMDISRO_001_1] OTHER [SUPPCM_CMDISRO_001_1] OTHER, specify: A80★					

5.8	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM1_001_1] A200★
5.9	Standardized Medication Name - Dictionary derived. <i>[hidden]</i> [Standardized Medication Name]	[CMDECOD_001_1] A300★
5.10	Standardized Medication Code - Dictionary derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPCM_CMCODE_001_1] A11★
Key: [*] = Item is required [▼] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: RESPONSE TO REGIMEN - PRIOR CANCER THERAPY		
Type	RefName	Description
Item	RSORRES_BESTRESP_001_1	Best overall response.
Item	CMSPID_001_1	A sponsor-defined reference number.
Item	CMSCAT_001_1	A further categorization of medications/ treatment. Examples: CHEMOTHERAPY, HORMONAL THERAPY, ALTERNATIVE THERAPY.
Item	CMPRESP_001_1	Concomitant Medications Pre-specified
Item	CMTRT_001_1	Name of Medication
Item	CMSTDTC_001_1	Date the medication was first taken
Item	X_CMONGO_001_1	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001_1	Date the subject stopped taking the medication
Item	SUPPCM_CMDSREAS_001_1	Reason the subject discontinued taking the medication
Item	D_COMPTERM1_001_1	Hidden Item needed for clear coding rule.
Item	CMDECOD_001_1	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001_1	Standardized Medication Code - Dictionary derived

Codelist Values Tables: RESPONSE TO REGIMEN - PRIOR CANCER THERAPY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
RSORRES_BESTRESP_CL_001_1	String		CR	1	clRSSTRESC_CR	RSORRES_BESTRESP_001_1
			NON-CR/NON-PD	5	clRSSTRESC_NON_CR_NON_PD	
			NE	4	clRSSTRESC_NE	
			PD	8	clRSSTRESC_PD	
			PR	9	clRSSTRESC_PR	
			SD	10	clRSSTRESC_SD	
			UNKNOWN	11	clRSSTRESC_UNKNOWN	
			NOT APPLICABLE	76	clRSSTRESC_NOT_APPLICABLE	

Coding Summary: RESPONSE TO REGIMEN - PRIOR CANCER THERAPY			
Verbatim RefName: CMTRT_001_1 Dictionary: Pfizer WHODD Verbatim Type:			
Coding Item RefName	Level	Level Type	
CMDECOD_001_1	PT	Term	
SUPPCM_CMCODE_001_1	PT	Code	

RDE Analytics: RD_CM001_1		
Data Variable RefName	RD Column Name	Column Data Type
Y_RSREFID_001_1	Y_RSREFID_001_1	VARCHAR2
	Y_RSREFID_001_1_ND	VARCHAR2
RSORRES_BESTRESP_001_1	RSORRES_BESTRESP_001_1_C	VARCHAR2
	RSORRES_BESTRESP_001_1	VARCHAR2
	RSORRES_BESTRESP_001_1_ND	VARCHAR2
RSDTC_001_1	RSDTC_001_1	DATE
	RSDTC_001_1_DTS	VARCHAR2
	RSDTC_001_1_ND	VARCHAR2
RSORRES_PDAFTRX_001_1	RSORRES_PDAFTRX_001_1_C	VARCHAR2
	RSORRES_PDAFTRX_001_1	VARCHAR2
	RSORRES_PDAFTRX_001_1_ND	VARCHAR2
RSORRES_PDAFTRX_001_1 - RSORRES_PDARXDT_001_1	RSORRES_PDARXDT_001_1	DATE
	RSORRES_PDARXDT_001_1_DTS	VARCHAR2
	RSORRES_PDARXDT_001_1_DTR	VARCHAR2
RD_CM001_1_CM01001_1		
CMSPID_001_1	CMSPID_001_1	VARCHAR2
	CMSPID_001_1_ND	VARCHAR2
CMCAT_001_1	CMCAT_001_1_C	VARCHAR2
	CMCAT_001_1	VARCHAR2
	CMCAT_001_1_ND	VARCHAR2
CMSCAT_001_1	CMSCAT_001_1_C	VARCHAR2
	CMSCAT_001_1	VARCHAR2
	CMSCAT_001_1_ND	VARCHAR2
CMPRESP_001_1	CMPRESP_001_1_C	VARCHAR2
	CMPRESP_001_1	VARCHAR2
	CMPRESP_001_1_ND	VARCHAR2
CMTRT_001_1	CMTRT_001_1	VARCHAR2
	CMTRT_001_1_ND	VARCHAR2
CMSTDTC_001_1	CMSTDTC_001_1	DATE
	CMSTDTC_001_1_DTS	VARCHAR2
	CMSTDTC_001_1_DTR	VARCHAR2
	CMSTDTC_001_1_ND	VARCHAR2
X_CMONGO_001_1	X_CMONGO_001_1_C	VARCHAR2
	X_CMONGO_001_1	VARCHAR2
	X_CMONGO_001_1_ND	VARCHAR2
X_CMONGO_001_1 - CMENDTC_001_1	CMENDTC_001_1	DATE
	CMENDTC_001_1_DTS	VARCHAR2
	CMENDTC_001_1_DTR	VARCHAR2
X_CMONGO_001_1 - SUPPCM_CMDSREAS_001_1	SUPPCM_CMDSREAS_001_1_C	VARCHAR2
	SUPPCM_CMDSREAS_001_1	VARCHAR2
X_CMONGO_001_1 - SUPPCM_CMDISRO_001_1	SUPPCM_CMDISRO_001_1	VARCHAR2
D_COMPTerm1_001_1	D_COMPTerm1_001_1	VARCHAR2
	D_COMPTerm1_001_1_ND	VARCHAR2
CMDECOD_001_1	CMDECOD_001_1	VARCHAR2

	CMDECOD_001_1_ND	VARCHAR2
SUPPCM_CMCODE_001_1	SUPPCM_CMCODE_001_1	VARCHAR2
	SUPPCM_CMCODE_001_1_ND	VARCHAR2

C4891002: NON-DRUG TREATMENTS - PRIOR CANCER SURGERY (PRIOR SURG) - Repeating Form [PR001_4]								
#	Subcategory:	Lesion Number	Treatment	Treatment	Treatment Identifier	Site of Treatment	Start Date	Outcome of Procedure
1								
Non-Drug Treatment [PR01001_4]								
1.	Subcategory: [Subcategory:]		[PRSCAT_001_4] [A:1] ☐ PALLIATIVE [A:2] ☐ CURATIVE IN INTENT					
2.	Lesion Number ✓ [Lesion Number]	[SUPPPR_PRLSNUM_001_4] A3★						
3.	Treatment: [Treatment]	[D_PRTRT_001_4] [A:1] ☐ MASTECTOMY [A:2] ☐ CONTROLATERAL MASTECTOMY [A:3] ☐ LUMPECTOMY [A:4] ☐ QUADRANCTECTOMY [A:5] ☐ AXILLARY DISSECTION [A:6] ☐ SENTINEL LYMPH NODE DISSECTION [A:7] ☐ METASTASECTOMY [A:8] ☐ [D_PRTRTOTH_CMP_001_4] ☐ Other [D_PRTRTOTH_001_4] Specify Other Type of Procedure: A100★						
4.	Treatment: [read-only] [Treatment]	[PRTRT_001_4] A100★						
5.	What is the treatment Identifier? [read-only] [Treatment Identifier]	[PRSPID_001_4] A20★						
6.*	Site of Treatment: ✓ [Site of Treatment]	[PRLOC_001_4] [A:146] ☐ BREAST [A:40] ☐ LIVER [A:76] ☐ LUNG [A:77] ☐ SKIN [A:108] ☐ LYMPH NODE [A:999] ☐ OTHER						
7.*	Start Date: 📅 [Start Date]	[PRSTDTC_001_4] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1930-2034)						
8.*	Outcome of Procedure: [Outcome of Procedure]	[SUPPPR_PROUT_001_4] [A:1] ☐ UNRESECTED [A:2] ☐ RESECTED [A:3] ☐ BIOPSY [A:4] ☐ PARTIALLY RESECTED [A:6] ☐ UNKNOWN						
9.	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM5_001_4] A200★						
10.	Lowest Level Term [hidden] [Lowest Level Term]	[SUPPPR_PRLLT_001_4] A100★						
11.	Lowest Level Term Code [hidden] [Lowest Level Term Code]	[SUPPPR_PRLLTCD_001_4] A8★						
12.	Dictionary Derived Term [hidden] [Dictionary Derived Term]	[PRDECOD_001_4]						

		A100★
13.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPPR_PRPTCD_001_4] A8★
14.	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001_4] A100★
15.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPPR_PRHLTCD_001_4] A8★
16.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001_4] A100★
17.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTC_001_4] A8★
18.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001_4] A100★
19.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_4] A8★
Key: [*] = Item is required [✓] = Source verification required [⊖] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: NON-DRUG TREATMENTS - PRIOR CANCER SURGERY		
Type	RefName	Description
Form	PR001_4	PR001 - NON-DRUG TREATMENTS
Item	SUPPPR_PRLSNUM_001_4	Lesion Number
Item	PRTRT_001_4	Verbatim name of the treatment.
Item	PRLOC_001_4	Body site of where the treatment was given.
Item	PRSTDTC_001_4	Date the treatment was started
Item	D_COMPTERM5_001_4	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001_4	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLLTCD_001_4	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001_4	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001_4	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001_4	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001_4	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001_4	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTC_001_4	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001_4	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001_4	Dictionary-derived code for the primary System Organ Class.

Keys (navigation)/Uniqueness: NON-DRUG TREATMENTS - PRIOR CANCER SURGERY		
Item	Unique	Order #
PR001_4 (Repeating form)		
PR01001_4		
PRSTDTC_001_4	None	1

Coding Summary: NON-DRUG TREATMENTS - PRIOR CANCER SURGERY

Verbatim RefName: PRTRT_001_4		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001_4	SOC	Term
SUPPPR_PRSOCCD_001_4	SOC	Code
SUPPPR_PRHLGT_001_4	HLGT	Term
SUPPPR_PRHLGTC_001_4	HLGT	Code
SUPPPR_PRHLT_001_4	HLT	Term
SUPPPR_PRHLTCD_001_4	HLT	Code
PRDECOD_001_4	PT	Term
SUPPPR_PRPTCD_001_4	PT	Code
SUPPPR_PRLLT_001_4	LLT	Term
SUPPPR_PRLLTCD_001_4	LLT	Code

RDE Analytics: RD_PR001_4		
Data Variable RefName	RD Column Name	Column Data Type
PRSCAT_001_4	PRSCAT_001_4_C	VARCHAR2
	PRSCAT_001_4	VARCHAR2
	PRSCAT_001_4_ND	VARCHAR2
SUPPPR_PRLSNUM_001_4	SUPPPR_PRLSNUM_001_4	VARCHAR2
	SUPPPR_PRLSNUM_001_4_ND	VARCHAR2
D_PRTRT_001_4	D_PRTRT_001_4_C	VARCHAR2
	D_PRTRT_001_4	VARCHAR2
	D_PRTRT_001_4_ND	VARCHAR2
D_PRTRT_001_4 - D_PRTRTOTH_001_4	D_PRTRTOTH_001_4	VARCHAR2
PRTRT_001_4	PRTRT_001_4	VARCHAR2
	PRTRT_001_4_ND	VARCHAR2
PRSPID_001_4	PRSPID_001_4	VARCHAR2
	PRSPID_001_4_ND	VARCHAR2
PRLOC_001_4	PRLOC_001_4_C	VARCHAR2
	PRLOC_001_4	VARCHAR2
	PRLOC_001_4_ND	VARCHAR2
PRSTDTC_001_4	PRSTDTC_001_4	DATE
	PRSTDTC_001_4_DTS	VARCHAR2
	PRSTDTC_001_4_DTR	VARCHAR2
	PRSTDTC_001_4_ND	VARCHAR2
SUPPPR_PROUT_001_4	SUPPPR_PROUT_001_4_C	VARCHAR2
	SUPPPR_PROUT_001_4	VARCHAR2
	SUPPPR_PROUT_001_4_ND	VARCHAR2
D_COMPTERM5_001_4	D_COMPTERM5_001_4	VARCHAR2
	D_COMPTERM5_001_4_ND	VARCHAR2
SUPPPR_PRLLT_001_4	SUPPPR_PRLLT_001_4	VARCHAR2
	SUPPPR_PRLLT_001_4_ND	VARCHAR2
SUPPPR_PRLLTCD_001_4	SUPPPR_PRLLTCD_001_4	VARCHAR2
	SUPPPR_PRLLTCD_001_4_ND	VARCHAR2
PRDECOD_001_4	PRDECOD_001_4	VARCHAR2
	PRDECOD_001_4_ND	VARCHAR2

SUPPPR_PRPTCD_001_4	SUPPPR_PRPTCD_001_4	VARCHAR2
	SUPPPR_PRPTCD_001_4_ND	VARCHAR2
SUPPPR_PRHLT_001_4	SUPPPR_PRHLT_001_4	VARCHAR2
	SUPPPR_PRHLT_001_4_ND	VARCHAR2
SUPPPR_PRHLTCD_001_4	SUPPPR_PRHLTCD_001_4	VARCHAR2
	SUPPPR_PRHLTCD_001_4_ND	VARCHAR2
SUPPPR_PRHLGT_001_4	SUPPPR_PRHLGT_001_4	VARCHAR2
	SUPPPR_PRHLGT_001_4_ND	VARCHAR2
SUPPPR_PRHLGTC_001_4	SUPPPR_PRHLGTC_001_4	VARCHAR2
	SUPPPR_PRHLGTC_001_4_ND	VARCHAR2
SUPPPR_PRSOC_001_4	SUPPPR_PRSOC_001_4	VARCHAR2
	SUPPPR_PRSOC_001_4_ND	VARCHAR2
SUPPPR_PRSOCCD_001_4	SUPPPR_PRSOCCD_001_4	VARCHAR2
	SUPPPR_PRSOCCD_001_4_ND	VARCHAR2

C4891002: RADIATION TREATMENT - PRIOR (PRIOR RT) - Repeating Form [PR001_1]							
#	Subcategory	Lesion Number	Treatment	Treatment Identifier	Site of Treatment	Start Date	Ongoing?
1							
Radiation Treatment [PR01001_1]							
1.	Subcategory: [Subcategory]		[PRSCAT_001_1] [A:1] ☐ PALLIATIVE [A:2] ☐ CURATIVE IN INTENT				
2.	Lesion Number: [Lesion Number]		[SUPPPR_PRLSNM_001_1] A3★				
3.*	Treatment: [Treatment]		[PRTRT_001_1] A100★				
4.	What is the treatment Identifier? [read-only] [Treatment Identifier]		[PRSPID_001_1] A20★				
5.*	Site of Treatment: [Site of Treatment]		[PRLOC_001_1] [PRLOC_CL_001_1] ▼				
6.*	Start Date: [Start Date]		[PRSTDTC_001_1] (DD/MM/YYYY) Req/Unk ▼ / Req/Unk ▼ / Req ▼ (1930-2034)				
7.*	Ongoing? [Ongoing?]		[X_PRONGO_001_1] [A:N] ☐ [X_PRENDTC_CMP_001_1] ☐ NO [PRENDTC_001_1] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req/Unk ▼ / Req ▼ (1930-2034)				
8.	Comparison Term [hidden] [Comparison Term]		[D_COMPTERM5_001_1] A200★				
9.	Lowest Level Term [hidden] [Lowest Level Term]		[SUPPPR_PRLLT_001_1] A100★				
10.	Lowest Level Term Code [hidden] [Lowest Level Term Code]		[SUPPPR_PRLTCD_001_1] A8★				
11.	Dictionary Derived Term [hidden] [Dictionary Derived Term]		[PRDECOD_001_1] A100★				
12.	Preferred Term Code [hidden] [Preferred Term Code]		[SUPPPR_PRPTCD_001_1] A8★				
13.	High Level Term [hidden] [High Level Term]		[SUPPPR_PRHLT_001_1] A100★				
14.	High Level Term Code [hidden] [High Level Term Code]		[SUPPPR_PRHLTCD_001_1] A8★				
15.	High Level Group Term [hidden] [High Level Group Term]		[SUPPPR_PRHLGT_001_1] A100★				
16.	High Level Group Term Code [hidden] [High Level Group Term Code]		[SUPPPR_PRHLGTC_001_1] A8★				
17.	Primary System Organ Class [hidden] [Primary System Organ Class]		[SUPPPR_PRSOC_001_1] A100★				

18.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_1] A8★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: RADIATION TREATMENT - PRIOR		
Type	RefName	Description
Form	PR001_1	PR001 - NON-DRUG TREATMENTS
Item	SUPPPR_PRLSNUM_001_1	Lesion Number
Item	PRTRT_001_1	Verbatim name of the treatment.
Item	PRLOC_001_1	Body site of where the treatment was given.
Item	PRSTDTC_001_1	Date the treatment was started
Item	X_PRONGO_001_1	Indicates the treatment is ongoing when no End Date is provided
Item	PRENDTC_001_1	Date the treatment was stopped.
Item	D_COMPTERM5_001_1	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001_1	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLTCD_001_1	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001_1	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001_1	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001_1	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001_1	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001_1	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTCD_001_1	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001_1	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001_1	Dictionary-derived code for the primary System Organ Class.

Keys (navigation)/Uniqueness: RADIATION TREATMENT - PRIOR		
Item	Unique	Order #
PR001_1 (Repeating form)		
PR01001_1		
PRSTDTC_001_1	None	1

Codelist Values Tables: RADIATION TREATMENT - PRIOR						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
PRLOC_CL_001_1	String		BREAST	146	cliLOC_BREAST	PRLOC_001_1
			CHEST WALL	291	cliLOC_CHEST_WALL	
			LYMPH NODE	108	cliLOC_LYMPH_NODE	
			BRAIN	71	cliLOC_BRAIN	
			SCAPULA	118	cliLOC_SCAPULA	
			CLAVICLE	91	cliLOC_CLAVICLE	
			FEMUR	98	cliLOC_FEMUR	
			HUMERUS	104	cliLOC_HUMERUS	
			RIB	117	cliLOC_RIB	
			PELVIC BONE	228	cliLOC_PELVIC_BONE	
			MEDIASTINUM	109	cliLOC_MEDIASTINUM	
			PERITONEUM	116	cliLOC_PERITONEUM	

			STERNUM	122	cliLOC_STERNUM
			CERVICAL VERTEBRA	90	cliLOC_CERVICAL_VERTEBRA
			LUMBAR VERTEBRA	107	cliLOC_LUMBAR_VERTEBRA
			THORACIC VERTEBRA	124	cliLOC_THORACIC_VERTEBRA
			SACRAL VERTEBRA	136	cliLOC_SACRAL_VERTEBRA
			COCCYGEAL VERTEBRA	179	cliLOC_COCCYGEAL_VERTEBRA
			OTHER	999	cliLOC_OTHER

Coding Summary: RADIATION TREATMENT - PRIOR

Verbatim RefName: PRTRT_001_1 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001_1	SOC	Term
SUPPPR_PRSOCCD_001_1	SOC	Code
SUPPPR_PRHLGT_001_1	HLGT	Term
SUPPPR_PRHLGTC_001_1	HLGT	Code
SUPPPR_PRHLT_001_1	HLT	Term
SUPPPR_PRHLTCD_001_1	HLT	Code
PRDECOD_001_1	PT	Term
SUPPPR_PRPTCD_001_1	PT	Code
SUPPPR_PRLLT_001_1	LLT	Term
SUPPPR_PRLLTCD_001_1	LLT	Code

RDE Analytics: RD_PR001_1		
Data Variable RefName	RD Column Name	Column Data Type
PRSCAT_001_1	PRSCAT_001_1_C	VARCHAR2
	PRSCAT_001_1	VARCHAR2
	PRSCAT_001_1_ND	VARCHAR2
SUPPPR_PRLSNUM_001_1	SUPPPR_PRLSNUM_001_1	VARCHAR2
	SUPPPR_PRLSNUM_001_1_ND	VARCHAR2
PRTRT_001_1	PRTRT_001_1	VARCHAR2
	PRTRT_001_1_ND	VARCHAR2
PRSPID_001_1	PRSPID_001_1	VARCHAR2
	PRSPID_001_1_ND	VARCHAR2
PRLOC_001_1	PRLOC_001_1_C	VARCHAR2
	PRLOC_001_1	VARCHAR2
	PRLOC_001_1_ND	VARCHAR2
PRSTDTC_001_1	PRSTDTC_001_1	DATE
	PRSTDTC_001_1_DTS	VARCHAR2
	PRSTDTC_001_1_DTR	VARCHAR2
	PRSTDTC_001_1_ND	VARCHAR2
X_PRONGO_001_1	X_PRONGO_001_1_C	VARCHAR2
	X_PRONGO_001_1	VARCHAR2
	X_PRONGO_001_1_ND	VARCHAR2
X_PRONGO_001_1 - PRENDTC_001_1	PRENDTC_001_1	DATE
	PRENDTC_001_1_DTS	VARCHAR2
	PRENDTC_001_1_DTR	VARCHAR2

D_COMPTERM5_001_1	D_COMPTERM5_001_1	VARCHAR2
	D_COMPTERM5_001_1_ND	VARCHAR2
SUPPPR_PRLLT_001_1	SUPPPR_PRLLT_001_1	VARCHAR2
	SUPPPR_PRLLT_001_1_ND	VARCHAR2
SUPPPR_PRLTCD_001_1	SUPPPR_PRLTCD_001_1	VARCHAR2
	SUPPPR_PRLTCD_001_1_ND	VARCHAR2
PRDECOD_001_1	PRDECOD_001_1	VARCHAR2
	PRDECOD_001_1_ND	VARCHAR2
SUPPPR_PRPTCD_001_1	SUPPPR_PRPTCD_001_1	VARCHAR2
	SUPPPR_PRPTCD_001_1_ND	VARCHAR2
SUPPPR_PRHLT_001_1	SUPPPR_PRHLT_001_1	VARCHAR2
	SUPPPR_PRHLT_001_1_ND	VARCHAR2
SUPPPR_PRHLTCD_001_1	SUPPPR_PRHLTCD_001_1	VARCHAR2
	SUPPPR_PRHLTCD_001_1_ND	VARCHAR2
SUPPPR_PRHLGT_001_1	SUPPPR_PRHLGT_001_1	VARCHAR2
	SUPPPR_PRHLGT_001_1_ND	VARCHAR2
SUPPPR_PRHLGTC_001_1	SUPPPR_PRHLGTC_001_1	VARCHAR2
	SUPPPR_PRHLGTC_001_1_ND	VARCHAR2
SUPPPR_PRSOC_001_1	SUPPPR_PRSOC_001_1	VARCHAR2
	SUPPPR_PRSOC_001_1_ND	VARCHAR2
SUPPPR_PRSOCCD_001_1	SUPPPR_PRSOCCD_001_1	VARCHAR2
	SUPPPR_PRSOCCD_001_1_ND	VARCHAR2

C4891002: VITAL SIGNS (VITALS) [VS001]

Vital Signs [VS01001]

1.

Category for Vital Signs: *[read-only]*
[Category for Vital Signs]

[VSCAT_001]
[A:1] ☐ VITAL SIGNS

2.*

Date:
[Date]

[VSDTC_001] (DD/MM/YYYY)
Req ☒ / Req ☒ / Req ☒ (2022-2034)

3.*

Weight:
[Weight]

[VSORRES_WEIGHT_001]
xxxxx.

4.*

Unit:
[Weight Unit]

[VSORRESU_WEIGHT_001]
[A:9] ☐ kg
[A:11] ☐ LB

5.*

Height:
[Height]

[VSORRES_HEIGHT_001]
xxxxx.

6.*

Unit:
[Height Unit]

[VSORRESU_HEIGHT_001]
[A:5] ☐ cm
[A:8] ☐ in

7.

Body Mass Index: *[read-only]*
[Body Mass Index]

[VSORRES_BMI_001]
xxxx.

Vital Signs Details [VS02001]

▼

Record Identifier

Systolic Blood Pressure*

Diastolic Blood Pressure*

BP Position

Pulse*

8.a

1

SITTING

Vital Signs Details Entry [VS02001]

8.1

Record Identifier: *[read-only]*
[Record Identifier]

[VSSPID_001]
[A:1] ☐ 1

8.2*

Systolic BP:
[Systolic Blood Pressure]

[VSORRES_SYSBP_001]
N3

8.3*

Diastolic BP:
[Diastolic Blood Pressure]

[VSORRES_DIABP_001]
N3

8.4

BP Position: *[read-only]*
[BP Position]

[VSPOS_BP_001]
[A:1] ☐ SITTING

8.5*

Pulse in beats/minute:
[Pulse]

[VSORRES_PULSE_001]
N3

Key: [*] = Item is required [▼] = Source verification required ☒ = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS		
Type	RefName	Description
Form	VS001	VS001 - Vital Signs - Wide Format
Item	VSDTC_001	The date the measurement was performed.
Item	VSORRES_WEIGHT_001	Weight
Item	VSORRESU_WEIGHT_001	Weight Unit
Item	VSORRES_HEIGHT_001	Height
Item	VSORRESU_HEIGHT_001	Height Unit
Item	VSORRES_BMI_001	Body Mass Index in kg/m2.
Item	VSSPID_001	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_SYSBP_001	Systolic Blood Pressure collected in mmHg

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00...

3/6/2024

Item	VSORRES_DIABP_001	Diastolic Blood Pressure in mmHg
Item	VSPOS_BP_001	Blood Pressure Position
Item	VSORRES_PULSE_001	Pulse Rate in beats/minute.

RDE Analytics: RD_VS001		
Data Variable RefName	RD Column Name	Column Data Type
VSCAT_001	VSCAT_001_C	VARCHAR2
	VSCAT_001	VARCHAR2
	VSCAT_001_ND	VARCHAR2
VSDTC_001	VSDTC_001	DATE
	VSDTC_001_DTS	VARCHAR2
	VSDTC_001_ND	VARCHAR2
VSORRES_WEIGHT_001	VSORRES_WEIGHT_001	FLOAT
	VSORRES_WEIGHT_001_ND	VARCHAR2
VSORRESU_WEIGHT_001	VSORRESU_WEIGHT_001_C	VARCHAR2
	VSORRESU_WEIGHT_001	VARCHAR2
	VSORRESU_WEIGHT_001_ND	VARCHAR2
VSORRES_HEIGHT_001	VSORRES_HEIGHT_001	FLOAT
	VSORRES_HEIGHT_001_ND	VARCHAR2
VSORRESU_HEIGHT_001	VSORRESU_HEIGHT_001_C	VARCHAR2
	VSORRESU_HEIGHT_001	VARCHAR2
	VSORRESU_HEIGHT_001_ND	VARCHAR2
VSORRES_BMI_001	VSORRES_BMI_001	FLOAT
	VSORRES_BMI_001_ND	VARCHAR2
RD_VS001_VS02001		
VSSPID_001	VSSPID_001_C	VARCHAR2
	VSSPID_001	VARCHAR2
	VSSPID_001_ND	VARCHAR2
VSORRES_SYSBP_001	VSORRES_SYSBP_001	NUMBER
	VSORRES_SYSBP_001_ND	VARCHAR2
VSORRES_DIABP_001	VSORRES_DIABP_001	NUMBER
	VSORRES_DIABP_001_ND	VARCHAR2
VSPOS_BP_001	VSPOS_BP_001_C	VARCHAR2
	VSPOS_BP_001	VARCHAR2
	VSPOS_BP_001_ND	VARCHAR2
VSORRES_PULSE_001	VSORRES_PULSE_001	NUMBER
	VSORRES_PULSE_001_ND	VARCHAR2

C4891002: ECOG PERFORMANCE STATUS (ECOG) [QSPFM005]		
Ecog Performance Status [QSPFM01005]		
1.*	Date of assessment: [ECOG Assessment Date]	[QSDTC_005] (DD/MM/YYYY) Req ▼ / Req ▼ / Req ▼ (2022-2034)
2.* ✓	ECOG Performance Status (0-5): [ECOG Performance Status]	[QSORRES_ECOG101_005] 0 <= N1 <= 5
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: ECOG PERFORMANCE STATUS		
Type	RefName	Description
Form	QSPFM005	ECOG PERFORMANCE STATUS
Section	QSPFM01005	sctPFM001_01

RDE Analytics: RD_QSPFM005		
Data Variable RefName	RD Column Name	Column Data Type
QSDTC_005	QSDTC_005	DATE
	QSDTC_005_DTS	VARCHAR2
	QSDTC_005_ND	VARCHAR2
QSORRES_ECOG101_005	QSORRES_ECOG101_005	NUMBER
	QSORRES_ECOG101_005_ND	VARCHAR2

C4891002: LOCALLY READ ECGs (LOCAL ECG) [EG001]

Locally Read ECGs [EG01001]

1.*
✓

ECG Date:
[ECG Date]

[EGDTC_001] (DD/MM/YYYY hh:mm)

Req ☐ / Req ☐ / Req ☐ (2022-2034)

Req ☐ : Req ☐ 24-hour clock

2.*
✓

Was ECG:
[ECG Interpretation]

[EGORRES_INTP_001]

[A:1] ☐ [SUPPEG_EGCLSIG_CMP_001] ☐

ABNORMAL

[SUPPEG_EGCLSIG_001]

If abnormal, was the overall ECG clinically significant?

[A:Y] ☐ [SUPPEG_EGCOM_CMP_001] ☐

YES

[CO_EGCOM_001]

Comments on significant findings: (If clinically significant, record on the Adverse Event page, Medical History page)

A200*

[A:N] ☐ NO

[A:3] ☐ NORMAL

[A:5] ☐ NOT EVALUABLE

3.

Method: [read-only]
[ECG Method]

[EGMETHOD_001]

[A:10] ☐ 12 LEAD STANDARD

ECG Results [EG02001]

# ✓	ECG Test Name	Result*	Unit
4.a	RR INTERVAL NOT OTHERWISE SPECIFIED		msec
4.b	QTC INTERVAL NOT OTHERWISE SPECIFIED		msec
4.c	QT INTERVAL NOT OTHERWISE SPECIFIED		msec
4.d	PR INTERVAL NOT OTHERWISE SPECIFIED		msec
4.e	QRS INTERVAL NOT OTHERWISE SPECIFIED		msec

ECG Results Entry [EG02001]

4.1
☐

ECG Test Name: [read-only]
[ECG Test Name]

[EGTEST_001]

[A:900] ☐ RR INTERVAL NOT OTHERWISE SPECIFIED

[A:901] ☐ QTC INTERVAL NOT OTHERWISE SPECIFIED

[A:902] ☐ QT INTERVAL NOT OTHERWISE SPECIFIED

[A:903] ☐ PR INTERVAL NOT OTHERWISE SPECIFIED

[A:904] ☐ QRS INTERVAL NOT OTHERWISE SPECIFIED

4.2*
✓

Result:
[Result]

[EGORRES_001]

A200*

4.3
☐

Unit:
[Unit]

[EGORRESU_001]

[A:14] ☐ msec

Key: [*] = Item is required [✓] = Source verification required ☐ = Item is collapsible ☐ = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: LOCALLY READ ECGs		
Type	RefName	Description
Form	EG001	EG001 - Centrally Read ECGs
Item	EGDTC_001	Date of ECG.
Item	EGORRES_INTP_001	ECG Interpretation - Normal, Abnormal, Not Evaluable.

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

Item	SUPPEG_EGCLSIG_001	Whether ECG results were clinically significant. Need a rule as EGCLSIG is completed only if EGNABN = "ABNORMAL" or "INDETERMINATE"
Item	CO_EGCOM_001	Comments on Significant ECG Findings
Item	EGMETHOD_001	ECG Method
Item	EGTEST_001	Name of ECG Measurement, test or examination. Long name for EGTESTCD.
Item	EGORRES_001	Result of the measurement or finding as originally received or collected.
Item	EGORRESU_001	Original units in which the data were collected.

RDE Analytics: RD_EG001		
Data Variable RefName	RD Column Name	Column Data Type
EGDTC_001	EGDTC_001	DATE
	EGDTC_001_DTS	VARCHAR2
	EGDTC_001_ND	VARCHAR2
EGORRES_INTP_001	EGORRES_INTP_001_C	VARCHAR2
	EGORRES_INTP_001	VARCHAR2
	EGORRES_INTP_001_ND	VARCHAR2
EGORRES_INTP_001 - SUPPEG_EGCLSIG_001	SUPPEG_EGCLSIG_001_C	VARCHAR2
	SUPPEG_EGCLSIG_001	VARCHAR2
EGORRES_INTP_001 - CO_EGCOM_001	CO_EGCOM_001	VARCHAR2
EGMETHOD_001	EGMETHOD_001_C	VARCHAR2
	EGMETHOD_001	VARCHAR2
	EGMETHOD_001_ND	VARCHAR2
RD_EG001_EG02001		
EGTEST_001	EGTEST_001_C	VARCHAR2
	EGTEST_001	VARCHAR2
	EGTEST_001_ND	VARCHAR2
EGORRES_001	EGORRES_001	VARCHAR2
	EGORRES_001_ND	VARCHAR2
EGORRESU_001	EGORRESU_001_C	VARCHAR2
	EGORRESU_001	VARCHAR2
	EGORRESU_001_ND	VARCHAR2

C4891002: LOCALLY READ ECGs REPEATING (LOCALECGR) - Repeating Form [EG001_3]				
#	ECG Method	Sponsor-Defined Identifier	ECG Date Time:	ECG Interpretation
1				
Locally Read ECGs Repeating [EG01001_3]				
1.	Method: <i>[read-only]</i> [ECG Method]	[EGMETHOD_001_3] [A:10] ☐ 12 LEAD STANDARD		
2.	Repeat Number: [Sponsor-Defined Identifier]	[EGSPID_001_3] [A:1] ☐ 1ST ECG READING [A:2] ☐ 2ND ECG READING [A:3] ☐ 3RD ECG READING		
3.* ✓	ECG Date Time: [ECG Date Time:]	[EGDTC_001_3] (DD/MM/YYYY hh:mm) Req ☐ / Req ☐ / Req ☐ (2023-2034) Req ☐ : Req ☐ 24-hour clock		
4.* ✓	Was ECG: [ECG Interpretation]	[EGORRES_INT_P_001_3] [A:3] ☐ NORMAL [A:5] ☐ NOT EVALUABLE [A:1] ☐ [SUPPEG_EGCLSIG_CMP_001_3] ☐ ABNORMAL [SUPPEG_EGCLSIG_001_3] If abnormal, was the overall ECG clinically significant? [A:Y] ☐ [SUPPEG_EGCOM_CMP_001_3] ☐ YES [CO_EGCOM_001_3] Comments on significant findings: (If clinically significant, record on the [insert protocol specific requirement e.g. Adverse Event page, Medical History page, Sign and Symptoms of Disease page]) A200* [A:N] ☐ NO		
ECG Results [EG02001_3]				
# ✓	ECG Test Name		Result*	Unit
5.a	RR INTERVAL NOT OTHERWISE SPECIFIED			msec
5.b	QTC INTERVAL NOT OTHERWISE SPECIFIED			msec
5.c	QT INTERVAL NOT OTHERWISE SPECIFIED			msec
5.d	PR INTERVAL NOT OTHERWISE SPECIFIED			msec
5.e	QRS INTERVAL NOT OTHERWISE SPECIFIED			msec
ECG Results Entry [EG02001_3]				
5.1 	ECG Test Name: [ECG Test Name]	[EGTEST_001_3] [A:900] ☐ RR INTERVAL NOT OTHERWISE SPECIFIED [A:901] ☐ QTC INTERVAL NOT OTHERWISE SPECIFIED [A:902] ☐ QT INTERVAL NOT OTHERWISE SPECIFIED [A:903] ☐ PR INTERVAL NOT OTHERWISE SPECIFIED [A:904] ☐ QRS INTERVAL NOT OTHERWISE SPECIFIED		
5.2* ✓	Result: [Result]	[EGORRES_001_3] A200* 		
5.3 	Unit: <i>[read-only]</i> [Unit]	[EGORRESU_001_3] [A:14] ☐ msec		
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.				

Study Object Descriptions: LOCALLY READ ECGs REPEATING		
Type	RefName	Description
Form	EG001_3	EG001 - LOCALLY READ ECGs
Item	EGMETHOD_001_3	ECG Method
Item	EGSPID_001_3	Sponsor-defined reference identifier. Used to order replicate assessments within a single grouping (EGGRPID). Must be unique within a group (e.g., 1, 2, 3), but may repeat across groups.
Item	EGDTC_001_3	Date of ECG.
Item	EGORRES_INTP_001_3	ECG Interpretation - Normal, Abnormal, Not Evaluable.
Item	SUPPEG_EGCLSIG_001_3	Whether ECG results were clinically significant. Need a rule as EGCLSIG is completed only if EGNABN = "ABNORMAL" or "INDETERMINATE"
Item	CO_EGCOM_001_3	Comments on Significant ECG Findings
Item	EGTEST_001_3	Name of ECG Measurement, test or examination. Long name for EGTESTCD.
Item	EGORRES_001_3	Result of the measurement or finding as originally received or collected.
Item	EGORRESU_001_3	Original units in which the data were collected.

RDE Analytics: RD_EG001_3		
Data Variable RefName	RD Column Name	Column Data Type
EGMETHOD_001_3	EGMETHOD_001_3_C	VARCHAR2
	EGMETHOD_001_3	VARCHAR2
	EGMETHOD_001_3_ND	VARCHAR2
EGSPID_001_3	EGSPID_001_3_C	VARCHAR2
	EGSPID_001_3	VARCHAR2
	EGSPID_001_3_ND	VARCHAR2
EGDTC_001_3	EGDTC_001_3	DATE
	EGDTC_001_3_DTS	VARCHAR2
	EGDTC_001_3_ND	VARCHAR2
EGORRES_INTP_001_3	EGORRES_INTP_001_3_C	VARCHAR2
	EGORRES_INTP_001_3	VARCHAR2
	EGORRES_INTP_001_3_ND	VARCHAR2
EGORRES_INTP_001_3 - SUPPEG_EGCLSIG_001_3	SUPPEG_EGCLSIG_001_3_C	VARCHAR2
	SUPPEG_EGCLSIG_001_3	VARCHAR2
EGORRES_INTP_001_3 - CO_EGCOM_001_3	CO_EGCOM_001_3	VARCHAR2
RD_EG001_3_EG02001_3		
EGTEST_001_3	EGTEST_001_3_C	VARCHAR2
	EGTEST_001_3	VARCHAR2
	EGTEST_001_3_ND	VARCHAR2
EGORRES_001_3	EGORRES_001_3	VARCHAR2
	EGORRES_001_3_ND	VARCHAR2
EGORRESU_001_3	EGORRESU_001_3_C	VARCHAR2
	EGORRESU_001_3	VARCHAR2
	EGORRESU_001_3_ND	VARCHAR2

C4891002: LAB IDENTIFICATION (LAB ID) [D_LBINF001]		
Lab Identification [D_LBINF01001]		
1.*	Lab Name and Address [Vendor Name]	[D_LBNAM1_001] A200★
2.* ✓	LAB ID [LAB ID]	[D_SUPPLB_LBUID1_001] A50★
Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_LBINF001		
Data Variable RefName	RD Column Name	Column Data Type
D_LBNAM1_001	D_LBNAM1_001	VARCHAR2
	D_LBNAM1_001_ND	VARCHAR2
D_SUPPLB_LBUID1_001	D_SUPPLB_LBUID1_001	VARCHAR2
	D_SUPPLB_LBUID1_001_ND	VARCHAR2

C4891002: LAB HEMATOLOGY (LAB HEM) [LB001_1]

Central Lab Sample Collection [LB01001_1]

1.*
✓

Collection Date:
[Collection Date]

[LBDTC_001_1] (DD/MM/YYYY)

Req

▼

 / Req

▼

 / Req

▼

 (2022-2034)

2.*
✓

Lab From Initial Visit:
[Lab From Initial Visit]

[SUPPLB_LBINRC_001_1]

[A:1]

○

 Same as SCREENING LAB

[A:2]

○

 [SUPPLB_LBINRC_CMP_001_1]

⊞

OTHER LAB

[D_LBNAM_001_1]

Laboratory Name and Address:

A200★

[D_SUPPLB_LBUID_001_1]

Lab ID:

A50★

3.

Laboratory Name and Address (Derived): [read-only]
[Vendor Name (DERIVED)]

[LBNAM_001_1]

A200★

4.

Lab ID (Derived): [read-only]
[Lab ID (Derived)]

[SUPPLB_LBUID_001_1]

A50★

5.

Specimen Type: [read-only]
[Specimen Type]

[LBSPEC_001_1]

[A:7]

○

 BLOOD

6.

Lab Panel: [read-only]
[Category for Lab Test]

[LBCAT_001_1]

[A:1]

○

 HEMATOLOGY

Lab Result [LB03001_1]

# ✓	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
7.a		Hemoglobin_PX1			
7.b		Platelets_PX5			
7.c		Leukocytes_PX7			
7.d		Neutrophils_PX608			
7.e		Neutrophils/Leukocytes_PX8			

Lab Result Entry [LB03001_1]

7.1

Sponsor ID: [read-only]
[Sponsor-Defined Identifier]

[LBSPID_001_1]

N8

7.2

Test: [read-only]

⊞

 [Test]

[LBTEST_001_1]

[A:1]

○

 Hemoglobin_PX1

[A:5]

○

 Platelets_PX5

[A:7]

○

 Leukocytes_PX7

[A:608]

○

 Neutrophils_PX608

[A:8]

○

 Neutrophils/Leukocytes_PX8

7.3

Result:
✓ [Result]

[LBORRES_001_1]

A30★

7.4

Not Done:
✓ [Not Done:]

[LBSTAT_001_1]

[A:1]

○

 NOT DONE

7.5

LNMT [read-only]
[LNMT]

[X_LNMTFLAG_CMP_001_1]

[LBORNRO_001_1]

Low

A20★

[LBORRHI_001_1]

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

Study Object Descriptions: LAB HEMATOLOGY		
Type	RefName	Description
Item	LBDC_001_1	Date of specimen collection.
Item	SUPPLB_LBINRC_001_1	Lab from initial/most recent visit
Item	D_LBNAM_001_1	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_1	Field needed for LNMT integration
Item	LBSPEC_001_1	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBCAT_001_1	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSPID_001_1	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_1	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBORRES_001_1	Result of the measurement or finding as originally received or collected.
Item	LBSTAT_001_1	Used to indicate test was not done.
Item	LBORNRLO_001_1	LNMT field
Item	LBORNRHI_001_1	LNMT field
Item	LBORRESU_001_1	LNMT field
Item	X_LNMTFLAG_001_1	LNMT field

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTW3G.RQ5/7E88DTY4.JTE/orac..90.0 919f856034ae8f10 00... 3/6/2024

	LBCAT_001_1_ND	VARCHAR2
RD_LB001_1_LB03001_1		
LBSPID_001_1	LBSPID_001_1	NUMBER
	LBSPID_001_1_ND	VARCHAR2
LBTEST_001_1	LBTEST_001_1_C	VARCHAR2
	LBTEST_001_1	VARCHAR2
	LBTEST_001_1_ND	VARCHAR2
LBORRES_001_1	LBORRES_001_1	VARCHAR2
	LBORRES_001_1_ND	VARCHAR2
LBSTAT_001_1	LBSTAT_001_1_C	VARCHAR2
	LBSTAT_001_1	VARCHAR2
	LBSTAT_001_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_1	X_LNMTFLAG_CMP_001_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_1 - LBORNRO_001_1	LBORNRO_001_1	VARCHAR2
X_LNMTFLAG_CMP_001_1 - LBORNRI_001_1	LBORNRI_001_1	VARCHAR2
X_LNMTFLAG_CMP_001_1 - LBORRESU_001_1	LBORRESU_001_1	VARCHAR2
X_LNMTFLAG_CMP_001_1 - X_LNMTFLAG_001_1	X_LNMTFLAG_001_1	VARCHAR2

C4891002: LAB CHEMISTRY- SCREENING (LAB CHEM) [LB001]

Central Lab Sample Collection [LB01001]

1.

Lab Panel: *[read-only]*
[Category for Lab Test]

[LBCAT_001]
[A:2] ☐ CLINICAL CHEMISTRY

2.*
✓

Lab From Initial Visit:
[Lab From Initial Visit]

[SUPPLB_LBINRC_001]
[A:1] ☐ Same as SCREENING LAB
[A:2] ☐ [SUPPLB_LBINRC_CMP_001] ☐
OTHER LAB
[D_LBNAM_001]
Laboratory Name and Address:
A200★

[D_SUPPLB_LBUID_001]
Lab ID:
A50★

3.

Laboratory Name and Address (Derived): *[read-only]*
[Vendor Name (DERIVED)]

[LBNAM_001]
A200★

4.

Lab ID (Derived): *[read-only]*
[Lab ID (Derived)]

[SUPPLB_LBUID_001]
A50★

5.

Specimen Type: *[read-only]*
[Specimen Type]

[LBSPEC_001]
[A:7] ☐ BLOOD

6.*
✓

Collection Date:
[Collection Date]

[LBDTC_001] (DD/MM/YYYY)
Req ☐ / Req ☐ / Req ☐ (2022-2034)

7.*

Fasting?
[Fasting Status]

[LBFAST_001]
[A:Y] ☐ YES
[A:N] ☐ NO

Lab Result [LB03001]

# ✓	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
8.a		Alanine Aminotransferase_PX30			
8.b		Aspartate Aminotransferase_PX28			
8.c		Alkaline Phosphatase_PX35			
8.d		Sodium_PX54			
8.e		Potassium_PX55			
8.f		Magnesium_PX199			
8.g		Calcium_PX58			
8.h		Bilirubin_PX21			
8.i		Urea_PX46			
8.j		Blood Urea Nitrogen_PX47			
8.k		Creatinine_PX48			
8.l		Albumin_PX25			
8.m		Glucose_PX67			
8.n		eGFR from Creatinine CKD-EPI equation_PX4490			

Lab Result Entry [LB03001]

8.1

Sponsor ID: *[read-only]*
[Sponsor-Defined Identifier]

[LBSPID_001]
N8

8.2

Test: *[read-only]*

[LBTEST_001]

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

	[Test]	[LBTEST_CL_001]
8.3 ✓	Result: [Result]	[LBORRES_001] A20★
8.4 ✓	Not Done: [Not Done:]	[LBSTAT_001] [A:1] ☐ NOT DONE
8.5	LNMT <i>[read-only]</i> [LNMT]	[X_LNMTFLAG_CMP_001] [LBORNRLO_001] Low A20★ [LBORNRHI_001] High A20★ [LBORRESU_001] Unit A20★ [X_LNMTFLAG_001] Flag A20★

Key: [★] = Item is required [✓] = Source verification required [] = Item is collapsible = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: LAB CHEMISTRY- SCREENING		
Type	RefName	Description
Item	LBCAT_001	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001	Lab from initial/most recent visit
Item	D_LBNAM_001	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001	Field needed for LNMT integration
Item	LBSPEC_001	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001	Date of specimen collection.
Item	LBFAST_001	Indicator used to identify fasting status.
Item	LBSPID_001	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001	Used to indicate test was not done.
Item	LBORNRLO_001	LNMT field
Item	LBORNRHI_001	LNMT field
Item	LBORRESU_001	LNMT field
Item	X_LNMTFLAG_001	LNMT field

Codelist Values Tables: LAB CHEMISTRY- SCREENING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001	String		Alanine Aminotransferase_PX30	30	cliLBTEST_Alanine_Aminotransferase_PX30	LBTEST_001
			Aspartate Aminotransferase_PX28	28	cliLBTEST_Aspartate_Aminotransferase_PX28	
			Alkaline Phosphatase_PX35	35	cliLBTEST_Alkaline_Phosphatase_PX35	
			Sodium_PX54	54	cliLBTEST_Sodium_PX54	
			Potassium_PX55	55	cliLBTEST_Potassium_PX55	
			Magnesium_PX199	199	cliLBTEST_Magnesium_PX199	
			Calcium_PX58	58	cliLBTEST_Calcium_PX58	
			Bilirubin_PX21	21	cliLBTEST_Bilirubin_PX21	
			Blood Urea Nitrogen_PX47	47	cliLBTEST_Blood_Urea_Nitrogen_PX47	

		Urea_PX46	46	cliLBTEST_Urea_PX46	
		Creatinine_PX48	48	cliLBTEST_Creatinine_PX48	
		Albumin_PX25	25	cliLBTEST_Albumin_PX25	
		Glucose_PX67	67	cliLBTEST_Glucose_PX67	
		eGFR from Creatinine CKD-EPI equation_PX4490	4490	cliLBTEST_eGFR_from_Creatinine_CKD_EPI_equation_PX4490	

RDE Analytics: RD_LB001		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001	LBCAT_001_C	VARCHAR2
	LBCAT_001	VARCHAR2
	LBCAT_001_ND	VARCHAR2
SUPPLB_LBINRC_001	SUPPLB_LBINRC_001_C	VARCHAR2
	SUPPLB_LBINRC_001	VARCHAR2
	SUPPLB_LBINRC_001_ND	VARCHAR2
SUPPLB_LBINRC_001 - D_LBNAM_001	D_LBNAM_001	VARCHAR2
SUPPLB_LBINRC_001 - D_SUPPLB_LBUID_001	D_SUPPLB_LBUID_001	VARCHAR2
LBNAM_001	LBNAM_001	VARCHAR2
	LBNAM_001_ND	VARCHAR2
SUPPLB_LBUID_001	SUPPLB_LBUID_001	VARCHAR2
	SUPPLB_LBUID_001_ND	VARCHAR2
LBSPEC_001	LBSPEC_001_C	VARCHAR2
	LBSPEC_001	VARCHAR2
	LBSPEC_001_ND	VARCHAR2
LBDTC_001	LBDTC_001	DATE
	LBDTC_001_DTS	VARCHAR2
	LBDTC_001_ND	VARCHAR2
LBFAST_001	LBFAST_001_C	VARCHAR2
	LBFAST_001	VARCHAR2
	LBFAST_001_ND	VARCHAR2
RD_LB001_LB03001		
LBSPID_001	LBSPID_001	NUMBER
	LBSPID_001_ND	VARCHAR2
LBTEST_001	LBTEST_001_C	VARCHAR2
	LBTEST_001	VARCHAR2
	LBTEST_001_ND	VARCHAR2
LBORRES_001	LBORRES_001	VARCHAR2
	LBORRES_001_ND	VARCHAR2
LBSTAT_001	LBSTAT_001_C	VARCHAR2
	LBSTAT_001	VARCHAR2
	LBSTAT_001_ND	VARCHAR2
X_LNMTFLAG_CMP_001	X_LNMTFLAG_CMP_001_ND	VARCHAR2
X_LNMTFLAG_CMP_001 - LBORNRLO_001	LBORNRLO_001	VARCHAR2
X_LNMTFLAG_CMP_001 - LBORNRHI_001	LBORNRHI_001	VARCHAR2
X_LNMTFLAG_CMP_001 - LBORRESU_001	LBORRESU_001	VARCHAR2
X_LNMTFLAG_CMP_001 - X_LNMTFLAG_001	X_LNMTFLAG_001	VARCHAR2

C4891002: LAB CHEMISTRY- FSH SCREENING (LAB FSH) [LB001_13]

Central Lab Sample Collection [LB01001_13]

1.

Lab Panel: *[read-only]*
[Category for Lab Test]

[LBCAT_001_13]
[A:2] ☒ CLINICAL CHEMISTRY

2.*
✓

Lab From Initial Visit:
[Lab From Initial Visit]

[SUPPLB_LBINRC_001_13]
[A:1] ☒ Same as SCREENING LAB
[A:2] ☒ [SUPPLB_LBINRC_CMP_001_13]

OTHER LAB
[D_LBNAM_001_13]
Laboratory Name and Address:

A200*

[D_SUPPLB_LBUID_001_13]
Lab ID:

A50*

3.

Laboratory Name and Address (Derived): *[read-only]*
[Vendor Name (DERIVED)]

[LBNAM_001_13]
A200*

4.

Lab ID (Derived): *[read-only]*
[Lab ID (Derived)]

[SUPPLB_LBUID_001_13]
A50*

5.

Specimen Type: *[read-only]*
[Specimen Type]

[LBSPEC_001_13]
[A:7] ☒ BLOOD

6.*
✓

Collection Date:
[Collection Date]

[LBDTC_001_13] (DD/MM/YYYY)
Req ☒ / Req ☒ / Req ☒ (2022-2034)

7.*

Fasting?
[Fasting Status]

[LBFAST_001_13]
[A:Y] ☒ YES
[A:N] ☒ NO

Lab Result [LB03001_13]

# ✓	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
8.a		Follicle Stimulating Hormone_PX387			

Lab Result Entry [LB03001_13]

8.1

Sponsor ID: *[read-only]*
[Sponsor-Defined Identifier]

[LBSPID_001_13]
N8

8.2

Test: *[read-only]*
[Test]

[LBTEST_001_13]
[A:387] ☒ Follicle Stimulating Hormone_PX387

8.3
✓

Result:
[Result]

[LBORRES_001_13]
A20*

8.4
✓

Not Done:
[Not Done:]

[LBSTAT_001_13]
[A:1] ☒ NOT DONE

8.5

LNMT *[read-only]*
[LNMT]

[X_LNMTFLAG_CMP_001_13]
[LBORNRLO_001_13]
Low
A20*

[LBORNRHI_001_13]
High
A20*

[LBORRESU_001_13]
Unit
A20*

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

			[X_LNMTFLAG_001_13] Flag A20★
Key: [*] = Item is required [✓] = Source verification required [□] = Item is collapsible [📁] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.			

Study Object Descriptions: LAB CHEMISTRY- FSH SCREENING		
Type	RefName	Description
Item	LBCAT_001_13	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_13	Lab from initial/most recent visit
Item	D_LBNAM_001_13	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_13	Field needed for LNMT integration
Item	LBSPEC_001_13	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_13	Date of specimen collection.
Item	LBFAST_001_13	Indicator used to identify fasting status.
Item	LBSPID_001_13	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_13	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_13	Used to indicate test was not done.
Item	LBORNRO_001_13	LNMT field
Item	LBORNRHI_001_13	LNMT field
Item	LBORRESU_001_13	LNMT field
Item	X_LNMTFLAG_001_13	LNMT field

RDE Analytics: RD_LB001_13		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_13	LBCAT_001_13_C	VARCHAR2
	LBCAT_001_13	VARCHAR2
	LBCAT_001_13_ND	VARCHAR2
SUPPLB_LBINRC_001_13	SUPPLB_LBINRC_001_13_C	VARCHAR2
	SUPPLB_LBINRC_001_13	VARCHAR2
	SUPPLB_LBINRC_001_13_ND	VARCHAR2
SUPPLB_LBINRC_001_13 - D_LBNAM_001_13	D_LBNAM_001_13	VARCHAR2
SUPPLB_LBINRC_001_13 - D_SUPPLB_LBUID_001_13	D_SUPPLB_LBUID_001_13	VARCHAR2
LBNAM_001_13	LBNAM_001_13	VARCHAR2
	LBNAM_001_13_ND	VARCHAR2
SUPPLB_LBUID_001_13	SUPPLB_LBUID_001_13	VARCHAR2
	SUPPLB_LBUID_001_13_ND	VARCHAR2
LBSPEC_001_13	LBSPEC_001_13_C	VARCHAR2
	LBSPEC_001_13	VARCHAR2
	LBSPEC_001_13_ND	VARCHAR2
LBDTC_001_13	LBDTC_001_13	DATE
	LBDTC_001_13_DTS	VARCHAR2
	LBDTC_001_13_ND	VARCHAR2
LBFAST_001_13	LBFAST_001_13_C	VARCHAR2
	LBFAST_001_13	VARCHAR2
	LBFAST_001_13_ND	VARCHAR2

RD_LB001_13_LB03001_13		
LBSPID_001_13	LBSPID_001_13	NUMBER
	LBSPID_001_13_ND	VARCHAR2
LBTEST_001_13	LBTEST_001_13_C	VARCHAR2
	LBTEST_001_13	VARCHAR2
	LBTEST_001_13_ND	VARCHAR2
LBORRES_001_13	LBORRES_001_13	VARCHAR2
	LBORRES_001_13_ND	VARCHAR2
LBSTAT_001_13	LBSTAT_001_13_C	VARCHAR2
	LBSTAT_001_13	VARCHAR2
	LBSTAT_001_13_ND	VARCHAR2
X_LNMTFLAG_CMP_001_13	X_LNMTFLAG_CMP_001_13_ND	VARCHAR2
X_LNMTFLAG_CMP_001_13 - LBORNRO_001_13	LBORNRO_001_13	VARCHAR2
X_LNMTFLAG_CMP_001_13 - LBORNRI_001_13	LBORNRI_001_13	VARCHAR2
X_LNMTFLAG_CMP_001_13 - LBORRESU_001_13	LBORRESU_001_13	VARCHAR2
X_LNMTFLAG_CMP_001_13 - X_LNMTFLAG_001_13	X_LNMTFLAG_001_13	VARCHAR2

C4891002: LAB HEMATOLOGY - COAGULATION (LAB COAG) [LB001_1_2]

Central Lab Sample Collection [LB01001_1_2]

1.*
✓

Collection Date:
[Collection Date]

[LBDTC_001_1_2] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2022-2034)

2.*
✓

Lab From Initial Visit:
[Lab From Initial Visit]

[SUPPLB_LBINRC_001_1_2]

[A:1] ☐ Same as SCREENING LAB

[A:2] ☐ [SUPPLB_LBINRC_CMP_001_1_2] ☐

OTHER LAB

[D_LBNAM_001_1_2]

Laboratory Name and Address:

A200*

[D_SUPPLB_LBUID_001_1_2]

Lab ID:

A50*

3.

Laboratory Name and Address (Derived): [read-only]
[Vendor Name (DERIVED)]

[LBNAM_001_1_2]

A200*

4.

Lab ID (Derived): [read-only]
[Lab ID (Derived)]

[SUPPLB_LBUID_001_1_2]

A50*

5.

Specimen Type: [read-only]
[Specimen Type]

[LBSPEC_001_1_2]

[A:7] ☐ BLOOD

6.

Lab Panel: [read-only]
[Category for Lab Test]

[LBCAT_001_1_2]

[A:1] ☐ HEMATOLOGY

7.

Lab Sub-Panel: [read-only]
[Subcategory for Lab Test]

[LBSCAT_001_1_2]

[A:4] ☐ COAGULATION

Lab Result [LB03001_1_2]

# ✓	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
8.a		Prothrombin Time_PX19			
8.b		Prothrombin Intl. Normalized Ratio_PX704			
8.c		Activated Partial Thromboplastin Time_PX127			

Lab Result Entry [LB03001_1_2]

8.1

Sponsor ID: [read-only]
[Sponsor-Defined Identifier]

[LBSPID_001_1_2]

N8

8.2

Test: [read-only]
[Test]

[LBTEST_001_1_2]

[A:19] ☐ Prothrombin Time_PX19

[A:704] ☐ Prothrombin Intl. Normalized Ratio_PX704

[A:127] ☐ Activated Partial Thromboplastin Time_PX127

8.3

Result:
✓ [Result]

[LBORRES_001_1_2]

A30*

8.4

Not Done:
✓ [Not Done:]

[LBSTAT_001_1_2]

[A:1] ☐ NOT DONE

8.5

LNMT [read-only]
[LNMT]

[X_LNMTFLAG_CMP_001_1_2]

[LBORNLO_001_1_2]

Low

A20*

[LBORNRI_001_1_2]

High

A20*

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

		[LBORRESU_001_1_2] Unit A20★ [X_LNMTFLAG_001_1_2] Flag A20★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LAB HEMATOLOGY - COAGULATION		
Type	RefName	Description
Item	LBDTC_001_1_2	Date of specimen collection.
Item	SUPPLB_LBINRC_001_1_2	Lab from initial/most recent visit
Item	D_LBNAM_001_1_2	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_1_2	Field needed for LNMT integration
Item	LBSPEC_001_1_2	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBCAT_001_1_2	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSCAT_001_1_2	Used to define a sub-category of related laboratory records (e.g. Electrolytes, Liver Function).
Item	LBSPID_001_1_2	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_1_2	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBORRES_001_1_2	Result of the measurement or finding as originally received or collected.
Item	LBSTAT_001_1_2	Used to indicate test was not done.
Item	LBORNRL0_001_1_2	LNMT field
Item	LBORNRHI_001_1_2	LNMT field
Item	LBORRESU_001_1_2	LNMT field
Item	X_LNMTFLAG_001_1_2	LNMT field

RDE Analytics: RD_LB001_1_2

Data Variable RefName	RD Column Name	Column Data Type
LBDTC_001_1_2	LBDTC_001_1_2	DATE
	LBDTC_001_1_2_DTS	VARCHAR2
	LBDTC_001_1_2_ND	VARCHAR2
SUPPLB_LBINRC_001_1_2	SUPPLB_LBINRC_001_1_2_C	VARCHAR2
	SUPPLB_LBINRC_001_1_2	VARCHAR2
	SUPPLB_LBINRC_001_1_2_ND	VARCHAR2
SUPPLB_LBINRC_001_1_2 - D_LBNAM_001_1_2	D_LBNAM_001_1_2	VARCHAR2
SUPPLB_LBINRC_001_1_2 - D_SUPPLB_LBUID_001_1_2	D_SUPPLB_LBUID_001_1_2	VARCHAR2
LBNAM_001_1_2	LBNAM_001_1_2	VARCHAR2
	LBNAM_001_1_2_ND	VARCHAR2
SUPPLB_LBUID_001_1_2	SUPPLB_LBUID_001_1_2	VARCHAR2
	SUPPLB_LBUID_001_1_2_ND	VARCHAR2
LBSPEC_001_1_2	LBSPEC_001_1_2_C	VARCHAR2
	LBSPEC_001_1_2	VARCHAR2
	LBSPEC_001_1_2_ND	VARCHAR2
LBCAT_001_1_2	LBCAT_001_1_2_C	VARCHAR2
	LBCAT_001_1_2	VARCHAR2
	LBCAT_001_1_2_ND	VARCHAR2

LBSCAT_001_1_2	LBSCAT_001_1_2_C	VARCHAR2
	LBSCAT_001_1_2	VARCHAR2
	LBSCAT_001_1_2_ND	VARCHAR2
RD_LB001_1_2_LB03001_1_2		
LBSPID_001_1_2	LBSPID_001_1_2	NUMBER
	LBSPID_001_1_2_ND	VARCHAR2
LBTEST_001_1_2	LBTEST_001_1_2_C	VARCHAR2
	LBTEST_001_1_2	VARCHAR2
	LBTEST_001_1_2_ND	VARCHAR2
LBORRES_001_1_2	LBORRES_001_1_2	VARCHAR2
	LBORRES_001_1_2_ND	VARCHAR2
LBSTAT_001_1_2	LBSTAT_001_1_2_C	VARCHAR2
	LBSTAT_001_1_2	VARCHAR2
	LBSTAT_001_1_2_ND	VARCHAR2
X_LNMTFLAG_CMP_001_1_2	X_LNMTFLAG_CMP_001_1_2_ND	VARCHAR2
X_LNMTFLAG_CMP_001_1_2 - LBORNRLO_001_1_2	LBORNRLO_001_1_2	VARCHAR2
X_LNMTFLAG_CMP_001_1_2 - LBORNRHI_001_1_2	LBORNRHI_001_1_2	VARCHAR2
X_LNMTFLAG_CMP_001_1_2 - LBORRESU_001_1_2	LBORRESU_001_1_2	VARCHAR2
X_LNMTFLAG_CMP_001_1_2 - X_LNMTFLAG_001_1_2	X_LNMTFLAG_001_1_2	VARCHAR2

C4891002: LAB CHEMISTRY - LIPIDS (LAB LIP) [LB001_16]

Central Lab Sample Collection [LB01001_16]

1.

Lab Panel: *[read-only]*
[Category for Lab Test]

[LBCAT_001_16]
[A:2] ☒ CLINICAL CHEMISTRY

2.*
✓

Lab From Initial Visit:
[Lab From Initial Visit]

[SUPPLB_LBINRC_001_16]
[A:1] ☒ Same as SCREENING LAB
[A:2] ☒ [SUPPLB_LBINRC_CMP_001_16]

OTHER LAB
[D_LBNAM_001_16]
Laboratory Name and Address:

A200*

[D_SUPPLB_LBUID_001_16]
Lab ID:

A50*

3.

Laboratory Name and Address (Derived): *[read-only]*
[Vendor Name (DERIVED)]

[LBNAM_001_16]

A200*

4.

Lab ID (Derived): *[read-only]*
[Lab ID (Derived)]

[SUPPLB_LBUID_001_16]

A50*

5.

Specimen Type: *[read-only]*
[Specimen Type]

[LBSPEC_001_16]
[A:7] ☒ BLOOD

6.*
✓

Collection Date:
[Collection Date]

[LBDTC_001_16] (DD/MM/YYYY)
Req ☒ / Req ☒ / Req ☒ (2022-2034)

7.*
✓

Fasting?
[Fasting Status]

[LBFAST_001_16]
[A:Y] ☒ YES
[A:N] ☐ NO

Lab Result [LB03001_16]

# ✓	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
8.a		Triglycerides_PX64			
8.b		Cholesterol_PX350			
8.c		HDL Cholesterol_PX457			
8.d		LDL Cholesterol_PX463			

Lab Result Entry [LB03001_16]

8.1

Sponsor ID: *[read-only]*
[Sponsor-Defined Identifier]

[LBSPID_001_16]

N8

8.2

Test: *[read-only]*
[Test]

[LBTEST_001_16]
[A:64] ☐ Triglycerides_PX64
[A:350] ☐ Cholesterol_PX350
[A:457] ☐ HDL Cholesterol_PX457
[A:463] ☐ LDL Cholesterol_PX463

8.3
✓

Result:
[Result]

[LBORRES_001_16]

A20*

8.4
✓

Not Done:
[Not Done:]

[LBSTAT_001_16]
[A:1] ☐ NOT DONE

8.5

LNMT *[read-only]*
[LNMT]

[X_LNMTFLAG_CMP_001_16]
[LBORNRLO_001_16]
Low

A20*

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

		[LBORNRHI_001_16] High A20★ [LBORRESU_001_16] Unit A20★ [X_LNMTFLAG_001_16] Flag A20★
Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LAB CHEMISTRY - LIPIDS		
Type	RefName	Description
Item	LBCAT_001_16	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_16	Lab from initial/most recent visit
Item	D_LBNAM_001_16	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_16	Field needed for LNMT integration
Item	LBSPEC_001_16	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_16	Date of specimen collection.
Item	LBFAST_001_16	Indicator used to identify fasting status.
Item	LBSPID_001_16	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_16	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_16	Used to indicate test was not done.
Item	LBORNRO_001_16	LNMT field
Item	LBORNRHI_001_16	LNMT field
Item	LBORRESU_001_16	LNMT field
Item	X_LNMTFLAG_001_16	LNMT field

RDE Analytics: RD_LB001_16		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_16	LBCAT_001_16_C	VARCHAR2
	LBCAT_001_16	VARCHAR2
	LBCAT_001_16_ND	VARCHAR2
SUPPLB_LBINRC_001_16	SUPPLB_LBINRC_001_16_C	VARCHAR2
	SUPPLB_LBINRC_001_16	VARCHAR2
	SUPPLB_LBINRC_001_16_ND	VARCHAR2
SUPPLB_LBINRC_001_16 - D_LBNAM_001_16	D_LBNAM_001_16	VARCHAR2
SUPPLB_LBINRC_001_16 - D_SUPPLB_LBUID_001_16	D_SUPPLB_LBUID_001_16	VARCHAR2
LBNAM_001_16	LBNAM_001_16	VARCHAR2
	LBNAM_001_16_ND	VARCHAR2
SUPPLB_LBUID_001_16	SUPPLB_LBUID_001_16	VARCHAR2
	SUPPLB_LBUID_001_16_ND	VARCHAR2
LBSPEC_001_16	LBSPEC_001_16_C	VARCHAR2
	LBSPEC_001_16	VARCHAR2
	LBSPEC_001_16_ND	VARCHAR2
LBDTC_001_16	LBDTC_001_16	DATE
	LBDTC_001_16_DTS	VARCHAR2

	LBDTC_001_16_ND	VARCHAR2
LBFAST_001_16	LBFAST_001_16_C	VARCHAR2
	LBFAST_001_16	VARCHAR2
	LBFAST_001_16_ND	VARCHAR2
RD_LB001_16_LB03001_16		
LBSPID_001_16	LBSPID_001_16	NUMBER
	LBSPID_001_16_ND	VARCHAR2
LBTEST_001_16	LBTEST_001_16_C	VARCHAR2
	LBTEST_001_16	VARCHAR2
	LBTEST_001_16_ND	VARCHAR2
LBORRES_001_16	LBORRES_001_16	VARCHAR2
	LBORRES_001_16_ND	VARCHAR2
LBSTAT_001_16	LBSTAT_001_16_C	VARCHAR2
	LBSTAT_001_16	VARCHAR2
	LBSTAT_001_16_ND	VARCHAR2
X_LNMTFLAG_CMP_001_16	X_LNMTFLAG_CMP_001_16_ND	VARCHAR2
X_LNMTFLAG_CMP_001_16 - LBORNRLO_001_16	LBORNRLO_001_16	VARCHAR2
X_LNMTFLAG_CMP_001_16 - LBORNRHI_001_16	LBORNRHI_001_16	VARCHAR2
X_LNMTFLAG_CMP_001_16 - LBORRESU_001_16	LBORRESU_001_16	VARCHAR2
X_LNMTFLAG_CMP_001_16 - X_LNMTFLAG_001_16	X_LNMTFLAG_001_16	VARCHAR2

C4891002: BASELINE TUMORS (TUMRPRMPT) [TUTMM001]		
BASELINE TUMRPRMPT [TUTMM01001]		
1.* ✓	Did this patient have any Target Lesions? [Did this patient have any Target Lesions]	[X_TUORRES_TRGEXM_TAR_001] [A:Y] ☐ YES [A:N] ☐ NO
2.* ✓	Did this patient have any non-Target lesions? [Did this patient have any non-Target lesions]	[X_TUORRES_TRGEXM_NTAR_001] [A:Y] ☐ YES [A:N] ☐ NO
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_TUTMM001		
Data Variable RefName	RD Column Name	Column Data Type
X_TUORRES_TRGEXM_TAR_001	X_TUORRES_TRGEXM_TAR_001_C	VARCHAR2
	X_TUORRES_TRGEXM_TAR_001	VARCHAR2
	X_TUORRES_TRGEXM_TAR_001_ND	VARCHAR2
X_TUORRES_TRGEXM_NTAR_001	X_TUORRES_TRGEXM_NTAR_001_C	VARCHAR2
	X_TUORRES_TRGEXM_NTAR_001	VARCHAR2
	X_TUORRES_TRGEXM_NTAR_001_ND	VARCHAR2

C4891002: TARGET LESIONS - BASELINE (TARGET) [TUTMM003]

TARGET LESIONS - BASELINE [TUTMM02003]

# ✓	Lesion Number	Disease Site	Disease Sub-site	Date of Assessment	Method of Tumor Assessment	Diameter
1.a	T1					
1.b	T2					
1.c	T3					
1.d	T4					
1.e	T5					

TARGET LESIONS - BASELINE Entry [TUTMM02003]

1.1
Lesion Number: [read-only]
[Lesion Number]

[Y_TRLNKID_003]
[A:1] T1
[A:2] T2
[A:3] T3
[A:4] T4
[A:5] T5

1.2
Disease Site:
[Disease Site]

[TULOC_003]
[TULOC_CL_003]

1.3
Disease Sub-site:
[Disease Sub-site]

[SUPPTU_TMMSITE_003]
A60*

1.4
Evaluation Date:
[Date of Assessment]

[Y_TRDTC_003] (DD/MM/YYYY)
Req / Req / Req (2022-2034)

1.5
Procedure:
[Method of Tumor Assessment]

[Y_TRMETHOD_003]
[A:105] PHYSICAL EXAMINATION
[A:77] SCINTIGRAPHY
[A:63] X-RAY
[A:266] CT SCAN WITHOUT CONTRAST
[A:265] CONTRAST ENHANCED CT SCAN
[A:139] MRI WITHOUT CONTRAST
[A:277] CONTRAST ENHANCED MRI
[A:999] [Y_SUPPTR_TMMPOTH_CMP_003] OTHER
[Y_SUPPTR_TMMPOTH_003]
If Procedure code OTHER is selected, specify:
A100*

1.6
Diameter:
[Diameter]

[TRORRES_DIAMETER_003]
xxx.x mm

Key: [✓] = Source verification required [] = Item is collapsible [] = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Codelist Values Tables: TARGET LESIONS - BASELINE						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
TULOC_CL_003	String		ADRENAL GLAND	81	cliLOC_ADRENAL_GLAND	TULOC_003
			BONE	28	cliLOC_BONE	
			BRAIN	71	cliLOC_BRAIN	
			BREAST	146	cliLOC_BREAST	
			CHEST WALL	291	cliLOC_CHEST_WALL	
			LIVER	40	cliLOC_LIVER	
			LUNG	76	cliLOC_LUNG	

			LYMPH NODE	108	cliLOC_LYMPH_NODE
			MEDIASTINUM	109	cliLOC_MEDIASTINUM
			PERITONEUM	116	cliLOC_PERITONEUM
			PLEURA	592	cliLOC_PLEURA
			SKIN	77	cliLOC_SKIN
			SPINAL CORD	420	cliLOC_SPINAL_CORD
			SUBCUTIS	593	cliLOC_SUBCUTIS
			OTHER	999	cliLOC_OTHER

RDE Analytics: RD_TUTMM003		
Data Variable RefName	RD Column Name	Column Data Type
RD_TUTMM003_TUTMM02003		
Y_TRLNKID_003	Y_TRLNKID_003_C	VARCHAR2
	Y_TRLNKID_003	VARCHAR2
	Y_TRLNKID_003_ND	VARCHAR2
TULOC_003	TULOC_003_C	VARCHAR2
	TULOC_003	VARCHAR2
	TULOC_003_ND	VARCHAR2
SUPPTU_TMMSITE_003	SUPPTU_TMMSITE_003	VARCHAR2
	SUPPTU_TMMSITE_003_ND	VARCHAR2
Y_TRDTC_003	Y_TRDTC_003	DATE
	Y_TRDTC_003_DTS	VARCHAR2
	Y_TRDTC_003_ND	VARCHAR2
Y_TRMETHOD_003	Y_TRMETHOD_003_C	VARCHAR2
	Y_TRMETHOD_003	VARCHAR2
	Y_TRMETHOD_003_ND	VARCHAR2
Y_TRMETHOD_003 - Y_SUPPTR_TMMPOTH_003	Y_SUPPTR_TMMPOTH_003	VARCHAR2
TRORRES_DIAMETER_003	TRORRES_DIAMETER_003	FLOAT
	TRORRES_DIAMETER_003_ND	VARCHAR2

C4891002: NON-TARGET LESIONS - BASELINE (NONTARGET) [TUTMM006]

Non-Target Lesions - Baseline [TUTMM02006]

# ▼	Lesion Number	Disease Site	Disease Sub-site	Date of Assessment	Method of Tumor Assessment	Lesion Assessment Status
1.a	NT1					PRESENT
1.b	NT2					PRESENT
1.c	NT3					PRESENT
1.d	NT4					PRESENT
1.e	NT5					PRESENT
1.f	NT6					PRESENT
1.g	NT7					PRESENT
1.h	NT8					PRESENT
1.i	NT9					PRESENT
1.j	NT10					PRESENT

Non-Target Lesions - Baseline Entry [TUTMM02006]

1.1

Lesion Number: *[read-only]*
[Lesion Number]

[Y_TRLNKID_006]

[Y_TRLNKID_CL_006] ▼

1.2

Disease Site:
[Disease Site]

[TULOC_006]

[TULOC_CL_006] ▼

1.3

Disease Sub-site:
[Disease Sub-site]

[SUPPTU_TMMSITE_006]

A60★

1.4

Evaluation Date:
[Date of Assessment]

[Y_TRDTC_006] (DD/MM/YYYY)

Req ▼ / Req ▼ / Req ▼ (2022-2034)

1.5

Procedure:
[Method of Tumor Assessment]

[Y_TRMETHOD_006]

[A:105] ☐ PHYSICAL EXAMINATION

[A:77] ☐ SCINTIGRAPHY

[A:63] ☐ X-RAY

[A:266] ☐ CT SCAN WITHOUT CONTRAST

[A:265] ☐ CONTRAST ENHANCED CT SCAN

[A:139] ☐ MRI WITHOUT CONTRAST

[A:277] ☐ CONTRAST ENHANCED MRI

[A:999] ☐ [Y_SUPPTR_TMMPOTH_CMP_006] ☐

OTHER

[Y_SUPPTR_TMMPOTH_006]

If Procedure code OTHER is selected, specify:

A100★

1.6

Lesion(s) Assessment: *[read-only]*
[Lesion Assessment Status]

[TRORRES_TUMSTATE_006]

[A:13] ☐ PRESENT

Key: [▼] = Source verification required [☐] = Item is collapsible [] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: NON-TARGET LESIONS - BASELINE		
Type	RefName	Description
Form	TUTMM006	NON-TARGET LESIONS - BASELINE
Section	TUTMM02006	TUTMM01006

Codelist Values Tables: NON-TARGET LESIONS - BASELINE							
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName	

Y_TRLNKID_CL_006	String		NT1	11	cliTMMLNKID_NT1	Y_TRLNKID_006
			NT2	12	cliTMMLNKID_NT2	
			NT3	13	cliTMMLNKID_NT3	
			NT4	14	cliTMMLNKID_NT4	
			NT5	15	cliTMMLNKID_NT5	
			NT6	16	cliTMMLNKID_NT6	
			NT7	17	cliTMMLNKID_NT7	
			NT8	18	cliTMMLNKID_NT8	
			NT9	19	cliTMMLNKID_NT9	
			NT10	20	cliTMMLNKID_NT10	
TULOC_CL_006	String		ADRENAL GLAND	81	cliLOC_ADRENAL_GLAND	TULOC_006
			BONE	28	cliLOC_BONE	
			BRAIN	71	cliLOC_BRAIN	
			BREAST	146	cliLOC_BREAST	
			CHEST WALL	291	cliLOC_CHEST_WALL	
			LIVER	40	cliLOC_LIVER	
			LUNG	76	cliLOC_LUNG	
			LYMPH NODE	108	cliLOC_LYMPH_NODE	
			MEDIASTINUM	109	cliLOC_MEDIASTINUM	
			PERICARDIAL CAVITY	535	cliLOC_PERICARDIAL_CAVITY	
			ABDOMINAL CAVITY	80	cliLOC_ABDOMINAL_CAVITY	
			PERITONEUM	116	cliLOC_PERITONEUM	
			PLEURAL CAVITY	134	cliLOC_PLEURAL_CAVITY	
			PLEURA	592	cliLOC_PLEURA	
			SKIN	77	cliLOC_SKIN	
			SPINAL CORD	420	cliLOC_SPINAL_CORD	
			SUBCUTIS	593	cliLOC_SUBCUTIS	
			OTHER	999	cliLOC_OTHER	

RDE Analytics: RD_TUTMM006		
Data Variable RefName	RD Column Name	Column Data Type
RD_TUTMM006_TUTMM02006		
Y_TRLNKID_006	Y_TRLNKID_006_C	VARCHAR2
	Y_TRLNKID_006	VARCHAR2
	Y_TRLNKID_006_ND	VARCHAR2
TULOC_006	TULOC_006_C	VARCHAR2
	TULOC_006	VARCHAR2
	TULOC_006_ND	VARCHAR2
SUPPTU_TMMSITE_006	SUPPTU_TMMSITE_006	VARCHAR2
	SUPPTU_TMMSITE_006_ND	VARCHAR2
Y_TRDTC_006	Y_TRDTC_006	DATE
	Y_TRDTC_006_DTS	VARCHAR2
	Y_TRDTC_006_ND	VARCHAR2
Y_TRMETHOD_006	Y_TRMETHOD_006_C	VARCHAR2
	Y_TRMETHOD_006	VARCHAR2
	Y_TRMETHOD_006_ND	VARCHAR2
Y_TRMETHOD_006 - Y_SUPPTR_TMMPOTH_006	Y_SUPPTR_TMMPOTH_006	VARCHAR2

TRORRES_TUMSTATE_006	TRORRES_TUMSTATE_006_C	VARCHAR2
	TRORRES_TUMSTATE_006	VARCHAR2
	TRORRES_TUMSTATE_006_ND	VARCHAR2

C4891002: INFORMED CONSENT - OPTIONAL RETAINED RESEARCH SAMPLES (OPT RRS) [DS001_10]		
Informed Consent [DS01001_10]		
1.* ✓	Consent Was: [Consent Was]	[SUPPDS_DSCSOBT_001_10] [A:1] ☐ [DSSTDTC_CMP_001_10] ☐ OBTAINED [DSSTDTC_001_10] (DD/MM/YYYY) Date of Written Consent Obtained: Req / Req / Req (2022-2034) [A:2] ☐ NOT OBTAINED
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: INFORMED CONSENT - OPTIONAL RETAINED RESEARCH SAMPLES		
Type	RefName	Description
Item	DSSTDTC_001_10	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_10		
Data Variable RefName	RD Column Name	Column Data Type
SUPPDS_DSCSOBT_001_10	SUPPDS_DSCSOBT_001_10_C	VARCHAR2
	SUPPDS_DSCSOBT_001_10	VARCHAR2
	SUPPDS_DSCSOBT_001_10_ND	VARCHAR2
SUPPDS_DSCSOBT_001_10 - DSSTDTC_001_10	DSSTDTC_001_10	DATE
	DSSTDTC_001_10_DTS	VARCHAR2

C4891002: MBIO - BIOMARKER TUMOR TISSUE SCRIN (MBIO TSCR) [Z_MBIO002_2]

MBIO - Biomarker Tumor Tissue Screening [Z_MBIO01002_2]

#	Was Sample Collected*	Sample Collection Name	Sample Name	Sample Source	Time Point Reference	Specimen Collection Procedure Date*	Biopsy Sample Form	Date Slides Cut at Investigator Site	Sample Site*	Sample Origin
1.a			TUMOR TISSUE FOR BIOMARKER		SCREENING					

MBIO - Biomarker Tumor Tissue Screening Entry [Z_MBIO01002_2]

1.1*

Was sample collected?
[Was Sample Collected]

[Z_MBIOSMC_002_2]

[A:Y] YES

[A:N] NO

1.2

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_2]

A80*

1.3

Sample Name: [read-only]
[Sample Name]

[D_SAMPNAME_002_2]

[A:2] TUMOR TISSUE FOR BIOMARKER

1.4

Sample source:
[Sample Source]

[Z_MBIOSSR_002_2]

[A:3] TISSUE ARCHIVED

[A:2] TISSUE DE NOVO

1.5

Time point reference: [read-only]
[Time Point Reference]

[Z_MBIOTPTR_002_2]

[A:8] SCREENING

1.6*

Specimen collection procedure Date:
[Specimen Collection Procedure Date]

[Z_MBIOPDAT_002_2] (DD/MM/YYYY)

Req / Req / Req (2022-2034)

1.7

Biopsy sample form:
[Biopsy Sample Form]

[Z_MBIOFRM_002_2]

[A:5] FORMALIN FIXED AND PARAFFIN EMBEDDED BLOCK

[A:2] SLIDES

1.8

Date slides cut at investigator site:
[Date Slides Cut at Investigator Site]

[Z_MBIOIDAT_002_2] (DD/MM/YYYY)

Req / Req / Req (2022-2034)

1.9*

Anatomic site of tissue collection;
[Sample Site]

[Z_MBIOLOC_002_2]

[A:146] BREAST

[A:76] LUNG

[A:40] LIVER

[A:108] LYMPH NODE

[A:77] SKIN

[A:999] [Z_MBIOLOCO_CMP_002_2] OTHER

[Z_MBIOLOCO_002_2]

Other, specify:

A40*

1.10

Tumor sample origin:
[Sample Origin]

[Z_MBIOSOR_002_2]

[A:1] PRIMARY

[A:2] METASTATIC

[A:3] UNKNOWN

[A:4] LOCAL RECURRENCE

1.11

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBIOLDAT_002_2] (DD/MM/YYYY)

Req / Req / Req (2022-2034)

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [Fixed] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: MBIO - BIOMARKER TUMOR TISSUE SCRIN		
Type	RefName	Description
Form	Z_MBIO002_2	MBIO - BIOMARKER

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

RDE Analytics: RD_Z_MBIO002_2		
Data Variable RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_2_Z_MBIO01002_2		
Z_MBIOSMC_002_2	Z_MBIOSMC_002_2_C	VARCHAR2
	Z_MBIOSMC_002_2	VARCHAR2
	Z_MBIOSMC_002_2_ND	VARCHAR2
Z_SAMPNAME_002_2	Z_SAMPNAME_002_2	VARCHAR2
	Z_SAMPNAME_002_2_ND	VARCHAR2
D_SAMPNAME_002_2	D_SAMPNAME_002_2_C	VARCHAR2
	D_SAMPNAME_002_2	VARCHAR2
	D_SAMPNAME_002_2_ND	VARCHAR2
Z_MBIOSSR_002_2	Z_MBIOSSR_002_2_C	VARCHAR2
	Z_MBIOSSR_002_2	VARCHAR2
	Z_MBIOSSR_002_2_ND	VARCHAR2
Z_MBIOTPTR_002_2	Z_MBIOTPTR_002_2_C	VARCHAR2
	Z_MBIOTPTR_002_2	VARCHAR2
	Z_MBIOTPTR_002_2_ND	VARCHAR2
Z_MBIOPDAT_002_2	Z_MBIOPDAT_002_2	DATE
	Z_MBIOPDAT_002_2_DTS	VARCHAR2
	Z_MBIOPDAT_002_2_ND	VARCHAR2
Z_MBIOFRM_002_2	Z_MBIOFRM_002_2_C	VARCHAR2
	Z_MBIOFRM_002_2	VARCHAR2
	Z_MBIOFRM_002_2_ND	VARCHAR2
Z_MBIOIDAT_002_2	Z_MBIOIDAT_002_2	DATE
	Z_MBIOIDAT_002_2_DTS	VARCHAR2
	Z_MBIOIDAT_002_2_ND	VARCHAR2
Z_MBIOLOC_002_2	Z_MBIOLOC_002_2_C	VARCHAR2
	Z_MBIOLOC_002_2	VARCHAR2
	Z_MBIOLOC_002_2_ND	VARCHAR2
Z_MBIOLOC_002_2 - Z_MBIOLOCO_002_2	Z_MBIOLOCO_002_2	VARCHAR2
Z_MBIOSOR_002_2	Z_MBIOSOR_002_2_C	VARCHAR2
	Z_MBIOSOR_002_2	VARCHAR2
	Z_MBIOSOR_002_2_ND	VARCHAR2
Z_MBIOLDAT_002_2	Z_MBIOLDAT_002_2	DATE
	Z_MBIOLDAT_002_2_DTS	VARCHAR2
	Z_MBIOLDAT_002_2_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: DISPOSITION - SCREENING (DISP SCR) [DS001_4]

Disposition - Screening [DS01001_4]

1.*
✓

Date of Completion/Discontinuation/Death:
[Date]

[DSSTDTC_001_4] (DD/MM/YYYY)

Req ☒ / Req ☒ / Req ☒ (2022-2034)

2.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_4]

[A:3] ☒ SCREENING

3.*
✓

Status:
[Status]

[DSDECOD_001_4]

[DSDECOD_CL_001_4] ☒

4.
✓

Specify Status:
[Specify Status]

[DSTERM_001_4]

A100★

5.*
✓

Will the subject continue to the next phase of this study?
[Subject Continue]

[SUPPDS_DSCONT_001_4]

[A:Y] ☒ [SUPPDS_DSNEXT_CMP_001_4] ☐

YES

[SUPPDS_DSNEXT_001_4]

If Yes, next phase:

[A:4] ☒ TREATMENT

[A:N] ☒ NO

Key: [*] = Item is required [✓] = Source verification required [⊞] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - SCREENING		
Type	RefName	Description
Item	DSSTDTC_001_4	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_4	Specify Status
Item	SUPPDS_DSNEXT_001_4	Next Phase of Study

Codelist Values Tables: DISPOSITION - SCREENING						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_4	String		ADVERSE EVENT	1	cliNCOMPLT_ADVERSE_EVENT	DSDECOD_001_4
			COMPLETED	2	cliNCOMPLT_COMPLETED	
			DEATH	3	cliNCOMPLT_DEATH	
			OTHER	7	cliNCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cliNCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	cliNCOMPLT_PREGNANCY	
			SCREEN FAILURE	13	cliNCOMPLT_SCREEN_FAILURE	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_WITHDRAWAL_BY_SUBJECT	

RDE Analytics: RD_DS001_4		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_4	DSSTDTC_001_4	DATE
	DSSTDTC_001_4_DTS	VARCHAR2
	DSSTDTC_001_4_ND	VARCHAR2
SUPPDS_DSPHASE_001_4	SUPPDS_DSPHASE_001_4_C	VARCHAR2
	SUPPDS_DSPHASE_001_4	VARCHAR2
	SUPPDS_DSPHASE_001_4_ND	VARCHAR2
DSDECOD_001_4	DSDECOD_001_4_C	VARCHAR2

	DSDECOD_001_4	VARCHAR2
	DSDECOD_001_4_ND	VARCHAR2
DSTERM_001_4	DSTERM_001_4	VARCHAR2
	DSTERM_001_4_ND	VARCHAR2
SUPPDS_DSCONT_001_4	SUPPDS_DSCONT_001_4_C	VARCHAR2
	SUPPDS_DSCONT_001_4	VARCHAR2
	SUPPDS_DSCONT_001_4_ND	VARCHAR2
SUPPDS_DSCONT_001_4 - SUPPDS_DSNEXT_001_4	SUPPDS_DSNEXT_001_4_C	VARCHAR2
	SUPPDS_DSNEXT_001_4	VARCHAR2

C4891002: RANDOMIZATION (RAND) [DS001_3]		
Disposition [DS01001_3]		
1.* ✓	Date of Randomization: [Date]	[DSSTDTC_001_3] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2022-2034)
2.* ✓	Randomization Number: [Reference ID]	[DSREFID_001_3] A20★
3.*	Randomization Group: [Randomization Group]	[SUPPDS_DSRANGRP_001_3] [A:374] ☐ DOSE LEVEL 1 [A:375] ☐ DOSE LEVEL 2 [A:1] ☐ ARM A [A:2] ☐ ARM B
Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: RANDOMIZATION		
Type	RefName	Description
Item	DSSTDTC_001_3	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_3		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_3	DSSTDTC_001_3	DATE
	DSSTDTC_001_3_DTS	VARCHAR2
	DSSTDTC_001_3_ND	VARCHAR2
DSREFID_001_3	DSREFID_001_3	VARCHAR2
	DSREFID_001_3_ND	VARCHAR2
SUPPDS_DSRANGRP_001_3	SUPPDS_DSRANGRP_001_3_C	VARCHAR2
	SUPPDS_DSRANGRP_001_3	VARCHAR2
	SUPPDS_DSRANGRP_001_3_ND	VARCHAR2

C4891002: VITAL SIGNS (VITALS WT) [VS001_3]

Vital Signs [VS01001_3]

1. Category for Vital Signs: *[read-only]*
[Category for Vital Signs]

[VSCAT_001_3]
[A:1] ☐ VITAL SIGNS

2.* Date:
[Date]

[VSDTC_001_3] (DD/MM/YYYY)
Req/Unk ☐ / Req/Unk ☐ / Req ☐ (2022-2034)

3.* Weight:
✓ [Weight]

[VSORRES_WEIGHT_001_3]
xxxxxx.

4.* Unit:
[Weight Unit]

[VSORRESU_WEIGHT_001_3]
[A:9] ☐ kg
[A:11] ☐ LB

Vital Signs Details [VS02001_3]

✓

Record Identifier

Systolic Blood Pressure*

Diastolic Blood Pressure*

BP Position

Pulse*

5.a 1

SITTING

Vital Signs Details Entry [VS02001_3]

5.1  Record Identifier: *[read-only]*
[Record Identifier]

[VSSPID_001_3]
[A:1] ☐ 1

5.2* Systolic BP:
✓ [Systolic Blood Pressure]

[VSORRES_SYSBP_001_3]
N3

5.3* Diastolic BP:
✓ [Diastolic Blood Pressure]

[VSORRES_DIABP_001_3]
N3

5.4  BP Position: *[read-only]*
[BP Position]

[VSPOS_BP_001_3]
[A:1] ☐ SITTING

5.5* Pulse in beats/minute:
✓ [Pulse]

[VSORRES_PULSE_001_3]
N3

Key: [*] = Item is required [✓] = Source verification required  = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS		
Type	RefName	Description
Form	VS001_3	VS001 - Vital Signs - Wide Format
Item	VSDTC_001_3	The date the measurement was performed.
Item	VSORRES_WEIGHT_001_3	Weight
Item	VSORRESU_WEIGHT_001_3	Weight Unit
Item	VSSPID_001_3	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_SYSBP_001_3	Systolic Blood Pressure collected in mmHg
Item	VSORRES_DIABP_001_3	Diastolic Blood Pressure in mmHg
Item	VSPOS_BP_001_3	Blood Pressure Position
Item	VSORRES_PULSE_001_3	Pulse Rate in beats/minute.

RDE Analytics: RD_VS001_3		
Data Variable RefName	RD Column Name	Column Data Type
VSCAT_001_3	VSCAT_001_3_C	VARCHAR2
	VSCAT_001_3	VARCHAR2
	VSCAT_001_3_ND	VARCHAR2
VSDTC_001_3	VSDTC_001_3	DATE

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

	VSDTC_001_3_DTS	VARCHAR2
	VSDTC_001_3_DTR	VARCHAR2
	VSDTC_001_3_ND	VARCHAR2
VSORRES_WEIGHT_001_3	VSORRES_WEIGHT_001_3	FLOAT
	VSORRES_WEIGHT_001_3_ND	VARCHAR2
VSORRESU_WEIGHT_001_3	VSORRESU_WEIGHT_001_3_C	VARCHAR2
	VSORRESU_WEIGHT_001_3	VARCHAR2
	VSORRESU_WEIGHT_001_3_ND	VARCHAR2
RD_VS001_3_VS02001_3		
VSSPID_001_3	VSSPID_001_3_C	VARCHAR2
	VSSPID_001_3	VARCHAR2
	VSSPID_001_3_ND	VARCHAR2
VSORRES_SYSBP_001_3	VSORRES_SYSBP_001_3	NUMBER
	VSORRES_SYSBP_001_3_ND	VARCHAR2
VSORRES_DIABP_001_3	VSORRES_DIABP_001_3	NUMBER
	VSORRES_DIABP_001_3_ND	VARCHAR2
VSPOS_BP_001_3	VSPOS_BP_001_3_C	VARCHAR2
	VSPOS_BP_001_3	VARCHAR2
	VSPOS_BP_001_3_ND	VARCHAR2
VSORRES_PULSE_001_3	VSORRES_PULSE_001_3	NUMBER
	VSORRES_PULSE_001_3_ND	VARCHAR2

C4891002: LAB CHEMISTRY (LAB CHEM) [LB001_14]

Central Lab Sample Collection [LB01001_14]

1.

Lab Panel: [read-only]
[Category for Lab Test]

[LBCAT_001_14]
[A:2] ☐ CLINICAL CHEMISTRY

2.*
✓

Lab From Initial Visit:
[Lab From Initial Visit]

[SUPPLB_LBINRC_001_14]
[A:1] ☐ Same as SCREENING LAB
[A:2] ☐ [SUPPLB_LBINRC_CMP_001_14] ☐
OTHER LAB
[D_LBNAM_001_14]
Laboratory Name and Address:
A200★

[D_SUPPLB_LBUID_001_14]
Lab ID:
A50★

3.

Laboratory Name and Address (Derived): [read-only]
[Vendor Name (DERIVED)]

[LBNAM_001_14]
A200★

4.

Lab ID (Derived): [read-only]
[Lab ID (Derived)]

[SUPPLB_LBUID_001_14]
A50★

5.

Specimen Type: [read-only]
[Specimen Type]

[LBSPEC_001_14]
[A:7] ☐ BLOOD

6.*
✓

Collection Date:
[Collection Date]

[LBDTC_001_14] (DD/MM/YYYY)
Req / Req / Req (2022-2034)

7.*
✓

Fasting?
[Fasting Status]

[LBFAST_001_14]
[A:Y] ☐ YES
[A:N] ☐ NO

Lab Result [LB03001_14]

# ✓	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
8.a		Alanine Aminotransferase_PX30			
8.b		Aspartate Aminotransferase_PX28			
8.c		Alkaline Phosphatase_PX35			
8.d		Sodium_PX54			
8.e		Potassium_PX55			
8.f		Magnesium_PX199			
8.g		Calcium_PX58			
8.h		Blood Urea Nitrogen_PX47			
8.i		Urea_PX46			
8.j		Creatinine_PX48			
8.k		Glucose_PX67			
8.l		Albumin_PX25			
8.m		Bilirubin_PX21			

Lab Result Entry [LB03001_14]

8.1

Sponsor ID: [read-only]
[Sponsor-Defined Identifier]

[LBSPID_001_14]
N8

8.2

Test: [read-only]
[Test]

[LBTEST_001_14]
[LBTEST_CL_001_14]

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

8.3	Result: ✓ [Result]	[LBORRES_001_14] A20★
8.4	Not Done: ✓ [Not Done:]	[LBSTAT_001_14] [A:1] ☐ NOT DONE
8.5	LNMT [read-only] [LNMT]	[X_LNMTFLAG_CMP_001_14] [LBORNRL0_001_14] Low A20★ [LBORNRHI_001_14] High A20★ [LBORRESU_001_14] Unit A20★ [X_LNMTFLAG_001_14] Flag A20★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LAB CHEMISTRY		
Type	RefName	Description
Item	LBCAT_001_14	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_14	Lab from initial/most recent visit
Item	D_LBNAM_001_14	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_14	Field needed for LNMT integration
Item	LBSPEC_001_14	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_14	Date of specimen collection.
Item	LBFAST_001_14	Indicator used to identify fasting status.
Item	LBSPID_001_14	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_14	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_14	Used to indicate test was not done.
Item	LBORNRL0_001_14	LNMT field
Item	LBORNRHI_001_14	LNMT field
Item	LBORRESU_001_14	LNMT field
Item	X_LNMTFLAG_001_14	LNMT field

Codelist Values Tables: LAB CHEMISTRY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_14	String		Alanine Aminotransferase_PX30	30	cliLBTEST_Alanine_Aminotransferase_PX30	LBTEST_001_14
			Aspartate Aminotransferase_PX28	28	cliLBTEST_Aspartate_Aminotransferase_PX28	
			Alkaline Phosphatase_PX35	35	cliLBTEST_Alkaline_Phosphatase_PX35	
			Sodium_PX54	54	cliLBTEST_Sodium_PX54	
			Potassium_PX55	55	cliLBTEST_Potassium_PX55	
			Magnesium_PX199	199	cliLBTEST_Magnesium_PX199	
			Calcium_PX58	58	cliLBTEST_Calcium_PX58	
			Blood Urea Nitrogen_PX47	47	cliLBTEST_Blood_Urea_Nitrogen_PX47	
			Urea_PX46	46	cliLBTEST_Urea_PX46	
			Creatinine_PX48	48	cliLBTEST_Creatinine_PX48	

		Glucose_PX67	67	cliLBTEST_Glucose_PX67	
		Albumin_PX25	25	cliLBTEST_Albumin_PX25	
		Bilirubin_PX21	21	cliLBTEST_Bilirubin_PX21	

RDE Analytics: RD_LB001_14		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_14	LBCAT_001_14_C	VARCHAR2
	LBCAT_001_14	VARCHAR2
	LBCAT_001_14_ND	VARCHAR2
SUPPLB_LBINRC_001_14	SUPPLB_LBINRC_001_14_C	VARCHAR2
	SUPPLB_LBINRC_001_14	VARCHAR2
	SUPPLB_LBINRC_001_14_ND	VARCHAR2
SUPPLB_LBINRC_001_14 - D_LBNAM_001_14	D_LBNAM_001_14	VARCHAR2
SUPPLB_LBINRC_001_14 - D_SUPPLB_LBUID_001_14	D_SUPPLB_LBUID_001_14	VARCHAR2
LBNAM_001_14	LBNAM_001_14	VARCHAR2
	LBNAM_001_14_ND	VARCHAR2
SUPPLB_LBUID_001_14	SUPPLB_LBUID_001_14	VARCHAR2
	SUPPLB_LBUID_001_14_ND	VARCHAR2
LBSPEC_001_14	LBSPEC_001_14_C	VARCHAR2
	LBSPEC_001_14	VARCHAR2
	LBSPEC_001_14_ND	VARCHAR2
LBDTC_001_14	LBDTC_001_14	DATE
	LBDTC_001_14_DTS	VARCHAR2
	LBDTC_001_14_ND	VARCHAR2
LBFAST_001_14	LBFAST_001_14_C	VARCHAR2
	LBFAST_001_14	VARCHAR2
	LBFAST_001_14_ND	VARCHAR2
RD_LB001_14_LB03001_14		
LBSPID_001_14	LBSPID_001_14	NUMBER
	LBSPID_001_14_ND	VARCHAR2
LBTEST_001_14	LBTEST_001_14_C	VARCHAR2
	LBTEST_001_14	VARCHAR2
	LBTEST_001_14_ND	VARCHAR2
LBORRES_001_14	LBORRES_001_14	VARCHAR2
	LBORRES_001_14_ND	VARCHAR2
LBSTAT_001_14	LBSTAT_001_14_C	VARCHAR2
	LBSTAT_001_14	VARCHAR2
	LBSTAT_001_14_ND	VARCHAR2
X_LNMTFLAG_CMP_001_14	X_LNMTFLAG_CMP_001_14_ND	VARCHAR2
X_LNMTFLAG_CMP_001_14 - LBORNRL0_001_14	LBORNRL0_001_14	VARCHAR2
X_LNMTFLAG_CMP_001_14 - LBORNRLHI_001_14	LBORNRLHI_001_14	VARCHAR2
X_LNMTFLAG_CMP_001_14 - LBORRESU_001_14	LBORRESU_001_14	VARCHAR2
X_LNMTFLAG_CMP_001_14 - X_LNMTFLAG_001_14	X_LNMTFLAG_001_14	VARCHAR2

C4891002: MBIO - BIOMARKER ctDNA BLOOD (MBIOCTDNA) [Z_MBIO002]

MBIO - BIOMARKER ctDNA [Z_MBIO01002]

# ✓	Was Sample Collected*	Sample Collection Name	Sample Name	Sample Source	Date of Sample Collection*	Planned Time Point	Time Point Reference
1.a			BLOOD FOR CTDNA	PLASMA		-2H - 0H	IN CLINIC DOSE

MBIO - BIOMARKER ctDNA Entry [Z_MBIO01002]

1.1* ✓	Was sample collected? [Was Sample Collected]	[Z_MBIOSMC_002] [A:Y] ☐ YES [A:N] ☐ NO
1.2	Sample collection name: [read-only] [Sample Collection Name]	[Z_SAMPNAME_002] A80★
1.3 ☒	Sample Name: [read-only] [Sample Name]	[D_SAMPNAME_002] [A:13] ☐ BLOOD FOR CTDNA
1.4 ☒	Sample source: [read-only] [Sample Source]	[Z_MBIOSSR_002] [A:4] ☐ PLASMA
1.5* ✓	Date of Sample Collection: [Date of Sample Collection]	[Z_MBIOCDTC_002] (DD/MM/YYYY) Req / Req / Req (1930-2034)
1.6 ☒	Nominal time: [read-only] [Planned Time Point]	[Z_MBIOTPT_002] [A:1] ☐ -2H - 0H
1.7 ☒	Time point reference: [read-only] [Time Point Reference]	[Z_MBIOTPTR_002] [A:19] ☐ IN CLINIC DOSE

Key: [*] = Item is required [✓] = Source verification required [☒] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: MBIO - BIOMARKER ctDNA BLOOD		
Type	RefName	Description
Form	Z_MBIO002	MBIO - BIOMARKER ctDNA BLOOD

RDE Analytics: RD_Z_MBIO002			
Data Variable	RefName	RD Column Name	Column Data Type
RD_Z_MBIO002_Z_MBIO01002			
Z_MBIOSMC_002		Z_MBIOSMC_002_C	VARCHAR2
		Z_MBIOSMC_002	VARCHAR2
		Z_MBIOSMC_002_ND	VARCHAR2
Z_SAMPNAME_002		Z_SAMPNAME_002	VARCHAR2
		Z_SAMPNAME_002_ND	VARCHAR2
D_SAMPNAME_002		D_SAMPNAME_002_C	VARCHAR2
		D_SAMPNAME_002	VARCHAR2
		D_SAMPNAME_002_ND	VARCHAR2
Z_MBIOSSR_002		Z_MBIOSSR_002_C	VARCHAR2
		Z_MBIOSSR_002	VARCHAR2
		Z_MBIOSSR_002_ND	VARCHAR2
Z_MBIOCDTC_002		Z_MBIOCDTC_002	DATE
		Z_MBIOCDTC_002_DTS	VARCHAR2
		Z_MBIOCDTC_002_ND	VARCHAR2
Z_MBIOTPT_002		Z_MBIOTPT_002_C	VARCHAR2
		Z_MBIOTPT_002	VARCHAR2
		Z_MBIOTPT_002_ND	VARCHAR2

Z_MBIOTPTR_002	Z_MBIOTPTR_002_C	VARCHAR2
	Z_MBIOTPTR_002	VARCHAR2
	Z_MBIOTPTR_002_ND	VARCHAR2

C4891002: MBIO - BIOMARKER - PHARMACODYNAMIC SAMPLING (MBIO PD) [Z_MBIO002_3]

MBIO - BIOMARKER Pharmacodynamic Sampling [Z_MBIO01002_3]

# ✓	Was Sample Collected*	Sample Collection Name	Sample Name	Sample Source	Date of Sample Collection*	Planned Time Point	Time Point Reference	Date Specimen Sent to Lab
1.a			BLOOD FOR PHARMACODYNAMICS	SERUM		-2H - 0H	IN CLINIC DOSE	
1.b			BLOOD FOR PHARMACODYNAMICS	SERUM		1H	IN CLINIC DOSE	
1.c			BLOOD FOR PHARMACODYNAMICS	SERUM		2H	IN CLINIC DOSE	
1.d			BLOOD FOR PHARMACODYNAMICS	SERUM		4H	IN CLINIC DOSE	
1.e			BLOOD FOR PHARMACODYNAMICS	SERUM		7H	IN CLINIC DOSE	

MBIO - BIOMARKER Pharmacodynamic Sampling Entry [Z_MBIO01002_3]

1.1*
✓

Was sample collected?
[Was Sample Collected]

Z_MBIOSMC_002_3

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Sample collection name: *[read-only]*
[Sample Collection Name]

Z_SAMPNAME_002_3

A80*

1.3

Sample Name: *[read-only]*
[Sample Name]

D_SAMPNAME_002_3

[A:14] ☒ BLOOD FOR PHARMACODYNAMICS

1.4

Sample source: *[read-only]*
[Sample Source]

Z_MBIOSSR_002_3

[A:8] ☒ SERUM

1.5*
✓

Date of Sample Collection:
[Date of Sample Collection]

Z_MBIOCDC_002_3 (DD/MM/YYYY hh:mm)

Req / Req / Req (1930-2034)

Req : Req 24-hour clock

1.6

Nominal time: *[read-only]*
[Planned Time Point]

Z_MBIOTPT_002_3

[A:1] ☐ -2H - 0H

[A:2] ☐ 1H

[A:3] ☐ 2H

[A:4] ☐ 4H

[A:5] ☐ 7H

1.7

Time point reference: *[read-only]*
[Time Point Reference]

Z_MBIOTPTR_002_3

[A:19] ☒ IN CLINIC DOSE

1.8
✓

Date specimen sent to lab:
[Date Specimen Sent to Lab]

Z_MBIOLDAT_002_3 (DD/MM/YYYY)

Req / Req / Req (2023-2034)

Key: [*] = Item is required [✓] = Source verification required = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: MBIO - BIOMARKER - PHARMACODYNAMIC SAMPLING		
Type	RefName	Description
Form	Z_MBIO002_3	MBIO - BIOMARKER ctDNA BLOOD

RDE Analytics: RD_Z_MBIO002_3			
Data Variable	RefName	RD Column Name	Column Data Type
*RD_Z_MBIO002_3_Z_MBIO01002_3			
Z_MBIOSMC_002_3		Z_MBIOSMC_002_3_C	VARCHAR2
		Z_MBIOSMC_002_3	VARCHAR2
		Z_MBIOSMC_002_3_ND	VARCHAR2
Z_SAMPNAME_002_3		Z_SAMPNAME_002_3	VARCHAR2
		Z_SAMPNAME_002_3_ND	VARCHAR2
D_SAMPNAME_002_3		D_SAMPNAME_002_3_C	VARCHAR2

	D_SAMPNAME_002_3	VARCHAR2
	D_SAMPNAME_002_3_ND	VARCHAR2
Z_MBIOSR_002_3	Z_MBIOSR_002_3_C	VARCHAR2
	Z_MBIOSR_002_3	VARCHAR2
	Z_MBIOSR_002_3_ND	VARCHAR2
Z_MBIODTC_002_3	Z_MBIODTC_002_3	DATE
	Z_MBIODTC_002_3_DTS	VARCHAR2
	Z_MBIODTC_002_3_ND	VARCHAR2
Z_MBIOTPT_002_3	Z_MBIOTPT_002_3_C	VARCHAR2
	Z_MBIOTPT_002_3	VARCHAR2
	Z_MBIOTPT_002_3_ND	VARCHAR2
Z_MBIOTPTR_002_3	Z_MBIOTPTR_002_3_C	VARCHAR2
	Z_MBIOTPTR_002_3	VARCHAR2
	Z_MBIOTPTR_002_3_ND	VARCHAR2
Z_MBIOLDAT_002_3	Z_MBIOLDAT_002_3	DATE
	Z_MBIOLDAT_002_3_DTS	VARCHAR2
	Z_MBIOLDAT_002_3_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: TREATMENT- LETROZOLE (ORAL LET) - Repeating Form [EC001_4]												
#	Treatment Name	Formulation	Route	Start Date	End Date	Planned Dose	Planned Dose Unit	Planned Dose Frequency	Actual Dose	Unit	Frequency	Dose Adjusted From Planned
1												
Treatment [EC01001_4]												
1.	Treatment Name: [read-only] [Treatment Name]	[ECTRT_001_4] A100 ★										
2.	Formulation: [read-only] [Formulation]	[ECDOSFRM_001_4] [A:11] ☐ CAPSULE [A:146] ☒ TABLET										
3.	Route: [read-only] [Route]	[ECROUTE_001_4] [A:84] ☒ ORAL										
4.* ✓	Start Date: [Start Date]	[ECSTDTC_001_4] (DD/MM/YYYY) Req / Req / Req (2022-2034)										
5.* ✓	End Date: [End Date]	[ECENDTC_001_4] (DD/MM/YYYY) Req / Req / Req (2022-2034)										
6. ✓	Planned Dose: [Planned Dose]	[X_ECPDOSE_001_4] xxxxxx.										
7.	Planned Dose Unit: [read-only] [Planned Dose Unit]	[X_ECPDOSEU_001_4] [A:8] ☒ mg										
8.	Planned Dose Frequency: [read-only] [Planned Dose Frequency]	[X_ECPDFRQ_001_4] [A:49] ☒ QD										
9.* ✓	Actual Dose: [Actual Dose]	[ECDOSE_001_4] xxxxxx.										
10.	Unit: [read-only] [Unit]	[ECDOSU_001_4] [A:8] ☒ mg										
11.	Frequency: [read-only] [Frequency]	[ECDOSFRQ_001_4] [A:49] ☒ QD										
12.* ✓	Was the Actual Dose adjusted from planned? [Dose Adjusted From Planned]	[SUPPEC_ECDOSADJ_001_4] [A:Y] ☒ [SUPPEC_ECADJ_CMP_001_4] ☐ YES [ECADJ_001_4] What was the reason the dose was adjusted? [A:1] ☒ [SUPPEC_ECAENO1_CMP_001_4] ADVERSE EVENT [SUPPEC_ECAENO1_001_4] AE Identifier: A20 ★ [SUPPEC_ECAENO2_001_4] AE Identifier: A20 ★ [SUPPEC_ECAENO3_001_4] AE Identifier: A20 ★ [SUPPEC_ECAENO4_001_4] AE Identifier: A20 ★ [SUPPEC_ECAENO5_001_4] AE Identifier: A20 ★ [A:999] ☒ [SUPPEC_ECDOSAJO_CMP_001_4] ☐ OTHER SPECIFY [SUPPEC_ECDOSAJO_001_4]										

		If other, specify: A80★
		[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_EC001_4		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_4	ECTRT_001_4	VARCHAR2
	ECTRT_001_4_ND	VARCHAR2
ECDOSFRM_001_4	ECDOSFRM_001_4_C	VARCHAR2
	ECDOSFRM_001_4	VARCHAR2
	ECDOSFRM_001_4_ND	VARCHAR2
ECROUTE_001_4	ECROUTE_001_4_C	VARCHAR2
	ECROUTE_001_4	VARCHAR2
	ECROUTE_001_4_ND	VARCHAR2
ECSTDTC_001_4	ECSTDTC_001_4	DATE
	ECSTDTC_001_4_DTS	VARCHAR2
	ECSTDTC_001_4_ND	VARCHAR2
ECENDTC_001_4	ECENDTC_001_4	DATE
	ECENDTC_001_4_DTS	VARCHAR2
	ECENDTC_001_4_ND	VARCHAR2
X_ECPDOSE_001_4	X_ECPDOSE_001_4	FLOAT
	X_ECPDOSE_001_4_ND	VARCHAR2
X_ECPDOSEU_001_4	X_ECPDOSEU_001_4_C	VARCHAR2
	X_ECPDOSEU_001_4	VARCHAR2
	X_ECPDOSEU_001_4_ND	VARCHAR2
X_ECPDFRQ_001_4	X_ECPDFRQ_001_4_C	VARCHAR2
	X_ECPDFRQ_001_4	VARCHAR2
	X_ECPDFRQ_001_4_ND	VARCHAR2
ECDOSE_001_4	ECDOSE_001_4	FLOAT
	ECDOSE_001_4_ND	VARCHAR2
ECDOSU_001_4	ECDOSU_001_4_C	VARCHAR2
	ECDOSU_001_4	VARCHAR2
	ECDOSU_001_4_ND	VARCHAR2
ECDOSFRQ_001_4	ECDOSFRQ_001_4_C	VARCHAR2
	ECDOSFRQ_001_4	VARCHAR2
	ECDOSFRQ_001_4_ND	VARCHAR2
SUPPEC_ECDOSADJ_001_4	SUPPEC_ECDOSADJ_001_4_C	VARCHAR2
	SUPPEC_ECDOSADJ_001_4	VARCHAR2
	SUPPEC_ECDOSADJ_001_4_ND	VARCHAR2
SUPPEC_ECDOSADJ_001_4 - ECADJ_001_4	ECADJ_001_4_C	VARCHAR2
	ECADJ_001_4	VARCHAR2
SUPPEC_ECDOSADJ_001_4 - SUPPEC_ECAENO1_001_4	SUPPEC_ECAENO1_001_4	VARCHAR2
SUPPEC_ECDOSADJ_001_4 - SUPPEC_ECAENO2_001_4	SUPPEC_ECAENO2_001_4	VARCHAR2
SUPPEC_ECDOSADJ_001_4 - SUPPEC_ECAENO3_001_4	SUPPEC_ECAENO3_001_4	VARCHAR2

SUPPEC_ECDOSADJ_001_4 - SUPPEC_ECAENO4_001_4	SUPPEC_ECAENO4_001_4	VARCHAR2
SUPPEC_ECDOSADJ_001_4 - SUPPEC_ECAENO5_001_4	SUPPEC_ECAENO5_001_4	VARCHAR2
SUPPEC_ECDOSADJ_001_4 - SUPPEC_ECDOSAJ0_001_4	SUPPEC_ECDOSAJ0_001_4	VARCHAR2

#	Treatment Name	Formulation	Route	Start Date	End Date	Planned Dose	Planned Dose Unit	Planned Dose Frequency	Actual Dose	Unit	Frequency	Dose Adjusted From Planned
1												
Treatment [EC01001_4_1]												
1.	Treatment Name: <i>[read-only]</i> [Treatment Name]	[ECTRT_001_4_1] A100★										
2.	Formulation: <i>[read-only]</i> [Formulation]	[ECDOSFRM_001_4_1] [A:146] ☐ TABLET										
3.	Route: <i>[read-only]</i> [Route]	[ECROUTE_001_4_1] [A:84] ☐ ORAL										
4.* ✓	Start Date: [Start Date]	[ECSTDTC_001_4_1] (DD/MM/YYYY) Req ▼ / Req ▼ / Req ▼ (2022-2034)										
5.* ✓	End Date: [End Date]	[ECENDTC_001_4_1] (DD/MM/YYYY) Req ▼ / Req ▼ / Req ▼ (2022-2034)										
6. ✓	Planned Dose: [Planned Dose]	[X_ECPDOSE_001_4_1] xxxxxx.										
7.	Planned Dose Unit: <i>[read-only]</i> [Planned Dose Unit]	[X_ECPDOSEU_001_4_1] [A:8] ☐ mg										
8.	Planned Dose Frequency: <i>[read-only]</i> [Planned Dose Frequency]	[X_ECPDFRQ_001_4_1] [A:49] ☐ QD										
9.* ✓	Actual Dose: [Actual Dose]	[ECDOSE_001_4_1] xxxxxx.										
10.	Unit: <i>[read-only]</i> [Unit]	[ECDOSU_001_4_1] [A:8] ☐ mg										
11.	Frequency: <i>[read-only]</i> [Frequency]	[ECDOSFRQ_001_4_1] [A:49] ☐ QD										
12.* ✓	Was the Actual Dose adjusted from planned? [Dose Adjusted From Planned]	[SUPPEC_ECDOSADJ_001_4_1] [A:Y] ☐ [SUPPEC_ECADJ_CMP_001_4_1] ☐ YES [ECADJ_001_4_1] What was the reason the dose was adjusted? [A:1] ☐ [SUPPEC_ECAENO1_CMP_001_4_1] ADVERSE EVENT [SUPPEC_ECAENO1_001_4_1] AE Identifier: A20★ [SUPPEC_ECAENO2_001_4_1] AE Identifier: A20★ [SUPPEC_ECAENO3_001_4_1] AE Identifier: A20★ [SUPPEC_ECAENO4_001_4_1] AE Identifier: A20★ [SUPPEC_ECAENO5_001_4_1] AE Identifier: A20★ [A:999] ☐ [SUPPEC_ECDOSAJO_CMP_001_4_1] ☐ OTHER SPECIFY [SUPPEC_ECDOSAJO_001_4_1] If other, specify: A80★										

[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_EC001_4_1		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_4_1	ECTRT_001_4_1	VARCHAR2
	ECTRT_001_4_1_ND	VARCHAR2
ECDOSFRM_001_4_1	ECDOSFRM_001_4_1_C	VARCHAR2
	ECDOSFRM_001_4_1	VARCHAR2
	ECDOSFRM_001_4_1_ND	VARCHAR2
ECROUTE_001_4_1	ECROUTE_001_4_1_C	VARCHAR2
	ECROUTE_001_4_1	VARCHAR2
	ECROUTE_001_4_1_ND	VARCHAR2
ECSTDTC_001_4_1	ECSTDTC_001_4_1	DATE
	ECSTDTC_001_4_1_DTS	VARCHAR2
	ECSTDTC_001_4_1_ND	VARCHAR2
ECENDTC_001_4_1	ECENDTC_001_4_1	DATE
	ECENDTC_001_4_1_DTS	VARCHAR2
	ECENDTC_001_4_1_ND	VARCHAR2
X_ECPDOSE_001_4_1	X_ECPDOSE_001_4_1	FLOAT
	X_ECPDOSE_001_4_1_ND	VARCHAR2
X_ECPDOSEU_001_4_1	X_ECPDOSEU_001_4_1_C	VARCHAR2
	X_ECPDOSEU_001_4_1	VARCHAR2
	X_ECPDOSEU_001_4_1_ND	VARCHAR2
X_ECPDFRQ_001_4_1	X_ECPDFRQ_001_4_1_C	VARCHAR2
	X_ECPDFRQ_001_4_1	VARCHAR2
	X_ECPDFRQ_001_4_1_ND	VARCHAR2
ECDOSE_001_4_1	ECDOSE_001_4_1	FLOAT
	ECDOSE_001_4_1_ND	VARCHAR2
ECDOSU_001_4_1	ECDOSU_001_4_1_C	VARCHAR2
	ECDOSU_001_4_1	VARCHAR2
	ECDOSU_001_4_1_ND	VARCHAR2
ECDOSFRQ_001_4_1	ECDOSFRQ_001_4_1_C	VARCHAR2
	ECDOSFRQ_001_4_1	VARCHAR2
	ECDOSFRQ_001_4_1_ND	VARCHAR2
SUPPEC_ECDOSADJ_001_4_1	SUPPEC_ECDOSADJ_001_4_1_C	VARCHAR2
	SUPPEC_ECDOSADJ_001_4_1	VARCHAR2
	SUPPEC_ECDOSADJ_001_4_1_ND	VARCHAR2
SUPPEC_ECDOSADJ_001_4_1 - ECADJ_001_4_1	ECADJ_001_4_1_C	VARCHAR2
	ECADJ_001_4_1	VARCHAR2
SUPPEC_ECDOSADJ_001_4_1 - SUPPEC_ECAENO1_001_4_1	SUPPEC_ECAENO1_001_4_1	VARCHAR2
SUPPEC_ECDOSADJ_001_4_1 - SUPPEC_ECAENO2_001_4_1	SUPPEC_ECAENO2_001_4_1	VARCHAR2
SUPPEC_ECDOSADJ_001_4_1 - SUPPEC_ECAENO3_001_4_1	SUPPEC_ECAENO3_001_4_1	VARCHAR2
SUPPEC_ECDOSADJ_001_4_1 - SUPPEC_ECAENO4_001_4_1	SUPPEC_ECAENO4_001_4_1	VARCHAR2
SUPPEC_ECDOSADJ_001_4_1 - SUPPEC_ECAENO5_001_4_1	SUPPEC_ECAENO5_001_4_1	VARCHAR2

SUPPEC_ECDOSADJ_001_4_1 - SUPPEC_ECDOSAJO_001_4_1	SUPPEC_ECDOSAJO_001_4_1	VARCHAR2
---	-------------------------	----------

#	Treatment Name	Formulation	Route	Start Date	End Date	Planned Dose	Planned Dose Unit	Planned Dose Frequency	Actual Dose	Unit	Frequency	Dose Adjusted From Planned
1												
Treatment [EC01001_4_2]												
1.	Treatment Name: [read-only] [Treatment Name]	[ECTRT_001_4_2] A100★										
2.	Formulation: [read-only] [Formulation]	[ECDOSFRM_001_4_2] [A:11] ☐ CAPSULE										
3.	Route: [read-only] [Route]	[ECROUTE_001_4_2] [A:84] ☐ ORAL										
4.* ✓	Start Date: [Start Date]	[ECSTDTC_001_4_2] (DD/MM/YYYY) Req / Req / Req (2022-2034)										
5.* ✓	End Date: [End Date]	[ECENDTC_001_4_2] (DD/MM/YYYY) Req / Req / Req (2022-2034)										
6. ✓	Planned Dose: [Planned Dose]	[X_ECPDOSE_001_4_2] xxxxxx.										
7.	Planned Dose Unit: [read-only] [Planned Dose Unit]	[X_ECPDOSEU_001_4_2] [A:8] ☐ mg										
8.	Planned Dose Frequency: [read-only] [Planned Dose Frequency]	[X_ECPDFRQ_001_4_2] [A:49] ☐ QD										
9.* ✓	Actual Dose: [Actual Dose]	[ECDOSE_001_4_2] xxxxxx.										
10.	Unit: [read-only] [Unit]	[ECDOSU_001_4_2] [A:8] ☐ mg										
11.	Frequency: [read-only] [Frequency]	[ECDOSFRQ_001_4_2] [A:49] ☐ QD										
12.* ✓	Was the Actual Dose adjusted from planned? [Dose Adjusted From Planned]	[SUPPEC_ECDOSADJ_001_4_2] [A:Y] ☐ [SUPPEC_ECADJ_CMP_001_4_2] ☐ YES [ECADJ_001_4_2] What was the reason the dose was adjusted? [A:1] ☐ [SUPPEC_ECAENO1_CMP_001_4_2] ADVERSE EVENT [SUPPEC_ECAENO1_001_4_2] AE Identifier: A20★ [SUPPEC_ECAENO2_001_4_2] AE Identifier: A20★ [SUPPEC_ECAENO3_001_4_2] AE Identifier: A20★ [SUPPEC_ECAENO4_001_4_2] AE Identifier: A20★ [SUPPEC_ECAENO5_001_4_2] AE Identifier: A20★ [A:999] ☐ [SUPPEC_ECDOSAJO_CMP_001_4_2] ☐ OTHER SPECIFY [SUPPEC_ECDOSAJO_001_4_2] If other, specify: A80★										

[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

RDE Analytics: RD_EC001_4_2		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_4_2	ECTRT_001_4_2	VARCHAR2
	ECTRT_001_4_2_ND	VARCHAR2
ECDOSFRM_001_4_2	ECDOSFRM_001_4_2_C	VARCHAR2
	ECDOSFRM_001_4_2	VARCHAR2
	ECDOSFRM_001_4_2_ND	VARCHAR2
ECROUTE_001_4_2	ECROUTE_001_4_2_C	VARCHAR2
	ECROUTE_001_4_2	VARCHAR2
	ECROUTE_001_4_2_ND	VARCHAR2
ECSTDTC_001_4_2	ECSTDTC_001_4_2	DATE
	ECSTDTC_001_4_2_DTS	VARCHAR2
	ECSTDTC_001_4_2_ND	VARCHAR2
ECENDTC_001_4_2	ECENDTC_001_4_2	DATE
	ECENDTC_001_4_2_DTS	VARCHAR2
	ECENDTC_001_4_2_ND	VARCHAR2
X_ECPDOSE_001_4_2	X_ECPDOSE_001_4_2	FLOAT
	X_ECPDOSE_001_4_2_ND	VARCHAR2
X_ECPDOSEU_001_4_2	X_ECPDOSEU_001_4_2_C	VARCHAR2
	X_ECPDOSEU_001_4_2	VARCHAR2
	X_ECPDOSEU_001_4_2_ND	VARCHAR2
	X_ECPDOSEU_001_4_2_ND	VARCHAR2
X_ECPDFRQ_001_4_2	X_ECPDFRQ_001_4_2_C	VARCHAR2
	X_ECPDFRQ_001_4_2	VARCHAR2
	X_ECPDFRQ_001_4_2_ND	VARCHAR2
ECDOSE_001_4_2	ECDOSE_001_4_2	FLOAT
	ECDOSE_001_4_2_ND	VARCHAR2
ECDOSU_001_4_2	ECDOSU_001_4_2_C	VARCHAR2
	ECDOSU_001_4_2	VARCHAR2
	ECDOSU_001_4_2_ND	VARCHAR2
ECDOSFRQ_001_4_2	ECDOSFRQ_001_4_2_C	VARCHAR2
	ECDOSFRQ_001_4_2	VARCHAR2
	ECDOSFRQ_001_4_2_ND	VARCHAR2
SUPPEC_ECDOSADJ_001_4_2	SUPPEC_ECDOSADJ_001_4_2_C	VARCHAR2
	SUPPEC_ECDOSADJ_001_4_2	VARCHAR2
	SUPPEC_ECDOSADJ_001_4_2_ND	VARCHAR2
SUPPEC_ECDOSADJ_001_4_2 - ECADJ_001_4_2	ECADJ_001_4_2_C	VARCHAR2
	ECADJ_001_4_2	VARCHAR2
SUPPEC_ECDOSADJ_001_4_2 - SUPPEC_ECAENO1_001_4_2	SUPPEC_ECAENO1_001_4_2	VARCHAR2
SUPPEC_ECDOSADJ_001_4_2 - SUPPEC_ECAENO2_001_4_2	SUPPEC_ECAENO2_001_4_2	VARCHAR2
SUPPEC_ECDOSADJ_001_4_2 - SUPPEC_ECAENO3_001_4_2	SUPPEC_ECAENO3_001_4_2	VARCHAR2
SUPPEC_ECDOSADJ_001_4_2 - SUPPEC_ECAENO4_001_4_2	SUPPEC_ECAENO4_001_4_2	VARCHAR2
SUPPEC_ECDOSADJ_001_4_2 - SUPPEC_ECAENO5_001_4_2	SUPPEC_ECAENO5_001_4_2	VARCHAR2

SUPPEC_ECDOSADJ_001_4_2 - SUPPEC_ECDOSAJO_001_4_2	SUPPEC_ECDOSAJO_001_4_2	VARCHAR2
---	-------------------------	----------

C4891002: PHARMACOKINETICS - ARV-471 (PF-07850327) - POST - SLI (PK ARV PT) [PC003_7]

PHARMACOKINETICS [PC01003_7]

# ✓	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Reference Timepoint:	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	ARV-471 (PF-07850327)	BLOOD		1H	IN CLINIC DOSE			
1.b	ARV-471 (PF-07850327)	BLOOD		2H	IN CLINIC DOSE			
1.c	ARV-471 (PF-07850327)	BLOOD		4H	IN CLINIC DOSE			
1.d	ARV-471 (PF-07850327)	BLOOD		7H	IN CLINIC DOSE			

PHARMACOKINETICS Entry [PC01003_7]

1.1	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_7] [A:1] ☐ ARV-471 (PF-07850327)
1.2	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_7] [A:7] ☐ BLOOD
1.3*	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_7] [A:1] ☐ NOT DONE [A:2] ☐ DONE
1.4	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_7] [A:11] ☐ 1H [A:12] ☐ 2H [A:13] ☐ 4H [A:14] ☐ 7H
1.5	Reference Timepoint: [read-only] [Reference Timepoint:]	[PCTPTREF_003_7] [A:19] ☐ IN CLINIC DOSE
1.6	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_7] [PCSPID_CL_003_7] v
1.7	Date and Time: [Date and Time]	[PCDTC_003_7] (DD/MM/YYYY hh:mm) Req v / Req v / Req v (2023-2034) Req/Unk v : Req/Unk v 24-hour clock
1.8	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_7] A200*

Key: [*] = Item is required [✓] = Source verification required = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - ARV-471 (PF-07850327) - POST - SLI		
Type	RefName	Description
Form	PC003_7	PHARMACOKINETICS (POINT)

Codelist Values Tables: PHARMACOKINETICS - ARV-471 (PF-07850327) - POST - SLI						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
PCSPID_CL_003_7	String		1	1	cliPKUSMID_1	PCSPID_003_7
			2	2	cliPKUSMID_2	
			3	3	cliPKUSMID_3	
			4	4	cliPKUSMID_4	
			7	7	cliPKUSMID_7	
			8	8	cliPKUSMID_8	
			9	9	cliPKUSMID_9	
			10	10	cliPKUSMID_10	

RDE Analytics: RD_PC003_7		
Data Variable RefName	RD Column Name	Column Data Type
RD_PC003_7_PC01003_7		
SUPPPC_PKTERM_003_7	SUPPPC_PKTERM_003_7_C	VARCHAR2
	SUPPPC_PKTERM_003_7	VARCHAR2
	SUPPPC_PKTERM_003_7_ND	VARCHAR2
PCSPEC_003_7	PCSPEC_003_7_C	VARCHAR2
	PCSPEC_003_7	VARCHAR2
	PCSPEC_003_7_ND	VARCHAR2
X_PCSTAT_003_7	X_PCSTAT_003_7_C	VARCHAR2
	X_PCSTAT_003_7	VARCHAR2
	X_PCSTAT_003_7_ND	VARCHAR2
PCTPT_003_7	PCTPT_003_7_C	VARCHAR2
	PCTPT_003_7	VARCHAR2
	PCTPT_003_7_ND	VARCHAR2
PCTPTREF_003_7	PCTPTREF_003_7_C	VARCHAR2
	PCTPTREF_003_7	VARCHAR2
	PCTPTREF_003_7_ND	VARCHAR2
PCSPID_003_7	PCSPID_003_7_C	VARCHAR2
	PCSPID_003_7	VARCHAR2
	PCSPID_003_7_ND	VARCHAR2
PCDTC_003_7	PCDTC_003_7	DATE
	PCDTC_003_7_DTS	VARCHAR2
	PCDTC_003_7_DTR	VARCHAR2
	PCDTC_003_7_ND	VARCHAR2
CO_PKCOMC_003_7	CO_PKCOMC_003_7	VARCHAR2
	CO_PKCOMC_003_7_ND	VARCHAR2

C4891002: PHARMACOKINETICS - PALBOCICLIB - POST - SLI (PK PAL PT) [PC003_11]

PHARMACOKINETICS [PC01003_11]

# ✓	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Reference Timepoint:	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	PALBOCICLIB	BLOOD		1H	IN CLINIC DOSE			
1.b	PALBOCICLIB	BLOOD		2H	IN CLINIC DOSE			
1.c	PALBOCICLIB	BLOOD		4H	IN CLINIC DOSE			
1.d	PALBOCICLIB	BLOOD		7H	IN CLINIC DOSE			

PHARMACOKINETICS Entry [PC01003_11]

1.1 Fixed	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_11] [A:2] PALBOCICLIB
1.2 Fixed	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_11] [A:7] BLOOD
1.3* ✓	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_11] [A:1] NOT DONE [A:2] DONE
1.4 Fixed	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_11] [A:11] 1H [A:12] 2H [A:13] 4H [A:14] 7H
1.5 Fixed	Reference Timepoint: [read-only] [Reference Timepoint:]	[PCTPTREF_003_11] [A:19] IN CLINIC DOSE
1.6	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_11] [PCSPID_CL_003_11] ▼
1.7 ✓	Date and Time: [Date and Time]	[PCDTC_003_11] (DD/MM/YYYY hh:mm) Req ▼ / Req ▼ / Req ▼ (2023-2034) Req/Unk ▼ : Req/Unk ▼ 24-hour clock
1.8 ✓	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_11] A200★

Key: [*] = Item is required [✓] = Source verification required Fixed = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - PALBOCICLIB - POST - SLI		
Type	RefName	Description
Form	PC003_11	PHARMACOKINETICS (POINT)

Codelist Values Tables: PHARMACOKINETICS - PALBOCICLIB - POST - SLI						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
PCSPID_CL_003_11	String		101	101	cliPKUSMID_101	PCSPID_003_11
			102	102	cliPKUSMID_102	
			103	103	cliPKUSMID_103	
			104	104	cliPKUSMID_104	
			107	107	cliPKUSMID_107	
			108	108	cliPKUSMID_108	
			109	109	cliPKUSMID_109	
			110	110	cliPKUSMID_110	

RDE Analytics: RD_PC003_11		
Data Variable RefName	RD Column Name	Column Data Type
RD_PC003_11_PC01003_11		
SUPPPC_PKTERM_003_11	SUPPPC_PKTERM_003_11_C	VARCHAR2
	SUPPPC_PKTERM_003_11	VARCHAR2
	SUPPPC_PKTERM_003_11_ND	VARCHAR2
PCSPEC_003_11	PCSPEC_003_11_C	VARCHAR2
	PCSPEC_003_11	VARCHAR2
	PCSPEC_003_11_ND	VARCHAR2
X_PCSTAT_003_11	X_PCSTAT_003_11_C	VARCHAR2
	X_PCSTAT_003_11	VARCHAR2
	X_PCSTAT_003_11_ND	VARCHAR2
PCTPT_003_11	PCTPT_003_11_C	VARCHAR2
	PCTPT_003_11	VARCHAR2
	PCTPT_003_11_ND	VARCHAR2
PCTPTREF_003_11	PCTPTREF_003_11_C	VARCHAR2
	PCTPTREF_003_11	VARCHAR2
	PCTPTREF_003_11_ND	VARCHAR2
PCSPID_003_11	PCSPID_003_11_C	VARCHAR2
	PCSPID_003_11	VARCHAR2
	PCSPID_003_11_ND	VARCHAR2
PCDTC_003_11	PCDTC_003_11	DATE
	PCDTC_003_11_DTS	VARCHAR2
	PCDTC_003_11_DTR	VARCHAR2
	PCDTC_003_11_ND	VARCHAR2
CO_PKCOMC_003_11	CO_PKCOMC_003_11	VARCHAR2
	CO_PKCOMC_003_11_ND	VARCHAR2

C4891002: PK DOSING - IN CLINIC DOSE (ARV-471) (PK ARV2) - Repeating Form [EC001_5_2]

#	Treatment Name	Formulation	Route	Time Point Reference	Start Date/Time	Actual Dose	Unit	Frequency	Fasting	Did Subject Vomit in Study Time Frame
1.	Treatment Name: [read-only] [Treatment Name]			[ECTRT_001_5_2] A100★						
2.	Formulation: [read-only] [Formulation]			[ECDOSFRM_001_5_2] [A:146] ☐ TABLET						
3.	Route: [read-only] [Route]			[ECROUTE_001_5_2] [A:84] ☐ ORAL						
4.	Reference Time Point: [read-only] [Time Point Reference]			[ECTPTREF_001_5_2] [A:19] ☐ IN CLINIC DOSE						
5.* ✓	Start Date Time: [Start Date/Time]			[ECSTDTC_001_5_2] (DD/MM/YYYY hh:mm) Req / Req / Req (2022-2034) Req : Req 24-hour clock						
6.* ✓	Actual Dose: [Actual Dose]			[ECDOSE_001_5_2] xxxxxx.						
7.	Unit: [read-only] [Unit]			[ECDOSU_001_5_2] [A:8] ☐ mg						
8.	Frequency: [read-only] [Frequency]			[ECDOSFRQ_001_5_2] [A:49] ☐ QD						
9.* ✓	Fasting? [Fasting]			[ECFAST_001_5_2] [A:Y] ☐ YES [A:N] ☐ NO						
10.* ✓	Did the subject vomit within 6 hours after dosing? [Did Subject Vomit in Study Time Frame]			[SUPPEC_VOMITYN_001_5_2] [A:Y] ☐ [SUPPEC_VOMITYN_CMP_001_5_2] ☐ YES [SUPPEC_VOMAENO_001_5_2] AE Identifier: A40★ [SUPPEC_VOMITDTC_001_5_2] (DD/MM/YYYY hh:mm) Post Dose Vomiting Start Time: Req / Req / Req (2022-2034) Req : Req 24-hour clock [A:N] ☐ NO						

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: PK DOSING - IN CLINIC DOSE (ARV-471)		
Type	RefName	Description
Form	EC001_5_2	PK DOSING
Section	EC01001_5_2	PK DOSING

RDE Analytics: RD_EC001_5_2		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_5_2	ECTRT_001_5_2	VARCHAR2
	ECTRT_001_5_2_ND	VARCHAR2
ECDOSFRM_001_5_2	ECDOSFRM_001_5_2_C	VARCHAR2
	ECDOSFRM_001_5_2	VARCHAR2
	ECDOSFRM_001_5_2_ND	VARCHAR2

ECROUTE_001_5_2	ECROUTE_001_5_2_C	VARCHAR2
	ECROUTE_001_5_2	VARCHAR2
	ECROUTE_001_5_2_ND	VARCHAR2
ECTPTREF_001_5_2	ECTPTREF_001_5_2_C	VARCHAR2
	ECTPTREF_001_5_2	VARCHAR2
	ECTPTREF_001_5_2_ND	VARCHAR2
ECSTDTC_001_5_2	ECSTDTC_001_5_2	DATE
	ECSTDTC_001_5_2_DTS	VARCHAR2
	ECSTDTC_001_5_2_ND	VARCHAR2
ECDOSE_001_5_2	ECDOSE_001_5_2	FLOAT
	ECDOSE_001_5_2_ND	VARCHAR2
ECDOSU_001_5_2	ECDOSU_001_5_2_C	VARCHAR2
	ECDOSU_001_5_2	VARCHAR2
	ECDOSU_001_5_2_ND	VARCHAR2
ECDOSFRQ_001_5_2	ECDOSFRQ_001_5_2_C	VARCHAR2
	ECDOSFRQ_001_5_2	VARCHAR2
	ECDOSFRQ_001_5_2_ND	VARCHAR2
ECFAST_001_5_2	ECFAST_001_5_2_C	VARCHAR2
	ECFAST_001_5_2	VARCHAR2
	ECFAST_001_5_2_ND	VARCHAR2
SUPPEC_VOMITYN_001_5_2	SUPPEC_VOMITYN_001_5_2_C	VARCHAR2
	SUPPEC_VOMITYN_001_5_2	VARCHAR2
	SUPPEC_VOMITYN_001_5_2_ND	VARCHAR2
SUPPEC_VOMITYN_001_5_2 - SUPPEC_VOMAENO_001_5_2	SUPPEC_VOMAENO_001_5_2	VARCHAR2
SUPPEC_VOMITYN_001_5_2 - SUPPEC_VOMITDTC_001_5_2	SUPPEC_VOMITDTC_001_5_2	DATE
	SUPPEC_VOMITDTC_001_5_2_DTS	VARCHAR2

C4891002: PK DOSING - IN CLINIC DOSE (PALBOCICLIB) (PK PAL2) - Repeating Form [EC001_5_3]

#	Treatment Name	Formulation	Route	Time Point Reference	Start Date/Time	Actual Dose	Unit	Frequency	Fasting	Did Subject Vomit in Study Time Frame
1.	Treatment Name: [read-only] [Treatment Name]		[ECTR_001_5_3] A100*							
2.	Formulation: [read-only] [Formulation]		[ECDOSFRM_001_5_3] [A:11] CAPSULE							
3.	Route: [read-only] [Route]		[ECROUTE_001_5_3] [A:84] ORAL							
4.	Reference Time Point: [read-only] [Time Point Reference]		[ECTPTREF_001_5_3] [A:19] IN CLINIC DOSE							
5.* ✓	Start Date Time: [Start Date/Time]		[ECSTDTC_001_5_3] (DD/MM/YYYY hh:mm) Req / Req / Req (2022-2034) Req : Req 24-hour clock							
6.* ✓	Actual Dose: [Actual Dose]		[ECDOSE_001_5_3] xxxxxx.							
7.	Unit: [read-only] [Unit]		[ECDOSU_001_5_3] [A:8] mg							
8.	Frequency: [read-only] [Frequency]		[ECDOSFRQ_001_5_3] [A:49] QD							
9.* ✓	Fasting? [Fasting]		[ECFAST_001_5_3] [A:Y] YES [A:N] NO							
10.* ✓	Did the subject vomit within 6 hours after dosing? [Did Subject Vomit in Study Time Frame]		[SUPPEC_VOMITYN_001_5_3] [A:Y] [SUPPEC_VOMITYN_CMP_001_5_3] YES [SUPPEC_VOMAENO_001_5_3] AE Identifier: A40* [SUPPEC_VOMITDTC_001_5_3] (DD/MM/YYYY hh:mm) Post Dose Vomiting Start Time: Req / Req / Req (2022-2034) Req : Req 24-hour clock [A:N] NO							

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: PK DOSING - IN CLINIC DOSE (PALBOCICLIB)

Type	RefName	Description
Form	EC001_5_3	PK DOSING
Section	EC01001_5_3	PK DOSING

RDE Analytics: RD_EC001_5_3

Data Variable RefName	RD Column Name	Column Data Type
ECTR_001_5_3	ECTR_001_5_3	VARCHAR2
	ECTR_001_5_3_ND	VARCHAR2
ECDOSFRM_001_5_3	ECDOSFRM_001_5_3_C	VARCHAR2
	ECDOSFRM_001_5_3	VARCHAR2
	ECDOSFRM_001_5_3_ND	VARCHAR2

ECROUTE_001_5_3	ECROUTE_001_5_3_C	VARCHAR2
	ECROUTE_001_5_3	VARCHAR2
	ECROUTE_001_5_3_ND	VARCHAR2
ECTPTREF_001_5_3	ECTPTREF_001_5_3_C	VARCHAR2
	ECTPTREF_001_5_3	VARCHAR2
	ECTPTREF_001_5_3_ND	VARCHAR2
ECSTDTC_001_5_3	ECSTDTC_001_5_3	DATE
	ECSTDTC_001_5_3_DTS	VARCHAR2
	ECSTDTC_001_5_3_ND	VARCHAR2
ECDOSE_001_5_3	ECDOSE_001_5_3	FLOAT
	ECDOSE_001_5_3_ND	VARCHAR2
ECDOSU_001_5_3	ECDOSU_001_5_3_C	VARCHAR2
	ECDOSU_001_5_3	VARCHAR2
	ECDOSU_001_5_3_ND	VARCHAR2
ECDOSFRQ_001_5_3	ECDOSFRQ_001_5_3_C	VARCHAR2
	ECDOSFRQ_001_5_3	VARCHAR2
	ECDOSFRQ_001_5_3_ND	VARCHAR2
ECFAST_001_5_3	ECFAST_001_5_3_C	VARCHAR2
	ECFAST_001_5_3	VARCHAR2
	ECFAST_001_5_3_ND	VARCHAR2
SUPPEC_VOMITYN_001_5_3	SUPPEC_VOMITYN_001_5_3_C	VARCHAR2
	SUPPEC_VOMITYN_001_5_3	VARCHAR2
	SUPPEC_VOMITYN_001_5_3_ND	VARCHAR2
SUPPEC_VOMITYN_001_5_3 - SUPPEC_VOMAENO_001_5_3	SUPPEC_VOMAENO_001_5_3	VARCHAR2
SUPPEC_VOMITYN_001_5_3 - SUPPEC_VOMITDTC_001_5_3	SUPPEC_VOMITDTC_001_5_3	DATE
	SUPPEC_VOMITDTC_001_5_3_DTS	VARCHAR2

C4891002: RETAINED RESEARCH SAMPLE TRACKING - GEN PREP D1 SAMPLE (PREP D1) [R_OMIC003]

Retained Research Sample Tracking [R_OMIC01003]

#	Category of Assessment	Specimen Type	Sample Name	Not Done:	Sample Date Time
1.a	RETAINED RESEARCH SAMPLE TRACKING	BLOOD	PREP D1		

Retained Research Sample Tracking Entry [R_OMIC01003]

1.1	Category of Assessment <i>[read-only]</i> [Category of Assessment]	[R_OMICCAT_003] [A:7] ☐ RETAINED RESEARCH SAMPLE TRACKING			
1.2	Specimen Type <i>[read-only]</i> [Specimen Type]	[R_OMICSPEC_003] [A:7] ☐ BLOOD			
1.3	Sample Name <i>[read-only]</i> [Sample Name]	[R_OMICPRP_003] [A:1] ☐ PREP D1			
1.4	Not Done: [Not Done:]	[R_OMICSTAT_003] [A:1] ☐ NOT DONE			
1.5	Sample Collection Date Time [Sample Date Time]	[R_OMICDTC_003] (DD/MM/YYYY hh:mm) Req / Req / Req (2022-2034) Req : Req 24-hour clock			

Key: ☐ = Fixed item
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_R_OMIC003		
Data Variable RefName	RD Column Name	Column Data Type
RD_R_OMIC003_R_OMIC01003		
R_OMICCAT_003	R_OMICCAT_003_C	VARCHAR2
	R_OMICCAT_003	VARCHAR2
	R_OMICCAT_003_ND	VARCHAR2
R_OMICSPEC_003	R_OMICSPEC_003_C	VARCHAR2
	R_OMICSPEC_003	VARCHAR2
	R_OMICSPEC_003_ND	VARCHAR2
R_OMICPRP_003	R_OMICPRP_003_C	VARCHAR2
	R_OMICPRP_003	VARCHAR2
	R_OMICPRP_003_ND	VARCHAR2
R_OMICSTAT_003	R_OMICSTAT_003_C	VARCHAR2
	R_OMICSTAT_003	VARCHAR2
	R_OMICSTAT_003_ND	VARCHAR2
R_OMICDTC_003	R_OMICDTC_003	DATE
	R_OMICDTC_003_DTS	VARCHAR2
	R_OMICDTC_003_ND	VARCHAR2

C4891002: MBIO - BIOMARKER - PHARMACODYNAMIC SAMPLING (MBIO PD) [Z_MBIO002_3_1]

MBIO - BIOMARKER Pharmacodynamic Sampling [Z_MBIO01002_3_1]

# ✓	Was Sample Collected*	Sample Collection Name	Sample Name	Sample Source	Date of Sample Collection*	Planned Time Point	Time Point Reference	Date Specimen Sent to Lab
1.a			BLOOD FOR PHARMACODYNAMICS	SERUM		-2H - 0H	IN CLINIC DOSE	

MBIO - BIOMARKER Pharmacodynamic Sampling Entry [Z_MBIO01002_3_1]

1.1*
✓

Was sample collected?
[Was Sample Collected]

[Z_MBIOSMC_002_3_1]

[A:Y] ☐ YES

[A:N] ☐ NO

1.2

Sample collection name: [read-only]
[Sample Collection Name]

[Z_SAMPNAME_002_3_1]

A80*

1.3
⌵

Sample Name: [read-only]
[Sample Name]

[D_SAMPNAME_002_3_1]

[A:14] ☐ BLOOD FOR PHARMACODYNAMICS

1.4
⌵

Sample source: [read-only]
[Sample Source]

[Z_MBIOSSR_002_3_1]

[A:8] ☐ SERUM

1.5*
✓

Date of Sample Collection:
[Date of Sample Collection]

[Z_MBIODTC_002_3_1] (DD/MM/YYYY hh:mm)

Req / Req / Req (1930-2034)

Req : Req 24-hour clock

1.6
⌵

Nominal time: [read-only]
[Planned Time Point]

[Z_MBIOTPT_002_3_1]

[A:1] ☐ -2H - 0H

1.7
⌵

Time point reference: [read-only]
[Time Point Reference]

[Z_MBIOTPTR_002_3_1]

[A:19] ☐ IN CLINIC DOSE

1.8
✓

Date specimen sent to lab:
[Date Specimen Sent to Lab]

[Z_MBIOLDAT_002_3_1] (DD/MM/YYYY)

Req / Req / Req (2023-2034)

Key: [*] = Item is required [✓] = Source verification required ⌵ = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: MBIO - BIOMARKER - PHARMACODYNAMIC SAMPLING		
Type	RefName	Description
Form	Z_MBIO002_3_1	MBIO - BIOMARKER ctDNA BLOOD

RDE Analytics: RD_Z_MBIO002_3_1		
Data Variable	RefName	RD Column Name
*RD_Z_MBIO002_3_1_Z_MBIO01002_3_1		
Z_MBIOSMC_002_3_1		Z_MBIOSMC_002_3_1_C
		Z_MBIOSMC_002_3_1
		Z_MBIOSMC_002_3_1_ND
Z_SAMPNAME_002_3_1		Z_SAMPNAME_002_3_1
		Z_SAMPNAME_002_3_1_ND
D_SAMPNAME_002_3_1		D_SAMPNAME_002_3_1_C
		D_SAMPNAME_002_3_1
		D_SAMPNAME_002_3_1_ND
Z_MBIOSSR_002_3_1		Z_MBIOSSR_002_3_1_C
		Z_MBIOSSR_002_3_1
		Z_MBIOSSR_002_3_1_ND
Z_MBIODTC_002_3_1		Z_MBIODTC_002_3_1
		Z_MBIODTC_002_3_1_DTS
		Z_MBIODTC_002_3_1_ND

Z_MBIOTPT_002_3_1	Z_MBIOTPT_002_3_1_C	VARCHAR2
	Z_MBIOTPT_002_3_1	VARCHAR2
	Z_MBIOTPT_002_3_1_ND	VARCHAR2
Z_MBIOTPTR_002_3_1	Z_MBIOTPTR_002_3_1_C	VARCHAR2
	Z_MBIOTPTR_002_3_1	VARCHAR2
	Z_MBIOTPTR_002_3_1_ND	VARCHAR2
Z_MBIOLDAT_002_3_1	Z_MBIOLDAT_002_3_1	DATE
	Z_MBIOLDAT_002_3_1_DTS	VARCHAR2
	Z_MBIOLDAT_002_3_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: PHARMACOKINETICS - ARV-471 (PF-07850327) - PRE - SLI (PK ARV PRE) [PC003_6]

PHARMACOKINETICS [PC01003_6]

# ✓	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Reference Timepoint:	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	ARV-471 (PF-07850327)	BLOOD		-2H - 0H	IN CLINIC DOSE			

PHARMACOKINETICS Entry [PC01003_6]

1.1 Fixed	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_6] [A:1] ☐ ARV-471 (PF-07850327)						
1.2 Fixed	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_6] [A:7] ☐ BLOOD						
1.3* ✓	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_6] [A:1] ☐ NOT DONE [A:2] ☐ DONE						
1.4 Fixed	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_6] [A:1] ☐ -2H - 0H						
1.5 Fixed	Reference Timepoint: [read-only] [Reference Timepoint:]	[PCTPTREF_003_6] [A:19] ☐ IN CLINIC DOSE						
1.6	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_6] [A:5] ☐ 5 [A:6] ☐ 6 [A:11] ☐ 11 [A:14] ☐ 14 [A:15] ☐ 15						
1.7 ✓	Date and Time: [Date and Time]	[PCDTC_003_6] (DD/MM/YYYY hh:mm) Req ☐ / Req ☐ / Req ☐ (2023-2034) Req/Unk ☐ : Req/Unk ☐ 24-hour clock						
1.8 ✓	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_6] A200★						

Key: [*] = Item is required [✓] = Source verification required ☐ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - ARV-471 (PF-07850327) - PRE - SLI		
Type	RefName	Description
Form	PC003_6	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003_6		
Data Variable RefName	RD Column Name	Column Data Type
RD_PC003_6_PC01003_6		
SUPPPC_PKTERM_003_6	SUPPPC_PKTERM_003_6_C	VARCHAR2
	SUPPPC_PKTERM_003_6	VARCHAR2
	SUPPPC_PKTERM_003_6_ND	VARCHAR2
PCSPEC_003_6	PCSPEC_003_6_C	VARCHAR2
	PCSPEC_003_6	VARCHAR2
	PCSPEC_003_6_ND	VARCHAR2
X_PCSTAT_003_6	X_PCSTAT_003_6_C	VARCHAR2
	X_PCSTAT_003_6	VARCHAR2
	X_PCSTAT_003_6_ND	VARCHAR2

PCTPT_003_6	PCTPT_003_6_C	VARCHAR2
	PCTPT_003_6	VARCHAR2
	PCTPT_003_6_ND	VARCHAR2
PCTPTREF_003_6	PCTPTREF_003_6_C	VARCHAR2
	PCTPTREF_003_6	VARCHAR2
	PCTPTREF_003_6_ND	VARCHAR2
PCSPID_003_6	PCSPID_003_6_C	VARCHAR2
	PCSPID_003_6	VARCHAR2
	PCSPID_003_6_ND	VARCHAR2
PCDTC_003_6	PCDTC_003_6	DATE
	PCDTC_003_6_DTS	VARCHAR2
	PCDTC_003_6_DTR	VARCHAR2
	PCDTC_003_6_ND	VARCHAR2
CO_PKCOMC_003_6	CO_PKCOMC_003_6	VARCHAR2
	CO_PKCOMC_003_6_ND	VARCHAR2

C4891002: PHARMACOKINETICS - PALBOCICLIB - PRE - SLI (PK PAL PRE) [PC003_10]

PHARMACOKINETICS [PC01003_10]

# ✓	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Reference Timepoint:	Unique Sample ID	Date and Time:	Comments (Keep brief and legible)
1.a	PALBOCICLIB	BLOOD		-2H - 0H	IN CLINIC DOSE			

PHARMACOKINETICS Entry [PC01003_10]

1.1 Fixed	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_10] [A:2] PALBOCICLIB						
1.2 Fixed	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_10] [A:7] BLOOD						
1.3* ✓	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_10] [A:1] NOT DONE [A:2] DONE						
1.4 Fixed	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_10] [A:1] -2H - 0H						
1.5 Fixed	Reference Timepoint: [read-only] [Reference Timepoint:]	[PCTPTREF_003_10] [A:19] IN CLINIC DOSE						
1.6	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_10] [A:105] 105 [A:106] 106 [A:111] 111						
1.7 ✓	Date and Time: [Date and Time:]	[PCDTC_003_10] (DD/MM/YYYY hh:mm) Req / Req / Req (2023-2034) Req/Unk : Req/Unk 24-hour clock						
1.8 ✓	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_10] A200★						

Key: [*] = Item is required [✓] = Source verification required Fixed = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - PALBOCICLIB - PRE - SLI		
Type	RefName	Description
Form	PC003_10	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003_10		
Data Variable	RefName	RD Column Name
RD_PC003_10_PC01003_10		
SUPPPC_PKTERM_003_10	SUPPPC_PKTERM_003_10_C	VARCHAR2
	SUPPPC_PKTERM_003_10	VARCHAR2
	SUPPPC_PKTERM_003_10_ND	VARCHAR2
PCSPEC_003_10	PCSPEC_003_10_C	VARCHAR2
	PCSPEC_003_10	VARCHAR2
	PCSPEC_003_10_ND	VARCHAR2
X_PCSTAT_003_10	X_PCSTAT_003_10_C	VARCHAR2
	X_PCSTAT_003_10	VARCHAR2
	X_PCSTAT_003_10_ND	VARCHAR2
PCTPT_003_10	PCTPT_003_10_C	VARCHAR2
	PCTPT_003_10	VARCHAR2

	PCTPT_003_10_ND	VARCHAR2
PCTPTREF_003_10	PCTPTREF_003_10_C	VARCHAR2
	PCTPTREF_003_10	VARCHAR2
	PCTPTREF_003_10_ND	VARCHAR2
PCSPID_003_10	PCSPID_003_10_C	VARCHAR2
	PCSPID_003_10	VARCHAR2
	PCSPID_003_10_ND	VARCHAR2
PCDTC_003_10	PCDTC_003_10	DATE
	PCDTC_003_10_DTS	VARCHAR2
	PCDTC_003_10_DTR	VARCHAR2
	PCDTC_003_10_ND	VARCHAR2
CO_PKCOMC_003_10	CO_PKCOMC_003_10	VARCHAR2
	CO_PKCOMC_003_10_ND	VARCHAR2

C4891002: PK DOSING - MOST RECENT DOSE (ARV-471) (PK ARV1) - Repeating Form [EC001_5]

#	Treatment Name	Formulation	Route	Time Point Reference	Start Date/Time	Actual Dose	Unit	Frequency	Fasting	Did Subject Vomit in Study Time Frame
1.	Treatment Name: [read-only] [Treatment Name]		[ECTRT_001_5] A100★							
2.	Formulation: [read-only] [Formulation]		[ECDOSFRM_001_5] [A:146] ☐ TABLET							
3.	Route: [read-only] [Route]		[ECROUTE_001_5] [A:84] ☐ ORAL							
4.	Reference Time Point: [read-only] [Time Point Reference]		[ECTPTREF_001_5] [A:5] ☐ MOST RECENT DOSE							
5.* ✓	Start Date Time: [Start Date/Time]		[ECSTDTC_001_5] (DD/MM/YYYY hh:mm) Req / Req / Req (2022-2034) Req : Req 24-hour clock							
6.* ✓	Actual Dose: [Actual Dose]		[ECDOSE_001_5] xxxxxx.							
7.	Unit: [read-only] [Unit]		[ECDOSU_001_5] [A:8] ☐ mg							
8.	Frequency: [read-only] [Frequency]		[ECDOSFRQ_001_5] [A:49] ☐ QD							
9.* ✓	Fasting? [Fasting]		[ECFAST_001_5] [A:Y] ☐ YES [A:N] ☐ NO							
10.* ✓	Did the subject vomit within 6 hours after dosing? [Did Subject Vomit in Study Time Frame]		[SUPPEC_VOMITYN_001_5] [A:Y] ☐ [SUPPEC_VOMITYN_CMP_001_5] ☐ YES [SUPPEC_VOMAENO_001_5] AE Identifier: A40★ [SUPPEC_VOMITDTC_001_5] (DD/MM/YYYY hh:mm) Post Dose Vomiting Start Time: Req / Req / Req (2022-2034) Req : Req 24-hour clock [A:N] ☐ NO							

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: PK DOSING - MOST RECENT DOSE (ARV-471)		
Type	RefName	Description
Form	EC001_5	PK DOSING
Section	EC01001_5	PK DOSING

RDE Analytics: RD_EC001_5		
Data Variable RefName	RD Column Name	Column Data Type
ECTRT_001_5	ECTRT_001_5	VARCHAR2
	ECTRT_001_5_ND	VARCHAR2
ECDOSFRM_001_5	ECDOSFRM_001_5_C	VARCHAR2
	ECDOSFRM_001_5	VARCHAR2
	ECDOSFRM_001_5_ND	VARCHAR2

ECROUTE_001_5	ECROUTE_001_5_C	VARCHAR2
	ECROUTE_001_5	VARCHAR2
	ECROUTE_001_5_ND	VARCHAR2
ECTPTREF_001_5	ECTPTREF_001_5_C	VARCHAR2
	ECTPTREF_001_5	VARCHAR2
	ECTPTREF_001_5_ND	VARCHAR2
ECSTDTC_001_5	ECSTDTC_001_5	DATE
	ECSTDTC_001_5_DTS	VARCHAR2
	ECSTDTC_001_5_ND	VARCHAR2
ECDOSE_001_5	ECDOSE_001_5	FLOAT
	ECDOSE_001_5_ND	VARCHAR2
ECDOSU_001_5	ECDOSU_001_5_C	VARCHAR2
	ECDOSU_001_5	VARCHAR2
	ECDOSU_001_5_ND	VARCHAR2
ECDOSFRQ_001_5	ECDOSFRQ_001_5_C	VARCHAR2
	ECDOSFRQ_001_5	VARCHAR2
	ECDOSFRQ_001_5_ND	VARCHAR2
ECFAST_001_5	ECFAST_001_5_C	VARCHAR2
	ECFAST_001_5	VARCHAR2
	ECFAST_001_5_ND	VARCHAR2
SUPPEC_VOMITYN_001_5	SUPPEC_VOMITYN_001_5_C	VARCHAR2
	SUPPEC_VOMITYN_001_5	VARCHAR2
	SUPPEC_VOMITYN_001_5_ND	VARCHAR2
SUPPEC_VOMITYN_001_5 - SUPPEC_VOMAENO_001_5	SUPPEC_VOMAENO_001_5	VARCHAR2
SUPPEC_VOMITYN_001_5 - SUPPEC_VOMITDTC_001_5	SUPPEC_VOMITDTC_001_5	DATE
	SUPPEC_VOMITDTC_001_5_DTS	VARCHAR2

C4891002: PK DOSING - MOST RECENT DOSE (PALBOCICLIB) (PK PAL1) - Repeating Form [EC001_5_1]

#	Treatment Name	Formulation	Route	Time Point Reference	Start Date/Time	Actual Dose	Unit	Frequency	Fasting	Did Subject Vomit in Study Time Frame
1.	Treatment Name: [read-only] [Treatment Name]		[ECTR_001_5_1] A100*							
2.	Formulation: [read-only] [Formulation]		[ECDOSFRM_001_5_1] [A:11] CAPSULE							
3.	Route: [read-only] [Route]		[ECROUTE_001_5_1] [A:84] ORAL							
4.	Reference Time Point: [read-only] [Time Point Reference]		[ECTPTREF_001_5_1] [A:5] MOST RECENT DOSE							
5.* ✓	Start Date Time: [Start Date/Time]		[ECSTDTC_001_5_1] (DD/MM/YYYY hh:mm) Req / Req / Req (2022-2034) Req : Req 24-hour clock							
6.* ✓	Actual Dose: [Actual Dose]		[ECDOSE_001_5_1] xxxxxx.							
7.	Unit: [read-only] [Unit]		[ECDOSU_001_5_1] [A:8] mg							
8.	Frequency: [read-only] [Frequency]		[ECDOSFRQ_001_5_1] [A:49] QD							
9.* ✓	Fasting? [Fasting]		[ECFAST_001_5_1] [A:Y] YES [A:N] NO							
10.* ✓	Did the subject vomit within 6 hours after dosing? [Did Subject Vomit in Study Time Frame]		[SUPPEC_VOMITYN_001_5_1] [A:Y] [SUPPEC_VOMITYN_CMP_001_5_1] ☐ YES [SUPPEC_VOMAENO_001_5_1] AE Identifier: A40* [SUPPEC_VOMITDTC_001_5_1] (DD/MM/YYYY hh:mm) Post Dose Vomiting Start Time: Req / Req / Req (2022-2034) Req : Req 24-hour clock [A:N] NO							

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: PK DOSING - MOST RECENT DOSE (PALBOCICLIB)		
Type	RefName	Description
Form	EC001_5_1	PK DOSING
Section	EC01001_5_1	PK DOSING

RDE Analytics: RD_EC001_5_1		
Data Variable RefName	RD Column Name	Column Data Type
ECTR_001_5_1	ECTR_001_5_1	VARCHAR2
	ECTR_001_5_1_ND	VARCHAR2
ECDOSFRM_001_5_1	ECDOSFRM_001_5_1_C	VARCHAR2
	ECDOSFRM_001_5_1	VARCHAR2
	ECDOSFRM_001_5_1_ND	VARCHAR2

ECROUTE_001_5_1	ECROUTE_001_5_1_C	VARCHAR2
	ECROUTE_001_5_1	VARCHAR2
	ECROUTE_001_5_1_ND	VARCHAR2
ECTPTREF_001_5_1	ECTPTREF_001_5_1_C	VARCHAR2
	ECTPTREF_001_5_1	VARCHAR2
	ECTPTREF_001_5_1_ND	VARCHAR2
ECSTDTC_001_5_1	ECSTDTC_001_5_1	DATE
	ECSTDTC_001_5_1_DTS	VARCHAR2
	ECSTDTC_001_5_1_ND	VARCHAR2
ECDOSE_001_5_1	ECDOSE_001_5_1	FLOAT
	ECDOSE_001_5_1_ND	VARCHAR2
ECDOSU_001_5_1	ECDOSU_001_5_1_C	VARCHAR2
	ECDOSU_001_5_1	VARCHAR2
	ECDOSU_001_5_1_ND	VARCHAR2
ECDOSFRQ_001_5_1	ECDOSFRQ_001_5_1_C	VARCHAR2
	ECDOSFRQ_001_5_1	VARCHAR2
	ECDOSFRQ_001_5_1_ND	VARCHAR2
ECFAST_001_5_1	ECFAST_001_5_1_C	VARCHAR2
	ECFAST_001_5_1	VARCHAR2
	ECFAST_001_5_1_ND	VARCHAR2
SUPPEC_VOMITYN_001_5_1	SUPPEC_VOMITYN_001_5_1_C	VARCHAR2
	SUPPEC_VOMITYN_001_5_1	VARCHAR2
	SUPPEC_VOMITYN_001_5_1_ND	VARCHAR2
SUPPEC_VOMITYN_001_5_1 - SUPPEC_VOMAENO_001_5_1	SUPPEC_VOMAENO_001_5_1	VARCHAR2
SUPPEC_VOMITYN_001_5_1 - SUPPEC_VOMITDTC_001_5_1	SUPPEC_VOMITDTC_001_5_1	DATE
	SUPPEC_VOMITDTC_001_5_1_DTS	VARCHAR2

C4891002: PHARMACOKINETICS - ARV-471 (PF-07850327) - PRE/POST (PK ARV PP) [PC003_1]

PHARMACOKINETICS [PC01003_1]

# ✓	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Reference Timepoint:	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	ARV-471 (PF-07850327)	BLOOD		-2H - 0H	IN CLINIC DOSE			
1.b	ARV-471 (PF-07850327)	BLOOD		4H - 8H	IN CLINIC DOSE			
1.c	ARV-471 (PF-07850327)	BLOOD		5H - 7H	IN CLINIC DOSE			

PHARMACOKINETICS Entry [PC01003_1]

1.1 ☒	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_1] [A:1] ☐ ARV-471 (PF-07850327)						
1.2 ☒	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_1] [A:7] ☐ BLOOD						
1.3* ✓	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_1] [A:1] ☐ NOT DONE [A:2] ☐ DONE						
1.4 ☒	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_1] [A:1] ☐ -2H - 0H [A:2] ☐ 4H - 8H [A:13] ☐ 5H - 7H						
1.5 ☒	Reference Timepoint: [read-only] [Reference Timepoint:]	[PCTPTREF_003_1] [A:19] ☐ IN CLINIC DOSE						
1.6	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_1] [A:1] ☐ 1 [A:2] ☐ 2 [A:4] ☐ 4 [A:5] ☐ 5 [A:201] ☐ 201 [A:202] ☐ 202 [A:204] ☐ 204 [A:205] ☐ 205						
1.7 ✓	Date and Time: [Date and Time]	[PCDTC_003_1] (DD/MM/YYYY hh:mm) Req ☐ / Req ☐ / Req ☐ (2023-2034) Req/Unk ☐ : Req/Unk ☐ 24-hour clock						
1.8 ✓	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_1] A200★						

Key: [*] = Item is required [✓] = Source verification required ☒ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - ARV-471 (PF-07850327) - PRE/POST		
Type	RefName	Description
Form	PC003_1	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003_1			
Data Variable	RefName	RD Column Name	Column Data Type
RD_PC003_1_PC01003_1			
SUPPPC_PKTERM_003_1		SUPPPC_PKTERM_003_1_C	VARCHAR2
		SUPPPC_PKTERM_003_1	VARCHAR2
		SUPPPC_PKTERM_003_1_ND	VARCHAR2

PCSPEC_003_1	PCSPEC_003_1_C	VARCHAR2
	PCSPEC_003_1	VARCHAR2
	PCSPEC_003_1_ND	VARCHAR2
X_PCSTAT_003_1	X_PCSTAT_003_1_C	VARCHAR2
	X_PCSTAT_003_1	VARCHAR2
	X_PCSTAT_003_1_ND	VARCHAR2
PCTPT_003_1	PCTPT_003_1_C	VARCHAR2
	PCTPT_003_1	VARCHAR2
	PCTPT_003_1_ND	VARCHAR2
PCTPTREF_003_1	PCTPTREF_003_1_C	VARCHAR2
	PCTPTREF_003_1	VARCHAR2
	PCTPTREF_003_1_ND	VARCHAR2
PCSPID_003_1	PCSPID_003_1_C	VARCHAR2
	PCSPID_003_1	VARCHAR2
	PCSPID_003_1_ND	VARCHAR2
PCDTC_003_1	PCDTC_003_1	DATE
	PCDTC_003_1_DTS	VARCHAR2
	PCDTC_003_1_DTR	VARCHAR2
	PCDTC_003_1_ND	VARCHAR2
CO_PKCOMC_003_1	CO_PKCOMC_003_1	VARCHAR2
	CO_PKCOMC_003_1_ND	VARCHAR2

C4891002: PHARMACOKINETICS - PALBOCICLIB - PRE/POST (PK PAL PP) [PC003_3]

PHARMACOKINETICS [PC01003_3]

# ▼	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Reference Timepoint:	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	PALBOCICLIB	BLOOD		-2H - 0H	IN CLINIC DOSE			
1.b	PALBOCICLIB	BLOOD		4H - 8H	IN CLINIC DOSE			
1.c	PALBOCICLIB	BLOOD		5H - 7H	IN CLINIC DOSE			

PHARMACOKINETICS Entry [PC01003_3]

1.1	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_3] [A:2] ☐ PALBOCICLIB						
1.2	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_3] [A:7] ☐ BLOOD						
1.3*	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_3] [A:1] ☐ NOT DONE [A:2] ☐ DONE						
1.4	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_3] [A:1] ☐ -2H - 0H [A:2] ☐ 4H - 8H [A:13] ☐ 5H - 7H						
1.5	Reference Timepoint: [read-only] [Reference Timepoint:]	[PCTPTREF_003_3] [A:19] ☐ IN CLINIC DOSE						
1.6	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_3] [A:101] ☐ 101 [A:102] ☐ 102 [A:104] ☐ 104 [A:105] ☐ 105 [A:301] ☐ 301 [A:302] ☐ 302 [A:304] ☐ 304 [A:305] ☐ 305						
1.7	Date and Time: [Date and Time]	[PCDTC_003_3] (DD/MM/YYYY hh:mm) Req ☐ / Req ☐ / Req ☐ (2023-2034) Req/Unk ☐ : Req/Unk ☐ 24-hour clock						
1.8	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_3] A200★						

Key: [*] = Item is required [▼] = Source verification required ☐ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - PALBOCICLIB - PRE/POST		
Type	RefName	Description
Form	PC003_3	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003_3		
Data Variable	RefName	RD Column Name
RD_PC003_3_PC01003_3		
SUPPPC_PKTERM_003_3	SUPPPC_PKTERM_003_3_C	VARCHAR2
	SUPPPC_PKTERM_003_3	VARCHAR2
	SUPPPC_PKTERM_003_3_ND	VARCHAR2

PCSPEC_003_3	PCSPEC_003_3_C	VARCHAR2
	PCSPEC_003_3	VARCHAR2
	PCSPEC_003_3_ND	VARCHAR2
X_PCSTAT_003_3	X_PCSTAT_003_3_C	VARCHAR2
	X_PCSTAT_003_3	VARCHAR2
	X_PCSTAT_003_3_ND	VARCHAR2
PCTPT_003_3	PCTPT_003_3_C	VARCHAR2
	PCTPT_003_3	VARCHAR2
	PCTPT_003_3_ND	VARCHAR2
PCTPTREF_003_3	PCTPTREF_003_3_C	VARCHAR2
	PCTPTREF_003_3	VARCHAR2
	PCTPTREF_003_3_ND	VARCHAR2
PCSPID_003_3	PCSPID_003_3_C	VARCHAR2
	PCSPID_003_3	VARCHAR2
	PCSPID_003_3_ND	VARCHAR2
PCDTC_003_3	PCDTC_003_3	DATE
	PCDTC_003_3_DTS	VARCHAR2
	PCDTC_003_3_DTR	VARCHAR2
	PCDTC_003_3_ND	VARCHAR2
CO_PKCOMC_003_3	CO_PKCOMC_003_3	VARCHAR2
	CO_PKCOMC_003_3_ND	VARCHAR2

C4891002: PHARMACOKINETICS - ARV-471 (PF-07850327) - PRE/POST (PK ARV PP) [PC003_1_1]

PHARMACOKINETICS [PC01003_1_1]

# ✓	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Reference Timepoint:	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	ARV-471 (PF-07850327)	BLOOD		-2H - 0H	IN CLINIC DOSE			
1.b	ARV-471 (PF-07850327)	BLOOD		5H - 7H	IN CLINIC DOSE			

PHARMACOKINETICS Entry [PC01003_1_1]

1.1 ☒	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_1_1] [A:1] ☐ ARV-471 (PF-07850327)						
1.2 ☒	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_1_1] [A:7] ☐ BLOOD						
1.3* ✓	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_1_1] [A:1] ☐ NOT DONE [A:2] ☐ DONE						
1.4 ☒	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_1_1] [A:1] ☐ -2H - 0H [A:13] ☐ 5H - 7H						
1.5 ☒	Reference Timepoint: [read-only] [Reference Timepoint:]	[PCTPTREF_003_1_1] [A:19] ☐ IN CLINIC DOSE						
1.6	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_1_1] [A:201] ☐ 201 [A:202] ☐ 202 [A:204] ☐ 204 [A:205] ☐ 205						
1.7 ✓	Date and Time: [Date and Time]	[PCDTC_003_1_1] (DD/MM/YYYY hh:mm) Req v / Req v / Req v (2023-2034) Req/Unk v : Req/Unk v 24-hour clock						
1.8 ✓	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_1_1] A200★						

Key: [*] = Item is required [✓] = Source verification required ☒ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - ARV-471 (PF-07850327) - PRE/POST		
Type	RefName	Description
Form	PC003_1_1	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003_1_1		
Data Variable RefName	RD Column Name	Column Data Type
RD_PC003_1_1_PC01003_1_1		
SUPPPC_PKTERM_003_1_1	SUPPPC_PKTERM_003_1_1_C	VARCHAR2
	SUPPPC_PKTERM_003_1_1	VARCHAR2
	SUPPPC_PKTERM_003_1_1_ND	VARCHAR2
PCSPEC_003_1_1	PCSPEC_003_1_1_C	VARCHAR2
	PCSPEC_003_1_1	VARCHAR2
	PCSPEC_003_1_1_ND	VARCHAR2
X_PCSTAT_003_1_1	X_PCSTAT_003_1_1_C	VARCHAR2
	X_PCSTAT_003_1_1	VARCHAR2

	X_PCSTAT_003_1_1_ND	VARCHAR2
PCTPT_003_1_1	PCTPT_003_1_1_C	VARCHAR2
	PCTPT_003_1_1	VARCHAR2
	PCTPT_003_1_1_ND	VARCHAR2
PCTPTREF_003_1_1	PCTPTREF_003_1_1_C	VARCHAR2
	PCTPTREF_003_1_1	VARCHAR2
	PCTPTREF_003_1_1_ND	VARCHAR2
PCSPID_003_1_1	PCSPID_003_1_1_C	VARCHAR2
	PCSPID_003_1_1	VARCHAR2
	PCSPID_003_1_1_ND	VARCHAR2
PCDTC_003_1_1	PCDTC_003_1_1	DATE
	PCDTC_003_1_1_DTS	VARCHAR2
	PCDTC_003_1_1_DTR	VARCHAR2
	PCDTC_003_1_1_ND	VARCHAR2
CO_PKCOMC_003_1_1	CO_PKCOMC_003_1_1	VARCHAR2
	CO_PKCOMC_003_1_1_ND	VARCHAR2

C4891002: PHARMACOKINETICS - PALBOCICLIB - PRE/POST (PK PAL PP) [PC003_3_1]

PHARMACOKINETICS [PC01003_3_1]

# ✓	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Reference Timepoint:	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	PALBOCICLIB	BLOOD		-2H - 0H	IN CLINIC DOSE			
1.b	PALBOCICLIB	BLOOD		5H - 7H	IN CLINIC DOSE			

PHARMACOKINETICS Entry [PC01003_3_1]

1.1 ☒	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_3_1] [A:2] ☐ PALBOCICLIB
1.2 ☒	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_3_1] [A:7] ☐ BLOOD
1.3* ✓	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_3_1] [A:1] ☐ NOT DONE [A:2] ☐ DONE
1.4 ☒	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_3_1] [A:1] ☐ -2H - 0H [A:13] ☐ 5H - 7H
1.5 ☒	Reference Timepoint: [read-only] [Reference Timepoint:]	[PCTPTREF_003_3_1] [A:19] ☐ IN CLINIC DOSE
1.6	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_3_1] [A:301] ☐ 301 [A:302] ☐ 302 [A:304] ☐ 304 [A:305] ☐ 305
1.7 ✓	Date and Time: [Date and Time]	[PCDTC_003_3_1] (DD/MM/YYYY hh:mm) Req v / Req v / Req v (2023-2034) Req/Unk v : Req/Unk v 24-hour clock
1.8 ✓	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_3_1] A200★

Key: [*] = Item is required [✓] = Source verification required ☒ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - PALBOCICLIB - PRE/POST		
Type	RefName	Description
Form	PC003_3_1	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003_3_1			
Data Variable RefName		RD Column Name	Column Data Type
RD_PC003_3_1_PC01003_3_1			
SUPPPC_PKTERM_003_3_1		SUPPPC_PKTERM_003_3_1_C	VARCHAR2
		SUPPPC_PKTERM_003_3_1	VARCHAR2
		SUPPPC_PKTERM_003_3_1_ND	VARCHAR2
PCSPEC_003_3_1		PCSPEC_003_3_1_C	VARCHAR2
		PCSPEC_003_3_1	VARCHAR2
		PCSPEC_003_3_1_ND	VARCHAR2
X_PCSTAT_003_3_1		X_PCSTAT_003_3_1_C	VARCHAR2
		X_PCSTAT_003_3_1	VARCHAR2

	X_PCSTAT_003_3_1_ND	VARCHAR2
PCTPT_003_3_1	PCTPT_003_3_1_C	VARCHAR2
	PCTPT_003_3_1	VARCHAR2
	PCTPT_003_3_1_ND	VARCHAR2
PCTPTREF_003_3_1	PCTPTREF_003_3_1_C	VARCHAR2
	PCTPTREF_003_3_1	VARCHAR2
	PCTPTREF_003_3_1_ND	VARCHAR2
PCSPID_003_3_1	PCSPID_003_3_1_C	VARCHAR2
	PCSPID_003_3_1	VARCHAR2
	PCSPID_003_3_1_ND	VARCHAR2
PCDTC_003_3_1	PCDTC_003_3_1	DATE
	PCDTC_003_3_1_DTS	VARCHAR2
	PCDTC_003_3_1_DTR	VARCHAR2
	PCDTC_003_3_1_ND	VARCHAR2
CO_PKCOMC_003_3_1	CO_PKCOMC_003_3_1	VARCHAR2
	CO_PKCOMC_003_3_1_ND	VARCHAR2

C4891002: PHARMACOKINETICS - ARV-471 (PF-07850327) PRE (PK ARV PRE) [PC003]

PHARMACOKINETICS [PC01003]

# ▼	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Reference Timepoint:	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	ARV-471 (PF-07850327)	BLOOD		-2H - 0H	IN CLINIC DOSE			

PHARMACOKINETICS Entry [PC01003]

1.1 	Analyte: <i>[read-only]</i> [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003] [A:1] ARV-471 (PF-07850327)						
1.2 	Body Fluid / Matrix: <i>[read-only]</i> [Body Fluid / Matrix]	[PCSPEC_003] [A:7] BLOOD						
1.3* ▼	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003] [A:1] NOT DONE [A:2] DONE						
1.4 	Time Post Dose: <i>[read-only]</i> [Time Post Dose]	[PCTPT_003] [A:1] -2H - 0H						
1.5 	Reference Timepoint: <i>[read-only]</i> [Reference Timepoint:]	[PCTPTREF_003] [A:19] IN CLINIC DOSE						
1.6	Unique Sample ID: <i>[read-only]</i> [Unique Sample ID]	[PCSPID_003] [A:3] 3 [A:6] 6 [A:7] 7 [A:203] 203 [A:206] 206 [A:207] 207						
1.7 ▼	Date and Time: [Date and Time]	[PCDTC_003] (DD/MM/YYYY hh:mm) Req ▼ / Req ▼ / Req ▼ (2023-2034) Req/Unk ▼ : Req/Unk ▼ 24-hour clock						
1.8 ▼	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003] A200★						

Key: [*] = Item is required [▼] = Source verification required = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - ARV-471 (PF-07850327) PRE		
Type	RefName	Description
Form	PC003	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003		
Data Variable RefName	RD Column Name	Column Data Type
RD_PC003_PC01003		
SUPPPC_PKTERM_003	SUPPPC_PKTERM_003_C	VARCHAR2
	SUPPPC_PKTERM_003	VARCHAR2
	SUPPPC_PKTERM_003_ND	VARCHAR2
PCSPEC_003	PCSPEC_003_C	VARCHAR2
	PCSPEC_003	VARCHAR2
	PCSPEC_003_ND	VARCHAR2
X_PCSTAT_003	X_PCSTAT_003_C	VARCHAR2
	X_PCSTAT_003	VARCHAR2

	X_PCSTAT_003_ND	VARCHAR2
PCTPT_003	PCTPT_003_C	VARCHAR2
	PCTPT_003	VARCHAR2
	PCTPT_003_ND	VARCHAR2
PCTPTREF_003	PCTPTREF_003_C	VARCHAR2
	PCTPTREF_003	VARCHAR2
	PCTPTREF_003_ND	VARCHAR2
PCSPID_003	PCSPID_003_C	VARCHAR2
	PCSPID_003	VARCHAR2
	PCSPID_003_ND	VARCHAR2
PCDTC_003	PCDTC_003	DATE
	PCDTC_003_DTS	VARCHAR2
	PCDTC_003_DTR	VARCHAR2
	PCDTC_003_ND	VARCHAR2
CO_PKCOMC_003	CO_PKCOMC_003	VARCHAR2
	CO_PKCOMC_003_ND	VARCHAR2

C4891002: PHARMACOKINETICS - PALBOCICLIB - PRE (PK PAL PRE) [PC003_2]

PHARMACOKINETICS [PC01003_2]

# ✓	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Reference Timepoint:	Unique Sample ID	Date and Time:	Comments (Keep brief and legible)
1.a	PALBOCICLIB	BLOOD		-2H - 0H	IN CLINIC DOSE			

PHARMACOKINETICS Entry [PC01003_2]

1.1 ☒	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_2] [A:2] ☐ PALBOCICLIB						
1.2 ☒	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_2] [A:7] ☐ BLOOD						
1.3* ✓	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_2] [A:1] ☐ NOT DONE [A:2] ☐ DONE						
1.4 ☒	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_2] [A:1] ☐ -2H - 0H						
1.5 ☒	Reference Timepoint: [read-only] [Reference Timepoint:]	[PCTPTREF_003_2] [A:19] ☐ IN CLINIC DOSE						
1.6	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_2] [A:103] ☐ 103 [A:303] ☐ 303						
1.7 ✓	Date and Time: [Date and Time:]	[PCDTC_003_2] (DD/MM/YYYY hh:mm) Req v / Req v / Req v (2023-2034) Req/Unk v : Req/Unk v 24-hour clock						
1.8 ✓	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_2] A200★						

Key: [*] = Item is required [✓] = Source verification required ☒ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - PALBOCICLIB - PRE		
Type	RefName	Description
Form	PC003_2	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003_2		
Data Variable RefName	RD Column Name	Column Data Type
RD_PC003_2_PC01003_2		
SUPPPC_PKTERM_003_2	SUPPPC_PKTERM_003_2_C	VARCHAR2
	SUPPPC_PKTERM_003_2	VARCHAR2
	SUPPPC_PKTERM_003_2_ND	VARCHAR2
PCSPEC_003_2	PCSPEC_003_2_C	VARCHAR2
	PCSPEC_003_2	VARCHAR2
	PCSPEC_003_2_ND	VARCHAR2
X_PCSTAT_003_2	X_PCSTAT_003_2_C	VARCHAR2
	X_PCSTAT_003_2	VARCHAR2
	X_PCSTAT_003_2_ND	VARCHAR2
PCTPT_003_2	PCTPT_003_2_C	VARCHAR2
	PCTPT_003_2	VARCHAR2
	PCTPT_003_2_ND	VARCHAR2

PCTPTREF_003_2	PCTPTREF_003_2_C	VARCHAR2
	PCTPTREF_003_2	VARCHAR2
	PCTPTREF_003_2_ND	VARCHAR2
PCSPID_003_2	PCSPID_003_2_C	VARCHAR2
	PCSPID_003_2	VARCHAR2
	PCSPID_003_2_ND	VARCHAR2
PCDTC_003_2	PCDTC_003_2	DATE
	PCDTC_003_2_DTS	VARCHAR2
	PCDTC_003_2_DTR	VARCHAR2
	PCDTC_003_2_ND	VARCHAR2
CO_PKCOMC_003_2	CO_PKCOMC_003_2	VARCHAR2
	CO_PKCOMC_003_2_ND	VARCHAR2

C4891002: PHARMACOKINETICS - ARV-471 (PF-07850327) - PRE/POST - SLI (PK ARV PP) [PC003_8]

PHARMACOKINETICS [PC01003_8]

# ✓	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Reference Timepoint:	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	ARV-471 (PF-07850327)	BLOOD		-2H - 0H	IN CLINIC DOSE			
1.b	ARV-471 (PF-07850327)	BLOOD		5H - 7H	IN CLINIC DOSE			

PHARMACOKINETICS Entry [PC01003_8]

1.1 Fixed	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_8] [A:1] ☐ ARV-471 (PF-07850327)
1.2 Fixed	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_8] [A:7] ☐ BLOOD
1.3* ✓	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_8] [A:1] ☐ NOT DONE [A:2] ☐ DONE
1.4 Fixed	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_8] [A:1] ☐ -2H - 0H [A:13] ☐ 5H - 7H
1.5 Fixed	Reference Timepoint: [read-only] [Reference Timepoint:]	[PCTPTREF_003_8] [A:19] ☐ IN CLINIC DOSE
1.6	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_8] [A:12] ☐ 12 [A:13] ☐ 13
1.7 ✓	Date and Time: [Date and Time]	[PCDTC_003_8] (DD/MM/YYYY hh:mm) Req v / Req v / Req v (2023-2034) Req/Unk v : Req/Unk v 24-hour clock
1.8 ✓	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_8] A200★

Key: [*] = Item is required [✓] = Source verification required ☐ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - ARV-471 (PF-07850327) - PRE/POST - SLI		
Type	RefName	Description
Form	PC003_8	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003_8		
Data Variable	RefName	RD Column Name
Column Data Type		
RD_PC003_8_PC01003_8		
SUPPPC_PKTERM_003_8	SUPPPC_PKTERM_003_8_C	VARCHAR2
	SUPPPC_PKTERM_003_8	VARCHAR2
	SUPPPC_PKTERM_003_8_ND	VARCHAR2
PCSPEC_003_8	PCSPEC_003_8_C	VARCHAR2
	PCSPEC_003_8	VARCHAR2
	PCSPEC_003_8_ND	VARCHAR2
X_PCSTAT_003_8	X_PCSTAT_003_8_C	VARCHAR2
	X_PCSTAT_003_8	VARCHAR2
	X_PCSTAT_003_8_ND	VARCHAR2
PCTPT_003_8	PCTPT_003_8_C	VARCHAR2

	PCTPT_003_8	VARCHAR2
	PCTPT_003_8_ND	VARCHAR2
PCTPTREF_003_8	PCTPTREF_003_8_C	VARCHAR2
	PCTPTREF_003_8	VARCHAR2
	PCTPTREF_003_8_ND	VARCHAR2
PCSPID_003_8	PCSPID_003_8_C	VARCHAR2
	PCSPID_003_8	VARCHAR2
	PCSPID_003_8_ND	VARCHAR2
PCDTC_003_8	PCDTC_003_8	DATE
	PCDTC_003_8_DTS	VARCHAR2
	PCDTC_003_8_DTR	VARCHAR2
	PCDTC_003_8_ND	VARCHAR2
CO_PKCOMC_003_8	CO_PKCOMC_003_8	VARCHAR2
	CO_PKCOMC_003_8_ND	VARCHAR2

C4891002: PHARMACOKINETICS - PALBOCICLIB - PRE/POST - SLI (PK PAL PP) [PC003_12]

PHARMACOKINETICS [PC01003_12]

# ✓	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Reference Timepoint:	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	PALBOCICLIB	BLOOD		-2H - 0H	IN CLINIC DOSE			
1.b	PALBOCICLIB	BLOOD		5H - 7H	IN CLINIC DOSE			

PHARMACOKINETICS Entry [PC01003_12]

1.1	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_12] [A:2] PALBOCICLIB
1.2	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_12] [A:7] BLOOD
1.3*	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_12] [A:1] NOT DONE [A:2] DONE
1.4	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_12] [A:1] -2H - 0H [A:13] 5H - 7H
1.5	Reference Timepoint: [read-only] [Reference Timepoint:]	[PCTPTREF_003_12] [A:19] IN CLINIC DOSE
1.6	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_12] [A:112] 112 [A:113] 113
1.7	Date and Time: [Date and Time]	[PCDTC_003_12] (DD/MM/YYYY hh:mm) Req / / Req / (2023-2034) Req/Unk : Req/Unk 24-hour clock
1.8	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_12] A200★

Key: [*] = Item is required [✓] = Source verification required [Fixed item] = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - PALBOCICLIB - PRE/POST - SLI		
Type	RefName	Description
Form	PC003_12	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003_12		
Data Variable RefName	RD Column Name	Column Data Type
RD_PC003_12_PC01003_12		
SUPPPC_PKTERM_003_12	SUPPPC_PKTERM_003_12_C	VARCHAR2
	SUPPPC_PKTERM_003_12	VARCHAR2
	SUPPPC_PKTERM_003_12_ND	VARCHAR2
PCSPEC_003_12	PCSPEC_003_12_C	VARCHAR2
	PCSPEC_003_12	VARCHAR2
	PCSPEC_003_12_ND	VARCHAR2
X_PCSTAT_003_12	X_PCSTAT_003_12_C	VARCHAR2
	X_PCSTAT_003_12	VARCHAR2
	X_PCSTAT_003_12_ND	VARCHAR2
PCTPT_003_12	PCTPT_003_12_C	VARCHAR2

	PCTPT_003_12	VARCHAR2
	PCTPT_003_12_ND	VARCHAR2
PCTPTREF_003_12	PCTPTREF_003_12_C	VARCHAR2
	PCTPTREF_003_12	VARCHAR2
	PCTPTREF_003_12_ND	VARCHAR2
PCSPID_003_12	PCSPID_003_12_C	VARCHAR2
	PCSPID_003_12	VARCHAR2
	PCSPID_003_12_ND	VARCHAR2
PCDTC_003_12	PCDTC_003_12	DATE
	PCDTC_003_12_DTS	VARCHAR2
	PCDTC_003_12_DTR	VARCHAR2
	PCDTC_003_12_ND	VARCHAR2
CO_PKCOMC_003_12	CO_PKCOMC_003_12	VARCHAR2
	CO_PKCOMC_003_12_ND	VARCHAR2

C4891002: TARGET LESIONS (TARGET) [TUTMM003_1]

TARGET LESIONS [TUTMM01003_1]

1.*

Were one or more target lesions assessed at this timepoint?
[Assessed]

[X_TRSTAT_TRALL_003_1]
[A:Y] ☐ YES
[A:N] ☐ NO

Target Lesions [TUTMM02003_1]

# ✓	Lesion Number:	Disease Site:	Disease Sub-site:	Was lesion assessed	Date of Assessment	Method of Tumor Assessment	Diameter	Dimension Not Measurable
2.a	T1							
2.b	T2							
2.c	T3							
2.d	T4							
2.e	T5							

Target Lesions Entry [TUTMM02003_1]

2.1

Lesion Number:
[Lesion Number:]

[Y_TRLNKID_003_1]
[A:1] ☐ T1
[A:2] ☐ T2
[A:3] ☐ T3
[A:4] ☐ T4
[A:5] ☐ T5

2.2

Disease Site: [read-only]
[Disease Site:]

[TULOC_003_1]
[TULOC_CL_003_1] ▼

2.3

Disease Sub-site: [read-only]
[Disease Sub-site:]

[SUPPTU_TMMSITE_003_1]
A60★

2.4

Was lesion assessed?
✓
[Was lesion assessed]

[X_TRSTAT_003_1]
[A:Y] ☐ YES
[A:N] ☐ NO

2.5

Evaluation Date:
✓
[Date of Assessment]

[Y_TRDTC_003_1] (DD/MM/YYYY)
Req ▼ / Req ▼ / Req ▼ (2022-2034)

2.6

Procedure:
✓
[Method of Tumor Assessment]

[Y_TRMETHOD_003_1]
[A:105] ☐ PHYSICAL EXAMINATION
[A:77] ☐ SCINTIGRAPHY
[A:63] ☐ X-RAY
[A:139] ☐ MRI WITHOUT CONTRAST
[A:265] ☐ CONTRAST ENHANCED CT SCAN
[A:266] ☐ CT SCAN WITHOUT CONTRAST
[A:277] ☐ CONTRAST ENHANCED MRI
[A:999] ☐ [Y_SUPPTR_TMMPOTH_CMP_003_1] ☐
OTHER
[Y_SUPPTR_TMMPOTH_003_1]
If Procedure code OTHER is selected, specify:
A100★

2.7

Diameter:
✓
[Diameter]

[TRORRES_DIAMETER_003_1]
xxx.x mm

2.8

If Not Measurable:
✓
[Dimension Not Measurable]

[X_TORRES_DIAMETER_003_1]
[A:1] ☐ TOO SMALL TO MEASURE
[A:3] ☐ INEVALUABLE

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [☒] = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

Codelist Values Tables: TARGET LESIONS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
TULOC_CL_003_1	String		ADRENAL GLAND	81	cliLOC_ADRENAL_GLAND	TULOC_003_1
			BONE	28	cliLOC_BONE	
			BRAIN	71	cliLOC_BRAIN	
			BREAST	146	cliLOC_BREAST	
			CHEST WALL	291	cliLOC_CHEST_WALL	
			LIVER	40	cliLOC_LIVER	
			LUNG	76	cliLOC_LUNG	
			LYMPH NODE	108	cliLOC_LYMPH_NODE	
			MEDIASTINUM	109	cliLOC_MEDIASTINUM	
			PERITONEUM	116	cliLOC_PERITONEUM	
			PLEURA	592	cliLOC_PLEURA	
			SKIN	77	cliLOC_SKIN	
			SPINAL CORD	420	cliLOC_SPINAL_CORD	
			SUBCUTIS	593	cliLOC_SUBCUTIS	
			OTHER	999	cliLOC_OTHER	

RDE Analytics: RD_TUTMM003_1		
Data Variable RefName	RD Column Name	Column Data Type
X_TRSTAT_TRALL_003_1	X_TRSTAT_TRALL_003_1_C	VARCHAR2
	X_TRSTAT_TRALL_003_1	VARCHAR2
	X_TRSTAT_TRALL_003_1_ND	VARCHAR2
*RD_TUTMM003_1_TUTMM02003_1		
Y_TRLNKID_003_1	Y_TRLNKID_003_1_C	VARCHAR2
	Y_TRLNKID_003_1	VARCHAR2
	Y_TRLNKID_003_1_ND	VARCHAR2
TULOC_003_1	TULOC_003_1_C	VARCHAR2
	TULOC_003_1	VARCHAR2
	TULOC_003_1_ND	VARCHAR2
SUPPTU_TMMSITE_003_1	SUPPTU_TMMSITE_003_1	VARCHAR2
	SUPPTU_TMMSITE_003_1_ND	VARCHAR2
X_TRSTAT_003_1	X_TRSTAT_003_1_C	VARCHAR2
	X_TRSTAT_003_1	VARCHAR2
	X_TRSTAT_003_1_ND	VARCHAR2
Y_TRDTC_003_1	Y_TRDTC_003_1	DATE
	Y_TRDTC_003_1_DTS	VARCHAR2
	Y_TRDTC_003_1_ND	VARCHAR2
Y_TRMETHOD_003_1	Y_TRMETHOD_003_1_C	VARCHAR2
	Y_TRMETHOD_003_1	VARCHAR2
	Y_TRMETHOD_003_1_ND	VARCHAR2
Y_TRMETHOD_003_1 - Y_SUPPTR_TMMPOTH_003_1	Y_SUPPTR_TMMPOTH_003_1	VARCHAR2
TRORRES_DIAMETER_003_1	TRORRES_DIAMETER_003_1	FLOAT
	TRORRES_DIAMETER_003_1_ND	VARCHAR2
X_TRORES_DIAMETER_003_1	X_TRORES_DIAMETER_003_1_C	VARCHAR2
	X_TRORES_DIAMETER_003_1	VARCHAR2
	X_TRORES_DIAMETER_003_1_ND	VARCHAR2

Key: [*] = The column and/or table name in the actual RDE extract may be different.

C4891002: NON-TARGET LESIONS (NONTARGET) [TUTMM006_1]							
Non-Target Lesions [TUTMM01006_1]							
1. *	Were one or more non-target lesions assessed at this timepoint? [Assessed]			[X_TRSTAT_TRALL_006_1] [A:Y] ☐ YES [A:N] ☐ NO			
Non-Target Lesions [TUTMM02006_1]							
# ▼	Lesion Number	Disease Site	Disease Sub-site	Was lesion assessed	Date of Assessment	Method of Tumor Assessment	Lesion Assessment Status
2.a	NT1						
2.b	NT2						
2.c	NT3						
2.d	NT4						
2.e	NT5						
2.f	NT6						
2.g	NT7						
2.h	NT8						
2.i	NT9						
2.j	NT10						
Non-Target Lesions Entry [TUTMM02006_1]							
2.1 ☐	Lesion Number: [Lesion Number]		[Y_TRLNKID_006_1] [Y_TRLNKID_CL_006_1] ▼				
2.2	Disease Site: <i>[read-only]</i> [Disease Site]		[TULOC_006_1] [TULOC_CL_006_1] ▼				
2.3	Disease Sub-site: <i>[read-only]</i> [Disease Sub-site]		[SUPPTU_TMMSITE_006_1] A60★				
2.4 ▼	Was lesion assessed? [Was lesion assessed]		[X_TRSTAT_006_1] [A:Y] ☐ YES [A:N] ☐ NO				
2.5 ▼	Evaluation Date: [Date of Assessment]		[Y_TRDTC_006_1] (DD/MM/YYYY) Req ▼ / Req ▼ / Req ▼ (2022-2034)				
2.6 ▼	Procedure: [Method of Tumor Assessment]		[Y_TRMETHOD_006_1] [A:105] ☐ PHYSICAL EXAMINATION [A:77] ☐ SCINTIGRAPHY [A:63] ☐ X-RAY [A:139] ☐ MRI WITHOUT CONTRAST [A:265] ☐ CONTRAST ENHANCED CT SCAN [A:266] ☐ CT SCAN WITHOUT CONTRAST [A:277] ☐ CONTRAST ENHANCED MRI [A:999] ☐ [Y_SUPPTR_TMMPOTH_CMP_006_1] ☐ OTHER [Y_SUPPTR_TMMPOTH_006_1] If Procedure code OTHER is selected, specify: A100★				
2.7 ▼	Lesion(s) Assessment: [Lesion Assessment Status]		[TRORRES_TUMSTATE_006_1] [A:13] ☐ PRESENT [A:2] ☐ ABSENT [A:5] ☐ INCREASED [A:15] ☐ INEVALUABLE				
Key: [*] = Item is required [▼] = Source verification required [☐] = Item is collapsible [☐] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.							

Codelist Values Tables: NON-TARGET LESIONS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
Y_TRLNKID_CL_006_1	String		NT1	11	cliTMMLNKID_NT1	Y_TRLNKID_006_1
			NT2	12	cliTMMLNKID_NT2	
			NT3	13	cliTMMLNKID_NT3	
			NT4	14	cliTMMLNKID_NT4	
			NT5	15	cliTMMLNKID_NT5	
			NT6	16	cliTMMLNKID_NT6	
			NT7	17	cliTMMLNKID_NT7	
			NT8	18	cliTMMLNKID_NT8	
			NT9	19	cliTMMLNKID_NT9	
			NT10	20	cliTMMLNKID_NT10	
TULOC_CL_006_1	String		ADRENAL GLAND	81	cliLOC_ADRENAL_GLAND	TULOC_006_1
			BONE	28	cliLOC_BONE	
			BRAIN	71	cliLOC_BRAIN	
			BREAST	146	cliLOC_BREAST	
			CHEST WALL	291	cliLOC_CHEST_WALL	
			LIVER	40	cliLOC_LIVER	
			LUNG	76	cliLOC_LUNG	
			LYMPH NODE	108	cliLOC_LYMPH_NODE	
			MEDIASTINUM	109	cliLOC_MEDIASTINUM	
			PERICARDIAL CAVITY	535	cliLOC_PERICARDIAL_CAVITY	
			ABDOMINAL CAVITY	80	cliLOC_ABDOMINAL_CAVITY	
			PERITONEUM	116	cliLOC_PERITONEUM	
			PLEURAL CAVITY	134	cliLOC_PLEURAL_CAVITY	
			PLEURA	592	cliLOC_PLEURA	
			SKIN	77	cliLOC_SKIN	
			SPINAL CORD	420	cliLOC_SPINAL_CORD	
			SUBCUTIS	593	cliLOC_SUBCUTIS	
			OTHER	999	cliLOC_OTHER	

RDE Analytics: RD_TUTMM006_1		
Data Variable RefName	RD Column Name	Column Data Type
X_TRSTAT_TRALL_006_1	X_TRSTAT_TRALL_006_1_C	VARCHAR2
	X_TRSTAT_TRALL_006_1	VARCHAR2
	X_TRSTAT_TRALL_006_1_ND	VARCHAR2
*RD_TUTMM006_1_TUTMM02006_1		
Y_TRLNKID_006_1	Y_TRLNKID_006_1_C	VARCHAR2
	Y_TRLNKID_006_1	VARCHAR2
	Y_TRLNKID_006_1_ND	VARCHAR2
TULOC_006_1	TULOC_006_1_C	VARCHAR2
	TULOC_006_1	VARCHAR2
	TULOC_006_1_ND	VARCHAR2
SUPPTU_TMMSITE_006_1	SUPPTU_TMMSITE_006_1	VARCHAR2
	SUPPTU_TMMSITE_006_1_ND	VARCHAR2
X_TRSTAT_006_1	X_TRSTAT_006_1_C	VARCHAR2

	X_TRSTAT_006_1	VARCHAR2
	X_TRSTAT_006_1_ND	VARCHAR2
Y_TRDTC_006_1	Y_TRDTC_006_1	DATE
	Y_TRDTC_006_1_DTS	VARCHAR2
	Y_TRDTC_006_1_ND	VARCHAR2
Y_TRMETHOD_006_1	Y_TRMETHOD_006_1_C	VARCHAR2
	Y_TRMETHOD_006_1	VARCHAR2
	Y_TRMETHOD_006_1_ND	VARCHAR2
Y_TRMETHOD_006_1 - Y_SUPPTR_TMMPOTH_006_1	Y_SUPPTR_TMMPOTH_006_1	VARCHAR2
TRORRES_TUMSTATE_006_1	TRORRES_TUMSTATE_006_1_C	VARCHAR2
	TRORRES_TUMSTATE_006_1	VARCHAR2
	TRORRES_TUMSTATE_006_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: NEW LESION PROMPT (LESION PRT) [R_TUTMM002]		
LESION PRMT [R_TUTMM01002]		
1.* ✓	Did this patient have any new lesions? [Did this patient have any new lesions?]	[R_TUANY3_002] [A:Y] ☒ YES [A:N] ☐ NO
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: NEW LESION PROMPT		
Type	RefName	Description
Form	R_TUTMM002	NEW LESION PROMPT

RDE Analytics: RD_R_TUTMM002			
Data Variable	RefName	RD Column Name	Column Data Type
R_TUANY3_002		R_TUANY3_002_C	VARCHAR2
		R_TUANY3_002	VARCHAR2
		R_TUANY3_002_ND	VARCHAR2

C4891002: NEW LESIONS (NEWLESION) [TUTMM005]

New Lesions [TUTMM02005]

# ✓	Lesion Number	Disease Site	Disease Sub-site	Date of Assessment	Method of Tumor Assessment	Lesion Assessment Status
1.a	N1					
1.b	N2					
1.c	N3					
1.d	N4					
1.e	N5					

New Lesions Entry [TUTMM02005]

1.1

Lesion Number: [read-only]
[Lesion Number]

[Y_TRLNKID_005]

[A:6] ☐ N1

[A:7] ☐ N2

[A:8] ☐ N3

[A:9] ☐ N4

[A:10] ☐ N5

1.2

Disease Site:
[Disease Site]

[TULOC_005]

[TULOC_CL_005]

1.3

Disease Sub-site:
[Disease Sub-site]

[SUPPTU_TMMSITE_005]

A60★

1.4

Evaluation Date:
[Date of Assessment]

[Y_TRDTC_005] (DD/MM/YYYY)

Req / Req / Req (2022-2034)

1.5

Procedure:
[Method of Tumor Assessment]

[Y_TRMETHOD_005]

[A:105] ☐ PHYSICAL EXAMINATION

[A:77] ☐ SCINTIGRAPHY

[A:63] ☐ X-RAY

[A:139] ☐ MRI WITHOUT CONTRAST

[A:265] ☐ CONTRAST ENHANCED CT SCAN

[A:266] ☐ CT SCAN WITHOUT CONTRAST

[A:277] ☐ CONTRAST ENHANCED MRI

[A:999] ☐ [Y_SUPPTR_TMMPOTH_CMP_005]

OTHER

[Y_SUPPTR_TMMPOTH_005]

If Procedure code OTHER is selected, specify:

A60★

1.6

Lesion(s) Assessment:
[Lesion Assessment Status]

[TRORRES_TUMSTATE_005]

[A:13] ☐ PRESENT

[A:2] ☐ ABSENT

[A:5] ☐ INCREASED

Key: [✓] = Source verification required [] = Item is collapsible [] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Codelist Values Tables: NEW LESIONS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
TULOC_CL_005	String		ADRENAL GLAND	81	cliLOC_ADRENAL_GLAND	TULOC_005
			BONE	28	cliLOC_BONE	
			BRAIN	71	cliLOC_BRAIN	
			BREAST	146	cliLOC_BREAST	
			CHEST WALL	291	cliLOC_CHEST_WALL	
			LIVER	40	cliLOC_LIVER	

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

			LUNG	76	cliLOC_LUNG	
			LYMPH NODE	108	cliLOC_LYMPH_NODE	
			MEDIASTINUM	109	cliLOC_MEDIASTINUM	
			PERICARDIAL CAVITY	535	cliLOC_PERICARDIAL_CAVITY	
			ABDOMINAL CAVITY	80	cliLOC_ABDOMINAL_CAVITY	
			PERITONEUM	116	cliLOC_PERITONEUM	
			PLEURAL CAVITY	134	cliLOC_PLEURAL_CAVITY	
			PLEURA	592	cliLOC_PLEURA	
			SKIN	77	cliLOC_SKIN	
			SPINAL CORD	420	cliLOC_SPINAL_CORD	
			SUBCUTIS	593	cliLOC_SUBCUTIS	
			OTHER	999	cliLOC_OTHER	

RDE Analytics: RD_TUTMM005			
Data Variable RefName		RD Column Name	Column Data Type
RD_TUTMM005_TUTMM02005			
Y_TRLNKID_005	Y_TRLNKID_005_C	Y_TRLNKID_005_C	VARCHAR2
	Y_TRLNKID_005	Y_TRLNKID_005	VARCHAR2
	Y_TRLNKID_005_ND	Y_TRLNKID_005_ND	VARCHAR2
TULOC_005	TULOC_005_C	TULOC_005_C	VARCHAR2
	TULOC_005	TULOC_005	VARCHAR2
	TULOC_005_ND	TULOC_005_ND	VARCHAR2
SUPPTU_TMMSITE_005	SUPPTU_TMMSITE_005	SUPPTU_TMMSITE_005	VARCHAR2
	SUPPTU_TMMSITE_005_ND	SUPPTU_TMMSITE_005_ND	VARCHAR2
Y_TRDTC_005	Y_TRDTC_005	Y_TRDTC_005	DATE
	Y_TRDTC_005_DTS	Y_TRDTC_005_DTS	VARCHAR2
	Y_TRDTC_005_ND	Y_TRDTC_005_ND	VARCHAR2
Y_TRMETHOD_005	Y_TRMETHOD_005_C	Y_TRMETHOD_005_C	VARCHAR2
	Y_TRMETHOD_005	Y_TRMETHOD_005	VARCHAR2
	Y_TRMETHOD_005_ND	Y_TRMETHOD_005_ND	VARCHAR2
Y_TRMETHOD_005 - Y_SUPPTR_TMMPOTH_005	Y_SUPPTR_TMMPOTH_005	Y_SUPPTR_TMMPOTH_005	VARCHAR2
TRORRES_TUMSTATE_005	TRORRES_TUMSTATE_005_C	TRORRES_TUMSTATE_005_C	VARCHAR2
	TRORRES_TUMSTATE_005	TRORRES_TUMSTATE_005	VARCHAR2
	TRORRES_TUMSTATE_005_ND	TRORRES_TUMSTATE_005_ND	VARCHAR2

C4891002: INVESTIGATOR OVERALL OBJECTIVE TUMOR ASSESSMENT-RECIST (V1.1) (RECIST) [RSIOTA001]

Investigator Overall Objective Tumor Assessment-Recist (V1.1) [RSIOTA01001]

1.* ✓	Date of Tumor Assessment: [Investigator Assessment Date]	[RSDTC_001] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2022-2034)
2.* ✓	Target Lesions: [Assessment of Target Lesions]	[RSORRES_TRGRESP_001] [RSORRES_TRGRESP_CL_001] ☐
3.* ✓	Non-Target Lesions: [Assessment of Non-Target Lesions]	[RSORRES_NTRGRESP_001] [RSORRES_NTRGRESP_CL_001] ☐
4.* ✓	New Lesion: [New Lesion]	[RSORRES_NEWLPROG_001] [A:Y] ☐ YES [A:N] ☐ NO
5.* ✓	Overall: [Overall Tumor Assessment]	[RSORRES_OVRLRESP_001] [RSORRES_OVRLRESP_CL_001] ☐

Key: [*] = Item is required [✓] = Source verification required

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: INVESTIGATOR OVERALL OBJECTIVE TUMOR ASSESSMENT-RECIST (V1.1)		
Type	RefName	Description
Form	RSIOTA001	INVESTIGATOR OVERALL OBJECTIVE TUMOR ASSESSMENT-RECIST (V1.1)

Codelist Values Tables: INVESTIGATOR OVERALL OBJECTIVE TUMOR ASSESSMENT-RECIST (V1.1)						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
RSORRES_TRGRESP_CL_001	String		NO TARGET LESION AT BASELINE	0	cliIOTAA_NO_TARGET_LESION_AT_BASELINE	RSORRES_TRGRESP_001
			COMPLETE RESPONSE	1	cliIOTAA_COMPLETE_RESPONSE	
			PARTIAL RESPONSE	2	cliIOTAA_PARTIAL_RESPONSE	
			STABLE DISEASE	3	cliIOTAA_STABLE_DISEASE	
			PROGRESSIVE DISEASE	4	cliIOTAA_PROGRESSIVE_DISEASE	
			NOT ASSESSED	5	cliIOTAA_NOT_ASSESSED	
			NOT EVALUABLE	9	cliIOTAA_NOT_EVALUABLE	
RSORRES_NTRGRESP_CL_001	String		NO NON-TARGET LESION AT BASELINE	0	cliIOTAB_NO_NON_TARGET_LESION_AT_BASELINE	RSORRES_NTRGRESP_001
			COMPLETE RESPONSE	1	cliIOTAB_COMPLETE_RESPONSE	
			PROGRESSIVE DISEASE	3	cliIOTAB_PROGRESSIVE_DISEASE	
			NOT ASSESSED	4	cliIOTAB_NOT_ASSESSED	
			NO COMPLETE RESPONSE / NO PROGRESSIVE DISEASE	6	cliIOTAB_NO_COMPLETE_RESPONSE_NO_PROGRESSIVE_DISEASE	
			NOT EVALUABLE	7	cliIOTAB_NOT_EVALUABLE	
RSORRES_OVRLRESP_CL_001	String		COMPLETE RESPONSE	1	cliIOTAA_COMPLETE_RESPONSE	RSORRES_OVRLRESP_001
			PARTIAL RESPONSE	2	cliIOTAA_PARTIAL_RESPONSE	
			STABLE DISEASE	3	cliIOTAA_STABLE_DISEASE	
			PROGRESSIVE DISEASE	4	cliIOTAA_PROGRESSIVE_DISEASE	
			NOT ASSESSED	5	cliIOTAA_NOT_ASSESSED	
			NO COMPLETE RESPONSE / NO PROGRESSIVE DISEASE	7	cliIOTAA_NO_COMPLETE_RESPONSE_NO_PROGRESSIVE_DISEASE	
			NOT EVALUABLE	9	cliIOTAA_NOT_EVALUABLE	

RDE Analytics: RD_RSIOTA001		
Data Variable RefName	RD Column Name	Column Data Type
RSDTC_001	RSDTC_001	DATE
	RSDTC_001_DTS	VARCHAR2

	RSDTC_001_ND	VARCHAR2
RSORRES_TRGRESP_001	RSORRES_TRGRESP_001_C	VARCHAR2
	RSORRES_TRGRESP_001	VARCHAR2
	RSORRES_TRGRESP_001_ND	VARCHAR2
RSORRES_NTRGRESP_001	RSORRES_NTRGRESP_001_C	VARCHAR2
	RSORRES_NTRGRESP_001	VARCHAR2
	RSORRES_NTRGRESP_001_ND	VARCHAR2
RSORRES_NEWLPROG_001	RSORRES_NEWLPROG_001_C	VARCHAR2
	RSORRES_NEWLPROG_001	VARCHAR2
	RSORRES_NEWLPROG_001_ND	VARCHAR2
RSORRES_OVRLRESP_001	RSORRES_OVRLRESP_001_C	VARCHAR2
	RSORRES_OVRLRESP_001	VARCHAR2
	RSORRES_OVRLRESP_001_ND	VARCHAR2

C4891002: LAB CHEMISTRY (LAB CHEM) [LB001_15]

Central Lab Sample Collection [LB01001_15]

1.

Lab Panel: *[read-only]*
[Category for Lab Test]

[LBCAT_001_15]
[A:2] ☐ CLINICAL CHEMISTRY

2.*
✓

Lab From Initial Visit:
[Lab From Initial Visit]

[SUPPLB_LBINRC_001_15]
[A:1] ☐ Same as SCREENING LAB
[A:2] ☐ [SUPPLB_LBINRC_CMP_001_15]
OTHER LAB
[D_LBNAM_001_15]
Laboratory Name and Address:
A200*

[D_SUPPLB_LBUID_001_15]
Lab ID:
A50*

3.

Laboratory Name and Address (Derived): *[read-only]*
[Vendor Name (DERIVED)]

[LBNAM_001_15]
A200*

4.

Lab ID (Derived): *[read-only]*
[Lab ID (Derived)]

[SUPPLB_LBUID_001_15]
A50*

5.

Specimen Type: *[read-only]*
[Specimen Type]

[LBSPEC_001_15]
[A:7] ☐ BLOOD

6.*
✓

Collection Date:
[Collection Date]

[LBDTC_001_15] (DD/MM/YYYY)
Req / Req / Req (2022-2034)

7.*
✓

Fasting?
[Fasting Status]

[LBFAST_001_15]
[A:Y] ☐ YES
[A:N] ☐ NO

Lab Result [LB03001_15]

# ✓	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
8.a		Alanine Aminotransferase_PX30			
8.b		Aspartate Aminotransferase_PX28			
8.c		Alkaline Phosphatase_PX35			
8.d		Sodium_PX54			
8.e		Potassium_PX55			
8.f		Bilirubin_PX21			
8.g		Blood Urea Nitrogen_PX47			
8.h		Urea_PX46			
8.i		Creatinine_PX48			
8.j		Glucose_PX67			
8.k		Albumin_PX25			

Lab Result Entry [LB03001_15]

8.1

Sponsor ID: *[read-only]*
[Sponsor-Defined Identifier]

[LBSPID_001_15]
N8

8.2

Test: *[read-only]*
[Test]

[LBTEST_001_15]
[LBTEST_CL_001_15]

8.3
✓

Result:
[Result]

[LBORRES_001_15]
A20*

8.4	Not Done: [Not Done:]	[LBSTAT_001_15] [A:1] ☐ NOT DONE
8.5	LNMT [read-only] [LNMT]	[X_LNMTFLAG_CMP_001_15] [LBORNRLO_001_15] Low A20 [LBORNRHI_001_15] High A20 [LBORRESU_001_15] Unit A20 [X_LNMTFLAG_001_15] Flag A20

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: LAB CHEMISTRY		
Type	RefName	Description
Item	LBCAT_001_15	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_15	Lab from initial/most recent visit
Item	D_LBNAM_001_15	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_15	Field needed for LNMT integration
Item	LBSPEC_001_15	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTCT_001_15	Date of specimen collection.
Item	LBFAST_001_15	Indicator used to identify fasting status.
Item	LBSPID_001_15	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_15	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_15	Used to indicate test was not done.
Item	LBORNRLO_001_15	LNMT field
Item	LBORNRHI_001_15	LNMT field
Item	LBORRESU_001_15	LNMT field
Item	X_LNMTFLAG_001_15	LNMT field

Codelist Values Tables: LAB CHEMISTRY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_15	String		Alanine Aminotransferase_PX30	30	cliLBTEST_Alanine_Aminotransferase_PX30	LBTEST_001_15
			Aspartate Aminotransferase_PX28	28	cliLBTEST_Aspartate_Aminotransferase_PX28	
			Alkaline Phosphatase_PX35	35	cliLBTEST_Alkaline_Phosphatase_PX35	
			Sodium_PX54	54	cliLBTEST_Sodium_PX54	
			Potassium_PX55	55	cliLBTEST_Potassium_PX55	
			Bilirubin_PX21	21	cliLBTEST_Bilirubin_PX21	
			Blood Urea Nitrogen_PX47	47	cliLBTEST_Blood_Urea_Nitrogen_PX47	
			Urea_PX46	46	cliLBTEST_Urea_PX46	
			Creatinine_PX48	48	cliLBTEST_Creatinine_PX48	
			Glucose_PX67	67	cliLBTEST_Glucose_PX67	
			Albumin_PX25	25	cliLBTEST_Albumin_PX25	

RDE Analytics: RD_LB001_15		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_15	LBCAT_001_15_C	VARCHAR2
	LBCAT_001_15	VARCHAR2
	LBCAT_001_15_ND	VARCHAR2
SUPPLB_LBINRC_001_15	SUPPLB_LBINRC_001_15_C	VARCHAR2
	SUPPLB_LBINRC_001_15	VARCHAR2
	SUPPLB_LBINRC_001_15_ND	VARCHAR2
SUPPLB_LBINRC_001_15 - D_LBNAM_001_15	D_LBNAM_001_15	VARCHAR2
SUPPLB_LBINRC_001_15 - D_SUPPLB_LBUID_001_15	D_SUPPLB_LBUID_001_15	VARCHAR2
LBNAM_001_15	LBNAM_001_15	VARCHAR2
	LBNAM_001_15_ND	VARCHAR2
SUPPLB_LBUID_001_15	SUPPLB_LBUID_001_15	VARCHAR2
	SUPPLB_LBUID_001_15_ND	VARCHAR2
LBSPEC_001_15	LBSPEC_001_15_C	VARCHAR2
	LBSPEC_001_15	VARCHAR2
	LBSPEC_001_15_ND	VARCHAR2
LBDTC_001_15	LBDTC_001_15	DATE
	LBDTC_001_15_DTS	VARCHAR2
	LBDTC_001_15_ND	VARCHAR2
LBFAST_001_15	LBFAST_001_15_C	VARCHAR2
	LBFAST_001_15	VARCHAR2
	LBFAST_001_15_ND	VARCHAR2
RD_LB001_15_LB03001_15		
LBSPID_001_15	LBSPID_001_15	NUMBER
	LBSPID_001_15_ND	VARCHAR2
LBTEST_001_15	LBTEST_001_15_C	VARCHAR2
	LBTEST_001_15	VARCHAR2
	LBTEST_001_15_ND	VARCHAR2
LBORRES_001_15	LBORRES_001_15	VARCHAR2
	LBORRES_001_15_ND	VARCHAR2
LBSTAT_001_15	LBSTAT_001_15_C	VARCHAR2
	LBSTAT_001_15	VARCHAR2
	LBSTAT_001_15_ND	VARCHAR2
X_LNMTFLAG_CMP_001_15	X_LNMTFLAG_CMP_001_15_ND	VARCHAR2
X_LNMTFLAG_CMP_001_15 - LBORNRO_001_15	LBORNRO_001_15	VARCHAR2
X_LNMTFLAG_CMP_001_15 - LBORNRI_001_15	LBORNRI_001_15	VARCHAR2
X_LNMTFLAG_CMP_001_15 - LBORRESU_001_15	LBORRESU_001_15	VARCHAR2
X_LNMTFLAG_CMP_001_15 - X_LNMTFLAG_001_15	X_LNMTFLAG_001_15	VARCHAR2

C4891002: VITAL SIGNS (VITALS EOT) [VS001_4]

Vital Signs [VS01001_4]

1.

Category for Vital Signs: *[read-only]*
[Category for Vital Signs]

[VSCAT_001_4]
[A:1] ☐ VITAL SIGNS

2.*

Date:
[Date]

[VSDTC_001_4] (DD/MM/YYYY)
Req/Unk ☐ / Req/Unk ☐ / Req ☐ (2022-2034)

Vital Signs Details [VS02001_4]

✓

Record Identifier

Systolic Blood Pressure*

Diastolic Blood Pressure*

BP Position

Pulse*

3.a

1

SITTING

Vital Signs Details Entry [VS02001_4]

3.1

Record Identifier: *[read-only]*
[Record Identifier]

[VSSPID_001_4]
[A:1] ☐ 1

3.2*

Systolic BP:
[Systolic Blood Pressure]

[VSORRES_SYSBP_001_4]
N3

3.3*

Diastolic BP:
[Diastolic Blood Pressure]

[VSORRES_DIABP_001_4]
N3

3.4

BP Position: *[read-only]*
[BP Position]

[VSPOS_BP_001_4]
[A:1] ☐ SITTING

3.5*

Pulse in beats/minute:
[Pulse]

[VSORRES_PULSE_001_4]
N3

Key: [*] = Item is required [✓] = Source verification required ☐ = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS		
Type	RefName	Description
Form	VS001_4	VS001 - Vital Signs - Wide Format
Item	VSDTC_001_4	The date the measurement was performed.
Item	VSSPID_001_4	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_SYSBP_001_4	Systolic Blood Pressure collected in mmHg
Item	VSORRES_DIABP_001_4	Diastolic Blood Pressure in mmHg
Item	VSPOS_BP_001_4	Blood Pressure Position
Item	VSORRES_PULSE_001_4	Pulse Rate in beats/minute.

RDE Analytics: RD_VS001_4			
Data Variable	RefName	RD Column Name	Column Data Type
VSCAT_001_4		VSCAT_001_4_C	VARCHAR2
		VSCAT_001_4	VARCHAR2
		VSCAT_001_4_ND	VARCHAR2
VSDTC_001_4		VSDTC_001_4	DATE
		VSDTC_001_4_DTS	VARCHAR2
		VSDTC_001_4_DTR	VARCHAR2
		VSDTC_001_4_ND	VARCHAR2
RD_VS001_4_VS02001_4			
VSSPID_001_4		VSSPID_001_4_C	VARCHAR2
		VSSPID_001_4	VARCHAR2
		VSSPID_001_4_ND	VARCHAR2

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00...

3/6/2024

VSORRES_SYSBP_001_4	VSORRES_SYSBP_001_4	NUMBER
	VSORRES_SYSBP_001_4_ND	VARCHAR2
VSORRES_DIABP_001_4	VSORRES_DIABP_001_4	NUMBER
	VSORRES_DIABP_001_4_ND	VARCHAR2
VSPOS_BP_001_4	VSPOS_BP_001_4_C	VARCHAR2
	VSPOS_BP_001_4	VARCHAR2
	VSPOS_BP_001_4_ND	VARCHAR2
VSORRES_PULSE_001_4	VSORRES_PULSE_001_4	NUMBER
	VSORRES_PULSE_001_4_ND	VARCHAR2

C4891002: INFORMED CONSENT - OPTIONAL TISSUE SAMPLE (OPT TISSUE) [DS001_11]

Informed Consent [DS01001_11]

1.*
✓

Consent Was:
[Consent Was]

[SUPPDS_DSCSOBT_001_11]
[A:1] ☐ [DSSTDTC_CMP_001_11] ☐
OBTAINED
[DSSTDTC_001_11] (DD/MM/YYYY)
Date of Written Consent Obtained:
Req ☐ / Req ☐ / Req ☐ (2022-2034)
[A:2] ☐ NOT OBTAINED

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: INFORMED CONSENT - OPTIONAL TISSUE SAMPLE		
Type	RefName	Description
Item	DSSTDTC_001_11	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_11		
Data Variable RefName	RD Column Name	Column Data Type
SUPPDS_DSCSOBT_001_11	SUPPDS_DSCSOBT_001_11_C	VARCHAR2
	SUPPDS_DSCSOBT_001_11	VARCHAR2
	SUPPDS_DSCSOBT_001_11_ND	VARCHAR2
SUPPDS_DSCSOBT_001_11 - DSSTDTC_001_11	DSSTDTC_001_11	DATE
	DSSTDTC_001_11_DTS	VARCHAR2

C4891002: MBIO - BIOMARKER TUMOR TISSUE TEOT (MBIO TEOT) [Z_MBIO002_1]

MBIO - BIOMARKER Tumor Tissue [Z_MBIO01002_1]

#	Was Sample Collected*	Sample Collection Name	Sample Name	Sample Source	Specimen Collection Procedure Date*	Biopsy Sample Form	Date Slides Cut at Investigator Site	Sample Site*	Sample Origin	Date Specimen Sent to Lab
1.a			TUMOR TISSUE FOR BIOMARKER	TISSUE DE NOVO						

MBIO - BIOMARKER Tumor Tissue Entry [Z_MBIO01002_1]

1.1*	Was sample collected? [Was Sample Collected]	[Z_MBIOSMC_002_1] [A:Y] ☐ YES [A:N] ☐ NO								
1.2	Sample collection name: <i>[read-only]</i> [Sample Collection Name]	[Z_SAMPNAME_002_1] A80*								
1.3	Sample Name: <i>[read-only]</i> [Sample Name]	[D_SAMPNAME_002_1] [A:2] ☐ TUMOR TISSUE FOR BIOMARKER								
1.4	Sample source: <i>[read-only]</i> [Sample Source]	[Z_MBIOSSR_002_1] [A:2] ☐ TISSUE DE NOVO								
1.5*	Specimen collection procedure Date: [Specimen Collection Procedure Date]	[Z_MBIOPDAT_002_1] (DD/MM/YYYY) Req / Req / Req (2022-2034)								
1.6	Biopsy sample form: [Biopsy Sample Form]	[Z_MBIOFRM_002_1] [A:5] ☐ FORMALIN FIXED AND PARAFFIN EMBEDDED BLOCK [A:2] ☐ SLIDES								
1.7	Date slides cut at investigator site: [Date Slides Cut at Investigator Site]	[Z_MBIOIDAT_002_1] (DD/MM/YYYY) Req / Req / Req (2022-2034)								
1.8*	Anatomic site of tissue collection; [Sample Site]	[Z_MBIOLOC_002_1] [A:146] ☐ BREAST [A:76] ☐ LUNG [A:40] ☐ LIVER [A:108] ☐ LYMPH NODE [A:77] ☐ SKIN [A:999] ☐ [Z_MBIOLOCO_CMP_002_1] OTHER [Z_MBIOLOCO_002_1] Other, specify: A40*								
1.9	Tumor sample origin: [Sample Origin]	[Z_MBIOSOR_002_1] [A:1] ☐ PRIMARY [A:2] ☐ METASTATIC [A:3] ☐ UNKNOWN [A:4] ☐ LOCAL RECURRENCE								
1.10	Date specimen sent to lab: [Date Specimen Sent to Lab]	[Z_MBIOLDAT_002_1] (DD/MM/YYYY) Req / Req / Req (2022-2034)								

Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [] = Fixed item [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: MBIO - BIOMARKER TUMOR TISSUE TEOT		
Type	RefName	Description
Form	Z_MBIO002_1	MBIO - Biomarker

RDE Analytics: RD_Z_MBIO002_1			
Data Variable	RefName	RD Column Name	Column Data Type

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00...

3/6/2024

*RD_Z_MBIO002_1_Z_MBIO01002_1		
Z_MBIOSMC_002_1	Z_MBIOSMC_002_1_C	VARCHAR2
	Z_MBIOSMC_002_1	VARCHAR2
	Z_MBIOSMC_002_1_ND	VARCHAR2
Z_SAMPNAME_002_1	Z_SAMPNAME_002_1	VARCHAR2
	Z_SAMPNAME_002_1_ND	VARCHAR2
D_SAMPNAME_002_1	D_SAMPNAME_002_1_C	VARCHAR2
	D_SAMPNAME_002_1	VARCHAR2
	D_SAMPNAME_002_1_ND	VARCHAR2
Z_MBIOSSR_002_1	Z_MBIOSSR_002_1_C	VARCHAR2
	Z_MBIOSSR_002_1	VARCHAR2
	Z_MBIOSSR_002_1_ND	VARCHAR2
Z_MBIOPDAT_002_1	Z_MBIOPDAT_002_1	DATE
	Z_MBIOPDAT_002_1_DTS	VARCHAR2
	Z_MBIOPDAT_002_1_ND	VARCHAR2
Z_MBIOFRM_002_1	Z_MBIOFRM_002_1_C	VARCHAR2
	Z_MBIOFRM_002_1	VARCHAR2
	Z_MBIOFRM_002_1_ND	VARCHAR2
Z_MBIOIDAT_002_1	Z_MBIOIDAT_002_1	DATE
	Z_MBIOIDAT_002_1_DTS	VARCHAR2
	Z_MBIOIDAT_002_1_ND	VARCHAR2
Z_MBIOLOC_002_1	Z_MBIOLOC_002_1_C	VARCHAR2
	Z_MBIOLOC_002_1	VARCHAR2
	Z_MBIOLOC_002_1_ND	VARCHAR2
Z_MBIOLOC_002_1 - Z_MBIOLOCO_002_1	Z_MBIOLOCO_002_1	VARCHAR2
Z_MBIOSOR_002_1	Z_MBIOSOR_002_1_C	VARCHAR2
	Z_MBIOSOR_002_1	VARCHAR2
	Z_MBIOSOR_002_1_ND	VARCHAR2
Z_MBIOLDAT_002_1	Z_MBIOLDAT_002_1	DATE
	Z_MBIOLDAT_002_1_DTS	VARCHAR2
	Z_MBIOLDAT_002_1_ND	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: SURVIVAL FOLLOW-UP (SURVIVAL) - Repeating Form [SSSRV001_1]

#	Subject Status At Follow-up	Date Last Known To Be Alive
1		

Survival Follow-up [SSSRV01001_1]

1.*

Current Subject Status:

✓

[Subject Status At Follow-up]

[SSORRES_SURVSTAT_001_1]

[A:4] ☐ ALIVE

[A:3] ☐ DEAD

[A:5] ☐ UNKNOWN

[A:1] ☐ SUBJECT NO LONGER BEING FOLLOWED FOR SURVIVAL

2.*

Date Last Known To Be Alive:

✓

[Date Last Known To Be Alive]

[SUPPSS_SRVAVDT_001_1] (DD/MM/YYYY)

Req/Unk ☐ / Req ☐ / Req ☐ (2022-2034)

Key: [*] = Item is required [✓] = Source verification required

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: SURVIVAL FOLLOW-UP		
Type	RefName	Description
Section	SSSRV01001_1	sctSRV206_01

RDE Analytics: RD_SSSRV001_1		
Data Variable RefName	RD Column Name	Column Data Type
SSORRES_SURVSTAT_001_1	SSORRES_SURVSTAT_001_1_C	VARCHAR2
	SSORRES_SURVSTAT_001_1	VARCHAR2
	SSORRES_SURVSTAT_001_1_ND	VARCHAR2
SUPPSS_SRVAVDT_001_1	SUPPSS_SRVAVDT_001_1	DATE
	SUPPSS_SRVAVDT_001_1_DTS	VARCHAR2
	SUPPSS_SRVAVDT_001_1_DTR	VARCHAR2
	SUPPSS_SRVAVDT_001_1_ND	VARCHAR2

C4891002: ADVERSE EVENT REPORT (AE) - Repeating Form [AE001]

#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Is AE a Result of a Medication Error	Event Is Due To	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation	Action Taken with Study Treatment 1	Action Taken with Study Treatment 2	Action Taken with Study Treatment 3	Relationship to Study Treatment 1	Relationship to Study Treatment 2	Relationship to Study Treatment 3	Study Treatment 1	Study Treatment 2	Study Treatment 3
1																						
Adverse Event Report [AE01001]																						
1.	Category: <i>[read-only]</i> [Category]		[AECAT_001] [A:1] ☒ ADVERSE EVENT																			
2.	AE ID: <i>[read-only]</i> [AE Identifier]		[AESPID_001] A20*																			
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]		[AETERM_001] A100*																			
4.* ✓ 	Start Date: [Start Date]		[AESTDTC_001] (DD/MM/YYYY) Req / Req / Req (2022-2034)																			
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]		[X_AEONGO_001] [A:Y] ☒ YES [A:N] ☐ [AEENDTC_CMP_001] ☐ NO [AEENDTC_001] (DD/MM/YYYY) End Date: Req / Req / Req (2022-2034)																			
6.* ✓	Toxicity Grade: [Toxicity Grade]		[AETOXGR_001] [A:2] ☒ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5																			
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]		[AESER_001] [A:Y] ☒ [AESCONG_CMP_001] ☐ YES [AESCONG_001] Is this serious event associated with congenital anomaly or birth defect? [A:Y] ☐ YES [A:N] ☒ NO [AESDTH_001] Did this serious event result in death? [A:Y] ☐ YES [A:N] ☒ NO [AESHOSP_001] Did this serious event require or prolong hospitalization? [A:Y] ☐ YES [A:N] ☒ NO [AESDISAB_001] Did this serious event result in persistent or significant disability/incapacity? [A:Y] ☐ YES [A:N] ☒ NO [AESLIFE_001] Is this serious event life threatening? [A:Y] ☐ YES [A:N] ☒ NO [AESMIE_001] Other medically important serious event [A:Y] ☐ YES																			

		☒ NO ☐ NO [A:N]
8.* ✓	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	[SUPPAE_AEMERES_001] [A:Y] ☐ YES [A:N] ☐ NO
9.* ✓	If Not Related to study treatment(s), this event is due to: [Event Is Due To]	[AERELNST_001] [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:4] ☐ DISEASE UNDER STUDY [A:3] ☐ [SUPPAE_AERELT_CMP_001] ☐ OTHER [SUPPAE_AERELTXT_001] If Other, specify: A80 ★
10.* ✓	Was a Concomitant Medication given? If yes, record on the Concomitant Medications page [Concomitant Medication Given]	[SUPPAE_AECMGIV_001] [A:Y] ☐ YES [A:N] ☐ NO
11.* ✓	Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001] [A:Y] ☐ YES [A:N] ☐ NO
12.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
13.* ✓	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001] [A:Y] ☐ YES [A:N] ☐ NO
14.* ✓	Action Taken with ARV-471: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001] [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
15.* ✓	Action Taken with LETROZOLE: [Action Taken with Study Treatment 2]	[SUPPAE_AEACN2_001] [A:2] ☐ DOSE NOT CHANGED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
	Action Taken with	[SUPPAE_AEACN3_001]

16.* ✓	PALBOCICLIB?: [Action Taken with Study Treatment 3]	[A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
17.* ✓	Is this event related to ARV-471? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
18.* ✓	Is this event related to LETROZOLE? [Relationship to Study Treatment 2]	[SUPPAE_AEREL2_001] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
19.* ✓	Is this event related to PALBOCICLIB? [Relationship to Study Treatment 3]	[SUPPAE_AEREL3_001] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
20.	Study Treatment 1 Name ARV-471: <i>[read-only]</i> [Study Treatment 1]	[SUPPAE_AETRT1_001] A50★
21.	Study Treatment 2 Name LETROZOLE: <i>[read-only]</i> [Study Treatment 2]	[SUPPAE_AETRT2_001] A50★
22.	Study Treatment 3 Name PALBOCICLIB: <i>[read-only]</i> [Study Treatment 3]	[SUPPAE_AETRT3_001] A50★
23.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM2_001] A200★
24.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[AELLT_001] A100★
25.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[AELLTCD_001] A8★
26.	Dictionary-Derived Term <i>[hidden]</i> [Dictionary-Derived Term]	[AEDECOD_001] A100★
27.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[AEPTCD_001] A8★
28.	High Level Term <i>[hidden]</i> [High Level Term]	[AEHLT_001] A100★
29.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[AEHLTCD_001] A8★
30.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[AEHLGT_001] A100★
31.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term]	[AEHLGTCD_001] A8★

	Code]	
32.	Primary System Organ Class [hidden] [Primary System Organ Class]	[AESOC_001] A100★
33.	Primary System Organ Class Code [hidden] [Primary System Organ Class Code]	[AESOCCD_001] A8★
Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: ADVERSE EVENT REPORT

Type	RefName	Description
Form	AE001	AE001 - Standard AE Page
Item	AECAT_001	Used to define a category of adverse event variables.
Item	AESPID_001	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001	Date when the adverse event started.
Item	X_AEONGO_001	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001	Date when the adverse event resolved.
Item	AETOXGR_001	Description of the toxicity grade of the adverse event.
Item	AESER_001	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	SUPPAE_AEMERES_001	Is this adverse event the result of a study/background medication error
Item	AERELNST_001	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELTXT_001	Event Due to Other Specify
Item	SUPPAE_AECMGIV_001	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001	Non-Drug Treatment Given
Item	AEOUT_001	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	SUPPAE_AEACN1_001	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEACN2_001	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEACN3_001	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AREL1_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AREL2_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AREL3_001	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT1_001	Study treatment 1
Item	SUPPAE_AETRT2_001	Study treatment 2
Item	SUPPAE_AETRT3_001	Study treatment 3
Item	D_COMPTERM2_001	Hidden Item needed for clear coding rule.
Item	AELLT_001	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTC_001	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.

Item	AESOC_001	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT		
Item	Unique	Order #
AE001 (Repeating form)		
AE01001		
AESTDTC_001	None	1

Coding Summary: ADVERSE EVENT REPORT		
Verbatim RefName: AETERM_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001	SOC	Term
AESOCCD_001	SOC	Code
AEHLGT_001	HLGT	Term
AEHLGTCD_001	HLGT	Code
AEHLT_001	HLT	Term
AEHLTCD_001	HLT	Code
AEDECOD_001	PT	Term
AEPTCD_001	PT	Code
AELLT_001	LLT	Term
AELLTCD_001	LLT	Code

RDE Analytics: RD_AE001		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001	AECAT_001_C	VARCHAR2
	AECAT_001	VARCHAR2
	AECAT_001_ND	VARCHAR2
AESPID_001	AESPID_001	VARCHAR2
	AESPID_001_ND	VARCHAR2
AETERM_001	AETERM_001	VARCHAR2
	AETERM_001_ND	VARCHAR2
AESTDTC_001	AESTDTC_001	DATE
	AESTDTC_001_DTS	VARCHAR2
	AESTDTC_001_ND	VARCHAR2
X_AEONGO_001	X_AEONGO_001_C	VARCHAR2
	X_AEONGO_001	VARCHAR2
	X_AEONGO_001_ND	VARCHAR2
X_AEONGO_001 - AEENDTC_001	AEENDTC_001	DATE
	AEENDTC_001_DTS	VARCHAR2
AETOXGR_001	AETOXGR_001_C	VARCHAR2
	AETOXGR_001	VARCHAR2
	AETOXGR_001_ND	VARCHAR2
AESER_001	AESER_001_C	VARCHAR2
	AESER_001	VARCHAR2
	AESER_001_ND	VARCHAR2

AESER_001 - AESCONG_001	AESCONG_001_C	VARCHAR2
	AESCONG_001	VARCHAR2
AESER_001 - AESDTH_001	AESDTH_001_C	VARCHAR2
	AESDTH_001	VARCHAR2
AESER_001 - AESHOSP_001	AESHOSP_001_C	VARCHAR2
	AESHOSP_001	VARCHAR2
AESER_001 - AESDISAB_001	AESDISAB_001_C	VARCHAR2
	AESDISAB_001	VARCHAR2
AESER_001 - AESLIFE_001	AESLIFE_001_C	VARCHAR2
	AESLIFE_001	VARCHAR2
AESER_001 - AESMIE_001	AESMIE_001_C	VARCHAR2
	AESMIE_001	VARCHAR2
SUPPAE_AEMERES_001	SUPPAE_AEMERES_001_C	VARCHAR2
	SUPPAE_AEMERES_001	VARCHAR2
	SUPPAE_AEMERES_001_ND	VARCHAR2
AERELNST_001	AERELNST_001_C	VARCHAR2
	AERELNST_001	VARCHAR2
	AERELNST_001_ND	VARCHAR2
AERELNST_001 - SUPPAE_AERELTXT_001	SUPPAE_AERELTXT_001	VARCHAR2
SUPPAE_AECMGIV_001	SUPPAE_AECMGIV_001_C	VARCHAR2
	SUPPAE_AECMGIV_001	VARCHAR2
	SUPPAE_AECMGIV_001_ND	VARCHAR2
SUPPAE_AENDGIV_001	SUPPAE_AENDGIV_001_C	VARCHAR2
	SUPPAE_AENDGIV_001	VARCHAR2
	SUPPAE_AENDGIV_001_ND	VARCHAR2
AEOUT_001	AEOUT_001_C	VARCHAR2
	AEOUT_001	VARCHAR2
	AEOUT_001_ND	VARCHAR2
SUPPAE_AESUBJDC_001	SUPPAE_AESUBJDC_001_C	VARCHAR2
	SUPPAE_AESUBJDC_001	VARCHAR2
	SUPPAE_AESUBJDC_001_ND	VARCHAR2
SUPPAE_AEACN1_001	SUPPAE_AEACN1_001_C	VARCHAR2
	SUPPAE_AEACN1_001	VARCHAR2
	SUPPAE_AEACN1_001_ND	VARCHAR2
SUPPAE_AEACN2_001	SUPPAE_AEACN2_001_C	VARCHAR2
	SUPPAE_AEACN2_001	VARCHAR2
	SUPPAE_AEACN2_001_ND	VARCHAR2
SUPPAE_AEACN3_001	SUPPAE_AEACN3_001_C	VARCHAR2
	SUPPAE_AEACN3_001	VARCHAR2
	SUPPAE_AEACN3_001_ND	VARCHAR2
SUPPAE_AEREL1_001	SUPPAE_AEREL1_001_C	VARCHAR2
	SUPPAE_AEREL1_001	VARCHAR2
	SUPPAE_AEREL1_001_ND	VARCHAR2
SUPPAE_AEREL2_001	SUPPAE_AEREL2_001_C	VARCHAR2
	SUPPAE_AEREL2_001	VARCHAR2
	SUPPAE_AEREL2_001_ND	VARCHAR2
SUPPAE_AEREL3_001	SUPPAE_AEREL3_001_C	VARCHAR2

	SUPPAE_AEREL3_001	VARCHAR2
	SUPPAE_AEREL3_001_ND	VARCHAR2
SUPPAE_AETRT1_001	SUPPAE_AETRT1_001	VARCHAR2
	SUPPAE_AETRT1_001_ND	VARCHAR2
SUPPAE_AETRT2_001	SUPPAE_AETRT2_001	VARCHAR2
	SUPPAE_AETRT2_001_ND	VARCHAR2
SUPPAE_AETRT3_001	SUPPAE_AETRT3_001	VARCHAR2
	SUPPAE_AETRT3_001_ND	VARCHAR2
D_COMPTERM2_001	D_COMPTERM2_001	VARCHAR2
	D_COMPTERM2_001_ND	VARCHAR2
AELLT_001	AELLT_001	VARCHAR2
	AELLT_001_ND	VARCHAR2
AELLTCD_001	AELLTCD_001	VARCHAR2
	AELLTCD_001_ND	VARCHAR2
AEDECOD_001	AEDECOD_001	VARCHAR2
	AEDECOD_001_ND	VARCHAR2
AEPTCD_001	AEPTCD_001	VARCHAR2
	AEPTCD_001_ND	VARCHAR2
AEHLT_001	AEHLT_001	VARCHAR2
	AEHLT_001_ND	VARCHAR2
AEHLTCD_001	AEHLTCD_001	VARCHAR2
	AEHLTCD_001_ND	VARCHAR2
AEHLGT_001	AEHLGT_001	VARCHAR2
	AEHLGT_001_ND	VARCHAR2
AEHLGTCD_001	AEHLGTCD_001	VARCHAR2
	AEHLGTCD_001_ND	VARCHAR2
AESOC_001	AESOC_001	VARCHAR2
	AESOC_001_ND	VARCHAR2
AESOCCD_001	AESOCCD_001	VARCHAR2
	AESOCCD_001_ND	VARCHAR2

C4891002: CONCOMITANT TREATMENT (CONMED) - Repeating Form [CM001]												
#	Sponsor-Defined Identifier	Category for Medication	Concomitant Medications Pre-specified	Name of Medication	Medication to Treat Adverse Event	Reason for Administration	Dose Description	Dose Unit	Dose Frequency	Route	Start Date	Ongoing
1												
Concomitant Medications [CM01001]												
1.	What is the medication identifier? <i>[read-only]</i> <i>[Sponsor-Defined Identifier]</i>			[CMSPID_001] A20								
2.	Category: <i>[read-only]</i> <i>[Category for Medication]</i>			[CMCAT_001] <i>[A:1]</i> ☒ GENERAL CONCOMITANT MEDICATIONS								
3.	Concomitant Medications Pre-specified: <i>[read-only]</i> <i>[Concomitant Medications Pre-specified]</i>			[CMPRESP_001] <i>[A:N]</i> ☒ NO								
4.* ✓	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). <i>[Name of Medication]</i>			[CMTRT_001] A100								
5.* ✓	Was this medication given to treat an Adverse Event? <i>[Medication to Treat Adverse Event]</i>			[SUPPCM_CMAER_001] <i>[A:Y]</i> ☒ [SUPPCM_CMAENO1_CMP_001] [-] YES [SUPPCM_CMAENO1_001] AE Identifier: A20 [SUPPCM_CMAENO2_001] AE Identifier: A20 [SUPPCM_CMAENO3_001] AE Identifier: A20 [SUPPCM_CMAENO4_001] AE Identifier: A20 [SUPPCM_CMAENO5_001] AE Identifier: A20 [A:N] ☒ NO								
6.	Reason for Administration: <i>[Reason for Administration]</i>			[CMINDC_001] A128								
7.*	Dose: <i>[Dose Description]</i>			[X_CMDSTXT_001] A25								
8.*	Dose Unit: <i>[Dose Unit]</i>			[CMDOSU_001] [CMDOSU_CL_001] v								
9.*	Dose Frequency: <i>[Dose Frequency]</i>			[CMDOSFRQ_001] [CMDOSFRQ_CL_001] v								
10.*	Route: <i>[Route]</i>			[CMROUTE_001] [CMROUTE_CL_001] v								
11.*	Start Date: <i>[Start Date]</i>			[CMSTDTC_001] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (1930-2034)								
12.*	Ongoing? <i>[Ongoing]</i>			[X_CMONGO_001] <i>[A:Y]</i> ☒ YES <i>[A:N]</i> ☒ [X_CMENDTC_CMP_001] [-] NO [CMENDTC_001] (DD/MM/YYYY) End Date: Req/Unk / Req/Unk / Req (1930-2034)								

13.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM1_001] A200★			
14.	Standardized Medication Name - Dictionary derived <i>[hidden]</i> [Standardized Medication Name]	[CMDECOD_001] A300★			
15.	Standardized Medication Code - Dictionary derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPCM_CMCODE_001] A11★			
Key: [*] = Item is required [✓] = Source verification required [⊞] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.					

Study Object Descriptions: CONCOMITANT TREATMENT		
Type	RefName	Description
Item	CMSPID_001	A sponsor-defined reference number.
Item	CMPRESP_001	Concomitant Medications Pre-specified
Item	CMTRT_001	Name of Medication
Item	SUPPCM_CMAER_001	Medication to treat Adverse Event
Item	X_CMDSTXT_001	The dose of medication per administration in character format
Item	CMDOSU_001	The unit associated with the medication taken
Item	CMDOSFRQ_001	How often the medication was taken
Item	CMROUTE_001	The route of administration of the medication
Item	CMSTDTC_001	Date the medication was first taken
Item	X_CMONGO_001	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001	Date the subject stopped taking the medication
Item	D_COMPTERM1_001	Hidden Item needed for clear coding rule.
Item	CMDECOD_001	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001	Standardized Medication Code - Dictionary derived

Codelist Values Tables: CONCOMITANT TREATMENT						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
CMDOSU_CL_001	String		10^9/L	426	cliUNIT_10p9_L	CMDOSU_001
			%	5	cliUNIT_perc	
			%(w/w)	88	cliUNIT_perc_w_w	
			AMPULE	49	cliUNIT_AMPULE	
			APPLICATION	441	cliUNIT_APPLICATION	
			BAG	50	cliUNIT_BAG	
			BOLUS	52	cliUNIT_BOLUS	
			BOTTLE	53	cliUNIT_BOTTLE	
			BOX	54	cliUNIT_BOX	
			CAN	55	cliUNIT_CAN	
			CAPFUL	442	cliUNIT_CAPFUL	
			CAPLET	461	cliUNIT_CAPLET	

CAPSULE	56	cliUNIT_CAPSULE
CARTRIDGE	57	cliUNIT_CARTRIDGE
COAT	58	cliUNIT_COAT
CONTAINER	59	cliUNIT_CONTAINER
CUP	116	cliUNIT_CUP
DROP	689	cliUNIT_DROP
FINGERTIP UNIT	295	cliUNIT_FINGERTIP_UNIT
g	45	cliUNIT_g
g/mL	674	cliUNIT_g_mL
g/day	327	cliUNIT_g_day
g/L	41	cliUNIT_g_L
grain	63	cliUNIT_grain
gtt	209	cliUNIT_gtt
in	66	cliUNIT_in
INHALATION	67	cliUNIT_INHALATION
IU	109	cliUNIT_IU
IU/kg/h	291	cliUNIT_IU_kg_h
IU/L	154	cliUNIT_IU_L
IU/mL	155	cliUNIT_IU_mL
kg/L	125	cliUNIT_kg_L
KIT	70	cliUNIT_KIT
L	71	cliUNIT_L
L/min	158	cliUNIT_L_min
LOZENGE	72	cliUNIT_LOZENGE
mEq	77	cliUNIT_mEq
mEq/day	171	cliUNIT_mEq_day
mEq/L	172	cliUNIT_mEq_L
m2	38	cliUNIT_m2
mg	8	cliUNIT_mg
mcg/mL	700	cliUNIT_mcg_mL
mg/day	162	cliUNIT_mg_day
mg/dL	137	cliUNIT_mg_dL
mg/h	136	cliUNIT_mg_h
mg/kg	163	cliUNIT_mg_kg
mg/L	126	cliUNIT_mg_L
mg/min	349	cliUNIT_mg_min
mg/mL	653	cliUNIT_mg_mL
mL	9	cliUNIT_mL
mL/h	133	cliUNIT_mL_h
mm	6	cliUNIT_mm
mmol	78	cliUNIT_mmol
mmol/day	167	cliUNIT_mmol_day
mol/L	107	cliUNIT_mol_L
oz	81	cliUNIT_oz
PACKAGE	82	cliUNIT_PACKAGE
PACKET	83	cliUNIT_PACKET
PATCH	85	cliUNIT_PATCH

				89	cliUNIT_POUCH	
			PUFF	130	cliUNIT_PUFF	
			SACHET	296	cliUNIT_SACHET	
			SCOOPFUL	92	cliUNIT_SCOOPFUL	
			SPRAY	93	cliUNIT_SPRAY	
			SUPPOSITORY	95	cliUNIT_SUPPOSITORY	
			SYRINGE	96	cliUNIT_SYRINGE	
			TABLET	98	cliUNIT_TABLET	
			Tbsp	97	cliUNIT_Tbsp	
			TRACE	101	cliUNIT_TRACE	
			tsp	100	cliUNIT_tsp	
			U	380	cliUNIT_U	
			ug	43	cliUNIT_ug	
			ug/day	289	cliUNIT_ug_day	
			ug/h	159	cliUNIT_ug_h	
			ug/kg/h	400	cliUNIT_ug_kg_h	
			ug/kg/min	292	cliUNIT_ug_kg_min	
			ug/L	144	cliUNIT_ug_L	
			ug/min	293	cliUNIT_ug_min	
			ug/mL	654	cliUNIT_ug_mL	
			U/L	300	cliUNIT_U_L	
			um	75	cliUNIT_um	
			VIAL	104	cliUNIT_VIAL	
CMDOSFRQ_CL_001	String		UNKNOWN	1	cliFREQ_UNKNOWN	CMDOSFRQ_001
			CONTINUOUS	2	cliFREQ_CONTINUOUS	
			BID	3	cliFREQ_BID	
			2 TIMES PER WEEK	4	cliFREQ_2_TIMES_PER_WEEK	
			QM	5	cliFREQ_QM	
			PRN	6	cliFREQ_PRN	
			Q10H	7	cliFREQ_Q10H	
			Q11H	8	cliFREQ_Q11H	
			Q12H	9	cliFREQ_Q12H	
			Q13H	10	cliFREQ_Q13H	
			Q14H	11	cliFREQ_Q14H	
			Q15H	12	cliFREQ_Q15H	
			Q16H	13	cliFREQ_Q16H	
			Q17H	14	cliFREQ_Q17H	
			Q18H	15	cliFREQ_Q18H	
			Q19H	16	cliFREQ_Q19H	
			QH	17	cliFREQ_QH	
			Q20H	18	cliFREQ_Q20H	
			Q21H	19	cliFREQ_Q21H	
			Q22H	20	cliFREQ_Q22H	
			Q23H	21	cliFREQ_Q23H	
			Q24H	22	cliFREQ_Q24H	
			Q2H	23	cliFREQ_Q2H	
			Q3H	24	cliFREQ_Q3H	

Q4H	25	cliFREQ_Q4H
Q5H	26	cliFREQ_Q5H
Q6H	27	cliFREQ_Q6H
Q7H	28	cliFREQ_Q7H
Q8H	29	cliFREQ_Q8H
Q9H	30	cliFREQ_Q9H
QOD	31	cliFREQ_QOD
TID	32	cliFREQ_TID
3 TIMES PER WEEK	33	cliFREQ_3_TIMES_PER_WEEK
EVERY 4 WEEKS	34	cliFREQ_EVERY_4_WEEKS
QID	35	cliFREQ_QID
4 TIMES PER WEEK	36	cliFREQ_4_TIMES_PER_WEEK
Q3D	37	cliFREQ_Q3D
Q4D	38	cliFREQ_Q4D
EVERY 3 WEEKS	39	cliFREQ_EVERY_3_WEEKS
Q2M	40	cliFREQ_Q2M
Q3M	41	cliFREQ_Q3M
Q4M	42	cliFREQ_Q4M
ONCE	43	cliFREQ_ONCE
EVERY WEEK	44	cliFREQ_EVERY_WEEK
Q5D	45	cliFREQ_Q5D
EVERY 2 WEEKS	46	cliFREQ_EVERY_2_WEEKS
BIM	47	cliFREQ_BIM
INTERMITTENT	48	cliFREQ_INTERMITTENT
QD	49	cliFREQ_QD
OCCASIONAL	50	cliFREQ_OCCASIONAL
AD LIBITUM	51	cliFREQ_AD_LIBITUM
1 TIME PER WEEK	52	cliFREQ_1_TIME_PER_WEEK
2 TIMES PER YEAR	53	cliFREQ_2_TIMES_PER_YEAR
3 TIMES PER MONTH	54	cliFREQ_3_TIMES_PER_MONTH
3 TIMES PER YEAR	55	cliFREQ_3_TIMES_PER_YEAR
4 TIMES PER MONTH	56	cliFREQ_4_TIMES_PER_MONTH
4 TIMES PER YEAR	57	cliFREQ_4_TIMES_PER_YEAR
5 TIMES PER DAY	58	cliFREQ_5_TIMES_PER_DAY
5 TIMES PER MONTH	59	cliFREQ_5_TIMES_PER_MONTH
5 TIMES PER WEEK	60	cliFREQ_5_TIMES_PER_WEEK
5 TIMES PER YEAR	61	cliFREQ_5_TIMES_PER_YEAR
6 TIMES PER DAY	62	cliFREQ_6_TIMES_PER_DAY
6 TIMES PER MONTH	63	cliFREQ_6_TIMES_PER_MONTH
6 TIMES PER WEEK	64	cliFREQ_6_TIMES_PER_WEEK
6 TIMES PER YEAR	65	cliFREQ_6_TIMES_PER_YEAR
7 TIMES PER WEEK	66	cliFREQ_7_TIMES_PER_WEEK
PA	67	cliFREQ_PA
EVERY 6 WEEKS	68	cliFREQ_EVERY_6_WEEKS
EVERY 5 WEEKS	69	cliFREQ_EVERY_5_WEEKS
EVERY 8 WEEKS	70	cliFREQ_EVERY_8_WEEKS
Q6M	71	cliFREQ_Q6M

				72	cliFREQ_EVERY_7_WEEKS	
			AC	73	cliFREQ_AC	
			QAM	74	cliFREQ_QAM	
			5 DAYS PER WEEK	75	cliFREQ_5_DAYS_PER_WEEK	
CMROUTE_CL_001	String		AURICULAR (OTIC)	1	cliROUTE_AURICULAR_OTIC	CMROUTE_001
			BUCCAL	2	cliROUTE_BUCCAL	
			CONJUNCTIVAL	3	cliROUTE_CONJUNCTIVAL	
			CUTANEOUS	4	cliROUTE_CUTANEOUS	
			DENTAL	5	cliROUTE_DENTAL	
			ELECTRO-OSMOSIS	6	cliROUTE_ELECTRO_OSMOSIS	
			ENDOCERVICAL	7	cliROUTE_ENDOCERVICAL	
			ENDOSINUSIAL	8	cliROUTE_ENDOSINUSIAL	
			ENDOTRACHEAL	9	cliROUTE_ENDOTRACHEAL	
			ENTERAL	10	cliROUTE_ENTERAL	
			EPIDURAL	11	cliROUTE_EPIDURAL	
			EXTRA-AMNIOTIC	12	cliROUTE_EXTRA_AMNIOTIC	
			EXTRACORPOREAL	13	cliROUTE_EXTRACORPOREAL	
			HEMODIALYSIS	14	cliROUTE_HEMODIALYSIS	
			INFILTRATION	15	cliROUTE_INFILTRATION	
			INTERSTITIAL	16	cliROUTE_INTERSTITIAL	
			INTRA-ABDOMINAL	17	cliROUTE_INTRA_ABDOMINAL	
			INTRA-AMNIOTIC	18	cliROUTE_INTRA_AMNIOTIC	
			INTRA-ARTERIAL	19	cliROUTE_INTRA_ARTERIAL	
			INTRA-ARTICULAR	20	cliROUTE_INTRA_ARTICULAR	
			INTRABILIARY	21	cliROUTE_INTRABILIARY	
			INTRABRONCHIAL	22	cliROUTE_INTRABRONCHIAL	
			INTRABURSAL	23	cliROUTE_INTRABURSAL	
			INTRACARDIAC	24	cliROUTE_INTRACARDIAC	
			INTRACARTILAGINOUS	25	cliROUTE_INTRACARTILAGINOUS	
			INTRACAUDAL	26	cliROUTE_INTRACAUDAL	
			INTRACAVERNOUS	27	cliROUTE_INTRACAVERNOUS	
			INTRACAVITARY	28	cliROUTE_INTRACAVITARY	
			INTRACEREBRAL	29	cliROUTE_INTRACEREBRAL	
			INTRACISTERNAL	30	cliROUTE_INTRACISTERNAL	
			INTRACORNEAL	31	cliROUTE_INTRACORNEAL	
			INTRACORONAL, DENTAL	32	cliROUTE_INTRACORONAL_DENTAL	
			INTRACORONARY	33	cliROUTE_INTRACORONARY	
			INTRACORPORUS CAVERNOSUM	34	cliROUTE_INTRACORPORUS_CAVERNOSUM	
			INTRADERMAL	35	cliROUTE_INTRADERMAL	
			INTRADISCAL	36	cliROUTE_INTRADISCAL	
			INTRADUCTAL	37	cliROUTE_INTRADUCTAL	
			INTRADUODENAL	38	cliROUTE_INTRADUODENAL	
			INTRADURAL	39	cliROUTE_INTRADURAL	
			INTRAEPIDERMAL	40	cliROUTE_INTRAEPIDERMAL	
			INTRAESOPHAGEAL	41	cliROUTE_INTRAESOPHAGEAL	
			INTRAGASTRIC	42	cliROUTE_INTRAGASTRIC	
			INTRAGINGIVAL	43	cliROUTE_INTRAGINGIVAL	

INTRAILEAL	44	cliROUTE_INTRAILEAL
INTRALESIONAL	45	cliROUTE_INTRALESIONAL
INTRALUMINAL	46	cliROUTE_INTRALUMINAL
INTRALYMPHATIC	47	cliROUTE_INTRALYMPHATIC
INTRAMEDULLARY	48	cliROUTE_INTRAMEDULLARY
INTRAMENINGEAL	49	cliROUTE_INTRAMENINGEAL
INTRAMUSCULAR	50	cliROUTE_INTRAMUSCULAR
INTRAOCULAR	51	cliROUTE_INTRAOCULAR
INTRAOVARIAN	52	cliROUTE_INTRAOVARIAN
INTRAPERICARDIAL	53	cliROUTE_INTRAPERICARDIAL
INTRAPERITONEAL	54	cliROUTE_INTRAPERITONEAL
INTRAPLEURAL	55	cliROUTE_INTRAPLEURAL
INTRAPROSTATIC	56	cliROUTE_INTRAPROSTATIC
INTRAPULMONARY	57	cliROUTE_INTRAPULMONARY
INTRASINAL	58	cliROUTE_INTRASINAL
INTRASPINAL	59	cliROUTE_INTRASPINAL
INTRASYNOVIAL	60	cliROUTE_INTRASYNOVIAL
INTRATENDINOUS	61	cliROUTE_INTRATENDINOUS
INTRATESTICULAR	62	cliROUTE_INTRATESTICULAR
INTRATHECAL	63	cliROUTE_INTRATHECAL
INTRATHORACIC	64	cliROUTE_INTRATHORACIC
INTRATUBULAR	65	cliROUTE_INTRATUBULAR
INTRATUMOR	66	cliROUTE_INTRATUMOR
INTRATYMPANIC	67	cliROUTE_INTRATYMPANIC
INTRAUTERINE	68	cliROUTE_INTRAUTERINE
INTRAVASCULAR	69	cliROUTE_INTRAVASCULAR
INTRAVENOUS	70	cliROUTE_INTRAVENOUS
INTRAVENOUS BOLUS	71	cliROUTE_INTRAVENOUS_BOLUS
INTRAVENOUS DRIP	72	cliROUTE_INTRAVENOUS_DRIP
INTRAVENTRICULAR	73	cliROUTE_INTRAVENTRICULAR
INTRAVESICAL	74	cliROUTE_INTRAVESICAL
INTRAVITREAL	75	cliROUTE_INTRAVITREAL
IONTOPHORESIS	76	cliROUTE_IONTOPHORESIS
IRRIGATION	77	cliROUTE_IRRIGATION
LARYNGEAL	78	cliROUTE_LARYNGEAL
NASAL	79	cliROUTE_NASAL
NASOGASTRIC	80	cliROUTE_NASOGASTRIC
NOT APPLICABLE	81	cliROUTE_NOT_APPLICABLE
OCCLUSIVE DRESSING TECHNIQUE	82	cliROUTE_OCCLUSIVE_DRESSING_TECHNIQUE
OPHTHALMIC	83	cliROUTE_OPHTHALMIC
ORAL	84	cliROUTE_ORAL
OROPHARYNGEAL	85	cliROUTE_OROPHARYNGEAL
PARENTERAL	86	cliROUTE_PARENTERAL
PERCUTANEOUS	87	cliROUTE_PERCUTANEOUS
PERIARTICULAR	88	cliROUTE_PERIARTICULAR
PERIDURAL	89	cliROUTE_PERIDURAL
PERINEURAL	90	cliROUTE_PERINEURAL

			91	cliROUTE_PERIODONTAL
		RECTAL	92	cliROUTE_RECTAL
		RESPIRATORY (INHALATION)	93	cliROUTE_RESPIRATORY_INHALATION_
		RETROBULBAR	94	cliROUTE_RETROBULBAR
		SOFT TISSUE	95	cliROUTE_SOFT_TISSUE
		SUBARACHNOID	96	cliROUTE_SUBARACHNOID
		SUBCONJUNCTIVAL	97	cliROUTE_SUBCONJUNCTIVAL
		SUBCUTANEOUS	98	cliROUTE_SUBCUTANEOUS
		SUBLINGUAL	99	cliROUTE_SUBLINGUAL
		SUBMUCOSAL	100	cliROUTE_SUBMUCOSAL
		TOPICAL	101	cliROUTE_TOPICAL
		TRANSDERMAL	102	cliROUTE_TRANSDERMAL
		TRANSMUCOSAL	103	cliROUTE_TRANSMUCOSAL
		TRANSPLACENTAL	104	cliROUTE_TRANSPLACENTAL
		TRANSTRACHEAL	105	cliROUTE_TRANSTRACHEAL
		TRANSTYMPANIC	106	cliROUTE_TRANSTYMPANIC
		UNASSIGNED	107	cliROUTE_UNASSIGNED
		UNKNOWN	108	cliROUTE_UNKNOWN
		URETERAL	109	cliROUTE_URETERAL
		URETHRAL	110	cliROUTE_URETHRAL
		VAGINAL	111	cliROUTE_VAGINAL
		DIETARY	112	cliROUTE_DIETARY
		ORAL GAVAGE	113	cliROUTE_ORAL_GAVAGE
		INTRASTOMAL	114	cliROUTE_INTRASTOMAL
		INTRAJEJUNAL	115	cliROUTE_INTRAJEJUNAL
		INTRAPALATAL	116	cliROUTE_INTRAPALATAL
		OROMUCOSAL	117	cliROUTE_OROMUCOSAL
		INTRACAMERAL	118	cliROUTE_INTRACAMERAL
		SUBTENON	119	cliROUTE_SUBTENON
		INTRAHEPATIC	120	cliROUTE_INTRAHEPATIC
		TRANSMAMMARY	121	cliROUTE_TRANSMAMMARY
		PERIVENOUS	122	cliROUTE_PERIVENOUS
		INTRAPARENCHYMAL	123	cliROUTE_INTRAPARENCHYMAL
		INTRATHALAMIC	124	cliROUTE_INTRATHALAMIC
		INTRAVAGINAL	125	cliROUTE_INTRAVAGINAL
		SUPRACHOROIDAL	126	cliROUTE_SUPRACHOROIDAL
		INTRAOSSEOUS	127	cliROUTE_INTRAOSSEOUS
		INTRANODAL	128	cliROUTE_INTRANODAL
		SUBRETINAL	129	cliROUTE_SUBRETINAL
		OTHER	130	cliROUTE_OTHER

Coding Summary: CONCOMITANT TREATMENT		
Verbatim RefName: CMTRT_001		
Dictionary: Pfizer WHODD Verbatim Type:		
Coding Item RefName	Level	Level Type
CMDECOD_001	PT	Term
SUPPCM_CMCODE_001	PT	Code

RDE Analytics: RD_CM001		
Data Variable RefName	RD Column Name	Column Data Type
CMSPID_001	CMSPID_001	VARCHAR2
	CMSPID_001_ND	VARCHAR2
CMCAT_001	CMCAT_001_C	VARCHAR2
	CMCAT_001	VARCHAR2
	CMCAT_001_ND	VARCHAR2
CMPRESP_001	CMPRESP_001_C	VARCHAR2
	CMPRESP_001	VARCHAR2
	CMPRESP_001_ND	VARCHAR2
CMTRT_001	CMTRT_001	VARCHAR2
	CMTRT_001_ND	VARCHAR2
SUPPCM_CMAER_001	SUPPCM_CMAER_001_C	VARCHAR2
	SUPPCM_CMAER_001	VARCHAR2
	SUPPCM_CMAER_001_ND	VARCHAR2
SUPPCM_CMAER_001 - SUPPCM_CMAENO1_001	SUPPCM_CMAENO1_001	VARCHAR2
SUPPCM_CMAER_001 - SUPPCM_CMAENO2_001	SUPPCM_CMAENO2_001	VARCHAR2
SUPPCM_CMAER_001 - SUPPCM_CMAENO3_001	SUPPCM_CMAENO3_001	VARCHAR2
SUPPCM_CMAER_001 - SUPPCM_CMAENO4_001	SUPPCM_CMAENO4_001	VARCHAR2
SUPPCM_CMAER_001 - SUPPCM_CMAENO5_001	SUPPCM_CMAENO5_001	VARCHAR2
CMINDC_001	CMINDC_001	VARCHAR2
	CMINDC_001_ND	VARCHAR2
X_CMDSTXT_001	X_CMDSTXT_001	VARCHAR2
	X_CMDSTXT_001_ND	VARCHAR2
CMDOSU_001	CMDOSU_001_C	VARCHAR2
	CMDOSU_001	VARCHAR2
	CMDOSU_001_ND	VARCHAR2
CMDOSFRQ_001	CMDOSFRQ_001_C	VARCHAR2
	CMDOSFRQ_001	VARCHAR2
	CMDOSFRQ_001_ND	VARCHAR2
CMROUTE_001	CMROUTE_001_C	VARCHAR2
	CMROUTE_001	VARCHAR2
	CMROUTE_001_ND	VARCHAR2
CMSTDTC_001	CMSTDTC_001	DATE
	CMSTDTC_001_DTS	VARCHAR2
	CMSTDTC_001_DTR	VARCHAR2
	CMSTDTC_001_ND	VARCHAR2
X_CMONGO_001	X_CMONGO_001_C	VARCHAR2
	X_CMONGO_001	VARCHAR2
	X_CMONGO_001_ND	VARCHAR2
X_CMONGO_001 - CMENDTC_001	CMENDTC_001	DATE
	CMENDTC_001_DTS	VARCHAR2
	CMENDTC_001_DTR	VARCHAR2
D_COMPTerm1_001	D_COMPTerm1_001	VARCHAR2
	D_COMPTerm1_001_ND	VARCHAR2
CMDECOD_001	CMDECOD_001	VARCHAR2

	CMDECOD_001_ND	VARCHAR2
SUPPCM_CMCODE_001	SUPPCM_CMCODE_001	VARCHAR2
	SUPPCM_CMCODE_001_ND	VARCHAR2

C4891002: MEDICATION ERROR (MED ERROR) - Repeating Form [AE001_1]											
#	Category	Medication Error	Drug Name	Incorrect package ID	Start Date	End Date	Study Medication Errors Action	Concomitant Medication Given	Non-Drug Treatment Given	Caused Study Discontinuation	Medication Error Associated With AE
1											
Medication Error [AE01001_1]											
1.		Category: [read-only] [Category]	[AECAT_001_1] [A:21] ☐ MEDICATION ERROR								
2.* ✓		Medication Error: (If possible specify diagnosis, not individual symptoms) (Type of medication error) [Medication Error]	[AETERM_001_1] A100*								
3.* ✓		Drug Name: [Drug Name]	[SUPPAE_AETRNM_001_1] A100*								
4. ✓		If this is a dispensing error, record the incorrect package ID that was dispensed/administered to the subject: [Incorrect package ID]	[SUPPAE_AEIPKGID_001_1] A20*								
5.* ✓ 		Start Date: [Start Date]	[AESTDTC_001_1] (DD/MM/YYYY) Req / Req / Req (2022-2034)								
6.* ✓		End Date: [End Date:]	[AEENDTC_001_1] (DD/MM/YYYY) Req / Req / Req (2022-2034)								
7.* ✓		Latest Action Taken with Study Treatment: [Study Medication Errors Action]	[SUPPAE_AEMEACN_001_1] [A:1] ☐ NO ACTION TAKEN [A:2] ☐ DOSE CORRECTED [A:3] ☐ TEMPORARILY STOPPED [A:4] ☐ PERMANENTLY DISCONTINUED								
8.* ✓		Was a Concomitant Medication given? If yes, record on the Concomitant Medications page. [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_1] [A:Y] ☐ YES [A:N] ☐ NO								
9.* ✓		Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page. [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_1] [A:Y] ☐ YES [A:N] ☐ NO								
10.* ✓		Did the medication error cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001_1] [A:Y] ☐ YES [A:N] ☐ NO								
11.* ✓		Was this medication error associated with any adverse events? [Medication Error Associated With AE]	[SUPPAE_AEMEFL_001_1] [A:Y] ☐ [SUPPAE_AEMEFL_CMP_001_1] ☐ YES [SUPPAE_AEAENO1_001_1] AE ID: A20* [SUPPAE_AEAENO2_001_1] AE ID: A20*								

		[SUPPAE_AEAENO3_001_1] AE ID: A20★ [SUPPAE_AEAENO4_001_1] AE ID: A20★ [SUPPAE_AEAENO5_001_1] AE ID: A20★ [A:N] ☐ NO
12.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM2_001_1] A200★
13.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[AELLT_001_1] A100★
14.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[AELLTCD_001_1] A8★
15.	Dictionary-Derived Term <i>[hidden]</i> [Dictionary-Derived Term]	[AEDECOD_001_1] A100★
16.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[AEPTCD_001_1] A8★
17.	High Level Term <i>[hidden]</i> [High Level Term]	[AEHLT_001_1] A100★
18.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[AEHLTCD_001_1] A8★
19.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[AEHLGT_001_1] A100★
20.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[AEHLGTCD_001_1] A8★
21.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001_1] A100★
22.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001_1] A8★
Key: [*] = Item is required [▼] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: MEDICATION ERROR		
Type	RefName	Description
Form	AE001_1	AE001 - Standard AE Page
Item	AECAT_001_1	Used to define a category of adverse event variables.

Item	AETERM_001_1	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	SUPPAE_AETR TNAM_001_1	Drug Name
Item	SUPPAE_AEIPKGID_001_1	Incorrect Package ID
Item	AESTDTC_001_1	Date when the adverse event started.
Item	AEENDTC_001_1	Date when the adverse event resolved.
Item	SUPPAE_AEMEACN_001_1	Changes made to the study treatment in response to the medication error adverse event.
Item	SUPPAE_AECMGIV_001_1	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_1	Non-Drug Treatment Given
Item	SUPPAE_AESUBJDC_001_1	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	SUPPAE_AEMEFL_001_1	Was this medication error associated with any adverse events
Item	D_COMPTERM2_001_1	Hidden Item needed for clear coding rule.
Item	AELLT_001_1	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_1	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_1	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing the define.xml external codelist attributes
Item	AEPTCD_001_1	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_1	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_1	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_1	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_1	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_1	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_1	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: MEDICATION ERROR		
Item	Unique	Order #
AE001_1 (Repeating form)		
AE01001_1		
AESTDTC_001_1	None	1

Coding Summary: MEDICATION ERROR		
Verbatim RefName: AETERM_001_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_1	SOC	Term
AESOCCD_001_1	SOC	Code
AEHLGT_001_1	HLGT	Term
AEHLGTCD_001_1	HLGT	Code
AEHLT_001_1	HLT	Term
AEHLTCD_001_1	HLT	Code
AEDECOD_001_1	PT	Term
AEPTCD_001_1	PT	Code
AELLT_001_1	LLT	Term
AELLTCD_001_1	LLT	Code

RDE Analytics: RD_AE001_1		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_1	AECAT_001_1_C	VARCHAR2

	AECAT_001_1	VARCHAR2
	AECAT_001_1_ND	VARCHAR2
AETERM_001_1	AETERM_001_1	VARCHAR2
	AETERM_001_1_ND	VARCHAR2
SUPPAE_AETRRTNAM_001_1	SUPPAE_AETRRTNAM_001_1	VARCHAR2
	SUPPAE_AETRRTNAM_001_1_ND	VARCHAR2
SUPPAE_AEIPKGID_001_1	SUPPAE_AEIPKGID_001_1	VARCHAR2
	SUPPAE_AEIPKGID_001_1_ND	VARCHAR2
AESTDTC_001_1	AESTDTC_001_1	DATE
	AESTDTC_001_1_DTS	VARCHAR2
	AESTDTC_001_1_ND	VARCHAR2
AEENDTC_001_1	AEENDTC_001_1	DATE
	AEENDTC_001_1_DTS	VARCHAR2
	AEENDTC_001_1_ND	VARCHAR2
SUPPAE_AEMEACN_001_1	SUPPAE_AEMEACN_001_1_C	VARCHAR2
	SUPPAE_AEMEACN_001_1	VARCHAR2
	SUPPAE_AEMEACN_001_1_ND	VARCHAR2
SUPPAE_AECMGIV_001_1	SUPPAE_AECMGIV_001_1_C	VARCHAR2
	SUPPAE_AECMGIV_001_1	VARCHAR2
	SUPPAE_AECMGIV_001_1_ND	VARCHAR2
SUPPAE_AENDGIV_001_1	SUPPAE_AENDGIV_001_1_C	VARCHAR2
	SUPPAE_AENDGIV_001_1	VARCHAR2
	SUPPAE_AENDGIV_001_1_ND	VARCHAR2
SUPPAE_AESUBJDC_001_1	SUPPAE_AESUBJDC_001_1_C	VARCHAR2
	SUPPAE_AESUBJDC_001_1	VARCHAR2
	SUPPAE_AESUBJDC_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1	SUPPAE_AEMEFL_001_1_C	VARCHAR2
	SUPPAE_AEMEFL_001_1	VARCHAR2
	SUPPAE_AEMEFL_001_1_ND	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO1_001_1	SUPPAE_AEAENO1_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO2_001_1	SUPPAE_AEAENO2_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO3_001_1	SUPPAE_AEAENO3_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO4_001_1	SUPPAE_AEAENO4_001_1	VARCHAR2
SUPPAE_AEMEFL_001_1 - SUPPAE_AEAENO5_001_1	SUPPAE_AEAENO5_001_1	VARCHAR2
D_COMPTERM2_001_1	D_COMPTERM2_001_1	VARCHAR2
	D_COMPTERM2_001_1_ND	VARCHAR2
AELLT_001_1	AELLT_001_1	VARCHAR2
	AELLT_001_1_ND	VARCHAR2
AELLTCD_001_1	AELLTCD_001_1	VARCHAR2
	AELLTCD_001_1_ND	VARCHAR2
AEDECOD_001_1	AEDECOD_001_1	VARCHAR2
	AEDECOD_001_1_ND	VARCHAR2
AEPTCD_001_1	AEPTCD_001_1	VARCHAR2
	AEPTCD_001_1_ND	VARCHAR2
AEHLT_001_1	AEHLT_001_1	VARCHAR2
	AEHLT_001_1_ND	VARCHAR2
AEHLTCD_001_1	AEHLTCD_001_1	VARCHAR2

	AEHLTCD_001_1_ND	VARCHAR2
AEHLGT_001_1	AEHLGT_001_1	VARCHAR2
	AEHLGT_001_1_ND	VARCHAR2
AEHLGTCD_001_1	AEHLGTCD_001_1	VARCHAR2
	AEHLGTCD_001_1_ND	VARCHAR2
AESOC_001_1	AESOC_001_1	VARCHAR2
	AESOC_001_1_ND	VARCHAR2
AESOCCD_001_1	AESOCCD_001_1	VARCHAR2
	AESOCCD_001_1_ND	VARCHAR2

C4891002: NON-DRUG TREATMENTS (NONDRG TX) - Repeating Form [PR001]					
#	Treatment	Treatment Identifier	Start Date	Ongoing?	Non-Drug Treatment to Treat Adverse Event
1					
Non-Drug Treatment [PR01001]					
1.*	Treatment: [Treatment]	[PRTRT_001] A100*			
2.	What is the treatment Identifier? <i>[read-only]</i> [Treatment Identifier]	[PRSPID_001] A20*			
3.*	Start Date: [Start Date]	[PRSTDTC_001] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (2022-2034)			
4.*	Ongoing? [Ongoing?]	[X_PRONGO_001] [A:Y] ☐ YES [A:N] ☐ [X_PRENDTC_CMP_001] v NO [PRENDTC_001] (DD/MM/YYYY) End Date: Req/Unk v / Req/Unk v / Req v (2022-2034)			
5.*	Was this Non-Drug Treatment given to treat an Adverse Event? [Non-Drug Treatment to Treat Adverse Event]	[SUPPPR_PRAER_001] [A:Y] ☐ [SUPPPR_PRAEID1_CMP_001] v YES [SUPPPR_PRAEID1_001] AE Identifier: A20* [SUPPPR_PRAEID2_001] AE Identifier: A20* [SUPPPR_PRAEID3_001] AE Identifier: A20* [SUPPPR_PRAEID4_001] AE Identifier: A20* [SUPPPR_PRAEID5_001] AE Identifier: A20* [A:N] ☐ NO			
6.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM5_001] A200*			
7.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[SUPPPR_PRLLT_001] A100*			
8.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[SUPPPR_PRLLTCD_001] A8*			
9.	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[PRDECOD_001] A100*			
10.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPPR_PRPTCD_001] A8*			
11.	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001] A100*			

12.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPPR_PRHLTCD_001] A8★
13.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001] A100★
14.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTCD_001] A8★
15.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001] A100★
16.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001] A8★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: NON-DRUG TREATMENTS		
Type	RefName	Description
Form	PR001	PR001 - NON-DRUG TREATMENTS
Item	PRTRT_001	Verbatim name of the treatment.
Item	PRSTDTC_001	Date the treatment was started
Item	X_PRONGO_001	Indicates the treatment is ongoing when no End Date is provided
Item	PRENDTC_001	Date the treatment was stopped.
Item	D_COMPTERM5_001	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLLTCD_001	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTCD_001	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001	Dictionary-derived code for the primary System Organ Class.

Keys (navigation)/Uniqueness: NON-DRUG TREATMENTS		
Item	Unique	Order #
PR001 (Repeating form)		
PR01001		
PRSTDTC_001	None	1

Coding Summary: NON-DRUG TREATMENTS		
Verbatim RefName: PRTRT_001		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001	SOC	Term
SUPPPR_PRSOCCD_001	SOC	Code
SUPPPR_PRHLGT_001	HLGT	Term
SUPPPR_PRHLGTCD_001	HLGT	Code

SUPPPR_PRHLT_001	HLT	Term
SUPPPR_PRHLTCD_001	HLT	Code
PRDECOD_001	PT	Term
SUPPPR_PRPTCD_001	PT	Code
SUPPPR_PRLLT_001	LLT	Term
SUPPPR_PRLLTCD_001	LLT	Code

RDE Analytics: RD_PR001		
Data Variable RefName	RD Column Name	Column Data Type
PRTRT_001	PRTRT_001	VARCHAR2
	PRTRT_001_ND	VARCHAR2
PRSPID_001	PRSPID_001	VARCHAR2
	PRSPID_001_ND	VARCHAR2
PRSTDTC_001	PRSTDTC_001	DATE
	PRSTDTC_001_DTS	VARCHAR2
	PRSTDTC_001_DTR	VARCHAR2
	PRSTDTC_001_ND	VARCHAR2
X_PRONGO_001	X_PRONGO_001_C	VARCHAR2
	X_PRONGO_001	VARCHAR2
	X_PRONGO_001_ND	VARCHAR2
X_PRONGO_001 - PRENDTC_001	PRENDTC_001	DATE
	PRENDTC_001_DTS	VARCHAR2
	PRENDTC_001_DTR	VARCHAR2
SUPPPR_PRAER_001	SUPPPR_PRAER_001_C	VARCHAR2
	SUPPPR_PRAER_001	VARCHAR2
	SUPPPR_PRAER_001_ND	VARCHAR2
SUPPPR_PRAER_001 - SUPPPR_PRAEID1_001	SUPPPR_PRAEID1_001	VARCHAR2
SUPPPR_PRAER_001 - SUPPPR_PRAEID2_001	SUPPPR_PRAEID2_001	VARCHAR2
SUPPPR_PRAER_001 - SUPPPR_PRAEID3_001	SUPPPR_PRAEID3_001	VARCHAR2
SUPPPR_PRAER_001 - SUPPPR_PRAEID4_001	SUPPPR_PRAEID4_001	VARCHAR2
SUPPPR_PRAER_001 - SUPPPR_PRAEID5_001	SUPPPR_PRAEID5_001	VARCHAR2
D_COMPTERM5_001	D_COMPTERM5_001	VARCHAR2
	D_COMPTERM5_001_ND	VARCHAR2
SUPPPR_PRLLT_001	SUPPPR_PRLLT_001	VARCHAR2
	SUPPPR_PRLLT_001_ND	VARCHAR2
SUPPPR_PRLLTCD_001	SUPPPR_PRLLTCD_001	VARCHAR2
	SUPPPR_PRLLTCD_001_ND	VARCHAR2
PRDECOD_001	PRDECOD_001	VARCHAR2
	PRDECOD_001_ND	VARCHAR2
SUPPPR_PRPTCD_001	SUPPPR_PRPTCD_001	VARCHAR2
	SUPPPR_PRPTCD_001_ND	VARCHAR2
SUPPPR_PRHLT_001	SUPPPR_PRHLT_001	VARCHAR2
	SUPPPR_PRHLT_001_ND	VARCHAR2
SUPPPR_PRHLTCD_001	SUPPPR_PRHLTCD_001	VARCHAR2
	SUPPPR_PRHLTCD_001_ND	VARCHAR2
SUPPPR_PRHLGT_001	SUPPPR_PRHLGT_001	VARCHAR2
	SUPPPR_PRHLGT_001_ND	VARCHAR2

SUPPPR_PRLGTCD_001	SUPPPR_PRLGTCD_001	VARCHAR2
	SUPPPR_PRLGTCD_001_ND	VARCHAR2
SUPPPR_PRSOC_001	SUPPPR_PRSOC_001	VARCHAR2
	SUPPPR_PRSOC_001_ND	VARCHAR2
SUPPPR_PRSOCCD_001	SUPPPR_PRSOCCD_001	VARCHAR2
	SUPPPR_PRSOCCD_001_ND	VARCHAR2

C4891002: RESPONSE TO REGIMEN - CANCER THERAPY (CAN TX) - Repeating Form [CM001_1_1]										
#	Regimen Number	Best Overall Response	Date Of Best Overall Response	Progression Occurred After Regimen	Response To Regimen					
1										
Overall Response [CM02001_1_1]										
1.* ✓	Regimen #: [Regimen Number]	[Y_RSREFID_001_1_1] A8*								
2.* ✓	Best Overall Response: [Best Overall Response]	[RSORRES_BESTRESP_001_1_1] [RSORRES_BESTRESP_CL_001_1_1]								
3.* ✓	Date of Best Overall Response: [Date Of Best Overall Response]	[RSDTC_001_1_1] (DD/MM/YYYY) Req / Req / Req (2022-2034)								
4.* ✓	Did progression occur after this regimen started? [Progression Occurred After Regimen]	[RSORRES_PDAFTRX_001_1_1] [A:Y] [RSORRES_PDARXDTCTCMP_001_1_1] YES [RSORRES_PDARXDTCTCMP_001_1_1] (DD/MM/YYYY) Date of documented progression: Req/Unk / Req/Unk / Req (2022-2034) [A:N] NO [A:U] UNKNOWN								
	Sponsor-Defined Identifier	Category for Medication	Subcategory for Medication	Concomitant Medications Pre-specified	Name of Medication	Start Date	Ongoing			
5. ✓										
Response To Regimen Entry [CM01001_1_1]										
5.1	What is the medication identifier? [read-only] [Sponsor-Defined Identifier]	[CMSPID_001_1_1] A20*								
5.2	Category: [read-only] [Category for Medication]	[CMCAT_001_1_1] [A:8] FOLLOW-UP CANCER THERAPY								
5.3	Subcategory: [read-only] [Subcategory for Medication]	[CMSCAT_001_1_1] [A:3] ADVANCED/METASTATIC								
5.4	Concomitant Medications Pre-specified: [read-only] [Concomitant Medications Pre-specified]	[CMPRESP_001_1_1] [A:N] NO								
5.5* ✓	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). [Name of Medication]	[CMTRT_001_1_1] A100*								
5.6* ✓	Start Date: [Start Date]	[CMSTDTC_001_1_1] (DD/MM/YYYY) Req/Unk / Req/Unk / Req (1930-2034)								
5.7* ✓	Ongoing? [Ongoing]	[X_CMONGO_001_1_1] [A:Y] YES [A:N] [X_CMENDTCTCMP_001_1_1] NO [CMENDTCTCMP_001_1_1] (DD/MM/YYYY) End Date: Req/Unk / Req/Unk / Req (2022-2034) [SUPPCM_CMDSREAS_001_1_1] Reason for Discontinuation: [A:1] ADVERSE EVENT [A:10] COMPLETED TREATMENT [A:5] [SUPPCM_CMDISRO_001_1_1] OTHER [SUPPCM_CMDISRO_001_1_1] OTHER, specify: A80*								
5.8	Comparison Term [hidden] [Comparison Term]	[D_COMPTERM1_001_1_1] A200*								

5.9	Standardized Medication Name - Dictionary derived. <i>[hidden]</i> [Standardized Medication Name]	[CMDECOD_001_1_1] A300★
5.10	Standardized Medication Code - Dictionary derived <i>[hidden]</i> [Standardized Medication Code]	[SUPPCM_CMCODE_001_1_1] A11★

Key: [*] = Item is required [▼] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: RESPONSE TO REGIMEN - CANCER THERAPY		
Type	RefName	Description
Item	RSORRES_BESTRESP_001_1_1	Best overall response.
Item	CMSPID_001_1_1	A sponsor-defined reference number.
Item	CMSCAT_001_1_1	A further categorization of medications/ treatment. Examples: CHEMOTHERAPY, HORMONAL THERAPY, ALTERNATIVE THERAPY.
Item	CMPRESP_001_1_1	Concomitant Medications Pre-specified
Item	CMTRT_001_1_1	Name of Medication
Item	CMSTDTC_001_1_1	Date the medication was first taken
Item	X_CMONGO_001_1_1	Indicates the medication is ongoing when no End Date is provided
Item	CMENDTC_001_1_1	Date the subject stopped taking the medication
Item	SUPPCM_CMDSREAS_001_1_1	Reason the subject discontinued taking the medication
Item	D_COMPTERM1_001_1_1	Hidden Item needed for clear coding rule.
Item	CMDECOD_001_1_1	Standardized Medication Name - Dictionary derived.
Item	SUPPCM_CMCODE_001_1_1	Standardized Medication Code - Dictionary derived

Codelist Values Tables: RESPONSE TO REGIMEN - CANCER THERAPY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
RSORRES_BESTRESP_CL_001_1_1	String		CR	1	cliRSSTRESC_CR	RSORRES_BESTRESP_001_1_1
			NON-CR/NON-PD	5	cliRSSTRESC_NON_CR_NON_PD	
			NE	4	cliRSSTRESC_NE	
			NA (TBD)	-5	cliRSSTRESC_DUMMY_NA	
			PD	8	cliRSSTRESC_PD	
			PR	9	cliRSSTRESC_PR	
			SD	10	cliRSSTRESC_SD	
			UNKNOWN	11	cliRSSTRESC_UNKNOWN	
			NOT APPLICABLE	76	cliRSSTRESC_NOT_APPLICABLE	

Coding Summary: RESPONSE TO REGIMEN - CANCER THERAPY			
Verbatim RefName: CMTRT_001_1_1			
Dictionary: Pfizer WHODD Verbatim Type:			
Coding Item RefName	Level	Level Type	
CMDECOD_001_1_1	PT	Term	
SUPPCM_CMCODE_001_1_1	PT	Code	

RDE Analytics: RD_CM001_1_1

Data Variable RefName	RD Column Name	Column Data Type
Y_RSREFID_001_1_1	Y_RSREFID_001_1_1	VARCHAR2
	Y_RSREFID_001_1_1_ND	VARCHAR2
RSORRES_BESTRESP_001_1_1	RSORRES_BESTRESP_001_1_1_C	VARCHAR2
	RSORRES_BESTRESP_001_1_1	VARCHAR2
	RSORRES_BESTRESP_001_1_1_ND	VARCHAR2
RSDTC_001_1_1	RSDTC_001_1_1	DATE
	RSDTC_001_1_1_DTS	VARCHAR2
	RSDTC_001_1_1_ND	VARCHAR2
RSORRES_PDAFTRX_001_1_1	RSORRES_PDAFTRX_001_1_1_C	VARCHAR2
	RSORRES_PDAFTRX_001_1_1	VARCHAR2
	RSORRES_PDAFTRX_001_1_1_ND	VARCHAR2
RSORRES_PDAFTRX_001_1_1 - RSORRES_PDARXDTC_001_1_1	RSORRES_PDARXDTC_001_1_1	DATE
	RSORRES_PDARXDTC_001_1_1_DTS	VARCHAR2
	RSORRES_PDARXDTC_001_1_1_DTR	VARCHAR2
RD_CM001_1_1_CM01001_1_1		
CMSPID_001_1_1	CMSPID_001_1_1	VARCHAR2
	CMSPID_001_1_1_ND	VARCHAR2
CMCAT_001_1_1	CMCAT_001_1_1_C	VARCHAR2
	CMCAT_001_1_1	VARCHAR2
	CMCAT_001_1_1_ND	VARCHAR2
CMSCAT_001_1_1	CMSCAT_001_1_1_C	VARCHAR2
	CMSCAT_001_1_1	VARCHAR2
	CMSCAT_001_1_1_ND	VARCHAR2
CMPRESP_001_1_1	CMPRESP_001_1_1_C	VARCHAR2
	CMPRESP_001_1_1	VARCHAR2
	CMPRESP_001_1_1_ND	VARCHAR2
CMTRT_001_1_1	CMTRT_001_1_1	VARCHAR2
	CMTRT_001_1_1_ND	VARCHAR2
CMSTDTC_001_1_1	CMSTDTC_001_1_1	DATE
	CMSTDTC_001_1_1_DTS	VARCHAR2
	CMSTDTC_001_1_1_DTR	VARCHAR2
	CMSTDTC_001_1_1_ND	VARCHAR2
X_CMONGO_001_1_1	X_CMONGO_001_1_1_C	VARCHAR2
	X_CMONGO_001_1_1	VARCHAR2
	X_CMONGO_001_1_1_ND	VARCHAR2
X_CMONGO_001_1_1 - CMENDTC_001_1_1	CMENDTC_001_1_1	DATE
	CMENDTC_001_1_1_DTS	VARCHAR2
	CMENDTC_001_1_1_DTR	VARCHAR2
X_CMONGO_001_1_1 - SUPPCM_CMDSREAS_001_1_1	SUPPCM_CMDSREAS_001_1_1_C	VARCHAR2
	SUPPCM_CMDSREAS_001_1_1	VARCHAR2
X_CMONGO_001_1_1 - SUPPCM_CMDISRO_001_1_1	SUPPCM_CMDISRO_001_1_1	VARCHAR2
D_COMPTERM1_001_1_1	D_COMPTERM1_001_1_1	VARCHAR2
	D_COMPTERM1_001_1_1_ND	VARCHAR2
CMDECOD_001_1_1	CMDECOD_001_1_1	VARCHAR2
	CMDECOD_001_1_1_ND	VARCHAR2
SUPPCM_CMCODE_001_1_1	SUPPCM_CMCODE_001_1_1	VARCHAR2

	SUPPCM_CMCODE_001_1_1_ND	VARCHAR2
--	--------------------------	----------

C4891002: NON-DRUG TREATMENTS - CANCER SURGERY (CAN SURG) - Repeating Form [PR001_5]								
#	Subcategory:	Lesion Number	Treatment	Treatment	Treatment Identifier	Site of Treatment	Start Date	Outcome of Procedure
1								
Non-Drug Treatment [PR01001_5]								
1.	Subcategory: [Subcategory:]		[PRSCAT_001_5] [A:1] ☐ PALLIATIVE [A:2] ☐ CURATIVE IN INTENT					
2.* ✓	Lesion Number [Lesion Number]		[SUPPPR_PRLSNUM_001_5] A3★					
3.	Treatment: [Treatment]		[D_PRTRT_001_5] [A:1] ☐ MASTECTOMY [A:2] ☐ CONTROLATERAL MASTECTOMY [A:3] ☐ LUMPECTOMY [A:4] ☐ QUADRANCTECTOMY [A:5] ☐ AXILLARY DISSECTION [A:6] ☐ SENTINEL LYMPH NODE DISSECTION [A:7] ☐ METASTASECTOMY [A:8] ☐ [D_PRTRTOTH_CMP_001_5] ☐ Other [D_PRTRTOTH_001_5] Specify Other Type of Procedure: A100★					
4.	Treatment: <i>[read-only]</i> [Treatment]		[PRTRT_001_5] A100★					
5.	What is the treatment Identifier? <i>[read-only]</i> [Treatment Identifier]		[PRSPID_001_5] A20★					
6.* ✓	Site of Treatment: [Site of Treatment]		[PRLOC_001_5] [A:146] ☐ BREAST [A:40] ☐ LIVER [A:76] ☐ LUNG [A:77] ☐ SKIN [A:108] ☐ LYMPH NODE [A:999] ☐ OTHER					
7.* ✓ 	Start Date: [Start Date]		[PRSTDTC_001_5] (DD/MM/YYYY) Req/Unk ▼ / Req/Unk ▼ / Req ▼ (2022-2034)					
8.* ✓	Outcome of Procedure: [Outcome of Procedure]		[SUPPPR_PROUT_001_5] [A:1] ☐ UNRESECTED [A:2] ☐ RESECTED [A:3] ☐ BIOPSY [A:4] ☐ PARTIALLY RESECTED [A:6] ☐ UNKNOWN					
9.	Comparison Term <i>[hidden]</i> [Comparison Term]		[D_COMPTERM5_001_5] A200★					
10.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]		[SUPPPR_PRLLT_001_5] A100★					
11.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]		[SUPPPR_PRLLTCD_001_5] A8★					
12.	Dictionary Derived Term <i>[hidden]</i>		[PRDECOD_001_5]					

	[Dictionary Derived Term]	A100★
13.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPPR_PRPTCD_001_5] A8★
14.	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001_5] A100★
15.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPPR_PRHLTCD_001_5] A8★
16.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001_5] A100★
17.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTCD_001_5] A8★
18.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001_5] A100★
19.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_5] A8★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔑] = Key item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: NON-DRUG TREATMENTS - CANCER SURGERY		
Type	RefName	Description
Form	PR001_5	PR001 - NON-DRUG TREATMENTS
Item	SUPPPR_PRLSNUM_001_5	Lesion Number
Item	PRTRT_001_5	Verbatim name of the treatment.
Item	PRLOC_001_5	Body site of where the treatment was given.
Item	PRSTDTC_001_5	Date the treatment was started
Item	D_COMPTERM5_001_5	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001_5	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLLTCD_001_5	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001_5	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001_5	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001_5	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001_5	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001_5	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTCD_001_5	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001_5	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001_5	Dictionary-derived code for the primary System Organ Class.

Keys (navigation)/Uniqueness: NON-DRUG TREATMENTS - CANCER SURGERY		
Item	Unique	Order #
PR001_5 (Repeating form)		
PR01001_5		
PRSTDTC_001_5	None	1

Coding Summary: NON-DRUG TREATMENTS - CANCER SURGERY

Verbatim RefName: PRTRT_001_5 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001_5	SOC	Term
SUPPPR_PRSOCCD_001_5	SOC	Code
SUPPPR_PRHLGT_001_5	HLGT	Term
SUPPPR_PRHLGTCD_001_5	HLGT	Code
SUPPPR_PRHLT_001_5	HLT	Term
SUPPPR_PRHLTCD_001_5	HLT	Code
PRDECOD_001_5	PT	Term
SUPPPR_PRPTCD_001_5	PT	Code
SUPPPR_PRLLT_001_5	LLT	Term
SUPPPR_PRLLTCD_001_5	LLT	Code

RDE Analytics: RD_PR001_5		
Data Variable RefName	RD Column Name	Column Data Type
PRSCAT_001_5	PRSCAT_001_5_C	VARCHAR2
	PRSCAT_001_5	VARCHAR2
	PRSCAT_001_5_ND	VARCHAR2
SUPPPR_PRLSNUM_001_5	SUPPPR_PRLSNUM_001_5	VARCHAR2
	SUPPPR_PRLSNUM_001_5_ND	VARCHAR2
D_PRTRT_001_5	D_PRTRT_001_5_C	VARCHAR2
	D_PRTRT_001_5	VARCHAR2
	D_PRTRT_001_5_ND	VARCHAR2
D_PRTRT_001_5 - D_PRTRTOTH_001_5	D_PRTRTOTH_001_5	VARCHAR2
PRTRT_001_5	PRTRT_001_5	VARCHAR2
	PRTRT_001_5_ND	VARCHAR2
PRSPID_001_5	PRSPID_001_5	VARCHAR2
	PRSPID_001_5_ND	VARCHAR2
PRLOC_001_5	PRLOC_001_5_C	VARCHAR2
	PRLOC_001_5	VARCHAR2
	PRLOC_001_5_ND	VARCHAR2
PRSTDTC_001_5	PRSTDTC_001_5	DATE
	PRSTDTC_001_5_DTS	VARCHAR2
	PRSTDTC_001_5_DTR	VARCHAR2
	PRSTDTC_001_5_ND	VARCHAR2
SUPPPR_PROUT_001_5	SUPPPR_PROUT_001_5_C	VARCHAR2
	SUPPPR_PROUT_001_5	VARCHAR2
	SUPPPR_PROUT_001_5_ND	VARCHAR2
D_COMPTERM5_001_5	D_COMPTERM5_001_5	VARCHAR2
	D_COMPTERM5_001_5_ND	VARCHAR2
SUPPPR_PRLLT_001_5	SUPPPR_PRLLT_001_5	VARCHAR2
	SUPPPR_PRLLT_001_5_ND	VARCHAR2
SUPPPR_PRLLTCD_001_5	SUPPPR_PRLLTCD_001_5	VARCHAR2
	SUPPPR_PRLLTCD_001_5_ND	VARCHAR2
PRDECOD_001_5	PRDECOD_001_5	VARCHAR2
	PRDECOD_001_5_ND	VARCHAR2

SUPPPR_PRPTCD_001_5	SUPPPR_PRPTCD_001_5	VARCHAR2
	SUPPPR_PRPTCD_001_5_ND	VARCHAR2
SUPPPR_PRHLT_001_5	SUPPPR_PRHLT_001_5	VARCHAR2
	SUPPPR_PRHLT_001_5_ND	VARCHAR2
SUPPPR_PRHLTCD_001_5	SUPPPR_PRHLTCD_001_5	VARCHAR2
	SUPPPR_PRHLTCD_001_5_ND	VARCHAR2
SUPPPR_PRHLGT_001_5	SUPPPR_PRHLGT_001_5	VARCHAR2
	SUPPPR_PRHLGT_001_5_ND	VARCHAR2
SUPPPR_PRHLGTC_001_5	SUPPPR_PRHLGTC_001_5	VARCHAR2
	SUPPPR_PRHLGTC_001_5_ND	VARCHAR2
SUPPPR_PRSOC_001_5	SUPPPR_PRSOC_001_5	VARCHAR2
	SUPPPR_PRSOC_001_5_ND	VARCHAR2
SUPPPR_PRSOCCD_001_5	SUPPPR_PRSOCCD_001_5	VARCHAR2
	SUPPPR_PRSOCCD_001_5_ND	VARCHAR2

C4891002: RADIATION TREATMENT (RAD TX) - Repeating Form [PR001_1_1]								
#	Subcategory	Lesion Number	Con Non-Drug Treatments Pre-specified	Treatment	Treatment Identifier	Site of Treatment	Start Date	Ongoing?
1								
Radiation Treatment [PR01001_1_1]								
1.	Subcategory: ✓ [Subcategory]		[PRSCAT_001_1_1] [A:1] ☐ PALLIATIVE [A:2] ☐ CURATIVE IN INTENT					
2.	Lesion Number ✓ [Lesion Number]		[SUPPPR_PRLSNM_001_1_1] A3★					
3.	Concomitant Non-drug Treatment Pre-specified: <i>[read-only]</i> [Con Non-Drug Treatments Pre-specified]		[PRPRES_001_1_1] [A:Y] ☐ YES					
4.*	Treatment: [Treatment]		[PRTRT_001_1_1] A100★					
5.	What is the treatment Identifier? <i>[read-only]</i> [Treatment Identifier]		[PRSPID_001_1_1] A20★					
6.*	Site of Treatment: ✓ [Site of Treatment]		[PRLOC_001_1_1] [PRLOC_CL_001_1_1] ▼					
7.*	Start Date: ✓ [Start Date]		[PRSTDTC_001_1_1] (DD/MM/YYYY) Req/Unk ▼ / Req/Unk ▼ / Req ▼ (2022-2034)					
8.*	Ongoing? ✓ [Ongoing?]		[X_PRONGO_001_1_1] [A:Y] ☐ YES [A:N] ☐ [X_PRENDTC_CMP_001_1_1] ☐ NO [PRENDTC_001_1_1] (DD/MM/YYYY) End Date: Req/Unk ▼ / Req/Unk ▼ / Req ▼ (2022-2034)					
9.	Comparison Term <i>[hidden]</i> [Comparison Term]		[D_COMPTERM5_001_1_1] A200★					
10.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]		[SUPPPR_PRLLT_001_1_1] A100★					
11.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]		[SUPPPR_PRLTCD_001_1_1] A8★					
12.	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]		[PRDECOD_001_1_1] A100★					
13.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]		[SUPPPR_PRPTCD_001_1_1] A8★					
14.	High Level Term <i>[hidden]</i> [High Level Term]		[SUPPPR_PRHLT_001_1_1] A100★					
15.	High Level Term Code <i>[hidden]</i> [High Level Term Code]		[SUPPPR_PRHLTCD_001_1_1] A8★					
16.	High Level Group Term <i>[hidden]</i> [High Level Group Term]		[SUPPPR_PRHLGT_001_1_1] A100★					
17.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]		[SUPPPR_PRHLGTC_001_1_1] A8★					

18.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001_1_1] A100★
19.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_1_1] A8★

Key: [★] = Item is required [✓] = Source verification required [⊖] = Item is collapsible [🔑] = Key item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: RADIATION TREATMENT		
Type	RefName	Description
Form	PR001_1_1	PR001 - NON-DRUG TREATMENTS
Item	SUPPPR_PRLSNUM_001_1_1	Lesion Number
Item	PRPRES_001_1_1	Concomitant non-drug treatments pre-specified
Item	PRTRT_001_1_1	Verbatim name of the treatment.
Item	PRLOC_001_1_1	Body site of where the treatment was given.
Item	PRSTDTC_001_1_1	Date the treatment was started
Item	X_PRONGO_001_1_1	Indicates the treatment is ongoing when no End Date is provided
Item	PRENDTC_001_1_1	Date the treatment was stopped.
Item	D_COMPTERM5_001_1_1	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001_1_1	Dictionary-derived text description of the Lowest Level Term.
Item	SUPPPR_PRLTCD_001_1_1	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001_1_1	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001_1_1	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001_1_1	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001_1_1	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001_1_1	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTC_001_1_1	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001_1_1	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001_1_1	Dictionary-derived code for the primary System Organ Class.

Keys (navigation)/Uniqueness: RADIATION TREATMENT		
Item	Unique	Order #
PR001_1_1 (Repeating form)		
PR01001_1_1		
PRSTDTC_001_1_1	None	1

Codelist Values Tables: RADIATION TREATMENT						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
PRLOC_CL_001_1_1	String		BREAST	146	cliLOC_BREAST	PRLOC_001_1_1
			CHEST WALL	291	cliLOC_CHEST_WALL	
			LYMPH NODE	108	cliLOC_LYMPH_NODE	
			BRAIN	71	cliLOC_BRAIN	
			SCAPULA	118	cliLOC_SCAPULA	
			CLAVICLE	91	cliLOC_CLAVICLE	
			FEMUR	98	cliLOC_FEMUR	
			HUMERUS	104	cliLOC_HUMERUS	
			RIB	117	cliLOC_RIB	

			PELVIC BONE	228	cliLOC_PELVIC_BONE
			STERNUM	122	cliLOC_STERNUM
			CERVICAL VERTEBRA	90	cliLOC_CERVICAL_VERTEBRA
			LUMBAR VERTEBRA	107	cliLOC_LUMBAR_VERTEBRA
			THORACIC VERTEBRA	124	cliLOC_THORACIC_VERTEBRA
			SACRAL VERTEBRA	136	cliLOC_SACRAL_VERTEBRA
			COCCYGEAL VERTEBRA	179	cliLOC_COCCYGEAL_VERTEBRA
			OTHER	999	cliLOC_OTHER

Coding Summary: RADIATION TREATMENT		
Verbatim RefName: PRTRT_001_1_1		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001_1_1	SOC	Term
SUPPPR_PRSOCCD_001_1_1	SOC	Code
SUPPPR_PRHLGT_001_1_1	HLGT	Term
SUPPPR_PRHLGTCD_001_1_1	HLGT	Code
SUPPPR_PRHLT_001_1_1	HLT	Term
SUPPPR_PRHLTCD_001_1_1	HLT	Code
PRDECOD_001_1_1	PT	Term
SUPPPR_PRPTCD_001_1_1	PT	Code
SUPPPR_PRLLT_001_1_1	LLT	Term
SUPPPR_PRLLTCD_001_1_1	LLT	Code

RDE Analytics: RD_PR001_1_1		
Data Variable RefName	RD Column Name	Column Data Type
PRSCAT_001_1_1	PRSCAT_001_1_1_C	VARCHAR2
	PRSCAT_001_1_1	VARCHAR2
	PRSCAT_001_1_1_ND	VARCHAR2
SUPPPR_PRLSNUM_001_1_1	SUPPPR_PRLSNUM_001_1_1	VARCHAR2
	SUPPPR_PRLSNUM_001_1_1_ND	VARCHAR2
PRPRES_001_1_1	PRPRES_001_1_1_C	VARCHAR2
	PRPRES_001_1_1	VARCHAR2
	PRPRES_001_1_1_ND	VARCHAR2
PRTRT_001_1_1	PRTRT_001_1_1	VARCHAR2
	PRTRT_001_1_1_ND	VARCHAR2
PRSPID_001_1_1	PRSPID_001_1_1	VARCHAR2
	PRSPID_001_1_1_ND	VARCHAR2
PRLOC_001_1_1	PRLOC_001_1_1_C	VARCHAR2
	PRLOC_001_1_1	VARCHAR2
	PRLOC_001_1_1_ND	VARCHAR2
PRSTDTC_001_1_1	PRSTDTC_001_1_1	DATE
	PRSTDTC_001_1_1_DTS	VARCHAR2
	PRSTDTC_001_1_1_DTR	VARCHAR2
	PRSTDTC_001_1_1_ND	VARCHAR2
X_PRONGO_001_1_1	X_PRONGO_001_1_1_C	VARCHAR2
	X_PRONGO_001_1_1	VARCHAR2

	X_PRONGO_001_1_1_ND	VARCHAR2
X_PRONGO_001_1_1 - PRENDTC_001_1_1	PRENDTC_001_1_1	DATE
	PRENDTC_001_1_1_DTS	VARCHAR2
	PRENDTC_001_1_1_DTR	VARCHAR2
D_COMPTERM5_001_1_1	D_COMPTERM5_001_1_1	VARCHAR2
	D_COMPTERM5_001_1_1_ND	VARCHAR2
SUPPPR_PRLLT_001_1_1	SUPPPR_PRLLT_001_1_1	VARCHAR2
	SUPPPR_PRLLT_001_1_1_ND	VARCHAR2
SUPPPR_PRLLTCD_001_1_1	SUPPPR_PRLLTCD_001_1_1	VARCHAR2
	SUPPPR_PRLLTCD_001_1_1_ND	VARCHAR2
PRDECOD_001_1_1	PRDECOD_001_1_1	VARCHAR2
	PRDECOD_001_1_1_ND	VARCHAR2
SUPPPR_PRPTCD_001_1_1	SUPPPR_PRPTCD_001_1_1	VARCHAR2
	SUPPPR_PRPTCD_001_1_1_ND	VARCHAR2
SUPPPR_PRHLT_001_1_1	SUPPPR_PRHLT_001_1_1	VARCHAR2
	SUPPPR_PRHLT_001_1_1_ND	VARCHAR2
SUPPPR_PRHLTCD_001_1_1	SUPPPR_PRHLTCD_001_1_1	VARCHAR2
	SUPPPR_PRHLTCD_001_1_1_ND	VARCHAR2
SUPPPR_PRHLGT_001_1_1	SUPPPR_PRHLGT_001_1_1	VARCHAR2
	SUPPPR_PRHLGT_001_1_1_ND	VARCHAR2
SUPPPR_PRHLGTC_001_1_1	SUPPPR_PRHLGTC_001_1_1	VARCHAR2
	SUPPPR_PRHLGTC_001_1_1_ND	VARCHAR2
SUPPPR_PRSOC_001_1_1	SUPPPR_PRSOC_001_1_1	VARCHAR2
	SUPPPR_PRSOC_001_1_1_ND	VARCHAR2
SUPPPR_PRSOCCD_001_1_1	SUPPPR_PRSOCCD_001_1_1	VARCHAR2
	SUPPPR_PRSOCCD_001_1_1_ND	VARCHAR2

C4891002: NON-DRUG TREATMENT - SUPPLEMENTAL IMAGING (SUP IMAG) - Repeating Form [PR001_2]			
#	Treatment Identifier	Treatment	Start Date
1			
Non-Drug Treatments [PR01001_2]			
1.	What is the treatment Identifier? <i>[read-only]</i> [Treatment Identifier]	[PRSPID_001_2] A20★	
2.	Treatment: [Treatment]	[PRTRT_001_2] A100★	
3.*	Start Date: [Start Date]	[PRSTDTC_001_2] (DD/MM/YYYY) Req/Unk v / Req/Unk v / Req v (2022-2034)	
4.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM5_001_2] A200★	
5.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[SUPPPR_PRLLT_001_2] A100★	
6.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[SUPPPR_PRLLTCD_001_2] A8★	
7.	Dictionary Derived Term <i>[hidden]</i> [Dictionary Derived Term]	[PRDECOD_001_2] A100★	
8.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPPR_PRPTCD_001_2] A8★	
9.	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPPR_PRHLT_001_2] A100★	
10.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPPR_PRHLTCD_001_2] A8★	
11.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPPR_PRHLGT_001_2] A100★	
12.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPPR_PRHLGTCD_001_2] A8★	
13.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPPR_PRSOC_001_2] A100★	
14.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPPR_PRSOCCD_001_2] A8★	
Key: [*] = Item is required [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer.			

Study Object Descriptions: NON-DRUG TREATMENT - SUPPLEMENTAL IMAGING		
Type	RefName	Description
Form	PR001_2	PR001 - NON-SURGICAL PROCEDURES
Item	PRTRT_001_2	Verbatim name of the treatment.
Item	PRSTDTC_001_2	Date the treatment was started
Item	D_COMPTERM5_001_2	Hidden Item needed for clear coding rule.
Item	SUPPPR_PRLLT_001_2	Dictionary-derived text description of the Lowest Level Term.

Item	SUPPPR_PRLLTCD_001_2	Dictionary-derived code for the Lowest Level Term.
Item	PRDECOD_001_2	Dictionary Derived Term
Item	SUPPPR_PRPTCD_001_2	Dictionary-derived code for the Preferred Term.
Item	SUPPPR_PRHLT_001_2	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLTCD_001_2	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	SUPPPR_PRHLGT_001_2	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRHLGTCD_001_2	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	SUPPPR_PRSOC_001_2	Dictionary-derived text description of the primary System Organ Class.
Item	SUPPPR_PRSOCCD_001_2	Dictionary-derived code for the primary System Organ Class.

Coding Summary: NON-DRUG TREATMENT - SUPPLEMENTAL IMAGING		
Verbatim RefName: PRTRT_001_2 Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
SUPPPR_PRSOC_001_2	SOC	Term
SUPPPR_PRSOCCD_001_2	SOC	Code
SUPPPR_PRHLGT_001_2	HLGT	Term
SUPPPR_PRHLGTCD_001_2	HLGT	Code
SUPPPR_PRHLT_001_2	HLT	Term
SUPPPR_PRHLTCD_001_2	HLT	Code
PRDECOD_001_2	PT	Term
SUPPPR_PRPTCD_001_2	PT	Code
SUPPPR_PRLLT_001_2	LLT	Term
SUPPPR_PRLLTCD_001_2	LLT	Code

RDE Analytics: RD_PR001_2		
Data Variable RefName	RD Column Name	Column Data Type
PRSPID_001_2	PRSPID_001_2	VARCHAR2
	PRSPID_001_2_ND	VARCHAR2
PRTRT_001_2	PRTRT_001_2	VARCHAR2
	PRTRT_001_2_ND	VARCHAR2
PRSTDTC_001_2	PRSTDTC_001_2	DATE
	PRSTDTC_001_2_DTS	VARCHAR2
	PRSTDTC_001_2_DTR	VARCHAR2
	PRSTDTC_001_2_ND	VARCHAR2
D_COMPTERM5_001_2	D_COMPTERM5_001_2	VARCHAR2
	D_COMPTERM5_001_2_ND	VARCHAR2
SUPPPR_PRLLT_001_2	SUPPPR_PRLLT_001_2	VARCHAR2
	SUPPPR_PRLLT_001_2_ND	VARCHAR2
SUPPPR_PRLLTCD_001_2	SUPPPR_PRLLTCD_001_2	VARCHAR2
	SUPPPR_PRLLTCD_001_2_ND	VARCHAR2
PRDECOD_001_2	PRDECOD_001_2	VARCHAR2
	PRDECOD_001_2_ND	VARCHAR2
SUPPPR_PRPTCD_001_2	SUPPPR_PRPTCD_001_2	VARCHAR2
	SUPPPR_PRPTCD_001_2_ND	VARCHAR2
SUPPPR_PRHLT_001_2	SUPPPR_PRHLT_001_2	VARCHAR2
	SUPPPR_PRHLT_001_2_ND	VARCHAR2

SUPPPR_PRHLTCD_001_2	SUPPPR_PRHLTCD_001_2	VARCHAR2
	SUPPPR_PRHLTCD_001_2_ND	VARCHAR2
SUPPPR_PRHLGT_001_2	SUPPPR_PRHLGT_001_2	VARCHAR2
	SUPPPR_PRHLGT_001_2_ND	VARCHAR2
SUPPPR_PRHLGTC_001_2	SUPPPR_PRHLGTC_001_2	VARCHAR2
	SUPPPR_PRHLGTC_001_2_ND	VARCHAR2
SUPPPR_PRSOC_001_2	SUPPPR_PRSOC_001_2	VARCHAR2
	SUPPPR_PRSOC_001_2_ND	VARCHAR2
SUPPPR_PRSOCCD_001_2	SUPPPR_PRSOCCD_001_2	VARCHAR2
	SUPPPR_PRSOCCD_001_2_ND	VARCHAR2

C4891002: ADVERSE EVENT REPORT (AE) - Repeating Form [AE001_2]

#	Category	AE Identifier	Adverse Event	Start Date	Is the Adverse Event Still Ongoing	Toxicity Grade	Serious	Is AE a Result of a Medication Error	Relationship to Study Treatment	Concomitant Medication Given	Non-Drug Treatment Given	Outcome	Caused Study Discontinuation	Action Taken with Study Treatment 1	Action Taken with Study Treatment 2	Action Taken with Study Treatment 3	Relationship to Study Treatment 1	Relationship to Study Treatment 2	Relationship to Study Treatment 3	Study Treatment 1	Study Treatment 2
1																					
Adverse Event Report [AE01001_2]																					
1.	Category: <i>[read-only]</i> [Category]		[AECAT_001_2] [A:1] ☐ ADVERSE EVENT																		
2.	AE ID: <i>[read-only]</i> [AE Identifier]		[AESPID_001_2] A20*																		
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [Adverse Event]		[AETERM_001_2] A100*																		
4.* ✓ 	Start Date: [Start Date]		[AESTDTC_001_2] (DD/MM/YYYY) Req / Req / Req (2022-2034)																		
5.* ✓	Is the adverse event still ongoing? [Is the Adverse Event Still Ongoing]		[X_AEONGO_001_2] [A:Y] ☐ YES [A:N] ☐ [AEENDTC_CMP_001_2] ☐ NO [AEENDTC_001_2] (DD/MM/YYYY) End Date: Req / Req / Req (2022-2034)																		
6.* ✓	Toxicity Grade: [Toxicity Grade]		[AETOXGR_001_2] [A:2] ☐ 1 [A:3] ☐ 2 [A:4] ☐ 3 [A:5] ☐ 4 [A:6] ☐ 5																		
7.* ✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [Serious]		[AESER_001_2] [A:Y] ☐ [AESCONG_CMP_001_2] ☐ YES [AESCONG_001_2] Is this serious event associated with congenital anomaly or birth defect? [A:Y] ☐ YES [A:N] ☐ NO [AESDTH_001_2] Did this serious event result in death? [A:Y] ☐ YES [A:N] ☐ NO [AESHOSP_001_2] Did this serious event require or prolong hospitalization? [A:Y] ☐ YES [A:N] ☐ NO [AESDISAB_001_2] Did this serious event result in persistent or significant disability/incapacity? [A:Y] ☐ YES [A:N] ☐ NO [AESLIFE_001_2] Is this serious event life threatening? [A:Y] ☐ YES [A:N] ☐ NO [AESMIE_001_2] Other medically important serious event [A:Y] ☐ YES																		

		☐ YES ☒ NO [A:N] ☐ NO
8.* ✓	Is this adverse event the result of a study/background Medication Error? If Yes, record the type of medication error on the Medication Error Log. [Is AE a Result of a Medication Error]	[SUPPAE_AEMERES_001_2] [A:Y] ☐ YES [A:N] ☒ NO
9.*	Is this event related to study treatment: [Relationship to Study Treatment]	[AEREL_001_2] [A:1] ☐ [SUPPAE_AERELNST_CMP_001_2] ☐ NOT RELATED [AERELNST_001_2] If Not Related to study treatment(s), this event is due to: [A:1] ☐ CONCOMITANT DRUG TREATMENT [A:2] ☐ CONCOMITANT NON-DRUG TREATMENT [A:4] ☐ DISEASE UNDER STUDY [A:5] ☐ AUXILIARY MEDICINAL PRODUCT [A:3] ☐ [SUPPAE_AERELT_CMP_001_2] ☐ OTHER [SUPPAE_AERELTXT_001_2] If Other, specify: A80* [A:2] ☐ RELATED
10.* ✓	Was a Concomitant Medication given? If yes, record on the Concomitant Medications page [Concomitant Medication Given]	[SUPPAE_AECMGIV_001_2] [A:Y] ☐ YES [A:N] ☒ NO
11.* ✓	Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page [Non-Drug Treatment Given]	[SUPPAE_AENDGIV_001_2] [A:Y] ☐ YES [A:N] ☒ NO
12.* ✓	What was the outcome of this adverse event?: [Outcome]	[AEOUT_001_2] [A:1] ☐ FATAL [A:2] ☐ NOT RECOVERED/NOT RESOLVED [A:3] ☐ RECOVERED/RESOLVED [A:4] ☐ RECOVERED/RESOLVED WITH SEQUELAE [A:5] ☐ RECOVERING/RESOLVING [A:6] ☐ UNKNOWN
13.* ✓	Did the adverse event cause the subject to be discontinued from the study? [Caused Study Discontinuation]	[SUPPAE_AESUBJDC_001_2] [A:Y] ☐ YES [A:N] ☒ NO
14.* ✓	Action Taken with ARV-471: [Action Taken with Study Treatment 1]	[SUPPAE_AEACN1_001_2] [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
15.* ✓	Action Taken with LETROZOLE:	[SUPPAE_AEACN2_001_2] [A:2] ☐ DOSE NOT CHANGED

	[Action Taken with Study Treatment 2]	☐ [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
16.* ✓	Action Taken with PALBOCICLIB?: [Action Taken with Study Treatment 3]	[SUPPAE_AEACN3_001_2] [A:2] ☐ DOSE NOT CHANGED [A:3] ☐ DOSE REDUCED [A:4] ☐ DRUG INTERRUPTED [A:5] ☐ DRUG WITHDRAWN [A:6] ☐ NOT APPLICABLE [A:7] ☐ UNKNOWN
17.* ✓	Is this event related to ARV-471? [Relationship to Study Treatment 1]	[SUPPAE_AEREL1_001_2] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
18.* ✓	Is this event related to LETROZOLE? [Relationship to Study Treatment 2]	[SUPPAE_AEREL2_001_2] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
19.* ✓	Is this event related to PALBOCICLIB? [Relationship to Study Treatment 3]	[SUPPAE_AEREL3_001_2] [A:1] ☐ NOT RELATED [A:2] ☐ RELATED
20.	Study Treatment 1 Name ARV-471: <i>[read-only]</i> [Study Treatment 1]	[SUPPAE_AETRT1_001_2] A50*
21.	Study Treatment 2 Name LETROZOLE: <i>[read-only]</i> [Study Treatment 2]	[SUPPAE_AETRT2_001_2] A50*
22.	Study Treatment 3 Name PALBOCICLIB: <i>[read-only]</i> [Study Treatment 3]	[SUPPAE_AETRT3_001_2] A50*
23.	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTERM2_001_2] A200*
24.	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[AELLT_001_2] A100*
25.	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[AELLTCD_001_2] A8*
26.	Dictionary-Derived Term <i>[hidden]</i> [Dictionary-Derived Term]	[AEDECOD_001_2] A100*
27.	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[AEPTCD_001_2] A8*
28.	High Level Term <i>[hidden]</i> [High Level Term]	[AEHLT_001_2] A100*
29.	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[AEHLTCD_001_2] A8*

30.	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[AEHLGT_001_2] A100★
31.	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[AEHLGTC_001_2] A8★
32.	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[AESOC_001_2] A100★
33.	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[AESOCCD_001_2] A8★

Key: [★] = Item is required [▼] = Source verification required [] = Item is collapsible [🔑] = Key item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: ADVERSE EVENT REPORT

Type	RefName	Description
Form	AE001_2	AE001 - Standard AE Page
Item	AECAT_001_2	Used to define a category of adverse event variables.
Item	AESPID_001_2	A sponsor-defined identifier that can be used for pre-printed numbers on the CRF.
Item	AETERM_001_2	Verbatim (i.e., investigator-reported term) description of the adverse event.
Item	AESTDTC_001_2	Date when the adverse event started.
Item	X_AEONGO_001_2	Indicates AE is ongoing when no End Date is provided.
Item	AEENDTC_001_2	Date when the adverse event resolved.
Item	AETOXGR_001_2	Description of the toxicity grade of the adverse event.
Item	AESER_001_2	Indicates whether or not the adverse event is determined to be ?serious? based on what is defined in the protocol.
Item	SUPPAE_AEMERES_001_2	Is this adverse event the result of a study/background medication error
Item	AEREL_001_2	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	AERELNST_001_2	If the event is 'Not Related' to study treatment, indicate what this event is due to.
Item	SUPPAE_AERELTXT_001_2	Event Due to Other Specify
Item	SUPPAE_AECMGIV_001_2	Concomitant Medications Given
Item	SUPPAE_AENDGIV_001_2	Non-Drug Treatment Given
Item	AEOUT_001_2	Description of the subject's status associated with an event.
Item	SUPPAE_AESUBJDC_001_2	Indication of whether the adverse event caused the subject to discontinue from the study.
Item	SUPPAE_AEACN1_001_2	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEACN2_001_2	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEACN3_001_2	Changes made to the study treatment in response to the adverse event.
Item	SUPPAE_AEREL1_001_2	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AEREL2_001_2	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AEREL3_001_2	Indication of whether the study treatment had a causal effect on the adverse event, as determined by the clinician/investigator.
Item	SUPPAE_AETRT1_001_2	Study treatment 1
Item	SUPPAE_AETRT2_001_2	Study treatment 2
Item	SUPPAE_AETRT3_001_2	Study treatment 3
Item	D_COMPTERM2_001_2	Hidden Item needed for clear coding rule.
Item	AELLT_001_2	Dictionary-derived text description of the Lowest Level Term.
Item	AELLTCD_001_2	Dictionary-derived code for the Lowest Level Term.
Item	AEDECOD_001_2	Dictionary-derived text description of AETERM or AEMODIFY. Equivalent to the Preferred Term (PT in MedDRA). The sponsor is expected to provide the dictionary name and version used to map the terms utilizing th external codelist attributes

Item	AEPTCD_001_2	Dictionary-derived code for the Preferred Term.
Item	AEHLT_001_2	Dictionary-derived text description of the High Level Term for the primary System Organ Class.
Item	AEHLTCD_001_2	Dictionary-derived code for the High Level Term for the primary System Organ Class.
Item	AEHLGT_001_2	Dictionary-derived text description of the High Level Group Term for the primary System Organ Class
Item	AEHLGTCD_001_2	Dictionary-derived code for the High Level Group Term for the primary System Organ Class.
Item	AESOC_001_2	Dictionary-derived text description of the primary System Organ Class. Will be the same as AEBODSYS if the primary SOC was used for analysis.
Item	AESOCCD_001_2	Dictionary-derived code for the primary System Organ Class. Will be the same as AEBDSYCD if the primary SOC was used for analysis.

Keys (navigation)/Uniqueness: ADVERSE EVENT REPORT		
Item	Unique	Order #
AE001_2 (Repeating form)		
AE01001_2		
AESTDTC_001_2	None	1

Coding Summary: ADVERSE EVENT REPORT		
Verbatim RefName: AETERM_001_2		
Dictionary: Pfizer MedDRA Verbatim Type:		
Coding Item RefName	Level	Level Type
AESOC_001_2	SOC	Term
AESOCCD_001_2	SOC	Code
AEHLGT_001_2	HLGT	Term
AEHLGTCD_001_2	HLGT	Code
AEHLT_001_2	HLT	Term
AEHLTCD_001_2	HLT	Code
AEDECOD_001_2	PT	Term
AEPTCD_001_2	PT	Code
AELLT_001_2	LLT	Term
AELLTCD_001_2	LLT	Code

RDE Analytics: RD_AE001_2		
Data Variable RefName	RD Column Name	Column Data Type
AECAT_001_2	AECAT_001_2_C	VARCHAR2
	AECAT_001_2	VARCHAR2
	AECAT_001_2_ND	VARCHAR2
AESPID_001_2	AESPID_001_2	VARCHAR2
	AESPID_001_2_ND	VARCHAR2
AETERM_001_2	AETERM_001_2	VARCHAR2
	AETERM_001_2_ND	VARCHAR2
AESTDTC_001_2	AESTDTC_001_2	DATE
	AESTDTC_001_2_DTS	VARCHAR2
	AESTDTC_001_2_ND	VARCHAR2
X_AEONGO_001_2	X_AEONGO_001_2_C	VARCHAR2
	X_AEONGO_001_2	VARCHAR2
	X_AEONGO_001_2_ND	VARCHAR2
X_AEONGO_001_2 - AEENDTC_001_2	AEENDTC_001_2	DATE
	AEENDTC_001_2_DTS	VARCHAR2
AETOXGR_001_2	AETOXGR_001_2_C	VARCHAR2

	AETOXGR_001_2	VARCHAR2
	AETOXGR_001_2_ND	VARCHAR2
AESER_001_2	AESER_001_2_C	VARCHAR2
	AESER_001_2	VARCHAR2
	AESER_001_2_ND	VARCHAR2
AESER_001_2 - AESCONG_001_2	AESCONG_001_2_C	VARCHAR2
	AESCONG_001_2	VARCHAR2
AESER_001_2 - AESDTH_001_2	AESDTH_001_2_C	VARCHAR2
	AESDTH_001_2	VARCHAR2
AESER_001_2 - AESHOSP_001_2	AESHOSP_001_2_C	VARCHAR2
	AESHOSP_001_2	VARCHAR2
AESER_001_2 - AESDISAB_001_2	AESDISAB_001_2_C	VARCHAR2
	AESDISAB_001_2	VARCHAR2
AESER_001_2 - AESLIFE_001_2	AESLIFE_001_2_C	VARCHAR2
	AESLIFE_001_2	VARCHAR2
AESER_001_2 - AESMIE_001_2	AESMIE_001_2_C	VARCHAR2
	AESMIE_001_2	VARCHAR2
SUPPAE_AEMERES_001_2	SUPPAE_AEMERES_001_2_C	VARCHAR2
	SUPPAE_AEMERES_001_2	VARCHAR2
	SUPPAE_AEMERES_001_2_ND	VARCHAR2
AEREL_001_2	AEREL_001_2_C	VARCHAR2
	AEREL_001_2	VARCHAR2
	AEREL_001_2_ND	VARCHAR2
AEREL_001_2 - AERELNST_001_2	AERELNST_001_2_C	VARCHAR2
	AERELNST_001_2	VARCHAR2
AEREL_001_2 - SUPPAE_AERELTXT_001_2	SUPPAE_AERELTXT_001_2	VARCHAR2
SUPPAE_AECMGIV_001_2	SUPPAE_AECMGIV_001_2_C	VARCHAR2
	SUPPAE_AECMGIV_001_2	VARCHAR2
	SUPPAE_AECMGIV_001_2_ND	VARCHAR2
SUPPAE_AENDGIV_001_2	SUPPAE_AENDGIV_001_2_C	VARCHAR2
	SUPPAE_AENDGIV_001_2	VARCHAR2
	SUPPAE_AENDGIV_001_2_ND	VARCHAR2
AEOUT_001_2	AEOUT_001_2_C	VARCHAR2
	AEOUT_001_2	VARCHAR2
	AEOUT_001_2_ND	VARCHAR2
SUPPAE_AESUBJDC_001_2	SUPPAE_AESUBJDC_001_2_C	VARCHAR2
	SUPPAE_AESUBJDC_001_2	VARCHAR2
	SUPPAE_AESUBJDC_001_2_ND	VARCHAR2
SUPPAE_AEACN1_001_2	SUPPAE_AEACN1_001_2_C	VARCHAR2
	SUPPAE_AEACN1_001_2	VARCHAR2
	SUPPAE_AEACN1_001_2_ND	VARCHAR2
SUPPAE_AEACN2_001_2	SUPPAE_AEACN2_001_2_C	VARCHAR2
	SUPPAE_AEACN2_001_2	VARCHAR2
	SUPPAE_AEACN2_001_2_ND	VARCHAR2
SUPPAE_AEACN3_001_2	SUPPAE_AEACN3_001_2_C	VARCHAR2
	SUPPAE_AEACN3_001_2	VARCHAR2
	SUPPAE_AEACN3_001_2_ND	VARCHAR2

SUPPAE_AEREL1_001_2	SUPPAE_AEREL1_001_2_C	VARCHAR2
	SUPPAE_AEREL1_001_2	VARCHAR2
	SUPPAE_AEREL1_001_2_ND	VARCHAR2
SUPPAE_AEREL2_001_2	SUPPAE_AEREL2_001_2_C	VARCHAR2
	SUPPAE_AEREL2_001_2	VARCHAR2
	SUPPAE_AEREL2_001_2_ND	VARCHAR2
SUPPAE_AEREL3_001_2	SUPPAE_AEREL3_001_2_C	VARCHAR2
	SUPPAE_AEREL3_001_2	VARCHAR2
	SUPPAE_AEREL3_001_2_ND	VARCHAR2
SUPPAE_AETRT1_001_2	SUPPAE_AETRT1_001_2	VARCHAR2
	SUPPAE_AETRT1_001_2_ND	VARCHAR2
SUPPAE_AETRT2_001_2	SUPPAE_AETRT2_001_2	VARCHAR2
	SUPPAE_AETRT2_001_2_ND	VARCHAR2
SUPPAE_AETRT3_001_2	SUPPAE_AETRT3_001_2	VARCHAR2
	SUPPAE_AETRT3_001_2_ND	VARCHAR2
D_COMPTERM2_001_2	D_COMPTERM2_001_2	VARCHAR2
	D_COMPTERM2_001_2_ND	VARCHAR2
AELLT_001_2	AELLT_001_2	VARCHAR2
	AELLT_001_2_ND	VARCHAR2
AELLTCD_001_2	AELLTCD_001_2	VARCHAR2
	AELLTCD_001_2_ND	VARCHAR2
AEDECOD_001_2	AEDECOD_001_2	VARCHAR2
	AEDECOD_001_2_ND	VARCHAR2
AEPTCD_001_2	AEPTCD_001_2	VARCHAR2
	AEPTCD_001_2_ND	VARCHAR2
AEHLT_001_2	AEHLT_001_2	VARCHAR2
	AEHLT_001_2_ND	VARCHAR2
AEHLTCD_001_2	AEHLTCD_001_2	VARCHAR2
	AEHLTCD_001_2_ND	VARCHAR2
AEHLGT_001_2	AEHLGT_001_2	VARCHAR2
	AEHLGT_001_2_ND	VARCHAR2
AEHLGTCD_001_2	AEHLGTCD_001_2	VARCHAR2
	AEHLGTCD_001_2_ND	VARCHAR2
AESOC_001_2	AESOC_001_2	VARCHAR2
	AESOC_001_2_ND	VARCHAR2
AESOCCD_001_2	AESOCCD_001_2	VARCHAR2
	AESOCCD_001_2_ND	VARCHAR2

C4891002: UNPLANNED VISIT (UNPL) [D_UPA001]

Unplanned Assessments [D_UPA01001]

1.*
✓

Assessments
[Assessments]

[D_UNPLASS_001]

[A:1] ☐ VITAL SIGNS

[A:3] ☐ LOCALLY READ ECGs

[A:4] ☐ LAB CHEMISTRY

[A:5] ☐ LAB HEMATOLOGY

[A:7] ☐ LAB HEMATOLOGY - COAGULATION

[A:8] ☐ LAB CHEMISTRY - HYS LAW

[A:9] ☐ PHARMACOKINETICS - ARV-471 (PF-07850327)

[A:10] ☐ PHARMACOKINETICS - PALBOCICLIB

[A:11] ☐ PK DOSING - MOST RECENT DOSE (ARV-471)

[A:12] ☐ PK DOSING - IN CLINIC DOSE (ARV-471)

[A:13] ☐ PK DOSING - MOST RECENT DOSE (PALBOCICLIB)

[A:14] ☐ PK DOSING - IN CLINIC DOSE (PALBOCICLIB)

[A:15] ☐ MOLECULAR BIOLOGY OF DISEASE - BIOMARKER HISTORICAL - IHC

[A:16] ☐ MOLECULAR BIOLOGY OF DISEASE - BIOMARKER HISTORICAL - ISH

[A:17] ☐ MOLECULAR BIOLOGY OF DISEASE- MICROSCOPIC FINDINGS - ER

[A:18] ☐ MOLECULAR BIOLOGY OF DISEASE- MICROSCOPIC FINDINGS - PGR

[A:19] ☐ MOLECULAR BIOLOGY OF DISEASE - MICROSCOPIC FINDINGS - KI67

[A:20] ☐ PHARMACOKINETICS - ARV-471 (PF-07850327) - UNPL - SLI

[A:21] ☐ PHARMACOKINETICS - PALBOCICLIB - UNPL - SLI

[A:22] ☐ LOCALLY READ ECGs REPEATING

[A:23] ☐ PRIMARY DIAGNOSIS - INITIAL DIAGNOSIS

[A:24] ☐ PRIMARY DIAGNOSIS - CURRENT DIAGNOSIS

[A:25] ☐ LAB CHEMISTRY - LIPIDS

[A:26] ☐ LAB HEMATOLOGY - HYS LAW

Key: [*] = Item is required [✓] = Source verification required

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

RDE Analytics: RD_D_UPA001		
Data Variable RefName	RD Column Name	Column Data Type
D_UNPLASS_001	D_UNPLASS_001_ND	VARCHAR2
D_UNPLASS_001 - VITAL SIGNS	*D_UNPLASS_001_CLIUNPLASSVITALSIGNS_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSVITALSIGNS	VARCHAR2
D_UNPLASS_001 - LOCALLY READ ECGs	*D_UNPLASS_001_CLIUNPLASSLOCALLYREADECGS_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLOCALLYREADECGS	VARCHAR2
D_UNPLASS_001 - LAB CHEMISTRY	*D_UNPLASS_001_CLIUNPLASSLABCHEMISTRY_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLABCHEMISTRY	VARCHAR2
D_UNPLASS_001 - LAB HEMATOLOGY	*D_UNPLASS_001_CLIUNPLASSLABHEMATOLOGY_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLABHEMATOLOGY	VARCHAR2
D_UNPLASS_001 - LAB HEMATOLOGY - COAGULATION	*D_UNPLASS_001_CLIUNPLASSLABHEMATOLOGYCOAGULATION_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLABHEMATOLOGYCOAGULATION	VARCHAR2
D_UNPLASS_001 - LAB CHEMISTRY - HYS LAW	*D_UNPLASS_001_CLIUNPLASSLABCHEMISTRYHYSLAW_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLABCHEMISTRYHYSLAW	VARCHAR2
D_UNPLASS_001 - PHARMACOKINETICS - ARV-471 (PF-07850327)	*D_UNPLASS_001_CLIUNPLASSPHARMACOKINETICSARV471_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPHARMACOKINETICSARV471	VARCHAR2
D_UNPLASS_001 - PHARMACOKINETICS - PALBOCICLIB	*D_UNPLASS_001_CLIUNPLASSPHARMACOKINETICSPALBOCICLIB_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPHARMACOKINETICSPALBOCICLIB	VARCHAR2
D_UNPLASS_001 - PK DOSING - MOST RECENT DOSE (ARV-471)	*D_UNPLASS_001_CLIUNPLASSPKDOSINGMOSTRECENTDOSEARV471PLACEBO_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPKDOSINGMOSTRECENTDOSEARV471PLACEBO	VARCHAR2

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00...

3/6/2024

D_UNPLASS_001 - PK DOSING - IN CLINIC DOSE (ARV-471)	*D_UNPLASS_001_CLIUNPLASSPKDOSINGINCLINICDOSEARV471PLACEBO_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPKDOSINGINCLINICDOSEARV471PLACEBO	VARCHAR2
D_UNPLASS_001 - PK DOSING - MOST RECENT DOSE (PALBOCICLIB)	*D_UNPLASS_001_CLIUNPLASSPKDOSINGMOSTRECENTDOSEPALBOCICLIB_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPKDOSINGMOSTRECENTDOSEPALBOCICLIB	VARCHAR2
D_UNPLASS_001 - PK DOSING - IN CLINIC DOSE (PALBOCICLIB)	*D_UNPLASS_001_CLIUNPLASSPKDOSINGINCLINICDOSEPALBOCICLIB_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPKDOSINGINCLINICDOSEPALBOCICLIB	VARCHAR2
D_UNPLASS_001 - MOLECULAR BIOLOGY OF DISEASE - BIOMARKER HISTORICAL - IHC	*D_UNPLASS_001_CLIUNPLASSMBIOBIOMARKERHISTORICALIHC_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSMBIOBIOMARKERHISTORICALIHC	VARCHAR2
D_UNPLASS_001 - MOLECULAR BIOLOGY OF DISEASE - BIOMARKER HISTORICAL - ISH	*D_UNPLASS_001_CLIUNPLASSMBIOBIOMARKERHISTORICALISH_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSMBIOBIOMARKERHISTORICALISH	VARCHAR2
D_UNPLASS_001 - MOLECULAR BIOLOGY OF DISEASE- MICROSCOPIC FINDINGS - ER	*D_UNPLASS_001_CLIUNPLASSMBIOMICROSCOPICFINDINGSER_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSMBIOMICROSCOPICFINDINGSER	VARCHAR2
D_UNPLASS_001 - MOLECULAR BIOLOGY OF DISEASE- MICROSCOPIC FINDINGS - PGR	*D_UNPLASS_001_CLIUNPLASSMBIOMICROSCOPICFINDINGSPGR_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSMBIOMICROSCOPICFINDINGSPGR	VARCHAR2
D_UNPLASS_001 - MOLECULAR BIOLOGY OF DISEASE - MICROSCOPIC FINDINGS - KI67	*D_UNPLASS_001_CLIUNPLASSMBIOMICROSCOPICFINDINGSKI67_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSMBIOMICROSCOPICFINDINGSKI67	VARCHAR2
D_UNPLASS_001 - PHARMACOKINETICS - ARV-471 (PF-07850327) - UNPL - SLI	*D_UNPLASS_001_CLIUNPLASSPHARMACOKINETICSARV471PF07850327UNPLSLI_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPHARMACOKINETICSARV471PF07850327UNPLSLI	VARCHAR2
D_UNPLASS_001 - PHARMACOKINETICS - PALBOCICLIB - UNPL - SLI	*D_UNPLASS_001_CLIUNPLASSPHARMACOKINETICSPALBOCICLIBUNPLSLI_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPHARMACOKINETICSPALBOCICLIBUNPLSLI	VARCHAR2
D_UNPLASS_001 - LOCALLY READ ECGs REPEATING	*D_UNPLASS_001_CLIUNPLASSLOCALLYREADECGSREPEATING_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLOCALLYREADECGSREPEATING	VARCHAR2
D_UNPLASS_001 - PRIMARY DIAGNOSIS - INITIAL DIAGNOSIS	*D_UNPLASS_001_CLIUNPLASSPRIMARYDIAGNOSISINITIALDIAGNOSIS_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPRIMARYDIAGNOSISINITIALDIAGNOSIS	VARCHAR2
D_UNPLASS_001 - PRIMARY DIAGNOSIS - CURRENT DIAGNOSIS	*D_UNPLASS_001_CLIUNPLASSPRIMARYDIAGNOSISCURRENTDIAGNOSIS_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSPRIMARYDIAGNOSISCURRENTDIAGNOSIS	VARCHAR2
D_UNPLASS_001 - LAB CHEMISTRY - LIPIDS	*D_UNPLASS_001_CLIUNPLASSLABCHEMISTRYLIPIDS_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLABCHEMISTRYLIPIDS	VARCHAR2
D_UNPLASS_001 - LAB HEMATOLOGY - HYS LAW	*D_UNPLASS_001_CLIUNPLASSLABHEMATOLOGYHYSLAW_C	VARCHAR2
	*D_UNPLASS_001_CLIUNPLASSLABHEMATOLOGYHYSLAW	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: VITAL SIGNS (UNPL VS) - Repeating Form [VS001_2]

#	Category for Vital Signs	Date	Weight	Weight Unit	Vital Signs Details
1					

Vital Signs [VS01001_2]

1.

Category for Vital Signs: *[read-only]*
[Category for Vital Signs]

[VSCAT_001_2]
[A:1] ☐ VITAL SIGNS

2.*

Date:
[Date]

[VSDTC_001_2] (DD/MM/YYYY)
Req/Unk / Req/Unk / Req (2022-2034)

3.*

Weight:
[Weight]

[VSORRES_WEIGHT_001_2]
xxxxxx.

4.*

Unit:
[Weight Unit]

[VSORRESU_WEIGHT_001_2]
[A:9] ☐ kg
[A:11] ☐ LB

Vital Signs Details [VS02001_2]

#	Record Identifier	Systolic Blood Pressure*	Diastolic Blood Pressure*	BP Position	Pulse*
5.a	1			SITTING	

Vital Signs Details Entry [VS02001_2]

5.1

Record Identifier: *[read-only]*
[Record Identifier]

[VSSPID_001_2]
[A:1] ☐ 1

5.2*

Systolic BP in mmHg:
[Systolic Blood Pressure]

[VSORRES_SYSBP_001_2]
N3

5.3*

Diastolic BP in mmHg:
[Diastolic Blood Pressure]

[VSORRES_DIABP_001_2]
N3

5.4

BP Position: *[read-only]*
[BP Position]

[VSPOS_BP_001_2]
[A:1] ☐ SITTING

5.5*

Pulse in beats/minute:
[Pulse]

[VSORRES_PULSE_001_2]
N3

Key: [*] = Item is required [✓] = Source verification required = Fixed item

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: VITAL SIGNS		
Type	RefName	Description
Form	VS001_2	VS001 - Vital Signs - Wide Format
Item	VSDTC_001_2	The date the measurement was performed.
Item	VSORRES_WEIGHT_001_2	Weight
Item	VSORRESU_WEIGHT_001_2	Weight Unit
Item	VSSPID_001_2	VS001- Calculated by InForm as sequential number for each test record. VS002- Calculated by InForm as sequential number for each visit form is placed in. Study design team will need to add these rules at the visits within each study in the visits at which the form is placed at a project level.
Item	VSORRES_SYSBP_001_2	Systolic Blood Pressure collected in mmHg
Item	VSORRES_DIABP_001_2	Diastolic Blood Pressure in mmHg
Item	VSPOS_BP_001_2	Blood Pressure Position
Item	VSORRES_PULSE_001_2	Pulse Rate in beats/minute.

RDE Analytics: RD_VS001_2		
Data Variable RefName	RD Column Name	Column Data Type
VSCAT_001_2	VSCAT_001_2_C	VARCHAR2
	VSCAT_001_2	VARCHAR2

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

	VSCAT_001_2_ND	VARCHAR2
VSDTC_001_2	VSDTC_001_2	DATE
	VSDTC_001_2_DTS	VARCHAR2
	VSDTC_001_2_DTR	VARCHAR2
	VSDTC_001_2_ND	VARCHAR2
VSORRES_WEIGHT_001_2	VSORRES_WEIGHT_001_2	FLOAT
	VSORRES_WEIGHT_001_2_ND	VARCHAR2
VSORRESU_WEIGHT_001_2	VSORRESU_WEIGHT_001_2_C	VARCHAR2
	VSORRESU_WEIGHT_001_2	VARCHAR2
	VSORRESU_WEIGHT_001_2_ND	VARCHAR2
RD_VS001_2_VS02001_2		
VSSPID_001_2	VSSPID_001_2_C	VARCHAR2
	VSSPID_001_2	VARCHAR2
	VSSPID_001_2_ND	VARCHAR2
VSORRES_SYSBP_001_2	VSORRES_SYSBP_001_2	NUMBER
	VSORRES_SYSBP_001_2_ND	VARCHAR2
VSORRES_DIABP_001_2	VSORRES_DIABP_001_2	NUMBER
	VSORRES_DIABP_001_2_ND	VARCHAR2
VSPOS_BP_001_2	VSPOS_BP_001_2_C	VARCHAR2
	VSPOS_BP_001_2	VARCHAR2
	VSPOS_BP_001_2_ND	VARCHAR2
VSORRES_PULSE_001_2	VSORRES_PULSE_001_2	NUMBER
	VSORRES_PULSE_001_2_ND	VARCHAR2

C4891002: LAB CHEMISTRY (UNPL CHEM) - Repeating Form [LB001_8]

#	Category for Lab Test	Lab From Initial Visit	Vendor Name (DERIVED)	Lab ID (Derived)	Specimen Type	Collection Date	Fasting Status	Lab Result
1								

Lab Chemistry Details [LB01001_8]

1.	Lab Panel: [read-only] [Category for Lab Test]	[LBCAT_001_8] [A:2] ☐ CLINICAL CHEMISTRY
2.* ✓	Lab From Initial Visit: [Lab From Initial Visit]	[SUPPLB_LBINRC_001_8] [A:1] ☐ Same as SCREENING LAB [A:2] ☐ [SUPPLB_LBINRC_CMP_001_8] ☐ OTHER LAB [D_LBNAM_001_8] Laboratory Name and Address: A200 ★ [D_SUPPLB_LBUID_001_8] Lab ID: A50 ★
3.	Laboratory Name and Address (Derived): [read-only] [Vendor Name (DERIVED)]	[LBNAM_001_8] A200 ★
4.	Lab ID (Derived): [read-only] [Lab ID (Derived)]	[SUPPLB_LBUID_001_8] A50 ★
5.	Specimen Type: [read-only] [Specimen Type]	[LBSPEC_001_8] [A:7] ☐ BLOOD
6.* ✓	Collection Date: [Collection Date]	[LBDTC_001_8] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2022-2034)
7.* ✓	Fasting? [Fasting Status]	[LBFAST_001_8] [A:Y] ☐ YES [A:N] ☐ NO

Lab Result [LB03001_8]

# ✓	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
8.a		Alanine Aminotransferase_PX30			
8.b		Aspartate Aminotransferase_PX28			
8.c		Alkaline Phosphatase_PX35			
8.d		Sodium_PX54			
8.e		Potassium_PX55			
8.f		Magnesium_PX199			
8.g		Calcium_PX58			
8.h		Bilirubin_PX21			
8.i		Urea_PX46			
8.j		Creatinine_PX48			
8.k		Blood Urea Nitrogen_PX47			
8.l		Albumin_PX25			
8.m		Glucose_PX67			

Lab Result Entry [LB03001_8]

8.1	Sponsor ID: [read-only] [Sponsor-Defined Identifier]	[LBSPID_001_8] N8
-----	---	----------------------

8.2	Test: <i>[read-only]</i>  [Test]	[LBTEST_001_8] [LBTEST_CL_001_8] 
8.3	Result: ✓ [Result]	[LBORRES_001_8] A20★
8.4	Not Done: ✓ [Not Done:]	[LBSTAT_001_8] [A:1]  NOT DONE
8.5	LNMT <i>[read-only]</i> [LNMT]	[X_LNMTFLAG_CMP_001_8] [LBORNRLO_001_8] Low A20★ [LBORNRHI_001_8] High A20★ [LBORRESU_001_8] Unit A20★ [X_LNMTFLAG_001_8] Flag A20★
Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LAB CHEMISTRY		
Type	RefName	Description
Item	LBCAT_001_8	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_8	Lab from initial/most recent visit
Item	D_LBNAM_001_8	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_8	Field needed for LNMT integration
Item	LBSPEC_001_8	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_8	Date of specimen collection.
Item	LBFAST_001_8	Indicator used to identify fasting status.
Item	LBSPID_001_8	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_8	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_8	Used to indicate test was not done.
Item	LBORNRLO_001_8	LNMT field
Item	LBORNRHI_001_8	LNMT field
Item	LBORRESU_001_8	LNMT field
Item	X_LNMTFLAG_001_8	LNMT field

Codelist Values Tables: LAB CHEMISTRY						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_8	String		Alanine Aminotransferase_PX30	30	cliLBTEST_Alanine_Aminotransferase_PX30	LBTEST_001_8
			Aspartate Aminotransferase_PX28	28	cliLBTEST_Aspartate_Aminotransferase_PX28	
			Alkaline Phosphatase_PX35	35	cliLBTEST_Alkaline_Phosphatase_PX35	
			Sodium_PX54	54	cliLBTEST_Sodium_PX54	
			Potassium_PX55	55	cliLBTEST_Potassium_PX55	
			Magnesium_PX199	199	cliLBTEST_Magnesium_PX199	
			Calcium_PX58	58	cliLBTEST_Calcium_PX58	
			Bilirubin_PX21	21	cliLBTEST_Bilirubin_PX21	

		Urea_PX46	46	cliLBTEST_Urea_PX46	
		Creatinine_PX48	48	cliLBTEST_Creatinine_PX48	
		Albumin_PX25	25	cliLBTEST_Albumin_PX25	
		Glucose_PX67	67	cliLBTEST_Glucose_PX67	
		Blood Urea Nitrogen_PX47	47	cliLBTEST_Blood_Urea_Nitrogen_PX47	

RDE Analytics: RD_LB001_8		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_8	LBCAT_001_8_C	VARCHAR2
	LBCAT_001_8	VARCHAR2
	LBCAT_001_8_ND	VARCHAR2
SUPPLB_LBINRC_001_8	SUPPLB_LBINRC_001_8_C	VARCHAR2
	SUPPLB_LBINRC_001_8	VARCHAR2
	SUPPLB_LBINRC_001_8_ND	VARCHAR2
SUPPLB_LBINRC_001_8 - D_LBNAM_001_8	D_LBNAM_001_8	VARCHAR2
SUPPLB_LBINRC_001_8 - D_SUPPLB_LBUID_001_8	D_SUPPLB_LBUID_001_8	VARCHAR2
LBNAM_001_8	LBNAM_001_8	VARCHAR2
	LBNAM_001_8_ND	VARCHAR2
SUPPLB_LBUID_001_8	SUPPLB_LBUID_001_8	VARCHAR2
	SUPPLB_LBUID_001_8_ND	VARCHAR2
LBSPEC_001_8	LBSPEC_001_8_C	VARCHAR2
	LBSPEC_001_8	VARCHAR2
	LBSPEC_001_8_ND	VARCHAR2
LBDTC_001_8	LBDTC_001_8	DATE
	LBDTC_001_8_DTS	VARCHAR2
	LBDTC_001_8_ND	VARCHAR2
LBFAST_001_8	LBFAST_001_8_C	VARCHAR2
	LBFAST_001_8	VARCHAR2
	LBFAST_001_8_ND	VARCHAR2
RD_LB001_8_LB03001_8		
LBSPID_001_8	LBSPID_001_8	NUMBER
	LBSPID_001_8_ND	VARCHAR2
LBTEST_001_8	LBTEST_001_8_C	VARCHAR2
	LBTEST_001_8	VARCHAR2
	LBTEST_001_8_ND	VARCHAR2
LBORRES_001_8	LBORRES_001_8	VARCHAR2
	LBORRES_001_8_ND	VARCHAR2
LBSTAT_001_8	LBSTAT_001_8_C	VARCHAR2
	LBSTAT_001_8	VARCHAR2
	LBSTAT_001_8_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8	X_LNMTFLAG_CMP_001_8_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8 - LBORNRLO_001_8	LBORNRLO_001_8	VARCHAR2
X_LNMTFLAG_CMP_001_8 - LBORNRHI_001_8	LBORNRHI_001_8	VARCHAR2
X_LNMTFLAG_CMP_001_8 - LBORRESU_001_8	LBORRESU_001_8	VARCHAR2
X_LNMTFLAG_CMP_001_8 - X_LNMTFLAG_001_8	X_LNMTFLAG_001_8	VARCHAR2

C4891002: LAB HEMATOLOGY (UNPL HEM) - Repeating Form [LB001_9]

#	Category for Lab Test	Lab From Initial Visit	Vendor Name (DERIVED)	Lab ID (Derived)	Specimen Type	Collection Date	Lab Result
1							

Laboratory Data Hematology [LB01001_9]

1.	Lab Panel: [read-only] [Category for Lab Test]	[LBCAT_001_9] [A:1] ☐ HEMATOLOGY
2.* ✓	Lab From Initial Visit: [Lab From Initial Visit]	[SUPPLB_LBINRC_001_9] [A:1] ☐ Same as SCREENING LAB [A:2] ☐ [SUPPLB_LBINRC_CMP_001_9] ☐ OTHER LAB [D_LBNAM_001_9] Laboratory Name and Address: A200* [D_SUPPLB_LBUID_001_9] Lab ID: A50*
3.	Laboratory Name and Address (Derived): [read-only] [Vendor Name (DERIVED)]	[LBNAM_001_9] A200*
4.	Lab ID (Derived): [read-only] [Lab ID (Derived)]	[SUPPLB_LBUID_001_9] A50*
5.	Specimen Type: [read-only] [Specimen Type]	[LBSPEC_001_9] [A:7] ☐ BLOOD
6.* ✓	Collection Date: [Collection Date]	[LBDTC_001_9] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2022-2034)

Lab Result [LB03001_9]

# ✓	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
7.a		Hemoglobin_PX1			
7.b		Platelets_PX5			
7.c		Leukocytes_PX7			
7.d		Neutrophils_PX608			
7.e		Neutrophils/Leukocytes_PX8			

Lab Result Entry [LB03001_9]

7.1	Sponsor ID: [read-only] [Sponsor-Defined Identifier]	[LBSPID_001_9] N8
7.2 ☐	Test: [read-only] [Test]	[LBTEST_001_9] [A:1] ☐ Hemoglobin_PX1 [A:5] ☐ Platelets_PX5 [A:7] ☐ Leukocytes_PX7 [A:608] ☐ Neutrophils_PX608 [A:8] ☐ Neutrophils/Leukocytes_PX8
7.3 ✓	Result: [Result]	[LBORRES_001_9] A20*
7.4 ✓	Not Done: [Not Done:]	[LBSTAT_001_9] [A:1] ☐ NOT DONE
7.5	LNMT [read-only] [LNMT]	[X_LNMTFLAG_CMP_001_9] [LBORNRHI_001_9] High

		A20★ [LBORNRO_001_9] Low A20★ [LBORRESU_001_9] Unit A20★ [X_LNMTFLAG_001_9] Flag A20★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LAB HEMATOLOGY		
Type	RefName	Description
Item	LBCAT_001_9	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_9	Lab from initial/most recent visit
Item	D_LBNAM_001_9	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_9	Field needed for LNMT integration
Item	LBSPEC_001_9	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_9	Date of specimen collection.
Item	LBSPID_001_9	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_9	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_9	Used to indicate test was not done.
Item	LBORNRI_001_9	LNMT field
Item	LBORNRO_001_9	LNMT field
Item	LBORRESU_001_9	LNMT field
Item	X_LNMTFLAG_001_9	LNMT field

RDE Analytics: RD_LB001_9		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_9	LBCAT_001_9_C	VARCHAR2
	LBCAT_001_9	VARCHAR2
	LBCAT_001_9_ND	VARCHAR2
SUPPLB_LBINRC_001_9	SUPPLB_LBINRC_001_9_C	VARCHAR2
	SUPPLB_LBINRC_001_9	VARCHAR2
	SUPPLB_LBINRC_001_9_ND	VARCHAR2
SUPPLB_LBINRC_001_9 - D_LBNAM_001_9	D_LBNAM_001_9	VARCHAR2
SUPPLB_LBINRC_001_9 - D_SUPPLB_LBUID_001_9	D_SUPPLB_LBUID_001_9	VARCHAR2
LBNAM_001_9	LBNAM_001_9	VARCHAR2
	LBNAM_001_9_ND	VARCHAR2
SUPPLB_LBUID_001_9	SUPPLB_LBUID_001_9	VARCHAR2
	SUPPLB_LBUID_001_9_ND	VARCHAR2
LBSPEC_001_9	LBSPEC_001_9_C	VARCHAR2
	LBSPEC_001_9	VARCHAR2
	LBSPEC_001_9_ND	VARCHAR2
LBDTC_001_9	LBDTC_001_9	DATE
	LBDTC_001_9_DTS	VARCHAR2

	LBDTC_001_9_ND	VARCHAR2
RD_LB001_9_LB03001_9		
LBSPID_001_9	LBSPID_001_9	NUMBER
	LBSPID_001_9_ND	VARCHAR2
LBTEST_001_9	LBTEST_001_9_C	VARCHAR2
	LBTEST_001_9	VARCHAR2
	LBTEST_001_9_ND	VARCHAR2
LBORRES_001_9	LBORRES_001_9	VARCHAR2
	LBORRES_001_9_ND	VARCHAR2
LBSTAT_001_9	LBSTAT_001_9_C	VARCHAR2
	LBSTAT_001_9	VARCHAR2
	LBSTAT_001_9_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9	X_LNMTFLAG_CMP_001_9_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9 - LBORNRHI_001_9	LBORNRHI_001_9	VARCHAR2
X_LNMTFLAG_CMP_001_9 - LBORNRLO_001_9	LBORNRLO_001_9	VARCHAR2
X_LNMTFLAG_CMP_001_9 - LBORRESU_001_9	LBORRESU_001_9	VARCHAR2
X_LNMTFLAG_CMP_001_9 - X_LNMTFLAG_001_9	X_LNMTFLAG_001_9	VARCHAR2

C4891002: LAB HEMATOLOGY - COAGULATION (UNPL COAG) - Repeating Form [LB001_9_2]								
#	Category for Lab Test	Subcategory for Lab Test	Lab From Initial Visit	Vendor Name (DERIVED)	Lab ID (Derived)	Specimen Type	Collection Date	Lab Result
1								
Laboratory Data Hematology [LB01001_9_2]								
1.	Lab Panel: <i>[read-only]</i> [Category for Lab Test]	[LBCAT_001_9_2] [A:1] ☐ HEMATOLOGY						
2.	Lab Sub-Panel: <i>[read-only]</i> [Subcategory for Lab Test]	[LBSCAT_001_9_2] [A:4] ☐ COAGULATION						
3.* ✓	Lab From Initial Visit: [Lab From Initial Visit]	[SUPPLB_LBINRC_001_9_2] [A:1] ☐ Same as SCREENING LAB [A:2] ☐ [SUPPLB_LBINRC_CMP_001_9_2] ☐ OTHER LAB [D_LBNAM_001_9_2] Laboratory Name and Address: A200* [D_SUPPLB_LBUID_001_9_2] Lab ID: A50*						
4.	Laboratory Name and Address (Derived): <i>[read-only]</i> [Vendor Name (DERIVED)]	[LBNAM_001_9_2] A200*						
5.	Lab ID (Derived): <i>[read-only]</i> [Lab ID (Derived)]	[SUPPLB_LBUID_001_9_2] A50*						
6.	Specimen Type: <i>[read-only]</i> [Specimen Type]	[LBSPEC_001_9_2] [A:7] ☐ BLOOD						
7.* ✓	Collection Date: [Collection Date]	[LBDTC_001_9_2] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2022-2034)						
Lab Result [LB03001_9_2]								
# ✓	Sponsor-Defined Identifier			Test		Result	Not Done:	LNMT
8.a				Prothrombin Time_PX19				
8.b				Prothrombin Intl. Normalized Ratio_PX704				
8.c				Activated Partial Thromboplastin Time_PX127				
Lab Result Entry [LB03001_9_2]								
8.1	Sponsor ID: <i>[read-only]</i> [Sponsor-Defined Identifier]	[LBSPID_001_9_2] N8						
8.2 ☐	Test: <i>[read-only]</i> [Test]	[LBTEST_001_9_2] [A:19] ☐ Prothrombin Time_PX19 [A:704] ☐ Prothrombin Intl. Normalized Ratio_PX704 [A:127] ☐ Activated Partial Thromboplastin Time_PX127						
8.3 ✓	Result: [Result]	[LBORRES_001_9_2] A20*						
8.4 ✓	Not Done: [Not Done:]	[LBSTAT_001_9_2] [A:1] ☐ NOT DONE						
8.5	LNMT <i>[read-only]</i> [LNMT]	[X_LNMTFLAG_CMP_001_9_2] [LBORNRHI_001_9_2] High A20* [LBORNRLO_001_9_2]						

		Low A20★ [LBORRESU_001_9_2] Unit A20★ [X_LNMTFLAG_001_9_2] Flag A20★
Key: [*] = Item is required [▼] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LAB HEMATOLOGY - COAGULATION		
Type	RefName	Description
Item	LBCAT_001_9_2	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	LBSCAT_001_9_2	Used to define a sub-category of related laboratory records (e.g. Electrolytes, Liver Function).
Item	SUPPLB_LBINRC_001_9_2	Lab from initial/most recent visit
Item	D_LBNAM_001_9_2	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_9_2	Field needed for LNMT integration
Item	LBSPEC_001_9_2	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_9_2	Date of specimen collection.
Item	LBSPID_001_9_2	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_9_2	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_9_2	Used to indicate test was not done.
Item	LBORNRHI_001_9_2	LNMT field
Item	LBORNRLO_001_9_2	LNMT field
Item	LBORRESU_001_9_2	LNMT field
Item	X_LNMTFLAG_001_9_2	LNMT field

RDE Analytics: RD_LB001_9_2		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_9_2	LBCAT_001_9_2_C	VARCHAR2
	LBCAT_001_9_2	VARCHAR2
	LBCAT_001_9_2_ND	VARCHAR2
LBSCAT_001_9_2	LBSCAT_001_9_2_C	VARCHAR2
	LBSCAT_001_9_2	VARCHAR2
	LBSCAT_001_9_2_ND	VARCHAR2
SUPPLB_LBINRC_001_9_2	SUPPLB_LBINRC_001_9_2_C	VARCHAR2
	SUPPLB_LBINRC_001_9_2	VARCHAR2
	SUPPLB_LBINRC_001_9_2_ND	VARCHAR2
SUPPLB_LBINRC_001_9_2 - D_LBNAM_001_9_2	D_LBNAM_001_9_2	VARCHAR2
SUPPLB_LBINRC_001_9_2 - D_SUPPLB_LBUID_001_9_2	D_SUPPLB_LBUID_001_9_2	VARCHAR2
LBNAM_001_9_2	LBNAM_001_9_2	VARCHAR2
	LBNAM_001_9_2_ND	VARCHAR2
SUPPLB_LBUID_001_9_2	SUPPLB_LBUID_001_9_2	VARCHAR2
	SUPPLB_LBUID_001_9_2_ND	VARCHAR2
LBSPEC_001_9_2	LBSPEC_001_9_2_C	VARCHAR2
	LBSPEC_001_9_2	VARCHAR2

	LBSPEC_001_9_2_ND	VARCHAR2
LBDTC_001_9_2	LBDTC_001_9_2	DATE
	LBDTC_001_9_2_DTS	VARCHAR2
	LBDTC_001_9_2_ND	VARCHAR2
RD_LB001_9_2_LB03001_9_2		
LBSPID_001_9_2	LBSPID_001_9_2	NUMBER
	LBSPID_001_9_2_ND	VARCHAR2
LBTEST_001_9_2	LBTEST_001_9_2_C	VARCHAR2
	LBTEST_001_9_2	VARCHAR2
	LBTEST_001_9_2_ND	VARCHAR2
LBORRES_001_9_2	LBORRES_001_9_2	VARCHAR2
	LBORRES_001_9_2_ND	VARCHAR2
LBSTAT_001_9_2	LBSTAT_001_9_2_C	VARCHAR2
	LBSTAT_001_9_2	VARCHAR2
	LBSTAT_001_9_2_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9_2	X_LNMTFLAG_CMP_001_9_2_ND	VARCHAR2
X_LNMTFLAG_CMP_001_9_2 - LBORNRHI_001_9_2	LBORNRHI_001_9_2	VARCHAR2
X_LNMTFLAG_CMP_001_9_2 - LBORNRLO_001_9_2	LBORNRLO_001_9_2	VARCHAR2
X_LNMTFLAG_CMP_001_9_2 - LBORRESU_001_9_2	LBORRESU_001_9_2	VARCHAR2
X_LNMTFLAG_CMP_001_9_2 - X_LNMTFLAG_001_9_2	X_LNMTFLAG_001_9_2	VARCHAR2

C4891002: LAB CHEMISTRY - LIPIDS (UNPL LIP) - Repeating Form [LB001_8_1]

#	Category for Lab Test	Lab From Initial Visit	Vendor Name (DERIVED)	Lab ID (Derived)	Specimen Type	Collection Date	Fasting Status	Lab Result
1								

Lab Chemistry Details [LB01001_8_1]

1.	Lab Panel: [read-only] [Category for Lab Test]	[LBCAT_001_8_1] [A:2] ☐ CLINICAL CHEMISTRY
2.* ✓	Lab From Initial Visit: [Lab From Initial Visit]	[SUPPLB_LBINRC_001_8_1] [A:1] ☐ Same as SCREENING LAB [A:2] ☐ [SUPPLB_LBINRC_CMP_001_8_1] ☐ OTHER LAB [D_LBNAM_001_8_1] Laboratory Name and Address: A200* [D_SUPPLB_LBUID_001_8_1] Lab ID: A50*
3.	Laboratory Name and Address (Derived): [read-only] [Vendor Name (DERIVED)]	[LBNAM_001_8_1] A200*
4.	Lab ID (Derived): [read-only] [Lab ID (Derived)]	[SUPPLB_LBUID_001_8_1] A50*
5.	Specimen Type: [read-only] [Specimen Type]	[LBSPEC_001_8_1] [A:7] ☐ BLOOD
6.* ✓	Collection Date: [Collection Date]	[LBDDTC_001_8_1] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2022-2034)
7.* ✓	Fasting? [Fasting Status]	[LBFAST_001_8_1] [A:Y] ☐ YES [A:N] ☐ NO

Lab Result [LB03001_8_1]

# ✓	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
8.a		Triglycerides_PX64			
8.b		Cholesterol_PX350			
8.c		HDL Cholesterol_PX457			
8.d		LDL Cholesterol_PX463			

Lab Result Entry [LB03001_8_1]

8.1	Sponsor ID: [read-only] [Sponsor-Defined Identifier]	[LBSPID_001_8_1] N8
8.2 	Test: [read-only] [Test]	[LBTEST_001_8_1] [A:64] ☐ Triglycerides_PX64 [A:350] ☐ Cholesterol_PX350 [A:457] ☐ HDL Cholesterol_PX457 [A:463] ☐ LDL Cholesterol_PX463
8.3 ✓	Result: [Result]	[LBORRES_001_8_1] A20*
8.4 ✓	Not Done: [Not Done:]	[LBSTAT_001_8_1] [A:1] ☐ NOT DONE
8.5	LNMT [read-only] [LNMT]	[X_LNMTFLAG_CMP_001_8_1]

		[LBORNRLO_001_8_1] Low A20★ [LBORNRHI_001_8_1] High A20★ [LBORRESU_001_8_1] Unit A20★ [X_LNMTFLAG_001_8_1] Flag A20★
Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: LAB CHEMISTRY - LIPIDS

Type	RefName	Description
Item	LBCAT_001_8_1	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_8_1	Lab from initial/most recent visit
Item	D_LBNAM_001_8_1	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_8_1	Field needed for LNMT integration
Item	LBSPEC_001_8_1	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_8_1	Date of specimen collection.
Item	LBFAST_001_8_1	Indicator used to identify fasting status.
Item	LBSPID_001_8_1	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_8_1	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_8_1	Used to indicate test was not done.
Item	LBORNRLO_001_8_1	LNMT field
Item	LBORNRHI_001_8_1	LNMT field
Item	LBORRESU_001_8_1	LNMT field
Item	X_LNMTFLAG_001_8_1	LNMT field

RDE Analytics: RD_LB001_8_1

Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_8_1	LBCAT_001_8_1_C	VARCHAR2
	LBCAT_001_8_1	VARCHAR2
	LBCAT_001_8_1_ND	VARCHAR2
SUPPLB_LBINRC_001_8_1	SUPPLB_LBINRC_001_8_1_C	VARCHAR2
	SUPPLB_LBINRC_001_8_1	VARCHAR2
	SUPPLB_LBINRC_001_8_1_ND	VARCHAR2
SUPPLB_LBINRC_001_8_1 - D_LBNAM_001_8_1	D_LBNAM_001_8_1	VARCHAR2
SUPPLB_LBINRC_001_8_1 - D_SUPPLB_LBUID_001_8_1	D_SUPPLB_LBUID_001_8_1	VARCHAR2
LBNAM_001_8_1	LBNAM_001_8_1	VARCHAR2
	LBNAM_001_8_1_ND	VARCHAR2
SUPPLB_LBUID_001_8_1	SUPPLB_LBUID_001_8_1	VARCHAR2
	SUPPLB_LBUID_001_8_1_ND	VARCHAR2
LBSPEC_001_8_1	LBSPEC_001_8_1_C	VARCHAR2
	LBSPEC_001_8_1	VARCHAR2

	LBSPEC_001_8_1_ND	VARCHAR2
LBDTC_001_8_1	LBDTC_001_8_1	DATE
	LBDTC_001_8_1_DTS	VARCHAR2
	LBDTC_001_8_1_ND	VARCHAR2
LBFAST_001_8_1	LBFAST_001_8_1_C	VARCHAR2
	LBFAST_001_8_1	VARCHAR2
	LBFAST_001_8_1_ND	VARCHAR2
RD_LB001_8_1_LB03001_8_1		
LBSPID_001_8_1	LBSPID_001_8_1	NUMBER
	LBSPID_001_8_1_ND	VARCHAR2
LBTEST_001_8_1	LBTEST_001_8_1_C	VARCHAR2
	LBTEST_001_8_1	VARCHAR2
	LBTEST_001_8_1_ND	VARCHAR2
LBORRES_001_8_1	LBORRES_001_8_1	VARCHAR2
	LBORRES_001_8_1_ND	VARCHAR2
LBSTAT_001_8_1	LBSTAT_001_8_1_C	VARCHAR2
	LBSTAT_001_8_1	VARCHAR2
	LBSTAT_001_8_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8_1	X_LNMTFLAG_CMP_001_8_1_ND	VARCHAR2
X_LNMTFLAG_CMP_001_8_1 - LBORNRL0_001_8_1	LBORNRL0_001_8_1	VARCHAR2
X_LNMTFLAG_CMP_001_8_1 - LBORNRI_001_8_1	LBORNRI_001_8_1	VARCHAR2
X_LNMTFLAG_CMP_001_8_1 - LBORRESU_001_8_1	LBORRESU_001_8_1	VARCHAR2
X_LNMTFLAG_CMP_001_8_1 - X_LNMTFLAG_001_8_1	X_LNMTFLAG_001_8_1	VARCHAR2

C4891002: LAB CHEMISTRY - HYS LAW (LAB HYS) [LB001_12]

Central Lab Sample Collection [LB01001_12]

1.

Lab Panel: *[read-only]*
[Category for Lab Test]

[LBCAT_001_12]
[A:2] ☐ CLINICAL CHEMISTRY

2.*
✓

Lab From Initial Visit:
[Lab From Initial Visit]

[SUPPLB_LBINRC_001_12]
[A:1] ☐ Same as SCREENING LAB
[A:2] ☐ [SUPPLB_LBINRC_CMP_001_12]

OTHER LAB
[D_LBNAM_001_12]
Laboratory Name and Address:

A200*

[D_SUPPLB_LBUID_001_12]
Lab ID:

A50*

3.

Laboratory Name and Address (Derived): *[read-only]*
[Vendor Name (DERIVED)]

[LBNAM_001_12]
A200*

4.

Lab ID (Derived): *[read-only]*
[Lab ID (Derived)]

[SUPPLB_LBUID_001_12]
A50*

5.

Specimen Type: *[read-only]*
[Specimen Type]

[LBSPEC_001_12]
[A:7] ☐ BLOOD

6.*
✓

Collection Date:
[Collection Date]

[LBDTC_001_12] (DD/MM/YYYY)
Req / Req / Req (2022-2034)

7.*

Fasting?
[Fasting Status]

[LBFAST_001_12]
[A:Y] ☐ YES
[A:N] ☐ NO

Lab Result [LB03001_12]

# ✓	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
8.a		Aspartate Aminotransferase_PX28			
8.b		Alanine Aminotransferase_PX30			
8.c		Alkaline Phosphatase_PX35			
8.d		Albumin_PX25			
8.e		Creatine Kinase_PX29			
8.f		Bilirubin_PX21			
8.g		Direct Bilirubin_PX22			
8.h		Indirect Bilirubin_PX23			
8.i		Gamma Glutamyl Transferase_PX31			
8.j		Prothrombin Intl. Normalized Ratio_PX704			
8.k		Prothrombin Time_PX19			

Lab Result Entry [LB03001_12]

8.1

Sponsor ID: *[read-only]*
[Sponsor-Defined Identifier]

[LBSPID_001_12]
N8

8.2

Test: *[read-only]*
[Test]

[LBTEST_001_12]
[LBTEST_CL_001_12]

8.3
✓

Result:
[Result]

[LBORRES_001_12]
A20*

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00...

3/6/2024

8.4	Not Done: [Not Done:]	[LBSTAT_001_12] [A:1] ☐ NOT DONE
8.5	LNMT [read-only] [LNMT]	[X_LNMTFLAG_CMP_001_12] [LBORNRLO_001_12] Low A20 [LBORNRHI_001_12] High A20 [LBORRESU_001_12] Unit A20 [X_LNMTFLAG_001_12] Flag A20

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [🔒] = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: LAB CHEMISTRY - HYS LAW		
Type	RefName	Description
Item	LBCAT_001_12	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_12	Lab from initial/most recent visit
Item	D_LBNAM_001_12	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_12	Field needed for LNMT integration
Item	LBSPEC_001_12	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTCT_001_12	Date of specimen collection.
Item	LBFAST_001_12	Indicator used to identify fasting status.
Item	LBSPID_001_12	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_12	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_12	Used to indicate test was not done.
Item	LBORNRLO_001_12	LNMT field
Item	LBORNRHI_001_12	LNMT field
Item	LBORRESU_001_12	LNMT field
Item	X_LNMTFLAG_001_12	LNMT field

Codelist Values Tables: LAB CHEMISTRY - HYS LAW						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
LBTEST_CL_001_12	String		Aspartate Aminotransferase_PX28	28	cliLBTEST_Aspartate_Aminotransferase_PX28	LBTEST_001_12
			Alanine Aminotransferase_PX30	30	cliLBTEST_Alanine_Aminotransferase_PX30	
			Alkaline Phosphatase_PX35	35	cliLBTEST_Alkaline_Phosphatase_PX35	
			Albumin_PX25	25	cliLBTEST_Albumin_PX25	
			Creatine Kinase_PX29	29	cliLBTEST_Creatine_Kinase_PX29	
			Bilirubin_PX21	21	cliLBTEST_Bilirubin_PX21	
			Direct Bilirubin_PX22	22	cliLBTEST_Direct_Bilirubin_PX22	
			Indirect Bilirubin_PX23	23	cliLBTEST_Indirect_Bilirubin_PX23	
			Gamma Glutamyl Transferase_PX31	31	cliLBTEST_Gamma_Glutamyl_Transferase_PX31	
			Prothrombin Intl. Normalized Ratio_PX704	704	cliLBTEST_Prothrombin_Intl_Normalized_Ratio_PX704	
			Prothrombin Time_PX19	19	cliLBTEST_Prothrombin_Time_PX19	

RDE Analytics: RD_LB001_12		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_12	LBCAT_001_12_C	VARCHAR2
	LBCAT_001_12	VARCHAR2
	LBCAT_001_12_ND	VARCHAR2
SUPPLB_LBINRC_001_12	SUPPLB_LBINRC_001_12_C	VARCHAR2
	SUPPLB_LBINRC_001_12	VARCHAR2
	SUPPLB_LBINRC_001_12_ND	VARCHAR2
SUPPLB_LBINRC_001_12 - D_LBNAM_001_12	D_LBNAM_001_12	VARCHAR2
SUPPLB_LBINRC_001_12 - D_SUPPLB_LBUID_001_12	D_SUPPLB_LBUID_001_12	VARCHAR2
LBNAM_001_12	LBNAM_001_12	VARCHAR2
	LBNAM_001_12_ND	VARCHAR2
SUPPLB_LBUID_001_12	SUPPLB_LBUID_001_12	VARCHAR2
	SUPPLB_LBUID_001_12_ND	VARCHAR2
LBSPEC_001_12	LBSPEC_001_12_C	VARCHAR2
	LBSPEC_001_12	VARCHAR2
	LBSPEC_001_12_ND	VARCHAR2
LBDTC_001_12	LBDTC_001_12	DATE
	LBDTC_001_12_DTS	VARCHAR2
	LBDTC_001_12_ND	VARCHAR2
LBFAST_001_12	LBFAST_001_12_C	VARCHAR2
	LBFAST_001_12	VARCHAR2
	LBFAST_001_12_ND	VARCHAR2
RD_LB001_12_LB03001_12		
LBSPID_001_12	LBSPID_001_12	NUMBER
	LBSPID_001_12_ND	VARCHAR2
LBTEST_001_12	LBTEST_001_12_C	VARCHAR2
	LBTEST_001_12	VARCHAR2
	LBTEST_001_12_ND	VARCHAR2
LBORRES_001_12	LBORRES_001_12	VARCHAR2
	LBORRES_001_12_ND	VARCHAR2
LBSTAT_001_12	LBSTAT_001_12_C	VARCHAR2
	LBSTAT_001_12	VARCHAR2
	LBSTAT_001_12_ND	VARCHAR2
X_LNMTFLAG_CMP_001_12	X_LNMTFLAG_CMP_001_12_ND	VARCHAR2
X_LNMTFLAG_CMP_001_12 - LBORNRO_001_12	LBORNRO_001_12	VARCHAR2
X_LNMTFLAG_CMP_001_12 - LBORNRI_001_12	LBORNRI_001_12	VARCHAR2
X_LNMTFLAG_CMP_001_12 - LBORRESU_001_12	LBORRESU_001_12	VARCHAR2
X_LNMTFLAG_CMP_001_12 - X_LNMTFLAG_001_12	X_LNMTFLAG_001_12	VARCHAR2

C4891002: LAB HEMATOLOGY- HYS LAW (LAB HYS H) [LB001_17]

Central Lab Sample Collection [LB01001_17]

1.

Lab Panel: *[read-only]*
[Category for Lab Test]

[LBCAT_001_17]
[A:1] ☐ HEMATOLOGY

2.*
✓

Lab From Initial Visit:
[Lab From Initial Visit]

[SUPPLB_LBINRC_001_17]
[A:1] ☐ Same as SCREENING LAB

[A:2] ☐ [SUPPLB_LBINRC_CMP_001_17]

OTHER LAB
[D_LBNAM_001_17]
Laboratory Name and Address:

A200*

[D_SUPPLB_LBUID_001_17]
Lab ID:

A50*

3.

Laboratory Name and Address (Derived): *[read-only]*
[Vendor Name (DERIVED)]

[LBNAM_001_17]
A200*

4.

Lab ID (Derived): *[read-only]*
[Lab ID (Derived)]

[SUPPLB_LBUID_001_17]
A50*

5.

Specimen Type: *[read-only]*
[Specimen Type]

[LBSPEC_001_17]
[A:7] ☐ BLOOD

6.*
✓

Collection Date:
[Collection Date]

[LBDTC_001_17] (DD/MM/YYYY)
Req / Req / Req (2022-2034)

7.*

Fasting?
[Fasting Status]

[LBFAST_001_17]
[A:Y] ☐ YES
[A:N] ☐ NO

Lab Result [LB03001_17]

# ✓	Sponsor-Defined Identifier	Test	Result	Not Done:	LNMT
8.a		Eosinophils/Leukocytes_PX9			

Lab Result Entry [LB03001_17]

8.1

Sponsor ID: *[read-only]*
[Sponsor-Defined Identifier]

[LBSPID_001_17]
N8

8.2

Test: *[read-only]*
[Test]

[LBTEST_001_17]
[A:9] ☐ Eosinophils/Leukocytes_PX9

8.3
✓

Result:
[Result]

[LBORRES_001_17]
A20*

8.4
✓

Not Done:
[Not Done:]

[LBSTAT_001_17]
[A:1] ☐ NOT DONE

8.5

LNMT *[read-only]*
[LNMT]

[X_LNMTFLAG_CMP_001_17]
[LBORNRLO_001_17]
Low

A20*

[LBORNRHI_001_17]
High

A20*

[LBORRESU_001_17]
Unit

A20*

file:///C:/Users/kavita.harikantra/AppData/Local/Apps/2.0/E3YTTWW3G.RQ5/7E88DTY4.JTE/orac..90.0_919f856034ae8f10_00... 3/6/2024

			[X_LNMTFLAG_001_17] Flag A20★
Key: [*] = Item is required [✓] = Source verification required [] = Item is collapsible [] = Fixed item [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.			

Study Object Descriptions: LAB HEMATOLOGY- HYS LAW		
Type	RefName	Description
Item	LBCAT_001_17	Used to define a category of related laboratory records (e.g. HEMATOLOGY, CHEMISTRY, URINALYSIS).
Item	SUPPLB_LBINRC_001_17	Lab from initial/most recent visit
Item	D_LBNAM_001_17	The name or identifier of the laboratory that performed the test.
Item	D_SUPPLB_LBUID_001_17	Field needed for LNMT integration
Item	LBSPEC_001_17	Defines the type of specimen used for a measurement. Examples: SERUM, PLASMA, URINE.
Item	LBDTC_001_17	Date of specimen collection.
Item	LBFAST_001_17	Indicator used to identify fasting status.
Item	LBSPID_001_17	Sponsor-defined reference number. This is the Pfizer PXCODE.
Item	LBTEST_001_17	Verbatim name of the test or examination used to obtain the measurement or finding. Any test normally performed by a clinical laboratory is considered a lab test.
Item	LBSTAT_001_17	Used to indicate test was not done.
Item	LBORNRO_001_17	LNMT field
Item	LBORNRHI_001_17	LNMT field
Item	LBORRESU_001_17	LNMT field
Item	X_LNMTFLAG_001_17	LNMT field

RDE Analytics: RD_LB001_17		
Data Variable RefName	RD Column Name	Column Data Type
LBCAT_001_17	LBCAT_001_17_C	VARCHAR2
	LBCAT_001_17	VARCHAR2
	LBCAT_001_17_ND	VARCHAR2
SUPPLB_LBINRC_001_17	SUPPLB_LBINRC_001_17_C	VARCHAR2
	SUPPLB_LBINRC_001_17	VARCHAR2
	SUPPLB_LBINRC_001_17_ND	VARCHAR2
SUPPLB_LBINRC_001_17 - D_LBNAM_001_17	D_LBNAM_001_17	VARCHAR2
SUPPLB_LBINRC_001_17 - D_SUPPLB_LBUID_001_17	D_SUPPLB_LBUID_001_17	VARCHAR2
LBNAM_001_17	LBNAM_001_17	VARCHAR2
	LBNAM_001_17_ND	VARCHAR2
SUPPLB_LBUID_001_17	SUPPLB_LBUID_001_17	VARCHAR2
	SUPPLB_LBUID_001_17_ND	VARCHAR2
LBSPEC_001_17	LBSPEC_001_17_C	VARCHAR2
	LBSPEC_001_17	VARCHAR2
	LBSPEC_001_17_ND	VARCHAR2
LBDTC_001_17	LBDTC_001_17	DATE
	LBDTC_001_17_DTS	VARCHAR2
	LBDTC_001_17_ND	VARCHAR2
LBFAST_001_17	LBFAST_001_17_C	VARCHAR2
	LBFAST_001_17	VARCHAR2
	LBFAST_001_17_ND	VARCHAR2

RD_LB001_17_LB03001_17		
LBSPID_001_17	LBSPID_001_17	NUMBER
	LBSPID_001_17_ND	VARCHAR2
LBTEST_001_17	LBTEST_001_17_C	VARCHAR2
	LBTEST_001_17	VARCHAR2
	LBTEST_001_17_ND	VARCHAR2
LBORRES_001_17	LBORRES_001_17	VARCHAR2
	LBORRES_001_17_ND	VARCHAR2
LBSTAT_001_17	LBSTAT_001_17_C	VARCHAR2
	LBSTAT_001_17	VARCHAR2
	LBSTAT_001_17_ND	VARCHAR2
X_LNMTFLAG_CMP_001_17	X_LNMTFLAG_CMP_001_17_ND	VARCHAR2
X_LNMTFLAG_CMP_001_17 - LBORNRO_001_17	LBORNRO_001_17	VARCHAR2
X_LNMTFLAG_CMP_001_17 - LBORNRI_001_17	LBORNRI_001_17	VARCHAR2
X_LNMTFLAG_CMP_001_17 - LBORRESU_001_17	LBORRESU_001_17	VARCHAR2
X_LNMTFLAG_CMP_001_17 - X_LNMTFLAG_001_17	X_LNMTFLAG_001_17	VARCHAR2

C4891002: PHARMACOKINETICS - ARV-471 (PF-07850327) - UNPL - SLI (PK ARV UNP) [PC003_9]

Pharmacokinetics [PC01003_9]

# ▼	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	ARV-471 (PF-07850327)	BLOOD		9001 H	16		
1.b	ARV-471 (PF-07850327)	BLOOD		9002 H	17		
1.c	ARV-471 (PF-07850327)	BLOOD		9003 H	18		
1.d	ARV-471 (PF-07850327)	BLOOD		9004 H	19		
1.e	ARV-471 (PF-07850327)	BLOOD		9005 H	20		

Pharmacokinetics Entry [PC01003_9]

1.1 ☒	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_9] [A:1] ☐ ARV-471 (PF-07850327)
1.2 ☒	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_9] [A:7] ☐ BLOOD
1.3* ▼	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_9] [A:1] ☐ NOT DONE [A:2] ☐ DONE
1.4 ☒	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_9] [A:62] ☐ 9001 H [A:63] ☐ 9002 H [A:64] ☐ 9003 H [A:65] ☐ 9004 H [A:66] ☐ 9005 H
1.5 ☒	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_9] [A:16] ☐ 16 [A:17] ☐ 17 [A:181] ☐ 18 [A:19] ☐ 19 [A:20] ☐ 20
1.6 ▼	Date and Time: [Date and Time]	[PCDTC_003_9] (DD/MM/YYYY hh:mm) Req ☐ / Req ☐ / Req ☐ (2023-2034) Req/Unk ☐ : Req/Unk ☐ 24-hour clock
1.7 ▼	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_9] A200★

Key: [*] = Item is required [▼] = Source verification required ☒ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - ARV-471 (PF-07850327) - UNPL - SLI		
Type	RefName	Description
Form	PC003_9	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003_9		
Data Variable RefName	RD Column Name	Column Data Type
RD_PC003_9_PC01003_9		
SUPPPC_PKTERM_003_9	SUPPPC_PKTERM_003_9_C	VARCHAR2
	SUPPPC_PKTERM_003_9	VARCHAR2
	SUPPPC_PKTERM_003_9_ND	VARCHAR2
PCSPEC_003_9	PCSPEC_003_9_C	VARCHAR2

	PCSPEC_003_9	VARCHAR2
	PCSPEC_003_9_ND	VARCHAR2
X_PCSTAT_003_9	X_PCSTAT_003_9_C	VARCHAR2
	X_PCSTAT_003_9	VARCHAR2
	X_PCSTAT_003_9_ND	VARCHAR2
PCTPT_003_9	PCTPT_003_9_C	VARCHAR2
	PCTPT_003_9	VARCHAR2
	PCTPT_003_9_ND	VARCHAR2
PCSPID_003_9	PCSPID_003_9_C	VARCHAR2
	PCSPID_003_9	VARCHAR2
	PCSPID_003_9_ND	VARCHAR2
PCDTC_003_9	PCDTC_003_9	DATE
	PCDTC_003_9_DTS	VARCHAR2
	PCDTC_003_9_DTR	VARCHAR2
	PCDTC_003_9_ND	VARCHAR2
CO_PKCOMC_003_9	CO_PKCOMC_003_9	VARCHAR2
	CO_PKCOMC_003_9_ND	VARCHAR2

C4891002: PHARMACOKINETICS - PALBOCICLIB - UNPL - SLI (PK PAL UNP) [PC003_13]

Pharmacokinetics [PC01003_13]

# ▼	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	PALBOCICLIB	BLOOD		9001 H	114		
1.b	PALBOCICLIB	BLOOD		9002 H	115		
1.c	PALBOCICLIB	BLOOD		9003 H	116		
1.d	PALBOCICLIB	BLOOD		9004 H	117		
1.e	PALBOCICLIB	BLOOD		9005 H	118		

Pharmacokinetics Entry [PC01003_13]

1.1 ☐	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_13] [A:2] ☐ PALBOCICLIB
1.2 ☐	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_13] [A:7] ☐ BLOOD
1.3* ▼	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_13] [A:1] ☐ NOT DONE [A:2] ☐ DONE
1.4 ☐	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_13] [A:62] ☐ 9001 H [A:63] ☐ 9002 H [A:64] ☐ 9003 H [A:65] ☐ 9004 H [A:66] ☐ 9005 H
1.5 ☐	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_13] [A:114] ☐ 114 [A:115] ☐ 115 [A:116] ☐ 116 [A:117] ☐ 117 [A:118] ☐ 118
1.6 ▼	Date and Time: [Date and Time]	[PCDTC_003_13] (DD/MM/YYYY hh:mm) Req ☐ / Req ☐ / Req ☐ (2023-2034) Req/Unk ☐ : Req/Unk ☐ 24-hour clock
1.7 ▼	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_13] A200★

Key: [*] = Item is required [▼] = Source verification required ☐ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - PALBOCICLIB - UNPL - SLI		
Type	RefName	Description
Form	PC003_13	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003_13		
Data Variable RefName	RD Column Name	Column Data Type
RD_PC003_13_PC01003_13		
SUPPPC_PKTERM_003_13	SUPPPC_PKTERM_003_13_C	VARCHAR2
	SUPPPC_PKTERM_003_13	VARCHAR2
	SUPPPC_PKTERM_003_13_ND	VARCHAR2
PCSPEC_003_13	PCSPEC_003_13_C	VARCHAR2

	PCSPEC_003_13	VARCHAR2
	PCSPEC_003_13_ND	VARCHAR2
X_PCSTAT_003_13	X_PCSTAT_003_13_C	VARCHAR2
	X_PCSTAT_003_13	VARCHAR2
	X_PCSTAT_003_13_ND	VARCHAR2
PCTPT_003_13	PCTPT_003_13_C	VARCHAR2
	PCTPT_003_13	VARCHAR2
	PCTPT_003_13_ND	VARCHAR2
PCSPID_003_13	PCSPID_003_13_C	VARCHAR2
	PCSPID_003_13	VARCHAR2
	PCSPID_003_13_ND	VARCHAR2
PCDTC_003_13	PCDTC_003_13	DATE
	PCDTC_003_13_DTS	VARCHAR2
	PCDTC_003_13_DTR	VARCHAR2
	PCDTC_003_13_ND	VARCHAR2
CO_PKCOMC_003_13	CO_PKCOMC_003_13	VARCHAR2
	CO_PKCOMC_003_13_ND	VARCHAR2

C4891002: PHARMACOKINETICS - ARV-471 (PF-07850327) UNPL (PK ARV UNP) [PC003_4]

Pharmacokinetics [PC01003_4]

# ▼	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	ARV-471 (PF-07850327)	BLOOD		9001 H	8		
1.b	ARV-471 (PF-07850327)	BLOOD		9002 H	9		
1.c	ARV-471 (PF-07850327)	BLOOD		9003 H	10		
1.d	ARV-471 (PF-07850327)	BLOOD		9004 H	11		
1.e	ARV-471 (PF-07850327)	BLOOD		9005 H	12		

Pharmacokinetics Entry [PC01003_4]

1.1 ☐	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_4] [A:1] ☐ ARV-471 (PF-07850327)
1.2 ☐	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_4] [A:7] ☐ BLOOD
1.3* ▼	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_4] [A:1] ☐ NOT DONE [A:2] ☐ DONE
1.4 ☐	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_4] [A:62] ☐ 9001 H [A:63] ☐ 9002 H [A:64] ☐ 9003 H [A:65] ☐ 9004 H [A:66] ☐ 9005 H
1.5 ☐	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_4] [A:8] ☐ 8 [A:9] ☐ 9 [A:10] ☐ 10 [A:11] ☐ 11 [A:12] ☐ 12
1.6 ▼	Date and Time: [Date and Time]	[PCDTC_003_4] (DD/MM/YYYY hh:mm) Req ☐ / Req ☐ / Req ☐ (2022-2034) Req/Unk ☐ : Req/Unk ☐ 24-hour clock
1.7 ▼	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_4] A200★

Key: [*] = Item is required [▼] = Source verification required ☐ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - ARV-471 (PF-07850327) UNPL		
Type	RefName	Description
Form	PC003_4	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003_4		
Data Variable RefName	RD Column Name	Column Data Type
RD_PC003_4_PC01003_4		
SUPPPC_PKTERM_003_4	SUPPPC_PKTERM_003_4_C	VARCHAR2
	SUPPPC_PKTERM_003_4	VARCHAR2
	SUPPPC_PKTERM_003_4_ND	VARCHAR2
PCSPEC_003_4	PCSPEC_003_4_C	VARCHAR2

	PCSPEC_003_4	VARCHAR2
	PCSPEC_003_4_ND	VARCHAR2
X_PCSTAT_003_4	X_PCSTAT_003_4_C	VARCHAR2
	X_PCSTAT_003_4	VARCHAR2
	X_PCSTAT_003_4_ND	VARCHAR2
PCTPT_003_4	PCTPT_003_4_C	VARCHAR2
	PCTPT_003_4	VARCHAR2
	PCTPT_003_4_ND	VARCHAR2
PCSPID_003_4	PCSPID_003_4_C	VARCHAR2
	PCSPID_003_4	VARCHAR2
	PCSPID_003_4_ND	VARCHAR2
PCDTC_003_4	PCDTC_003_4	DATE
	PCDTC_003_4_DTS	VARCHAR2
	PCDTC_003_4_DTR	VARCHAR2
	PCDTC_003_4_ND	VARCHAR2
CO_PKCOMC_003_4	CO_PKCOMC_003_4	VARCHAR2
	CO_PKCOMC_003_4_ND	VARCHAR2

C4891002: PHARMACOKINETICS - PALBOCICLIB - UNPL (PK PAL UNP) [PC003_5]

Pharmacokinetics [PC01003_5]

# ▼	Verbatim Text of Analyte	Body Fluid / Matrix	Sample Not Done*	Time Post Dose	Unique Sample ID	Date and Time	Comments (Keep brief and legible)
1.a	PALBOCICLIB	BLOOD		9001 H	106		
1.b	PALBOCICLIB	BLOOD		9002 H	107		
1.c	PALBOCICLIB	BLOOD		9003 H	108		
1.d	PALBOCICLIB	BLOOD		9004 H	109		
1.e	PALBOCICLIB	BLOOD		9005 H	110		

Pharmacokinetics Entry [PC01003_5]

1.1 ☒	Analyte: [read-only] [Verbatim Text of Analyte]	[SUPPPC_PKTERM_003_5] [A:2] ☐ PALBOCICLIB
1.2 ☒	Body Fluid / Matrix: [read-only] [Body Fluid / Matrix]	[PCSPEC_003_5] [A:7] ☐ BLOOD
1.3* ▼	Sample Not Done: [Sample Not Done]	[X_PCSTAT_003_5] [A:1] ☐ NOT DONE [A:2] ☐ DONE
1.4 ☒	Time Post Dose: [read-only] [Time Post Dose]	[PCTPT_003_5] [A:62] ☐ 9001 H [A:63] ☐ 9002 H [A:64] ☐ 9003 H [A:65] ☐ 9004 H [A:66] ☐ 9005 H
1.5 ☒	Unique Sample ID: [read-only] [Unique Sample ID]	[PCSPID_003_5] [A:106] ☐ 106 [A:107] ☐ 107 [A:108] ☐ 108 [A:109] ☐ 109 [A:110] ☐ 110
1.6 ▼	Date and Time: [Date and Time]	[PCDTC_003_5] (DD/MM/YYYY hh:mm) Req ☐ / Req ☐ / Req ☐ (2022-2034) Req/Unk ☐ : Req/Unk ☐ 24-hour clock
1.7 ▼	Comments (Keep brief and legible): [Comments (Keep brief and legible)]	[CO_PKCOMC_003_5] A200★

Key: [*] = Item is required [▼] = Source verification required ☒ = Fixed item [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: PHARMACOKINETICS - PALBOCICLIB - UNPL		
Type	RefName	Description
Form	PC003_5	PHARMACOKINETICS (POINT)

RDE Analytics: RD_PC003_5		
Data Variable RefName	RD Column Name	Column Data Type
RD_PC003_5_PC01003_5		
SUPPPC_PKTERM_003_5	SUPPPC_PKTERM_003_5_C	VARCHAR2
	SUPPPC_PKTERM_003_5	VARCHAR2
	SUPPPC_PKTERM_003_5_ND	VARCHAR2
PCSPEC_003_5	PCSPEC_003_5_C	VARCHAR2

	PCSPEC_003_5	VARCHAR2
	PCSPEC_003_5_ND	VARCHAR2
X_PCSTAT_003_5	X_PCSTAT_003_5_C	VARCHAR2
	X_PCSTAT_003_5	VARCHAR2
	X_PCSTAT_003_5_ND	VARCHAR2
PCTPT_003_5	PCTPT_003_5_C	VARCHAR2
	PCTPT_003_5	VARCHAR2
	PCTPT_003_5_ND	VARCHAR2
PCSPID_003_5	PCSPID_003_5_C	VARCHAR2
	PCSPID_003_5	VARCHAR2
	PCSPID_003_5_ND	VARCHAR2
PCDTC_003_5	PCDTC_003_5	DATE
	PCDTC_003_5_DTS	VARCHAR2
	PCDTC_003_5_DTR	VARCHAR2
	PCDTC_003_5_ND	VARCHAR2
CO_PKCOMC_003_5	CO_PKCOMC_003_5	VARCHAR2
	CO_PKCOMC_003_5_ND	VARCHAR2

C4891002: UNPLANNED VISIT (UNPL) [D_UPA001_1]		
Unplanned Assessments [D_UPA01001_1]		
1.* ✓	Assessments [Assessments]	[D_UNPLASS_001_1] [A:1] ☐ TARGET LESIONS [A:2] ☐ NON-TARGET LESIONS [A:4] ☐ NEW LESIONS [A:5] ☐ INVESTIGATOR OVERALL OBJECTIVE TUMOR ASSESSMENT-RECIST(V1.1)
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_UPA001_1		
Data Variable RefName	RD Column Name	Column Data Type
D_UNPLASS_001_1	D_UNPLASS_001_1_ND	VARCHAR2
D_UNPLASS_001_1 - TARGET LESIONS	*D_UNPLASS_001_1_CLIUNPLASSTARGETLESIONS_C	VARCHAR2
	*D_UNPLASS_001_1_CLIUNPLASSTARGETLESIONS	VARCHAR2
D_UNPLASS_001_1 - NON-TARGET LESIONS	*D_UNPLASS_001_1_CLIUNPLASSNONTARGETLESIONS_C	VARCHAR2
	*D_UNPLASS_001_1_CLIUNPLASSNONTARGETLESIONS	VARCHAR2
D_UNPLASS_001_1 - NEW LESIONS	*D_UNPLASS_001_1_CLIUNPLASSNEWLESIONS_C	VARCHAR2
	*D_UNPLASS_001_1_CLIUNPLASSNEWLESIONS	VARCHAR2
D_UNPLASS_001_1 - INVESTIGATOR OVERALL OBJECTIVE TUMOR ASSESSMENT-RECIST(V1.1)	*D_UNPLASS_001_1_CLIUNPLASSRECISTV1_C	VARCHAR2
	*D_UNPLASS_001_1_CLIUNPLASSRECISTV1	VARCHAR2
Key: [*] = The column and/or table name in the actual RDE extract may be different.		

C4891002: DISPOSITION - TREATMENT ARV-471 (PF-07850327) (DISP ARV) [DS001_5]

Disposition - Treatment [DS01001_5]

1.

Subcategory: *[read-only]*
[Subcategory]

[DSSCAT_001_5]

[A:12] ☐ BLINDED THERAPY

[A:86] ☒ ARV-471 (PF-07850327)

2.*

Date of Completion/Discontinuation/Death:
[Date]

[DSSTDTC_001_5] (DD/MM/YYYY)

Req ☒ / Req ☒ / Req ☒ (2022-2034)

3.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_5]

[A:4] ☒ TREATMENT

4.*

Status:
[Status]

[DSDECOD_001_5]

[DSDECOD_CL_001_5]

5.

Specify Status:
[Specify Status]

[DSTERM_001_5]

A100*

6.*

Will the subject continue to the next phase of this study?
[Subject Continue]

[SUPPDS_DSCONT_001_5]

[A:Y] ☒ [SUPPDS_DSNEXT_CMP_001_5]

YES

[SUPPDS_DSNEXT_001_5]

If Yes, next phase:

[A:1] ☒ FOLLOW-UP

[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [v] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - TREATMENT ARV-471 (PF-07850327)		
Type	RefName	Description
Item	DSSTDTC_001_5	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5	Specify Status
Item	SUPPDS_DSNEXT_001_5	Next Phase of Study

Codelist Values Tables: DISPOSITION - TREATMENT ARV-471 (PF-07850327)						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5	String		ADVERSE EVENT	1	cliNCOMPLT_ADVERSE_EVENT	DSDECOD_001_5
			DEATH	3	cliNCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	cliNCOMPLT_LOSTTOFOLLOWUP	
			OTHER	7	cliNCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cliNCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	cliNCOMPLT_PREGNANCY	
			PROTOCOL DEVIATION	11	cliNCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_WITHDRAWAL_BY_SUBJECT	
			PROGRESSIVE DISEASE	10	cliNCOMPLT_PROGRESSIVEDISEASE	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	cliNCOMPLT_GLOBALDETERIORATIONOFHEALTHSTATUS	
			NO LONGER MEETS ELIGIBILITY CRITERIA	18	cliNCOMPLT_NOLONGERMEETSELIGIBILITYCRITERIA	
			COMPLETED	2	cliNCOMPLT_COMPLETED	

RDE Analytics: RD_DS001_5		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5	DSSCAT_001_5_C	VARCHAR2

	DSSCAT_001_5	VARCHAR2
	DSSCAT_001_5_ND	VARCHAR2
DSSTDTC_001_5	DSSTDTC_001_5	DATE
	DSSTDTC_001_5_DTS	VARCHAR2
	DSSTDTC_001_5_ND	VARCHAR2
SUPPDS_DSPHASE_001_5	SUPPDS_DSPHASE_001_5_C	VARCHAR2
	SUPPDS_DSPHASE_001_5	VARCHAR2
	SUPPDS_DSPHASE_001_5_ND	VARCHAR2
DSDECOD_001_5	DSDECOD_001_5_C	VARCHAR2
	DSDECOD_001_5	VARCHAR2
	DSDECOD_001_5_ND	VARCHAR2
DSTERM_001_5	DSTERM_001_5	VARCHAR2
	DSTERM_001_5_ND	VARCHAR2
SUPPDS_DSCONT_001_5	SUPPDS_DSCONT_001_5_C	VARCHAR2
	SUPPDS_DSCONT_001_5	VARCHAR2
	SUPPDS_DSCONT_001_5_ND	VARCHAR2
SUPPDS_DSCONT_001_5 - SUPPDS_DSNEXT_001_5	SUPPDS_DSNEXT_001_5_C	VARCHAR2
	SUPPDS_DSNEXT_001_5	VARCHAR2

C4891002: DISPOSITION - TREATMENT LETROZOLE (DISP LET) [DS001_5_1]

Disposition - Treatment [DS01001_5_1]

1.	Subcategory: <i>[read-only]</i> [Subcategory]	[DSSCAT_001_5_1] <i>[A:12]</i> ☐ BLINDED THERAPY <i>[A:31]</i> ☐ LETROZOLE
2.* ✓	Date of Completion/Discontinuation/Death: [Date]	[DSSTDTC_001_5_1] (DD/MM/YYYY) Req ☒ / Req ☒ / Req ☒ (2022-2034)
3.	Phase of Disposition: <i>[read-only]</i> [Disposition Phase]	[SUPPDS_DSPHASE_001_5_1] <i>[A:4]</i> ☐ TREATMENT
4.* ✓	Status: [Status]	[DSDECOD_001_5_1] [DSDECOD_CL_001_5_1] v
5. ✓	Specify Status: [Specify Status]	[DSTERM_001_5_1] A100*
6.* ✓	Will the subject continue to the next phase of this study? [Subject Continue]	[SUPPDS_DSCONT_001_5_1] <i>[A:Y]</i> ☐ [SUPPDS_DSNEXT_CMP_001_5_1] ☐ YES [SUPPDS_DSNEXT_001_5_1] If Yes, next phase: <i>[A:1]</i> ☐ FOLLOW-UP <i>[A:N]</i> ☐ NO

Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - TREATMENT LETROZOLE		
Type	RefName	Description
Item	DSSTDTC_001_5_1	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5_1	Specify Status
Item	SUPPDS_DSNEXT_001_5_1	Next Phase of Study

Codelist Values Tables: DISPOSITION - TREATMENT LETROZOLE						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5_1	String		ADVERSE EVENT	1	cliINCOMPLT_ADVERSE_EVENT	DSDECOD_001_5_1
			DEATH	3	cliINCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	cliINCOMPLT_LOSTTOFOLLOWUP	
			OTHER	7	cliINCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cliINCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	cliINCOMPLT_PREGNANCY	
			PROTOCOL DEVIATION	11	cliINCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cliINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			PROGRESSIVE DISEASE	10	cliINCOMPLT_PROGRESSIVEDISEASE	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	cliINCOMPLT_GLOBALDETERIORATIONOFHEALTHSTATUS	
			NO LONGER MEETS ELIGIBILITY CRITERIA	18	cliINCOMPLT_NOLONGERMEETSELIGIBILITYCRITERIA	
			COMPLETED	2	cliINCOMPLT_COMPLETED	

RDE Analytics: RD_DS001_5_1		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5_1	DSSCAT_001_5_1_C	VARCHAR2

	DSSCAT_001_5_1	VARCHAR2
	DSSCAT_001_5_1_ND	VARCHAR2
DSSTDTC_001_5_1	DSSTDTC_001_5_1	DATE
	DSSTDTC_001_5_1_DTS	VARCHAR2
	DSSTDTC_001_5_1_ND	VARCHAR2
SUPPDS_DSPHASE_001_5_1	SUPPDS_DSPHASE_001_5_1_C	VARCHAR2
	SUPPDS_DSPHASE_001_5_1	VARCHAR2
	SUPPDS_DSPHASE_001_5_1_ND	VARCHAR2
DSDECOD_001_5_1	DSDECOD_001_5_1_C	VARCHAR2
	DSDECOD_001_5_1	VARCHAR2
	DSDECOD_001_5_1_ND	VARCHAR2
DSTERM_001_5_1	DSTERM_001_5_1	VARCHAR2
	DSTERM_001_5_1_ND	VARCHAR2
SUPPDS_DSCONT_001_5_1	SUPPDS_DSCONT_001_5_1_C	VARCHAR2
	SUPPDS_DSCONT_001_5_1	VARCHAR2
	SUPPDS_DSCONT_001_5_1_ND	VARCHAR2
SUPPDS_DSCONT_001_5_1 - SUPPDS_DSNEXT_001_5_1	SUPPDS_DSNEXT_001_5_1_C	VARCHAR2
	SUPPDS_DSNEXT_001_5_1	VARCHAR2

C4891002: DISPOSITION - TREATMENT PALBOCICLIB (DISP PAL) [DS001_5_2]

Disposition - Treatment [DS01001_5_2]

1.

Subcategory: *[read-only]*
[Subcategory]

[DSSCAT_001_5_2]

[A:42] ☐ PALBOCICLIB

2.*
✓

Date of Completion/Discontinuation/Death:
[Date]

[DSSTDTC_001_5_2] (DD/MM/YYYY)

Req ☒ / Req ☒ / Req ☒ (2022-2034)

3.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_5_2]

[A:4] ☐ TREATMENT

4.*
✓

Status:
[Status]

[DSDECOD_001_5_2]

[DSDECOD_CL_001_5_2]

5.

Specify Status:
[Specify Status]

[DSTERM_001_5_2]

A100★

6.*
✓

Will the subject continue to the next phase of this study?
[Subject Continue]

[SUPPDS_DSCONT_001_5_2]

[A:Y] ☐ [SUPPDS_DSNEXT_CMP_001_5_2]
YES
[SUPPDS_DSNEXT_001_5_2]
If Yes, next phase:
[A:1] ☐ FOLLOW-UP
[A:N] ☐ NO

Key: [*] = Item is required [✓] = Source verification required [v] = Item is collapsible [★] = ASCII Only
Note: Source verification critical settings made in InForm will override any settings made in Central Designer.
Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: DISPOSITION - TREATMENT PALBOCICLIB		
Type	RefName	Description
Item	DSSTDTC_001_5_2	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_5_2	Specify Status
Item	SUPPDS_DSNEXT_001_5_2	Next Phase of Study

Codelist Values Tables: DISPOSITION - TREATMENT PALBOCICLIB						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_5_2	String		ADVERSE EVENT	1	cliNCOMPLT_ADVERSE_EVENT	DSDECOD_001_5_2
			DEATH	3	cliNCOMPLT_DEATH	
			LOST TO FOLLOW-UP	5	cliNCOMPLT_LOSTTOFOLLOWUP	
			OTHER	7	cliNCOMPLT_OTHER	
			PHYSICIAN DECISION	8	cliNCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	cliNCOMPLT_PREGNANCY	
			PROTOCOL DEVIATION	11	cliNCOMPLT_PROTOCOLDEVIATION	
			STUDY TERMINATED BY SPONSOR	14	cliNCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	cliNCOMPLT_WITHDRAWAL_BY_SUBJECT	
			PROGRESSIVE DISEASE	10	cliNCOMPLT_PROGRESSIVEDISEASE	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	cliNCOMPLT_GLOBALDETERIORATIONOFHEALTHSTATUS	
			NO LONGER MEETS ELIGIBILITY CRITERIA	18	cliNCOMPLT_NOLONGERMEETSELIGIBILITYCRITERIA	
			COMPLETED	2	cliNCOMPLT_COMPLETED	

RDE Analytics: RD_DS001_5_2		
Data Variable RefName	RD Column Name	Column Data Type
DSSCAT_001_5_2	DSSCAT_001_5_2_C	VARCHAR2
	DSSCAT_001_5_2	VARCHAR2

	DSSCAT_001_5_2_ND	VARCHAR2
DSSTDTC_001_5_2	DSSTDTC_001_5_2	DATE
	DSSTDTC_001_5_2_DTS	VARCHAR2
	DSSTDTC_001_5_2_ND	VARCHAR2
SUPPDS_DSPHASE_001_5_2	SUPPDS_DSPHASE_001_5_2_C	VARCHAR2
	SUPPDS_DSPHASE_001_5_2	VARCHAR2
	SUPPDS_DSPHASE_001_5_2_ND	VARCHAR2
DSDECOD_001_5_2	DSDECOD_001_5_2_C	VARCHAR2
	DSDECOD_001_5_2	VARCHAR2
	DSDECOD_001_5_2_ND	VARCHAR2
DSTERM_001_5_2	DSTERM_001_5_2	VARCHAR2
	DSTERM_001_5_2_ND	VARCHAR2
SUPPDS_DSCONT_001_5_2	SUPPDS_DSCONT_001_5_2_C	VARCHAR2
	SUPPDS_DSCONT_001_5_2	VARCHAR2
	SUPPDS_DSCONT_001_5_2_ND	VARCHAR2
SUPPDS_DSCONT_001_5_2 - SUPPDS_DSNEXT_001_5_2	SUPPDS_DSNEXT_001_5_2_C	VARCHAR2
	SUPPDS_DSNEXT_001_5_2	VARCHAR2

C4891002: DISPOSITION - FOLLOW-UP (DISP FUP) [DS001_6]

Disposition - Follow-Up [DS01001_6]

1.*
✓

Date of Completion/Discontinuation/Death:
[Date]

[DSSTDTC_001_6] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2022-2034)

2.

Phase of Disposition: *[read-only]*
[Disposition Phase]

[SUPPDS_DSPHASE_001_6]

[A:1] ☒ FOLLOW-UP

3.*
✓

Status:
[Status]

[DSDECOD_001_6]

[DSDECOD_CL_001_6] ☐

4.
✓

Specify Status:
[Specify Status]

[DSTERM_001_6]

A100★

Key: [*] = Item is required [✓] = Source verification required [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: DISPOSITION - FOLLOW-UP		
Type	RefName	Description
Item	DSSTDTC_001_6	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).
Item	DSTERM_001_6	Specify Status

Codelist Values Tables: DISPOSITION - FOLLOW-UP						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
DSDECOD_CL_001_6	String		DEATH	3	clINCOMPLT_DEATH	DSDECOD_001_6
			LOST TO FOLLOW-UP	5	clINCOMPLT_LOSTTOFOLLOWUP	
			OTHER	7	clINCOMPLT_OTHER	
			PHYSICIAN DECISION	8	clINCOMPLT_PHYSICIAN_DECISION	
			STUDY TERMINATED BY SPONSOR	14	clINCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	clINCOMPLT_WITHDRAWAL_BY_SUBJECT	
			COMPLETED	2	clINCOMPLT_COMPLETED	

RDE Analytics: RD_DS001_6		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_6	DSSTDTC_001_6	DATE
	DSSTDTC_001_6_DTS	VARCHAR2
	DSSTDTC_001_6_ND	VARCHAR2
SUPPDS_DSPHASE_001_6	SUPPDS_DSPHASE_001_6_C	VARCHAR2
	SUPPDS_DSPHASE_001_6	VARCHAR2
	SUPPDS_DSPHASE_001_6_ND	VARCHAR2
DSDECOD_001_6	DSDECOD_001_6_C	VARCHAR2
	DSDECOD_001_6	VARCHAR2
	DSDECOD_001_6_ND	VARCHAR2
DSTERM_001_6	DSTERM_001_6	VARCHAR2
	DSTERM_001_6_ND	VARCHAR2

C4891002: DEATH DETAILS (DTH DTL) [DD002]		
Death Details [DD01002]		
1.* ✓	Date of Collection / Notification of Death: [Date of Collection / Notification of Death]	[DDDTc_002] (DD/MM/YYYY) Req / Req / Req (2022-2034)
2.* ✓	Date of Death: [Date of Death]	[R_DDDTHDTC_002] (DD/MM/YYYY) Req/Unk / Req/Unk / Req (2022-2034)
	Cause of Death Status	Cause of Death Category
3. ✓		
Death Details Entry [DD02002]		
3.1	Cause of Death Status: <i>[read-only]</i> [Cause of Death Status]	[DDTEST_002] [A:1] ☐ PRIMARY CAUSE OF DEATH
3.2* ✓	Cause of Death Category: [Cause of Death Category]	[D_DDORRES_PRCDTH_002] [A:1] ☐ DISEASE UNDER STUDY [A:2] ☐ STUDY TREATMENT TOXICITY [A:3] ☐ UNKNOWN [A:4] ☐ [D_DDORRES_PRCDTH_OTH_CMP_002] ☐ OTHER [D_DDORRES_PRCDTH_OTH_002] Cause of Death Category, Other Specify: A100*
3.3	Cause of Death: <i>[read-only]</i> [Cause of Death]	[DDORRES_002] A200*
3.4	Comparison Term <i>[hidden]</i> [Comparison Term]	[D_COMPTerm6_002] A200*
3.5	Lowest Level Term <i>[hidden]</i> [Lowest Level Term]	[SUPPDD_DDLLT_002] A100*
3.6	Lowest Level Term Code <i>[hidden]</i> [Lowest Level Term Code]	[SUPPDD_DDLLTCD_002] A8*
3.7	Dictionary-Derived Term <i>[hidden]</i> [Dictionary-Derived Term]	[SUPPDD_DDDECOD_002] A100*
3.8	Preferred Term Code <i>[hidden]</i> [Preferred Term Code]	[SUPPDD_DDPTCD_002] A8*
3.9	High Level Term <i>[hidden]</i> [High Level Term]	[SUPPDD_DDHLT_002] A100*
3.10	High Level Term Code <i>[hidden]</i> [High Level Term Code]	[SUPPDD_DDHLTCD_002] A8*
3.11	High Level Group Term <i>[hidden]</i> [High Level Group Term]	[SUPPDD_DDHLGT_002] A100*
3.12	High Level Group Term Code <i>[hidden]</i> [High Level Group Term Code]	[SUPPDD_DDHLGTCD_002] A8*
3.13	Primary System Organ Class <i>[hidden]</i> [Primary System Organ Class]	[SUPPDD_DDSOC_002]

		A100★
3.14	Primary System Organ Class Code <i>[hidden]</i> [Primary System Organ Class Code]	[SUPPDD_DDSOCCD_002] A8★
Key: [*] = Item is required [✓] = Source verification required [☐] = Item is collapsible [★] = ASCII Only Note: Source verification critical settings made in InForm will override any settings made in Central Designer. Note: Collapsible settings are only available to users who have the rights to edit the item.		

Study Object Descriptions: DEATH DETAILS

Type	RefName	Description
Form	DD002	DEATH DETAILS CODED

Coding Summary: DEATH DETAILS

Verbatim RefName: DDORRES_002			
Dictionary: Pfizer MedDRA		Verbatim Type:	
Coding Item	RefName	Level	Level Type
SUPPDD_DDSOC_002		SOC	Term
SUPPDD_DDSOCCD_002		SOC	Code
SUPPDD_DDHLGT_002		HLGT	Term
SUPPDD_DDHLGTCD_002		HLGT	Code
SUPPDD_DDHLT_002		HLT	Term
SUPPDD_DDHLTCD_002		HLT	Code
SUPPDD_DDDECOD_002		PT	Term
SUPPDD_DDPTCD_002		PT	Code
SUPPDD_DDLLT_002		LLT	Term
SUPPDD_DDLLTCD_002		LLT	Code

RDE Analytics: RD_DD002

Data Variable RefName	RD Column Name	Column Data Type
DDDTC_002	DDDTC_002	DATE
	DDDTC_002_DTS	VARCHAR2
	DDDTC_002_ND	VARCHAR2
R_DDDTHDTC_002	R_DDDTHDTC_002	DATE
	R_DDDTHDTC_002_DTS	VARCHAR2
	R_DDDTHDTC_002_DTR	VARCHAR2
	R_DDDTHDTC_002_ND	VARCHAR2
RD_DD002_DD02002		
DDTEST_002	DDTEST_002_C	VARCHAR2
	DDTEST_002	VARCHAR2
	DDTEST_002_ND	VARCHAR2
D_DDORRES_PRCDTH_002	D_DDORRES_PRCDTH_002_C	VARCHAR2
	D_DDORRES_PRCDTH_002	VARCHAR2
	D_DDORRES_PRCDTH_002_ND	VARCHAR2
D_DDORRES_PRCDTH_002 - D_DDORRES_PRCDTH_OTH_002	D_DDORRES_PRCDTH_OTH_002	VARCHAR2
DDORRES_002	DDORRES_002	VARCHAR2
	DDORRES_002_ND	VARCHAR2
D_COMPTERM6_002	D_COMPTERM6_002	VARCHAR2
	D_COMPTERM6_002_ND	VARCHAR2

SUPPDD_DDLT_002	SUPPDD_DDLT_002	VARCHAR2
	SUPPDD_DDLT_002_ND	VARCHAR2
SUPPDD_DDLTCD_002	SUPPDD_DDLTCD_002	VARCHAR2
	SUPPDD_DDLTCD_002_ND	VARCHAR2
SUPPDD_DDDECOD_002	SUPPDD_DDDECOD_002	VARCHAR2
	SUPPDD_DDDECOD_002_ND	VARCHAR2
SUPPDD_DDPTCD_002	SUPPDD_DDPTCD_002	VARCHAR2
	SUPPDD_DDPTCD_002_ND	VARCHAR2
SUPPDD_DDHLT_002	SUPPDD_DDHLT_002	VARCHAR2
	SUPPDD_DDHLT_002_ND	VARCHAR2
SUPPDD_DDHLTCD_002	SUPPDD_DDHLTCD_002	VARCHAR2
	SUPPDD_DDHLTCD_002_ND	VARCHAR2
SUPPDD_DDHLGT_002	SUPPDD_DDHLGT_002	VARCHAR2
	SUPPDD_DDHLGT_002_ND	VARCHAR2
SUPPDD_DDHLGTC_002	SUPPDD_DDHLGTC_002	VARCHAR2
	SUPPDD_DDHLGTC_002_ND	VARCHAR2
SUPPDD_DDSOC_002	SUPPDD_DDSOC_002	VARCHAR2
	SUPPDD_DDSOC_002_ND	VARCHAR2
SUPPDD_DDSOCCD_002	SUPPDD_DDSOCCD_002	VARCHAR2
	SUPPDD_DDSOCCD_002_ND	VARCHAR2

C4891002: WITHDRAWAL OF CONSENT (WOC) [DS001_7]		
Withdrawal Of Consent [DS01001_7]		
1.* ✓	Date of Withdrawal of Consent: [Date]	[DSSTDTC_001_7] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2022-2034)
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: WITHDRAWAL OF CONSENT		
Type	RefName	Description
Item	DSSTDTC_001_7	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_7			
Data Variable	RefName	RD Column Name	Column Data Type
DSSTDTC_001_7		DSSTDTC_001_7	DATE
		DSSTDTC_001_7_DTS	VARCHAR2
		DSSTDTC_001_7_ND	VARCHAR2

C4891002: TREATMENT UNBLINDED (TRN UNBLN) [DS001_8]

Treatment Unblinded [DS01001_8]

1.*
✓

Date of Treatment Unblinded:
[Date]

[DSTDTTC_001_8] (DD/MM/YYYY)

Req ☐ / Req ☐ / Req ☐ (2022-2034)

2.*
✓

Primary Reason for Unblinding:
[Primary Reason for Unblinding]

[X_DSTERM_DSUNBL_001_8]

[A:1] ☐ SUBJECT SAFETY CONCERN

[A:2] ☐ STUDY PRIMARY OBJECTIVES MET

[A:999] ☐ [X_DSTERM_DSUNBLO_CMP_001_8] ☐

OTHER

[X_DSTERM_DSUNBLO_001_8]

If other, specify:

A100★

3.*
✓

Phase of Disposition:
[Disposition Phase]

[SUPPDS_DSPHASE_001_8]

[A:6] ☐ BLINDED TREATMENT

[A:1] ☐ FOLLOW-UP

Key: [*] = Item is required [✓] = Source verification required [⊞] = Item is collapsible [★] = ASCII Only

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Note: Collapsible settings are only available to users who have the rights to edit the item.

Study Object Descriptions: TREATMENT UNBLINDED		
Type	RefName	Description
Item	DSSTDTC_001_8	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_8		
Data Variable RefName	RD Column Name	Column Data Type
DSSTDTC_001_8	DSSTDTC_001_8	DATE
	DSSTDTC_001_8_DTS	VARCHAR2
	DSSTDTC_001_8_ND	VARCHAR2
X_DSTERM_DSUNBL_001_8	X_DSTERM_DSUNBL_001_8_C	VARCHAR2
	X_DSTERM_DSUNBL_001_8	VARCHAR2
	X_DSTERM_DSUNBL_001_8_ND	VARCHAR2
X_DSTERM_DSUNBL_001_8 - X_DSTERM_DSUNBLO_001_8	X_DSTERM_DSUNBLO_001_8	VARCHAR2
SUPPDS_DSPHASE_001_8	SUPPDS_DSPHASE_001_8_C	VARCHAR2
	SUPPDS_DSPHASE_001_8	VARCHAR2
	SUPPDS_DSPHASE_001_8_ND	VARCHAR2

C4891002: WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLES (WOC RRS) [DS001_7_1]		
Withdrawal Of Consent [DS01001_7_1]		
1.* ✓	Date of Withdrawal of Consent: [Date]	[DSSTDTC_001_7_1] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2022-2034)
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLES		
Type	RefName	Description
Item	DSSTDTC_001_7_1	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_7_1			
Data Variable	RefName	RD Column Name	Column Data Type
DSSTDTC_001_7_1		DSSTDTC_001_7_1	DATE
		DSSTDTC_001_7_1_DTS	VARCHAR2
		DSSTDTC_001_7_1_ND	VARCHAR2

C4891002: WITHDRAWAL OF CONSENT - OPTIONAL TISSUE (WOC TIS) [DS001_7_2]		
Withdrawal Of Consent [DS01001_7_2]		
1.* ✓	Date of Withdrawal of Consent: [Date]	[DSSTDTC_001_7_2] (DD/MM/YYYY) Req ☐ / Req ☐ / Req ☐ (2022-2034)
Key: [*] = Item is required [✓] = Source verification required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

Study Object Descriptions: WITHDRAWAL OF CONSENT - OPTIONAL TISSUE		
Type	RefName	Description
Item	DSSTDTC_001_7_2	The date of the specified protocol milestone (e.g. informed consent, randomization) or disposition event (e.g. study completion or discontinuation).

RDE Analytics: RD_DS001_7_2			
Data Variable	RefName	RD Column Name	Column Data Type
DSSTDTC_001_7_2		DSSTDTC_001_7_2	DATE
		DSSTDTC_001_7_2_DTS	VARCHAR2
		DSSTDTC_001_7_2_ND	VARCHAR2

C4891002: SUBJECT STATUS (SUB STATU) [X_DS_SLOPD001]

Subject Status [X_DS_SLOPD01001]

1. Subject Status *[read-only]*
[Subject Status]

[X_DS_STAT_001]
[X_DS_STAT_CL_001] ▼

2. Subject Status Date *[read-only]*
[Status Date]

[X_DS_DAT_001] (DD/MM/YYYY)
Req ▼ / Req ▼ / Req ▼ (2022-2034)

3. Subject Withdrawal Timeframe *[read-only]*
[Subject Withdrawal Timeframe]

[X_DS_WDRLPHS_001]
[X_DS_WDRLPHS_CL_001] ▼

4. Subject Reason for Withdrawal *[read-only]*
[Subject Reason for Withdrawal]

[X_DS_WDRLREA_001]
[X_DS_WDRLREA_CL_001] ▼

Note: Source verification critical settings made in InForm will override any settings made in Central Designer.

Study Object Descriptions: SUBJECT STATUS		
Type	RefName	Description
Form	X_DS_SLOPD001	DS_SLOPD - Subject Status

Codelist Values Tables: SUBJECT STATUS						
Codelist RefName	Codelist Data Type	Subset	Label	Code	Codelist Item RefName	Data Variable RefName
X_DS_STAT_CL_001	String		SCREENED	1	cliDS_STAT_SCREENED	X_DS_STAT_001
			SCREEN FAIL	2	cliDS_STAT_SCREEN_FAIL	
			ENROLLED/RANDOMIZED	3	cliDS_STAT_ENROLLED_RANDOMIZED	
			DISCONTINUED	4	cliDS_STAT_DISCONTINUED	
			COMPLETED	5	cliDS_STAT_COMPLETED	
			FOLLOW-UP	6	cliDS_STAT_FOLLOW_UP	
X_DS_WDRLPHS_CL_001	String		BLINDED TREATMENT	6	cliEPOCH_BLINDED_TREATMENT	X_DS_WDRLPHS_001
			FOLLOW-UP	1	cliEPOCH_FOLLOW_UP	
			SCREENING	3	cliEPOCH_SCREENING	
			TREATMENT	4	cliEPOCH_TREATMENT	
X_DS_WDRLREA_CL_001	String		ADVERSE EVENT	1	clinCOMPLT_ADVERSE_EVENT	X_DS_WDRLREA_001
			DEATH	3	clinCOMPLT_DEATH	
			GLOBAL DETERIORATION OF HEALTH STATUS	22	clinCOMPLT_GLOBALDETERIORATIONOFHEALTHSTATUS	
			LOST TO FOLLOW-UP	5	clinCOMPLT_LOSTTOFOLLOWUP	
			NO LONGER MEETS ELIGIBILITY CRITERIA	18	clinCOMPLT_NOLONGERMEETSELIGIBILITYCRITERIA	
			OTHER	7	clinCOMPLT_OTHER	
			PHYSICIAN DECISION	8	clinCOMPLT_PHYSICIAN_DECISION	
			PREGNANCY	9	clinCOMPLT_PREGNANCY	
			PROGRESSIVE DISEASE	10	clinCOMPLT_PROGRESSIVEDISEASE	
			PROTOCOL DEVIATION	11	clinCOMPLT_PROTOCOLDEVIATION	
			SCREEN FAILURE	13	clinCOMPLT_SCREEN_FAILURE	
			STUDY TERMINATED BY SPONSOR	14	clinCOMPLT_STUDY_TERMINATED_BY_SPONSOR	
			WITHDRAWAL BY SUBJECT	16	clinCOMPLT_WITHDRAWAL_BY_SUBJECT	
			COMPLETED	2	clinCOMPLT_COMPLETED	

RDE Analytics: RD_X_DS_SLOPD001		
Data Variable RefName	RD Column Name	Column Data Type
X_DS_STAT_001	X_DS_STAT_001_C	VARCHAR2
	X_DS_STAT_001	VARCHAR2

	X_DS_STAT_001_ND	VARCHAR2
X_DS_DAT_001	X_DS_DAT_001	DATE
	X_DS_DAT_001_DTS	VARCHAR2
	X_DS_DAT_001_ND	VARCHAR2
X_DS_WDRLPHS_001	X_DS_WDRLPHS_001_C	VARCHAR2
	X_DS_WDRLPHS_001	VARCHAR2
	X_DS_WDRLPHS_001_ND	VARCHAR2
X_DS_WDRLREA_001	X_DS_WDRLREA_001_C	VARCHAR2
	X_DS_WDRLREA_001	VARCHAR2
	X_DS_WDRLREA_001_ND	VARCHAR2

C4891002: CASEBOOK SIGNATURE FORM (INVSIG) [D_IS001]		
Casebook Signature Form [D_IS01001]		
1.*	Casebook Signature [Casebook Signature]	[D_INVSIG_001] [A:1]  Click Here to Enable
Key: [*] = Item is required Note: Source verification critical settings made in InForm will override any settings made in Central Designer.		

RDE Analytics: RD_D_IS001		
Data Variable RefName	RD Column Name	Column Data Type
D_INVSIG_001	D_INVSIG_001_C	VARCHAR2
	D_INVSIG_001	VARCHAR2
	D_INVSIG_001_ND	VARCHAR2

InForm Special Properties For Study Design: C4891002			
InForm Special Property	Property Type	Data Object RefName	Data Object Path RefName
Screening	Visit	SYSSCR	SYSSCR
Enrollment	Visit	SYSENR	SYSENR
Screening	Form	D_INFSCR001	SYSSCR.D_INFSCR001
Enrollment	Form	D_INFENR001	SYSENR.D_INFENR001
Patient Identification	Form	DM001	SCR.DM001
Study Completion	Form	Unassigned	Unassigned
Reg Docs	Form	Unassigned	Unassigned
Visit Report	Form	Unassigned	Unassigned
Visit Approval	Form	Unassigned	Unassigned
Initials (Screening)	Item	D_SCRINIT_001	SYSSCR.D_INFSCR001.D_INFSCR01001.D_SCRINIT_001
DOB (Screening)	Item	D_SCRDOB_001	SYSSCR.D_INFSCR001.D_INFSCR01001.D_SCRDOB_001
Screening date (Screening)	Item	Unassigned	Unassigned
Patient No. (Enrollment)	Item	D_SUBJID_001	SCR.DM001.DM01001.D_SUBJID_001 SYSENR.D_INFENR001.D_INFENR01001.D_SUBJID_001
Initials (Patient Identification)	Item	Unassigned	Unassigned
Completion status (Study Completion)	Item	Unassigned	Unassigned
Drop out reason (Study Completion)	Item	Unassigned	Unassigned
DOV (Date of Visit)	Item	SVSTDTC_001	CYCLE1_DAY15.SV001.SV01001.SVSTDTC_001 CYCLE21_DAY1.SV001.SV01001.SVSTDTC_001 UNPL.SV001.SV01001.SVSTDTC_001 CYCLE19_DAY1.SV001.SV01001.SVSTDTC_001 SCR.SV001.SV01001.SVSTDTC_001 CYCLE2_DAY15.SV001.SV01001.SVSTDTC_001 CYCLE10_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE22_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE1_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE1_DAY2.SV001.SV01001.SVSTDTC_001 CYCLE3_DAY1.SV001.SV01001.SVSTDTC_001 UNPL_TA.SV001.SV01001.SVSTDTC_001 CYCLE4_DAY1.SV001.SV01001.SVSTDTC_001 END_OF_TRT.SV001.SV01001.SVSTDTC_001 RECIST_WEEK24.SV001.SV01001.SVSTDTC_001 CYCLE16_DAY1.SV001.SV01001.SVSTDTC_001 RECIST_WEEK8.SV001.SV01001.SVSTDTC_001 CYCLE24_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE11_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE18_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE8_DAY1.SV001.SV01001.SVSTDTC_001 RECIST_WEEK12.SV001.SV01001.SVSTDTC_001 CYCLE2_DAY1.SV001.SV01001.SVSTDTC_001 RECIST_WEEK36.SV001.SV01001.SVSTDTC_001 RECIST_WEEK84.SV001.SV01001.SVSTDTC_001 CYCLE5_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE14_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE20_DAY1.SV001.SV01001.SVSTDTC_001 SAFETY_FOLLOW_UP.SV001.SV01001.SVSTDTC_001 SURVIVAL_FOLLOW_UP.SV001.SV01001.SVSTDTC_001 CYCLE12_DAY1.SV001.SV01001.SVSTDTC_001 RECIST_WEEK16.SV001.SV01001.SVSTDTC_001 CYCLE15_DAY1.SV001.SV01001.SVSTDTC_001 RECIST_WEEK60.SV001.SV01001.SVSTDTC_001 CYCLE9_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE17_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE13_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE23_DAY1.SV001.SV01001.SVSTDTC_001 RECIST_WEEK96.SV001.SV01001.SVSTDTC_001 RECIST_WEEK48.SV001.SV01001.SVSTDTC_001 CYCLE6_DAY1.SV001.SV01001.SVSTDTC_001 CYCLE7_DAY1.SV001.SV01001.SVSTDTC_001 RECIST_WEEK72.SV001.SV01001.SVSTDTC_001
Randomization field (Randomization)	Item	Unassigned	Unassigned

Personal/Protected Health Information Table: C4891002		
Item RefName	Section RefName	Form RefName
No items have been defined as "Personal/Protected Health Information".		
Please note: emails sent from the trial server by the InForm application are not encrypted. If you are subject to HIPAA requirements, you should identify and block all Personal/Protected Health Information items that may be included in email notifications.		

Unit Conversions For Study Design: C4891002

No unit conversion data.

Review States for Study: C4891002

No Review States have been defined.

In-place Revisions Summary Table: C4891002					
Deployment Instance: UAT					
Data Object RefName	Type	Actual Change Path	Description	Study Version	Path
MHLOC_001_2_1	Item	MH001_2_1.MH02001_2_1.MHLOC_001_2_1	C4891002 : Addition of codelist options	C4891002 3.0.0	MH001_2_1.MH02001_2_1.MHLOC_001_2_1
				C4891002 3.0.3	MH001_2_1.MH02001_2_1.MHLOC_001_2_1
				C4891002 4.0.2	MH001_2_1.MH02001_2_1.MHLOC_001_2_1
				C4891002 5.0.0	MH001_2_1.MH02001_2_1.MHLOC_001_2_1
				C4891002 6.0.0	MH001_2_1.MH02001_2_1.MHLOC_001_2_1
PR01001_1	Section	PR001_1.PR01001_1	C4891002 - Date Range update	C4891002 3.0.0	PR001_1.PR01001_1.*
				C4891002 3.0.3	PR001_1.PR01001_1.*
				C4891002 4.0.2	PR001_1.PR01001_1.*
				C4891002 5.0.0	PR001_1.PR01001_1.*
				C4891002 6.0.0	PR001_1.PR01001_1.*

Custom Events for Study Design: C4891002

No custom events have been defined.