

Annotated Study Book

C5091017

Date generated:

Feb 4, 2026 11:46 AM UTC+0



Protocol Number	C5091017_V6.0
Study Version	V6.0
NCT Number	
IND/IDE Number	

Table of Contents

Section	Page Number
Events	3
Instruments	55
Link Definitions	—
Clinical Models	—
Clinical Tables	—
Data Lineage	—
Common Variables	—
Study Maps	—
Checks	—
Reference Tables	—
Other Descriptive Metadata	354

Events

System Screening

System Screening	
Unique Event Name:	SYSSCR
Event Description:	
Event Type:	Static
Max Repeats Allowed:	1
Repeating:	No
Dynamic:	No
Active:	No
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	D_INFSCR001 (0.2)

Events

System Enrollment

System Enrollment	
Unique Event Name:	SYSENR
Event Description:	
Event Type:	Static
Max Repeats Allowed:	1
Repeating:	No
Dynamic:	No
Active:	No
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	D_INFENR001 (0.2)

Events

SCREENING

SCREENING	
Unique Event Name:	SCR
Event Description:	
Event Type:	Static
Max Repeats Allowed:	1
Day Schedule:	0
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.14)
	DM001 (0.24)
	✓ DS001 (0.5)
	DS001_10 (0.5)
	R_TRIG001 (0.2)
	IE002 (0.5)
	DS001_4 (0.8)
	MH001_3 (0.6)
	MH001_4 (0.5)
	MH001 (0.11)
	VS001 (0.15)

		MBMIB002 (0.10)
		LB001_8_1 (0.9)
		SC009 (0.19)
Expressions		
Active Rules:		
	Rule 1:	MH_G008_001 (0.1)
	Rule 2:	MH_G007_001_3 (0.1)
	Rule 3:	DS_G001_001 (0.1)
	Rule 4:	DS_G019_001 (0.1)
	Rule 5:	LB_G025_001_8_1 (0.1)
	Rule 6:	SV_G001_001 (0.1)
	Rule 7:	SV_G002_001 (0.1)
	Rule 8:	VS_G025_001 (0.1)
	Rule 9:	SC_G002_009 (0.1)
	Rule 10:	DS_G031_001_4 (0.1)
	Rule 11:	R_TRIG_G001_001 (0.1)
	Rule 12:	DM_G053_001 (0.6)
	Rule 13:	MH_G069_001 (0.1)
	Rule 14:	IE_G003_002 (0.1)
	Rule 15:	VS_G002_001 (0.1)
	Rule 16:	VS_G046_001 (0.1)
	Rule 17:	MH_G085_001_3 (0.1)
	Rule 18:	SC_G001_009 (0.1)
	Rule 19:	LB_G030_001_8_1 (0.1)
	Rule 20:	DS_G028_001_4 (0.1)
	Rule 21:	VS_G026_001 (0.1)

Rule 22:	IE_G010_002 (0.1)
Rule 23:	MH_G007_001 (0.1)
Rule 24:	IE_G006_002 (0.1)
Rule 25:	VS_S002_001 (0.1)
Rule 26:	LB_G021_001_8_1 (0.3)
Rule 27:	LB_G022_001_8_1 (0.3)
Rule 28:	MH_G087_001_3 (0.1)
Rule 29:	DS_G029_001_4 (0.1)
Rule 30:	SC_G003_009 (0.1)
Rule 31:	MH_G070_001 (0.1)
Rule 32:	MH_G108_001_4 (0.1)
Rule 33:	VS_G048_001 (0.1)
Rule 34:	MH_G090_001_3 (0.1)
Rule 35:	MH_G093_001_4 (0.1)
Rule 36:	VS_G016_001 (0.1)
Rule 37:	MH_G089_001_4 (0.1)
Rule 38:	DS_G020_001_4 (0.1)
Rule 39:	VS_G006_001 (0.1)
Rule 40:	DS_G001_001_10 (0.1)
Rule 41:	VS_G012_001 (0.1)
Rule 42:	IE_G008_002 (0.1)
Rule 43:	DS_G022_001 (0.1)
Rule 44:	LB_G019_001_8_1 (0.1)
Rule 45:	VS_G017_001 (0.1)
Rule 46:	VS_G034_001 (0.1)
Rule 47:	DS_G022_001_10 (0.1)

Rule 48:	VS_G032_001 (0.1)
Rule 49:	DM_G001_001 (0.5)
Rule 50:	MBMIB_G012_002 (0.3)
Rule 51:	DS_G023_001_10 (0.1)
Rule 52:	IE_G009_002 (0.1)
Rule 53:	VS_G010_001 (0.1)
Rule 54:	DS_G001_001_4 (0.1)
Rule 55:	MH_G107_001_4 (0.1)
Rule 56:	DS_G035_001_4 (0.1)
Rule 57:	MH_G072_001_3 (0.2)
Rule 58:	MH_G091_001_3 (0.1)
Rule 59:	MH_G085_001 (0.1)
Rule 60:	DS_G008_001_4 (0.1)
Rule 61:	SV_G007_SCR_001 (0.1)
Rule 62:	MH_G083_001 (0.1)
Rule 63:	R_TRIG_G002_001 (0.1)
Rule 64:	MBMIB_G018_002 (0.1)
Rule 65:	MH_G072_001 (0.1)
Rule 66:	DS_G021_001_4 (0.1)
Rule 67:	VS_G013_001 (0.1)
Rule 68:	DS_G019_001_10 (0.1)
Rule 69:	LB_G008_001_8_1 (0.1)
Rule 70:	SV_G003_001 (0.1)
Rule 71:	VS_G015_001 (0.1)
Rule 72:	MH_G007_001_4 (0.1)
Rule 73:	IE_G002_002 (0.1)

Rule 74:	DS_G023_001 (0.1)
Rule 75:	VS_G004_001 (0.1)
Rule 76:	MH_G087_001 (0.1)
Rule 77:	DM_G014_001 (0.1)
Rule 78:	VS_G061_001 (0.1)
Rule 79:	MH_G001_001_3 (0.1)
Rule 80:	DS_G030_001_4 (0.1)
Rule 81:	VS_G009_001 (0.1)
Rule 82:	LB_G031_001_8_1 (0.1)
Rule 83:	SV_G005_001 (0.69)
Rule 84:	R_TRIG_G003_001 (0.3)
Rule 85:	MBMIB_G011_002 (0.3)
Rule 86:	MH_G086_001 (0.1)
Rule 87:	LB_G005_001_8_1 (0.1)
Rule 88:	LB_G011_001_8_1 (0.1)
Rule 89:	MBMIB_G010_002 (0.1)
Rule 90:	LB_G020_001_8_1 (0.1)
Rule 91:	VS_S001_001 (0.1)
Rule 92:	MH_G002_001 (0.1)
Rule 93:	DS_G027_001_4 (0.1)
Rule 94:	GC18_SCREENING_FORMS (0.1)
Rule 95:	GC18_SCREENING_FORMS (0.1)
Rule 96:	GC18_SCREENING_FORMS (0.1)
Rule 97:	GC18_SCREENING_FORMS (0.1)
Rule 98:	GC18_SCREENING_FORMS (0.1)
Rule 99:	GC18_SCREENING_FORMS (0.1)

Rule 100:	GC4_ET (0.1)
Rule 101:	GC1_SCREENING_RETRESCONS (0.1)
Rule 102:	GC19_SCREENING_LOCALFSH (0.1)
Rule 103:	GC17_SCREENING_INEX (0.1)
Rule 104:	FM_>_END_OF_STUDY (0.5)
Rule 105:	FM_>_END_OF_TREATMENT_1 (0.2)
Rule 106:	DM_G015_001 (0.2)
Rule 107:	DM_G016_001 (0.4)
Rule 108:	X_DS_SLOPD_S100_001 (0.3)

Events

Day1

Day1	
Unique Event Name:	DAY1
Event Description:	
Event Type:	Static
Max Repeats Allowed:	1
Day Schedule:	1
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	SV001 (0.14)
	✓ DS001_3 (0.8)
	VS001_1 (0.10)
	BEETRK005 (0.11)
	BEETRK005_1 (0.10)
	R_OMIC003 (0.8)
	PC003 (0.7)
	R_OMIC003_1 (0.9)
Expressions	
Active Rules:	
Rule 1:	DS_G001_001_3 (0.1)

Rule 2:	SV_G001_001 (0.1)
Rule 3:	SV_G002_001 (0.1)
Rule 4:	R_OMIC_G012_003_1 (0.1)
Rule 5:	R_OMIC_G005_003 (0.1)
Rule 6:	PC_G011_003 (0.1)
Rule 7:	R_OMIC_G013_003_1 (0.1)
Rule 8:	PC_G003_003 (0.1)
Rule 9:	VS_G025_001_1 (0.1)
Rule 10:	R_OMIC_G011_003 (0.1)
Rule 11:	VS_G010_001_1 (0.1)
Rule 12:	R_OMIC_G004_003 (0.1)
Rule 13:	PC_G001_003 (0.1)
Rule 14:	DS_G022_001_3 (0.1)
Rule 15:	DS_G021_001_3 (0.1)
Rule 16:	BEETRK_G006_005 (0.1)
Rule 17:	VS_G058_001_1 (0.1)
Rule 18:	VS_G026_001_1 (0.1)
Rule 19:	R_OMIC_G005_003_1 (0.1)
Rule 20:	BEETRK_G009_005 (0.1)
Rule 21:	DS_G023_001_3 (0.1)
Rule 22:	VS_G002_001_1 (0.1)
Rule 23:	BEETRK_G008_005 (0.3)
Rule 24:	BEETRK_G002_005_1 (0.1)
Rule 25:	R_OMIC_G011_003_1 (0.2)
Rule 26:	VS_G006_001_1 (0.1)
Rule 27:	R_OMIC_G003_003_1 (0.1)

Rule 28:	BEETRK_G012_005 (0.1)
Rule 29:	VS_G016_001_1 (0.1)
Rule 30:	R_OMIC_G003_003 (0.1)
Rule 31:	VS_G013_001_1 (0.1)
Rule 32:	DS_G020_001_3 (0.1)
Rule 33:	R_OMIC_G010_003_1 (0.1)
Rule 34:	VS_G015_001_1 (0.1)
Rule 35:	BEETRK_G007_005 (0.3)
Rule 36:	PC_G010_003 (0.1)
Rule 37:	VS_G009_001_1 (0.1)
Rule 38:	BEETRK_G001_005_1 (0.1)
Rule 39:	VS_G017_001_1 (0.1)
Rule 40:	R_OMIC_G004_003_1 (0.1)
Rule 41:	SV_G003_001 (0.1)
Rule 42:	PC_G007_003 (0.1)
Rule 43:	BEETRK_G003_005_1 (0.1)
Rule 44:	R_OMIC_G010_003 (0.1)
Rule 45:	SV_G007_DAY1_001 (0.1)
Rule 46:	BEETRK_G007_005_1 (0.1)
Rule 47:	R_OMIC_G012_003 (0.1)
Rule 48:	R_OMIC_G013_003 (0.1)
Rule 49:	WF1_DAY1_FORMS (0.2)
Rule 50:	WF1_DAY1_FORMS (0.2)
Rule 51:	WF1_DAY1_FORMS (0.2)
Rule 52:	WF1_DAY1_FORMS (0.2)
Rule 53:	WF1_DAY1_FORMS (0.2)

Rule 54:	WF1_DAY1_FORMS (0.2)
Rule 55:	WF1_DAY1_FORMS (0.2)
Rule 56:	GC4_ET (0.1)
Rule 57:	GC21_DAYS_BANKBIOS1_Day1_R_OMIC003_1 (0.1)
Rule 58:	GC22_DAYS_ET_BANKBIOS_Day1_R_OMIC003 (0.1)
Rule 59:	X_DS_SLOPD_S101_001 (0.1)

Events

Day5

Day5		
Unique Event Name:		DAY5
Event Description:		
Event Type:		Static
Max Repeats Allowed:		1
Day Schedule:		5
Repeating:		No
Dynamic:		No
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		SV001 (0.14)
		VS001_1 (0.10)
		BEETRK005 (0.11)
		BEETRK005_1 (0.10)
		R_OMIC003 (0.8)
		PC003_1 (0.7)
		R_OMIC003_1 (0.9)
Expressions		
Active Rules:		
Rule 1:		SV_G001_001 (0.1)
Rule 2:		SV_G002_001 (0.1)

Rule 3:	R_OMIC_G012_003_1 (0.1)
Rule 4:	R_OMIC_G005_003 (0.1)
Rule 5:	PC_G001_003_1 (0.1)
Rule 6:	PC_G003_003_1 (0.1)
Rule 7:	R_OMIC_G013_003_1 (0.1)
Rule 8:	VS_G025_001_1 (0.1)
Rule 9:	R_OMIC_G011_003 (0.1)
Rule 10:	VS_G010_001_1 (0.1)
Rule 11:	R_OMIC_G004_003 (0.1)
Rule 12:	BEETRK_G006_005 (0.1)
Rule 13:	VS_G058_001_1 (0.1)
Rule 14:	VS_G026_001_1 (0.1)
Rule 15:	R_OMIC_G005_003_1 (0.1)
Rule 16:	BEETRK_G009_005 (0.1)
Rule 17:	PC_G007_003_1 (0.1)
Rule 18:	VS_G002_001_1 (0.1)
Rule 19:	BEETRK_G008_005 (0.3)
Rule 20:	BEETRK_G002_005_1 (0.1)
Rule 21:	R_OMIC_G011_003_1 (0.2)
Rule 22:	VS_G006_001_1 (0.1)
Rule 23:	R_OMIC_G003_003_1 (0.1)
Rule 24:	BEETRK_G012_005 (0.1)
Rule 25:	VS_G016_001_1 (0.1)
Rule 26:	R_OMIC_G003_003 (0.1)
Rule 27:	VS_G013_001_1 (0.1)
Rule 28:	PC_G010_003_1 (0.1)

Rule 29:	R_OMIC_G010_003_1 (0.1)
Rule 30:	VS_G015_001_1 (0.1)
Rule 31:	BEETRK_G007_005 (0.3)
Rule 32:	PC_G011_003_1 (0.1)
Rule 33:	VS_G009_001_1 (0.1)
Rule 34:	BEETRK_G001_005_1 (0.1)
Rule 35:	SV_G007_DAY5_001 (0.1)
Rule 36:	VS_G017_001_1 (0.1)
Rule 37:	R_OMIC_G004_003_1 (0.1)
Rule 38:	SV_G003_001 (0.1)
Rule 39:	BEETRK_G003_005_1 (0.1)
Rule 40:	R_OMIC_G010_003 (0.1)
Rule 41:	BEETRK_G007_005_1 (0.1)
Rule 42:	R_OMIC_G012_003 (0.1)
Rule 43:	R_OMIC_G013_003 (0.1)
Rule 44:	WF2_DAY5_FORMS (0.2)
Rule 45:	WF2_DAY5_FORMS (0.2)
Rule 46:	WF2_DAY5_FORMS (0.2)
Rule 47:	WF2_DAY5_FORMS (0.2)
Rule 48:	WF2_DAY5_FORMS (0.2)
Rule 49:	WF2_DAY5_FORMS (0.2)
Rule 50:	GC4_ET (0.1)
Rule 51:	GC21_DAYS_BANKBIOS1_Day5_R_OMIC003_1 (0.3)
Rule 52:	GC22_DAYS_ET_BANKBIOS_Day5_R_OMIC003 (0.1)

Events

Day10

Day10		
Unique Event Name:		DAY10
Event Description:		
Event Type:		Static
Max Repeats Allowed:		1
Day Schedule:		10
Repeating:		No
Dynamic:		No
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		SV001 (0.14)
		VS001_1 (0.10)
		BEETRK005 (0.11)
Expressions		
Active Rules:		
Rule 1:		SV_G001_001 (0.1)
Rule 2:		SV_G002_001 (0.1)
Rule 3:		VS_G025_001_1 (0.1)
Rule 4:		VS_G010_001_1 (0.1)
Rule 5:		BEETRK_G006_005 (0.1)
Rule 6:		VS_G058_001_1 (0.1)

Rule 7:	VS_G026_001_1 (0.1)
Rule 8:	BEETRK_G009_005 (0.1)
Rule 9:	VS_G002_001_1 (0.1)
Rule 10:	BEETRK_G008_005 (0.3)
Rule 11:	VS_G006_001_1 (0.1)
Rule 12:	BEETRK_G012_005 (0.1)
Rule 13:	VS_G016_001_1 (0.1)
Rule 14:	VS_G013_001_1 (0.1)
Rule 15:	VS_G015_001_1 (0.1)
Rule 16:	BEETRK_G007_005 (0.3)
Rule 17:	VS_G009_001_1 (0.1)
Rule 18:	VS_G017_001_1 (0.1)
Rule 19:	SV_G003_001 (0.1)
Rule 20:	SV_G007_DAY10_001 (0.1)
Rule 21:	WF3_DAY10_FORMS (0.1)
Rule 22:	WF3_DAY10_FORMS (0.1)
Rule 23:	GC4_ET (0.1)

Events

Day14

Day14		
Unique Event Name:		DAY14
Event Description:		
Event Type:		Static
Max Repeats Allowed:		1
Day Schedule:		14
Repeating:		No
Dynamic:		No
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		SV001 (0.14)
		BEETRK005 (0.11)
		BEETRK005_1 (0.10)
		R_OMIC003 (0.8)
		R_OMIC003_1 (0.9)
Expressions		
Active Rules:		
Rule 1:		SV_G001_001 (0.1)
Rule 2:		SV_G002_001 (0.1)
Rule 3:		R_OMIC_G012_003_1 (0.1)
Rule 4:		R_OMIC_G005_003 (0.1)

Rule 5:	R_OMIC_G013_003_1 (0.1)
Rule 6:	R_OMIC_G011_003 (0.1)
Rule 7:	R_OMIC_G004_003 (0.1)
Rule 8:	BEETRK_G006_005 (0.1)
Rule 9:	R_OMIC_G005_003_1 (0.1)
Rule 10:	BEETRK_G009_005 (0.1)
Rule 11:	BEETRK_G008_005 (0.3)
Rule 12:	BEETRK_G002_005_1 (0.1)
Rule 13:	R_OMIC_G011_003_1 (0.2)
Rule 14:	R_OMIC_G003_003_1 (0.1)
Rule 15:	BEETRK_G012_005 (0.1)
Rule 16:	R_OMIC_G003_003 (0.1)
Rule 17:	R_OMIC_G010_003_1 (0.1)
Rule 18:	BEETRK_G007_005 (0.3)
Rule 19:	BEETRK_G001_005_1 (0.1)
Rule 20:	R_OMIC_G004_003_1 (0.1)
Rule 21:	SV_G003_001 (0.1)
Rule 22:	BEETRK_G003_005_1 (0.1)
Rule 23:	R_OMIC_G010_003 (0.1)
Rule 24:	SV_G007_DAY14_001 (0.1)
Rule 25:	BEETRK_G007_005_1 (0.1)
Rule 26:	R_OMIC_G012_003 (0.1)
Rule 27:	R_OMIC_G013_003 (0.1)
Rule 28:	WF4_DAY14_FORMS (0.2)
Rule 29:	WF4_DAY14_FORMS (0.2)
Rule 30:	WF4_DAY14_FORMS (0.2)

Rule 31:	WF4_DAY14_FORMS (0.2)
Rule 32:	GC4_ET (0.1)
Rule 33:	GC21_DAYS_BANKBIOS1_Day14_R_OMIC003_1 (0.2)
Rule 34:	GC22_DAYS_ET_BANKBIOS_Day14_R_OMIC003 (0.1)

Events

Day21

Day21		
Unique Event Name:		DAY21
Event Description:		
Event Type:		Static
Max Repeats Allowed:		1
Day Schedule:		21
Repeating:		No
Dynamic:		No
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		SV001 (0.14)
		BEETRK005 (0.11)
		BEETRK005_1 (0.10)
Expressions		
Active Rules:		
Rule 1:		SV_G001_001 (0.1)
Rule 2:		SV_G002_001 (0.1)
Rule 3:		BEETRK_G006_005 (0.1)
Rule 4:		BEETRK_G009_005 (0.1)
Rule 5:		BEETRK_G008_005 (0.3)
Rule 6:		BEETRK_G002_005_1 (0.1)

Rule 7:	BEETRK_G012_005 (0.1)
Rule 8:	BEETRK_G007_005 (0.3)
Rule 9:	BEETRK_G001_005_1 (0.1)
Rule 10:	SV_G003_001 (0.1)
Rule 11:	BEETRK_G003_005_1 (0.1)
Rule 12:	BEETRK_G007_005_1 (0.1)
Rule 13:	GC4_ET (0.1)
Rule 14:	GC3_DAY21_SAMPTRKNAS (0.1)
Rule 15:	GC3_DAY21_SAMPTRKNAS (0.1)

Events

Day34

Day34		
Unique Event Name:	DAY34	
Event Description:		
Event Type:	Static	
Max Repeats Allowed:	1	
Day Schedule:	34	
Repeating:	No	
Dynamic:	No	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.14)	
	✓ SSSRV001 (0.7)	
	BEETRK005 (0.11)	
	BEETRK005_1 (0.10)	
Expressions		
Active Rules:		
Rule 1:	SV_G001_001 (0.1)	
Rule 2:	SV_G002_001 (0.1)	
Rule 3:	SSSRV_G005_001 (0.1)	
Rule 4:	BEETRK_G006_005 (0.1)	
Rule 5:	SSSRV_G003_001 (0.1)	

Rule 6:	BEETRK_G009_005 (0.1)
Rule 7:	BEETRK_G008_005 (0.3)
Rule 8:	BEETRK_G002_005_1 (0.1)
Rule 9:	BEETRK_G012_005 (0.1)
Rule 10:	BEETRK_G007_005 (0.3)
Rule 11:	SSSRV_G004_001 (0.1)
Rule 12:	BEETRK_G001_005_1 (0.1)
Rule 13:	SV_G003_001 (0.1)
Rule 14:	BEETRK_G003_005_1 (0.1)
Rule 15:	BEETRK_G007_005_1 (0.1)
Rule 16:	SSSRV_G001_001 (0.1)
Rule 17:	WF11_DAY34_FORMS (0.1)
Rule 18:	GC4_ET (0.1)
Rule 19:	GC2_DAY34_SAMPTRKNAS_Day34_BEETRK005 (0.1)
Rule 20:	GC2_DAY34_SAMPTRKNAS_Day34_BEETRK005_1 (0.1)

Events

Week8

Week8		
Unique Event Name:	DAY56	
Event Description:		
Event Type:	Static	
Max Repeats Allowed:	1	
Day Schedule:	56	
Repeating:	No	
Dynamic:	No	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.14)	
	✓ SSSRV001 (0.7)	
Expressions		
Active Rules:		
Rule 1:	SV_G001_001 (0.1)	
Rule 2:	SV_G002_001 (0.1)	
Rule 3:	SSSRV_G005_001 (0.1)	
Rule 4:	SSSRV_G003_001 (0.1)	
Rule 5:	SSSRV_G004_001 (0.1)	
Rule 6:	SV_G003_001 (0.1)	
Rule 7:	SSSRV_G001_001 (0.1)	

Rule 8:	WF5_DAY56_FORMS (0.1)
Rule 9:	GC4_ET (0.1)

Events

Week12

Week12		
Unique Event Name:	DAY84	
Event Description:		
Event Type:	Static	
Max Repeats Allowed:	1	
Day Schedule:	84	
Repeating:	No	
Dynamic:	No	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.14)	
	✓ SSSRV001 (0.7)	
	BEETRK005 (0.11)	
	BEETRK005_1 (0.10)	
	R_OMIC003 (0.8)	
Expressions		
Active Rules:		
Rule 1:	R_OMIC_S001_003 (0.9)	
Rule 2:	SV_G001_001 (0.1)	
Rule 3:	SV_G002_001 (0.1)	
Rule 4:	R_OMIC_G005_003 (0.1)	

Rule 5:	SV_G007_DAY84_001 (0.1)
Rule 6:	R_OMIC_G011_003 (0.1)
Rule 7:	SSSRV_G005_001 (0.1)
Rule 8:	R_OMIC_G004_003 (0.1)
Rule 9:	BEETRK_G006_005 (0.1)
Rule 10:	SSSRV_G003_001 (0.1)
Rule 11:	BEETRK_G009_005 (0.1)
Rule 12:	BEETRK_G008_005 (0.3)
Rule 13:	BEETRK_G002_005_1 (0.1)
Rule 14:	BEETRK_G012_005 (0.1)
Rule 15:	R_OMIC_G003_003 (0.1)
Rule 16:	BEETRK_G007_005 (0.3)
Rule 17:	SSSRV_G004_001 (0.1)
Rule 18:	BEETRK_G001_005_1 (0.1)
Rule 19:	SV_G003_001 (0.1)
Rule 20:	BEETRK_G003_005_1 (0.1)
Rule 21:	R_OMIC_G010_003 (0.1)
Rule 22:	BEETRK_G007_005_1 (0.1)
Rule 23:	R_OMIC_G012_003 (0.1)
Rule 24:	SSSRV_G001_001 (0.1)
Rule 25:	R_OMIC_G013_003 (0.1)
Rule 26:	WF6_DAY84_FORMS (0.2)
Rule 27:	WF6_DAY84_FORMS (0.2)
Rule 28:	WF6_DAY84_FORMS (0.2)
Rule 29:	WF6_DAY84_FORMS (0.2)
Rule 30:	GC4_ET (0.1)

Events

Week16

Week16		
Unique Event Name:	DAY112	
Event Description:		
Event Type:	Static	
Max Repeats Allowed:	1	
Day Schedule:	112	
Repeating:	No	
Dynamic:	No	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.14)	
	✓ SSSRV001 (0.7)	
Expressions		
Active Rules:		
Rule 1:	SV_G001_001 (0.1)	
Rule 2:	SV_G002_001 (0.1)	
Rule 3:	SSSRV_G005_001 (0.1)	
Rule 4:	SSSRV_G003_001 (0.1)	
Rule 5:	SSSRV_G004_001 (0.1)	
Rule 6:	SV_G003_001 (0.1)	
Rule 7:	SSSRV_G001_001 (0.1)	

Rule 8:	WF7_DAY112_FORMS (0.1)
Rule 9:	GC4_ET (0.1)

Events

Week20

Week20		
Unique Event Name:	DAY140	
Event Description:		
Event Type:	Static	
Max Repeats Allowed:	1	
Day Schedule:	140	
Repeating:	No	
Dynamic:	No	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.14)	
	✓ SSSRV001 (0.7)	
Expressions		
Active Rules:		
Rule 1:	SV_G001_001 (0.1)	
Rule 2:	SV_G002_001 (0.1)	
Rule 3:	SSSRV_G005_001 (0.1)	
Rule 4:	SSSRV_G003_001 (0.1)	
Rule 5:	SSSRV_G004_001 (0.1)	
Rule 6:	SV_G003_001 (0.1)	
Rule 7:	SSSRV_G001_001 (0.1)	

Rule 8:	WF8_DAY140_FORMS (0.1)
Rule 9:	GC4_ET (0.1)

Events

Week24

Week24		
Unique Event Name:	DAY168	
Event Description:		
Event Type:	Static	
Max Repeats Allowed:	1	
Day Schedule:	168	
Repeating:	No	
Dynamic:	No	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.14)	
	✓ SSSRV001 (0.7)	
	BEETRK005 (0.11)	
	BEETRK005_1 (0.10)	
	R_OMIC003 (0.8)	
Expressions		
Active Rules:		
Rule 1:	R_OMIC_S001_003 (0.9)	
Rule 2:	SV_G001_001 (0.1)	
Rule 3:	SV_G002_001 (0.1)	
Rule 4:	R_OMIC_G005_003 (0.1)	

Rule 5:	R_OMIC_G011_003 (0.1)
Rule 6:	SSSRV_G005_001 (0.1)
Rule 7:	R_OMIC_G004_003 (0.1)
Rule 8:	BEETRK_G006_005 (0.1)
Rule 9:	SSSRV_G003_001 (0.1)
Rule 10:	BEETRK_G009_005 (0.1)
Rule 11:	BEETRK_G008_005 (0.3)
Rule 12:	BEETRK_G002_005_1 (0.1)
Rule 13:	BEETRK_G012_005 (0.1)
Rule 14:	R_OMIC_G003_003 (0.1)
Rule 15:	BEETRK_G007_005 (0.3)
Rule 16:	SSSRV_G004_001 (0.1)
Rule 17:	BEETRK_G001_005_1 (0.1)
Rule 18:	SV_G003_001 (0.1)
Rule 19:	BEETRK_G003_005_1 (0.1)
Rule 20:	R_OMIC_G010_003 (0.1)
Rule 21:	BEETRK_G007_005_1 (0.1)
Rule 22:	R_OMIC_G012_003 (0.1)
Rule 23:	SSSRV_G001_001 (0.1)
Rule 24:	R_OMIC_G013_003 (0.1)
Rule 25:	SV_G007_DAY168_001 (0.1)
Rule 26:	WF9_DAY168_FORMS (0.2)
Rule 27:	WF9_DAY168_FORMS (0.2)
Rule 28:	WF9_DAY168_FORMS (0.2)
Rule 29:	WF9_DAY168_FORMS (0.2)
Rule 30:	GC4_ET (0.1)

Events

Early Termination

Early Termination		
Unique Event Name:	EARLY_TERM	
Event Description:		
Event Type:	Scheduled	
Max Repeats Allowed:	1	
Day Schedule:	168	
Repeating:	No	
Dynamic:	Yes	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.14)	
	✓ SSSRV001 (0.7)	
	BEETRK005 (0.11)	
	BEETRK005_1 (0.10)	
	R_OMIC003 (0.8)	
Expressions		
Active Rules:		
Rule 1:	SV_G001_001 (0.1)	
Rule 2:	SV_G002_001 (0.1)	
Rule 3:	R_OMIC_G005_003 (0.1)	
Rule 4:	R_OMIC_G011_003 (0.1)	

Rule 5:	SSSRV_G005_001 (0.1)
Rule 6:	R_OMIC_G004_003 (0.1)
Rule 7:	BEETRK_G006_005 (0.1)
Rule 8:	SSSRV_G003_001 (0.1)
Rule 9:	BEETRK_G009_005 (0.1)
Rule 10:	BEETRK_G008_005 (0.3)
Rule 11:	SV_G007_ET_001 (0.1)
Rule 12:	BEETRK_G002_005_1 (0.1)
Rule 13:	BEETRK_G012_005 (0.1)
Rule 14:	R_OMIC_G003_003 (0.1)
Rule 15:	BEETRK_G007_005 (0.3)
Rule 16:	SSSRV_G004_001 (0.1)
Rule 17:	BEETRK_G001_005_1 (0.1)
Rule 18:	SV_G003_001 (0.1)
Rule 19:	BEETRK_G003_005_1 (0.1)
Rule 20:	R_OMIC_G010_003 (0.1)
Rule 21:	BEETRK_G007_005_1 (0.1)
Rule 22:	R_OMIC_G012_003 (0.1)
Rule 23:	SSSRV_G001_001 (0.1)
Rule 24:	R_OMIC_G013_003 (0.1)
Rule 25:	WF10_ET_FORMS (0.2)
Rule 26:	WF10_ET_FORMS (0.2)
Rule 27:	WF10_ET_FORMS (0.2)
Rule 28:	WF10_ET_FORMS (0.2)
Rule 29:	GC4_ET (0.1)
Rule 30:	GC4_ET (0.1)

Rule 31:	GC22_DAYS_ET_BANKBIOS_Early Termination_R_OMIC003 (0.1)
-----------------	--

Events

Logs

Logs	
Unique Event Name:	LOGS
Event Description:	
Event Type:	Static
Max Repeats Allowed:	1
Day Schedule:	168
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	✓ AE001 (0.14)
	AE001_1 (0.18)
	PR001 (0.17)
	PR001_2 (0.14)
	✓ HOHCU010 (0.10)
	✓ HOHOS007 (0.15)
	✓ CM001 (0.18)
	CM001_2 (0.9)
	CM001_3 (0.18)
	✓ CM001_4 (0.18)

		✓ CEIDT008_1 (0.8)
Expressions		
Active Rules:		
Rule 1:	CM_G008_001_2 (0.1)	
Rule 2:	PR_G026_001 (0.1)	
Rule 3:	HOHOS_G014_007 (0.3)	
Rule 4:	CM_G029_001_3 (0.3)	
Rule 5:	HOHCU_G009_010 (0.1)	
Rule 6:	AE_G137_001 (0.1)	
Rule 7:	CM_G055_001 (0.1)	
Rule 8:	CM_G026_001 (0.1)	
Rule 9:	CEIDT_G019_008_1 (0.2)	
Rule 10:	CM_G045_001_4 (0.1)	
Rule 11:	CM_G029_001 (0.3)	
Rule 12:	AE_G159_001_1 (0.1)	
Rule 13:	CM_G010_001_4 (0.1)	
Rule 14:	PR_G065_001_2 (0.1)	
Rule 15:	CM_G008_001_3 (0.1)	
Rule 16:	AE_G014_001 (0.1)	
Rule 17:	AE_G013_001 (0.1)	
Rule 18:	HOHOS_G015_007 (0.1)	
Rule 19:	CM_G055_001_4 (0.1)	
Rule 20:	AE_G159_001 (0.1)	
Rule 21:	HOHCU_G002_010 (0.3)	
Rule 22:	HOHCU_G011_010 (0.1)	
Rule 23:	AE_G156_001_1 (0.4)	

Rule 24:	PR_G026_001_2 (0.1)
Rule 25:	AE_G135_001 (0.1)
Rule 26:	CM_S001_001_2 (0.1)
Rule 27:	CM_G045_001 (0.1)
Rule 28:	HOHOS_G013_007 (0.1)
Rule 29:	HOHCU_G001_010 (0.1)
Rule 30:	CM_G029_001_2 (0.3)
Rule 31:	PR_G064_001_2 (0.1)
Rule 32:	AE_G181_001 (0.1)
Rule 33:	AE_G109_001_1 (0.1)
Rule 34:	CM_G045_001_3 (0.1)
Rule 35:	AE_G011_001 (0.1)
Rule 36:	CM_G004_001_3 (0.1)
Rule 37:	AE_G001_001_1 (0.3)
Rule 38:	CM_G055_001_3 (0.1)
Rule 39:	CM_G045_001_2 (0.1)
Rule 40:	AE_G152_001_1 (0.4)
Rule 41:	AE_G007_001 (0.1)
Rule 42:	PR_G025_001_2 (0.1)
Rule 43:	PR_G064_001 (0.1)
Rule 44:	HOHCU_G003_010 (0.3)
Rule 45:	PR_G066_001 (0.1)
Rule 46:	AE_G173_001 (0.5)
Rule 47:	CM_G026_001_3 (0.1)
Rule 48:	AE_G018_001_1 (0.1)
Rule 49:	CM_G028_001_4 (0.3)

Rule 50:	AE_G138_001 (0.1)
Rule 51:	CEIDT_G015_008_1 (0.3)
Rule 52:	CM_G029_001_4 (0.3)
Rule 53:	CM_G004_001_4 (0.3)
Rule 54:	CM_G004_001 (0.1)
Rule 55:	HOHOS_G038_007 (0.3)
Rule 56:	HOHCU_G010_010 (0.1)
Rule 57:	AE_G170_001 (0.1)
Rule 58:	CM_G010_001_3 (0.1)
Rule 59:	AE_G136_001 (0.1)
Rule 60:	HOHOS_G036_007 (0.1)
Rule 61:	AE_G014_001_1 (0.1)
Rule 62:	CM_G008_001_4 (0.1)
Rule 63:	AE_G151_001_1 (0.4)
Rule 64:	AE_G005_001 (0.1)
Rule 65:	AE_G139_001 (0.1)
Rule 66:	AE_G018_001 (0.1)
Rule 67:	AE_G001_001 (0.3)
Rule 68:	HOHOS_G035_007 (0.1)
Rule 69:	AE_G151_001 (0.4)
Rule 70:	CEIDT_G014_008_1 (0.3)
Rule 71:	CM_G028_001 (0.4)
Rule 72:	CM_G010_001 (0.1)
Rule 73:	PR_G024_001 (0.1)
Rule 74:	CM_G028_001_3 (0.3)
Rule 75:	HOHOS_G012_007 (0.3)

Rule 76:	AE_G152_001 (0.3)
Rule 77:	CM_G026_001_4 (0.1)
Rule 78:	HOHCU_G008_010 (0.1)
Rule 79:	AE_G175_001_1 (0.6)
Rule 80:	CEIDT_G010_008_1 (0.1)
Rule 81:	HOHOS_G010_007 (0.1)
Rule 82:	PR_G065_001 (0.1)
Rule 83:	PR_G068_001 (0.1)
Rule 84:	AE_G109_001 (0.1)
Rule 85:	PR_G025_001 (0.1)
Rule 86:	AE_G178_001_1 (0.2)
Rule 87:	AE_G169_001 (0.1)
Rule 88:	AE_G003_001 (0.1)
Rule 89:	PR_G024_001_2 (0.1)
Rule 90:	PR_G066_001_2 (0.1)
Rule 91:	CM_G008_001 (0.1)
Rule 92:	AE_G140_001 (0.1)
Rule 93:	GC5_LOGS (0.1)
Rule 94:	GC5_LOGS (0.1)
Rule 95:	GC5_LOGS (0.1)
Rule 96:	GC5_LOGS (0.1)
Rule 97:	GC5_LOGS (0.1)
Rule 98:	GC5_LOGS (0.1)
Rule 99:	GC6_SCREENING_PRIORCCV (0.1)
Rule 100:	AE_G245_001 (0.2)
Rule 101:	AE_G201_001 (0.2)

Rule 102:	AE_G207_001 (0.5)
Rule 103:	AE_G247_001 (0.4)
Rule 104:	HOHOS_G047_007 (0.11)
Rule 105:	HOHOS_G048_007 (0.3)

Events

Unplanned

Unplanned		
Unique Event Name:	UNPL	
Event Description:		
Event Type:	Unscheduled	
Max Repeats Allowed:	999	
Repeating:	Yes	
Dynamic:	No	
Active:	Yes	
eNotes Enabled:	No	
Event Help Text Enabled	No	
Associated Instruments:	SV001 (0.14)	
	D_UPA001 (0.1)	
	VS001_2 (0.18)	
	BEETRK005 (0.11)	
	BEETRK005_1 (0.10)	
	PC003_2 (0.7)	
	LB001_9 (0.10)	
	LB001_8 (0.10)	
Expressions		
Active Rules:		
Rule 1:	LB_G030_001_9 (0.1)	
Rule 2:	SV_G001_001 (0.1)	

Rule 3:	SV_G002_001 (0.1)
Rule 4:	LB_G025_001_8 (0.1)
Rule 5:	VS_G017_001_2 (0.1)
Rule 6:	VS_G002_001_2 (0.1)
Rule 7:	LB_G019_001_8 (0.1)
Rule 8:	LB_G021_001_9 (0.3)
Rule 9:	BEETRK_G006_005 (0.1)
Rule 10:	VS_G016_001_2 (0.1)
Rule 11:	VS_G025_001_2 (0.1)
Rule 12:	PC_G007_003_2 (0.1)
Rule 13:	BEETRK_G009_005 (0.1)
Rule 14:	PC_G010_003_2 (0.1)
Rule 15:	VS_G015_001_2 (0.1)
Rule 16:	BEETRK_G008_005 (0.3)
Rule 17:	BEETRK_G002_005_1 (0.1)
Rule 18:	PC_G003_003_2 (0.1)
Rule 19:	BEETRK_G012_005 (0.1)
Rule 20:	LB_G008_001_8 (0.1)
Rule 21:	PC_G001_003_2 (0.1)
Rule 22:	LB_G030_001_8 (0.1)
Rule 23:	LB_G031_001_8 (0.1)
Rule 24:	BEETRK_G007_005 (0.3)
Rule 25:	VS_G010_001_2 (0.1)
Rule 26:	LB_G031_001_9 (0.1)
Rule 27:	LB_G021_001_8 (0.3)
Rule 28:	VS_G026_001_2 (0.1)

Rule 29:	BEETRK_G001_005_1 (0.1)
Rule 30:	VS_G006_001_2 (0.1)
Rule 31:	LB_G011_001_8 (0.1)
Rule 32:	LB_G022_001_8 (0.3)
Rule 33:	LB_G025_001_9 (0.1)
Rule 34:	PC_G011_003_2 (0.1)
Rule 35:	VS_G013_001_2 (0.1)
Rule 36:	SV_G003_001 (0.1)
Rule 37:	BEETRK_G003_005_1 (0.1)
Rule 38:	LB_G008_001_9 (0.1)
Rule 39:	LB_G020_001_8 (0.1)
Rule 40:	LB_G019_001_9 (0.1)
Rule 41:	LB_G022_001_9 (0.3)
Rule 42:	LB_G011_001_9 (0.1)
Rule 43:	VS_G009_001_2 (0.1)
Rule 44:	BEETRK_G007_005_1 (0.1)
Rule 45:	LB_G005_001_8 (0.1)
Rule 46:	LB_G020_001_9 (0.1)
Rule 47:	LB_G005_001_9 (0.1)
Rule 48:	GC9_UNPL_PKUNP (0.1)
Rule 49:	GC12_UNPL_LOCALHEM (0.1)
Rule 50:	GC4_ET (0.1)
Rule 51:	GC10_UNPL_VITREP (0.1)
Rule 52:	GC8_UNPL_SAMPTRKPRO (0.1)
Rule 53:	GC13_UNPL_LOCALCHEM (0.1)
Rule 54:	GC7_UNPL_SAMPTRKNAS (0.1)

Rule 55:	LB_G041_001_9 (0.2)
-----------------	---------------------

Events

Disposition

Disposition		
Unique Event Name:		DISP
Event Description:		
Event Type:		Static
Max Repeats Allowed:		1
Day Schedule:		168
Repeating:		No
Dynamic:		No
Active:		Yes
eNotes Enabled:		No
Event Help Text Enabled		No
Associated Instruments:		DS001_5 (0.8)
		DS001_6 (0.6)
		☒ DD002 (0.3)
		DS001_8 (0.9)
		DS001_7 (0.5)
		DS001_7_1 (0.1)
Expressions		
Active Rules:		
Rule 1:		DD_G007_002 (0.1)
Rule 2:		DS_G001_001_5 (0.1)
Rule 3:		DS_G001_001_7_1 (0.1)

Rule 4:	DS_G035_001_5 (0.1)
Rule 5:	DS_G021_001_5 (0.1)
Rule 6:	DS_G008_001_6 (0.1)
Rule 7:	DS_G001_001_7 (0.1)
Rule 8:	DS_G021_001_6 (0.1)
Rule 9:	DS_G028_001_5 (0.1)
Rule 10:	DS_G020_001_5 (0.1)
Rule 11:	DD_G001_002 (0.1)
Rule 12:	DD_G003_002 (0.1)
Rule 13:	DD_G004_002 (0.1)
Rule 14:	DD_G010_002 (0.1)
Rule 15:	DD_G014_002 (0.1)
Rule 16:	DS_G021_001_8 (0.1)
Rule 17:	DS_G021_001_7 (0.1)
Rule 18:	DS_G008_001_5 (0.1)
Rule 19:	DS_G031_001_5 (0.1)
Rule 20:	DS_G020_001_6 (0.1)
Rule 21:	DS_G021_001_7_1 (0.1)
Rule 22:	DD_G006_002 (0.1)
Rule 23:	DS_G029_001_5 (0.1)
Rule 24:	DS_G001_001_6 (0.1)
Rule 25:	DD_G002_002 (0.1)
Rule 26:	DS_G001_001_8 (0.1)
Rule 27:	DS_G028_001_8 (0.1)
Rule 28:	DD_G005_002 (0.1)
Rule 29:	GC16_DISP_TRNUNBLN (0.1)

Rule 30:	GC20_DISP_FUP (0.1)
Rule 31:	GC14_DISP_TRT_FUP (0.3)
Rule 32:	GC15_DISP_WOC (0.1)
Rule 33:	GC11_DISP_WOCRRS (0.1)
Rule 34:	FM_>_DEATH_DATE (0.3)
Rule 35:	DS_G040_001_5 (0.3)
Rule 36:	DD_G017_002 (0.6)
Rule 37:	DS_G034_001_6 (0.2)
Rule 38:	DD_G015_002 (0.8)

Events

Subject Status

Subject Status	
Unique Event Name:	SUBJSTAT
Event Description:	
Event Type:	Static
Max Repeats Allowed:	1
Day Schedule:	168
Repeating:	No
Dynamic:	No
Active:	Yes
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	X_DS_SLOPD001 (0.15)

Events

Investigator Signature

Investigator Signature	
Unique Event Name:	INVSIG
Event Description:	
Event Type:	Static
Max Repeats Allowed:	1
Day Schedule:	168
Repeating:	No
Dynamic:	No
Active:	No
eNotes Enabled:	No
Event Help Text Enabled	No
Associated Instruments:	D_IS001 (0.1)

Instruments

Instrument Parameters

Date Format:	
Year Min:	—
Year Max:	—
Date Format:	dd-MMM-yyyy
Radio Button Display:	Vertical
Drop-Down Display:	
Textbox:	
Min Length:	—
Max Length:	—
Integer:	
Min Value:	—
Max Value:	—
Decimal:	
Min Value:	—
Max Value:	—
Min Size:	—
Max Size:	—
Baseline Character Set:	
Escaped Character Set:	

Instruments

Permission Groups

	GPDIP_Impala_Integration	TMS_integration	UDMS Admin	GPDIP_CTMS_Integration	migration_user	TMF_Integration	Read Only - Site	Investigator w/ Data Entry
Coders Read Only Fields	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Coding	N/A	R,U	N/A	N/A	N/A	N/A	N/A	N/A
Coding Repeating Sections	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
LNMT Items Group	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SITEHIDDEN	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Instruments

AE001 / ADVERSE EVENT REPORT

Instrument Definition

Instrument Name:	AE001
Instrument Title:	ADVERSE EVENT REPORT
SAS Instrument Name:	AE001
Description:	AE
Version:	0.14
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: AE001 ADVERSE EVENT REPORT (AE) [Version: 0.14]			
Section AE AE			Permission Groups
	Group of Fields AE01001 / Adverse Event Report Group Type: Non-Repeating	Number of variables: 34	
1.	Category: [AECAT_001]	[AECAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

2.	AE ID: [AESPID_001]	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([AETERM_001]<>NULL and [AETERM_001]<>"", [\$form_occurrence],NULL)	
3.* ✓	Adverse Event: (If possible specify diagnosis, not individual symptoms) [AETERM_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.* 	Start Date: [AESTDTC_001]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.* 	Is the adverse event still ongoing? [X_AEONGO_001]	[X_AEONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.* 	End Date: [AEENDTC_001] <i>(Nested Field)</i>	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.* 	Toxicity Grade: [AETOXGR_001]	[AETOXGR_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.* ✓✓	Is the adverse event serious? If Yes, NOTIFY PFIZER IMMEDIATELY. Fatal; Life-threatening; Inpatient hospitalization or prolongation of existing hospitalization; Persistent or significant disability/incapacity; Congenital anomaly/birth defect; Important medical event (i.e. may jeopardize subject and may require medical/surgical intervention to prevent above outcomes). [AESER_001]	[AESER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
9.* ✓✓	Is this serious event associated with congenital anomaly or birth defect? [AESCONG_001] (Nested Field)	[AESCONG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
10.* ✓✓	Did this serious event result in death? [AESDTH_001] (Nested Field)	[AESDTH_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.* ✓✓	Did this serious event require or prolong hospitalization? [AESHOSP_001] (Nested Field)	[AESHOSP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

12.* ✓✓	Did this serious event result in persistent or significant disability/incapacity? [AESDISAB_001] (Nested Field)	[AESDISAB_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
13.* ✓✓	Is this serious event life threatening? [AESLIFE_001] (Nested Field)	[AESLIFE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
14.* ✓✓	Other medically important serious event [AESMIE_001] (Nested Field)	[AESMIE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
15.* ✓✓	Is this adverse event the result of a study Medication Error? If Yes, record the type of medication error on the Medication Error Log. [SUPPAE_AEMERES_001]	[SUPPAE_AEMERES_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

16.* ✓	Is this event related to study treatment: [AEREL_001]	[AEREL_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
17.* ✓	If Not Related to study treatment(s), this event is due to: [AERELNST_001] (Nested Field)	[AERELNST_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
18.* ✓	If Other, specify: [SUPPAE_AERELTXT_001] (Nested Field)	Text Box Min Length: 0, Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

19.* ✓✓	Latest Action Taken with Study Treatment: [AEACN_001]	[AEACN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
20.* ✓✓	Was a Concomitant Medication given? If yes, record on the Concomitant Medications page [SUPPAE_AECMGIV_001]	[SUPPAE_AECMGIV_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
21.* ✓✓	Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page [SUPPAE_AENDGIV_001]	[SUPPAE_AENDGIV_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
22.* ✓✓	What was the outcome of this adverse event?: [AEOUT_001]	[AEOUT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

23.* ✓	Did the adverse event cause the subject to be discontinued from the study? [SUPPAE_AESUBJDC_001]	[SUPPAE_AESUBJDC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
24.	Comparison Term [D_COMPTerm2_001]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
25.	Lowest Level Term [AELLT_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

26.	Lowest Level Term Code [AELLTCD_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
27.	Dictionary-Derived Term [AEDECOD_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
28.	Preferred Term Code [AEPTCD_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

29.	High Level Term [AEHLT_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
30.	High Level Term Code [AEHLTCD_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
31.	High Level Group Term [AEHLGT_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

32.	High Level Group Term Code [AEHLGTCD_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
33.	Primary System Organ Class [AESOC_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
34.	Primary System Organ Class Code [AESOCCD_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: AE001 ADVERSE EVENT REPORT

Type	RefName	Description
------	---------	-------------

Form	CRF_5057913250984599_AE001	AE001
Item	I_5057926459062554_AECAT_001	
Item	I_5057926479209763_AESPID_001	
Item	I_5057926500057132_AETERM_001	
Item	I_5057926511828567_AESTDTC_001	
Item	I_5057926523735229_X_AEONGO_001	
Item	I_5057926535825086_AEENDTC_001	
Item	I_5057926547308631_AETOXGR_001	
Item	I_5057926558882661_AESER_001	
Item	I_5057926570591697_AESCONG_001	
Item	I_5057926582443616_AESDTH_001	
Item	I_5057926594564782_AESHOSP_001	
Item	I_5057926606298031_AESDISAB_001	
Item	I_5057926617957493_AESLIFE_001	
Item	I_5057926629703870_AESMIE_001	
Item	I_5057926641992665_SUPPAE_AEMERES_001	
Item	I_5057926653891147_AEREL_001	
Item	I_5057926665970911_AERELNST_001	
Item	I_5057926677860401_SUPPAE_AERELTXT_001	
Item	I_5057926690522402_AEACN_001	
Item	I_5057926702612390_SUPPAE_AECMGIV_001	
Item	I_5057926714733204_SUPPAE_AENDGIV_001	
Item	I_5057926726936257_AEOUT_001	
Item	I_5057926739091753_SUPPAE_AESUBJDC_001	
Item	I_5057926752825907_D_COMPTerm2_001	
Item	I_5057926766503330_AELLT_001	
Item	I_5057926778903993_AELLTCD_001	

Item	I_5057926791440778_AEDECOD_001	
Item	I_5057926803862733_AEPTCD_001	
Item	I_5057926816189641_AEHLT_001	
Item	I_5057926828845521_AEHLTCD_001	
Item	I_5057926841779832_AEHLGT_001	
Item	I_5057926854199136_AEHLGTCD_001	
Item	I_5057926866858365_AESOC_001	
Item	I_5057926879410558_AESOCCD_001	

Codelist Values Tables: AE001 ADVERSE EVENT REPORT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
AECAT_CL_001	0.1			ADVERSE EVENT	1	1	0.1	i_5057926459062554_aecat_001
X_AEONGO_CL_001	0.1			YES	1	Y	0.1	i_5057926523735229_x_aeongo_001
				NO	2	N	0.1	
AETOXGR_CL_001	0.1			1	1	2	0.1	i_5057926547308631_aetoxgr_001
				2	2	3	0.1	
				3	3	4	0.1	
				4	4	5	0.1	
				5	5	6	0.1	
AESER_CL_001	0.1			YES	1	Y	0.1	i_5057926558882661_aeser_001
				NO	2	N	0.1	
AESCONG_CL_001	0.1			YES	1	Y	0.1	i_5057926570591697_aescong_001
				NO	2	N	0.1	
AESDTH_CL_001	0.1			YES	1	Y	0.1	i_5057926582443616_aesdth_001
				NO	2	N	0.1	

AESHOSP_CL_001	0.1			YES	1	Y	0.1	i_5057926594564782_aeshosp_001
				NO	2	N	0.1	
AESDISAB_CL_001	0.1			YES	1	Y	0.1	i_5057926606298031_aesdisab_001
				NO	2	N	0.1	
AESLIFE_CL_001	0.1			YES	1	Y	0.1	i_5057926617957493_aeslife_001
				NO	2	N	0.1	
AESMIE_CL_001	0.1			YES	1	Y	0.1	i_5057926629703870_aesmie_001
				NO	2	N	0.1	
SUPPAE_AEMERES_CL_001	0.1			YES	1	Y	0.1	i_5057926641992665_suppaе_aemeres_001
				NO	2	N	0.1	
AEREL_CL_001	0.1			NOT RELATED	1	1	0.1	i_5057926653891147_aerel_001
				RELATED	2	2	0.1	
AERELNST_CL_001	0.1			CONCOMITANT DRUG TREATMENT	1	1	0.1	i_5057926665970911_aerelnst_001
				CONCOMITANT NON-DRUG TREATMENT	2	2	0.1	
				OTHER	3	3	0.1	
AEACN_CL_001	0.1			DOSE NOT CHANGED	1	2	0.1	i_5057926690522402_aeacn_001
				DRUG INTERRUPTED	2	4	0.1	
				DRUG WITHDRAWN	3	5	0.1	
				UNKNOWN	4	7	0.1	
				NOT APPLICABLE	5	6	0.1	
SUPPAE_AECMGIV_CL_001	0.1			YES	1	Y	0.1	i_5057926702612390_suppaе_aecmgiv_001
				NO	2	N	0.1	
SUPPAE_AENDGIV_CL_001	0.1			YES	1	Y	0.1	i_5057926714733204_suppaе_aendgiv_001
				NO	2	N	0.1	
AEOUT_CL_001	0.1			FATAL	1	1	0.1	i_5057926726936257_aeout_001

				NOT RECOVERED/NOT RESOLVED	2	2	0.1	
				RECOVERED/RESOLVED	3	3	0.1	
				RECOVERED/RESOLVED WITH SEQUELAE	4	4	0.1	
				RECOVERING /RESOLVING	5	5	0.1	
				UNKNOWN	6	6	0.1	
SUPPAE_AESUBJDC_CL_001	0.1			YES	1	Y	0.1	i_5057926739091753_suppaes_aesubjdc_001
				NO	2	N	0.1	

Variable Validations AE001 ADVERSE EVENT REPORT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AESTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AESTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AEENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AEENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

Groups of Fields AE001 ADVERSE EVENT REPORT

Group RefName	Group Type	Associated Variables
IG_5057921818794818_AE01001	Non-Repeating	AECAT_001, AESPID_001, AETERM_001, AESTDTC_001, X_AEONGO_001, AEENDTC_001, AETOXGR_001, AESER_001, AESCONG_001, AESDTH_001, AESHOSP_001, AESDISAB_001, AESLIFE_001, AESMIE_001, SUPPAE_AEMERES_001, AEREL_001, AERELNST_001, SUPPAE_AERELTXT_001, AEACN_001, SUPPAE_AECMGIV_001, SUPPAE_AENDGIV_001, AEOUT_001, SUPPAE_AESUBJDC_001, D_COMPTerm2_001, AELLT_001, AELLTCD_001, AEDECOD_001, AEPTCD_001, AEHLT_001, AEHLTCD_001, AEHLGT_001, AEHLGTCD_001, AESOC_001, AESOCCD_001

Instruments

AE001_1 / MEDICATION ERROR

Instrument Definition

Instrument Name:	AE001_1
Instrument Title:	MEDICATION ERROR
SAS Instrument Name:	AE001_1
Description:	MED ERROR
Version:	0.18
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: AE001_1 MEDICATION ERROR (MED ERROR) [Version: 0.18]			
Section MED ERROR MED ERROR			Permission Groups
	Group of Fields AE01001_1 / Medication Error Report Group Type: Non-Repeating	Number of variables: 25	
1.	Category: [AECAT_001_1]	[AECAT_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

2.*	Medication Error: (If possible specify diagnosis, not individual symptoms) (Type of medication error) [AETERM_001_1]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.	If this is a dispensing error, record the incorrect package ID that was dispensed /administered to the subject: [SUPPAE_AEIPKGID_001_1]	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.*	Start Date: [AESTDTC_001_1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
-----	---	--	--

5.*	End Date: [AEENDTC_001_1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.*	Latest Action Taken with Study Treatment: [SUPPAE_AEMEACN_001_1]	[SUPPAE_AEMEACN_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7.*	Was a Concomitant Medication given? If yes, record on the Concomitant Medications page. [SUPPAE_AECMGIV_001_1]	[SUPPAE_AECMGIV_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.*	Was a Non-Drug Treatment given? If yes, record on the Non-Drug Treatment page. [SUPPAE_AENDGIV_001_1]	[SUPPAE_AENDGIV_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
9.*	Was this medication error associated with any adverse events? [SUPPAE_AEMEFL_001_1]	[SUPPAE_AEMEFL_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

10.*	AE ID: [R_SUPPAE_AEAENO1_001_1] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.	AE ID: [R_SUPPAE_AEAENO2_001_1] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
12.	AE ID: [R_SUPPAE_AEAENO3_001_1] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

13.	AE ID: [R_SUPPAE_AEAENO4_001_1] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
14.	AE ID: [R_SUPPAE_AEAENO5_001_1] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
15.	Comparison Term [D_COMPTERM2_001_1]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

16.	Lowest Level Term [AELLT_001_1]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
17.	Lowest Level Term Code [AELLTCD_001_1]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
18.	Dictionary-Derived Term [AEDECOD_001_1]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

19.	Preferred Term Code [AEPTCD_001_1]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
20.	High Level Term [AEHLT_001_1]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
21.	High Level Term Code [AEHLTCD_001_1]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

22.	High Level Group Term [AEHLGT_001_1]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
23.	High Level Group Term Code [AEHLGTCD_001_1]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
24.	Primary System Organ Class [AESOC_001_1]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

25.	Primary System Organ Class Code [AESOCCD_001_1]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
-----	--	--	---

Key: [*] = Item is required

Study Object Descriptions: AE001_1 MEDICATION ERROR		
Type	RefName	Description
Form	CRF_5057913465583889_AE001_1	AE001_1
Item	I_5057922435089466_AECAT_001_1	
Item	I_5057922460552102_AETERM_001_1	
Item	I_5057922475086426_SUPPAE_AEIPKGID_001_1	
Item	I_5057922490173721_AESTDTC_001_1	
Item	I_5057922505533982_AEENDTC_001_1	
Item	I_5057922520761739_SUPPAE_AEMEACN_001_1	
Item	I_5057922535623690_SUPPAE_AECMGIV_001_1	
Item	I_5057922550487078_SUPPAE_AENDGIV_001_1	
Item	I_5057922565043852_SUPPAE_AEMEFL_001_1	
Item	I_5057922579414404_R_SUPPAE_AEAENO1_001_	
Item	I_5057922594694674_R_SUPPAE_AEAENO2_001_	
Item	I_5057922610889681_R_SUPPAE_AEAENO3_001_	
Item	I_5057922626829315_R_SUPPAE_AEAENO4_001_	
Item	I_5057922642027312_R_SUPPAE_AEAENO5_001_	

Item	I_5057922658958090_D_COMPTerm2_001_1	
Item	I_5057922676380300_AELLT_001_1	
Item	I_5057922691512074_AELLTCD_001_1	
Item	I_5057922706323426_AEDECOD_001_1	
Item	I_5057922720198854_AEPTCD_001_1	
Item	I_5057922731577407_AEHLT_001_1	
Item	I_5057922742887120_AEHLTCD_001_1	
Item	I_5057922754276209_AEHLGT_001_1	
Item	I_5057922765755472_AEHLGTCD_001_1	
Item	I_5057922777456483_AESOC_001_1	
Item	I_5057922789557662_AESOCCD_001_1	

Codelist Values Tables: AE001_1 MEDICATION ERROR

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
AECAT_CL_001_1	0.1			MEDICATION ERROR	1	21	0.1	i_5057922435089466_aecat_001_1
SUPPAE_AEMEACN_CL_001_1	0.1			NO ACTION TAKEN	1	1	0.1	i_5057922520761739_suppaе_aemeacn_001_1
				PERMANENTLY DISCONTINUED	2	4	0.1	
SUPPAE_AECMGIV_CL_001_1	0.1			YES	1	Y	0.1	i_5057922535623690_suppaе_aecmgiv_001_1
				NO	2	N	0.1	
SUPPAE_AENDGIV_CL_001_1	0.1			YES	1	Y	0.1	i_5057922550487078_suppaе_aendgiv_001_1
				NO	2	N	0.1	
SUPPAE_AEMEFL_CL_001_1	0.1			YES	1	Y	0.1	i_5057922565043852_suppaе_aemeфl_001_1
				NO	2	N	0.1	

Variable Validations AE001_1 MEDICATION ERROR				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
AESTDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AESTDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
AEENDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
AEENDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields AE001_1 MEDICATION ERROR		
Group RefName	Group Type	Associated Variables
IG_5057921880042211_AE01001_1	Non-Repeating	AECAT_001_1, AETERM_001_1, SUPPAE_AEIPKGID_001_1, AESTDTC_001_1, AEENDTC_001_1, SUPPAE_AEMEACN_001_1, SUPPAE_AECMGIV_001_1, SUPPAE_AENDGIV_001_1, SUPPAE_AEMEFL_001_1, R_SUPPAE_AEAENO1_001_1, R_SUPPAE_AEAENO2_001_1, R_SUPPAE_AEAENO3_001_1, R_SUPPAE_AEAENO4_001_1, R_SUPPAE_AEAENO5_001_1, D_COMPTERM2_001_1, AELLT_001_1, AELLTCD_001_1, AEDECOD_001_1, AEPTCD_001_1, AEHLT_001_1, AEHLTCD_001_1, AEHLGT_001_1, AEHLGTCD_001_1, AESOC_001_1, AESOCCD_001_1

Instruments

BEETRK005 / ELECTRONIC SAMPLE TRACKING - NP SWAB

Instrument Definition

Instrument Name:	BEETRK005
Instrument Title:	ELECTRONIC SAMPLE TRACKING - NP SWAB
SAS Instrument Name:	BEETRK005
Description:	SAMPTRKNAS
Version:	0.11
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: BEETRK005 <i>ELECTRONIC SAMPLE TRACKING - NP SWAB</i> (SAMPTRKNAS) [Version: 0.11]			
Section SAMPTRKNAS SAMPTRKNAS			Permission Groups
	Group of Fields BEETRK01005 / Electronic Sample Tracking Group Type: Non-Repeating	Number of variables: 8	
1.	Data Origin: [BEPARTY_005]	[BEPARTY_CL_005] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

2.	Sample Collection Name: [BESCAT_005]	[BESCAT_CL_005] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.	Sponsor-Defined Identifier: [BESPID_005]	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([BEDTC_005]<>" or [BEDTC_005]<>NULL,if ([{\$unique_event_name}='DAY1',[\$form_occurrence],if([{\$unique_event_name} ='DAY5',[\$form_occurrence],if([{\$unique_event_name}='DAY10', [\$form_occurrence],if([{\$unique_event_name}='DAY14',[\$form_occurrence],if ([{\$unique_event_name}='DAY21',[\$form_occurrence],if([{\$unique_event_name} ='DAY34',[\$form_occurrence],if([{\$unique_event_name}='DAY84', [\$form_occurrence],if([{\$unique_event_name}='DAY168',[\$form_occurrence],if ([{\$unique_event_name}='EARLY_TERM',[\$form_occurrence],if ([{\$unique_event_name}='UNPL',[\$form_occurrence],NULL))))))))) ,NULL)	

4.	Specimen Type: [SUPPBE_BESPEC_005]	[SUPPBE_BESPEC_CL_005] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
5.*	Sample Collected? [BEOCCUR_005]	[BEOCCUR_CL_005] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.*	Date/Time of Specimen Collection: [BEDTC_005] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.*	Sample Collection Site: [BELOC_005] (Nested Field)	[BELOC_CL_005] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.	If no sample was collected or sample was not collected according to protocol, please provide reason: [CO_BECOM_005]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
----	---	---	--

Key: [*] = Item is required

Study Object Descriptions: BEETRK005 ELECTRONIC SAMPLE TRACKING - NP SWAB		
Type	RefName	Description
Form	CRF_5057907922763261_BEETRK005	BEETRK005
Item	I_5057923705072520_BEPARTY_005	
Item	I_5057923726143886_BESCAT_005	
Item	I_5057923747180077_BESPID_005	
Item	I_5057923771885191_SUPPBE_BESPEC_005	
Item	I_5057923795804312_BEOCCUR_005	
Item	I_5057923809254571_BEDTC_005	
Item	I_5057923822056895_BELOC_005	
Item	I_5057923836115213_CO_BECOM_005	

Codelist Values Tables: BEETRK005 ELECTRONIC SAMPLE TRACKING - NP SWAB								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
BEPARTY_CL_005	0.1			SITE	1	1	0.1	i_5057923705072520_beparty_005
BESCAT_CL_005	0.1			BIOMARKER	1	2	0.1	i_5057923726143886_bescat_005

SUPPBE_BESPEC_CL_005	0.1			SWABBED MATERIAL	1	84	0.1	i_5057923771885191_suppbe_bespec_005
BEOCCUR_CL_005	0.1			YES	1	Y	0.1	i_5057923795804312_beoccur_005
				NO	2	N	0.1	
BELOC_CL_005	0.1			NASOPHARYNX	1	62	0.1	i_5057923822056895_beloc_005

Variable Validations BEETRK005 ELECTRONIC SAMPLE TRACKING - NP SWAB

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
BEDTC_005	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
BEDTC_005	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields BEETRK005 ELECTRONIC SAMPLE TRACKING - NP SWAB

Group RefName	Group Type	Associated Variables
IG_5057921711053316_BEETRK01005	Non-Repeating	BEPARTY_005, BESCAT_005, BESPID_005, SUPPBE_BESPEC_005, BEOCCUR_005, BEDTC_005, BELOC_005, CO_BECOM_005

Instruments

BEETRK005_1 / ELECTRONIC SAMPLE TRACKING - SPECIFIED PROTEIN

Instrument Definition

Instrument Name:	BEETRK005_1
Instrument Title:	ELECTRONIC SAMPLE TRACKING - SPECIFIED PROTEIN
SAS Instrument Name:	BEETRK005_1
Description:	SAMPTRKPRO
Version:	0.10
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: BEETRK005_1 <i>ELECTRONIC SAMPLE TRACKING - SPECIFIED PROTEIN (SAMPTRKPRO)</i> [Version: 0.10]			
Section SAMPTRKPRO SAMPTRKPRO			Permission Groups
	Group of Fields BEETRK01005_1 / Electronic Sample Tracking Group Type: Fixed Repeating	Number of rows: 1	
1.	Subcategory for Biospecimen Event [BESCAT_005_1]	[BESCAT_CL_005_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

2.	Sponsor-Defined Identifier [BESPID_005_1]	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([BEDTC_005_1]<>NULL and [BEDTC_005_1]<>"", [\$form_occurrence],NULL)	
3.	Specimen Type [SUPPBE_BESPEC_005_1]	[SUPPBE_BESPEC_CL_005_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
4.*	Sample Collected [BEOCCUR_005_1]	[BEOCCUR_CL_005_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

5.*	Date/Time of Specimen Collection: [BEDTC_005_1] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.	Reason sample not collected [CO_BECOM_005_1]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: BEETRK005_1 ELECTRONIC SAMPLE TRACKING - SPECIFIED PROTEIN

Type	RefName	Description
Form	CRF_5057907687779881_BEETRK005_1	BEETRK005_1
Item	I_5057924808082294_BESCAT_005_1	
Item	I_5057924829807741_BESPID_005_1	
Item	I_5057924850937412_SUPPBE_BESPEC_005_1	
Item	I_5057924874050347_BEOCCUR_005_1	
Item	I_5057924886268350_BEDTC_005_1	
Item	I_5057924898786673_CO_BECOM_005_1	

Codelist Values Tables: BEETRK005_1 ELECTRONIC SAMPLE TRACKING - SPECIFIED PROTEIN

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
BESCAT_CL_005_1	0.1			BIOMARKER	1	2	0.1	i_5057924808082294_bescat_005_1
SUPPBE_BESPEC_CL_005_1	0.1			BLOOD	1	7	0.1	i_5057924850937412_suppbe_bespec_005_1
BEOCCUR_CL_005_1	0.1			YES	1	Y	0.1	i_5057924874050347_beoccur_005_1
				NO	2	N	0.1	

Variable Validations BEETRK005_1 ELECTRONIC SAMPLE TRACKING - SPECIFIED PROTEIN

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
BEDTC_005_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
BEDTC_005_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields BEETRK005_1 ELECTRONIC SAMPLE TRACKING - SPECIFIED PROTEIN

Group RefName	Group Type	Associated Variables
IG_5057921764602147_BEETRK01005_1	Fixed Repeating	BESCAT_005_1, BESPID_005_1, SUPPBE_BESPEC_005_1, BEOCCUR_005_1, BEDTC_005_1, CO_BECOM_005_1

Instruments

CEIDT008_1 / ILLNESS DETAILS - PACE/CRPE

Instrument Definition

Instrument Name:	CEIDT008_1
Instrument Title:	ILLNESS DETAILS - PACE/CRPE
SAS Instrument Name:	CEIDT008_1
Description:	ILLDETAIL
Version:	0.8
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: CEIDT008_1 ILLNESS DETAILS - PACE/CRPE (ILLDETAIL) [Version: 0.8]		
Section ILLDETAIL ILLDETAIL		Permission Groups
Group of Fields CEIDT01008_1 / Illness Details Group Type: Non-Repeating	Number of variables: 15	

1.	Category of Clinical Event: [CECAT_008_1]	Text Box Min Length: 0, Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: decode(if(not(empty([CETERM_008_1])),if(empty([CECAT_008_1]),1,99),if(not(empty([CECAT_008_1])),2,99)), 2,"", 1,'PACE/CRPE',99,[CECAT_008_1])	
2.* ✓	Subcategory of Clinical Event: [CESCAT_008_1]	[CESCAT_CL_008_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.* ✓	PACE/CRPE Diagnosis: [CETERM_008_1]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.* 	Start Date: [CESTDTC_008_1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.	Comparison Term [D_COMPTerm_008_1]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

6.	Lowest Level Term [CELLT_008_1]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
7.	Lowest Level Term Code [CELLTCD_008_1]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
8.	Dictionary Derived Term [CEDECOD_008_1]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

9.	Preferred Term Code [CEPTCD_008_1]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
10.	High Level Term [CEHLT_008_1]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
11.	High Level Term Code [CEHLTCD_008_1]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

12.	High Level Group Term [CEHLGT_008_1]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
13.	High Level Group Term Code [CEHLGTCD_008_1]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
14.	Primary System Organ Class [CESOC_008_1]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

15.	Primary System Organ Class Code [CESOCCD_008_1]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
-----	--	--	---

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: CEIDT008_1 ILLNESS DETAILS - PACE/CRPE		
Type	RefName	Description
Form	CRF_5057915454992595_CEIDT008_1	CEIDT008_1
Item	I_5057928000079217_CECAT_008_1	
Item	I_5057928019388010_CESCAT_008_1	
Item	I_5057928031612774_CETERM_008_1	
Item	I_5057928044162711_CESTDTC_008_1	
Item	I_5057928057233914_D_COMPTERM_008_1	
Item	I_5057928070061239_CELLT_008_1	
Item	I_5057928081066849_CELLTCD_008_1	
Item	I_5057928092168778_CEDCOD_008_1	
Item	I_5057928104051884_CEPTCD_008_1	
Item	I_5057928116063497_CHEHLT_008_1	
Item	I_5057928127176314_CHELTCD_008_1	
Item	I_5057928138524812_CHELGT_008_1	
Item	I_5057928150256215_CHELTCD_008_1	
Item	I_5057928162033689_CESOC_008_1	

Item	I_5057928173419045_CESOCCD_008_1	
------	----------------------------------	--

Codelist Values Tables: CEIDT008_1 ILLNESS DETAILS - PACE/CRPE

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CESCAT_CL_008_1	0.1			CARDIOVASCULAR EVENT	1	4	0.1	i_5057928019388010_cescat_008_1
				INFLAMMATORY HEART DISEASE	2	5	0.1	
				KIDNEY DISEASE	3	6	0.1	
				THROMBOEMBOLIC EVENT	4	7	0.1	
				PULMONARY EVENT	5	8	0.1	

Variable Validations CEIDT008_1 ILLNESS DETAILS - PACE/CRPE

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CESTDTC_008_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CESTDTC_008_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CEIDT008_1 ILLNESS DETAILS - PACE/CRPE

Group RefName	Group Type	Associated Variables
IG_5057921311582867_CEIDT01008_1	Non-Repeating	CECAT_008_1, CESCAT_008_1, CETERM_008_1, CESTDTC_008_1, D_COMPTerm_008_1, CELLT_008_1, CELLTCD_008_1, CEDECOD_008_1, CEPTCD_008_1, CEHLT_008_1, CEHLTCD_008_1, CEHLGT_008_1, CEHLGTCD_008_1, CESOC_008_1, CESOCCD_008_1

Instruments

CM001 / CONCOMITANT AND PRIOR MEDICATIONS

Instrument Definition

Instrument Name:	CM001
Instrument Title:	CONCOMITANT AND PRIOR MEDICATIONS
SAS Instrument Name:	CM001
Description:	CONMED
Version:	0.18
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: CM001 CONCOMITANT AND PRIOR MEDICATIONS (CONMED) [Version: 0.18]		
Section CONMED CONMED		Permission Groups
	Group of Fields CM01001 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 17

1.	What is the medication identifier? [CMSPID_001]	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([CMTRT_001]<>NULL and [CMTRT_001]<>"", [\$form_occurrence],NULL)	
2.* ✓	Category: [CMCAT_001]	[CMCAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.* ✓	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). [CMTRT_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.* ✓✓	Was this medication given to treat an Adverse Event? [SUPPCM_CMAER_001]	[SUPPCM_CMAER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.* ✓✓	AE Identifier: [R_SUPPCM_CMAENO1_001] (Nested Field)	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6. ✓✓	AE Identifier: [R_SUPPCM_CMAENO2_001] (Nested Field)	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7. ✓	AE Identifier: [R_SUPPCM_CMAENO3_001] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8. ✓	AE Identifier: [R_SUPPCM_CMAENO4_001] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
9. ✓	AE Identifier: [R_SUPPCM_CMAENO5_001] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

10.* 	Start Date: [CMSTDTC_001]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1920; Max Year: 2030 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.* 	Ongoing? [X_CMONGO_001]	[X_CMONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Variable Validations: >_END_OF_STUDY Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

12.* ✓	End Date: [CMENDTC_001] <i>(Nested Field)</i>	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1920; Max Year: 2030 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
13.	Comparison Term [D_COMPTerm1_001]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

14.	Standardized Medication Name - Dictionary derived [CMDECOD_001]	Text Box Min Length: 0, Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
15.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001]	Text Box Min Length: 0, Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
16.* ✓	Route: [CMROUTE_001]	[CMROUTE_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

17. ✓	Reason for Administration: [CMINDC_001]	Text Box Min Length: 0, Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: CM001 CONCOMITANT AND PRIOR MEDICATIONS		
Type	RefName	Description
Form	CRF_5057914587073517_CM001	CM001
Item	I_5057924938780876_CMSPID_001	
Item	I_5057924961867292_CMCAT_001	
Item	I_5057924975047581_CMTRT_001	
Item	I_5057924987979750_SUPPCM_CMAER_001	
Item	I_5057924999316581_R_SUPPCM_CMAENO1_001	
Item	I_5057925010992255_R_SUPPCM_CMAENO2_001	
Item	I_5057925023717485_R_SUPPCM_CMAENO3_001	
Item	I_5057925035707978_R_SUPPCM_CMAENO4_001	
Item	I_5057925048027887_R_SUPPCM_CMAENO5_001	
Item	I_5057925060411385_CMSTDTC_001	
Item	I_5057925072886870_X_CMONGO_001	
Item	I_5057925084114418_CMENDTC_001	
Item	I_5057925095727898_D_COMPTerm1_001	
Item	I_5057925108094798_CMDECOD_001	

Item	I_5057925119631667_SUPPCM_CMCODE_001	
Item	I_5057925130923510_CMROUTE_001	
Item	I_5057925142247664_CMINDC_001	

Codelist Values Tables: CM001 CONCOMITANT AND PRIOR MEDICATIONS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001	0.1			GENERAL CONCOMITANT MEDICATIONS	1	1	0.1	i_5057924961867292_cmcat_001
				PRIMARY DIAGNOSIS	2	10	0.1	
SUPPCM_CMAER_CL_001	0.1			YES	1	Y	0.1	i_5057924987979750_suppcm_cmaer_001
				NO	2	N	0.1	
X_CMONGO_CL_001	0.1			YES	1	Y	0.1	i_5057925072886870_x_cmongo_001
				NO	2	N	0.1	
CMROUTE_CL_001	0.1			ORAL	1	84	0.1	i_5057925130923510_cmroute_001
				INTRAVENOUS	2	70	0.1	
				OTHER	3	130	0.1	

Variable Validations CM001 CONCOMITANT AND PRIOR MEDICATIONS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
X_CMONGO_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CMENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

CMENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
-------------	----------------	---	----------------	--

Groups of Fields CM001 CONCOMITANT AND PRIOR MEDICATIONS			
Group RefName	Group Type	Associated Variables	
IG_5057921434797998_CM01001	Non-Repeating	CMSPID_001, CMCAT_001, CMTRT_001, SUPPCM_CMAER_001, R_SUPPCM_CMAENO1_001, R_SUPPCM_CMAENO2_001, R_SUPPCM_CMAENO3_001, R_SUPPCM_CMAENO4_001, R_SUPPCM_CMAENO5_001, CMSTDTC_001, X_CMONGO_001, CMENDTC_001, D_COMPTerm1_001, CMDECOD_001, SUPPCM_CMCODE_001, CMROUTE_001, CMINDC_001	

Instruments

CM001_2 / CONCOMITANT MEDICATIONS - PREVIOUS COVID-19 VACCINATION

Instrument Definition

Instrument Name:	CM001_2
Instrument Title:	CONCOMITANT MEDICATIONS - PREVIOUS COVID-19 VACCINATION
SAS Instrument Name:	CM001_2
Description:	PRIOR CCV
Version:	0.9
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: CM001_2 CONCOMITANT MEDICATIONS - PREVIOUS COVID-19 VACCINATION (PRIOR CCV) [Version: 0.9]		
Section PRIOR CCV PRIOR CCV		Permission Groups
Group of Fields CM01001_2 / Concomitant Treatment Group Type: Non-Repeating	Number of variables: 7	

1.	What is the medication identifier? [CMSPID_001_2]	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([CMTRT_001_2]<>" and [CMTRT_001_2]<> NULL, [\$form_occurrence],NULL)	
2.	Category: [CMCAT_001_2]	[CMCAT_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. Include clarifying information in the Medication text (e.g., Ingredient(s), route, use, formulation). [CMTRT_001_2]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.*	Start Date: [CMSTDTC_001_2]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2020; Max Year: 2028 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.	Comparison Term [D_COMPTerm1_001_2]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	<i>TMS_integration</i> (R,U) <i>Read Only</i> (R) <i>Database Builder</i> (R,U) <i>Lead Data Manager</i> (R) <i>LabTech</i> (R) <i>INACTIVE</i> (R,U)

6.	Standardized Medication Name - Dictionary derived [CMDECOD_001_2]	Text Box Min Length: 0, Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
7.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001_2]	Text Box Min Length: 0, Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
Key: [*] = Item is required			

Study Object Descriptions: CM001_2 CONCOMITANT MEDICATIONS - PREVIOUS COVID-19 VACCINATION		
Type	RefName	Description
Form	CRF_5057914795414818_CM001_2	CM001_2
Item	I_5057925806242455_CMSPID_001_2	
Item	I_5057925825471438_CMCAT_001_2	
Item	I_5057925845297100_CMTRT_001_2	
Item	I_5057925856264253_CMSTDTC_001_2	
Item	I_5057925867904284_D_COMPTerm1_001_2	
Item	I_5057925880328069_CMDECOD_001_2	
Item	I_5057925891312100_SUPPCM_CMCODE_001_2	

Codelist Values Tables: CM001_2 CONCOMITANT MEDICATIONS - PREVIOUS COVID-19 VACCINATION

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_2	0.1			VACCINATIONS	1	3	0.1	i_5057925825471438_cmcat_001_2

Variable Validations CM001_2 CONCOMITANT MEDICATIONS - PREVIOUS COVID-19 VACCINATION

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_2 CONCOMITANT MEDICATIONS - PREVIOUS COVID-19 VACCINATION

Group RefName	Group Type	Associated Variables
IG_5057921460833632_CM01001_2	Non-Repeating	CMSPID_001_2, CMCAT_001_2, CMTRT_001_2, CMSTDTC_001_2, D_COMPTerm1_001_2, CMDECOD_001_2, SUPPCM_CMCODE_001_2

Instruments

CM001_3 / CONCOMITANT MEDICATIONS - CORTICOSTEROIDS

Instrument Definition

Instrument Name:	CM001_3
Instrument Title:	CONCOMITANT MEDICATIONS - CORTICOSTEROIDS
SAS Instrument Name:	CM001_3
Description:	CM-CORT
Version:	0.18
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: CM001_3 CONCOMITANT MEDICATIONS - CORTICOSTEROIDS (CM-CORT) [Version: 0.18]		
Section CM-CORT <i>CM-CORT</i>		Permission Groups
Group of Fields CM01001_3 / Concomitant Medications Group Type: Non-Repeating	Number of variables: 19	

1.	What is the medication identifier? [CMSPID_001_3]	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([CMTRT_001_3]<>" and [CMTRT_001_3]<> NULL, [\$form_occurrence],NULL)	
2.	Category: [CMCAT_001_3]	[CMCAT_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.*	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001_3]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.*	Was this medication given to treat an Adverse Event? [SUPPCM_CMAER_001_3]	[SUPPCM_CMAER_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.*	AE Identifier: [R_SUPPCM_CMAENO1_001_3] (Nested Field)	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.	AE Identifier: [R_SUPPCM_CMAENO2_001_3] (Nested Field)	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7.	AE Identifier: [R_SUPPCM_CMAENO3_001_3] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.	AE Identifier: [R_SUPPCM_CMAENO4_001_3] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
9.	AE Identifier: [R_SUPPCM_CMAENO5_001_3] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

10.*	Dose: [X_CMDSTXT_001_3]	Text Box Min Length: 0, Max Length: 25 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.*	Dose Unit: [CMDOSU_001_3]	[CMDOSU_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
12.*	Dose Frequency: [CMDOSFRQ_001_3]	[CMDOSFRQ_CL_001_3] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

13.	Reason for Administration: [CMINDC_001_3]	Text Box Min Length: 0, Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
14.*	Start Date: [CMSTDTC_001_3]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1920; Max Year: 2030 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

15.*	Ongoing? [X_CMONGO_001_3]	[X_CMONGO_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
16.*	End Date: [CMENDTC_001_3] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1920; Max Year: 2030 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

17.	Comparison Term [D_COMPTerm1_001_3]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
18.	Standardized Medication Name - Dictionary derived. [CMDECOD_001_3]	Text Box Min Length: 0, Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
19.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCode_001_3]	Text Box Min Length: 0, Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
Key: [*] = Item is required			

Study Object Descriptions: CM001_3 CONCOMITANT MEDICATIONS - CORTICOSTEROIDS

Type	RefName	Description
------	---------	-------------

Form	CRF_5057915006349961_CM001_3	CM001_3
Item	I_5057922030340850_CMSPID_001_3	
Item	I_5057922056417328_CMCAT_001_3	
Item	I_5057922081142626_CMTRT_001_3	
Item	I_5057922094306768_SUPPCM_CMAER_001_3	
Item	I_5057922108932759_R_SUPPCM_CMAENO1_001_	
Item	I_5057922123202808_R_SUPPCM_CMAENO2_001_	
Item	I_5057922137819545_R_SUPPCM_CMAENO3_001_	
Item	I_5057922151605496_R_SUPPCM_CMAENO4_001_	
Item	I_5057922166695154_R_SUPPCM_CMAENO5_001_	
Item	I_5057922180967673_X_CMDSTXT_001_3	
Item	I_5057922194192048_CMDOSU_001_3	
Item	I_5057922207361293_CMDOSFRQ_001_3	
Item	I_5057922221502719_CMINDC_001_3	
Item	I_5057922236457265_CMSTDTC_001_3	
Item	I_5057922250382883_X_CMONGO_001_3	
Item	I_5057922263670149_CMENDTC_001_3	
Item	I_5057922277510386_D_COMPTerm1_001_3	
Item	I_5057922292376719_CMDECOD_001_3	
Item	I_5057922305700178_SUPPCM_CMCODE_001_3	

Codelist Values Tables: CM001_3 CONCOMITANT MEDICATIONS - CORTICOSTEROIDS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_3	0.1			CORTICOSTEROIDS	1	16	0.1	i_5057922056417328_cmcat_001_3
SUPPCM_CMAER_CL_001_3	0.1			YES	1	Y	0.1	i_5057922094306768_suppcm_cmaer_001_3

				NO	2	N	0.1	
CMDOSU_CL_001_3	0.1			mg	1	8	0.1	i_5057922194192048_cmdosu_001_3
				g	2	45	0.1	
				g/mL	3	674	0.1	
CMDOSFRQ_CL_001_3	0.1			ONCE	1	43	0.1	i_5057922207361293_cmdosfrq_001_3
				QD	2	49	0.1	
				BID	3	3	0.1	
				TID	4	32	0.1	
				PRN	5	6	0.1	
				1 TIME PER WEEK	6	52	0.1	
				2 TIMES PER WEEK	7	4	0.1	
X_CMONGO_CL_001_3	0.1			YES	1	Y	0.1	i_5057922250382883_x_cmongo_001_3
				NO	2	N	0.1	

Variable Validations CM001_3 CONCOMITANT MEDICATIONS - CORTICOSTEROIDS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_3	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_3	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CMENDTC_001_3	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMENDTC_001_3	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_3 CONCOMITANT MEDICATIONS - CORTICOSTEROIDS

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_5057921244898465_CM01001_3	Non-Repeating	CMSPID_001_3, CMCAT_001_3, CMTRT_001_3, SUPPCM_CMAER_001_3, R_SUPPCM_CMAENO1_001_3, R_SUPPCM_CMAENO2_001_3, R_SUPPCM_CMAENO3_001_3, R_SUPPCM_CMAENO4_001_3, R_SUPPCM_CMAENO5_001_3, X_CMDSTXT_001_3, CMDOSU_001_3, CMDOSFRQ_001_3, CMINDC_001_3, CMSTDTC_001_3, X_CMONGO_001_3, CMENDTC_001_3, D_COMPTerm1_001_3, CMDECOD_001_3, SUPPCM_CMCode_001_3
-------------------------------	---------------	--

Instruments

CM001_4 / CONCOMITANT MEDICATIONS - RESCUE MEDICATIONS

Instrument Definition

Instrument Name:	CM001_4
Instrument Title:	CONCOMITANT MEDICATIONS - RESCUE MEDICATIONS
SAS Instrument Name:	CM001_4
Description:	CM-RESCUE
Version:	0.18
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: CM001_4 CONCOMITANT MEDICATIONS - RESCUE MEDICATIONS (CM-RESCUE) [Version: 0.18]		
Section CM-RESCUE CM-RESCUE		Permission Groups
Group of Fields CM01001_4 / Concomitant Medications Group Type: Non-Repeating	Number of variables: 18	

1.	What is the medication identifier? [CMSPID_001_4]	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([CMTRT_001_4]<>NULL and [CMTRT_001_4]<>"", [\$form_occurrence],NULL)	
2.	Category: [CMCAT_001_4]	[CMCAT_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.* ✓✓	Medication: Provide the complete generic drug name (including salt form, where applicable). Where generic name is unknown, enter the full trade or proprietary name. [CMTRT_001_4]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.* ✓✓	Was this medication given to treat an Adverse Event? [SUPPCM_CMAER_001_4]	[SUPPCM_CMAER_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.* ✓✓	AE Identifier: [R_SUPPCM_CMAENO1_001_4] (Nested Field)	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6. ✓✓	AE Identifier: [R_SUPPCM_CMAENO2_001_4] (Nested Field)	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7. ✓	AE Identifier: [R_SUPPCM_CMAENO3_001_4] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8. ✓	AE Identifier: [R_SUPPCM_CMAENO4_001_4] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
9. ✓	AE Identifier: [R_SUPPCM_CMAENO5_001_4] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

10.* 	Start Date: [CMSTDTC_001_4]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1920; Max Year: 2030 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.* 	Ongoing? [X_CMONGO_001_4]	[X_CMONGO_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

12.* ✓	End Date: [CMENDTC_001_4] <i>(Nested Field)</i>	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1920; Max Year: 2030 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
13.	Comparison Term [D_COMPTerm1_001_4]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

14.	Standardized Medication Name - Dictionary derived. [CMDECOD_001_4]	Text Box Min Length: 0, Max Length: 300 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
15.	Standardized Medication Code - Dictionary derived [SUPPCM_CMCODE_001_4]	Text Box Min Length: 0, Max Length: 11 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
16.* ✓	Route: [CMROUTE_001_4]	[CMROUTE_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

17.* ✓	Reason for Administration: [D_CMINDC_001_4]	[D_CMINDC_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
18.	Reason for Administration: [CMINDC_001_4]	Text Box Min Length: 0, Max Length: 128 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: decode(if(not(empty([D_CMINDC_001_4])),if((((empty([CMINDC_001_4])) or ((not(empty([CMINDC_001_4])) and [CMINDC_001_4] != {D_CMINDC_001_4}))),1,99),if(not(empty([CMINDC_001_4])),2,99)), 2," 1, {D_CMINDC_001_4},99,[CMINDC_001_4])	Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: CM001_4 CONCOMITANT MEDICATIONS - RESCUE MEDICATIONS		
Type	RefName	Description
Form	CRF_5057915226107280_CM001_4	CM001_4
Item	I_5057925367292307_CMSPID_001_4	
Item	I_5057925388462224_CMCAT_001_4	
Item	I_5057925409759090_CMTRT_001_4	
Item	I_5057925421557889_SUPPCM_CMAER_001_4	

Item	I_5057925434453586_R_SUPPCM_CMAENO1_001_	
Item	I_5057925446909092_R_SUPPCM_CMAENO2_001_	
Item	I_5057925459752728_R_SUPPCM_CMAENO3_001_	
Item	I_5057925472301992_R_SUPPCM_CMAENO4_001_	
Item	I_5057925485468259_R_SUPPCM_CMAENO5_001_	
Item	I_5057925498682714_CMSTDTC_001_4	
Item	I_5057925510975079_X_CMONGO_001_4	
Item	I_5057925523908437_CMENDTC_001_4	
Item	I_5057925536983414_D_COMPTerm1_001_4	
Item	I_5057925550263723_CMDECOD_001_4	
Item	I_5057925562696057_SUPPCM_CMCode_001_4	
Item	I_5057925574953961_CMROUTE_001_4	
Item	I_5057925588076946_D_CMINDC_001_4	
Item	I_5057925601319609_CMINDC_001_4	

Codelist Values Tables: CM001_4 CONCOMITANT MEDICATIONS - RESCUE MEDICATIONS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
CMCAT_CL_001_4	0.1			RESCUE MEDICATIONS	1	2	0.1	i_5057925388462224_cmcat_001_4
SUPPCM_CMAER_CL_001_4	0.1			YES	1	Y	0.1	i_5057925421557889_suppcm_cmaer_001_4
				NO	2	N	0.1	
X_CMONGO_CL_001_4	0.1			YES	1	Y	0.1	i_5057925510975079_x_cmongo_001_4
				NO	2	N	0.1	
CMROUTE_CL_001_4	0.1			ORAL	1	84	0.1	i_5057925574953961_cmroute_001_4
				INTRAVENOUS	2	70	0.1	
				OTHER	3	130	0.1	

D_CMINDC_CL_001_4	0.1			WORSENING OF COVID-19	1	3	0.1	i_5057925588076946_d_cmindc_001_4
				OTHER	2	999	0.1	

Variable Validations CM001_4 CONCOMITANT MEDICATIONS - RESCUE MEDICATIONS				
Variable RefName	Validation Variable	Operator	Validation Name	Query Text
CMSTDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMSTDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
CMENDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
CMENDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields CM001_4 CONCOMITANT MEDICATIONS - RESCUE MEDICATIONS		
Group RefName	Group Type	Associated Variables
IG_5057921487201004_CM01001_4	Non-Repeating	CMSPID_001_4, CMCAT_001_4, CMTRT_001_4, SUPPCM_CMAER_001_4, R_SUPPCM_CMAENO1_001_4, R_SUPPCM_CMAENO2_001_4, R_SUPPCM_CMAENO3_001_4, R_SUPPCM_CMAENO4_001_4, R_SUPPCM_CMAENO5_001_4, CMSTDTC_001_4, X_CMONGO_001_4, CMENDTC_001_4, D_COMPTerm1_001_4, CMDECOD_001_4, SUPPCM_CMCODE_001_4, CMROUTE_001_4, D_CMINDC_001_4, CMINDC_001_4

Instruments

DD002 / DEATH DETAILS

Instrument Definition

Instrument Name:	DD002
Instrument Title:	DEATH DETAILS
SAS Instrument Name:	DD002
Description:	DTH DTL
Version:	0.3
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: DD002 <i>DEATH DETAILS</i> (DTH DTL) [Version: 0.3]			
Section DTH DTL <i>DTH DTL</i>			Permission Groups
	Group of Fields DD01002 / Death Details Group Type: Non-Repeating	Number of variables: 2	

1.* ✓	Date of Collection / Notification of Death: [DDDTTC_002]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
----------	---	--	--

2.* 	Date of Death: [R_DDDTHDTC_002]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields DD02002 / Death Details Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 4	
3.	Cause of Death Status [DDTEST_002]	[DDTEST_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

4.* ✓	Cause of Death Category [D_DDORRES_PRCDTH_002]	[D_DDORRES_PRCDTH_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.* ✓	Cause of Death Category, Other Specify: [D_DDORRES_PRCDTH_OTH_002] (Nested Field)	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.	Cause of Death [DDORRES_002]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([DISP][D_DDORRES_PRCDTH_002]<> NULL and [DISP] [D_DDORRES_PRCDTH_002]<>" and [DISP] [D_DDORRES_PRCDTH_OTH_002] = NULL ,{DISP} {D_DDORRES_PRCDTH_002},{DISP}{D_DDORRES_PRCDTH_OTH_002})	Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R)
Key: [*] = Item is required ✓ = Source verification required			

Study Object Descriptions: DD002 DEATH DETAILS		
Type	RefName	Description
Form	CRF_5057917252612795_DD002	DD002
Item	I_5057922405650113_DDDTC_002	
Item	I_5057922420253828_R_DDDTHDTC_002	
Item	I_5057922319714476_DDTEST_002	
Item	I_5057922345104496_D_DDORRES_PRCDTH_002	
Item	I_5057922360922991_D_DDORRES_PRCDTH_OTH_	
Item	I_5057922376065227_DDORRES_002	

Codelist Values Tables: DD002 DEATH DETAILS								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
DDTEST_CL_002	0.1			PRIMARY CAUSE OF DEATH	1	1	0.1	i_5057922319714476_ddtest_002
D_DDORRES_PRCDTH_CL_002	0.1			DISEASE UNDER STUDY	1	1	0.1	i_5057922345104496_d_ddorres_prcdth_002
				STUDY TREATMENT TOXICITY	2	2	0.1	
				UNKNOWN	3	3	0.1	
				OTHER	4	4	0.1	

Groups of Fields DD002 DEATH DETAILS		
Group RefName	Group Type	Associated Variables
IG_5057921302810815_DD01002	Non-Repeating	DDDTTC_002, R_DDDTHDTC_002
IG_5057921293570723_DD02002	Repeating	DDTEST_002, D_DDORRES_PRCDTH_002, D_DDORRES_PRCDTH_OTH_002, DDORRES_002

Instruments

D_INFENR001 / INFORM ENROLLMENT

Instrument Definition

Instrument Name:	D_INFENR001
Instrument Title:	INFORM ENROLLMENT
SAS Instrument Name:	D_INFENR001
Description:	ENROLL
Version:	0.2
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: D_INFENR001 <i>INFORM ENROLLMENT</i> (ENROLL) [Version: 0.2]		
Section ENROLL <i>ENROLL</i>		Permission Groups
Group of Fields D_INFENR01001 / InForm Enrollment Group Type: Non-Repeating	Number of variables: 2	

1.*	Subject Identifier: [D_DSUBJID_001]	Number Box (Integer) Min Value: 1001; Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.	Subject ID: [D_SUBJID1_001]	Number Box (Integer) Min Value: 0; Max Value: 99999999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: D_INFENR001 INFORM ENROLLMENT		
Type	RefName	Description
Form	CRF_5057909217687130_D_INFENR001	D_INFENR001
Item	I_5057923538648674_D_DSUBJID_001	
Item	I_5057923554508900_D_SUBJID1_001	

Groups of Fields D_INFENR001 INFORM ENROLLMENT		
Group RefName	Group Type	Associated Variables
IG_5057921786657321_D_INFENR01001	Non-Repeating	D_DSUBJID_001, D_SUBJID1_001

Instruments

D_INFSCR001 / INFORM SCREENING

Instrument Definition

Instrument Name:	D_INFSCR001
Instrument Title:	INFORM SCREENING
SAS Instrument Name:	D_INFSCR001
Description:	SCREEN
Version:	0.2
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: D_INFSCR001 <i>INFORM SCREENING</i> (SCREEN) [Version: 0.2]			
Section SCREEN SCREEN			Permission Groups
	Group of Fields D_INFSCR01001 / InForm Screening Group Type: Non-Repeating	Number of variables: 2	

1.	InForm Initials [D_SCRINIT_001]	Text Box Min Length: 0, Max Length: 3 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: decode(if(not(empty([D_SCRDOB_001])),if(empty([D_SCRINIT_001]),1,0),if(not(empty([D_SCRINIT_001])),2,0)), 2,"", 1,'---',0,[D_SCRINIT_001])	
2.*	Birth Year: [D_SCRDOB_001]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1900; Max Year: 2013 Date Time Component Settings: Year* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: D_INFSCR001 INFORM SCREENING

Type	RefName	Description
------	---------	-------------

Form	CRF_5057912540405536_D_INFSCR001	D_INFSCR001
Item	I_5057925720040039_D_SCRINIT_001	
Item	I_5057925739814690_D_SCRDOB_001	

Groups of Fields D_INFSCR001 INFORM SCREENING		
Group RefName	Group Type	Associated Variables
IG_5057921859689073_D_INFSCR01001	Non-Repeating	D_SCRINIT_001, D_SCRDOB_001

Instruments

D_IS001 / CASEBOOK SIGNATURE FORM

Instrument Definition

Instrument Name:	D_IS001
Instrument Title:	CASEBOOK SIGNATURE FORM
SAS Instrument Name:	D_IS001
Description:	INVSIG
Version:	0.1
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: D_IS001 CASEBOOK SIGNATURE FORM (INVSIG) [Version: 0.1]			
Section INVSIG <i>INVSIG</i>			Permission Groups
	Group of Fields D_IS01001 / Casebook Signature Form Group Type: Non-Repeating	Number of variables: 1	
1.*	Casebook Signature [D_INVSIG_001]	[D_INVSIG_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: D_IS001 CASEBOOK SIGNATURE FORM		
Type	RefName	Description
Form	CRF_5057918381312024_D_IS001	D_IS001
Item	I_5057927017188289_D_INVSIG_001	

Codelist Values Tables: D_IS001 CASEBOOK SIGNATURE FORM								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_INVSIG_CL_001	0.1			Click Here to Enable	1	1	0.1	i_5057927017188289_d_invsig_001

Groups of Fields D_IS001 CASEBOOK SIGNATURE FORM		
Group RefName	Group Type	Associated Variables
IG_5057921425778269_D_IS01001	Non-Repeating	D_INVSIG_001

Instruments

DM001 / DEMOGRAPHY

Instrument Definition

Instrument Name:	DM001
Instrument Title:	DEMOGRAPHY
SAS Instrument Name:	DM001
Description:	DEMOG
Version:	0.24
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: DM001 <i>DEMOGRAPHY</i> (DEMOG) [Version: 0.24]		
Section DEMOG <i>DEMOG</i>		Permission Groups
Group of Fields DM01001 / Demography Group Type: Non-Repeating	Number of variables: 11	

1.	Subject ID: [D_SUBJID_001]	Number Box (Integer) Min Value: 0; Max Value: 99999999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([BRTHDTC_001])) or (empty([BRTHDTC_001])) or ([subject_number]<>NULL and [subject_number]<>"), [subject_number], NULL)	
2.*	Birth Year: [BRTHDTC_001]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1900; Max Year: 2013 Date Time Component Settings: Year* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.*	Sex: [SEX_001]	[SEX_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.*	Ethnicity: [ETHNIC_001]	[ETHNIC_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.*	Race: (Check X all that apply): [RACE_001]	[RACE_CL_001] Checkboxes Variable auto-naming: Disabled Align Variable below Label: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.*	Was the subject screened previously in current study? [X_DMRYN_001]	[X_DMRYN_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7.*	Initial Site Identifier: [X_DMRSITE_001] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.*	Initial Subject Identifier: [X_DMRSUBJ_001] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
9.*	COVID-19 Vaccination Status: [SUPPDM_VACSTAT_001]	[SUPPDM_VACSTAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

[illegible]

11.	Last Treatment Disposition Date (Derived) [D_LTRDSDTC_001] [LTRDSDTC]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Criticality Label: Minimal Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: max(dataseries([DISP][DSSTDTC_001_5]))	
Key: [*] = Item is required			

Study Object Descriptions: DM001 DEMOGRAPHY		
Type	RefName	Description
Form	CRF_5057913031926595_DM001	DM001
Item	I_5057927194306511_D_SUBJID_001	
Item	I_5057927215768946_BRTHDTC_001	
Item	I_5057927227607187_SEX_001	
Item	I_5057927239507646_ETHNIC_001	
Item	I_5057927251274290_RACE_001	
Item	I_5057927263385553_X_DMRYN_001	
Item	I_5057927275504882_X_DMRSITE_001	

Item	I_5057927289507734_X_DMRSUBJ_001	
Item	I_5057927301472258_SUPPDM_VACSTAT_001	
Item	I_5057927314753132_D_LASTSTDTC_001	
Item	I_5057927344310474_D_LTRDSDTC_001	

Codelist Values Tables: DM001 DEMOGRAPHY								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SEX_CL_001	0.1			FEMALE	1	F	0.1	i_5057927227607187_sex_001
				MALE	2	M	0.1	
ETHNIC_CL_001	0.1			HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN	1	HISPANIC OR LATINO	0.1	i_5057927239507646_ethnic_001
				NOT HISPANIC OR LATINO(A) OR OF SPANISH ORIGIN	2	NOT HISPANIC OR LATINO	0.1	
				NOT REPORTED	3	NOT REPORTED	0.1	
RACE_CL_001	0.1			BLACK OR AFRICAN AMERICAN	1	1	0.1	i_5057927251274290_race_001
				AMERICAN INDIAN OR ALASKA NATIVE	2	2	0.1	
				ASIAN	3	3	0.1	
				NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	4	4	0.1	
				WHITE	5	5	0.1	
				NOT REPORTED	6	6	0.1	
				UNKNOWN	7	7	0.1	

X_DMRYN_CL_001	0.1			YES	1	Y	0.1	i_5057927263385553_x_dmryn_001
				NO	2	N	0.1	
SUPPDM_VACSTAT_CL_001	0.1			VACCINATED	1	4	0.1	i_5057927301472258_suppdm_vacstat_001
				NOT VACCINATED	2	3	0.1	

Groups of Fields DM001 DEMOGRAPHY		
Group RefName	Group Type	Associated Variables
IG_5057921869572308_DM01001	Non-Repeating	D_SUBJID_001, BRTHDTC_001, SEX_001, ETHNIC_001, RACE_001, X_DMRYN_001, X_DMRSITE_001, X_DMRSUBJ_001, SUPPDM_VACSTAT_001, D_LASTSTDTC_001, D_LTRDSDTC_001

Instruments

DS001 / INFORMED CONSENT - MAIN

Instrument Definition

Instrument Name:	DS001
Instrument Title:	INFORMED CONSENT - MAIN
SAS Instrument Name:	DS001
Description:	MAIN IC
Version:	0.5
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: DS001 <i>INFORMED CONSENT - MAIN</i> (MAIN IC) [Version: 0.5]			
Section MAIN IC <i>MAIN IC</i>			Permission Groups
	Group of Fields DS01001 / Informed Consent Group Type: Non-Repeating	Number of variables: 2	
1.*	Consent Was: [SUPPDS_DSCSOBT_001]	[SUPPDS_DSCSOBT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

2.* ✓	Date of Written Consent Obtained: [DSSTDTC_001] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
----------	--	--	--

Key: [*] = Item is required [✓] = Source verification required

Study Object Descriptions: DS001 INFORMED CONSENT - MAIN		
Type	RefName	Description
Form	CRF_5057912813083587_DS001	DS001
Item	I_5057925177469549_SUPPDS_DSCSOBT_001	
Item	I_5057925190029348_DSSTDTC_001	

Codelist Values Tables: DS001 INFORMED CONSENT - MAIN								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSCSOBT_CL_001	0.1			OBTAINED	1	1	0.1	i_5057925177469549_suppds_dscsobt_001

				NOT OBTAINED	2	2	0.1	
--	--	--	--	--------------	---	---	-----	--

Groups of Fields DS001 INFORMED CONSENT - MAIN		
Group RefName	Group Type	Associated Variables
IG_5057921809181528_DS01001	Non-Repeating	SUPPDS_DSCSOBT_001, DSSTDTC_001

Instruments

DS001_10 / INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE

Instrument Definition

Instrument Name:	DS001_10
Instrument Title:	INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE
SAS Instrument Name:	DS001_10
Description:	RETRESCONS
Version:	0.5
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: DS001_10 INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE (RETRESCONS) [Version: 0.5]			
Section RETRESCONS RETRESCONS			Permission Groups
	Group of Fields DS01001_10 / Informed Consent Group Type: Non-Repeating	Number of variables: 2	
1.*	Consent Was: [SUPPDS_DSCSOBT_001_10]	[SUPPDS_DSCSOBT_CL_001_10] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

2.*	Date of Written Consent Obtained: [DSSTDTC_001_10] (Nested Field)	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: DS001_10 INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE		
Type	RefName	Description
Form	CRF_5057908360272885_DS001_10	DS001_10
Item	I_5057924306837700_SUPPDS_DSCSOBT_001_10	
Item	I_5057924320960297_DSSTDTC_001_10	

Codelist Values Tables: DS001_10 INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSCSOBT_CL_001_10	0.1			OBTAINED	1	1	0.1	i_5057924306837700_suppds_dscsobt_001_10

				NOT OBTAINED	2	2	0.1	
--	--	--	--	--------------	---	---	-----	--

Groups of Fields DS001_10 INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE		
Group RefName	Group Type	Associated Variables
IG_5057921352774571_DS01001_10	Non-Repeating	SUPPDS_DSCSOBT_001_10, DSSTDTC_001_10

Instruments

DS001_3 / RANDOMIZATION

Instrument Definition

Instrument Name:	DS001_3
Instrument Title:	RANDOMIZATION
SAS Instrument Name:	DS001_3
Description:	RAND
Version:	0.8
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: DS001_3 RANDOMIZATION (RAND) [Version: 0.8]		
Section RAND RAND		Permission Groups
Group of Fields DS01001_3 / Randomization Group Type: Non-Repeating	Number of variables: 2	

1.* ✓	Date of Randomization: [DSSTDTC_001_3]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: >_END_OF_STUDY Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.*	Randomization Number: [DSREFID_001_3]	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: DS001_3 RANDOMIZATION		
Type	RefName	Description

Form	CRF_5057911451425949_DS001_3	DS001_3
Item	I_5057925153642587_DSSTDTC_001_3	
Item	I_5057925165583579_DSREFID_001_3	

Variable Validations DS001_3 RANDOMIZATION

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_3	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields DS001_3 RANDOMIZATION

Group RefName	Group Type	Associated Variables
IG_5057921320181046_DS01001_3	Non-Repeating	DSSTDTC_001_3, DSREFID_001_3

Instruments

DS001_4 / DISPOSITION - SCREENING

Instrument Definition

Instrument Name:	DS001_4
Instrument Title:	DISPOSITION - SCREENING
SAS Instrument Name:	DS001_4
Description:	DISP SCR
Version:	0.8
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: DS001_4 DISPOSITION - SCREENING (DISP SCR) [Version: 0.8]		
Section DISP SCR DISP SCR		Permission Groups
Group of Fields DS01001_4 / Disposition - Screening Group Type: Non-Repeating	Number of variables: 6	

1.*	Date of Completion/Discontinuation/Death: [DSSTDTC_001_4]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: >_END_OF_STUDY Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.	Phase of Disposition: [SUPPDS_DSPHASE_001_4]	[SUPPDS_DSPHASE_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

3.*	Status: [DSDECOD_001_4]	[DSDECOD_CL_001_4] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.	Specify Status: [DSTERM_001_4]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.*	Will the subject continue to the next phase of this study? [SUPPDS_DSCONT_001_4]	[SUPPDS_DSCONT_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.*	If Yes, next phase: [SUPPDS_DSNEXT_001_4] <i>(Nested Field)</i>	[SUPPDS_DSNEXT_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
-----	---	--	--

Key: [*] = Item is required

Study Object Descriptions: DS001_4 DISPOSITION - SCREENING		
Type	RefName	Description
Form	CRF_5057911036420563_DS001_4	DS001_4
Item	I_5057923614239543_DSSTDTC_001_4	
Item	I_5057923626667086_SUPPDS_DSPHASE_001_4	
Item	I_5057923646557969_DSDECOD_001_4	
Item	I_5057923658578173_DSTERM_001_4	
Item	I_5057923670484679_SUPPDS_DSCONT_001_4	
Item	I_5057923682201953_SUPPDS_DSNEXT_001_4	

Codelist Values Tables: DS001_4 DISPOSITION - SCREENING								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSPHASE_CL_001_4	0.1			SCREENING	1	3	0.1	i_5057923626667086_suppds_dsphase_001_4
DSDECOD_CL_001_4	0.1			ADVERSE EVENT	1	1	0.1	i_5057923646557969_dsdecod_001_4
				COMPLETED	2	2	0.1	
				PREGNANCY	3	9	0.1	

				SCREEN FAILURE	4	13	0.1	
				STUDY TERMINATED BY SPONSOR	5	14	0.1	
				WITHDRAWAL BY SUBJECT	6	16	0.1	
				OTHER	7	7	0.1	
				DEATH	8	3	0.1	
				WITHDRAWAL BY PARENT/GUARDIAN	9	19	0.1	
SUPPDS_DSCONT_CL_001_4	0.1			YES	1	Y	0.1	i_5057923670484679_suppds_dscont_001_4
				NO	2	N	0.1	
SUPPDS_DSNEXT_CL_001_4	0.1			TREATMENT	1	4	0.1	i_5057923682201953_suppds_dsnext_001_4

Variable Validations DS001_4 DISPOSITION - SCREENING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_4	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields DS001_4 DISPOSITION - SCREENING

Group RefName	Group Type	Associated Variables
IG_5057921616747025_DS01001_4	Non-Repeating	DSSTDTC_001_4, SUPPDS_DSPHASE_001_4, DSDECOD_001_4, DSTERM_001_4, SUPPDS_DSCONT_001_4, SUPPDS_DSNEXT_001_4

Instruments

DS001_5 / DISPOSITION - TREATMENT

Instrument Definition

Instrument Name:	DS001_5
Instrument Title:	DISPOSITION - TREATMENT
SAS Instrument Name:	DS001_5
Description:	DISP TRT
Version:	0.8
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: DS001_5 DISPOSITION - TREATMENT (DISP TRT) [Version: 0.8]		
Section DISP TRT <i>DISP TRT</i>		Permission Groups
Group of Fields DS01001_5 / Disposition - Treatment Group Type: Non-Repeating	Number of variables: 6	

1.*	Date of Completion/Discontinuation/Death: [DSSTDTC_001_5]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: >_END_OF_STUDY Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.	Phase of Disposition: [SUPPDS_DSPHASE_001_5]	[SUPPDS_DSPHASE_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

3.*	Status: [DSDECOD_001_5]	[DSDECOD_CL_001_5] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.	Specify Status: [DSTERM_001_5]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.*	Will the subject continue to the next phase of this study? [SUPPDS_DSCONT_001_5]	[SUPPDS_DSCONT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.*	If Yes, next phase: [SUPPDS_DSNEXT_001_5] <i>(Nested Field)</i>	[SUPPDS_DSNEXT_CL_001_5] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
-----	---	--	--

Key: [*] = Item is required

Study Object Descriptions: DS001_5 DISPOSITION - TREATMENT

Type	RefName	Description
Form	CRF_5057916813239949_DS001_5	DS001_5
Item	I_5057921925209976_DSSTDTC_001_5	
Item	I_5057921941942939_SUPPDS_DSPHASE_001_5	
Item	I_5057921969111647_DSDECOD_001_5	
Item	I_5057921985157454_DSTERM_001_5	
Item	I_5057922001156771_SUPPDS_DSCONT_001_5	
Item	I_5057922016205052_SUPPDS_DSNEXT_001_5	

Codelist Values Tables: DS001_5 DISPOSITION - TREATMENT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSPHASE_CL_001_5	0.1			TREATMENT	1	4	0.1	i_5057921941942939_suppds_dsphase_001_5
DSDECOD_CL_001_5	0.1			ADVERSE EVENT	1	1	0.1	i_5057921969111647_dsdecod_001_5
				COMPLETED	2	2	0.1	
				PREGNANCY	3	9	0.1	

				STUDY TERMINATED BY SPONSOR	4	14	0.1	
				WITHDRAWAL BY SUBJECT	5	16	0.1	
				OTHER	6	7	0.1	
				DEATH	7	3	0.1	
				LOST TO FOLLOW-UP	8	5	0.1	
				WITHDRAWAL BY PARENT/GUARDIAN	9	19	0.1	
SUPPDS_DSCONT_CL_001_5	0.1			YES	1	Y	0.1	i_5057922001156771_suppds_dscont_001_5
				NO	2	N	0.1	
SUPPDS_DSNEXT_CL_001_5	0.1			FOLLOW-UP	1	1	0.1	i_5057922016205052_suppds_dsnnext_001_5

Variable Validations DS001_5 DISPOSITION - TREATMENT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_5	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields DS001_5 DISPOSITION - TREATMENT

Group RefName	Group Type	Associated Variables
IG_5057921557972022_DS01001_5	Non-Repeating	DSSTDTC_001_5, SUPPDS_DSPHASE_001_5, DSDECOD_001_5, DSTERM_001_5, SUPPDS_DSCONT_001_5, SUPPDS_DSNEXT_001_5

Instruments

DS001_6 / DISPOSITION - FOLLOW-UP

Instrument Definition

Instrument Name:	DS001_6
Instrument Title:	DISPOSITION - FOLLOW-UP
SAS Instrument Name:	DS001_6
Description:	DISP FUP
Version:	0.6
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: DS001_6 DISPOSITION - FOLLOW-UP (DISP FUP) [Version: 0.6]		
Section DISP FUP <i>DISP FUP</i>		Permission Groups
Group of Fields DS01001_6 / Disposition - Follow-Up Group Type: Non-Repeating	Number of variables: 4	

1.*	Date of Completion/Discontinuation/Death: [DSSTDTC_001_6]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.	Phase of Disposition: [SUPPDS_DSPHASE_001_6]	[SUPPDS_DSPHASE_CL_001_6] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

3.*	Status: [DSDECOD_001_6]	[DSDECOD_CL_001_6] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.	Specify Status: [DSTERM_001_6]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: DS001_6 DISPOSITION - FOLLOW-UP

Type	RefName	Description
Form	CRF_5057917029048627_DS001_6	DS001_6
Item	I_5057925752972751_DSSTDTC_001_6	
Item	I_5057925764765200_SUPPDS_DSPHASE_001_6	
Item	I_5057925783485274_DSDECOD_001_6	
Item	I_5057925795320979_DSTERM_001_6	

Codelist Values Tables: DS001_6 DISPOSITION - FOLLOW-UP

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPDS_DSPHASE_CL_001_6	0.1			FOLLOW-UP	1	1	0.1	i_5057925764765200_suppds_dsphase_001_6
DSDECOD_CL_001_6	0.1			DEATH	1	3	0.1	i_5057925783485274_dsdecod_001_6
				COMPLETED	2	2	0.1	
				LOST TO FOLLOW-UP	3	5	0.1	
				STUDY TERMINATED BY SPONSOR	4	14	0.1	
				WITHDRAWAL BY SUBJECT	5	16	0.1	
				WITHDRAWAL BY PARENT/GUARDIAN	6	19	0.1	
				ADVERSE EVENT	7	1	0.1	
				OTHER	8	7	0.1	

Groups of Fields DS001_6 DISPOSITION - FOLLOW-UP		
Group RefName	Group Type	Associated Variables
IG_5057921443342442_DS01001_6	Non-Repeating	DSSTDTC_001_6, SUPPDS_DSPHASE_001_6, DSDECOD_001_6, DSTERM_001_6

Instruments

DS001_7 / WITHDRAWAL OF CONSENT

Instrument Definition

Instrument Name:	DS001_7
Instrument Title:	WITHDRAWAL OF CONSENT
SAS Instrument Name:	DS001_7
Description:	WOC
Version:	0.5
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: DS001_7 WITHDRAWAL OF CONSENT (WOC) [Version: 0.5]		
Section WOC WOC		Permission Groups
Group of Fields DS01001_7 / Withdrawal Of Consent Group Type: Non-Repeating	Number of variables: 1	

1.*	Date of Withdrawal of Consent: [DSSTDTC_001_7]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: DS001_7 WITHDRAWAL OF CONSENT		
Type	RefName	Description
Form	CRF_5057917697190661_DS001_7	DS001_7
Item	I_5057921904678493_DSSTDTC_001_7	

Groups of Fields DS001_7 WITHDRAWAL OF CONSENT		
Group RefName	Group Type	Associated Variables
IG_5057921625878868_DS01001_7	Non-Repeating	DSSTDTC_001_7

Instruments

DS001_7_1 / WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLES

Instrument Definition

Instrument Name:	DS001_7_1
Instrument Title:	WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLES
SAS Instrument Name:	DS001_7_1
Description:	WOC-RRS
Version:	0.1
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: DS001_7_1 WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLES (WOC-RRS) [Version: 0.1]		
Section WOC-RRS WOC-RRS		Permission Groups
Group of Fields DS01001_7_1 / Withdrawal Of Consent Group Type: Non-Repeating	Number of variables: 1	

1.*	Date of Withdrawal of Consent: [DSSTDTC_001_7_1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: DS001_7_1 WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLES		
Type	RefName	Description
Form	CRF_5057917907318912_DS001_7_1	DS001_7_1
Item	I_5057923693386737_DSSTDTC_001_7_1	

Groups of Fields DS001_7_1 WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLES		
Group RefName	Group Type	Associated Variables
IG_5057921681376140_DS01001_7_1	Non-Repeating	DSSTDTC_001_7_1

Instruments

DS001_8 / TREATMENT UNBLINDED

Instrument Definition

Instrument Name:	DS001_8
Instrument Title:	TREATMENT UNBLINDED
SAS Instrument Name:	DS001_8
Description:	TRN UNBLN
Version:	0.9
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: DS001_8 TREATMENT UNBLINDED (TRN UNBLN) [Version: 0.9]		
Section TRN UNBLN TRN UNBLN		Permission Groups
Group of Fields DS01001_8 / Treatment Unblinded Group Type: Non-Repeating	Number of variables: 4	

1.*	Date of Treatment Unblinded: [DSSTDTC_001_8]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: >_END_OF_STUDY Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.*	Primary Reason for Unblinding: [X_DSTERM_DSUNBL_001_8]	[X_DSTERM_DSUNBL_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.*	If other, specify: [X_DSTERM_DSUNBLO_001_8] (Nested Field)	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.*	Phase of Disposition: [SUPPDS_DSPHASE_001_8]	[SUPPDS_DSPHASE_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: DS001_8 TREATMENT UNBLINDED		
Type	RefName	Description
Form	CRF_5057917474128633_DS001_8	DS001_8
Item	I_5057927528747013_DSSTDTC_001_8	
Item	I_5057927541337532_X_DSTERM_DSUNBL_001_8	
Item	I_5057927553787171_X_DSTERM_DSUNBLO_001_8	
Item	I_5057927566260670_SUPPDS_DSPHASE_001_8	

Codelist Values Tables: DS001_8 TREATMENT UNBLINDED

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_DSTERM_DSUNBL_CL_001_8	0.1			SUBJECT SAFETY CONCERN	1	1	0.1	i_5057927541337532_x_dsterm_dsunbl_001_8
				STUDY PRIMARY OBJECTIVES MET	2	2	0.1	
				OTHER	3	999	0.1	
SUPPDS_DSPHASE_CL_001_8	0.1			TREATMENT	1	4	0.1	i_5057927566260670_suppbs_dsphase_001_8
				FOLLOW-UP	2	1	0.1	

Variable Validations DS001_8 TREATMENT UNBLINDED

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
DSSTDTC_001_8	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields DS001_8 TREATMENT UNBLINDED

Group RefName	Group Type	Associated Variables
IG_5057921777104199_DS01001_8	Non-Repeating	DSSTDTC_001_8, X_DSTERM_DSUNBL_001_8, X_DSTERM_DSUNBLO_001_8, SUPPDS_DSPHASE_001_8

Instruments

D_UPA001 / UNPLANNED VISIT

Instrument Definition

Instrument Name:	D_UPA001
Instrument Title:	UNPLANNED VISIT
SAS Instrument Name:	D_UPA001
Description:	UNPL
Version:	0.1
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: D_UPA001 UNPLANNED VISIT (UNPL) [Version: 0.1]			
Section UNPL UNPL			Permission Groups
	Group of Fields D_UPA01001 / Unplanned Assessments Group Type: Non-Repeating	Number of variables: 1	
1.*	Assessments [D_UNPLASS_001]	[D_UNPLASS_CL_001] Checkboxes Variable auto-naming: Disabled Align Variable below Label: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: D_UPA001 UNPLANNED VISIT		
Type	RefName	Description
Form	CRF_5057915670428486_D_UPA001	D_UPA001
Item	I_5057926891782988_D_UNPLASS_001	

Codelist Values Tables: D_UPA001 UNPLANNED VISIT								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
D_UNPLASS_CL_001	0.1			VITAL SIGNS - REPEATING	1	1	0.1	i_5057926891782988_d_unplass_001
				ELECTRONIC SAMPLE TRACKING - NP SWAB	2	2	0.1	
				ELECTRONIC SAMPLE TRACKING - SPECIFIED PROTEIN	3	3	0.1	
				PHARMACOKINETICS - UNP	4	4	0.1	
				LOCAL LABORATORY DATA - REPEATING HEMATOLOGY	5	5	0.1	
				LOCAL LABORATORY DATA - REPEATING CHEMISTRY	6	6	0.1	

Groups of Fields D_UPA001 UNPLANNED VISIT		
Group RefName	Group Type	Associated Variables
IG_5057921655596380_D_UPA01001	Non-Repeating	D_UNPLASS_001

Instruments

HOHCU010 / HEALTH CARE UTILIZATION

Instrument Definition

Instrument Name:	HOHCU010
Instrument Title:	HEALTH CARE UTILIZATION
SAS Instrument Name:	HOHCU010
Description:	HCRU REP
Version:	0.10
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: HOHCU010 HEALTH CARE UTILIZATION (HCRU REP) [Version: 0.10]		
Section HCRU REP <i>HCRU REP</i>		Permission Groups
Group of Fields HOHCU01010 / Healthcare Resource Utilization Group Type: Fixed Repeating	Number of rows: 3	

1. 	Start Date of Healthcare Encounter [HOSTDTC_010]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2. 	Type of Medical Visit [HOTERM_010] Row 1 (Locked): 2 - EMERGENCY ROOM Row 2 (Locked): 47 - URGENT CARE Row 3 (Locked): 32 - PRACTITIONER'S OFFICE	[HOTERM_CL_010] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.	Pre-Specified Healthcare Encounter [HOPRESP_010]	[HOPRESP_CL_010] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R)
4.* ✓	Occurrence of Visits or Contacts [HOOCUR_010]	[HOOCUR_CL_010] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5. ✓	Related to Disease Under Study COVID-19 [SUPPHO_DISREL_010]	[SUPPHO_DISREL_CL_010] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: HOHCU010 HEALTH CARE UTILIZATION		
Type	RefName	Description
Form	CRF_5057914112948446_HOHCU010	HOHCU010
Item	I_5057925902787851_HOSTDTC_010	

Item	I_5057925916520913_HOTERM_010	
Item	I_5057925929864154_HOPRESP_010	
Item	I_5057925950141248_HOCCUR_010	
Item	I_5057925963785909_SUPPHO_DISREL_010	

Codelist Values Tables: HOHCU010 HEALTH CARE UTILIZATION								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
HOTERM_CL_010	0.1			EMERGENCY ROOM	1	2	0.1	i_5057925916520913_hoterm_010
				URGENT CARE	2	47	0.1	
				PRACTITIONER'S OFFICE	3	32	0.1	
HOPRESP_CL_010	0.1			YES	1	Y	0.1	i_5057925929864154_hopresp_010
HOCCUR_CL_010	0.1			YES	1	Y	0.1	i_5057925950141248_hooccur_010
				NO	2	N	0.1	
SUPPHO_DISREL_CL_010	0.1			YES	1	Y	0.1	i_5057925963785909_suppho_disrel_010
				NO	2	N	0.1	

Groups of Fields HOHCU010 HEALTH CARE UTILIZATION		
Group RefName	Group Type	Associated Variables
IG_5057921337734651_HOHCU01010	Fixed Repeating	HOSTDTC_010, HOTERM_010, HOPRESP_010, HOCCUR_010, SUPPHO_DISREL_010

Instruments

HOHOS007 / HOSPITALIZATION DETAILS

Instrument Definition

Instrument Name:	HOHOS007
Instrument Title:	HOSPITALIZATION DETAILS
SAS Instrument Name:	HOHOS007
Description:	HOSP
Version:	0.15
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: HOHOS007 HOSPITALIZATION DETAILS (HOSP) [Version: 0.15]			
Section HOSP HOSP			Permission Groups
	Group of Fields HOHOS01007 / Hospitalization Details Group Type: Non-Repeating	Number of variables: 8	
1.	Hospitalization Category: [Y_HOCAT_007]	[Y_HOCAT_CL_007] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

2.* 	Hospitalization Term: [HOTERM_007]	[HOTERM_CL_007] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.* 	Admission Date Time: [HOSTDTC_007]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.* 	Ongoing? [X_HOONGO_007]	[X_HOONGO_CL_007] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.* 	Discharge Date Time: [HOENDTC_007] <i>(Nested Field)</i>	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.* ✓	Reason For Hospitalization: [SUPPHO_HOINDC_007]	[SUPPHO_HOINDC_CL_007] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.* ✓	Discharge Disposition: [SUPPHO_HODISOUT_007]	[SUPPHO_HODISOUT_CL_007] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.* ✓	If other, specify: [SUPPHO_HODISOUO_007] (Nested Field)	Text Box Min Length: 0, Max Length: 80 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required [✓] = Source verification required			

Study Object Descriptions: HOHOS007 HOSPITALIZATION DETAILS		
Type	RefName	Description
Form	CRF_5057914372885726_HOHOS007	HOHOS007

Item	I_5057923407610239_Y_HOCAT_007	
Item	I_5057923433491627_HOTERM_007	
Item	I_5057923447331354_HOSTDTC_007	
Item	I_5057923462199558_X_HOONGO_007	
Item	I_5057923478060703_HOENDTC_007	
Item	I_5057923492903824_SUPPHO_HOINDC_007	
Item	I_5057923508074130_SUPPHO_HODISOUT_007	
Item	I_5057923523852863_SUPPHO_HODISOUO_007	

Codelist Values Tables: HOHOS007 HOSPITALIZATION DETAILS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
Y_HOCAT_CL_007	0.1			HOSPITALIZATION STATUS	1	3	0.1	i_5057923407610239_y_hocat_007
HOTERM_CL_007	0.1			ICU	1	9	0.1	i_5057923433491627_hoterm_007
				HOSPITAL NON-ICU	2	19	0.1	
X_HOONGO_CL_007	0.1			YES	1	Y	0.1	i_5057923462199558_x_hoongo_007
				NO	2	N	0.1	
SUPPHO_HOINDC_CL_007	0.1			COVID-19	1	1	0.1	i_5057923492903824_suppho_hoindc_007
				OTHER	2	999	0.1	
SUPPHO_HODISOUT_CL_007	0.1			EXPIRED IN A MEDICAL FACILITY	1	9	0.1	i_5057923508074130_suppho_hodisout_007
				PATIENT STILL IN STUDY SITE HOSPITAL	2	10	0.1	
				LEFT AGAINST MEDICAL ADVICE OR DISCONTINUED CARE	3	11	0.1	
				SHORT TERM GENERAL HOSPITAL	4	12	0.1	

			HOME, SELF CARE	5	13	0.1
			DISCHARGED HOME WITH HOME HEALTH CARE PROVIDED BY FAMILY OR FRIENDS	6	14	0.1
			DISCHARGED HOME WITH PROFESSIONAL HEALTH HOME CARE	7	15	0.1
			TRANSFERRED TO A SKILLED NURSING FACILITY/REHAB FACILITY LOW LEVEL CARE	8	16	0.1
			TRANSFERRED TO A SKILLED NURSING FACILITY/REHAB FACILITY HIGH LEVEL CARE	9	17	0.1
			OTHER	10	999	0.1

Variable Validations HOHOS007 HOSPITALIZATION DETAILS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
H0STDTC_007	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
H0STDTC_007	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
H0ENDTC_007	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
H0ENDTC_007	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

Groups of Fields HOHOS007 HOSPITALIZATION DETAILS

Group RefName	Group Type	Associated Variables
---------------	------------	----------------------

IG_5057921235779816_HOHOS01007	Non-Repeating	Y_HOCAT_007, HOTERM_007, HOSTDTC_007, X_HOONGO_007, HOENDTC_007, SUPPHO_HOINDC_007, SUPPHO_HODISOUT_007, SUPPHO_HODISOUO_007
--------------------------------	---------------	--

Instruments

IE002 / INCLUSION/EXCLUSION CRITERIA

Instrument Definition

Instrument Name:	IE002
Instrument Title:	INCLUSION/EXCLUSION CRITERIA
SAS Instrument Name:	IE002
Description:	INEX
Version:	0.5
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: IE002 <i>INCLUSION/EXCLUSION CRITERIA</i> (INEX) [Version: 0.5]			
Section INEX <i>INEX</i>			Permission Groups
	Group of Fields IE01002 / Inclusion Criteria Not Met Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	

1.*	Inclusion Criterion Identifier [IESPID_002]	[IESPID_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.	Inclusion Criterion Description [IETEST_002]	[IETEST_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
	Group of Fields IE02002 / Exclusion Criteria Met Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 2	
3.*	Exclusion Criterion Identifier [IESPID1_002]	[IESPID1_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.	Exclusion Criterion Description [IETEST1_002]	[IETEST1_CL_002] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: IE002 INCLUSION/EXCLUSION CRITERIA		
Type	RefName	Description
Form	CRF_5057911246985174_IE002	IE002
Item	I_5057925236264843_IESPID_002	
Item	I_5057925249376455_IETEST_002	
Item	I_5057925201686266_IESPID1_002	
Item	I_5057925213581277_IETEST1_002	

Codelist Values Tables: IE002 INCLUSION/EXCLUSION CRITERIA								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
IESPID_CL_002	0.1			1A	1	1A	0.1	i_5057925236264843_iespid_002
				1B	2	1B	0.1	
				2	3	2	0.1	
				3	4	3	0.1	
				4	5	4	0.1	

IETEST_CL_002	0.1			12 to <18 of age, weighing at least 40 kg, or >= 18 years of age of any weight at screening.	1	0_1A	0.1	i_5057925249376455_ietest_002
				WOCBP may be enrolled if they agree to use a highly effective method of contraception. Refer to Appendix 4 for reproductive criteria for male (Section 10.4.1) and female (Section 10.4.2) participants.	2	0_1B	0.1	
				Presence of risk factors for progression to severe COVID-19 at the time of screening based on age.	3	0_2	0.1	
				Confirmed COVID infection by RAT collected within 1 day prior to randomization. Onset of COVID-19 symptoms within 5 days prior to randomization. Presence of atleast one symptom at randomization.	4	0_3	0.1	
				Participants must be unable or unwilling to take nirmatrelvir /ritonavir treatment for reasons listed in Appendix 11	5	0_4	0.1	
IESPID1_CL_002	0.2			1	1	1	0.1	i_5057925201686266_iespid1_002
				2	2	2	0.1	
				3	3	3	0.1	
				4	4	4	0.1	
				5	5	5	0.1	
				6	6	6	0.1	
				7	7	7	0.1	

				8	8	8	0.1	
				9	9	9	0.1	
				10	10	10	0.1	
				11	11	11	0.1	
				12	12	12	0.1	
				13	13	13	0.1	
				14	14	14	0.1	
				15	15	15	0.1	
IETEST1_CL_002	0.2			Current or anticipated need for hospitalization within 24 hours, due to signs of severe COVID-19 illness OR due to other medical conditions requiring hospitalization.	1	0_1	0.1	i_5057925213581277_ietest1_002
				Receiving dialysis or have known severe renal impairment (ie, eGFR <30 mL/min/1.73 m2 for adults or CrCl <30 mL/min for adolescents) within 6 months of the screening visit	2	0_2	0.1	
				Active liver disease with AST or ALT >3 ULN, Total bilirubin >2 × ULN within the past 3 months, or liver function impairment with Class C per Child Pugh classification.	3	0_3	0.1	
				Suspected or confirmed concurrent active systemic infection other than COVID-19 that may interfere with the evaluation of response to the study intervention.	4	0_4	0.1	

Ongoing Long COVID-19 or PASC diagnosis	5	0_5	0.1
Severely immunocompromised	6	0_6	0.1
Any comorbidity requiring hospitalization and/or surgery within 7 days prior to study entry, or that is considered life threatening within 30 days prior to study entry.	7	0_7	0.1
Any medical or psychiatric condition including recent (within the past year) or active suicidal ideation/behavior or laboratory abnormality that may increase the risk of participation.	8	0_8	0.1
Current use of any prohibited concomitant medication(s).	9	0_9	0.1
Has received other antiviral for the treatment of COVID-19 like remdesivir, nirmatrelvir/ritonavir, molnupiravir, COVID mAbs within 30 days OR received convalescent COVID-19 plasma within 12 months.	10	0_10	0.1
Received any dose of a COVID-19 vaccine within 4 months of randomization or expected to receive one through Day 34.	11	0_11	0.1
Previous administration of an investigational product (drug or vaccine) within 30 days or 5 half lives preceding the first dose of study intervention used in this study (whichever is longer).	12	0_12	0.1

Prior participation in this clinical trial or any other clinical trial of ibuzatrelvir.	13	0_13	0.1
Investigator site staff, their family members, site staff otherwise supervised by investigator and sponsor, sponsor delegate employees directly involved in study conduct and their family members.	14	0_14	0.1
Receiving dialysis or have known severe renal impairment (ie, eGFR < 30 mL/min /1.73 m2 for adults or CrCl <30 mL/min for adolescents)	15	2_2	0.1
History of hypersensitivity or other contraindication to any of the components of the study interventions.	16	2_8	0.1
Any medical or psychiatric condition including recent (within the past year) or active suicidal ideation/behavior or laboratory abnormality that may increase the risk of participation	17	2_9	0.1
Current use of any prohibited concomitant medication(s)	18	2_10	0.1
Has received other antiviral for the treatment of COVID-19 like remdesivir, nirmatrelvir/ritonavir, molnupiravir, COVID mAbs within 30 days OR received convalescent COVID-19 plasma within 12 months	19	2_11	0.1

			Received any dose of a COVID-19 vaccine within 4 months of randomization or expected to receive one through Day 34	20	2_12	0.1
			Previous administration of an investigational product (drug or vaccine) within 30 days or 5 half lives preceding the first dose of study intervention used in this study (whichever is longer)	21	2_13	0.1
			Prior participation in this clinical trial or any other clinical trial of ibuzatrevir	22	2_14	0.1
			Investigator site staff, their family members, site staff otherwise supervised by investigator and sponsor, sponsor delegate employees directly involved in study conduct and their family members	23	2_15	0.1

Groups of Fields IE002 INCLUSION/EXCLUSION CRITERIA

Group RefName	Group Type	Associated Variables
IG_5057921645456294_IE01002	Repeating	IESPID_002, IETEST_002
IG_5057921635770201_IE02002	Repeating	IESPID1_002, IETEST1_002

Instruments

LB001_8 / LOCAL LABORATORY DATA - REPEATING CHEMISTRY

Instrument Definition

Instrument Name:	LB001_8
Instrument Title:	LOCAL LABORATORY DATA - REPEATING CHEMISTRY
SAS Instrument Name:	LB001_8
Description:	LOCAL CHEM
Version:	0.10
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: LB001_8 LOCAL LABORATORY DATA - REPEATING CHEMISTRY (LOCAL CHEM) [Version: 0.10]			
Section LOCAL CHEM LOCAL CHEM			Permission Groups
	Group of Fields LB01001_8 / Lab Chemistry Details Group Type: Non-Repeating	Number of variables: 5	
1.	Lab Panel: [LBCAT_001_8]	[LBCAT_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

2.	Specimen Type: [LBSPEC_001_8]	[LBSPEC_CL_001_8] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.	Laboratory Name and Address: [LBNAM_001_8]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.	Lab ID: [SUPPLB_LBUID_001_8]	Text Box Min Length: 0, Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

5.*	Collection Date Time: [LBDTC_001_8]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Enabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields LB03001_8 / Lab Result Group Type: Fixed Repeating	Number of rows: 16	

6.	Lab Test [LBTEST_001_8] Analyte: Cystatin C_PX1789 (Cystatin C) Analyte: Bilirubin_PX21 (Bilirubin) Analyte: Direct Bilirubin_PX22 (Direct Bilirubin) Analyte: Indirect Bilirubin_PX23 (Indirect Bilirubin) Analyte: Albumin_PX25 (Albumin) Analyte: Aspartate Aminotransferase_PX28 (Aspartate Aminotransferase) Analyte: Creatine Kinase_PX29 (Creatine Kinase) Analyte: Alanine Aminotransferase_PX30 (Alanine Aminotransferase) Analyte: Gamma Glutamyl Transferase_PX31 (Gamma Glutamyl Transferase) Analyte: Alkaline Phosphatase_PX35 (Alkaline Phosphatase) Analyte: Glomerular Filtration Rate CKD-EPI Equat_PX4490 (Glomerular Filtration Rate CKD-EPI Equat) Analyte: Urea Nitrogen_PX47 (Urea Nitrogen) Analyte: Creat Clearance Cockcroft-Gault Equation_PX4769 (Creat Clearance Cockcroft-Gault Equation) Analyte: Creatinine_PX48 (Creatinine) Analyte: Sodium_PX54 (Sodium) Analyte: Potassium_PX55 (Potassium)	Text Box Variable Width: 420 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.	Lab Result [LBORRES_001_8]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.	Not Done [LBSTAT_001_8]	[LBSTAT_CL_001_8] Radio Buttons Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
9.	Unit [LBORRESU_001_8]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
10.	Low Range [LBORNRL0_001_8]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

11.	High Range [LBORNRHI_001_8]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
12.	Status [LBFLAG_001_8]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
13.	Clinical Significance [LBCLSIG_001_8]	Text Box Variable Width: 250 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

14.	Comment [CO_LBCOM_001_8]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
-----	---	--	--

Key: [*] = Item is required

Study Object Descriptions: LB001_8 LOCAL LABORATORY DATA - REPEATING CHEMISTRY		
Type	RefName	Description
Form	CRF_5057916596542082_LB001_8	LB001_8
Item	I_5057923313485985_LBCAT_001_8	
Item	I_5057923337955877_LBSPEC_001_8	
Item	I_5057923362967022_LBNAM_001_8	
Item	I_5057923378119301_SUPPLB_LBUID_001_8	
Item	I_5057923392948063_LBDTC_001_8	
Item	I_5057923095123309_LBTEST_001_8	
Item	I_5057923250685280_LBORRES_001_8	
Item	I_5057923237463023_LBSTAT_001_8	
Item	I_5057923069681637_LBORRESU_001_8	
Item	I_5057923083053030_LBORNRL0_001_8	
Item	I_5057923263180793_LBORNRI_001_8	
Item	I_5057923275590490_LBFLAG_001_8	
Item	I_5057923288133355_LBCLSIG_001_8	
Item	I_5057923300753182_CO_LBCOM_001_8	

Codelist Values Tables: LB001_8 LOCAL LABORATORY DATA - REPEATING CHEMISTRY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_8	0.1			CLINICAL CHEMISTRY	1	2	0.1	i_5057923313485985_lbcat_001_8
LBSPEC_CL_001_8	0.1			BLOOD	1	7	0.1	i_5057923337955877_lbspec_001_8
LBSTAT_CL_001_8	0.1			NOT DONE	1	1	0.1	i_5057923237463023_lbstat_001_8

Variable Validations LB001_8 LOCAL LABORATORY DATA - REPEATING CHEMISTRY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001_8	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDC_001_8	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields LB001_8 LOCAL LABORATORY DATA - REPEATING CHEMISTRY

Group RefName	Group Type	Associated Variables
IG_5057921220805332_LB01001_8	Non-Repeating	LBCAT_001_8, LBSPEC_001_8, LBNAM_001_8, SUPPLB_LBUID_001_8, LBDC_001_8
IG_5057921253929451_LB03001_8	Fixed Repeating	LBTEST_001_8, LBORRES_001_8, LBSTAT_001_8, LBORRESU_001_8, LBORNRO_001_8, LBORNRI_001_8, LBFLAG_001_8, LBCLSIG_001_8, CO_LBCOM_001_8

Instruments

LB001_8_1 / LAB CHEMISTRY - LOCAL FSH

Instrument Definition

Instrument Name:	LB001_8_1
Instrument Title:	LAB CHEMISTRY - LOCAL FSH
SAS Instrument Name:	LB001_8_1
Description:	LOCAL FSH
Version:	0.9
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: LB001_8_1 LAB CHEMISTRY - LOCAL FSH (LOCAL FSH) [Version: 0.9]			
Section LOCAL FSH LOCAL FSH			Permission Groups
	Group of Fields LB01001_8_1 / LAB CHEMISTRY Group Type: Non-Repeating	Number of variables: 5	
1.	Lab Panel: [LBCAT_001_8_1]	[LBCAT_CL_001_8_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

2.	Specimen Type: [LBSPEC_001_8_1]	[LBSPEC_CL_001_8_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.	Laboratory Name and Address: [LBNAM_001_8_1]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.	Lab ID: [SUPPLB_LBUID_001_8_1]	Text Box Min Length: 0, Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

5.*	Collection Date: [LBDTC_001_8_1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Enabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields LB03001_8_1 / LAB RESULT Group Type: Fixed Repeating	Number of rows: 1	
6.	Lab Test [LBTEST_001_8_1] Analyte: Follicle Stimulating Hormone_PX387 (Follicle Stimulating Hormone)	Text Box Variable Width: 420 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7.	Lab Result [LBORRES_001_8_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.	Not Done [LBSTAT_001_8_1]	[LBSTAT_CL_001_8_1] Radio Buttons Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
9.	Unit [LBORRESU_001_8_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

10.	Low Range [LBORNRLO_001_8_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.	High Range [LBORNRHI_001_8_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
12.	Status [LBFLAG_001_8_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

13.	Clinical Significance [LBCLSIG_001_8_1]	Text Box Variable Width: 250 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
14.	Comment [CO_LBCOM_001_8_1]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: LB001_8_1 LAB CHEMISTRY - LOCAL FSH		
Type	RefName	Description
Form	CRF_5057911862964880_LB001_8_1	LB001_8_1
Item	I_5057924211887405_LBCAT_001_8_1	
Item	I_5057924237185964_LBSPEC_001_8_1	
Item	I_5057924263103265_LBNAM_001_8_1	
Item	I_5057924277822441_SUPPLB_LBUID_001_8_1	
Item	I_5057924292615446_LBDTC_001_8_1	
Item	I_5057924097759522_LBTEST_001_8_1	
Item	I_5057924141639351_LBORRES_001_8_1	

Item	I_5057924127701991_LBSTAT_001_8_1	
Item	I_5057924069716239_LBORRESU_001_8_1	
Item	I_5057924083884160_LBORNRL0_001_8_1	
Item	I_5057924156100774_LBORNRI_001_8_1	
Item	I_5057924170623406_LBFLAG_001_8_1	
Item	I_5057924184209656_LBCLSIG_001_8_1	
Item	I_5057924197508417_CO_LBCOM_001_8_1	

Codelist Values Tables: LB001_8_1 LAB CHEMISTRY - LOCAL FSH

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_8_1	0.1			CLINICAL CHEMISTRY	1	2	0.1	i_5057924211887405_lbcat_001_8_1
LBSPEC_CL_001_8_1	0.1			BLOOD	1	7	0.1	i_5057924237185964_lbspec_001_8_1
LBSTAT_CL_001_8_1	0.1			NOT DONE	1	1	0.1	i_5057924127701991_lbstat_001_8_1

Variable Validations LB001_8_1 LAB CHEMISTRY - LOCAL FSH

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDTC_001_8_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDTC_001_8_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields LB001_8_1 LAB CHEMISTRY - LOCAL FSH

Group RefName	Group Type	Associated Variables
IG_5057921584331205_LB01001_8_1	Non-Repeating	LBCAT_001_8_1, LBSPEC_001_8_1, LBNAM_001_8_1, SUPPLB_LBUID_001_8_1, LBDTC_001_8_1

IG_5057921496045227_LB03001_8_1	Fixed Repeating	LBTEST_001_8_1, LBORRES_001_8_1, LBSTAT_001_8_1, LBORRESU_001_8_1, LBORNRL0_001_8_1, LBORNRI_001_8_1, LBFLAG_001_8_1, LBCLSIG_001_8_1, CO_LBCOM_001_8_1
---------------------------------	--------------------	--

Instruments

LB001_9 / LOCAL LABORATORY DATA - REPEATING HEMATOLOGY

Instrument Definition

Instrument Name:	LB001_9
Instrument Title:	LOCAL LABORATORY DATA - REPEATING HEMATOLOGY
SAS Instrument Name:	LB001_9
Description:	LOCAL HEM
Version:	0.10
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: LB001_9 LOCAL LABORATORY DATA - REPEATING HEMATOLOGY (LOCAL HEM) [Version: 0.10]			
Section LOCAL HEM LOCAL HEM			Permission Groups
	Group of Fields LB01001_9 / Local Laboratory Data - Repeating Hematology Group Type: Non-Repeating	Number of variables: 5	
1.	Lab Panel: [LBCAT_001_9]	[LBCAT_CL_001_9] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

2.	Specimen Type: [LBSPEC_001_9]	[LBSPEC_CL_001_9] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.	Laboratory Name and Address: [LBNAM_001_9]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.	Lab ID: [SUPPLB_LBUID_001_9]	Text Box Min Length: 0, Max Length: 50 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

5.*	Collection Date Time: [LBDTC_001_9]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Enabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields LB03001_9 / Lab Result Group Type: Fixed Repeating	Number of rows: 17	

6.	Lab Test [LBTEST_001_9] Analyte: Hemoglobin_PX1 (Hemoglobin) Analyte: Basophils/Leukocytes_PX10 (Basophils/Leukocytes) Analyte: Lymphocytes/Leukocytes_PX11 (Lymphocytes/Leukocytes) Analyte: Monocytes/Leukocytes_PX12 (Monocytes/Leukocytes) Analyte: Ery. Mean Corpuscular Volume_PX15 (Ery. Mean Corpuscular Volume) Analyte: Ery. Mean Corpuscular Hemoglobin_PX16 (Ery. Mean Corpuscular Hemoglobin) Analyte: Ery. Mean Corpuscular HGB Concentration_PX17 (Ery. Mean Corpuscular HGB Concentration) Analyte: Hematocrit_PX2 (Hematocrit) Analyte: Platelets_PX5 (Platelets) Analyte: Erythrocytes Distribution Width_PX548 (Erythrocytes Distribution Width) Analyte: Neutrophils_PX608 (Neutrophils) Analyte: Lymphocytes_PX611 (Lymphocytes) Analyte: RBC Morphology Count_PX6990 (RBC Morphology Count) Analyte: Leukocytes_PX7 (Leukocytes) Analyte: Prothrombin Intl. Normalized Ratio_PX704 (Prothrombin Intl. Normalized Ratio) Analyte: Neutrophils/Leukocytes_PX8 (Neutrophils/Leukocytes) Analyte: Eosinophils/Leukocytes_PX9 (Eosinophils/Leukocytes)	Text Box Variable Width: 420 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.	Lab Result [LBORRES_001_9]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.	Not Done [LBSTAT_001_9]	[LBSTAT_CL_001_9] Radio Buttons Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Inherited Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
9.	Unit [LBORRESU_001_9]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
10.	Low Range [LBORNRL0_001_9]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

11.	High Range [LBORNRHI_001_9]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
12.	Status [LBFLAG_001_9]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
13.	Clinical Significance [LBCLSIG_001_9]	Text Box Variable Width: 250 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

14.	Comment [CO_LBCOM_001_9]	Text Box Variable Width: 160 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
-----	---	--	--

Key: [*] = Item is required

Study Object Descriptions: LB001_9 LOCAL LABORATORY DATA - REPEATING HEMATOLOGY		
Type	RefName	Description
Form	CRF_5057916326747926_LB001_9	LB001_9
Item	I_5057927829141371_LBCAT_001_9	
Item	I_5057927851734008_LBSPEC_001_9	
Item	I_5057927873815931_LBNAM_001_9	
Item	I_5057927888075207_SUPPLB_LBUID_001_9	
Item	I_5057927899581472_LBDTC_001_9	
Item	I_5057927603542904_LBTEST_001_9	
Item	I_5057927762955203_LBORRES_001_9	
Item	I_5057927749973296_LBSTAT_001_9	
Item	I_5057927578711622_LBORRESU_001_9	
Item	I_5057927591285715_LBORNRL0_001_9	
Item	I_5057927776231918_LBORNRI_001_9	
Item	I_5057927789824559_LBFLAG_001_9	
Item	I_5057927802663978_LBCLSIG_001_9	
Item	I_5057927816256734_CO_LBCOM_001_9	

Codelist Values Tables: LB001_9 LOCAL LABORATORY DATA - REPEATING HEMATOLOGY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
LBCAT_CL_001_9	0.1			HEMATOLOGY	1	1	0.1	i_5057927829141371_lbcat_001_9
LBSPEC_CL_001_9	0.1			BLOOD	1	7	0.1	i_5057927851734008_lbspec_001_9
LBSTAT_CL_001_9	0.1			NOT DONE	1	1	0.1	i_5057927749973296_lbstat_001_9

Variable Validations LB001_9 LOCAL LABORATORY DATA - REPEATING HEMATOLOGY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
LBDC_001_9	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
LBDC_001_9	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields LB001_9 LOCAL LABORATORY DATA - REPEATING HEMATOLOGY

Group RefName	Group Type	Associated Variables
IG_5057921548214513_LB01001_9	Non-Repeating	LBCAT_001_9, LBSPEC_001_9, LBNAM_001_9, SUPPLB_LBUID_001_9, LBDC_001_9
IG_5057921509450556_LB03001_9	Fixed Repeating	LBTEST_001_9, LBRRES_001_9, LBSTAT_001_9, LBRRESU_001_9, LBORNRO_001_9, LBORNRI_001_9, LBFLAG_001_9, LBCLSIG_001_9, CO_LBCOM_001_9

Instruments

MBMIB002 / MICROBIOLOGY SPECIMEN - SPONSOR APPROVED RAT

Instrument Definition

Instrument Name:	MBMIB002
Instrument Title:	MICROBIOLOGY SPECIMEN - SPONSOR APPROVED RAT
SAS Instrument Name:	MBMIB002
Description:	MICROBSRAT
Version:	0.10
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: MBMIB002 MICROBIOLOGY SPECIMEN - SPONSOR APPROVED RAT (MICROBSRAT) [Version: 0.10]			
Section MICROBSRAT MICROBSRAT			Permission Groups
	Group of Fields MBMIB01002 / Microbiology Specimen Group Type: Non-Repeating	Number of variables: 6	

1.*	Actual Date of Collection: [Y_MBDTC_002]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.	Specimen Type: [MBSPEC_002]	[MBSPEC_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

3.	Specimen Sample Location: [MBLOC_002]	[MBLOC_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
4.	Assay Code and Description: [MBTEST_002]	[MBTEST_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
5.*	Test Result: [MBORRES_002]	[MBORRES_CL_002] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.	Comments/Findings/Details: [CO_MBSUMM_002]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
----	---	--	--

Key: [*] = Item is required

Study Object Descriptions: MBMIB002 MICROBIOLOGY SPECIMEN - SPONSOR APPROVED RAT		
Type	RefName	Description
Form	CRF_5057909427795139_MBMIB002	MBMIB002
Item	I_5057926904793638_Y_MBDTC_002	
Item	I_5057926918905740_MBSPEC_002	
Item	I_5057926939674291_MBLOC_002	
Item	I_5057926964501569_MBTEST_002	
Item	I_5057926989048195_MBORRES_002	
Item	I_5057927003684032_CO_MBSUMM_002	

Codelist Values Tables: MBMIB002 MICROBIOLOGY SPECIMEN - SPONSOR APPROVED RAT								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
MBSPEC_CL_002	0.1			SWABBED MATERIAL	1	84	0.1	i_5057926918905740_mbspec_002
MBLOC_CL_002	0.1			NOSTRIL	1	223	0.1	i_5057926939674291_mbloc_002
MBTEST_CL_002	0.1			SEVERE ACUTE RESP SYNDROME CORONAVIRUS 2	1	18	0.1	i_5057926964501569_mbtest_002

MBORRES_CL_002	0.1			POSITIVE	1	1	0.1	i_5057926989048195_mborres_002
				NEGATIVE	2	2	0.1	
				INDETERMINATE	3	3	0.1	

Variable Validations MBMIB002 MICROBIOLOGY SPECIMEN - SPONSOR APPROVED RAT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
Y_MBDTC_002	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
Y_MBDTC_002	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

Groups of Fields MBMIB002 MICROBIOLOGY SPECIMEN - SPONSOR APPROVED RAT

Group RefName	Group Type	Associated Variables
IG_5057921745598162_MBMIB01002	Non-Repeating	Y_MBDTC_002, MBSPEC_002, MBLOC_002, MBTEST_002, MBORRES_002, CO_MBSUMM_002

Instruments

MH001 / GENERAL MEDICAL HISTORY

Instrument Definition

Instrument Name:	MH001
Instrument Title:	GENERAL MEDICAL HISTORY
SAS Instrument Name:	MH001
Description:	MEDHX
Version:	0.11
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: MH001 <i>GENERAL MEDICAL HISTORY</i> (MEDHX) [Version: 0.11]			
Section MEDHX <i>MEDHX</i>			Permission Groups
	Group of Fields MH02001 / Medical History Details Group Type: Repeating	Min required rows: 0 Fixed Rows: Disabled Do not allow deletion of first row: Disabled Number of variables / row: 16	

1.	Line/MH Number <i>[MHSPID_001]</i>	Number Box (Integer) Min Value: 0; Max Value: 99999999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([SCR][MHTERM_001]<>NULL and [SCR][MHTERM_001]<>"", [\$row_index]+1,NULL)	
2.*	Medical History Term <i>[MHTERM_001]</i>	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	INACTIVE (R)

3.	Start Date [MHSTDTC_001]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1920; Max Year: 2027 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: >_DEATH_DATE Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	INACTIVE (R)
4.	Ongoing [X_MHONGO_001]	[X_MHONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	INACTIVE (R)

5.	End Date: [MHENDTC_001] <i>(Nested Field)</i>	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1920; Max Year: 2027 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.	Comparison Term [D_COMPTerm3_001]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

7.	Lowest Level Term [MHLLT_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
8.	Lowest Level Term Code [MHLLTCD_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
9.	Dictionary Derived Term [MHDECOD_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

10.	Preferred Term Code [MHPTCD_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
11.	High Level Term [MHHLT_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
12.	High Level Term Code [MHHLTCD_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

13.	High Level Group Term [MHHLGT_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
14.	High Level Group Term Code [MHHLGTCD_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
15.	Primary System Organ Class [MHSOC_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

16.	Primary System Organ Class Code <i>[MHSOCCD_001]</i>	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
-----	---	--	---

Key: [*] = Item is required

Study Object Descriptions: MH001 GENERAL MEDICAL HISTORY		
Type	RefName	Description
Form	CRF_5057910109407736_MH001	MH001
Item	I_5057924332997099_MHSPID_001	
Item	I_5057924352127679_MHTERM_001	
Item	I_5057924363415658_MHSTDTC_001	
Item	I_5057924375105280_X_MHONGO_001	
Item	I_5057924386387285_MHENDTC_001	
Item	I_5057924397952413_D_COMPTerm3_001	
Item	I_5057924409992834_MHLLT_001	
Item	I_5057924421305977_MHLLTCD_001	
Item	I_5057924432521694_MHDECOD_001	
Item	I_5057924443921712_MHPTCD_001	
Item	I_5057924455402598_MHHLT_001	
Item	I_5057924466815236_MHHLTCD_001	
Item	I_5057924479580309_MHHLGT_001	
Item	I_5057924491504506_MHHLGTCD_001	

Item	I_5057924502924002_MHSOC_001	
Item	I_5057924514438948_MHSOCCD_001	

Codelist Values Tables: MH001 GENERAL MEDICAL HISTORY

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_MHONGO_CL_001	0.1			YES	1	Y	0.1	i_5057924375105280_x_mhongo_001
				NO	2	N	0.1	

Variable Validations MH001 GENERAL MEDICAL HISTORY

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
MHSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
MHENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
MHENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

Groups of Fields MH001 GENERAL MEDICAL HISTORY

Group RefName	Group Type	Associated Variables
IG_5057921373161079_MH02001	Repeating	MHSPID_001, MHTERM_001, MHSTDTC_001, X_MHONGO_001, MHENDTC_001, D_COMPTERM3_001, MHLT_001, MHLTCD_001, MHDECOD_001, MHPTCD_001, MHHLT_001, MHHLTCD_001, MHHLGT_001, MHHLGTCD_001, MHSOC_001, MHSOCCD_001

Instruments

MH001_3 / PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY RISK FACTORS

Instrument Definition

Instrument Name:	MH001_3
Instrument Title:	PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY RISK FACTORS
SAS Instrument Name:	MH001_3
Description:	MHPRESPE
Version:	0.6
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: MH001_3 PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY RISK FACTORS (MHPRESPE) [Version: 0.6]		
Section MHPRESPE MHPRESPE		Permission Groups
Group of Fields MH02001_3 / Pre-specified Significant Medical History Risk Factors Details Group Type: Fixed Repeating	Number of rows: 8	

1.	Line/MH Number [MHSPID_001_3]	Number Box (Integer) Min Value: 0; Max Value: 99999999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([SCR][MHOCCUR_001_3]<>NULL and [SCR][MHOCCUR_001_3]<>") or([SCR][MHSTAT_001_3]<>NULL and [SCR][MHSTAT_001_3]<>"),[\$row_index]+1,NULL)	
2.	Medical History Term [MHTERM2_001_3] Row 1 (Locked): 1 - CIGARETTE SMOKER Row 2 (Locked): 2 - CHRONIC LUNG DISEASE Row 3 (Locked): 3 - CARDIOVASCULAR DISEASE Row 4 (Locked): 4 - DIABETES MELLITUS Row 5 (Locked): 5 - CHRONIC KIDNEY DISEASE Row 6 (Locked): 8 - NEURODEVELOPMENTAL DISORDER Row 7 (Locked): 10 - SICKLE CELL DISEASE Row 8 (Locked): 11 - MODERATE IMMUNOSUPPRESSION	[MHTERM2_CL_001_3] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	INACTIVE (R)
3.	Medical History Event Pre-Specified [MHPRESP_001_3]	[MHPRESP_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	INACTIVE (R)

4.	Specific condition/procedure response [MHOCCUR_001_3]	[MHOCCUR_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.	Condition Not Assessed [MHSTAT_001_3]	[MHSTAT_CL_001_3] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.	Start Date [MHSTDTC_001_3]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 1900; Max Year: 2027 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: >_DEATH_DATE Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	INACTIVE (R)
7.	Comparison Term [D_COMPTerm3_001_3]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

8.	Lowest Level Term [MHLLT_001_3]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
9.	Lowest Level Term Code [MHLLTCD_001_3]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
10.	Dictionary Derived Term [MHDECOD_001_3]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

11.	Preferred Term Code [MHPTCD_001_3]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
12.	High Level Term [MHHLT_001_3]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
13.	High Level Term Code [MHHLTCD_001_3]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

14.	High Level Group Term [MHHLGT_001_3]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
15.	High Level Group Term Code [MHHLGTCD_001_3]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
16.	Primary System Organ Class [MHSOC_001_3]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

17.	Primary System Organ Class Code [MHSOCCD_001_3]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
-----	--	--	---

Key: [*] = Item is required

Study Object Descriptions: MH001_3 PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY RISK FACTORS		
Type	RefName	Description
Form	CRF_5057910756712766_MH001_3	MH001_3
Item	I_5057925977576522_MHSPID_001_3	
Item	I_5057925999841893_MHTERM2_001_3	
Item	I_5057926011808116_MHPRESP_001_3	
Item	I_5057926035697690_MHOCCUR_001_3	
Item	I_5057926048093151_MHSTAT_001_3	
Item	I_5057926060501289_MHSTDTC_001_3	
Item	I_5057926073109514_D_COMPTERM3_001_3	
Item	I_5057926086360933_MHLLT_001_3	
Item	I_5057926098601655_MHLLTCD_001_3	
Item	I_5057926110571439_MHDECOD_001_3	
Item	I_5057926122666399_MHPTCD_001_3	
Item	I_5057926135164316_MHHLT_001_3	
Item	I_5057926147196253_MHHLTCD_001_3	
Item	I_5057926159457094_MHHLGT_001_3	

Item	I_5057926171654321_MHHLGTCD_001_3	
Item	I_5057926184081478_MHSOC_001_3	
Item	I_5057926196837723_MHSOCCD_001_3	

Codelist Values Tables: MH001_3 PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY RISK FACTORS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
MHTERM2_CL_001_3	0.1			CIGARETTE SMOKER	1	1	0.1	i_5057925999841893_mhterm2_001_3
				CHRONIC LUNG DISEASE	2	2	0.1	
				CARDIOVASCULAR DISEASE	3	3	0.1	
				DIABETES MELLITUS	4	4	0.1	
				CHRONIC KIDNEY DISEASE	5	5	0.1	
				NEURODEVELOPMENTAL DISORDER	6	8	0.1	
				SICKLE CELL DISEASE	7	10	0.1	
				MODERATE IMMUNOSUPPRESSION	8	11	0.1	
MHPRESP_CL_001_3	0.1			YES	1	Y	0.1	i_5057926011808116_mhpresp_001_3
MHOCCUR_CL_001_3	0.1			YES	1	Y	0.1	i_5057926035697690_mhoccur_001_3
				NO	2	N	0.1	
MHSTAT_CL_001_3	0.1			NOT DONE	1	1	0.1	i_5057926048093151_mhstat_001_3

Variable Validations MH001_3 PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY RISK FACTORS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
MHSTDTC_001_3	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

Groups of Fields MH001_3 PRE-SPECIFIED SIGNIFICANT MEDICAL HISTORY RISK FACTORS

Group RefName	Group Type	Associated Variables
IG_5057921382133227_MH02001_3	Fixed Repeating	MHSPID_001_3, MHTERM2_001_3, MHPRESP_001_3, MHOCCUR_001_3, MHSTAT_001_3, MHSTDTC_001_3, D_COMPTerm3_001_3, MHLLT_001_3, MHLLTCD_001_3, MHDECOD_001_3, MHPTCD_001_3, MHHLT_001_3, MHHLTCD_001_3, MHHLGT_001_3, MHHLGTCD_001_3, MHSOC_001_3, MHSOCCD_001_3

Instruments

MH001_4 / PRE-SPECIFIED PRIMARY DIAGNOSIS - CURRENT COVID-19 INFECTION

Instrument Definition

Instrument Name:	MH001_4
Instrument Title:	PRE-SPECIFIED PRIMARY DIAGNOSIS - CURRENT COVID-19 INFECTION
SAS Instrument Name:	MH001_4
Description:	MH CUR C19
Version:	0.5
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS - CURRENT COVID-19 INFECTION (MH CUR C19) [Version: 0.5]			
Section MH CUR C19 MH CUR C19			Permission Groups
	Group of Fields MH01001_4 / Pre-Specified Primary Diagnosis - Current Covid-19 Infection Group Type: Non-Repeating	Number of variables: 16	
1.*	Primary Diagnosis: [R_MHTERM3_001_4]	[R_MHTERM3_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	INACTIVE (R)

2.	Medical History Event Pre-Specified: [MHPRESP_001_4]	[MHPRESP_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R)
3.	Does the subject have/has the subject had COVID-19: [MHOCCUR_001_4]	[MHOCCUR_CL_001_4] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R)

4.*	Date of Diagnosis: [MHSTDTC_001_4]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: >_DEATH_DATE Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	INACTIVE (R)
-----	---	--	---------------------

5.*	Date First Symptom Started: [SUPPMH_MHFSDAT_001_4]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	INACTIVE (R)
6.	Comparison Term [D_COMPTerm3_001_4]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

7.	Lowest Level Term [MHLLT_001_4]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
8.	Lowest Level Term Code [MHLLTCD_001_4]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
9.	Dictionary Derived Term [MHDECOD_001_4]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

10.	Preferred Term Code [MHPTCD_001_4]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
11.	High Level Term [MHHLT_001_4]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
12.	High Level Term Code [MHHLTCD_001_4]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

13.	High Level Group Term [MHHLGT_001_4]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
14.	High Level Group Term Code [MHHLGTCD_001_4]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
15.	Primary System Organ Class [MHSOC_001_4]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

16.	Primary System Organ Class Code [MHSOCCD_001_4]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
-----	--	--	---

Key: [*] = Item is required

Study Object Descriptions: MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS - CURRENT COVID-19 INFECTION		
Type	RefName	Description
Form	CRF_5057908140939823_MH001_4	MH001_4
Item	I_5057923848698397_R_MHTERM3_001_4	
Item	I_5057923860774682_MHPRESP_001_4	
Item	I_5057923881184329_MHOCCUR_001_4	
Item	I_5057923900932108_MHSTDTC_001_4	
Item	I_5057923913660283_SUPPMH_MHFSDAT_001_4	
Item	I_5057923926192974_D_COMPTERM3_001_4	
Item	I_5057923940654536_MHLLT_001_4	
Item	I_5057923953279689_MHLLTCD_001_4	
Item	I_5057923966121931_MHDECOD_001_4	
Item	I_5057923978875878_MHPTCD_001_4	
Item	I_5057923991385159_MHHLT_001_4	
Item	I_5057924004234202_MHHLTCD_001_4	
Item	I_5057924017375714_MHHLGT_001_4	
Item	I_5057924030289734_MHHLGTCD_001_4	

Item	I_5057924043388136_MHSOC_001_4	
Item	I_5057924056544754_MHSOCCD_001_4	

Codelist Values Tables: MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS - CURRENT COVID-19 INFECTION

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_MHTERM3_CL_001_4	0.1			COVID-19	1	11	0.1	i_5057923848698397_r_mhterm3_001_4
MHPRESP_CL_001_4	0.1			YES	1	Y	0.1	i_5057923860774682_mhpresp_001_4
MHOCCUR_CL_001_4	0.1			YES	1	Y	0.1	i_5057923881184329_mhoccu_001_4

Variable Validations MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS - CURRENT COVID-19 INFECTION

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
MHSTDTC_001_4	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

Groups of Fields MH001_4 PRE-SPECIFIED PRIMARY DIAGNOSIS - CURRENT COVID-19 INFECTION

Group RefName	Group Type	Associated Variables
IG_5057921469554394_MH01001_4	Non-Repeating	R_MHTERM3_001_4, MHPRESP_001_4, MHOCCUR_001_4, MHSTDTC_001_4, SUPPMH_MHFSDAT_001_4, D_COMPTerm3_001_4, MHLLT_001_4, MHLLTCD_001_4, MHDECOD_001_4, MHPTCD_001_4, MHHLT_001_4, MHHLTCD_001_4, MHHLGT_001_4, MHHLGTCD_001_4, MHSOC_001_4, MHSOCCD_001_4

Instruments

PC003 / PHARMACOKINETICS - DAY1

Instrument Definition

Instrument Name:	PC003
Instrument Title:	PHARMACOKINETICS - DAY1
SAS Instrument Name:	PC003
Description:	PK DAY1
Version:	0.7
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: PC003 PHARMACOKINETICS - DAY1 (PK DAY1) [Version: 0.7]			
Section PK DAY1 PK DAY1			Permission Groups
	Group of Fields PC01003 / PHARMACOKINETICS Group Type: Fixed Repeating	Number of rows: 1	
1.	Verbatim Text of Analyte [SUPPPC_PKTERM_003] Row 1 (Locked): 1 - PF-07817883	[SUPPPC_PKTERM_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

2.	Body Fluid / Matrix [PCSPEC_003] Row 1 (Locked): 27 - PLASMA	[PCSPEC_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.*	Sample Not Done [X_PCSTAT_003]	[X_PCSTAT_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.	Time Post Dose [PCTPT_003] Row 1 (Locked): 17 - 1 H	[PCTPT_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.	Reference Timepoint: [PCTPTREF_003] Row 1 (Locked): 11 - DOSING	[PCTPTREF_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.	Unique Sample ID [PCSPID_003] Row 1 (Locked): 1 - 1	[PCSPID_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.	Date Time [PCDTC_003]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.	Comments (Keep brief and legible) [CO_PKCOMC_003]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
----	--	--	--

Key: [*] = Item is required

Study Object Descriptions: PC003 PHARMACOKINETICS - DAY1		
Type	RefName	Description
Form	CRF_5057912333156678_PC003	PC003
Item	I_5057925272268322_SUPPPC_PKTERM_003	
Item	I_5057925284241495_PCSPEC_003	
Item	I_5057925296143218_X_PCSTAT_003	
Item	I_5057925307968970_PCTPT_003	
Item	I_5057925319859772_PCTPTREF_003	
Item	I_5057925331455915_PCSPID_003	
Item	I_5057925343524570_PCDTC_003	
Item	I_5057925355727902_CO_PKCOMC_003	

Codelist Values Tables: PC003 PHARMACOKINETICS - DAY1								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPPC_PKTERM_CL_003	0.1			PF-07817883	1	1	0.1	i_5057925272268322_supppc_pkterm_003
PCSPEC_CL_003	0.1			PLASMA	1	27	0.1	i_5057925284241495_pcspec_003

X_PCSTAT_CL_003	0.1			NOT DONE	1	1	0.1	i_5057925296143218_x_pcstat_003
				DONE	2	2	0.1	
PCTPT_CL_003	0.1			1 H	1	17	0.1	i_5057925307968970_pctpt_003
PCTPTREF_CL_003	0.1			DOSING	1	11	0.1	i_5057925319859772_pctptref_003
PCSPID_CL_003	0.1			1	1	1	0.1	i_5057925331455915_pcspid_003

Variable Validations PC003 PHARMACOKINETICS - DAY1

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PCDTC_003	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PCDTC_003	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PC003 PHARMACOKINETICS - DAY1

Group RefName	Group Type	Associated Variables
IG_5057921413824091_PC01003	Fixed Repeating	SUPPPC_PKTERM_003, PCSPEC_003, X_PCSTAT_003, PCTPT_003, PCTPTREF_003, PCSPID_003, PCDTC_003, CO_PKCOMC_003

Instruments

PC003_1 / PHARMACOKINETICS - DAY5

Instrument Definition

Instrument Name:	PC003_1
Instrument Title:	PHARMACOKINETICS - DAY5
SAS Instrument Name:	PC003_1
Description:	PK DAY5
Version:	0.7
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: PC003_1 PHARMACOKINETICS - DAY5 (PK DAY5) [Version: 0.7]			
Section PK DAY5 PK DAY5			Permission Groups
	Group of Fields PC01003_1 / PHARMACOKINETICS Group Type: Fixed Repeating	Number of rows: 1	
1.	Verbatim Text of Analyte [SUPPPC_PKTERM_003_1] Row 1 (Locked): 1 - PF-07817883	[SUPPPC_PKTERM_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

2.	Body Fluid / Matrix [PCSPEC_003_1] Row 1 (Locked): 27 - PLASMA	[PCSPEC_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.*	Sample Not Done [X_PCSTAT_003_1]	[X_PCSTAT_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.	Time Post Dose [PCTPT_003_1] Row 1 (Locked): 0 - UNSPECIFIED	[PCTPT_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.	Reference Timepoint: [PCTPTREF_003_1] Row 1 (Locked): 11 - DOSING	[PCTPTREF_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.	Unique Sample ID [PCSPID_003_1] Row 1 (Locked): 2 - 2	[PCSPID_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.	Date Time [PCDTC_003_1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.	Comments (Keep brief and legible) [CO_PKCOMC_003_1]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
----	--	--	--

Key: [*] = Item is required

Study Object Descriptions: PC003_1 PHARMACOKINETICS - DAY5		
Type	RefName	Description
Form	CRF_5057908573233801_PC003_1	PC003_1
Item	I_5057927911878177_SUPPPC_PKTERM_003_1	
Item	I_5057927922886331_PCSPEC_003_1	
Item	I_5057927933675074_X_PCSTAT_003_1	
Item	I_5057927944407095_PCTPT_003_1	
Item	I_5057927955762191_PCTPTREF_003_1	
Item	I_5057927966527278_PCSPID_003_1	
Item	I_5057927978605787_PCDTC_003_1	
Item	I_5057927989554471_CO_PKCOMC_003_1	

Codelist Values Tables: PC003_1 PHARMACOKINETICS - DAY5								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPPC_PKTERM_CL_003_1	0.1			PF-07817883	1	1	0.1	i_5057927911878177_supppc_pkterm_003_1
PCSPEC_CL_003_1	0.1			PLASMA	1	27	0.1	i_5057927922886331_pcspec_003_1

X_PCSTAT_CL_003_1	0.1			NOT DONE	1	1	0.1	i_5057927933675074_x_pcstat_003_1
				DONE	2	2	0.1	
PCTPT_CL_003_1	0.1			UNSPECIFIED	1	0	0.1	i_5057927944407095_pcptpt_003_1
PCTPTREF_CL_003_1	0.1			DOSING	1	11	0.1	i_5057927955762191_pctptref_003_1
PCSPID_CL_003_1	0.1			2	1	2	0.1	i_5057927966527278_pcspid_003_1

Variable Validations PC003_1 PHARMACOKINETICS - DAY5

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PCDTC_003_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PCDTC_003_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PC003_1 PHARMACOKINETICS - DAY5

Group RefName	Group Type	Associated Variables
IG_5057921594162027_PC01003_1	Fixed Repeating	SUPPPC_PKTERM_003_1, PCSPEC_003_1, X_PCSTAT_003_1, PCTPT_003_1, PCTPTREF_003_1, PCSPID_003_1, PCDTC_003_1, CO_PKCOMC_003_1

Instruments

PC003_2 / PHARMACOKINETICS - UNP

Instrument Definition

Instrument Name:	PC003_2
Instrument Title:	PHARMACOKINETICS - UNP
SAS Instrument Name:	PC003_2
Description:	PK UNP
Version:	0.7
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: PC003_2 PHARMACOKINETICS - UNP (PK UNP) [Version: 0.7]			
Section PK UNP PK UNP			Permission Groups
	Group of Fields PC01003_2 / PHARMACOKINETICS Group Type: Fixed Repeating	Number of rows: 3	
1.	Verbatim Text of Analyte [SUPPPC_PKTERM_003_2] Row 1 (Locked): 1 - PF-07817883 Row 2 (Locked): 1 - PF-07817883 Row 3 (Locked): 1 - PF-07817883	[SUPPPC_PKTERM_CL_003_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

2.	Body Fluid / Matrix [PCSPEC_003_2] Row 1 (Locked): 27 - PLASMA Row 2 (Locked): 27 - PLASMA Row 3 (Locked): 27 - PLASMA	[PCSPEC_CL_003_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.*	Sample Not Done [X_PCSTAT_003_2]	[X_PCSTAT_CL_003_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.	Time Post Dose [PCTPT_003_2] Row 1 (Locked): 62 - 9001 H Row 2 (Locked): 63 - 9002 H Row 3 (Locked): 64 - 9003 H	[PCTPT_CL_003_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.	Reference Timepoint: [PCTPTREF_003_2] Row 1 (Locked): 11 - DOSING Row 2 (Locked): 11 - DOSING Row 3 (Locked): 11 - DOSING	[PCTPTREF_CL_003_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.	Unique Sample ID [PCSPID_003_2] Row 1 (Locked): 10 - 10 Row 2 (Locked): 11 - 11 Row 3 (Locked): 12 - 12	[PCSPID_CL_003_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.	Date Time [PCDTC_003_2]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.	Comments (Keep brief and legible) [CO_PKCOMC_003_2]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
----	--	--	--

Key: [*] = Item is required

Study Object Descriptions: PC003_2 PHARMACOKINETICS - UNP		
Type	RefName	Description
Form	CRF_5057916107950810_PC003_2	PC003_2
Item	I_5057925625109706_SUPPPC_PKTERM_003_2	
Item	I_5057925638155785_PCSPEC_003_2	
Item	I_5057925649954387_X_PCSTAT_003_2	
Item	I_5057925661337938_PCTPT_003_2	
Item	I_5057925673178861_PCTPTREF_003_2	
Item	I_5057925685539738_PCSPID_003_2	
Item	I_5057925696890477_PCDTC_003_2	
Item	I_5057925708492929_CO_PKCOMC_003_2	

Codelist Values Tables: PC003_2 PHARMACOKINETICS - UNP								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPPC_PKTERM_CL_003_2	0.1			PF-07817883	1	1	0.1	i_5057925625109706_supppc_pkterm_003_2
PCSPEC_CL_003_2	0.1			PLASMA	1	27	0.1	i_5057925638155785_pcspec_003_2

X_PCSTAT_CL_003_2	0.1			NOT DONE	1	1	0.1	i_5057925649954387_x_pcstat_003_2
				DONE	2	2	0.1	
PCTPT_CL_003_2	0.1			9001 H	1	62	0.1	i_5057925661337938_pctpt_003_2
				9002 H	2	63	0.1	
				9003 H	3	64	0.1	
PCTPTREF_CL_003_2	0.1			DOSING	1	11	0.1	i_5057925673178861_pctptref_003_2
PCSPID_CL_003_2	0.1			10	1	10	0.1	i_5057925685539738_pcspid_003_2
				11	2	11	0.1	
				12	3	12	0.1	

Variable Validations PC003_2 PHARMACOKINETICS - UNP

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PCDTC_003_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PCDTC_003_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PC003_2 PHARMACOKINETICS - UNP

Group RefName	Group Type	Associated Variables
IG_5057921567515249_PC01003_2	Fixed Repeating	SUPPPC_PKTERM_003_2, PCSPEC_003_2, X_PCSTAT_003_2, PCTPT_003_2, PCTPTREF_003_2, PCSPID_003_2, PCDTC_003_2, CO_PKCOMC_003_2

Instruments

PR001 / NON-DRUG TREATMENTS

Instrument Definition

Instrument Name:	PR001
Instrument Title:	NON-DRUG TREATMENTS
SAS Instrument Name:	PR001
Description:	NONDRG TX
Version:	0.17
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: PR001 <i>NON-DRUG TREATMENTS</i> (NONDRG TX) [Version: 0.17]		
Section NONDRG TX <i>NONDRG TX</i>		Permission Groups
Group of Fields PR01001 / Non-Drug Treatments Group Type: Non-Repeating	Number of variables: 22	

1.	What is the treatment Identifier? [PRSPID_001]	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([PRSTDTC_001] <> NULL and [PRSTDTC_001] <> "", [\$form_occurrence], NULL)	
2.*	Treatment: [PRTRT_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.*	Was this Non-Drug Treatment given to treat an Adverse Event [SUPPPR_PRAER_001]	[SUPPPR_PRAER_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.*	AE Identifier: [R_SUPPPR_PRAEID1_001] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.	AE Identifier: [R_SUPPPR_PRAEID2_001] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.	AE Identifier: [R_SUPPPR_PRAEID3_001] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7.	AE Identifier: [R_SUPPPR_PRAEID4_001] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.	AE Identifier: [R_SUPPPR_PRAEID5_001] <i>(Nested Field)</i>	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

9.*	Start Date: [PRSTDTC_001]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
10.*	Ongoing? [X_PRONGO_001]	[X_PRONGO_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

11.*	End Date: [PRENDTC_001] <i>(Nested Field)</i>	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
12.	Comparison Term [D_COMPTERM5_001]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

13.	Lowest Level Term [SUPPPR_PRLLT_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
14.	Lowest Level Term Code [SUPPPR_PRLTCD_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
15.	Dictionary Derived Term [PRDECOD_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

16.	Preferred Term Code [SUPPPR_PRPTCD_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
17.	High Level Term [SUPPPR_PRHLT_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
18.	High Level Term Code [SUPPPR_PRHLTCD_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

19.	High Level Group Term [SUPPPR_PRHLGT_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
20.	High Level Group Term Code [SUPPPR_PRHLGTC_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
21.	Primary System Organ Class [SUPPPR_PRSOC_001]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

22.	Primary System Organ Class Code [SUPPPR_PRSOCCD_001]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
-----	---	--	---

Key: [*] = Item is required

Study Object Descriptions: PR001 NON-DRUG TREATMENTS		
Type	RefName	Description
Form	CRF_5057913683625667_PR001	PR001
Item	I_5057924525918957_PRSPID_001	
Item	I_5057924546696411_PRTRT_001	
Item	I_5057924558224214_SUPPPR_PRAER_001	
Item	I_5057924570416436_R_SUPPPR_PRAEID1_001	
Item	I_5057924583917813_R_SUPPPR_PRAEID2_001	
Item	I_5057924596848775_R_SUPPPR_PRAEID3_001	
Item	I_5057924609657557_R_SUPPPR_PRAEID4_001	
Item	I_5057924622357285_R_SUPPPR_PRAEID5_001	
Item	I_5057924635343607_PRSTDTC_001	
Item	I_5057924647685793_X_PRONGO_001	
Item	I_5057924659711888_PRENDTC_001	
Item	I_5057924672240492_D_COMPTerm5_001	
Item	I_5057924685749064_SUPPPR_PRLLT_001	
Item	I_5057924697833218_SUPPPR_PRLLTCD_001	

Item	I_5057924709985572_PRDECOD_001	
Item	I_5057924722230405_SUPPPR_PRPTCD_001	
Item	I_5057924734362320_SUPPPR_PRHLT_001	
Item	I_5057924746514256_SUPPPR_PRHLTCD_001	
Item	I_5057924758915157_SUPPPR_PRHLGT_001	
Item	I_5057924771139773_SUPPPR_PRHLGTCD_001	
Item	I_5057924783454668_SUPPPR_PRSOC_001	
Item	I_5057924795987391_SUPPPR_PRSOCCD_001	

Codelist Values Tables: PR001 NON-DRUG TREATMENTS

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SUPPPR_PRAER_CL_001	0.1			YES	1	Y	0.1	i_5057924558224214_supppr_praer_001
				NO	2	N	0.1	
X_PRONGO_CL_001	0.1			YES	1	Y	0.1	i_5057924647685793_x_prongo_001
				NO	2	N	0.1	

Variable Validations PR001 NON-DRUG TREATMENTS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
PRSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
PRENDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRENDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PR001 NON-DRUG TREATMENTS		
Group RefName	Group Type	Associated Variables
IG_5057921849595772_PR01001	Non-Repeating	PRSPID_001, PRTRT_001, SUPPPR_PRAER_001, R_SUPPPR_PRAEID1_001, R_SUPPPR_PRAEID2_001, R_SUPPPR_PRAEID3_001, R_SUPPPR_PRAEID4_001, R_SUPPPR_PRAEID5_001, PRSTDTC_001, X_PRONGO_001, PRENDTC_001, D_COMPTerm5_001, SUPPPR_PRLLT_001, SUPPPR_PRLLTCD_001, PRDECOD_001, SUPPPR_PRPTCD_001, SUPPPR_PRHLT_001, SUPPPR_PRHLTCD_001, SUPPPR_PRHLGT_001, SUPPPR_PRHLGTCD_001, SUPPPR_PRSOC_001, SUPPPR_PRSOCCD_001

Instruments

PR001_2 / NON-DRUG TREATMENTS - OXYGEN SUPPORT

Instrument Definition

Instrument Name:	PR001_2
Instrument Title:	NON-DRUG TREATMENTS - OXYGEN SUPPORT
SAS Instrument Name:	PR001_2
Description:	NONDRGOXSU
Version:	0.14
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: PR001_2 NON-DRUG TREATMENTS - OXYGEN SUPPORT (NONDRGOXSU) [Version: 0.14]		
Section NONDRGOXSU NONDRGOXSU		Permission Groups
Group of Fields PR01001_2 / Non-Drug Treatments - [Oxygen Support] Group Type: Non-Repeating	Number of variables: 18	

1.	What is the treatment Identifier? [PRSPID_001_2]	Text Box Min Length: 0, Max Length: 20 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([PRSTDTC_001_2] <>NULL and [PRSTDTC_001_2]<>"", [\$form_occurrence],NULL)	
2.	Concomitant Non-drug Treatment Pre-specified: [PRPRES_001_2]	[PRPRES_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.*	Treatment: [PRTRT1_001_2]	[PRTRT1_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.	Treatment given? [PROCCUR_001_2]	[PROCCUR_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
5.*	Start Date: [PRSTDTC_001_2]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

6.*	Ongoing? [X_PRONGO_001_2]	[X_PRONGO_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
7.*	End Date: [PRENDTC_001_2] <i>(Nested Field)</i>	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* [Allow Unknown], Default = 1 Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

8.	Comparison Term [D_COMPTerm5_001_2]	Text Box Min Length: 0, Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
9.	Lowest Level Term [SUPPPR_PRLLT_001_2]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
10.	Lowest Level Term Code [SUPPPR_PRLLTCD_001_2]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

11.	Dictionary Derived Term [PRDECOD_001_2]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
12.	Preferred Term Code [SUPPPR_PRPTCD_001_2]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
13.	High Level Term [SUPPPR_PRHLT_001_2]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

14.	High Level Term Code [SUPPPR_PRHLTCD_001_2]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
15.	High Level Group Term [SUPPPR_PRHLGT_001_2]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
16.	High Level Group Term Code [SUPPPR_PRHLGTCD_001_2]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)

17.	Primary System Organ Class [SUPPPR_PRSOC_001_2]	Text Box Min Length: 0, Max Length: 100 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
18.	Primary System Organ Class Code [SUPPPR_PRSOCCD_001_2]	Text Box Min Length: 0, Max Length: 8 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	TMS_integration (R,U) Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R) INACTIVE (R,U)
Key: [*] = Item is required			

Study Object Descriptions: PR001_2 NON-DRUG TREATMENTS - OXYGEN SUPPORT		
Type	RefName	Description
Form	CRF_5057913897418016_PR001_2	PR001_2
Item	I_5057926209451192_PRSPID_001_2	
Item	I_5057926231890682_PRPRESP_001_2	
Item	I_5057926255618404_PRTTRT1_001_2	
Item	I_5057926268713229_PROCCUR_001_2	
Item	I_5057926292915809_PRSTDTC_001_2	
Item	I_5057926307030848_X_PRONGO_001_2	
Item	I_5057926320089949_PRENDTC_001_2	

Item	I_5057926333346430_D_COMPTERM5_001_2	
Item	I_5057926347039419_SUPPPR_PRLLT_001_2	
Item	I_5057926359322561_SUPPPR_PRLTCD_001_2	
Item	I_5057926370137921_PRDECOD_001_2	
Item	I_5057926381062572_SUPPPR_PRPTCD_001_2	
Item	I_5057926391848312_SUPPPR_PRHLT_001_2	
Item	I_5057926402746502_SUPPPR_PRHLTCD_001_2	
Item	I_5057926413998796_SUPPPR_PRHLGT_001_2	
Item	I_5057926425103072_SUPPPR_PRHLGTCD_001_2	
Item	I_5057926435874108_SUPPPR_PRSOC_001_2	
Item	I_5057926447066604_SUPPPR_PRSOCCD_001_2	

Codelist Values Tables: PR001_2 NON-DRUG TREATMENTS - OXYGEN SUPPORT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
PRPRESCL_001_2	0.1			YES	1	Y	0.1	i_5057926231890682_prpres_001_2
PRTRT1_001_2	0.1			ECMO therapy	1	1	0.1	i_5057926255618404_prtrt1_001_2
				Mechanical ventilation	2	2	0.1	
				Oxygen Therapy	3	3	0.1	
PROCCUR_001_2	0.1			YES	1	Y	0.1	i_5057926268713229_proccur_001_2
X_PRONGO_001_2	0.1			YES	1	Y	0.1	i_5057926307030848_x_prongo_001_2
				NO	2	N	0.1	

Variable Validations PR001_2 NON-DRUG TREATMENTS - OXYGEN SUPPORT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
------------------	---------------------	----------	-----------------	------------

PRSTDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRSTDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
PRENDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
PRENDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields PR001_2 NON-DRUG TREATMENTS - OXYGEN SUPPORT

Group RefName	Group Type	Associated Variables
IG_5057921405129733_PR01001_2	Non-Repeating	PRSPID_001_2, PRPRES_001_2, PRTRT1_001_2, PROCCUR_001_2, PRSTDTC_001_2, X_PRONGO_001_2, PRENDTC_001_2, D_COMPTerm5_001_2, SUPPPR_PRLT_001_2, SUPPPR_PRLTCD_001_2, PRDECOD_001_2, SUPPPR_PRPTCD_001_2, SUPPPR_PRHLT_001_2, SUPPPR_PRHLTCD_001_2, SUPPPR_PRHGT_001_2, SUPPPR_PRHGTCD_001_2, SUPPPR_PRSOC_001_2, SUPPPR_PRSOCCD_001_2

Instruments

R_OMIC003 / RETAINED RESEARCH SAMPLE TRACKING- PREP B2.5/PREP R1

Instrument Definition

Instrument Name:	R_OMIC003
Instrument Title:	RETAINED RESEARCH SAMPLE TRACKING- PREP B2.5/PREP R1
SAS Instrument Name:	R_OMIC003
Description:	BANKBIOS
Version:	0.8
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: R_OMIC003 RETAINED RESEARCH SAMPLE TRACKING- PREP B2.5/PREP R1 (BANKBIOS) [Version: 0.8]			
Section BANKBIOS <i>BANKBIOS</i>			Permission Groups
	Group of Fields R_OMIC01003 / Sample Tracking Group Type: Fixed Repeating	Number of rows: 2	
1.	Category of Assessment [R_OMICCAT_003]	[R_OMICCAT_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

2.	Specimen Type [R_OMICSPEC_003] Row 1 (Locked): 33 - SERUM Row 2 (Locked): 7 - BLOOD	[R_OMICSPEC_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.	Sample Name [R_OMICPRP_003] Row 1 (Locked): 11 - PREP B2.5 Row 2 (Locked): 2 - PREP R1	[R_OMICPRP_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.*	Assessment Performed [R_OMICPERF_003]	[R_OMICPERF_CL_003] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

5.	Sample Date [R_OMICDTC_003]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: R_OMIC003 RETAINED RESEARCH SAMPLE TRACKING- PREP B2.5/PREP R1		
Type	RefName	Description
Form	CRF_5057909001455563_R_OMIC003	R_OMIC003
Item	I_5057922801186527_R_OMICCAT_003	
Item	I_5057922822464529_R_OMICSPEC_003	
Item	I_5057922834348414_R_OMICPRP_003	
Item	I_5057922845935458_R_OMICPERF_003	
Item	I_5057922857491683_R_OMICDTC_003	

Codelist Values Tables: R_OMIC003 RETAINED RESEARCH SAMPLE TRACKING- PREP B2.5/PREP R1
--

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_OMICCAT_CL_003	0.1			RETAINED RESEARCH SAMPLE TRACKING	1	7	0.1	i_5057922801186527_r_omiccat_003
R_OMICSPEC_CL_003	0.1			BLOOD	1	7	0.1	i_5057922822464529_r_omicspec_003
				SERUM	2	33	0.1	
R_OMICPRP_CL_003	0.1			PREP B2.5	1	11	0.1	i_5057922834348414_r_omicprp_003
				PREP R1	2	2	0.1	
R_OMICPERF_CL_003	0.1			YES	1	Y	0.1	i_5057922845935458_r_omicperf_003
				NO	2	N	0.1	

Variable Validations R_OMIC003 RETAINED RESEARCH SAMPLE TRACKING- PREP B2.5/PREP R1

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
R_OMICDTC_003	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
R_OMICDTC_003	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields R_OMIC003 RETAINED RESEARCH SAMPLE TRACKING- PREP B2.5/PREP R1

Group RefName	Group Type	Associated Variables
IG_5057921665640442_R_OMIC01003	Fixed Repeating	R_OMICCAT_003, R_OMICSPEC_003, R_OMICPRP_003, R_OMICPERF_003, R_OMICDTC_003

Instruments

R_OMIC003_1 / RETAINED RESEARCH SAMPLE TRACKING - PREP D1

Instrument Definition

Instrument Name:	R_OMIC003_1
Instrument Title:	RETAINED RESEARCH SAMPLE TRACKING - PREP D1
SAS Instrument Name:	R_OMIC003_1
Description:	BANKBIOS1
Version:	0.9
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - PREP D1 (BANKBIOS1) [Version: 0.9]			
Section BANKBIOS1 BANKBIOS1			Permission Groups
	Group of Fields R_OMIC01003_1 / Sample Tracking Group Type: Fixed Repeating	Number of rows: 1	
1.	Category of Assessment [R_OMICCAT_003_1]	[R_OMICCAT_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	

2.	Specimen Type [R_OMICSPEC_003_1]	[R_OMICSPEC_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
3.	Sample Name [R_OMICPRP_003_1] Row 1 (Locked): 1 - PREP D1	[R_OMICPRP_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.*	Assessment Performed [R_OMICPERF_003_1]	[R_OMICPERF_CL_003_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

5.	Sample Date [R_OMICDTC_003_1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - PREP D1		
Type	RefName	Description
Form	CRF_5057910326392041_R_OMIC003_1	R_OMIC003_1
Item	I_5057927449449060_R_OMICCAT_003_1	
Item	I_5057927470726611_R_OMICSPEC_003_1	
Item	I_5057927492157390_R_OMICPRP_003_1	
Item	I_5057927504254410_R_OMICPERF_003_1	
Item	I_5057927516108691_R_OMICDTC_003_1	

Codelist Values Tables: R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - PREP D1

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_OMICCAT_CL_003_1	0.1			RETAINED RESEARCH SAMPLE TRACKING	1	7	0.1	i_5057927449449060_r_omiccat_003_1
R_OMICSPEC_CL_003_1	0.1			BLOOD	1	7	0.1	i_5057927470726611_r_omicspec_003_1
R_OMICPRP_CL_003_1	0.1			PREP D1	1	1	0.1	i_5057927492157390_r_omicprp_003_1
R_OMICPERF_CL_003_1	0.1			YES	1	Y	0.1	i_5057927504254410_r_omicperf_003_1
				NO	2	N	0.1	

Variable Validations R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - PREP D1

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
R_OMICDTC_003_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
R_OMICDTC_003_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields R_OMIC003_1 RETAINED RESEARCH SAMPLE TRACKING - PREP D1

Group RefName	Group Type	Associated Variables
IG_5057921720220407_R_OMIC01003_1	Fixed Repeating	R_OMICCAT_003_1, R_OMICSPEC_003_1, R_OMICPRP_003_1, R_OMICPERF_003_1, R_OMICDTC_003_1

Instruments

R_TRIG001 / TRIGGER FORM

Instrument Definition

Instrument Name:	R_TRIG001
Instrument Title:	TRIGGER FORM
SAS Instrument Name:	R_TRIG001
Description:	TRIG
Version:	0.2
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: R_TRIG001 TRIGGER FORM (TRIG) [Version: 0.2]			
Section TRIG TRIG			Permission Groups
	Group of Fields R_TRIG01001 / Trigger Form Details Group Type: Non-Repeating	Number of variables: 5	
1.*	Select appropriate response - Protocol version: [R_TRIGRESP1_001]	[R_TRIGRESP1_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

2.*	Select appropriate response - Did subject meet all eligibility criteria? [R_TRIGRESP2_001]	[R_TRIGRESP2_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.*	Select appropriate response - Age (years) for selective blood draw [R_TRIGRESP3_001]	[R_TRIGRESP3_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
4.*	Select appropriate response - Retained Research Sample Collection: [R_TRIGRESP11_001] (Nested Field)	[R_TRIGRESP11_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.*	Select appropriate response (Country Specific) – Retained Research Samples Collection Type [R_TRIGRESP4_001]	[R_TRIGRESP4_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

Key: [*] = Item is required

Study Object Descriptions: R_TRIG001 TRIGGER FORM		
Type	RefName	Description
Form	CRF_5057911655491351_R_TRIG001	R_TRIG001
Item	I_5057923006937080_R_TRIGRESP1_001	
Item	I_5057923019906631_R_TRIGRESP2_001	
Item	I_5057923032157593_R_TRIGRESP3_001	
Item	I_5057923044764260_R_TRIGRESP11_001	
Item	I_5057923057537800_R_TRIGRESP4_001	

Codelist Values Tables: R_TRIG001 TRIGGER FORM								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
R_TRIGRESP1_CL_001	0.2			Original Protocol - 14Oct2024	1	0	0.1	i_5057923006937080_r_trigresp1_001
				Protocol Amendment 1 - 7May2025	2	1	0.1	
				Protocol Amendment 2 - 05Nov2025	3	2	0.1	
R_TRIGRESP2_CL_001	0.1			SUBJECT MET ALL ELIGIBILITY CRITERIA	1	5	0.1	i_5057923019906631_r_trigresp2_001
				SUBJECT DID NOT MEET ALL ELIGIBILITY CRITERIA	2	6	0.1	
R_TRIGRESP3_CL_001	0.1			Subject Age is between 12 and less than 18 at the time of informed consent/assent	1	7	0.1	i_5057923032157593_r_trigresp3_001



				Subject age is 18 YEARS OLD OR ABOVE at time of informed consent/assent	2	8	0.1	
R_TRIGRESP11_CL_001	0.1			RETAINED RESEARCH SAMPLE COLLECTED AT SITE WITH NO SEPARATE CONSENT FORM	1	29	0.1	i_5057923044764260_r_trigresp11_001
				RETAINED RESEARCH SAMPLE COLLECTED AT SITE WITH A SEPARATE CONSENT FORM	2	30	0.1	
				NO RETAINED RESEARCH SAMPLE COLLECTED AT SITE	3	31	0.1	
R_TRIGRESP4_CL_001	0.1			Retained Research Samples - Prep D1 samples only	1	20	0.1	i_5057923057537800_r_trigresp4_001
				Retained Research Samples - Prep R1 and/or B2.5 samples only	2	21	0.1	
				Retained Research Samples - All retained research samples	3	22	0.1	
				Retained Research Samples - Not applicable for site	4	23	0.1	

Groups of Fields R_TRIG001 TRIGGER FORM

Group RefName	Group Type	Associated Variables
IG_5057921478656962_R_TRIG01001	Non-Repeating	R_TRIGRESP1_001, R_TRIGRESP2_001, R_TRIGRESP3_001, R_TRIGRESP11_001, R_TRIGRESP4_001

Instruments

SC009 / SUBJECT CHARACTERISTICS

Instrument Definition

Instrument Name:	SC009
Instrument Title:	SUBJECT CHARACTERISTICS
SAS Instrument Name:	SC009
Description:	SUBJCHAR
Version:	0.19
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: SC009 SUBJECT CHARACTERISTICS (SUBJCHAR) [Version: 0.19]		
Section SUBJCHAR SUBJCHAR		Permission Groups
Group of Fields SC01009 / Subject Characteristics Group Type: Non-Repeating	Number of variables: 3	

1.*	Date of Assessment: [SCDTC_009]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.*	Primary Reason for Participants Being Unable to Take Nirmatrelvir/Ritonavir: [SCORRES_PRIUNTAK_009]	[SCORRES_PRIUNTAK_CL_009] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.*	Adverse Reaction Specify: [SUPPSC_ARSPFY_009] [SCARSPFY] <i>(Nested Field)</i>	Text Box Max Length: 200 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Disabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled Help/Info Text: If "PARTICIPANT'S PRIOR ADVERSE REACTION" is selected, please specify the reaction in the field.	
-----	---	--	--

Key: [*] = Item is required

Study Object Descriptions: SC009 SUBJECT CHARACTERISTICS		
Type	RefName	Description
Form	CRF_5057912121943967_SC009	SC009
Item	I_5057927029742952_SCDTC_009	
Item	I_5057927041704318_SCORRES_PRIUNTAK_009	
Item	I_5057927054838125_SUPPSC_ARSPFY_009	

Codelist Values Tables: SC009 SUBJECT CHARACTERISTICS								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
SCORRES_PRIUNTAK_CL_009	0.1			PARTICIPANT'S PRIOR ADVERSE REACTION	1	1	0.1	i_5057927041704318_scorres_priuntak_009
				PARTICIPANT DECLINES OVER CONCERNS REGARDING ADVERSE EVENTS	2	2	0.1	

				DRUG INTERACTION	3	3	0.1
				LOCAL UNAVAILABILITY	4	4	0.1
				DOES NOT MEET LOCAL CRITERIA FOR PRESCRIPTION	5	5	0.1
				RISK OF HIV DRUG RESISTANCE	6	6	0.1

Variable Validations SC009 SUBJECT CHARACTERISTICS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
SCDTC_009	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
SCDTC_009	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields SC009 SUBJECT CHARACTERISTICS

Group RefName	Group Type	Associated Variables
IG_5057921451928519_SC01009	Non-Repeating	SCDTC_009, SCORRES_PRIUNTAK_009, SUPPSC_ARSPFY_009

Instruments

SSSRV001 / SURVIVAL FOLLOW-UP

Instrument Definition

Instrument Name:	SSSRV001
Instrument Title:	SURVIVAL FOLLOW-UP
SAS Instrument Name:	SSSRV001
Description:	SURVIVAL
Version:	0.7
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: SSSRV001 SURVIVAL FOLLOW-UP (SURVIVAL) [Version: 0.7]			
Section SURVIVAL SURVIVAL			Permission Groups
	Group of Fields SSSRV01001 / Survival Follow-up Group Type: Non-Repeating	Number of variables: 2	
1.* ✓	Current Subject Status: [SSORRES_SURVSTAT_001]	[SSORRES_SURVSTAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

2.* ✓	Date Last Known To Be Alive: [SUPPSS_SRVAVDT_001]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* [Allow Unknown], Default = 1 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
----------	--	--	--

Key: [*] = Item is required ✓ = Source verification required

Study Object Descriptions: SSSRV001 SURVIVAL FOLLOW-UP

Type	RefName	Description
Form	CRF_5057909891962825_SSSRV001	SSSRV001
Item	I_5057924912656710_SSORRES_SURVSTAT_001	
Item	I_5057924925424778_SUPPSS_SRVAVDT_001	

Codelist Values Tables: SSSRV001 SURVIVAL FOLLOW-UP

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName



SSORRES_SURVSTAT_CL_001	0.1			DEAD	1	3	0.1	i_5057924912656710_ssorres_survstat_001
				ALIVE	2	4	0.1	
				UNKNOWN	3	5	0.1	

Variable Validations SSSRV001 SURVIVAL FOLLOW-UP

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
SUPPSS_SRVAVDT_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
SUPPSS_SRVAVDT_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields SSSRV001 SURVIVAL FOLLOW-UP

Group RefName	Group Type	Associated Variables
IG_5057921755046834_SSSRV01001	Non-Repeating	SSORRES_SURVSTAT_001, SUPPSS_SRVAVDT_001

Instruments

SV001 / DATE OF VISIT

Instrument Definition

Instrument Name:	SV001
Instrument Title:	DATE OF VISIT
SAS Instrument Name:	SV001
Description:	DOV
Version:	0.14
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: SV001 DATE OF VISIT (DOV) [Version: 0.14]			
Section DOV DOV			Permission Groups
	Group of Fields SV01001 / Date of Visit Group Type: Non-Repeating	Number of variables: 3	

1.*	Date of Visit: [SVSTDTC_001]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Enabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
2.*	Contact Mode: [X_SVCNTMOD_001]	[X_SVCNTMOD_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

3.	Erroneous Visit: [D_SVERROR_001]	[D_SVERROR_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
----	---	--	--

Key: [*] = Item is required

Study Object Descriptions: SV001 DATE OF VISIT

Type	RefName	Description
Form	CRF_5057908786545811_SV001	SV001
Item	I_5057923576266002_SVSTDTC_001	
Item	I_5057923588201546_X_SVCNTMOD_001	
Item	I_5057923601473699_D_SVERROR_001	

Codelist Values Tables: SV001 DATE OF VISIT

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_SVCNTMOD_CL_001	0.1			IN PERSON, ONSITE	1	1	0.1	i_5057923588201546_x_svcntmod_001
				IN PERSON, OFFSITE	2	2	0.1	
				REMOTE AUDIO VIDEO	3	3	0.1	
D_SVERROR_CL_001	0.1			ERRONEOUS VISIT	1	1	0.1	i_5057923601473699_d_sverror_001

Variable Validations SV001 DATE OF VISIT

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
------------------	---------------------	----------	-----------------	------------

SVSTDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.
SVSTDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.

Groups of Fields SV001 DATE OF VISIT		
Group RefName	Group Type	Associated Variables
IG_5057921839119329_SV01001	Non-Repeating	SVSTDTC_001, X_SVCNTMOD_001, D_SVERROR_001

Instruments

VS001 / VITAL SIGNS - SCR

Instrument Definition

Instrument Name:	VS001
Instrument Title:	VITAL SIGNS - SCR
SAS Instrument Name:	VS001
Description:	VITALS SCR
Version:	0.15
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: VS001 VITAL SIGNS - SCR (VITALS SCR) [Version: 0.15]			
Section VITALS SCR VITALS SCR			Permission Groups
	Group of Fields VS01001 / Vital Signs - I Group Type: Non-Repeating	Number of variables: 7	
1.	Category for Vital Signs: [VSCAT_001]	[VSCAT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R)

2.*	Date Time: [VSDTC_001]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
3.*	Height: [VSORRES_HEIGHT_001]	Number Box (Decimal) Min Value: 0; Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.*	Unit: [VSORRESU_HEIGHT_001]	[VSORRESU_HEIGHT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.*	Weight: [VSORRES_WEIGHT_001]	Number Box (Decimal) Min Value: 0; Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.*	Unit: [VSORRESU_WEIGHT_001]	[VSORRESU_WEIGHT_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7.	Body Mass Index kg/m2: [VSORRES_BMI_001]	Number Box (Decimal) Min Value: 0; Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if(not(empty([VSORRES_HEIGHT_001])) and not(empty([VSORRES_WEIGHT_001])) and not(empty([VSORRESU_HEIGHT_001])) and not(empty([VSORRESU_WEIGHT_001])) and [VSORRESU_WEIGHT_001] = "9" and [VSORRESU_HEIGHT_001] = "5",round((([VSORRES_WEIGHT_001] / [VSORRES_HEIGHT_001] / [VSORRES_HEIGHT_001] * 10000),1), if(not(empty([VSORRES_HEIGHT_001])) and not(empty([VSORRES_WEIGHT_001])) and not(empty([VSORRESU_HEIGHT_001])) and not(empty([VSORRESU_WEIGHT_001]))and [VSORRESU_WEIGHT_001] = "11" and [VSORRESU_HEIGHT_001] = "8",round(((([VSORRES_WEIGHT_001] / [VSORRES_HEIGHT_001] / [VSORRES_HEIGHT_001] * 703),1),NULL))	
	Group of Fields VS02001 / Vital Signs - II Group Type: Fixed Repeating	Number of rows: 1	
8.	Record Identifier [VSSPID_001] Row 1 (Locked): 1 - 1	[VSSPID_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

9.*	Temperature [VSORRES_TEMP_001]	Number Box (Decimal) Min Value: 0; Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
10.*	Temperature Unit [VSORRESU_TEMP_001]	[VSORRESU_TEMP_CL_001] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
11.*	Systolic BP in mmHg: [VSORRES_SYSBP_001]	Number Box (Integer) Min Value: 0; Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

12.*	Diastolic BP in mmHg [VSORRES_DIABP_001]	Number Box (Integer) Min Value: 0; Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
13.*	Pulse in beats/minute [VSORRES_PULSE_001]	Number Box (Integer) Min Value: 0; Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
14.*	Respiratory Rate in respirations/minute [VSORRES_RESP_001]	Number Box (Integer) Min Value: 0; Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

15.*	SPO2 Pulse Oximetry % [VSORRES_OXYSAT_001]	Number Box (Decimal) Min Value: 0; Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: VS001 VITAL SIGNS - SCR		
Type	RefName	Description
Form	CRF_5057910541435609_VS001	VS001
Item	I_5057928283026290_VSCAT_001	
Item	I_5057928305733945_VSDTC_001	
Item	I_5057928318283530_VSORRES_HEIGHT_001	
Item	I_5057928330599829_VSORRESU_HEIGHT_001	
Item	I_5057928343127144_VSORRES_WEIGHT_001	
Item	I_5057928355702804_VSORRESU_WEIGHT_001	
Item	I_5057928368446725_VSORRES_BMI_001	
Item	I_5057928185070416_VSSPID_001	
Item	I_5057928196773487_VSORRES_TEMP_001	
Item	I_5057928209389688_VSORRESU_TEMP_001	
Item	I_5057928222743940_VSORRES_SYSBP_001	
Item	I_5057928234806293_VSORRES_DIABP_001	
Item	I_5057928246792323_VSORRES_PULSE_001	
Item	I_5057928258805183_VSORRES_RESP_001	

Item	I_5057928270578194_VSORRES_OXYSAT_001	
------	---------------------------------------	--

Codelist Values Tables: VS001 VITAL SIGNS - SCR

Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
VSCAT_CL_001	0.1			VITAL SIGNS	1	1	0.1	i_5057928283026290_vscat_001
VSORRESU_HEIGHT_CL_001	0.1			cm	1	5	0.1	i_5057928330599829_vsorresu_height_001
				in	2	8	0.1	
VSORRESU_WEIGHT_CL_001	0.1			kg	1	9	0.1	i_5057928355702804_vsorresu_weight_001
				LB	2	11	0.1	
VSSPID_CL_001	0.1			1	1	1	0.1	i_5057928185070416_vsspid_001
VSORRESU_TEMP_CL_001	0.1			F	1	6	0.1	i_5057928209389688_vsorresu_temp_001
				C	2	4	0.1	

Variable Validations VS001 VITAL SIGNS - SCR

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
VSDTC_001	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
VSDTC_001	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields VS001 VITAL SIGNS - SCR

Group RefName	Group Type	Associated Variables
IG_5057921329077503_VS01001	Non-Repeating	VSCAT_001, VSDTC_001, VSORRES_HEIGHT_001, VSORRESU_HEIGHT_001, VSORRES_WEIGHT_001, VSORRESU_WEIGHT_001, VSORRES_BMI_001

IG_5057921361430390_VS02001	Fixed Repeating	VSSPID_001, VSORRES_TEMP_001, VSORRESU_TEMP_001, VSORRES_SYSBP_001, VSORRES_DIABP_001, VSORRES_PULSE_001, VSORRES_RESP_001, VSORRES_OXYSAT_001
-----------------------------	--------------------	---

Instruments

VS001_1 / VITAL SIGNS

Instrument Definition

Instrument Name:	VS001_1
Instrument Title:	VITAL SIGNS
SAS Instrument Name:	VS001_1
Description:	VITALS
Version:	0.10
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: VS001_1 VITAL SIGNS (VITALS) [Version: 0.10]			
Section VITALS VITALS			Permission Groups
	Group of Fields VS01001_1 / Vital Signs - I Group Type: Non-Repeating	Number of variables: 2	
1.	Category for Vital Signs: [VSCAT_001_1]	[VSCAT_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R)

2.*	Date Time: [VSDTC_001_1]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields VS02001_1 / Vital Signs - II Group Type: Fixed Repeating	Number of rows: 1	
3.	Record Identifier [VSSPID_001_1] Row 1 (Locked): 1 - 1	[VSSPID_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.*	Temperature [VSORRES_TEMP_001_1]	Number Box (Decimal) Min Value: 0; Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.*	Temperature Unit [VSORRESU_TEMP_001_1]	[VSORRESU_TEMP_CL_001_1] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.*	Systolic BP in mmHg [VSORRES_SYSBP_001_1]	Number Box (Integer) Min Value: 0; Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7.*	Diastolic BP in mmHg [VSORRES_DIABP_001_1]	Number Box (Integer) Min Value: 0; Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.*	Pulse in beats/minute [VSORRES_PULSE_001_1]	Number Box (Integer) Min Value: 0; Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
9.*	Respiratory Rate in respirations/minute [VSORRES_RESP_001_1]	Number Box (Integer) Min Value: 0; Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

10.*	SPO2 Pulse Oximetry % [VSORRES_OXYSAT_001_1]	Number Box (Decimal) Min Value: 0; Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: VS001_1 VITAL SIGNS		
Type	RefName	Description
Form	CRF_5057909641270758_VS001_1	VS001_1
Item	I_5057927160137325_VSCAT_001_1	
Item	I_5057927181527055_VSDTC_001_1	
Item	I_5057927069530815_VSSPID_001_1	
Item	I_5057927080776948_VSORRES_TEMP_001_1	
Item	I_5057927091928936_VSORRESU_TEMP_001_1	
Item	I_5057927103262222_VSORRES_SYSBP_001_1	
Item	I_5057927114304033_VSORRES_DIABP_001_1	
Item	I_5057927125466835_VSORRES_PULSE_001_1	
Item	I_5057927136455289_VSORRES_RESP_001_1	
Item	I_5057927147292138_VSORRES_OXYSAT_001_1	

Codelist Values Tables: VS001_1 VITAL SIGNS								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName

VSCAT_CL_001_1	0.1			VITAL SIGNS	1	1	0.1	i_5057927160137325_vscat_001_1
VSSPID_CL_001_1	0.1			1	1	1	0.1	i_5057927069530815_vsspid_001_1
VSORRESU_TEMP_CL_001_1	0.1			F	1	6	0.1	i_5057927091928936_vsorresu_temp_001_1
				C	2	4	0.1	

Variable Validations VS001_1 VITAL SIGNS

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
VSDTC_001_1	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
VSDTC_001_1	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields VS001_1 VITAL SIGNS

Group RefName	Group Type	Associated Variables
IG_5057921828833711_VS01001_1	Non-Repeating	VSCAT_001_1, VSDTC_001_1
IG_5057921796348239_VS02001_1	Fixed Repeating	VSSPID_001_1, VSORRES_TEMP_001_1, VSORRESU_TEMP_001_1, VSORRES_SYSBP_001_1, VSORRES_DIABP_001_1, VSORRES_PULSE_001_1, VSORRES_RESP_001_1, VSORRES_OXYSAT_001_1

Instruments

VS001_2 / VITAL SIGNS - REPEATING

Instrument Definition

Instrument Name:	VS001_2
Instrument Title:	VITAL SIGNS - REPEATING
SAS Instrument Name:	VS001_2
Description:	VIT-REP
Version:	0.18
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: VS001_2 VITAL SIGNS - REPEATING (VIT-REP) [Version: 0.18]			
Section VIT-REP <i>VIT-REP</i>			Permission Groups
	Group of Fields VS01001_2 / Vital Signs - I Group Type: Non-Repeating	Number of variables: 2	
1.	Category for Vital Signs: [VSCAT_001_2]	[VSCAT_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R)

2.*	Date Time: [VSDTC_001_2]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Hour* Minute* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Variable Validations: [Multiple Selected] Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
	Group of Fields VS02001_2 / Vital Signs - II Group Type: Fixed Repeating	Number of rows: 1	
3.	Record Identifier [VSSPID_001_2] Row 1 (Locked): 1 - 1	[VSSPID_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

4.*	Temperature [VSORRES_TEMP_001_2]	Number Box (Decimal) Min Value: 0; Max Value: 9999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
5.*	Temperature Unit [VSORRESU_TEMP_001_2]	[VSORRESU_TEMP_CL_001_2] Radio Buttons Variable auto-naming: Disabled Align Variable below Label: Disabled Display: Vertical Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
6.*	Systolic BP in mmHg [VSORRES_SYSBP_001_2]	Number Box (Integer) Min Value: 0; Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

7.*	Diastolic BP in mmHg [VSORRES_DIABP_001_2]	Number Box (Integer) Min Value: 0; Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
8.*	Pulse in beats/minute [VSORRES_PULSE_001_2]	Number Box (Integer) Min Value: 0; Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
9.*	Respiratory Rate in respirations/minute [VSORRES_RESP_001_2]	Number Box (Integer) Min Value: 0; Max Value: 999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	

10.*	SPO2 Pulse Oximetry % [VSORRES_OXYSAT_001_2]	Number Box (Decimal) Min Value: 0; Max Value: 99999 Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: None Disable Reason Intentionally Blank: Disabled Disable Queries: Disabled Blinding: Disabled	
Key: [*] = Item is required			

Study Object Descriptions: VS001_2 VITAL SIGNS - REPEATING		
Type	RefName	Description
Form	CRF_5057915881663358_VS001_2	VS001_2
Item	I_5057922969280540_VSCAT_001_2	
Item	I_5057922994065087_VSDTC_001_2	
Item	I_5057922869378768_VSSPID_001_2	
Item	I_5057922881261702_VSORRES_TEMP_001_2	
Item	I_5057922894486314_VSORRESU_TEMP_001_2	
Item	I_5057922906901648_VSORRES_SYSBP_001_2	
Item	I_5057922920268642_VSORRES_DIABP_001_2	
Item	I_5057922932713580_VSORRES_PULSE_001_2	
Item	I_5057922944889737_VSORRES_RESP_001_2	
Item	I_5057922956992975_VSORRES_OXYSAT_001_2	

Codelist Values Tables: VS001_2 VITAL SIGNS - REPEATING								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName

VSCAT_CL_001_2	0.1			VITAL SIGNS	1	1	0.1	i_5057922969280540_vscat_001_2
VSSPID_CL_001_2	0.1			1	1	1	0.1	i_5057922869378768_vsspid_001_2
VSORRESU_TEMP_CL_001_2	0.1			F	1	6	0.1	i_5057922894486314_vsorresu_temp_001_2
				C	2	4	0.1	

Variable Validations VS001_2 VITAL SIGNS - REPEATING

Variable RefName	Validation Variable	Operator	Validation Name	Query Text
VSDTC_001_2	>_DEATH_DATE	>	>_DEATH_DATE	Date is after 'Date of Death' on the Death Details eCRF. Please review and update if appropriate.
VSDTC_001_2	>_END_OF_STUDY	>	>_END_OF_STUDY	Date is after 'Date of Completion/Discontinuation/Death' on the final disposition eCRF. Please review and update if appropriate.

Groups of Fields VS001_2 VITAL SIGNS - REPEATING

Group RefName	Group Type	Associated Variables
IG_5057921701344955_VS01001_2	Non-Repeating	VSCAT_001_2, VSDTC_001_2
IG_5057921733101877_VS02001_2	Fixed Repeating	VSSPID_001_2, VSORRES_TEMP_001_2, VSORRESU_TEMP_001_2, VSORRES_SYSBP_001_2, VSORRES_DIABP_001_2, VSORRES_PULSE_001_2, VSORRES_RESP_001_2, VSORRES_OXYSAT_001_2

Instruments

X_DS_SLOPD001 / SUBJECT STATUS

Instrument Definition

Instrument Name:	X_DS_SLOPD001
Instrument Title:	SUBJECT STATUS
SAS Instrument Name:	X_DS_SLOPD001
Description:	SUB STATU
Version:	0.15
Status:	Active
Read Only:	Disabled
Available on Mobile:	Disabled
Sensitive Data:	Disabled
Enable form as Common:	Disabled
Enable within-form Subject Navigation:	Disabled

C5091017_V6.0: X_DS_SLOPD001 SUBJECT STATUS (SUB STATU) [Version: 0.15]			
Section SUB STATU SUB STATU			Permission Groups
	Group of Fields X_DS_SLOPD01001 / Subject Status Group Type: Non-Repeating	Number of variables: 3	
1.	Subject Status [X_DS_STAT_001]	[X_DS_STAT_CL_001] Drop-down Variable auto-naming: Disabled Align Variable below Label: Disabled Expand to fit all content: Enabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R)

2.	Subject Status Date [X_DS_DAT_001]	Date Time Box Time Format: hh:mm; 24-hour clock Set Instrument Date: Disabled Set Event Date: Disabled Default Current Date/Time: Disabled Prevent entering future date: Disabled Min Year: 2024; Max Year: 2030 Date Time Component Settings: Year* Month* Day* Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Read Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled Default Value: if([DISP][DSSTDTC_001_6] <> null,[DISP][DSSTDTC_001_6],if([DISP][DSSTDTC_001_5] <> null,[DISP][DSSTDTC_001_5],if([DAY1][DSSTDTC_001_3] <> null,[DAY1][DSSTDTC_001_3],if([SCR][DSSTDTC_001_4] <> null,[SCR][DSSTDTC_001_4],null))))	Read Only (R) Database Builder (R,U) Lead Data Manager (R) LabTech (R)
3.	Subject Dummy [D_DS_DUMMY_001] [Subject Dummy]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
	Group of Fields X_DS_SLOPD01001_1 / Subject Status Group Type: Non-Repeating	Number of variables: 1	

4.	Subject Dummy [D_DS_DUMMY_001_1] [Subject Dummy_1] [Hidden]	Text Box Variable auto-naming: Disabled Align Variable below Label: Disabled Show Validator: Enabled Soft Validation: Disabled Variable-level access: Hide Disable Reason Intentionally Blank: Disabled Disable Queries: Enabled Blinding: Disabled	
----	--	---	--

Key: [*] = Item is required

Study Object Descriptions: X_DS_SLOPD001 SUBJECT STATUS		
Type	RefName	Description
Form	CRF_5057918145165247_X_DS_SLOPD001	X_DS_SLOPD001
Item	I_5057927370653780_X_DS_STAT_001	
Item	I_5057927397623484_X_DS_DAT_001	
Item	I_5057927424026834_D_DS_DUMMY_001	
Item	I_5057927437228325_D_DS_DUMMY_001_1	

Codelist Values Tables: X_DS_SLOPD001 SUBJECT STATUS								
Codelist RefName	Codelist Version	Master Codelist RefName	Master Codelist Version	Label	Order	Item Code	Item Version	Data Variable RefName
X_DS_STAT_CL_001	0.1			SCREENED	1	1	0.1	i_5057927370653780_x_ds_stat_001
				SCREEN FAIL	2	2	0.1	
				ENROLLED/RANDOMIZED	3	3	0.1	
				DISCONTINUED	4	4	0.1	
				COMPLETED	5	5	0.1	
				FOLLOW-UP	6	6	0.1	

Groups of Fields X_DS_SLOPD001 SUBJECT STATUS		
Group RefName	Group Type	Associated Variables
IG_5057921691113850_X_DS_SLOPD01001	Non-Repeating	X_DS_STAT_001, X_DS_DAT_001, D_DS_DUMMY_001
IG_5057921607450885_X_DS_SLOPD01001_1	Non-Repeating	D_DS_DUMMY_001_1

Other Descriptive Metadata

Custom Functions					
Name	Description	Code	Source	Version	ID
SLOPD_FormSubmit	CF to update SLOPD form status	<pre> import java.util.List; import com.candorgrc.core.shared.api.ApiService; import com.candorgrc.core.shared.api.model.ItemData; import com.candorgrc.core.shared.api.model.Subject; import com.candorgrc.core.shared.api.model.Crf; import com.candorgrc.core.shared.api.model.CrfData; import com.candorgrc.core.shared.api.model.Encounter; import com.candorgrc.core.shared.api.model.Event; import com.candorgrc.core.shared.api.model.FieldValue; public static boolean Test(ItemData targetItem, ApiService service) { if (targetItem == null service == null) { return false; } String targetForm = "X_DS_SLOPD001"; String targetItemName = "D_DS_DUMMY_001"; String evtName = "SUBJSTAT"; String subjectNumber = targetItem.getCrfData().getSubject().getNumber(); Subject subject = targetItem.getCrfData().getSubject(); ItemData test1 = targetItem.withoutIds(); test1.getVariable().setCodeList(null); test1.setSingleFieldValue(new FieldValue(subjectNumbe </pre>		0.1	205710

```

r));
    test1.getVariable().setName(targetItemName);

    CrfData targetInstrument = getInstrument(targetForm,
subject);
    targetInstrument.setEncounter(getEvent(evtName, subje
ct));

    service.saveFormData(targetInstrument, List.of(test1)
);

    return false;
}

public static CrfData getInstrument(String instrument, Su
bject subject) {
    CrfData instrumentData = new CrfData();
    Crf instrumentObject = new Crf();
    instrumentObject.setName(instrument);
    instrumentData.setCrf(instrumentObject);
    instrumentData.setSubject(subject);
    return instrumentData;
}

public static Encounter getEvent(String event, Subject su
bject) {
    Encounter encounterObject = new Encounter();
    Event eventObject = new Event();
    encounterObject.setSubject(subject);
    encounterObject.setEvent(eventObject);
    eventObject.setUniqueName(event);
    return encounterObject;
}

```

overlappingDates	Returns if the two sets of start and end times are overlapping.	<pre> import java.time.LocalDateTime; public static boolean overlappingDates(LocalDateTime startDate1, LocalDateTime endDate1, Local DateTime startDate2, LocalDateTime endDate2) { if (startDate1 == null endDate1 == null startDa te2 == null endDate2 == null) { return false; } return (startDate1.isEqual(endDate2) startDate1.is Before(endDate2)) && (endDate1.isEqual(startDate2) endDate1.isAfter (startDate2)); } </pre>	0.1	205709
getStartDTS_1	Imputes full start date from DTS and returns String output.	<pre> /** * Returns a String from a start DTS, including handling U NK. * * @param startDTS Value from _DTS * @return String if not null, null otherwise */ public static String getStartDTS_1(String startDTS) { if (startDTS == null startDTS.length() > 19 sta rtDTS.equals("")) { return null; } else { String startDate; String month = "01"; String day = "01"; String hour = "00"; String minute = "00"; String second = "00"; </pre>	0.1	205708

		<pre> switch (startDTS.length()) { case 19: second = startDTS.substring(17,19); // 2024-01-01T00:00:00 case 16: minute = startDTS.substring(14,16); // 2024-01-01T00:00 case 13: hour = startDTS.substring(11,13); // 2024-01-01T00 case 10: day = startDTS.substring(8,10); // 2 024-01-01 case 7: month = startDTS.substring(5,7); // 2 024-01 case 4: String year = startDTS.substring(0,4) ; // 2024 if(startDTS.length() <= 10) { startDate = year+'-'+month+'-'+day; } else if (startDTS.length() <= 16) { startDate = year+"-"+month+"-"+day+"T"+hour+": "+minut e; } else { startDate = year+"-"+month+"-"+day+"T"+hour+": "+minut e+": "+second; } break; default: startDate = null; } return startDate; } }</pre>			
getStartDTS	Returns a LocalDateTime from a start DTS, including handling UNK.	<pre>import java.time.LocalDateTime; public static LocalDateTime getStartDTS(String startDTS) {</pre>		0.1	205707

		<pre> if (startDTS == null startDTS.length() > 19 startDTS.equals("")) { return null; } else { LocalDateTime startDate; int month = 1; int day = 1; int hour = 0; int minute = 0; int second = 0; switch (startDTS.length()) { case 19: second = Integer.valueOf(startDTS.substring(17,19)); // 2024-01-01T00:00:00 case 16: minute = Integer.valueOf(startDTS.substring(14,16)); // 2024-01-01T00:00 case 13: hour = Integer.valueOf(startDTS.substring(11,13)); // 2024-01-01T00 case 10: day = Integer.valueOf(startDTS.substring(8,10)); // 2024-01-01 case 7: month = Integer.valueOf(startDTS.substring(5,7)); // 2024-01 case 4: int year = Integer.valueOf(startDTS.substring(0,4)); //2024 startDate = LocalDateTime.of(year, month, day, hour, minute, second); break; default: startDate = null; } return startDate; } } </pre>			
getEndDTS_1	Impute full end date from DTS and return	import java.util.Calendar;		0.1	205706

string output

```
/**
 * Returns a String from an end DTS, including handling UN
 * K.
 *
 * @param    endDTS    Value from _DTS
 * @return    String if not null, null otherwise
 */

public static String getEndDTS_1(String endDTS) {
    if (endDTS == null || endDTS.length() > 19 || endDTS.
equals("")) {
        return null;
    }
    else {
        String endDate;
        String month = "12";
        String day = "00";
        String hour = "00";
        String minute = "00";
        String second = "00";

        switch (endDTS.length()) {
            case 19: second = endDTS.substring(17,19); //
2024-01-01T00:00:00
            case 16: minute = endDTS.substring(14,16); //
2024-01-01T00:00
            case 13: hour = endDTS.substring(11,13); // 2
024-01-01T00
            case 10: day = endDTS.substring(8,10); // 202
4-01-01
            case 7: month = endDTS.substring(5,7); // 202
4-01
            case 4: String year = endDTS.substring(0,4);
// 2024

            if(endDTS.length() <= 10)
            {
```

		<pre> if (day == "00") { Calendar cal = Calendar.getInstance(); cal.set(Integer.valueOf(year), Integer.valueOf(month)-1, 1); day = String.valueOf(cal.getActualMaximum(Calendar.DAY_OF_MONTH)); if (day.length() == 1) { day = "0"+day; } } endDate = year+'-'+month+'-'+day; } else if (endDTS.length() <= 16) { endDate = year+"-"+month+"-"+day+"T"+hour+": "+minute; } else { endDate = year+"-"+month+"-"+day+"T"+hour+": "+minute+": "+second; } break; default: endDate = null; } return endDate; } } </pre>			
getEndDTS	Returns a LocalDateTime from an end DTS, including handling UNK	<pre> import java.time.LocalDateTime; import java.util.Calendar; public static LocalDateTime getEndDTS(String endDTS) { if (endDTS == null endDTS.length() > 19 endDTS.equals("")) { </pre>	0.1	205705	


```

        return null;
    }
    else {
        LocalDateTime endDate;
        int month = 12;
        int day = 0;
        int hour = 0;
        int minute = 0;
        int second = 0;

        switch (endDTS.length()) {
            case 19: second = Integer.valueOf(endDTS.substring(17,19)); // 2024-01-01T00:00:00
            case 16: minute = Integer.valueOf(endDTS.substring(14,16)); // 2024-01-01T00:00
            case 13: hour = Integer.valueOf(endDTS.substring(11,13)); // 2024-01-01T00
            case 10: day = Integer.valueOf(endDTS.substring(8,10)); // 2024-01-01
            case 7: month = Integer.valueOf(endDTS.substring(5,7)); // 2024-01
            case 4: int year = Integer.valueOf(endDTS.substring(0,4)); //2024
                    if (day == 0) {
                        Calendar cal = Calendar.getInstance();

                        cal.set(year, month -1, 1);
                        day = cal.getActualMaximum(Calendar.DAY_OF_MONTH);
                    }
                    endDate = LocalDateTime.of(year, month, day, hour, minute, second);
                    break;
            default: endDate = null;
        }
        return endDate;
    }
}

```

		}			
derive_eos_date	derive_eos_date	<pre> import java.time.LocalDate; import java.time.format.DateTimeFormatter; public static String derive_eos_date(String C5, String T5 , String F6, String C5_1, String T5_1, String F6_1, String C5_2, String T5_2, String F6_2, String C5_3, String T5_3, String F6_3, String C5_4, String T5_4, String F6_4, String C5_5, String T5_5, String F6_5) { boolean foundN = false; String[] relevantDates = new String[10]; // Adjusted size, only need extra for T5, T5_1, T5_2 int index = 0; // Check C5, C5_1, C5_2 and collect relevant T5, T5_1 , T5_2 if ("N".equals(C5)) { foundN = true; relevantDates[index++] = T5; } if ("N".equals(C5_1)) { foundN = true; relevantDates[index++] = T5_1; } if ("N".equals(C5_2)) { foundN = true; relevantDates[index++] = T5_2; </pre>	0.1	205704	

```

    }
    if ("N".equals(C5_3)) {
        foundN = true;
        relevantDates[index++] = T5_3;
    }
    if ("N".equals(C5_4)) {
        foundN = true;
        relevantDates[index++] = T5_4;
    }
    if ("N".equals(C5_5)) {
        foundN = true;
        relevantDates[index++] = T5_5;
    }

    /* // Only process TRcont and TRDates if they are not
    null
        if (TRcont != null && TRDates != null) {
            for (int i = 0; i < TRcont.length; i++) {
                if ("N".equals(TRcont[i]) && TRDates[i] != null
    ll && !"NA".equals(TRDates[i])) {
                    foundN = true;
                    relevantDates[index++] = TRDates[i];
                }
            }
        }
    */
    if (foundN) {
        // Return the max date from relevant dates
        return getMaxDate(relevantDates, index);
    } else {
        // If no "N" was found, return the max date from
        F6, F6_1, F6_2
        String[] followUpDates = {F6, F6_1, F6_2, F6_3, F
        6_4, F6_5};
        return getMaxDate(followUpDates, followUpDates.le
        ngth);
    }
}

```

		<pre> } private static String getMaxDate(String[] dates, int length) { LocalDate maxDate = null; DateTimeFormatter formatter1 = DateTimeFormatter.ofPattern("yyyy-MM-dd", java.util.Locale.ENGLISH); DateTimeFormatter formatter2 = DateTimeFormatter.ofPattern("dd-MMM-yyyy", java.util.Locale.ENGLISH); for (int i = 0; i < length; i++) { String dateStr = dates[i]; if (dateStr != null && !dateStr.trim().isEmpty() && !"NA".equalsIgnoreCase(dateStr)) { // Try to parse the date using the first formatter LocalDate date = LocalDate.parse(dateStr, formatter1); if (date == null) { // Try to parse the date using the second formatter date = LocalDate.parse(dateStr, formatter2); } if (date != null && (maxDate == null date.isAfter(maxDate))) { maxDate = date; } } } return (maxDate != null) ? maxDate.toString() : null; } </pre>			
DateTimeComparison_1	This CF will compare 2 given datetime variables and provide	<pre> import java.time.LocalDate; import java.time.LocalDateTime; import java.time.LocalTime; </pre>	0.1	205703	

Boolean result.

```
import java.time.format.DateTimeFormatter;

/**
 * Returns a Boolean result from 2 DateTime Values given t
 * o compare the Dates
 *
 * @param Date1 First date as a string
 * @param Date2 Second date as a string
 * @param action Comparison operator
 * @return Boolean result of the comparison
 */
public static Boolean DateTimeComparison_1(String Date1,
String Date2, String action) {
    if (Date1 == null || Date1.isEmpty()) {
        return false;
    }
    if (Date2 == null || Date2.isEmpty()) {
        return false;
    }
    if (action == null || action.length() > 2 || action.i
sEmpty() ||
        (!action.equals("<>") && !action.equals("<") && !
action.equals(">") && !action.equals("=="))) {
        return false;
    }

    try {
        LocalDate Date1dt = null;
        LocalDate Date2dt = null;
        LocalDateTime Date1dtm = null;
        LocalDateTime Date2dtm = null;

        if (Date1.length() == 10) {
            Date1dt = LocalDate.parse(Date1, DateTimeForm
atter.ISO_LOCAL_DATE);
        } else {
            Date1dtm = LocalDateTime.parse(Date1, DateTim
```

```

eFormatter.ISO_LOCAL_DATE_TIME);
    }

    if (Date2.length() == 10) {
        Date2dt = LocalDate.parse(Date2, DateTimeForm
atter.ISO_LOCAL_DATE);
    } else {
        Date2dtm = LocalDateTime.parse(Date2, DateTim
eFormatter.ISO_LOCAL_DATE_TIME);
    }

    // Compare dates when no time part is provided
    if (Date1.length() == 10 && Date2.length() == 10)
    {
        switch (action) {
            case ">":
                return Date1dt.isAfter(Date2dt);
            case "<":
                return Date1dt.isBefore(Date2dt);
            case "<>":
                return !Date1dt.isEqual(Date2dt);
            case "==":
                return Date1dt.isEqual(Date2dt);
            default:
                return false;
        }
    }
    // Compare date-times when both have time parts
    else if (Date1.length() > 10 && Date2.length() >
10) {
        switch (action) {
            case ">":
                return Date1dtm.isAfter(Date2dtm);
            case "<":
                return Date1dtm.isBefore(Date2dtm);
            case "<>":
                return !Date1dtm.isEqual(Date2dtm);

```

		<pre> case "==": return Date1dtm.isEqual(Date2dtm); default: return false; } } // Compare date-only with date-time (ignoring time part) else { LocalDate compareDate1 = (Date1dt != null) ? Date1dt : Date1dtm.toLocalDate(); LocalDate compareDate2 = (Date2dt != null) ? Date2dt : Date2dtm.toLocalDate(); switch (action) { case ">": return compareDate1.isAfter(compareDate2); case "<": return compareDate1.isBefore(compareDate2); case "<>": return !compareDate1.isEqual(compareDate2); case "==": return compareDate1.isEqual(compareDate2); default: return false; } } } catch (Exception e) { // Handle parsing errors return false; } } </pre>			
datesOutsideRange	Calculate the number of	import java.time.LocalDateTime;		0.1	205702

a given unit (D, h, m)
between 2 DTS and
evaluates if it's outside
the range given.

```
import java.util.Calendar;

// Date mask values
private static final int y = 4;
private static final int ym = 7;
private static final int ymd = 10;
private static final int ymdh = 13;
private static final int ymdhm = 16;
private static final int ymdhms = 19;

/**
 * Returns whether the dates are outside of a given range.
 *
 * @param DTS1 - First DTS value
 * @param DTR1 - First DTR value
 * @param isStart1 - true for follow start date imputat
ion, false for follow end date imputation
 * @param DTS2 - Second DTS value
 * @param DTR2 - Second DTR value
 * @param isStart2 - true for follow start date imputat
ion, false for follow end date imputation
 * @param unit whether the range is days, hours,
or minutes
 * @param min minumum in unit
 * @param max maxium in unit
 * @return true if outside range, false if inside range
 */

public static boolean datesOutsideRange(String DTS1, Stri
ng DTR1, boolean isStart1, String DTS2, String DTR2, bool
ean isStart2,

String unit, int
min, int max) {
    // return null if the dates or unit are null
    if (DTS1 == null || DTS1 == "" || DTS2 == null || DTS
2 == "" || unit == null) {
        return false;
    }
}
```



```

    }
    // Determine whether UNK and which date parts are pre
sent
    int parts1;
    int parts2;
    boolean hasUNK1 = false;
    boolean hasUNK2 = false;
    if (DTR1 != null && DTR1.contains("UNK")) {
        parts1 = determineUNKParts(DTR1);
        hasUNK1 = true;
    }
    else {
        parts1 = DTS1.length();
    }
    if (DTR2 != null && DTR2.contains("UNK")) {
        parts2 = determineUNKParts(DTR2);
        hasUNK2 = true;
    }
    else {
        parts2 = DTS2.length();
    }
    // Determine common parts between two dates
    int commonParts;
    if (parts1 < parts2) {
        commonParts = parts1;
    }
    else {
        commonParts = parts2;
    }
    // Cut off DTS based on parts
    String trimDTS1 = DTS1.substring(0, commonParts);
    String trimDTS2 = DTS2.substring(0, commonParts);
    // Get localdatetimes for both based off of common pa
rts, imputing where UNK is used
    LocalDateTime minDate;
    LocalDateTime maxDate;
    if (isStart1 || !hasUNK1) {

```

```

        minDate = startDTS(trimDTS1);
    }
    else {
        minDate = endDTS(trimDTS1);
    }
    if (isStart2 || !hasUNK2) {
        maxDate = startDTS(trimDTS2);
    }
    else {
        maxDate = endDTS(trimDTS2);
    }
    boolean outsideRange = false;
    if (unit.equals("D")) {
        outsideRange = maxDate.isBefore(minDate.plusDays(
min)) || maxDate.isAfter(minDate.plusDays(max));
    }
    else if (unit.equals("h")) {
        outsideRange = maxDate.isBefore(minDate.plusHours
(min)) || maxDate.isAfter(minDate.plusHours(max));
    }
    else if (unit.equals("m")) {
        outsideRange = maxDate.isBefore(minDate.plusMinut
es(min)) || maxDate.isAfter(minDate.plusMinutes(max));
    }
    return outsideRange;
}

/**
 * Determines possible parts for a DTR that may have UNK.
 *
 * @param DTR - DTR value
 * @return int representation of common parts
 */
private static int determineUNKParts(String DTR) {
    int commonParts = ymdhms;
    if (DTR.endsWith("UNK-UNK UNK:UNK:NUL") || DTR.endswi
th("UNK-UNK UNK:UNK")) {

```

```

        commonParts = ymdhm;
    }
    else if (DTR.endsWith("UNK-UNK UNK")) {
        commonParts = ymdh;
    }
    else if (DTR.endsWith("UNK-UNK")) {
        commonParts = ymd;
    }
    else if (DTR.endsWith("UNK")) {
        commonParts = ym;
    }
    else {
        commonParts = DTR.length();
    }
    return commonParts;
}

/**
 * Imputes (if necessary) a complete DTS based on start date rules.
 *
 * @param startDate - DTS value
 * @return imputed LocalDateTime object
 */
private static LocalDateTime startDTS(String startDate) {
    if (startDate == null || startDate.length() > 19) {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 1;
        int day = 1;
        int hour = 0;
        int minute = 0;
        int second = 0;
        switch (startDate.length()) {
            case 19: second = Integer.valueOf(startDate.s

```

```

        substring(17,19)); // 2024-01-01T00:00:00
            case 16: minute = Integer.valueOf(startDate.s
substring(14,16)); // 2024-01-01T00:00
            case 13: hour = Integer.valueOf(startDate.sub
string(11,13)); // 2024-01-01T00
            case 10: day = Integer.valueOf(startDate.subs
tring(8,10)); // 2024-01-01
            case 7: month = Integer.valueOf(startDate.sub
string(5,7)); // 2024-01
            case 4: int year = Integer.valueOf(startDate.
substring(0,4)); // 2024
                dts = LocalDateTime.of(year, month, d
ay, hour, minute, second);
                break;
            default: dts = null;
        }
        return dts;
    }
}

/**
 * Imputes (if necessary) a complete DTS based on end date
 * rules.
 *
 * @param endDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime endDTS(String endDate) {
    if (endDate == null || endDate.length() > 19) {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 12;
        int day = 0;
        int hour = 0;
        int minute = 0;

```

		<pre> int second = 0; switch (endDate.length()) { case 19: second = Integer.valueOf(endDate.substring(17,19)); // 2024-01-01T00:00:00 case 16: minute = Integer.valueOf(endDate.substring(14,16)); // 2024-01-01T00:00 case 13: hour = Integer.valueOf(endDate.substring(11,13)); // 2024-01-01T00 case 10: day = Integer.valueOf(endDate.substring(8,10)); // 2024-01-01 case 7: month = Integer.valueOf(endDate.substring(5,7)); // 2024-01 case 4: int year = Integer.valueOf(endDate.substring(0,4)); // 2024 if (day == 0) { Calendar cal = Calendar.getInstance(); cal.set(year,month-1,1); day = cal.getActualMaximum(Calendar.DAY_OF_MONTH); } dts = LocalDateTime.of(year, month, day, hour, minute, second); break; default: dts = null; } return dts; } </pre>			
comparedTS_1	Accepts two DTS and optional DTR values and returns -1 if the first is before the second, 0 if they are equal, or 1 if the first is after the second.	<pre> import java.time.LocalDateTime; import java.util.Calendar; // Date mask values private static final int y = 4; private static final int ym = 7; private static final int ymd = 10; private static final int ymdh = 13; </pre>		0.1	205701

```

private static final int ymdhm = 16;
private static final int ymdhms = 19;

/**
 * Accepts two DTS and two DTR values.
 * Returns -1 if the first is before the second, 0 if the
 * y are equal, or 1 if the first is after the second.
 *
 * @param DTS1 - First DTS value
 * @param DTR1 - First DTR value
 * @param isStart1 - true for follow start date imputation, false for follow end date imputation
 * @param DTS2 - Second DTS value
 * @param DTR2 - Second DTR value
 * @param isStart2 - true for follow start date imputation, false for follow end date imputation
 * @return integer -1, 0, 1, or null if one date is missing
 */
public static Integer comparedTS_1(String DTS1, String DTR1, boolean isStart1, String DTS2, String DTR2, boolean isStart2) {
    Integer compared = null;

    // Check if both dates are present
    if (DTS1 == null || DTS1 == "" || DTS2 == null || DTS2 == "") {
        return compared;
    }

    if (DTR1 != null && (DTR1.contains(":UNK") || DTR1.contains("UNK:"))) {
        DTR1 = DTR1.substring(0, DTR1.indexOf(" "));

        if (DTS2.contains("T")) {
            DTS2 = DTS2.substring(0, DTS2.indexOf("T"));
        }
    }
}

```

```

    }

    if (DTR2 != null && (DTR2.contains(":UNK") || DTR2.contains("UNK:"))) {
        DTR2 = DTR2.substring(0, DTR2.indexOf(" "));

        if (DTS1.contains("T")) {
            DTS1 = DTS1.substring(0, DTS1.indexOf("T"));
        }
    }

    compared = genericCompareDTS(DTS1, DTR1, isStart1, DTS2, DTR2, isStart2);

    return compared;
}

/**
 * Accepts two DTS values. Overloaded version of compareDTS.
 * Returns -1 if the first is before the second, 0 if they are equal, or 1 if the first is after the second.
 *
 * @param DTS1 - First DTS value
 * @param isStart1 - true for follow start date imputation, false for follow end date imputation
 * @param DTS2 - Second DTS value
 * @param isStart2 - true for follow start date imputation, false for follow end date imputation
 * @return integer -1, 0, 1, or null if one date is missing
 */
public static Integer compareDTS_1(String DTS1, boolean isStart1, String DTS2, boolean isStart2) {
    Integer compared = null;

```

```

        // Check if both dates are present
        if (DTS1 == null || DTS1 == "" || DTS2 == null || DTS
2 == "" ) {
            return compared;
        }

        compared = genericCompareDTS(DTS1, null, isStart1, DT
S2, null, isStart2);

        return compared;
    }

/**
 * Generic version of compareDTS for wrappers.
 * Accepts two DTS and optional DTR values.
 * Returns -1 if the first is before the second, 0 if the
y are equal, or 1 if the first is after the second.
 *
 * @param DTS1 - First DTS value
 * @param DTR1 - First DTR value
 * @param isStart1 - true for follow start date imputatio
n, false for follow end date imputation
 * @param DTS2 - Second DTS value
 * @param DTR2 - Second DTR value
 * @param isStart2 - true for follow start date imputatio
n, false for follow end date imputation
 * @return integer -1, 0, 1, or null if one date is missi
ng
 */
private static Integer genericCompareDTS(String DTS1, Str
ing DTR1, boolean isStart1, String DTS2, String DTR2, boo
lean isStart2) {
    Integer compared = null;

    // Determine whether UNK and which date parts are presen
t
    int parts1;

```



```

int parts2;
boolean hasUNK1 = false;
boolean hasUNK2 = false;
if (DTR1 != null && DTR1.contains("UNK")) {
    parts1 = determineUNKParts(DTR1);
    hasUNK1 = true;
}
else {
    parts1 = DTS1.length();
}
if (DTR2 != null && DTR2.contains("UNK")) {
    parts2 = determineUNKParts(DTR2);
    hasUNK2 = true;
}
else {
    parts2 = DTS2.length();
}

// Determine common parts between two dates
int commonParts;
if (parts1 < parts2) {
    commonParts = parts1;
}
else {
    commonParts = parts2;
}

// Cut off DTS based on parts
String trimDTS1 = DTS1;
String trimDTS2 = DTS2;

if(trimDTS1.length() > 19)
{
    trimDTS1 = trimDTS1.substring(0,19);
}

if(trimDTS2.length() > 19)

```

```

{
    trimDTS2 = trimDTS2.substring(0,19);
}

// Get localdatetimes for both based off of common parts, imputing where UNK is used
LocalDateTime LDT1;
LocalDateTime LDT2;
if (isStart1 || !hasUNK1) {
    LDT1 = startDTS(trimDTS1);
}
else {
    LDT1 = endDTS(trimDTS1);
}
if (isStart2 || !hasUNK2) {
    LDT2 = startDTS(trimDTS2);
}
else {
    LDT2 = endDTS(trimDTS2);
}

// Compare datetimes and set compared
if (LDT1.isBefore(LDT2)) {
    compared = -1;
}
else if (LDT1.isAfter(LDT2)) {
    compared = 1;
}
else if (LDT1.equals(LDT2)) {
    compared = 0;
}

return compared;
}

/**
 * Determines possible parts for a DTR that may have UNK.

```

```

*
* @param DTR - DTR value
* @return int representation of common parts
*/
private static int determineUNKParts(String DTR) {
    int commonParts = ymdhms;
    if (DTR.endsWith("UNK-UNK UNK:UNK:NUL") || DTR.endswi
th("UNK-UNK UNK:UNK")) {
        commonParts = ymdhm;
    }
    else if (DTR.endsWith("UNK-UNK UNK")) {
        commonParts = ymdh;
    }
    else if (DTR.endsWith("UNK-UNK")) {
        commonParts = ymd;
    }
    else if (DTR.endsWith("UNK")) {
        commonParts = ym;
    }
    else {
        commonParts = DTR.length();
    }

    return commonParts;
}

/**
* Imputes (if necessary) a complete DTS based on start d
ate rules.
*
* @param startDate - DTS value
* @return imputed localdatetime object
*/
private static LocalDateTime startDTS(String startDate) {
    if (startDate == null || startDate.length() > 19) {
        return null;
    }
}

```

```

else {
    LocalDateTime dts;
    int month = 1;
    int day = 1;
    int hour = 0;
    int minute = 0;
    int second = 0;

    switch (startDate.length()) {
        case 19: second = Integer.valueOf(startDate.s
ubstring(17,19)); // 2024-01-01T00:00:00
        case 16: minute = Integer.valueOf(startDate.s
ubstring(14,16)); // 2024-01-01T00:00
        case 13: hour = Integer.valueOf(startDate.sub
string(11,13)); // 2024-01-01T00
        case 10: day = Integer.valueOf(startDate.subs
tring(8,10)); // 2024-01-01
        case 7: month = Integer.valueOf(startDate.sub
string(5,7)); // 2024-01
        case 4: int year = Integer.valueOf(startDate.
substring(0,4)); // 2024
            dts = LocalDateTime.of(year, month, d
ay, hour, minute, second);
            break;
        default: dts = null;
    }
    return dts;
}

/**
 * Imputes (if necessary) a complete DTS based on end dat
e rules.
 *
 * @param endDate - DTS value
 * @return imputed localdatetime object
 */

```

```

private static LocalDateTime endDTS(String endDate) {
    if (endDate == null || endDate.length() > 19) {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 12;
        int day = 0;
        int hour = 0;
        int minute = 0;
        int second = 0;

        switch (endDate.length()) {
            case 19: second = Integer.valueOf(endDate.substring(17,19)); // 2024-01-01T00:00:00
            case 16: minute = Integer.valueOf(endDate.substring(14,16)); // 2024-01-01T00:00
            case 13: hour = Integer.valueOf(endDate.substring(11,13)); // 2024-01-01T00
            case 10: day = Integer.valueOf(endDate.substring(8,10)); // 2024-01-01
            case 7: month = Integer.valueOf(endDate.substring(5,7)); // 2024-01
            case 4: int year = Integer.valueOf(endDate.substring(0,4)); // 2024
                    if (day == 0) {
                        Calendar cal = Calendar.getInstance();

                        cal.set(year,month-1,1);
                        day = cal.getActualMaximum(Calendar.DAY_OF_MONTH);
                    }
                    dts = LocalDateTime.of(year, month, day, hour, minute, second);
                    break;
            default: dts = null;
        }
    }
}

```

		<pre> return dts; } } </pre>			
compareDTS	Accepts two DTS and optional DTR values and returns -1 if the first is before the second, 0 if they are equal, or 1 if the first is after the second.	<pre> import java.time.LocalDateTime; import java.util.Calendar; // Date mask values private static final int y = 4; private static final int ym = 7; private static final int ymd = 10; private static final int ymdh = 13; private static final int ymdhm = 16; private static final int ymdhms = 19; /** * Accepts two DTS and two DTR values. * Returns -1 if the first is before the second, 0 if the * y are equal, or 1 if the first is after the second. * * @param DTS1 - First DTS value * @param DTR1 - First DTR value * @param isStart1 - true for follow start date imputation, false for follow end date imputation * @param DTS2 - Second DTS value * @param DTR2 - Second DTR value * @param isStart2 - true for follow start date imputation, false for follow end date imputation * @return integer -1, 0, 1, or null if one date is missing */ public static Integer compareDTS(String DTS1, String DTR1, boolean isStart1, String DTS2, String DTR2, boolean isStart2) { Integer compared = null; // Check if both dates are present if (DTS1 == null DTS1 == "" DTS2 == null DTS </pre>	0.1	205700	

```

2 == "" ) {
    return compared;
}

    compared = genericCompareDTS(DTS1, DTR1, isStart1, DTS2, DTR2, isStart2);

    return compared;
}

/**
 * Accepts two DTS values. Overloaded version of comparedTS.
 * Returns -1 if the first is before the second, 0 if they are equal, or 1 if the first is after the second.
 *
 * @param DTS1 - First DTS value
 * @param isStart1 - true for follow start date imputation, false for follow end date imputation
 * @param DTS2 - Second DTS value
 * @param isStart2 - true for follow start date imputation, false for follow end date imputation
 * @return integer -1, 0, 1, or null if one date is missing
 */
public static Integer compareDTS(String DTS1, boolean isStart1, String DTS2, boolean isStart2) {
    Integer compared = null;

    // Check if both dates are present
    if (DTS1 == null || DTS1 == "" || DTS2 == null || DTS2 == "" ) {
        return compared;
    }

    compared = genericCompareDTS(DTS1, null, isStart1, DTS2, null, isStart2);

```

```

        return compared;
    }

    /**
     * Generic version of compareDTS for wrappers.
     * Accepts two DTS and optional DTR values.
     * Returns -1 if the first is before the second, 0 if the
     * y are equal, or 1 if the first is after the second.
     *
     * @param DTS1 - First DTS value
     * @param DTR1 - First DTR value
     * @param isStart1 - true for follow start date imputation, false for follow end date imputation
     * @param DTS2 - Second DTS value
     * @param DTR2 - Second DTR value
     * @param isStart2 - true for follow start date imputation, false for follow end date imputation
     * @return integer -1, 0, 1, or null if one date is missing
     */
    private static Integer genericCompareDTS(String DTS1, String DTR1, boolean isStart1, String DTS2, String DTR2, boolean isStart2) {
        Integer compared = null;

        // Determine whether UNK and which date parts are present
        int parts1;
        int parts2;
        boolean hasUNK1 = false;
        boolean hasUNK2 = false;
        if (DTR1 != null && DTR1.contains("UNK")) {
            parts1 = determineUNKParts(DTR1);
            hasUNK1 = true;
        }
        else {

```



```

        parts1 = DTS1.length();
    }
    if (DTR2 != null && DTR2.contains("UNK")) {
        parts2 = determineUNKParts(DTR2);
        hasUNK2 = true;
    }
    else {
        parts2 = DTS2.length();
    }

    // Determine common parts between two dates
    int commonParts;
    if (parts1 < parts2) {
        commonParts = parts1;
    }
    else {
        commonParts = parts2;
    }

    // Cut off DTS based on parts
    String trimDTS1 = DTS1.substring(0, commonParts);
    String trimDTS2 = DTS2.substring(0, commonParts);

    // Get localdatetimes for both based off of common parts, imputing where UNK is used
    LocalDateTime LDT1;
    LocalDateTime LDT2;
    if (isStart1 || !hasUNK1) {
        LDT1 = startDTS(trimDTS1);
    }
    else {
        LDT1 = endDTS(trimDTS1);
    }
    if (isStart2 || !hasUNK2) {
        LDT2 = startDTS(trimDTS2);
    }
    else {

```

```

        LDT2 = endDTS(trimDTS2);
    }

    // Compare datetimes and set compared
    if (LDT1.isBefore(LDT2)) {
        compared = -1;
    }
    else if (LDT1.isAfter(LDT2)) {
        compared = 1;
    }
    else if (LDT1.equals(LDT2)) {
        compared = 0;
    }

    return compared;
}

/**
 * Determines possible parts for a DTR that may have UNK.
 *
 * @param DTR - DTR value
 * @return int representation of common parts
 */
private static int determineUNKParts(String DTR) {
    int commonParts = ymdhms;
    if (DTR.endsWith("UNK-UNK UNK:UNK:NUL") || DTR.endswi
th("UNK-UNK UNK:UNK")) {
        commonParts = ymdhm;
    }
    else if (DTR.endsWith("UNK-UNK UNK")) {
        commonParts = ymdh;
    }
    else if (DTR.endsWith("UNK-UNK")) {
        commonParts = ymd;
    }
    else if (DTR.endsWith("UNK")) {
        commonParts = ym;
    }
}

```

```

    }
    else {
        commonParts = DTR.length();
    }

    return commonParts;
}

/**
 * Imputes (if necessary) a complete DTS based on start date rules.
 *
 * @param startDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime startDTS(String startDate) {
    if (startDate == null || startDate.length() > 19) {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 1;
        int day = 1;
        int hour = 0;
        int minute = 0;
        int second = 0;

        switch (startDate.length()) {
            case 19: second = Integer.valueOf(startDate.substring(17,19)); // 2024-01-01T00:00:00
            case 16: minute = Integer.valueOf(startDate.substring(14,16)); // 2024-01-01T00:00
            case 13: hour = Integer.valueOf(startDate.substring(11,13)); // 2024-01-01T00
            case 10: day = Integer.valueOf(startDate.substring(8,10)); // 2024-01-01
            case 7: month = Integer.valueOf(startDate.sub

```

```

string(5,7)); // 2024-01
        case 4: int year = Integer.valueOf(startDate.
substring(0,4)); // 2024
                dts = LocalDateTime.of(year, month, d
ay, hour, minute, second);
                break;
        default: dts = null;
    }
    return dts;
}
}

/**
 * Imputes (if necessary) a complete DTS based on end dat
e rules.
 *
 * @param endDate - DTS value
 * @return imputed localdatetime object
 */
private static LocalDateTime endDTS(String endDate) {
    if (endDate == null || endDate.length() > 19) {
        return null;
    }
    else {
        LocalDateTime dts;
        int month = 12;
        int day = 0;
        int hour = 0;
        int minute = 0;
        int second = 0;

        switch (endDate.length()) {
            case 19: second = Integer.valueOf(endDate.sub
string(17,19)); // 2024-01-01T00:00:00
            case 16: minute = Integer.valueOf(endDate.sub
string(14,16)); // 2024-01-01T00:00
            case 13: hour = Integer.valueOf(endDate.subst

```

```

ring(11,13)); // 2024-01-01T00
        case 10: day = Integer.valueOf(endDate.substr
ing(8,10)); // 2024-01-01
        case 7: month = Integer.valueOf(endDate.subst
ring(5,7)); // 2024-01
        case 4: int year = Integer.valueOf(endDate.su
bstring(0,4)); // 2024
            if (day == 0) {
                Calendar cal = Calendar.getInstan
ce();
                cal.set(year,month-1,1);
                day = cal.getActualMaximum(Calend
ar.DAY_OF_MONTH);
            }
            dts = LocalDateTime.of(year, month, d
ay, hour, minute, second);
            break;
            default: dts = null;
        }
        return dts;
    }
}

```