



This template is used to capture details regarding the s
existing worksheets; do not delete columns or change

Worksheet	Detailed Instruc
Applies to all Worksheets	Examples are provide The column headers
	White Column Header:
	Yellow Column Header:
	Orange Column Header:
Document Version History	Complete the Docum
EventDefinition	Complete the definitio Event Title: Please ir convention.- This valu Unique Event Name (EDC) users. Description: Option those visits. Type: Indicate the vis Static: Unscheduled: Scheduled: Parent:



	Assign to Parent: E child visits. Using a p Max Repeats Allowed number of visits (eg, : Day Schedule: Appl equal to 21 as the day Day Min: "Day Min" a could start without be example, the value er Day Max: "Day Min" could occur without b example, the value er Active: Use to indicat this attribute as "FALS Repeating: Applicabl Enable Event level e
Instruments	Complete the definitio of the instrument. De Event Title: Enter th first, create a row hav Instrument Name: F have instrument "Dat Instrument Title: Er The following Instru Available on mobile Enable Filed level el Enable within form :
Variable Permission Groups	Use this tab when the Note: In order for the Variable Permission Display Permission: acceptable to have m Instruments and Var



Field Link Map Export	Instrument 1: Use I Repeating group 1: example in a lab page found in Instrument 1. Context 1: Select the adverse event term a Instrument 2: Use I Repeating group 2: example in a lab page found in Instrument 2. Context 2: Select the could be the Medicati
Plans	Site Group: For studi each strategy needs t SDV %: Enter the SD Variable: List all the f found in the "Instrume Label is the variable li Variable Level Acces: Data Review Tier: Sp Fields_to_SDV: This study is running a 0% If the study has more the fields that should

SAE	Retrieve the standard - Required'. Review th Any additional EC, CM Mapping Category is study setup. User gui Once all 'Standard - M Expression Definition Column Definitions: Add/Edit/Remove : TI Expression Definition Event Title: Modify b expression programm Instrument Title: Mo E2B Mapping Categ Label: Do not modify E2B Tag: Do not mod
CM Study Maps	Complete the Mappir Minimum/Maximum o If the particular study the study builder if thi
DSOPI	The content within Mc Source_variable and Source_table: Enter Source_variable: En name. Condition: Enter the evaluate to a single v. Condition.
SRDM Defaults	Retrieve the latest stu For each mdes_form the collection_guida If the study has any s different for that form.

VISITNUM	Complete the VISITREFNAME and VISITNUM for each visit. STUDYNAME is the study name. VISIT_NAME represents the visit name. For parent-child visits, the visit name must follow the naming conventions in the study protocol. VISITREFNAME must follow the naming conventions in the study protocol. For parent-child visits, the visit name must follow the naming conventions, i.e., Name><Occurrence>. VISITNUM is the unique identifier for each visit. VISITREFNAME_AC is the visit name for the event naming convention. VISITREFNAME_AC is the visit name for the event naming convention.
Collection Derivations	Collections such as P values at different visits. This is an optional table. <u>Column Definitions:</u> Add/Edit/Remove: Rule Name: As defined in the study protocol. Instrument: The instrument used for the collection. Event(s): The event(s) being collected. Row #: The row number for the collection. Variable=Value: The variable and its value on a given visit. Dynamic Condition: The dynamic condition for the collection. COHORT 1
Local Lab Ref	Only applicable for studies with local lab references. Instrument Name must be provided. Instrument Title should be provided. Lab Test must outline the test performed.
Integrations	Include all Case Report Form (CRF) integrations. Integration: Enter CRF name. Variable: Integration variable name. Instrument Name: Study instrument name. Variable Name: Study variable name. If study is not using a CRF, leave blank. Note: For both CRF and non-CRF studies.



Study Specific Design Changes	Study Specific Design
	Study Specific Design
	Object Type: Indicat
	Object Name: The S <i>Scheduled Event Ran</i> Description of the c description could be "
The SDS tabs are color coded as follows:	
Tab Color	Completion Det
Grey	Informational; no cha
Yellow	Populated during buil Check for completion



Study Design Specifications (SDS) Template Completion Instructions

study design required in support of the clinical protocol. The following details are required. Please do not alter the structure or formatting of the column headers.

Instructions
ed in green text. Delete the example rows as applicable before deploying document. Update header protocol information, change font to black and un-italicize. must not be changed. Indicates that values in that column are required. Indicates that values in that column are optional. Indicates that values in that column are conditional required. Meaning the value becomes required based on the entry/selection in another column. The conditional requirement in these columns is specified per attribute.
ent version history tab following the instructions provided on the tab including the summary of changes.
on of events with the list of unique visits. Description of visits attributes is found below: ndicate event name/title in the space provided. Event titles must align as closely as possible to actual protocol event names but must align with Pfizer's event naming e shows in the EDC for users to reference during navigation. : This is an internal attribute that uniquely identifies an event, and it must align with Pfizer's event naming conventions. This attribute is not visible to Electronic Data Capture al attribute used to provide a description of any special functionality required in the visits. For example, if we are creating repeating Cycle visits, what is the format to name sit type. The list below indicates visit types and how they behave in the system. Static visits show immediately after the subject is enrolled. A static visit cannot be set up as dynamic. Unscheduled, scheduled and parent events are the types of event that can be setup as dynamic. Unscheduled events that are not setup as dynamics, can be added manually by the user clicking the "Add Event" button; however, if setup as dynamic, then the unscheduled event does not show when clicking the "Add Event" button. These events do not initially show by default and instead need to be added via dynamics. Note that scheduled events cannot be created by the site user manually (eg, clicking the "Add Event" button). When an event is set up as "Scheduled" it is automatically set up as dynamic as well. This is the type of events that are needed to set up dynamic visits or child visits like Day1 and Day 15 in a Cycle parent visit. Parent visits are visits that host 1 or more visits. For example a parent visit "Cycle" in Oncology could host multiple visits like a "Day1" visit and "Day15" visit. Parent visit is other type of visit that could be set up as dynamic. Parent visits must be used when a group of visits with identical content need to repeat. By using parent visits in those scenarios, the visit can be declared and programmed once, but they repeat as many times as needed. Again the Cycle visits in Oncology are a perfect scenario to use Parent visits, because setting up the solution once, unlimits number of cycle visits at the subject level that could be created.

Enter the Unique Event Name of the Parent visit this visit is assigned as child of. An example of a parent visit would be a CYCLE visit in Oncology having Day 1 and Day 15 as parent visit in this case then helps to define the cycle visit only once and reuse it as many times as cycles are needed at subject level.

Repeat: For non repeating visits, enter 1. For the Unscheduled visit enter 999. There might be another repeating visits like the Illness visits in Vaccine, where only a specific (3) is predefined to be collected. In those cases, enter the exact number of visit instances of the repeat that are needed.

Day Schedule: Applicable only to "Static" and "Scheduled" visit types. Indicates the day the visit is scheduled counting from baseline. For example, for the "Week 3" visit this attribute would be the day this visit is scheduled.

Day Min: Applicable only to "Static" and "Scheduled" visit types. Indicates the minimum number of days prior to the "Day Schedule" value that a visit is considered a deviation. For example for the "Week 3" visit, the protocol might indicate that this visit could start **3** days **prior** the 21 day schedule (eg, at day 18). In this case, the value entered in "Day Min" is **3**.

Day Max: Applicable only to "Static" and "Scheduled" visit types. Indicates the maximum number of days after the "Day Schedule" value that a visit is considered a deviation. For example for the "Week 3" visit, the protocol might indicate that this visit could start **4** days **after** the 21 day schedule (eg, at day 25). In this case, the value entered in "Day Max" is **4**.

Active: Indicates if a visit is active or not. During initial build the value of this attribute will be TRUE for all visits. If during amendments a visit needs to be removed, indicate so by updating the value to "False".

Repeating: Applicable only for "Unscheduled" and "Scheduled" visit types. Indicates whether a visit is repeating or not.

Electronic Notes: Applicable only for Direct Data Capture (DDC) enabled studies. Insert Yes to enable electronic notes at the event level.

Event-Instrument: A table that maps events with the list of instruments and corresponding visits. A new row is required for each event-instrument assignment. At each Event-Instrument entry, list the name of the instrument. The description of "Instruments" attributes is found below:

Event: Enter the name of the event that hosts the instrument. Enter the events in the same order that they should display in the study per protocol. For example, if the event "Screening" is used, then the "Screening" event for each instrument that is needed in that event.

Instrument: For each of the rows defined for a parent event, enter the corresponding instrument name as per the protocol time and events. For example, if event "Screening" requires to be followed by "Vital Signs" in that order, then the "Screening" visit will have 2 rows, the first one will list "Date of Visit" while the second one will have "Vital Signs".

Instrument Title: Enter the instrument title.

Instrument Attributes: Instrument attributes are applicable only for DDC enabled studies:

Available: Insert Yes to make the instrument available in mEDC (mobile EDC).

Electronic Notes: Insert Yes to enable electronic notes for all the fields in the instrument.

Subject navigation: Insert Yes to all Subject navigation while remaining at the same instrument.

Variable Permission Groups: There is the need to change the way that variables display for a specific role(s). Enter a row in this tab for each different variable permission group needed.

Role(s): When changes to take effect, the role(s) impacted need to also have the correct Permission setup under the "Variables Permission Groups" permissions.

Group Name: Enter the name of the group.

Display Type and Roles: Provide the display type needed which could be Hidden or Read-Only or Update and the corresponding role(s) that need to have that variable display. It is possible to have multiple display types and roles assigned under the same variable permission group.

Variables: Indicate the instruments and corresponding variables that are part of the Variable Permission Group.



Instrument Name to indicate one of the instruments that will be linked.

If the link is needed at the form record level (eg, Adverse Event record), then this value is not applicable. If the link is needed at a record in a group of fields in the form (for example, the link might be needed at analyte level to connect an analyte having results out of range with an Adverse Event record), then enter the name of the "Group of fields" object.

Fields from Instrument 1 needed for sites to identify the record(s) to be linked. For example, if Instrument 1 is setup as "Adverse Event", then the fields entered could be the Event ID and date to uniquely identify the AE records.

Instrument Name to indicate the instrument to be linked to the instrument selected in "Instrument 1".

If the link is needed at the form record level (eg, Adverse Event record), then this value is not applicable. If the link is needed at a record in a group of fields in the form (for example, the link might be needed at analyte level to connect an analyte having results out of range with an Adverse Event record), then enter the name of the "Group of fields" object.

Fields from Instrument 2 needed for sites to identify the record(s) to be linked. For example, if Instrument 2 is set up as "Concomitant Medication", then the fields entered could be Medication ID and Medication Date to uniquely identify the CM records.

For studies running a single SDV strategy in the study, this setting will be "All Sites". In the case of studies that are running 2 or more strategies, then the value for "Site Group" for each strategy should be specified according to the group of sites that will be included in that strategy. Note that site groups are created at the tenant level by the ADMIN team.

SDV % assigned to the study or in case of multiple SDV plans, then the percentage for each. If the study is running a 0% SDV strategy then enter 0.

Fields that are present in the study in this column. The list of variables in the study could be extracted from column "Variable/Field Name" in the report "Export Data Dictionary" under the "Data Elements" tab in Study Central.

Label to help decode variable identifiers

SDV: List of study setting for each variable. 'None' represents visible and enterable. 'Hide' should be aligned with the Variable Level Permissions Groups to manage any access.

Specify for each variable whether the Data Review Tier value should be "Minimal", "Supportive" or "Critical".

This is the Standards Source Data Verification (SDV) plan. For each field in the study, indicate with an X if the field should be included for SDV. Leave this column empty if the study is not using an SDV strategy.

If there is more than 1 SDV plan (eg, due to a different SDV at cohort level or for China sites), add the plan as an additional column(s) after the "Fields_to_SDV" SDV Plan column to define each plan. Each plan should be part of that additional plan as well as the plan SDV percentage. See examples in the "Plans" tab.



l E2B mapping template from the Pfizer MetaData Repository (PMDR). Filter for tags with Standards Category of 'Standard - Modifiable - Required' and 'Standard - Conditional' and use the user guidance for each and edit Expression Definition column as needed.

For EC or LB instruments (ex: EC001_2_1, CM001_2, LB001_1_2) added to the study will need have tags added to the mappings. Copy existing sets of rows where the **E2B** tag is either 'Drugs' for EC and CM and 'Tests' for LB and insert into the sheet as appropriate. Update the **Variable Name** and **Instrument Title** to align with the values from the mappings. The mappings also will provide instruction for when tag duplication is expected.

'Modifiable - Required' and 'Standard - Conditional - Required' tags are edited/duplicated as needed copy over all tags being used into SAE SDS tab. Copy from column 'Expression Definition' to E2B Tag.

This column to be used in SDS versions after initial to denote when a change has been made.

: This column contains instruction for builders and is where CDS will make study specific updates to green template text.

Based on which event a specific instrument is mapped from. If this is empty in the template, leave empty to indicate all events or the event information will be embedded into the mappings for the E2B tag.

Modify as appropriate to properly reflect the title of instruments in the study if any adjustments were made.

Do not modify the contents.

Do not modify the contents.

Do not modify the contents.

Mapping Variable for each standard Clinical Model (CM) Study Map. The **Mapping Variable** must resolve to a single value per subject, provide the Event and/or indicate if a similar aggregation is to be used. Multiple variables are to be used separated by "OR" if a subject will only have one populated per design.

If a mapping is not applicable to the study, indicate with TRUE in the **Intentionally Blank** column and leave Mapping Variable blank. Since this will very rarely be the case, consult with the study team if this is being considered.

Model_Attribute_name and **Model_name** columns should not be changed as they are standard metadata for the SM_R_SUBJECTCLINICALSTUDY_V table. **Source_table**, **Source_variable**, and **Condition** need to be filled in based on the study requirements.

Enter the Standard Data Review Model (SRDM) table where the data can be sourced. If there are multiple tables, enter each separated by a comma.

Enter the column in the Source_table where the data can be sourced. If there are multiple columns, enter each separated by a comma and prefix the variable with the table name.

Enter the condition where a row for a subject in the Source_table will have the relevant value in Source_variable. Express the logic following the examples. The resulting logic must resolve to a single record per subject. If the particular variable is not relevant for the study e.g., SFDATE for a study not collecting screen failures, then put "Not Applicable" in the Condition column.

Copy study-defined SRDM defaults from the PMDR Spotfire RCC SRDM Default Values Report and add to the SRDM Defaults tab.

For each **item_name** used in the study, check if the **default_value** for the given **item_refname** is appropriate for the study. If not, update per standards guidelines in the PMDR referencing the **default_value**. Add an X to the **USED** column to signify it is used in the study. Leave blank for non-applicable forms.

For study-level forms, duplicate each entry from the base **mdes_form_name** for that study-level form. Leave the **item_refname** unchanged and modify the **default_value** if needed. Add an X to the **USED** column to signify it is used in the study.



REFNAME and VISITNUM values for all visits specified in the EventDefinition tab. Use the **VISITNUM macro** to produce the first draft of the VISITNUM content.

study protocol ID. It is populated for downstream needs.

ents event Name as seen in the EDC interface. This column is used to setup unique payment events in IPS system.

, event Name must be extrapolated out to all possible occurrences. The format will be <parent Name><single space><Occurance><single space><child Name>.

st match the Unique Event Name from the EventDefinition tab. It is the unique visit name that is used across downstream consumers of study data and adheres to the
andard RCC Event Naming Conventions document.

; (i.e., where Assign to Parent has a value), these must be extrapolated out for the expected number of occurrences. This will be <parent Unique Event
> <child Unique Event Name>. E.g., for parent CYCLE and child DAY1, there would be CYCLE1_DAY1, CYCLE2_DAY1, CYCLE3_DAY1, etc. If the values do not adhere to
the value in VISITREFNAME_ACTUAL will be different to accomplish that.

ue number corresponding to each visit that allows for visit sequencing and remains unchanged during the course of the study.

TUAL: Value must match VISITREFNAME, except in cases where the extrapolated VISITREFNAME for parent-child visits does not result in values that adhere to the RCC
entions. In that case, the values should be updated to adhere to the conventions. E.g., for VISITREFNAME values of DA1_WEEK, DA2_WEEK, and DA3_WEEK,
TUAL might have values WEEK6, WEEK12, and WEEK18. If that may be applicable to the study, consult with the database programmer for guidance.

K and Electronic Sample Tracking (BEETRK010) with same variable structures, but with different timepoints, analytes/sample collections, and/or other protocol specified
its, can re-use the same instrument and dynamically populate these prespecified values using rules with add entry function. This tab is used to record the prespecified values.
ab and can be left blank.

This column to be used in SDS versions after initial to denote when a change has been made.

ned in the DIP. The content provided additional detail to guide the application of a rule at the variable level.

strument with values dynamically populated.

t(s) the dynamically populated value is applicable to.

nber of the variable

vide the value to be assigned to the variable. If multiple variables should be populated with values in the same row, use delimiter ; to separate them, and put new

ew line in the cell. If any value contains delimiter ";", use notation |;|.

specific conditions under which the Value(s) should be assigned to the Variable(s), eg. when DS001_2.SUPPDS_DSRANDSC_001_2 = PART 2 COHORT 2 or PART 2

udies using the local lab, i.e, **LB001**, instrument. This tab is intended to capture the details of each local lab instrument including each Lab Test and the display order.

ust capture each lab copy of the lab instrument, e.g., LB001_1, LB001_2...

uld include permissible title updates aligned with the ASB

e each lab test in the intended order of display.

port Form (CRF) Integrations in this tab, including Interactive Response Technology (IRT) Integration and/or CRF Data Load Integration Mappings

RF integration type: IRT in case of IRT/Impala Integration or CRF for Data load directly in the CRF.

variable setup at tenant level.

tudy CRF where data is loaded.

ly CRF field were data is loaded.

ny CRF integrations, mark all the columns as not applicable.

und IRT integrations, Integration setup at tenant level will have to be completed in order to see Variables at the study level.



Changes tab applies only for studies with approval to deviate from the Standard build that will need to document study specific changes.

Changes tab must be removed/deleted from SDS if no study specific changes are identified in the study.

te the type of the object that needs the change. For example it could be an event definition parameter, study parameter, rule parameter, or clinical model mapping.

Standards name of the object that needs to be altered. In the case of a study parameter, the name of the parameter itself for example "*Allow Instrument edit outside of range*". Work with the study programmer to correctly identify the object name.

Change: Provide a description of the change that is needed to that object. For example in the case of "*Allow Instrument edit outside of Scheduled Event Range*", the *For ePRO instrument XYZ, unselect this option. As per protocol, this instrument cannot be completed outside the scheduled window*".

tails

anges required.

d or when updates are required after Study Design Specifications have been approved.
/accuracy at time of finalization/sign off.

C5091017

Document Version History

NOTE: Amendments made to study design specifications should be documented here with a summary of or reason for the changes with any study amendment. This description must be detailed and specific.

Version	Author	Date	Updated SDS tab (if applicable)	Summary / Reason for Change(s)	Protocol / Amendment Approval Date for this SDS version
V 1.0	Aditi Pradhan	07-Aug-2025	Not Applicable	Initial Version.	7-May-2025
V1.1	Nikki Ibone	15-Aug-2025	Collection Derivation (added) Plans VISITNUM	Updates made to reflect SDS V6.0 template VISITNUM tab: Study name column moved from column E to A	7-May-2025
V2.0	Haixian Gan	11-Nov-2025	Instruments Plans	Instruments: Added R_OMIC003 at Week12 and Week24. Plans: Added 100% SDV plan for China Site Group. Other: 1. Added variable SUPPSC_ARSPFY_009 under option 'PARTICIPANT'S PRIOR ADVERSE REACTION' for SCORRES_PRIUNTAK_009 in SC009 form. 2. Added codelist 'Protocol Amendment 2 – 05Nov2025' for item R_TRIGRESP1_001 in R_TRIG001 form. 3. Updated the criteria description for IE002.	5-Nov-2025
V2.1	Haixian Gan	02-Dec-2025	Plans	Plans: Added variable SUPPSC_ARSPFY_009 for SC009 form	5-Nov-2025
V2.2	Aditi Pradhan	26-Dec-2025	Plans	Plans: Added below variable for X_DS_SLOPD001 form: Variable: D_DS_DUMMY_001 , Label: Subject Dummy, Variable Level Access: Hide	5-Nov-2025
V3.0	Haixian Gan	13-Feb-2026	Instruments	Added new form DS001_1 under unplanned visit.	5-Nov-2025
V3.0	Haixian Gan	13-Feb-2026	Plans	1. Updated the Data Review Tier for all variables. 2. Updated the label name for CMTRT_001 3. Excluded D_INFSCR001, D_INFENR001, PC003, PC003_1, and PC003_2 forms from SDV pool. 4. Added variables SUPPDS_DCSOBT_001_1 and DSSTDTC_001_1 for new form DS001_1. 5. Unchecked SDV for Variable HOTERM_010 as this is fixed.	5-Nov-2025
V3.0	Haixian Gan	13-Feb-2026	DSOPI	Modified the condition for Date Subject Enrolled in Study.	5-Nov-2025
V3.0	Haixian Gan	13-Feb-2026	SRDM Defaults	Added related default value for new form DS001_1.	5-Nov-2025
V3.0	Haixian Gan	13-Feb-2026	Not Applicable	1. Enabled custom instrument label and summary view. 2. Enabled Query Escalation functionality. 3. Enabled Hover Text 4. Added codelist "ADDITIONAL INFORMED CONSENT - RECONSENT/ASSENT" for item D_UNPLASS_001 in D_UPA001 form.	5-Nov-2025

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Event Title	Unique Event Name	Description	Type	Assign to Parent	Max Repeats Allowed	Day Schedule	Day Min	Day Max	Active	Repeating	Enable Event level eNOTEs
System Screening	SYSSCR		Static		1				No	No	No
System Enrollment	SYSENR		Static		1				No	No	No
SCREENING	SCR		Static		1	0			Yes	No	No
Day1	DAY1		Static		1	1			Yes	No	No
Day5	DAY5		Static		1	5			Yes	No	No
Day10	DAY10		Static		1	10			Yes	No	No
Day14	DAY14		Static		1	14			Yes	No	No
Day21	DAY21		Static		1	21			Yes	No	No
Day34	DAY34		Static		1	34			Yes	No	No
Week8	DAY56		Static		1	56			Yes	No	No
Week12	DAY84		Static		1	84			Yes	No	No
Week16	DAY112		Static		1	112			Yes	No	No
Week20	DAY140		Static		1	140			Yes	No	No
Week24	DAY168		Static		1	168			Yes	No	No
Early Termination	EARLY_TERM		Scheduled		1	168			Yes	No	No
Logs	LOGS		Static		1	168			Yes	No	No
Unplanned	UNPL		Unscheduled		999				Yes	Yes	No
Disposition	DISP		Static		1	168			Yes	No	No
Subject Status	SUBJSTAT		Static		1	168			Yes	No	No
Investigator Signature	INVSIG		Static		1	168			No	No	No

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Event Title	Instrument Name	Instrument Title	Available on mobile	Enable Field level eNOTEs	Enable within form Subject navigation
SCREENING	DS001	INFORMED CONSENT - MAIN			
SCREENING	DS001_10	INFORMED CONSENT- OPTIONAL RETAINED RESEARCH SAMPLE			
SCREENING	DS001_4	DISPOSITION - SCREENING			
Day1	DS001_3	RANDOMIZATION			
Disposition	DS001_5	DISPOSITION - TREATMENT			
Disposition	DS001_6	DISPOSITION - FOLLOW-UP			
Disposition	DS001_8	TREATMENT UNBLINDED			
Disposition	DS001_7	WITHDRAWAL OF CONSENT			
Disposition	DS001_7_1	WITHDRAWAL OF CONSENT - RETAINED RESEARCH SAMPLES			
Subject Status	X_DS_SLOPD001	SUBJECT STATUS			
Unplanned	DS001_1	ADDITIONAL INFORMED CONSENT - RECONSENT			

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Variable Permission Groups	Display Permissions and Roles	Instruments and Variables
Coders Read Only Fields	Read Only: INACTIVE	MH001: MHSTDTC_001, MHTERM_001, X_MHONGO_001 MH001_3: MHPRESP_001_3, MHSTDTC_001_3, MHTERM2_001_3 MH001_4: MHSTDTC_001_4, R_MHTERM3_001_4, SUPPMH_MHFSDAT_001_4
Coding	Read Only: Lead Data Manager, LabTech, Read Only Editable: TMS_integration, INACTIVE, Database Builder	AE001: AEDECOD_001, AEHLGT_001, AEHLGTC_001, AEHLT_001, AEHLTCD_001, AELLT_001, AELLTCD_001, AEPTCD_001, AESOC_001, AESOCCD_001, D_COMPTERM2_001 AE001_1: AEDECOD_001_1, AEHLGT_001_1, AEHLGTC_001_1, AEHLT_001_1, AEHLTCD_001_1, AELLT_001_1, AELLTCD_001_1, AEPTCD_001_1, AESOC_001_1, AESOCCD_001_1, D_COMPTERM2_001_1 CEIDT008_1: CEDECOD_008_1, CEHLGT_008_1, CEHLGTC_008_1, CEHLT_008_1, CEHLTCD_008_1, CELLT_008_1, CELLTCD_008_1, CEPTCD_008_1, CESOC_008_1, CESOCCD_008_1, D_COMPTERM_008_1 CM001: CMDECOD_001, D_COMPTERM1_001, SUPPCM_CMCODE_001 CM001_2: CMDECOD_001_2, D_COMPTERM1_001_2, SUPPCM_CMCODE_001_2 CM001_3: CMDECOD_001_3, D_COMPTERM1_001_3, SUPPCM_CMCODE_001_3 CM001_4: CMDECOD_001_4, D_COMPTERM1_001_4, SUPPCM_CMCODE_001_4 MH001: D_COMPTERM3_001, MHDECOD_001, MHHLGT_001, MHHLGTC_001, MHHLT_001, MHHLTCD_001, MHLT_001, MHLTCD_001, MHPTCD_001, MHSOC_001, MHSOCCD_001 MH001_3: D_COMPTERM3_001_3, MHDECOD_001_3, MHHLGT_001_3, MHHLGTC_001_3, MHHLT_001_3, MHHLTCD_001_3, MHLT_001_3, MHLTCD_001_3, MHPTCD_001_3, MHSOC_001_3, MHSOCCD_001_3 MH001_4: D_COMPTERM3_001_4, MHDECOD_001_4, MHHLGT_001_4, MHHLGTC_001_4, MHHLT_001_4, MHHLTCD_001_4, MHLT_001_4, MHLTCD_001_4, MHPTCD_001_4, MHSOC_001_4, MHSOCCD_001_4 PR001: D_COMPTERM5_001, PRDECOD_001, SUPPPR_PRHLGT_001, SUPPPR_PRHLGTC_001, SUPPPR_PRHLT_001, SUPPPR_PRHLTCD_001, SUPPPR_PRLT_001, SUPPPR_PRLTCD_001, SUPPPR_PRPTCD_001, SUPPPR_PRSOC_001, SUPPPR_PRSOCCD_001 PR001_2: D_COMPTERM5_001_2, PRDECOD_001_2, SUPPPR_PRHLGT_001_2, SUPPPR_PRHLGTC_001_2, SUPPPR_PRHLT_001_2, SUPPPR_PRHLTCD_001_2, SUPPPR_PRLT_001_2, SUPPPR_PRLTCD_001_2, SUPPPR_PRPTCD_001_2, SUPPPR_PRSOC_001_2, SUPPPR_PRSOCCD_001_2
Coding Repeating Sections	Editable: INACTIVE	
LNMT Items Group	Editable: INACTIVE, Database Builder	
SITEHIDDEN	Read Only: Lead Data Manager, LabTech, Read Only Editable: Database Builder Hidden: Investigator w/ Data Entry, Site Data Entry, Investigator Signature, Site Monitor	CM001_4: CMINDC_001_4 DD002: DDORRES_002 HOHCU010: HOPRESP_010 MH001_4: MHOCCUR_001_4, MHPRESP_001_4 VS001: VSCAT_001 VS001_1: VSCAT_001_1 VS001_2: VSCAT_001_2 X_DS_SLOPD001: X_DS_DAT_001, X_DS_STAT_001

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Instrument 1	Repeating group 1	Context 1	Instrument 2	Repeating group 2	Context 2
--------------	-------------------	-----------	--------------	-------------------	-----------

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

				SDV Group		China Sites Group
				SDV %	10	100
				SDV Plan	study tsdv strategy	Fields to SDV China Sites
Instrument Name	Variable	Label	Variable Level Access	Data Review Tier		
X_DS_SLOPD001	X_DS_STAT_001	Subject Status	Read	Minimal		
X_DS_SLOPD001	X_DS_DAT_001	Subject Status Date	Read	Minimal		
X_DS_SLOPD001	D_DS_DUMMY_001	Subject Dummy	Hide	Minimal		
X_DS_SLOPD001	D_DS_DUMMY_001_1	Subject Dummy	Hide	Minimal		

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Add/Edit/Remove	Expression Definition	Event Title	Instrument Title	E2B Mapping Category	Label	E2B Tag
-----------------	-----------------------	-------------	------------------	----------------------	-------	---------

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Model_Attribute_Name	Model_name	Source_table	Source_variable
Subject Status	DS_STAT	SM_SLOPD	X_DS_STAT_001
Date Subject Discontinued	DCDAT	SM_SLOPD	X_DS_DAT_001
Date Subject Completed Study	CMPLTDAT	SM_SLOPD	X_DS_DAT_001
Date of Subject Screen Failure	SFDATE	SM_SLOPD	X_DS_DAT_001
Randomization Number	RANDNUM	SM_DS001	DSREFID_001
Date Subject Enrolled in Study	DEMOGDAT	SM_DS001	DSSTDTC_001
Date of Randomization	RANDDAT	SM_DS001	DSSTDTC_001
Subject Withdrawal Timeframe	EPOCH	SM_DS001	SUPPDS_DSPHASE_001
Subject Reason for Withdrawal	DSDECOD	SM_DS001	DSDECOD_001
Subject ID	SSID	SM_DS001	DSSTDTC_001
Status Date	STATDT	SM_SLOPD	X_DS_DAT_001
Date Subject Entered Active Treatment	MINTRTDAT	SM_EC002	ECSTDTC_002_DTS
Subject ID	U_SSID	SM_DS001	DSSTDTC_001
Subject ID	U_STUDY_SSID	SM_DS001	DSSTDTC_001
Study Site Number	STUDY_SITE_NUMBER	SM_DS001	DSSTDTC_001

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Condition
CASE WHEN isnotblank([SM_SLOPD.X_DS_STAT_001]) THEN [SM_SLOPD.X_DS_STAT_001] END
CASE WHEN [SM_SLOPD.X_DS_STAT_001] == 'DISCONTINUED' THEN [SM_SLOPD.X_DS_STAT_001] END
CASE WHEN [SM_SLOPD.X_DS_STAT_001] == 'COMPLETED' THEN [SM_SLOPD.X_DS_STAT_001] END
CASE WHEN [SM_SLOPD.X_DS_STAT_001] == 'SCREEN FAIL' THEN [SM_SLOPD.X_DS_STAT_001] END
CASE WHEN isnotnull([SM_DS001.DSREFID_001]) THEN [SM_DS001.DSREFID_001] END
CASE WHEN [SM_DS001.SUPPDS_DSCSOBT_001] == 'OBTAINED' THEN min of [SM_DS001.DSSTDTC_001] END
CASE WHEN isnotnull([SM_DS001.DSREFID_001]) THEN [SM_DS001.DSSTDTC_001] END
CASE WHEN ((isnotnull([SM_DS001.DSDECOD_001]) and [SM_DS001.DSDECOD_001] <> 'COMPLETED' and isnotnull([SM_DS001.SUPPDS_DSCONT_001]) and [SM_DS001.SUPPDS_DSCONT_001] == 'NO' and [SM_DS001.FORMREFNAME] LIKE 'DS001_4
CASE WHEN (isnotnull([SM_DS001.DSDECOD_001]) and [SM_DS001.DSDECOD_001] <> 'COMPLETED' and isnotnull([SM_DS001.SUPPDS_DSCONT_001]) and [SM_DS001.SUPPDS_DSCONT_001] == 'NO' and ([SM_DS001.FORMREFNAME] LIKE 'DS001_4
[SM_DS001.SUBJECTNUMBERSTR]
[SM_DS001.SUBJECTNUMBERSTR]
[SM_DS001.SUBJECTNUMBERSTR]
[SM_DS001.SITEMNEMONIC]

I%') or (isnotnull([SM_DS001.DSDECOD_001]) and [SM_DS001.DSDECOD_001] <> 'COMPLETED' and isnotnull([SM_DS001.SUPPDS_DSCONT_001]) and [SM_DS001.SUPPDS_DSCONT_001] == 'NO' and [SM_DS001.FORMREFNAME] LIKE 'DS001_5%') or ([SM_I

DS001.DSDECOD_001] <> 'COMPLETED' and isnotnull([SM_DS001.DSDECOD_001]) and [SM_DS001.FORMREFNAME] LIKE 'DS001_6%')) THEN [SM_DS001.SUPPDS_DSPHASE_001] END

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

Name	Description	Mapping Variable	Intentionally Blank
DOV	Subject Visit Date	min([SV001.SVSTDTC_001])	FALSE
STUDY_DAY	Study Day	[DS001_3.DSSTDTC_001_3]	FALSE
VISITNUM_REF	VISITNUM Reference Study Map	[ref][MD_VISITNUM_REFERENCE.VISITNUM]	FALSE
VISITREFNAME_ACTUAL_REF	VISITREFNAME_ACTUAL from VISITNUM_REF table	[ref][MD_VISITNUM_REFERENCE.VISITREFNAME]	FALSE

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

mdes_form_name	item_refname	default_value	USED
DS001_1	DSTERM_001_1	RECONSENT/ASSENT	X
DS001_1	DSDECOD_001_1	INFORMED CONSENT OBTAINED FOR PROTOCOL-SPECIFIED ACTIVITY	X
DS001_1	DSCAT_001_1	OTHER EVENT	X

**RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0**

STUDYNAME	VISIT_NAME	VISITREFNAME_ACTUAL	VISITREFNAME	VISITNUM
C5091017	System Screening	SYSSCR	SYSSCR	62,771
C5091017	System Enrollment	SYSENR	SYSENR	62,772
C5091017	SCREENING	SCR	SCR	62,773
C5091017	Day1	DAY1	DAY1	62,774
C5091017	Day5	DAY5	DAY5	62,775
C5091017	Day10	DAY10	DAY10	62,776
C5091017	Day14	DAY14	DAY14	62,777
C5091017	Day21	DAY21	DAY21	62,778
C5091017	Day34	DAY34	DAY34	62,779
C5091017	Week8	DAY56	DAY56	62,780
C5091017	Week12	DAY84	DAY84	62,781
C5091017	Week16	DAY112	DAY112	62,782
C5091017	Week20	DAY140	DAY140	62,783
C5091017	Week24	DAY168	DAY168	62,784
C5091017	Early Termination	EARLY_TERM	EARLY_TERM	62,785
C5091017	Logs	LOGS	LOGS	62,786
C5091017	Unplanned	UNPL	UNPL	62,787
C5091017	Disposition	DISP	DISP	62,788
C5091017	Subject Status	SUBJSTAT	SUBJSTAT	62,789
C5091017	Investigator Signature	INVSIG	INVSIG	62,790

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Integration	Variable	Instrument Name	Variable name
-------------	----------	-----------------	---------------

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Instrument Name	Instrument Title	Lab Test
-----------------	------------------	----------

Add/Edit/ Remove	Rule Name	Instrument	Event(s)	Row #	Variable = Value	Dynamic Condition.

RCC-FM04 6.0 Study Design Specifications Template for RCC
mapped to DMB07-GSOP-RF23 9.0

Object Type	Object Name	Description of the Change
-------------	-------------	---------------------------