

Skill-2

The screenshot displays a database management tool interface with two tabs: Skill-1 and Skill-2. The Skill-2 tab is active, showing a menu bar (File, Edit, View, Query, Database, Server, Tools, Scripting, Help) and a toolbar with various icons. The main workspace is titled "Query 1" and contains the following SQL commands:

```
1 • CREATE DATABASE bookflow_s2;  
2  
3 • USE bookflow_s2;
```

On the left, the "Navigator" pane shows a tree view of "SCHEMAS" with a search bar labeled "Filter objects". The tree lists the following schemas: bookflow_2, bookflow_db, bookflow_s1, and sys. Below the Navigator, the "Administration" and "Schemas" tabs are visible, with "Schemas" selected. The "Information" pane at the bottom left displays the message "No object selected".

At the bottom right, the "Output" pane shows the "Action Output" table, which contains the following data:

#	Time	Action	Message
✓ 1	14:38:40	CREATE DATABASE bookflow_s2	1 row(s) affected
✓ 2	14:38:44	USE bookflow_s2	0 row(s) affected

Skill-1 x Skill-2 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

Administration Schemas

Information

No object selected

Query 1

Limit to 1000 rows

```

6 CREATE TABLE orders (
7     ord_no INT PRIMARY KEY,
8     purch_amt DECIMAL(10,2),
9     ord_date DATE,
10    customer_id INT,
11    salesman_id INT
12 );
13 INSERT INTO orders VALUES
14 (70001,150.50,'2012-10-05',3005,5002),
15 (70009,270.65,'2012-09-10',3001,5005),
16 (70002,65.26,'2012-10-05',3002,5001),
17 (70004,110.50,'2012-08-17',3009,5003),
18 (70007,948.50,'2012-09-10',3005,5002),
19 (70005,2400.60,'2012-07-27',3007,5001),
20 (70008,5760.00,'2012-09-10',3002,5001),
21 (70010,1983.43,'2012-10-10',3004,5006),
22 (70003,2480.40,'2012-10-10',3009,5003),
23 (70012,250.45,'2012-06-27',3008,5002),
24 (70011,75.29,'2012-08-17',3003,5007),
25 (70013,3045.60,'2012-04-25',3002,5001);

```

Output

Action Output

#	Time	Action	Message
✓ 1	14:38:40	CREATE DATABASE bookflow_s2	1 row(s) affected
✓ 2	14:38:44	USE bookflow_s2	0 row(s) affected
✓ 3	14:39:54	CREATE TABLE orders (ord_no INT PRIMARY K...	0 row(s) affected

Navigator: Skill-1 x Skill-2 x

File Edit View Query Database Server Tools Scripting Help

SQL SQL

Navigator: Skill-1 x Skill-2 x

SCHEMAS

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

Query 1 x

Limit to 1000 rows

```

24 (70011,75.29,'2012-08-17',3003,5007),
25 (70013,3045.60,'2012-04-25',3002,5001);
26
27 • SELECT *
28 FROM orders
29 WHERE purch_amt > 2000;
30

```

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70003	2480.40	2012-10-10	3009	5003
	70005	2400.60	2012-07-27	3007	5001
	70008	5760.00	2012-09-10	3002	5001
	70013	3045.60	2012-04-25	3002	5001
*	NULL	NULL	NULL	NULL	NULL

Form Editor

Navigator: Skill-1 x Skill-2 x

File Edit View Query Database Server Tools Scripting Help

SQL SQL

Navigator: Skill-1 x Skill-2 x

SCHEMAS

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

Query 1 x

Limit to 1000 rows

```

28 FROM orders
29 WHERE purch_amt > 2000;
30
31 • SELECT *
32 FROM orders
33 WHERE ord_date='2012-09-10';
34

```

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70007	948.50	2012-09-10	3005	5002
	70008	5760.00	2012-09-10	3002	5001
	70009	270.65	2012-09-10	3001	5005
*	NULL	NULL	NULL	NULL	NULL

Form Editor

Field Types

Administration Schemas

Information

Skill-1 x Skill-2 x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

Query 1 x

```

32 FROM orders
33 WHERE ord_date='2012-09-10';
34
35 • SELECT *
36 FROM orders
37 WHERE salesman_id=5001;

```

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70002	65.26	2012-10-05	3002	5001
	70005	2400.60	2012-07-27	3007	5001
	70008	5760.00	2012-09-10	3002	5001
	70013	3045.60	2012-04-25	3002	5001
*	NULL	NULL	NULL	NULL	NULL

Administration Schemas

Information

Result Grid

Form Editor

Field Types

Skill-1 x Skill-2 x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

Query 1 x

```

36 FROM orders
37 WHERE salesman_id=5001;
38
39 • SELECT *
40 FROM orders
41 ORDER BY purch_amt DESC;
42

```

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70008	5760.00	2012-09-10	3002	5001
	70013	3045.60	2012-04-25	3002	5001
	70003	2480.40	2012-10-10	3009	5003
	70005	2400.60	2012-07-27	3007	5001
	70010	1983.43	2012-10-10	3004	5006
	70007	948.50	2012-09-10	3005	5002
	70009	270.65	2012-09-10	3001	5005
	70012	250.45	2012-06-27	3008	5002
	70001	150.50	2012-10-05	3005	5002
	70004	110.50	2012-08-17	3009	5003
	70011	75.29	2012-08-17	3003	5007
	70002	65.26	2012-10-05	3002	5001
*	NULL	NULL	NULL	NULL	NULL

Administration Schemas

Information

No object selected

orders 5 x

Apply Revert

Result Grid

Form Editor

Field Types

Skill-1 x Skill-2 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x SQLA

SCHEMAS

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

Administration Schemas

Information

No object selected

40 FROM orders

41 ORDER BY purch_amt DESC;

42

43 • SELECT *

44 FROM orders

45 ORDER BY ord_date;

46

Result Grid Filter Rows: Edit: Export/Import

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70013	3045.60	2012-04-25	3002	5001
	70012	250.45	2012-06-27	3008	5002
	70005	2400.60	2012-07-27	3007	5001
	70004	110.50	2012-08-17	3009	5003
	70011	75.29	2012-08-17	3003	5007
	70007	948.50	2012-09-10	3005	5002
	70008	5760.00	2012-09-10	3002	5001
	70009	270.65	2012-09-10	3001	5005
	70001	150.50	2012-10-05	3005	5002
	70002	65.26	2012-10-05	3002	5001
	70003	2480.40	2012-10-10	3009	5003
	70010	1983.43	2012-10-10	3004	5006
	NULL	NULL	NULL	NULL	NULL

orders 6 x Apply Revert

Result Grid Form Editor Field Types

Skill-1 x Skill-2 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x SQLA

SCHEMAS

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

Administration Schemas

Information

No object selected

43 • SELECT *

44 FROM orders

45 ORDER BY ord_date;

46

47 • SELECT SUM(purch_amt) AS total_revenue

48 FROM orders;

49

Result Grid Filter Rows: Export: Wrap Cell Contents:

	total_revenue
▶	17541.18

SQL Developer interface showing a query window with two SQL queries and their results.

Navigator:

- SCHEMAS
 - bookflow_2
 - bookflow_db
 - bookflow_s1
 - sys

Query 1

```
46
47 • SELECT SUM(purch_amt) AS total_revenue
48 FROM orders;
49
50 • SELECT AVG(purch_amt) AS average_order
51 FROM orders;
```

Result Grid

average_order
1461.765000

SQL Developer interface showing a query window with two SQL queries and their results.

Navigator:



- SCHEMAS
 - bookflow_2
 - bookflow_db
 - bookflow_s1
 - sys

Query 1

```
49
50 • SELECT AVG(purch_amt) AS average_order
51 FROM orders;
52
53 • SELECT MAX(purch_amt) AS highest_order
54 FROM orders;
```

Result Grid

highest_order
5760.00



Skill-1 x Skill-2 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

Query 1 x

```
60 FROM orders;
61
62 • SELECT salesman_id,
63       SUM(purch_amt) AS total_sales
64 FROM orders
65 GROUP BY salesman_id;
66
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	salesman_id	total_sales
▶	5002	1349.45
	5001	11271.46
	5003	2590.90
	5005	270.65
	5006	1983.43
	5007	75.29

Result Grid
Form Editor

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

Query 1 x

```
65 GROUP BY salesman_id;
66
67 • SELECT customer_id,
68       SUM(purch_amt) AS total_purchase
69 FROM orders
70 GROUP BY customer_id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	customer_id	total_purchase
▶	3005	1099.00
	3002	8870.86
	3009	2590.90
	3007	2400.60
	3001	270.65
	3004	1983.43
	3003	75.29
	3008	250.45

Result Grid
Form Editor
Field Types

Administration Schemas

Information

Auto disable man current tog

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

SCHEMAS

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

```
70 GROUP BY customer_id;
71
72 • SELECT customer_id,
73       MAX(purch_amt) AS highest_purchase
74 FROM orders
75 GROUP BY customer_id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

customer_id	highest_purchase
3005	5760.00
3002	5760.00
3009	2480.40
3007	2400.60
3001	270.65
3004	1983.43
3003	75.29
3008	250.45

Administration Schemas

Result Grid
Form Editor
Field Types

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

SCHEMAS

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

```
77 • SELECT salesman_id,
78       SUM(purch_amt) AS total_sales
79 FROM orders
80 GROUP BY salesman_id
81 HAVING SUM(purch_amt) > 3000;
82
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

salesman_id	total_sales
5001	11271.46

Result Grid

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

SCHEMAS

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

```
82
83 • SELECT customer_id,
84         SUM(purch_amt) AS total_purchase
85 FROM orders
86 GROUP BY customer_id
87 HAVING SUM(purch_amt) > 2500;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

customer_id	total_purchase
3002	8870.86
3009	2590.90

Result Grid

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

SCHEMAS

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

```
88
89 • SELECT customer_id,
90         COUNT(*) AS total_orders
91 FROM orders
92 GROUP BY customer_id
93 HAVING COUNT(*) > 1;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

customer_id	total_orders
3005	2
3002	3
3009	2

Result Grid

Form Editor

SQL Developer interface showing a query window and a result grid.

Navigator:

- SCHEMAS
 - Filter objects
 - bookflow_2
 - bookflow_db
 - bookflow_s1
 - sys

Query 1

```
96      SUM(purch_amt) AS total_purchase
97  FROM orders
98  GROUP BY customer_id
99  HAVING SUM(purch_amt) > 1000
100 ORDER BY total_purchase DESC;
101
```

Result Grid

customer_id	total_purchase
3002	8870.86
3009	2590.90
3007	2400.60
3004	1983.43
3005	1099.00

Administration Schemas Information

SQL Developer interface showing a query window and a result grid.

Navigator:

- SCHEMAS
 - Filter objects
 - bookflow_2
 - bookflow_db
 - bookflow_s1
 - sys

Query 1

```
102 • SELECT customer_id,
103      Execute the statement under the keyboard cursor
104  FROM orders
105  GROUP BY customer_id
106  HAVING MAX(purch_amt) BETWEEN 2000 AND 6000;
107
```

Result Grid

customer_id	max_purchase
3002	5760.00
3009	2480.40
3007	2400.60

Result Grid Form Editor

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

SCHEMAS

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

```
108 • SELECT salesman_id,  
109       COUNT(*) AS total_orders  
110 FROM orders  
111 GROUP BY salesman_id  
112 HAVING COUNT(*) >= 2;  
113
```

Result Grid | Filter Rows: | Export: | Wrap Cell Contents:

	salesman_id	total_orders
▶	5002	3
	5001	4
	5003	2

Result Grid
Form Editor

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

SCHEMAS

Filter objects

- bookflow_2
- bookflow_db
- bookflow_s1
- sys

```
114 • SELECT ord_date,  
115       MAX(purch_amt) AS highest_purchase  
116 FROM orders  
117 GROUP BY ord_date  
118 HAVING MAX(purch_amt) > 2000;  
119
```

Result Grid | Filter Rows: | Export: | Wrap Cell Contents:

	ord_date	highest_purchase
▶	2012-10-10	2480.40
	2012-07-27	2400.60
	2012-09-10	5760.00
	2012-04-25	3045.60

Result Grid
Form Editor