

DBMS

Skill-1

MySQL Workbench

Skill-1 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas

Information

Schema: bookflow_s1

Query 1 x

```
1 CREATE DATABASE bookflow_s1;
2 USE bookflow_s1;
3
4
```

Limit to 1000 rows

Output

Action Output

#	Time	Action	Message
✓ 1	12:39:08	CREATE DATABASE bookflow_s1	1 row(s) affected
✓ 2	12:39:48	USE bookflow_s1	0 row(s) affected

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas

Information

Schema: bookflow_s1

Query 1 x

```
1 CREATE DATABASE bookflow_s1;
2 USE bookflow_s1;
3 CREATE TABLE student_marks1 (
4     roll_no INT PRIMARY KEY,
5     name VARCHAR(50),
6     subject VARCHAR(50),
7     marks DECIMAL(5,2)
8 );
9
10
11
```

Limit to 1000 rows

Output

Action Output

#	Time	Action	Message
✓ 1	12:39:08	CREATE DATABASE bookflow_s1	1 row(s) affected
✓ 2	12:39:48	USE bookflow_s1	0 row(s) affected
✓ 3	13:34:19	CREATE TABLE student_marks1 (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50)...	0 row(s) affected

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

bookflow_2

Tables

Views

Stored Procedures

Functions

bookflow_db

bookflow_s1

Tables

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Schema: bookflow_s1

Query 1

```

1 CREATE DATABASE bookflow_s1;
2 USE bookflow_s1;
3 CREATE TABLE student_marks1 (
4     roll_no INT PRIMARY KEY,
5     name VARCHAR(50),
6     subject VARCHAR(50),
7     marks DECIMAL(5,2)
8 );
9
10 INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES
11 (1, 'Ravi', 'Math', 85.50),
12 (2, 'Sita', 'Math', 92.75),
13 (3, 'Anil', 'Math', 78.40),
14 (4, 'Priya', 'Math', 88.90),
15 (5, 'Vijay', 'Math', 80.25),
16 (6, 'subbusir', 'aws', 98.50),
17 (7, 'dwaraka', 'dbms', 95.75),
18 (8, 'ranjani', 'english', 97.40),
19 (9, 'kavithamam', 'aws1', 99.90),
20 (10, 'seetha', 'azure', 82.25);
21

```

Output

Action Output

#	Time	Action	Message
1	12:39:08	CREATE DATABASE bookflow_s1	1 row(s) affected
2	12:39:48	USE bookflow_s1	0 row(s) affected
3	13:34:19	CREATE TABLE student_marks1 (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50)...	0 row(s) affected
4	13:34:50	INSERT INTO student_marks1 (roll_no,name,subject,marks) VALUES (1,'Ravi','Math',85.50), (2,'Sita','Math',92...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

bookflow_2

Tables

Views

Stored Procedures

Functions

bookflow_db

bookflow_s1

Tables

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Schema: bookflow_s1

Query 1

```

16 (6, 'subbusir', 'aws', 98.50),
17 (7, 'dwaraka', 'dbms', 95.75),
18 (8, 'ranjani', 'english', 97.40),
19 (9, 'kavithamam', 'aws1', 99.90),
20 (10, 'seetha', 'azure', 82.25);
21
22 SELECT * FROM student_marks1;

```

Result Grid

roll_no	name	subject	marks
1	Ravi	Math	85.50
2	Sita	Math	92.75
3	Anil	Math	78.40
4	Priya	Math	88.90
5	Vijay	Math	80.25
6	subbusir	aws	98.50
7	dwaraka	dbms	95.75
8	ranjani	english	97.40
9	kavithamam	aws1	99.90
10	seetha	azure	82.25

student_marks1 26 x

Output

Action Output

#	Time	Action	Message
1	12:39:08	CREATE DATABASE bookflow_s1	1 row(s) affected
2	12:39:48	USE bookflow_s1	0 row(s) affected
3	13:34:19	CREATE TABLE student_marks1 (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR...	0 row(s) affected
4	13:34:50	INSERT INTO student_marks1 (roll_no,name,subject,marks) VALUES (1,'Ravi','Math',85.50), (2,'Sita','Math'...	10 row(s) affected Records: 10 Du
5	13:37:17	SELECT * FROM student_marks1 LIMIT 0, 1000	10 row(s) returned

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas

Information

Schema: bookflow_s1

Query 1 x

```

18 (8, 'ranjani', 'english', 97.40),
19 (9, 'kavithamam', 'aws1', 99.90),
20 (10, 'seetha', 'azure', 82.25);
21
22 • SELECT * FROM student_marks1;
23
24 • SELECT COUNT(*) AS total_students FROM student_marks1;

```

Result Grid

total_students
10

Result 27 x

Output

Action Output

#	Time	Action	Message
1	12:39:08	CREATE DATABASE bookflow_s1	1 row(s) affected
2	12:39:48	USE bookflow_s1	0 row(s) affected
3	13:34:19	CREATE TABLE student_marks1 (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), marks INT)	0 row(s) affected
4	13:34:50	INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 90.00), (3, 'Anand', 'Science', 78.00), (4, 'Priya', 'Science', 88.00), (5, 'Vikram', 'Science', 92.00), (6, 'Neha', 'Science', 85.00), (7, 'Arjun', 'Science', 79.00), (8, 'Isha', 'Science', 87.00), (9, 'Rohit', 'Science', 86.00), (10, 'Seetha', 'Science', 82.25)	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
5	13:37:17	SELECT * FROM student_marks1 LIMIT 0, 1000	10 row(s) returned
6	13:39:03	SELECT COUNT(*) AS total_students FROM student_marks1 LIMIT 0, 1000	1 row(s) returned

Object Info Session

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Query 1 x

```

20 (10, 'seetha', 'azure', 82.25);
21
22 • SELECT * FROM student_marks1;
23
24 • SELECT COUNT(*) AS total_students FROM student_marks1;
25
26 • SELECT SUM(marks) AS total_marks FROM student_marks1;

```

Result Grid

total_marks
899.60

File Edit View Query Database Server Tools Scripting Help

SQL SQL

Navigator: Query 1 x

Limit to 1000 rows

```
22 • SELECT * FROM student_marks1;
23
24 • SELECT COUNT(*) AS total_students FROM student_marks1;
25
26 • SELECT SUM(marks) AS total_marks FROM student_marks1;
27
28 • SELECT AVG(marks) AS average_marks FROM student_marks1;
```

Result Grid

average_marks
89.960000

File Edit View Query Database Server Tools Scripting Help

SQL SQL

Navigator: Query 1 x

Limit to 1000 rows

```
24 • SELECT COUNT(*) AS total_students FROM student_marks1;
25
26 • SELECT SUM(marks) AS total_marks FROM student_marks1;
27
28 • SELECT AVG(marks) AS average_marks FROM student_marks1;
29
30 • SELECT MAX(marks) AS maximum_marks FROM student_marks1;
```

Result Grid

maximum_marks
99.90

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

Open Inspector for the selected object

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
- bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

27

28 • SELECT AVG(marks) AS average_marks FROM student_marks1;

29

30 • SELECT MAX(marks) AS maximum_marks FROM student_marks1;

31

32 • SELECT MIN(marks) AS minimum_marks FROM student_marks1;

33

Result Grid

minimum_marks
78.40

Export: | Wrap Cell Content:

Result Grid

Form

file Edit View Query Database Server Tools Scripting Help

Navigator: Skill-1 x

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
- bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

29

30 • SELECT MAX(marks) AS maximum_marks FROM student_marks1;

31

32 • SELECT MIN(marks) AS minimum_marks FROM student_marks1;

33

34 • SELECT * FROM student_marks1 WHERE marks > 85;

35 • SELECT * FROM student_marks1 WHERE marks >= 90;

Result Grid

roll_no	name	subject	marks
1	Ravi	Math	85.50
2	Sita	Math	92.75
4	Priya	Math	88.90
6	subbusir	aws	98.50
7	dwaraka	dbms	95.75
8	ranjani	english	97.40
9	kavithamam	aws1	99.90
NULL	NULL	NULL	NULL

Edit: | Export/Import:

Result Grid

Form Editor

Field Types

Administration Schemas

Information

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

30 • SELECT MAX(marks) AS maximum_marks FROM student_marks1;

31 Execute the statement under the keyboard cursor

32 • SELECT MIN(marks) AS minimum_marks FROM student_marks1;

33

34 • SELECT * FROM student_marks1 WHERE marks > 85;

35 • SELECT * FROM student_marks1 WHERE marks >= 90;

36 • SELECT * FROM student_marks1 WHERE marks < 80;

Result Grid Filter Rows: Edit: Export/Import

roll_no	name	subject	marks
2	Sita	Math	92.75
6	subbusir	aws	98.50
7	dwaraka	dbms	95.75
8	ranjani	english	97.40
9	kavithamam	aws1	99.90
NULL	NULL	NULL	NULL

Administration Schemas

Form Editor Field Types

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

31

32 • SELECT MIN(marks) AS minimum_marks FROM student_marks1;

33

34 • SELECT * FROM student_marks1 WHERE marks > 85;

35 • SELECT * FROM student_marks1 WHERE marks >= 90;

36 • SELECT * FROM student_marks1 WHERE marks < 80;

37 • SELECT * FROM student_marks1 WHERE marks BETWEEN 80 AND 90;

Result Grid Filter Rows: Edit: Export/Import

roll_no	name	subject	marks
3	Anil	Math	78.40
NULL	NULL	NULL	NULL

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

32 • SELECT MIN(marks) AS minimum_marks FROM student_marks1;

33

34 • SELECT * FROM student_marks1 WHERE marks > 85;

35 • SELECT * FROM student_marks1 WHERE marks >= 90;

36 • SELECT * FROM student_marks1 WHERE marks < 80;

37 • SELECT * FROM student_marks1 WHERE marks BETWEEN 80 AND 90;

38 • SELECT * FROM student_marks1 WHERE name LIKE 'P%';

Result Grid

	roll_no	name	subject	marks
▶	1	Ravi	Math	85.50
	4	Priya	Math	88.90
	5	Vijay	Math	80.25
	10	seetha	azure	82.25
*	NULL	NULL	NULL	NULL

Result Grid
Form Editor

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

33

34 • SELECT * FROM student_marks1 WHERE marks > 85;

35 • SELECT * FROM student_marks1 WHERE marks >= 90;

36 • SELECT * FROM student_marks1 WHERE marks < 80;

37 • SELECT * FROM student_marks1 WHERE marks BETWEEN 80 AND 90;

38 • SELECT * FROM student_marks1 WHERE name LIKE 'P%';

39 • SELECT * FROM student_marks1 WHERE name IN ('Ravi', 'Sita', 'Vi

Result Grid

	roll_no	name	subject	marks
▶	4	Priya	Math	88.90
*	NULL	NULL	NULL	NULL

Result Grid
Form Editor

Navigator

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Query 1

Limit to 1000 rows

```
34 • SELECT * FROM student_marks1 WHERE marks > 85;
35 • SELECT * FROM student_marks1 WHERE marks >= 90;
36 • SELECT * FROM student_marks1 WHERE marks < 80;
37 • SELECT * FROM student_marks1 WHERE marks BETWEEN 80 AND 90;
38 • SELECT * FROM student_marks1 WHERE name LIKE 'P%';
39 • SELECT * FROM student_marks1 WHERE name IN ('Ravi', 'Sita', 'Vijay');
40 • SELECT * FROM student_marks1 WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');
```

Result Grid

roll_no	name	subject	marks
1	Ravi	Math	85.50
2	Sita	Math	92.75
5	Vijay	Math	80.25
NULL	NULL	NULL	NULL

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Query 1

Limit to 1000 rows

```
35 • SELECT * FROM student_marks1 WHERE marks > 90;
36 • SELECT * FROM student_marks1 WHERE marks < 80;
37 • SELECT * FROM student_marks1 WHERE marks BETWEEN 80 AND 90;
38 • SELECT * FROM student_marks1 WHERE name LIKE 'P%';
39 • SELECT * FROM student_marks1 WHERE name IN ('Ravi', 'Sita', 'Vijay');
40 • SELECT * FROM student_marks1 WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');
41
```

Result Grid

roll_no	name	subject	marks
1	Ravi	Math	85.50
2	Sita	Math	92.75
4	Priya	Math	88.90
NULL	NULL	NULL	NULL

Administration Schemas

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas

Information

Schema: bookflow_s1

Query 1

```

41
42
43 • UPDATE student_marks1
44   SET marks = 90.00
45   WHERE roll_no = 3;
46 • SELECT * FROM student_marks1;
47

```

Result Grid

roll_no	name	subject	marks
1	Ravi	Math	85.50
2	Sita	Math	92.75
3	Anil	Math	90.00
4	Priya	Math	88.90
5	Vijay	Math	80.25
6	subbusir	aws	98.50
7	dwaraka	dbms	95.75
8	ranjani	english	97.40
9	kavithamam	aws1	99.90
10	seetha	azure	82.25
NULL	NULL	NULL	NULL

Result Grid

Form Editor

Field Types

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas

Information

Schema: bookflow_s1

Query 1

```

47
48 • SET SQL_SAFE_UPDATES = 0;
49 • UPDATE student_marks1
50   SET subject = 'Remedial Math'
51   WHERE marks < 80;
52 • SELECT * FROM student_marks1;

```

Result Grid

roll_no	name	subject	marks
1	Ravi	Math	85.50
2	Sita	Math	92.75
3	Anil	Math	90.00
4	Priya	Math	88.90
5	Vijay	Math	80.25
6	subbusir	aws	98.50
7	dwaraka	dbms	95.75
8	ranjani	english	97.40
9	kavithamam	aws1	99.90
10	seetha	azure	82.25
NULL	NULL	NULL	NULL

Result Grid

Form Editor

Field Types

Refresh data re-executing the original query

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_s1**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas Information

Schema: bookflow_s1

Query 1

Limit to 1000 rows

```
51 WHERE marks < 80;
52 • SELECT * FROM student_marks1;
53
54 • DELETE FROM student_marks1
55 WHERE roll_no = 5;
56 • SELECT * FROM student_marks1;
```

Result Grid

	roll_no	name	subject	marks
▶	1	Ravi	Math	85.50
	2	Sita	Math	92.75
	3	Anil	Math	90.00
	4	Priya	Math	88.90
	6	subbusir	aws	98.50
	7	dwaraka	dbms	95.75
	8	ranjani	english	97.40
	9	kavithamam	aws1	99.90
	10	seetha	azure	82.25
*	NULL	NULL	NULL	NULL

Result Grid

Form Editor

Field Types

File Edit View Query Database Server Tools Scripting Help

SQL SQL

Navigator

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - sys

Administration Schemas Information

Schema: bookflow_s1

Query 1

Limit to 1000 rows

```

55 WHERE roll_no = 5;
56 • SELECT * FROM student_marks1;
57
58 • DELETE FROM student_marks1
59 WHERE marks < 75;
60 • SELECT * FROM student_marks1;
  
```

Result Grid Filter Rows: Edit: Export/Import

	roll_no	name	subject	marks
▶	1	Ravi	Math	85.50
	2	Sita	Math	92.75
	3	Anil	Math	90.00
	4	Priya	Math	88.90
	6	subbusir	aws	98.50
	7	dwaraka	dbms	95.75
	8	ranjani	english	97.40
	9	kavithamam	aws1	99.90
	10	seetha	azure	82.25
*	NULL	NULL	NULL	NULL

student_marks1 43

Result Grid Form Editor Field Types

File Edit View Query Database Server Tools Scripting Help

SQL SQL

Navigator

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - sys

Administration Schemas Information

Query 1

Limit to 1000 rows

```

57
58 • DELETE FROM student_marks1
59 WHERE marks < 75;
60 • SELECT * FROM student_marks1;
61
62 • SELECT * FROM student_marks1 ORDER BY marks ASC;
63
  
```

Result Grid Filter Rows: Edit: Export/Import

	roll_no	name	subject	marks
▶	10	seetha	azure	82.25
	1	Ravi	Math	85.50
	4	Priya	Math	88.90
	3	Anil	Math	90.00
	2	Sita	Math	92.75
	7	dwaraka	dbms	95.75
	8	ranjani	english	97.40
	6	subbusir	aws	98.50
	9	kavithamam	aws1	99.90
*	NULL	NULL	NULL	NULL

Result Grid Form Editor Field Types

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - sys

Administration Schemas Information

Query 1

59 WHERE marks < 75;

60 • SELECT

61

62 • SELECT * FROM student_marks1 ORDER BY marks ASC;

63

64 • SELECT * FROM student_marks1 ORDER BY marks DESC;

65

Result Grid

roll_no	name	subject	marks
9	kavithamam	aws1	99.90
6	subbusir	aws	98.50
8	ranjani	english	97.40
7	dwaraka	dbms	95.75
2	Sita	Math	92.75
3	Anil	Math	90.00
4	Priya	Math	88.90
1	Ravi	Math	85.50
10	seetha	azure	82.25
NULL	NULL	NULL	NULL

Result Grid Form Editor Field Types

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
 - bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - sys

Administration Schemas Information

Query 1

61

62 • SELECT * FROM student_marks1 ORDER BY marks ASC;

63

64 • SELECT * FROM student_marks1 ORDER BY marks DESC;

65

66 • SELECT * FROM student_marks1 ORDER BY name ASC;

67

Result Grid

roll_no	name	subject	marks
3	Anil	Math	90.00
7	dwaraka	dbms	95.75
9	kavithamam	aws1	99.90
4	Priya	Math	88.90
8	ranjani	english	97.40
1	Ravi	Math	85.50
10	seetha	azure	82.25
2	Sita	Math	92.75
6	subbusir	aws	98.50
NULL	NULL	NULL	NULL

Result Grid Form Editor Field Types

student_marks1 46 x Apply Revert

Output

Schema: bookflow_s1



Navigator

SCHEMAS

Filter objects

- bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
- bookflow_s1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas

Information

Query 1 x

Limit to 1000 rows

```
63
64 • SELECT * FROM student_marks1 ORDER BY marks DESC;
65
66 • SELECT * FROM student_marks1 ORDER BY name ASC;
67
68 • SELECT * FROM student_marks1 ORDER BY name DESC;
```

Result Grid Filter Rows: Edit: Export/Import

	roll_no	name	subject	marks
▶	6	subbusir	aws	98.50
	2	Sita	Math	92.75
	10	seetha	azure	82.25
	1	Ravi	Math	85.50
	8	ranjani	english	97.40
	4	Priya	Math	88.90
	9	kavithamam	aws1	99.90
	7	dwaraka	dbms	95.75
	3	Anil	Math	90.00
•	NULL	NULL	NULL	NULL

Result Grid

Form Editor

Field Types

MySQL Workbench interface showing a query execution and its results.

Navigator:

- Schemas
 - bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - bookflow_db
 - bookflow_s1**
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - sys

Query 1

```
67
68 • SELECT
69
70 • SELECT subject, SUM(marks) AS total_marks
71 FROM student_marks1
72 GROUP BY subject;
```

Result Grid

	subject	total_marks
▶	Math	357.15
	aws	98.50
	dbms	95.75
	english	97.40
	aws1	99.90
	azure	82.25

Administration | **Schemas**

Information

Schema: **bookflow_s1**

Result Grid | Form Editor | Field Types

MySQL Workbench interface showing a query execution result.

Navigator:

- SCHEMAS
 - bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - bookflow_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - bookflow_s1**
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - sys

Query 1

```
71 FROM student_marks1
72 GROUP BY subject;
73
74 • SELECT subject, AVG(marks) AS avg_marks
75 FROM student_marks1
76 GROUP BY subject;
```

Result Grid

	subject	avg_marks
▶	Math	89.287500
	aws	98.500000
	dbms	95.750000
	english	97.400000
	aws1	99.900000
	azure	82.250000

Administration | **Schemas**

Information:

Schema: **bookflow_s1**

Result 49 x Read Only

MySQL Workbench

Skill-1 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

Limit to 1000 rows

```
75 FROM student_marks1
76 GROUP BY subject;
77
78 • SELECT subject, COUNT(*) AS num_students
79 FROM student_marks1
80 GROUP BY subject;
```

Result Grid

subject	num_students
Math	4
aws	1
dbms	1
english	1
aws1	1
azure	1

Administration Schemas

Information

Schema: bookflow_s1

Result 50 x Read Only

MySQL Workbench

Skill-1 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

Limit to 1000 rows

```
80 GROUP BY subject;
81
82 • SELECT subject, AVG(marks) AS avg_marks
83 FROM student_marks1
84 GROUP BY subject
85 HAVING AVG(marks) > 90;
```

Result Grid

subject	avg_marks
aws	98.500000
dbms	95.750000
english	97.400000
aws1	99.900000

Administration Schemas

Information

MySQL Workbench interface showing a query execution session.

Navigator:

- Schemas:
 - bookflow_2
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - bookflow_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - bookflow_s1**
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - sys

Query 1

```
85 HAVING AVG(marks) > 90;  
86  
87 • SELECT subject, COUNT(*) AS num_students  
88 FROM student_marks1  
89 GROUP BY subject  
90 HAVING COUNT(*) > 1;
```

Result Grid

	subject	num_students
▶	Math	4

Administration Schemas

Information:

Schema: **bookflow_s1**

Result 52 × **Read Only**