Hamburger menu is opened after tapping the button

Priority	Behavior	Type	Layer
○ Medium	Positive	Functional	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30

Steps to reproduce

Step	1
Action	Run the "To-Do-MVP" app on your device
Input data	
Expected result	The app is running

Step	2
Action	Tap the hamurger menu button
Input data	
Expected result	The menu is opened

Hamburger menu > "To-do list" button redirects to "To-do list" window

Priority	Behavior	Type	Layer
o Medium	Positive	Functional	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

1. The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30
2. The app is running

Steps to reproduce

Step	1
Action	Tap the hamburger menu button
Input data	
Expected result	The menu is opened

Step	2
Action	Tap the "To-Do list" button
Input data	
Expected result	The user is redirected to "To-do list" window

"To-do list" window > shows the list of tasks

Priority	Behavior	Type	Layer
○ Medium	Positive	Functional	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

1. The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30.
2. The app is running.
3. 3 different active tasks are submitted.

Steps to reproduce

Step	1
Action	Tap the hamurger menu button
Input data	
Expected result	The menu is opened

Step	2
Action	Tap the "To-do list" button
Input data	
Expected result	3 active tasks are shown

Hamburger menu > "Statistics" button redirects to "Statistics" window

Priority	Behavior	Type	Layer
○ Medium	Positive	Functional	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

1. The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30
2. The app is running

Steps to reproduce

Step	1
Action	Tap the hamburger menu button
Input data	
Expected result	The menu is opened

Step	2
Action	Tap the "Statistics" button
Input data	
Expected result	The user is redirected to "Statistics" window

Statistics window > shows the number of active tasks (3 active tasks)

Priority	Behavior	Type	Layer
o Medium	Positive	Functional	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

1. The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30.
2. The app is running.
3. 3 different active tasks are submitted.

Steps to reproduce

Step	1
Action	Tap the hamurger menu button
Input data	
Expected result	The menu is opened

Step	2
Action	Tap the statistics button
Input data	
Expected result	Statistics shows "3 active tasks" and "0 completed tasks"

Statistics window > shows the number of completed tasks

Priority	Behavior	Type	Layer
○ Medium	Positive	Functional	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

1. The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30.
2. The app is running.
3. 3 different tasks are submitted.
4. 1 task is completed.

Steps to reproduce

Step	1
Action	Tap the hamurger menu button
Input data	
Expected result	The menu is opened

Step	2
Action	Tap the statistics button
Input data	
Expected result	Statistics shows "2 active tasks" and "1 completed task"

Statistics window > shows the number of active tasks (no tasks)

Priority	Behavior	Type	Layer
○ Medium	Positive	Usability	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

1. The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30.
2. The app is running.
3. No tasks are submitted.

Steps to reproduce

Step	1
Action	Tap the hamurger menu button
Input data	
Expected result	The menu is opened

Step	2
Action	Tap the statistics button
Input data	
Expected result	The message is "You have no tasks"

Hamburger menu is closed after tapping any blank space

Priority	Behavior	Type	Layer
○ Medium	Positive	Functional	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30

Steps to reproduce

Step	1
Action	Run the "To-Do-MVP" app on your device
Input data	
Expected result	The app is running

Step	2
Action	Tap the hamurger menu button
Input data	
Expected result	The menu is opened

Step	3
Action	Tap any blank area outside the menu
Input data	
Expected result	The menu is closed

Filter menu is opened after tapping the button

Priority	Behavior	Type	Layer
○ Medium	Positive	Functional	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30

Steps to reproduce

Step	1
Action	Run the "To-Do-MVP" app on your device
Input data	
Expected result	The app is running

Step	2
Action	Tap the filter menu button
Input data	
Expected result	The menu is opened

Filter menu > "All" button shows the list of all tasks

Priority	Behavior	Type	Layer
o Medium	Positive	Functional	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

1. The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30.
2. The app is running.
3. 3 different tasks are submitted.

Steps to reproduce

Step	1
Action	Tap the filter menu button
Input data	
Expected result	The menu is opened

Step	2
Action	Tap the "All" button
Input data	
Expected result	3 tasks are shown

Filter menu > "Active" button shows the list of active tasks

Priority	Behavior	Type	Layer
o Medium	Positive	Functional	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

1. The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30.
2. The app is running.
3. 3 different tasks are submitted.
4. 1 task is completed.

Steps to reproduce

Step	1
Action	Tap the filter menu button
Input data	
Expected result	The menu is opened

Step	2
Action	Tap the "Active" button
Input data	
Expected result	2 tasks are shown

Filter menu > "Completed" button shows the list of completed tasks

Priority	Behavior	Type	Layer
o Medium	Positive	Functional	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

1. The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30.
2. The app is running.
3. 3 different tasks are submitted.
4. 1 task is completed.

Steps to reproduce

Step	1
Action	Tap the filter menu button
Input data	
Expected result	The menu is opened

Step	2
Action	Tap the "Completed" button
Input data	
Expected result	1 task is shown

Filter menu is closed after tapping any blank space

Priority	Behavior	Type	Layer
○ Medium	Positive	Functional	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30

Steps to reproduce

Step	1
Action	Run the "To-Do-MVP" app on your device
Input data	
Expected result	The app is running

Step	2
Action	Tap the "Filter menu" button
Input data	
Expected result	The menu is opened

Step	3
Action	Tap any blank area outside the menu
Input data	
Expected result	The menu is closed

Kebab menu is opened after tapping the button

Priority	Behavior	Type	Layer
○ Medium	Positive	Functional	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30

Steps to reproduce

Step	1
Action	Run the "To-Do-MVP" app on your device
Input data	
Expected result	The app is running

Step	2
Action	Tap the kebab menu button
Input data	
Expected result	The kebab menu options are opened

Kebab menu > "Clear completed" button clears the list of completed tasks

Priority	Behavior	Type	Layer
o Medium	Positive	Functional	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

1. The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30.
2. The app is running.
3. 3 different tasks are submitted.
4. 1 task is completed.

Steps to reproduce

Step	1
Action	Tap the kebab menu button
Input data	
Expected result	The menu is opened

Step	2
Action	Tap the "Clear completed" button
Input data	
Expected result	1 task is cleared

Kebab menu > "Refresh" button resreshes the list of tasks

Priority	Behavior	Type	Layer
○ Medium	Positive	Functional	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

1. The app "To-do-mvp" is installed on the emulated device Pixel 3a XL API 30.
2. The app is running.
3. 3 different tasks are submitted.
4. 1 task is completed.

Steps to reproduce

Step	1
Action	Tap the kebab menu button
Input data	
Expected result	The menu is opened

Step	2
Action	Tap the "Refresh" button
Input data	
Expected result	The list of tasks is refreshed