Rocketlane setup guide (trial account)

What Rocketlane is

Rocketlane is a customer-onboarding / professional-services platform. Think "Asana built for working *with* customers":

Concept	What it is	In our build
Project	One customer engagement, with phases, tasks, dates, an owner and a team (internal members plus customer users).	One per onboarding, created by Agent 1 via `POST /projects`.
Project template	A reusable plan (phases, tasks, durations, dependencies, role assignments). Projects are created *from* a template.	Enterprise (30-day) and Growth (14-day). The template ID comes from config, never from the LLM.
Phase / Task	The plan structure. Tasks have owners, due dates and dependencies.	4 phases: Kickoff, Data Migration, Configuration, Go-Live.
Customer (company)	The external company; its users can be invited into the project portal.	`customer.companyName`, auto-created by the API.
Team member vs customer user	Internal staff vs external people.	Owner, PM and CSMs are team members; the customer contact is a customer user.
Project Owner	The accountable person on the project.	`ROCKETLANE_OWNER_EMAIL`. Notified at 4 days overdue.
Automations	No-code rules: trigger → condition → action (e.g. "task overdue > N days → notify"). UI only, no API.	The overdue-escalation requirement.
Document templates	Templates for docs/spaces inside projects.	Not used.

UI map (left sidebar)

- **Projects**: the list of all projects. Open one to see Plan (phases/tasks), Team, Documents/Spaces and Updates.
- **Templates**: library of project and document templates. Build ours here.
- **Customers**: companies (Acme and Modert are sample data).
- **Settings (gear) → Users/Team**: invite team members. **Settings → API**: API keys (done). **Settings → Automations**: rules.

Current account state (read via API on 2026-11-11)

- Users: you (Jai, ACTIVE); sample team members Rachel and Paul (fake @rocketlane.com emails); 2 sample customer contacts.

- Projects: `[Sample] Acme 2 week onboarding`, `[Sample] Modert 5 week onboarding`.
- Project templates: only `Simple Onboarding` (trial seed data, created with the account). No Enterprise/Growth templates exist, and the API cannot create templates, so build them in the UI (tip: duplicate Simple Onboarding and restructure it).
- Roles (via `GET /roles`): Customer, Product Manager, Customer success, Engineer, Project Manager, Implementation Manager.
- Re-check any time with `cd backend && uv run python -m scripts.rl_inspect` (GET-only).
- Note: the sample customer **"Acme"** normalizes to the same key as "Acme Corp". Use a different demo customer (e.g. "Globex Corporation"), or delete the sample projects, so the duplicate guard doesn't fire.

Step 1: Users (Settings → Team members → Invite members)

Templates hold the plan (phases, tasks, role placeholders); users are the real people. The API needs a real Project Owner, the overdue automation notifies real people, and the tier difference (dedicated vs pooled CSM) is a choice of person. The existing roles are enough; **no new roles are needed**. Only 2 invites are needed:

Role	Who	Rocketlane role	.env variable
Project Owner (4-day alert)	you, `you@gmail.com` (exists)	n/a	`ROCKETLANE_OWNER_EMAIL`
Project Manager (1-day alert)	**invite** `you+pm@gmail.com`	Project Manager	`ROCKETLANE_PM_EMAIL`
Dedicated CSM (Enterprise)	**invite** `you+csm@gmail.com`	Customer success	`ROCKETLANE_CSM_ENTERPRISE`
Pooled CSM (Growth)	Rachel (sample user) (exists)	Customer success	`ROCKETLANE_CSM_GROWTH`

Accept both invites from your Gmail (plus-aliases deliver to your inbox) so the users become ACTIVE.

In the templates, assign tasks to the **role placeholders** (Customer success, Project Manager), not to named people. The code picks the actual person per tier when it creates the project.

Step 2: Templates (Templates → New project template)

Build two templates. Set the durations so the totals come to 30 and 14 days, and make **"Go-live checklist sign-off" depend on "Migration verified"**. That dependency is the fix for Priya's "migration marked done but not verified" problem. These task lists are placeholders; CS owns the real ones.

NovaCRM Enterprise Onboarding (30 days, dedicated CSM)

Phase	Task	Days
Kickoff (d1–5)	Internal sales→CS handoff review	1
	Kickoff call	1
	Success plan & goals sign-off	2
Data Migration (d4–15)	Source data export	3
	Field mapping review	2
	Test import	2

Phase	Task	Days
	Full import	2
	Migration verified (validation checks passed)	1
Configuration (d12–24)	Pipelines & stages setup	3
	Roles & permissions	2
	Integrations setup	3
	SSO setup	2
Go-Live (d24–30)	Admin training	1
	End-user training	2
	Go-live checklist sign-off (depends on Migration verified)	1
	Handoff to support	1

NovaCRM Growth Onboarding (14 days, pooled CSM)

Phase	Task	Days
Kickoff (d1–2)	Kickoff call	1
	Success plan	1
Data Migration (d2–7)	Data export	2
	Data import	2
	Migration verified	1
Configuration (d6–11)	Pipelines & stages	2
	Roles & permissions	1
	Basic integrations	2
Go-Live (d11–14)	User training	1
	Go-live checklist (depends on Migration verified)	1
	Handoff to support	1

Then run `uv run python -m scripts.rl_inspect`: the new templates show up under `GET /templates` with their IDs. Put them in `ROCKETLANE_TEMPLATE_ENTERPRISE` / `ROCKETLANE_TEMPLATE_GROWTH`. (`GET /templates` is undocumented but works on this account.)

Step 3: Automations (Settings → Automations, or inside each template)

Rule	Trigger	Condition	Action
Overdue 1d → PM	Task becomes overdue	overdue by ≥ 1 day	Notify **Project Manager**

Rule	Trigger	Condition	Action
Overdue 4d → Owner	Task becomes overdue	overdue by ≥ 4 days	Notify **Project Owner**

- Attach them to **both templates** so every new project inherits them. Whether API-created projects inherit template automations is UNVERIFIED; we check it with the first real project.
- If "Project Manager" isn't offered as a recipient, choose the PM user by name (or a project role), and note that choice in the video.
- To demo it: in a project, set a task's due date 1 or 4 days in the past, then show the notification and the automation's run history.

Step 3b: Webhook (optional, not configured on this trial)

The service has a Rocketlane webhook endpoint (`/webhooks/rocketlane`, token in the Basic Auth password or `?token=`) that syncs a project immediately. On this trial account no webhook is configured in Settings → Webhooks (checked 13 Nov 2026), so Agent 3 relies on its 15-second poll. To switch it on: Settings → Webhooks → Add webhook, task events, URL `{PUBLIC_BASE_URL}/webhooks/rocketlane`, Basic Auth password = `ROCKETLANE_WEBHOOK_TOKEN`.

Screenshots of the templates, roles, overdue automations and a migration evidence note are in the appendix of `NovaCRM_Onboarding_Part1_Requirements.docx`.

Step 4: Clean-up before recording

Archive or delete rehearsal projects, or use a fresh customer name for each take.

Status (built via browser automation, 2026-11-11)

Template	ID	Plan
NovaCRM Enterprise Onboarding (30 days)	`5000000115814`	4 phases, 16 tasks, days 1–30
NovaCRM Growth Onboarding (14 days)	`5000000115815`	4 phases, 11 tasks, days 1–14

Both templates: - Tasks are assigned to **role placeholders**: Customer success = the tier's CSM; Project Manager = internal handoff review, Migration verified, Go-live sign-off; Customer = data export. - *Go-live checklist sign-off* **depends on** *Migration verified (validation checks passed)*.

Overdue automations (Settings → Automations, account-wide, active, created 2026-11-11):

Rule	Trigger	Condition	Notify
Overdue 1 day → notify Project Manager	Task becomes overdue (All tasks)	overdue by 1 day	**Project Manager** placeholder
Overdue 4 days → escalate to Project Owner	Task becomes overdue (All tasks)	overdue by 4 days	**Project owner** placeholder

How to find them: the per-phase automation editor inside a template only offers *phase* triggers. The task-overdue trigger is only in **Settings → Automations → New automation → "When task becomes overdue"**, and the day threshold sits under **Add conditions** ("When task becomes overdue by N days"; the actions in that block run once per task).

Placeholder → user mapping (code, done): `POST /projects` sends `placeholders`. Agent 1 fills **Project Manager** with `ROCKETLANE_PM_EMAIL`, **Customer success** with the tier's CSM, and **Customer** with the deal's customer contact. Names are resolved to IDs through `GET /placeholders` (verified live on 2026-11-11: Customer `5000000094570`, Customer success `5000000094572`, Project Manager `5000000094574`), and preflight checks that all three exist. VERIFIED live on 2026-11-11 (project 5000000262271): `user: {emailId}` works, and the template tasks came out assigned to the PM, the tier CSM and the customer contact.

Migration evidence: `PUT /tasks/{id}` with only `taskPrivateNote` was VERIFIED live on the same project. The note was written, and the task's status, dates and assignees did not change. Template durations are working days: a 30-day template starting 11 Nov is due 22 Dec.

Project Manager vs Project Owner: - **Project Owner** (`ROCKETLANE_OWNER_EMAIL`) is a built-in field on every project: the single accountable person, who receives the project invite and any unassigned tasks. In our flow that's the CS lead, and the 4-day escalation goes there. - **Project Manager** is a role placeholder from the template: the person running the day-to-day plan (the internal handoff, Migration verified, Go-live sign-off), filled per project by the code. The 1-day nudge goes there.