Status	Finished
Started	Monday, 17 August 2026, 12:48 PM
Completed	Monday, 17 August 2026, 12:56 PM
Duration	7 mins 21 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**
Complete
Mark 1.00 out of 1.00

What is the output of the given below program?

```
if 1 + 3 == 7:
   print("Hello")
else:
   print("REC")
```

- a. Compiled Successfully, No Output.
- b. **REC**
- c. Hello

Question **2**
Complete
Mark 1.00 out of 1.00

What is the output of the following snippet?

```
s1 = "IIT "  # Remember there is a space after T in IIT
s2 = "Punjab"
s1 = s1 * 2
s2 = "Ropar"
print(s1, s2)
```

- a. IIT IIT Ropar
- b. IIT IIT Punjab
- c. IIT Punjab
- d. IIT Ropar

Question **3**
Complete
Mark 1.00 out of 1.00

choose a valid Python if statement :

- a. if (a => 22)
- b. if (a >= 2)
- c. if a>=2 :

Question **4**
Complete
Mark 1.00 out of 1.00

What is the output of the given below program?

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("Know Program")
```

- a. Error
- b. Hello
- c. Know Program
- d. Compiled Successfully, No Output

Question **5**
Complete
Mark 1.00 out of 1.00

What is the value of x at the end of the following sequence of instructions?

```
x = 10
x = x * 3
x = x + 5
```

- a. 35
- b. 15
- c. 30
- d. 45

Question **6**
Complete
Mark 1.00 out of 1.00

What is the output

```
a, b, c = 1, 3, 5
if a + b + c:
    print("Hello")
else:
    print("Know Program")
```

- a. Hello
- b. Error
- c. Know Program
- d. Compiled Successfully, No Output.

Question **7**
Complete
Mark 1.00 out of 1.00

What will be the output for the following code?

```
if False:
    print("1001")
else:
    print("2002")
```

- a. syntax error
- b. 1001
- c. 2002

Question **8**
Complete
Mark 1.00 out of 1.00

Which of the following is true about the code below?

```
x = 3
if (x > 2):
    x = x * 2;
if (x > 4):
    x = 0;
print(x)
```

- a. x will always equal 0 after this code executes for any value of x
- b. if x is lesser then 0,x will be 0 after this code executes
- c. if x is greater than 2, x will equal 0 after this code executes
- d. if x is greater than 2, the value in x will be doubled after this code executes

Question **9**
Complete
Mark 1.00 out of 1.00

Which among the following codes have equivalent logic?

Code 1:

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

Code 2:

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
        value4=10
    else:
        value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
        value4=8
     else:
        value4=6
print(value4)
```

Code 3:

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

- a. Code 1, Code 3
- b. Code 1, Code 2
- c. Code 2, Code 3

Question **10**
Complete
Mark 1.00 out of 1.00

Can we write if/else into one line in python?

- a. No
- b. Yes

Question **11**
Complete
Mark 1.00 out of 1.00

What will be the output?

```
a=11
b=5
if (a%b==0):
    print ( "hello")
if (a//b==0):
    print ( "hi")
else:
    print ("python")
```

- a. hi
- b. python
- c. hello

Question **12**
Complete
Mark 1.00 out of 1.00

What will be the output for the following code?

```
if  1-1:
    print("python")
else:
    print("0 is false")
```

- a. python
- b. Error
- c. 0 is false

Question **13**
Complete
Mark 1.00 out of 1.00

Given the nested `if-else` below, what will be the value `x` when the code executed successfully

```
x = 0
a = 5
b = 5
if a > 0:
    if b < 0:
        x = x + 5
    elif a > 5:
        x = x + 4
    else:
        x = x + 3
else:
    x = x + 2
print(x)
```

- a. 3
- b. 0
- c. 2
- d. 4

Question **14**
Complete
Mark 1.00 out of 1.00

what will be the output for the following question?

```
a, b = 12, 5
if a + b:
   print('True')
else:
 print('False')
```

- a. True
- b. Error
- c. False

Question **15**

Complete

Mark 1.00 out of 1.00

With what extension are the python files saved?

a. .p

b. .python

c. .py

d. .pyn