Status	Finished
Started	Tuesday, 27 October 2026, 8:44 PM
Completed	Tuesday, 27 October 2026, 8:48 PM
Duration	3 mins 44 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

- a. {‘rec’, 1, (‘cse’, ‘ece’)} ✓
- b. {‘rec’, 1, (‘cse’, ‘ece’),True}
- c. {‘rec’, True, (‘cse’, ‘ece’)}
- d. Error

Question **2**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

- a. {3} ✓
- b. {2,5,3,1}
- c. {}
- d. {2,5,1}

Question **3**
Correct
Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

- a. It will throw an error as there are two 0 while creating the set.
- b. {0,0,9}
- c. {9}
- d. {0,9} ✓

Question **4**
Correct
Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

- a. False ✓
- b. Error
- c. Error
- d. True

Question **5**
Incorrect
Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

- a. Elements of set2 will get appended to set1
- b. A new set will be created with the unique elements of set1 and set2. ✗
- c. A new set will be created with the elements of both set1 and set2
- d. Elements of set1 will get appended to set2

Question **6**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. Error

b. Computer

c. (Computer)

d. () ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

a. 117 ✓

b. 2

c. 100

d. Error

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. ii,iv

b. i,ii

c. i,iii ✓

d. iii,iv

Question **9**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

- a. Yes, No ✓
- b. "==" is not supported for set in Python
- c. Yes, Yes
- d. No, No

Question **10**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
x = 3 * t
print(x)
```

- a. (11,3)(11,3)(11,3)
- b. (11, 3, 11, 3, 11, 3) ✓
- c. [11,11,11,3,3,3]
- d. (11,3,11,11,3,11,11,11,3)

Question **11**
Correct
Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. ii
b. All of the above
c. iii
d. i,ii ✓

Question **12**
Correct
Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}
b. TypeError: update() doesn't allow list as a argument.
c. Name Error
d. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

Question **13**
Correct
Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, 10, 50, 20, 60, 30}
b. SynatxError: Different types cannot be used with sets
c. {40, '10', 50, 20, 60, 30}
d. {40, 10, '10', 50, 20, 60, 30} ✓

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50) (10, 20, 30, 40)

b. (30, 40, 50)(40, 50, 60, 70, 80)

c. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

d. (10, 20, 30, 40) (40, 50, 60, 70, 80)

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓
True

b. True
False

c. False
True

d. False
False