Status	Finished
Started	Tuesday, 27 October 2026, 8:53 PM
Completed	Tuesday, 27 October 2026, 8:57 PM
Duration	4 mins 24 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**
Correct
Mark 1.00 out of 1.00

Which of the following are immutable data type? A. String B. Tuple C. List D. Dictionary

- a. a and b ✓
- b. c and d
- c. b and d
- d. a and c

Question **2**
Correct
Mark 1.00 out of 1.00

Keys of dictionary must be _____.

- a. integers
- b. antique
- c. unique ✓
- d. mutable

Question **3**
Correct
Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

- a. {'b': [2, 3, 4], 'a': 1} ✓
- b. {'b': [2], 'a': [3]}
- c. Error
- d. {'b': [2], 'a': 1}

Question **4**
Correct
Mark 1.00 out of 1.00

Which of the following is feature of Dictionary?

- a. Dictionary is mutable.
- b. Keys must be of an immutable data type.
- c. All of the mentioned ✓
- d. Keys are unique within a dictionary.

Question **5**
Correct
Mark 1.00 out of 1.00

The key-value pair in dictionary is called _____.

a. pair item
b. item ✓
c. paired value
d. value

Question **6**
Correct
Mark 1.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

a. True ✓
b. False

Question **7**
Correct
Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.get)
b. print(A.Items) ✓
c. print(A.values)
d. print(A.keys)

Question **8**
Correct
Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Janice', 'Emily', 'John']
b. ['Emily', 'John', 'Erik'] ✓
c. ['Janice', 'John', 'Erik']
d. ['Janice', 'Emily', 'John', 'Eleanor']

Question **9**
Correct
Mark 1.00 out of 1.00

Which of the following is an example of dictionary?

a. C = ( )
b. D = { } ✓
c. L = [ ]
d. None of the mentioned

Question **10**
Correct
Mark 1.00 out of 1.00

_____ function returns the number of key: value pairs of the dictionary.

- a. len ✓
- b. length
- c. items
- d. total

Question **11**
Correct
Mark 1.00 out of 1.00

All elements in dictionary are separated by _____.

- a. Semicolon(;)
- b. Colon (
- c. dot(.)
- d. Comma(,) ✓

Question **12**
Correct
Mark 1.00 out of 1.00

Write the output of the following codes.
>>>dl={1:10,2:20,3:30,4:40, 5:50}
>>>dl.items ()

- a. Error
- b. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)] ✓
- c. [10, 20, 30, 40, 50]
- d. [1, 2, 3, 4, 5]

Question **13**
Correct
Mark 1.00 out of 1.00

Which function/statement delete all the items of the dictionary?

- a. delete( )
- b. del
- c. clear( ) ✓
- d. pop( )

Question **14**
Correct
Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

- a. It will create a new dictionary.
- b. It will merge all the elements of dictionary 'D1' in dictionary 'D2'.
- c. None of the mentioned
- d. It will merge all the elements of dictionary 'D2' in dictionary 'D1'. ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

- a. A dictionary can have two same values with different keys. ✓
- b. A dictionary can have two same keys or same values but cannot have two same key-value pair
- c. A dictionary can have two same keys with different values.
- d. A python, a dictionary can neither have two same keys nor two same values.