

Pharmacologic Therapy Reference Tables

Dosing Recommendations

Recommended starting doses and titration schedule.

Drug	Starting Dose	Titration	Max Dose	Renal Adjust
Agent Alpha	5 mg daily	+5 mg q2wk	40 mg/day	eGFR<30: halve
Agent Beta	10 mg BID	+10 mg q1wk	80 mg/day	No change
Agent Gamma	25 mg daily	+25 mg q4wk	100 mg/day	eGFR<45: avoid
Agent Delta	2.5 mg daily	+2.5 mg q2wk	20 mg/day	eGFR<15: avoid

Monitoring Schedule

Laboratory and clinical monitoring cadence.

Parameter	Baseline	Week 4	Week 12	Every 6 mo
Serum potassium	Yes	Yes	Yes	Yes
eGFR	Yes	Yes	Yes	Yes
Blood pressure	Yes	Yes	Yes	Yes
Liver function	Yes	No	Yes	Yes

Notes

This recommendation applies to adult patients presenting in the ambulatory setting. Clinicians should assess baseline risk before initiating therapy and reassess at each follow-up visit. Shared decision making is advised when the balance of benefits and harms is uncertain. The strength of this recommendation reflects moderate-certainty evidence derived from randomized controlled trials and well-conducted observational cohorts.