

Here's a basic cheat sheet for some of the most commonly used Mac Commands

1. `cd [directory]`: Change Directory
Usage: Navigate into the specified directory.
Example: `cd Documents/`
2. `pwd`: Print Working Directory
Shows the full path of the current directory.
3. `ls`: List Display the contents of the current directory.
4. `cp [source] [destination]`: Copy
5. Usage: Copy files or directories.
Example: `cp file.txt copy_of_file.txt`
6. `mv [source] [destination]`: Move
Usage: Move/rename files or directories.
Example: `mv old_name.txt new_name.txt`
7. `rm [file]`: Remove
Usage: Delete a file.
Example: `rm unwanted_file.txt`
8. `rmdir [directory]`: Remove Directory
Delete an empty directory.
9. `mkdir [directory]`: Make Directory
Usage: Create a new directory.
Example: `mkdir NewFolder`
10. `man [command]`: Manual
Display the help manual for a command.
11. `echo [text]`: Echo
Output text to the terminal.
Example: `echo "Hello, World"`
12. `cat [file]`: Concatenate and Display
Display the contents of a file.
13. `less [file]`: Pager Program
View the contents of a file, one screen at a time.
14. `grep [pattern] [file]`: Global Regular Expression Print

Search for a pattern within a file.

Example: `grep "Hello" file.txt`

15. `chmod [permissions] [file]`: Change Mode

Modify file or directory permissions.

Example: `chmod 755 script.sh`