

```

SELECT
[Report],
[Class],
[Account],
[ Amount ]
FROM findata11
JOIN findata12 ON findata11.[Account_key] = findata12.[Account_key]
WHERE REPORT = 'Profit and Loss'

```

Object Explorer

Connect

test_financ

Database Diagrams

Tables

System Tables

FileTables

External Tables

Graph Tables

dbo.findata-m3

dbo.findata11

Columns

EmptyNo (float, null)

Date (varchar(max), null)

Territory_key (bigint, null)

Account_key (bigint, null)

Details (varchar(max), null)

Amount (varchar(max), null)

Keys

Constraints

Triggers

Indexes

Statistics

dbo.findata12

Columns

Account_key (bigint, null)

Report (varchar(max), null)

Class (varchar(max), null)

SubClass (varchar(max), null)

SubClass2 (varchar(max), null)

Account (varchar(max), null)

SubAccount (varchar(max), null)

Keys

Constraints

Triggers

Indexes

Statistics

dbo.findata13

Columns

Date (varchar(max), null)

Year (bigint, null)

Quarter (varchar(max), null)

Month (varchar(max), null)

Day (varchar(max), null)

Keys

Constraints

Triggers

SQLQuery13--user (58) X

SQLQuery12a--user (58) X

--financial statement

```

1 SELECT
2 [Report],
3 [Class],
4 [Account],
5 [ Amount ]
6 FROM findata11
7 JOIN findata12 ON findata11.[Account_key] = findata12.[Account_key]
8 WHERE REPORT = 'Profit and Loss'

```

100 % No issues found

Results Messages

Report	Class	Account	Amount
1 Profit and Loss	Trading account	Cost of Sales	(894)
2 Profit and Loss	Trading account	Cost of Sales	(1,120)
3 Profit and Loss	Operating account	Advertisements	(2,394)
4 Profit and Loss	Trading account	Sales	2,948
5 Profit and Loss	Trading account	Sales	3,754
6 Profit and Loss	Trading account	Cost of Sales	(8,371)
7 Profit and Loss	Trading account	Sales	14,570
8 Profit and Loss	Operating account	Office Supplies	(44)
9 Profit and Loss	Trading account	Cost of Sales	(269)
10 Profit and Loss	Trading account	Sales	1,317
11 Profit and Loss	Operating account	Commissions	(2,828)
12 Profit and Loss	Operating account	Entertainment	(2,388)
13 Profit and Loss	Trading account	Cost of Sales	(1,163)
14 Profit and Loss	Operating account	Commissions	(3,000)
15 Profit and Loss	Trading account	Sales	3,882
16 Profit and Loss	Trading account	Cost of Sales	(4,618)
17 Profit and Loss	Trading account	Sales	15,394
18 Profit and Loss	Operating account	Advertisements	(2,920)
19 Profit and Loss	Operating account	Travel	(13)

Query executed successfully.

DESKTOP-RHBMVN (17.0 RTM) DESKTOP-RHBMVN\user (58) test_financ 00:00:00 Rows: 1, Col: 4 5,660 rows

```

--financial statement

SELECT
[Report],
[Class],
[Account],
SUM(TRY_CAST([ Amount ] AS DECIMAL(10,2))) AS Amount
FROM findata11
JOIN findata12 ON findata11.[Account_key] = findata12.[Account_key]
WHERE REPORT = 'Profit and Loss'
GROUP BY [Report], [Class], [Account]

```



```

[Class],
[Account],

SUM(TRY_CAST([ Amount ] AS DECIMAL(10,2))) AS Amount
FROM findata11
JOIN findata12 ON findata11.[Account_key] = findata12.[Account_key]
WHERE REPORT = 'Profit and Loss' AND YEAR([DATE]) = 2019
GROUP BY [Report], [Class], [Account], findata11.[Account_key]
ORDER BY findata11.[Account_key]

```

The screenshot shows the SQL Server Enterprise Manager interface. On the left is the Object Explorer showing the database structure. The central pane displays a query window with the following SQL code:

```

--financial statement
SELECT [Report], [Class], [Account],
findata11.[Account_key],
[Report],
[Class],
[Account],
YEAR([Date]) AS Year,

SUM(TRY_CAST([ Amount ] AS DECIMAL(10,2))) AS Amount
FROM findata11
JOIN findata12 ON findata11.[Account_key] = findata12.[Account_key]
WHERE REPORT = 'Profit and Loss' AND YEAR([DATE]) = 2019
GROUP BY [Report], [Class], [Account], findata11.[Account_key], YEAR ([Date])
ORDER BY findata11.[Account_key]

```

The bottom pane shows the query results in a table with 5 columns: Account_key, Report, Class, Account, and Amount. The results are sorted by Account_key.

Account_key	Report	Class	Account	Amount	
1	210	Profit and Loss	Trading account	Sales	40034.00
2	220	Profit and Loss	Trading account	Sales Return	NULL
3	230	Profit and Loss	Trading account	Cost of Sales	NULL
4	240	Profit and Loss	Operating account	Staff Costs	NULL
5	260	Profit and Loss	Operating account	Commissions	23433.00
6	280	Profit and Loss	Operating account	Advertisements	NULL
7	290	Profit and Loss	Operating account	Travel	NULL
8	300	Profit and Loss	Operating account	Entertainment	NULL
9	310	Profit and Loss	Operating account	Office Supplies	NULL
10	320	Profit and Loss	Operating account	Professional Services	NULL
11	330	Profit and Loss	Operating account	Telephone	NULL
12	340	Profit and Loss	Operating account	Utilities	NULL
13	350	Profit and Loss	Operating account	Other Expenses	NULL
14	360	Profit and Loss	Operating account	Equipment	NULL
15	400	Profit and Loss	Operating account	Amortisation of Intangible Assets	NULL
16	410	Profit and Loss	Non-operating	Interest Income	16621.00
17	420	Profit and Loss	Non-operating	Gain/Loss on Sales of Asset	3295.00
18	430	Profit and Loss	Non-operating	Exchange Loss/Gain	3622.00
19	431	Profit and Loss	Non-operating	Dividend Income	NULL

PLS-

```

--financial statement

SELECT [Report], [Class], [Account], [2018],[2019],[2020]
FROM (
SELECT
findata11.[Account_key],
[Report],
[Class],
[Account],
YEAR([Date]) AS Year,

SUM(TRY_CAST([ Amount ] AS DECIMAL(10,2))) AS Amount
FROM findata11
JOIN findata12 ON findata11.[Account_key] = findata12.[Account_key]
WHERE REPORT = 'Profit and Loss'
GROUP BY [Report], [Class], [Account], findata11.[Account_key], YEAR ([Date])
) AS Table1

PIVOT (SUM( Amount ) FOR Year IN ([2018],[2019],[2020])) AS Table2

```

The screenshot shows the SQL Server Enterprise Manager interface. On the left, the Object Explorer displays the database structure, including tables like 'dbo.findata11' and 'dbo.findata12'. The central query window contains the following SQL code:

```

--financial statement
SELECT [Report], [Class], [Account], [2018],[2019],[2020]
FROM (
SELECT
findata11.[Account_key],
[Report],
[Class],
[Account],
YEAR([Date]) AS Year,
SUM(TRY_CAST([ Amount ] AS DECIMAL(10,2))) AS Amount
FROM findata11
JOIN findata12 ON findata11.[Account_key] = findata12.[Account_key]
WHERE REPORT = 'Profit and Loss'
GROUP BY [Report], [Class], [Account], findata11.[Account_key], YEAR ([Date])
) AS Table1
PIVOT (SUM( Amount ) FOR Year IN ([2018],[2019],[2020])) AS Table2

```

The bottom pane shows the results of the query, displaying a table with columns for Report, Class, Account, and the years 2018, 2019, and 2020. The results are filtered for 'Profit and Loss' reports.

Report	Class	Account	2018	2019	2020
Profit and Loss	Trading account	Sales	44640.00	40034.00	13966.00
Profit and Loss	Trading account	Sales Return	NULL	NULL	NULL
Profit and Loss	Trading account	Cost of Sales	NULL	NULL	NULL
Profit and Loss	Operating account	Staff Costs	NULL	NULL	NULL
Profit and Loss	Operating account	Commissions	32602.00	23433.00	23134.00
Profit and Loss	Operating account	Advertisements	NULL	NULL	NULL
Profit and Loss	Operating account	Travel	NULL	NULL	NULL
Profit and Loss	Operating account	Entertainment	NULL	NULL	NULL
Profit and Loss	Operating account	Office Supplies	NULL	NULL	NULL
Profit and Loss	Operating account	Professional Services	NULL	NULL	NULL
Profit and Loss	Operating account	Telephone	NULL	NULL	NULL
Profit and Loss	Operating account	Utilities	NULL	NULL	NULL
Profit and Loss	Operating account	Other Expenses	NULL	NULL	NULL
Profit and Loss	Operating account	Equipment	NULL	NULL	NULL
Profit and Loss	Operating account	Amortization of Intangible Assets	NULL	NULL	NULL
Profit and Loss	Non-operating	Interest Income	13496.00	16621.00	28378.00
Profit and Loss	Non-operating	Gain/Loss on Sales of Asset	3350.00	3285.00	4191.00
Profit and Loss	Non-operating	Exchange Loss/Gain	2263.00	3822.00	5176.00
Profit and Loss	Non-operating	Dividend Income	NULL	NULL	NULL

--financial statement

```

SELECT [Report], [Class], [Account], FORMAT([2018], 'N0') AS '2018',FORMAT([2019],
'N0') AS '2019',FORMAT ([2020], 'N0') AS '2020'
FROM (
SELECT
findata11.[Account_key],
[Report],
[Class],
[Account],
YEAR([Date]) AS Year,
SUM(TRY_CAST([ Amount ] AS DECIMAL(10,2))) AS Amount
FROM findata11
JOIN findata12 ON findata11.[Account_key] = findata12.[Account_key]
WHERE REPORT = 'Profit and Loss'
GROUP BY [Report], [Class], [Account], findata11.[Account_key], YEAR ([Date])
) AS Table1
PIVOT (SUM( Amount ) FOR Year IN ([2018],[2019],[2020])) AS Table2

```

Object Explorer

Connect

Database Snapshots

test_finance

Database Diagrams

Tables

System Tables

FileTables

External Tables

Graph Tables

dbo.data-m3

dbo.findata11

Columns

EntryNo (float, null)

Date (varchar(max), null)

Territory_key (bigint, null)

Account_key (bigint, null)

Details (varchar(max), null)

Amount (varchar(max), null)

Keys

Constraints

Triggers

Indexes

Statistics

dbo.findata12

Columns

Account_key (bigint, null)

Report (varchar(max), null)

Class (varchar(max), null)

SubClass (varchar(max), null)

SubClass2 (varchar(max), null)

Account (varchar(max), null)

SubAccount (varchar(max), null)

Keys

Constraints

Triggers

Indexes

Statistics

dbo.findata13

Columns

Date (varchar(max), null)

Year (bigint, null)

Quarter (varchar(max), null)

Month (varchar(max), null)

Day (varchar(max), null)

Keys

Constraints

Triggers

dbo.findata14

Columns

Territory_key (bigint, null)

Country (varchar(max), null)

Region (varchar(max), null)

Keys

Constraints

Triggers

SQLQuery17...User (531P) PLS4-Print.sq...RFUser (72)

```

1  --financial statement
2
3  SELECT [Report], [Class], [Account], FORMAT([2018], 'No') AS '2018', FORMAT([2019], 'No') AS '2019', FORMAT([2020], 'No') AS '2020'
4  FROM (
5  SELECT
6  findata11.[Account_key],
7  [Report],
8  [Class],
9  [Account],
10 YEAR([Date]) AS Year,
11
12 SUM(TRY_CAST([ Amount ] AS DECIMAL(10,2))) AS Amount
13 FROM findata11
14 JOIN findata12 ON findata11.[Account_key] = findata12.[Account_key]
15 WHERE REPORT = 'Profit and Loss'
16 GROUP BY [Report], [Class], [Account], findata11.[Account_key], YEAR ([Date])
17 ) AS Table1
18
19 PIVOT (SUM( Amount ) FOR Year IN ([2018],[2019],[2020])) AS Table2
20

```

100 % No issues found

Results Messages

Report	Class	Account	2018	2019	2020
Profit and Loss	Trading account	Sales	44,640	40,034	13,565
Profit and Loss	Trading account	Sales Return	NULL	NULL	NULL
Profit and Loss	Trading account	Cost of Sales	NULL	NULL	NULL
Profit and Loss	Operating account	Staff Costs	NULL	NULL	NULL
Profit and Loss	Operating account	Commissions	32,602	23,433	23,134
Profit and Loss	Operating account	Advertisements	NULL	NULL	NULL
Profit and Loss	Operating account	Travel	NULL	NULL	NULL
Profit and Loss	Operating account	Entertainment	NULL	NULL	NULL
Profit and Loss	Operating account	Office Supplies	NULL	NULL	NULL
Profit and Loss	Operating account	Professional Services	NULL	NULL	NULL
Profit and Loss	Operating account	Telephone	NULL	NULL	NULL
Profit and Loss	Operating account	Utilities	NULL	NULL	NULL
Profit and Loss	Operating account	Other Expenses	NULL	NULL	NULL
Profit and Loss	Operating account	Equipment	NULL	NULL	NULL
Profit and Loss	Operating account	Amortization of Intangible Assets	NULL	NULL	NULL
Profit and Loss	Non-operating	Interest Income	13,495	15,621	25,376
Profit and Loss	Non-operating	Gain/Loss on Sales of Asset	3,350	3,285	4,191
Profit and Loss	Non-operating	Exchange Loss/Gain	2,263	3,822	5,176
Profit and Loss	Non-operating	Dividend Income	NULL	NULL	NULL

Query executed successfully.

DESKTOP-9H4VMBN (17.0 RTM) DESKTOP-9H4VMBN\User (53) test_finance 00:00:00 Row: 1, Col: 1 21 rows

--Adding Country filter

```

SELECT
[Country],
findata11.[Account_key],
[Report],
[Class],
[Account],
YEAR([Date]) AS Year,

SUM(TRY_CAST([ Amount ] AS DECIMAL(10,2))) AS Amount
FROM findata11
JOIN findata12 ON findata11.[Account_key] = findata12.[Account_key]
JOIN findata14 ON findata11.[Territory_key] = findata14.[Territory_key]
WHERE REPORT = 'Profit and Loss'
GROUP BY [Country],[Report], [Class], [Account], findata11.[Account_key], YEAR
([Date])

```

Object Explorer

Connect

Database Snapshots

test_finance

Database Diagrams

Tables

System Tables

FileTables

External Tables

Graph Tables

dbo.data-m3

dbo.findata11

Columns

EntryNo (float, null)

Date (varchar(max), null)

Territory_key (bigint, null)

Account_key (bigint, null)

Details (varchar(max), null)

Amount (varchar(max), null)

Keys

Constraints

Triggers

Indexes

Statistics

dbo.findata12

Columns

Account_key (bigint, null)

Report (varchar(max), null)

Class (varchar(max), null)

SubClass (varchar(max), null)

SubClass2 (varchar(max), null)

Account (varchar(max), null)

SubAccount (varchar(max), null)

Keys

Constraints

Triggers

Indexes

Statistics

dbo.findata13

Columns

Date (varchar(max), null)

Year (bigint, null)

Quarter (varchar(max), null)

Month (varchar(max), null)

Day (varchar(max), null)

Keys

Constraints

Triggers

dbo.findata14

Columns

Territory_key (bigint, null)

Country (varchar(max), null)

Region (varchar(max), null)

Keys

Constraints

Triggers

SQLQuery19...User (880P) SQLQuery18...User (802P)

```

1  --adding Country filter
2
3  SELECT
4  [Country],
5  findata11.[Account_key],
6  [Report],
7  [Class],
8  [Account],
9  YEAR([Date]) AS Year,
10
11 SUM(TRY_CAST([ Amount ] AS DECIMAL(10,2))) AS Amount
12 FROM findata11
13 JOIN findata12 ON findata11.[Account_key] = findata12.[Account_key]
14 JOIN findata14 ON findata11.[Territory_key] = findata14.[Territory_key]
15 WHERE REPORT = 'Profit and Loss'
16 GROUP BY [Country],[Report], [Class], [Account], findata11.[Account_key], YEAR ([Date])

```

100 % No issues found

Results Messages

Country	Account_key	Report	Class	Account	Year	Amount
Australia	440	Profit and Loss	Interest & Tax	Interest Expense	2018	NULL
Australia	440	Profit and Loss	Interest & Tax	Interest Expense	2019	NULL
Australia	440	Profit and Loss	Interest & Tax	Interest Expense	2020	NULL
Australia	450	Profit and Loss	Interest & Tax	Taxation	2018	1317.00
Australia	450	Profit and Loss	Interest & Tax	Taxation	2019	865.00
Australia	450	Profit and Loss	Interest & Tax	Taxation	2020	NULL
Australia	431	Profit and Loss	Non-operating	Dividend Income	2018	NULL
Australia	431	Profit and Loss	Non-operating	Dividend Income	2019	NULL
Australia	431	Profit and Loss	Non-operating	Dividend Income	2020	NULL
Australia	430	Profit and Loss	Non-operating	Exchange Loss/Gain	2018	251.00
Australia	430	Profit and Loss	Non-operating	Exchange Loss/Gain	2019	460.00
Australia	430	Profit and Loss	Non-operating	Exchange Loss/Gain	2020	675.00
Australia	420	Profit and Loss	Non-operating	Gain/Loss on Sales of Asset	2018	525.00
Australia	420	Profit and Loss	Non-operating	Gain/Loss on Sales of Asset	2019	540.00
Australia	420	Profit and Loss	Non-operating	Gain/Loss on Sales of Asset	2020	778.00
Australia	410	Profit and Loss	Non-operating	Interest Income	2018	1447.00
Australia	410	Profit and Loss	Non-operating	Interest Income	2019	1734.00
Australia	410	Profit and Loss	Non-operating	Interest Income	2020	4130.00
Australia	280	Profit and Loss	Operating account	Advertisements	2018	NULL

Query executed successfully.

DESKTOP-9H4VMBN (17.0 RTM) DESKTOP-9H4VMBN\User (66) test_finance 00:00:00 Row: 1, Col: 1 441 rows

--financial statement

```

SELECT [Country],[Report],[Class],[Account], FORMAT([2018], 'N0') AS
'2018', FORMAT([2019], 'N0') AS '2019', FORMAT ([2020], 'N0') AS '2020'
FROM (
SELECT
[Country],
findata11.[Account_key],
[Report],
[Class],
[Account],
YEAR([Date]) AS Year,
SUM(TRY_CAST([ Amount ] AS DECIMAL(10,2))) AS Amount
FROM findata11
JOIN findata12 ON findata11.[Account_key] = findata12.[Account_key]
JOIN findata14 ON findata11.[Territory_key] = findata14.[Territory_key]
WHERE REPORT = 'Profit and Loss'
GROUP BY [Country],[Report],[Class],[Account], findata11.[Account_key], YEAR
([Date])

) AS Table1

PIVOT (SUM( Amount ) FOR Year IN ([2018],[2019],[2020])) AS Table2

```

Object Explorer

SQL Query 18...:user (823P)

SQL Query 18...:user (823P)

```

--financial statement
SELECT [Country],[Report],[Class],[Account], FORMAT([2018], 'N0') AS '2018', FORMAT([2019], 'N0') AS '2019', FORMAT ([2020], 'N0') AS '2020'
FROM (
SELECT
[Country],
findata11.[Account_key],
[Report],
[Class],
[Account],
YEAR([Date]) AS Year,
SUM(TRY_CAST([ Amount ] AS DECIMAL(10,2))) AS Amount
FROM findata11
JOIN findata12 ON findata11.[Account_key] = findata12.[Account_key]
JOIN findata14 ON findata11.[Territory_key] = findata14.[Territory_key]
WHERE REPORT = 'Profit and Loss'
GROUP BY [Country],[Report],[Class],[Account], findata11.[Account_key], YEAR ([Date])

) AS Table1

PIVOT (SUM( Amount ) FOR Year IN ([2018],[2019],[2020])) AS Table2

```

100 % No issues found

Ln 21, Ch 59 TABS LF UTF-8

Country	Report	Class	Account	2018	2019	2020
Australia	Profit and Loss	Operating account	Professional Services	NULL	NULL	NULL
Australia	Profit and Loss	Operating account	Telephone	NULL	NULL	NULL
Australia	Profit and Loss	Operating account	Utilities	NULL	NULL	NULL
Australia	Profit and Loss	Operating account	Other Expenses	NULL	NULL	NULL
Australia	Profit and Loss	Operating account	Equipment	NULL	NULL	NULL
Australia	Profit and Loss	Operating account	Amortization of Intangible Assets	NULL	NULL	NULL
Australia	Profit and Loss	Non-operating	Interest Income	1,447	1,734	4,130
Australia	Profit and Loss	Non-operating	Gain/Loss on Sales of Asset	525	540	778
Australia	Profit and Loss	Non-operating	Exchange Loss/Gain	251	460	679
Australia	Profit and Loss	Non-operating	Dividend Income	NULL	NULL	NULL
Australia	Profit and Loss	Interest & Tax	Interest Expense	NULL	NULL	NULL
Australia	Profit and Loss	Interest & Tax	Taxation	1,317	865	NULL
Canada	Profit and Loss	Trading account	Sales	11	6,376	7,141
Canada	Profit and Loss	Trading account	Sales Return	NULL	NULL	NULL
Canada	Profit and Loss	Trading account	Cost of Sales	NULL	NULL	NULL
Canada	Profit and Loss	Operating account	Staff Costs	NULL	NULL	NULL
Canada	Profit and Loss	Operating account	Commissions	5,001	3,938	3,245
Canada	Profit and Loss	Operating account	Advertisements	NULL	NULL	NULL
Canada	Profit and Loss	Operating account	Travel	NULL	NULL	NULL

Query executed successfully.

DESKTOP-9H4VMBN (17.0 RTM) DESKTOP-9H4VMBN user (62) test_finance 00:00:53 Row: 1, Col: 1 147 rows