Cadence OrCAD X and Allegro X 23.1 Release Installation and Licensing: Basic Troubleshooting on Windows

© 2023 Cadence Design Systems, Inc. All rights reserved.

Portions © Apache Software Foundation, Sun Microsystems, Free Software Foundation, Inc., Regents of the University of California, Massachusetts Institute of Technology, University of Florida. Used by permission. Printed in the United States of America.

Cadence Design Systems, Inc. (Cadence), 2655 Seely Ave., San Jose, CA 95134, USA.

Allegro Platform Products contain technology licensed from, and copyrighted by: 1901 Munsey Drive Forest Hill, MD 21050, USA © 2000-2005, Apache Software Foundation. Sun Microsystems, 4150 Network Circle, Santa Clara, CA 95054 USA © 1994-2007, Sun Microsystems, Inc. Free Software Foundation, 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA © 1989, 1991, Free Software Foundation, Inc. Regents of the University of California, Sun Microsystems, Inc., Scriptics Corporation, © 2001, Regents of the University of California. Daniel Stenberg, © 1996 - 2006, Daniel Stenberg. UMFPACK © 2005, Timothy A. Davis, University of Florida, (davis@cise.ulf.edu). Ken Martin, Will Schroeder, Bill Lorensen © 1993-2002, Ken Martin, Will Schroeder, Bill Lorensen. Massachusetts Institute of Technology, 77 Massachusetts Avenue, Cambridge, Massachusetts, USA © 2003, the Board of Trustees of Massachusetts Institute of Technology. vtkQt, © 2000-2005, Matthias Koenig. All rights reserved.

Trademarks: Trademarks and service marks of Cadence Design Systems, Inc. contained in this document are attributed to Cadence with the appropriate symbol. For queries regarding Cadence's trademarks, contact the corporate legal department at the address shown above or call 800.862.4522.

Open SystemC, Open SystemC Initiative, OSCI, SystemC, and SystemC Initiative are trademarks or registered trademarks of Open SystemC Initiative, Inc. in the United States and other countries and are used with permission. All other trademarks are the property of their respective holders.

Restricted Permission: This publication is protected by copyright law and international treaties and contains trade secrets and proprietary information owned by Cadence. Unauthorized reproduction or distribution of this publication, or any portion of it, may result in civil and criminal penalties. Except as specified in this permission statement, this publication may not be copied, reproduced, modified, published, uploaded, posted, transmitted, or distributed in any way, without prior written permission from Cadence. Unless otherwise agreed to by Cadence in writing, this statement grants Cadence customers permission to print one (1) hard copy of this publication subject to the following conditions:

- 1. The publication may be used only in accordance with a written agreement between Cadence and its customer.
- 2. The publication may not be modified in any way.
- 3. Any authorized copy of the publication or portion thereof must include all original copyright, trademark, and other proprietary notices and this permission statement.
- 4. The information contained in this document cannot be used in the development of like products or software, whether for internal or external use, and shall not be used for the benefit of any other party, whether or not for consideration.

Disclaimer: Information in this publication is subject to change without notice and does not represent a commitment on the part of Cadence. Except as may be explicitly set forth in such agreement, Cadence does not make, and expressly disclaims, any representations or warranties as to the completeness, accuracy or usefulness of the information contained in this document. Cadence does not warrant that use of such information will not infringe any third party rights, nor does Cadence assume any liability for damages or costs of any kind that may result from use of such information.

Cadence is committed to using respectful language in our code and communications. We are also active in the removal and/or replacement of inappropriate language from existing content. This product documentation may however contain material that is no longer considered appropriate but still reflects long-standing industry terminology. Such content will be addressed at a time when the related software can be updated without end-user impact.

Restricted Rights: Use, duplication, or disclosure by the Government is subject to restrictions as set forth in FAR52.227-14 and DFAR252.227-7013 et seq. or its successor.

Contents

<u>Troubleshooting Licensing Issues</u>	5
Checklist	5
Installing without administrative privileges	6
Resolving license manager configuration and tool start up errors	6
Resolving host name and ID (HID)	7
Troubleshooting Dongle-based licensing	9
Ensuring Validity of license	0
Verifying License Manager	I

3

4

Troubleshooting Licensing Issues

Checklist

- Do you have admin permissions on the system you are running installer?
- Do you get an error at the end of License Manager installation or on starting a tool?
- Are the hostname and HID (host ID) correct?
- If you use a dongle-based license, is the dongle plugged in?
- For a dongle-based license, is the correct dongle plugged in?
- Is the license being used valid?
- Is the license manager running and can the server hosting license manager be reached?

For more information refer to the following articles and guides on Cadence® Online Support (COS):

- Configuring and Debugging License Issues on Windows
- Cadence Licensing FAQs
- □ Virtual Machine Licensing: Frequently asked Questions
- □ Cadence OrCAD X and Allegro X 23.1 Installation Guide for Windows

Note: The installation guide is also available in the installation media and installed hierarchies.

Installing without administrative privileges

If you do not have administrative privileges, you can still install Cadence® OrCAD® X and Allegro® X products using the *Only for me* option of the installer. Using *Only for me* creates user-level installation entries in place of system-level entries.

Important

Hotfixes must be installed using the same privileges used to install the Base release. If you installed the Base release as a standard user using the *Only for me* option, you can install hotfixes with standard privileges. If the Base was installed using the *Anyone who uses this computer* [all users] option, you must have Administrator privilege to be able to install hotfixes.

If you install the Base release as a standard user, configure the installation by running the *InstallConfig.exe* utility (a one-time activity) present in the

<installation_location>\tools\InstallUtils folder. The InstallConfig.exe utility
must be run using Administrator privileges.

Note: If you install using the silent or unattended installation method, run the AdminActions.bat file located at

<installation_location>\tools\InstallUtils to configure installation (one-time
activity).

The installation process will remain the same for the standard-user mode but the standard use will not have access to the *Anyone who uses this computer [all users]* option, which needs administrator permissions.

Back to Checklist.

Resolving license manager configuration and tool start up errors

If you get an error after installing and configuring license manager or on starting a tool, perform the following steps:

1. Restart your system

If you use a dongle for licensing, verify that the dongle is attached during the restart process.

2. Run any Cadence product from the Start menu.

If you get an error or the product fails to obtain a license, review the debug.log file. The default location is C:\Cadence\LicenseManager\debug.log.

Note: Review the error messages in the *debug.log* file for more information on licensing errors.

- a. Verify that the license manager is running
- **b.** Choose *Cadence License Manager License Server Configuration Utility* from the Windows Start menu to reconfigure license server options.
- c. Restart the system

If this does not resolve your issue, inform Cadence or your Channel Partner along with the following information:

- O license.dat. The default location is C:\Cadence\LicenseManager\.
- O debug.dat. The default location is C:\Cadence\LicenseManager\
- Screen shot of the error displayed

Back to Checklist.

Resolving host name and ID (HID)

The SERVER line in a license file contains four default items: Line Type declaration (SERVER), a host name, a host ID, and a port each separated by a space using the following syntax:

```
SERVER <hostname> <hostid> <port>
```

Following are two example or sample lines:

```
SERVER orcad_allegro 68L7288DD76A 5280
SERVER orcad_allegro FLEXID=9-54hd34e3 5280
```

In the examples:

- ☐ host name is orcad allegro
- □ host ID is 68-L7-28-8D-D7-6A or FLEXID=9-54hd34e3
- □ **port is** 5280

The host name should match the name of the system hosting the license server. You can compare the host name by opening a command prompt and typing hostname. The result should match the host name given in the license file.

The host ID is either a an Ethernet address or a FLEXID dongle address.

The host ID in the license file must match the host ID of the system you are running the license server.

Note: Host IDs are not case-sensitive but cannot be edited in the license file.

You can compare the host ID number on the Software Manufacturing Completion Report, which came with your software shipment, to the license server's host ID and to the host ID in the license file.

Back to Checklist.

Troubleshooting Dongle-based licensing

Perform the following steps to troubleshoot dongle-based licensing:

- Ensure the dongle is plugged in and the light is on.
 If the dongle light is not on, the proper devices are not installed.
- 2. Restart the server.
- **3.** After restarting the server, verify the dongle light is on. If the light is not on, contact Cadence or your Channel Partner to obtain correct drivers.

The Flex ID of the dongle should match the FLEXID value in the SERVER line of the license file.

To determine the FlexID of the dongle, perform the following steps:

- 1. Open command prompt: Choose *Start* and enter run.
- **2.** Change to the location where license manager is installed. The default is C:\Cadence\LicenseManager.

```
C:\>cd c:\Cadence\LicenseManager
```

3. Enter the following command to display the FelxID:

```
lmutil lmhostid -FLEXID
```

This displays the FlexID, which *9-162ff6b1* for this example, as shown in the following image.

```
C:\Cadence\LicenseManager>lmutil lmhostid -FLEXID
lmutil - Copyright (c) 1989-2015 Flexera Software LLC. All Rights Reserved.
The FlexNet host ID of this machine is "FLEXID=9-163ff6b1"
```

You can also find out the FLEXID using Imtools.exe by performing the following steps:

- 1. Enter the command lmtools or double-click *Imtools.exe* in the license manager installation.
- 2. Open the System Settings tab.
- 3. Verify the FLEXID value at the bottom left matches the FLEXID listed in the license file.


9



The debug.log file lists any licensing errors in detail.

Back to Checklist.

Ensuring Validity of license



Do not edit the FEATURE lines or the HOSTID in the SERVER line.

The Software Manufacturing and Completion Report (shipped with your media or e-mail installation information) and the Product to Feature Map list the licenses each product needs.

The license server accepts only valid FEATURE lines. A FEATURE line is valid if:

- the start_date is prior to the current system date when the license server is started,
- current system date is prior to the expiration date listed on the FEATURE line,
- and the 20-character encryption code is valid.

Back to Checklist.

Verifying License Manager

To verify License Manager is running:

- 1. Start LMTOOLS either entering the *Imtools* command or by double-clicking <code>lmtools.exe</code> from the license manager installation folder.
- **2.** Check the box for *LMTools ignores license file path environment variables* at the bottom of the *Service/License File* tab.
- 3. Open the Server Status tab.
- **4.** In the *Individual Daemon* field, enter cdslmd.
- 5. Click Perform Status Enquiry.

To verify License Manager is reachable, open a command prompt and enter ping <hostname>; for example, if host name is cadence_server:

```
ping cadence_server
```

Back to Checklist.