

	What does the LLM <i>control</i> ?	What are the LLM's <i>capabilities</i> ?	What is the <i>attack surface</i> ?	Example
--	---------------------------------------	---	--	---------

	What does the LLM <i>control</i> ?	What are the LLM's <i>capabilities</i> ?	What is the <i>attack surface</i> ?	Example

Chat LLMs

Nothing

LLM produces text
and has **no impact**
on program flow.

Context
window

ChatGPT

	What does the LLM <i>control</i> ?	What are the LLM's <i>capabilities</i> ?	What is the <i>attack surface</i> ?	Example
Chat LLMs	<i>Nothing</i>	LLM produces text and has no impact on program flow.	Context window	ChatGPT

Routers

When to use
functions

LLM chooses
**which predefined
branch** to take.

[^] + external
files

Perplexity search

	What does the LLM <i>control</i> ?	What are the LLM's <i>capabilities</i> ?	What is the <i>attack surface</i> ?	Example
Chat LLMs	<i>Nothing</i>	LLM produces text and has no impact on program flow.	Context window	ChatGPT
Routers	<i>When</i> to use functions	LLM chooses which predefined branch to take.	[^] + external files	Perplexity search

Tool callers

When + *how* to use
functions

LLM **picks one tool +
its arguments**, then
hands back control.

[^] + tool-use
arguments

GPT +
WolframAlpha

	What does the LLM <i>control</i> ?	What are the LLM's <i>capabilities</i> ?	What is the <i>attack surface</i> ?	Example
Chat LLMs	<i>Nothing</i>	LLM produces text and has no impact on program flow.	Context window	ChatGPT
Routers	<i>When</i> to use functions	LLM chooses which predefined branch to take.	[^] + external files	Perplexity search
Tool callers	<i>When</i> + <i>how</i> to use functions	LLM picks one tool + its arguments , then hands back control.	[^] + tool-use arguments	GPT + WolframAlpha

Iterators

When + how to use
functions,
how long to iterate

LLM **owns a loop**:
plan, act, observe, repeat
until done.

[^] + scratchpad,
tool chaining

Claude
Computer Use

	What does the LLM <i>control</i> ?	What are the LLM's <i>capabilities</i> ?	What is the <i>attack surface</i> ?	Example
Chat LLMs	<i>Nothing</i>	LLM produces text and has no impact on program flow.	Context window	ChatGPT
Routers	<i>When</i> to use functions	LLM chooses which predefined branch to take.	[^] + external files	Perplexity search
Tool callers	<i>When</i> + <i>how</i> to use functions	LLM picks one tool + its arguments , then hands back control.	[^] + tool-use arguments	GPT + WolframAlpha
Iterators	<i>When</i> + <i>how</i> to use functions, <i>how long</i> to iterate	LLM owns a loop : plan, act, observe, repeat until done.	[^] + scratchpad, tool chaining	Claude Computer Use

Full Autonomy

Everything

Agent can
launch other agents +
write and run new code.
[^] + arbitrary shell
access, cloning
Devin

	What does the LLM <i>control</i> ?	What are the LLM's <i>capabilities</i> ?	What is the <i>attack surface</i> ?	Example
Chat LLMs	<i>Nothing</i>	LLM produces text and has no impact on program flow.	Context window	ChatGPT
Routers	<i>When</i> to use functions	LLM chooses which predefined branch to take.	[^] + external files	Perplexity search
Tool callers	<i>When</i> + <i>how</i> to use functions	LLM picks one tool + its arguments , then hands back control.	[^] + tool-use arguments	GPT + WolframAlpha
Iterators	<i>When</i> + <i>how</i> to use functions, <i>how long</i> to iterate	LLM owns a loop : plan, act, observe, repeat until done.	[^] + scratchpad, tool chaining	Claude Computer Use
Full Autonomy	<i>Everything</i>	Agent can launch other agents + write and run new code.	[^] + arbitrary shell access, cloning	Devin