



# Clinical Laboratory Test Report

Lambda Therapeutic Research Limited

<b>Screening</b>	AH11-01581	<b>Lab ID:</b>	16021875	<b>Sample Collected</b>	02-May-2016 20:09
<b>Subject Initial:</b>	SNG	<b>Sex :</b>	Male	<b>Sample Collected At:</b>	Ahmedabad
<b>Subject</b>	1020	<b>Visit :</b>	PS	<b>Sample Received On:</b>	02-May-2016 20:38
<b>Date Of Birth:</b>	20-Jan-1982			<b>Report Date:</b>	03-May-2016 12:05
<b>Referred By:</b>	Dr. Manish Patel			<b>Study /Project</b>	489-14-G-II

## CHEMISTRY

[Performed By Reflectance Photometry]

<u>PARAMETER</u>	<u>RESULT</u>	<u>CS/NCS*</u>	<u>REMARK</u>	<u>UNIT</u>	<u>REFERENCE INTERVAL</u>
BILIRUBIN TOTAL	0.35			mg/dL	0.2 - 1.3
Azobilirubin					
TOTAL PROTEIN	7.30			g/dL	6.9 - 8.6
Biuret					
ALBUMIN	4.37			g/dL	3.9 - 5.2
BCG					
GLOBULIN	2.9			g/dL	2.5 - 3.8
Calculated					
A/G RATIO	1.49				1.2 - 2.2
Calculated					
S.G.O.T (AST)	22			U/L	18.0 - 55.0
UV WITH P-5-P					
S.G.P.T (ALT)	47			U/L	19.0 - 79.0
UV WITH P-5-P					
CREATININE	0.89			mg/dL	0.6 - 1.1
Enzymatic (Creatine amidohydrolase, IDMS traceable)					
UREA	21.4			mg/dL	9.0 - 31.2
Urease quinolinium dye					

**Final Remark :-** clinically acceptable

**Reviewed by:-** Dr Poojan Patel - Study Physician 03-May-2016 14:40

\*- NCS = Non Clinical Significant, CS = Clinical Significant

This is an Electronically authenticated report

Report Printed On: 19-Aug-2016 12:18

Authenticated By:Dr. Vipul Rajput

03-May-2016 12:01



No. 7183121

"LAMBDA HOUSE", Opp Gujarat High Court, S.G.Highway Gota,  
Ahmedabad - 380 061, India.  
Tel.: +91 79 4020 2534, Fax: +91 79 4020 2023  
E Mail: clinicallab@lambda-cro.com.WebSite: www.lambda-cro.com

Page 1 of 3



No. M-0232



Clinical Laboratory Test Report

Screening	AH11-01581	Lab ID:	16021875	Sample Collected	02-May-2016 20:09
Subject Initial:	SNG	Sex :	Male	Sample Collected At:	Ahmedabad
Subject	1020	Visit :	PS	Sample Received On:	02-May-2016 20:38
Date Of Birth:	20-Jan-1982			Report Date:	03-May-2016 12:05
Referred By:	Dr. Manish Patel			Study /Project	489-14-G-II

HEMATOLOGY

[Performed By Flowcytometry and Electrical Impedence Method]

PARAMETER	RESULT	CS/NCS*	REMARK	UNIT	REFERENCE INTERVAL
HAEMOGLOBIN	13.0			g/dL	13.0 - 17.0
SLS-Haemoglobin method					
RBC COUNT	4.75			X 10 <sup>6</sup> /μL	4.5 - 5.5
Hydro Dynamic focussing method					
HCT	39.7	NCS		L %	40.0 - 50.0
RBC pulse-height detection method					
MCV	83.6			fL	83.0 - 101.0
Calculated					
MCH	27.4			Pg	27.0 - 32.0
Calculated					
MCHC	32.7			g/dL	31.5 - 34.5
Calculated					
RDW CV	18.6	NCS		H %	11.6 - 14.0
Calculated					
PLATELET COUNT	401			X 10 <sup>3</sup> /μL	150 - 410
Hydro dynamic focussing method					
WBC (TOTAL)	10.52	NCS		H X 10 <sup>3</sup> /μL	4.0 - 10.0
Flowcytometry method					
NEUTROPHIL %	58.7			%	40 - 80
Flowcytometry method					
LYMPHOCYTES%	30.8			%	20 - 40

Final Remark :- clinically acceptable

Reviewed by:- Dr Poojan Patel - Study Physician 03-May-2016 14:40

\*- NCS = Non Clinical Significant, CS = Clinical Significant

This is an Electronically authenticated report

Report Printed On: 19-Aug-2016 12:18

Authenticated By:Dr. Vipul Rajput

03-May-2016 12:01



No. 7183121

"LAMBDA HOUSE", Opp Gujarat High Court, S.G.Highway Gota,  
Ahmedabad - 380 061, India.  
Tel.: +91 79 4020 2534, Fax: +91 79 4020 2023  
E Mail: clinicallab@lambda-cro.com.WebSite: www.lambda-cro.com

Page 2 of 3



No. M-0232



## Clinical Laboratory Test Report

<b>Screening</b>	AH11-01581	<b>Lab ID:</b>	16021875	<b>Sample Collected</b>	02-May-2016 20:09
<b>Subject Initial:</b>	SNG	<b>Sex :</b>	Male	<b>Sample Collected At:</b>	Ahmedabad
<b>Subject</b>	1020	<b>Visit :</b>	PS	<b>Sample Received On:</b>	02-May-2016 20:38
<b>Date Of Birth:</b>	20-Jan-1982			<b>Report Date:</b>	03-May-2016 12:05
<b>Referred By:</b>	Dr. Manish Patel			<b>Study /Project</b>	489-14-G-II

Flowcytometry method

EOSINOPHILS % 2.4 % 1 - 6

Flowcytometry method

MONOCYTES % 8.1 % 2 - 10

Flowcytometry method

BASOPHILS % 0.0 % 0 - 2

Flowcytometry method

NEUTROPHILS (ABS) 6.18  $\times 10^3/\mu\text{L}$  2.0 - 7.0

Calculated

EOSINOPHILS (ABS) 0.25  $\times 10^3/\mu\text{L}$  0.02 - 0.5

Calculated

**Final Remark :-** clinically acceptable

**Reviewed by:-** Dr Poojan Patel - Study Physician 03-May-2016 14:40

\*- NCS = Non Clinical Significant, CS = Clinical Significant

This is an Electronically authenticated report

Report Printed On: 19-Aug-2016 12:18

Authenticated By:Dr. Vipul Rajput

03-May-2016 12:01



No. 7183121

"LAMBDA HOUSE", Opp Gujarat High Court, S.G.Highway Gota,  
Ahmedabad - 380 061, India.  
Tel.: +91 79 4020 2534, Fax: +91 79 4020 2023  
E Mail: clinicallab@lambda-cro.com.WebSite: www.lambda-cro.com

Page 3 of 3



No. M-0232