




# The Problem with Convolution

01 September 2022 09:55



Translation Variance



features  
 { location dependent }  
 location  
 { down sample your feature map }  
 pooling

# Pooling

01 September 2022 09:55

$$\begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 255 & 255 & 255 & 255 & 255 & 255 \\ 255 & 255 & 255 & 255 & 255 & 255 \\ 255 & 255 & 255 & 255 & 255 & 255 \end{pmatrix}$$

\*


$$\begin{pmatrix} -1 & -1 & -1 \\ 0 & 0 & 0 \\ 1 & 1 & 1 \end{pmatrix}$$

=

$$\begin{pmatrix} - & - & - & - \\ - & & & \\ & & & \\ & & & \end{pmatrix}$$

Maxpooling  
Minpooling  
avg pooling  
L2 pooling  
Global pooling

feature map (non-linear)



(size)  $\rightarrow (2, 2)$   
stride  $\rightarrow (2)$   
type  $\rightarrow$  Max

receptive field

$$\begin{pmatrix} 5 & 3 \\ 7 & 4 \end{pmatrix}$$

feature map

2x2

low level details eliminate


# Demo

01 September 2022

09:57

# Pooling on Volumes




01 September 2022 09:56



# Advantages of Pooling


01 September 2022 09:56

1) reduced size





(2,2) → 2

2) Translation invariance



3) Enhanced features  
(only in case of Max pooling)






# Keras Code

01 September 2022 09:56

# Types of Pooling

01 September 2022 09:57





## Disadvantages of Pooling

01 September 2022 09:57

