

EXP 1: Installation and Configuration of Flutter Environment.

Install the Flutter SDK

Step 1: Download the installation bundle of the Flutter Software Development Kit for windows. To download Flutter SDK, Go to its official website https://docs.flutter.dev/get-started/install, you will get the following screen.



- **Step 2:** Next, to download the latest Flutter SDK, click on the Windows **icon**. Here, you will find the download link for SDK.
- **Step 3:** When your download is complete, extract the **zip** file and place it in the desired installation folder or location, for example, C: /Flutter.
- **Step 4:** To run the Flutter command in regular windows console, you need to update the system path to include the flutter bin directory. The following steps are required to do this:
- **Step 4.1:** Go to MyComputer properties -> advanced tab -> environment variables. You will get the following screen



Step 4.3: In the above window, click on New->write path of Flutter bin folder in variable value -> ok -> ok -> ok.

Step 5: Now, run the \$ **flutter** command in command prompt.

```
Command Prompt - flutter - f ×
Microsoft Windows [Version 10.0.22631.4602]
(c) Microsoft Corporation. All rights reserved.
C:\Users\navan>flutter
Manage your Flutter app development.
Common commands:
   flutter create <output directory>
Create a new Flutter project in the specified directory.
     Run your Flutter application on an attached device or in an emulator.
Usage: flutter <command> [arguments]
Global options:
-h, --help
-v, --verbose
                                        Print this usage information.
                                        Noisy logging, including all shell commands executed.


If used with "--help", shows hidden options. If used with "flutter doctor", shows additional diagnostic information. (Use "-vv" to force verbose logging in those cases.)

Target device id or name (prefixes allowed).

Reports the version of this tool.
 -d, --device-id
      --version
                                        Enable telemetry reporting each time a flutter or dart command runs.


Disable telemetry reporting each time a flutter or dart command runs, until it is
         enable-analytics
      --disable-analytics
                                         re-enabled.
      --suppress-analytics
                                         Suppress analytics reporting for the current CLI invocation.
```

Now, run the \$ **flutter doctor** command. This command checks for all the requirements of Flutter app development and displays a report of the status of your Flutter installation.




- **Step 6:** When you run the above command, it will analyze the system and show its report, as shown in the below image. Here, you will find the details of all missing tools, which required to run Flutter as well as the development tools that are available but not connected with the device.
- **Step 7:** Install the Android SDK. If the flutter doctor command does not find the Android SDK tool in your system, then you need first to install the Android Studio IDE. To install Android Studio IDE, do the following steps.
- **Step 7.1:** Download the latest Android Studio executable or zip file from the <u>official site</u>.
- **Step 7.2:** When the download is complete, open the **.exe** file and run it. You will get the following dialog box.

After download:




Step 7.4: In the above screen, click Next-> Finish. Once the Finish button is clicked, you need to choose the 'Don't import Settings option' and click OK. It will start the Android Studio.



Step 8: Next, you need to set up an Android emulator. It is responsible for running and testing the Flutter application.

Step 8.1: To set an Android emulator, go to Android Studio > Tools > Android > AVD Manager and select Create Virtual Device. Or, go to Help->Find Action->Type Emulator in the search box. You will get the following screen.



- **Step 8.2:** Choose your device definition and click on Next.
- Step 8.3: Select the system image for the latest Android version and click on Next.
- **Step 8.4:** Now, verify the all AVD configuration. If it is correct, click on Finish. The following screen appears.

Step 8.5: Last, click on the icon pointed into the red color rectangle. The Android emulator displayed as below screen.

Step 9: Now, install Flutter and Dart plugin for building Flutter application in Android Studio. These plugins provide a template to create a Flutter application, give an option to run and debug Flutter application in the Android Studio itself. Do the following steps to install these plugins.

Step 9.1: Open the Android Studio and then go to File->Settings->Plugins

Step 9.2: Restart the Android Studio.