

Experiment 5

AIM: Develop Academic Calendar & Leave Management System using Rich Controls, Session & Cookies.

Source: Default.aspx

Code:

```
<%@ Page Language="C#" AutoEventWireup="true"
    CodeBehind="Default.aspx.cs" Inherits="Practical_5.Default" %>

<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">

    <title>Select Leave Date</title>

</head>
<body>

    <form id="form1" runat="server">

        <h2>Select Leave Date</h2>

        <asp:Label ID="lblWelcome" runat="server"></asp:Label>

        <br /><br />

        <asp:Calendar ID="Calendar1" runat="server"
            OnSelectionChanged="Calendar1_SelectionChanged">
        </asp:Calendar>

        <br />

        <asp:Label ID="Label1" runat="server"
            Text="Selected Date : ">
        </asp:Label>

        <br /><br />

        <asp:Button ID="Button1" runat="server"
            Text="Apply for Leave"
            OnClick="Button1_Click" />

        <br /><br />

        <asp:Label ID="lblMessage" runat="server"></asp:Label>

    </form>

</body>
</html>
```

Default.aspx.cs

```
using System;

namespace Practical_5
{
    public partial class Default : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
            // Check whether employee details exist
            if (Session["EmpName"] == null || Session["EmpId"] == null)
            {
                Response.Redirect("Login.aspx");
            }

            if (!IsPostBack)
            {
                lblWelcome.Text = "Welcome, " + Session["EmpName"].ToString();
            }
        }

        protected void Calendar1_SelectionChanged(object sender, EventArgs e)
        {
            Label1.Text = "Selected Date : " +
                Calendar1.SelectedDate.ToString("dd/MM/yyyy");

            // Store selected leave date
            Session["LeaveDate"] = Calendar1.SelectedDate;
        }

        protected void Button1_Click(object sender, EventArgs e)
        {
            if (Calendar1.SelectedDate == DateTime.MinValue)
            {
                lblMessage.Text = "Please select a leave date.";
                return;
            }

            // Store selected date
            Session["LeaveDate"] = Calendar1.SelectedDate;

            Response.Redirect("Leave.aspx");
        }
    }
}
```

Login.aspx

```
<%@ Page Language="C#" AutoEventWireup="true"
    CodeBehind="Login.aspx.cs" Inherits="Practical_5.Login" %>

<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Employee Login</title>
</head>
<body>
    <form id="form1" runat="server">

        <h2>Employee Login</h2>

        <table>
            <tr>
                <td>
                    <asp:Label ID="lblName" runat="server"
                        Text="Employee Name :"></asp:Label>
                </td>
                <td>
                    <asp:TextBox ID="txtName" runat="server"></asp:TextBox>
                </td>
            </tr>

            <tr>
                <td>
                    <asp:Label ID="lblEmpId" runat="server"
                        Text="Employee ID :"></asp:Label>
                </td>
                <td>
                    <asp:TextBox ID="txtEmpId" runat="server"></asp:TextBox>
                </td>
            </tr>

            <tr>
                <td></td>
                <td>
                    <asp:Button ID="btnLogin" runat="server"
                        Text="Login"
                        OnClick="btnLogin_Click" />
                </td>
            </tr>

            <tr>
                <td colspan="2">
                    <asp:Label ID="lblMessage" runat="server"></asp:Label>
                </td>
            </tr>
        </table>
```

```
</form>
</body>
</html>
```

Login.aspx.cs

```
using System;

namespace Practical_5
{
    public partial class Login : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
        }

        protected void btnLogin_Click(object sender, EventArgs e)
        {
            string empName = txtName.Text.Trim();
            string empId = txtEmpId.Text.Trim();

            // Check that both fields are entered
            if (empName == "" || empId == "")
            {
                lblMessage.Text = "Please enter Employee Name and Employee ID.";
                return;
            }

            // Store employee details in Session
            Session["EmpName"] = empName;
            Session["EmpId"] = empId;

            // Go to date selection page
            Response.Redirect("Default.aspx");
        }
    }
}
```

Leave.aspx

```
<%@ Page Language="C#" AutoEventWireup="true"
    CodeBehind="Leave.aspx.cs" Inherits="Practical_5.Leave" %>

<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">

    <title>Leave Application</title>

</head>
```

```
<body>

    <form id="form1" runat="server">

        <h2>Leave Application</h2>

        <table>

            <tr>
                <td>
                    <asp:Label ID="lblNameTitle" runat="server"
                        Text="Employee Name :"></asp:Label>
                </td>
                <td>
                    <asp:Label ID="lblEmpName" runat="server"></asp:Label>
                </td>
            </tr>

            <tr>
                <td>
                    <asp:Label ID="lblEmpIdTitle" runat="server"
                        Text="Employee ID :"></asp:Label>
                </td>
                <td>
                    <asp:Label ID="lblEmpId" runat="server"></asp:Label>
                </td>
            </tr>

            <tr>
                <td>
                    <asp:Label ID="lblDateTitle" runat="server"
                        Text="Leave Date :"></asp:Label>
                </td>
                <td>
                    <asp:Label ID="lblDisDate" runat="server"></asp:Label>
                </td>
            </tr>

            <tr>
                <td>
                    <asp:Label ID="lblleavetype" runat="server"
                        Text="Leave Type :"></asp:Label>
                </td>
                <td>
                    <asp:DropDownList ID="DropDownList1" runat="server">
                        <asp:ListItem>Medical Leave</asp:ListItem>
                        <asp:ListItem>Emergency Leave</asp:ListItem>
                        <asp:ListItem>Personal Leave</asp:ListItem>
                    </asp:DropDownList>
                </td>
            </tr>

            <tr>


```

```
<td>
    <asp:Label ID="lblreason" runat="server"
        Text="Reason : "></asp:Label>
</td>
<td>
    <asp:TextBox ID="txtReason" runat="server"
        TextMode="MultiLine"
        Rows="3"
        Columns="25">
    </asp:TextBox>
</td>
</tr>

<tr>
<td></td>
<td>
    <asp:Button ID="btnsubmit" runat="server"
        Text="Submit Leave"
        OnClick="btnsubmit_Click" />
</td>
</tr>

</table>

<br />

<asp:Label ID="lblfinal" runat="server"></asp:Label>

</form>

</body>
</html>
```

Leave.aspx.cs

```
using System;

namespace Practical_5
{
    public partial class Leave : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
            if (Session["EmpName"] == null ||
                Session["EmpId"] == null ||
                Session["LeaveDate"] == null)
            {
                Response.Redirect("Login.aspx");
            }

            if (!IsPostBack)
```

```
{
    lblEmpName.Text = Session["EmpName"].ToString();
    lblEmpId.Text = Session["EmpId"].ToString();

    DateTime leaveDate = Convert.ToDateTime(Session["LeaveDate"]);

    lblDisDate.Text =
        leaveDate.ToString("dd/MM/yyyy");
}

protected void btnsubmit_Click(object sender, EventArgs e)
{
    string leaveType = DropDownList1.SelectedValue;
    string reason = txtReason.Text.Trim();

    if (reason == "")
    {
        lblfinal.Text = "Please enter the reason for leave.";
        return;
    }

    lblfinal.Text =
        "<h3>Leave Application Submitted Successfully!</h3>" +
        "Employee Name : " + lblEmpName.Text + "<br/>" +
        "Employee ID : " + lblEmpId.Text + "<br/>" +
        "Leave Date : " + lblDisDate.Text + "<br/>" +
        "Leave Type : " + leaveType + "<br/>" +
        "Reason : " + reason + "<br/>";
}
}
```

Output:



Employee Login

Employee Name :

Employee ID :

Leave Application

Employee Name : Jainish

Employee ID : 1

Leave Date : 12/08/2026

Leave Type :

Reason :

Leave Application Submitted Successfully!

Employee Name : Jainish
Employee ID : 1
Leave Date : 12/08/2026
Leave Type : Personal Leave
Reason : Family Funtion

Parser Error Select Leave Date

localhost:44393/Default.aspx

Select Leave Date

Welcome, Jainish

August 2026						
Sun	Mon	Tue	Wed	Thu	Fri	Sat
<u>26</u>	<u>27</u>	<u>28</u>	<u>29</u>	<u>30</u>	<u>31</u>	<u>1</u>
<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>
<u>9</u>	<u>10</u>	<u>11</u>	<u>12</u>	<u>13</u>	<u>14</u>	<u>15</u>
<u>16</u>	<u>17</u>	<u>18</u>	<u>19</u>	<u>20</u>	<u>21</u>	<u>22</u>
<u>23</u>	<u>24</u>	<u>25</u>	<u>26</u>	<u>27</u>	<u>28</u>	<u>29</u>
<u>30</u>	<u>31</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>

Selected Date : 12/08/2026

Apply for Leave

GitHub URL: <https://github.com/jainishkakkad133582/.Net-Practicals/tree/main/Practical%205>

GitHub URL: <https://github.com/jainishkakkad133582/.Net-Practicals/tree/main>