Experiment 7

AIM: Develop Feedback Management Module using MVC Layout, Partial View & Validation. (HTML Helpers, Validation, Layouts)

Source: Practical_7

Code:

FeedbackController.cs

```
using System.Collections.Generic;
using System.Web.Mvc;
using Practical_7.Models;

namespace Practical_7.Controllers
{
    public class FeedbackController : Controller
    {
        // ---------- Student Feedback ----------

        [HttpGet]
        public ActionResult StudentFeedback()
        {
            LoadStudentLists();
            return View(new StudentFeedbackModel());
        }

        [HttpPost]
        [ValidateAntiForgeryToken]
        public ActionResult StudentFeedback(StudentFeedbackModel model)
        {
            if (ModelState.IsValid)
            {
                // TODO: persist feedback (e.g., Entity Framework / ADO.NET)
                TempData["Message"] = "Thank you, " + model.Name + "! Your student feedback has
been submitted.";
                return RedirectToAction("Success");
            }

            LoadStudentLists();
            return View(model);
        }

        // ---------- Teacher Feedback ----------

        [HttpGet]
        public ActionResult TeacherFeedback()
        {
            LoadTeacherLists();
            return View(new TeacherFeedbackModel());
        }

        [HttpPost]
        [ValidateAntiForgeryToken]
        public ActionResult TeacherFeedback(TeacherFeedbackModel model)
        {
            if (ModelState.IsValid)
```

```
            {
                // TODO: persist feedback
                TempData["Message"] = "Thank you, " + model.Name + "! Your teacher feedback has
been submitted.";
                return RedirectToAction("Success");
            }

            LoadTeacherLists();
            return View(model);
        }

        // ---------- Success ----------

        public ActionResult Success()
        {
            // Guard against direct navigation with no submission
            if (TempData["Message"] == null)
            {
                return RedirectToAction("Index", "Home");
            }
            ViewBag.Message = TempData["Message"];
            return View();
        }

        // ---------- Helpers ----------

        private void LoadStudentLists()
        {
            ViewBag.Courses = new SelectList(new List<string>
            {
                "Computer Science", "Information Technology", "Electronics",
                "Mechanical Engineering", "Business Administration"
            });
            ViewBag.Ratings = RatingList();
        }

        private void LoadTeacherLists()
        {
            ViewBag.Departments = new SelectList(new List<string>
            {
                "Computer Science", "Mathematics", "Physics",
                "English", "Management"
            });
            ViewBag.Ratings = RatingList();
        }

        private static SelectList RatingList()
        {
            return new SelectList(new[]
            {
                new { Value = 5, Text = "5 - Excellent" },
                new { Value = 4, Text = "4 - Very Good" },
                new { Value = 3, Text = "3 - Good" },
                new { Value = 2, Text = "2 - Fair" },
                new { Value = 1, Text = "1 - Poor" }
            }, "Value", "Text");
        }
    }
}
```

FeedbackModel.cs

```
using System.ComponentModel.DataAnnotations;

namespace Practical_7.Models
{
    public class StudentFeedbackModel
    {
        [Required(ErrorMessage = "Name is required.")]
        [StringLength(100, MinimumLength = 2, ErrorMessage = "Name must be between 2 and 100
characters.")]
        [Display(Name = "Full Name")]
        public string Name { get; set; }

        [Required(ErrorMessage = "Email is required.")]
        [EmailAddress(ErrorMessage = "Please enter a valid email address.")]
        [StringLength(150)]
        [Display(Name = "Email Address")]
        public string Email { get; set; }

        [Required(ErrorMessage = "Please select a course.")]
        [Display(Name = "Course")]
        public string Course { get; set; }

        [Required(ErrorMessage = "Please select a rating.")]
        [Range(1, 5, ErrorMessage = "Rating must be between 1 and 5.")]
        [Display(Name = "Rating")]
        public int? Rating { get; set; }

        [Required(ErrorMessage = "Comments are required.")]
        [StringLength(500, MinimumLength = 10, ErrorMessage = "Comments must be between 10 and 500
characters.")]
        [Display(Name = "Comments")]
        public string Comments { get; set; }
    }

    public class TeacherFeedbackModel
    {
        [Required(ErrorMessage = "Name is required.")]
        [StringLength(100, MinimumLength = 2, ErrorMessage = "Name must be between 2 and 100
characters.")]
        [Display(Name = "Full Name")]
        public string Name { get; set; }

        [Required(ErrorMessage = "Email is required.")]
        [EmailAddress(ErrorMessage = "Please enter a valid email address.")]
        [StringLength(150)]
        [Display(Name = "Email Address")]
        public string Email { get; set; }

        [Required(ErrorMessage = "Please select a department.")]
        [Display(Name = "Department")]
        public string Department { get; set; }

        [Required(ErrorMessage = "Please select a rating.")]
        [Range(1, 5, ErrorMessage = "Rating must be between 1 and 5.")]
        [Display(Name = "Rating")]
        public int? Rating { get; set; }

        [Required(ErrorMessage = "Comments are required.")]
```

```
        [StringLength(500, MinimumLength = 10, ErrorMessage = "Comments must be between 10 and 500
characters.")]
        [Display(Name = "Comments")]
        public string Comments { get; set; }
    }
}
```

_Header.cshtml

```
<nav class="navbar navbar-expand-lg navbar-dark shadow-sm">
    <div class="container">
        @Html.ActionLink("Campus Feedback", "Index", "Home", null, new { @class = "navbar-brand"
})
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#mainNav"
                aria-controls="mainNav" aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="mainNav">
            <ul class="navbar-nav ms-auto">
                <li class="nav-item">@Html.ActionLink("Home", "Index", "Home", null, new { @class
= "nav-link" })</li>
                <li class="nav-item">@Html.ActionLink("Student Feedback", "StudentFeedback",
"Feedback", null, new { @class = "nav-link" })</li>
                <li class="nav-item">@Html.ActionLink("Teacher Feedback", "TeacherFeedback",
"Feedback", null, new { @class = "nav-link" })</li>
            </ul>
        </div>
    </div>
</nav>
```

_Footer.cshtml

```
<footer class="text-light text-center py-3 mt-5">
    <div class="container">
        <small>&copy; @DateTime.Now.Year Campus Feedback Portal</small>
    </div>
</footer>
```

_Layout.cshtml

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>@ViewBag.Title - Campus Feedback</title>

    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" />
    <style>
```

```css
body {
    background: #f4f7fb;
    color: #243247;
    font-family: "Segoe UI", Arial, sans-serif;
}

.navbar {
    background: #172b4d !important;
}

.navbar-brand {
    font-weight: 700;
    letter-spacing: .2px;
}

main.container {
    max-width: 1120px;
}

.hero-panel {
    background: linear-gradient(135deg, #e8f1ff, #f7fbff);
    border: 1px solid #dce8f8;
    border-radius: 18px;
}

.feedback-card {
    border: 1px solid #e6ebf2;
    border-radius: 16px;
    transition: transform .15s ease, box-shadow .15s ease;
}

.feedback-card:hover {
    transform: translateY(-3px);
    box-shadow: 0 .75rem 1.5rem rgba(23, 43, 77, .09) !important;
}

.form-panel {
    background: #fff;
    border-radius: 16px;
    border: 1px solid #e6ebf2;
}

.form-control, .form-select {
    border-color: #d7deea;
    padding-top: .65rem;
    padding-bottom: .65rem;
}

.form-control:focus, .form-select:focus {
    border-color: #86b7fe;
    box-shadow: 0 0 0 .2rem rgba(13, 110, 253, .12);
}

.page-kicker {
    color: #0d6efd;
    font-size: .78rem;
    font-weight: 700;
    letter-spacing: 1.3px;
    text-transform: uppercase;
}
```

```
        footer {
            background: #172b4d;
        }
    </style>
</head>
<body class="d-flex flex-column min-vh-100">

    @Html.Partial("_Header")

    <main class="container flex-grow-1 py-4 py-md-5">
        @RenderBody()
    </main>

    @Html.Partial("_Footer")

    <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-
validate/1.19.5/jquery.validate.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-validation-
unobtrusive/3.2.12/jquery.validate.unobtrusive.min.js"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

    @RenderSection("scripts", required: false)
</body>
</html>
```

_Index.cshtml

```
@{
    ViewBag.Title = "Home";
}

<section class="hero-panel text-center px-3 px-md-5 py-5 mb-4 mb-md-5">
    <div class="page-kicker mb-2">Your voice matters</div>
    <h1 class="display-5 fw-bold mb-3">Campus Feedback Portal</h1>
    <p class="lead text-secondary mx-auto mb-0" style="max-width: 680px;">
        Share your experience and help us make learning and teaching better for everyone.
    </p>
</section>

<div class="row g-4 justify-content-center">
    <div class="col-md-6">
        <div class="card feedback-card shadow-sm h-100">
            <div class="card-body p-4 p-lg-5 text-center d-flex flex-column">
                <div class="display-5 mb-3" aria-hidden="true">&#127891;</div>
                <h2 class="h4 card-title fw-bold">Student Feedback</h2>
                <p class="card-text text-secondary flex-grow-1">
                    Tell us about your course, learning experience, and what could be improved.
                </p>
                @Html.ActionLink("Give Student Feedback", "StudentFeedback", "Feedback", null, new
{ @class = "btn btn-primary px-4" })
            </div>
        </div>
    </div>
    <div class="col-md-6">
        <div class="card feedback-card shadow-sm h-100">
            <div class="card-body p-4 p-lg-5 text-center d-flex flex-column">
```

```
                <div class="display-5 mb-3" aria-hidden="true">&#128105;&#8205;&#127979;</div>
                <h2 class="h4 card-title fw-bold">Teacher Feedback</h2>
                <p class="card-text text-secondary flex-grow-1">
                    Share your thoughts about teaching, your department, and the academic
environment.
                </p>
                @Html.ActionLink("Give Teacher Feedback", "TeacherFeedback", "Feedback", null, new
{ @class = "btn btn-success px-4" })
            </div>
        </div>
    </div>
</div>

<p class="small text-secondary text-center mt-4 mb-0">Please provide honest and respectful
feedback.</p>
```

StudentFeedback.cshtml

```
@model Practical_7.Models.StudentFeedbackModel
@{
    ViewBag.Title = "Student Feedback";
}

<div class="row justify-content-center">
    <div class="col-md-9 col-lg-7">
        <div class="form-panel shadow-sm p-4 p-md-5">
            <div class="page-kicker mb-2">Student form</div>
            <h1 class="h2 fw-bold mb-2">Student Feedback</h1>
            <p class="text-secondary mb-4">Let us know about your course and learning
experience.</p>

            @using (Html.BeginForm("StudentFeedback", "Feedback", FormMethod.Post))
            {
                @Html.AntiForgeryToken()
                @Html.ValidationSummary(true, "", new { @class = "text-danger mb-3" })

                <div class="mb-3">
                    @Html.LabelFor(m => m.Name, new { @class = "form-label fw-semibold" })
                    @Html.TextBoxFor(m => m.Name, new { @class = "form-control", placeholder =
"Enter your full name", autocomplete = "name" })
                    @Html.ValidationMessageFor(m => m.Name, "", new { @class = "text-danger small"
})
                </div>

                <div class="mb-3">
                    @Html.LabelFor(m => m.Email, new { @class = "form-label fw-semibold" })
                    @Html.TextBoxFor(m => m.Email, new { @class = "form-control", type = "email",
placeholder = "name@example.com", autocomplete = "email" })
                    @Html.ValidationMessageFor(m => m.Email, "", new { @class = "text-danger
small" })
                </div>

                <div class="mb-3">
                    @Html.LabelFor(m => m.Course, new { @class = "form-label fw-semibold" })
                    @Html.DropDownListFor(m => m.Course, (SelectList)ViewBag.Courses, "-- Select
Course --", new { @class = "form-select" })
                    @Html.ValidationMessageFor(m => m.Course, "", new { @class = "text-danger
small" })
```

```
                </div>

                <div class="mb-3">
                    @Html.LabelFor(m => m.Rating, new { @class = "form-label fw-semibold" })
                    @Html.DropDownListFor(m => m.Rating, (SelectList)ViewBag.Ratings, "-- Select
Rating --", new { @class = "form-select" })
                    @Html.ValidationMessageFor(m => m.Rating, "", new { @class = "text-danger
small" })
                </div>

                <div class="mb-4">
                    @Html.LabelFor(m => m.Comments, new { @class = "form-label fw-semibold" })
                    @Html.TextAreaFor(m => m.Comments, 5, 40, new { @class = "form-control",
placeholder = "Write your comments (10-500 characters)" })
                    @Html.ValidationMessageFor(m => m.Comments, "", new { @class = "text-danger
small" })
                </div>

                <button type="submit" class="btn btn-primary px-4">Submit Feedback</button>
                @Html.ActionLink("Cancel", "Index", "Home", null, new { @class = "btn btn-outline-
secondary ms-2" })
            }
        </div>
    </div>
</div>
```

TeacherFeedback.cshtml

```
@model Practical_7.Models.TeacherFeedbackModel
@{
    ViewBag.Title = "Teacher Feedback";
}

<div class="row justify-content-center">
    <div class="col-md-9 col-lg-7">
        <div class="form-panel shadow-sm p-4 p-md-5">
            <div class="page-kicker mb-2">Teacher form</div>
            <h1 class="h2 fw-bold mb-2">Teacher Feedback</h1>
            <p class="text-secondary mb-4">Share your feedback about teaching and the academic
environment.</p>

            @using (Html.BeginForm("TeacherFeedback", "Feedback", FormMethod.Post))
            {
                @Html.AntiForgeryToken()
                @Html.ValidationSummary(true, "", new { @class = "text-danger mb-3" })

                <div class="mb-3">
                    @Html.LabelFor(m => m.Name, new { @class = "form-label fw-semibold" })
                    @Html.TextBoxFor(m => m.Name, new { @class = "form-control", placeholder =
"Enter your full name", autocomplete = "name" })
                    @Html.ValidationMessageFor(m => m.Name, "", new { @class = "text-danger small"
})
                </div>

                <div class="mb-3">
                    @Html.LabelFor(m => m.Email, new { @class = "form-label fw-semibold" })
                    @Html.TextBoxFor(m => m.Email, new { @class = "form-control", type = "email",
placeholder = "name@example.com", autocomplete = "email" })
```

```
                    @Html.ValidationMessageFor(m => m.Email, "", new { @class = "text-danger
small" })
                </div>

                <div class="mb-3">
                    @Html.LabelFor(m => m.Department, new { @class = "form-label fw-semibold" })
                    @Html.DropDownListFor(m => m.Department, (SelectList)ViewBag.Departments, "--
Select Department --", new { @class = "form-select" })
                    @Html.ValidationMessageFor(m => m.Department, "", new { @class = "text-danger
small" })
                </div>

                <div class="mb-3">
                    @Html.LabelFor(m => m.Rating, new { @class = "form-label fw-semibold" })
                    @Html.DropDownListFor(m => m.Rating, (SelectList)ViewBag.Ratings, "-- Select
Rating --", new { @class = "form-select" })
                    @Html.ValidationMessageFor(m => m.Rating, "", new { @class = "text-danger
small" })
                </div>

                <div class="mb-4">
                    @Html.LabelFor(m => m.Comments, new { @class = "form-label fw-semibold" })
                    @Html.TextAreaFor(m => m.Comments, 5, 40, new { @class = "form-control",
placeholder = "Write your comments (10-500 characters)" })
                    @Html.ValidationMessageFor(m => m.Comments, "", new { @class = "text-danger
small" })
                </div>

                <button type="submit" class="btn btn-success px-4">Submit Feedback</button>
                @Html.ActionLink("Cancel", "Index", "Home", null, new { @class = "btn btn-outline-
secondary ms-2" })
            }
        </div>
    </div>
</div>
```


Success.cshtml


```
@{
    ViewBag.Title = "Submission Successful";
}


<div class="row justify-content-center">
    <div class="col-md-8 col-lg-7">
        <div class="form-panel shadow-sm text-center p-4 p-md-5">
            <div class="display-1 text-success" aria-hidden="true">&#10003;</div>
            <h1 class="h2 fw-bold mt-3">Submission Successful</h1>
            <p class="lead text-secondary mt-3">@ViewBag.Message</p>
            <p class="small text-secondary">Thank you for taking the time to share your
feedback.</p>
            <div class="mt-4 d-flex flex-wrap justify-content-center gap-2">
                @Html.ActionLink("Back to Home", "Index", "Home", null, new { @class = "btn btn-
primary" })
                @Html.ActionLink("Student Feedback", "StudentFeedback", "Feedback", null, new {
@class = "btn btn-outline-secondary" })
                @Html.ActionLink("Teacher Feedback", "TeacherFeedback", "Feedback", null, new {
@class = "btn btn-outline-secondary" })
            </div>
```


```
        </div>
    </div>
</div>
```


Output:






Campus Feedback
Home
Student Feedback
Teacher Feedback
Submission Successful
Thank you, Jainish! Your student feedback has been submitted.
Thank you for taking the time to share your feedback.
Back to Home
Student Feedback
Teacher Feedback
© 2026 Campus Feedback Portal


Campus Feedback
Home
Student Feedback
Teacher Feedback
TEACHER FORM
Teacher Feedback
Share your feedback about teaching and the academic environment.
Full Name
Jainish
Email Address
jainish@gmail.com
Department
Computer Science
Rating
5 - Excellent
Comments
This is my .Net Practical 7
Submit Feedback
Cancel



GitHub URL: https://github.com/jainishkakkad133582/.Net-Practicals/tree/main/Practical%207

GitHub URL: https://github.com/jainishkakkad133582/.Net-Practicals/tree/main