

AIR VENTS



Designed for Efficient Air Movement.

ECONOMIC SERIES



ETAV-01



Size	130mm x 130mm [screw fit]
Material	ABS
Colour shade	RAL- 7035 / RAL- 7032
Dust fabric	180 gsm, 10-15mm thick
Filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm
Density	Approximately 106 g/Cm ³
Approvals	CE RoHS

ETAV-02



Size	147mm x 147mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL- 7032
Dust fabric	180 gsm, 10-15mm thick
Filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm
Density	Approximately 106 g/Cm ³
Approvals	CE RoHS

ETAV-03



Size	184mm x 184mm [screw fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm 6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-04



Size	204mm x 204mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm 6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-05



Size	238mm x 238mm [screw fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm 8" Sq, 220mm x 220mm x 68mm 8" Oval, 0220mm x 180mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-06



Size	255mm x 255mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm 8" Sq, 220mm x 220mm x 68mm 8" Oval, 0220mm x 180mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-03



Size	184mm x 184mm [screw fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm 6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-04



Size	204mm x 204mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm 6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-05




Size	238mm x 238mm [screw fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm 8" Sq, 220mm x 220mm x 68mm 8" Oval, 0220mm x 180mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-06



Size	255mm x 255mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm 8" Sq, 220mm x 220mm x 68mm 8" Oval, 0220mm x 180mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-09



Size	325mm x 325mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	6" Sq, 220mm x 220mm x 60mm 6" Oval, Ø 220mm x 60mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-10



Size	87mm x 87mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	3" Sq, 80mm x 80mm x 25mm 3.5" Sq, 92mm x 92mm x 25mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-11



Size	90mm x 90mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	3" Sq, 80mm x 80mm x 25mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-204/DT




Size	204mm x 204mm [snap fit door type]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-255/DT



Size	255mm x 355mm [snap fit door type]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric filter	180 gsm, 10-15mm thick 25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm
Density	Approximately 106 g/Cm ³
Approvals	CE RoHS

ETAD-285



Size	285mm x 285mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric filter	180 gsm, 10-15mm thick 25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	8" Sq, 220mm x 220mm x 60mm 8" Round, Ø 220mm x 60mm
Density	Approximately 106 g/Cm ³
Approvals	CE RoHS




Purpose of Installation

- Ventilation
- Dust Protection
- Durability

Typical Applications

- Electrical Panels
- Industrial Automation
- Solar Inverters
- Telecom Cabinets
- Data Cabinets
- Pump Controllers

PREMIUM SERIES



ETAV-130/4




Size	130mm x 130mm [screw fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
Filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-150/SF-4



Size	147mm x 147mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric	180 gsm, 10-15mm thick
Filter	25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-184/6



Size	184mm x 184mm [screw fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric filter	180 gsm, 10-15mm thick 25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm 6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-204/SF-4/6



Size	204mm x 204mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric filter	180 gsm, 10-15mm thick 25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm 6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-238/8



Size	238mm x 238mm [screw fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric filter	180 gsm, 10-15mm thick 25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm 8" Sq, 220mm x 220mm x 68mm 8" Oval, 220mm x 180mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

ETAV-255/SF-6/8



Size	255mm x 255mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric filter	180 gsm, 10-15mm thick 25-30 Micron
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm 8" Sq, 220mm x 220mm x 68mm 8" Oval, 220mm x 180mm
Density	Approximately 106 g/Cm ³
Approvals	CE 

EPDM GASKETING SERIES



ETAV-117/SF-3/3.5 EG



Size	117mm x 117mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric filter	180 gsm, 10-15mm thick 25-30 Micron, fabric filter
Gasket	EPDM Gasketing
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	3" Sq, 80mm x 80mm x 25mm 3.5" Sq, 92mm x 92mm x 25mm
Density	Approximately 106 g/Cm ³
Approvals	   

ETAV-150/SF-4 EG



Size	150mm x 150mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric filter	180 gsm, 10-15mm thick 25-30 Micron, fabric filter
Gasket	EPDM Gasketing
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm
Density	Approximately 106 g/Cm ³
Approvals	   

ETAV-204/SF-4/6 EG




Size	204mm x 204mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric filter	80 gsm, 10-15mm thick 25-30 Micron, fabric filter
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm 6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm
Density	Approximately 106 g/Cm ³
Approvals	   

ETAV-204/DT-1 EG




Size	204mm x 204mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric filter	80 gsm, 10-15mm thick 25-30 Micron, fabric filter
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	4" Sq, 120mm x 120mm x 38mm
Density	Approximately 106 g/Cm ³
Approvals	   

ETAV-255/SF-4/6 EG



Size	238mm x 238mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric filter	80 gsm, 10-15mm thick 25-30 Micron, fabric filter
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm 8" Sq, 220mm x 220mm x 60mm 8" Oval, 220mm x 180mm
Density	Approximately 106 g/Cm ³
Approvals	   

ETAV-255/DT-1 EG



Size	255mm x 255mm [snap fit]
Material	ABS
Colour shade	RAL- 7035 / RAL - 7032
Dust fabric filter	80 gsm, 10-15mm thick 25-30 Micron, fabric filter
Nut & Screw	Mild steel (zinc plated)
Suitable for cooling fan	6" Sq, 172mm x 172mm x 55mm 6" Oval, 172mm x 150mm x 51mm
Density	Approximately 106 g/Cm ³
Approvals	   