

DISTRIBUTION BOXES



DISTRIBUTION BOX



ETDB - 02



Size	120mm x 53mm x 90mm (2way)
Material	ABS
Colour shade	RAL- 7035
Gasket	Silicon Rubber with Eva-Grommat
Mounting	Mild Steel Channel with Silver Plated
Screw	Mild steel (chrome plated) M4 X 19mm
Density	Approximately 106 g/Cm ²
Approvals	   

ETDB - 05



Size	159mm x 119mm x 91mm (5way)
Material	ABS
Colour shade	RAL- 7035
Gasket	Silicon Rubber with Eva-Grommat
Mounting	Mild Steel Channel with Silver Plated
Screw	Mild steel (chrome plated) M4 X 19mm
Density	Approximately 106 g/Cm ²
Approvals	   

ETDB-08



Size	209mm x 153mm x 90mm (8way)
Material	ABS
Colour shade	RAL- 7035
Gasket	Silicon Rubber with Eva-Grommat
Mounting	Mild Stool Channel with Silver Plated
Screw	Mild steel (chrome plated) M4 X 19mm
Density	Approximately 106 g/Cm ²
Approvals	

ETDB-12



Size	256mm x 196mm x 107mm (12way)
Material	ABS
Colour shade	RAL- 7035
Gasket	Silicon Rubber with Eva-Grommat
Mounting	Mild Stool Channel with Silver Plated
Screw	Mild steel (chrome plated) M4 X 19mm
Density	Approximately 106 g/Cm ²
Approvals	

ETDB-18



Size	360mm x 194mm x 110mm (18way)
Material	ABS
Colour shade	RAL- 7035
Gasket	Silicon Rubber with Eva-Grommat
Mounting	Mild Stool Channel with Silver Plated
Screw	Mild steel (chrome plated) M4 X 19mm
Density	Approximately 106 g/Cm ²
Approvals	

ETDB-24



Size	357mm x 271mm x 110mm (24way)
Material	ABS
Colour shade	RAL- 7035
Gasket	Silicon Rubber with Eva-Grommat
Mounting	Mild Stool Channel with Silver Plated
Screw	Mild steel (chrome plated) M4 X 19mm
Density	Approximately 106 g/Cm ²
Approvals	

SHPN DISTRIBUTION BOX



ETSHPN - 06



Size	190mm x 160mm x 100mm (6way)
Material	P.C.
Colour shade	RAL- 7035
Gasket	Silicon Rubber with Eva-Grommat
Mounting	Mild Steel Channel with Silver Plated
Screw	Mild steel (chrome plated) M4 X 19mm
Density	Approximately 120 g/Cm ²
Approvals	   

ETSHPN - 12



Size	265mm x 220mm x 110mm (2way)
Material	P.C.
Colour shade	RAL- 7035
Gasket	Silicon Rubber with Eva-Grommat
Mounting	Mild Steel Channel with Silver Plated
Screw	Mild steel (chrome plated) M4 X 19mm
Density	Approximately 120 g/Cm ²
Approvals	   

ETSHPN-18



Size	370mm x 220mm x 110mm (18way)
Material	P.C.
Colour shade	RAL- 7035
Gasket	Silicon Rubber with Eva-Grommat
Mounting	Mild Stool Channel with Silver Plated
Screw	Mild steel (chrome plated) M4 X 19mm
Density	Approximately 120 g/Cm ²
Approvals	

ETSHPN-24



Size	256mm x 370mm x 110mm (24way)
Material	P.C.
Colour shade	RAL- 7035
Gasket	Silicon Rubber with Eva-Grommat
Mounting	Mild Stool Channel with Silver Plated
Screw	Mild steel (chrome plated) M4 X 19mm
Density	Approximately 120 g/Cm ²
Approvals	

ETSHPN-36



Size	370mm x 370mm x 110mm (24way)
Material	P.C.
Colour shade	RAL- 7035
Gasket	Silicon Rubber with Eva-Grommat
Mounting	Mild Stool Channel with Silver Plated
Screw	Mild steel (chrome plated) M4 X 19mm
Density	Approximately 120 g/Cm ²
Approvals	

Engineered for Reliable Power Distribution

- Side Opening Transparent Door
- Silicone Rubber Weather Seal
- Easy DIN Rail Installation
- Spacious Wiring Area
- Plated Mounting Channel
- Chrome Plated Hardware
- IP65 Dust & Water Protection



SOLAR JUNCTION BOX




ET - SJB/01/AA
ET - SJB/01/AC



Size	180 mm x 130 mm x 100mm
Colour shade	Top - Transparent / Grey
Material	P.C.
Gasket	Sealing Rubber
Screw	Nylon screw
Density	Approximately 120 g/cm ²
Approvals	   

ET - SJB/02/AA
ET - SJB/02/AC



Size	180mm x 180mm x 100mm
Colour shade	Top - Transparent / Grey
Material	P.C
Gasket	Silicon Rubber
Screw	Nylon screw
Density	Approximately 120 g/cm ²
Approvals	   

SOLAR JUNCTION BOX

ET - SJB/03/AA ET - SJB/03/AC



Size	220mm x 190mm x 100mm
Colour shade	Top - Transparent / Grey
Material	P.C
Gasket	Silicon Rubber
Screw	Nylon Screw
Density	Approximately 120 g/Cm ²
Approvals	

ET - SJB/04/AA ET - SJB/04/AC



Size	280mm x 190mm x 130mm
Colour shade	Top - Transparent / Grey
Material	P.C
Gasket	Silicon Rubber
Screw	Nylon Screw
Density	Approximately 120 g/Cm ²
Approvals	

ET - SJB/01/AA-H



Size	180 mm x 130 mm x 100mm
Colour shade	Top - Transparent / Grey
Material	P.C.
Gasket	Sealing Rubber
Screw	Nylon screw
Density	Approximately 120 g/cm ²
Approvals	

Designed for rooftop and commercial photovoltaic installations requiring reliable environmental protection.

