

This is my first L<sup>A</sup>T<sub>E</sub>X document

Aparajita Dutta

October 31, 2019

## Contents

<b>1</b>	<b>Lists</b>	<b>2</b>
<b>2</b>	<b>equations</b>	<b>2</b>
2.1	Inline equations . . . . .	2
2.2	Array of equations . . . . .	3
<b>3</b>	<b>Brackets</b>	<b>3</b>
<b>4</b>	<b>Table</b>	<b>3</b>
<b>5</b>	<b>Graphics</b>	<b>3</b>
<b>6</b>	<b>Macros</b>	<b>4</b>

# 1 Lists

Tools for making sketches:

- Pen
- Pencil
  - Graphite
    - \* 4B
    - \* 8B
  - Charcoal
  - Pastel

- Paper

1. Pen
2. Pencil
  - (a) Graphite
    - i. 4B
    - ii. 8B
  - (b) Charcoal
  - (c) Pastel
3. Paper

# 2 equations

## 2.1 Inline equations

The function is:  $f(x) = x + 1$

The second function is:

$$f(y) = y + 2$$

The third function is:

$$f(y) = y - 5 \tag{1}$$

Superscript and subscript:  $f_x = x^{y-1}$

Fraction:  $x = \frac{3}{4}$

Area of a circle:  $\pi r^2$

Volume of a sphere:  $(\frac{4}{3})\pi r^3$

## 2.2 Array of equations

Array of equation:

$$f(x) = x + 1 \tag{2}$$

$$f(y) = y + 1 \tag{3}$$

## 3 Brackets

I have  $\frac{2}{3}$  of a litre.

$$a = \left\{ \frac{b}{c} + c \right\} + d$$

## 4 Table

$x$	1	2
$f(x)$	3	4

## 5 Graphics



## 6 Macros

first use of EINSTEIN equation [1] is:  $E = mc^2$

another use of Einstein equation [1] is:  $E = mc^2$

another use of Einstein equation is:  $E = mc^2$

another use of Einstein equation is:  $E = mc^2$

another use of Einstein equation is:

$$E = mc^2$$

another use of Einstein equation is:  $E = mc^2$

another use of Einstein equation is:  $E = mc^2$

## References

- [1] Aparajita Dutta, Tushar Dubey, Kusum Kumari Singh, and Ashish Anand. Splicevec: distributed feature representations for splice junction prediction. *Computational biology and chemistry*, 74:434–441, 2018.