

PARKFNB

The operating layer for fragmented urban parking capacity.

FIND

PROTECT

SPECIALIZE

MANAGE

MONETIZE

Seed Round · 2026 · Indore, Madhya Pradesh, India



One network connecting demand, physical access,
live occupancy and idle capacity.

What this deck covers

Four sections. Click any line to jump straight to it — or use the section bar at the top of every slide.

01

The opportunity

A broken parking ecosystem, five demand journeys, and a market already digitising.



02

The product

One operating layer: discovery, physical access, live vision and space creation.



03

The business

Unit economics, revenue model, the gap we close and why it compounds.



04

The plan

What is built today, how we go to market, and what the seed round buys.



Every figure marked illustrative is scenario math from stated assumptions — pilot data replaces it as it lands.

01

The opportunity

Parking is not one problem. It is five, and they are all failures of the same missing layer.

A BROKEN ECOSYSTEM

FIVE DEMAND JOURNEYS

WHY NOW

Parking is not one problem — it is a broken ecosystem

Demand exists. Space exists. Infrastructure exists. What is missing is the digital layer connecting them.



Destination uncertainty

Drivers heading to markets, offices or hospitals cannot verify open parking in advance.

WHO IT HURTS

Drivers



Unauthorised usage

Private plot and driveway owners face squatting, with little control over who parks there.

WHO IT HURTS

Space owners



Large-vehicle friction

Buses, shuttles and logistics fleets need turning radius, clearance and legal waiting space.

WHO IT HURTS

Fleet operators



Under-managed lots

Commercial lots hold real capacity but still run on manual entry and passive CCTV.

WHO IT HURTS

Lot operators



Idle capacity

Owners have no end-to-end tool for listing, booking, access, payment and payout.

WHO IT HURTS

Space owners

Parkfnb turns fragmented parking capacity into a connected, bookable and controllable network.

Five everyday parking journeys. One missing certainty.

The same failure repeats at offices, markets, temples, tourist destinations and transport hubs.



Corporate employee

Needs predictable parking near the office, usually at a fixed arrival time.

WORK



Staff / corporate bus

Needs safe, legal short-duration waiting and pickup space.

TRANSIT



Shopper

Reaches a market or high street and only then discovers whether parking exists.

SHOP



Tourist / pilgrim

Travels to a temple or attraction with uncertain, peak-loaded nearby parking.

VISIT



Commercial / fleet

Needs short-duration loading, service or fleet parking near a destination.

FLEET


Common demand signal: "I am going to X — show me a trusted place to park there, for my time window."

A large market, already digitising

Vehicle growth, dense urban cores and cheap edge compute are converging at the same time.

INDIA SMART-PARKING MARKET

Market size, US\$ billions



2025 and 2031 are cited third-party estimates; intermediate years interpolated at the cited CAGR.

WHY NOW



Vehicles outpacing built parking

300M+ registered vehicles against urban cores that cannot add supply.



Edge compute got cheap

Camera-based occupancy no longer needs a sensor in every single bay.



Digital payments are ambient

UPI makes hourly micro-transactions and instant owner payouts routine.

Fragmented private supply + under-managed lots + access hardware + occupancy data = a far broader opportunity than a discovery app.

02

The product

One connected layer across discovery, physical access, live vision and space creation.

THE SOLUTION

PRODUCT STACK

HOW IT WORKS

CREATE · MANAGE · PROTECT

FLEET SEGMENT

Parkfnb: one operating layer across the parking stack

Not another parking app — a unified layer connecting demand, physical access and spatial management.



FIND

Drivers

- Discover nearby supply
- Reserve a verified slot
- Navigate and park

NETWORK NODE



PROTECT & EARN

Space owners

- List idle hours
- Control physical access
- Receive direct payout

NETWORK NODE



SPECIALIZE

Buses & fleets

- Match vehicle dimensions
- Reserve time slots
- Use dedicated bays

NETWORK NODE



MANAGE

Operators

- CCTV edge AI
- ANPR + barriers
- Occupancy + pricing

NETWORK NODE



CREATE

Site creators

- Ingest site imagery
- Optimise geometry
- Create bookable capacity

NETWORK NODE

Network effect: more supply → better discovery → more bookings → richer occupancy data → better operations.

One platform, five asset classes, one connected layer


Different spaces need different levels of access control and intelligence — the software layer stays the same.

ASSET TYPE	LISTING & DEMAND	PHYSICAL ACCESS	INTELLIGENCE
Household / single bay	List idle hours	Smart lock controller	Booking + owner payout
Private plot / small lot	List multiple spaces	Barrier + QR / BLE	Bookings + occupancy
Mall / office / society	Manage existing capacity	Existing barrier + ANPR	CCTV analytics + pricing
Bus / fleet parking	Reserve large space	Controlled entry	Time-window + vehicle check
New parking site	Create capacity	Geometry optimiser	Slot layout + circulation

APP + ACCESS + AI + OPTIMISATION = one connected parking operating layer

From search to settlement — with physical access in the loop

One booking flow, one access event, one automatic settlement — for both sides of the network.



Revenue share shown is the current pilot assumption and is subject to validation in live deployments.


Space Optimizer Engine

Convert unorganised plots into the maximum feasible, buildable parking capacity.

SITE INPUT



OPTIMISED OUTPUT




- 1 **INPUT**
Site capture
Satellite or aerial imagery, plot boundary and access points.
- 2 **ENGINE**
Geometry solver
Parking angle, bay pitch, aisle width and turning circles.
- 3 **CHECKS**
Constraint pass
Setbacks, ramps, circulation and access-code constraints.
- 4 **OUTPUT**
Buildable layout
Slot coordinates, aisles and an access plan ready for site.

Illustrative layout. Final capacity depends on site geometry, access conditions and local engineering constraints.

Intelligent CCTV Vision (Edge AI)

Turn cameras that are already installed into a live occupancy signal — without a sensor in every bay.



COST POSITIONING

Reuses existing CCTV infrastructure — no per-bay sensor retrofit required.

Detection accuracy benchmarks will be published once measured in paid pilot deployments.

01

Feed ingest

Pull existing CCTV streams at the edge, no cloud round-trip.

02

Vehicle detection

Detect and track vehicles across the camera's field of view.

03

Slot-level occupancy

Map detections onto the mapped bay grid, bay by bay.

04

ANPR plate match

Read the plate and match it to the active reservation.


05

Exception alerts

Flag misaligned parking, overstay and unauthorised entry.

Smart barrier hardware


A private listing is only worth something when the owner can control physical access to the bay.



UNIT ECONOMICS


₹6,000–₹8,000 target hardware cost

Target payback 4–6 months at pilot utilisation assumptions*



BLE unlock

Target < 1.5 sec




Low-power actuator

Duty-cycled drive



Solar / long-life battery

No mains wiring




Weather resistant

Outdoor rated



Steel protective casing

Anti-tamper



Retrofit install

No civil work

*Payback is a model assumption derived from the unit economics in section 03; to be validated in pilot deployments.

Large-vehicle and fleet parking infrastructure

Purpose-built capacity for the vehicles that simply cannot use a standard parking bay.



Corporate & school shuttles

Pre-bookable waiting bays near offices, schools and campuses, released on a schedule.

SCHEDULED TIME SLOTS



Tourist & pilgrim coaches

Dedicated large bays near shrines, monuments and event venues, sized for peak arrival.

DAY + OVERNIGHT BAYS



Commercial logistics

Guaranteed staging bays for last-mile delivery vehicles close to the drop radius.

ANPR + AUTOMATED ACCESS

Spatial-engine advantage: match turning radius, height clearance and access constraints to the right bay.

03

The business

How idle hours turn into recurring revenue, and why the position gets harder to copy.

UNIT ECONOMICS

REVENUE MODEL

MARKET GAP

DEFENSIBILITY

Monetise idle hours — not just real estate

Illustrative pilot assumptions: a 70% owner / 30% Parkfnb split on gross booking value.

PER-BAY MODEL

₹40 / hr × 4 hrs / day × 30 days

₹4,800

GROSS BOOKING VALUE PER MONTH

Owner payout

70% ₹3,360

Parkfnb take

30% ₹1,440

NETWORK SCALE · SAME ASSUMPTIONS

BAYS

MONTHLY GMV

PARKFNB TAKE

100

bays live

₹4.8 L

₹1.44 L

1,000

bays live

₹48 L

₹14.4 L

1,500

bays live

₹72 L

₹21.6 L

All figures are scenario math, not realised revenue. Utilisation, pricing and churn must be validated in pilots. · Hardware ₹6,000–₹8,000 per unit, 4–6 month target payback.

Multi-layer monetisation across the same network


Marketplace fees build liquidity; SaaS and hardware build recurring revenue around managed supply.

SEGMENT	CUSTOMER	PRODUCT	PRICING
B2C	Drivers	Booking convenience fee	₹10–₹25 per booking
B2B2C	Space owners	Marketplace commission	70% owner / 30% Parkfnb
B2B	Commercial lots	CCTV edge AI + barriers	Setup fee + monthly SaaS
B2B	Developers / plots	Space Optimizer	Design fee + setup commission
B2G	Municipalities	Digital parking networks	Long-term infrastructure contracts

Long-term shape: high-margin software and marketplace take, layered on installed physical infrastructure.

Four layers exist today — nobody connects them

Parking already has marketplaces, access hardware and vision software, but each solves a different layer.




PARKFNB = the connected operating layer

Demand → verified inventory → reservation → physical access → live occupancy → payout

Competitive framing based on publicly available product descriptions; to be re-validated before external circulation.

The system gets stronger as it scales

The moat is not a single feature — it is the compounding loop between supply, access, vision and spatial data.



Moat thesis

Unifying private supply creation, physical access control, live occupancy vision and spatial intelligence on one network — each new site makes every other layer more accurate and more valuable.

04

The plan

What is already built, how the first clusters get won, and what the seed round buys.

TRACTION

GO-TO-MARKET

THE ASK

Technology validated — commercial pilot is next

What is built and tested today, kept clearly separate from what the next milestone still has to prove.



Platform

Working prototype built



CCTV vision

Occupancy detection tested



Hardware

Smart-lock prototype built



Space optimiser

Layout algorithm prototype built



Customer discovery

Operator and customer discussions under way



Commercial proof


Paid pilots, LOIs and deployment metrics — next

NEXT VALIDATION GATE

Paid pilot deployments in Indore — measuring utilisation, detection accuracy, access reliability and repeat bookings.

Win dense micro-markets before expanding city-wide

The strategy is supply clustering: build enough parking density around a destination to make the network useful.



Operating principle: density first, city-wide expansion second.

Seed funding to prove the first repeatable parking clusters

₹1.5–₹2.5 Cr for an 18-month execution window across product, hardware and pilot deployment.


SEED ROUND

₹1.5–₹2.5 Cr

18 months of runway

Indore-first deployment, then a second cluster city.

USE OF FUNDS



18-MONTH VALIDATION TARGETS

50+ sites / 1,500 slots live across
Indore clusters

Hardware batch production and
field testing

Recurring marketplace + B2B SaaS
revenue

One municipal trial opened after
pilot proof

Funding objective: prove repeatable unit economics, supply density and operational reliability — then scale.

PARKFNB

One network for finding, protecting, managing and monetising parking.

SEED ROUND · 2026 · INDORE, MADHYA PRADESH

CONTACT

[Founder name]

EMAIL

[email address]

PHONE

[phone number]

